

ภาคผนวก ง

ใบรับรองผลการติดตามตรวจสอบผลกระทบสิ่งแวดล้อม


ผลการตรวจวัดสภาพภูมิอากาศ



Meteorological Monitoring Results : Wind Rose MTR-PTTGC-LLDPE Plant

Location : East Fence of Project Site Monitor period : 11-18 Mar 2025
Wind Speed Model : Novalynx WS-25 Serial No : A4904
Wind Direction Model : Novalynx WS-25 Serial No : A4904

Direction	Percentage of Occurrence of Wind Direct Grouped in Various Wind Speed						
	0.5-1 m/s	1-2 m/s	2-3 m/s	3-4 m/s	4-6 m/s	More than 6	Total
N	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
NNE	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
NE	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
ENE	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
E	0.0000	0.0060	0.0000	0.0000	0.0000	0.0000	0.0060
ESE	0.0060	0.0119	0.0000	0.0000	0.0000	0.0000	0.0179
SE	0.0179	0.0238	0.0119	0.0000	0.0000	0.0000	0.0536
SSE	0.0417	0.0476	0.0119	0.0000	0.0000	0.0000	0.1012
S	0.0238	0.0595	0.0119	0.0000	0.0000	0.0000	0.0952
SSW	0.0476	0.0952	0.0298	0.0000	0.0000	0.0000	0.1726
SW	0.1071	0.1369	0.0357	0.0000	0.0000	0.0000	0.2798
WSW	0.0714	0.0774	0.0417	0.0000	0.0000	0.0000	0.1905
W	0.0179	0.0357	0.0119	0.0000	0.0000	0.0000	0.0655
WNW	0.0000	0.0060	0.0060	0.0000	0.0000	0.0000	0.0119
NW	0.0000	0.0000	0.0060	0.0000	0.0000	0.0000	0.0060
NNW	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
CALM	0.0000						



(Miss Katesarin Vorradetwittaya)
Environmental Scientist

(Miss Preeda Somjai)
Technical Management Team




Meteorological Monitoring Results : Wind Rose MTR-PTTGC-LLDPE Plant

Location : East Fence of Project Site Monitor period : 11-18 Mar 2025
Wind Speed Model : Novalynx WS-25 Serial No : A4904
Wind Direction Model : Novalynx WS-25 Serial No : A4904

Time	11-12 Mar 2025		12-13 Mar 2025		13-14 Mar 2025		14-15 Mar 2025	
	WS(m/s)	WD	WS(m/s)	WD	WS(m/s)	WD	WS(m/s)	WD
10:00 - 11:00	2.1	SW	1.5	SSW	0.9	WSW	1.6	SSW
11:00 - 12:00	1.3	WSW	0.9	SSW	0.7	WSW	1.0	SSW
12:00 - 13:00	2.0	SW	1.9	WSW	1.2	SW	1.8	SSE
13:00 - 14:00	1.9	SSW	1.9	SW	2.0	WSW	1.9	ESE
14:00 - 15:00	1.4	SW	2.0	WSW	0.9	WSW	1.2	S
15:00 - 16:00	0.8	SW	1.1	WSW	1.5	WSW	1.9	SSW
16:00 - 17:00	1.1	SW	1.5	WSW	0.6	SW	0.6	S
17:00 - 18:00	2.0	SW	2.2	SW	1.3	SW	1.8	SSE
18:00 - 19:00	0.5	SW	0.7	WSW	1.5	S	0.8	S
19:00 - 20:00	0.6	SW	0.5	SW	0.7	SSW	0.6	SSE
20:00 - 21:00	1.1	S	1.4	SW	1.9	SSE	0.5	S
21:00 - 22:00	1.9	SW	1.0	SW	2.1	SSE	1.3	SSW
22:00 - 23:00	1.7	SW	1.5	SW	1.1	SE	0.7	SSW
23:00 - 24:00	1.3	SW	1.1	WSW	1.8	SSW	1.9	SW
00:00 - 01:00	1.5	SW	1.3	SW	2.1	S	0.5	S
01:00 - 02:00	1.3	SW	1.6	SW	1.3	SE	2.0	SSW
02:00 - 03:00	1.0	SSW	1.7	WSW	1.7	S	1.8	SSW
03:00 - 04:00	1.3	SW	2.1	WSW	1.9	S	0.5	SSW
04:00 - 05:00	0.5	SW	2.1	SW	0.9	SSE	1.1	SW
05:00 - 06:00	1.4	S	2.2	SW	1.7	E	1.1	SW
06:00 - 07:00	0.5	SW	1.2	WSW	0.8	SE	1.0	SW
07:00 - 08:00	0.7	SW	0.7	SW	0.9	SE	0.8	WSW
08:00 - 09:00	0.6	SW	1.4	SW	0.6	SSE	0.8	SW
09:00 - 10:00	2.0	S	2.0	SSW	1.4	SSE	0.9	SW

Wind Rose



File Control : R:\Database\Windrose\FileControl\Win-225107-East Fence of Project Site 11-18 Mar 2025

(Miss Katesarin Vorradetwittaya)
Environmental Scientist

(Miss Preeda Somjai)
Technical Management Team




Meteorological Monitoring Results : Wind Rose MTR-PTTGC-LLDPE Plant


Location : East Fence of Project Site Monitor period : 11-18 Mar 2025
Wind Speed Model : Novalynx WS-25 Serial No : A4904
Wind Direction Model : Novalynx WS-25 Serial No : A4904

Time	15-16 Mar 2025		16-17 Mar 2025		17-18 Mar 2025		
	WS(m/s)	WD	WS(m/s)	WD	WS(m/s)	WD	
10:00 - 11:00	1.7	S	2.1	W	1.2	SSW	
11:00 - 12:00	1.1	W	1.7	SSW	0.9	WSW	
12:00 - 13:00	2.1	WSW	0.8	WSW	0.5	WSW	
13:00 - 14:00	2.0	NW	0.9	W	1.5	S	
14:00 - 15:00	2.1	WSW	2.1	SSW	0.8	WSW	
15:00 - 16:00	1.1	WSW	0.6	WSW	0.7	SE	
16:00 - 17:00	0.5	WSW	1.9	W	1.4	SSE	
17:00 - 18:00	1.5	W	2.0	W	1.3	SSW	
18:00 - 19:00	0.5	W	0.5	WSW	2.2	SE	
19:00 - 20:00	1.1	WNW	0.9	SSE	0.9	SSE	
20:00 - 21:00	1.3	W	1.5	SSE	1.0	S	
21:00 - 22:00	1.6	SSW	2.0	SSE	0.8	SW	
22:00 - 23:00	0.7	W	0.7	ESE	1.9	S	
23:00 - 24:00	2.1	SSW	1.8	ESE	1.5	SSW	
00:00 - 01:00	1.0	WSW	1.0	WSW	0.8	SW	
01:00 - 02:00	0.9	SSW	0.8	SSE	0.6	SW	
02:00 - 03:00	1.4	WSW	2.1	SE	0.8	SW	
03:00 - 04:00	1.2	W	1.0	SSE	0.8	SW	
04:00 - 05:00	1.8	SW	1.4	SE	0.7	SSW	
05:00 - 06:00	1.9	W	1.7	SE	2.0	SSW	
06:00 - 07:00	2.0	WNW	1.3	SSE	1.9	SSW	
07:00 - 08:00	0.8	SSW	0.5	SSE	1.8	SSW	
08:00 - 09:00	2.0	WSW	0.7	SW	1.6	SW	
09:00 - 10:00	1.9	WSW	0.5	SSW	2.0	WSW	


Wind Rose




12 %



12 %



12 %



File Control : R:\Database\Windrose\FileControl\Win-225107-East Fence of Project Site 11-18 Mar 2025

(Miss Katesarin Vorradetwittaya)
Environmental Scientist


(Miss Preeda Somjai)
Technical Management Team



Meteorological Monitoring Results : Wind Rose MTR-PTTGC-LLDPE Plant

Location : Wat Nong Feab Monitor period : 11-18 Mar 2025
Wind Speed Model : Novalynx WS-25 Serial No : A5091
Wind Direction Model : Novalynx WS-25 Serial No : A5091


Direction	Percentage of Occurrence of Wind Direct Grouped in Various Wind Speed						
	0.5-1 m/s	1-2 m/s	2-3 m/s	3-4 m/s	4-6 m/s	More than 6	Total
N	0.0060	0.0060	0.0000	0.0000	0.0000	0.0000	0.0119
NNE	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
NE	0.0119	0.0000	0.0060	0.0000	0.0000	0.0000	0.0179
ENE	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
E	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
ESE	0.0000	0.0119	0.0000	0.0000	0.0000	0.0000	0.0119
SE	0.0060	0.0357	0.0000	0.0000	0.0000	0.0000	0.0417
SSE	0.0000	0.0655	0.0000	0.0000	0.0000	0.0000	0.0655
S	0.0298	0.0179	0.0119	0.0000	0.0000	0.0000	0.0595
SSW	0.0595	0.0774	0.0060	0.0000	0.0000	0.0000	0.1429
SW	0.0714	0.0714	0.0179	0.0000	0.0000	0.0000	0.1607
WSW	0.0357	0.0833	0.0060	0.0000	0.0000	0.0000	0.1250
W	0.0774	0.0833	0.0238	0.0000	0.0000	0.0000	0.1845
WNW	0.0119	0.0298	0.0119	0.0000	0.0000	0.0000	0.0536
NW	0.0000	0.0119	0.0000	0.0000	0.0000	0.0000	0.0119
NNW	0.0000	0.0060	0.0000	0.0000	0.0000	0.0000	0.0060
CALM	0.1071						



Application : WindPro Ver.1.0

Control : 16 Direction Calculation With
Calm Wind < 0.5 m/s

Data Unit : Direction in Deg.
Wind Speed in m/s



NOTE : Frequencies indicate direction from which
the wind is blowing

File Control : R:\Database\Windrose\FileControl\Win-225107-Wat Nong Feab 11-18 Mar 2025

(Miss Katesarin Vorradetwittaya)
Environmental Scientist

(Miss Preeda Somjai)
Technical Management Team



Meteorological Monitoring Results : Wind Rose MTR-PTTGC-LLDPE Plant

Location : Wat Nong Feab	Monitor period : 11-18 Mar 2025
Wind Speed Model : Novalynx WS-25	Serial No : A5091
Wind Direction Model : Novalynx WS-25	Serial No : A5091

Time	11-12 Mar 2025		12-13 Mar 2025		13-14 Mar 2025		14-15 Mar 2025	
	WS(m/s)	WD	WS(m/s)	WD	WS(m/s)	WD	WS(m/s)	WD
10:00 - 11:00	2.2	WNW	0.7	SSW	1.2	SSW	1.1	SW
11:00 - 12:00	0.5	WNW	1.2	WSW	1.0	SSE	1.8	SW
12:00 - 13:00	2.7	SW	1.8	SSW	1.6	SSE	0.4	SW
13:00 - 14:00	0.4	WSW	2.8	SSW	1.7	S	0.6	WSW
14:00 - 15:00	1.3	W	2.9	S	1.6	SSW	1.2	W
15:00 - 16:00	2.2	S	0.9	SSW	0.6	WSW	2.0	W
16:00 - 17:00	0.7	SW	0.3	WNW	2.0	W	1.4	WSW
17:00 - 18:00	1.2	SW	1.2	WSW	2.0	NE	1.3	NNW
18:00 - 19:00	1.2	S	0.2	SW	0.5	N	0.4	WSW
19:00 - 20:00	1.2	S	0.5	SSW	0.6	NE	0.8	W
20:00 - 21:00	0.8	S	0.6	SW	1.5	W	1.2	WSW
21:00 - 22:00	0.8	S	0.7	SW	1.1	W	0.9	SW
22:00 - 23:00	0.4	WSW	0.8	W	1.5	WNW	0.5	SSW
23:00 - 24:00	0.7	SSW	0.6	SW	1.6	WNW	1.6	SSW
00:00 - 01:00	1.6	SSW	0.5	W	2.0	WNW	1.6	WSW
01:00 - 02:00	0.3	SSW	0.3	SW	1.9	SW	1.2	WSW
02:00 - 03:00	1.1	WSW	0.1	WSW	1.3	SW	0.4	WSW
03:00 - 04:00	0.7	W	1.2	SE	0.5	NE	0.7	W
04:00 - 05:00	0.4	W	0.4	S	1.8	SSE	1.8	WNW
05:00 - 06:00	0.7	WSW	1.2	WNW	1.2	SE	0.5	W
06:00 - 07:00	0.3	WSW	0.7	WNW	0.4	W	1.6	SSW
07:00 - 08:00	1.1	SSW	1.0	SE	0.4	SSW	0.9	SW
08:00 - 09:00	0.5	WSW	1.2	W	1.8	N	1.3	SSE
09:00 - 10:00	0.5	SW	2.0	SW	2.0	SW	2.0	W
Wind Rose								



(Miss Katesarin Vorradetwittaya)
Environmental Scientist

(Miss Preeda Somjai)
Technical Management Team



Meteorological Monitoring Results : Wind Rose MTR-PTTGC-LLDPE Plant

Location : Wat Nong Feab	Monitor period : 11-18 Mar 2025
Wind Speed Model : Novalynx WS-25	Serial No : A5091
Wind Direction Model : Novalynx WS-25	Serial No : A5091

Time	15-16 Mar 2025		16-17 Mar 2025		17-18 Mar 2025	
	WS(m/s)	WD	WS(m/s)	WD	WS(m/s)	WD
10:00 - 11:00	1.3	SSW	1.5	W	1.2	SW
11:00 - 12:00	1.4	W	0.9	SSW	1.9	WSW
12:00 - 13:00	1.7	W	1.7	W	1.9	W
13:00 - 14:00	1.2	NW	1.8	W	0.5	SSW
14:00 - 15:00	1.3	WSW	0.7	SSW	1.0	WSW
15:00 - 16:00	0.8	W	1.6	WSW	1.9	SE
16:00 - 17:00	0.4	WSW	2.0	W	1.3	SSE
17:00 - 18:00	0.7	W	0.8	W	0.8	SW
18:00 - 19:00	0.7	W	1.3	WSW	1.1	SSE
19:00 - 20:00	1.6	WNW	1.7	SSE	0.4	SSE
20:00 - 21:00	0.7	W	1.0	SSE	1.5	SSW
21:00 - 22:00	0.5	SSW	1.0	SSE	1.2	SW
22:00 - 23:00	1.1	W	1.4	ESE	0.5	S
23:00 - 24:00	1.1	SW	1.8	ESE	1.0	SSW
00:00 - 01:00	1.4	W	1.0	WSW	1.1	SW
01:00 - 02:00	0.9	SW	1.1	SSE	0.9	SW
02:00 - 03:00	0.4	WSW	1.2	SE	0.7	WSW
03:00 - 04:00	1.4	W	0.5	S	1.3	SW
04:00 - 05:00	2.0	WSW	0.5	SE	0.7	SW
05:00 - 06:00	0.8	W	1.6	SE	0.8	SSW
06:00 - 07:00	1.6	NW	0.5	S	1.0	SSW
07:00 - 08:00	1.2	SW	1.3	SSE	1.9	SSW
08:00 - 09:00	0.5	W	0.7	SW	1.1	SW
09:00 - 10:00	1.9	WSW	1.8	SSW	0.6	WSW
Wind Rose						



(Miss Katesarin Vorradetwittaya)
Environmental Scientist

(Miss Preeda Somjai)
Technical Management Team

ผลการตรวจวัดคุณภาพอากาศในบรรยากาศ



บริษัท ซีคอต จำกัด
SECOT CO., LTD.
239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพฯ 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL : +66(0) 2959-3600 FAX : +66(0) 2959-3535 E-mail : envserv@secot.co.th

AMBIENT AIR QUALITY ANALYSIS REPORT

CLIENT NAME : PTT Global Chemical Public Co., Ltd. REFERENCE NO. : 225107_Ambient/Ethylene/Mar
(Branch 11 :LLDPE)
SAMPLING BY : SECOT Co., Ltd. SAMPLING DATE : 12-18/03/2025
RECEIVED DATE : 22/03/2025 ANALYTICAL DATE : 28/03/2025
REPORT DATE : 01/04/2025 SAMPLE CONDITION : Normal
SITE OPERATOR : Mr. Phuwadech Kaewjirakulsi
LOCATION DESCRIPTION: 1. East Fence of Project Site
2. Wat Nong Faeb

PARAMETER	SAMPLING DATE	UNIT	ND (Non-detectable)	RESULT		STANDARD	REFERENCE METHOD
				1	2		
Ethylene	12/03/2025	ppm	<0.01	ND	ND	-	Intersociety
	13/03/2025	ppm	<0.01	ND	ND		Committee Method 101
	14/03/2025	ppm	<0.01	ND	ND		
	15/03/2025	ppm	<0.01	ND	ND		
	16/03/2025	ppm	<0.01	ND	ND		
	17/03/2025	ppm	<0.01	ND	ND		
	18/03/2025	ppm	<0.01	ND	ND		

Sudaporn S.
(Miss Sudaporn Soonthorn)

Analyst

Narisa Poowasanpetch
(Miss Narisa Poowasanpetch)

Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. - No Standard.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.
239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพฯ 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL : +66(0) 2959-3600 FAX : +66(0) 2959-3535 E-mail : envserv@secot.co.th

AMBIENT AIR QUALITY ANALYSIS REPORT

CLIENT NAME : PTT Global Chemical Public Co., Ltd. REFERENCE NO. : 225107_Ambient/TSP/Mar
(Branch 11 : LLDPE)
SAMPLING BY : SECOT Co., Ltd. SAMPLING DATE : 11-18/03/2025
RECEIVED DATE : 22/03/2025 ANALYTICAL DATE : 22-24/03/2025
REPORT DATE : 02/04/2025 SAMPLE CONDITION : Normal
SITE OPERATOR : Mr. Phuwadech Kaewjirakulsi
LOCATION DESCRIPTION : East Fence of Project Site

PARAMETER	SAMPLING DATE	UNIT	RESULT	STANDARD ^{1/}	REFERENCE METHOD
TSP (24 hr)	11-12/03/2025	mg/cu.m.	0.028	0.330	High Volume Air
	12-13/03/2025	mg/cu.m.	0.026		Sampler/Gravimetric
	13-14/03/2025	mg/cu.m.	0.024		Method
	14-15/03/2025	mg/cu.m.	0.024		
	15-16/03/2025	mg/cu.m.	0.030		
	16-17/03/2025	mg/cu.m.	0.021		
	17-18/03/2025	mg/cu.m.	0.033		

Bongna Puthum.
(Miss Pornnapa Budthum)

Analyst

Narisa Poowasanpetch
(Miss Narisa Poowasanpetch)

Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. ^{1/} Notification of the National Environment Board, No.24, B.E.2547 (2004).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพฯ 10800

239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL : +66(0) 2959-3600 FAX : +66(0) 2959-3535 E-mail : envserv@secot.co.th

AMBIENT AIR QUALITY ANALYSIS REPORT

CLIENT NAME	: PTT Global Chemical Public Co., Ltd. (Branch 11 : LLDPE)	REFERENCE NO.	: 225107_Ambient/TSP/Mar
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING DATE	: 11-18/03/2025
RECEIVED DATE	: 22/03/2025	ANALYTICAL DATE	: 22-24/03/2025
REPORT DATE	: 02/04/2025	SAMPLE CONDITION	: Normal
SITE OPERATOR	: Mr. Phuwadech Kaewjirakulsri		
LOCATION DESCRIPTION	: Wat Nong Faeb		

PARAMETER	SAMPLING DATE	UNIT	RESULT	STANDARD ^{1/}	REFERENCE METHOD
TSP (24 hr)	11-12/03/2025	mg/cu.m.	0.053	0.330	High Volume Air
	12-13/03/2025	mg/cu.m.	0.054		Sampler/Gravimetric
	13-14/03/2025	mg/cu.m.	0.062		Method
	14-15/03/2025	mg/cu.m.	0.029		
	15-16/03/2025	mg/cu.m.	0.066		
	16-17/03/2025	mg/cu.m.	0.062		
	17-18/03/2025	mg/cu.m.	0.050		

(Miss Pornnapa Budthum)

Analyst

(Miss Narisa Poowasanpeteh)

Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. ^{1/} Notification of the National Environment Board, No.24, B.E.2547 (2004).

ผลการตรวจวัดคุณภาพอากาศ
จากปล่องระบายอากาศ



บริษัท ซีคอต จำกัด
SECOT CO.,LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพฯ 10800

239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL : +66(0) 2959-3600 FAX : +66(0) 2959-3535 E-mail : envserv@secot.co.th

STACK EMISSION ANALYSIS REPORT

CLIENT NAME	: PTT Global Chemical Public Co., Ltd.	REFERENCE NO.	: 225107_Stack_Ethylene_Mar
	(Branch 11 : LLDPE)		
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING DATE	: 14/03/2025
RECEIVED DATE	: 17/03/2025	ANALYTICAL DATE	: 20/03/2025
REPORT DATE	: 24/03/2025	SAMPLE CONDITION	: Good
STACK LOCATION	: Centrifugal Dryer	SITE OPERATOR	: Mr. Rommadon Lemmad
SOURCE DESCRIPTION	: Process		
STACK DESCRIPTION			

Height	: 26.0 m	Gas Velocity	: 7.4 m/s
Diameter	: 0.6x0.48 m	Flow rate*	: 110.9 Ncu.m/min
Temperature	: 52.0 °C	Excess Oxygen	: 20.9 %
Moisture	: 5.3 %		

PARAMETER	UNIT	ND	RESULT		STANDARD	REFERENCE METHOD
		(Non-detectable)	20.9 %O ₂	g/s		
Ethylene	ppm	<0.01	ND	<0.00002	-	US. EPA Method 18

Sudaporn S.
(Miss Sudaporn Soonthorn)

Analyst

Naris Poowasanpetch
(Miss Narisa Poowasanpetch)

Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.
3. * At standard pressure of 760 mm.Hg and temperature of 25 °C, dry basis.
4. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO.,LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพฯ 10800

239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL : +66(0) 2959-3600 FAX : +66(0) 2959-3535 E-mail : envserv@secot.co.th

STACK EMISSION ANALYSIS REPORT

CLIENT NAME	: PTT Global Chemical Public Co.,	REFERENCE. NO.	: 225107_Stack/PM/Mar
	(Branch 11 : LLDPE)		
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING DATE	: 14/03/2025
RECEIVED DATE	: 17/03/2025	ANALYTICAL DATE	: 17-18/03/2025
REPORT DATE	: 24/03/2025	SAMPLE CONDITION	: Good
STACK LOCATION	: Centrifugal Dryer	SITE OPERATOR	: Mr. Rommadon Lemmad
SOURCE DESCRIPTION	: Process		
STACK DESCRIPTION			

Height	: 26.0 m	Gas Velocity	: 7.4 m/s
Diameter	: 0.6x0.48 m	Flow rate*	: 110.9 Ncu.m/min
Temperature	: 52.0 °C	Excess Oxygen	: 20.9 %
Moisture	: 5.3 %		

PARAMETER	UNIT	RESULT*		STANDARD**		REFERENCE METHOD
		20.9%O ₂	g/s	20.9%O ₂	g/s	
Particulate matter	mg/Ncu.m.	4.50	0.008	35	0.040	US. EPA Method 5

Pornapa Budthum
(Miss Pornapa Budthum)

Analyst

REG.NO. 2-239-0-0018

Naris Poowasanpetch
(Miss Narisa Poowasanpetch)

Technical Management Team

REG. NO. 2-239-0-0010

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.
3. * At standard pressure of 760 mmHg and temperature of 25 °C, dry basis.
4. ** The assigned in EIA report.

ผลการตรวจวัดคุณภาพน้ำใต้ดิน



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800

239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: PTT Global Chemical Public Co., Ltd.	REQUEST SERVICE No	: 0561/68
	(Branch 11 : LLDPE)	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING TIME	: 10:04-10:17
SAMPLING DATE	: 25/03/2025	ANALYTICAL DATE	: 28-31/03/2025
RECEIVED DATE	: 27/03/2025	SITE OPERATOR	: Mr.Natthachai Chaiyakhot
REPORT DATE	: 05/04/2025	FILE CODE	: 224107_GW_March
SAMPLE CONDITION	: Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION MW-04	STANDARD ^{1/}
Total Petroleum Hydrocarbons					
- TPH (C ₃ - C ₉)	mg/l	5030 C / 8260 D	< 0.003	ND	≤ 1.4
- Pentane					
- Benzene					
- Toluene					
- m,p-Xylene					
- o-Xylene					
- Ethylbenzene					
- TPH (C ₈ - C ₁₆)	mg/l	3510 C / 8015 D	< 0.025	ND	≤ 1.7
- n-Nonane					
- n-Decane					
- n-Dodecane					
- n-Tetradecane					
- n-Hexadecane					
- TPH (C ₁₆ - C ₃₃)	mg/l	3510 C / 8015 D	< 0.050	ND	≤ 0.1
- n-Octadecane					
- n-Eicosane					
- n-Docosane					
- n-Tetracosane					
- n-Hexacosane					
- n-Octacosane					
- n-Triacontane					
- n-Dotriacontane					
- n-Tetraatriacontane					
- Pentaatriacontane					

REFERENCE : US EPA SW 846 TEST METHODS FOR EVALUATING WATER AND SOLID WASTE, 3rd ED., 2020

Sudaporn S.

(Miss Sudaporn Soonthorn)

Analyst

REG. NO. 2-239-9-0001

AR

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. 2-239-9-0004

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. ^{1/} Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800

239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: PTT Global Chemical Public Co., Ltd.	REQUEST SERVICE No	: 0561/68
	(Branch 11 : LLDPE)	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING TIME	: 10:52-11:10
SAMPLING DATE	: 25/03/2025	ANALYTICAL DATE	: 28-31/03/2025
RECEIVED DATE	: 27/03/2025	SITE OPERATOR	: Mr.Natthachai Chaiyakhot
REPORT DATE	: 05/04/2025	FILE CODE	: 224107_GW_March
SAMPLE CONDITION	: Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION MW-05	STANDARD ^{1/}
Total Petroleum Hydrocarbons					
- TPH (C ₃ - C ₉)	mg/l	5030 C / 8260 D	< 0.003	ND	≤ 1.4
- Pentane					
- Benzene					
- Toluene					
- m,p-Xylene					
- o-Xylene					
- Ethylbenzene					
- TPH (C ₈ - C ₁₆)	mg/l	3510 C / 8015 D	< 0.025	ND	≤ 1.7
- n-Nonane					
- n-Decane					
- n-Dodecane					
- n-Tetradecane					
- n-Hexadecane					
- TPH (C ₁₆ - C ₃₃)	mg/l	3510 C / 8015 D	< 0.050	ND	≤ 0.1
- n-Octadecane					
- n-Eicosane					
- n-Docosane					
- n-Tetracosane					
- n-Hexacosane					
- n-Octacosane					
- n-Triacontane					
- n-Dotriacontane					
- n-Tetraatriacontane					
- Pentaatriacontane					

REFERENCE : US EPA SW 846 TEST METHODS FOR EVALUATING WATER AND SOLID WASTE, 3rd ED., 2020

Sudaporn S.

(Miss Sudaporn Soonthorn)

Analyst

REG. NO. 2-239-9-0001

AR

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. 2-239-9-0004

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. ^{1/} Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: PTT Global Chemical Public Co., Ltd.	REQUEST SERVICE No.	: 0561/68
	(Branch 11 : LLDPE)	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING TIME	: 11:30-11:46
SAMPLING DATE	: 25/03/2025	ANALYTICAL DATE	: 28-31/03/2025
RECEIVED DATE	: 27/03/2025	SITE OPERATOR	: Mr.Natthachai Chaiyakhrot
REPORT DATE	: 05/04/2025	FILE CODE	: 224107_GW_March
SAMPLE CONDITION	: Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION MW-06	STANDARD ^{1/}
Total Petroleum Hydrocarbons					
- TPH (C ₃ - C ₉)	mg/l	5030 C / 8260 D	< 0.003	ND	≤ 1.4
- Pentane					
- Benzene					
- Toluene					
- m,p-Xylene					
- o-Xylene					
- Ethylbenzene					
- TPH (C ₈ - C ₁₆)	mg/l	3510 C / 8015 D	< 0.025	ND	≤ 1.7
- n-Nonane					
- n-Decane					
- n-Dodecane					
- n-Tetradecane					
- n-Hexadecane					
- TPH (C ₁₆ - C ₃₅)	mg/l	3510 C / 8015 D	< 0.050	ND	≤ 0.1
- n-Octadecane					
- n-Eicosane					
- n-Docosane					
- n-Tetracosane					
- n-Hexacosane					
- n-Octacosane					
- n-Triacontane					
- n-Dotriacontane					
- n-Tetratriacontane					
- Pentatriacontane					

REFERENCE : US EPA SW 846 TEST METHODS FOR EVALUATING WATER AND SOLID WASTE, 3rd ED., 2020

Sudaporn S.

(Miss Sudaporn Soonthorn)

Analyst

REG. NO. 2-239-9-0001

NR

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. 2-239-9-0004

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. ^{1/} Notification of the Ministry of Industry, B.E.2559 (2016).



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

GROUND WATER ANALYSIS REPORT

CLIENT NAME	: PTT Global Chemical Public Co., Ltd.	REQUEST SERVICE No.	: 0561/68
	(Branch 11 : LLDPE)	SAMPLING METHOD	: Pneumatic Bladder Pump
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING TIME	: 09:28-09:40
SAMPLING DATE	: 25/03/2025	ANALYTICAL DATE	: 28-31/03/2025
RECEIVED DATE	: 27/03/2025	SITE OPERATOR	: Mr.Natthachai Chaiyakhrot
REPORT DATE	: 05/04/2025	FILE CODE	: 224107_GW_March
SAMPLE CONDITION	: Normal		

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION MW-07	STANDARD ^{1/}
Total Petroleum Hydrocarbons					
- TPH (C ₃ - C ₉)	mg/l	5030 C / 8260 D	< 0.003	ND	≤ 1.4
- Pentane					
- Benzene					
- Toluene					
- m,p-Xylene					
- o-Xylene					
- Ethylbenzene					
- TPH (C ₈ - C ₁₆)	mg/l	3510 C / 8015 D	< 0.025	ND	≤ 1.7
- n-Nonane					
- n-Decane					
- n-Dodecane					
- n-Tetradecane					
- n-Hexadecane					
- TPH (C ₁₆ - C ₃₅)	mg/l	3510 C / 8015 D	< 0.050	ND	≤ 0.1
- n-Octadecane					
- n-Eicosane					
- n-Docosane					
- n-Tetracosane					
- n-Hexacosane					
- n-Octacosane					
- n-Triacontane					
- n-Dotriacontane					
- n-Tetratriacontane					
- Pentatriacontane					

REFERENCE : US EPA SW 846 TEST METHODS FOR EVALUATING WATER AND SOLID WASTE, 3rd ED., 2020

Sudaporn S.

(Miss Sudaporn Soonthorn)

Analyst

REG. NO. 2-239-9-0001

NR

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. 2-239-9-0004

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. ^{1/} Notification of the Ministry of Industry, B.E.2559 (2016).

ผลการตรวจวัดคุณภาพน้ำทิ้ง



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: PTT Global Chemical Public Co., Ltd (LLDPE)	REQUEST SERVICE No.	: 0010/68
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Grab
SAMPLING DATE	: 03/01/2025	SAMPLING TIME	: 14:43
RECEIVED DATE	: 04/01/2025	ANALYTICAL DATE	: 04-10/01/2025
REPORT DATE	: 10/01/2025	SITE OPERATOR	: Mr. Baworn Deechaiya
SAMPLE CONDITION	: Normal	FILE CODE	: 225107_WW_January

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION	STANDARD ^{1/}
				บ่อ API ของโรงงานแอมโมเนียมซัลเฟต สายการผลิตที่ 1	
Temperature	°C	2550 B	< 0.5	35.0	≤ 40
pH	-	4500-H ⁺ B	< 0.10	6.87	5.5 -9.0
Total Dissolved Solids	mg/l	2540 C	< 25	64	≤ 40,340 ^{2/}
Fat Oil & Grease	mg/l	5520 B	< 2.0	ND	≤ 5
BOD ₅	mg/l	5210 B	< 1.0	2.2	≤ 20
COD	mg/l	5220 C	< 15.00	< 15.00	≤ 120
Zinc (Zn)	mg/l	3120 B	< 0.003	0.04	≤ 5

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED. 2017 (AWWA, APHA, WEF)

Khemchuda Insorn

(Miss Khemchuda Insorn)

Analyst

REG. NO. ๖-239-ก-0005

Araya Tipparuk

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. ๖-239-ก-0004

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. ^{1/} Notification of the Ministry of Natural Resources and Environment, B.E.2559 (2016) and
Notification of the Ministry of Industry, B.E.2560 (2017).

^{2/} The standard value is not more than 5,000 mg/l exceed TDS of receiving water
(TDS value in the last month add 5,000 mg/l from klongbangburd = 35,340 mg/l).

4. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: PTT Global Chemical Public Co., Ltd (LLDPE)	REQUEST SERVICE No.	: 0010/68
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Grab
SAMPLING DATE	: 03/01/2025	SAMPLING TIME	: 14:27
RECEIVED DATE	: 04/01/2025	ANALYTICAL DATE	: 04-10/01/2025
REPORT DATE	: 10/01/2025	SITE OPERATOR	: Mr. Baworn Deechaiya
SAMPLE CONDITION	: Normal	FILE CODE	: 225107_WW_January

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION	STANDARD ^{1/}
				บ่อ API ของโรงงานแอมโมเนียมซัลเฟต สายการผลิตที่ 2	
Temperature	°C	2550 B	< 0.5	32.2	≤ 40
pH	-	4500-H ⁺ B	< 0.10	6.98	5.5 -9.0
Total Dissolved Solids	mg/l	2540 C	< 25	83	≤ 40,340 ^{2/}
Fat Oil & Grease	mg/l	5520 B	< 2.0	ND	≤ 5
BOD ₅	mg/l	5210 B	< 1.0	3.0	≤ 20
COD	mg/l	5220 C	< 15.00	< 15.00	≤ 120
Zinc (Zn)	mg/l	3120 B	< 0.003	0.11	≤ 5

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED. 2017 (AWWA, APHA, WEF)

Khemchuda Insorn

(Miss Khemchuda Insorn)

Analyst

REG. NO. ๖-239-ก-0005

Araya Tipparuk

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. ๖-239-ก-0004

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. ^{1/} Notification of the Ministry of Natural Resources and Environment, B.E.2559 (2016) and
Notification of the Ministry of Industry, B.E.2560 (2017).

^{2/} The standard value is not more than 5,000 mg/l exceed TDS of receiving water
(TDS value in the last month add 5,000 mg/l from klongbangburd = 35,340 mg/l).

4. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: PTT Global Chemical Public Co., Ltd (LLDPE)	REQUEST SERVICE No.	: 0010/68
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Grab
SAMPLING DATE	: 03/01/2025	SAMPLING TIME	: 14:52
RECEIVED DATE	: 04/01/2025	ANALYTICAL DATE	: 04-10/01/2025
REPORT DATE	: 10/01/2025	SITE OPERATOR	: Mr. Baworn Deechaiya
SAMPLE CONDITION	: Normal	FILE CODE	: 225107_WW_January

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION	STANDARD ^{1/}
				บริเวณจุด Drain Valve ของโรงงาน	
pH	-	4500-H ⁺ B	< 0.10	7.27	5.5 - 9.0
Conductivity *	µS/cm	2510 B	< 1.0	1.160	-
Total Dissolved Solids	mg/l	2540 C	< 25	807	≤ 40,340 ^{2/}
Total Suspended Solids	mg/l	2540 D	< 2.5	8.0	≤ 50
Free Chlorine	mg/l	4500-Cl G	< 0.03	0.25	≤ 1
Fat Oil & Grease	mg/l	5520 B	< 2.0	ND	≤ 5
BOD ₅	mg/l	5210 B	< 1.0	3.6	≤ 20
COD	mg/l	5220 C	< 15.00	17.85	≤ 120
Zinc (Zn)	mg/l	3120 B	< 0.003	0.28	≤ 5

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 21st ED., 2017 (AWWA, APHA, WEF)

Khemchuda Insorn

(Miss Khemchuda Insorn)

Analyst

REG. NO. 2-239-ก-0005

Araya Tipparuk

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. 2-239-ก-0004

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. ^{1/} Notification of the Ministry of Natural Resources and Environment, B.E.2559 (2016) and Notification of the Ministry of Industry, B.E.2560 (2017).

^{2/} The standard value is not more than 5,000 mg/l exceed TDS of receiving water (TDS value in the last month add 5,000 mg/l from klongbangburi = 35,340 mg/l).

4. * Not registered with the Department of Industrial Works.

5. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: PTT Global Chemical Public Co., Ltd (LLDPE)	REQUEST SERVICE No.	: 0210/68
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Grab
SAMPLING DATE	: 06/02/2025	SAMPLING TIME	: 15:20
RECEIVED DATE	: 07/02/2025	ANALYTICAL DATE	: 07-15/02/2025
REPORT DATE	: 15/02/2025	SITE OPERATOR	: Mr.Chanapon Oakkharaplon
SAMPLE CONDITION	: Normal	FILE CODE	: 225107_WW_February

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION	STANDARD ^{1/}
				บ่อ API ของโรงงานแอลเอเอสพีเอส สาขารผลิตที่ 1	
Temperature	°C	2550 B	< 0.5	36.2	≤ 40
pH	-	4500-H ⁺ B	< 0.10	7.43	5.5 - 9.0
Total Dissolved Solids	mg/l	2540 C	< 25	66	≤ 42,520 ^{2/}
Fat Oil & Grease	mg/l	5520 B	< 2.0	ND	≤ 5
BOD ₅	mg/l	5210 B	< 1.0	1.3	≤ 20
COD	mg/l	5220 C	< 15.00	< 15.00	≤ 120
Zinc (Zn)	mg/l	3120 B	< 0.003	0.10	≤ 5

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 21st ED., 2017 (AWWA, APHA, WEF)

Khemchuda Insorn

(Miss Khemchuda Insorn)

Analyst

REG. NO. 2-239-ก-0005

Araya Tipparuk

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. 2-239-ก-0004

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. ^{1/} Notification of the Ministry of Natural Resources and Environment, B.E.2559 (2016) and Notification of the Ministry of Industry, B.E.2560 (2017).

^{2/} The standard value is not more than 5,000 mg/l exceed TDS of receiving water (TDS value in the last month add 5,000 mg/l from klongbangburi = 37,520 mg/l).

4. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: PTT Global Chemical Public Co., Ltd (LLDPE)	REQUEST SERVICE No.	: 0210/68
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Grab
SAMPLING DATE	: 06/02/2025	SAMPLING TIME	: 15:00
RECEIVED DATE	: 07/02/2025	ANALYTICAL DATE	: 07-15/02/2025
REPORT DATE	: 15/02/2025	SITE OPERATOR	: Mr.Chanapon Oakkharaplon
SAMPLE CONDITION	: Normal	FILE CODE	: 225107_WW_February

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION	STANDARD ^{1/}
				บ่อ API ของโรงงานเออลเอสทีพี อุตสาหกรรมที่ 2	
Temperature	°C	2550 B	< 0.5	32.0	≤ 40
pH	-	4500-H ⁺ B	< 0.10	7.59	5.5 - 9.0
Total Dissolved Solids	mg/l	2540 C	< 25	110	≤ 42,520 ^{2/}
Fat Oil & Grease	mg/l	5520 B	< 2.0	ND	≤ 5
BOD ₅	mg/l	5210 B	< 1.0	3.7	≤ 20
COD	mg/l	5220 C	< 15.00	< 15.00	≤ 120
Zinc (Zn)	mg/l	3120 B	< 0.003	0.86	≤ 5

REFERENCE - STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 21st ED, 2017 (AWWA, APHA, WEF)

Khemchuda Insorn

(Miss Khemchuda Insorn)

Analyst

REG. NO. 3-239-ก-0005

Araya Tipparuk

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. 3-239-ก-0004

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. ^{1/} Notification of the Ministry of Natural Resources and Environment, B.E.2559 (2016) and Notification of the Ministry of Industry, B.E.2560 (2017).
 - 2/ The standard value is not more than 5,000 mg/l exceed TDS of receiving water (TDS value in the last month add 5,000 mg/l from klongbangburd = 37,520 mg/l).
 4. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: PTT Global Chemical Public Co., Ltd (LLDPE)	REQUEST SERVICE No.	: 0210/68
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Grab
SAMPLING DATE	: 06/02/2025	SAMPLING TIME	: 15:35
RECEIVED DATE	: 07/02/2025	ANALYTICAL DATE	: 07-15/02/2025
REPORT DATE	: 15/02/2025	SITE OPERATOR	: Mr.Chanapon Oakkharaplon
SAMPLE CONDITION	: Normal	FILE CODE	: 225107_WW_February

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION	STANDARD ^{1/}
				บริเวณจุด Drain Valve ของโรงงาน	
pH	-	4500-H ⁺ B	< 0.10	7.41	5.5 - 9.0
Conductivity *	µS/cm	2510 B	< 1.0	1.071	-
Total Dissolved Solids	mg/l	2540 C	< 25	565	≤ 42,520 ^{2/}
Total Suspended Solids	mg/l	2540 D	< 2.5	7.5	≤ 50
Free Chlorine	mg/l	4500-Cl G	< 0.03	0.31	≤ 1
Fat Oil & Grease	mg/l	5520 B	< 2.0	ND	≤ 5
BOD ₅	mg/l	5210 B	< 1.0	2.0	≤ 20
COD	mg/l	5220 C	< 15.00	< 15.00	≤ 120
Zinc (Zn)	mg/l	3120 B	< 0.003	0.26	≤ 5

REFERENCE - STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 21st ED, 2017 (AWWA, APHA, WEF)

Khemchuda Insorn

(Miss Khemchuda Insorn)

Analyst

REG. NO. 3-239-ก-0005

Araya Tipparuk

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. 3-239-ก-0004

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. ^{1/} Notification of the Ministry of Natural Resources and Environment, B.E.2559 (2016) and Notification of the Ministry of Industry, B.E.2560 (2017).
 - 2/ The standard value is not more than 5,000 mg/l exceed TDS of receiving water (TDS value in the last month add 5,000 mg/l from klongbangburd = 37,520 mg/l).
 4. * Not registered with the Department of Industrial Works.
 5. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	PTT Global Chemical Public Co., Ltd (LLDPE)	REQUEST SERVICE No.	0407/68
SAMPLING BY	SECOT Co., Ltd.	SAMPLING METHOD	Grab
SAMPLING DATE	06/03/2025	SAMPLING TIME	14:49
RECEIVED DATE	07/03/2025	ANALYTICAL DATE	07-15/03/2025
REPORT DATE	15/03/2025	SITE OPERATOR	Mr.Natthachai Chaiyakhot
SAMPLE CONDITION	Normal	FILE CODE	225107_WW_March

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION	STANDARD ^{1/}
				บ่อ API ของโรงงานแอลเอคทีพี อีส สายการผลิตที่ 1	
Temperature	°C	2550 B	< 0.5	36.3	≤ 40
pH	-	4500-H ⁺ B	< 0.10	7.59	5.5 -9.0
Total Dissolved Solids	mg/l	2540 C	< 25	< 25	≤ 34,060 ^{2/}
Fat Oil & Grease	mg/l	5520 B	< 2.0	ND	≤ 5
BOD ₅	mg/l	5210 B	< 1.0	1.4	≤ 20
COD	mg/l	5220 C	< 15.00	< 15.00	≤ 120
Zinc (Zn)	mg/l	3120 B	< 0.003	0.04	≤ 5

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 21st ED, 2017 (AWWA,APHA, WEF)

Khemchuda Insorn

(Miss Khemchuda Insorn)

Analyst

REG. NO. 2-239-ก-0005

Araya Tipparuk

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. 2-239-ก-0004

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. ^{1/} Notification of the Ministry of Natural Resources and Environment, B.E.2559 (2016) and Notification of the Ministry of Industry, B.E.2560 (2017).
 - 2/ The standard value is not more than 5,000 mg/l exceed TDS of receiving water (TDS value in the last month add 5,000 mg/l from klongbangburd = 29,060 mg/l).
 4. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	PTT Global Chemical Public Co., Ltd (LLDPE)	REQUEST SERVICE No.	0407/68
SAMPLING BY	SECOT Co., Ltd.	SAMPLING METHOD	Grab
SAMPLING DATE	06/03/2025	SAMPLING TIME	14:36
RECEIVED DATE	07/03/2025	ANALYTICAL DATE	07-15/03/2025
REPORT DATE	15/03/2025	SITE OPERATOR	Mr.Natthachai Chaiyakhot
SAMPLE CONDITION	Normal	FILE CODE	225107_WW_March

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION	STANDARD ^{1/}
				บ่อ API ของโรงงานแอลเอคทีพี อีส สายการผลิตที่ 2	
Temperature	°C	2550 B	< 0.5	34.4	≤ 40
pH	-	4500-H ⁺ B	< 0.10	7.74	5.5 -9.0
Total Dissolved Solids	mg/l	2540 C	< 25	120	≤ 34,060 ^{2/}
Fat Oil & Grease	mg/l	5520 B	< 2.0	ND	≤ 5
BOD ₅	mg/l	5210 B	< 1.0	2.3	≤ 20
COD	mg/l	5220 C	< 15.00	< 15.00	≤ 120
Zinc (Zn)	mg/l	3120 B	< 0.003	0.11	≤ 5

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 21st ED, 2017 (AWWA,APHA, WEF)

Khemchuda Insorn

(Miss Khemchuda Insorn)

Analyst

REG. NO. 2-239-ก-0005

Araya Tipparuk

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. 2-239-ก-0004

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. ^{1/} Notification of the Ministry of Natural Resources and Environment, B.E.2559 (2016) and Notification of the Ministry of Industry, B.E.2560 (2017).
 - 2/ The standard value is not more than 5,000 mg/l exceed TDS of receiving water (TDS value in the last month add 5,000 mg/l from klongbangburd = 29,060 mg/l).
 4. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: PTT Global Chemical Public Co., Ltd (LLDPE)	REQUEST SERVICE No.	: 0407/68
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Grab
SAMPLING DATE	: 06/03/2025	SAMPLING TIME	: 14:57
RECEIVED DATE	: 07/03/2025	ANALYTICAL DATE	: 07-13/03/2025
REPORT DATE	: 14/03/2025	SITE OPERATOR	: Mr.Natthachai Chaiyakhhot
SAMPLE CONDITION	: Normal	FILE CODE	: 225107_WW_March

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION บริเวณจุด Drain Valve ของโรงงาน	STANDARD ^{1/}
pH	-	4500-H ⁺ B	< 0.10	7.53	5.5 - 9.0
Conductivity *	µS/cm	2510 B	< 1.0	1,316	-
Total Dissolved Solids	mg/l	2540 C	< 25	808	≤ 34,060 ^{2/}
Total Suspended Solids	mg/l	2540 D	< 2.5	4.0	≤ 50
Free Chlorine	mg/l	4500-Cl G	< 0.03	0.11	≤ 1
Fat Oil & Grease	mg/l	5520 B	< 2.0	ND	≤ 5
BOD ₅	mg/l	5210 B	< 1.0	2.1	≤ 20
COD	mg/l	5220 C	< 15.00	18.68	≤ 120
Zinc (Zn)	mg/l	3120 B	< 0.003	0.11	≤ 5

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 21st ED, 2017 (AWWA-APHA-WEF)

Khemchuda Insorn

(Miss Khemchuda Insorn)

Analyst

REG. NO. ๖-239-ก-0005

Araya Tipparuk

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. ๖-239-ก-0004

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. ^{1/} Notification of the Ministry of Natural Resources and Environment, B.E.2559 (2016) and Notification of the Ministry of Industry, B.E.2560 (2017).

^{2/} The standard value is not more than 5,000 mg/l exceed TDS of receiving water (TDS value in the last month add 5,000 mg/l from klongbangburd = 29,060 mg/l).

4. * Not registered with the Department of Industrial Works.

5. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: PTT Global Chemical Public Co., Ltd (LLDPE)	REQUEST SERVICE No.	: 0607/68
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Grab
SAMPLING DATE	: 03/04/2025	SAMPLING TIME	: 14:36
RECEIVED DATE	: 04/04/2025	ANALYTICAL DATE	: 04-10/04/2025
REPORT DATE	: 10/04/2025	SITE OPERATOR	: Mr.Tanachot Changlor
SAMPLE CONDITION	: Normal	FILE CODE	: 225107_WW_April

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION บ่อ API ของโรงงานแอมโมเนียมฟอสเฟต สายการผลิตที่ 1	STANDARD ^{1/}
Temperature	°C	2550 B	< 0.5	35.7	≤ 40
pH	-	4500-H ⁺ B	< 0.10	7.60	5.5 - 9.0
Total Dissolved Solids	mg/l	2540 C	< 25	50	≤ 39,680 ^{2/}
Fat Oil & Grease	mg/l	5520 B	< 2.0	ND	≤ 5
BOD ₅	mg/l	5210 B	< 1.0	1.5	≤ 20
COD	mg/l	5220 C	< 15.00	17.50	≤ 120
Zinc (Zn)	mg/l	3120 B	< 0.003	0.04	≤ 5

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 21st ED, 2017 (AWWA-APHA-WEF)

Khemchuda Insorn

(Miss Khemchuda Insorn)

Analyst

REG. NO. ๖-239-ก-0005

Araya Tipparuk

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. ๖-239-ก-0004

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. ^{1/} Notification of the Ministry of Natural Resources and Environment, B.E.2559 (2016) and Notification of the Ministry of Industry, B.E.2560 (2017).

^{2/} The standard value is not more than 5,000 mg/l exceed TDS of receiving water (TDS value in the last month add 5,000 mg/l from klongbangburd = 34,680 mg/l).

4. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800

239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: PTT Global Chemical Public Co., Ltd (LLDPE)	REQUEST SERVICE No.	: 0607/68
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Grab
SAMPLING DATE	: 03/04/2025	SAMPLING TIME	: 14:49
RECEIVED DATE	: 04/04/2025	ANALYTICAL DATE	: 04-10/04/2025
REPORT DATE	: 10/04/2025	SITE OPERATOR	: Mr.Tanachot Changlor
SAMPLE CONDITION	: Normal	FILE CODE	: 225107_WW_April

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION		STANDARD ^{1/}
				บ่อ API ของโรงงานแอลกอฮอล์ฟีนอล	สายการผลิตที่ 2	
Temperature	°C	2550 B	< 0.5	32.2		≤ 40
pH	-	4500-H B	< 0.10	7.55		5.5 - 9.0
Total Dissolved Solids	mg/l	2540 C	< 25	130		≤ 39,680 ^{2/}
Fat Oil & Grease	mg/l	5520 B	< 2.0	ND		≤ 5
BOD ₅	mg/l	5210 B	< 1.0	6.3		≤ 20
COD	mg/l	5220 C	< 15.00	17.50		≤ 120
Zinc (Zn)	mg/l	3120 B	< 0.003	0.37		≤ 5

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 21st ED. 2017 (AWWA, APHA, WEF)

Khemchuda Insorn

(Miss Khemchuda Insorn)

Analyst

REG. NO. 2-239-ก-0005

Araya Tipparuk

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. 2-239-ก-0004

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. ^{1/} Notification of the Ministry of Natural Resources and Environment, B.E.2559 (2016) and Notification of the Ministry of Industry, B.E.2560 (2017).
 - 2/ The standard value is not more than 5,000 mg/l exceed TDS of receiving water (TDS value in the last month add 5,000 mg/l from klongbangburd = 34,680 mg/l).
 4. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800

239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: PTT Global Chemical Public Co., Ltd (LLDPE)	REQUEST SERVICE No.	: 0607/68
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Grab
SAMPLING DATE	: 03/04/2025	SAMPLING TIME	: 14:28
RECEIVED DATE	: 04/04/2025	ANALYTICAL DATE	: 04-10/04/2025
REPORT DATE	: 10/04/2025	SITE OPERATOR	: Mr.Tanachot Changlor
SAMPLE CONDITION	: Normal	FILE CODE	: 225107_WW_April

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION		STANDARD ^{1/}
				บริเวณจุด Drain Valve ของโรงงาน		
pH	-	4500-H B	< 0.10	7.80		5.5 - 9.0
Conductivity *	µS/cm	2510 B	< 1.0	730		-
Total Dissolved Solids	mg/l	2540 C	< 25	498		≤ 39,680 ^{2/}
Total Suspended Solids	mg/l	2540 D	< 2.5	4.4		≤ 50
Free Chlorine	mg/l	4500-Cl G	< 0.03	0.03		≤ 1
Fat Oil & Grease	mg/l	5520 B	< 2.0	ND		≤ 5
BOD ₅	mg/l	5210 B	< 1.0	1.4		≤ 20
COD	mg/l	5220 C	< 15.00	< 15.00		≤ 120
Zinc (Zn)	mg/l	3120 B	< 0.003	0.14		≤ 5

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 21st ED. 2017 (AWWA, APHA, WEF)

Khemchuda Insorn

(Miss Khemchuda Insorn)

Analyst

REG. NO. 2-239-ก-0005

Araya Tipparuk

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. 2-239-ก-0004

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. ^{1/} Notification of the Ministry of Natural Resources and Environment, B.E.2559 (2016) and Notification of the Ministry of Industry, B.E.2560 (2017).
 - 2/ The standard value is not more than 5,000 mg/l exceed TDS of receiving water (TDS value in the last month add 5,000 mg/l from klongbangburd = 34,680 mg/l).
 4. * Not registered with the Department of Industrial Works.
 5. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: PTT Global Chemical Public Co., Ltd (LLDPE)	REQUEST SERVICE No.	: 0827/68
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Grab
SAMPLING DATE	: 08/05/2025	SAMPLING TIME	: 14:50
RECEIVED DATE	: 09/05/2025	ANALYTICAL DATE	: 09-19/05/2025
REPORT DATE	: 19/05/2025	SITE OPERATOR	: Mr. Chitpon Somprasong
SAMPLE CONDITION	: Normal	FILE CODE	: 225107_WW_May

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION	STANDARD ^{1/}
				บ่อ API ของโรงงานแอลแอลดีพี สายการผลิตที่ 1	
Temperature	°C	2550 B	< 0.5	35.3	≤ 40
pH	-	4500-H ⁺ B	< 0.10	6.90	5.5 - 9.0
Total Dissolved Solids	mg/l	2540 C	< 25	72	≤ 40,040 ^{2/}
Fat Oil & Grease	mg/l	5520 B	< 2.0	ND	≤ 5
BOD ₅	mg/l	5210 B	< 1.0	1.7	≤ 20
COD	mg/l	5220 C	< 15.00	36.17	≤ 120
Zinc (Zn)	mg/l	3120 B	< 0.003	0.05	≤ 5

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 21st ED. 2017 (AWWA, APHA, WEF)

(Miss Khemchuda Insorn)

Analyst

REG. NO. 2-239-ก-0005

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. 2-239-ก-0004

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. ^{1/} Notification of the Ministry of Natural Resources and Environment, B.E.2559 (2016) and Notification of the Ministry of Industry, B.E.2560 (2017).
^{2/} The standard value is not more than 5,000 mg/l exceed TDS of receiving water (TDS value in the last month add 5,000 mg/l from klongbangburd = 35,040 mg/l).
 4. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: PTT Global Chemical Public Co., Ltd (LLDPE)	REQUEST SERVICE No.	: 0827/68
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Grab
SAMPLING DATE	: 08/05/2025	SAMPLING TIME	: 14:37
RECEIVED DATE	: 09/05/2025	ANALYTICAL DATE	: 09-19/05/2025
REPORT DATE	: 19/05/2025	SITE OPERATOR	: Mr. Chitpon Somprasong
SAMPLE CONDITION	: Normal	FILE CODE	: 225107_WW_May

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION	STANDARD ^{1/}
				บ่อ API ของโรงงานแอลแอลดีพี สายการผลิตที่ 2	
Temperature	°C	2550 B	< 0.5	33.6	≤ 40
pH	-	4500-H ⁺ B	< 0.10	7.87	5.5 - 9.0
Total Dissolved Solids	mg/l	2540 C	< 25	116	≤ 40,040 ^{2/}
Fat Oil & Grease	mg/l	5520 B	< 2.0	ND	≤ 5
BOD ₅	mg/l	5210 B	< 1.0	4.7	≤ 20
COD	mg/l	5220 C	< 15.00	< 15.00	≤ 120
Zinc (Zn)	mg/l	3120 B	< 0.003	0.29	≤ 5

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 21st ED. 2017 (AWWA, APHA, WEF)

(Miss Khemchuda Insorn)

Analyst

REG. NO. 2-239-ก-0005

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. 2-239-ก-0004

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 3. ^{1/} Notification of the Ministry of Natural Resources and Environment, B.E.2559 (2016) and Notification of the Ministry of Industry, B.E.2560 (2017).
^{2/} The standard value is not more than 5,000 mg/l exceed TDS of receiving water (TDS value in the last month add 5,000 mg/l from klongbangburd = 35,040 mg/l).
 4. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: PTT Global Chemical Public Co., Ltd (LLDPE)	REQUEST SERVICE No.	: 0827/68
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Grab
SAMPLING DATE	: 08/05/2025	SAMPLING TIME	: 14:56
RECEIVED DATE	: 09/05/2025	ANALYTICAL DATE	: 09-19/05/2025
REPORT DATE	: 19/05/2025	SITE OPERATOR	: Mr. Chitpon Somprasong
SAMPLE CONDITION	: Normal	FILE CODE	: 225107_WW_May

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION	STANDARD ^{1/}
				บริเวณจุด Drain Valve ของโรงงาน	
pH	-	4500-H ⁺ B	< 0.10	6.89	5.5 - 9.0
Conductivity *	µS/cm	2510 B	< 1.0	444	-
Total Dissolved Solids	mg/l	2540 C	< 25	204	≤ 40,040 ^{2/}
Total Suspended Solids	mg/l	2540 D	< 2.5	6.2	≤ 50
Free Chlorine	mg/l	4500-Cl ⁻ G	< 0.03	0.05	≤ 1
Fat Oil & Grease	mg/l	5520 B	< 2.0	ND	≤ 5
BOD ₅	mg/l	5210 B	< 1.0	1.1	≤ 20
COD	mg/l	5220 C	< 15.00	< 15.00	≤ 120
Zinc (Zn)	mg/l	3120 B	< 0.003	0.15	≤ 5

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 21st ED. 2017 (AWWA, APHA, WEF)

Khemchuda Insom

(Miss Khemchuda Insom)

Analyst

REG. NO. 2-239-ก-0005

Araya Tipparuk

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. 2-239-ก-0004

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. ^{1/} Notification of the Ministry of Natural Resources and Environment, B.E.2559 (2016) and Notification of the Ministry of Industry, B.E.2560 (2017).

^{2/} The standard value is not more than 5,000 mg/l exceed TDS of receiving water (TDS value in the last month add 5,000 mg/l from klongbangburd = 35,040 mg/l).

4. * Not registered with the Department of Industrial Works.

5. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: PTT Global Chemical Public Co., Ltd (LLDPE)	REQUEST SERVICE No.	: 1031/68
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Grab
SAMPLING DATE	: 05/06/2025	SAMPLING TIME	: 14:56
RECEIVED DATE	: 06/06/2025	ANALYTICAL DATE	: 06-13/06/2025
REPORT DATE	: 13/06/2025	SITE OPERATOR	: Miss Salisa Ainree
SAMPLE CONDITION	: Normal	FILE CODE	: 225107_WW_June

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION	STANDARD ^{1/}
				บ่อ API ของโรงงานแอลเอคิลพีซี สายการผลิตที่ 1	
Temperature	°C	2550 B	< 0.5	32.9	≤ 40
pH	-	4500-H ⁺ B	< 0.10	7.33	5.5 - 9.0
Total Dissolved Solids	mg/l	2540 C	< 25	82	≤ 43,660 ^{2/}
Fat Oil & Grease	mg/l	5520 B	< 2.0	ND	≤ 5
BOD ₅	mg/l	5210 B	< 1.0	2.6	≤ 20
COD	mg/l	5220 C	< 15.00	35.16	≤ 120
Zinc (Zn)	mg/l	3120 B	< 0.003	0.08	≤ 5

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 21st ED. 2017 (AWWA, APHA, WEF)

Khemchuda Insom

(Miss Khemchuda Insom)

Analyst

REG. NO. 2-239-ก-0005

Araya Tipparuk

(Mrs. Araya Tipparuk)

Technical Management Team

REG. NO. 2-239-ก-0004

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. ^{1/} Notification of the Ministry of Natural Resources and Environment, B.E.2559 (2016) and Notification of the Ministry of Industry, B.E.2560 (2017).

^{2/} The standard value is not more than 5,000 mg/l exceed TDS of receiving water (TDS value in the last month add 5,000 mg/l from klongbangburd = 38,660 mg/l).

4. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: PTT Global Chemical Public Co., Ltd (LLDPE)	REQUEST SERVICE No.	: 1031/68
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Grab
SAMPLING DATE	: 05/06/2025	SAMPLING TIME	: 14:45
RECEIVED DATE	: 06/06/2025	ANALYTICAL DATE	: 06-13/06/2025
REPORT DATE	: 13/06/2025	SITE OPERATOR	: Miss Salisa Ainree
SAMPLE CONDITION	: Normal	FILE CODE	: 225107_WW_June

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION	
				บ่อ API ของโรงงานแอสเบสตที่ 2	STANDARD ^{1/}
Temperature	°C	2550 B	< 0.5	33.2	≤ 40
pH	-	4500-H ⁺ B	< 0.10	7.60	5.5 - 9.0
Total Dissolved Solids	mg/l	2540 C	< 25	124	≤ 43,660 ^{2/}
Fat Oil & Grease	mg/l	5520 B	< 2.0	ND	≤ 5
BOD ₅	mg/l	5210 B	< 1.0	1.3	≤ 20
COD	mg/l	5220 C	< 15.00	23.68	≤ 120
Zinc (Zn)	mg/l	3120 B	< 0.003	0.10	≤ 5

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED. 2017 (AWWA, APHA, WEF)

Khemchuda Insorn

(Miss Khemchuda Insorn)

Analyst

REG. NO. ๖-239-ก-0005

(Mrs. Araya Tipparuk)

(Mrs. Araya Tipparuk)
Technical Management Team

REG. NO. ๖-239-ก-0004

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. ^{1/} Notification of the Ministry of Natural Resources and Environment, B.E.2559 (2016) and
Notification of the Ministry of Industry, B.E.2560 (2017).

^{2/} The standard value is not more than 5,000 mg/l exceed TDS of receiving water
(TDS value in the last month add 5,000 mg/l from klongbangburd = 38,660 mg/l).

4. - Not available.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

WATER AND WASTEWATER ANALYSIS REPORT

CLIENT NAME	: PTT Global Chemical Public Co., Ltd (LLDPE)	REQUEST SERVICE No.	: 1031/68
SAMPLING BY	: SECOT Co., Ltd.	SAMPLING METHOD	: Grab
SAMPLING DATE	: 05/06/2025	SAMPLING TIME	: 15:02
RECEIVED DATE	: 06/06/2025	ANALYTICAL DATE	: 06-13/06/2025
REPORT DATE	: 13/06/2025	SITE OPERATOR	: Miss Salisa Ainree
SAMPLE CONDITION	: Normal	FILE CODE	: 225107_WW_June

PARAMETER	UNIT	ANALYSIS METHODS	ND (non-detectable)	STATION	
				บริเวณจุด Drain Valve ของโรงงาน	STANDARD ^{1/}
pH	-	4500-H ⁺ B	< 0.10	7.13	5.5 - 9.0
Conductivity *	µS/cm	2510 B	< 1.0	948	-
Total Dissolved Solids	mg/l	2540 C	< 25	754	≤ 43,660 ^{2/}
Total Suspended Solids	mg/l	2540 D	< 2.5	4.0	≤ 50
Free Chlorine	mg/l	4500-Cl G	< 0.03	0.17	≤ 1
Fat Oil & Grease	mg/l	5520 B	< 2.0	ND	≤ 5
BOD ₅	mg/l	5210 B	< 1.0	< 1.0	≤ 20
COD	mg/l	5220 C	< 15.00	< 15.00	≤ 120
Zinc (Zn)	mg/l	3120 B	< 0.003	0.23	≤ 5

REFERENCE : STANDARD METHODS FOR EXAMINATION OF WATER AND WASTEWATER 23rd ED. 2017 (AWWA, APHA, WEF)

Khemchuda Insorn

(Miss Khemchuda Insorn)

Analyst

REG. NO. ๖-239-ก-0005

(Mrs. Araya Tipparuk)

(Mrs. Araya Tipparuk)
Technical Management Team

REG. NO. ๖-239-ก-0004

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. ^{1/} Notification of the Ministry of Natural Resources and Environment, B.E.2559 (2016) and
Notification of the Ministry of Industry, B.E.2560 (2017).

^{2/} The standard value is not more than 5,000 mg/l exceed TDS of receiving water
(TDS value in the last month add 5,000 mg/l from klongbangburd = 38,660 mg/l).

4. * Not registered with the Department of Industrial Works.

5. - Not available.

ผลการตรวจวัด
ระดับเสียงรบกวนโรงงาน





Noise Monitoring Result : Community Noise MTR-PTTGC-LLDPE Plant

Location : South Fence of Project Site				Monitor Period : 11-18 Mar 2025			
SLM Model : Cirrus CR162B				Serial No : G302738			
Site Operator : Mr. Phuwadech Kaewjirakulsri							
Calibrator Model : Cirrus CR:515				Serial No : 97097			
Calibration Ref dB(A) : 94.0				Certified Date : 02 Oct 2024			
SLM Reading / Adjust dB(A) : 93.7/0.0				Expire Date : 01 Oct 2025			
Cal Sheet No.: CR-515-2025-064							
Time	Equivalent Sound Pressure Level (dB(A))						
	11-12 Mar 2025	12-13 Mar 2025	13-14 Mar 2025	14-15 Mar 2025	15-16 Mar 2025	16-17 Mar 2025	17-18 Mar 2025
10:00 ~ 11:00	63.0	62.6	62.5	62.9	62.2	62.4	62.0
11:00 ~ 12:00	63.0	66.2	64.1	63.5	62.6	62.2	62.3
12:00 ~ 13:00	62.9	62.6	62.5	62.2	61.4	62.0	62.0
13:00 ~ 14:00	63.1	62.3	62.3	62.1	61.3	61.9	61.7
14:00 ~ 15:00	62.3	62.2	61.6	62.1	60.7	62.1	62.7
15:00 ~ 16:00	62.3	61.8	62.3	62.7	61.6	61.9	66.6
16:00 ~ 17:00	63.3	62.8	62.5	62.8	62.0	61.7	63.2
17:00 ~ 18:00	64.8	63.5	63.8	64.0	62.8	62.2	63.9
18:00 ~ 19:00	63.9	63.9	62.9	63.3	62.7	63.7	63.3
19:00 ~ 20:00	70.1	62.9	62.7	62.6	62.5	62.4	62.0
20:00 ~ 21:00	63.0	62.1	62.2	61.7	63.6	63.2	63.3
21:00 ~ 22:00	61.9	62.1	62.2	61.6	61.5	62.1	61.6
22:00 ~ 23:00	61.5	61.9	61.8	61.6	61.7	62.3	61.6
23:00 ~ 00:00	61.6	61.9	62.2	61.6	61.6	62.2	61.4
00:00 ~ 01:00	61.8	61.9	62.1	61.4	62.4	61.7	61.3
01:00 ~ 02:00	61.4	61.7	61.7	61.3	61.4	61.3	61.3
02:00 ~ 03:00	61.6	62.1	61.6	61.4	61.5	61.2	61.3
03:00 ~ 04:00	61.7	63.4	61.5	61.4	61.4	61.1	61.3
04:00 ~ 05:00	60.9	61.9	61.6	61.4	61.8	60.9	61.1
05:00 ~ 06:00	61.6	61.9	61.9	61.8	62.0	61.2	61.3
06:00 ~ 07:00	64.0	64.0	63.6	63.3	63.3	63.6	63.4
07:00 ~ 08:00	66.2	66.1	65.5	64.5	63.8	65.4	65.7
08:00 ~ 09:00	63.9	64.2	63.6	63.1	62.6	63.4	63.5
09:00 ~ 10:00	63.2	63.1	62.7	62.0	62.0	62.6	62.4
Leq(24)*	63.6	63.1	62.7	62.4	62.2	62.4	62.8
Ldn	68.8	69.0	68.6	68.3	68.4	68.4	68.3
Lmax **	99.8	94.5	91.9	91.2	90.2	92.6	89.3
Standard-24Hr	70 dB(A)						
Standard-Max	115 dB(A)						

Remark : * Average time between 10:00-10:00

** Maximum Sound Pressure Level between 10:00-10:00


(Miss Katesarin Vorradetwittaya)
Environmental Scientist


(Miss Preeda Somjai)
Technical Management Team



Noise Monitoring Result : Background Noise MTR-PTTGC-LLDPE Plant

Location : South Fence of Project Site				Monitor Period : 11-18 Mar 2025			
SLM Model : Cirrus CR162B				Serial No : G302738			
Site Operator : Mr. Phuwaredech Kaewjirakulsri							
Calibrator Model : Cirrus CR:515				Serial No : 97097			
Calibration Ref dB(A) : 94.0				Certified Date : 02 Oct 2024			
SLM Reading / Adjust dB(A) : 93.7/0.0				Expire Date : 01 Oct 2025			
Cal Sheet No.: CR-515-2025-064							
Time	L90 (dB(A))						
	11-12 Mar 2025	12-13 Mar 2025	13-14 Mar 2025	14-15 Mar 2025	15-16 Mar 2025	16-17 Mar 2025	17-18 Mar 2025
10:00 - 11:00	60.9	60.7	61.0	60.9	60.1	60.8	60.1
11:00 - 12:00	61.3	60.2	61.1	60.6	59.5	60.9	60.2
12:00 - 13:00	61.1	60.5	60.5	60.6	59.6	60.9	60.0
13:00 - 14:00	61.1	60.6	60.0	59.7	59.0	60.9	60.0
14:00 - 15:00	60.8	60.1	59.9	60.3	59.4	60.7	60.1
15:00 - 16:00	60.8	60.2	60.4	60.4	59.9	60.6	60.8
16:00 - 17:00	61.0	60.2	59.5	60.2	60.2	59.7	61.1
17:00 - 18:00	61.7	60.5	61.1	60.8	60.4	60.8	61.0
18:00 - 19:00	61.6	60.5	61.3	61.2	60.6	61.5	61.1
19:00 - 20:00	61.6	61.3	60.7	60.9	60.9	61.4	60.6
20:00 - 21:00	61.6	61.3	61.2	60.3	61.1	60.3	60.6
21:00 - 22:00	60.8	61.2	61.4	60.6	60.8	61.6	60.4
22:00 - 23:00	60.8	61.3	61.2	60.9	60.9	61.7	60.5
23:00 - 00:00	60.8	61.0	61.2	60.8	60.9	61.4	60.7
00:00 - 01:00	61.1	61.3	61.7	60.8	60.9	61.1	60.6
01:00 - 02:00	60.9	60.8	61.3	60.7	60.6	60.7	60.8
02:00 - 03:00	60.9	61.5	61.3	60.8	60.8	60.6	60.8
03:00 - 04:00	61.0	61.5	61.0	60.6	60.7	60.4	60.5
04:00 - 05:00	60.2	61.3	61.1	60.7	61.3	60.3	60.6
05:00 - 06:00	60.7	61.1	61.2	61.0	61.4	60.4	60.4
06:00 - 07:00	61.0	61.1	60.7	61.2	61.5	60.6	60.5
07:00 - 08:00	61.8	61.6	61.3	61.2	61.5	60.9	61.1
08:00 - 09:00	61.3	61.2	60.8	60.7	60.2	60.5	60.6
09:00 - 10:00	61.5	61.3	60.9	60.6	60.8	60.6	60.4
L90(avg)*	61.1	61.0	60.9	60.7	60.6	60.8	60.6

Remark : * Average time between 10:00-10:00


(Miss Katesarin Vorradetwittaya)
Environmental Scientist


(Miss Preeda Somjai)
Technical Management Team

ผลการตรวจวัดคุณภาพอากาศ
ในพื้นที่ปฏิบัติงาน



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

ANALYSIS/TEST REPORT

Customer	: RND/SECOT Co., Ltd.	Request Service No.	: 0323/68
For	: PTT Global Chemical Public Co., Ltd. (LLDPE Plant)	Sampling Date	: 18/02/2025
Address	: 8 Padang Road , Padang Industrial Estate , Tambon Mab Ta Phut , Amphoe Muang , Rayong 21150	Received Date	: 21/02/2025
		Test Date	: 01/03/2025
Tel/Fax	: 0-3868-7123 ext. 6666 / 0-3868-7128	Report Date	: 03/03/2025

SAMPLE DESCRIPTION / SAMPLING INFORMATION

Sample Designated As	: Workplace Air	Sampling Method	: Sampling Bag
Sampling By	: SECOT Co., Ltd.	Sample Condition	: Normal

Sampling Location	Sampling Date/Time	Compound	Analytical Method	ND	RESULT	STANDARD
				ppm	ppm	ppm
หอดูดซับน้ำ (LLDPE 1)	18/02/2025	Ethylene	Modif. Intersociety	< 0.01	ND	200 ¹⁾
	09:05-09:20	Butene-1	Committee 101/GC FID	< 0.01	ND	250 ²⁾
		Hexene-1		< 0.01	ND	50 ¹⁾
หอดูดซับน้ำ (LLDPE 2)	18/02/2025	Ethylene	Modif. Intersociety	< 0.01	ND	200 ¹⁾
	08:10-08:25	Butene-1	Committee 101/GC FID	< 0.01	ND	250 ²⁾
		Hexene-1		< 0.01	ND	50 ¹⁾
Polymerization area (LLDPE 1)	18/02/2025	Ethylene	Modif. Intersociety	< 0.01	ND	200 ¹⁾
	09:25-09:40	Butene-1	Committee 101/GC FID	< 0.01	ND	250 ²⁾
		Hexene-1		< 0.01	ND	50 ¹⁾
Polymerization area (LLDPE 2)	18/02/2025	Ethylene	Modif. Intersociety	< 0.01	ND	200 ¹⁾
	09:45-10:00	Butene-1	Committee 101/GC FID	< 0.01	ND	250 ²⁾
		Hexene-1		< 0.01	ND	50 ¹⁾
Reaction Unit (Hexene-1)	18/02/2025	Ethylene	Modif. Intersociety	< 0.01	ND	200 ¹⁾
	10:00-10:15	Hexene-1	Committee 101/GC FID	< 0.01	ND	50 ¹⁾

Analyst By : Sudaporn S.
(Miss Sudaporn Soonthorn)

Approved By : Narisa Poowasanpetch
(Miss Narisa Poowasanpetch)
Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.
3. ¹⁾ American Conference of Governmental Industrial Hygienists 2024 (ACGIH 2024).
4. ²⁾ Notification of the Department of Labour Protection and Welfare. B.E.2560 (2017).
5. ND = non-detectable.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

ANALYSIS/TEST REPORT

Customer	: RND/SECOT Co., Ltd.	Request Service No.	: 0323/68
For	: PTT Global Chemical Public Co., Ltd. (LLDPE Plant)	Sampling Date	: 18/02/2025
Address	: 8 Padang Road , Padang Industrial Estate , Tambon Mab Ta Phut , Amphoe Muang , Rayong 21150	Received Date	: 21/02/2025
		Test Date	: 25/02/2025
Tel/Fax	: 0-3868-7123 ext. 6666 / 0-3868-7128	Report Date	: 03/03/2025

SAMPLE DESCRIPTION / SAMPLING INFORMATION

Sample Designated As	: Workplace Air	Sampling Method	: Sorbent Adsorption
Sampling By	: SECOT Co., Ltd.	Sample Condition	: Normal

Sampling Location	Sampling Date/Time	Compound	Analytical Method	ND	RESULT	STANDARD
				ppm	ppm	ppm
หอดูดซับน้ำ (LLDPE 1)	18/02/2025	Isopentane	NIOSH 1500/GC FID	< 0.02	ND	1,000
	09:05-12:05					
หอดูดซับน้ำ (LLDPE 2)	18/02/2025	Isopentane	NIOSH 1500/GC FID	< 0.02	ND	1,000
	08:10-11:10					
Polymerization area (LLDPE 1)	18/02/2025	Isopentane	NIOSH 1500/GC FID	< 0.02	ND	1,000
	09:25-12:25					
Polymerization area (LLDPE 2)	18/02/2025	Isopentane	NIOSH 1500/GC FID	< 0.02	ND	1,000
	09:45-12:45					

Analyst By : Sudaporn S.
(Miss Sudaporn Soonthorn)

Approved By : Narisa Poowasanpetch
(Miss Narisa Poowasanpetch)
Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.
3. American Conference of Governmental Industrial Hygienists 2024 (ACGIH 2024).
4. ND = non-detectable.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

ANALYSIS/TEST REPORT

Customer	: RND/SECOT Co., Ltd.	Request Service No.	: 0323/68
For	: PTT Global Chemical Public Co., Ltd. (LLDPE Plant)	Sampling Date	: 18/02/2025
Address	: 8 Padang Road , Padang Industrial Estate , Tambon Mab Ta Phut , Amphoe Muang , Rayong 21150	Received Date	: 21/02/2025
		Test Date	: 24/02/2025
Tel/Fax	: 0-3868-7123 ext. 6666 / 0-3868-7128	Report Date	: 03/03/2025

SAMPLE DESCRIPTION / SAMPLING INFORMATION

Sample Designated As	: Workplace Air	Sampling Method	: Sampling Bag
Sampling By	: SECOT Co., Ltd.	Sample Condition	: Normal

Sampling Location	Sampling Date/Time	Compound	Analytical Method	ND	RESULT	STANDARD
				ppm	ppm	ppm
หอดูดซับน้ำ (LLDPE 1)	18/02/2025	Total Hydrocarbon	THC Analyzer / FID	< 0.10	2.30	*
	09:05-09:20	NMHC	THC Analyzer / FID	< 0.05	0.73	*
หอดูดซับน้ำ (LLDPE 2)	18/02/2025	Total Hydrocarbon	THC Analyzer / FID	< 0.10	3.18	*
	08:10-08:25	NMHC	THC Analyzer / FID	< 0.05	0.51	*
Polymerization area (LLDPE 1)	18/02/2025	Total Hydrocarbon	THC Analyzer / FID	< 0.10	3.64	*
	09:25-09:40	NMHC	THC Analyzer / FID	< 0.05	0.85	*
Polymerization area (LLDPE 2)	18/02/2025	Total Hydrocarbon	THC Analyzer / FID	< 0.10	3.82	*
	09:45-10:00	NMHC	THC Analyzer / FID	< 0.05	0.91	*
Reaction Unit (Hexene-1)	18/02/2025	Total Hydrocarbon	THC Analyzer / FID	< 0.10	3.40	*
	10:00-10:15	NMHC	THC Analyzer / FID	< 0.05	0.76	*

Analyst By: Sudaporn S.
(Miss Sudaporn Soonthorn)

Approved By: Maing Poowasanpetch
(Miss Narisa Poowasanpetch)
Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. ND = non-detectable.

4. - No Standard.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

ANALYSIS/TEST REPORT

Customer	: RND/SECOT Co., Ltd.	Request Service No.	: 0973/68
For	: PTT Global Chemical Public Co., Ltd. (LLDPE Plant)	Sampling Date	: 27/05/2025
Address	: 8 Padang Road , Padang Industrial Estate , Tambon Mab Ta Phut , Amphoe Muang , Rayong 21150	Received Date	: 29/05/2025
		Test Date	: 07/06/2025
Tel/Fax	: 0-3868-7123 ext. 6666 / 0-3868-7128	Report Date	: 09/06/2025

SAMPLE DESCRIPTION / SAMPLING INFORMATION

Sample Designated As	: Workplace Air	Sampling Method	: Sampling Bag
Sampling By	: SECOT Co., Ltd.	Sample Condition	: Normal

Sampling Location	Sampling Date/Time	Compound	Analytical Method	ND	RESULT	STANDARD
				ppm	ppm	ppm
หอดูดซับน้ำ (LLDPE 1)	27/05/2025	Ethylene	Modif. Intersociety	< 0.01	ND	200 ¹
	09:30-09:45	Butene-1	Committee 101/GC FID	< 0.01	ND	250 ²
		Hexene-1		< 0.01	ND	50 ¹
หอดูดซับน้ำ (LLDPE 2)	27/05/2025	Ethylene	Modif. Intersociety	< 0.01	ND	200 ¹
	08:50-09:05	Butene-1	Committee 101/GC FID	< 0.01	ND	250 ²
		Hexene-1		< 0.01	ND	50 ¹
Polymerization area (LLDPE 1)	27/05/2025	Ethylene	Modif. Intersociety	< 0.01	ND	200 ¹
	09:10-09:25	Butene-1	Committee 101/GC FID	< 0.01	ND	250 ²
		Hexene-1		< 0.01	ND	50 ¹
Polymerization area (LLDPE 2)	27/05/2025	Ethylene	Modif. Intersociety	< 0.01	ND	200 ¹
	08:30-08:45	Butene-1	Committee 101/GC FID	< 0.01	ND	250 ²
		Hexene-1		< 0.01	ND	50 ¹

Analyst By: Sudaporn S.
(Miss Sudaporn Soonthorn)

Approved By: Maing Poowasanpetch
(Miss Narisa Poowasanpetch)
Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. ¹ American Conference of Governmental Industrial Hygienists 2024 (ACGIH 2024).

4. ² Notification of the Department of Labour Protection and Welfare, B.E.2560 (2017).

5. ND = non-detectable.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

ANALYSIS/TEST REPORT

Customer	: RND/SECOT Co., Ltd.	Request Service No.	: 0973/68
For	: PTT Global Chemical Public Co., Ltd. (LLDPE Plant)	Sampling Date	: 27/05/2025
Address	: 8 Padang Road , Padang Industrial Estate , Tambon Mab Ta Phut , Amphoe Muang , Rayong 21150	Received Date	: 29/05/2025
		Test Date	: 02/06/2025
Tel/Fax	: 0-3868-7123 ext. 6666 / 0-3868-7128	Report Date	: 09/06/2025

SAMPLE DESCRIPTION / SAMPLING INFORMATION

Sample Designated As	: Workplace Air	Sampling Method	: Sorbent Adsorption
Sampling By	: SECOT Co., Ltd.	Sample Condition	: Normal

Sampling Location	Sampling Date/Time	Compound	Analytical Method	ND	RESULT	STANDARD
				ppm	ppm	ppm
หอดูดซับน้ำ (LLDPE 1)	27/05/2025 09:30-13:30	Isopentane	NIOSH 1500/GC FID	< 0.02	0.22	1,000
หอดูดซับน้ำ (LLDPE 2)	27/05/2025 08:50-12:50	Isopentane	NIOSH 1500/GC FID	< 0.02	ND	1,000
Polymerization area (LLDPE 1)	27/05/2025 09:10-13:10	Isopentane	NIOSH 1500/GC FID	< 0.02	0.16	1,000
Polymerization area (LLDPE 2)	27/05/2025 08:30-12:30	Isopentane	NIOSH 1500/GC FID	< 0.02	ND	1,000

Analyst By : Sudaporn S.
(Miss Sudaporn Soonthorn)

Approved By : Mairisa Poowasanpetch
(Miss Narisa Poowasanpetch)
Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.
3. American Conference of Governmental Industrial Hygienists 2024 (ACGIH 2024).
4. ND = non-detectable.



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

ANALYSIS/TEST REPORT

Customer	: RND/SECOT Co., Ltd.	Request Service No.	: 0973/68
For	: PTT Global Chemical Public Co., Ltd. (LLDPE Plant)	Sampling Date	: 27/05/2025
Address	: 8 Padang Road , Padang Industrial Estate , Tambon Mab Ta Phut , Amphoe Muang , Rayong 21150	Received Date	: 29/05/2025
		Test Date	: 09/06/2025
Tel/Fax	: 0-3868-7123 ext. 6666 / 0-3868-7128	Report Date	: 09/06/2025

SAMPLE DESCRIPTION / SAMPLING INFORMATION

Sample Designated As	: Workplace Air	Sampling Method	: Sampling Bag
Sampling By	: SECOT Co., Ltd.	Sample Condition	: Normal

Sampling Location	Sampling Date/Time	Compound	Analytical Method	ND	RESULT	STANDARD
				ppm	ppm	ppm
หอดูดซับน้ำ (LLDPE 1)	27/05/2025 09:30-09:45	Total Hydrocarbon	THC Analyzer / FID	< 0.10	4.84	-
		NMHC	THC Analyzer / FID	< 0.05	0.17	-
หอดูดซับน้ำ (LLDPE 2)	27/05/2025 08:50-09:05	Total Hydrocarbon	THC Analyzer / FID	< 0.10	3.54	-
		NMHC	THC Analyzer / FID	< 0.05	0.11	-
Polymerization area (LLDPE 1)	27/05/2025 09:10-09:25	Total Hydrocarbon	THC Analyzer / FID	< 0.10	4.68	-
		NMHC	THC Analyzer / FID	< 0.05	0.24	-
Polymerization area (LLDPE 2)	27/05/2025 08:30-08:45	Total Hydrocarbon	THC Analyzer / FID	< 0.10	4.12	-
		NMHC	THC Analyzer / FID	< 0.05	0.09	-

Analyst By : Sudaporn S.
(Miss Sudaporn Soonthorn)

Approved By : Mairisa Poowasanpetch
(Miss Narisa Poowasanpetch)
Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.
3. ND = non-detectable.
4. - No Standard.

ผลการตรวจวัดคุณภาพอากาศในพื้นที่ปฏิบัติงาน
แบบติดตัวบุคคล



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร 10800

239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL. (662) 959-3600 FAX (662) 959-3535 Website : secot.co.th E-mail : envserv@secot.co.th

ANALYSIS/TEST REPORT

Customer	: RND/SECOT Co., Ltd.	Request Service No.	: 0325/68
For	: PTT Global Chemical Public Co., Ltd. (LLDPE Plant)	Sampling Date	: 18/02/2025
Address	: 8 Padang Road , Padang Industrial Estate , Tambon Mab Ta Phut , Amphoe Muang , Rayong 21150	Received Date	: 21/02/2025
Tel/Fax	: 0-3868-7123 ext. 6666 / 0-3868-7128	Test Date	: 01/03/2025
		Report Date	: 03/03/2025

SAMPLE DESCRIPTION / SAMPLING INFORMATION

Sample Designated As	: Workplace Air	Sampling Method	: Passive Diffusion
Sampling By	: SECOT Co., Ltd.	Sample Condition	: Normal

Sampling Location	Sampling Date/Time	Compound	Analytical Method	ND	RESULT	STANDARD
				ppm	ppm	ppm
ID. 26006419	18/02/2025	Benzene	OSHA 1005/GC FID	< 0.04	ND	1
Area : Station 1 (LLDPE 1)	08:05-11:05					
ID. 26006504	18/02/2025	Benzene	OSHA 1005/GC FID	< 0.04	ND	1
Area : Station 2 (LLDPE 1)	08:05-11:05					
ID. 26006648	18/02/2025	Benzene	OSHA 1005/GC FID	< 0.04	ND	1
Area : Station 3 (LLDPE 2)	08:00-11:00					
ID. 26010320	18/02/2025	Benzene	OSHA 1005/GC FID	< 0.04	ND	1
Area : Station 4 (LLDPE 2)	08:00-11:00					

Analyst By : Sudaporn S.
(Miss Sudaporn Soonthorn)

Approved By : Narisa Poowasanpetch
(Miss Narisa Poowasanpetch)
Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. Notification of the Department of Labour Protection and Welfare, B.E.2560 (2017).

4. ND = non-detectable.

ผลการตรวจวัดระดับเสียง
ในสถานที่ทำงาน



Noise Monitoring Result : Working Noise

MTR-LLDPE


LOCATION	: Control room (LLDPE1)	MEASUREMENT DATE	: 26-02-2025
SLM MODEL	: SCARLET TECH ST-21D	SERIAL No.	: 820731
SITE OPERATOR	: Miss Wiraya Patchimboon		

CALIBRATOR MODEL	: Cirrus CR:515	SERIAL No.	: 97097
CALIBRATION REF/EFF dB(A)	: 94.0/93.8	CERTIFIED DATE	: 02-10-2024
SLM READING/ADJUST dB(A)	: 93.8/0.0	EXPIRE DATE	: 01-10-2025
CAL SHEET No.	: CAL-2502-0014-01		

TIME	EQUIVALENT SOUND PRESSURE LEVEL (dB(A))	
	26-02-2025	
00:00 - 01:00		
01:00 - 02:00		
02:00 - 03:00		
03:00 - 04:00		
04:00 - 05:00		
05:00 - 06:00		
06:00 - 07:00		
07:00 - 08:00		
08:00 - 09:00	61.3	
09:00 - 10:00	60.3	
10:00 - 11:00	62.7	
11:00 - 12:00	59.6	
12:00 - 13:00	60.2	
13:00 - 14:00	60.5	
14:00 - 15:00	59.9	
15:00 - 16:00	60.0	
16:00 - 17:00	60.8	
17:00 - 18:00	59.7	
18:00 - 19:00	60.2	
19:00 - 20:00	59.5	
20:00 - 21:00		
21:00 - 22:00		
22:00 - 23:00		
23:00 - 00:00		
Leq(12)	60.5	
Lmax	91.5	
Standard*	85*, 87** dB(A)	
Standard-Max	140 dB(A)	

Remark : * The value was assigned in EIA report.
** Notification of Ministry of Industry, B.E.2546


(Miss Katesarin Vorradetwittaya)
Environmental Scientist


(Miss Sununta Sirawuttinanon)
Technical Management Team



Noise Monitoring Result : Working Noise


MTR-LLDPE


LOCATION	: Compressor area (LLDPE1)	MEASUREMENT DATE	: 26-02-2025
SLM MODEL	: SCARLET TECH ST-21D	SERIAL No.	: 820722
SITE OPERATOR	: Miss Wiraya Patchimboon		

CALIBRATOR MODEL	: Cirrus CR:515	SERIAL No.	: 97097
CALIBRATION REF/EFF dB(A)	: 94.0/93.8	CERTIFIED DATE	: 02-10-2024
SLM READING/ADJUST dB(A)	: 93.7/0.1	EXPIRE DATE	: 01-10-2025
CAL SHEET No.	: CAL-2502-0014-01		

TIME	EQUIVALENT SOUND PRESSURE LEVEL (dB(A))	
	26-02-2025	
00:00 - 01:00		
01:00 - 02:00		
02:00 - 03:00		
03:00 - 04:00		
04:00 - 05:00		
05:00 - 06:00		
06:00 - 07:00		
07:00 - 08:00		
08:00 - 09:00	83.7	
09:00 - 10:00	83.5	
10:00 - 11:00	83.6	
11:00 - 12:00	83.4	
12:00 - 13:00	83.4	
13:00 - 14:00	83.9	
14:00 - 15:00	83.8	
15:00 - 16:00	83.8	
16:00 - 17:00	83.8	
17:00 - 18:00	83.8	
18:00 - 19:00	83.7	
19:00 - 20:00	83.7	
20:00 - 21:00		
21:00 - 22:00		
22:00 - 23:00		
23:00 - 00:00		
Leq(12)	83.7	
Lmax	91.4	
Standard*	85*, 87** dB(A)	
Standard-Max	140 dB(A)	

Remark : * The value was assigned in EIA report.
** Notification of Ministry of Industry, B.E.2546


(Miss Katesarin Vorradetwittaya)
Environmental Scientist


(Miss Sununta Sirawuttinanon)
Technical Management Team



Noise Monitoring Result : Working Noise


MTR-LLDPE

LOCATION	: Extruder&Pellet Dryer (LLDPE1)	MEASUREMENT DATE	: 26-02-2025
SLM MODEL	: SCARLET TECH ST-21D	SERIAL No.	: 820723
SITE OPERATOR	: Miss Wiraya Patchimboon		
CALIBRATOR MODEL	: Cirrus CR:515	SERIAL No.	: 97097
CALIBRATION REF/EFF dB(A)	: 94.0/93.8	CERTIFIED DATE	: 02-10-2024
SLM READING/ADJUST dB(A)	: 93.8/0.0	EXPIRE DATE	: 01-10-2025
CAL SHEET No.	: CAL-2502-0014-01		

TIME	EQUIVALENT SOUND PRESSURE LEVEL (dB(A))
	26-02-2025
00:00 - 01:00	
01:00 - 02:00	
02:00 - 03:00	
03:00 - 04:00	
04:00 - 05:00	
05:00 - 06:00	
06:00 - 07:00	
07:00 - 08:00	
08:00 - 09:00	84.9
09:00 - 10:00	84.9
10:00 - 11:00	84.8
11:00 - 12:00	84.8
12:00 - 13:00	84.5
13:00 - 14:00	84.5
14:00 - 15:00	84.5
15:00 - 16:00	84.6
16:00 - 17:00	84.8
17:00 - 18:00	84.7
18:00 - 19:00	84.7
19:00 - 20:00	84.6
20:00 - 21:00	
21:00 - 22:00	
22:00 - 23:00	
23:00 - 00:00	
Leq(12)	84.7
Lmax	91.6
Standard*	85*, 87** dB(A)
Standard-Max	140 dB(A)

Remark : * The value was assigned in EIA report.
** Notification of Ministry of Industry, B.E.2546


(Miss Katesarin Vorradetwittaya)
Environmental Scientist


(Miss Sununta Sirawuttinanon)
Technical Management Team




Noise Monitoring Result : Working Noise


MTR-LLDPE

LOCATION	: Control room (LLDPE2)	MEASUREMENT DATE	: 26-02-2025
SLM MODEL	: SCARLET TECH ST-21D	SERIAL No.	: 820729
SITE OPERATOR	: Miss Wiraya Patchimboon		
CALIBRATOR MODEL	: Cirrus CR:515	SERIAL No.	: 97097
CALIBRATION REF/EFF dB(A)	: 94.0/93.8	CERTIFIED DATE	: 02-10-2024
SLM READING/ADJUST dB(A)	: 93.7/0.1	EXPIRE DATE	: 01-10-2025
CAL SHEET No.	: CAL-2502-0014-01		

TIME	EQUIVALENT SOUND PRESSURE LEVEL (dB(A))
	26-02-2025
00:00 - 01:00	
01:00 - 02:00	
02:00 - 03:00	
03:00 - 04:00	
04:00 - 05:00	
05:00 - 06:00	
06:00 - 07:00	
07:00 - 08:00	
08:00 - 09:00	62.0
09:00 - 10:00	62.3
10:00 - 11:00	59.1
11:00 - 12:00	60.9
12:00 - 13:00	58.7
13:00 - 14:00	60.0
14:00 - 15:00	63.0
15:00 - 16:00	61.0
16:00 - 17:00	60.6
17:00 - 18:00	61.4
18:00 - 19:00	61.0
19:00 - 20:00	60.7
20:00 - 21:00	
21:00 - 22:00	
22:00 - 23:00	
23:00 - 00:00	
Leq(12)	61.1
Lmax	87.8
Standard*	85*, 87** dB(A)
Standard-Max	140 dB(A)

Remark : * The value was assigned in EIA report.
** Notification of Ministry of Industry, B.E.2546


(Miss Katesarin Vorradetwittaya)
Environmental Scientist


(Miss Sununta Sirawuttinanon)
Technical Management Team



Noise Monitoring Result : Working Noise

MTR-LLDPE


LOCATION	: Compressor area (LLDPE2)	MEASUREMENT DATE	: 26-02-2025
SLM MODEL	: SCARLET TECH ST-21D	SERIAL No.	: 820725
SITE OPERATOR	: Miss Wiraya Patchimboon		

CALIBRATOR MODEL	: Cirrus CR:515	SERIAL No.	: 97097
CALIBRATION REF/EFF dB(A)	: 94.0/93.8	CERTIFIED DATE	: 02-10-2024
SLM READING/ADJUST dB(A)	: 93.7/0.1	EXPIRE DATE	: 01-10-2025
CAL SHEET No.	: CAL-2502-0014-01		

TIME	EQUIVALENT SOUND PRESSURE LEVEL (dB(A))
	26-02-2025
00:00 - 01:00	
01:00 - 02:00	
02:00 - 03:00	
03:00 - 04:00	
04:00 - 05:00	
05:00 - 06:00	
06:00 - 07:00	
07:00 - 08:00	
08:00 - 09:00	82.4
09:00 - 10:00	82.1
10:00 - 11:00	82.7
11:00 - 12:00	82.9
12:00 - 13:00	82.8
13:00 - 14:00	82.7
14:00 - 15:00	82.9
15:00 - 16:00	82.4
16:00 - 17:00	82.5
17:00 - 18:00	82.6
18:00 - 19:00	82.6
19:00 - 20:00	82.4
20:00 - 21:00	
21:00 - 22:00	
22:00 - 23:00	
23:00 - 00:00	
Leq(12)	82.6
Lmax	95.2
Standard*	85*, 87** dB(A)
Standard-Max	140 dB(A)

Remark : * The value was assigned in EIA report.
** Notification of Ministry of Industry, B.E.2546


(Miss Katesarin Vorradetwittaya)
Environmental Scientist


(Miss Sununta Sirawuttinanon)
Technical Management Team



Noise Monitoring Result : Working Noise

MTR-LLDPE


LOCATION	: Extruder & Pellet Dryer (LLDPE2)	MEASUREMENT DATE	: 26-02-2025
SLM MODEL	: SCARLET TECH ST-21D	SERIAL No.	: 820727
SITE OPERATOR	: Miss Wiraya Patchimboon		

CALIBRATOR MODEL	: Cirrus CR:515	SERIAL No.	: 97097
CALIBRATION REF/EFF dB(A)	: 94.0/93.8	CERTIFIED DATE	: 02-10-2024
SLM READING/ADJUST dB(A)	: 93.8/0.0	EXPIRE DATE	: 01-10-2025
CAL SHEET No.	: CAL-2502-0014-01		

TIME	EQUIVALENT SOUND PRESSURE LEVEL (dB(A))
	26-02-2025
00:00 - 01:00	
01:00 - 02:00	
02:00 - 03:00	
03:00 - 04:00	
04:00 - 05:00	
05:00 - 06:00	
06:00 - 07:00	
07:00 - 08:00	
08:00 - 09:00	84.1
09:00 - 10:00	83.7
10:00 - 11:00	83.7
11:00 - 12:00	83.5
12:00 - 13:00	83.3
13:00 - 14:00	83.3
14:00 - 15:00	83.2
15:00 - 16:00	83.3
16:00 - 17:00	83.3
17:00 - 18:00	83.6
18:00 - 19:00	83.5
19:00 - 20:00	83.6
20:00 - 21:00	
21:00 - 22:00	
22:00 - 23:00	
23:00 - 00:00	
Leq(12)	83.5
Lmax	102.8
Standard*	85*, 87** dB(A)
Standard-Max	140 dB(A)

Remark : * The value was assigned in EIA report.
** Notification of Ministry of Industry, B.E.2546


(Miss Katesarin Vorradetwittaya)
Environmental Scientist


(Miss Sununta Sirawuttinanon)
Technical Management Team



Noise Monitoring Result : Working Noise

MTR-LLDPE


LOCATION	: Compressor Area (Hexene-1)	MEASUREMENT DATE	: 30/04/2025
SLM MODEL	: SCARLET TECH ST-21D	SERIAL No.	: 820725
SITE OPERATOR	: Miss Wiraya Patchimboon		

CALIBRATOR MODEL	: Cirrus CR:515	SERIAL No.	: 97097
CALIBRATION REF/EFF dB(A)	: 94.0/93.8	CERTIFIED DATE	: 02/10/2024
SLM READING/ADJUST dB(A)	: 93.8/0.0	EXPIRE DATE	: 01/10/2025
CAL SHEET No.	: CAL-2503-0244-01		

TIME	EQUIVALENT SOUND PRESSURE LEVEL (dB(A))	
	30/04/2025	
00:00 - 01:00		
01:00 - 02:00		
02:00 - 03:00		
03:00 - 04:00		
04:00 - 05:00		
05:00 - 06:00		
06:00 - 07:00		
07:00 - 08:00	83.8	
08:00 - 09:00	83.8	
09:00 - 10:00	83.6	
10:00 - 11:00	83.8	
11:00 - 12:00	83.6	
12:00 - 13:00	83.6	
13:00 - 14:00	83.5	
14:00 - 15:00	83.5	
15:00 - 16:00	83.6	
16:00 - 17:00	83.9	
17:00 - 18:00	83.9	
18:00 - 19:00	82.7	
19:00 - 20:00		
20:00 - 21:00		
21:00 - 22:00		
22:00 - 23:00		
23:00 - 00:00		
Leq(12)	83.6	
Lmax	88.2	
Standard*	85*, 87** dB(A)	
Standard-Max	140 dB(A)	

Remark : * The value was assigned in EIA report.
** Notification of Ministry of Industry, B.E.2546


(Miss Katesarin Vorradevitayaya)
Environmental Scientist


(Miss Sununta Sirawuttinanon)
Technical Management Team



Noise Monitoring Result : Working Noise

MTR-LLDPE


LOCATION	: Control room (LLDPE1)	MEASUREMENT DATE	: 27/05/2025
SLM MODEL	: SCARLET TECH ST-21D	SERIAL No.	: 820726
SITE OPERATOR	: Miss Salisa Ainree		

CALIBRATOR MODEL	: Cirrus CR:515	SERIAL No.	: 97097
CALIBRATION REF/EFF dB(A)	: 94.0/93.8	CERTIFIED DATE	: 02/10/2024
SLM READING/ADJUST dB(A)	: 93.8/0.0	EXPIRE DATE	: 01/10/2025
CAL SHEET No.	: CAL-2505-0006-01		

TIME	EQUIVALENT SOUND PRESSURE LEVEL (dB(A))	
	27/05/2025	
00:00 - 01:00		
01:00 - 02:00		
02:00 - 03:00		
03:00 - 04:00		
04:00 - 05:00		
05:00 - 06:00		
06:00 - 07:00		
07:00 - 08:00		
08:00 - 09:00	61.3	
09:00 - 10:00	60.2	
10:00 - 11:00	60.1	
11:00 - 12:00	59.9	
12:00 - 13:00	60.1	
13:00 - 14:00	60.9	
14:00 - 15:00	60.7	
15:00 - 16:00	60.6	
16:00 - 17:00	60.5	
17:00 - 18:00	61.0	
18:00 - 19:00	60.1	
19:00 - 20:00	60.6	
20:00 - 21:00		
21:00 - 22:00		
22:00 - 23:00		
23:00 - 00:00		
Leq(12)	60.5	
Lmax	83.6	
Standard*	85*, 87** dB(A)	
Standard-Max	140 dB(A)	

Remark : * The value was assigned in EIA report.
** Notification of Ministry of Industry, B.E.2546


(Miss Katesarin Vorradevitayaya)
Environmental Scientist


(Miss Sununta Sirawuttinanon)
Technical Management Team



Noise Monitoring Result : Working Noise


MTR-LLDPE

LOCATION	: Compressor area (LLDPE1)	MEASUREMENT DATE	: 27/05/2025
SLM MODEL	: SCARLET TECH ST-21D	SERIAL No.	: 820724
SITE OPERATOR	: Miss Salisa Ainree		
CALIBRATOR MODEL	: Cirrus CR:515	SERIAL No.	: 97097
CALIBRATION REF/EFF dB(A)	: 94.0/93.8	CERTIFIED DATE	: 02/10/2024
SLM READING/ADJUST dB(A)	: 93.8/0.0	EXPIRE DATE	: 01/10/2025
CAL SHEET No.	: CAL-2505-0006-01		

TIME	EQUIVALENT SOUND PRESSURE LEVEL (dB(A))
	27/05/2025
00:00 - 01:00	
01:00 - 02:00	
02:00 - 03:00	
03:00 - 04:00	
04:00 - 05:00	
05:00 - 06:00	
06:00 - 07:00	
07:00 - 08:00	
08:00 - 09:00	84.6
09:00 - 10:00	84.9
10:00 - 11:00	84.8
11:00 - 12:00	84.8
12:00 - 13:00	85.1
13:00 - 14:00	85.7
14:00 - 15:00	84.2
15:00 - 16:00	83.7
16:00 - 17:00	84.3
17:00 - 18:00	84.3
18:00 - 19:00	84.4
19:00 - 20:00	84.2
20:00 - 21:00	
21:00 - 22:00	
22:00 - 23:00	
23:00 - 00:00	
Leq(12)	84.6
Lmax	88.8
Standard*	85*, 87** dB(A)
Standard-Max	140 dB(A)

Remark : * The value was assigned in EIA report.
** Notification of Ministry of Industry, B.E.2546


(Miss Katesarin Vorradetwitaya)
Environmental Scientist


(Miss Sununta Sirawuttinanon)
Technical Management Team



Noise Monitoring Result : Working Noise


MTR-LLDPE

LOCATION	: Extruder&Pellet Dryer (LLDPE1)	MEASUREMENT DATE	: 27/05/2025
SLM MODEL	: SCARLET TECH ST-21D	SERIAL No.	: 820723
SITE OPERATOR	: Miss Salisa Ainree		
CALIBRATOR MODEL	: Cirrus CR:515	SERIAL No.	: 97097
CALIBRATION REF/EFF dB(A)	: 94.0/93.8	CERTIFIED DATE	: 02/10/2024
SLM READING/ADJUST dB(A)	: 93.8/0.0	EXPIRE DATE	: 01/10/2025
CAL SHEET No.	: CAL-2505-0006-01		

TIME	EQUIVALENT SOUND PRESSURE LEVEL (dB(A))
	27/05/2025
00:00 - 01:00	
01:00 - 02:00	
02:00 - 03:00	
03:00 - 04:00	
04:00 - 05:00	
05:00 - 06:00	
06:00 - 07:00	
07:00 - 08:00	
08:00 - 09:00	84.8
09:00 - 10:00	84.8
10:00 - 11:00	84.8
11:00 - 12:00	84.8
12:00 - 13:00	84.8
13:00 - 14:00	85.1
14:00 - 15:00	85.6
15:00 - 16:00	85.0
16:00 - 17:00	84.4
17:00 - 18:00	85.0
18:00 - 19:00	84.9
19:00 - 20:00	85.0
20:00 - 21:00	
21:00 - 22:00	
22:00 - 23:00	
23:00 - 00:00	
Leq(12)	84.9
Lmax	93.2
Standard*	85*, 87** dB(A)
Standard-Max	140 dB(A)

Remark : * The value was assigned in EIA report.
** Notification of Ministry of Industry, B.E.2546


(Miss Katesarin Vorradetwitaya)
Environmental Scientist


(Miss Sununta Sirawuttinanon)
Technical Management Team



Noise Monitoring Result : Working Noise

MTR-LLDPE


LOCATION	: Control room (LLDPE2)	MEASUREMENT DATE	: 27/05/2025
SLM MODEL	: SCARLET TECH ST-21D	SERIAL No.	: 820727
SITE OPERATOR	: Miss Salisa Ainree		

CALIBRATOR MODEL	: Cirrus CR:515	SERIAL No.	: 97097
CALIBRATION REF/EFF dB(A)	: 94.0/93.8	CERTIFIED DATE	: 02/10/2024
SLM READING/ADJUST dB(A)	: 93.8/0.0	EXPIRE DATE	: 01/10/2025
CAL SHEET No.	: CAL-2505-0006-01		

TIME	EQUIVALENT SOUND PRESSURE LEVEL (dB(A))	
	27/05/2025	
00:00 - 01:00		
01:00 - 02:00		
02:00 - 03:00		
03:00 - 04:00		
04:00 - 05:00		
05:00 - 06:00		
06:00 - 07:00		
07:00 - 08:00		
08:00 - 09:00	63.5	
09:00 - 10:00	60.9	
10:00 - 11:00	60.1	
11:00 - 12:00	59.9	
12:00 - 13:00	59.0	
13:00 - 14:00	58.5	
14:00 - 15:00	58.8	
15:00 - 16:00	58.9	
16:00 - 17:00	60.3	
17:00 - 18:00	60.3	
18:00 - 19:00	59.0	
19:00 - 20:00	59.5	
20:00 - 21:00		
21:00 - 22:00		
22:00 - 23:00		
23:00 - 00:00		
Leq(12)	60.1	
Lmax	82.6	
Standard*	85*, 87** dB(A)	
Standard-Max	140 dB(A)	

Remark : * The value was assigned in EIA report.
** Notification of Ministry of Industry, B.E.2546


(Miss Katesarin Vorradetwitaya)
Environmental Scientist


(Miss Sununta Sirawuttinanon)
Technical Management Team



Noise Monitoring Result : Working Noise

MTR-LLDPE


LOCATION	: Compressor area (LLDPE2)	MEASUREMENT DATE	: 27/05/2025
SLM MODEL	: SCARLET TECH ST-21D	SERIAL No.	: 820729
SITE OPERATOR	: Miss Salisa Ainree		

CALIBRATOR MODEL	: Cirrus CR:515	SERIAL No.	: 97097
CALIBRATION REF/EFF dB(A)	: 94.0/93.8	CERTIFIED DATE	: 02/10/2024
SLM READING/ADJUST dB(A)	: 93.8/0.0	EXPIRE DATE	: 01/10/2025
CAL SHEET No.	: CAL-2505-0006-01		

TIME	EQUIVALENT SOUND PRESSURE LEVEL (dB(A))	
	27/05/2025	
00:00 - 01:00		
01:00 - 02:00		
02:00 - 03:00		
03:00 - 04:00		
04:00 - 05:00		
05:00 - 06:00		
06:00 - 07:00		
07:00 - 08:00		
08:00 - 09:00	81.6	
09:00 - 10:00	81.5	
10:00 - 11:00	81.6	
11:00 - 12:00	81.7	
12:00 - 13:00	81.7	
13:00 - 14:00	83.1	
14:00 - 15:00	82.8	
15:00 - 16:00	81.9	
16:00 - 17:00	81.9	
17:00 - 18:00	81.9	
18:00 - 19:00	81.8	
19:00 - 20:00	82.1	
20:00 - 21:00		
21:00 - 22:00		
22:00 - 23:00		
23:00 - 00:00		
Leq(12)	82.0	
Lmax	89.4	
Standard*	85*, 87** dB(A)	
Standard-Max	140 dB(A)	

Remark : * The value was assigned in EIA report.
** Notification of Ministry of Industry, B.E.2546


(Miss Katesarin Vorradetwitaya)
Environmental Scientist


(Miss Sununta Sirawuttinanon)
Technical Management Team



Noise Monitoring Result : Working Noise


MTR-LLDPE

LOCATION	: Extruder & Pellet Dryer (LLDPE2)	MEASUREMENT DATE	: 27/05/2025
SLM MODEL	: SCARLET TECH ST-21D	SERIAL No.	: 820728
SITE OPERATOR	: Miss Salisa Ainree		
CALIBRATOR MODEL	: Cirrus CR:515	SERIAL No.	: 97097
CALIBRATION REF/EFF dB(A)	: 94.0/93.8	CERTIFIED DATE	: 02/10/2024
SLM READING/ADJUST dB(A)	: 93.8/0.0	EXPIRE DATE	: 01/10/2025
CAL SHEET No.	: CAL-2505-0006-01		

TIME	EQUIVALENT SOUND PRESSURE LEVEL (dB(A))	
	27/05/2025	
00:00 - 01:00		
01:00 - 02:00		
02:00 - 03:00		
03:00 - 04:00		
04:00 - 05:00		
05:00 - 06:00		
06:00 - 07:00		
07:00 - 08:00		
08:00 - 09:00	83.1	
09:00 - 10:00	82.7	
10:00 - 11:00	82.9	
11:00 - 12:00	82.8	
12:00 - 13:00	82.8	
13:00 - 14:00	83.3	
14:00 - 15:00	84.0	
15:00 - 16:00	83.7	
16:00 - 17:00	83.3	
17:00 - 18:00	83.3	
18:00 - 19:00	83.2	
19:00 - 20:00	83.5	
20:00 - 21:00		
21:00 - 22:00		
22:00 - 23:00		
23:00 - 00:00		
Leq(12)	83.2	
Lmax	95.9	
Standard*	85*, 87** dB(A)	
Standard-Max	140 dB(A)	

Remark : * The value was assigned in EIA report.
** Notification of Ministry of Industry, B.E.2546


(Miss Katesarin Vorradetwittaya)
Environmental Scientist


(Miss Sununta Sirawuttinanon)
Technical Management Team

ผลการตรวจวัดปริมาณเสียงสะสมที่ตัวพนักงาน

**บริษัท ซีคอต จำกัด****SECOT CO., LTD.**

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพฯ 10800

239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL : +66(0) 2959-3600 FAX : +66(0) 2959-3535 E-mail : envserv@secot.co.th

NOISE MEASUREMENT REPORT : NOISE DOSE

CLIENT NAME	: PTT Global Chemical Public Co., Ltd.	REFERENCE NO.	: 225107/MON1H/Noise Dose/Feb
	(LLDPE Plant)		
MEASUREMENT BY	: SECOT Co., Ltd.	INSTRUMENT	: Noise Dosimeter
MEASUREMENT DATE	: 26/02/2025	CALIBRATOR TYPE	: Pulsar Model 22R
MEASUREMENT LOCATION	: LLDPE 1 Plant	SERIAL NO.	: 79781
SITE OPERATOR	: Miss Wiraya Patchimboon	CALIBRATOR REF.	: 114 dB @ 1kHz

USER ID	AREA/PLANT	TIME	SOUND PRESSURE LEVEL (dB(A))		
			%DOSE	TWA (12-hr)	STANDARD *
ID : 26006504	Compressor Area	07:25-18:19	59.7	81.0	83.0
ID : 26006419	Extruder and Pellet Dryer	07:25-18:11	35.9	78.8	83.0
ID : 26006420	Purification unit	07:29-19:00	44.1	79.7	83.0
ID : 26006509	Reactor unit	07:24-19:00	60.5	81.1	83.0


(Miss Katesarin Vorradetwittaya)

Environmental Scientist


(Miss Sununta Sirawuttinanon)

Technical Management Team

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 - 3.* Notification of Department of Labour Protection and Welfare B.E.2561 (2018).
 4. TWA means Time Weighted Average.

**บริษัท ซีคอต จำกัด****SECOT CO., LTD.**

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพฯ 10800

239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL : +66(0) 2959-3600 FAX : +66(0) 2959-3535 E-mail : envserv@secot.co.th


NOISE MEASUREMENT REPORT : NOISE DOSE

CLIENT NAME	: PTT Global Chemical Public Co., Ltd.	REFERENCE NO.	: 225107/MON1H/Noise Dose/Feb
	(LLDPE Plant)		
MEASUREMENT BY	: SECOT Co., Ltd.	INSTRUMENT	: Noise Dosimeter
MEASUREMENT DATE	: 26/02/2025	CALIBRATOR TYPE	: Pulsar Model 22R
MEASUREMENT LOCATION	: LLDPE 2 Plant	SERIAL NO.	: 79781
SITE OPERATOR	: Miss Wiraya Patchimboon	CALIBRATOR REF.	: 114 dB @ 1kHz

USER ID	AREA/PLANT	TIME	SOUND PRESSURE LEVEL (dB(A))		
			%DOSE	TWA (12-hr)	STANDARD *
ID : 26006644	Extruder and Pellet Dryer	07:36-19:00	86.6	82.6	83.0
ID : 26010320	Purification unit	07:36-19:00	48.2	80.1	83.0
ID : 26009939	Reactor unit	07:36-19:00	95.5	82.8	83.0


(Miss Katesarin Vorradetwittaya)

Environmental Scientist


(Miss Sununta Sirawuttinanon)

Technical Management Team

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 - 3.* Notification of Department of Labour Protection and Welfare B.E.2561 (2018).
 4. TWA means Time Weighted Average.



บริษัท ซีคอต จำกัด

SECOT CO., LTD.

239 ถนนวิภาวดีรังสิต แขวงบางซื่อ เขตบางซื่อ กรุงเทพฯ 10800

239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL : +66(0) 2959-3600 FAX : +66(0) 2959-3535 E-mail : envserv@secot.co.th

NOISE MEASUREMENT REPORT : NOISE DOSE

CLIENT NAME	: PTT Global Chemical Public Co., Ltd.	REFERENCE NO.	: 225107-Noise Dose-2503-0245
	(LLDPE Plant)		
MEASUREMENT BY	: SECOT Co., Ltd.	INSTRUMENT	: Noise Dosimeter
MEASUREMENT DATE	: 30/04/2025	CALIBRATOR TYPE	: Cirrus RC:110A
MEASUREMENT LOCATION	: LLDPE 2 Plant	SERIAL NO.	: 95167
SITE OPERATOR	: Miss Wiraya Patchimboon	CALIBRATOR REF.	: 114 dB @ 1kHz

USER ID	AREA/PLANT	TIME	SOUND PRESSURE LEVEL (dB(A))		
			%DOSE	TWA (12-hr)	STANDARD *
ID : 26009939	Compressor Area	07:40-19:00	20.3	76.3	83.0
ID : 26006649	Hexene-1 unit	07:40-18:50	29.7	77.9	83.0

(Miss Katesarin Vorradetwittaya)

Environmental Scientist

(Miss Sununta Sirawuttinanon)

Technical Management Team

- Remark :**
1. Reported analysis refers to submitted sample only.
 2. This report shall not be reproduced, except in full, without official approval.
 - 3.* Notification of Department of Labour Protection and Welfare B.E.2561 (2018).
 4. TWA means Time Weighted Average.

ผลการตรวจวัดความร้อน
ภายในสถานประกอบการ



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพฯ 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL : (662) 959-3600 FAX : (662) 959-3535 E-mail : envserv@secot.co.th

HEAT STRESS MEASUREMENT REPORT

CLIENT NAME : PTT Global Chemical Public Co., Ltd. REFERENCE NO. : 225107-Heat-2504-0007
(Branch 11 : LLDPE)
MEASUREMENT BY : SECOT Co., Ltd. INSTRUMENT : Area Heat Stress Monitor
MEASUREMENT DATE : 30/04/2025 MODEL NO. : JANTYTECH/ JT2011-E2A
MEASUREMENT LOCATION : Polymerization Area SERIAL NO. : 3522210180
SITE OPERATOR : Miss Wiraya Patchimboon

LOCATION	TIME	MEASURED TEMPERATURE (°C)					STANDARD (°C) *
		NWB	DB	GT	WBGT _{Out}	WBGT _{Avg}	
Polymerization Area	13:13-13:43	28.8	32.3	32.8	30.0	29.9	34.0
(LLDPE 1)	13:43-14:13	29.0	32.3	32.6	30.1		
	14:13-14:43	28.8	32.1	32.3	29.8		
	14:43-15:13	28.7	32.1	32.4	29.8		

(Miss Katesarin Vorradetwittaya)

Environmental Scientist

(Miss Sununta Sirawuttinanon)

Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. *WBGT Standard was notified by the Ministerial of Labor B.E.2559 (2016).

NWB = Natural Wet Bulb Temperature

DB = Dry Bulb Temperature

GT = Globe Temperature

WBGT = Wet Bulb Globe Temperature

Work Load : Light work load = 34.0 °C, Moderate work load = 32.0 °C and Heavy work load = 30.0 °C



บริษัท ซีคอต จำกัด
SECOT CO., LTD.

239 ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพฯ 10800
239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND
TEL : (662) 959-3600 FAX : (662) 959-3535 E-mail : envserv@secot.co.th

HEAT STRESS MEASUREMENT REPORT

CLIENT NAME : PTT Global Chemical Public Co., Ltd. REFERENCE NO. : 225107-Heat-2504-0007
(Branch 11 : LLDPE)
MEASUREMENT BY : SECOT Co., Ltd. INSTRUMENT : Area Heat Stress Monitor
MEASUREMENT DATE : 30/04/2025 MODEL NO. : JANTYTECH/ JT2011-E2A
MEASUREMENT LOCATION : Polymerization Area SERIAL NO. : 3522210177
SITE OPERATOR : Miss Wiraya Patchimboon

LOCATION	TIME	MEASURED TEMPERATURE (°C)					STANDARD (°C) *
		NWB	DB	GT	WBGT _{Out}	WBGT _{Avg}	
Polymerization Area	13:15-13:45	29.4	31.6	32.1	30.2	30.1	34.0
(LLDPE 2)	13:45-14:15	29.3	31.4	31.9	30.0		
	14:15-14:45	29.3	31.8	32.0	30.1		
	14:45-15:15	29.2	31.6	31.8	30.0		

(Miss Katesarin Vorradetwittaya)

Environmental Scientist

(Miss Sununta Sirawuttinanon)

Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. *WBGT Standard was notified by the Ministerial of Labor B.E.2559 (2016).

NWB = Natural Wet Bulb Temperature

DB = Dry Bulb Temperature

GT = Globe Temperature

WBGT = Wet Bulb Globe Temperature

Work Load : Light work load = 34.0 °C, Moderate work load = 32.0 °C and Heavy work load = 30.0 °C



บริษัท ซีคอต จำกัด

SECOT CO., LTD.

239 ถนนวิมลทองประไพ แขวงบางซื่อ เขตบางซื่อ กรุงเทพฯ 10800

239 RIMKLONGPRAPA ROAD, BANGSUE, BANGKOK 10800, THAILAND

TEL : (662) 959-3600 FAX : (662) 959-3535 E-mail : envserv@secot.co.th

HEAT STRESS MEASUREMENT REPORT

CLIENT NAME : PTT Global Chemical Public Co., Ltd. REFERENCE NO. : 225107-Heat-2504-0007
(Branch 11 : LLDPE)
MEASUREMENT BY : SECOT Co., Ltd. INSTRUMENT : Area Heat Stress Monitor
MEASUREMENT DATE : 30/04/2025 MODEL NO. : JANTYTECH/ JT2011-E2A
MEASUREMENT LOCATION : Hexene-1 Area SERIAL NO. : 3522210173
SITE OPERATOR : Miss Wiraya Patchimboon

LOCATION	TIME	MEASURED TEMPERATURE (°C)					STANDARD (°C) *
		NWB	DB	GT	WBGT _{Out}	WBGT _{Avg}	
Reaction Unit (Hexene-1)	13:18-13:48	27.9	32.2	33.9	29.5	30.7	34.0
	13:48-14:18	29.3	35.0	35.7	31.2		
	14:18-14:48	29.5	34.6	35.0	31.1		
	14:48-15:18	29.2	34.5	35.2	31.0		

(Miss Katesarin Vorradetwittaya)

Environmental Scientist

(Miss Sununta Sirawuttinanon)

Technical Management Team

Remark : 1. Reported analysis refers to submitted sample only.

2. This report shall not be reproduced, except in full, without official approval.

3. *WBGT Standard was notified by the Ministerial of Labor B.E.2559 (2016).

NWB = Natural Wet Bulb Temperature

DB = Dry Bulb Temperature

GT = Globe Temperature

WBGT = Wet Bulb Globe Temperature

Work Load : Light work load = 34.0 °C, Moderate work load = 32.0 °C and Heavy work load = 30.0 °C

ภาคผนวก จ

ใบแสดงการตรวจเทียบเครื่องมือ

Sheet No. : BH-019-1/2025(P)

Sheet No. : BH-025-1/2025(P)



High Volume TSP&PM10 Calibration Data Sheet

Date: 13 Jan 25

Temp (°C): 21

Barometric pressure (mm Hg): 763

Reference Standard Calibration

Equipment: Orifice

Model No: TE-5025A

Serial No: 4218

Manufacturer: Tisch

Unit Under Test


Equipment: High Volume Air Sampler

Model No: TE-5009X

Serial No: BH-019

Calibrated by : Surachat I.

Test No.	Orifice (in)	Qstd (m ³ /min)	Reading (in)	Reading(Corrected) (in)
1	12.48	1.706	8.71	8.79
2	9.77	1.512	6.89	6.95
3	7.72	1.347	5.28	5.33
4	4.70	1.055	3.37	3.40
5	2.87	0.829	2.04	2.06



Approved by :



High Volume TSP&PM10 Calibration Data Sheet

Date: 15 Jan 25

Temp (°C): 33

Barometric pressure (mm Hg): 759

Reference Standard Calibration

Equipment: Orifice

Model No: TE-5025A

Serial No: 4218

Manufacturer: Tisch

Unit Under Test


Equipment: High Volume Air Sampler

Model No: TE-5009X

Serial No: BH-025

Calibrated by : Surachat I.

Test No.	Orifice (in)	Qstd (m ³ /min)	Reading (in)	Reading(Corrected) (in)
1	10.71	1.547	6.31	6.22
2	8.41	1.374	5.23	5.16
3	6.39	1.200	4.17	4.11
4	4.09	0.964	2.62	2.58
5	2.32	0.732	1.57	1.55



Approved by :

Sheet No. : CAL-M5009/01/25



CONTROL UNIT CALIBRATION (Metric units, mm)

Date 9 Jan 25

Barometric press, Pb

Initial	Final	Average
758	758	758

mmHg

Dry Gas Meter Data

Console No. M50-09

Metering System ID

DGM Number 333249

DGM Model ES-110

Calibrated by : Montri P.

Reference Dry Gas Meter Data

Serial No. 358794

Model S110

Correction factor (Yr) 1.0077

Last Calibration Date 25 Oct 24

Orifice manometer setting, ΔH mm H2O	Ref. DGM Volume V _r Liters	DGM Volume V _m Liters	Temperature (°C)				Time @ min	DGM Correction factor (Y)	ΔH@ mm
			Ref DGM T _r	Dry Gas Meter					
				Inlet T _i	Outlet T _o	Avg T _m			
12.5	100.1	101.3	25	25	24	24.5	8.57	0.9926	41.6238
25.0	100.2	100.4	25	25	24	24.5	6.23	1.0012	44.0131
50.0	100.1	100.5	25	25	24	24.5	4.42	0.9965	44.2732
76.0	100.2	99.7	25	25	24	24.5	3.58	1.0037	44.1905
100.0	100.3	99.6	25	25	24	24.5	3.58	1.0034	45.3098
150.0	100.3	99.2	25	25	24	24.5	2.60	1.0029	45.7895

Average 1.0000 44.2000

Approved by :

Sheet No. : CAL-PI-PS10-02/2025



PITOT TUBE CALIBRATION REPORT

Calibration Location: SECOT

Calibration Date : 03-01-2025

Calibration Duct No.: CD-0123

Calibration Standard Pitot tube data

Pitot No. : Std-02

Coefficient (Cp) : 0.99

Type S Pitot No. : PS10-02

Calibrated by : Mr. Montri P.

A Side Calibration

Run No.	ΔPstd (mm H ₂ O)	ΔPs (mm H ₂ O)	Cp(s)	Deviation, δ Cp(s) - Cp(A)
1	15.0	21.0	0.8367	-0.0034
2	15.0	20.5	0.8468	0.0068
3	15.0	21.0	0.8367	-0.0034

C_{P(A)} avg 0.8401

B Side Calibration

Run No.	ΔPstd (mm H ₂ O)	ΔPs (mm H ₂ O)	Cp(s)	Deviation, δ Cp(s) - Cp(B)
1	15.0	21.0	0.8367	-0.0034
2	15.0	20.5	0.8468	0.0068
3	15.0	21.0	0.8367	-0.0034

C_{P(B)} avg 0.8401

|CP(A)-CP(B)| = 0.0000

C_{P(Avg)} = 0.8401

Approved by :

*** δ must be ≤ 0.01 for the test to be acceptable ***
*** |CP(A)-CP(B)| must also be < 0.01 if average of Cp(A) and Cp(B) is to be used ***

Sheet No. : CR-515-2025-064



SOUND LEVEL METER CALIBRATION

Calibration Location: SECOT

Calibration Date: Mar 11, 25

ACOUSTIC CALIBRATOR

Brand	Model	Serial No.	Frequency (Hz)	Ref.Calibrated (dB)	Eff.Calibrated (dB)
Cirrus	CR:515	97097	1000.00	94.0	93.7

No.	Brand	Model	Serial No.	Reading (dB)	dB Adjust
42	Cirrus	CR162B	G302738	93.7	0.0

Calibrated by :

Approved by :

Preda S.

CR-515-2025-064-Cal/27/03/2025

SECOT CO., LTD.
239 Rimklongprapa Rd. Bangsue, Bangkok, 10800, THAILAND
Tel: (662) 959-3600 Fax: (662) 959-3535
E-Mail: envserv@secot.co.th



THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Mechanical Engineering Standards Laboratory Soi 1, Bangpoo Industrial Estate, Muang, Samutprakan 10280, Thailand.

Request No.23-67/0303

MTC.No.23-67/0303-02

Number of page(s) 2

CALIBRATION CERTIFICATE

Nomenclature : DRYCAL

Manufacturer : Mesa Labs

Serial No.: 160100

Model : Defender 520-L

Scale range : 5 ml/min to 500 ml/min

Subdivision : (0.001, 0.01) ml/min

Submitted by : SECOT CO.,LTD.

239, Rimklongprapa Road, Bangsue,
Bangkok 10800, Thailand.

Received date : 13 February 2024 Condition of measured item : Normal

Calibration date : 6 March 2024

Standard :

Standard	Certificate No.	Date due	Traceability
RTD Thermometer	PSL-T 643/65	1-Jun-24	TISTR
Molbox/Pressure Transducer/UpStream	MP-0076-23	2-Apr-25	NIMT
Primary Flow Calibrator S/N 117982	MW-0034-23	11-Jun-25	NIMT

Calibrated by :

Terasak Panna
(Mr.Terasak Panna)

Approved by :

(Ms.Kirana Luanghirun)

Mechanical Engineering Standards Laboratory

Ref. 2013267021300639002

Issued Date 11 March 2024

The results relate only to the items tested/calibrated or value assigned.
Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FM.BLMTC.002 Rev.4

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9000
Fax. (66) 0 2577 9009
E-mail : rumpai@tistr.or.th Website:www.tistr.or.th

Office/Laboratory
Soi 1C, Bangpoo Industrial Estate, Sukhumvit Road,
Amphoe Muang, Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672-80 ext. 115, 116
Fax. (66) 0 2323 9165
E-mail : mtc@tistr.or.th

Office
196 Phahonyothin Road, Chatuchak, Bangkok 10900,
Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5217
Fax. (66) 0 2579 8592
E-mail : sumalee@tistr.or.th



THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Mechanical Engineering Standards Laboratory Soi 1, Bangpoo Industrial Estate, Muang, Samutprakan 10280, Thailand.

Request No.23-67/0303

2/2

MTC.No.23-67/0303-02

Calibration point : (20, 50, 100, 200, 400) ml/min

Ambient condition : Temperature (23 ± 3) °C , Relative humidity (55 ± 15) %

Atmospheric pressure (1010±13) hPa

Calibration method : The flowmeter (UUC) was calibrated by comparison method with standard flowmeter according to CP-370.01.

The reported value is the value that converted to value at reference condition within pressure and temperature of the actual gas entering the UUC

Measurement data :

UUC Value (ml/min)	Standard Value (ml/min)	Temperature (°C)	Pressure (hPa)	Deviation (%)	Uncertainty (%)
19.854*	19.920	25.169	1006.69	-0.33	1.1
49.990	50.384	25.058	1006.80	-0.78	1.1
99.770	99.036	25.047	1006.89	+0.74	0.99
199.87	192.51	24.984	1007.03	+3.82	1.0
401.92	384.44	24.959	1007.30	+4.55	0.99

The reported expanded uncertainties are based on standard uncertainties multiplied by a coverage factor $k=2$, which provides a level of confidence of approximately 95%.

* : The calibration point is not the scope of accreditation.

The end of calibration certificate.

TB.

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FM.BL.MTC.002 Rev.4

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9000
Fax. (66) 0 2577 9009
E-mail : rumpal@tistr.or.th Website:www.tistr.or.th

Office/Laboratory
Soi 1C, Bangpoo Industrial Estate, Sukhumvit Road,
Amphoe Muang, Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672-80 ext. 115, 116
Fax. (66) 0 2323 9165
E-mail : mtc@tistr.or.th

Office
196 Phahonyothin Road, Chatuchak, Bangkok 10900,
Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5217
Fax. (66) 0 2579 8592
E-mail : sumalee@tistr.or.th



THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Mechanical Engineering Standards Laboratory Soi 1, Bangpoo Industrial Estate, Muang, Samutprakan 10280, Thailand.

Request No.23-68/0279

MTC.No.23-68/0279-01

Number of page(s) 2

CALIBRATION CERTIFICATE

Nomenclature : DRYCAL

Manufacturer : Mesa Labs

Serial No.: 160100

Model : Defender 520-L

Scale range : 5 ml/min to 500 ml/min

Subdivision : (0.001, 0.01) ml/min

Submitted by : SECOT CO.,LTD.

239, Rimklongprapa Road, Bangsue,

Bangkok 10800, Thailand.

Received date : 13 February 2025 **Condition of measured item :** Normal

Calibration date : 24 February 2025

Standard :

Standard	Certificate No.	Date due	Traceability
RTD Thermometer	PSL-T 0811/67	3-Jul-26	TISTR
Molbox/Pressure Transducer/UpStream	MP-0076-23	2-Apr-25	NIMT
Primary Flow Calibrator S/N 117982	MW-0034-23	11-Jun-25	NIMT

Calibrated by : Terasak Panna

(Mr.Terasak Panna)

Approved by : Ms. Kirana Luanghirun

(Ms.Kirana Luanghirun)

Director

Mechanical Engineering Standards Laboratory

Ref. 2013268021300656001

Issued Date 28 February 2025

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FM.BL.MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9009

Office/Laboratory
668 Mu 2 Tambon Bangpoomai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672-80 ext. 115, 116
(66) 08 3219 9440
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
196 Phahonyothin Road, Ladyao, Chatuchak,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5217
(66) 08 1889 6827



THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Mechanical Engineering Standards Laboratory Sol 1, Bangpoo Industrial Estate, Muang, Samutprakan 10280, Thailand.

Request No.23-68/0279

2/2

MTC.No.23-68/0279-01

Calibration point : (20, 50, 100, 200, 400) ml/min

Ambient condition : Temperature (23 ± 3) °C , Relative humidity (55 ± 15) %

Atmospheric pressure (1010±13) hPa

Calibration method : The flowmeter (UUC) was calibrated by comparison method with standard flowmeter according to CP-370.01.

The reported value is the value that converted to value at reference condition within pressure and temperature of the actual gas entering the UUC

Measurement data :

UUC Value	Standard Value	Temperature	Pressure	Deviation	Uncertainty
(ml/min)	(ml/min)	(°C)	(hPa)	(%)	(%)
20.473*	20.340	24.275	1011.42	+0.65	0.94
49.952	50.732	24.057	1011.52	-1.54	0.95
99.449	99.622	24.102	1011.62	-0.17	0.93
200.34	199.94	24.133	1011.77	+0.20	0.93
401.89	397.98	24.140	1012.07	+0.98	0.93

The reported expanded uncertainties are based on standard uncertainties multiplied by a coverage factor $k=2$, which provides a level of confidence of approximately 95%.

* : The calibration point is not the scope of accreditation.

The end of calibration certificate.

Ts.

The results relate only to the items tested/calibrated or value assigned.

Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

FM.BL.MTC.002 Rev.5

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9009

Office/Laboratory
668 Mu 2 Tambon Bangpoomai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672-80 ext. 115, 116
(66) 08 3219 9440
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
196 Phahonyothin Road, Ladyao, Chatuchak,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5217
(66) 08 1889 6827

Sheet No. : CAL-2502-0014-01



SOUND LEVEL METER CALIBRATION

Calibration Location: SECOT

Calibration Date: 26-02-2025

ACOUSTIC CALIBRATOR

Brand	Model	Serial No.	Frequency (Hz)	Ref.Calibrated (dB)	Eff.Calibrated (dB)
Cirrus	CR:515	97097	1000.00	94	93.8

No.	Brand	Model	Serial No.	Reading (dB)	dB Adjust
1	SCARLET TECH	ST-21D	820731	93.8	0.0
2	SCARLET TECH	ST-21D	820722	93.8	0.1
3	SCARLET TECH	ST-21D	820723	93.8	0.0
4	SCARLET TECH	ST-21D	820729	93.8	0.1
5	SCARLET TECH	ST-21D	820725	93.8	0.1
6	SCARLET TECH	ST-21D	820727	93.8	0.0

Calibrated by :

Approved by :

CER_LLDPE_2502-0014_1eq\CAL.SHEET01\1/03/2025

SECOT CO., LTD.
239 Kinklongmipa Rd. Bangpoo, Bangkok, 10600, THAILAND
Tel: (662)959-3600 Fax: (662) 959-3535
E-Mail: envserv@secot.co.th



SOUND LEVEL METER CALIBRATION

Calibration Location: SECOT

Calibration Date: 30/04/2025

ACOUSTIC CALIBRATOR

Brand	Model	Serial No.	Frequency (Hz)	Ref.Calibrated (dB)	Eff.Calibrated (dB)
Cirrus	CR:515	97097	1000.00	94	93.8

No.	Brand	Model	Serial No.	Reading (dB)	dB Adjust
1	SCARLET TECH	ST-21D	820725	93.8	0.0

Calibrated by : Approved by : 

SOUND LEVEL METER CALIBRATION

Calibration Location: SECOT

Calibration Date: 27/05/2025

ACOUSTIC CALIBRATOR

Brand	Model	Serial No.	Frequency (Hz)	Ref.Calibrated (dB)	Eff.Calibrated (dB)
Cirrus	CR:515	97097	1000.00	94	93.8

No.	Brand	Model	Serial No.	Reading (dB)	dB Adjust
1	SCARLET TECH	ST-21D	820726	93.8	0.0
2	SCARLET TECH	ST-21D	820724	93.8	0.0
3	SCARLET TECH	ST-21D	820723	93.8	0.0
4	SCARLET TECH	ST-21D	820727	93.8	0.0
5	SCARLET TECH	ST-21D	820729	93.8	0.0
6	SCARLET TECH	ST-21D	820728	93.8	0.0

Calibrated by : Approved by : 

CERTIFICATE OF CALIBRATION

ISSUED BY **Noisemeters**

DATE OF ISSUE **29 April 2024**

CERTIFICATE NUMBER **213338**

Noisemeters

NoiseMeters
Acoustic House
Bridlington Road
Hunmanby
YO14 0PH
United Kingdom
www.noisemeters.com

Page 1 of 2

Approved signatory
N.Smith
Electronically signed:



doseBadge Reader : IEC 60942:2003

Instrument information

Manufacturer: Pulsar Instruments

Notes:

Model: Model 22R

Serial number: 79781

Class: 2

Test summary

Date of calibration: 29 April 2024

The doseBadge reader detailed above has been calibrated to the published data as described in the operating manual and in the half-inch configuration. The procedures and techniques used are as described in IEC60942_2003 Annex B – Periodic Tests and three determinations of the sound pressure level, frequency and total distortion were made.

The sound pressure level was measured using a WS2F condenser microphone type MK:224 manufactured by Cirrus Research plc.

The results have been corrected to the reference pressure of 101.33 kPa using the manufacturer's data.

The doseBadge Reader has been shown to conform to the Class 2 requirements for periodic testing, described in Annex B of IEC 60942:2003 for the sound pressure level(s) and frequency(ies) stated, for the environmental conditions under which the tests were performed.

However, as public evidence was not available, from a testing organisation responsible for pattern approval, to demonstrate that the model of doseBadge Reader conformed to the requirements for pattern evaluation described in Annex A of IEC 60942:2003, no general statement or conclusion can be made about conformance of the doseBadge Reader to the requirements of IEC 60942:2003.

Notes:

This certificate provides traceability of measurement to the SI system of units and/or to units of measurement realised at the National Physical Laboratory or other recognised national metrology institutes. This certificate may not be reproduced other than in full, except with the prior written approval of the issuing laboratory. The results within this certificate relate only to the items calibrated. The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a coverage probability of approximately 95%.

CERTIFICATE OF CALIBRATION

Certificate Number:

213338

Page 2 of 2

Environmental conditions

The following conditions were recorded at the time of the test:

Before Pressure: 100.34 kPa Temperature: 22.4 °C Humidity: 38.5 %
After Pressure: 100.34 kPa Temperature: 22.7 °C Humidity: 36.3 %

Test equipment

Equipment	Manufacturer	Model	Serial number
Distortion Meter	Keithley	2015	0839263
Acoustic Calibrator	Brüel and Kjær	4231	2610257
Environmental Monitor	Comet	T7510	21962628

Initial Acoustic Results

	Expected	Sample 1	Sample 2	Sample 3	Average	Deviation	Tolerance	Uncertainty
Level (dB)	114.00	113.94	113.93	113.94	113.94	-0.06	±0.75	0.11 dB
Distortion (%)	< 4.00	0.49	0.49	0.49	0.49	0.49	+4.00	0.13 %
Frequency (Hz)	1000.0	998.9	998.9	998.9	998.9	-1.1	±20.0	0.1 Hz

The measured quantities or deviations (as applicable), extended by the expanded combined uncertainty of measurement, must not exceed the corresponding tolerance.

Adjusted Acoustic Results

	Expected	Sample 1	Sample 2	Sample 3	Average	Deviation	Tolerance	Uncertainty
Level (dB)	114.00	114.01	113.98	113.98	113.99	-0.01	±0.75	0.11 dB
Distortion (%)	< 4.00	0.49	0.49	0.49	0.49	0.49	+4.00	0.13 %
Frequency (Hz)	1000.0	998.9	999.0	998.9	998.9	-1.1	±20.0	0.1 Hz

Functionality Results

Function	Result
Keypad	Pass
Battery Power	Pass
Display	Pass
Communication	Pass
2 way IR link	Pass
Clock	Pass

End of results

CERTIFICATE OF CALIBRATION

ISSUED BY **Noisemeters**

DATE OF ISSUE **26 February 2025** CERTIFICATE NUMBER **234084**

NoiseMeters

NoiseMeters
Acoustic House
Bridlington Road
Hunmanby
YO14 0PH
United Kingdom
www.noisemeters.com

Page 1 of 2

Approved signatory
N.Smith
Electronically signed:



doseBadge Reader : IEC 60942:2003

Instrument information

Manufacturer: Cirrus Research plc

Notes:

Model: RC:110A

Serial number: 95167

Class: 2

Test summary

Date of calibration: 21 February 2025

The doseBadge reader detailed above has been calibrated to the published data as described in the operating manual and in the half-inch configuration. The procedures and techniques used are as described in IEC60942_2003 Annex B – Periodic Tests and three determinations of the sound pressure level, frequency and total distortion were made.

The sound pressure level was measured using a WS2F condenser microphone type MK:224 manufactured by Cirrus Research plc.

The results have been corrected to the reference pressure of 101.33 kPa using the manufacturer's data.

The doseBadge Reader has been shown to conform to the Class 2 requirements for periodic testing, described in Annex B of IEC 60942:2003 for the sound pressure level(s) and frequency(ies) stated, for the environmental conditions under which the tests were performed.

However, as public evidence was not available, from a testing organisation responsible for pattern approval, to demonstrate that the model of doseBadge Reader conformed to the requirements for pattern evaluation described in Annex A of IEC 60942:2003, no general statement or conclusion can be made about conformance of the doseBadge Reader to the requirements of IEC 60942:2003.

Notes:

This certificate provides traceability of measurement to the SI system of units and/or to units of measurement realised at the National Physical Laboratory or other recognised national metrology institutes. This certificate may not be reproduced other than in full, except with the prior written approval of the issuing laboratory. The results within this certificate relate only to the items calibrated. The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor $k=2$, providing a coverage probability of approximately 95%.

CERTIFICATE OF CALIBRATION

Certificate Number:

234084

Page 2 of 2

Environmental conditions

The following conditions were recorded at the time of the test:

Before Pressure: 99.38 kPa Temperature: 25.0 °C Humidity: 40.4 %
After Pressure: 99.39 kPa Temperature: 25.1 °C Humidity: 37.9 %

Test equipment

Equipment	Manufacturer	Model	Serial number
Distortion Meter	Keithley	2015	1063074
Environmental Monitor	Comet	T7510	21962628

Initial Acoustic Results

	Expected	Sample 1	Sample 2	Sample 3	Average	Deviation	Tolerance	Uncertainty
Level (dB)	114.00	113.79	113.78	113.79	113.79	-0.21	±0.75	0.11 dB
Distortion (%)	< 4.00	1.52	0.51	0.51	0.84	0.84	+4.00	0.13 %
Frequency (Hz)	1000.0	990.4	990.4	990.3	990.4	-9.6	±20.0	0.1 Hz

The measured quantities or deviations (as applicable), extended by the expanded combined uncertainty of measurement, must not exceed the corresponding tolerance.

Adjusted Acoustic Results

	Expected	Sample 1	Sample 2	Sample 3	Average	Deviation	Tolerance	Uncertainty
Level (dB)	114.00	113.97	113.97	113.97	113.97	-0.03	±0.75	0.11 dB
Distortion (%)	< 4.00	0.51	0.50	0.51	0.51	0.51	+4.00	0.13 %
Frequency (Hz)	1000.0	990.3	990.3	990.3	990.3	-9.7	±20.0	0.1 Hz

Functionality Results

Function	Result
Keypad	Pass
Battery Power	Pass
Display	Pass
Communication	Pass
2 way IR link	Pass
Clock	Pass

End of results

Instrument information

JANTYTECH
捷通科技

Name	WET BULB GLOBE TEMPERATURE (WBGT)METER
Series No	3522210180
Type	JT2011-E2A
Customer	SECOT CO., LTD.
Address	239 Rim Klong Prapa Road, Bang Sue, Bang Sue, Bangkok 10800

Integrity check of instrument

Appearance	✓
Parts integrity	✓
Screen display or touch	✓
Instrument button	✓
Power supply	✓
battery	✓
Data storage and export	✓
Deviation degree of comparison test with standard instrument	✓

Calibration Results

UUC Sensor	Standard Temperature (°C)	UUC Reading (°C)	Correction (°C)	Uncertainty (± °C)
WET	25.0	25.1	-0.1	0.2
	30.0	29.8	0.2	0.2
	35.0	34.9	0.1	0.2
	40.0	39.8	0.2	0.2
	45.0	45.1	-0.1	0.2
DRY	25.0	25.1	-0.1	0.2
	30.0	30.2	-0.2	0.2
	35.0	35.2	-0.2	0.2
	40.0	39.8	0.2	0.2
	45.0	44.9	0.1	0.2
GLOBE	25.0	24.9	0.1	0.2
	30.0	29.9	0.1	0.2
	35.0	34.8	0.2	0.2
	40.0	40.2	-0.2	0.2
	45.0	45.2	-0.2	0.2

Environmental conditions: temperature: 26 °C ± 2 °C, relative humidity: 30% RH ± 10RH%

Reference Standard : Standard Mercury Thermometers, Manufacturer: BGRI, Model: STA, SN : 2-56,
Calibrated Date : 20 February 2023, Calibration Certificate No. : RA21H-AB1000009

This Certificate is traceable to NCMT North China, Certificate No.: RA20J-AK000073

Calibration Engineer : _____

Date : January 15, 2025



Instrument information

JANTYTECH
捷通科技

Name	WET BULB GLOBE TEMPERATURE (WBGT)METER
Series No	3522210177
Type	JT2011-E2A
Customer	SECOT CO., LTD.
Address	239 Rim Klong Prapa Road, Bang Sue, Bang Sue, Bangkok 10800

Integrity check of instrument

Appearance	✓
Parts integrity	✓
Screen display or touch	✓
Instrument button	✓
Power supply	✓
battery	✓
Data storage and export	✓
Deviation degree of comparison test with standard instrument	✓

Calibration Results

UUC Sensor	Standard Temperature (°C)	UUC Reading (°C)	Correction (°C)	Uncertainty (± °C)
WET	25.0	25.1	-0.1	0.2
	30.0	30.2	-0.2	0.2
	35.0	34.9	0.1	0.2
	40.0	39.8	0.2	0.2
	45.0	44.9	0.1	0.2
DRY	25.0	25.1	-0.1	0.2
	30.0	30.2	-0.2	0.2
	35.0	34.9	0.1	0.2
	40.0	39.8	0.2	0.2
	45.0	44.8	0.2	0.2
GLOBE	25.0	25.1	-0.1	0.2
	30.0	30.2	-0.2	0.2
	35.0	34.9	0.1	0.2
	40.0	40.2	-0.2	0.2
	45.0	45.1	-0.1	0.2

Environmental conditions: temperature: 26 °C ± 2 °C, relative humidity: 30% RH ± 10RH%

Reference Standard : Standard Mercury Thermometers, Manufacturer: BGRI, Model: STA, SN : 2-56,
Calibrated Date : 20 February 2023, Calibration Certificate No. : RA21H-AB1000009

This Certificate is traceable to NCMT North China, Certificate No.: RA20J-AK000073

Calibration Engineer : _____

Date : January 15, 2025



Instrument information

JANTTECH
捷通科技

Name	WET BULB GLOBE TEMPERATURE (WBGT)METER
Series No	3522210173
Type	JT2011-E2A
Customer	SECOT CO., LTD.
Address	239 Rim Klong Prapa Road, Bang Sue, Bang Sue, Bangkok 10800

Integrity check of instrument

Appearance	✓
Parts integrity	✓
Screen display or touch	✓
Instrument button	✓
Power supply	✓
battery	✓
Data storage and export	✓
Deviation degree of comparison test with standard instrument	✓

Calibration Results

UUC Sensor	Standard Temperature (°C)	UUC Reading (°C)	Correction (°C)	Uncertainty (±°C)
WET	25.0	24.9	0.1	0.2
	30.0	29.8	0.2	0.2
	35.0	35.1	-0.1	0.2
	40.0	40.2	-0.2	0.2
	45.0	45.1	-0.1	0.2
DRY	25.0	24.9	0.1	0.2
	30.0	29.8	0.2	0.2
	35.0	35.1	-0.1	0.2
	40.0	40.2	-0.2	0.2
	45.0	45.1	-0.1	0.2
GLOBE	25.0	24.9	0.1	0.2
	30.0	29.8	0.2	0.2
	35.0	35.2	-0.2	0.2
	40.0	40.1	-0.1	0.2
	45.0	45.1	-0.1	0.2

Environmental conditions: temperature: 26 °C±2°C, relative humidity: 30% RH±10RH%

Reference Standard : Standard Mercury Thermometers, Manufacturer: BGRI, Model: STA, SN : 2-56,

Calibrated Date : 20 February 2023, Calibration Certificate No. : RA21H-AB1000009

This Certificate is traceable to NCMT North China, Certificate No.: RA20J-AK000073

Calibration Engineer : _____

Date : _____



ภาคผนวก จ

ใบอนุญาตขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
จากกรมโรงงานอุตสาหกรรม



ที่ อก ๐๓๑๐(๑)/ ๑๑ ๐๑ ๖

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๐ กรกฎาคม ๒๕๖๖

เรื่อง ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท ซีคอต จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๗ เมษายน ๒๕๖๖

- สิ่งที่ส่งมาด้วย ๑. รายชื่อผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๑ แผ่น
๒. รายชื่อเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๑ แผ่น
๓. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๙ แผ่น

ตามหนังสือที่อ้างถึง บริษัท ซีคอต จำกัด ขอต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๒๓๙ สถานที่ตั้งเลขที่ ๒๓๙ ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท ซีคอต จำกัด ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

- ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๑๐ ราย ตามสิ่งที่ส่งมาด้วย ๑
ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๓๘ ราย ตามสิ่งที่ส่งมาด้วย ๒
ค. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำเสีย น้ำใต้ดิน อากาศเสีย สิ่งปฏิกูล หรือวัสดุที่ไม่ใช้แล้ว และดิน ตามสิ่งที่ส่งมาด้วย ๓

หนังสือฉบับนี้จะหมดอายุในวันที่ ๒ พฤษภาคม ๒๕๖๙ หากประสงค์จะต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอต่อกรมโรงงานอุตสาหกรรมภายใน ๓๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ซึ่งคำขอต่ออายุดังกล่าวขอรับได้ที่กรมโรงงานอุตสาหกรรม ทั้งนี้ สามารถยื่นคำขอผ่านระบบอิเล็กทรอนิกส์ได้ที่หน้าเว็บไซต์กรมโรงงานอุตสาหกรรม

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายประสม ดำรงพงษ์)

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๔๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



“อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว”



สิ่งที่ส่งมาด้วย ๑

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท ซีคอต จำกัด

เลขทะเบียน ว-๒๓๙

ที่ อก ๐๓๑๐(๑)/ ๑๑ ๐๑ ๖

ลงวันที่ ๒๐ กรกฎาคม ๒๕๖๖

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๑๐ ราย

- ๑) นายขรรชัย เกรียงไกรอุดม
- ๒) นางสมฤดี เกรียงไกรอุดม
- ๓) นางสาวธนา ทิพรักษ์
- ๔) นางสาวเมษชุตตา อินทร์ศรี
- ๕) นางสาวปรีดา สมใจ
- ๖) นางสาวอริญญา มาตา
- ๗) นางสาวลดาวัลย์ วงศ์เจริญ
- ๘) นางสาวณัฏฐวรรณ เกตวันดี
- ๙) นางสาวนริสา ภูวสรพีชญ์
- ๑๐) นางสาวศิริวรรณ ฉิมสง่า

- ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๐๒
ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๐๓
ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๐๔
ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๐๕
ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๐๖
ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๐๗
ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๐๘
ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๐๙
ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๑๐
ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๑๑

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท ชีคอฟ จำกัด

เลขทะเบียน ว-๒๓๙

ที่ อก ๐๓๑๐(๑)/ ๑๑๐๑ ๖

ลงวันที่ ๒๐ กรกฎาคม ๒๕๖๖

ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๓๘ ราย

๑) นางสาวสุดาพร สุนทร	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๐๑
๒) นางสาวสุธาทิพย์ เทียนเตี้ย	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๐๓
๓) นางสาวสุนันทา ศิริวัฒนานนท์	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๐๔
๔) นายบวร ดีชัยยะ	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๐๕
๕) นางสาวเกศรินทร์ วรเดโชวิทยา	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๐๖
๖) นายอนันต์วัน พิมวันนา	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๐๗
๗) นายชิตพล สมประสงค์	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๐๘
๘) นางสาวศศิธร พรหมประเสริฐ	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๐๙
๙) นายศิวนนท์ กุลวงษ์	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๑๐
๑๐) นางสาวอลิษา คณิวรานนท์	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๑๑
๑๑) นางสาวสิริวรรณ แก้วชิงดวง	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๑๒
๑๒) นางสาวปัทมวรรณ สุวรรณวิโรจน์	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๑๓
๑๓) นางสาวกนิษฐา เจริญเชื้อ	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๑๔
๑๔) นายวัชรกานต์ ประมาคเต	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๑๕
๑๕) นายชอง เฮงชวลกุล	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๑๖
๑๖) นางสาวกฤษณา จันทุม	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๑๗
๑๗) นางสาวพรนภา บุตรธรรม	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๑๘
๑๘) นางสาวธาริณี อาจปลิว	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๑๙
๑๙) นายอนันต์ ช่างลื้อ	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๒๐
๒๐) นางสาวพัชรา สมานอันท์	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๒๑
๒๑) นางสาวจุฑาทิรัตน์ แจ่มเรือน	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๒๒
๒๒) นางสาวณิศา กุ้ยอ่อน	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๒๓
๒๓) นายกิตติพงศ์ ณะเกิงสุข	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๒๔
๒๔) นายจิรวัฒน์ โคตรคำหาญ	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๒๕
๒๕) นายชนะพล อัครผล	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๒๖
๒๖) นางสาวทิพย์สุดา วรณการ	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๒๗
๒๗) นายสิทธิชัย สว่างวงศ์ไชย	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๒๘
๒๘) นายพิษณุ สีนามเพ็ง	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๒๙
๒๙) นายรัตนชัย ขอบทำกิจ	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๓๐
๓๐) นายธนาวุฒิ ด่วนแสง	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๓๑
๓๑) นายณัฐชัย ไชยโคตร	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๓๒
๓๒) นายณัฐดนัย กฤษณะโสม	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๓๓
๓๓) นายศุภชัย สุขใหม่	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๓๔
๓๔) นายรอมฎอน เหลี่ยมหมาด	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๓๕
๓๕) นางสาวสุภาวดี บัวแก้ว	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๓๖
๓๖) นางสาวมาริยาณี ฮาแว	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๓๗
๓๗) นางสาววิระยา ปัจฉิมบุรณ์	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๓๘
๓๘) นางสาวศลิษา อินริย์	ทะเบียนเลขที่ ว-๒๓๙-จ-๐๐๓๙

31/7/2566

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท ชีคอฟ จำกัด

เลขทะเบียน ว-๒๓๙

ที่ อก ๐๓๑๐(๑)/ ๑๑๐๑ ๖

ลงวันที่ ๒๐ กรกฎาคม ๒๕๖๖

ขอขยายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๕๕ รายการ

น้ำเสีย จำนวน 45 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
2	Arsenic	2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
3	Barium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4]
4	α-BHC	2) Digestion, Inductively Coupled Plasma Method ^[4]
5	β-BHC	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
6	δ-BHC	2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
7	γ-BHC	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
		2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]

31/7/2566

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
8	Biochemical Oxygen Demand	1) 5-Day BOD Test, Azide Modification Method ^[4] 2) 5-Day BOD Test, Membrane Electrode Method ^[4]
9	Cadmium	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]
10	Chemical Oxygen Demand	1) Open Reflux, Titrimetric method ^[4] 2) Closed Reflux, Colorimetric method ^[4] 3) Closed Reflux, Titrimetric Method ^[4]
11	Chlordane	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
12	Chromium	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]
13	Color	ADMI Weighted-Ordinate Spectrophotometric Method ^[4]
14	Copper	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]
15	Cyanide	Distillation, Colorimetric method ^[4]
16	4,4'-DDD	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]

17 4,4'-DDE...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
17	4,4'-DDE	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
18	4,4'-DDT	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
19	Dieldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
20	Endosulfan I	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
21	Endosulfan II	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
22	Endosulfan Sulfate	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
23	Endrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
24	Endrin Aldehyde	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]

25 Formaldehyde...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
25	Formaldehyde	Distillation, Colorimetric Method ^[3]
26	Free Chlorine	1) Iodometric Method ^[4] 2) DPD Colorimetric Method ^[4]
27	Heptachlor	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
28	Heptachlor epoxide	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
29	Hexavalent Chromium	1) Colorimetric Method ^[4] 2) Extraction, Air-Acetylene Flame Method ^[4]
30	Lead	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]
31	Manganese	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]
32	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[4]
33	Methoxychlor	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
34	Nickel	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4]

3) Digestion...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
		3) Digestion, Inductively Coupled Plasma Method ^[4]
35	Oil & Grease	1) Liquid-Liquid, Partition-Gravimetric Method ^[4] 2) Soxhlet Extraction Method ^[4]
36	pH	Electrometric Method ^[4]
37	Phenols	1) Distillation, Chloroform Extraction Method ^[4] 2) Distillation, Direct Photometric Method ^[4]
38	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
39	Sulfide	1) Iodometric method ^[4] 2) Methylene blue method ^[4]
40	Temperature	Laboratory and Field Methods ^[4]
41	Total Dissolved Solids	Dried at 180 °C ^[4]
42	Total Kjeldahl Nitrogen	1) Macro Kjeldahl Method ^[4] 2) Semi-Micro Kjeldahl Method ^[4]
43	Total Suspended Solids	Dried at 103-105 °C ^[4]
44	Trivalent Chromium	1) Digestion, Direct Air-Acetylene Flame Method; Colorimetric Method; Calculation ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method; Colorimetric Method; Calculation ^[4] 3) Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ^[4]
45	Zinc	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]

น้ำใต้ดิน...

น้ำใต้ดิน จำนวน 125 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
2	Acetone	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
3	Aldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
4	Anthracene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
5	Antimony	Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
6	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
7	Atrazine	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
8	Barium	1) Digestion, Direct Nitrous Oxide-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
9	Benz(a)anthracene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
10	Benzene	Purge and Trap Gas Chromatographic/Mass spectrometric Method ^[4]
11	Benzo(b)fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
12	Benzo(k)fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] รั่ว)

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
13	Benzoic acid	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
14	Benzo(a)pyrene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
15	Benzo(g,h,i)perylene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
16	Beryllium	Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
17	Bis(2-chloroethyl)ether	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
18	Bis(2-ethylhexyl)phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
19	Bromodichloromethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
20	Bromoform	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
21	Butanol	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
22	Butyl benzyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
23	Cadmium	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
24	Carbazole	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
25	Carbon disulfide	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
26	Carbon tetrachloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4] รั่ว)

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
27	Chlordane	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
28	p-Chloroaniline	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
29	Chlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
30	Chlorodibromomethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
31	Chloroform	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
32	2-Chlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
33	Chromium	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
34	Chromium (III)	1) Digestion, Direct Air-Acetylene Flame Method; Colorimetric Method; Calculation ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method; Colorimetric Method; Calculation ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method; Colorimetric Method; Calculation ^[4]
35	Chromium (VI)	1) Colorimetric Method ^[4] 2) Extraction, Air-Acetylene Flame Method ^[4]
36	Chrysene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4] <i>simul</i>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
37	Cyanide	1) Distillation, Titrimetric Method ^[4] 2) Distillation, Colorimetric Method ^[4]
38	2,4-D	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
39	DDD	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
40	DDE	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
41	DDT	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
42	Dibenz(a,h)anthracene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
43	Di-n-butyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
44	1,2-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
45	1,3-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
46	1,4-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
47	3,3'-Dichlorobenzidine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
48	1,1-Dichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
49	1,2-Dichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4] <i>simul</i>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
50	1,1-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
51	cis-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
52	trans-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
53	2,4-Dichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
54	1,2-Dichloropropane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
55	1,3-Dichloropropane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
56	1,3-Dichloropropene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
57	Dieldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
58	Diethyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
59	2,4-Dimethylphenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
60	2,4-Dinitrophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
61	2,4-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
62	2,6-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
63	Di-n-Octyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
64	Endosulfan	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid...

2) Liquid-Liquid...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
		2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
65	Endrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
66	Ethylbenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
67	Fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
68	Fluorene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
69	Heptachlor	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
70	Heptachlor epoxide	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
71	Hexachlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
72	Hexachloro-1,3-butadiene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
73	n-Hexane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
74	α-HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
75	β-HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid...

2) Liquid-Liquid...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
76	γ-HCH	2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4] 1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
77	Hexachlorocyclopentadiene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
78	Hexachloroethane	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
79	Indeno(1,2,3-cd)pyrene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
80	Isophorone	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
81	Lead	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
82	Manganese	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
83	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[4]
84	Methanol	Purge and Trap Gas Chromatographic/ Mass spectrometric Method ^[4]
85	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
86	Methyl bromide	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]

87 Methylene chloride...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
87	Methylene chloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
88	2-Methylphenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
89	2-Methylnaphthalene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
90	Methyl tert-butyl ether	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
91	Naphthalene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
92	Nickel	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
93	Nitrobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
94	N-Nitrosodiphenylamine	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
95	N-Nitrosodi-n-propylamine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
96	Polychlorinated Biphenyls - PCB-1016 - PCB-1221 - PCB-1232 - PCB-1242 - PCB-1248 - PCB-1254 - PCB-1260	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
97	Pentachlorophenol	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
98	pH	Electrometric method ^[4]

99 Phenanthrene...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
99	Phenanthrene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
100	Phenol	1) Distillation, Chloroform Extraction Method ^[4] 2) Distillation, Direct Photometric Method ^[4] 3) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
101	Pyrene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
102	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
103	Silver	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
104	Styrene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
105	1,1,2,2-Tetrachloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
106	Tetrachloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
107	Toluene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
108	TPH (C ₅ -C ₈)	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[12,25]
109	TPH (C ₈ -C ₁₆)	1) Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[9,21] 2) Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass spectrometric Method ^[9,25]
110	TPH (C ₁₆ -C ₃₅)	1) Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[9,21] <i>เพิ่ม</i>

2) Separatory...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
		2) Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass spectrometric Method ^[9,25]
111	1,2,4-Trichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
112	1,1,1-Trichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
113	1,1,2-Trichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
114	Trichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
115	2,4,5-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
116	2,4,6-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
117	1,3,5-Trimethylbenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
118	Vanadium	Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
119	Vinyl acetate	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
120	Vinyl chloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
121	m-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
122	o-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
123	p-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
124	Xylene (Total)	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4] <i>เพิ่ม</i>

125 Zinc ...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
125	Zinc	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]

อากาศเสีย (ปล่องระบาย) จำนวน 27 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
2	Arsenic	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
3	Beryllium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
4	Cadmium	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
5	Carbon monoxide	Instrumental Analyzer Method ^[5]
6	Chlorine	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
7	Chromium	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5] <i>เพิ่ม</i>

8 Cobalt...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
8	Cobalt	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
9	Copper	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
10	Cresol	Adsorption Sampling, Gas Chromatographic Method ^[5]
11	Dioxin/Furans	Isokinetic Sampling ^[5]
12	Hydrogen chloride	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
13	Hydrogen Fluoride	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
14	Hydrogen Sulfide	Absorption Sampling, Iodometric Method ^[5]
15	Lead	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
16	Manganese	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
17	Mercury	Isokinetic Sampling, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[5]
18	Nickel	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5] <i>เพิ่ม</i>

19 Opacity...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
19	Opacity	Ringelmann's Method ^[2]
20	Oxides of Nitrogen	1) Absorption Sampling, Phenoldisulfonic acid Method ^[5] 2) Absorption Sampling, Ion Chromatographic Method ^[5] 3) Instrumental Analyzer Method ^[5]
21	Selenium	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
22	Sulfur dioxide	1) Isokinetic Sampling, Barium-Thorin Titrimetric Method ^[5] 2) Absorption Sampling, Barium-Thorin Titrimetric Method ^[5] 3) Instrumental Analyzer Method ^[5]
23	Sulfuric acid	Isokinetic Sampling, Barium-Thorin Titrimetric Method ^[5]
24	Tin	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
25	Total Suspended Particulate	1) Isokinetic Sampling, Gravimetric Method ^[5] 2) Paired Train, Isokinetic Sampling, Gravimetric Method ^[5]
26	Vanadium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
27	Xylene	1) Adsorption Sampling, Gas Chromatographic Method ^[5] 2) Adsorption Sampling, Gas Chromatographic/Mass Spectrometric Method ^[5]

สิ่งปฏิกูล...

สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน 34 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,6,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,6,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
2	Antimony	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,16] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
3	Arsenic	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,16] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
4	Barium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15]

2) Waste Extraction...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
5	Beryllium	2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
6	Cadmium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
7	Chlordane	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
8	Chromium	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[1,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27] 1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] <i>3) Digestion...</i>

3) Digestion...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
9	Chromium (III)	3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14] 1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method; Waste Extraction, Colorimetric Method; Calculation ^[1,6,15,17] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method; Waste Extraction, Colorimetric Method; Calculation ^[1,6,14,17]
10	Chromium (VI)	3) Digestion, Flame Atomic Absorption Spectrometric Method; Alkaline Digestion, Colorimetric Method; Calculation ^[7,8,15,17] 4) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation ^[7,8,14,17]
11	Cobalt	1) Waste Extraction, Colorimetric Method ^[1,17] 2) Alkaline Digestion, Colorimetric Method ^[8,17]
12	Copper	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14] 1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14] <i>3) Digestion...</i>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
13	2,4-D	1) Waste Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,25] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25]
14	DDD	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
15	DDE	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
16	DDT	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]

17 Dieldrin...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
17	Dieldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
18	Endrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
19	Heptachlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
20	Lead	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14]

3) Digestion...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
21	Lindane	3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14] 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[1,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
22	Mercury	1) Waste Extraction, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[1,18] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[19] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
23	Methoxychlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[1,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]


24 Molybdenum...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
24	Molybdenum	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
25	Nickel	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
26	Polychlorinated Biphenyls - Aroclor 1016 - Aroclor 1221 - Aroclor 1232 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[1,9,23] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,23]
27	Pentachlorophenol	1) Waste Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[1,25] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25]
28	pH	Electrometric Method ^[31,32]
29	Selenium	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[1,6,20] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,20]


4) Digestion...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
30	Silver	4) Digestion, Inductively Coupled Plasma Method ^[7,14] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
31	Thallium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
32	Trichloroethylene	1) Waste Extraction, Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[1,12,26] 2) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[12,26]
33	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
34	Zinc	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]

ดิน จำนวน 124 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27] 

2 Acetone...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
2	Acetone	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
3	Aldrin	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
4	Anthracene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
5	Antimony	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,16] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
6	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,16] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
7	Atrazine	Ultrasonic Extraction, Gas Chromatographic Method ^[11,24]
8	Barium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
9	Benz(a)anthracene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
10	Benzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
11	Benzo(b)fluoranthene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
12	Benzo(k)fluoranthene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
13	Benzoic acid	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27] 

14 Benzo(a)pyrene...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
14	Benzo(a)pyrene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
15	Benzo(g,h,i)perylene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
16	Beryllium	Digestion, Inductively Coupled Plasma Method ^[7,14]
17	Bis(2-chloroethyl)ether	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
18	Bis(2-ethylhexyl)phthalate	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
19	Bromodichloromethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
20	Bromoform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
21	Butanol	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
22	Butyl benzyl phthalate	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
23	Cadmium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
24	Carbazole	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
25	Carbon disulfide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
26	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
27	Chlordane	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,27]


ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
28	p-Chloroaniline	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
29	Chlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
30	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
31	Chloroform	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
32	2-Chlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
33	Chromium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
34	Chromium (III)	1) Digestion, Flame Atomic Absorption Spectrometric Method; Colorimetric Method; Calculation ^[7,8,15,17] 2) Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ^[7,8,14,17]
35	Chromium (VI)	Alkaline Digestion, Colorimetric Method ^[8,17]
36	Chrysene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
37	Cyanide	1) Extraction, Distillation, Titrimetric Method ^[28,29,30] 2) Extraction, Distillation, Colorimetric Method ^[28,29,30]
38	2,4-D	Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[24]
39	DDD	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,27]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
40	DDE	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
41	DDT	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
42	Dibenz(a,h)anthracene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
43	Di-n-butyl phthalate	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
44	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
45	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
46	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
47	3,3'-Dichlorobenzidine	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
48	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
49	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
50	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
51	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
52	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
53	2,4-Dichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]


54 1,2-Dichloropropane...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
54	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
55	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
56	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
57	Dieldrin	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
58	Diethyl phthalate	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
59	2,4-Dimethylphenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
60	2,4-Dinitrophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
61	2,4-Dinitrotoluene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
62	2,6-Dinitrotoluene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
63	Di-n-Octyl phthalate	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
64	Endosulfan	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
65	Endrin	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
66	Ethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]

67 Fluoranthene...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
67	Fluoranthene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
68	Fluorene	Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[10,27]
69	Heptachlor	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,27]
70	Heptachlor epoxide	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,27]
71	Hexachlorobenzene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
72	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
73	n-Hexane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,26]
74	α -HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,27]
75	β -HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,27]
76	γ -HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,27]
77	Hexachlorocyclopentadiene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27] 

78 Hexachloroethane...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
78	Hexachloroethane	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
79	Indeno(1,2,3-cd)pyrene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
80	Isophorone	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
81	Lead	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
82	Manganese	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
83	Mercury	1) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[19] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
84	Methanol	Ultrasonic Extraction, Direct Aqueous Injection, Gas Chromatographic Method ^[11,21]
85	Methoxychlor	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[11,27]
86	Methyl bromide	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
87	Methylene chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
88	2-Methylphenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
89	2-Methylnaphthalene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27] 

90 Methyl tert-butyl ether...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
90	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
91	Naphthalene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
92	Nickel	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
93	Nitrobenzene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
94	N-Nitrosodiphenylamine	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
95	N-Nitrosodi-n-propylamine	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
96	Polychlorinated Biphenyls - Aroclor 1016 - Aroclor 1221 - Aroclor 1232 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260	Soxhlet Extraction, Gas Chromatographic Method ^[10,23]
97	Pentachlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[24]
98	Phenanthrene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
99	Phenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
100	Pyrene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
101	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,20]

2) Digestion...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
102	Silver	2) Digestion, Inductively Coupled Plasma Method ^[7,14] 1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
103	Styrene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
104	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
105	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
106	Toluene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
107	TPH (C ₅ -C ₈)	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
108	TPH (C ₈ -C ₁₆)	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,21] 2) Soxhlet Extraction, Gas Chromatographic/Mass spectrometric Method ^[10,26]
109	TPH (C ₁₆ -C ₃₅)	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,21] 2) Soxhlet Extraction, Gas Chromatographic/Mass spectrometric Method ^[10,26]
110	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
111	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
112	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
113	Trichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]

114 2,4,5-Trichlorophenol...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
114	2,4,5-Trichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
115	2,4,6-Trichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
116	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
117	Vanadium	Digestion, Inductively Coupled Plasma Method ^[7,14]
118	Vinyl acetate	Purge and Trap, Gas Chromatographic/Mass spectrometric Method ^[13,26]
119	Vinyl chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
120	m-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
121	o-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
122	p-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
123	Xylene (Total)	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
124	Zinc	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]

เอกสารอ้างอิง

- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2548. เรื่อง การกำจัดสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว.ราชกิจจานุเบกษา. 25 มกราคม 2549. เล่มที่ 123 ตอนพิเศษ 11ง.
- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณเขม่าควันที่เจือปนในอากาศที่ระบายออกจากปล่องของหม้อน้ำโรงสีข้าวที่ใช้กลบเป็นเชื้อเพลิง.ราชกิจจานุเบกษา. 4 ธันวาคม 2549. เล่มที่ 123 ตอนพิเศษ 125ง.
- สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย. คู่มือวิเคราะห์น้ำเสีย. พิมพ์ครั้งที่ 4. กรุงเทพฯ: เรือนแก้วการพิมพ์, 2547.

4. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater**. 23rd ed. Washington, DC: APHA, 2017.
5. United States Environmental Protection Agency. **Standards of Performance for New Stationary Sources**. 40 CFR 60. Appendix A, 2023.
6. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods**. SW-846, 2020.
7. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods**. **Acid Digestion of Sediments, Sludges, and Soils**. SW-846 Method 3050B, 1996.
8. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods**. **Alkaline Digestion for Hexavalent Chromium**. SW-846 Method 3060A, 1996.
9. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods**. **Separatory Funnel Liquid-Liquid Extraction**. SW-846 Method 3510C, 1996.
10. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods**. **Soxhlet Extraction**. SW-846 Method 3540C, 1996.
11. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods**. **Ultrasonic Extraction**. SW-846 Method 3550C, 2007.
12. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods**. **Purge-and-Trap for Aqueous Samples**. SW-846 Method 5030C, 2003.
13. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods**. **Closed-System Purge-and-Trap and Extraction for Volatile Organics in Soil and Waste Samples**. SW-846 Method 5035, 1996.
14. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods**. **Inductively Coupled Plasma-optical Emission Spectrometry**. SW-846 Method 6010D, 2018.
15. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods**. **Flame Atomic Absorption Spectrophotometry**. SW-846 Method 7000B, 2007.
16. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods**. **Antimony and Arsenic (Atomic Absorption, Borohydride Reduction)**. SW-846 Method 7062, 1994.

17. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chromium, Hexavalent (Colorimetric), SW-846 Method 7196A**, 1992.

18. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Liquid Waste (Manual Cold-Vapor Technique, SW-846 Method 7470A**, 1994.

19. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique, SW-846 Method 7471B**, 2007.

20. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Selenium (Atomic Absorption, Borohydride Reduction), SW-846 Method 7742**, 1994.

21. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Nonhalogenated Organics Using GC/FID. SW-846 Method 8015D**, 2003.

22. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organochlorine Pesticide by Gas Chromatography. SW-846 Method 8081B**, 2007.

23. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Polychlorinated Biphenyls (PCBs) By Gas Chromatography. SW-846 Method 8082A**, 2007.

24. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organophosphorus Compounds by Gas Chromatography. SW-846 Method 8141B**, 2007.

25. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chlorinated Herbicides By GC Using Methylation or Pentafluorobenzoylation Derivatization. SW-846 Method 8151A**, 1996.

26. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Volatile Organic Compounds by Gas Chromatography/ Mass Spectrometry (GC/MS). SW-846 Method 8260D**, 2018.

27. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **SemiVolatile Organic Compounds by Gas Chromatography/Mass Spectrometry. SW-846 Method 8270E**, 2018. 

28. United States...

28. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Total and Amenable Cyanide: Distillation. SW-846 Method 9010C**, 2004.

29. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Cyanide Extraction Procedure for Solids and Oils. SW-846 Method 9013A**, 2014.

30. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Cyanide in Waters and Extracts Using Titrimetric and Manual Spectrophotometric. SW-846 Method 9014**, 2014.

31. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **pH Electrometric Measurement. SW-846 Method 9040C**, 2004.

32. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Solid and Waste pH. SW-846 Method 9045D**, 2004. 

ที่ ออก ๐๓๑๐(๑)/ ๕๐๕๕



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๗ พฤษภาคม ๒๕๖๗

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท ซีคอต จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๑ พฤษภาคม ๒๕๖๗

ตามคำขอที่อ้างถึง บริษัท ซีคอต จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๒๓๔
สถานที่ตั้งเลขที่ ๒๓๔ ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากร
ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์
จำนวน ๒ ราย ได้แก่

๑) นายวัชรกานต์ ประมาคะเต

ทะเบียนเลขที่ ว-๒๓๔-จ-๐๐๑๕

๒) นายรัตนชัย ขอบทำกิจ

ทะเบียนเลขที่ ว-๒๓๔-จ-๐๐๓๐

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ


(นายพรศ กลั่นกรอง)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๔๔

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



ที่ ออก ๐๓๑๐(๑)/ ๑๑๕๕ ๗



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๑ พฤศจิกายน ๒๕๖๗

เรื่อง ยกเลิกบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท ซีคอต จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๕ พฤศจิกายน ๒๕๖๗

ตามคำขอที่อ้างถึง บริษัท ซีคอต จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๒๓๔
สถานที่ตั้งเลขที่ ๒๓๔ ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร ขอยกเลิกบุคลากร
ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์
จำนวน ๓ ราย ได้แก่

๑) นางสาวพัชรา สมานฉันท์

ทะเบียนเลขที่ ว-๒๓๔-จ-๐๐๒๑

๒) นางสาวสุภาวดี บัวแก้ว


ทะเบียนเลขที่ ว-๒๓๔-จ-๐๐๓๖

๓) นางสาวมาริยามณี ฮาแว

ทะเบียนเลขที่ ว-๒๓๔-จ-๐๐๓๗

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ


(นายธีรทัศน์ อิศรางกูร ณ อยุธยา)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๔๔

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



ภาคผนวก ข

ใบรับรองความสามารถห้องปฏิบัติการ
และขอขยายการรับรองห้องปฏิบัติการทดสอบ
ตามมาตรฐาน ISO/IEC 17025 : 2017
จากสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม (สมอ.)



แบบ กมช./สมอ.๒
Form NSC/TISI 2

ใบรับรองเลขที่ 24-LB0026
(Certificate No.)

ใบรับรองระบบงาน

(Certificate of Accreditation)

อาศัยอำนาจตามความในพระราชบัญญัติการมาตรฐานแห่งชาติ พ.ศ. ๒๕๕๑
(By Virtue of National Standardization Act B.E. 2551 (2008))

เลขาธิการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Secretary-General, Thai Industrial Standards Institute)

ออกใบรับรองฉบับนี้ให้
(Issues this certificate to)

บริษัท ซีคอต จำกัด ฝ่ายห้องปฏิบัติการทดสอบด้านสิ่งแวดล้อม
(Secot Company Limited, Environmental Laboratory Division)

ตั้งอยู่เลขที่
(Address)

๒๓๙ ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร
(239 Rimklongprapa Road, Bangsue, Bangkok)

ได้รับการรับรองความสามารถ
(Certificate of competence)

ตามมาตรฐานเลขที่ มอก. ๑๗๐๒๕ - ๒๕๖๑
(Standard No. TIS 17025-2561 (2018) (ISO/IEC 17025: 2017))

ข้อกำหนดทั่วไปว่าด้วยความสามารถของ ห้องปฏิบัติการทดสอบและห้องปฏิบัติการสอบเทียบ
(General requirements for the competence of testing and calibration laboratories)

หมายเลขการรับรองที่ ทดสอบ ๐๓๙๔
(Accreditation No. Testing 0394)

โดยมีรายละเอียดสาขาและขอบข่ายที่ใบรับรอง แสดงไว้ใน QR CODE และ www.tisi.go.th
(Details of the scheme and scope of the certificate are shown in QR CODE and www.tisi.go.th)

ออกให้ ณ วันที่ ๖ ธันวาคม พ.ศ. ๒๕๖๖
(Issue date : 6 December B.E. 2566 (2023))

(นายวีระศักดิ์ เพ็งหล่ง)

ผู้อำนวยการสำนักงานคณะกรรมการการมาตรฐานแห่งชาติ
ปฏิบัติราชการแทน

เลขาธิการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม



Signed by สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม (สมอ.)
Thai Industrial Standards Institute (TISI)
Date: 2023-12-06T08:49:04.476+07:00

d68cb6eb

กระทรวงอุตสาหกรรม สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry Thailand, Thai Industrial Standards Institute)



รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)
ใบรับรองเลขที่ 24-LB0026
(Certification No. 24-LB0026)



ชื่อห้องปฏิบัติการ
(Laboratory Name)

บริษัท ซีคอต จำกัด ฝ่ายห้องปฏิบัติการทดสอบด้านสิ่งแวดล้อม
(Secot Company Limited, Environmental Laboratory Division)

หมายเลขการรับรองที่
(Accreditation No.)

ทดสอบ 0394
(Testing 0394)

ฉบับที่ 02
(Issue No.02)

ออกให้ตั้งแต่วันที่ 30 ตุลาคม พ.ศ. 2566
(Valid from) (30 October B.E.2566 (2023))

ถึงวันที่ 8 กันยายน พ.ศ. 2571
(Until) (8 September B.E.2571 (2028))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ถาวร (Permanent) ☐นอกสถานที่ (Site) ☐ชั่วคราว (Temporary) ☐เคลื่อนที่ (Mobile) ☐หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสังแวดล้อม (environmental field) 1. น้ำและน้ำเสีย (water and wastewater)	- โลหะหนัก (heavy metals) • สารหนู (Arsenic, As) 0.000 5 mg/L ถึง 0.090 0 mg/L • สารหนู (Arsenic, As) 0.05 mg/L ถึง 4.50 mg/L • แบเรียม (Barium, Ba) 0.02 mg/L ถึง 4.50 mg/L • แคดเมียม (Cadmium, Cd) 0.01 mg/L ถึง 4.50 mg/L • โครเมียม (Chromium, Cr) 0.01 mg/L ถึง 4.50 mg/L	- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, Part 3030 F and Part 3114 C - Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23 rd edition, 2017, Part 3030 E and Part 3120 B

กระทรวงอุตสาหกรรม สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

หน้าที่ 1/9

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 24-LB0026

(Certification No. 24-LB0026)



ฉบับที่ 02
(Issue No.02)

ออกให้ตั้งแต่วันที่ 30 ตุลาคม พ.ศ. 2566
(Valid from) (30 October B.E.2566 (2023))

ถึงวันที่ 8 กันยายน พ.ศ. 2571
(Until) (8 September B.E.2571 (2028))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ถาวร
(Permanent)

☐นอกสถานที่
(Site)

☐ชั่วคราว
(Temporary)

☐เคลื่อนที่
(Mobile)

☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสสิ่งแวดล้อม (environmental field)</p> <p>1. น้ำและน้ำเสีย (ต่อ) (water and wastewater) (cont.)</p>	<p>- โลหะหนัก (heavy metals)</p> <ul style="list-style-type: none"> ทองแดง (Copper, Cu) 0.02 mg/L ถึง 4.50 mg/L เหล็ก (Iron, Fe) 0.05 mg/L ถึง 9.00 mg/L ตะกั่ว (Lead, Pb) 0.03 mg/L ถึง 4.50 mg/L แมงกานีส (Manganese, Mn) 0.01 mg/L ถึง 9.00 mg/L นิกเกิล (Nickel, Ni) 0.01 mg/L ถึง 4.50 mg/L สังกะสี (Zinc, Zn) 0.02 mg/L ถึง 9.00 mg/L 	<p>- Standard Methods for the Examination of Water and Wastewater, APHA , AWWA, WEF, 23rd edition , 2017, Part 3030 E and Part 3120 B</p>

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 24-LB0026

(Certification No. 24-LB0026)



ฉบับที่ 02
(Issue No.02)

ออกให้ตั้งแต่วันที่ 30 ตุลาคม พ.ศ. 2566
(Valid from) (30 October B.E.2566 (2023))

ถึงวันที่ 8 กันยายน พ.ศ. 2571
(Until) (8 September B.E.2571 (2028))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ถาวร
(Permanent)

☐นอกสถานที่
(Site)

☐ชั่วคราว
(Temporary)

☐เคลื่อนที่
(Mobile)

☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสสิ่งแวดล้อม (environmental field)</p> <p>1. น้ำและน้ำเสีย (ต่อ) (water and wastewater) (cont.)</p>	<p>- ซีโอดี (Chemical oxygen demand, COD) 100 mg/L ถึง 4 000 mg/L</p>	<p>- Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition , 2017, Part 5220 D</p>
<p>2. บริเวณทำงาน (workplace)</p>	<p>- ฝุ่นละอองรวม (Total dust) 0.10 mg/filter ถึง 2.00 mg/filter</p> <p>- ฝุ่นละอองขนาดเล็ก (Respirable dust) 0.10 mg/filter ถึง 2.00 mg/filter</p>	<p>- NIOSH Manual of Analytical Methods (NMAM) , method 0500, 4th edition , 15th August 1994 (Exclude Sampling)</p> <p>- NIOSH Manual of Analytical Methods (NMAM) , method 0600, 4th edition , 15th January 1998 (Exclude Sampling)</p>

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 24-LB0026
(Certification No. 24-LB0026)



ฉบับที่ 02
(Issue No.02)

ออกให้ตั้งแต่วันที่ 30 ตุลาคม พ.ศ. 2566
(Valid from) (30 October B.E.2566 (2023))

ถึงวันที่ 8 กันยายน พ.ศ. 2571
(Until) (8 September B.E.2571 (2028))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ถาวร
(Permanent)

☐นอกสถานที่
(Site)

☐ชั่วคราว
(Temporary)

☐เคลื่อนที่
(Mobile)

☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสังแวดล้อม (environmental field)</p> <p>2. บริเวณทำงาน (ต่อ) (workplace) (cont.)</p>	<ul style="list-style-type: none"> เบนซีน (Benzene) 1.10 µg/tube ถึง 420 µg/tube โทลูอีน (Toluene) 1.10 µg/tube ถึง 420 µg/tube โทโครไซลีน (Total xylenes) 2.20 µg/tube ถึง 840 µg/tube เมตา, พารา-ไซลีน (m, p- Xylene) 1.10 µg/tube ถึง 420 µg/tube ออร์โธ-ไซลีน (o- Xylene) 1.10 µg/tube ถึง 420 µg/tube 	<ul style="list-style-type: none"> NIOSH Manual of Analytical Methods (NMAM) , method 1501, 4th edition , 15th March 2003 (Exclude Sampling)
<p>3. ปล่องระบายอากาศ (stack)</p>	<ul style="list-style-type: none"> ซัลเฟอร์ไดออกไซด์ (Sulfur dioxide) 1.00 mg/L ถึง 16 000 mg/L (solution) 	<ul style="list-style-type: none"> US.EPA , Code of Federal Regulations , 40 CFR 60 appendix A , method 6 , July 2019 (Exclude Sampling)

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 24-LB0026
(Certification No. 24-LB0026)



ฉบับที่ 02
(Issue No.02)

ออกให้ตั้งแต่วันที่ 30 ตุลาคม พ.ศ. 2566
(Valid from) (30 October B.E.2566 (2023))

ถึงวันที่ 8 กันยายน พ.ศ. 2571
(Until) (8 September B.E.2571 (2028))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ถาวร
(Permanent)

☐นอกสถานที่
(Site)

☐ชั่วคราว
(Temporary)

☐เคลื่อนที่
(Mobile)

☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสังแวดล้อม (environmental field)</p> <p>3. ปล่องระบายอากาศ (ต่อ) (stack) (cont.)</p>	<ul style="list-style-type: none"> ไฮโดรเจนฟลูออไรด์ (Hydrogen fluoride) 5 µg/sample ถึง 400 µg/sample ไฮโดรเจนคลอไรด์ (Hydrogen chloride) 5 µg/sample ถึง 400 µg/sample 	<ul style="list-style-type: none"> WI-7.2-1-22 based on US.EPA , Code of Federal Regulations , 40 CFR 60 appendix A, method 26 , 2019 (Exclude Sampling)

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 24-LB0026

(Certification No. 24-LB0026)



ฉบับที่ 02
(Issue No.02)

ออกให้ตั้งแต่วันที่ 30 ตุลาคม พ.ศ. 2566
(Valid from) (30 October B.E.2566 (2023))

ถึงวันที่ 8 กันยายน พ.ศ. 2571
(Until) (8 September B.E.2571 (2028))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ถาวร
(Permanent)

☒นอกสถานที่
(Site)

☐ชั่วคราว
(Temporary)

☐เคลื่อนที่
(Mobile)

☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสังแวดล้อม (environmental field)</p> <p>4. บรรยากาศทั่วไป (ambient air)</p>	<p>- สารอินทรีย์ระเหยง่าย (Volatile organic compounds, VOCs)</p> <ul style="list-style-type: none"> คลอโรอีthin (Chloroethene) 0.05 $\mu\text{g}/\text{m}^3$ ถึง 51.00 $\mu\text{g}/\text{m}^3$ (0.02 ppbv ถึง 20.00 ppbv) 1,3-บิวทาไดเอิน (1,3-butadiene) 0.04 $\mu\text{g}/\text{m}^3$ ถึง 44.00 $\mu\text{g}/\text{m}^3$ (0.02 ppbv ถึง 20.00 ppbv) โบรมอมีเทน (Bromomethane) 0.08 $\mu\text{g}/\text{m}^3$ ถึง 77.00 $\mu\text{g}/\text{m}^3$ (0.02 ppbv ถึง 20.00 ppbv) อะครอลีน (Acrolein) 0.05 $\mu\text{g}/\text{m}^3$ ถึง 45.00 $\mu\text{g}/\text{m}^3$ (0.02 ppbv ถึง 20.00 ppbv) 	<p>- WI-7.2-1-24 based on US EPA , Compendium Method TO-15 , EPA/625/R-96/010b, Second edition, January 1999</p>

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 24-LB0026

(Certification No. 24-LB0026)



ฉบับที่ 02
(Issue No.02)

ออกให้ตั้งแต่วันที่ 30 ตุลาคม พ.ศ. 2566
(Valid from) (30 October B.E.2566 (2023))

ถึงวันที่ 8 กันยายน พ.ศ. 2571
(Until) (8 September B.E.2571 (2028))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ถาวร
(Permanent)

☒นอกสถานที่
(Site)

☐ชั่วคราว
(Temporary)

☐เคลื่อนที่
(Mobile)

☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสังแวดล้อม (environmental field)</p> <p>4. บรรยากาศทั่วไป (ต่อ) (ambient air) (cont.)</p>	<p>- สารอินทรีย์ระเหยง่าย (Volatile organic compounds, VOCs)</p> <ul style="list-style-type: none"> อะคริโลไนไตรล์ (Acrylonitrile) 0.04 $\mu\text{g}/\text{m}^3$ ถึง 43.00 $\mu\text{g}/\text{m}^3$ (0.02 ppbv ถึง 20.00 ppbv) ไดคลอโรมีเทน (Dichloromethane) 0.14 $\mu\text{g}/\text{m}^3$ to 69.00 $\mu\text{g}/\text{m}^3$ (0.04 ppbv ถึง 20.00 ppbv) คาร์บอนไดซัลไฟด์ (Carbon disulfide) 0.06 $\mu\text{g}/\text{m}^3$ ถึง 62.00 $\mu\text{g}/\text{m}^3$ (0.02 ppbv ถึง 20.00 ppbv) ไตรคลอโรมีเทน (Trichloromethane) 0.20 $\mu\text{g}/\text{m}^3$ ถึง 97.00 $\mu\text{g}/\text{m}^3$ (0.04 ppbv ถึง 20.00 ppbv) 1,2-ไดคลอโรอีเทน (1,2-dichloroethane) 0.08 $\mu\text{g}/\text{m}^3$ ถึง 80.00 $\mu\text{g}/\text{m}^3$ (0.02 ppbv ถึง 20.00 ppbv) 	<p>- WI-7.2-1-24 based on US EPA , Compendium Method TO-15 , EPA/625/R-96/010b, Second edition, January 1999</p>

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 24-LB0026
(Certification No. 24-LB0026)



ฉบับที่ 02
(Issue No.02)

ออกให้ตั้งแต่วันที่ 30 ตุลาคม พ.ศ. 2566
(Valid from (30 October B.E.2566 (2023)))

ถึงวันที่ 8 กันยายน พ.ศ. 2571
(Until) (8 September B.E.2571 (2028))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ถาวร
(Permanent)

☒นอกสถานที่
(Site)

☐ชั่วคราว
(Temporary)

☐เคลื่อนที่
(Mobile)

☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสสิ่งแวดล้อม (environmental field)</p> <p>4. บรรยากาศทั่วไป (ต่อ) (ambient air) (cont.)</p>	<p>- สารอินทรีย์ระเหยง่าย (Volatile organic compounds ,VOCs)</p> <ul style="list-style-type: none"> • เบนซีน (Benzene) 0.06 $\mu\text{g}/\text{m}^3$ ถึง 63.00 $\mu\text{g}/\text{m}^3$ (0.02 ppbv ถึง 20.00 ppbv) • คาร์บอนเตตระคลอไรด์ (Carbon tetrachloride) 0.25 $\mu\text{g}/\text{m}^3$ ถึง 125 $\mu\text{g}/\text{m}^3$ (0.04 ppbv ถึง 20.00 ppbv) • ไตรคลอโรเอทิลีน (Trichloroethylene) 0.21 $\mu\text{g}/\text{m}^3$ ถึง 107 $\mu\text{g}/\text{m}^3$ (0.04 ppbv ถึง 20.00 ppbv) • 1,2-ไดคลอโรโพรเพน (1,2-dichloropropane) 0.18 $\mu\text{g}/\text{m}^3$ ถึง 92.00 $\mu\text{g}/\text{m}^3$ (0.04 ppbv ถึง 20.00 ppbv) • เตตระคลอโรเอทิลีน (Tetrachloroethylene) 0.27 $\mu\text{g}/\text{m}^3$ ถึง 135 $\mu\text{g}/\text{m}^3$ (0.04 ppbv ถึง 20.00 ppbv) 	<p>- WI-7.2-1-24 based on US EPA , Compendium Method TO-15 , EPA/625/R-96/010b, Second edition, January 1999</p>

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 24-LB0026
(Certification No. 24-LB0026)



ฉบับที่ 02
(Issue No.02)

ออกให้ตั้งแต่วันที่ 30 ตุลาคม พ.ศ. 2566
(Valid from (30 October B.E.2566 (2023)))

ถึงวันที่ 8 กันยายน พ.ศ. 2571
(Until) (8 September B.E.2571 (2028))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ถาวร
(Permanent)

☒นอกสถานที่
(Site)

☐ชั่วคราว
(Temporary)

☐เคลื่อนที่
(Mobile)

☐หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
<p>สาขาสสิ่งแวดล้อม (environmental field)</p> <p>4. บรรยากาศทั่วไป (ต่อ) (ambient air) (cont.)</p>	<p>- สารอินทรีย์ระเหยง่าย (Volatile organic compounds ,VOCs)</p> <ul style="list-style-type: none"> • 1,2-ไดโบรมโอเอเทน (1,2-dibromoethane) 0.31 $\mu\text{g}/\text{m}^3$ ถึง 153 $\mu\text{g}/\text{m}^3$ (0.04 ppbv ถึง 20.00 ppbv) • 1,1,2,2-เตตระคลอโรเอเทน (1,1,2,2-tetrachloroethane) 0.69 $\mu\text{g}/\text{m}^3$ ถึง 137 $\mu\text{g}/\text{m}^3$ (0.10 ppbv ถึง 20.00 ppbv) • เบนซิลคลอไรด์ (Benzyl chloride) 0.52 $\mu\text{g}/\text{m}^3$ ถึง 103 $\mu\text{g}/\text{m}^3$ (0.10 ppbv ถึง 20.00 ppbv) • 1,4-ไดคลอโรเบนซีน (1,4-dichlorobenzene) 0.24 $\mu\text{g}/\text{m}^3$ ถึง 120 $\mu\text{g}/\text{m}^3$ (0.04 ppbv ถึง 20.00 ppbv) 	<p>- WI-7.2-1-24 based on US EPA , Compendium Method TO-15 , EPA/625/R-96/010b, Second edition, January 1999</p>

ภาคผนวก ข

ใบอนุญาตเป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์
สภาวะการทำงานเกี่ยวกับแสง เสียง ความร้อน และสารเคมี



แบบ กภ.บญ
นิติบุคคล

กรมสวัสดิการและคุ้มครองแรงงาน

ใบอนุญาต

เป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับแสงสว่าง

ใบอนุญาตเลขที่ ๐๔๐๒-๐๓-๒๕๖๕-๐๐๔๙

อนุญาตให้.....บริษัท ซีคอฟ จำกัด.....

เลขทะเบียนนิติบุคคล ๐๑๐๕๕๓๖๐๐๐๙๗๖

ตั้งอยู่ เลขที่ ๒๓๙ ถนนริมคลองประเวศ แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร

เป็นนิติบุคคลผู้ให้บริการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ตามกฎกระทรวงกำหนดมาตรฐานในการบริหาร จัดการ และดำเนินการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงานเกี่ยวกับความร้อน แสงสว่าง และเสียง พ.ศ. ๒๕๕๙ ในการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับแสงสว่าง ประกอบกับกฎกระทรวงการขึ้นทะเบียนและการอนุญาตให้บริการเพื่อส่งเสริม ความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน พ.ศ. ๒๕๖๔ แห่งพระราชบัญญัติความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน พ.ศ. ๒๕๕๔ โดยมีบุคลากร จำนวน ๕ ราย ดังรายชื่อแนบท้ายใบอนุญาตนี้

ทั้งนี้ ตั้งแต่วันที่ ๑๗ มิถุนายน พ.ศ. ๒๕๖๕ ถึงวันที่ ๑๖ มิถุนายน พ.ศ. ๒๕๖๘

ให้ไว้ ณ วันที่ ๑๗ มิถุนายน พ.ศ. ๒๕๖๕

(นายสมพจน์ กวางแก้ว)

รองอธิบดี ปฏิบัติราชการแทน

อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายชื่อบุคลากรแนบท้ายใบอนุญาต
เป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับแสงสว่าง

ของบริษัท ซีคอฟ จำกัด

ใบอนุญาตเลขที่ ๐๔๐๒-๐๓-๒๕๖๕-๐๐๔๙

๑. นางสาวสุนันทา	ศิริวัฒนานนท์
๒. นางสาวกนิษฐา	เจริญเชื้อ
๓. นางสาวปัทมวรรณ	สุวรรณวิโรจน์
๔. นางสาวอลิษา	คนิวรรณท์
๕. นางสาวชนิดา	หล้าสาย

ทั้งนี้ ตั้งแต่วันที่ ๑๗ มิถุนายน พ.ศ. ๒๕๖๕ ถึงวันที่ ๑๖ มิถุนายน พ.ศ. ๒๕๖๘

ให้ไว้ ณ วันที่ ๑๗ มิถุนายน พ.ศ. ๒๕๖๕

(นายสมพจน์ กวางแก้ว)

รองอธิบดี ปฏิบัติราชการแทน

อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายชื่อบุคลากร (เพิ่มเติม)
แนบท้ายใบอนุญาตเป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับแสงสว่าง
ของบริษัท ซีคोट จำกัด
ใบอนุญาตเลขที่ ๐๔๐๒-๐๓-๒๕๖๕-๐๐๔๔

- | | |
|-------------------|-------------|
| ๑. นางสาวศลิษา | อินริย์ |
| ๒. นางสาวมาริยาณี | ฮาแว |
| ๓. นางสาววิระยา | ปัจฉิมบุรณ์ |

ทั้งนี้ ตั้งแต่วันที่ ๑๓ มกราคม พ.ศ. ๒๕๖๖ ถึงวันที่ ๑๖ มิถุนายน พ.ศ. ๒๕๖๘

ให้ไว้ ณ วันที่ ๑๓ มกราคม พ.ศ. ๒๕๖๖



(นายสมพจน์ กวางแก้ว)

รองอธิบดี ปฏิบัติราชการแทน

อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายชื่อบุคลากร (เพิ่มเติม)
แนบท้ายใบอนุญาตเป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับแสงสว่าง
ของบริษัท ซีคोट จำกัด
ใบอนุญาตเลขที่ ๐๔๐๒-๐๓-๒๕๖๕-๐๐๔๔

- | | |
|----------------|----------|
| ๑. นายพงศ์ศิริ | จักรแก้ว |
|----------------|----------|

ทั้งนี้ ตั้งแต่วันที่ ๒๐ มีนาคม พ.ศ. ๒๕๖๘ ถึงวันที่ ๑๖ มิถุนายน พ.ศ. ๒๕๖๘

ให้ไว้ ณ วันที่ ๒๐ มีนาคม พ.ศ. ๒๕๖๘



(นายศักดิ์ศิลป์ ตูลาธร)

ผู้ตรวจราชการกรม ปฏิบัติราชการแทน

อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน



แบบ กภ.บุญ
นิติบุคคล

กรมสวัสดิการและคุ้มครองแรงงาน

ใบอนุญาต

เป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับเสียง

ใบอนุญาตเลขที่ ๐๕๐๓-๐๓-๒๕๖๕-๐๐๔๘

อนุญาตให้.....บริษัท ชีคอฟ จำกัด.....

เลขทะเบียนนิติบุคคล ๐๑๐๕๕๓๖๐๐๐๘๗๖.....

ตั้งอยู่เลขที่ ๒๓๘ ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร.....

เป็นนิติบุคคลผู้ให้บริการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ตามกฎกระทรวงกำหนดมาตรฐานในการบริหาร จัดการ และดำเนินการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงานเกี่ยวกับความร้อน แสงสว่าง และเสียง พ.ศ. ๒๕๕๔ ในการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับเสียง ประกอบกับกฎกระทรวงการขึ้นทะเบียนและการอนุญาตให้บริการเพื่อส่งเสริม ความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน พ.ศ. ๒๕๖๔ แห่งพระราชบัญญัติความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน พ.ศ. ๒๕๕๔ โดยมีบุคลากร จำนวน ๕ ราย ดังรายชื่อแนบท้ายใบอนุญาตนี้

ทั้งนี้ ตั้งแต่วันที่ ๑๗ มิถุนายน พ.ศ. ๒๕๖๕ ถึงวันที่ ๑๖ มิถุนายน พ.ศ. ๒๕๖๘

ให้ไว้ ณ วันที่ ๑๗ มิถุนายน พ.ศ. ๒๕๖๕

(นายสมพจน์ กวางแก้ว)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายชื่อบุคลากรแนบท้ายใบอนุญาต
เป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับเสียง

ของบริษัท ชีคอฟ จำกัด

ใบอนุญาตเลขที่ ๐๕๐๓-๐๓-๒๕๖๕-๐๐๔๘

- | | |
|-------------------|---------------|
| ๑. นางสาวสุนันทา | ศิริพัฒนานนท์ |
| ๒. นางสาวกนิษฐา | เจริญเชื้อ |
| ๓. นางสาวปัทมวรรณ | สุวรรณวิโรจน์ |
| ๔. นางสาวอลิษา | คณิธรานนท์ |
| ๕. นางสาวชนิตา | หล้าสาย |

ทั้งนี้ ตั้งแต่วันที่ ๑๗ มิถุนายน พ.ศ. ๒๕๖๕ ถึงวันที่ ๑๖ มิถุนายน พ.ศ. ๒๕๖๘

ให้ไว้ ณ วันที่ ๑๗ มิถุนายน พ.ศ. ๒๕๖๕

(นายสมพจน์ กวางแก้ว)

รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายชื่อบุคลากร (เพิ่มเติม)
แนบท้ายใบอนุญาตเป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับเสียง
ของบริษัท ซีคोट จำกัด
ใบอนุญาตเลขที่ ๐๔๐๓-๐๓-๒๕๖๕-๐๐๔๘

- | | |
|-------------------|-------------|
| ๑. นางสาวศลิษา | อินริย์ |
| ๒. นางสาวมาริยาณี | ฮาแว |
| ๓. นางสาววิระยา | ปัจฉิมบุรณ์ |

ทั้งนี้ ตั้งแต่วันที่ ๑๓ มกราคม พ.ศ. ๒๕๖๖ ถึงวันที่ ๑๖ มิถุนายน พ.ศ. ๒๕๖๘

ให้ไว้ ณ วันที่ ๑๓ มกราคม พ.ศ. ๒๕๖๖



(นายสมพนธ์ กวางแก้ว)

รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายชื่อบุคลากร (เพิ่มเติม)
แนบท้ายใบอนุญาตเป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับเสียง
ของบริษัท ซีคोट จำกัด
ใบอนุญาตเลขที่ ๐๔๐๓-๐๓-๒๕๖๕-๐๐๔๘

- | | |
|----------------|----------|
| ๑. นายพงศ์ศิริ | จักรแก้ว |
|----------------|----------|

ทั้งนี้ ตั้งแต่วันที่ ๒๐ มีนาคม พ.ศ. ๒๕๖๘ ถึงวันที่ ๑๖ มิถุนายน พ.ศ. ๒๕๖๘

ให้ไว้ ณ วันที่ ๒๐ มีนาคม พ.ศ. ๒๕๖๘



(นายศักดิ์ศิลป์ ทุลาธร)

ผู้ตรวจราชการกรม ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน



แบบ กภ.บุญ
นิติบุคคล

กรมสวัสดิการและคุ้มครองแรงงาน

ใบอนุญาต

เป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาพการทำงานเกี่ยวกับระดับความร้อน

ใบอนุญาตเลขที่ ๐๔๐๑-๐๓-๒๕๖๕-๐๐๔๘

อนุญาตให้.....บริษัท ซีคอบ จำกัด.....

เลขทะเบียนนิติบุคคล.....๐๑๐๕๕๓๖๐๐๐๗๗๖.....

ตั้งอยู่เลขที่ ๒๓๙ ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร.....

เป็นนิติบุคคลผู้ให้บริการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ตามกฎกระทรวง กำหนดมาตรฐานในการบริหาร จัดการ และดำเนินการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงานเกี่ยวกับความร้อน แสงสว่าง และเสียง พ.ศ. ๒๕๕๙ ในการตรวจวัดและวิเคราะห์สภาพการทำงาน เกี่ยวกับระดับความร้อน ประกอบกับกฎกระทรวงการขึ้นทะเบียนและการอนุญาตให้บริการเพื่อส่งเสริมความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน พ.ศ. ๒๕๖๔ แห่งพระราชบัญญัติความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน พ.ศ. ๒๕๕๔ โดยมีบุคลากร จำนวน ๕ ราย ดังรายชื่อแนบท้าย ใบอนุญาตนี้

ทั้งนี้ ตั้งแต่วันที่ ๑๗ มิถุนายน พ.ศ. ๒๕๖๕ ถึงวันที่ ๑๖ มิถุนายน พ.ศ. ๒๕๖๘

ให้ไว้ ณ วันที่ ๑๗ มิถุนายน พ.ศ. ๒๕๖๕

(นายสมพจน์ กวางแก้ว)

รองอธิบดี ปฏิบัติราชการแทน

อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายชื่อบุคลากรแนบท้ายใบอนุญาต
เป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาพการทำงานเกี่ยวกับระดับความร้อน

ของบริษัท ซีคอบ จำกัด

ใบอนุญาตเลขที่ ๐๔๐๑-๐๓-๒๕๖๕-๐๐๔๘

๑. นางสาวสุนันทา	ศิริวัฒนานนท์
๒. นางสาวกนิษฐา	เจริญเชื้อ
๓. นางสาวปัทมวรรณ	สุวรรณวิโรจน์
๔. นางสาวอลิษา	คณิธรานนท์
๕. นางสาวชนิตา	หล้าสาย

ทั้งนี้ ตั้งแต่วันที่ ๑๗ มิถุนายน พ.ศ. ๒๕๖๕ ถึงวันที่ ๑๖ มิถุนายน พ.ศ. ๒๕๖๘

ให้ไว้ ณ วันที่ ๑๗ มิถุนายน พ.ศ. ๒๕๖๕

(นายสมพจน์ กวางแก้ว)

รองอธิบดี ปฏิบัติราชการแทน

อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายชื่อบุคลากร (เพิ่มเติม)

แนบท้ายใบอนุญาตเป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับความร้อน
ของบริษัท ซีคोट จำกัด

ใบอนุญาตเลขที่ ๐๔๐๑-๐๓-๒๕๖๕-๐๐๔๘

- | | |
|------------------|-----------|
| ๑. นางสาวศลิษา | อินริย์ |
| ๒. นางสาวมรียาณี | ฮาแว |
| ๓. นางสาววิระยา | ปัจฉิมบุญ |

ทั้งนี้ ตั้งแต่วันที่ ๑๗ มกราคม พ.ศ. ๒๕๖๖ ถึงวันที่ ๑๖ มิถุนายน พ.ศ. ๒๕๖๘

ให้ไว้ ณ วันที่ ๑๗ มกราคม พ.ศ. ๒๕๖๖



(นายสมพจน์ กวางแก้ว)

รองอธิบดี ปฏิบัติราชการแทน

อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายชื่อบุคลากร (เพิ่มเติม)

แนบท้ายใบอนุญาตเป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับความร้อน
ของบริษัท ซีคोट จำกัด

ใบอนุญาตเลขที่ ๐๔๐๑-๐๓-๒๕๖๕-๐๐๔๘

- | | |
|----------------|----------|
| ๑. นายพงศ์ศิริ | จักรแก้ว |
|----------------|----------|

ทั้งนี้ ตั้งแต่วันที่ ๒๐ มีนาคม พ.ศ. ๒๕๖๘ ถึงวันที่ ๑๖ มิถุนายน พ.ศ. ๒๕๖๘

ให้ไว้ ณ วันที่ ๒๐ มีนาคม พ.ศ. ๒๕๖๘



(นายศักดิ์ศิลป์ ตูลาธร)

ผู้ตรวจราชการกรม ปฏิบัติราชการแทน

อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน



แบบ กบ.บุญ
นิติบุคคล

กรมสวัสดิการและคุ้มครองแรงงาน

ใบอนุญาต

เป็นนิติบุคคลผู้ให้บริการตรวจวัดระดับความเข้มข้นของสารเคมีอันตราย
ในบรรยากาศของสถานที่ทำงานและสถานที่เก็บรักษาสารเคมีอันตราย

ใบอนุญาตเลขที่ ๑๒๐๑-๐๓-๒๕๖๕-๐๐๘๙

อนุญาตให้ บริษัท ซีคोट จำกัด

เลขทะเบียนนิติบุคคล ๑๑๐๕๕๓๖๐๐๐๙๗๖

ตั้งอยู่ เลขที่ ๒๓๙ ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร

เป็นนิติบุคคลผู้ให้บริการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ตามกฎกระทรวง
กำหนดมาตรฐานในการบริหาร จัดการ และดำเนินการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อม
ในการทำงานเกี่ยวกับสารเคมีอันตราย พ.ศ. ๒๕๕๖ ในการเป็นผู้ให้บริการตรวจวัดระดับความเข้มข้น
ของสารเคมีอันตรายในบรรยากาศของสถานที่ทำงานและสถานที่เก็บรักษาสารเคมีอันตราย ประกอบกับ
กฎกระทรวงการขึ้นทะเบียนและการอนุญาตให้บริการเพื่อส่งเสริมความปลอดภัย อาชีวอนามัย และสภาพแวดล้อม
ในการทำงาน พ.ศ. ๒๕๖๔ แห่งพระราชบัญญัติความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน
พ.ศ. ๒๕๕๔ โดยมีบุคลากร จำนวน ๑๔ ราย ดังรายชื่อแนบท้ายใบอนุญาตนี้

ทั้งนี้ ตั้งแต่วันที่ ๑๕ มิถุนายน พ.ศ. ๒๕๖๕ ถึงวันที่ ๑๓ มิถุนายน พ.ศ. ๒๕๖๘

ให้ไว้ ณ วันที่ ๑๕ มิถุนายน พ.ศ. ๒๕๖๕

(นายสมพจน์ กวางแก้ว)

รองอธิบดี ปฏิบัติราชการแทน

อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายชื่อบุคลากรแนบท้ายใบอนุญาต
เป็นนิติบุคคลผู้ให้บริการตรวจวัดระดับความเข้มข้นของสารเคมีอันตรายในบรรยากาศของสถานที่ทำงาน
และสถานที่เก็บรักษาสารเคมีอันตราย
ของบริษัท ซีคोट จำกัด
ใบอนุญาตเลขที่ ๐๒๐๑-๐๓-๒๕๖๕-๐๐๘๙

๑. นายชิตพล	สมประสงค์
๒. นายอนิวัฒน์	พิมพ์นา
๓. นายศิวนนท์	กุลวงษ์
๔. นายวัชรกานต์	ประมาคะเต
๕. นายธนโชติ	ช่างลือ
๖. นายกิตติพงศ์	ละเกิงสุข
๗. นายจิรวัฒน์	โคตรคำหาญ
๘. นายศุภกิจ	ติษฎา
๙. นางสาวธัญลักษณ์	โยธา
๑๐. นางสาวทิพย์สุตา	วรรณการ
๑๑. นางสาวสายธาร	ภูเขียว
๑๒. นายภาคภูมิ	แทนไทย
๑๓. นายธนาวุฒิ	ด่วนแสง
๑๔. นายรัตนชัย	ชอบทำกิจ

ทั้งนี้ ตั้งแต่วันที่ ๑๕ มิถุนายน พ.ศ. ๒๕๖๕ ถึงวันที่ ๑๓ มิถุนายน พ.ศ. ๒๕๖๘

ให้ไว้ ณ วันที่ ๑๕ มิถุนายน พ.ศ. ๒๕๖๕

(นายสมพจน์ กวางแก้ว)

รองอธิบดี ปฏิบัติราชการแทน

อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายชื่อบุคลากร (เพิ่มเติม)
แนบท้ายใบอนุญาตเป็นนิติบุคคลผู้ให้บริการตรวจวัดระดับความเข้มข้นของสารเคมีอันตราย
ในบรรยากาศของสถานที่ทำงานและสถานที่เก็บรักษาสารเคมีอันตราย
ของบริษัท ซีคอฟ จำกัด

ใบอนุญาตเลขที่ ๐๒๐๑-๐๓-๒๕๖๕-๐๐๔๙

๑. นางสาวศลิษา	อินริย์
๒. นางสาววิระยา	ปัจฉิมบุรณ์
๓. นายณัฐดนัย	ฤกษ์ไชย
๔. นายณัฐชัย	ไชยโคตร
๕. นายพงศ์ศิริ	จักรแก้ว
๖. นายอรรถชัย	นวนนัม

ทั้งนี้ ตั้งแต่วันที่ ๓๐ เมษายน พ.ศ. ๒๕๖๘ ถึงวันที่ ๓๓ มิถุนายน พ.ศ. ๒๕๖๘

ให้ไว้ ณ วันที่ ๓๐ เมษายน พ.ศ. ๒๕๖๘



(นายศักดิ์ศิลป์ ตูลาธร)

ผู้ตรวจราชการกรม ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน



แบบ ภ.บญ
นิติบุคคล

กรมสวัสดิการและคุ้มครองแรงงาน

ใบอนุญาต

เป็นนิติบุคคลผู้ให้บริการวิเคราะห์ระดับความเข้มข้นของสารเคมีอันตราย
ในบรรยากาศของสถานที่ทำงานและสถานที่เก็บรักษาสารเคมีอันตราย

ใบอนุญาตเลขที่ ๐๒๐๒-๐๓-๒๕๖๕-๐๐๓๙

อนุญาตให้ บริษัท ซีคอฟ จำกัด.....

เลขทะเบียนนิติบุคคล ๐๑๑๕๕๓๑๐๐๘๗๖.....

ตั้งอยู่ เลขที่ ๒๓๙ ถนนนิมิตคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร.....

เป็นนิติบุคคลผู้ให้บริการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ตามกฎกระทรวง
กำหนดมาตรฐานในการบริหาร จัดการ และดำเนินการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อม
ในการทำงานเกี่ยวกับสารเคมีอันตราย พ.ศ. ๒๕๕๖ ในการเป็นผู้ให้บริการวิเคราะห์ระดับความเข้มข้น
ของสารเคมีอันตรายในบรรยากาศของสถานที่ทำงานและสถานที่เก็บรักษาสารเคมีอันตราย ประกอบกับ
กฎกระทรวงการขึ้นทะเบียนและการอนุญาตให้บริการเพื่อส่งเสริมความปลอดภัย อาชีวอนามัย และสภาพแวดล้อม
ในการทำงาน พ.ศ. ๒๕๖๔ แห่งพระราชบัญญัติความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน
พ.ศ. ๒๕๕๔ โดยมีบุคลากร จำนวน ๑๔ ราย ดังรายชื่อแนบท้ายใบอนุญาตนี้

ทั้งนี้ ตั้งแต่วันที่ ๑๕ มิถุนายน พ.ศ. ๒๕๖๕ ถึงวันที่ ๑๓ มิถุนายน พ.ศ. ๒๕๖๘

ให้ไว้ ณ วันที่ ๑๕ มิถุนายน พ.ศ. ๒๕๖๕



(นายสมพจน์ กวางแก้ว)

รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายชื่อบุคลากรแนบท้ายใบอนุญาต
เป็นนิติบุคคลผู้ให้บริการวิเคราะห์ระดับความเข้มข้นของสารเคมีอันตรายในบรรยากาศของสถานที่ทำงาน
และสถานที่เก็บรักษาสารเคมีอันตราย
ของบริษัท ซีคोट จำกัด
ใบอนุญาตเลขที่ ๐๒๐๒-๐๓-๒๕๖๕-๐๐๓๔

๑. นางสาวนริสา	ภูวสรเพ็ชญ์
๒. นางสาวรยา	ทิพภักษ์
๓. นางสาวศิริวรรณ	ฉิมสง่า
๔. นางสาวสุธาทิพย์	เทียนเตี้ย
๕. นางสาวพรนภา	บุตรธรรม
๖. นางสาวธารณี	อาจปลิว
๗. นางสาวกฤษณา	จันทุม
๘. นางสาวพัชรา	สมานฉันท
๙. นางสาวจณิสตา	กุ่มอ่อน
๑๐. นางสาวศศิภา	ใจดี
๑๑. นางสาวจุฑารัตน์	แจ่มเรือน
๑๒. นางสาวณัฐศิริ	เลิศธีรพัฒน์
๑๓. นางสาวสัญญาลักษณ์	อินทประสิทธิ์
๑๔. นางสาวสุดาพร	สุนทร

ทั้งนี้ ตั้งแต่วันที่ ๑๕ มิถุนายน พ.ศ. ๒๕๖๕ ถึงวันที่ ๑๓ มิถุนายน พ.ศ. ๒๕๖๘

ให้ไว้ ณ วันที่ ๑๕ มิถุนายน พ.ศ. ๒๕๖๕



(นายสมพจน์ กวางแก้ว)

รองอธิบดี ปฏิบัติราชการแทน


อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายชื่อบุคลากรแนบท้ายใบอนุญาต (เพิ่มเติม)
เป็นนิติบุคคลผู้ให้บริการวิเคราะห์ระดับความเข้มข้นของสารเคมีอันตรายในบรรยากาศของสถานที่ทำงาน
และสถานที่เก็บรักษาสารเคมีอันตราย
ของบริษัท ซีคोट จำกัด
ใบอนุญาตเลขที่ ๐๒๐๒-๐๓-๒๕๖๕-๐๐๓๔

๑. นางสาวสุรางคณา	มูลพิจิตร
๒. นางสาวกานต์สินี	รุจิระพงษ์ชัย
๓. นางสาวปวีศา	มากักดิ์

ทั้งนี้ ตั้งแต่วันที่ ๓๐ เมษายน พ.ศ. ๒๕๖๘ ถึงวันที่ ๑๓ มิถุนายน พ.ศ. ๒๕๖๘

ให้ไว้ ณ วันที่ ๓๐ เมษายน พ.ศ. ๒๕๖๘



(นายศักดิ์ศิลป์ ตูลาธร)

ผู้ตรวจราชการกรม ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน