

ภาคผนวก ค

ใบรับรองผลการตรวจวิเคราะห์

ภาคผนวก ค-1

คุณภาพอากาศในบรรยากาศ



Analysis / Test Report

TESTING
No.0042

Lot ID: 2520529
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number: 3247155-1

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew,
Amphur Ban Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Page 1 of 1

Sample Description		Air Quality			
Location	AL: ภูมิวนาลัย 7 ชั้นบนด้านซ้าย 1 (ชั้นใต้ดิน) อาคาร 2 (ชั้นใต้ดิน) อาคาร 2				
Date Analysis Commenced	Jun 02, 2025				
Condition of Sample	Drawn into one glass filter paper (8x10 inch) placed in plastic bag and one quartz filter paper (8x10 inch) placed in plastic bag				
Sample Number	Sampled Date	Total Suspended Particulate (mg/m3)	Particulate Matter (PM-10) (mg/m3)	Barometric Pressure (mm Hg)	Atmospheric Temperature (°C)
2520529-1	May 04 - May 05, 2025	0.024	0.016	758*	30.4*
2520529-2	May 05 - May 06, 2025	0.036	0.021	758*	30.1*
2520529-3	May 06 - May 07, 2025	0.031	0.021	758*	29.6*
2520529-4	May 07 - May 08, 2025	0.030	0.021	758*	28.9*
2520529-5	May 08 - May 09, 2025	0.031	0.023	758*	29.6*
2520529-6	May 09 - May 10, 2025	0.042	0.028	758*	30.1*
2520529-7	May 10 - May 11, 2025	0.035	0.026	758*	29.8*
Guideline		0.33	0.12	-	-

Reference Method

Total Suspended Particulate : United States Environmental Protection Agency 40 CFR, method 50, Appendix B, revised as of July 1, 2008
Particulate Matter (PM-10) : United States Environmental Protection Agency 40 CFR, method 50, Appendix 3, revised as of July 1, 2008

Guideline : Notification of the National Environmental Board, No.24, 2004 (B.E.2547) dated September 22, 2004

Sampled By : Anuwet Terna

Remark : Result (s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.

Approved by

Thanitak.

Thantia Kulurwong
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Lot ID: 2520529
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number: 3247155-2

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew,
Amphur Ban Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Page 1 of 1

Sample Description		Air Quality			
Location	AZ: ภูมิวนาลัย 7 ชั้นบนด้านซ้าย 2 (ชั้นใต้ดิน) อาคาร 2 (ชั้นใต้ดิน) อาคาร 2 (GPS 47P 0736164, 1457355)				
Date Analysis Commenced	Jun 02, 2025				
Condition of Sample	Drawn into one glass filter paper (8x10 inch) placed in plastic bag and one quartz filter paper (8x10 inch) placed in plastic bag				
Sample Number	Sampled Date	Total Suspended Particulate (mg/m3)	Particulate Matter (PM-10) (mg/m3)	Barometric Pressure (mm Hg)	Atmospheric Temperature (°C)
2520529-8	May 04 - May 05, 2025	0.057	0.026	758*	30.4*
2520529-9	May 05 - May 06, 2025	0.070	0.037	758*	30.1*
2520529-10	May 06 - May 07, 2025	0.072	0.036	758*	29.6*
2520529-11	May 07 - May 08, 2025	0.120	0.042	758*	28.9*
2520529-12	May 08 - May 09, 2025	0.064	0.032	758*	29.6*
2520529-13	May 09 - May 10, 2025	0.112	0.032	758*	30.1*
2520529-14	May 10 - May 11, 2025	0.080	0.033	758*	29.8*
Guideline		0.33	0.12	-	-

Reference Method

Total Suspended Particulate : United States Environmental Protection Agency 40 CFR, method 50, Appendix B, revised as of July 1, 2008
Particulate Matter (PM-10) : United States Environmental Protection Agency 40 CFR, method 50, Appendix 3, revised as of July 1, 2008

Guideline : Notification of the National Environmental Board, No.24, 2004 (B.E.2547) dated September 22, 2004

Sampled By : Anuwet Terna

Remark : Result (s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.

Approved by

Thanitak.

Thantia Kulurwong
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520530
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3247157-1

Page 1 of 2

Sample Number : 2520530-1 to 7
Parameter : Wind Speed / Wind Direction
Location : A1: เปรียบเทียบ 7 อากาศในทิศทาง (GPS 47P 0734904, 1456002)
Sampling Date : May 04 - May 11, 2025
Sampling by : Anuwit Tema

Time	May 04	May 05	May 06	May 07	May 08	May 09	May 10	May 11	May 12
WS (m/s)	WD (deg)	WS (m/s)	WD (deg)	WS (m/s)	WD (deg)	WS (m/s)	WD (deg)	WS (m/s)	WD (deg)
10:00 AM - 11:00 AM	0.0	-	0.0	-	1.7	86.0	E	1.0	103.0
11:00 AM - 12:00 PM	1.9	130.0	SE	0.0	-	3.0	96.0	E	0.1
12:00 PM - 01:00 PM	1.8	119.0	ESE	0.0	-	1.5	179.0	S	0.0
01:00 PM - 02:00 PM	0.0	-	1.5	115.0	ESE	0.5	128.0	SE	0.0
02:00 PM - 03:00 PM	0.0	-	3.2	105.0	ESE	0.0	-	0.2	-
03:00 PM - 04:00 PM	0.0	-	1.4	125.0	SE	0.9	151.0	SSE	1.4
04:00 PM - 05:00 PM	0.0	-	1.5	145.0	SE	0.0	-	2.3	115.0
05:00 PM - 06:00 PM	0.3	141.0	SE	0.0	-	1.7	126.0	SE	1.0
06:00 PM - 07:00 PM	1.0	139.0	SE	1.2	137.0	SE	1.2	107.0	ESE
07:00 PM - 08:00 PM	1.0	117.0	ESE	0.0	-	0.6	99.0	E	0.0
08:00 PM - 09:00 PM	0.0	-	0.0	-	0.3	122.0	ESE	0.0	-
09:00 PM - 10:00 PM	0.0	-	1.0	145.0	SE	0.8	111.0	ESE	2.1
10:00 PM - 11:00 PM	0.0	-	0.0	-	0.6	148.0	SSE	0.7	112.0
11:00 PM - 12:00 AM	0.0	-	0.3	134.0	SE	0.0	-	2.2	120.0
12:00 AM - 01:00 AM	1.6	115.0	ESE	0.5	124.0	SE	0.0	-	3.6
01:00 AM - 02:00 AM	1.2	132.0	SSE	0.7	145.0	SE	0.0	-	2.4
02:00 AM - 03:00 AM	0.0	-	0.0	-	0.0	-	0.5	154.0	SSE
03:00 AM - 04:00 AM	0.0	-	1.1	148.0	SSE	0.0	-	0.0	-
04:00 AM - 05:00 AM	0.0	-	0.0	-	0.0	-	0.0	-	0.0
05:00 AM - 06:00 AM	0.0	-	0.0	-	0.0	-	0.0	-	0.0
06:00 AM - 07:00 AM	0.8	156.0	SSE	1.3	149.0	SSE	1.9	147.0	SSE
07:00 AM - 08:00 AM	1.7	134.0	SE	1.2	125.0	SE	2.1	143.0	SE
08:00 AM - 09:00 AM	2.9	129.0	SE	2.6	120.0	ESE	0.0	-	1.1
09:00 AM - 10:00 AM	0.0	-	2.0	114.0	ESE	1.5	109.0	ESE	1.3

Reference Method : Cup Anemometer & Anodized Aluminium Vane Method

The above results are valid only for the wind speed and direction as indicated in this report. No part of the report (or its contents) shall be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) Limited. (Copyright Reserved) This report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phrakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT REPORTING



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520530
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3247157-1

Page 2 of 2

Wind Rose



Date : May 04-05, 2025

Date : May 05-06, 2025

Date : May 06-07, 2025



Date : May 07-08, 2025

Date : May 08-09, 2025

Date : May 09-10, 2025



Date : May 10-11, 2025

Date : May 11-12, 2025

WS (m/s)	%
≥ 10.0	0.00
8.0-10.0	0.00
5.5-8.0	0.00
3.3-5.5	0.60
1.7-3.3	14.29
0.3-1.7	36.31
Calm	48.81

The above results are valid only for the wind speed and direction as indicated in this report. No part of the report (or its contents) shall be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) Limited. (Copyright Reserved) This report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phrakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT REPORTING



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 2020
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520530
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3247157-1

Sample Number : 2520530-8 to 14
Parameter : Wind Speed / Wind Direction
Location : A2: ถนนสุขุมวิท 7 กิโลเมตรที่ 14 และ 2 (ถนนสุขุมวิทและถนนพหลโยธิน) (GPS 47P 0736164, 1457355)
Sampling Date : May 04 - May 11, 2025
Sampling by : Anuwet Tena

Time		May 04 - May 05, 2025		May 05 - May 06, 2025		May 06 - May 07, 2025		May 07 - May 08, 2025		May 08 - May 09, 2025		May 09 - May 10, 2025		May 10 - May 11, 2025									
		WS (m/s)	WD (deg)	WS (m/s)	WD (deg)	WS (m/s)	WD (deg)	WS (m/s)	WD (deg)	WS (m/s)	WD (deg)	WS (m/s)	WD (deg)	WS (m/s)	WD (deg)								
11:00 AM - 12:00 PM		0.2	-	1.4	136.0	SE	0.2	-	0.3	70.0	ENE	0.9	164.0	SSE	0.0	-	0.2	-					
12:00 PM - 01:00 PM		0.3	113.0	ESE	1.5	199.0	SSW	0.0	-	-	-	1.2	155.0	SSE	0.4	71.0	ENE	0.0	-				
01:00 PM - 02:00 PM		0.8	136.0	SE	0.0	-	0.8	144.0	SE	1.7	59.0	ENE	1.9	155.0	SSE	2.5	161.0	SSE	0.1	-			
02:00 PM - 03:00 PM		1.1	140.0	SE	1.7	201.0	SSW	0.0	-	2.1	179.0	S	0.9	162.0	SSE	0.9	165.0	SSE	0.5	159.0	SSE		
03:00 PM - 04:00 PM		1.2	135.0	SE	1.7	151.0	SSE	1.2	90.0	E	0.5	178.0	S	0.0	-	0.9	146.0	SE	0.7	156.0	SSE		
04:00 PM - 05:00 PM		0.6	171.0	S	3.4	195.0	SSW	3.1	131.0	SE	1.1	177.0	S	0.9	69.0	ENE	1.5	174.0	S	1.2	153.0	SSE	
05:00 PM - 06:00 PM		1.3	173.0	S	1.3	148.0	SSE	1.5	106.0	ESE	2.2	179.0	S	2.8	71.0	ENE	1.6	161.0	SSE	0.8	163.0	SSE	
06:00 PM - 07:00 PM		1.5	245.0	WSW	0.0	-	0.9	233.0	SW	1.6	155.0	SSE	1.2	70.0	ENE	0.0	-	0.6	169.0	S	-	-	
07:00 PM - 08:00 PM		1.2	262.0	W	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.2	-	0.2	-	0.7	156.0	SSE		
08:00 PM - 09:00 PM		0.0	-	0.0	-	0.3	190.0	S	2.1	188.0	S	0.3	59.0	ENE	0.3	158.0	SSE	0.3	190.0	S	-	-	
09:00 PM - 10:00 PM		0.0	-	0.4	122.0	ESE	0.0	-	0.5	170.0	S	0.3	179.0	S	0.3	206.0	SSW	0.3	215.0	SW	-	-	
10:00 PM - 11:00 PM		0.3	234.0	SW	0.9	139.0	SE	0.2	-	0.6	156.0	SSE	0.5	233.0	SW	0.1	-	0.0	-	-	-	-	
11:00 PM - 12:00 AM		0.2	-	0.0	-	0.3	49.0	NE	0.4	181.0	S	0.2	-	0.3	290.0	WNW	0.2	-	0.3	290.0	WNW	0.2	-
12:00 AM - 01:00 AM		0.4	242.0	WSW	0.2	-	0.5	55.0	NE	0.6	290.0	WNW	0.1	-	0.8	205.0	SSW	0.2	-	-	-	-	
01:00 AM - 02:00 AM		0.0	-	0.2	-	0.6	124.0	SE	0.2	-	0.1	-	0.1	-	0.9	249.0	WSW	0.7	216.0	SW	-	-	
02:00 AM - 03:00 AM		0.0	-	0.3	121.0	ESE	0.0	-	0.1	-	0.2	-	0.2	-	0.4	176.0	S	0.9	261.0	W	-	-	
03:00 AM - 04:00 AM		0.6	139.0	SE	0.0	-	0.0	-	0.1	-	0.1	-	0.3	179.0	S	0.6	168.0	SSE	1.3	244.0	WSW	-	-
04:00 AM - 05:00 AM		0.5	160.0	SSE	0.3	117.0	ESE	0.3	86.0	E	0.1	-	0.1	-	0.2	-	0.2	-	0.1	-	-	-	
05:00 AM - 06:00 AM		0.5	112.0	ESE	0.4	146.0	SE	0.5	118.0	ESE	0.6	195.0	SSW	0.0	-	0.2	-	0.2	-	0.2	-	-	
06:00 AM - 07:00 AM		0.0	-	0.8	105.0	ESE	0.9	82.0	E	0.4	189.0	S	0.0	-	0.3	216.0	SW	0.5	225.0	SW	-	-	
07:00 AM - 08:00 AM		0.0	-	1.1	131.0	SE	0.2	-	0.5	151.0	SSE	0.3	200.0	SSW	0.1	-	0.3	164.0	SSE	-	-	-	
08:00 AM - 09:00 AM		0.3	102.0	ESE	0.3	142.0	SE	0.2	-	0.3	142.0	SE	0.2	-	0.1	-	0.1	-	0.1	-	-	-	
09:00 AM - 10:00 AM		0.2	-	0.0	-	0.2	-	0.2	-	0.2	-	0.2	-	0.0	-	0.0	-	0.0	-	0.0	-	-	
10:00 AM - 11:00 AM		0.7	131.0	SE	0.1	-	0.1	-	0.0	-	0.0	-	0.0	-	0.3	169.0	S	0.4	157.0	SSE	-	-	

Reference Method : Cup Anemometer & Anodized Aluminium Vane Method

The above results are valid only for the wind speed and direction as indicated in this report. No part of this report or data shall be reproduced or used in any form without the written permission of ALS. All rights reserved. (This report is not for publication or use in any form.)

Approved by

Sarayuth Jitranont
Assistant General Manager

ADDRESS 616/10 Moo 5 T. Maenam Khui A. Phukdaeng Rayong 21140 Thailand : PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER




Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 2020
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520530
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3247157-1

Page 2 of 2



The above results are valid only for the wind speed and direction as indicated in this report. No part of this report or data shall be reproduced or used in any form without the written permission of ALS. All rights reserved. (This report is not for publication or use in any form.)

Approved by

Sarayuth Jitranont
Assistant General Manager

ADDRESS 616/10 Moo 5 T. Maenam Khui A. Phukdaeng Rayong 21140 Thailand : PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

ภาคผนวก ค-2

ระดับเสียง



Analysis / Test Report

TESTING
No.0042

Lot ID: 2520531

Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number: 3323639-1



Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban Bueng,
Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Page 1 of 1

Sample Number	2520531-1
Parameter	Noise (Leq 24 hrs)
Location	N1: ถนนสาย 7 บ้านนาบ่อคำ เขต 1 (ถนนตัดเลี้ยวซ้าย) (GPS 47P 0736225, 1455659)
Measurement Date	May 04 - May 05, 2025
Measurement by	Anuwat Tema
Sound Level meter	Serial No. 734220

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
10:00 AM - 11:00 AM	51.9	67.6	47.6
11:00 AM - 12:00 PM	51.2	73.0	47.0
12:00 PM - 01:00 PM	51.5	72.2	47.8
01:00 PM - 02:00 PM	50.5	65.3	46.2
02:00 PM - 03:00 PM	51.3	69.7	47.3
03:00 PM - 04:00 PM	52.2	68.8	48.4
04:00 PM - 05:00 PM	51.0	70.5	47.4
05:00 PM - 06:00 PM	50.7	63.3	46.9
06:00 PM - 07:00 PM	50.8	70.6	47.2
07:00 PM - 08:00 PM	50.5	65.3	46.7
08:00 PM - 09:00 PM	51.0	66.1	47.5
09:00 PM - 10:00 PM	51.5	67.3	47.7
10:00 PM - 11:00 PM	50.9	66.3	46.9
11:00 PM - 12:00 AM	50.4	67.4	45.6
12:00 AM - 01:00 AM	50.0	64.8	45.8
01:00 AM - 02:00 AM	51.2	72.6	46.4
02:00 AM - 03:00 AM	50.4	72.5	44.7
03:00 AM - 04:00 AM	50.1	68.8	45.6
04:00 AM - 05:00 AM	51.3	70.1	48.0
05:00 AM - 06:00 AM	50.3	65.7	46.2
06:00 AM - 07:00 AM	51.6	66.0	47.9
07:00 AM - 08:00 AM	52.1	66.5	47.5
08:00 AM - 09:00 AM	51.2	70.9	47.1
09:00 AM - 10:00 AM	50.4	66.1	46.8
Leq Average 24 hrs. (dB(A))	51.0		
Lmax (dB(A))	73.0		47.0
L90 (dB(A))			
Ldn (dB(A))	57.2		
Standard (dB(A))	70		115

Reference Method : ISO1996-1 and 1996-2
Standard : 1. ใช้กำหนดค่าการวัดระดับเสียงตามข้อกำหนด 15 (พ.ศ. 2540) ของกฎหมายการควบคุมมลพิษ
2. ใช้กำหนดค่าการวัดระดับเสียงตามข้อกำหนด 15 (พ.ศ. 2540) ของกฎหมายการควบคุมมลพิษ

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Thanitak.

Technical Management

Thanita Kulnirong
Scientist (4)

Approved by

Supt S.

Supt Salameh
Section Head

ADDRESS: 616/10 Moo 5 T. Maenam Khru A. Phakdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

NIGHT SOLUTIONS NIGHT PART TIME

354-2131 EMAIL

S:\Reports_Air Noise.m (1.48PM)



Analysis / Test Report

TESTING
No.0042

Lot ID: 2520531

Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number: 3323640-1



Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban Bueng,
Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Page 1 of 1

Sample Number	2520531-2
Parameter	Noise (Leq 24 hrs)
Location	N1: ถนนสาย 7 บ้านนาบ่อคำ เขต 1 (ถนนตัดเลี้ยวซ้าย) (GPS 47P 0736225, 1455659)
Measurement Date	May 05 - May 06, 2025
Measurement by	Anuwat Tema
Sound Level meter	Serial No. 734220

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
10:00 AM - 11:00 AM	51.2	73.9	47.4
11:00 AM - 12:00 PM	51.6	76.8	46.6
12:00 PM - 01:00 PM	51.3	67.9	47.6
01:00 PM - 02:00 PM	56.9	90.2	52.8
02:00 PM - 03:00 PM	55.2	70.5	52.2
03:00 PM - 04:00 PM	56.0	74.4	52.8
04:00 PM - 05:00 PM	54.6	68.3	51.6
05:00 PM - 06:00 PM	55.0	89.1	51.5
06:00 PM - 07:00 PM	52.8	66.0	50.2
07:00 PM - 08:00 PM	55.4	91.5	47.6
08:00 PM - 09:00 PM	51.1	74.7	46.7
09:00 PM - 10:00 PM	49.7	73.2	44.6
10:00 PM - 11:00 PM	49.4	64.5	44.3
11:00 PM - 12:00 AM	48.4	61.4	43.8
12:00 AM - 01:00 AM	48.3	62.9	43.7
01:00 AM - 02:00 AM	47.7	73.3	42.8
02:00 AM - 03:00 AM	47.8	60.5	43.5
03:00 AM - 04:00 AM	47.5	47.5	42.7
04:00 AM - 05:00 AM	51.0	67.9	46.5
05:00 AM - 06:00 AM	52.7	75.0	48.9
06:00 AM - 07:00 AM	51.5	74.2	47.5
07:00 AM - 08:00 AM	49.5	64.2	45.2
08:00 AM - 09:00 AM	54.5	79.0	50.3
09:00 AM - 10:00 AM	50.7	74.9	47.2
Leq Average 24 hrs. (dB(A))	52.6		
Lmax (dB(A))	91.5		47.2
L90 (dB(A))			
Ldn (dB(A))	57.0		
Standard (dB(A))	70		115

Reference Method : ISO1996-1 and 1996-2
Standard : 1. ใช้กำหนดค่าการวัดระดับเสียงตามข้อกำหนด 15 (พ.ศ. 2540) ของกฎหมายการควบคุมมลพิษ
2. ใช้กำหนดค่าการวัดระดับเสียงตามข้อกำหนด 15 (พ.ศ. 2540) ของกฎหมายการควบคุมมลพิษ

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Thanitak.

Technical Management

Thanita Kulnirong
Scientist (4)

Approved by

Supt S.

Supt Salameh
Section Head

ADDRESS: 616/10 Moo 5 T. Maenam Khru A. Phakdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

NIGHT SOLUTIONS NIGHT PART TIME

354-2131 EMAIL

S:\Reports_Air Noise.m (1.48PM)



TESTING
No.0042

Lot ID: 2520531

Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number: 3323641-1

Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban Bueng,
Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Page 1 of 1

Sample Number	2520531-3
Parameter	Noise (Leq 24 hrs)
Location	N1: หน้าบ้าน 7 บ้านนาผาดี เขต 1 (ด้านทิศใต้ของโครงการ) (GPS 47P 0736225, 1455659)
Measurement Date	May 06 - May 07, 2025
Measurement by	Anuwit Terna
Sound Level meter	Serial No. 734220

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
10:00 AM - 11:00 AM	49.5	64.6	45.6
11:00 AM - 12:00 PM	50.4	66.1	46.2
12:00 PM - 01:00 PM	56.8	89.7	50.8
01:00 PM - 02:00 PM	56.0	86.6	48.9
02:00 PM - 03:00 PM	58.0	87.3	53.7
03:00 PM - 04:00 PM	54.2	81.5	48.9
04:00 PM - 05:00 PM	52.0	74.2	47.9
05:00 PM - 06:00 PM	54.9	96.3	47.4
06:00 PM - 07:00 PM	52.3	79.0	48.6
07:00 PM - 08:00 PM	51.9	71.4	48.5
08:00 PM - 09:00 PM	50.7	76.0	47.4
09:00 PM - 10:00 PM	51.2	60.1	48.2
10:00 PM - 11:00 PM	51.6	75.7	48.3
11:00 PM - 12:00 AM	52.9	62.0	49.9
12:00 AM - 01:00 AM	52.8	61.2	49.3
01:00 AM - 02:00 AM	47.3	61.4	43.6
02:00 AM - 03:00 AM	49.4	61.5	46.0
03:00 AM - 04:00 AM	49.6	71.3	44.6
04:00 AM - 05:00 AM	52.4	75.0	47.6
05:00 AM - 06:00 AM	54.4	80.8	49.3
06:00 AM - 07:00 AM	51.7	69.6	48.2
07:00 AM - 08:00 AM	53.3	76.7	49.5
08:00 AM - 09:00 AM	51.8	78.3	48.7
09:00 AM - 10:00 AM	59.8	90.4	53.3

Leq Average 24 hrs. (dB(A))	53.7
Lmax (dB(A))	96.3
L90 (dB(A))	48.3
Ldn (dB(A))	58.7
Standard (dB(A))	70

Reference Method : ISO1996-1 and 1996-2
Standard : 1. ใช้มาตรฐานการวัดและประเมินค่าเสียงตามข้อกำหนด 15 (พ.ศ. 2540) ที่กำหนดการวางนัยและขั้นตอนการวัดเสียง
2. ใช้มาตรฐานการประเมินค่าเสียงตามข้อกำหนด 15 (พ.ศ. 2540) ที่กำหนดการวางนัยและขั้นตอนการวัดเสียง

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Tharitat.

Thanita Kulsurivong
Scientist (4)

Approved by

Supt S.

Supot Salameh
Section Head

ADDRESS: 616/10 Moo 5 T. Muenam Khu A. Phakdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

354-213 EMAIL

5 Reports_Air Noise m (3 dpm)



TESTING
No.0042

Lot ID: 2520531

Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number: 3323642-1

Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban Bueng,
Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Page 1 of 1

Sample Number	2520531-4
Parameter	Noise (Leq 24 hrs)
Location	N1: หน้าบ้าน 7 บ้านนาผาดี เขต 1 (ด้านทิศใต้ของโครงการ) (GPS 47P 0736225, 1455659)
Measurement Date	May 07 - May 08, 2025
Measurement by	Anuwit Terna
Sound Level meter	Serial No. 734220

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
10:00 AM - 11:00 AM	56.8	88.2	52.5
11:00 AM - 12:00 PM	53.7	65.7	50.7
12:00 PM - 01:00 PM	54.0	76.8	50.9
01:00 PM - 02:00 PM	52.7	75.4	49.6
02:00 PM - 03:00 PM	54.6	85.8	49.8
03:00 PM - 04:00 PM	63.1	87.2	60.6
04:00 PM - 05:00 PM	51.7	69.9	48.6
05:00 PM - 06:00 PM	52.5	70.9	48.9
06:00 PM - 07:00 PM	53.5	75.8	50.6
07:00 PM - 08:00 PM	51.7	68.5	48.5
08:00 PM - 09:00 PM	53.2	75.4	50.6
09:00 PM - 10:00 PM	51.5	60.3	48.7
10:00 PM - 11:00 PM	50.5	64.7	46.9
11:00 PM - 12:00 AM	51.7	77.4	46.1
12:00 AM - 01:00 AM	49.4	76.9	45.8
01:00 AM - 02:00 AM	48.9	71.2	44.5
02:00 AM - 03:00 AM	47.6	63.2	43.6
03:00 AM - 04:00 AM	47.7	64.7	42.5
04:00 AM - 05:00 AM	51.9	69.3	47.4
05:00 AM - 06:00 AM	51.9	64.2	48.2
06:00 AM - 07:00 AM	51.2	77.1	47.1
07:00 AM - 08:00 AM	51.6	69.0	47.7
08:00 AM - 09:00 AM	52.5	71.3	48.7
09:00 AM - 10:00 AM	52.4	72.3	48.9

Leq Average 24 hrs. (dB(A))	54.0
Lmax (dB(A))	88.2
L90 (dB(A))	57.9
Ldn (dB(A))	70
Standard (dB(A))	115

Reference Method : ISO1996-1 and 1996-2
Standard : 1. ใช้มาตรฐานการวัดและประเมินค่าเสียงตามข้อกำหนด 15 (พ.ศ. 2540) ที่กำหนดการวางนัยและขั้นตอนการวัดเสียง
2. ใช้มาตรฐานการประเมินค่าเสียงตามข้อกำหนด 15 (พ.ศ. 2540) ที่กำหนดการวางนัยและขั้นตอนการวัดเสียง

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Tharitat.

Thanita Kulsurivong
Scientist (4)

Approved by

Supt S.

Supot Salameh
Section Head

ADDRESS: 616/10 Moo 5 T. Muenam Khu A. Phakdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

354-213 EMAIL

5 Reports_Air Noise m (3 dpm)



Analysis / Test Report

TESTING
No.0042

Lot ID: 2520531

Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number: 3323643-1

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban Bueang,
Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Page 1 of 1

Sample Number	2520531-5
Parameter	Noise (Leq 24 hrs)
Location	N1: ถนนพหลโยธิน 7 ข้ามแม่น้ำลำโดม เขต 1 (ถนนพหลโยธินฝั่งซ้าย) (GPS 475 0736225, 1455659)
Measurement Date	May 08 - May 09, 2025
Measurement by	Anuwat Terna
Sound Level meter	Serial No. 734220

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
10:00 AM - 11:00 AM	53.1	78.4	48.8
11:00 AM - 12:00 PM	57.1	83.1	52.1
12:00 PM - 01:00 PM	54.1	70.5	50.6
01:00 PM - 02:00 PM	54.0	75.1	50.2
02:00 PM - 03:00 PM	53.9	63.1	51.2
03:00 PM - 04:00 PM	54.8	78.8	51.7
04:00 PM - 05:00 PM	54.8	69.9	51.8
05:00 PM - 06:00 PM	53.2	73.6	49.5
06:00 PM - 07:00 PM	53.0	71.0	50.9
07:00 PM - 08:00 PM	52.9	70.6	50.0
08:00 PM - 09:00 PM	51.3	68.3	50.3
09:00 PM - 10:00 PM	49.2	61.5	48.3
10:00 PM - 11:00 PM	49.4	61.9	45.9
11:00 PM - 12:00 AM	49.9	72.4	46.0
12:00 AM - 01:00 AM	48.7	64.8	45.0
01:00 AM - 02:00 AM	47.9	59.6	44.4
02:00 AM - 03:00 AM	48.3	61.8	43.4
03:00 AM - 04:00 AM	50.3	65.7	46.1
04:00 AM - 05:00 AM	51.8	64.7	48.2
05:00 AM - 06:00 AM	51.3	66.4	47.3
06:00 AM - 07:00 AM	50.7	70.7	46.8
07:00 AM - 08:00 AM	57.8	87.8	52.7
08:00 AM - 09:00 AM	56.3	81.2	52.5
09:00 AM - 10:00 AM	53.2		
Leq Average 24 hrs. (dB(A))	53.2	87.8	48.8
Lmax (dB(A))			
L90 (dB(A))	57.3		
L01 (dB(A))	70		
Standard (dB(A))		115	

Reference Method : ISO1996-1 and 1996-2
Standard : 1. ใช้มาตรฐานการประเมินค่าเสียงตามข้อกำหนด 15 (พ.ศ. 2540) สำหรับการตรวจวัดระดับเสียงโดยทั่วไป
2. ใช้มาตรฐานการประเมินค่าเสียงตามข้อกำหนด 15 (พ.ศ. 2540) สำหรับการตรวจวัดระดับเสียงโดยทั่วไป

รายงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanitak.

Thantita Kulsurwong
Scientist (4)

Approved by

Supt S.

Supot Salameh
Section Head

ADDRESS: 616/10 Moo 5 T. Maenam Khu A. Phukdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

354-2131 EMAIL

S:\Reports_Air Noise\pr (3.50PM)



Analysis / Test Report

TESTING
No.0042

Lot ID: 2520531

Date Received : Jun 30, 2025
Date Reported : Jun 04, 2025
Report Number: 3323644-1

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban Bueang,
Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Page 1 of 1

Sample Number	2520531-6
Parameter	Noise (Leq 24 hrs)
Location	N1: ถนนพหลโยธิน 7 ข้ามแม่น้ำลำโดม เขต 1 (ถนนพหลโยธินฝั่งซ้าย) (GPS 475 0736225, 1455659)
Measurement Date	May 09 - May 10, 2025
Measurement by	Anuwat Terna
Sound Level meter	Serial No. 734220

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
10:00 AM - 11:00 AM	57.1	82.8	54.1
11:00 AM - 12:00 PM	51.6	76.0	48.5
12:00 PM - 01:00 PM	62.8	93.6	55.5
01:00 PM - 02:00 PM	55.1	71.3	52.4
02:00 PM - 03:00 PM	54.8	81.0	51.1
03:00 PM - 04:00 PM	53.9	77.2	49.6
04:00 PM - 05:00 PM	51.8	70.8	48.5
05:00 PM - 06:00 PM	51.2	69.3	47.9
06:00 PM - 07:00 PM	54.7	78.5	51.5
07:00 PM - 08:00 PM	57.0	97.9	50.2
08:00 PM - 09:00 PM	56.7	85.9	53.6
09:00 PM - 10:00 PM	54.5	63.3	50.3
10:00 PM - 11:00 PM	53.4	62.4	50.2
11:00 PM - 12:00 AM	54.6	62.7	48.0
12:00 AM - 01:00 AM	53.5	63.7	50.6
01:00 AM - 02:00 AM	54.8	61.5	51.8
02:00 AM - 03:00 AM	49.3	60.0	44.4
03:00 AM - 04:00 AM	52.0	73.2	46.2
04:00 AM - 05:00 AM	52.8	79.3	48.8
05:00 AM - 06:00 AM	52.2	75.4	46.7
06:00 AM - 07:00 AM	56.0	83.7	48.9
07:00 AM - 08:00 AM	58.3	85.7	53.5
08:00 AM - 09:00 AM	54.8	71.6	51.2
09:00 AM - 10:00 AM	55.5		
Leq Average 24 hrs. (dB(A))	55.5	97.9	50.2
Lmax (dB(A))			
L90 (dB(A))	60.1		
L01 (dB(A))	70		
Standard (dB(A))		115	

Reference Method : ISO1996-1 and 1996-2
Standard : 1. ใช้มาตรฐานการประเมินค่าเสียงตามข้อกำหนด 15 (พ.ศ. 2540) สำหรับการตรวจวัดระดับเสียงโดยทั่วไป
2. ใช้มาตรฐานการประเมินค่าเสียงตามข้อกำหนด 15 (พ.ศ. 2540) สำหรับการตรวจวัดระดับเสียงโดยทั่วไป

รายงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanitak.

Thantita Kulsurwong
Scientist (4)

Approved by

Supt S.

Supot Salameh
Section Head

ADDRESS: 616/10 Moo 5 T. Maenam Khu A. Phukdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

354-2131 EMAIL

S:\Reports_Air Noise\pr (3.50PM)



TESTING
No.0042

Lot ID: 2520531

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban Bueng,
Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Analysis / Test Report

Page 1 of 1

Sample Number	2520531-7
Parameter	Noise (Leq 24 hrs)
Location	N2: หน้าหมู่บ้าน 7 บ้านนาสวน จอห์ 1 (ด้านทิศใต้ของโครงการ) (GPS 47P 073622S, 1455659)
Measurement Date	May 10 - May 11, 2025
Measurement by	Anuwet Tema
Sound Level meter	Serial No. 734220

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
10:00 AM - 11:00 AM	57.8	85.5	53.1
11:00 AM - 12:00 PM	57.0	81.9	50.3
12:00 PM - 01:00 PM	60.0	82.2	52.5
01:00 PM - 02:00 PM	61.6	81.6	50.4
02:00 PM - 03:00 PM	60.5	84.4	52.4
03:00 PM - 04:00 PM	56.9	83.6	52.3
04:00 PM - 05:00 PM	56.0	82.4	52.4
05:00 PM - 06:00 PM	58.2	79.7	54.9
06:00 PM - 07:00 PM	62.8	86.4	58.2
07:00 PM - 08:00 PM	57.4	81.3	54.5
08:00 PM - 09:00 PM	56.4	87.1	53.9
09:00 PM - 10:00 PM	54.3	74.2	52.3
10:00 PM - 11:00 PM	52.1	67.7	50.0
11:00 PM - 12:00 AM	52.2	74.8	49.1
12:00 AM - 01:00 AM	54.1	68.4	49.3
01:00 AM - 02:00 AM	60.8	65.2	53.0
02:00 AM - 03:00 AM	60.1	70.0	57.6
03:00 AM - 04:00 AM	59.9	65.0	55.0
04:00 AM - 05:00 AM	53.0	72.0	47.3
05:00 AM - 06:00 AM	51.9	73.4	46.8
06:00 AM - 07:00 AM	52.1	69.8	47.0
07:00 AM - 08:00 AM	56.8	85.9	51.4
08:00 AM - 09:00 AM	54.1	84.1	49.5
09:00 AM - 10:00 AM	52.0	70.4	48.3
Leq Average 24 hrs. (dB(A))	57.8	94.4	52.3
Lmax (dB(A))			
L90 (dB(A))			
Ldn (dB(A))	63.4		
Standard (dB(A))	70	115	

Reference Method : ISO1996-1 and 1996-2
Standard : 1. ใช้มาตรฐานการวัดระดับความดังเสียงตามวิธี 15 (พ.ศ. 2540) สำหรับการรายงานระดับเสียงต่อชั่วโมง
2. ใช้เครื่องมือวัดระดับความดังเสียงที่ผ่านการสอบเทียบและได้รับการรับรองจากกรมมาตรฐานแห่งชาติ (NMI) ของประเทศไทย
Taanu W.R. 2548
Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management
Thanitak.

Thantira Kulsurwong
Scientist (4)

Approved by

Supt S.

Supot Salameh
Section Head

ADDRESS: 616/10 Moo 5 T. Maenam Khw A. Phukdaeng Rayong 21140 Thailand | PHONE: +66 0 3304 8555 | FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

354-213 (BHL)

354-213 (BHL)

354-213 (BHL)



TESTING
No.0042

Lot ID: 2520531

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban Bueng,
Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Analysis / Test Report

Page 1 of 1

Sample Number	2520531-8
Parameter	Noise (Leq 24 hrs)
Location	N2: หน้าหมู่บ้าน 7 บ้านนาสวน จอห์ 2 (ด้านทิศใต้ของโครงการ) (GPS 47P 073644S, 1456266)
Measurement Date	May 04 - May 05, 2025
Measurement by	Anuwet Tema
Sound Level meter	Serial No. 122716

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	54.8	80.9	49.4
12:00 PM - 01:00 PM	54.8	73.7	49.6
01:00 PM - 02:00 PM	56.8	89.1	50.4
02:00 PM - 03:00 PM	56.8	82.8	51.2
03:00 PM - 04:00 PM	55.0	85.3	48.9
04:00 PM - 05:00 PM	55.5	72.2	50.4
05:00 PM - 06:00 PM	55.8	80.9	50.6
06:00 PM - 07:00 PM	54.2	72.0	49.8
07:00 PM - 08:00 PM	54.2	75.9	49.5
08:00 PM - 09:00 PM	53.6	68.4	49.9
09:00 PM - 10:00 PM	52.5	66.5	48.2
10:00 PM - 11:00 PM	51.0	70.3	45.2
11:00 PM - 12:00 AM	51.7	70.2	45.0
12:00 AM - 01:00 AM	50.0	71.5	43.9
01:00 AM - 02:00 AM	51.5	80.5	43.5
02:00 AM - 03:00 AM	48.7	68.4	42.9
03:00 AM - 04:00 AM	50.5	70.5	42.5
04:00 AM - 05:00 AM	52.4	72.6	45.6
05:00 AM - 06:00 AM	56.3	73.3	50.5
06:00 AM - 07:00 AM	57.1	73.9	51.2
07:00 AM - 08:00 AM	55.6	72.8	50.7
08:00 AM - 09:00 AM	56.2	77.4	51.4
09:00 AM - 10:00 AM	56.6	75.9	51.2
10:00 AM - 11:00 AM	55.9	77.1	50.6
Leq Average 24 hrs. (dB(A))	54.6	89.1	49.6
Lmax (dB(A))			
L90 (dB(A))			
Ldn (dB(A))	59.9		
Standard (dB(A))	70	115	

Reference Method : ISO1996-1 and 1996-2
Standard : 1. ใช้มาตรฐานการวัดระดับความดังเสียงตามวิธี 15 (พ.ศ. 2540) สำหรับการรายงานระดับเสียงต่อชั่วโมง
2. ใช้เครื่องมือวัดระดับความดังเสียงที่ผ่านการสอบเทียบและได้รับการรับรองจากกรมมาตรฐานแห่งชาติ (NMI) ของประเทศไทย
Taanu W.R. 2548
Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management
Thanitak.

Thantira Kulsurwong
Scientist (4)

Approved by

Supt S.

Supot Salameh
Section Head

ADDRESS: 616/10 Moo 5 T. Maenam Khw A. Phukdaeng Rayong 21140 Thailand | PHONE: +66 0 3304 8555 | FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

354-213 (BHL)

354-213 (BHL)

354-213 (BHL)



Analysis / Test Report

TESTING
No.0042

Lot ID: 2520531

Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number: 3323647-1



Client : WHA Industrial Development Public Company Limited

475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban Bueang,
Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Page 1 of 1

Sample Number	2520531-9
Parameter	Noise (Leq 24 hrs)
Location	N2: ถนนสุขุมวิท 7 กิโลเมตรจากจุด จุด 2 (ด้านทิศตะวันออกของโครงการ) (GPS 478 0736442, 1456266)
Measurement Date	May 05 - May 06, 2025
Measurement by	Anuwat Tera
Sound Level meter	Serial No. 1222716

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	54.9	72.7	49.4
12:00 PM - 01:00 PM	54.9	71.1	49.5
01:00 PM - 02:00 PM	56.2	79.0	51.6
02:00 PM - 03:00 PM	57.0	83.3	52.4
03:00 PM - 04:00 PM	56.8	77.5	50.7
04:00 PM - 05:00 PM	56.5	72.9	52.0
05:00 PM - 06:00 PM	56.0	77.2	51.0
06:00 PM - 07:00 PM	54.4	69.7	50.2
07:00 PM - 08:00 PM	53.9	71.3	49.5
08:00 PM - 09:00 PM	52.6	72.6	48.5
09:00 PM - 10:00 PM	51.8	67.7	48.0
10:00 PM - 11:00 PM	50.4	73.0	47.2
11:00 PM - 12:00 AM	49.8	68.6	45.0
12:00 AM - 01:00 AM	49.1	66.0	44.6
01:00 AM - 02:00 AM	52.7	81.6	43.2
02:00 AM - 03:00 AM	50.5	65.0	43.4
03:00 AM - 04:00 AM	50.5	69.3	43.6
04:00 AM - 05:00 AM	52.9	78.9	45.3
05:00 AM - 06:00 AM	56.8	76.3	50.4
06:00 AM - 07:00 AM	56.3	81.3	50.6
07:00 AM - 08:00 AM	55.5	70.4	50.7
08:00 AM - 09:00 AM	55.0	73.3	49.6
09:00 AM - 10:00 AM	57.3	94.4	50.6
10:00 AM - 11:00 AM	56.3	74.8	51.2

Leq Average 24 hrs. (dB(A))	54.8
Lmax (dB(A))	94.4
L90 (dB(A))	49.5
Ldn (dB(A))	

Standard (dB(A)) 70

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ใช้มาตรฐานการวัดระดับความดังเสียงตามข้อกำหนด 15 (พ.ร. 2540) ด้านการควบคุมการรบกวนเสียงใน
2. ใช้มาตรฐานการวัดระดับความดังเสียงตามข้อกำหนด 15 (พ.ร. 2540) ด้านการควบคุมการรบกวนเสียงใน
3. ใช้มาตรฐานการวัดระดับความดังเสียงตามข้อกำหนด 15 (พ.ร. 2540) ด้านการควบคุมการรบกวนเสียงใน

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Thanitak.

Thantia Kulsurwong
Scientist (A)

Approved by

Supt S.

Supot Salameh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phraklaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

NIGHT SOLUTIONS NIGHT PARTNER

S:\Reports_Lab Noise (p) (1-2520531)



Analysis / Test Report

TESTING
No.0042

Lot ID: 2520531

Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number: 3323648-1



Client : WHA Industrial Development Public Company Limited

475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban Bueang,
Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Page 1 of 1

Sample Number	2520531-10
Parameter	Noise (Leq 24 hrs)
Location	N2: ถนนสุขุมวิท 7 กิโลเมตรจากจุด จุด 2 (ด้านทิศตะวันออกของโครงการ) (GPS 478 0736442, 1456266)
Measurement Date	May 06 - May 07, 2025
Measurement by	Anuwat Tera
Sound Level meter	Serial No. 1222716

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	55.5	73.0	48.9
12:00 PM - 01:00 PM	55.0	76.1	49.7
01:00 PM - 02:00 PM	55.8	70.7	50.8
02:00 PM - 03:00 PM	57.2	92.9	51.1
03:00 PM - 04:00 PM	56.6	72.4	52.1
04:00 PM - 05:00 PM	56.6	75.8	51.2
05:00 PM - 06:00 PM	56.0	70.1	50.4
06:00 PM - 07:00 PM	54.6	69.5	48.7
07:00 PM - 08:00 PM	54.8	77.4	50.0
08:00 PM - 09:00 PM	56.9	88.3	49.5
09:00 PM - 10:00 PM	53.0	72.1	47.8
10:00 PM - 11:00 PM	53.2	70.0	47.5
11:00 PM - 12:00 AM	51.5	70.0	46.2
12:00 AM - 01:00 AM	51.0	70.1	45.3
01:00 AM - 02:00 AM	50.4	69.8	44.0
02:00 AM - 03:00 AM	51.5	72.2	44.8
03:00 AM - 04:00 AM	52.0	72.4	45.8
04:00 AM - 05:00 AM	53.3	73.9	46.0
05:00 AM - 06:00 AM	56.7	73.6	50.8
06:00 AM - 07:00 AM	56.6	74.1	51.0
07:00 AM - 08:00 AM	56.0	74.4	50.8
08:00 AM - 09:00 AM	55.8	72.7	50.1
09:00 AM - 10:00 AM	56.1	74.5	50.4
10:00 AM - 11:00 AM	55.8	77.0	51.0

Leq Average 24 hrs. (dB(A))	55.1
Lmax (dB(A))	92.9
L90 (dB(A))	49.9
Ldn (dB(A))	

Standard (dB(A)) 70

Reference Method : ISO1996-1 and 1996-2

Standard : 1. ใช้มาตรฐานการวัดระดับความดังเสียงตามข้อกำหนด 15 (พ.ร. 2540) ด้านการควบคุมการรบกวนเสียงใน
2. ใช้มาตรฐานการวัดระดับความดังเสียงตามข้อกำหนด 15 (พ.ร. 2540) ด้านการควบคุมการรบกวนเสียงใน
3. ใช้มาตรฐานการวัดระดับความดังเสียงตามข้อกำหนด 15 (พ.ร. 2540) ด้านการควบคุมการรบกวนเสียงใน

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Thanitak.

Thantia Kulsurwong
Scientist (A)

Approved by

Supt S.

Supot Salameh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phraklaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

NIGHT SOLUTIONS NIGHT PARTNER

354-2131 EMAIL

S:\Reports_Lab Noise (p) (1-2520531)



Analysis / Test Report

TESTING
No. 0042

Lot ID: 2520531

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban Bueng,
Chonburi Thailand 20220
Date Received : May 30, 2025
Report Number: 3323649-1

P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Page 1 of 1

Sample Number	2520531-11
Parameter	Noise (Leq 24 hrs)
Location	N2: ถนนพหลโยธิน 7 บ้านนาเกลือ ซอย 2 (ด้านทิศตะวันออกของถนนพหลโยธิน) (GPS 47P 0736442, 1456265)
Measurement Date	May 07 - May 08, 2025
Measurement by	Anuwet Tema
Sound Level meter	Serial No. 1222716

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	56.0	73.4	50.9
12:00 PM - 01:00 PM	56.2	73.1	51.4
01:00 PM - 02:00 PM	56.1	74.4	50.9
02:00 PM - 03:00 PM	56.5	76.4	51.7
03:00 PM - 04:00 PM	56.7	74.0	52.1
04:00 PM - 05:00 PM	56.8	73.2	52.3
05:00 PM - 06:00 PM	56.3	74.5	51.5
06:00 PM - 07:00 PM	55.0	74.9	49.9
07:00 PM - 08:00 PM	54.2	72.1	49.4
08:00 PM - 09:00 PM	53.2	66.3	48.1
09:00 PM - 10:00 PM	53.2	71.6	48.0
10:00 PM - 11:00 PM	53.2	71.0	47.2
11:00 PM - 12:00 AM	51.4	69.8	45.1
12:00 AM - 01:00 AM	51.9	72.4	47.0
01:00 AM - 02:00 AM	51.2	74.1	43.8
02:00 AM - 03:00 AM	51.2	71.9	43.5
03:00 AM - 04:00 AM	51.7	74.7	44.0
04:00 AM - 05:00 AM	53.1	72.8	46.1
05:00 AM - 06:00 AM	56.5	70.8	51.5
06:00 AM - 07:00 AM	56.5	72.1	50.8
07:00 AM - 08:00 AM	54.9	75.4	50.4
08:00 AM - 09:00 AM	54.9	74.4	49.8
09:00 AM - 10:00 AM	55.5	73.3	49.8
10:00 AM - 11:00 AM	55.1	70.7	50.2

Leq Average 24 hrs. (dB(A))	54.9
Lmax (dB(A))	76.4
L90 (dB(A))	49.8
L01 (dB(A))	

Standard (dB(A)) 70
Reference Method : ISO1996-1 and 1996-2
Standard : 1. ใช้มาตรฐานการประเมินระดับความดังเสียงด้วยวิธี 15 (พ.ศ. 2540) ด้านการควบคุมการรบกวนเสียงในชุมชน
2. ใช้เครื่องมือวัดความดังเสียงแบบเคลื่อนที่แบบพกพา และระดับเสียงที่ได้จากการวัดค่าจริง
โดยวันที่ 2548
Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Tharitat.

Tharita Kulsurwong
Scientist (4)

Approved by

Supt S.

Supot Salameh
Section Head

ADDRESS: 616/10 Moo 5 T. Maenam Kh. A. Phakdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

NIGHT SOLUTIONS NIGHT PARTITION

354-213/BNAL

S:\Report_Air Noise ref (15SPM)



Analysis / Test Report

TESTING
No. 0042

Lot ID: 2520531

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban Bueng,
Chonburi Thailand 20220
Date Received : May 30, 2025
Report Number: 3323650-1

P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Page 1 of 1

Sample Number	2520531-12
Parameter	Noise (Leq 24 hrs)
Location	N2: ถนนพหลโยธิน 7 บ้านนาเกลือ ซอย 2 (ด้านทิศตะวันออกของถนนพหลโยธิน) (GPS 47P 0736442, 1456265)
Measurement Date	May 08 - May 09, 2025
Measurement by	Anuwet Tema
Sound Level meter	Serial No. 1222716

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	56.2	75.3	50.3
12:00 PM - 01:00 PM	58.3	81.1	54.2
01:00 PM - 02:00 PM	57.1	73.4	52.7
02:00 PM - 03:00 PM	56.4	74.4	51.9
03:00 PM - 04:00 PM	56.1	74.5	51.1
04:00 PM - 05:00 PM	56.7	74.0	52.5
05:00 PM - 06:00 PM	56.3	73.1	51.9
06:00 PM - 07:00 PM	55.6	74.2	50.7
07:00 PM - 08:00 PM	55.0	70.5	50.4
08:00 PM - 09:00 PM	54.2	71.9	49.9
09:00 PM - 10:00 PM	53.2	71.0	47.8
10:00 PM - 11:00 PM	52.9	69.1	47.6
11:00 PM - 12:00 AM	51.5	72.7	46.3
12:00 AM - 01:00 AM	51.1	65.3	45.1
01:00 AM - 02:00 AM	49.8	68.4	43.8
02:00 AM - 03:00 AM	50.1	70.3	43.2
03:00 AM - 04:00 AM	51.2	67.3	44.1
04:00 AM - 05:00 AM	52.6	72.0	45.6
05:00 AM - 06:00 AM	57.0	73.1	50.8
06:00 AM - 07:00 AM	56.9	74.2	51.7
07:00 AM - 08:00 AM	55.8	72.3	50.2
08:00 AM - 09:00 AM	57.1	84.7	51.2
09:00 AM - 10:00 AM	55.9	71.9	51.1
10:00 AM - 11:00 AM	56.6	86.9	50.8

Leq Average 24 hrs. (dB(A))	55.3
Lmax (dB(A))	86.9
L90 (dB(A))	50.4
L01 (dB(A))	

Standard (dB(A)) 70
Reference Method : ISO1996-1 and 1996-2
Standard : 1. ใช้มาตรฐานการประเมินระดับความดังเสียงด้วยวิธี 15 (พ.ศ. 2540) ด้านการควบคุมการรบกวนเสียงในชุมชน
2. ใช้เครื่องมือวัดความดังเสียงแบบเคลื่อนที่แบบพกพา และระดับเสียงที่ได้จากการวัดค่าจริง
โดยวันที่ 2548
Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Tharitat.

Tharita Kulsurwong
Scientist (4)

Approved by

Supt S.

Supot Salameh
Section Head

ADDRESS: 616/10 Moo 5 T. Maenam Kh. A. Phakdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

NIGHT SOLUTIONS NIGHT PARTITION

354-213/BNAL

S:\Report_Air Noise ref (15SPM)



Analysis / Test Report

TESTING
No.0042

Lot ID: 2520531

Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number: 3323652-1



Client : WHA Industrial Development Public Company Limited

475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban Bueang,
Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Page 1 of 1

Sample Number	2520531-13
Parameter	Noise (Leq 24 hrs)
Location	N2: นาฬิกานาฬิกา 2 (ด้านทิศตะวันตกของอาคาร)
Measurement Date	May 09 - May 10, 2025
Measurement by	Anuwet Tena
Sound Level meter	Serial No. 1222716

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	55.4	70.2	50.2
12:00 PM - 01:00 PM	55.5	72.2	50.1
01:00 PM - 02:00 PM	59.4	82.4	50.8
02:00 PM - 03:00 PM	62.3	86.0	53.4
03:00 PM - 04:00 PM	64.3	87.9	51.6
04:00 PM - 05:00 PM	60.6	96.6	52.5
05:00 PM - 06:00 PM	58.8	83.8	52.2
06:00 PM - 07:00 PM	55.1	72.1	50.6
07:00 PM - 08:00 PM	55.4	72.2	51.4
08:00 PM - 09:00 PM	54.6	71.5	50.0
09:00 PM - 10:00 PM	53.7	72.2	48.8
10:00 PM - 11:00 PM	52.7	67.1	47.7
11:00 PM - 12:00 AM	52.2	69.3	46.1
12:00 AM - 01:00 AM	51.5	74.4	45.7
01:00 AM - 02:00 AM	50.5	69.0	44.5
02:00 AM - 03:00 AM	50.7	66.9	44.1
03:00 AM - 04:00 AM	51.5	72.0	43.8
04:00 AM - 05:00 AM	52.8	69.4	46.2
05:00 AM - 06:00 AM	56.2	70.8	50.2
06:00 AM - 07:00 AM	56.9	74.6	51.6
07:00 AM - 08:00 AM	56.1	71.8	50.8
08:00 AM - 09:00 AM	55.7	73.6	50.5
09:00 AM - 10:00 AM	56.8	77.6	50.9
10:00 AM - 11:00 AM	57.1	76.0	52.9

Leq Average 24 hrs. (dB(A))	57.3
Lmax (dB(A))	96.6
L90 (dB(A))	50.2
L01 (dB(A))	61.0
Standard (dB(A))	70

Reference Method : ISO1996-1 and 1996-2
Standard : 1. ใช้มาตรฐานการวัดระดับความดังเสียงตามข้อกำหนด 15 (พ.ร.บ. 2540) สำหรับอาคารที่อยู่อาศัย
2. ใช้มาตรฐานการวัดระดับความดังเสียงตามข้อกำหนด 15 (พ.ร.บ. 2540) สำหรับอาคารที่อยู่อาศัย

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Thanitak.

Thantia Kulsurwong
Scientist (4)

Approved by

Supt S.

Supot Salameh
Section Head

ADDRESS: 616/10 Moo 5 T. Maenam Klu A. Pluakdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

354-213) EMAIL

S.Vepona_Air Noise pr (3.54PM)



Analysis / Test Report

TESTING
No.0042

Lot ID: 2520531

Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number: 3323652-2



Client : WHA Industrial Development Public Company Limited

475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban Bueang,
Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Page 1 of 1

Sample Number	2520531-14
Parameter	Noise (Leq 24 hrs)
Location	N2: นาฬิกานาฬิกา 2 (ด้านทิศตะวันตกของอาคาร)
Measurement Date	May 10 - May 11, 2025
Measurement by	Anuwet Tena
Sound Level meter	Serial No. 1222716

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	57.8	87.8	53.5
12:00 PM - 01:00 PM	56.2	72.6	51.9
01:00 PM - 02:00 PM	57.1	72.6	52.5
02:00 PM - 03:00 PM	57.5	85.8	51.4
03:00 PM - 04:00 PM	56.7	75.9	51.8
04:00 PM - 05:00 PM	56.6	78.2	51.5
05:00 PM - 06:00 PM	57.2	71.2	53.2
06:00 PM - 07:00 PM	59.5	90.4	55.3
07:00 PM - 08:00 PM	61.4	85.5	57.7
08:00 PM - 09:00 PM	58.0	76.5	56.0
09:00 PM - 10:00 PM	56.1	74.5	53.0
10:00 PM - 11:00 PM	54.3	72.6	50.9
11:00 PM - 12:00 AM	52.4	68.2	47.8
12:00 AM - 01:00 AM	50.7	72.4	44.5
01:00 AM - 02:00 AM	49.6	66.7	43.9
02:00 AM - 03:00 AM	49.6	67.4	42.5
03:00 AM - 04:00 AM	50.3	68.0	42.3
04:00 AM - 05:00 AM	51.4	72.4	43.6
05:00 AM - 06:00 AM	53.9	73.3	49.3
06:00 AM - 07:00 AM	56.5	73.0	50.7
07:00 AM - 08:00 AM	56.4	72.2	50.7
08:00 AM - 09:00 AM	56.0	71.0	50.9
09:00 AM - 10:00 AM	54.7	71.7	49.5
10:00 AM - 11:00 AM	54.0	72.9	50.0

Leq Average 24 hrs. (dB(A))	56.2
Lmax (dB(A))	90.4
L90 (dB(A))	60.4
L01 (dB(A))	70
Standard (dB(A))	115

Reference Method : ISO1996-1 and 1996-2
Standard : 1. ใช้มาตรฐานการวัดระดับความดังเสียงตามข้อกำหนด 15 (พ.ร.บ. 2540) สำหรับอาคารที่อยู่อาศัย
2. ใช้มาตรฐานการวัดระดับความดังเสียงตามข้อกำหนด 15 (พ.ร.บ. 2540) สำหรับอาคารที่อยู่อาศัย

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Thanitak.

Thantia Kulsurwong
Scientist (4)

Approved by

Supt S.

Supot Salameh
Section Head

ADDRESS: 616/10 Moo 5 T. Maenam Klu A. Pluakdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

354-213) EMAIL

S.Vepona_Air Noise pr (3.54PM)



Analysis / Test Report

TESTING
No. 0042

Lot ID: 2520531
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number: 3323653-1

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban Bueng,
Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Page 1 of 1

Sample Number	2520531-15
Parameter	Noise (Leq 24 hrs)
Location	N3: ถนนพหลโยธิน 7 กิโลเมตรก่อนจุดที่ 3 (ด้านทิศใต้ของโครงการ) (GPS 47P 0736149, 1457358)
Measurement Date	May 04 - May 05, 2025
Measurement by	Anuwat Terna
Sound Level meter	Serial No. 1122578

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
09:00 AM - 10:00 AM	59.0	83.8	54.9
10:00 AM - 11:00 AM	59.7	85.1	55.6
11:00 AM - 12:00 PM	58.0	86.5	53.2
12:00 PM - 01:00 PM	50.4	77.5	45.6
01:00 PM - 02:00 PM	55.3	84.3	51.1
02:00 PM - 03:00 PM	59.7	89.0	53.2
03:00 PM - 04:00 PM	55.6	80.5	52.2
04:00 PM - 05:00 PM	55.2	82.8	52.1
05:00 PM - 06:00 PM	54.8	86.5	47.0
06:00 PM - 07:00 PM	50.2	75.7	47.6
07:00 PM - 08:00 PM	47.8	65.7	45.7
08:00 PM - 09:00 PM	47.5	61.0	45.4
09:00 PM - 10:00 PM	45.5	70.2	44.2
10:00 PM - 11:00 PM	45.6	64.9	44.2
11:00 PM - 12:00 AM	45.0	55.5	44.1
12:00 AM - 01:00 AM	45.9	54.0	44.9
01:00 AM - 02:00 AM	46.8	69.2	45.8
02:00 AM - 03:00 AM	47.3	57.9	46.2
03:00 AM - 04:00 AM	48.5	86.3	45.9
04:00 AM - 05:00 AM	46.3	57.0	45.3
05:00 AM - 06:00 AM	51.8	79.3	44.8
06:00 AM - 07:00 AM	51.9	82.2	45.7
07:00 AM - 08:00 AM	52.2	81.1	43.7
08:00 AM - 09:00 AM	52.9	81.0	48.2

Leq Average 24 hrs. (dB(A))	54.0
Lmax (dB(A))	89.0
L90 (dB(A))	45.8
L01 (dB(A))	56.9
L05 (dB(A))	70

Reference Method : ISO1996-1 and 1996-2
Standard : 1. ประกาศกระทรวงมหาดไทยว่าด้วยมาตรฐานเสียงรบกวนในชุมชน พ.ศ. 2540 (พ.ร.บ. 2540) สำหรับอาคารพาณิชย์และที่อยู่อาศัย
2. ประกาศกระทรวงมหาดไทยว่าด้วยมาตรฐานเสียงรบกวนในชุมชน พ.ศ. 2540 (พ.ร.บ. 2540) สำหรับอาคารพาณิชย์และที่อยู่อาศัย

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Tharitat.

Tharita Kulsurwong
Scientist (A)

Approved by

Supt S.

Supot Salameh
Section Head

ADDRESS: 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS

354-2131 EMAIL

S:\Reports_Air Noise.m (13.55PM)



Analysis / Test Report

TESTING
No. 0042

Lot ID: 2520531
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number: 3323654-1

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban Bueng,
Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Page 1 of 1

Sample Number	2520531-16
Parameter	Noise (Leq 24 hrs)
Location	N3: ถนนพหลโยธิน 7 กิโลเมตรก่อนจุดที่ 3 (ด้านทิศใต้ของโครงการ) (GPS 47P 0736149, 1457358)
Measurement Date	May 05 - May 06, 2025
Measurement by	Anuwat Terna
Sound Level meter	Serial No. 1122578

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
09:00 AM - 10:00 AM	62.1	96.3	51.1
10:00 AM - 11:00 AM	60.0	91.8	51.9
11:00 AM - 12:00 PM	56.9	89.8	48.0
12:00 PM - 01:00 PM	50.6	68.5	44.4
01:00 PM - 02:00 PM	61.4	95.5	52.8
02:00 PM - 03:00 PM	63.7	84.9	57.6
03:00 PM - 04:00 PM	59.4	88.0	53.1
04:00 PM - 05:00 PM	61.8	81.5	56.1
05:00 PM - 06:00 PM	57.9	78.3	54.2
06:00 PM - 07:00 PM	51.4	63.0	48.7
07:00 PM - 08:00 PM	45.7	63.2	44.3
08:00 PM - 09:00 PM	44.7	60.9	43.4
09:00 PM - 10:00 PM	44.4	54.8	43.4
10:00 PM - 11:00 PM	44.2	58.7	43.1
11:00 PM - 12:00 AM	44.1	57.4	42.7
12:00 AM - 01:00 AM	43.6	53.4	42.2
01:00 AM - 02:00 AM	43.5	54.9	42.3
02:00 AM - 03:00 AM	43.3	56.8	42.4
03:00 AM - 04:00 AM	44.0	50.0	43.2
04:00 AM - 05:00 AM	45.1	63.6	43.3
05:00 AM - 06:00 AM	54.1	82.0	43.7
06:00 AM - 07:00 AM	54.1	86.5	45.1
07:00 AM - 08:00 AM	53.8	84.5	43.3
08:00 AM - 09:00 AM	54.7	73.8	49.4

Leq Average 24 hrs. (dB(A))	56.8
Lmax (dB(A))	96.3
L90 (dB(A))	58.7
L01 (dB(A))	70

Reference Method : ISO1996-1 and 1996-2
Standard : 1. ประกาศกระทรวงมหาดไทยว่าด้วยมาตรฐานเสียงรบกวนในชุมชน พ.ศ. 2540 (พ.ร.บ. 2540) สำหรับอาคารพาณิชย์และที่อยู่อาศัย
2. ประกาศกระทรวงมหาดไทยว่าด้วยมาตรฐานเสียงรบกวนในชุมชน พ.ศ. 2540 (พ.ร.บ. 2540) สำหรับอาคารพาณิชย์และที่อยู่อาศัย

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Tharitat.

Tharita Kulsurwong
Scientist (A)

Approved by

Supt S.

Supot Salameh
Section Head

ADDRESS: 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS

354-2131 EMAIL

S:\Reports_Air Noise.m (13.55PM)



Analysis / Test Report

TESTING
No.0042

Lot ID: 2520531

Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number: 3323655-1



Client : WHA Industrial Development Public Company Limited

475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban Bueng,
Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Page 1 of 1

Sample Number	2520531-17
Parameter	Noise (Leq 24 hrs)
Location	N3: ถนนสาย 7 บ้านนาเกลือ ซอย 3 (ถนนพหลโยธิน-โพธาราม) (GPS 47P 0736149, 1457358)
Measurement Date	May 06 - May 07, 2025
Measurement by	Anuwit Terna
Sound Level meter	Serial No. 1122578

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
09:00 AM - 10:00 AM	60.4	79.6	51.5
10:00 AM - 11:00 AM	58.9	76.7	52.7
11:00 AM - 12:00 PM	58.0	77.7	52.6
12:00 PM - 01:00 PM	47.0	68.0	44.0
01:00 PM - 02:00 PM	55.9	80.1	50.8
02:00 PM - 03:00 PM	56.8	82.5	50.9
03:00 PM - 04:00 PM	53.8	80.9	50.2
04:00 PM - 05:00 PM	57.0	83.9	51.7
05:00 PM - 06:00 PM	58.9	88.1	52.1
06:00 PM - 07:00 PM	51.8	74.8	48.0
07:00 PM - 08:00 PM	45.1	69.0	43.4
08:00 PM - 09:00 PM	46.3	78.7	42.6
09:00 PM - 10:00 PM	44.0	58.4	42.7
10:00 PM - 11:00 PM	43.2	71.6	41.5
11:00 PM - 12:00 AM	44.7	65.7	42.0
12:00 AM - 01:00 AM	43.6	64.0	41.6
01:00 AM - 02:00 AM	42.3	49.5	41.3
02:00 AM - 03:00 AM	41.9	52.9	41.3
03:00 AM - 04:00 AM	42.1	60.4	41.2
04:00 AM - 05:00 AM	42.7	57.7	41.3
05:00 AM - 06:00 AM	54.4	83.4	43.0
06:00 AM - 07:00 AM	51.2	91.2	43.8
07:00 AM - 08:00 AM	45.8	65.4	43.1
08:00 AM - 09:00 AM	51.5	75.6	47.8
Leq Average 24 hrs. (dB(A))	54.6	91.2	
Lmax (dB(A))			43.4
L90 (dB(A))	59.3		
L01 (dB(A))	70		
Standard (dB(A))		115	
Reference Method : ISO1996-1 and 1996-2			
Standard : 1. ใช้มาตรฐานการวัดระดับความดังเสียงตามวิธี 15 (พ.ศ. 2540) ใช้กำหนดมาตรฐานระดับเสียงตามข้อกำหนด 2. ใช้มาตรฐานการวัดระดับความดังเสียงตามวิธี 15 (พ.ศ. 2540) ใช้กำหนดมาตรฐานระดับเสียงตามข้อกำหนด			
Task No. 2548			
Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.			

Thanitak.

Thantira Kulsurwong
Scientist (4)

Approved by

Supt S.

Supot Salameh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phukdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

NIGHT SOLUTIONS NIGHT PARTNER

354-2131 EMAIL

S.Reports_Air Noise.pdf (3.56PM)



Analysis / Test Report

TESTING
No.0042

Lot ID: 2520531

Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number: 3323655-1



Client : WHA Industrial Development Public Company Limited

475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban Bueng,
Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Page 1 of 1

Sample Number	2520531-18
Parameter	Noise (Leq 24 hrs)
Location	N3: ถนนสาย 7 บ้านนาเกลือ ซอย 3 (ถนนพหลโยธิน-โพธาราม) (GPS 47P 0736149, 1457358)
Measurement Date	May 07 - May 08, 2025
Measurement by	Anuwit Terna
Sound Level meter	Serial No. 1122578

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
09:00 AM - 10:00 AM	58.2	88.0	52.0
10:00 AM - 11:00 AM	57.0	84.0	51.8
11:00 AM - 12:00 PM	57.8	79.4	53.5
12:00 PM - 01:00 PM	58.5	79.7	54.7
01:00 PM - 02:00 PM	56.2	81.1	52.5
02:00 PM - 03:00 PM	58.7	88.2	52.8
03:00 PM - 04:00 PM	58.0	89.5	53.7
04:00 PM - 05:00 PM	59.3	87.3	54.1
05:00 PM - 06:00 PM	56.2	69.9	53.7
06:00 PM - 07:00 PM	51.1	65.5	48.2
07:00 PM - 08:00 PM	45.2	69.1	43.2
08:00 PM - 09:00 PM	43.4	75.2	41.6
09:00 PM - 10:00 PM	42.9	72.3	41.5
10:00 PM - 11:00 PM	43.0	57.5	41.9
11:00 PM - 12:00 AM	43.0	55.4	41.9
12:00 AM - 01:00 AM	43.5	55.8	42.3
01:00 AM - 02:00 AM	43.8	52.0	42.5
02:00 AM - 03:00 AM	43.4	52.1	42.3
03:00 AM - 04:00 AM	43.2	50.3	42.3
04:00 AM - 05:00 AM	43.1	56.4	41.5
05:00 AM - 06:00 AM	54.6	82.6	43.7
06:00 AM - 07:00 AM	56.9	88.1	44.3
07:00 AM - 08:00 AM	54.9	89.8	43.5
08:00 AM - 09:00 AM	56.9	83.5	50.4
Leq Average 24 hrs. (dB(A))	54.9	89.8	
Lmax (dB(A))			43.7
L90 (dB(A))	58.2		
L01 (dB(A))	70		
Standard (dB(A))		115	
Reference Method : ISO1996-1 and 1996-2			
Standard : 1. ใช้มาตรฐานการวัดระดับความดังเสียงตามวิธี 15 (พ.ศ. 2540) ใช้กำหนดมาตรฐานระดับเสียงตามข้อกำหนด 2. ใช้มาตรฐานการวัดระดับความดังเสียงตามวิธี 15 (พ.ศ. 2540) ใช้กำหนดมาตรฐานระดับเสียงตามข้อกำหนด			
Task No. 2548			
Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.			

Thanitak.

Thantira Kulsurwong
Scientist (4)

Approved by

Supt S.

Supot Salameh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phukdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

NIGHT SOLUTIONS NIGHT PARTNER

354-2131 EMAIL

S.Reports_Air Noise.pdf (3.57PM)



Analysis / Test Report

TESTING
No. 0042

Lot ID: 2520531
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number: 3323657-1

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban Bueng,
Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Page 1 of 1

Sample Number	2520531-19
Parameter	Noise (Leq 24 hrs)
Location	N3: ภาณุพันธุ์ 7 บ้านนาอันดามัน 3 (ด้านทิศใต้ของอาคาร) (GPS 47P 07361.49, 1457358)
Measurement Date	May 08 - May 09, 2025
Measurement by	Anuwet Tema
Sound Level meter	Serial No. 1122578

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
09:00 AM - 10:00 AM	55.0	77.0	51.9
10:00 AM - 11:00 AM	53.9	80.3	50.9
11:00 AM - 12:00 PM	53.3	79.7	50.4
12:00 PM - 01:00 PM	56.5	80.5	52.1
01:00 PM - 02:00 PM	61.5	93.8	51.3
02:00 PM - 03:00 PM	62.7	87.9	55.3
03:00 PM - 04:00 PM	65.8	94.6	58.8
04:00 PM - 05:00 PM	64.4	91.3	57.9
05:00 PM - 06:00 PM	61.8	81.3	56.1
06:00 PM - 07:00 PM	50.8	69.7	47.6
07:00 PM - 08:00 PM	46.3	72.4	43.8
08:00 PM - 09:00 PM	45.0	55.4	43.7
09:00 PM - 10:00 PM	43.3	53.3	42.1
10:00 PM - 11:00 PM	43.0	56.5	41.8
11:00 PM - 12:00 AM	42.8	52.3	41.7
12:00 AM - 01:00 AM	43.3	55.9	42.4
01:00 AM - 02:00 AM	43.1	61.0	41.8
02:00 AM - 03:00 AM	43.3	50.8	42.3
03:00 AM - 04:00 AM	43.7	54.6	42.6
04:00 AM - 05:00 AM	43.5	56.8	42.2
05:00 AM - 06:00 AM	55.3	80.2	43.7
06:00 AM - 07:00 AM	57.0	86.8	44.1
07:00 AM - 08:00 AM	56.1	81.9	42.6
08:00 AM - 09:00 AM	56.3	76.2	49.7
Leq Average 24 hrs. (dB(A))	57.8	94.6	43.8
Lmax (dB(A))			
L90 (dB(A))			
Ldn (dB(A))	59.9		
Standard (dB(A))	70	115	

Reference Method : ISO1996-1 and 1996-2
Standard : 1. ประกาศกระทรวงมหาดไทย เรื่อง การควบคุมมลพิษ พ.ศ. 2540 (พ.ศ. 2540) เรื่อง การควบคุมมลพิษในเขตเมือง
2. ประกาศกระทรวงมหาดไทย เรื่อง การควบคุมมลพิษ พ.ศ. 2540 (พ.ศ. 2540) เรื่อง การควบคุมมลพิษในเขตเมือง
3. ประกาศกระทรวงมหาดไทย เรื่อง การควบคุมมลพิษ พ.ศ. 2540 (พ.ศ. 2540) เรื่อง การควบคุมมลพิษในเขตเมือง
Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Tharitat.

Thantia Kulsurwong
Scientist (4)

Approved by

Supt S.

Supot Salameh
Section Head

ADDRESS: 616/10 Moo 5 T. Muenan Khu A. Phukdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PEOPLE RIGHT TIME

384-213/EMAIL

S. (Reports)_Air Noise (pt / 3.5ppm)



Analysis / Test Report

TESTING
No. 0042

Lot ID: 2520531
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number: 3323658-1

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban Bueng,
Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Page 1 of 1

Sample Number	2520531-20
Parameter	Noise (Leq 24 hrs)
Location	N3: ภาณุพันธุ์ 7 บ้านนาอันดามัน 3 (ด้านทิศใต้ของอาคาร) (GPS 47P 07361.49, 1457358)
Measurement Date	May 09 - May 10, 2025
Measurement by	Anuwet Tema
Sound Level meter	Serial No. 1122578

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
09:00 AM - 10:00 AM	57.6	81.6	51.5
10:00 AM - 11:00 AM	59.3	86.6	54.9
11:00 AM - 12:00 PM	57.1	82.6	51.4
12:00 PM - 01:00 PM	46.7	64.5	42.7
01:00 PM - 02:00 PM	57.0	71.6	51.8
02:00 PM - 03:00 PM	56.7	78.4	53.3
03:00 PM - 04:00 PM	57.7	82.2	53.3
04:00 PM - 05:00 PM	56.0	74.7	52.9
05:00 PM - 06:00 PM	56.2	80.3	52.4
06:00 PM - 07:00 PM	51.9	47.2	43.6
07:00 PM - 08:00 PM	46.4	65.7	42.4
08:00 PM - 09:00 PM	43.7	54.3	42.4
09:00 PM - 10:00 PM	44.7	56.8	43.8
10:00 PM - 11:00 PM	44.5	61.0	43.7
11:00 PM - 12:00 AM	44.3	57.7	43.5
12:00 AM - 01:00 AM	43.9	56.1	43.2
01:00 AM - 02:00 AM	42.5	52.0	41.4
02:00 AM - 03:00 AM	40.8	55.1	39.9
03:00 AM - 04:00 AM	41.3	56.5	40.0
04:00 AM - 05:00 AM	42.7	57.8	41.1
05:00 AM - 06:00 AM	53.0	86.9	43.8
06:00 AM - 07:00 AM	58.7	90.3	42.9
07:00 AM - 08:00 AM	50.5	82.2	40.8
08:00 AM - 09:00 AM	51.7	74.8	49.0
Leq Average 24 hrs. (dB(A))	53.9	90.3	43.7
Lmax (dB(A))			
L90 (dB(A))			
Ldn (dB(A))	58.2	115	
Standard (dB(A))	70		

Reference Method : ISO1996-1 and 1996-2
Standard : 1. ประกาศกระทรวงมหาดไทย เรื่อง การควบคุมมลพิษ พ.ศ. 2540 (พ.ศ. 2540) เรื่อง การควบคุมมลพิษในเขตเมือง
2. ประกาศกระทรวงมหาดไทย เรื่อง การควบคุมมลพิษ พ.ศ. 2540 (พ.ศ. 2540) เรื่อง การควบคุมมลพิษในเขตเมือง
3. ประกาศกระทรวงมหาดไทย เรื่อง การควบคุมมลพิษ พ.ศ. 2540 (พ.ศ. 2540) เรื่อง การควบคุมมลพิษในเขตเมือง
Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Tharitat.

Thantia Kulsurwong
Scientist (4)

Approved by

Supt S.

Supot Salameh
Section Head

ADDRESS: 616/10 Moo 5 T. Muenan Khu A. Phukdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PEOPLE RIGHT TIME

384-213/EMAIL

S. (Reports)_Air Noise (pt / 3.5ppm)



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Sample No. 2520545-1

Parameter เลื่อนฐาน

Location ถนนพหลโยธิน/7 บ้านนาบึงเก่า จุด 1 (ด้านทิศใต้ของถนน) (GPS 47P 0736225, 1455659)

Measurement Date May 04 - 05, 2025

Measurement by Anuwet Terna

Sound Level Meter 00734220

Page 2 of 3

Lot ID: 2520545

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report Number : 3321950-1

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะปฏิบัติการ	ระดับเสียง (dB(A))		เสียงพื้นฐาน	ค่ารวมการรบกวน
			กลางคืน	กลางวัน		
12:20 AM - 12:25 AM	49.7	49.2	43.1	45.4	45.4	-2.3
12:25 AM - 12:30 AM	49.6	49.1	43.0	45.0	45.0	-2.0
12:30 AM - 12:35 AM	49.4	49.1	n/a	45.4	45.4	-
12:35 AM - 12:40 AM	49.8	50.4	n/a	47.5	47.5	-
12:40 AM - 12:45 AM	48.9	48.7	38.4	44.8	44.8	-6.4
12:45 AM - 12:50 AM	50.3	49.8	43.7	44.7	44.7	-1.0
12:50 AM - 12:55 AM	50.7	50.8	n/a	47.0	47.0	-
12:55 AM - 01:00 AM	51.6	52.2	n/a	47.6	47.6	-
01:00 AM - 01:05 AM	51.2	51.0	40.7	44.6	44.6	-3.9
01:05 AM - 01:10 AM	53.0	52.5	46.4	46.0	46.0	0.4
01:10 AM - 01:15 AM	51.2	50.7	44.6	45.8	45.8	-1.2
01:15 AM - 01:20 AM	50.7	50.8	n/a	46.9	46.9	-
01:20 AM - 01:25 AM	51.2	51.8	n/a	47.7	47.7	-
01:25 AM - 01:30 AM	51.5	51.3	41.0	46.3	46.3	-6.7
01:30 AM - 01:35 AM	50.7	50.2	44.6	45.4	45.4	-1.7
01:35 AM - 01:40 AM	50.6	51.1	45.0	45.5	45.5	-0.5
01:40 AM - 01:45 AM	50.3	50.2	45.5	45.5	45.5	-0.6
01:45 AM - 01:50 AM	50.3	51.2	n/a	46.4	46.4	-
01:50 AM - 01:55 AM	50.9	50.6	42.1	45.8	45.8	-3.7
01:55 AM - 02:00 AM	49.8	49.6	39.3	46.2	46.2	-6.9
02:00 AM - 02:05 AM	52.4	50.7	50.5	45.0	45.0	5.5
02:05 AM - 02:10 AM	50.4	50.1	41.6	44.4	44.4	-2.8
02:10 AM - 02:15 AM	50.3	50.1	39.8	42.1	42.1	-2.3
02:15 AM - 02:20 AM	49.1	50.7	n/a	45.0	45.0	-
02:20 AM - 02:25 AM	50.4	50.1	41.6	44.4	44.4	-2.8
02:25 AM - 02:30 AM	50.4	50.2	39.9	44.5	44.5	-1.6
02:30 AM - 02:35 AM	49.0	50.5	n/a	45.6	45.6	-
02:35 AM - 02:40 AM	50.2	49.9	41.4	45.0	45.0	-3.6
02:40 AM - 02:45 AM	49.9	49.7	39.4	44.0	44.0	-4.6
02:45 AM - 02:50 AM	51.0	50.6	43.4	45.3	45.3	-1.9
02:50 AM - 03:00 AM	50.3	50.0	41.5	44.7	44.7	-3.2
03:00 AM - 03:05 AM	48.6	48.4	38.1	43.9	43.9	-5.8
03:05 AM - 03:10 AM	49.5	51.8	n/a	45.9	45.9	-
03:10 AM - 03:15 AM	51.5	51.2	42.7	45.3	45.3	-7.6
03:15 AM - 03:20 AM	48.2	51.8	n/a	45.9	45.9	-
03:20 AM - 03:25 AM	50.1	49.9	39.5	46.4	46.4	-6.8
03:25 AM - 03:30 AM	50.0	50.4	n/a	46.9	46.9	-
03:30 AM - 03:35 AM	50.2	50.4	n/a	46.9	46.9	-
03:35 AM - 03:40 AM	49.4	50.5	n/a	47.0	47.0	-

This document is valid only for the use and location specified in the report. It is not to be used for any other purpose. The data is for information only and is not to be used for legal purposes. The data is not to be used for any other purpose. The data is not to be used for any other purpose.

Approved by

Wilawan Borirak
Manager

ADDRESS: 616/10 Moo 5 T. Maenam Khu A. Phukdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556

ALL INFORMATION CONTAINED HEREIN IS THE PROPERTY OF ALS GLOBAL CO., LTD. AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.

Life Sciences RIGHT SOLUTIONS

www.alsglobal.com

RIGHT SOLUTIONS RIGHTLY AND BETTER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Sample No. 2520545-1

Parameter เลื่อนฐาน

Location ถนนพหลโยธิน/7 บ้านนาบึงเก่า จุด 1 (ด้านทิศใต้ของถนน) (GPS 47P 0736225, 1455659)

Measurement Date May 04 - 05, 2025

Measurement by Anuwet Terna

Sound Level Meter 00734220

Page 3 of 3

Lot ID: 2520545

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report Number : 3321950-1

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะปฏิบัติการ	ระดับเสียง (dB(A))		เสียงพื้นฐาน	ค่ารวมการรบกวน
			กลางคืน	กลางวัน		
03:40 AM - 03:45 AM	51.7	51.5	-	41.2	47.1	-5.9
03:45 AM - 03:50 AM	50.2	50.6	-	n/a	46.1	-
03:50 AM - 03:55 AM	50.1	50.3	-	n/a	45.6	-
03:55 AM - 04:00 AM	50.5	50.4	-	37.1	45.7	-8.6
04:00 AM - 04:05 AM	51.2	51.0	-	40.7	46.1	-5.4
04:05 AM - 04:10 AM	53.2	53.6	-	n/a	52.4	-
04:10 AM - 04:15 AM	50.8	51.0	-	n/a	46.4	-
04:15 AM - 04:20 AM	51.0	51.1	-	n/a	46.5	-
04:20 AM - 04:25 AM	51.3	51.1	-	40.8	46.0	-5.2
04:25 AM - 04:30 AM	50.6	51.0	-	n/a	46.8	-
04:30 AM - 04:35 AM	50.6	50.8	-	n/a	46.9	-
04:35 AM - 04:40 AM	51.0	50.9	-	37.6	47.0	-9.4
04:40 AM - 04:45 AM	50.6	50.4	-	40.1	46.2	-6.1
04:45 AM - 04:50 AM	51.8	52.2	-	n/a	48.9	-
04:50 AM - 04:55 AM	51.0	51.2	-	n/a	48.4	-
04:55 AM - 05:00 AM	51.9	51.3	-	46.0	48.5	-2.5
05:00 AM - 05:05 AM	50.5	50.3	-	40.0	46.4	-6.4
05:05 AM - 05:10 AM	49.4	49.8	-	n/a	45.9	-
05:10 AM - 05:15 AM	50.8	51.3	-	48.3	48.3	-
05:15 AM - 05:20 AM	50.0	49.9	-	36.6	45.3	-8.9
05:20 AM - 05:25 AM	49.8	50.1	-	n/a	45.7	-
05:25 AM - 05:30 AM	49.2	49.6	-	n/a	44.8	-
05:30 AM - 05:35 AM	50.6	50.8	-	n/a	47.2	-
05:35 AM - 05:40 AM	52.5	52.4	-	38.1	48.2	-9.1
05:40 AM - 05:45 AM	50.2	50.5	-	n/a	46.9	-
05:45 AM - 05:50 AM	49.9	50.3	-	n/a	45.5	-
05:50 AM - 05:55 AM	48.7	48.9	-	n/a	44.3	-
05:55 AM - 06:00 AM	50.3	50.2	-	36.9	46.3	-9.4
06:00 AM - 07:00 AM	51.6	51.8	n/a	-	48.1	-
07:00 AM - 08:00 AM	52.1	52.3	n/a	-	47.7	-
08:00 AM - 09:00 AM	51.2	51.3	n/a	-	47.3	-
09:00 AM - 10:00 AM	50.4	50.5	n/a	-	47.0	-

Reference Method :

1. ISO 1996-1

2. กรมควบคุมมลพิษ พ.ร.บ. ควบคุมมลพิษ พ.ศ. 2561 และฉบับแก้ไขเพิ่มเติม (ฉบับที่ 2) พ.ศ. 2567

หมายเหตุ : 1. ผลการตรวจวัดค่าเสียงตามเกณฑ์มาตรฐานเสียงรบกวนชุมชนและเมือง (ตามข้อกำหนดของกรมควบคุมมลพิษ พ.ศ. 2561)

2. ผลการตรวจวัดค่าเสียงตามเกณฑ์มาตรฐานเสียงรบกวนชุมชนและเมือง (ตามข้อกำหนดของกรมควบคุมมลพิษ พ.ศ. 2561)

3. ผลการตรวจวัดค่าเสียงตามเกณฑ์มาตรฐานเสียงรบกวนชุมชนและเมือง (ตามข้อกำหนดของกรมควบคุมมลพิษ พ.ศ. 2561)

4. ผลการตรวจวัดค่าเสียงตามเกณฑ์มาตรฐานเสียงรบกวนชุมชนและเมือง (ตามข้อกำหนดของกรมควบคุมมลพิษ พ.ศ. 2561)

5. ผลการตรวจวัดค่าเสียงตามเกณฑ์มาตรฐานเสียงรบกวนชุมชนและเมือง (ตามข้อกำหนดของกรมควบคุมมลพิษ พ.ศ. 2561)

6. ผลการตรวจวัดค่าเสียงตามเกณฑ์มาตรฐานเสียงรบกวนชุมชนและเมือง (ตามข้อกำหนดของกรมควบคุมมลพิษ พ.ศ. 2561)

7. ผลการตรวจวัดค่าเสียงตามเกณฑ์มาตรฐานเสียงรบกวนชุมชนและเมือง (ตามข้อกำหนดของกรมควบคุมมลพิษ พ.ศ. 2561)

8. ผลการตรวจวัดค่าเสียงตามเกณฑ์มาตรฐานเสียงรบกวนชุมชนและเมือง (ตามข้อกำหนดของกรมควบคุมมลพิษ พ.ศ. 2561)

9. ผลการตรวจวัดค่าเสียงตามเกณฑ์มาตรฐานเสียงรบกวนชุมชนและเมือง (ตามข้อกำหนดของกรมควบคุมมลพิษ พ.ศ. 2561)

10. ผลการตรวจวัดค่าเสียงตามเกณฑ์มาตรฐานเสียงรบกวนชุมชนและเมือง (ตามข้อกำหนดของกรมควบคุมมลพิษ พ.ศ. 2561)

This document is valid only for the use and location specified in the report. It is not to be used for any other purpose. The data is for information only and is not to be used for legal purposes. The data is not to be used for any other purpose. The data is not to be used for any other purpose.

Approved by

Wilawan Borirak
Manager

ADDRESS: 616/10 Moo 5 T. Maenam Khu A. Phukdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556

ALL INFORMATION CONTAINED HEREIN IS THE PROPERTY OF ALS GLOBAL CO., LTD. AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.

Life Sciences RIGHT SOLUTIONS

www.alsglobal.com

RIGHT SOLUTIONS RIGHTLY AND BETTER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Lot ID: 2520545

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report Number : 3321951-1

Page 1 of 3

Sample No. : 2520545-2
Parameter : เสียงตามสาย
Location : ถนนสาย 7 บ้านนาเกลือ ซอย 1 (ด้านทิศใต้ของโครงการ) (GPS 47P 0736225, 1455659)
Measurement Date : May 05 - 06, 2025
Measurement by : Anuwat Tema
Sound Level Meter : 00734220

เวลา	เสียงจากแหล่งกำเนิด	เสียงตามสาย	ระดับเสียง (dB(A))		ค่ารวม
			กลางวัน	กลางคืน	
10:00 AM - 11:00 AM	51.2	51.2	n/a	47.4	-
11:00 AM - 12:00 PM	51.6	51.7	n/a	46.3	-
12:00 PM - 01:00 PM	51.3	50.0	45.4	-	-0.9
01:00 PM - 02:00 PM	56.9	56.1	49.2	52.3	-3.1
02:00 PM - 03:00 PM	55.2	56.4	n/a	52.8	-
03:00 PM - 04:00 PM	56.0	55.6	45.4	52.7	-7.3
04:00 PM - 05:00 PM	54.6	55.4	n/a	52.2	-
05:00 PM - 06:00 PM	55.0	54.7	43.2	51.8	-8.6
06:00 PM - 07:00 PM	52.8	53.5	n/a	51.3	-
07:00 PM - 08:00 PM	55.4	53.0	51.7	48.9	2.8
08:00 PM - 09:00 PM	51.1	52.5	n/a	49.1	-
09:00 PM - 10:00 PM	49.7	50.0	n/a	45.9	-
10:00 PM - 10:05 PM	51.5	49.5	-	46.2	3.8
10:05 PM - 10:10 PM	51.7	49.7	50.4	47.5	2.9
10:10 PM - 10:15 PM	50.8	51.9	n/a	46.4	-
10:15 PM - 10:20 PM	48.0	51.6	n/a	47.6	-
10:20 PM - 10:25 PM	49.1	52.3	n/a	47.4	-
10:25 PM - 10:30 PM	47.0	49.2	n/a	45.9	-
10:30 PM - 10:35 PM	48.0	49.5	n/a	45.5	-
10:35 PM - 10:40 PM	46.6	47.6	n/a	43.7	-
10:40 PM - 10:45 PM	51.1	48.0	51.2	44.7	6.5
10:45 PM - 10:50 PM	48.8	47.3	46.5	43.8	2.7
10:50 PM - 10:55 PM	47.0	50.5	n/a	46.2	-
10:55 PM - 11:00 PM	48.5	50.0	n/a	45.2	-
11:00 PM - 11:05 PM	48.7	47.7	44.8	43.1	1.7
11:05 PM - 11:10 PM	50.3	49.2	46.8	46.4	0.4
11:10 PM - 11:15 PM	47.8	48.3	n/a	45.2	-
11:15 PM - 11:20 PM	49.2	51.4	n/a	47.6	-
11:20 PM - 11:25 PM	50.6	48.7	49.1	45.2	3.9
11:25 PM - 11:30 PM	48.6	49.1	n/a	44.6	-
11:30 PM - 11:35 PM	48.0	50.8	n/a	45.7	-
11:35 PM - 11:40 PM	46.8	48.8	n/a	45.0	-
11:40 PM - 11:45 PM	48.3	49.0	n/a	45.8	-
11:45 PM - 11:50 PM	48.2	48.0	37.7	45.2	-7.5
11:50 PM - 11:55 PM	46.2	48.6	n/a	44.6	-
11:55 PM - 12:00 AM	44.9	49.1	n/a	45.4	-
12:00 AM - 12:05 AM	47.0	44.8	n/a	47.8	-
12:05 AM - 12:10 AM	49.5	47.0	48.9	44.2	4.7
12:10 AM - 12:15 AM	46.9	47.9	n/a	45.1	-
12:15 AM - 12:20 AM	48.4	50.5	-	46.8	-

This report is valid only if the sound level meter (SLM) is calibrated in accordance with the standard of the International Union of Pure and Applied Chemistry (IUPAC) and the standard of the International Union of Pure and Applied Physics (IUPAP) and the standard of the International Union of Pure and Applied Mathematics (IUPM).

Approved by

Wilawan Borirak

Wilawan Borirak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Prachaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. AN ALS LIMITED COMPANY

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Lot ID: 2520545

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report Number : 3321951-1

Page 2 of 3

Sample No. : 2520545-2
Parameter : เสียงตามสาย
Location : ถนนสาย 7 บ้านนาเกลือ ซอย 1 (ด้านทิศใต้ของโครงการ) (GPS 47P 0736225, 1455659)
Measurement Date : May 05 - 06, 2025
Measurement by : Anuwat Tema
Sound Level Meter : 00734220

เวลา	เสียงจากแหล่งกำเนิด	เสียงตามสาย	ระดับเสียง (dB(A))		ค่ารวม
			กลางวัน	กลางคืน	
12:20 AM - 12:25 AM	47.2	47.6	n/a	44.2	-
12:25 AM - 12:30 AM	47.5	48.6	n/a	44.3	-
12:30 AM - 12:35 AM	49.2	48.1	-	45.7	2.2
12:35 AM - 12:40 AM	48.0	47.3	-	42.7	-1.4
12:40 AM - 12:45 AM	49.2	49.5	-	n/a	47.0
12:45 AM - 12:50 AM	49.1	47.4	-	42.2	2.8
12:50 AM - 12:55 AM	48.6	47.8	-	44.9	44.4
12:55 AM - 01:00 AM	48.3	51.0	-	n/a	46.0
01:00 AM - 01:05 AM	46.9	49.0	-	n/a	44.8
01:05 AM - 01:10 AM	47.6	49.2	-	n/a	44.6
01:10 AM - 01:15 AM	47.4	48.9	-	40.8	43.9
01:15 AM - 01:20 AM	48.0	48.5	-	n/a	42.8
01:20 AM - 01:25 AM	47.3	47.9	-	n/a	44.0
01:25 AM - 01:30 AM	47.3	47.7	-	44.6	44.6
01:30 AM - 01:35 AM	47.8	50.0	-	n/a	45.8
01:35 AM - 01:40 AM	48.8	48.8	-	44.4	44.4
01:40 AM - 01:45 AM	48.9	48.2	-	43.6	45.7
01:45 AM - 01:50 AM	48.1	49.4	-	n/a	45.1
01:50 AM - 01:55 AM	45.1	50.4	-	n/a	44.8
01:55 AM - 02:00 AM	47.9	48.6	-	n/a	44.1
02:00 AM - 02:05 AM	48.4	46.3	-	47.2	42.5
02:05 AM - 02:10 AM	48.2	47.7	-	41.6	42.0
02:10 AM - 02:15 AM	46.1	48.4	-	n/a	44.8
02:15 AM - 02:20 AM	47.1	49.0	-	n/a	45.5
02:20 AM - 02:25 AM	47.4	47.1	-	38.6	46.2
02:25 AM - 02:30 AM	46.4	47.2	-	n/a	44.6
02:30 AM - 02:35 AM	47.6	47.7	-	n/a	43.9
02:35 AM - 02:40 AM	48.2	47.1	-	44.7	44.2
02:40 AM - 02:45 AM	49.5	47.3	-	48.5	43.6
02:45 AM - 02:50 AM	48.4	48.4	-	n/a	43.8
02:50 AM - 02:55 AM	46.5	49.9	-	n/a	45.2
02:55 AM - 03:00 AM	48.3	48.6	-	n/a	45.0
03:00 AM - 03:05 AM	46.2	46.9	-	n/a	43.5
03:05 AM - 03:10 AM	47.2	48.3	-	n/a	44.3
03:10 AM - 03:15 AM	46.3	46.4	-	n/a	42.2
03:15 AM - 03:20 AM	49.0	46.8	-	48.0	43.0
03:20 AM - 03:25 AM	47.7	46.3	-	45.1	42.8
03:25 AM - 03:30 AM	47.3	48.1	-	n/a	44.2
03:30 AM - 03:35 AM	46.8	47.5	-	n/a	44.3
03:35 AM - 03:40 AM	47.3	47.3	-	n/a	43.2

This report is valid only if the sound level meter (SLM) is calibrated in accordance with the standard of the International Union of Pure and Applied Chemistry (IUPAC) and the standard of the International Union of Pure and Applied Physics (IUPAP) and the standard of the International Union of Pure and Applied Mathematics (IUPM).

Approved by

Wilawan Borirak

Wilawan Borirak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Prachaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. AN ALS LIMITED COMPANY

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Lot ID: 2520545

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report Number : 3321952-1

Page 3 of 3

Sample No. 2520545-2

Parameter เลื่อนฐาน

Location กลุ่มบ้าน 7 บ้านนาใหม่ 1 (ด้านใต้ของโครงการ) (GPS 47P 0736225, 1455699)

Measurement Date May 05 - 06, 2025

Measurement by Anuwit Tema

Sound Level Meter 00734220

เวลา	เสียงจากแหล่งกำเนิด	เสียงตามระยะ (dB(A))		เสียงพื้นฐาน	ค่ารวมการรบกวน
		ค่าจริง	ค่าเฉลี่ย		
03:40 AM - 03:45 AM	47.3	-	39.7	42.9	-3.2
03:45 AM - 03:50 AM	47.1	-	42.4	42.3	0.1
03:50 AM - 03:55 AM	48.7	-	44.8	43.3	1.5
03:55 AM - 04:00 AM	48.5	-	46.6	43.2	3.4
04:00 AM - 04:05 AM	47.4	-	n/a	43.7	-
04:05 AM - 04:10 AM	48.5	-	n/a	44.6	-
04:10 AM - 04:15 AM	49.6	-	49.3	43.3	6.0
04:15 AM - 04:20 AM	49.7	-	49.2	44.1	5.1
04:20 AM - 04:25 AM	51.1	-	50.4	44.4	6.0
04:25 AM - 04:30 AM	50.9	-	49.2	45.4	3.8
04:30 AM - 04:35 AM	53.1	-	52.1	47.1	5.0
04:35 AM - 04:40 AM	51.9	-	46.6	46.5	0.1
04:40 AM - 04:45 AM	50.8	-	n/a	47.3	-
04:45 AM - 04:50 AM	51.3	-	n/a	47.0	-
04:50 AM - 04:55 AM	52.5	-	51.0	46.1	4.9
04:55 AM - 05:00 AM	51.1	-	47.8	46.3	1.5
05:00 AM - 05:05 AM	51.1	-	n/a	47.2	-
05:05 AM - 05:10 AM	51.7	-	n/a	48.1	-
05:10 AM - 05:15 AM	51.9	-	48.5	47.9	0.6
05:15 AM - 05:20 AM	51.1	-	51.8	45.9	5.9
05:20 AM - 05:25 AM	52.7	-	50.8	47.7	3.1
05:25 AM - 05:30 AM	52.6	-	n/a	50.1	-
05:30 AM - 05:35 AM	52.8	-	45.2	48.5	-3.3
05:35 AM - 05:40 AM	54.0	-	52.1	49.3	2.8
05:40 AM - 05:45 AM	53.2	-	52.6	50.5	-3.2
05:45 AM - 05:50 AM	54.2	-	48.3	50.0	-1.7
05:50 AM - 05:55 AM	53.0	-	39.6	49.9	-10.3
05:55 AM - 06:00 AM	51.3	-	n/a	48.4	-
06:00 AM - 07:00 AM	51.5	-	n/a	48.0	-
07:00 AM - 08:00 AM	49.5	-	33.1	45.1	-12.0
08:00 AM - 09:00 AM	54.5	-	49.6	48.8	0.8
09:00 AM - 10:00 AM	50.7	-	n/a	47.1	± 10

Reference Method:

- ISO 9966-1
- กรมการขนส่งทางบก เรื่อง วิธีการวัดระดับเสียงการจราจร ปี 2568

หมายเหตุ : 1. ผลการตรวจวัดเสียงตามระยะ คือ ค่าเฉลี่ยระดับเสียงการจราจรและระดับเสียงจากแหล่งกำเนิดเสียงตามระยะการจราจร พ.ศ. 2568

2. ผลการตรวจวัดเสียงตามระยะ คือ ค่าเฉลี่ยระดับเสียงการจราจรและระดับเสียงจากแหล่งกำเนิดเสียงตามระยะการจราจร พ.ศ. 2561

Remark:

- ระดับเสียงตามระยะการจราจร วันที่ 05-06 พฤษภาคม 2568
- ระดับเสียงตามระยะการจราจร วันที่ 05-06 พฤษภาคม 2568
- ค่าเสียงตามระยะการจราจรตามโครงการเสียงตามระยะการจราจรตามโครงการเสียงตามระยะการจราจร

This report is the property of ALS and should not be reproduced or used in any form without the prior written consent of ALS. If it is reproduced in any form without the prior written consent of ALS, the user shall be liable for any damages or losses suffered by ALS.

Approved by

Wiwat Borrak
Manager

wibab.

ADDRESS: 616/10 Moo 5 T. Maenam Khw A. Phakdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Lot ID: 2520545

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report Number : 3321952-1

Page 1 of 3

Sample No. 2520545-3

Parameter เลื่อนฐาน

Location กลุ่มบ้าน 7 บ้านนาใหม่ 1 (ด้านใต้ของโครงการ) (GPS 47P 0736225, 1455699)

Measurement Date May 06 - 07, 2025

Measurement by Anuwit Tema

Sound Level Meter 00734220

เวลา	เสียงจากแหล่งกำเนิด	เสียงตามระยะ (dB(A))		เสียงพื้นฐาน	ค่ารวมการรบกวน
		ค่าจริง	ค่าเฉลี่ย		
10:00 AM - 11:00 AM	49.5	-	49.3	46.0	-10.0
11:00 AM - 12:00 PM	50.4	-	49.7	45.6	-3.5
12:00 PM - 01:00 PM	56.8	-	55.5	49.3	1.6
01:00 PM - 02:00 PM	56.0	-	55.3	47.9	-0.2
02:00 PM - 03:00 PM	58.0	-	56.2	52.2	1.1
03:00 PM - 04:00 PM	54.2	-	54.8	51.2	-
04:00 PM - 05:00 PM	52.0	-	51.4	47.9	-4.8
05:00 PM - 06:00 PM	54.9	-	51.5	47.9	4.3
06:00 PM - 07:00 PM	52.3	-	53.4	50.7	-
07:00 PM - 08:00 PM	51.9	-	51.0	48.1	-3.5
08:00 PM - 09:00 PM	50.7	-	52.2	44.6	-
09:00 PM - 10:00 PM	51.2	-	51.3	48.9	-
10:00 PM - 10:05 PM	52.8	-	52.8	48.8	-9.3
10:05 PM - 10:10 PM	52.7	-	54.6	n/a	-
10:10 PM - 10:15 PM	53.5	-	53.3	51.9	-
10:15 PM - 10:20 PM	51.3	-	52.8	51.7	-
10:20 PM - 10:25 PM	52.1	-	52.8	51.3	-
10:25 PM - 10:30 PM	54.3	-	52.2	50.3	-
10:30 PM - 10:35 PM	50.3	-	53.9	50.3	-
10:35 PM - 10:40 PM	50.5	-	54.4	48.6	-
10:40 PM - 10:45 PM	48.5	-	52.0	48.8	-
10:45 PM - 10:50 PM	49.3	-	52.8	46.2	0.9
10:50 PM - 10:55 PM	50.1	-	49.1	45.3	4.3
10:55 PM - 11:00 PM	51.3	-	49.4	45.5	0.3
11:00 PM - 11:05 PM	51.6	-	50.7	47.0	-
11:05 PM - 11:10 PM	50.9	-	51.6	48.2	-
11:10 PM - 11:15 PM	53.7	-	52.9	49.0	0.0
11:15 PM - 11:20 PM	53.0	-	52.5	46.4	-3.0
11:20 PM - 11:25 PM	52.2	-	54.9	52.4	-
11:25 PM - 11:30 PM	52.3	-	54.0	51.6	-
11:30 PM - 11:35 PM	54.1	-	53.4	50.5	-1.7
11:35 PM - 11:40 PM	53.0	-	52.5	49.9	-3.5
11:40 PM - 11:45 PM	53.4	-	54.3	52.3	-
11:45 PM - 11:50 PM	52.8	-	53.6	50.3	-
11:50 PM - 11:55 PM	53.2	-	54.4	52.4	-
11:55 PM - 12:00 AM	53.4	-	53.8	52.1	-
12:00 AM - 12:05 AM	53.2	-	53.8	52.2	-
12:05 AM - 12:10 AM	53.5	-	54.0	52.2	-
12:10 AM - 12:15 AM	52.3	-	54.6	51.9	-
12:15 AM - 12:20 AM	51.8	-	54.9	53.0	-

This report is the property of ALS and should not be reproduced or used in any form without the prior written consent of ALS. If it is reproduced in any form without the prior written consent of ALS, the user shall be liable for any damages or losses suffered by ALS.

Approved by

Wiwat Borrak
Manager

wibab.

ADDRESS: 616/10 Moo 5 T. Maenam Khw A. Phakdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Nong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321952-1

Project Name	: Monitoring
Project Location	: WHA ESIE 2.1

Page 7 of 3

Sample No.	2520545-3
Parameter	เสียงรบกวน
Location	ถนนสุขุมวิท กรุงเทพมหานคร 1 (ด้านทิศใต้ของโครงการ) (GPS 47P 0736225, 1455689)
Measurement Date	May 06 - 07, 2025
Measurement by	Anuwat Tera
Sound Level Meter	00734220

เวลา	เสียงจาก แป้นพิมพ์	เสียงรวม: ไม่กรรรมาน	รหัสเสียง (SB(A))			เสียงพื้นฐาน	คำอธิบาย กรรรมาน
			เสียงขณะกรรรมาน		เสียงรวม: ไม่กรรรมาน		
			กรรรมาน	กลางคืน			
12:20 AM - 12:25 AM	52.1	53.5	-	ก/า	47.5	-	
12:25 AM - 12:30 AM	54.0	53.8	-	43.5	49.1	-5.6	
12:30 AM - 12:35 AM	53.9	54.5	-	ก/า	50.7	-	
12:35 AM - 12:40 AM	53.4	55.2	-	ก/า	53.2	-	
12:40 AM - 12:45 AM	53.7	55.2	-	ก/า	52.9	-	
12:45 AM - 12:50 AM	51.8	54.8	-	ก/า	52.3	-	
12:50 AM - 12:55 AM	51.6	54.9	-	ก/า	52.2	-	
12:55 AM - 01:00 AM	51.5	52.8	-	ก/า	49.5	-	
01:00 AM - 01:05 AM	46.8	52.7	-	ก/า	47.5	-	
01:05 AM - 01:10 AM	45.4	52.1	-	ก/า	48.6	-	
01:10 AM - 01:15 AM	47.2	48.4	-	ก/า	44.1	-	
01:15 AM - 01:20 AM	46.2	46.3	-	ก/า	40.8	-	
01:20 AM - 01:25 AM	42.8	46.2	-	ก/า	41.4	-	
01:25 AM - 01:30 AM	44.4	45.8	-	ก/า	41.5	-	
01:30 AM - 01:35 AM	48.4	42.6	-	50.1	39.4	10.7	
01:35 AM - 01:40 AM	46.7	43.6	-	46.8	40.3	6.5	
01:40 AM - 01:45 AM	48.3	47.4	-	44.0	43.1	0.9	
01:45 AM - 01:50 AM	48.7	46.9	-	47.0	41.3	5.7	
01:50 AM - 01:55 AM	49.0	50.3	-	ก/า	47.7	-	
01:55 AM - 02:00 AM	49.6	50.5	-	ก/า	47.4	-	
02:00 AM - 02:05 AM	49.1	50.9	-	ก/า	48.0	-	
02:05 AM - 02:10 AM	49.4	51.0	-	ก/า	48.5	-	
02:10 AM - 02:15 AM	50.7	48.9	-	49.0	42.7	6.3	
02:15 AM - 02:20 AM	49.6	50.3	-	ก/า	46.9	-	
02:20 AM - 02:25 AM	49.4	51.0	-	ก/า	47.3	-	
02:25 AM - 02:30 AM	49.2	50.3	-	ก/า	47.9	-	
02:30 AM - 02:35 AM	49.7	50.0	-	ก/า	47.5	-	
02:35 AM - 02:40 AM	50.9	50.2	-	45.6	47.1	-1.5	
02:40 AM - 02:45 AM	49.9	51.2	-	ก/า	47.6	-	
02:45 AM - 02:50 AM	47.3	52.4	-	ก/า	49.6	-	
02:50 AM - 02:55 AM	47.6	51.5	-	ก/า	48.1	-	
02:55 AM - 03:00 AM	48.2	47.7	-	41.6	43.6	-2.0	
03:00 AM - 03:05 AM	49.8	47.2	-	49.3	42.7	6.6	
03:05 AM - 03:10 AM	49.2	48.9	-	40.4	44.5	-4.1	
03:10 AM - 03:15 AM	47.8	49.5	-	ก/า	42.9	-	
03:15 AM - 03:20 AM	52.7	49.1	-	53.2	46.3	6.9	
03:20 AM - 03:25 AM	48.5	47.3	-	45.3	43.8	1.5	
03:25 AM - 03:30 AM	49.1	51.8	-	ก/า	43.0	-	
03:30 AM - 03:35 AM	47.7	48.0	-	44.9	44.9	-	
03:35 AM - 03:40 AM	48.7	48.0	-	ก/า	44.6	-	

1. ISO 1996-1
2. ประเทศกัมพูชาจะพัฒนาเมืองการเกษตร ระดับเมืองในปี 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2557

นาคธรรมา

1. ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่าระดับเสียงที่เกิดจากอาคารประกอบกิจการโรงงาน พ.ศ. 2548
2. ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานเสียงระดับเสียงที่เกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2551

Remark:

1. วัสดุเป็นสีทองแดงที่เก่าแก่ หากการตรวจพบ วันที่ 06-07 พฤษภาคม 2568
2. วัสดุเป็นสีทองแดงและสีเงินและสีเงินไม่มีการกร่อน (Sample No.2520546-3 วันที่ตรวจพบ 06-07 พฤษภาคม 2568)
3. ปูน: ปูนสามารถตรวจสอบได้และมีการกร่อนเล็กน้อยและมีการกร่อนเล็กน้อยและสีเงินและสีเงินไม่มีการกร่อน

The above data are used only for the individualized sensitivity as indicated in this rating. Not part of this report or certificate are being obtained in any form without written consent from the Laboratory. A-5 (Laboratory Group) (Third and) offering a treatment. But this report is not to be used in a court of law.

Wilawan Borirak
Manager

DOI:10.1016/j.mbs.2010.06.005

[illegible]

www.alsglobal.com

EIGHT SOLUTIONS *David B. Foray and Richard A. Lippman*EIGHT SOLUTIONS *David B. Foray and Richard A. Lippman*



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Lot ID: 2520545

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report Number : 3321953-1

Page 1 of 3

Sample No. 2520545-4
Parameter เสียงรบกวน
Location ถนนสุขุมวิท/ บ้านสวนกล้วย 1 (ด้านทิศใต้ของโครงการ) (GPS 47P 0736225, 1455659)
Measurement Date May 07 - 08, 2025
Measurement by Anuwit Terna
Sound Level Meter 00734220

เวลา	เสียงจากแหล่งกำเนิด	ระดับเสียง (dB(A))		เสียงรบกวน	การรบกวน
		ไม่มีการรบกวน	มีการรบกวน		
10:00 AM - 11:00 AM	56.8	n/a	n/a	52.8	-
11:00 AM - 12:00 PM	53.7	52.4	41.9	50.5	-8.6
12:00 PM - 01:00 PM	54.0	54.1	n/a	51.1	-
01:00 PM - 02:00 PM	52.7	51.7	45.8	48.8	-3.0
02:00 PM - 03:00 PM	54.6	51.2	51.9	48.6	3.3
03:00 PM - 04:00 PM	63.1	60.3	59.9	57.4	2.5
04:00 PM - 05:00 PM	51.7	51.5	38.2	48.7	-10.5
05:00 PM - 06:00 PM	52.5	52.5	n/a	48.8	-
06:00 PM - 07:00 PM	53.5	53.7	n/a	51.6	-
07:00 PM - 08:00 PM	51.7	54.2	n/a	51.8	-
08:00 PM - 09:00 PM	53.2	53.9	n/a	50.4	-
09:00 PM - 10:00 PM	51.5	53.9	n/a	50.3	-
10:00 PM - 10:05 PM	48.7	50.5	n/a	47.4	-
10:05 PM - 10:10 PM	47.9	49.2	n/a	45.9	-
10:10 PM - 10:15 PM	50.9	49.2	49.0	46.7	2.3
10:15 PM - 10:20 PM	49.8	47.8	48.5	46.8	3.7
10:20 PM - 10:25 PM	51.1	50.1	47.2	46.2	-1.0
10:25 PM - 10:30 PM	51.6	49.7	50.1	47.2	2.9
10:30 PM - 10:35 PM	49.8	50.5	n/a	47.4	-
10:35 PM - 10:40 PM	50.1	54.2	n/a	47.6	-
10:40 PM - 10:45 PM	50.1	54.3	n/a	46.4	-
10:45 PM - 10:50 PM	51.1	53.7	n/a	47.4	-
10:50 PM - 10:55 PM	51.3	53.6	n/a	46.2	-
10:55 PM - 11:00 PM	52.0	54.9	n/a	48.6	-
11:00 PM - 11:05 PM	51.4	55.7	n/a	48.4	-
11:05 PM - 11:10 PM	51.2	54.0	n/a	48.0	-
11:10 PM - 11:15 PM	51.1	53.0	n/a	49.5	-
11:15 PM - 11:20 PM	50.8	54.0	n/a	48.4	-
11:20 PM - 11:25 PM	50.7	54.9	n/a	48.5	-
11:25 PM - 11:30 PM	48.7	54.3	n/a	48.4	-
11:30 PM - 11:35 PM	47.7	53.9	n/a	45.8	-
11:35 PM - 11:40 PM	49.0	53.4	n/a	45.8	-
11:40 PM - 11:45 PM	57.4	49.5	59.6	45.6	14.0
11:45 PM - 11:50 PM	50.5	52.6	n/a	47.2	-
11:50 PM - 11:55 PM	50.7	58.0	n/a	47.3	-
11:55 PM - 12:00 AM	52.0	53.5	n/a	47.9	-
12:00 AM - 12:05 AM	49.2	52.9	n/a	47.2	-
12:05 AM - 12:10 AM	50.9	52.1	n/a	46.1	-
12:10 AM - 12:15 AM	50.0	51.5	n/a	47.4	-
12:15 AM - 12:20 AM	50.4	54.3	n/a	47.5	-

Approved by

Wilawan Borrak

Wilawan Borrak
Manager

The above results are valid only for the specified parameters as indicated in the report. No part of the report or certificate may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) Private Limited reserves the right to amend the report without notice.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) LTD. 47/2, KITE, MAJAL, Limited Companies

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Lot ID: 2520545

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report Number : 3321953-1

Page 2 of 3

Sample No. 2520545-4
Parameter เสียงรบกวน
Location ถนนสุขุมวิท/ บ้านสวนกล้วย 1 (ด้านทิศใต้ของโครงการ) (GPS 47P 0736225, 1455659)
Measurement Date May 07 - 08, 2025
Measurement by Anuwit Terna
Sound Level Meter 00734220

เวลา	เสียงจากแหล่งกำเนิด	ระดับเสียง (dB(A))		เสียงรบกวน	การรบกวน
		ไม่มีการรบกวน	มีการรบกวน		
12:20 AM - 12:25 AM	49.4	51.8	n/a	47.3	-
12:25 AM - 12:30 AM	49.3	53.9	n/a	50.3	-
12:30 AM - 12:35 AM	48.2	53.4	n/a	49.1	-
12:35 AM - 12:40 AM	49.9	51.1	n/a	48.2	-
12:40 AM - 12:45 AM	48.2	50.2	n/a	46.2	-
12:45 AM - 12:50 AM	48.5	49.4	n/a	44.9	-
12:50 AM - 12:55 AM	48.0	49.1	n/a	46.1	-
12:55 AM - 01:00 AM	49.4	51.9	n/a	47.2	-
01:00 AM - 01:05 AM	47.6	52.4	n/a	46.0	-
01:05 AM - 01:10 AM	48.2	50.4	n/a	47.7	-
01:10 AM - 01:15 AM	49.7	49.3	42.1	46.8	-4.7
01:15 AM - 01:20 AM	47.8	50.8	n/a	48.8	-
01:20 AM - 01:25 AM	48.6	51.5	n/a	47.9	-
01:25 AM - 01:30 AM	48.5	50.3	n/a	47.0	-
01:30 AM - 01:35 AM	48.8	50.4	n/a	46.5	-
01:35 AM - 01:40 AM	48.5	49.5	n/a	46.0	-
01:40 AM - 01:45 AM	49.6	50.1	n/a	47.1	-
01:45 AM - 01:50 AM	50.0	48.9	46.5	45.5	1.0
01:50 AM - 01:55 AM	48.7	50.8	n/a	45.8	-
01:55 AM - 02:00 AM	48.7	49.8	n/a	45.4	-
02:00 AM - 02:05 AM	48.7	50.4	n/a	44.5	-
02:05 AM - 02:10 AM	49.8	48.4	n/a	44.9	-
02:10 AM - 02:15 AM	49.8	48.2	n/a	47.7	-
02:15 AM - 02:20 AM	48.5	49.5	n/a	45.1	-
02:20 AM - 02:25 AM	47.1	48.9	n/a	44.8	-
02:25 AM - 02:30 AM	47.0	48.3	n/a	45.3	-
02:30 AM - 02:35 AM	46.0	46.7	n/a	43.2	-
02:35 AM - 02:40 AM	46.5	47.3	n/a	44.1	-
02:40 AM - 02:45 AM	46.8	45.7	43.3	43.4	-0.1
02:45 AM - 02:50 AM	46.1	46.7	n/a	43.0	-
02:50 AM - 02:55 AM	46.1	46.9	n/a	44.1	-
02:55 AM - 03:00 AM	46.4	46.8	n/a	43.7	-
03:00 AM - 03:05 AM	46.4	46.6	n/a	42.9	-
03:05 AM - 03:10 AM	46.0	46.8	n/a	43.3	-
03:10 AM - 03:15 AM	47.0	46.7	n/a	38.2	-4.9
03:15 AM - 03:20 AM	47.7	46.5	n/a	44.5	-
03:20 AM - 03:25 AM	47.4	46.6	n/a	42.7	-
03:25 AM - 03:30 AM	47.0	48.0	n/a	42.1	-
03:30 AM - 03:35 AM	48.8	47.8	n/a	44.9	-
03:35 AM - 03:40 AM	47.8	47.1	42.5	42.0	0.5

Approved by

Wilawan Borrak

Wilawan Borrak
Manager

The above results are valid only for the specified parameters as indicated in the report. No part of the report or certificate may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) Private Limited reserves the right to amend the report without notice.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) LTD. 47/2, KITE, MAJAL, Limited Companies

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Page 3 of 3

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321954-1

Sample No. 2520545-4
Parameter เสียงรบกวน
Location กลางบ้าน/7 บ้านนาบ่อแก้ว ซอย 1 (ด้านทิศใต้ของโครงการ) (GPS 47P 0736225, 1455659)
Measurement Date May 07 - 08, 2025
Measurement by Anuwet Tena
Sound Level Meter 00734220

เวลา	ระดับเสียง (dB(A))				ค่าระดับ การรบกวน
	เสียงจาก แหล่งกำเนิด	เสียงระยะ ใกล้/กึ่งกลาง	เสียงของโครงการ	ค่าเฉลี่ย	
03:40 AM - 03:45 AM	47.6	48.9	-	44.2	-
03:45 AM - 03:50 AM	46.7	48.4	-	43.5	-
03:50 AM - 03:55 AM	47.9	47.9	-	42.4	-
03:55 AM - 04:00 AM	50.3	47.5	-	43.5	7.0
04:00 AM - 04:05 AM	49.3	46.2	-	43.3	2.5
04:05 AM - 04:10 AM	48.1	50.2	-	44.6	-
04:10 AM - 04:15 AM	52.2	50.0	-	46.3	4.9
04:15 AM - 04:20 AM	50.7	48.3	-	44.8	5.2
04:20 AM - 04:25 AM	52.9	52.4	-	46.3	-0.1
04:25 AM - 04:30 AM	53.5	51.2	-	45.2	7.4
04:30 AM - 04:35 AM	51.9	52.5	-	48.9	-
04:35 AM - 04:40 AM	53.5	54.0	-	49.3	-
04:40 AM - 04:45 AM	51.9	51.7	-	47.9	-6.5
04:45 AM - 04:50 AM	52.2	53.1	-	48.4	-
04:50 AM - 04:55 AM	52.7	52.4	-	47.7	-3.8
04:55 AM - 05:00 AM	51.5	52.4	-	47.0	-
05:00 AM - 05:05 AM	52.8	51.6	-	46.4	3.2
05:05 AM - 05:10 AM	50.9	51.6	-	48.5	-
05:10 AM - 05:15 AM	51.2	52.3	-	48.4	-
05:15 AM - 05:20 AM	52.8	50.0	-	46.9	5.7
05:20 AM - 05:25 AM	51.5	51.2	-	47.2	-5.0
05:25 AM - 05:30 AM	52.0	51.6	-	47.9	-3.5
05:30 AM - 05:35 AM	51.7	51.6	-	47.6	-9.3
05:35 AM - 05:40 AM	51.6	51.7	-	48.2	-
05:40 AM - 05:45 AM	51.9	51.0	-	48.1	-0.5
05:45 AM - 05:50 AM	51.8	50.8	-	48.2	-0.3
05:50 AM - 05:55 AM	52.4	46.5	-	48.4	-1.9
05:55 AM - 06:00 AM	51.4	51.9	-	48.0	-
06:00 AM - 06:05 AM	51.2	51.0	-	47.3	-9.6
06:05 AM - 06:10 AM	51.6	52.4	-	47.2	-6.2
06:10 AM - 06:15 AM	52.5	41.0	-	48.4	-12.3
06:15 AM - 06:20 AM	52.4	38.9	-	48.9	-10.0
ค่าเฉลี่ยรวม					≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกระทรวงสาธารณสุข เรื่อง มาตรการป้องกันและลดผลกระทบจากเสียงรบกวน พ.ศ. 2567

หมายเหตุ : 1. ประกาศกระทรวงสาธารณสุข เรื่อง มาตรการป้องกันและลดผลกระทบจากเสียงรบกวน พ.ศ. 2568

2. ประกาศกระทรวงสาธารณสุข เรื่อง มาตรการป้องกันและลดผลกระทบจากเสียงรบกวน พ.ศ. 2569

3. n/a ไม่สามารถระบุระดับเสียงรบกวนจากแหล่งกำเนิดเสียงรบกวนได้เนื่องจากมีเสียงรบกวนจากแหล่งกำเนิดเสียงรบกวนอื่น

Remark:

- ระดับเสียงรบกวนจากแหล่งกำเนิดเสียงรบกวนอื่น (Sample No. 2520546-4) วัดในวันที่ 07-08 พฤษภาคม 2568
- ระดับเสียงรบกวนจากแหล่งกำเนิดเสียงรบกวนอื่น (Sample No. 2520546-4) วัดในวันที่ 07-08 พฤษภาคม 2568
- n/a ไม่สามารถระบุระดับเสียงรบกวนจากแหล่งกำเนิดเสียงรบกวนได้เนื่องจากมีเสียงรบกวนจากแหล่งกำเนิดเสียงรบกวนอื่น

This document is for internal use only. It is not to be distributed outside the company. If you have any questions, please contact the person who issued this document. (This document is for internal use only. It is not to be distributed outside the company. If you have any questions, please contact the person who issued this document.)

Approved by

Wilwan Borirak
Manager

Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Page 1 of 3

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321954-1

Sample No. 2520545-5
Parameter เสียงรบกวน
Location กลางบ้าน/7 บ้านนาบ่อแก้ว ซอย 1 (ด้านทิศใต้ของโครงการ) (GPS 47P 0736225, 1455659)
Measurement Date May 08 - 09, 2025
Measurement by Anuwet Tena
Sound Level Meter 00734220

เวลา	ระดับเสียง (dB(A))				เสียงรบกวน การรบกวน
	เสียงจาก แหล่งกำเนิด	เสียงระยะ ใกล้/กึ่งกลาง	เสียงของโครงการ	ค่าเฉลี่ย	
10:00 AM - 11:00 AM	53.1	51.9	-	49.0	-2.1
11:00 AM - 12:00 PM	57.1	56.3	-	49.4	-
12:00 PM - 01:00 PM	54.1	54.0	-	37.7	-
01:00 PM - 02:00 PM	54.0	54.5	-	50.6	-12.9
02:00 PM - 03:00 PM	53.9	53.7	-	50.7	-
03:00 PM - 04:00 PM	54.8	55.3	-	40.4	-10.5
04:00 PM - 05:00 PM	54.8	54.8	-	52.6	-
05:00 PM - 06:00 PM	53.2	53.1	-	54.8	-
06:00 PM - 07:00 PM	53.8	55.2	-	36.8	-
07:00 PM - 08:00 PM	53.0	53.2	-	53.1	-13.1
08:00 PM - 09:00 PM	52.9	54.4	-	50.2	-
09:00 PM - 10:00 PM	51.3	53.9	-	50.7	-
10:00 PM - 11:00 PM	48.9	51.0	-	50.0	-
11:00 PM - 12:00 AM	48.9	53.4	-	47.4	-
12:00 AM - 01:00 AM	50.1	52.1	-	49.1	-
01:00 AM - 02:00 AM	48.0	51.6	-	48.5	-
02:00 AM - 03:00 AM	49.2	51.5	-	47.7	-
03:00 AM - 04:00 AM	49.2	48.8	-	48.1	-
04:00 AM - 05:00 AM	49.7	52.6	-	45.9	-4.3
05:00 AM - 06:00 AM	49.5	52.9	-	48.9	-
06:00 AM - 07:00 AM	50.9	53.5	-	49.1	-
07:00 AM - 08:00 AM	48.2	53.0	-	50.0	-
08:00 AM - 09:00 AM	47.6	52.6	-	48.4	-
09:00 AM - 10:00 AM	49.0	51.7	-	48.1	-
10:00 AM - 11:00 AM	48.9	50.5	-	47.9	-
11:00 AM - 12:00 PM	49.1	52.1	-	47.8	-
12:00 PM - 01:00 PM	50.0	52.0	-	49.2	-
01:00 PM - 02:00 PM	50.2	51.8	-	49.8	-
02:00 PM - 03:00 PM	49.5	51.6	-	48.2	-
03:00 PM - 04:00 PM	48.5	52.9	-	49.3	-
04:00 PM - 05:00 PM	49.3	52.2	-	50.6	-
05:00 PM - 06:00 PM	49.0	51.5	-	50.7	-
06:00 PM - 07:00 PM	49.4	52.0	-	49.6	-
07:00 PM - 08:00 PM	49.8	51.6	-	49.9	-
08:00 PM - 09:00 PM	48.9	51.9	-	49.0	-
09:00 PM - 10:00 PM	48.9	51.9	-	49.9	-
10:00 PM - 11:00 PM	49.3	51.6	-	49.9	-
11:00 PM - 12:00 AM	49.1	51.1	-	49.1	-
12:00 AM - 01:00 AM	49.6	50.0	-	48.1	-
01:00 AM - 02:00 AM	49.4	49.4	-	47.0	-
02:00 AM - 03:00 AM	50.0	51.0	-	46.2	-
03:00 AM - 04:00 AM			-	47.2	-

Approved by

Wilwan Borirak
Manager

This document is for internal use only. It is not to be distributed outside the company. If you have any questions, please contact the person who issued this document. (This document is for internal use only. It is not to be distributed outside the company. If you have any questions, please contact the person who issued this document.)



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321954-1

Page 2 of 3

Sample No. 2520545-5
Parameter เลื่อนฐาน
Location กองพันนา7 ตำบลนาเกลือ จ.ชลบุรี (GPS 47P 0736225, 1455659)
Measurement Date May 08 - 09, 2025
Measurement by Anuwet Tenta
Sound Level Meter 00734220

เวลา	เสียงจากแหล่งกำเนิด	ระดับเสียง (dB(A))		เสียงพื้นฐาน	ค่าระดับการรบกวน
		เสียงขณะปฏิบัติการ	เสียงขณะพัก		
12:20 AM - 12:25 AM	49.3	51.9	-	48.0	-
12:25 AM - 12:30 AM	48.9	51.4	-	45.7	-
12:30 AM - 12:35 AM	49.2	51.5	-	48.0	-
12:35 AM - 12:40 AM	49.3	52.0	-	48.3	-
12:40 AM - 12:45 AM	48.8	52.2	-	47.8	-
12:45 AM - 12:50 AM	53.5	51.2	52.6	47.6	5.0
12:50 AM - 12:55 AM	50.4	50.7	-	47.2	-
12:55 AM - 01:00 AM	49.3	55.0	-	48.4	-
01:00 AM - 01:05 AM	48.4	52.8	-	49.3	-
01:05 AM - 01:10 AM	47.4	50.5	-	46.3	-
01:10 AM - 01:15 AM	48.3	50.2	-	47.4	-
01:15 AM - 01:20 AM	49.2	48.6	43.3	45.7	-
01:20 AM - 01:25 AM	48.5	50.9	-	46.3	-
01:25 AM - 01:30 AM	48.4	51.7	-	45.2	-
01:30 AM - 01:35 AM	49.8	53.0	-	49.3	-
01:35 AM - 01:40 AM	48.8	51.2	-	46.7	-
01:40 AM - 01:45 AM	50.6	52.6	-	48.4	-
01:45 AM - 01:50 AM	48.3	52.3	-	47.5	-
01:50 AM - 01:55 AM	48.4	53.3	-	49.5	-
01:55 AM - 02:00 AM	47.0	50.1	-	45.3	-
02:00 AM - 02:05 AM	46.1	50.0	-	46.1	-
02:05 AM - 02:10 AM	48.0	50.1	-	45.9	-
02:10 AM - 02:15 AM	48.4	49.2	-	44.3	-
02:15 AM - 02:20 AM	48.3	50.2	-	45.0	-
02:20 AM - 02:25 AM	49.1	51.7	-	47.1	-
02:25 AM - 02:30 AM	48.2	53.6	-	48.2	-
02:30 AM - 02:35 AM	48.4	52.4	-	47.9	-
02:35 AM - 02:40 AM	46.9	52.6	-	45.3	-
02:40 AM - 02:45 AM	48.2	52.7	-	48.3	-
02:45 AM - 02:50 AM	47.1	51.2	-	46.8	-
02:50 AM - 02:55 AM	46.5	52.1	-	47.4	-
02:55 AM - 03:00 AM	49.1	51.6	-	46.3	-
03:00 AM - 03:05 AM	47.3	51.8	-	45.5	-
03:05 AM - 03:10 AM	48.2	50.4	-	45.0	-
03:10 AM - 03:15 AM	46.9	50.0	-	43.6	-
03:15 AM - 03:20 AM	48.6	50.7	-	45.2	-
03:20 AM - 03:25 AM	48.8	49.6	-	43.1	-
03:25 AM - 03:30 AM	47.7	49.0	-	42.8	-
03:30 AM - 03:35 AM	46.6	50.0	-	45.6	-
03:35 AM - 03:40 AM	46.6	50.0	-	45.6	-

This document is valid only for the project and location mentioned in the header. It is not valid for any other project or location. Any use of this document for any other purpose is prohibited. The user must ensure that the data is accurate and reliable. The user must also ensure that the data is not misused or shared with any other person. The user must also ensure that the data is not used for any illegal or unethical purpose. The user must also ensure that the data is not used for any purpose that is not intended by the user.

Approved by

Wilawan Borrak
Manager

WLB

ADDRESS: 616/10 Moo 5 T. Maenam Khu A. Phukdaeng Rayong 21140 Thailand PHONE: 466 0 3304 8555 FAX: 466 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. ALL RIGHTS RESERVED

www.alsglobal.com

RIGHT SOLUTIONS

THAILAND



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321954-1

Page 3 of 3

Sample No. 2520545-5
Parameter เลื่อนฐาน
Location กองพันนา7 ตำบลนาเกลือ จ.ชลบุรี (GPS 47P 0736225, 1455659)
Measurement Date May 08 - 09, 2025
Measurement by Anuwet Tenta
Sound Level Meter 00734220

เวลา	เสียงจากแหล่งกำเนิด	ระดับเสียง (dB(A))		เสียงพื้นฐาน	ค่าระดับการรบกวน
		เสียงขณะปฏิบัติการ	เสียงขณะพัก		
03:40 AM - 03:45 AM	49.0	49.8	-	45.2	-
03:45 AM - 03:50 AM	48.9	46.3	-	42.3	-
03:50 AM - 03:55 AM	48.9	48.1	-	43.2	-
03:55 AM - 04:00 AM	48.2	48.1	-	44.2	-
04:00 AM - 04:05 AM	48.1	48.4	-	44.1	-
04:05 AM - 04:10 AM	48.1	47.4	-	45.1	-
04:10 AM - 04:15 AM	48.5	46.9	-	43.1	-
04:15 AM - 04:20 AM	48.4	47.5	-	43.6	-
04:20 AM - 04:25 AM	49.9	46.1	-	43.6	-
04:25 AM - 04:30 AM	50.2	47.6	-	44.0	-
04:30 AM - 04:35 AM	50.8	49.7	-	44.0	-
04:35 AM - 04:40 AM	50.3	49.9	-	45.8	-
04:40 AM - 04:45 AM	51.7	50.4	-	47.7	-
04:45 AM - 04:50 AM	51.8	49.9	-	46.5	-
04:50 AM - 04:55 AM	51.8	50.9	-	45.3	-
04:55 AM - 05:00 AM	51.4	51.4	-	46.4	-
05:00 AM - 05:05 AM	50.6	51.3	-	45.3	-
05:05 AM - 05:10 AM	53.0	50.9	-	47.7	-
05:10 AM - 05:15 AM	51.9	50.4	-	51.8	-
05:15 AM - 05:20 AM	51.8	52.1	-	49.6	-
05:20 AM - 05:25 AM	51.9	51.6	-	48.5	-
05:25 AM - 05:30 AM	53.1	51.0	-	48.1	-
05:30 AM - 05:35 AM	51.5	51.5	-	48.1	-
05:35 AM - 05:40 AM	51.4	52.4	-	48.3	-
05:40 AM - 05:45 AM	53.4	50.8	-	49.0	-
05:45 AM - 05:50 AM	49.8	50.8	-	52.9	-
05:50 AM - 05:55 AM	50.9	52.7	-	48.0	-
05:55 AM - 06:00 AM	51.2	49.6	-	48.8	-
06:00 AM - 07:00 AM	51.2	51.1	37.8	46.5	-
07:00 AM - 08:00 AM	50.7	50.3	40.1	47.6	-
08:00 AM - 09:00 AM	51.8	50.0	54.6	46.5	-
09:00 AM - 10:00 AM	56.3	55.9	45.7	51.1	-
ค่าเฉลี่ย				52.0	-

ค่ามาตรฐาน

Reference Method :

1. ISO 1996-1

2. ประกาศกระทรวงสาธารณสุข เรื่อง วิธีการตรวจวัดเสียง พ.ศ. 2548

หมายเหตุ

1. ผลการตรวจวัดเสียง ณ เวลาที่ทำการวัดเสียงเป็นการวัดเสียงแบบต่อเนื่อง (Continuous) และผลที่ได้จะแสดงเป็นค่าเฉลี่ย (Average) ของค่าที่ได้วัดในช่วงเวลาที่ทำการวัดเสียง

2. ผลการตรวจวัดเสียง ณ เวลาที่ทำการวัดเสียงเป็นการวัดเสียงแบบไม่ต่อเนื่อง (Intermittent) และผลที่ได้จะแสดงเป็นค่าเฉลี่ย (Average) ของค่าที่ได้วัดในช่วงเวลาที่ทำการวัดเสียง

3. ค่าเฉลี่ยที่ได้จากการวัดเสียงจะแสดงเป็นค่าเฉลี่ย (Average) ของค่าที่ได้วัดในช่วงเวลาที่ทำการวัดเสียง

4. ค่าเฉลี่ยที่ได้จากการวัดเสียงจะแสดงเป็นค่าเฉลี่ย (Average) ของค่าที่ได้วัดในช่วงเวลาที่ทำการวัดเสียง

This document is valid only for the project and location mentioned in the header. It is not valid for any other project or location. Any use of this document for any other purpose is prohibited. The user must ensure that the data is accurate and reliable. The user must also ensure that the data is not misused or shared with any other person. The user must also ensure that the data is not used for any illegal or unethical purpose. The user must also ensure that the data is not used for any purpose that is not intended by the user.

Approved by

Wilawan Borrak
Manager

WLB

ADDRESS: 616/10 Moo 5 T. Maenam Khu A. Phukdaeng Rayong 21140 Thailand PHONE: 466 0 3304 8555 FAX: 466 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. ALL RIGHTS RESERVED

www.alsglobal.com

RIGHT SOLUTIONS

THAILAND



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321955-1

Page 1 of 3

Sample No. 2520545-6
Parameter เลื่อนกระจก
Location หมู่บ้านใหม่/ บ้านสวนลำไย หมู่ 1 (ถนนลำไย-คลองทราย) (GPS 47P 0736225, 1455659)
Measurement Date May 09 - 10, 2025
Measurement by Anuwat Tema
Sound Level Meter 00794220

เวลา	เสียงจากแหล่งกำเนิด	เสียงสะท้อน	ระดับเสียง (dB(A))		ค่ารวม
			ภายในอาคาร	ภายนอกอาคาร	
10:00 AM - 11:00 AM	57.1	57.7	-	55.4	-
11:00 AM - 12:00 PM	51.6	51.1	42.0	47.2	-5.2
12:00 PM - 01:00 PM	62.8	60.3	59.2	52.3	6.9
01:00 PM - 02:00 PM	55.1	56.1	-	52.3	-
02:00 PM - 03:00 PM	54.8	55.0	n/a	51.4	-
03:00 PM - 04:00 PM	53.9	53.9	n/a	49.6	-
04:00 PM - 05:00 PM	51.4	51.4	41.2	48.2	-7.0
05:00 PM - 06:00 PM	51.2	50.4	43.5	47.8	-4.3
06:00 PM - 07:00 PM	54.7	55.1	49.8	52.3	-
07:00 PM - 08:00 PM	57.0	57.6	55.0	49.8	5.2
08:00 PM - 09:00 PM	56.7	53.0	54.3	50.6	3.7
09:00 PM - 10:00 PM	54.5	53.3	48.3	49.8	-1.5
10:00 PM - 10:05 PM	52.5	53.8	-	50.1	-
10:05 PM - 10:10 PM	53.3	53.1	-	42.8	-7.2
10:10 PM - 10:15 PM	53.6	54.4	-	50.0	-
10:15 PM - 10:20 PM	52.8	54.6	-	52.5	-
10:20 PM - 10:25 PM	53.3	54.5	-	52.5	-
10:25 PM - 10:30 PM	53.5	54.0	-	52.2	-
10:30 PM - 10:35 PM	52.6	52.5	39.2	49.7	-10.5
10:35 PM - 10:40 PM	55.0	52.8	-	51.2	2.8
10:40 PM - 10:45 PM	54.5	50.9	55.0	47.4	7.6
10:45 PM - 10:50 PM	51.9	51.7	-	49.7	-8.3
10:50 PM - 10:55 PM	54.2	50.5	54.8	48.1	6.7
10:55 PM - 11:00 PM	51.4	48.6	-	45.5	5.7
11:00 PM - 11:05 PM	52.2	48.9	-	45.7	6.8
11:05 PM - 11:10 PM	52.0	49.8	-	47.4	3.6
11:10 PM - 11:15 PM	52.7	50.3	-	48.4	3.6
11:15 PM - 11:20 PM	52.8	50.9	-	49.2	1.6
11:20 PM - 11:25 PM	51.3	50.2	53.4	47.9	5.5
11:25 PM - 11:30 PM	51.3	50.2	42.5	48.9	-6.4
11:30 PM - 11:35 PM	51.4	51.2	40.9	49.0	-8.1
11:35 PM - 11:40 PM	51.9	51.0	47.6	44.8	7.8
11:40 PM - 11:45 PM	52.2	49.0	52.4	45.2	7.2
11:45 PM - 11:50 PM	52.8	49.3	53.2	44.6	8.6
11:50 PM - 11:55 PM	52.3	48.3	53.6	45.3	8.3
11:55 PM - 12:00 AM	52.7	49.5	52.9	46.4	6.5
12:00 AM - 12:05 AM	54.8	50.6	55.7	47.0	8.7
12:05 AM - 12:10 AM	54.2	50.1	55.1	46.0	9.1
12:10 AM - 12:15 AM	55.6	50.9	56.8	47.0	9.8
12:15 AM - 12:20 AM	52.0	51.6	-	44.4	-2.0

Approved by

Wilaen Borrak
Manager

WLB

This document is the property of ALS and contains confidential information. It is to be used only for the purpose for which it was prepared and is not to be distributed outside the organization. Any unauthorized use or disclosure of this information is strictly prohibited. ALS Laboratory Group (Thailand) Co., Ltd. reserves the right to take appropriate action against any person who violates this policy.



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321955-1

Page 2 of 3

Sample No. 2520545-6
Parameter เลื่อนกระจก
Location หมู่บ้านใหม่/ บ้านสวนลำไย หมู่ 1 (ถนนลำไย-คลองทราย) (GPS 47P 0736225, 1455659)
Measurement Date May 09 - 10, 2025
Measurement by Anuwat Tema
Sound Level Meter 00794220

เวลา	เสียงจากแหล่งกำเนิด	เสียงสะท้อน	ระดับเสียง (dB(A))		ค่ารวม
			ภายในอาคาร	ภายนอกอาคาร	
12:20 AM - 12:25 AM	52.8	52.6	-	42.3	50.3
12:25 AM - 12:30 AM	53.9	48.8	-	55.3	45.3
12:30 AM - 12:35 AM	54.3	49.8	-	55.4	45.3
12:35 AM - 12:40 AM	54.8	51.2	-	55.3	48.7
12:40 AM - 12:45 AM	55.6	52.0	-	56.1	50.2
12:45 AM - 12:50 AM	56.0	51.9	-	56.9	50.2
12:50 AM - 12:55 AM	55.6	52.4	-	55.8	50.1
12:55 AM - 01:00 AM	54.0	52.1	-	52.5	49.9
01:00 AM - 01:05 AM	54.9	52.0	-	54.8	49.8
01:05 AM - 01:10 AM	54.8	50.4	-	55.8	47.0
01:10 AM - 01:15 AM	53.4	51.2	-	54.1	49.3
01:15 AM - 01:20 AM	54.2	51.3	-	49.5	5.2
01:20 AM - 01:25 AM	52.3	51.1	-	47.0	1.0
01:25 AM - 01:30 AM	54.5	51.6	-	55.9	44.9
01:30 AM - 01:35 AM	54.0	50.0	-	54.9	44.9
01:35 AM - 01:40 AM	52.5	51.5	-	48.6	47.0
01:40 AM - 01:45 AM	52.9	49.4	-	53.3	46.7
01:45 AM - 01:50 AM	52.7	49.0	-	50.3	46.6
01:50 AM - 01:55 AM	51.5	49.4	-	55.9	45.4
01:55 AM - 02:00 AM	55.8	50.8	-	57.8	44.7
02:00 AM - 02:05 AM	55.8	49.1	-	57.4	45.2
02:05 AM - 02:10 AM	55.3	47.9	-	56.8	45.6
02:10 AM - 02:15 AM	55.1	49.2	-	57.6	44.2
02:15 AM - 02:20 AM	55.3	47.1	-	56.4	45.1
02:20 AM - 02:25 AM	54.4	47.7	-	55.9	43.4
02:25 AM - 02:30 AM	53.9	46.9	-	55.7	44.7
02:30 AM - 02:35 AM	53.7	47.0	-	57.2	44.6
02:35 AM - 02:40 AM	55.3	48.9	-	57.3	43.1
02:40 AM - 02:45 AM	54.3	46.1	-	56.3	44.2
02:45 AM - 02:50 AM	54.5	48.2	-	55.7	43.9
02:50 AM - 03:00 AM	53.8	46.8	-	55.7	43.8
03:00 AM - 03:05 AM	52.2	46.9	-	47.0	43.0
03:05 AM - 03:10 AM	48.1	45.6	-	47.5	42.3
03:10 AM - 03:15 AM	47.1	45.6	-	47.0	41.7
03:15 AM - 03:20 AM	48.1	46.3	-	46.6	42.8
03:20 AM - 03:25 AM	47.0	46.3	-	46.6	42.8
03:25 AM - 03:30 AM	48.1	46.2	-	47.0	42.0
03:30 AM - 03:35 AM	48.3	46.3	-	47.0	42.0
03:35 AM - 03:40 AM	48.3	46.3	-	47.0	42.0

Approved by

Wilaen Borrak
Manager

WLB

This document is the property of ALS and contains confidential information. It is to be used only for the purpose for which it was prepared and is not to be distributed outside the organization. Any unauthorized use or disclosure of this information is strictly prohibited. ALS Laboratory Group (Thailand) Co., Ltd. reserves the right to take appropriate action against any person who violates this policy.



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321955-1

Page 3 of 3

Sample No. : 2520545-6
Parameter : เสียงรบกวน
Location : ถนนสุขุมวิท ข้ามทางรถไฟ 1 (ด้านทิศใต้ของโครงการ) (GPS 47P 0736225, 1455659)
Measurement Date : May 09 - 10, 2025
Measurement by : Anuwit Terna
Sound Level Meter : 00734220

เวลา	เสียงจากแหล่งกำเนิด	เสียงรบกวน (dB(A))		เสียงพื้นฐาน	ค่ารวมการรบกวน
		ค่าจริง	ค่าเฉลี่ย		
03:40 AM - 03:45 AM	49.5	47.7	-	43.2	4.6
03:45 AM - 03:50 AM	47.0	47.2	-	44.0	-
03:50 AM - 03:55 AM	47.4	48.9	-	44.0	-
03:55 AM - 04:00 AM	49.0	46.4	-	43.1	5.4
04:00 AM - 04:05 AM	49.2	46.1	-	42.5	6.8
04:05 AM - 04:10 AM	49.4	48.3	-	45.2	0.7
04:10 AM - 04:15 AM	48.2	48.8	-	44.0	-
04:15 AM - 04:20 AM	51.1	48.0	-	42.5	-
04:20 AM - 04:25 AM	57.7	47.4	-	44.0	16.3
04:25 AM - 04:30 AM	51.2	50.3	-	47.3	5.8
04:30 AM - 04:35 AM	50.5	59.2	-	47.2	-
04:35 AM - 04:40 AM	51.7	53.2	-	45.2	-
04:40 AM - 04:45 AM	48.6	50.9	-	45.9	-
04:45 AM - 04:50 AM	51.3	50.9	-	45.5	-1.8
04:50 AM - 04:55 AM	51.2	48.8	-	45.2	5.3
04:55 AM - 05:00 AM	51.3	50.5	-	47.3	-0.7
05:00 AM - 05:05 AM	52.8	50.6	-	46.5	5.3
05:05 AM - 05:10 AM	52.7	50.8	-	47.0	4.2
05:10 AM - 05:15 AM	53.4	52.2	-	48.8	1.4
05:15 AM - 05:20 AM	52.6	52.3	-	49.5	-5.7
05:20 AM - 05:25 AM	53.4	52.9	-	50.5	-3.7
05:25 AM - 05:30 AM	52.2	52.2	-	48.4	-
05:30 AM - 05:35 AM	52.1	52.2	-	48.2	-
05:35 AM - 05:40 AM	51.9	52.0	-	49.2	-
05:40 AM - 05:45 AM	51.4	50.8	-	47.2	-1.7
05:45 AM - 05:50 AM	52.5	50.8	-	46.1	6.2
05:50 AM - 05:55 AM	53.0	50.6	-	46.6	8.3
05:55 AM - 06:00 AM	54.6	51.2	-	47.1	-
06:00 AM - 07:00 AM	52.2	52.8	-	48.2	-
07:00 AM - 08:00 AM	56.0	56.8	-	54.0	-
08:00 AM - 09:00 AM	58.3	58.7	-	54.0	-
09:00 AM - 10:00 AM	54.8	54.7	-	51.0	-12.6
ค่ารวมการรบกวน			38.4		± 10

Reference Method :

- ISO 1996-1
- ประกาศกระทรวงอุตสาหกรรม เรื่อง วิธีการวัดและประเมินค่าเสียงรบกวน พ.ศ. 2567
- ประกาศกระทรวงอุตสาหกรรม เรื่อง การประเมินผลกระทบจากเสียงรบกวน พ.ศ. 2568
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานเสียงรบกวนในชุมชน พ.ศ. 2561

- Remarks :
- เสียงรบกวนวัดได้ทั้งหมด จากการจราจร วันที่ 09-10 พฤษภาคม 2568
 - เสียงรบกวนวัดได้ทั้งหมดจากเสียงรบกวน (Sample No.2520545-6) วันที่ 09-10 พฤษภาคม 2568
 - n/a. ไม่สามารถวัดเสียงรบกวนได้เนื่องจากเสียงรบกวนจากแหล่งกำเนิดเสียงรบกวนอื่นเสียงรบกวน

This document is valid only for the work described (as indicated in the report). For other work, report or certificate may be reproduced in any form without the permission of ALS. This report is not to be used for any other purpose. Any use of this report for any other purpose is prohibited.

Approved by

Wilawan Borrak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321956-1

Page 1 of 3

Sample No. : 2520545-7
Parameter : เสียงรบกวน
Location : ถนนสุขุมวิท ข้ามทางรถไฟ 1 (ด้านทิศใต้ของโครงการ) (GPS 47P 0736225, 1455659)
Measurement Date : May 10 - 11, 2025
Measurement by : Anuwit Terna
Sound Level Meter : 00734220

เวลา	เสียงจากแหล่งกำเนิด	เสียงรบกวน (dB(A))		เสียงพื้นฐาน	ค่ารวมการรบกวน
		ค่าจริง	ค่าเฉลี่ย		
10:00 AM - 11:00 AM	57.8	56.5	-	51.9	52.7
11:00 AM - 12:00 PM	57.0	53.8	-	54.2	50.3
12:00 PM - 01:00 PM	60.0	59.7	-	48.2	52.1
01:00 PM - 02:00 PM	61.6	60.5	-	55.1	50.3
02:00 PM - 03:00 PM	56.3	56.3	-	58.4	50.3
03:00 PM - 04:00 PM	56.9	60.5	-	n/a	54.7
04:00 PM - 05:00 PM	56.0	55.6	-	45.4	52.3
05:00 PM - 06:00 PM	58.2	57.2	-	51.3	54.1
06:00 PM - 07:00 PM	62.8	61.1	-	57.9	57.9
07:00 PM - 08:00 PM	56.4	60.0	-	n/a	55.8
08:00 PM - 09:00 PM	56.4	55.9	-	46.8	54.5
09:00 PM - 10:00 PM	54.3	53.5	-	46.6	52.2
10:00 PM - 10:05 PM	52.7	52.5	-	-	52.1
10:05 PM - 10:10 PM	52.3	52.5	-	-	51.5
10:10 PM - 10:15 PM	52.0	52.1	-	n/a	50.2
10:15 PM - 10:20 PM	51.8	51.8	-	n/a	50.3
10:20 PM - 10:25 PM	51.8	51.0	-	47.1	50.4
10:25 PM - 10:30 PM	51.2	51.1	-	52.0	49.3
10:30 PM - 10:35 PM	52.4	51.1	-	49.5	2.5
10:35 PM - 10:40 PM	51.7	52.4	-	n/a	49.5
10:40 PM - 10:45 PM	51.5	51.7	-	49.1	-
10:45 PM - 10:50 PM	51.9	50.3	-	49.8	0.9
10:50 PM - 10:55 PM	51.4	50.5	-	47.1	-2.0
10:55 PM - 11:00 PM	51.9	51.4	-	45.3	48.7
11:00 PM - 11:05 PM	50.7	52.5	-	50.8	49.0
11:05 PM - 11:10 PM	50.6	50.9	-	n/a	48.9
11:10 PM - 11:15 PM	51.2	52.2	-	49.1	49.7
11:15 PM - 11:20 PM	52.2	50.5	-	50.3	46.7
11:20 PM - 11:25 PM	52.2	50.0	-	51.2	48.6
11:25 PM - 11:30 PM	52.3	50.9	-	49.7	1.7
11:30 PM - 11:35 PM	53.9	51.3	-	53.4	2.9
11:35 PM - 11:40 PM	54.6	50.3	-	55.6	0.4
11:40 PM - 11:45 PM	51.6	50.1	-	48.8	5.6
11:45 PM - 11:50 PM	50.9	50.3	-	49.3	6.8
11:50 PM - 11:55 PM	50.9	52.6	-	n/a	0.6
11:55 PM - 12:00 AM	51.2	50.3	-	47.3	47.3
12:00 AM - 12:05 AM	52.2	49.2	-	51.6	-0.4
12:05 AM - 12:10 AM	51.7	49.6	-	50.5	4.3
12:10 AM - 12:15 AM	51.1	51.1	-	49.5	2.0
12:15 AM - 12:20 AM	49.9	50.5	-	n/a	47.5
ค่ารวมการรบกวน			-	-	47.9

This document is valid only for the work described (as indicated in the report). For other work, report or certificate may be reproduced in any form without the permission of ALS. This report is not to be used for any other purpose. Any use of this report for any other purpose is prohibited.

Approved by

Wilawan Borrak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 Waha City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Lot ID: 2520545

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report Number : 3321956-1

P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Page 3 of 3

Sample No.	2520545-7
Parameter	เสียงรบกวน
Location	สถานีวัดฯ บ้านท่าช้าง กม. 1 (สถานีตำรวจนครบาล)
Measurement Date	May 10 - 11, 2025
Measurement by	Anuwat Terna
Sound Level Meter	00734220

เวลา	เสียงจาก แหล่งกำเนิด	เสียงที่จะ ไปกระทบ			รวมเสียง (dB(A))		เสียงพื้นฐาน	ค่าระดับ การรบกวน
		ไปกระทบ	ทกลับ	ทกลับ	ทกลับ			
03:40 AM - 03:45 AM	59.9	57.4	-	59.3	50.5	8.8		
03:45 AM - 03:50 AM	60.2	57.1	-	60.3	50.1	10.2		
03:50 AM - 03:55 AM	57.3	57.8	-	n/a	54.4	-		
03:55 AM - 04:00 AM	55.7	57.9	-	n/a	55.4	-		
04:00 AM - 04:05 AM	55.4	54.9	-	48.8	45.7	3.1		
04:05 AM - 04:10 AM	56.9	53.5	-	57.2	47.7	9.5		
04:10 AM - 04:15 AM	54.1	54.9	-	n/a	47.1	-		
04:15 AM - 04:20 AM	53.4	55.3	-	n/a	48.8	-		
04:20 AM - 04:25 AM	50.6	52.9	-	n/a	46.6	-		
04:25 AM - 04:30 AM	50.6	52.5	-	n/a	46.9	-		
04:30 AM - 04:35 AM	50.6	49.9	-	45.3	46.1	-0.8		
04:35 AM - 04:40 AM	53.9	49.8	-	54.8	45.8	9.0		
04:40 AM - 04:45 AM	52.3	51.3	-	48.4	44.7	3.7		
04:45 AM - 04:50 AM	49.8	51.3	-	n/a	46.7	-		
04:50 AM - 04:55 AM	50.6	51.5	-	n/a	46.5	-		
04:55 AM - 05:00 AM	51.4	49.0	-	50.7	45.0	5.7		
05:00 AM - 05:05 AM	51.5	49.8	-	49.6	45.8	3.8		
05:05 AM - 05:10 AM	50.4	51.3	-	n/a	47.5	-		
05:10 AM - 05:15 AM	51.8	50.5	-	48.9	46.6	2.3		
05:15 AM - 05:20 AM	51.4	48.8	-	50.9	44.7	6.2		
05:20 AM - 05:25 AM	50.9	50.8	-	37.5	40.5	-8.0		
05:25 AM - 05:30 AM	51.7	50.3	-	49.1	46.2	2.9		
05:30 AM - 05:35 AM	50.9	49.8	-	47.4	46.4	1.0		
05:35 AM - 05:40 AM	50.8	50.7	-	37.4	46.3	-8.9		
05:40 AM - 05:45 AM	53.3	49.7	-	53.8	46.5	7.3		
05:45 AM - 05:50 AM	51.9	49.9	-	50.6	41	46.5		
05:50 AM - 05:55 AM	55.2	52.0	-	55.4	46.7	8.7		
05:55 AM - 06:00 AM	50.8	51.3	-	n/a	46.5	-		
06:00 AM - 07:00 AM	52.1	51.3	44.4	-	45.9	-1.5		
07:00 AM - 08:00 AM	56.8	54.6	52.8	-	48.5	4.3		
08:00 AM - 09:00 AM	54.1	56.2	n/a	-	50.8	-		
09:00 AM - 10:00 AM	52.0	51.5	42.4	-	47.8	-5.4		
รวมทั้งหมด						<10		

Reference Method :

1. ISO 1996-1

2. ภาควิชาการพยาบาลโรคหัวใจและหลอดเลือด คณะพยาบาลศาสตร์ มหาวิทยาลัยราชภัฏวไลยอลงกรณ์ จังหวัดปทุมธานี

Q24. Do you have any other comments or information that you want to provide to the committee?

ANSWER

Remark:

1. ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 10-11 พฤษภาคม 2568

2. ระดับเสียงพื้นฐานและระดับเสียงขณะปฏิบัติการบนทวน (Sample No. 2520546-7 วันที่ตรวจวัด 10-11 พฤษภาคม 2568)

3. ก/อ: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากแหล่งกำเนิดออกจากระดับเสียงขณะไม่มีการรบกวน

0.5

The following are the individual components of the system:

Approved by

Willawan Borirak

Manager

ADDRESS: 616/111 Moo 5, T. Maenam, Khui A. District, Baeng 21140 Thailand TEL: +66 0 3304 8555 FAX: +66 0 3304 8556

© 2004 The Authors
Journal compilation © 2004 Blackwell Publishing Ltd

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PEOPLE



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321957-1

Page 1 of 3

Sample No. 2520545-8
Parameter เลื่อนตาม
Location กลุ่มบ้าน/7 บ้านตามลำน้ำ 2 (ด้านตะวันออกของโครงการ) (GPS 47P 0736442, 1456266)
Measurement Date May 04 - 05, 2025
Measurement by Anuwat Tena
Sound Level Meter 01222716

เวลา	ระดับเสียง (dB(A))			ค่ารวม
	เสียงจากแหล่งกำเนิด	เสียงตามอาคาร	เสียงพื้นดิน	
11:00 AM - 12:00 PM	54.8	45.2	-	48.8
12:00 PM - 01:00 PM	54.8	45.9	-	49.0
01:00 PM - 02:00 PM	56.8	51.9	-	51.9
02:00 PM - 03:00 PM	56.8	48.5	-	50.9
03:00 PM - 04:00 PM	55.0	43.2	-	48.7
04:00 PM - 05:00 PM	55.5	42.0	-	50.3
05:00 PM - 06:00 PM	55.8	42.3	-	50.6
06:00 PM - 07:00 PM	54.2	n/a	-	49.5
07:00 PM - 08:00 PM	54.2	n/a	-	49.5
08:00 PM - 09:00 PM	53.6	n/a	-	49.7
09:00 PM - 10:00 PM	52.5	51.0	-	51.5
10:00 PM - 10:05 PM	51.5	51.8	-	51.8
10:05 PM - 10:10 PM	50.9	52.1	-	51.3
10:10 PM - 10:15 PM	52.6	52.3	-	52.6
10:15 PM - 10:20 PM	52.8	53.4	-	53.4
10:20 PM - 10:30 PM	50.9	51.5	-	51.5
10:30 PM - 10:35 PM	50.0	50.4	-	50.4
10:35 PM - 10:40 PM	52.4	51.0	-	52.4
10:40 PM - 10:45 PM	50.7	51.5	-	51.5
10:45 PM - 10:50 PM	49.4	47.7	-	49.4
10:50 PM - 10:55 PM	48.9	48.2	-	48.9
10:55 PM - 11:00 PM	48.8	49.0	-	49.0
11:00 PM - 11:05 PM	50.9	51.6	-	51.6
11:05 PM - 11:10 PM	48.9	49.3	-	49.3
11:10 PM - 11:15 PM	51.8	52.5	-	52.5
11:15 PM - 11:20 PM	55.4	56.4	-	56.4
11:20 PM - 11:25 PM	55.4	49.6	-	49.6
11:25 PM - 11:30 PM	51.3	51.8	-	51.8
11:30 PM - 11:35 PM	50.0	50.3	-	50.3
11:35 PM - 11:40 PM	51.6	52.2	-	52.2
11:40 PM - 11:45 PM	48.9	49.3	-	49.3
11:45 PM - 11:50 PM	54.7	55.5	-	55.5
11:50 PM - 11:55 PM	51.7	52.4	-	52.4
11:55 PM - 12:00 AM	50.0	49.8	-	49.8
12:00 AM - 12:05 AM	49.3	49.3	-	49.3
12:05 AM - 12:10 AM	45.0	45.0	-	45.0
12:10 AM - 12:15 AM	45.0	45.0	-	45.0
12:15 AM - 12:20 AM	45.0	45.0	-	45.0
12:20 AM - 12:25 AM	45.0	45.0	-	45.0

This report is valid only for the stated conditions and is not to be used for any other purpose. The report is valid only for the stated conditions and is not to be used for any other purpose. The report is valid only for the stated conditions and is not to be used for any other purpose.

Approved by

Wibb.

Wiwian Borrak
Manager

ADDRESS: 616/10 Moo 5 T. Maenam Klu A. Phukdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321957-1

Page 2 of 3

Sample No. 2520545-8
Parameter เลื่อนตาม
Location กลุ่มบ้าน/7 บ้านตามลำน้ำ 2 (ด้านตะวันออกของโครงการ) (GPS 47P 0736442, 1456266)
Measurement Date May 04 - 05, 2025
Measurement by Anuwat Tena
Sound Level Meter 01222716

เวลา	ระดับเสียง (dB(A))			ค่ารวม
	เสียงจากแหล่งกำเนิด	เสียงตามอาคาร	เสียงพื้นดิน	
12:25 AM - 12:30 AM	48.9	48.9	-	41.5
12:30 AM - 12:35 AM	50.4	50.4	-	41.9
12:35 AM - 12:40 AM	51.0	49.8	-	47.8
12:40 AM - 12:45 AM	50.9	50.3	-	45.0
12:45 AM - 12:50 AM	50.9	50.4	-	44.3
12:50 AM - 12:55 AM	48.3	48.3	-	40.9
12:55 AM - 01:00 AM	48.9	49.4	-	42.7
01:00 AM - 01:05 AM	50.1	50.3	-	44.3
01:05 AM - 01:10 AM	49.9	50.6	-	43.7
01:10 AM - 01:15 AM	49.3	49.6	-	41.9
01:15 AM - 01:20 AM	49.0	49.5	-	42.1
01:20 AM - 01:25 AM	47.4	47.9	-	41.6
01:25 AM - 01:30 AM	50.2	50.6	-	42.5
01:30 AM - 01:35 AM	49.6	50.1	-	44.0
01:35 AM - 01:40 AM	48.2	52.6	-	43.0
01:40 AM - 01:45 AM	52.3	51.1	-	49.1
01:45 AM - 01:50 AM	49.6	47.8	-	47.9
01:50 AM - 01:55 AM	50.4	52.3	-	40.4
01:55 AM - 02:00 AM	58.0	56.9	-	54.5
02:00 AM - 02:05 AM	48.1	48.2	-	41.7
02:05 AM - 02:10 AM	47.9	48.1	-	40.5
02:10 AM - 02:15 AM	47.6	47.9	-	41.2
02:15 AM - 02:20 AM	49.8	50.2	-	42.5
02:20 AM - 02:25 AM	48.3	48.8	-	41.7
02:25 AM - 02:30 AM	49.5	50.1	-	43.0
02:30 AM - 02:35 AM	45.4	45.8	-	40.2
02:35 AM - 02:40 AM	50.1	50.8	-	42.9
02:40 AM - 02:45 AM	47.7	48.6	-	42.0
02:45 AM - 02:50 AM	49.9	50.3	-	41.8
02:50 AM - 02:55 AM	49.3	49.8	-	41.9
02:55 AM - 03:00 AM	48.2	49.1	-	40.8
03:00 AM - 03:05 AM	48.3	48.1	-	37.8
03:05 AM - 03:10 AM	48.9	50.0	-	42.2
03:10 AM - 03:15 AM	50.3	51.1	-	41.8
03:15 AM - 03:20 AM	53.0	55.7	-	43.3
03:20 AM - 03:25 AM	50.4	51.1	-	42.3
03:25 AM - 03:30 AM	47.7	48.4	-	41.0
03:30 AM - 03:35 AM	50.5	52.0	-	43.6
03:35 AM - 03:40 AM	50.6	50.9	-	40.0
03:40 AM - 03:45 AM	49.9	50.5	-	41.6

This report is valid only for the stated conditions and is not to be used for any other purpose. The report is valid only for the stated conditions and is not to be used for any other purpose. The report is valid only for the stated conditions and is not to be used for any other purpose.

Approved by

Wibb.

Wiwian Borrak
Manager

ADDRESS: 616/10 Moo 5 T. Maenam Klu A. Phukdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
47/5/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321957-1

Page 3 of 3

Sample No. : 2520545-8
Parameter : เสียงรบกวน
Location : ถนนพหลโยธิน 7 กิโลเมตรจากจุด Z (ด้านทิศตะวันออกของโครงการ) (GPS 47P 0736442, 1456266)
Measurement Date : May 04 - 05, 2025
Measurement by : Anuwat Tema
Sound Level Meter : 01222716

เวลา	ระดับเสียง (dB(A))				ค่าระดับ การรบกวน
	เสียงจาก แหล่งกำเนิด	เสียงระยะ ใกล้	เสียงระยะ ไกล	เสียงรบกวนรวม	
03:45 AM - 03:50 AM	49.4	50.0	-	50.0	42.3
03:50 AM - 03:55 AM	52.6	53.3	-	53.3	42.2
03:55 AM - 04:00 AM	51.1	52.2	-	52.2	43.5
04:00 AM - 04:05 AM	51.1	51.4	-	51.4	44.0
04:05 AM - 04:10 AM	50.0	50.8	-	50.8	43.4
04:10 AM - 04:15 AM	51.9	52.5	-	52.5	45.3
04:15 AM - 04:20 AM	49.6	50.5	-	50.5	44.3
04:20 AM - 04:25 AM	50.9	51.7	-	51.7	44.8
04:25 AM - 04:30 AM	51.8	52.7	-	52.7	44.1
04:30 AM - 04:35 AM	51.6	52.4	-	52.4	45.4
04:35 AM - 04:40 AM	52.4	53.1	-	53.1	47.0
04:40 AM - 04:45 AM	56.1	56.8	-	56.8	47.9
04:45 AM - 04:50 AM	52.7	53.5	-	53.5	45.9
04:50 AM - 04:55 AM	52.5	53.2	-	53.2	46.7
04:55 AM - 05:00 AM	53.9	54.3	-	54.3	48.6
05:00 AM - 05:05 AM	56.6	56.8	-	56.8	48.5
05:05 AM - 05:10 AM	56.6	56.5	-	56.5	51.9
05:10 AM - 05:15 AM	55.6	55.5	-	55.5	43.2
05:15 AM - 05:20 AM	56.8	56.8	-	56.8	50.4
05:20 AM - 05:25 AM	55.7	55.7	-	55.7	50.9
05:25 AM - 05:30 AM	56.2	56.7	-	56.7	49.9
05:30 AM - 05:35 AM	56.6	56.9	-	56.9	50.5
05:35 AM - 05:40 AM	56.2	56.5	-	56.5	51.1
05:40 AM - 05:45 AM	56.1	56.4	-	56.4	51.4
05:45 AM - 05:50 AM	56.2	56.5	-	56.5	51.2
05:50 AM - 05:55 AM	56.7	57.2	-	57.2	51.1
05:55 AM - 06:00 AM	55.6	56.5	-	56.5	51.0
06:00 AM - 07:00 AM	57.1	56.8	-	56.8	51.3
07:00 AM - 08:00 AM	55.6	55.5	-	55.5	50.6
08:00 AM - 09:00 AM	56.2	55.9	-	55.9	50.9
09:00 AM - 10:00 AM	56.6	56.6	-	56.6	50.7
10:00 AM - 11:00 AM	55.9	55.6	-	55.6	50.1
ค่าเฉลี่ย				44.1	50.1

Reference Method :

1. ISO 1996-1

2. ประกาศกระทรวงมหาดไทย เรื่อง วิธีการตรวจวัดเสียงรบกวน ระดับเสียงวัด 24 ชั่วโมง และระดับเสียงสูงสุด/ต่ำสุดจากการประเมินการรบกวน พ.ศ. 2567

หมายเหตุ : 1. ประกาศกระทรวงมหาดไทย เรื่อง วิธีการตรวจวัดเสียงรบกวน ระดับเสียงวัด 24 ชั่วโมง และระดับเสียงสูงสุด/ต่ำสุดจากการประเมินการรบกวน พ.ศ. 2568

2. ประกาศกระทรวงมหาดไทย เรื่อง วิธีการตรวจวัดเสียงรบกวน ระดับเสียงวัด 24 ชั่วโมง และระดับเสียงสูงสุด/ต่ำสุดจากการประเมินการรบกวน พ.ศ. 2561

Remark : 1. ระดับเสียงจากสถานีวิทยุ โทรทัศน์ ทีวี 04-05 พฤษภาคม 2568

2. ระดับเสียงจากสถานีวิทยุ โทรทัศน์ ทีวี 04-05 พฤษภาคม 2568

3. ค่า: ค่าการตรวจวัดเสียงรบกวนจากสถานีวิทยุ โทรทัศน์ ทีวี 04-05 พฤษภาคม 2568

This report is for the use of the client only. It is not to be used for any other purpose. The client is responsible for the use of the report. The report is not to be used for any other purpose. The client is responsible for the use of the report.

Approved by


Wiliwan Borrak
Manager

ADDRESS 616/10 Moo 5, T. Maenam Khu A, Pua-kaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS INNOVATION PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
47/5/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321958-1

Page 1 of 3

Sample No. : 2520545-9
Parameter : เสียงรบกวน
Location : ถนนพหลโยธิน 7 กิโลเมตรจากจุด Z (ด้านทิศตะวันออกของโครงการ) (GPS 47P 0736442, 1456266)
Measurement Date : May 05 - 06, 2025
Measurement by : Anuwat Tema
Sound Level Meter : 01222716

เวลา	ระดับเสียง (dB(A))				ค่าระดับ การรบกวน
	เสียงจาก แหล่งกำเนิด	เสียงระยะ ใกล้	เสียงระยะ ไกล	เสียงรบกวนรวม	
11:00 AM - 12:00 PM	54.9	54.2	46.6	54.2	49.1
12:00 PM - 01:00 PM	54.9	54.5	44.3	54.5	49.0
01:00 PM - 02:00 PM	56.2	55.3	48.9	55.3	51.0
02:00 PM - 03:00 PM	57.0	56.5	47.4	56.5	52.0
03:00 PM - 04:00 PM	56.8	56.1	48.5	56.1	50.4
04:00 PM - 05:00 PM	56.5	56.5	n/a	56.5	51.9
05:00 PM - 06:00 PM	56.0	55.9	39.6	55.9	51.1
06:00 PM - 07:00 PM	54.4	54.4	n/a	54.4	50.2
07:00 PM - 08:00 PM	53.9	54.3	n/a	54.3	49.6
08:00 PM - 09:00 PM	53.0	53.4	n/a	53.4	48.8
09:00 PM - 10:00 PM	52.6	53.3	n/a	53.3	48.6
10:00 PM - 10:05 PM	53.3	53.8	n/a	53.8	46.5
10:05 PM - 10:10 PM	52.5	53.0	n/a	53.0	47.5
10:10 PM - 10:15 PM	51.1	51.6	n/a	51.6	45.8
10:15 PM - 10:20 PM	51.9	52.5	n/a	52.5	46.8
10:20 PM - 10:25 PM	50.3	50.9	n/a	50.9	45.5
10:25 PM - 10:30 PM	50.8	51.7	n/a	51.7	46.7
10:30 PM - 10:35 PM	51.9	52.5	n/a	52.5	47.7
10:35 PM - 10:40 PM	51.2	52.0	n/a	52.0	49.6
10:40 PM - 10:45 PM	53.1	53.7	n/a	53.7	49.8
10:45 PM - 10:50 PM	53.1	54.1	n/a	54.1	48.1
10:50 PM - 10:55 PM	50.5	50.7	n/a	50.7	43.0
10:55 PM - 11:00 PM	50.6	50.2	n/a	50.2	47.2
11:00 PM - 11:05 PM	50.5	50.6	n/a	50.6	45.0
11:05 PM - 11:10 PM	51.2	51.6	n/a	51.6	44.8
11:10 PM - 11:15 PM	50.4	51.1	n/a	51.1	44.9
11:15 PM - 11:20 PM	50.0	50.7	n/a	50.7	46.2
11:20 PM - 11:25 PM	50.5	51.7	n/a	51.7	45.1
11:25 PM - 11:30 PM	51.1	52.1	n/a	52.1	47.0
11:30 PM - 11:35 PM	51.3	52.4	n/a	52.4	44.5
11:35 PM - 11:40 PM	48.4	49.7	n/a	49.7	45.0
11:40 PM - 11:45 PM	49.5	50.9	n/a	50.9	46.9
11:45 PM - 11:50 PM	49.6	50.7	n/a	50.7	44.7
11:50 PM - 11:55 PM	49.4	50.5	n/a	50.5	44.7
11:55 PM - 12:00 AM	51.7	52.3	n/a	52.3	47.0
12:00 AM - 12:05 AM	51.2	52.4	n/a	52.4	45.8
12:05 AM - 12:10 AM	49.4	50.8	n/a	50.8	46.0
12:10 AM - 12:15 AM	50.7	52.1	n/a	52.1	44.7
12:15 AM - 12:20 AM	49.9	50.1	n/a	50.1	44.8
12:20 AM - 12:25 AM	50.7	51.4	n/a	51.4	44.8

Approved by


Wiliwan Borrak
Manager

ADDRESS 616/10 Moo 5, T. Maenam Khu A, Pua-kaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS INNOVATION PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueang, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Lot ID: 2520545

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report Number : 3321959-1

Page 3 of 3

Sample No. 2520545-10

Parameter เสียงรบกวน

Location ถนนหน้าซอย 7 บ้านนาไร่ ตำบล 2 (ด้านทิศตะวันออกของโครงการ) (GPS 47P 0736442, 1456266)

Measurement Date May 06 - 07, 2025

Measurement by Anuwat Tema

Sound Level Meter 01222716

เวลา	เสียงจากแหล่งกำเนิด	ระดับเสียง (dB(A))		เสียงรบกวน	ค่าระดับการรบกวน
		เสียงจากแหล่งกำเนิด	เสียงรบกวน		
03:45 AM - 03:50 AM	52.9	53.3	-	45.5	-
03:50 AM - 03:55 AM	51.7	52.3	-	44.1	-
03:55 AM - 04:00 AM	52.0	53.1	-	44.9	-
04:00 AM - 04:05 AM	51.4	51.4	-	43.6	-
04:05 AM - 04:10 AM	52.6	53.5	-	44.6	-
04:10 AM - 04:15 AM	52.5	53.7	-	44.6	-
04:15 AM - 04:20 AM	52.8	53.3	-	43.8	-
04:20 AM - 04:25 AM	53.4	53.9	-	44.2	-
04:25 AM - 04:30 AM	54.6	55.4	-	47.4	-
04:30 AM - 04:35 AM	52.8	53.3	-	46.0	-
04:35 AM - 04:40 AM	52.1	52.8	-	44.5	-
04:40 AM - 04:45 AM	53.6	54.2	-	47.2	-
04:45 AM - 04:50 AM	51.9	52.2	-	45.1	-
04:50 AM - 04:55 AM	54.0	54.5	-	46.6	-
04:55 AM - 05:00 AM	56.2	56.0	-	50.4	-4.7
05:00 AM - 05:05 AM	58.0	57.3	-	51.3	-1.4
05:05 AM - 05:10 AM	56.5	56.3	-	50.8	-4.8
05:10 AM - 05:15 AM	56.7	56.8	-	51.3	-
05:15 AM - 05:20 AM	55.6	55.5	-	50.3	-8.1
05:20 AM - 05:25 AM	56.4	56.7	-	50.3	-
05:25 AM - 05:30 AM	56.6	57.3	-	50.8	-
05:30 AM - 05:35 AM	56.7	56.6	-	49.9	-6.6
05:35 AM - 05:40 AM	57.8	58.1	-	52.6	-
05:40 AM - 05:45 AM	55.9	56.3	-	49.6	-
05:45 AM - 05:50 AM	55.9	57.1	-	50.3	-
05:50 AM - 05:55 AM	55.2	55.7	-	50.9	-
05:55 AM - 06:00 AM	57.3	57.4	-	51.3	-
06:00 AM - 06:05 AM	56.6	56.9	-	50.7	-
06:05 AM - 06:10 AM	56.0	56.0	-	49.8	-
06:10 AM - 06:15 AM	55.8	55.8	-	49.8	-
06:15 AM - 06:20 AM	56.1	55.7	-	49.5	-4.4
06:20 AM - 06:25 AM	55.8	55.4	-	49.2	-5.0

Reference Method :

- ISO 1996-1
- ประกาศกระทรวงสาธารณสุข เรื่อง มาตรการเพื่อลดผลกระทบจากเสียงรบกวน พ.ศ. 2567

หมายเหตุ : 1. ประกาศกระทรวงสาธารณสุข เรื่อง มาตรการเพื่อลดผลกระทบจากเสียงรบกวน พ.ศ. 2567

2. ประกาศกระทรวงสาธารณสุข เรื่อง มาตรการเพื่อลดผลกระทบจากเสียงรบกวน พ.ศ. 2568

3. ประกาศกระทรวงสาธารณสุข เรื่อง มาตรการเพื่อลดผลกระทบจากเสียงรบกวน พ.ศ. 2561

Remark :

- ระดับเสียงจากแหล่งกำเนิด ทิศทางวัด ณ 06:07 พิกัดถนน 2568
- ระดับเสียงจากแหล่งกำเนิดและเสียงรบกวน (Sample No. 2520546-10) วัดจากจุด 06:07 พิกัดถนน 2568
- ค่า : เป็นการตรวจวัดเสียงรบกวนในเวลากลางคืน (ระหว่าง 22:00 น. ถึง 06:00 น.)

This report is valid only for the test and measurement conditions specified in the report. Any change in the test conditions or the measurement method may affect the results. This report is the property of ALS Laboratory Group (Thailand) Co., Ltd. and shall not be reproduced without the written consent of ALS Laboratory Group (Thailand) Co., Ltd.

Approved by

Witawan Borirak
Manager

Witab.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phukdang Bayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. AN ALS LIMITED COMPANY

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueang, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Lot ID: 2520545

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report Number : 3321960-1

Page 1 of 3

Sample No. 2520545-11

Parameter เสียงรบกวน

Location ถนนหน้าซอย 7 บ้านนาไร่ ตำบล 2 (ด้านทิศตะวันออกของโครงการ) (GPS 47P 0736442, 1456266)

Measurement Date May 07 - 08, 2025

Measurement by Anuwat Tema

Sound Level Meter 01222716

เวลา	เสียงจากแหล่งกำเนิด	ระดับเสียง (dB(A))		เสียงรบกวน	ค่าระดับการรบกวน
		เสียงจากแหล่งกำเนิด	เสียงรบกวน		
11:00 AM - 12:00 PM	56.0	55.8	-	50.6	-8.1
12:00 PM - 01:00 PM	56.2	55.7	-	51.0	-4.4
01:00 PM - 02:00 PM	56.1	55.7	-	50.5	-5.0
02:00 PM - 03:00 PM	56.5	56.5	-	51.5	-
03:00 PM - 04:00 PM	56.7	56.5	-	51.9	-8.7
04:00 PM - 05:00 PM	56.8	56.7	-	52.2	-11.8
05:00 PM - 06:00 PM	56.3	56.3	-	51.5	-
06:00 PM - 07:00 PM	55.0	55.1	-	49.8	-
07:00 PM - 08:00 PM	54.2	54.5	-	49.2	-
08:00 PM - 09:00 PM	53.2	53.5	-	47.2	-
09:00 PM - 10:00 PM	53.2	53.7	-	47.7	-
10:00 PM - 10:05 PM	54.3	54.8	-	46.9	-
10:05 PM - 10:10 PM	54.3	55.0	-	46.3	-
10:10 PM - 10:15 PM	52.0	54.2	-	45.4	-
10:15 PM - 10:20 PM	54.1	54.7	-	49.0	-
10:20 PM - 10:25 PM	54.2	54.8	-	46.8	-
10:25 PM - 10:30 PM	53.6	53.8	-	46.5	-
10:30 PM - 10:35 PM	54.5	55.0	-	46.1	-
10:35 PM - 10:40 PM	52.9	53.4	-	45.9	-
10:40 PM - 10:45 PM	51.9	52.5	-	46.4	-
10:45 PM - 10:50 PM	51.1	51.5	-	44.9	-
10:50 PM - 10:55 PM	50.2	50.7	-	46.5	-
10:55 PM - 11:00 PM	52.4	53.0	-	45.7	-
11:00 PM - 11:05 PM	51.6	52.2	-	46.3	-
11:05 PM - 11:10 PM	50.0	50.5	-	44.6	-
11:10 PM - 11:15 PM	50.1	50.5	-	42.7	-
11:15 PM - 11:20 PM	51.4	51.7	-	42.2	-
11:20 PM - 11:25 PM	50.4	51.1	-	44.4	-
11:25 PM - 11:30 PM	49.4	49.4	-	43.3	-
11:30 PM - 11:35 PM	51.2	51.9	-	41.5	-
11:35 PM - 11:40 PM	53.8	54.4	-	47.1	-
11:40 PM - 11:45 PM	51.4	52.0	-	44.7	-
11:45 PM - 11:50 PM	51.2	52.1	-	45.4	-
11:50 PM - 11:55 PM	52.0	52.7	-	44.1	-
11:55 PM - 12:00 AM	52.2	52.8	-	45.9	-
12:00 AM - 12:05 AM	52.2	52.9	-	45.0	-
12:05 AM - 12:10 AM	51.4	52.0	-	46.1	-
12:10 AM - 12:15 AM	51.4	52.1	-	44.8	-
12:15 AM - 12:20 AM	52.4	52.8	-	46.8	-
12:20 AM - 12:25 AM	53.1	53.6	-	45.5	-

This report is valid only for the test and measurement conditions specified in the report. Any change in the test conditions or the measurement method may affect the results. This report is the property of ALS Laboratory Group (Thailand) Co., Ltd. and shall not be reproduced without the written consent of ALS Laboratory Group (Thailand) Co., Ltd.

Approved by

Witawan Borirak
Manager

Witab.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phukdang Bayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. AN ALS LIMITED COMPANY

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
47/5/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueing, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321960-1

Page 2 of 3

Sample No. 2520545-11
Parameter เสียงรบกวน
Location ถนนพหลโยธิน/ ถนนพหลโยธิน/ ถนนพหลโยธิน (GPS 47P 0736442, 1456266)
Measurement Date May 07 - 08, 2025
Measurement by Anuwat Tema
Sound Level Meter 01222716

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะปฏิบัติการ	ระดับเสียง (dB(A))		ค่าระดับการรบกวน
			ค่าจริง	ค่าเฉลี่ย	
12:25 AM - 12:30 AM	52.8	53.4	-	-	48.8
12:30 AM - 12:35 AM	52.3	52.3	-	-	46.9
12:35 AM - 12:40 AM	51.5	51.6	-	-	47.6
12:40 AM - 12:45 AM	51.2	51.2	-	-	46.7
12:45 AM - 12:50 AM	52.7	53.0	-	-	46.1
12:50 AM - 12:55 AM	50.9	50.9	-	-	46.8
12:55 AM - 01:00 AM	49.7	49.8	-	-	43.1
01:00 AM - 01:05 AM	48.4	48.9	-	-	44.2
01:05 AM - 01:10 AM	50.7	51.4	-	-	44.4
01:10 AM - 01:15 AM	50.8	51.3	-	-	42.8
01:15 AM - 01:20 AM	51.0	51.4	-	-	44.6
01:20 AM - 01:25 AM	54.1	54.5	-	-	44.0
01:25 AM - 01:30 AM	49.5	50.1	-	-	43.0
01:30 AM - 01:35 AM	49.4	50.0	-	-	42.1
01:35 AM - 01:40 AM	51.4	52.2	-	-	42.7
01:40 AM - 01:45 AM	50.3	50.8	-	-	42.5
01:45 AM - 01:50 AM	53.0	53.6	-	-	42.9
01:50 AM - 01:55 AM	52.2	52.3	-	-	44.3
01:55 AM - 02:00 AM	49.8	50.1	-	-	43.8
02:00 AM - 02:05 AM	49.5	50.7	-	-	41.5
02:05 AM - 02:10 AM	50.8	51.2	-	-	43.9
02:10 AM - 02:15 AM	51.4	52.2	-	-	44.8
02:15 AM - 02:20 AM	52.0	52.5	-	-	42.0
02:20 AM - 02:25 AM	49.5	50.2	-	-	43.4
02:25 AM - 02:30 AM	52.1	52.6	-	-	42.4
02:30 AM - 02:35 AM	48.2	48.7	-	-	42.9
02:35 AM - 02:40 AM	50.0	50.8	-	-	42.9
02:40 AM - 02:45 AM	49.9	50.6	-	-	42.5
02:45 AM - 02:50 AM	53.0	53.5	-	-	44.5
02:50 AM - 02:55 AM	53.3	54.1	-	-	44.3
02:55 AM - 03:00 AM	52.0	52.3	-	-	43.7
03:00 AM - 03:05 AM	50.3	50.7	-	-	45.3
03:05 AM - 03:10 AM	52.8	53.6	-	-	43.1
03:10 AM - 03:15 AM	52.4	53.1	-	-	43.4
03:15 AM - 03:20 AM	50.0	50.8	-	-	44.6
03:20 AM - 03:25 AM	52.4	53.1	-	-	42.8
03:25 AM - 03:30 AM	50.4	51.0	-	-	42.1
03:30 AM - 03:35 AM	50.6	51.3	-	-	46.3
03:35 AM - 03:40 AM	51.9	52.8	-	-	43.1
03:40 AM - 03:45 AM	52.3	52.7	-	-	-

Wibol

Approved by
Wibol
Wibol Borirak
Manager

This document is generated by the system and is not valid for legal purposes. It is intended for internal use only. The data and information contained herein are confidential and may be subject to change without notice. The Laboratory (ALS) is not responsible for the accuracy of the data and information contained herein. The Laboratory (ALS) is not responsible for the accuracy of the data and information contained herein.

ADDRESS 616/10 Moo 5 T. Mienam Khu A. Phusading Ruyong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. AN ALS LIMITED COMPANY

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
47/5/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueing, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321960-1

Page 3 of 3

Sample No. 2520545-11
Parameter เสียงรบกวน
Location ถนนพหลโยธิน/ ถนนพหลโยธิน/ ถนนพหลโยธิน (GPS 47P 0736442, 1456266)
Measurement Date May 07 - 08, 2025
Measurement by Anuwat Tema
Sound Level Meter 01222716

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะปฏิบัติการ	ระดับเสียง (dB(A))		ค่าระดับการรบกวน
			ค่าจริง	ค่าเฉลี่ย	
03:45 AM - 03:50 AM	50.5	51.3	-	-	42.6
03:50 AM - 03:55 AM	53.9	54.8	-	-	45.9
03:55 AM - 04:00 AM	51.3	51.7	-	-	44.2
04:00 AM - 04:05 AM	51.1	51.9	-	-	45.2
04:05 AM - 04:10 AM	50.9	51.9	-	-	45.8
04:10 AM - 04:15 AM	53.2	54.2	-	-	45.1
04:15 AM - 04:20 AM	52.9	53.5	-	-	44.8
04:20 AM - 04:25 AM	51.7	52.3	-	-	44.4
04:25 AM - 04:30 AM	53.1	53.2	-	-	45.4
04:30 AM - 04:35 AM	53.1	53.5	-	-	47.1
04:35 AM - 04:40 AM	52.4	53.3	-	-	46.4
04:40 AM - 04:45 AM	55.0	55.8	-	-	47.2
04:45 AM - 04:50 AM	53.1	54.5	-	-	47.0
04:50 AM - 04:55 AM	56.2	56.1	-	-	50.6
04:55 AM - 05:00 AM	56.5	56.3	-	-	52.1
05:00 AM - 05:05 AM	57.3	56.6	-	-	51.9
05:05 AM - 05:10 AM	56.9	56.3	-	-	51.9
05:10 AM - 05:15 AM	57.1	57.4	-	-	50.6
05:15 AM - 05:20 AM	55.7	56.0	-	-	49.8
05:20 AM - 05:25 AM	56.4	56.5	-	-	49.8
05:25 AM - 05:30 AM	55.5	56.0	-	-	51.6
05:30 AM - 05:35 AM	56.8	57.4	-	-	50.1
05:35 AM - 05:40 AM	55.6	55.9	-	-	50.6
05:40 AM - 05:45 AM	57.5	57.9	-	-	50.3
05:45 AM - 05:50 AM	57.1	57.0	-	-	52.7
05:50 AM - 05:55 AM	56.3	56.4	-	-	51.4
05:55 AM - 06:00 AM	56.3	56.6	-	-	51.0
06:00 AM - 06:05 AM	55.9	55.9	-	-	50.3
06:05 AM - 06:10 AM	54.9	54.7	-	-	49.6
06:10 AM - 06:15 AM	55.5	55.0	-	-	49.3
06:15 AM - 06:20 AM	55.1	54.8	-	-	46.3
06:20 AM - 06:25 AM	55.1	54.8	-	-	49.6

Reference Method :

- ISO 9596-1
- ประเทศไทยใช้มาตรฐานเสียงรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุด (ค่าการรบกวน) จากตารางตามมาตรฐาน พ.ร.บ. 2567

หมายเหตุ : 1. ประกาศกระทรวงมหาดไทย เรื่อง กำหนดค่าระดับเสียงรบกวนและระดับเสียงที่อาจก่อให้เกิดผลกระทบต่อสุขภาพ พ.ศ. 2568

2. ประกาศกระทรวงมหาดไทย เรื่อง กำหนดค่าระดับเสียงรบกวนและระดับเสียงที่อาจก่อให้เกิดผลกระทบต่อสุขภาพ พ.ศ. 2561

3. ประกาศกระทรวงมหาดไทย เรื่อง กำหนดค่าระดับเสียงรบกวนและระดับเสียงที่อาจก่อให้เกิดผลกระทบต่อสุขภาพ พ.ศ. 2561

Remark :

- ระดับเสียงรบกวนเฉลี่ย 24 ชั่วโมง พ.ศ. 2568
- ระดับเสียงรบกวนเฉลี่ย 24 ชั่วโมง (Sample No. 2520545-11) ในตาราง 07-08 พ.ศ. 2568
- ระดับเสียงรบกวนเฉลี่ย 24 ชั่วโมง (Sample No. 2520545-11) ในตาราง 07-08 พ.ศ. 2568

Wibol

Approved by
Wibol
Wibol Borirak
Manager

This document is generated by the system and is not valid for legal purposes. It is intended for internal use only. The data and information contained herein are confidential and may be subject to change without notice. The Laboratory (ALS) is not responsible for the accuracy of the data and information contained herein. The Laboratory (ALS) is not responsible for the accuracy of the data and information contained herein.

ADDRESS 616/10 Moo 5 T. Mienam Khu A. Phusading Ruyong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. AN ALS LIMITED COMPANY

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Lot ID: 2520545

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report Number : 3321961-1

Page 1 of 3

Sample No. 2520545-12
Parameter เสียงรบกวน
Location กลุ่มบ้านเลขที่ 7 บ้านนาสามัคคี หมู่ที่ 2 (ตำบลนาสามัคคี อำเภอสว่างวีระวงศ์) (GPS 47P 0736442, 1456266)
Measurement Date May 08 - 09, 2025
Measurement by Anuwat Terna
Sound Level Meter 01222716

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
		ค่าจริง	ค่าเฉลี่ย		
11:00 AM - 12:00 PM	56.2	49.3	-	49.9	-0.6
12:00 PM - 01:00 PM	58.3	50.0	-	53.4	-3.4
01:00 PM - 02:00 PM	57.1	57.2	n/a	52.7	-
02:00 PM - 03:00 PM	56.4	56.5	n/a	52.0	-
03:00 PM - 04:00 PM	56.1	56.2	n/a	51.1	-
04:00 PM - 05:00 PM	56.7	56.8	n/a	52.4	-
05:00 PM - 06:00 PM	56.3	56.3	n/a	52.0	-
06:00 PM - 07:00 PM	55.3	43.8	-	50.7	-6.9
07:00 PM - 08:00 PM	55.0	55.1	n/a	49.6	-
08:00 PM - 09:00 PM	54.2	54.3	n/a	49.0	-
09:00 PM - 10:00 PM	53.2	53.7	n/a	47.7	-
10:00 PM - 10:05 PM	54.8	55.3	n/a	48.3	-
10:05 PM - 10:10 PM	52.6	53.3	n/a	48.2	-
10:10 PM - 10:15 PM	53.1	53.6	n/a	48.6	-
10:15 PM - 10:20 PM	55.1	55.7	n/a	48.7	-
10:20 PM - 10:25 PM	54.2	54.7	n/a	48.5	-
10:25 PM - 10:30 PM	52.5	52.7	n/a	47.1	-
10:30 PM - 10:35 PM	52.3	52.6	n/a	47.7	-
10:35 PM - 10:40 PM	52.6	53.2	n/a	47.1	-
10:40 PM - 10:45 PM	51.0	51.7	n/a	44.3	-
10:45 PM - 10:50 PM	50.6	51.1	n/a	45.0	-
10:50 PM - 10:55 PM	52.5	53.2	n/a	47.0	-
10:55 PM - 11:00 PM	51.0	51.6	n/a	45.7	-
11:00 PM - 11:05 PM	50.9	51.2	n/a	44.4	-
11:05 PM - 11:10 PM	51.0	51.7	n/a	44.4	-
11:10 PM - 11:15 PM	52.4	53.0	n/a	45.2	-
11:15 PM - 11:20 PM	52.5	52.8	n/a	45.6	-
11:20 PM - 11:25 PM	50.6	50.5	37.2	45.3	-8.1
11:25 PM - 11:30 PM	53.3	53.3	n/a	46.8	-
11:30 PM - 11:35 PM	50.7	50.6	37.3	43.9	-6.6
11:35 PM - 11:40 PM	50.9	51.3	n/a	44.8	-
11:40 PM - 11:45 PM	50.7	50.8	n/a	43.9	-
11:45 PM - 11:50 PM	52.4	52.7	n/a	45.7	-
11:50 PM - 11:55 PM	50.5	51.0	n/a	43.0	-
11:55 PM - 12:00 AM	51.4	51.4	44.2	44.9	-0.7
12:00 AM - 12:05 AM	52.2	53.1	n/a	43.5	-
12:05 AM - 12:10 AM	50.5	50.7	n/a	43.7	-
12:10 AM - 12:15 AM	51.8	52.4	n/a	43.0	-
12:15 AM - 12:20 AM	51.7	51.9	n/a	45.3	-
12:20 AM - 12:25 AM	50.9	51.1	n/a	45.8	-

This report is valid only for the use and conditions specified in the contract. It is not to be used for any other purpose. The report is the property of ALS and shall remain the property of ALS. All rights reserved. This report is not to be reproduced without the written consent of ALS.

Approved by

Wiwann Borrak
Manager

Wibb.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phukdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PEOPLE



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Lot ID: 2520545

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report Number : 3321961-1

Page 2 of 3

Sample No. 2520545-12
Parameter เสียงรบกวน
Location กลุ่มบ้านเลขที่ 7 บ้านนาสามัคคี หมู่ที่ 2 (ตำบลนาสามัคคี อำเภอสว่างวีระวงศ์) (GPS 47P 0736442, 1456266)
Measurement Date May 08 - 09, 2025
Measurement by Anuwat Terna
Sound Level Meter 01222716

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะมีการรบกวน	เสียงพื้นฐาน (dB(A))		ค่าระดับการรบกวน
			ค่าจริง	ค่าเฉลี่ย	
12:25 AM - 12:30 AM	50.5	51.1	-	n/a	45.3
12:30 AM - 12:35 AM	52.2	53.0	-	n/a	-
12:35 AM - 12:40 AM	49.4	49.8	-	n/a	43.1
12:40 AM - 12:45 AM	51.6	52.0	-	n/a	45.8
12:45 AM - 12:50 AM	51.5	52.0	-	n/a	44.6
12:50 AM - 12:55 AM	49.3	50.0	-	n/a	43.4
12:55 AM - 01:00 AM	48.7	50.2	-	n/a	41.9
01:00 AM - 01:05 AM	48.9	49.2	-	n/a	43.0
01:05 AM - 01:10 AM	48.7	49.3	-	n/a	43.2
01:10 AM - 01:15 AM	49.2	49.7	-	n/a	42.4
01:15 AM - 01:20 AM	52.0	52.6	-	n/a	44.6
01:20 AM - 01:25 AM	50.7	51.1	-	n/a	42.3
01:25 AM - 01:30 AM	49.8	50.6	-	n/a	42.8
01:30 AM - 01:35 AM	49.1	49.8	-	n/a	42.1
01:35 AM - 01:40 AM	49.7	50.1	-	n/a	43.3
01:40 AM - 01:45 AM	49.7	50.2	-	n/a	44.6
01:45 AM - 01:50 AM	49.6	50.4	-	n/a	42.1
01:50 AM - 01:55 AM	49.9	50.1	-	n/a	44.1
01:55 AM - 02:00 AM	49.8	50.3	-	n/a	42.7
02:00 AM - 02:05 AM	50.4	51.0	-	n/a	43.3
02:05 AM - 02:10 AM	48.7	49.1	-	n/a	42.7
02:10 AM - 02:15 AM	47.6	48.4	-	n/a	41.5
02:15 AM - 02:20 AM	50.4	51.0	-	n/a	41.4
02:20 AM - 02:25 AM	51.0	51.8	-	n/a	43.6
02:25 AM - 02:30 AM	49.9	50.7	-	n/a	42.1
02:30 AM - 02:35 AM	50.7	51.3	-	n/a	44.2
02:35 AM - 02:40 AM	48.4	49.0	-	n/a	42.4
02:40 AM - 02:45 AM	49.2	49.7	-	n/a	41.6
02:45 AM - 02:50 AM	50.6	51.3	-	n/a	43.9
02:50 AM - 02:55 AM	51.3	52.0	-	n/a	43.0
02:55 AM - 03:00 AM	51.4	52.4	-	n/a	44.3
03:00 AM - 03:05 AM	50.7	51.1	-	n/a	43.8
03:05 AM - 03:10 AM	50.0	51.3	-	n/a	43.4
03:10 AM - 03:15 AM	49.0	49.9	-	n/a	44.0
03:15 AM - 03:20 AM	49.0	49.8	-	n/a	43.7
03:20 AM - 03:25 AM	51.2	51.8	-	n/a	41.5
03:25 AM - 03:30 AM	50.8	51.8	-	n/a	44.5
03:30 AM - 03:35 AM	52.1	53.1	-	n/a	45.4
03:35 AM - 03:40 AM	49.2	49.8	-	n/a	44.2
03:40 AM - 03:45 AM	51.5	52.6	-	n/a	45.4

This report is valid only for the use and conditions specified in the contract. It is not to be used for any other purpose. The report is the property of ALS and shall remain the property of ALS. All rights reserved. This report is not to be reproduced without the written consent of ALS.

Approved by

Wiwann Borrak
Manager

Wibb.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phukdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PEOPLE



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
47/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321961-1

Page 3 of 3

Sample No. 2520545-12
Parameter เสียงรบกวน
Location กลุ่มบ้าน/7 บ้านนาผาแดง ซอย 2 (ด้านทิศตะวันออกใกล้ทางรถไฟ) (GPS 47P 0736442, 1456266)
Measurement Date May 08 - 09, 2025
Measurement by Anuwat Terna
Sound Level Meter 01222716

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	ระดับเสียง (dB(A))		เสียงขณะมีการรบกวน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
03:45 AM - 03:50 AM	52.1	53.0	-	n/a	46.7	-
03:50 AM - 03:55 AM	52.6	53.4	-	n/a	44.6	-
03:55 AM - 04:00 AM	52.1	52.9	-	n/a	46.4	-
04:00 AM - 04:05 AM	50.6	51.5	-	n/a	45.5	-
04:05 AM - 04:10 AM	52.7	53.9	-	n/a	46.7	-
04:10 AM - 04:15 AM	52.6	53.4	-	n/a	45.9	-
04:15 AM - 04:20 AM	52.5	53.3	-	n/a	45.6	-
04:20 AM - 04:25 AM	53.6	54.5	-	n/a	43.7	-
04:25 AM - 04:30 AM	51.7	52.6	-	n/a	45.3	-
04:30 AM - 04:35 AM	53.0	53.9	-	n/a	46.4	-
04:35 AM - 04:40 AM	51.8	52.7	-	n/a	45.3	-
04:40 AM - 04:45 AM	52.8	53.7	-	n/a	46.2	-
04:45 AM - 04:50 AM	51.8	52.7	-	n/a	45.6	-
04:50 AM - 04:55 AM	53.0	53.8	-	n/a	46.7	-
04:55 AM - 05:00 AM	53.8	54.4	-	n/a	47.6	-
05:00 AM - 05:05 AM	56.4	56.5	-	n/a	48.6	-
05:05 AM - 05:10 AM	58.5	57.9	-	52.6	51.2	1.4
05:10 AM - 05:15 AM	57.0	57.1	-	n/a	49.6	-
05:15 AM - 05:20 AM	57.4	57.5	-	n/a	50.3	-
05:20 AM - 05:25 AM	57.1	57.5	-	n/a	51.3	-
05:25 AM - 05:30 AM	57.1	57.7	-	n/a	51.2	-
05:30 AM - 05:35 AM	56.8	57.5	-	n/a	52.0	-
05:35 AM - 05:40 AM	56.0	56.7	-	n/a	49.5	-
05:40 AM - 05:45 AM	57.4	57.8	-	n/a	50.8	-
05:45 AM - 05:50 AM	56.4	56.7	-	n/a	52.2	-
05:50 AM - 05:55 AM	57.1	57.7	-	n/a	51.5	-
05:55 AM - 06:00 AM	56.6	57.3	-	n/a	51.6	-
06:00 AM - 07:00 AM	56.9	57.2	-	n/a	52.0	-
07:00 AM - 08:00 AM	55.8	55.9	-	n/a	50.1	-
08:00 AM - 09:00 AM	57.1	55.8	-	51.2	50.8	0.4
09:00 AM - 10:00 AM	55.9	55.6	-	44.1	50.6	-4.5
10:00 AM - 11:00 AM	56.6	55.8	-	48.9	50.3	-1.4
ค่าเฉลี่ยรวม					50.3	≤ 10

Reference Method :
1. ISO 1996-1
2. ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่อาจก่อให้เกิดผลกระทบต่อสุขภาพ (ฉบับแก้ไข) พ.ศ. 2567

หมายเหตุ
1. ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่อาจก่อให้เกิดผลกระทบต่อสุขภาพ (ฉบับแก้ไข) พ.ศ. 2568
2. ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่อาจก่อให้เกิดผลกระทบต่อสุขภาพ (ฉบับแก้ไข) พ.ศ. 2561
3. n/a. ไม่สามารถระบุระดับเสียงการรบกวนและระดับเสียงที่อาจก่อให้เกิดผลกระทบต่อสุขภาพ (ฉบับแก้ไข) พ.ศ. 2561

Remark:
1. ระดับเสียงสูงสุดที่วัดได้ทั้งหมด 58.5 dB(A) ในวันที่ 08-09 พฤษภาคม 2568
2. ระดับเสียงการรบกวนและระดับเสียงที่อาจก่อให้เกิดผลกระทบต่อสุขภาพ (ฉบับแก้ไข) พ.ศ. 2568
3. n/a. ไม่สามารถระบุระดับเสียงการรบกวนและระดับเสียงที่อาจก่อให้เกิดผลกระทบต่อสุขภาพ (ฉบับแก้ไข) พ.ศ. 2561

This report is for the use of the client only. It is not to be used for any other purpose. The client is responsible for the use of the report. The report is not to be used for any other purpose. The client is responsible for the use of the report.

Approved by

Wibb.

Wiwann Borirak
Manager

ADDRESS 616/10 Moo 5 T. Niaman Khu A. Phakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
47/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321962-1

Page 1 of 3

Sample No. 2520545-13
Parameter เสียงรบกวน
Location กลุ่มบ้าน/7 บ้านนาผาแดง ซอย 2 (ด้านทิศตะวันออกใกล้ทางรถไฟ) (GPS 47P 0736442, 1456266)
Measurement Date May 09 - 10, 2025
Measurement by Anuwat Terna
Sound Level Meter 01222716

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	ระดับเสียง (dB(A))		เสียงขณะมีการรบกวน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
11:00 AM - 12:00 PM	55.4	55.0	44.8	-	49.6	-4.8
12:00 PM - 01:00 PM	55.5	55.2	43.7	-	49.6	-5.9
01:00 PM - 02:00 PM	59.4	57.4	55.1	-	50.2	4.9
02:00 PM - 03:00 PM	62.3	60.4	57.8	-	52.9	4.9
03:00 PM - 04:00 PM	64.3	61.1	61.5	-	51.4	10.1
04:00 PM - 05:00 PM	60.6	57.8	57.4	-	52.2	5.2
05:00 PM - 06:00 PM	58.8	57.4	53.2	-	52.2	1.2
06:00 PM - 07:00 PM	55.1	55.2	n/a	-	50.5	-
07:00 PM - 08:00 PM	55.4	55.6	n/a	-	51.3	-
08:00 PM - 09:00 PM	54.6	55.0	n/a	-	49.9	-
09:00 PM - 10:00 PM	53.7	54.1	n/a	-	48.6	-
10:00 PM - 10:05 PM	51.8	52.2	-	n/a	46.9	-
10:05 PM - 10:10 PM	53.9	54.6	-	n/a	49.4	-
10:10 PM - 10:15 PM	53.5	54.1	-	n/a	48.6	-
10:15 PM - 10:20 PM	54.6	55.3	-	n/a	49.3	-
10:20 PM - 10:25 PM	52.2	52.7	-	n/a	48.6	-
10:25 PM - 10:30 PM	51.7	52.4	-	n/a	47.4	-
10:30 PM - 10:35 PM	52.5	53.0	-	n/a	45.8	-
10:35 PM - 10:40 PM	51.4	52.1	-	n/a	46.0	-
10:40 PM - 10:45 PM	53.4	53.9	-	n/a	48.9	-
10:45 PM - 10:50 PM	52.0	52.6	-	n/a	45.8	-
10:50 PM - 10:55 PM	53.4	53.4	-	n/a	46.3	-
10:55 PM - 11:00 PM	51.1	51.4	-	n/a	46.1	-
11:00 PM - 11:05 PM	53.5	54.2	-	n/a	46.4	-
11:05 PM - 11:10 PM	53.1	53.9	-	n/a	46.3	-
11:10 PM - 11:15 PM	52.1	52.6	-	n/a	46.4	-
11:15 PM - 11:20 PM	51.5	52.3	-	n/a	47.4	-
11:20 PM - 11:25 PM	52.8	53.2	-	n/a	45.7	-
11:25 PM - 11:30 PM	52.1	52.9	-	n/a	45.7	-
11:30 PM - 11:35 PM	50.8	51.4	-	n/a	44.6	-
11:35 PM - 11:40 PM	52.2	53.0	-	n/a	45.6	-
11:40 PM - 11:45 PM	52.0	52.8	-	n/a	44.6	-
11:45 PM - 11:50 PM	52.8	53.5	-	n/a	46.1	-
11:50 PM - 11:55 PM	51.2	51.9	-	n/a	45.5	-
11:55 PM - 12:00 AM	52.1	52.5	-	n/a	45.1	-
12:00 AM - 12:05 AM	53.4	54.3	-	n/a	44.8	-
12:05 AM - 12:10 AM	50.1	50.1	-	n/a	43.9	-
12:10 AM - 12:15 AM	51.4	52.2	-	n/a	45.4	-
12:15 AM - 12:20 AM	52.3	52.9	-	n/a	45.5	-
12:20 AM - 12:25 AM	52.7	53.5	-	n/a	45.2	-

Approved by

Wibb.

Wiwann Borirak
Manager

ADDRESS 616/10 Moo 5 T. Niaman Khu A. Phakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban Bueang, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321962-1

Page 2 of 3

Sample No. 2520545-13
Parameter เสียงรบกวน
Location ถนนสุขุมวิท 7 กิโลเมตรจากสี่แยก (ด้านทิศตะวันออกของโครงการ) (GPS 47P 0736442, 1456266)
Measurement Date May 09 - 10, 2025
Measurement by Anuwat Tema
Sound Level Meter 01222716

เวลา	เสียงจากแหล่งกำเนิด	ระดับเสียง (dB(A))		เสียงพื้นฐาน	ค่าระดับการรบกวน
		ค่าจริง	ค่าเฉลี่ย		
12:25 AM - 12:30 AM	52.3	52.8	n/a	45.4	-
12:30 AM - 12:35 AM	50.9	51.3	n/a	46.7	-
12:35 AM - 12:40 AM	51.4	52.3	n/a	45.3	-
12:40 AM - 12:45 AM	51.9	52.3	n/a	46.4	-
12:45 AM - 12:50 AM	50.2	50.7	n/a	44.2	-
12:50 AM - 12:55 AM	50.8	51.4	n/a	45.5	-
12:55 AM - 01:00 AM	49.1	49.5	n/a	45.0	-
01:00 AM - 01:05 AM	50.8	51.2	n/a	45.2	-
01:05 AM - 01:10 AM	52.7	53.2	n/a	45.6	-
01:10 AM - 01:15 AM	50.0	50.6	n/a	45.1	-
01:15 AM - 01:20 AM	48.2	48.6	n/a	42.2	-
01:20 AM - 01:25 AM	52.2	52.7	n/a	45.1	-
01:25 AM - 01:30 AM	49.1	49.2	n/a	43.3	-
01:30 AM - 01:35 AM	51.9	52.5	n/a	45.0	-
01:35 AM - 01:40 AM	49.4	49.6	n/a	43.0	-
01:40 AM - 01:45 AM	49.8	50.6	n/a	43.6	-
01:45 AM - 01:50 AM	50.1	50.7	n/a	43.1	-
01:50 AM - 01:55 AM	48.3	48.9	n/a	41.6	-
01:55 AM - 02:00 AM	49.5	50.0	n/a	42.4	-
02:00 AM - 02:05 AM	51.4	52.1	n/a	44.9	-
02:05 AM - 02:10 AM	50.7	51.4	n/a	43.4	-
02:10 AM - 02:15 AM	49.8	50.4	n/a	43.0	-
02:15 AM - 02:20 AM	50.6	51.3	n/a	44.2	-
02:20 AM - 02:25 AM	51.3	52.3	n/a	41.4	-
02:25 AM - 02:30 AM	50.9	51.5	n/a	44.9	-
02:30 AM - 02:35 AM	49.2	50.0	n/a	42.0	-
02:35 AM - 02:40 AM	50.3	51.0	n/a	43.2	-
02:40 AM - 02:45 AM	52.4	53.3	n/a	46.1	-
02:45 AM - 02:50 AM	50.1	50.7	n/a	45.0	-
02:50 AM - 02:55 AM	51.6	52.4	n/a	44.6	-
02:55 AM - 03:00 AM	51.3	52.1	n/a	44.2	-
03:00 AM - 03:05 AM	50.0	50.9	n/a	43.3	-
03:05 AM - 03:10 AM	51.9	52.8	n/a	44.3	-
03:10 AM - 03:15 AM	51.1	52.1	n/a	42.3	-
03:15 AM - 03:20 AM	53.0	53.8	n/a	43.5	-
03:20 AM - 03:25 AM	51.3	52.1	n/a	42.9	-
03:25 AM - 03:30 AM	47.7	48.8	n/a	41.7	-
03:30 AM - 03:35 AM	50.7	51.6	n/a	45.1	-
03:35 AM - 03:40 AM	50.5	51.1	n/a	41.4	-

This document is a summary for the test results. It is not intended to be used as a legal document. The test results are the property of ALS. Any use of the test results for any other purpose without the written consent of ALS is prohibited. ALS is not responsible for any errors or omissions in this document.

Approved by

Witawan Borrak
Manager

Witawan Borrak

ADDRESS 616/10 Moo 5 T. Nueam Khui A. Phakdang Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS INFORMATION GROUP (THAILAND) CO., LTD. AN ALS LIMITED COMPANY

www.alsglobal.com

RIGHT SOLUTIONS



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban Bueang, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321962-1

Page 3 of 3

Sample No. 2520545-13
Parameter เสียงรบกวน
Location ถนนสุขุมวิท 7 กิโลเมตรจากสี่แยก (ด้านทิศตะวันออกของโครงการ) (GPS 47P 0736442, 1456266)
Measurement Date May 09 - 10, 2025
Measurement by Anuwat Tema
Sound Level Meter 01222716

เวลา	เสียงจากแหล่งกำเนิด	ระดับเสียง (dB(A))		เสียงพื้นฐาน	ค่าระดับการรบกวน
		ค่าจริง	ค่าเฉลี่ย		
03:45 AM - 03:50 AM	50.9	51.7	n/a	44.5	-
03:50 AM - 03:55 AM	53.3	54.1	n/a	44.8	-
03:55 AM - 04:00 AM	53.5	54.1	n/a	45.1	-
04:00 AM - 04:05 AM	50.9	51.5	n/a	39.9	-
04:05 AM - 04:10 AM	53.0	53.6	n/a	44.8	-
04:10 AM - 04:15 AM	52.6	53.2	n/a	46.3	-
04:15 AM - 04:20 AM	52.0	52.5	n/a	46.3	-
04:20 AM - 04:25 AM	51.0	51.7	n/a	45.9	-
04:25 AM - 04:30 AM	51.7	52.4	n/a	45.1	-
04:30 AM - 04:35 AM	53.3	54.0	n/a	46.9	-
04:35 AM - 04:40 AM	53.3	54.0	n/a	47.5	-
04:40 AM - 04:45 AM	52.7	53.4	n/a	47.9	-
04:45 AM - 04:50 AM	53.0	53.7	n/a	45.2	-
04:50 AM - 04:55 AM	52.8	53.4	n/a	47.1	-
04:55 AM - 05:00 AM	54.6	55.1	n/a	48.2	-
05:00 AM - 05:05 AM	55.3	55.1	n/a	44.8	-
05:05 AM - 05:10 AM	54.6	54.3	n/a	49.1	-
05:10 AM - 05:15 AM	57.6	57.8	n/a	50.8	-
05:15 AM - 05:20 AM	54.4	54.7	n/a	48.5	-
05:20 AM - 05:25 AM	55.5	55.5	n/a	49.5	-
05:25 AM - 05:30 AM	56.7	56.6	n/a	48.5	-
05:30 AM - 05:35 AM	55.5	55.4	n/a	49.2	-
05:35 AM - 05:40 AM	56.1	56.1	n/a	49.8	-
05:40 AM - 05:45 AM	55.9	55.9	n/a	49.8	-
05:45 AM - 05:50 AM	57.6	57.8	n/a	52.7	-
05:50 AM - 05:55 AM	55.3	55.8	n/a	49.4	-
05:55 AM - 06:00 AM	57.7	57.9	n/a	51.9	-
06:00 AM - 06:05 AM	56.9	57.2	n/a	51.9	-
06:05 AM - 06:10 AM	56.1	56.2	n/a	50.8	-
06:10 AM - 06:15 AM	55.7	55.6	n/a	50.3	-
06:15 AM - 06:20 AM	55.9	55.9	n/a	50.4	-
06:20 AM - 06:25 AM	57.1	56.7	n/a	52.6	-

ค่าเฉลี่ย

Reference Method :

1. ISO 1996-1

2. ประกาศกระทรวงสาธารณสุข เรื่อง วิธีการวัดระดับเสียงรบกวน และระดับเสียงสูงสุดที่ได้จากแหล่งกำเนิดเสียง พ.ศ. 2561

หมายเหตุ

1. บุคลากรตรวจสอบค่าเฉลี่ยเสียงรบกวน และระดับเสียงสูงสุดที่ได้จากแหล่งกำเนิดเสียง

2. ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานเสียงรบกวนจากแหล่งกำเนิดเสียง พ.ศ. 2561

Remark:

1. ระดับเสียงสูงสุดที่ได้จากแหล่งกำเนิดเสียง

2. ระดับเสียงสูงสุดที่ได้จากแหล่งกำเนิดเสียง

3. ค่าเฉลี่ย

This document is a summary for the test results. It is not intended to be used as a legal document. The test results are the property of ALS. Any use of the test results for any other purpose without the written consent of ALS is prohibited. ALS is not responsible for any errors or omissions in this document.

Approved by

Witawan Borrak
Manager

Witawan Borrak

ADDRESS 616/10 Moo 5 T. Nueam Khui A. Phakdang Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS INFORMATION GROUP (THAILAND) CO., LTD. AN ALS LIMITED COMPANY

www.alsglobal.com

RIGHT SOLUTIONS



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321963-1

Page 1 of 3

Sample No. : 2520545-14
Parameter : เสียงรบกวน
Location : ถนนพหลโยธิน/ ถนนพหลโยธิน (ด้านหน้าโครงการ) (GPS 47P 0736442, 1456266)
Measurement Date : May 10 - 11, 2025
Measurement by : Anuwat Terna
Sound Level Meter : 01222716

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	ระดับเสียง (dB(A))		เสียงรบกวน
			ค่าจริง	ค่าเฉลี่ย	
11:00 AM - 12:00 PM	57.8	57.5	46.0	53.3	-7.3
12:00 PM - 01:00 PM	56.2	56.2	n/a	51.9	-
01:00 PM - 02:00 PM	57.1	57.2	49.8	52.5	-
02:00 PM - 03:00 PM	57.5	56.7	n/a	51.4	-1.6
03:00 PM - 04:00 PM	56.7	56.7	n/a	51.8	-
04:00 PM - 05:00 PM	56.6	56.6	n/a	51.6	-
05:00 PM - 06:00 PM	57.2	57.3	n/a	53.2	-
06:00 PM - 07:00 PM	59.5	58.0	54.2	54.4	-0.2
07:00 PM - 08:00 PM	61.4	60.3	54.9	56.2	-1.3
08:00 PM - 09:00 PM	58.0	56.8	51.8	51.7	-2.7
09:00 PM - 10:00 PM	55.5	53.9	49.3	50.8	-1.5
10:00 PM - 10:05 PM	53.6	53.0	47.7	49.6	-1.9
10:05 PM - 10:10 PM	54.7	54.2	49.5	49.5	-1.4
10:10 PM - 10:15 PM	54.5	54.2	49.5	49.5	-3.8
10:15 PM - 10:20 PM	56.2	55.7	49.6	51.8	-2.2
10:20 PM - 10:25 PM	54.5	54.1	46.9	50.7	-3.8
10:25 PM - 10:30 PM	54.5	54.1	46.9	49.9	-3.0
10:30 PM - 10:35 PM	53.8	53.4	48.5	49.5	-1.0
10:35 PM - 10:40 PM	53.8	53.4	47.3	48.7	-1.4
10:40 PM - 10:45 PM	53.6	53.4	43.1	48.7	-5.6
10:45 PM - 10:50 PM	53.6	53.6	n/a	48.1	-
10:50 PM - 10:55 PM	53.6	52.7	n/a	46.6	-
10:55 PM - 11:00 PM	52.7	52.7	n/a	48.9	-
11:00 PM - 11:05 PM	54.6	55.1	n/a	49.2	-
11:05 PM - 11:10 PM	53.8	53.7	40.4	48.1	-7.7
11:10 PM - 11:15 PM	53.1	53.1	n/a	48.3	-
11:15 PM - 11:20 PM	52.3	52.2	38.9	45.8	-6.9
11:20 PM - 11:25 PM	51.2	50.8	43.6	46.4	-2.8
11:25 PM - 11:30 PM	49.9	49.9	40.5	45.8	-5.3
11:30 PM - 11:35 PM	51.0	50.8	44.7	46.0	-6.8
11:35 PM - 11:40 PM	51.3	51.2	40.1	44.6	-4.5
11:40 PM - 11:45 PM	50.6	50.4	n/a	45.6	-
11:45 PM - 11:50 PM	52.6	52.7	n/a	45.6	-
11:50 PM - 11:55 PM	49.2	49.2	41.1	43.5	-2.4
11:55 PM - 12:00 AM	49.9	49.6	40.4	43.3	-2.9
12:00 AM - 12:05 AM	50.9	50.7	47.8	42.9	-1.2
12:05 AM - 12:10 AM	48.3	47.8	46.6	44.9	-1.7
12:10 AM - 12:15 AM	50.5	49.5	n/a	44.2	-
12:15 AM - 12:20 AM	51.7	51.7	n/a	44.2	-
12:20 AM - 12:25 AM	51.7	51.7	n/a	44.2	-

This document is the property of ALS. It is not to be reproduced, stored, or transmitted in any form without the written consent of ALS. If you are not the intended recipient, please inform the sender immediately. (This document is the property of ALS. It is not to be reproduced, stored, or transmitted in any form without the written consent of ALS. If you are not the intended recipient, please inform the sender immediately.)

Approved by

Wiwawan Borirak
Manager

ADDRESS 61/610 Moo 5 T. Maenam Khu A. Phuladang Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321963-1

Page 2 of 3

Sample No. : 2520545-14
Parameter : เสียงรบกวน
Location : ถนนพหลโยธิน/ ถนนพหลโยธิน (ด้านหน้าโครงการ) (GPS 47P 0736442, 1456266)
Measurement Date : May 10 - 11, 2025
Measurement by : Anuwat Terna
Sound Level Meter : 01222716

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	ระดับเสียง (dB(A))		เสียงรบกวน
			ค่าจริง	ค่าเฉลี่ย	
12:25 AM - 12:30 AM	49.3	49.1	38.8	42.9	-4.1
12:30 AM - 12:35 AM	51.8	52.1	n/a	43.9	-
12:35 AM - 12:40 AM	48.6	48.7	n/a	42.2	-
12:40 AM - 12:45 AM	51.7	51.9	n/a	43.2	-
12:45 AM - 12:50 AM	52.0	52.5	n/a	40.4	-
12:50 AM - 12:55 AM	49.9	49.5	42.3	41.9	0.4
12:55 AM - 01:00 AM	51.5	51.5	n/a	40.7	-
01:00 AM - 01:05 AM	49.4	49.4	n/a	42.0	-
01:05 AM - 01:10 AM	49.7	48.7	45.8	41.5	4.3
01:10 AM - 01:15 AM	48.5	47.4	45.0	39.1	5.9
01:15 AM - 01:20 AM	49.3	49.2	35.9	41.5	-5.6
01:20 AM - 01:25 AM	51.9	52.2	n/a	44.0	-
01:25 AM - 01:30 AM	50.1	50.1	n/a	44.5	-
01:30 AM - 01:35 AM	48.4	48.7	n/a	40.6	-
01:35 AM - 01:40 AM	50.9	51.1	n/a	43.2	-
01:40 AM - 01:45 AM	49.7	49.7	n/a	41.7	-
01:45 AM - 01:50 AM	49.4	49.5	n/a	41.7	-
01:50 AM - 01:55 AM	48.1	47.7	40.5	39.6	0.9
01:55 AM - 02:00 AM	48.6	48.5	42.2	35.0	-7.0
02:00 AM - 02:05 AM	48.7	48.6	35.3	40.4	-5.1
02:05 AM - 02:10 AM	50.2	50.3	n/a	41.2	-
02:10 AM - 02:15 AM	48.4	48.3	35.0	40.3	-5.3
02:15 AM - 02:20 AM	47.4	47.3	34.0	39.1	-5.7
02:20 AM - 02:25 AM	47.9	48.0	n/a	39.1	-
02:25 AM - 02:30 AM	49.5	49.4	36.1	40.2	-4.1
02:30 AM - 02:35 AM	51.1	51.2	n/a	38.8	-
02:35 AM - 02:40 AM	49.2	49.3	n/a	41.0	-
02:40 AM - 02:45 AM	51.1	51.4	n/a	44.7	-
02:45 AM - 02:50 AM	49.5	49.3	39.0	41.9	-2.9
02:50 AM - 02:55 AM	50.5	50.6	n/a	43.6	-
02:55 AM - 03:00 AM	50.2	50.4	n/a	44.0	-
03:00 AM - 03:05 AM	49.1	49.1	n/a	40.0	-
03:05 AM - 03:10 AM	49.8	50.0	n/a	42.1	-
03:10 AM - 03:15 AM	50.0	50.1	n/a	44.3	-
03:15 AM - 03:20 AM	48.9	49.0	n/a	40.0	-
03:20 AM - 03:25 AM	49.9	49.2	44.6	40.7	3.9
03:25 AM - 03:30 AM	50.4	51.0	n/a	40.7	-
03:30 AM - 03:35 AM	49.9	50.3	n/a	39.4	-
03:35 AM - 03:40 AM	50.9	51.2	n/a	43.6	-
03:40 AM - 03:45 AM	50.5	50.9	n/a	42.1	-

This document is the property of ALS. It is not to be reproduced, stored, or transmitted in any form without the written consent of ALS. If you are not the intended recipient, please inform the sender immediately. (This document is the property of ALS. It is not to be reproduced, stored, or transmitted in any form without the written consent of ALS. If you are not the intended recipient, please inform the sender immediately.)

Approved by

Wiwawan Borirak
Manager

ADDRESS 61/610 Moo 5 T. Maenam Khu A. Phuladang Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban Bueang, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321964-1

Page 2 of 3

Sample No. : 2520545-15
Parameter : เสียงรบกวน
Location : ถนนพหลโยธิน/ บ้านนาสามัคคี ซอย 3 (ด้านหน้าตึกแถวโครงการ) (GPS 47P 0736149, 1457358)
Measurement Date : May 04 - 05, 2025
Measurement by : Anuwat Tema
Sound Level Meter : 01122578

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	ระดับเสียง (dB(A))		เสียงพื้นฐาน	ค่าระดับการรบกวน
			ค่าจริง	ค่าปรับ		
12:15 AM - 12:20 AM	46.1	42.7	46.4	-	41.4	5.0
12:20 AM - 12:25 AM	46.4	43.5	46.3	-	42.1	4.2
12:25 AM - 12:30 AM	46.2	42.6	46.7	-	41.4	5.3
12:30 AM - 12:35 AM	46.1	41.9	47.0	-	40.5	6.5
12:35 AM - 12:40 AM	45.7	41.5	46.6	-	40.1	6.5
12:40 AM - 12:45 AM	45.5	43.0	45.9	-	40.7	5.2
12:45 AM - 12:50 AM	46.1	43.3	45.9	-	41.8	4.1
12:50 AM - 12:55 AM	45.9	44.1	44.2	-	42.0	2.2
12:55 AM - 01:00 AM	46.3	43.9	45.6	-	42.3	3.3
01:00 AM - 01:05 AM	46.4	43.9	45.8	-	42.4	3.4
01:05 AM - 01:10 AM	46.4	44.2	45.4	-	42.8	2.6
01:10 AM - 01:15 AM	46.6	44.8	46.4	-	42.3	4.1
01:15 AM - 01:20 AM	46.8	44.3	46.2	-	42.8	3.4
01:20 AM - 01:25 AM	46.8	43.9	46.7	-	42.4	4.3
01:25 AM - 01:30 AM	46.9	43.8	47.0	-	42.1	4.9
01:30 AM - 01:35 AM	46.9	44.2	46.6	-	42.4	4.2
01:35 AM - 01:40 AM	46.9	44.1	46.7	-	42.6	4.1
01:40 AM - 01:45 AM	46.5	44.0	45.9	-	42.4	3.5
01:45 AM - 01:50 AM	46.9	44.3	46.4	-	42.7	3.7
01:50 AM - 01:55 AM	47.5	45.0	46.9	-	43.0	3.9
01:55 AM - 02:00 AM	47.4	45.1	46.7	-	43.3	3.4
02:00 AM - 02:05 AM	47.6	45.1	47.0	-	43.2	3.8
02:05 AM - 02:10 AM	47.6	44.5	47.2	-	43.1	4.6
02:10 AM - 02:15 AM	47.5	44.6	47.4	-	43.1	4.3
02:15 AM - 02:20 AM	46.8	44.3	46.2	-	42.7	3.5
02:20 AM - 02:25 AM	46.5	43.6	46.4	-	42.1	4.3
02:25 AM - 02:30 AM	48.0	43.6	46.9	-	42.7	-
02:30 AM - 02:35 AM	47.3	44.7	46.8	-	43.0	3.8
02:35 AM - 02:40 AM	47.1	44.1	47.1	-	42.4	4.7
02:40 AM - 02:45 AM	46.7	44.0	46.4	-	42.4	4.0
02:45 AM - 02:50 AM	47.3	44.7	46.8	-	43.1	3.7
02:50 AM - 02:55 AM	47.7	45.5	46.7	-	43.9	2.8
02:55 AM - 03:00 AM	47.1	45.7	44.5	-	43.9	0.6
03:00 AM - 03:05 AM	46.9	44.7	45.9	-	43.3	2.6
03:05 AM - 03:10 AM	47.3	44.5	47.1	-	43.0	4.1
03:10 AM - 03:15 AM	46.7	44.6	45.2	-	42.6	2.9
03:15 AM - 03:20 AM	47.3	45.2	46.1	-	43.4	2.7
03:20 AM - 03:25 AM	47.2	45.3	47.0	-	44.0	3.0
03:25 AM - 03:30 AM	47.7	45.2	45.9	-	43.4	2.5
03:30 AM - 03:35 AM	47.3	44.9	46.6	-	42.8	3.8

This document is the property of ALS (Thailand) Public Co., Ltd. and is not to be reproduced or used in any form without the prior written permission of ALS (Thailand) Public Co., Ltd. Any unauthorized use or reproduction of this document is strictly prohibited.

Approved by

Wibb.

Wibwan Borrak
Manager

ADDRESS: 616/10 Moo 5 T. Maenam Khu A. Phukdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban Bueang, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321964-1

Page 3 of 3

Sample No. : 2520545-15
Parameter : เสียงรบกวน
Location : ถนนพหลโยธิน/ บ้านนาสามัคคี ซอย 3 (ด้านหน้าตึกแถวโครงการ) (GPS 47P 0736149, 1457358)
Measurement Date : May 04 - 05, 2025
Measurement by : Anuwat Tema
Sound Level Meter : 01122578

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	ระดับเสียง (dB(A))		เสียงพื้นฐาน	ค่าระดับการรบกวน
			ค่าจริง	ค่าปรับ		
03:35 AM - 03:40 AM	47.4	44.5	47.3	-	42.9	4.4
03:40 AM - 03:45 AM	54.8	44.7	47.4	-	42.9	14.5
03:45 AM - 03:50 AM	46.4	48.5	47.4	-	43.2	-
03:50 AM - 03:55 AM	45.9	44.5	47.4	-	43.3	0.5
03:55 AM - 04:00 AM	45.3	43.6	45.4	-	43.4	2.5
04:00 AM - 04:05 AM	46.0	43.5	45.4	-	43.4	40.4
04:05 AM - 04:10 AM	45.6	43.4	44.6	-	41.5	5.0
04:10 AM - 04:15 AM	45.9	43.0	45.8	-	40.8	5.0
04:15 AM - 04:20 AM	46.4	42.9	46.8	-	40.8	6.0
04:20 AM - 04:25 AM	46.7	43.8	46.6	-	42.3	4.3
04:25 AM - 04:30 AM	46.5	43.4	46.6	-	41.9	4.7
04:30 AM - 04:35 AM	46.4	43.2	46.6	-	41.8	4.8
04:35 AM - 04:40 AM	47.5	43.7	48.2	-	41.6	6.6
04:40 AM - 04:45 AM	46.3	42.4	47.0	-	40.9	6.1
04:45 AM - 04:50 AM	46.3	43.6	46.0	-	41.4	4.6
04:50 AM - 04:55 AM	45.8	41.6	46.7	-	40.3	6.4
04:55 AM - 05:00 AM	46.2	42.0	47.1	-	40.7	6.4
05:00 AM - 05:05 AM	48.5	42.7	50.2	-	39.4	10.8
05:05 AM - 05:10 AM	46.3	41.3	47.6	-	39.3	8.3
05:10 AM - 05:15 AM	46.0	41.8	46.9	-	40.0	6.9
05:15 AM - 05:20 AM	45.2	43.3	43.7	-	39.8	3.9
05:20 AM - 05:25 AM	47.2	46.5	41.9	-	39.5	2.4
05:25 AM - 05:30 AM	48.4	44.5	49.1	-	40.5	8.6
05:30 AM - 05:35 AM	48.4	44.3	49.3	-	40.9	8.4
05:35 AM - 05:40 AM	48.3	45.0	48.6	-	40.4	8.2
05:40 AM - 05:45 AM	52.8	51.7	49.3	-	41.0	8.3
05:45 AM - 05:50 AM	50.7	56.4	n/a	-	41.8	-
05:50 AM - 05:55 AM	54.5	58.3	n/a	-	42.1	-
05:55 AM - 06:00 AM	59.0	62.8	n/a	-	41.7	-
06:00 AM - 07:00 AM	51.9	54.8	-	-	45.7	-
07:00 AM - 08:00 AM	52.2	50.1	48.0	-	39.9	8.1
08:00 AM - 09:00 AM	52.9	53.9	n/a	-	46.3	-
ตามตาราง						≤ 10

Reference Method :

- ISO 1996-1
- ประเทศไทยโรงงานอุตสาหกรรม เรื่อง วิธีการวัดระดับเสียงรบกวน ระดับเสียงต่อ 24 ชั่วโมง และระดับเสียงสูงสุดที่โครงการประกอบกิจการโรงงาน พ.ศ. 2567
- มาตรฐาน
- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงรบกวนและระดับเสียงสูงสุดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานเสียงจากโครงการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด จากการวัด วันที่ 04-05 พฤษภาคม 2568
- ระดับเสียงขณะไม่มีการรบกวน และระดับเสียงสูงสุดจากการประกอบกิจการโรงงาน (Sample No. 2520546-15) วัดระหว่าง 04-05 พฤษภาคม 2568
- น.บ. ไม่สามารถวัดระดับเสียงรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดการรบกวนระดับเสียงขณะไม่มีการรบกวน

Approved by

Wibb.

Wibwan Borrak
Manager

This document is the property of ALS (Thailand) Public Co., Ltd. and is not to be reproduced or used in any form without the prior written permission of ALS (Thailand) Public Co., Ltd. Any unauthorized use or reproduction of this document is strictly prohibited.

ADDRESS: 616/10 Moo 5 T. Maenam Khu A. Phukdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Lot ID: 2520545

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report Number : 3321965-1

Page 1 of 3

Sample No. 2520545-16

Parameter เลื่อนฐาน

Location ถนนบ้านนา 7 บ้านนาบ่อแก้ว หมู่ที่ 3 (ตำบลนาบ่อแก้ว) (GPS 47P 0736149, 1457358)

Measurement Date May 05 - 06, 2025

Measurement by Anuwit Tenna

Sound Level Meter 01122578

เวลา	ระดับเสียง (dB(A))				ค่ารวม
	เสียงจากแหล่งกำเนิด	เสียงสะท้อน	เสียงรวม	เสียงรวม	
09:00 AM - 10:00 AM	62.1	58.6	59.5	49.5	10.0
10:00 AM - 11:00 AM	60.0	59.0	59.1	50.4	2.7
11:00 AM - 12:00 PM	56.9	54.3	53.4	46.4	7.0
12:00 PM - 01:00 PM	50.6	49.8	49.9	43.5	-0.6
01:00 PM - 02:00 PM	61.4	59.9	56.1	51.1	5.0
02:00 PM - 03:00 PM	63.7	61.7	59.4	56.5	2.9
03:00 PM - 04:00 PM	59.4	57.7	54.5	52.4	2.1
04:00 PM - 05:00 PM	61.8	60.0	57.1	55.1	2.0
05:00 PM - 06:00 PM	57.9	57.4	48.3	54.0	-5.7
06:00 PM - 07:00 PM	51.4	51.3	47.0	47.0	-12.0
07:00 PM - 08:00 PM	45.7	46.8	n/a	42.2	-
08:00 PM - 09:00 PM	44.7	42.9	40.0	40.3	-0.3
09:00 PM - 10:00 PM	44.4	42.9	39.1	40.6	-1.5
10:00 PM - 10:05 PM	44.3	43.0	40.9	40.9	0.5
10:05 PM - 10:10 PM	44.3	42.4	40.4	40.4	2.4
10:10 PM - 10:15 PM	44.2	41.6	40.1	40.1	3.6
10:15 PM - 10:20 PM	44.5	43.0	40.2	40.2	3.7
10:20 PM - 10:25 PM	45.2	42.7	40.6	40.6	-
10:25 PM - 10:30 PM	44.4	42.3	41.0	41.0	2.2
10:30 PM - 10:35 PM	44.0	42.0	40.0	40.0	2.7
10:35 PM - 10:40 PM	44.8	42.5	40.4	40.4	3.5
10:40 PM - 10:45 PM	45.0	43.7	40.8	40.8	1.3
10:45 PM - 10:50 PM	43.6	40.9	42.1	42.1	1.3
10:50 PM - 10:55 PM	42.7	40.3	39.3	39.3	4.0
10:55 PM - 11:00 PM	42.8	39.7	42.0	38.3	3.7
11:00 PM - 11:05 PM	42.6	40.0	42.9	38.4	4.5
11:05 PM - 11:10 PM	42.6	42.3	42.1	38.1	4.0
11:10 PM - 11:15 PM	43.3	46.8	37.2	37.2	-3.4
11:15 PM - 11:20 PM	44.4	46.1	n/a	44.3	-
11:20 PM - 11:25 PM	44.7	40.0	39.3	39.3	-
11:25 PM - 11:30 PM	44.5	39.6	45.9	38.8	7.1
11:30 PM - 11:35 PM	44.4	39.0	45.8	37.6	8.2
11:35 PM - 11:40 PM	44.4	40.1	45.9	38.1	7.8
11:40 PM - 11:45 PM	44.9	41.8	45.4	36.7	6.7
11:45 PM - 11:50 PM	44.6	42.8	45.0	38.8	6.2
11:50 PM - 11:55 PM	43.9	43.7	42.9	37.4	5.5
11:55 PM - 12:00 AM	43.8	38.8	33.4	36.1	7.7
12:00 AM - 12:05 AM	43.4	38.4	44.9	37.4	7.7
12:05 AM - 12:10 AM	43.7	39.5	44.6	37.2	7.1
12:10 AM - 12:15 AM	43.7	38.5	45.1	37.5	8.4

This report is valid only for the data recorded on-site. It is not valid for any other purpose. The data recorded on-site is the only valid data. The data recorded on-site is the only valid data. The data recorded on-site is the only valid data.

Approved by

Witawan Borrak
Manager

Witawan Borrak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phusadeng Rayong 21140 Thailand | PHONE: +66 0 3304 8555 | FAX: +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PEOPLE



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Lot ID: 2520545

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report Number : 3321965-1

Page 2 of 3

Sample No. 2520545-16

Parameter เลื่อนฐาน

Location ถนนบ้านนา 7 บ้านนาบ่อแก้ว หมู่ที่ 3 (ตำบลนาบ่อแก้ว) (GPS 47P 0736149, 1457358)

Measurement Date May 05 - 06, 2025

Measurement by Anuwit Tenna

Sound Level Meter 01122578

เวลา	ระดับเสียง (dB(A))				ค่ารวม
	เสียงจากแหล่งกำเนิด	เสียงสะท้อน	เสียงรวม	เสียงรวม	
12:15 AM - 12:20 AM	43.6	38.4	45.0	37.0	8.0
12:20 AM - 12:25 AM	44.0	38.4	45.6	37.2	8.4
12:25 AM - 12:30 AM	43.7	40.0	44.3	37.4	6.9
12:30 AM - 12:35 AM	44.0	39.0	45.1	37.6	7.7
12:35 AM - 12:40 AM	43.6	38.2	44.8	36.7	8.4
12:40 AM - 12:45 AM	43.1	37.2	44.8	35.9	8.9
12:45 AM - 12:50 AM	43.3	42.2	43.8	36.0	3.8
12:50 AM - 12:55 AM	43.1	37.2	44.8	35.5	9.3
12:55 AM - 01:00 AM	43.8	37.7	45.6	36.2	9.4
01:00 AM - 01:05 AM	43.6	41.7	42.1	36.6	5.5
01:05 AM - 01:10 AM	42.9	39.3	43.4	34.8	8.6
01:10 AM - 01:15 AM	43.2	36.3	45.2	35.3	9.9
01:15 AM - 01:20 AM	44.2	38.2	45.9	37.0	8.9
01:20 AM - 01:25 AM	45.1	49.0	44.8	36.4	8.6
01:25 AM - 01:30 AM	43.2	37.7	44.2	36.1	8.1
01:30 AM - 01:35 AM	42.7	37.4	44.3	37.0	7.0
01:35 AM - 01:40 AM	43.6	39.8	44.1	36.9	6.2
01:40 AM - 01:45 AM	43.4	40.7	44.2	36.4	7.8
01:45 AM - 01:50 AM	42.9	37.9	44.2	36.6	7.6
01:50 AM - 01:55 AM	42.8	37.7	44.2	37.3	7.4
01:55 AM - 02:00 AM	43.7	38.9	45.0	37.7	7.4
02:00 AM - 02:05 AM	43.5	39.0	44.6	37.2	7.4
02:05 AM - 02:10 AM	43.3	38.2	44.7	36.6	8.1
02:10 AM - 02:15 AM	43.2	38.5	44.4	36.2	8.2
02:15 AM - 02:20 AM	43.4	38.0	44.5	36.5	7.7
02:20 AM - 02:25 AM	43.4	38.9	44.9	36.8	8.4
02:25 AM - 02:30 AM	43.5	38.3	44.9	36.7	8.2
02:30 AM - 02:35 AM	43.2	37.6	44.8	36.0	8.8
02:35 AM - 02:40 AM	43.3	37.5	45.0	35.7	9.3
02:40 AM - 02:45 AM	44.5	39.5	45.8	36.4	9.4
02:45 AM - 02:50 AM	42.4	36.6	44.1	35.3	8.8
02:50 AM - 02:55 AM	43.0	37.8	44.4	36.3	8.1
02:55 AM - 03:00 AM	43.2	37.8	44.7	36.5	8.2
03:00 AM - 03:05 AM	43.4	38.0	44.9	36.6	8.3
03:05 AM - 03:10 AM	43.7	38.2	45.3	36.9	8.4
03:10 AM - 03:15 AM	43.6	38.7	44.9	37.1	7.8
03:15 AM - 03:20 AM	43.4	37.8	45.0	36.2	8.8
03:20 AM - 03:25 AM	43.7	39.3	45.4	36.3	9.1
03:25 AM - 03:30 AM	44.3	40.0	45.6	38.1	7.5
03:30 AM - 03:35 AM	44.4	40.0	45.4	38.7	6.7

This report is valid only for the data recorded on-site. It is not valid for any other purpose. The data recorded on-site is the only valid data. The data recorded on-site is the only valid data. The data recorded on-site is the only valid data.

Approved by

Witawan Borrak
Manager

Witawan Borrak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phusadeng Rayong 21140 Thailand | PHONE: +66 0 3304 8555 | FAX: +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PEOPLE



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
47/5/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321965-1

Page 3 of 3

Sample No. : 2520545-16
Parameter : เสียงรบกวน
Location : กลางสนาม/7 บ้านนาบึงวัด หมู่ 3 (ด้านทิศตะวันตกของโครงการ) (GPS 47P 0736149, 1457358)
Measurement Date : May 05 - 06, 2025
Measurement by : Anuwat Terna
Sound Level Meter : 01122578

เวลา	เสียงจากแหล่งกำเนิด	เสียงรบกวน (dB(A))		เสียงพื้นฐาน	ค่าระดับการรบกวน
		เสียงรบกวน	ค่าระดับ		
03:35 AM - 03:40 AM	44.4	39.8	-	38.4	7.2
03:40 AM - 03:45 AM	43.9	39.1	-	37.3	7.9
03:45 AM - 03:50 AM	44.3	39.8	-	38.1	7.3
03:50 AM - 03:55 AM	44.0	40.3	-	38.9	7.7
03:55 AM - 04:00 AM	44.5	39.8	-	38.4	7.3
04:00 AM - 04:05 AM	44.7	39.4	-	37.2	9.0
04:05 AM - 04:10 AM	45.0	40.9	-	37.9	8.0
04:10 AM - 04:15 AM	43.8	39.5	-	37.4	7.4
04:15 AM - 04:20 AM	44.0	41.0	-	38.9	5.1
04:20 AM - 04:25 AM	44.3	41.0	-	38.6	6.0
04:25 AM - 04:30 AM	45.2	41.3	-	39.6	5.8
04:30 AM - 04:35 AM	44.9	42.3	-	40.8	4.3
04:35 AM - 04:40 AM	45.2	44.4	-	40.4	0.1
04:40 AM - 04:45 AM	44.7	41.5	-	38.6	6.3
04:45 AM - 04:50 AM	47.2	49.5	-	n/a	-
04:50 AM - 04:55 AM	45.0	43.8	-	38.5	3.3
04:55 AM - 05:00 AM	45.7	41.7	-	37.3	9.2
05:00 AM - 05:05 AM	43.5	40.3	-	37.6	6.1
05:05 AM - 05:10 AM	44.0	42.0	-	38.8	6.2
05:10 AM - 05:15 AM	44.2	40.9	-	37.1	7.4
05:15 AM - 05:20 AM	47.0	40.8	-	37.5	11.3
05:20 AM - 05:25 AM	51.0	47.8	-	40.0	11.2
05:25 AM - 05:30 AM	48.2	46.7	-	38.0	7.9
05:30 AM - 05:35 AM	47.4	48.7	-	38.5	-
05:35 AM - 05:40 AM	49.3	53.3	-	44.7	-
05:40 AM - 05:45 AM	46.3	53.7	-	42.4	-
05:45 AM - 05:50 AM	54.7	59.9	-	48.8	-
05:50 AM - 05:55 AM	60.5	62.8	-	57.0	0.3
05:55 AM - 06:00 AM	60.6	64.4	-	57.1	-
06:00 AM - 07:00 AM	54.1	61.4	-	55.8	-
07:00 AM - 08:00 AM	53.8	50.0	n/a	39.9	11.6
08:00 AM - 09:00 AM	54.7	53.5	48.5	48.0	0.5
ค่าเฉลี่ย					≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมอุตุนิยมวิทยา เรื่อง วิธีการวัดระดับเสียงรบกวน และระดับเสียงรบกวนจากโครงการก่อสร้าง พ.ศ. 2567

หมายเหตุ : 1. ประกาศกรมอุตุนิยมวิทยา เรื่อง วิธีการวัดระดับเสียงรบกวน และระดับเสียงรบกวนจากโครงการก่อสร้าง พ.ศ. 2567

- ประกาศกรมอุตุนิยมวิทยา เรื่อง วิธีการวัดระดับเสียงรบกวน และระดับเสียงรบกวนจากโครงการก่อสร้าง พ.ศ. 2561
- ประกาศกรมอุตุนิยมวิทยา เรื่อง วิธีการวัดระดับเสียงรบกวน และระดับเสียงรบกวนจากโครงการก่อสร้าง พ.ศ. 2561

Remark:

- ระดับเสียงรบกวนวัดได้ทั้งหมด 2568
- ระดับเสียงรบกวนวัดได้ทั้งหมด 2568 (Sample No.2520545-16 วันที่ 05-06 พฤษภาคม 2568)
- n/a ไม่สามารถวัดระดับเสียงรบกวนได้เนื่องจากเสียงรบกวนจากโครงการก่อสร้างมีค่าเกินขีดจำกัดที่กำหนด

This report is valid for the purpose of the work project only. It is not to be used for any other purpose. The data in this report is the property of ALS and shall not be reproduced or used in any form without written permission from ALS. ALS is not responsible for any loss or damage caused by the use of this report.

Approved by

Wiwann Borirak
Manager

Client : WHA Industrial Development Public Company Limited
47/5/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321965-1

Page 1 of 3

Sample No. : 2520545-17
Parameter : เสียงรบกวน
Location : กลางสนาม/7 บ้านนาบึงวัด หมู่ 3 (ด้านทิศตะวันตกของโครงการ) (GPS 47P 0736149, 1457358)
Measurement Date : May 05 - 07, 2025
Measurement by : Anuwat Terna
Sound Level Meter : 01122578

เวลา	เสียงจากแหล่งกำเนิด	เสียงรบกวน (dB(A))		เสียงพื้นฐาน	ค่าระดับการรบกวน
		เสียงรบกวน	ค่าระดับ		
09:00 AM - 10:00 AM	60.4	58.0	-	49.8	6.9
10:00 AM - 11:00 AM	58.9	57.0	-	50.9	3.5
11:00 AM - 12:00 PM	58.0	56.8	-	51.5	0.3
12:00 PM - 01:00 PM	47.0	49.0	-	41.7	-
01:00 PM - 02:00 PM	55.9	54.5	-	49.8	0.5
02:00 PM - 03:00 PM	56.8	54.8	-	49.4	3.1
03:00 PM - 04:00 PM	53.8	53.1	-	49.0	-3.5
04:00 PM - 05:00 PM	57.0	56.2	-	51.0	-1.7
05:00 PM - 06:00 PM	58.9	56.3	-	50.9	4.5
06:00 PM - 07:00 PM	51.8	50.6	-	46.3	-0.7
07:00 PM - 08:00 PM	45.1	46.6	-	42.2	-
08:00 PM - 09:00 PM	46.3	48.0	-	39.8	-0.7
09:00 PM - 10:00 PM	44.0	42.3	-	39.1	-
10:00 PM - 11:00 PM	43.6	39.1	-	44.7	7.3
11:00 PM - 12:00 AM	43.7	39.7	-	44.5	6.8
12:00 AM - 01:00 AM	43.6	39.3	-	37.9	-
01:00 AM - 02:00 AM	42.3	37.4	-	42.3	4.5
02:00 AM - 03:00 PM	44.7	50.1	-	38.7	-
03:00 PM - 04:00 PM	42.5	40.2	-	41.6	3.0
04:00 PM - 05:00 PM	42.5	39.5	-	43.2	5.4
05:00 PM - 06:00 PM	42.5	39.9	-	42.0	4.0
06:00 PM - 07:00 PM	42.5	39.1	-	42.8	5.4
07:00 PM - 08:00 PM	42.0	39.3	-	41.7	4.4
08:00 PM - 09:00 PM	42.9	39.8	-	38.2	4.8
09:00 PM - 10:00 PM	42.6	42.8	-	38.2	-
10:00 PM - 11:00 PM	42.3	39.6	-	42.0	4.0
11:00 PM - 12:00 AM	44.8	39.5	-	37.5	8.8
12:00 AM - 01:00 AM	42.6	50.8	-	38.9	-
01:00 AM - 02:00 AM	43.4	41.4	-	42.1	2.6
02:00 AM - 03:00 PM	44.0	41.8	-	43.0	3.8
03:00 PM - 04:00 PM	42.8	40.2	-	39.3	1.4
04:00 PM - 05:00 PM	43.4	40.2	-	38.8	4.8
05:00 PM - 06:00 PM	44.4	42.5	-	42.9	4.7
06:00 PM - 07:00 PM	48.3	41.9	-	39.0	11.2
07:00 PM - 08:00 PM	48.2	45.4	-	48.0	6.5
08:00 PM - 09:00 PM	43.7	42.1	-	41.6	2.3
09:00 PM - 10:00 PM	46.5	46.9	-	40.5	-
10:00 PM - 11:00 PM	48.3	46.8	-	39.7	6.3
11:00 PM - 12:00 AM	44.2	42.7	-	41.9	2.4

Approved by

Wiwann Borirak
Manager

ADDRESS: 616/10 Moo 5 T. Maenam Khu A. Phukdaeng Rayong 21140 Thailand TEL: 090-466 0 3304 8555 FAX: 466 0 3304 8556

ALS is a subsidiary of the world's largest environmental testing and measurement company.

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTS RIGHT PEOPLE



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban Bueang, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321966-1

Page 2 of 3

Sample No. 2520545-17
Parameter เสียงรบกวน
Location ค่ายกักขัง/7 บ้านกวนท่าไม้ จ.สุท 3 (ด้านทิศเหนือโครงการ) (GPS 47P 0736149, 1457358)
Measurement Date May 06 - 07, 2025
Measurement by Anuwet Tema
Sound Level Meter 01122578

เวลา	ระดับเสียง (dB(A))				ค่าระดับการรบกวน
	เสียงจากแหล่งกำเนิด	เสียงสะท้อน	เสียงรวม	ค่าเฉลี่ย	
12:15 AM - 12:20 AM	43.4	42.0	40.8	40.2	0.6
12:20 AM - 12:25 AM	42.3	41.1	39.1	38.3	-1.1
12:25 AM - 12:30 AM	41.8	40.7	38.3	37.3	0.0
12:30 AM - 12:35 AM	42.1	39.9	38.8	37.8	2.3
12:35 AM - 12:40 AM	41.9	40.0	40.4	39.0	1.4
12:40 AM - 12:45 AM	41.2	38.9	40.3	37.3	3.0
12:45 AM - 12:50 AM	41.3	40.0	38.4	36.6	1.8
12:50 AM - 12:55 AM	41.0	38.3	40.7	37.0	3.7
12:55 AM - 01:00 AM	41.3	38.9	40.6	36.9	3.7
01:00 AM - 01:05 AM	42.2	39.5	41.9	37.7	4.2
01:05 AM - 01:10 AM	42.3	41.2	38.8	36.6	0.3
01:10 AM - 01:15 AM	42.4	40.6	40.7	37.8	2.9
01:15 AM - 01:20 AM	42.5	39.8	42.2	37.6	4.6
01:20 AM - 01:25 AM	42.8	40.0	42.6	37.9	4.7
01:25 AM - 01:30 AM	42.4	40.3	41.2	36.9	2.3
01:30 AM - 01:35 AM	41.7	41.1	39.2	37.1	-2.0
01:35 AM - 01:40 AM	41.3	39.7	39.2	37.1	2.1
01:40 AM - 01:45 AM	41.9	39.2	41.6	37.9	3.7
01:45 AM - 01:50 AM	42.3	40.0	42.3	38.4	3.0
01:50 AM - 01:55 AM	42.6	39.9	42.3	38.5	3.8
01:55 AM - 02:00 AM	42.6	40.7	41.1	39.5	1.6
02:00 AM - 02:05 AM	42.6	40.7	41.1	39.5	1.7
02:05 AM - 02:10 AM	42.0	39.7	41.1	37.2	3.9
02:10 AM - 02:15 AM	41.8	38.7	41.9	37.7	4.2
02:15 AM - 02:20 AM	41.5	39.0	40.9	38.4	2.5
02:20 AM - 02:25 AM	41.8	39.3	41.2	38.4	2.8
02:25 AM - 02:30 AM	41.8	39.8	41.9	37.9	3.3
02:30 AM - 02:35 AM	42.4	39.3	41.2	38.9	3.0
02:35 AM - 02:40 AM	42.3	39.7	41.8	38.6	3.2
02:40 AM - 02:45 AM	41.6	38.9	41.8	38.4	3.4
02:45 AM - 02:50 AM	41.7	39.3	41.0	37.9	3.4
02:50 AM - 02:55 AM	41.7	39.3	41.0	38.3	2.7
02:55 AM - 03:00 AM	41.0	38.9	39.8	38.1	1.7
03:00 AM - 03:05 AM	41.1	38.8	40.2	37.7	2.5
03:05 AM - 03:10 AM	41.5	39.5	40.0	38.8	1.2
03:10 AM - 03:15 AM	41.5	39.5	40.2	38.7	1.3
03:15 AM - 03:20 AM	42.8	45.8	n/a	38.7	-
03:20 AM - 03:25 AM	41.8	39.5	40.9	38.4	2.5
03:25 AM - 03:30 AM	41.5	41.6	n/a	37.0	-
03:30 AM - 03:35 AM	41.9	38.6	42.2	37.4	4.8

Approved by

Wilwan Borrak

Wilwan Borrak
Manager

This document is a draft for the project and should not be used for any other purpose. It is the property of ALS and should be kept confidential. Any unauthorized use or distribution of this document is strictly prohibited. The data in this report is for informational purposes only and does not constitute a warranty or guarantee of any kind.



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban Bueang, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321966-1

Page 3 of 3

Sample No. 2520545-17
Parameter เสียงรบกวน
Location ค่ายกักขัง/7 บ้านกวนท่าไม้ จ.สุท 3 (ด้านทิศเหนือโครงการ) (GPS 47P 0736149, 1457358)
Measurement Date May 06 - 07, 2025
Measurement by Anuwet Tema
Sound Level Meter 01122578

เวลา	ระดับเสียง (dB(A))				ค่าระดับการรบกวน
	เสียงจากแหล่งกำเนิด	เสียงสะท้อน	เสียงรวม	ค่าเฉลี่ย	
03:35 AM - 03:40 AM	42.1	38.8	42.4	37.6	4.8
03:40 AM - 03:45 AM	42.2	39.0	42.4	37.8	4.6
03:45 AM - 03:50 AM	42.2	39.8	41.5	37.9	3.6
03:50 AM - 03:55 AM	42.5	38.8	43.1	37.2	5.9
03:55 AM - 04:00 AM	43.5	41.2	42.6	39.1	3.5
04:00 AM - 04:05 AM	43.4	40.2	41.4	38.6	5.0
04:05 AM - 04:10 AM	42.1	39.7	41.4	38.3	3.1
04:10 AM - 04:15 AM	41.7	38.6	41.4	37.6	4.2
04:15 AM - 04:20 AM	42.1	39.9	42.3	37.3	5.2
04:20 AM - 04:25 AM	42.6	39.9	42.3	36.7	3.6
04:25 AM - 04:30 AM	42.9	40.1	42.7	38.3	4.4
04:30 AM - 04:35 AM	42.2	38.3	42.9	36.7	6.2
04:35 AM - 04:40 AM	43.0	39.3	43.6	36.6	7.0
04:40 AM - 04:45 AM	41.7	39.3	41.0	36.0	5.0
04:45 AM - 04:50 AM	41.9	38.4	42.3	36.7	5.6
04:50 AM - 04:55 AM	42.4	37.8	43.6	36.0	7.6
04:55 AM - 05:00 AM	45.1	39.2	46.8	34.8	12.0
05:00 AM - 05:05 AM	43.0	41.0	41.7	35.1	6.6
05:05 AM - 05:10 AM	42.9	43.4	n/a	37.4	-
05:10 AM - 05:15 AM	42.4	42.7	n/a	36.7	-
05:15 AM - 05:20 AM	48.5	51.6	n/a	39.5	-
05:20 AM - 05:25 AM	48.9	50.3	n/a	38.8	-
05:25 AM - 05:30 AM	45.9	44.2	44.0	39.6	4.4
05:30 AM - 05:35 AM	47.3	49.4	n/a	40.4	-
05:35 AM - 05:40 AM	49.6	47.7	48.1	41.9	6.2
05:40 AM - 05:45 AM	55.9	53.3	n/a	43.0	-
05:45 AM - 05:50 AM	63.2	64.2	n/a	42.3	-
05:50 AM - 05:55 AM	55.9	55.7	45.4	49.0	-3.6
05:55 AM - 06:00 AM	46.3	49.6	n/a	43.7	-
06:00 AM - 07:00 AM	60.4	61.9	n/a	42.6	-
07:00 AM - 08:00 AM	45.8	48.4	n/a	41.0	-
08:00 AM - 09:00 AM	51.5	51.6	n/a	46.3	≤ 10

ค่ามาตรฐาน

Reference Method :

1. ISO 1996-1

2. ประกาศกระทรวงสาธารณสุข เรื่อง วิธีการตรวจวัดเสียงรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดต่อชั่วโมงจากประเภทการรบกวน พ.ศ. 2567

หมายเหตุ

1. ประกาศกระทรวงสาธารณสุข เรื่อง วิธีการตรวจวัดเสียงรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดต่อชั่วโมงจากประเภทการรบกวน พ.ศ. 2568

2. ประกาศกระทรวงสาธารณสุข เรื่อง วิธีการตรวจวัดเสียงรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดต่อชั่วโมงจากประเภทการรบกวน พ.ศ. 2561

3. ประกาศกระทรวงสาธารณสุข เรื่อง วิธีการตรวจวัดเสียงรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดต่อชั่วโมงจากประเภทการรบกวน พ.ศ. 2561

Remark:

1. ระดับเสียงจากแหล่งกำเนิด จากการวัด วันที่ 06-07 พฤษภาคม 2568

2. ระดับเสียงจากแหล่งกำเนิดจากการวัด วันที่ 06-07 พฤษภาคม 2568

3. ประกาศกระทรวงสาธารณสุข เรื่อง วิธีการตรวจวัดเสียงรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดต่อชั่วโมงจากประเภทการรบกวน พ.ศ. 2561

Approved by

Wilwan Borrak

Wilwan Borrak
Manager

This document is a draft for the project and should not be used for any other purpose. It is the property of ALS and should be kept confidential. Any unauthorized use or distribution of this document is strictly prohibited. The data in this report is for informational purposes only and does not constitute a warranty or guarantee of any kind.



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
47/5/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESTE 2.1

Page 1 of 5

Lot ID: 2520545

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report Number : 3321967-1

Sample No. 2520545-18

Parameter เลื่อนฐาน

Location ถนนพหลโยธิน/ ถนนพหลโยธิน/ ถนนพหลโยธิน (GPS 47P 0736149, 1457358)

Measurement Date May 07 - 08, 2025

Measurement by Anuwat Tema

Sound Level Meter 01122578

เวลา	เสียงจากแหล่งกำเนิด	เสียงตาม	ระดับเสียง (dB(A))		ค่าเฉลี่ย
			ค่าจริง	ค่าเฉลี่ย	
09:00 AM - 10:00 AM	58.2	57.0	52.0	50.5	1.5
10:00 AM - 11:00 AM	57.0	55.9	50.5	52.2	0.0
11:00 AM - 12:00 PM	57.8	56.6	51.6	52.2	-0.6
12:00 PM - 01:00 PM	58.5	57.4	52.0	53.7	-1.7
01:00 PM - 02:00 PM	56.2	54.8	50.6	51.5	-0.9
02:00 PM - 03:00 PM	58.7	56.8	55.6	51.4	4.2
03:00 PM - 04:00 PM	58.0	56.0	53.7	52.6	1.1
04:00 PM - 05:00 PM	59.3	56.9	55.6	53.4	2.2
05:00 PM - 06:00 PM	56.2	55.3	50.6	53.1	-
06:00 PM - 07:00 PM	51.1	50.7	40.5	46.4	-5.9
07:00 PM - 08:00 PM	45.2	40.3	38.7	41.2	-
08:00 PM - 09:00 PM	43.4	40.4	38.7	40.8	-
09:00 PM - 10:00 PM	42.9	40.8	38.7	39.4	0.0
10:00 PM - 11:00 PM	43.9	40.7	38.7	39.4	-
11:00 PM - 12:00 AM	43.0	40.6	38.7	39.0	3.1
12:00 AM - 01:00 AM	42.6	40.4	38.7	39.2	2.1
01:00 AM - 02:00 AM	42.9	40.4	38.7	39.0	3.3
02:00 AM - 03:00 AM	43.2	41.5	38.5	39.5	1.8
03:00 AM - 04:00 AM	42.0	40.9	38.5	38.5	0.0
04:00 AM - 05:00 AM	43.5	40.9	38.5	39.1	-
05:00 AM - 06:00 AM	42.7	40.6	38.5	39.4	2.1
06:00 AM - 07:00 AM	42.0	40.6	38.5	38.6	-
07:00 AM - 08:00 AM	43.1	40.3	38.5	39.0	3.9
08:00 AM - 09:00 AM	43.4	41.3	38.5	39.7	2.5
09:00 AM - 10:00 AM	43.3	41.0	38.5	39.0	3.4
10:00 AM - 11:00 AM	43.4	41.3	38.5	39.4	2.8
11:00 AM - 12:00 PM	42.7	40.9	38.5	38.7	2.3
12:00 PM - 01:00 PM	42.9	41.4	38.5	38.8	1.8
01:00 PM - 02:00 PM	42.6	40.2	38.5	39.0	2.9
02:00 PM - 03:00 PM	43.8	40.8	38.5	39.4	4.4
03:00 PM - 04:00 PM	43.1	40.7	38.5	39.1	3.3
04:00 PM - 05:00 PM	42.9	39.5	38.5	38.5	4.7
05:00 PM - 06:00 PM	43.4	41.0	38.5	38.6	4.1
06:00 PM - 07:00 PM	42.6	40.1	38.5	38.5	3.5
07:00 PM - 08:00 PM	43.2	39.2	38.5	38.0	5.3
08:00 PM - 09:00 PM	43.1	38.9	38.5	37.4	6.6
09:00 PM - 10:00 PM	43.6	39.1	38.5	38.1	6.0
10:00 PM - 11:00 PM	43.2	41.1	38.5	39.6	3.5
11:00 PM - 12:00 AM	43.8	41.0	38.5	38.5	5.1

This report is valid only for the use and conditions specified in the report. The report is not valid for any other use. The report is not valid for any other use. The report is not valid for any other use.

Approved by

Wiwat Borrak
Manager

ADDRESS 816/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS THAILAND



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
47/5/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESTE 2.1

Page 2 of 3

Lot ID: 2520545

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report Number : 3321967-1

Sample No. 2520545-18

Parameter เลื่อนฐาน

Location ถนนพหลโยธิน/ ถนนพหลโยธิน/ ถนนพหลโยธิน (GPS 47P 0736149, 1457358)

Measurement Date May 07 - 08, 2025

Measurement by Anuwat Tema

Sound Level Meter 01122578

เวลา	เสียงจากแหล่งกำเนิด	เสียงตาม	ระดับเสียง (dB(A))		ค่าเฉลี่ย
			ค่าจริง	ค่าเฉลี่ย	
12:15 AM - 12:20 AM	42.6	44.3	-	38.3	-
12:20 AM - 12:25 AM	43.2	39.4	-	43.9	6.0
12:25 AM - 12:30 AM	43.3	39.8	-	43.7	5.1
12:30 AM - 12:35 AM	42.5	39.4	-	42.6	4.3
12:35 AM - 12:40 AM	43.3	40.6	-	43.0	4.6
12:40 AM - 12:45 AM	44.3	42.1	-	43.0	3.3
12:45 AM - 12:50 AM	44.0	41.4	-	43.5	3.8
12:50 AM - 12:55 AM	43.5	40.1	-	43.8	5.5
12:55 AM - 01:00 AM	44.1	41.5	-	43.6	4.2
01:00 AM - 01:05 AM	44.1	41.5	-	43.6	4.0
01:05 AM - 01:10 AM	44.2	42.2	-	42.9	2.7
01:10 AM - 01:15 AM	44.7	42.0	-	44.4	4.8
01:15 AM - 01:20 AM	44.9	44.9	-	41.0	-
01:20 AM - 01:25 AM	43.4	40.2	-	43.6	5.4
01:25 AM - 01:30 AM	43.7	41.1	-	42.2	4.0
01:30 AM - 01:35 AM	43.2	41.6	-	43.4	1.7
01:35 AM - 01:40 AM	43.3	40.2	-	43.3	5.0
01:40 AM - 01:45 AM	43.2	40.1	-	43.3	4.3
01:45 AM - 01:50 AM	43.7	40.7	-	43.7	4.1
01:50 AM - 01:55 AM	43.2	40.6	-	42.7	3.7
01:55 AM - 02:00 AM	43.6	41.8	-	41.9	2.9
02:00 AM - 02:05 AM	43.1	41.5	-	41.0	1.9
02:05 AM - 02:10 AM	42.9	45.6	-	n/a	-
02:10 AM - 02:15 AM	44.5	42.2	-	43.6	3.6
02:15 AM - 02:20 AM	43.4	40.8	-	42.9	4.1
02:20 AM - 02:25 AM	43.1	40.6	-	42.5	3.6
02:25 AM - 02:30 AM	42.9	39.9	-	42.9	4.4
02:30 AM - 02:35 AM	43.4	40.5	-	43.3	4.3
02:35 AM - 02:40 AM	44.0	41.3	-	43.7	4.0
02:40 AM - 02:45 AM	44.0	42.6	-	41.4	1.5
02:45 AM - 02:50 AM	42.7	40.3	-	42.1	2.9
02:50 AM - 02:55 AM	43.4	41.2	-	42.4	3.0
02:55 AM - 03:00 AM	43.3	41.2	-	42.1	3.6
03:00 AM - 03:05 AM	42.9	40.6	-	42.0	3.3
03:05 AM - 03:10 AM	43.9	41.1	-	43.7	5.0
03:10 AM - 03:15 AM	42.2	39.9	-	42.0	3.9
03:15 AM - 03:20 AM	42.2	39.9	-	41.3	2.9
03:20 AM - 03:25 AM	43.5	40.3	-	43.7	5.2
03:25 AM - 03:30 AM	43.7	40.5	-	43.9	4.8
03:30 AM - 03:35 AM	43.3	40.0	-	43.6	4.8

Approved by

Wiwat Borrak
Manager

ADDRESS 816/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS THAILAND



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESTE 2.1

Lot ID: 2520545

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report Number : 3321967-1

Page 3 of 3

Sample No. 2520545-18

Parameter เลื่อนฐาน

Location ถนนหน้าวัด 7 บ้านนาถ้ำ 3 (ด้านทิศเหนือโครงการ) (GPS 47P 0736149, 1457358)

Measurement Date May 07 - 08, 2025

Measurement by Anuwat Tema

Sound Level Meter 01122578

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะเคลื่อนที่ (dB(A))		เสียงพื้นฐาน	ค่ารวมการรบกวน
		ค่าจริง	ค่าเฉลี่ย		
03:35 AM - 03:40 AM	42.6	39.6	42.6	38.4	4.2
03:40 AM - 03:45 AM	42.6	41.6	42.6	38.4	0.3
03:45 AM - 03:50 AM	43.5	39.7	44.2	38.1	6.1
03:50 AM - 03:55 AM	43.8	39.4	44.8	38.3	6.5
03:55 AM - 04:00 AM	44.1	40.2	44.8	39.0	5.8
04:00 AM - 04:05 AM	43.7	40.3	44.0	38.7	5.3
04:05 AM - 04:10 AM	42.3	38.9	42.6	37.8	4.8
04:10 AM - 04:15 AM	41.9	38.0	42.6	36.9	5.7
04:15 AM - 04:20 AM	42.0	38.4	42.5	37.0	5.5
04:20 AM - 04:25 AM	44.2	40.3	44.9	38.0	6.9
04:25 AM - 04:30 AM	43.6	40.8	43.4	37.3	6.1
04:30 AM - 04:35 AM	42.5	45.4	44.7	37.7	-
04:35 AM - 04:40 AM	44.0	40.2	44.7	36.8	7.9
04:40 AM - 04:45 AM	43.3	40.0	43.6	37.8	5.8
04:45 AM - 04:50 AM	43.7	40.8	43.6	38.2	5.4
04:50 AM - 04:55 AM	41.9	38.8	42.0	36.8	5.2
04:55 AM - 05:00 AM	42.6	41.6	38.7	37.0	1.7
05:00 AM - 05:05 AM	44.2	45.4	42.7	37.9	-
05:05 AM - 05:10 AM	45.0	47.9	45.0	40.8	-
05:10 AM - 05:15 AM	45.7	50.7	45.7	41.8	-
05:15 AM - 05:20 AM	51.2	52.5	51.2	50.1	-
05:20 AM - 05:25 AM	46.6	51.4	46.6	48.2	-
05:25 AM - 05:30 AM	51.0	58.2	51.0	49.5	-
05:30 AM - 05:35 AM	47.0	51.1	47.0	48.8	-
05:35 AM - 05:40 AM	47.0	51.1	47.0	44.1	-
05:40 AM - 05:45 AM	46.6	45.6	42.7	40.7	2.0
05:45 AM - 05:50 AM	62.9	50.8	65.6	42.5	23.1
05:50 AM - 05:55 AM	59.8	68.5	59.8	45.9	-
05:55 AM - 06:00 AM	46.1	50.2	46.1	47.6	-
06:00 AM - 07:00 AM	56.9	54.9	59.6	48.5	-
07:00 AM - 08:00 AM	54.9	59.6	54.9	40.7	5.2
08:00 AM - 09:00 AM	56.9	54.0	53.8	48.6	5.10

Reference Method :

1. ISO 1996-1

2. ประกาศกระทรวงอุตสาหกรรม เรื่อง วิธีการวัดและประเมินค่าการรบกวนจากแหล่งกำเนิดเสียง พ.ศ. 2567

หมายเหตุ : 1. ประกาศกระทรวงอุตสาหกรรม เรื่อง วิธีการวัดและประเมินค่าการรบกวนจากแหล่งกำเนิดเสียง พ.ศ. 2567

2. ประกาศกระทรวงอุตสาหกรรม เรื่อง วิธีการวัดและประเมินค่าการรบกวนจากแหล่งกำเนิดเสียง พ.ศ. 2568

3. ประกาศกระทรวงอุตสาหกรรม เรื่อง วิธีการวัดและประเมินค่าการรบกวนจากแหล่งกำเนิดเสียง พ.ศ. 2569

4. ประกาศกระทรวงอุตสาหกรรม เรื่อง วิธีการวัดและประเมินค่าการรบกวนจากแหล่งกำเนิดเสียง พ.ศ. 2570

5. ประกาศกระทรวงอุตสาหกรรม เรื่อง วิธีการวัดและประเมินค่าการรบกวนจากแหล่งกำเนิดเสียง พ.ศ. 2571

6. ประกาศกระทรวงอุตสาหกรรม เรื่อง วิธีการวัดและประเมินค่าการรบกวนจากแหล่งกำเนิดเสียง พ.ศ. 2572

7. ประกาศกระทรวงอุตสาหกรรม เรื่อง วิธีการวัดและประเมินค่าการรบกวนจากแหล่งกำเนิดเสียง พ.ศ. 2573

8. ประกาศกระทรวงอุตสาหกรรม เรื่อง วิธีการวัดและประเมินค่าการรบกวนจากแหล่งกำเนิดเสียง พ.ศ. 2574

9. ประกาศกระทรวงอุตสาหกรรม เรื่อง วิธีการวัดและประเมินค่าการรบกวนจากแหล่งกำเนิดเสียง พ.ศ. 2575

10. ประกาศกระทรวงอุตสาหกรรม เรื่อง วิธีการวัดและประเมินค่าการรบกวนจากแหล่งกำเนิดเสียง พ.ศ. 2576

11. ประกาศกระทรวงอุตสาหกรรม เรื่อง วิธีการวัดและประเมินค่าการรบกวนจากแหล่งกำเนิดเสียง พ.ศ. 2577

12. ประกาศกระทรวงอุตสาหกรรม เรื่อง วิธีการวัดและประเมินค่าการรบกวนจากแหล่งกำเนิดเสียง พ.ศ. 2578

13. ประกาศกระทรวงอุตสาหกรรม เรื่อง วิธีการวัดและประเมินค่าการรบกวนจากแหล่งกำเนิดเสียง พ.ศ. 2579

14. ประกาศกระทรวงอุตสาหกรรม เรื่อง วิธีการวัดและประเมินค่าการรบกวนจากแหล่งกำเนิดเสียง พ.ศ. 2580

15. ประกาศกระทรวงอุตสาหกรรม เรื่อง วิธีการวัดและประเมินค่าการรบกวนจากแหล่งกำเนิดเสียง พ.ศ. 2581

16. ประกาศกระทรวงอุตสาหกรรม เรื่อง วิธีการวัดและประเมินค่าการรบกวนจากแหล่งกำเนิดเสียง พ.ศ. 2582

17. ประกาศกระทรวงอุตสาหกรรม เรื่อง วิธีการวัดและประเมินค่าการรบกวนจากแหล่งกำเนิดเสียง พ.ศ. 2583

18. ประกาศกระทรวงอุตสาหกรรม เรื่อง วิธีการวัดและประเมินค่าการรบกวนจากแหล่งกำเนิดเสียง พ.ศ. 2584

19. ประกาศกระทรวงอุตสาหกรรม เรื่อง วิธีการวัดและประเมินค่าการรบกวนจากแหล่งกำเนิดเสียง พ.ศ. 2585

20. ประกาศกระทรวงอุตสาหกรรม เรื่อง วิธีการวัดและประเมินค่าการรบกวนจากแหล่งกำเนิดเสียง พ.ศ. 2586



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESTE 2.1

Lot ID: 2520545

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report Number : 3321968-1

Page 1 of 3

Sample No. 2520545-19

Parameter เลื่อนฐาน

Location ถนนหน้าวัด 7 บ้านนาถ้ำ 3 (ด้านทิศเหนือโครงการ) (GPS 47P 0736149, 1457358)

Measurement Date May 08 - 09, 2025

Measurement by Anuwat Tema

Sound Level Meter 01122578

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะเคลื่อนที่ (dB(A))		เสียงพื้นฐาน	ค่ารวมการรบกวน
		ค่าจริง	ค่าเฉลี่ย		
09:00 AM - 10:00 AM	55.0	54.2	47.3	50.3	-3.0
10:00 AM - 11:00 AM	53.9	55.4	n/a	49.4	-
11:00 AM - 12:00 PM	53.3	53.0	41.5	49.6	-8.1
12:00 PM - 01:00 PM	56.5	56.5	n/a	52.4	-
01:00 PM - 02:00 PM	61.5	58.4	58.6	49.8	8.8
02:00 PM - 03:00 PM	62.7	60.0	59.4	53.3	6.1
03:00 PM - 04:00 PM	65.8	63.1	60.5	56.6	6.5
04:00 PM - 05:00 PM	64.4	62.1	60.5	56.5	4.0
05:00 PM - 06:00 PM	61.8	59.7	57.6	55.2	2.4
06:00 PM - 07:00 PM	50.8	53.5	50.8	47.5	-
07:00 PM - 08:00 PM	46.3	46.5	n/a	42.5	-
08:00 PM - 09:00 PM	45.0	45.1	n/a	41.2	-
09:00 PM - 10:00 PM	43.3	41.7	38.8	39.3	-0.5
10:00 PM - 10:15 PM	42.1	40.8	-	34.5	-6.4
10:15 PM - 10:30 PM	42.5	40.8	-	37.8	1.4
10:30 PM - 10:45 PM	43.3	43.0	-	40.6	3.8
10:45 PM - 10:55 PM	44.1	41.4	-	34.5	-4.8
10:55 PM - 11:05 PM	43.9	42.4	-	39.7	4.1
11:05 PM - 11:15 PM	43.4	43.7	-	41.6	1.9
11:15 PM - 11:25 PM	43.8	44.0	-	n/a	-
11:25 PM - 11:35 PM	42.6	40.8	-	40.9	3.9
11:35 PM - 11:45 PM	43.2	39.7	-	43.6	3.7
11:45 PM - 11:55 PM	41.8	41.2	-	40.0	-
11:55 PM - 12:05 PM	41.7	40.6	-	35.9	-3.9
12:05 PM - 12:15 PM	41.7	41.2	-	38.2	-0.6
12:15 PM - 12:25 PM	42.9	41.7	-	35.1	-4.2
12:25 PM - 12:35 PM	42.4	40.4	-	39.3	0.7
12:35 PM - 12:45 PM	42.0	40.5	-	41.1	2.0
12:45 PM - 12:55 PM	43.7	40.9	-	39.7	0.6
12:55 PM - 13:05 PM	43.7	40.3	-	40.4	0.4
13:05 PM - 13:15 PM	44.3	42.7	-	44.0	39.5
13:15 PM - 13:25 PM	44.2	42.5	-	42.2	40.7
13:25 PM - 13:35 PM	42.6	42.1	-	42.3	41.5
13:35 PM - 13:45 PM	42.4	42.2	-	36.0	-4.9
13:45 PM - 13:55 PM	43.9	43.9	-	31.9	-4.2
13:55 PM - 14:05 PM	42.3	41.9	-	n/a	-
14:05 PM - 14:15 PM	42.2	41.9	-	33.4	-7.7
14:15 PM - 14:25 PM	42.7	39.7	-	42.7	37.9
14:25 PM - 14:35 PM	44.1	39.9	-	45.0	38.4

Approved by

Wiwann Borrak
Manager

The above report is valid only for the test and measurement (method) as indicated in the report. It is not valid for any other purpose. The report is the property of ALS Laboratory (Thailand) Co., Ltd. and shall not be reproduced without the written consent of ALS Laboratory (Thailand) Co., Ltd.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phukdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556

ALS LABORATORY (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
47/5/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321968-1

Page 2 of 3

Sample No. : 2520545-19
Parameter : เสียงรบกวน
Location : หน้าอาคาร 7 ชั้นบนตึก 3 (ชั้นใต้ดินและบนอาคาร) (GPS 47P 0736149, 1457358)
Measurement Date : May 08 - 09, 2025
Measurement by : Anuwat Tem
Sound Level Meter : 01122578

เวลา	เสียงจากแหล่งกำเนิด	เสียงตามจุดวัด	ระดับเสียง (dB(A))		เสียงพื้นฐาน	ค่ารวมการรบกวน
			กลางวัน	กลางคืน		
12:15 AM - 12:20 AM	44.7	40.5	-	45.6	39.2	6.4
12:20 AM - 12:25 AM	44.5	42.3	-	43.5	38.9	4.6
12:25 AM - 12:30 AM	44.5	39.7	-	45.8	38.7	7.1
12:30 AM - 12:35 AM	44.4	39.8	-	45.6	38.6	7.0
12:35 AM - 12:40 AM	43.3	40.3	-	43.3	38.0	5.3
12:40 AM - 12:45 AM	41.8	38.7	-	41.9	37.2	4.7
12:45 AM - 12:50 AM	41.5	38.2	-	41.8	37.3	4.5
12:50 AM - 12:55 AM	41.9	38.5	-	42.2	37.4	4.8
12:55 AM - 01:00 AM	42.3	38.3	-	43.1	37.2	5.9
01:00 AM - 01:05 AM	41.7	39.7	-	40.4	36.6	3.8
01:05 AM - 01:10 AM	44.1	40.9	-	44.3	36.4	7.9
01:10 AM - 01:15 AM	44.6	39.5	-	46.0	37.9	8.1
01:15 AM - 01:20 AM	44.9	40.4	-	46.0	38.4	7.6
01:20 AM - 01:25 AM	43.7	40.2	-	44.1	38.1	6.0
01:25 AM - 01:30 AM	42.2	38.7	-	42.6	36.6	6.0
01:30 AM - 01:35 AM	42.2	38.7	-	42.6	36.8	5.8
01:35 AM - 01:40 AM	42.1	38.0	-	43.0	36.2	6.8
01:40 AM - 01:45 AM	42.1	38.1	-	42.9	36.2	6.7
01:45 AM - 01:50 AM	43.0	39.3	-	43.6	37.9	5.7
01:50 AM - 01:55 AM	42.7	38.9	-	43.4	37.4	6.0
01:55 AM - 02:00 AM	42.8	40.0	-	42.6	37.4	5.2
02:00 AM - 02:05 AM	41.9	37.7	-	42.8	36.4	6.4
02:05 AM - 02:10 AM	42.2	39.0	-	41.6	37.1	4.5
02:10 AM - 02:15 AM	43.7	39.7	-	44.9	37.4	7.5
02:15 AM - 02:20 AM	43.9	40.9	-	43.9	39.1	4.8
02:20 AM - 02:25 AM	43.5	40.1	-	43.8	38.7	5.1
02:25 AM - 02:30 AM	43.5	40.1	-	43.9	38.4	5.5
02:30 AM - 02:35 AM	43.5	40.1	-	43.8	38.5	5.3
02:35 AM - 02:40 AM	43.7	39.5	-	44.6	38.0	6.6
02:40 AM - 02:45 AM	42.2	39.8	-	41.5	36.5	5.0
02:45 AM - 02:50 AM	42.2	38.3	-	42.8	36.7	6.1
02:50 AM - 02:55 AM	43.9	39.6	-	44.9	37.5	7.4
02:55 AM - 03:00 AM	44.5	41.1	-	44.8	39.4	5.4
03:00 AM - 03:05 AM	44.2	44.2	-	n/a	38.5	-
03:05 AM - 03:10 AM	43.8	40.6	-	44.0	38.9	5.1
03:10 AM - 03:15 AM	42.5	39.5	-	42.5	37.1	5.4
03:15 AM - 03:20 AM	42.8	39.7	-	42.9	36.5	6.4
03:20 AM - 03:25 AM	42.9	39.6	-	43.2	37.8	5.4
03:25 AM - 03:30 AM	43.6	39.5	-	44.5	38.0	6.5
03:30 AM - 03:35 AM	44.4	40.3	-	45.3	38.6	6.7

This document is valid only for the project and location specified. It is not valid for other projects or locations. The data is for information only and should not be used for legal purposes. The data is not to be used for any other purpose without the written consent of ALS.

Approved by

Wiwat Borirak
Manager

ADDRESS: 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. AN ALS LIMITED COMPANY

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
47/5/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321968-1

Page 3 of 3

Sample No. : 2520545-19
Parameter : เสียงรบกวน
Location : หน้าอาคาร 7 ชั้นบนตึก 3 (ชั้นใต้ดินและบนอาคาร) (GPS 47P 0736149, 1457358)
Measurement Date : May 08 - 09, 2025
Measurement by : Anuwat Tem
Sound Level Meter : 01122578

เวลา	เสียงจากแหล่งกำเนิด	เสียงตามจุดวัด	ระดับเสียง (dB(A))		เสียงพื้นฐาน	ค่ารวมการรบกวน
			กลางวัน	กลางคืน		
03:35 AM - 03:40 AM	43.5	40.7	-	43.3	39.0	4.3
03:40 AM - 03:45 AM	44.1	42.4	-	42.2	38.6	3.6
03:45 AM - 03:50 AM	43.9	40.4	-	44.3	38.3	6.0
03:50 AM - 03:55 AM	43.7	39.9	-	44.4	38.2	6.2
03:55 AM - 04:00 AM	44.0	41.2	-	43.8	39.1	4.7
04:00 AM - 04:05 AM	43.7	41.9	-	42.0	39.3	2.7
04:05 AM - 04:10 AM	43.9	40.2	-	44.5	38.1	5.4
04:10 AM - 04:15 AM	43.9	41.9	-	42.6	39.0	3.6
04:15 AM - 04:20 AM	42.1	37.8	-	44.1	36.5	4.1
04:20 AM - 04:25 AM	43.1	38.7	-	44.1	37.3	6.8
04:25 AM - 04:30 AM	43.4	38.8	-	44.6	37.3	7.3
04:30 AM - 04:35 AM	45.3	39.4	-	47.0	37.4	9.6
04:35 AM - 04:40 AM	43.8	40.4	-	44.1	37.1	7.0
04:40 AM - 04:45 AM	42.6	39.7	-	42.9	38.0	4.9
04:45 AM - 04:50 AM	42.6	38.8	-	43.3	36.9	6.4
04:50 AM - 04:55 AM	43.4	40.5	-	43.3	37.4	5.9
04:55 AM - 05:00 AM	43.6	45.2	-	n/a	37.7	-
05:00 AM - 05:05 AM	43.5	41.6	-	42.0	39.5	2.5
05:05 AM - 05:10 AM	44.4	50.9	-	n/a	39.0	-
05:10 AM - 05:15 AM	44.1	48.2	-	n/a	39.2	-
05:15 AM - 05:20 AM	46.8	49.7	-	n/a	46.5	-
05:20 AM - 05:25 AM	49.2	48.8	-	41.6	45.0	-3.4
05:25 AM - 05:30 AM	52.9	51.7	-	49.7	47.2	2.5
05:30 AM - 05:35 AM	46.5	47.7	-	n/a	45.2	-
05:35 AM - 05:40 AM	46.7	48.0	-	n/a	45.9	-
05:40 AM - 05:45 AM	55.7	59.6	-	n/a	48.9	-
05:45 AM - 05:50 AM	64.8	69.8	-	n/a	54.3	-
05:50 AM - 05:55 AM	52.1	67.6	-	n/a	54.3	-
05:55 AM - 06:00 AM	48.2	56.8	-	n/a	46.8	5.1
06:00 AM - 07:00 AM	57.0	55.4	51.9	-	40.1	5.4
07:00 AM - 08:00 AM	56.1	55.7	45.5	-	48.1	5.0
08:00 AM - 09:00 AM	56.3	55.5	48.6	-	-	5.0

Reference Method : ISO 9961

1. ISO 9961
2. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

หมายเหตุ : ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

1. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

2. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

3. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

4. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

5. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

6. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

7. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

8. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

9. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

10. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

11. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

12. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

13. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

14. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

15. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

16. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

17. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

18. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

19. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

20. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

21. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

22. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

23. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

24. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

25. ข้อมูลที่ได้มาจากการวัดเสียงรบกวนจะแสดงค่าเฉลี่ย 24 ชั่วโมง และจะแสดงค่าเฉลี่ยของค่าที่วัดได้ทั้งหมดในรายงาน พ.ร. 2567

This document is valid only for the project and location specified. It is not valid for other projects or locations. The data is for information only and should not be used for legal purposes. The data is not to be used for any other purpose without the written consent of ALS.

Approved by

Wiwat Borirak
Manager

ADDRESS: 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. AN ALS LIMITED COMPANY

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Lot ID: 2520545

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report Number : 3321969-1

Page 1 of 3

Sample No. 2520545-20

Parameter เสียงรบกวน

Location ถนนหน้าทาง 7 บ้านนาสามัคคี หมู่ 3 (ตำบลโคกสูงอำเภอเมืองราชบุรี) (GPS 47P 0736149, 1457358)

Measurement Date May 09 - 10, 2025

Measurement by Anuwat Tenna

Sound Level Meter 01122578

เวลา	ระดับเสียง (dB(A))				ค่าระดับ
	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน	ค่าเฉลี่ย	
09:00 AM - 10:00 AM	57.6	55.5	53.4	50.1	3.3
10:00 AM - 11:00 AM	59.3	56.6	52.6	52.3	3.7
11:00 AM - 12:00 PM	57.1	55.2	52.6	49.9	2.7
12:00 PM - 01:00 PM	46.7	46.5	33.2	41.8	-8.6
01:00 PM - 02:00 PM	57.0	55.7	51.1	51.3	-0.2
02:00 PM - 03:00 PM	56.7	56.2	47.1	53.0	-5.9
03:00 PM - 04:00 PM	57.7	56.9	50.0	52.2	-2.2
04:00 PM - 05:00 PM	56.0	56.1	n/a	51.7	-
05:00 PM - 06:00 PM	56.2	56.8	n/a	53.0	-
06:00 PM - 07:00 PM	51.9	51.7	38.4	46.0	-7.6
07:00 PM - 08:00 PM	46.4	48.6	n/a	43.3	-
08:00 PM - 09:00 PM	43.7	44.7	n/a	41.1	-
09:00 PM - 10:00 PM	44.7	42.9	40.0	40.0	0.0
10:00 PM - 10:05 PM	44.5	41.6	44.4	39.6	4.8
10:05 PM - 10:10 PM	44.8	42.4	44.1	40.4	3.7
10:10 PM - 10:15 PM	44.6	42.8	43.9	40.9	2.0
10:15 PM - 10:20 PM	44.7	42.5	42.7	40.0	3.7
10:20 PM - 10:25 PM	44.4	41.3	44.5	39.8	4.7
10:25 PM - 10:30 PM	44.9	41.7	45.1	40.1	5.0
10:30 PM - 10:35 PM	44.7	41.1	45.2	39.8	5.4
10:35 PM - 10:40 PM	44.4	40.6	45.1	39.5	5.6
10:40 PM - 10:45 PM	44.1	40.2	44.8	39.2	5.6
10:45 PM - 10:50 PM	44.9	42.2	44.6	40.8	3.8
10:50 PM - 10:55 PM	44.5	41.2	44.8	39.7	5.1
10:55 PM - 11:00 PM	43.8	40.2	44.3	39.0	5.3
11:00 PM - 11:05 PM	43.9	41.7	42.9	39.0	3.9
11:05 PM - 11:10 PM	43.9	40.0	44.6	39.0	5.6
11:10 PM - 11:15 PM	44.7	41.3	45.0	39.6	5.4
11:15 PM - 11:20 PM	44.5	41.8	44.2	39.9	4.3
11:20 PM - 11:25 PM	43.9	40.6	44.2	38.9	5.3
11:25 PM - 11:30 PM	44.2	40.0	45.1	38.8	6.3
11:30 PM - 11:35 PM	43.9	39.7	44.8	38.2	6.6
11:35 PM - 11:40 PM	44.2	40.2	45.0	38.6	6.4
11:40 PM - 11:45 PM	44.6	41.7	44.5	39.9	4.6
11:45 PM - 11:50 PM	45.0	44.0	41.1	40.1	3.0
11:50 PM - 11:55 PM	44.1	42.2	42.6	39.1	5.0
11:55 PM - 12:00 AM	44.6	41.5	44.7	39.3	5.4
12:00 AM - 12:05 AM	44.0	40.4	44.5	38.1	6.4
12:05 AM - 12:10 AM	44.1	39.9	44.0	38.2	6.8
12:10 AM - 12:15 AM	44.0	40.1	44.7	38.2	6.5

This report is for the use of the client only. The data provided herein is for informational purposes only and is not intended to be used for any other purpose. The client is responsible for the use of the data and for the accuracy of the data. The data is provided as is, without any warranty, express or implied. The client is responsible for the use of the data and for the accuracy of the data. The data is provided as is, without any warranty, express or implied.

Approved by

Wibb.

Wiwat Borrak
Manager

ADDRESS 616/10 Moo 5, T. Manam Khoo A. Phukdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556

ALS LABORATORY (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Lot ID: 2520545

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report Number : 3321969-1

Page 2 of 3

Sample No. 2520545-20

Parameter เสียงรบกวน

Location ถนนหน้าทาง 7 บ้านนาสามัคคี หมู่ 3 (ตำบลโคกสูงอำเภอเมืองราชบุรี) (GPS 47P 0736149, 1457358)

Measurement Date May 09 - 10, 2025

Measurement by Anuwat Tenna

Sound Level Meter 01122578

เวลา	ระดับเสียง (dB(A))				ค่าระดับ
	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน	ค่าเฉลี่ย	
12:15 AM - 12:20 AM	44.0	40.2	44.7	38.2	6.5
12:20 AM - 12:25 AM	43.9	40.9	43.9	38.3	5.6
12:25 AM - 12:30 AM	43.7	39.4	44.7	37.8	6.9
12:30 AM - 12:35 AM	44.1	40.5	44.6	38.7	5.9
12:35 AM - 12:40 AM	43.7	40.0	44.3	38.1	6.2
12:40 AM - 12:45 AM	43.5	39.1	44.5	37.6	6.9
12:45 AM - 12:50 AM	43.6	39.6	44.4	38.4	6.0
12:50 AM - 12:55 AM	44.4	40.8	44.9	39.0	5.9
12:55 AM - 01:00 AM	44.3	42.0	43.4	39.0	4.5
01:00 AM - 01:05 AM	44.1	39.4	45.3	38.3	7.0
01:05 AM - 01:10 AM	44.3	40.0	45.3	38.8	6.5
01:10 AM - 01:15 AM	44.6	40.5	45.5	38.9	6.8
01:15 AM - 01:20 AM	43.5	41.6	40.7	39.1	-0.9
01:20 AM - 01:25 AM	42.0	40.0	40.7	38.6	2.1
01:25 AM - 01:30 AM	42.0	41.0	38.1	38.5	-0.4
01:30 AM - 01:35 AM	41.4	40.7	36.1	38.5	-2.4
01:35 AM - 01:40 AM	41.6	40.0	39.5	38.6	0.9
01:40 AM - 01:45 AM	41.2	40.7	34.6	39.0	-4.4
01:45 AM - 01:50 AM	40.7	39.6	40.7	37.2	-0.7
01:50 AM - 01:55 AM	41.8	39.8	40.5	38.6	1.9
01:55 AM - 02:00 AM	41.1	39.6	38.8	38.0	0.8
02:00 AM - 02:05 AM	41.2	38.8	40.5	37.6	2.9
02:05 AM - 02:10 AM	41.3	39.3	40.0	37.9	2.1
02:10 AM - 02:15 AM	39.8	38.3	37.5	37.4	0.1
02:15 AM - 02:20 AM	40.5	38.5	39.2	37.4	1.8
02:20 AM - 02:25 AM	40.0	38.7	37.1	37.8	-0.7
02:25 AM - 02:30 AM	41.6	39.2	40.9	37.3	3.6
02:30 AM - 02:35 AM	41.0	40.8	30.5	38.3	-7.8
02:35 AM - 02:40 AM	41.3	39.4	39.8	38.5	1.3
02:40 AM - 02:45 AM	40.6	38.7	39.1	37.7	1.4
02:45 AM - 02:50 AM	40.7	38.6	39.5	37.5	2.0
02:50 AM - 02:55 AM	40.7	38.2	40.1	37.4	2.7
02:55 AM - 03:00 AM	40.7	38.0	40.4	36.8	3.6
03:00 AM - 03:05 AM	41.3	38.7	40.8	37.7	3.1
03:05 AM - 03:10 AM	40.8	39.3	38.5	37.9	0.6
03:10 AM - 03:15 AM	40.3	38.3	39.0	36.9	2.1
03:15 AM - 03:20 AM	41.1	39.0	39.9	37.2	2.7
03:20 AM - 03:25 AM	41.1	39.4	39.2	37.3	1.9
03:25 AM - 03:30 AM	41.1	39.9	37.4	37.4	2.5
03:30 AM - 03:35 AM	41.6	41.9	n/a	39.0	-

This report is for the use of the client only. The data provided herein is for informational purposes only and is not intended to be used for any other purpose. The client is responsible for the use of the data and for the accuracy of the data. The data is provided as is, without any warranty, express or implied. The client is responsible for the use of the data and for the accuracy of the data. The data is provided as is, without any warranty, express or implied.

Approved by

Wibb.

Wiwat Borrak
Manager

ADDRESS 616/10 Moo 5, T. Manam Khoo A. Phukdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556

ALS LABORATORY (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
47/5/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321969-1

Page 3 of 3

Sample No. 2520545-20
Parameter เสียงรบกวน
Location ถนนพหลโยธิน ซอย 3 (ด้านทิศเหนือของโครงการ) (GPS 47P 0736149, 1457358)
Measurement Date May 09 - 10, 2025
Measurement by Anuwat Terna
Sound Level Meter 01122578

เวลา	เสียงจากแหล่งกำเนิด	เสียงตามใบไม้	ระดับเสียง (dB(A))		เสียงรบกวน
			ค่าจริง	ค่าเฉลี่ย	
03:25 AM - 03:40 AM	40.8	38.9	-	36.5	38.3
03:40 AM - 03:45 AM	43.3	40.2	-	43.4	37.8
03:45 AM - 03:50 AM	41.4	39.8	-	39.2	38.1
03:50 AM - 03:55 AM	41.3	39.7	-	39.2	37.4
03:55 AM - 04:00 AM	40.1	37.8	-	39.2	36.0
04:00 AM - 04:05 AM	40.1	37.9	-	39.1	35.0
04:05 AM - 04:10 AM	41.3	40.9	-	33.7	34.9
04:10 AM - 04:15 AM	42.0	37.9	-	42.9	36.0
04:15 AM - 04:20 AM	41.6	36.9	-	42.8	35.3
04:20 AM - 04:25 AM	42.2	36.5	-	43.8	34.9
04:25 AM - 04:30 AM	42.3	38.8	-	42.7	35.1
04:30 AM - 04:35 AM	42.1	38.6	-	42.5	36.0
04:35 AM - 04:40 AM	42.1	41.0	-	38.6	36.9
04:40 AM - 04:45 AM	41.6	36.8	-	42.9	35.2
04:45 AM - 04:50 AM	45.2	38.0	-	47.3	35.9
04:50 AM - 04:55 AM	45.4	42.6	-	45.2	38.3
04:55 AM - 05:00 AM	42.3	40.3	-	42.2	38.2
05:00 AM - 05:05 AM	42.8	40.9	-	39.7	39.4
05:05 AM - 05:10 AM	44.2	41.6	-	34.4	39.3
05:10 AM - 05:15 AM	44.2	41.4	-	44.0	38.1
05:15 AM - 05:20 AM	49.0	46.2	-	48.8	39.5
05:20 AM - 05:25 AM	47.7	49.0	-	n/a	40.6
05:25 AM - 05:30 AM	46.4	51.4	-	n/a	47.5
05:30 AM - 05:35 AM	47.4	50.6	-	n/a	47.4
05:35 AM - 05:40 AM	48.8	52.4	-	36.8	50.7
05:40 AM - 05:45 AM	52.2	52.1	-	50.1	50.1
05:45 AM - 05:50 AM	49.4	63.9	-	50.5	48.0
05:50 AM - 05:55 AM	62.3	57.0	-	63.8	49.8
05:55 AM - 06:00 AM	47.2	65.0	-	n/a	49.8
06:00 AM - 07:00 AM	58.7	60.2	-	61.3	48.0
07:00 AM - 08:00 AM	50.5	60.2	-	n/a	38.9
08:00 AM - 09:00 AM	51.7	51.4	-	39.9	47.4

Reference Method :

- ISO 1996-1
- ประกาศกระทรวงสาธารณสุข เรื่อง วิธีการตรวจวัดเสียงรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดโดยการประเมินผลกระทบจากโรงงาน พ.ศ. 2567
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่าระดับเสียงรบกวนและระดับเสียงสูงสุดโดยวิธีการประเมินผลกระทบจากโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่าการประเมินผลกระทบจากโรงงาน พ.ศ. 2561

Remark:

- ระดับเสียงรบกวนวัดได้ทั้งหมด 10 ชั่วโมง ตั้งแต่เวลา 03:25 ถึง 09:00 น. และระดับเสียงสูงสุดวัดได้จากการประเมินผลกระทบจากโรงงาน พ.ศ. 2567
- ระดับเสียงรบกวนและระดับเสียงสูงสุดวัดได้จากการประเมินผลกระทบจากโรงงาน (Sample No. 2520546-20) วันที่ 09-10 พฤษภาคม 2568
- ค่าเสียงรบกวนที่เกินค่ามาตรฐานที่กำหนดไว้จะแสดงด้วยสีแดง

This report is valid only for the analysis and testing results shown on this report. It is not valid for any other purpose. The report is the property of ALS and shall not be reproduced or used in any manner without the prior written consent from the laboratory. ALS Laboratory Group (Thailand) Public Co., Ltd. is not responsible for any loss or damage caused by the use of this report.

Approved by

Wibwan Borirak
Manager

wibb.

Address: 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand / PHONE +66 0 3304 8555 FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS FOR BETTER FUTURE



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
47/5/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520545
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report Number : 3321970-1

Page 1 of 3

Sample No. 2520545-21
Parameter เสียงรบกวน
Location ถนนพหลโยธิน ซอย 3 (ด้านทิศเหนือของโครงการ) (GPS 47P 0736149, 1457358)
Measurement Date May 10 - 11, 2025
Measurement by Anuwat Terna
Sound Level Meter 01122578

เวลา	เสียงจากแหล่งกำเนิด	เสียงตามใบไม้	ระดับเสียง (dB(A))		เสียงรบกวน
			ค่าจริง	ค่าเฉลี่ย	
09:00 AM - 10:00 AM	55.6	53.6	51.3	-	50.5
10:00 AM - 11:00 AM	53.6	53.2	43.0	-	49.8
11:00 AM - 12:00 PM	50.9	50.9	n/a	-	46.5
12:00 PM - 01:00 PM	51.5	50.6	44.2	-	46.9
01:00 PM - 02:00 PM	55.5	55.5	n/a	-	52.0
02:00 PM - 03:00 PM	53.6	53.0	44.7	-	49.3
03:00 PM - 04:00 PM	55.3	55.3	n/a	-	52.4
04:00 PM - 05:00 PM	56.3	53.6	53.0	-	49.0
05:00 PM - 06:00 PM	57.8	56.3	51.9	-	50.4
06:00 PM - 07:00 PM	49.8	50.7	n/a	-	44.7
07:00 PM - 08:00 PM	62.8	63.9	n/a	-	58.9
08:00 PM - 09:00 PM	56.1	55.8	44.3	-	51.8
09:00 PM - 10:00 PM	56.4	55.9	46.8	-	54.0
10:00 PM - 10:05 PM	54.1	51.4	-	53.8	49.7
10:05 PM - 10:10 PM	54.1	53.6	-	47.5	51.0
10:10 PM - 10:15 PM	51.7	51.7	-	53.4	50.6
10:15 PM - 10:20 PM	55.1	53.4	-	52.2	51.5
10:20 PM - 10:25 PM	54.0	52.7	-	51.1	51.1
10:25 PM - 10:30 PM	53.5	50.6	-	53.4	48.8
10:30 PM - 10:35 PM	53.5	51.7	-	51.8	50.2
10:35 PM - 10:40 PM	53.2	51.7	-	50.9	50.1
10:40 AM - 10:45 PM	51.8	50.1	-	49.9	47.8
10:45 PM - 10:50 PM	52.6	49.4	-	52.8	48.1
10:50 PM - 10:55 PM	52.1	49.7	-	51.4	48.1
10:55 PM - 11:00 PM	52.3	48.3	-	53.1	45.9
11:00 PM - 11:05 PM	53.0	50.8	-	52.0	49.2
11:05 PM - 11:10 PM	51.7	53.5	-	n/a	48.2
11:10 PM - 11:15 PM	49.4	47.1	-	48.5	45.8
11:15 PM - 11:20 PM	49.2	46.3	-	48.1	44.8
11:20 PM - 11:25 PM	48.9	46.3	-	48.2	44.5
11:25 PM - 11:30 PM	48.5	43.8	-	50.2	43.6
11:30 PM - 11:35 PM	49.2	44.9	-	50.3	45.6
11:35 PM - 11:40 PM	50.1	46.9	-	49.6	45.0
11:40 PM - 11:45 PM	49.4	46.2	-	49.0	42.9
11:45 PM - 11:50 PM	48.3	44.4	-	49.2	43.8
11:50 PM - 11:55 PM	48.7	45.1	-	47.9	43.5
11:55 PM - 12:00 AM	48.8	46.5	-	48.8	44.3
12:00 AM - 12:05 AM	49.4	46.9	-	49.3	45.2
12:05 AM - 12:10 AM	49.4	46.5	-	49.0	45.4
12:10 AM - 12:15 AM	49.2	46.4	-	49.0	45.4

Approved by

Wibwan Borirak
Manager

wibb.

Address: 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand / PHONE +66 0 3304 8555 FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS FOR BETTER FUTURE



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Lot ID: 2520545

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report Number : 3321970-1

Page 2 of 3

Sample No. 2520545-21
Parameter เลื่อนฐาน
Location ถนนหน้าซอย 7 บ้านนาบ่อแก้ว ซอย 3 (ด้านทิศเหนือของโครงการ) (GPS 47P 0736149, 1457358)
Measurement Date May 10 - 11, 2025
Measurement by Anuwet Terna
Sound Level Meter 01122578

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะมีการจราจร		ค่าระดับการจราจร
		ภายใน	ภายนอก	
12:15 AM - 12:20 AM	48.3	45.0	43.9	4.7
12:20 AM - 12:25 AM	48.3	44.6	43.6	5.3
12:25 AM - 12:30 AM	48.4	44.7	43.6	5.4
12:30 AM - 12:35 AM	48.4	44.3	43.3	6.0
12:35 AM - 12:40 AM	47.7	44.0	42.6	5.7
12:40 AM - 12:45 AM	49.1	51.7	42.5	-
12:45 AM - 12:50 AM	48.8	47.2	44.1	2.6
12:50 AM - 12:55 AM	47.6	44.0	42.3	5.8
12:55 AM - 01:00 AM	46.2	41.8	40.8	6.4
01:00 AM - 01:05 AM	45.9	41.0	39.9	7.3
01:05 AM - 01:10 AM	45.4	41.7	40.4	5.6
01:10 AM - 01:15 AM	45.8	41.6	40.8	5.9
01:15 AM - 01:20 AM	45.4	41.4	40.7	5.5
01:20 AM - 01:25 AM	45.5	42.0	40.9	5.0
01:25 AM - 01:30 AM	44.9	40.8	39.9	5.9
01:30 AM - 01:35 AM	45.7	41.3	40.3	6.4
01:35 AM - 01:40 AM	45.6	41.7	40.4	5.9
01:40 AM - 01:45 AM	45.6	41.9	41.0	5.7
01:45 AM - 01:50 AM	45.5	41.5	40.4	5.9
01:50 AM - 01:55 AM	45.4	41.2	40.4	5.9
01:55 AM - 02:00 AM	45.2	41.8	40.5	5.0
02:00 AM - 02:05 AM	45.4	41.4	40.6	5.6
02:05 AM - 02:10 AM	45.6	42.9	41.6	3.7
02:10 AM - 02:15 AM	45.4	42.0	41.3	4.4
02:15 AM - 02:20 AM	45.3	42.6	40.9	4.1
02:20 AM - 02:25 AM	45.7	42.1	41.2	5.0
02:25 AM - 02:30 AM	44.9	41.3	40.3	5.2
02:30 AM - 02:35 AM	44.0	41.2	38.8	4.9
02:35 AM - 02:40 AM	43.8	42.1	39.1	2.8
02:40 AM - 02:45 AM	44.3	41.6	39.0	5.0
02:45 AM - 02:50 AM	44.1	41.2	39.0	5.0
02:50 AM - 02:55 AM	44.4	43.6	39.7	0.6
02:55 AM - 03:00 AM	44.5	43.9	38.6	40.0
03:00 AM - 03:05 AM	44.3	44.5	39.2	-1.4
03:05 AM - 03:10 AM	44.5	45.5	38.9	-
03:10 AM - 03:15 AM	43.7	45.6	38.9	-
03:15 AM - 03:20 AM	44.0	46.0	38.5	-
03:20 AM - 03:25 AM	44.7	45.8	39.0	-
03:25 AM - 03:30 AM	44.6	45.8	39.4	-
03:30 AM - 03:35 AM	44.6	46.2	41.6	-

The above results are valid only for the period indicated. Any change in the noise level of the noise source may be reflected in the results. This report is the property of ALS Laboratory (Thailand) Co., Ltd. and shall not be reproduced or used in any form without the written consent of the laboratory. ALS Laboratory (Thailand) Co., Ltd. is not responsible for any damage or loss caused by the use of this report in any way.

Approved by

Wibol

Wiwann Borirak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand. PHONE +66 0 3304 8555 FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS FOR YOUR BUSINESS



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Lot ID: 2520545

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report Number : 3321970-1

Page 3 of 3

Sample No. 2520545-21
Parameter เลื่อนฐาน
Location ถนนหน้าซอย 7 บ้านนาบ่อแก้ว ซอย 3 (ด้านทิศเหนือของโครงการ) (GPS 47P 0736149, 1457358)
Measurement Date May 10 - 11, 2025
Measurement by Anuwet Terna
Sound Level Meter 01122578

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะมีการจราจร		ค่าระดับการจราจร
		ภายใน	ภายนอก	
03:35 AM - 03:40 AM	45.4	45.4	44.9	38.5
03:40 AM - 03:45 AM	45.1	47.5	n/a	39.1
03:45 AM - 03:50 AM	45.4	47.5	n/a	39.3
03:50 AM - 03:55 AM	45.8	46.6	n/a	40.3
03:55 AM - 04:00 AM	45.6	46.0	n/a	39.9
04:00 AM - 04:05 AM	45.8	46.2	n/a	39.9
04:05 AM - 04:10 AM	45.5	45.9	n/a	39.3
04:10 AM - 04:15 AM	45.3	45.6	n/a	39.6
04:15 AM - 04:20 AM	45.3	45.8	n/a	39.4
04:20 AM - 04:25 AM	45.0	45.3	n/a	38.6
04:25 AM - 04:30 AM	45.4	44.7	40.1	38.0
04:30 AM - 04:35 AM	47.5	45.9	45.4	38.3
04:35 AM - 04:40 AM	45.4	44.3	41.9	38.5
04:40 AM - 04:45 AM	45.4	42.7	45.1	38.8
04:45 AM - 04:50 AM	44.5	46.1	n/a	38.1
04:50 AM - 04:55 AM	44.5	41.7	44.3	37.4
04:55 AM - 05:00 AM	44.6	39.8	45.9	8.5
05:00 AM - 05:05 AM	46.3	42.1	47.2	38.9
05:05 AM - 05:10 AM	44.9	50.5	n/a	39.9
05:10 AM - 05:15 AM	45.4	44.5	41.1	41.8
05:15 AM - 05:20 AM	47.4	44.4	47.4	41.0
05:20 AM - 05:25 AM	48.7	47.1	46.6	41.9
05:25 AM - 05:30 AM	46.4	45.4	42.5	40.8
05:30 AM - 05:35 AM	49.9	46.0	50.6	41.5
05:35 AM - 05:40 AM	52.4	53.1	n/a	52.1
05:40 AM - 05:45 AM	56.7	69.7	n/a	51.8
05:45 AM - 05:50 AM	60.1	68.1	n/a	42.7
05:50 AM - 05:55 AM	49.3	49.3	n/a	41.8
05:55 AM - 06:00 AM	51.1	48.8	50.5	42.1
06:00 AM - 07:00 AM	49.9	38.4	n/a	44.8
07:00 AM - 08:00 AM	54.7	55.4	n/a	40.8
08:00 AM - 09:00 AM	49.3	49.0	37.5	-3.5
ค่าเฉลี่ยรวม				≤ 10

Reference Method :

1. ISO 1996-1

2. ประกาศกรมอุตุนิยมวิทยา เรื่อง วิธีการตรวจวัดเสียงการจราจร พ.ศ. 2548

หมายเหตุ

1. ประกาศกรมอุตุนิยมวิทยา เรื่อง การตรวจวัดเสียงการจราจรและเสียงที่เกิดจากการจราจร พ.ศ. 2548

2. ประกาศกรมอุตุนิยมวิทยา เรื่อง การตรวจวัดเสียงการจราจรและเสียงที่เกิดจากการจราจร พ.ศ. 2548

3. ประกาศกรมอุตุนิยมวิทยา เรื่อง การตรวจวัดเสียงการจราจรและเสียงที่เกิดจากการจราจร พ.ศ. 2548

4. ประกาศกรมอุตุนิยมวิทยา เรื่อง การตรวจวัดเสียงการจราจรและเสียงที่เกิดจากการจราจร พ.ศ. 2548

5. ประกาศกรมอุตุนิยมวิทยา เรื่อง การตรวจวัดเสียงการจราจรและเสียงที่เกิดจากการจราจร พ.ศ. 2548

6. ประกาศกรมอุตุนิยมวิทยา เรื่อง การตรวจวัดเสียงการจราจรและเสียงที่เกิดจากการจราจร พ.ศ. 2548

7. ประกาศกรมอุตุนิยมวิทยา เรื่อง การตรวจวัดเสียงการจราจรและเสียงที่เกิดจากการจราจร พ.ศ. 2548

8. ประกาศกรมอุตุนิยมวิทยา เรื่อง การตรวจวัดเสียงการจราจรและเสียงที่เกิดจากการจราจร พ.ศ. 2548

9. ประกาศกรมอุตุนิยมวิทยา เรื่อง การตรวจวัดเสียงการจราจรและเสียงที่เกิดจากการจราจร พ.ศ. 2548

10. ประกาศกรมอุตุนิยมวิทยา เรื่อง การตรวจวัดเสียงการจราจรและเสียงที่เกิดจากการจราจร พ.ศ. 2548

11. ประกาศกรมอุตุนิยมวิทยา เรื่อง การตรวจวัดเสียงการจราจรและเสียงที่เกิดจากการจราจร พ.ศ. 2548

12. ประกาศกรมอุตุนิยมวิทยา เรื่อง การตรวจวัดเสียงการจราจรและเสียงที่เกิดจากการจราจร พ.ศ. 2548

13. ประกาศกรมอุตุนิยมวิทยา เรื่อง การตรวจวัดเสียงการจราจรและเสียงที่เกิดจากการจราจร พ.ศ. 2548

14. ประกาศกรมอุตุนิยมวิทยา เรื่อง การตรวจวัดเสียงการจราจรและเสียงที่เกิดจากการจราจร พ.ศ. 2548

15. ประกาศกรมอุตุนิยมวิทยา เรื่อง การตรวจวัดเสียงการจราจรและเสียงที่เกิดจากการจราจร พ.ศ. 2548

16. ประกาศกรมอุตุนิยมวิทยา เรื่อง การตรวจวัดเสียงการจราจรและเสียงที่เกิดจากการจราจร พ.ศ. 2548

17. ประกาศกรมอุตุนิยมวิทยา เรื่อง การตรวจวัดเสียงการจราจรและเสียงที่เกิดจากการจราจร พ.ศ. 2548

18. ประกาศกรมอุตุนิยมวิทยา เรื่อง การตรวจวัดเสียงการจราจรและเสียงที่เกิดจากการจราจร พ.ศ. 2548

19. ประกาศกรมอุตุนิยมวิทยา เรื่อง การตรวจวัดเสียงการจราจรและเสียงที่เกิดจากการจราจร พ.ศ. 2548

20. ประกาศกรมอุตุนิยมวิทยา เรื่อง การตรวจวัดเสียงการจราจรและเสียงที่เกิดจากการจราจร พ.ศ. 2548

The above results are valid only for the period indicated. Any change in the noise level of the noise source may be reflected in the results. This report is the property of ALS Laboratory (Thailand) Co., Ltd. and shall not be reproduced or used in any form without the written consent of the laboratory. ALS Laboratory (Thailand) Co., Ltd. is not responsible for any damage or loss caused by the use of this report in any way.

Approved by

Wibol

Wiwann Borirak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand. PHONE +66 0 3304 8555 FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS FOR YOUR BUSINESS



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban Bueing, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322069-1

Page 1 of 3

Sample No. 2520546-1
Parameter Noise
Location ถนนสาย 7 บ้านนาเกลือ ซอย 1 (ถนนสาย 7 บ้านนาเกลือ) (GPS 47P 0736230, 1455649) (Shut down)
Measurement Date May 04 - 05, 2025
Measurement by Anuwat Tena
Sound Level Meter 01122607

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
10:00 AM - 11:00 AM	51.4	67.4	47.0
11:00 AM - 12:00 PM	50.7	72.8	46.5
12:00 PM - 01:00 PM	51.4	71.9	47.6
01:00 PM - 02:00 PM	65.6	50.7	46.4
02:00 PM - 03:00 PM	50.9	69.0	46.9
03:00 PM - 04:00 PM	51.8	68.9	48.0
04:00 PM - 05:00 PM	51.0	71.3	47.3
05:00 PM - 06:00 PM	50.4	63.1	46.6
06:00 PM - 07:00 PM	50.3	70.7	46.8
07:00 PM - 08:00 PM	50.3	65.0	46.6
08:00 PM - 09:00 PM	50.8	65.8	47.3
09:00 PM - 10:00 PM	51.1	66.8	47.3
10:00 PM - 10:05 PM	49.8	59.0	45.4
10:05 PM - 10:10 PM	50.5	65.6	45.7
10:10 PM - 10:15 PM	49.9	57.9	46.3
10:15 PM - 10:20 PM	51.5	59.5	47.9
10:20 PM - 10:25 PM	50.9	66.0	46.1
10:25 PM - 10:30 PM	52.1	61.5	48.2
10:30 PM - 10:35 PM	49.7	64.8	44.9
10:35 PM - 10:40 PM	50.6	65.7	45.8
10:40 PM - 10:45 PM	50.7	65.8	45.9
10:45 PM - 10:50 PM	57.4	50.3	46.4
10:50 PM - 10:55 PM	50.5	60.9	47.8
10:55 PM - 11:00 PM	50.6	58.8	47.6
11:00 PM - 11:05 PM	51.8	61.0	47.4
11:05 PM - 11:10 PM	45.5	65.4	45.5
11:10 PM - 11:15 PM	50.5	58.5	46.9
11:15 PM - 11:20 PM	49.8	64.9	45.0
11:20 PM - 11:25 PM	48.2	57.6	44.3
11:25 PM - 11:30 PM	50.3	58.5	47.3
11:30 PM - 11:35 PM	50.7	60.8	46.7
11:35 PM - 11:40 PM	51.5	57.6	48.7
11:40 PM - 11:45 PM	49.1	68.9	44.7
11:45 PM - 11:50 PM	49.5	63.1	45.7
11:50 PM - 11:55 PM	50.6	62.6	47.3
11:55 PM - 12:00 AM	50.5	58.7	47.5
12:00 AM - 12:05 AM	49.0	59.6	46.2
12:05 AM - 12:10 AM	49.8	64.9	45.0
12:10 AM - 12:15 AM	59.4	59.4	45.2
12:15 AM - 12:20 AM	50.1	60.9	45.0

The above results are only valid for the test conditions specified. Any change in the test conditions may affect the results. ALS Laboratory Group (Thailand) Ltd. is not responsible for the results of the test if the test conditions are not as specified.

Approved by

Wilawan Borriak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand / PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban Bueing, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322069-1

Page 2 of 3

Sample No. 2520546-1
Parameter Noise
Location ถนนสาย 7 บ้านนาเกลือ ซอย 1 (ถนนสาย 7 บ้านนาเกลือ) (GPS 47P 0736230, 1455649) (Shut down)
Measurement Date May 04 - 05, 2025
Measurement by Anuwat Tena
Sound Level Meter 01122607

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:20 AM - 12:25 AM	49.2	62.8	45.4
12:25 AM - 12:30 AM	49.1	57.9	45.0
12:30 AM - 12:35 AM	49.5	58.3	45.4
12:35 AM - 12:40 AM	50.4	58.2	47.5
12:40 AM - 12:45 AM	48.7	63.9	44.8
12:45 AM - 12:50 AM	49.8	60.6	44.7
12:50 AM - 12:55 AM	50.8	64.4	47.0
12:55 AM - 01:00 AM	52.2	61.8	47.6
01:00 AM - 01:05 AM	51.0	67.6	44.6
01:05 AM - 01:10 AM	52.5	68.0	46.0
01:10 AM - 01:15 AM	50.7	60.8	45.8
01:15 AM - 01:20 AM	50.8	57.3	46.9
01:20 AM - 01:25 AM	51.8	73.2	46.9
01:25 AM - 01:30 AM	51.3	59.8	47.7
01:30 AM - 01:35 AM	50.7	60.0	46.3
01:35 AM - 01:40 AM	50.2	59.7	45.4
01:40 AM - 01:45 AM	51.1	65.0	45.5
01:45 AM - 01:50 AM	50.2	57.3	45.5
01:50 AM - 01:55 AM	51.2	60.7	46.4
01:55 AM - 02:00 AM	50.6	60.1	45.8
02:00 AM - 02:05 AM	49.6	58.5	46.2
02:05 AM - 02:10 AM	50.7	58.5	45.0
02:10 AM - 02:15 AM	50.1	70.2	44.4
02:15 AM - 02:20 AM	50.1	65.0	42.1
02:20 AM - 02:25 AM	50.7	62.0	45.0
02:25 AM - 02:30 AM	50.1	61.4	44.4
02:30 AM - 02:35 AM	50.2	61.5	44.5
02:35 AM - 02:40 AM	50.5	67.6	45.6
02:40 AM - 02:45 AM	49.9	67.0	45.0
02:45 AM - 02:50 AM	49.7	65.0	44.0
02:50 AM - 02:55 AM	50.6	62.0	45.3
02:55 AM - 03:00 AM	50.0	61.4	44.7
03:00 AM - 03:05 AM	48.4	57.1	43.9
03:05 AM - 03:10 AM	51.8	66.1	45.9
03:10 AM - 03:15 AM	51.2	65.5	45.3
03:15 AM - 03:20 AM	51.8	66.1	45.9
03:20 AM - 03:25 AM	49.9	57.0	46.4
03:25 AM - 03:30 AM	50.4	58.5	46.9
03:30 AM - 03:35 AM	50.4	58.5	46.9
03:35 AM - 03:40 AM	50.5	58.6	47.0

The above results are only valid for the test conditions specified. Any change in the test conditions may affect the results. ALS Laboratory Group (Thailand) Ltd. is not responsible for the results of the test if the test conditions are not as specified.

Approved by

Wilawan Borriak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand / PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322070-1

P/O : 54250077

P/O : 54250077
Project Name
Project Location
: Monitoring
: WHA ESIE 2.1

Page 3 of 3

Sample No.	2520546-2
Parameter	Noise
Location	ถนนกาญจนาภิเษก
Measurement Date	May 05 - 06
Measurement by	Anuwat Ter
Sound Level Meter	01122607

Sample No.	Parameter	Location
2520546-2	Noise	ถนนพหลโยธิน กม.ที่ 1 (สวนพฤกษศาสตร์หลวง) (GPS 47P 0736230, 1455649) (Shut down)

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:40 AM - 03:45 AM	46.9	54.8	42.9
03:45 AM - 03:50 AM	46.3	64.3	42.3
03:50 AM - 03:55 AM	47.7	56.1	43.3
03:55 AM - 04:00 AM	46.8	53.8	43.2
04:00 AM - 04:05 AM	48.0	55.3	43.7
04:05 AM - 04:10 AM	48.5	59.2	44.6
04:10 AM - 04:15 AM	46.9	55.0	43.3
04:15 AM - 04:20 AM	47.1	51.5	44.1
04:20 AM - 04:25 AM	48.7	59.6	44.4
04:25 AM - 04:30 AM	49.1	58.9	45.4
04:30 AM - 04:35 AM	50.9	65.1	47.1
04:35 AM - 04:40 AM	51.2	62.2	46.5
04:40 AM - 04:45 AM	52.7	64.8	47.3
04:45 AM - 04:50 AM	52.4	63.8	47.0
04:50 AM - 04:55 AM	50.6	64.0	46.1
04:55 AM - 05:00 AM	51.2	69.2	46.3
05:00 AM - 05:05 AM	51.9	58.0	47.2
05:05 AM - 05:10 AM	51.7	60.5	48.1
05:10 AM - 05:15 AM	50.5	57.4	47.9
05:15 AM - 05:20 AM	51.1	69.7	45.9
05:20 AM - 05:25 AM	51.0	58.4	47.7
05:25 AM - 05:30 AM	52.7	59.0	50.1
05:30 AM - 05:35 AM	52.4	70.6	48.5
05:35 AM - 05:40 AM	52.3	58.8	49.3
05:40 AM - 05:45 AM	52.6	58.6	50.5
05:45 AM - 05:50 AM	53.6	67.4	50.0
05:50 AM - 05:55 AM	52.9	65.5	49.9
05:55 AM - 06:00 AM	53.5	70.6	48.4
06:00 AM - 07:00 AM	51.8	73.8	48.0
07:00 AM - 08:00 AM	49.4	68.9	45.1
08:00 AM - 09:00 AM	52.8	77.1	48.8
09:00 AM - 10:00 AM	50.9	76.8	47.1

Reference Method :
1. ISO 1996-1
2. ประกาศกระทรวงมหาดไทย เรื่อง วิธีการตรวจวัดเสียงของยานพาหนะ ฉบับที่ 24 พ.ศ. 2536 และฉบับแก้ไขเพิ่มเติม 24 พ.ศ. 2541 และฉบับแก้ไขเพิ่มเติมที่ได้จากกรมการขนส่งทางบก พ.ศ. 2567

The above result is an indication for the usefulness of the sample(s) as an indicator in the report. The part of this report can be used in any form without any further comment from the Laboratory. At the Laboratory Group (Trial and Error) we concluded that this result is not recorded and used in full.

Approved by

**Wilawan Borirak
Manager**

ADDRESS 616/10 Moo 5, T. Maenam Khu A, Phuakdaeng Rayong 21140 Thailand. PHONE +66 0 3304 8555. FAX +66 0 3304 8555
 ALL LABORATORY EQUIPMENT AVAILABLE CO. LTD. An ARLS Limited Company

SHANGHAI LABORATORY GLASSWARE CO., LTD. AN SGLS LIMITED COMPANY

www.alsglobal.com

RIGHT SOLUTIONS MEET PARTNERS



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueing, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322071-1

Page 1 of 3

Sample No. : 2520546-3

Parameter : Noise

Location : หมู่บ้าน 7 บ้านสวนกวดา ซอย 1 (บ้านกวดา) ตำบลคลองกiew (GPS 47P 0796230, 1455649) (Shut down)

Measurement Date : May 06 - 07, 2025

Measurement by : Anuwet Terna

Sound Level Meter : 01122607

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
10:00 AM - 11:00 AM	49.3	65.5	46.0
11:00 AM - 12:00 PM	49.7	66.4	45.6
12:00 PM - 01:00 PM	55.5	88.4	49.3
01:00 PM - 02:00 PM	55.3	86.5	47.9
02:00 PM - 03:00 PM	56.2	84.2	52.2
03:00 PM - 04:00 PM	54.8	82.2	51.2
04:00 PM - 05:00 PM	51.4	67.4	47.9
05:00 PM - 06:00 PM	51.5	75.6	47.9
06:00 PM - 07:00 PM	53.4	70.9	50.7
07:00 PM - 08:00 PM	51.0	65.9	48.1
08:00 PM - 09:00 PM	52.2	69.1	48.3
09:00 PM - 10:00 PM	51.3	70.4	48.9
10:00 PM - 10:05 PM	52.8	57.5	48.8
10:05 PM - 10:10 PM	54.6	59.8	51.9
10:10 PM - 10:15 PM	53.3	56.8	51.7
10:15 PM - 10:20 PM	52.9	57.2	51.7
10:20 PM - 10:25 PM	52.8	56.3	51.3
10:25 PM - 10:30 PM	52.2	56.0	50.3
10:30 PM - 10:35 PM	53.9	62.9	50.3
10:35 PM - 10:40 PM	54.4	74.1	50.2
10:40 PM - 10:45 PM	52.0	68.5	48.6
10:45 PM - 10:50 PM	52.8	57.7	48.3
10:50 PM - 10:55 PM	49.1	59.2	45.3
10:55 PM - 11:00 PM	49.4	59.2	45.5
11:00 PM - 11:05 PM	50.7	56.8	47.0
11:05 PM - 11:10 PM	51.6	57.4	48.2
11:10 PM - 11:15 PM	52.9	59.2	49.0
11:15 PM - 11:20 PM	52.5	58.4	49.4
11:20 PM - 11:25 PM	54.9	62.6	52.4
11:25 PM - 11:30 PM	54.0	57.7	51.6
11:30 PM - 11:35 PM	53.4	57.7	50.5
11:35 PM - 11:40 PM	52.5	57.2	49.9
11:40 PM - 11:45 PM	54.3	60.8	52.3
11:45 PM - 11:50 PM	53.6	58.5	50.2
11:50 PM - 11:55 PM	54.4	59.0	52.4
11:55 PM - 12:00 AM	53.8	57.6	52.1
12:00 AM - 12:05 AM	53.8	58.1	52.2
12:05 AM - 12:10 AM	54.0	57.8	52.2
12:10 AM - 12:15 AM	54.6	58.6	51.9
12:15 AM - 12:20 AM	54.9	58.7	53.0

This document is the property of ALS and is not to be reproduced or used in any form without the prior written consent of ALS. Any unauthorized use or reproduction of this document is strictly prohibited and may result in legal action.

Approved by

Wilawan Borirak

Wilawan Borirak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phakdang Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueing, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322071-1

Page 2 of 3

Sample No. : 2520546-3

Parameter : Noise

Location : หมู่บ้าน 7 บ้านสวนกวดา ซอย 1 (บ้านกวดา) ตำบลคลองกiew (GPS 47P 0796230, 1455649) (Shut down)

Measurement Date : May 06 - 07, 2025

Measurement by : Anuwet Terna

Sound Level Meter : 01122607

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:20 AM - 12:25 AM	53.5	56.9	47.5
12:25 AM - 12:30 AM	53.8	58.3	49.1
12:30 AM - 12:35 AM	54.5	58.4	50.7
12:35 AM - 12:40 AM	55.4	58.8	53.2
12:40 AM - 12:45 AM	55.2	60.2	52.9
12:45 AM - 12:50 AM	54.8	59.4	52.3
12:50 AM - 12:55 AM	54.9	60.0	52.2
12:55 AM - 01:00 AM	52.8	60.0	49.5
01:00 AM - 01:05 AM	52.7	58.4	47.5
01:05 AM - 01:10 AM	52.1	54.1	48.6
01:10 AM - 01:15 AM	48.4	57.3	44.1
01:15 AM - 01:20 AM	46.3	52.3	40.8
01:20 AM - 01:25 AM	46.2	55.2	41.5
01:25 AM - 01:30 AM	45.8	48.1	39.4
01:30 AM - 01:35 AM	42.6	49.4	40.3
01:35 AM - 01:40 AM	43.6	58.3	43.1
01:40 AM - 01:45 AM	46.9	52.6	41.3
01:45 AM - 01:50 AM	50.3	53.3	47.7
01:50 AM - 01:55 AM	50.5	54.1	47.4
01:55 AM - 02:00 AM	50.9	55.3	48.0
02:00 AM - 02:05 AM	51.0	60.0	48.5
02:05 AM - 02:10 AM	48.9	57.7	42.7
02:10 AM - 02:15 AM	50.3	55.2	46.9
02:15 AM - 02:20 AM	51.0	59.8	47.3
02:20 AM - 02:25 AM	50.3	54.1	47.9
02:25 AM - 02:30 AM	50.0	53.2	47.5
02:30 AM - 02:35 AM	50.2	54.4	47.1
02:35 AM - 02:40 AM	51.2	58.1	47.6
02:40 AM - 02:45 AM	52.4	59.2	49.6
02:45 AM - 02:50 AM	51.5	58.4	48.1
02:50 AM - 02:55 AM	47.2	53.4	43.6
02:55 AM - 03:00 AM	47.2	53.6	42.7
03:00 AM - 03:05 AM	48.9	56.1	44.5
03:05 AM - 03:10 AM	49.5	58.6	42.9
03:10 AM - 03:15 AM	49.1	53.9	46.3
03:15 AM - 03:20 AM	47.3	56.5	43.8
03:20 AM - 03:25 AM	51.8	66.7	43.0
03:25 AM - 03:30 AM	48.0	54.6	44.9
03:30 AM - 03:35 AM	48.4	55.9	44.9

Approved by

Wilawan Borirak

Wilawan Borirak
Manager

This document is the property of ALS and is not to be reproduced or used in any form without the prior written consent of ALS. Any unauthorized use or reproduction of this document is strictly prohibited and may result in legal action.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phakdang Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

<p>Client : WHA Industrial Development Public Company Limited 475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban Bueng, Chonburi Thailand 20220</p> <p>P/O : 54250077</p>	<p>Lot ID: 2520546</p> <p>Date Received :May 30, 2025</p> <p>Date Reported :Jun 04, 2025</p> <p>Report No. : 3322071-1</p>
<p>Client : WHA Industrial Development Public Company Limited 475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban Bueng, Chonburi Thailand 20220</p> <p>P/O : 54250077</p>	<p>Lot ID: 2520546</p> <p>Date Received :May 30, 2025</p> <p>Date Reported :Jun 04, 2025</p> <p>Report No. : 3322072-1</p>

Report No. : 332071-I
P/O : 54250077

Project Name	Monitoring
Project Location	WHA ESIE 2.1
Project Name	Monitoring
Project Location	WHA ESIE 2.1

Page 3 of 3

Page 1

Sample No.	Sample No.
2520546-3	2520546-4

Parameter	Noise	Parameter	Noise
α	0.001	α	0.001
β	0.001	β	0.001
γ	0.001	γ	0.001
δ	0.001	δ	0.001
ϵ	0.001	ϵ	0.001
ζ	0.001	ζ	0.001
η	0.001	η	0.001
θ	0.001	θ	0.001
κ	0.001	κ	0.001
λ	0.001	λ	0.001
μ	0.001	μ	0.001
ν	0.001	ν	0.001
ξ	0.001	ξ	0.001
ω	0.001	ω	0.001
ϕ	0.001	ϕ	0.001
χ	0.001	χ	0.001
ψ	0.001	ψ	0.001
σ	0.001	σ	0.001
τ	0.001	τ	0.001
υ	0.001	υ	0.001
ϕ	0.001	ϕ	0.001
χ	0.001	χ	0.001
ψ	0.001	ψ	0.001
σ	0.001	σ	0.001
τ	0.001	τ	0.001
υ	0.001	υ	0.001
ϕ	0.001	ϕ	0.001
χ	0.001	χ	0.001
ψ	0.001	ψ	0.001
σ	0.001	σ	0.001
τ	0.001	τ	0.001
υ	0.001	υ	0.001
ϕ	0.001	ϕ	0.001
χ	0.001	χ	0.001
ψ	0.001	ψ	0.001
σ	0.001	σ	0.001
τ	0.001	τ	0.001
υ	0.001	υ	0.001
ϕ	0.001	ϕ	0.001
χ	0.001	χ	0.001
ψ	0.001	ψ	0.001
σ	0.001	σ	0.001
τ	0.001	τ	0.001
υ	0.001	υ	0.001
ϕ	0.001	ϕ	0.001
χ	0.001	χ	0.001
ψ	0.001	ψ	0.001
σ	0.001	σ	0.001
τ	0.001	τ	0.001
υ	0.001	υ	0.001
ϕ	0.001	ϕ	0.001
χ	0.001	χ	0.001
ψ	0.001	ψ	0.001
σ	0.001	σ	0.001
τ	0.001	τ	0.001
υ	0.001	υ	0.001
ϕ	0.001	ϕ	0.001
χ	0.001	χ	0.001
ψ	0.001	ψ	0.001
σ	0.001	σ	0.001
τ	0.001	τ	0.001
υ	0.001	υ	0.001
ϕ	0.001	ϕ	0.001
χ	0.001	χ	0.001
ψ	0.001	ψ	0.001
σ	0.001	σ	0.001
τ	0.001	τ	0.001
υ	0.001	υ	0.001
ϕ	0.001	ϕ	0.001
χ	0.001	χ	0.001
ψ	0.001	ψ	0.001
σ	0.001	σ	0.001
τ	0.001	τ	0.001
υ	0.001	υ	0.001
ϕ	0.001	ϕ	0.001
χ	0.001	χ	0.001
ψ	0.001	ψ	0.001
σ	0.001	σ	0.001
τ	0.001	τ	0.001

Location	Location
กลุ่มบ้าน 7 บ้านบางลำปัด จ.ที่ 1 (ลำน้ำเจ้าเจียง-โคกยาว) (GPS 47P 0736230, 1455549) (Shut down)	กลุ่มบ้าน 7 บ้านบางลำปัด จ.ที่ 1 (ลำน้ำเจ้าเจียง-โคกยาว) (GPS 47P 0736230, 1455549) (Shut down)

Measurement Date May 07 - 08, 2025

Measurement Date	Measurement by	Analysis Type
May 06 - U, 2023		

	Measurement by
Annuet Tema	
	Photoelements by
	Mattias Lema
	01175697
	Soudal Indust Mobile

Sound Level Meter	Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
	03:40 AM - 03:45 AM	47.3	56.9	43.7
	03:45 AM - 03:50 AM	47.8	55.3	44.2
	03:50 AM - 03:55 AM	50.8	68.8	45.5
	03:55 AM - 04:00 AM	48.6	55.5	46.1
	04:00 AM - 04:05 AM	49.0	59.9	45.1
	04:05 AM - 04:10 AM	47.2	54.6	44.1
	04:10 AM - 04:15 AM	47.7	54.2	45.4
	04:15 AM - 04:20 AM	48.9	56.3	44.5
	04:20 AM - 04:25 AM	48.1	53.1	44.6
	04:25 AM - 04:30 AM	51.3	62.6	47.4
	04:30 AM - 04:35 AM	51.3	76.9	51.3
	04:35 AM - 04:40 AM	56.3	79.3	48.4
	04:40 AM - 04:45 AM	51.0	60.7	47.3
	04:45 AM - 04:50 AM	52.3	68.3	47.6
	04:50 AM - 04:55 AM	51.5	58.9	48.1
	04:55 AM - 05:00 AM	52.3	63.2	47.7
	05:00 AM - 05:05 AM	51.0	61.5	47.7
	05:05 AM - 05:10 AM	51.1	60.5	47.9
	05:10 AM - 05:15 AM	51.9	62.6	48.4
	05:15 AM - 05:20 AM	52.6	62.7	49.0
	05:20 AM - 05:25 AM	52.6	59.4	49.5
	05:25 AM - 05:30 AM	54.5	65.4	48.5
	05:30 AM - 05:35 AM	52.8	66.1	47.9
	05:35 AM - 05:40 AM	52.8	77.0	48.2
	05:40 AM - 05:45 AM	51.4	76.4	46.7
	05:45 AM - 05:50 AM	57.3	72.3	50.6
	05:50 AM - 05:55 AM	52.9	66.6	50.1
	05:55 AM - 06:00 AM	54.8	71.9	49.2
	06:00 AM - 07:00 AM	51.7	71.5	47.8
	07:00 AM - 08:00 AM	52.2	73.0	48.6
	08:00 AM - 09:00 AM	50.1	65.2	48.1
	09:00 AM - 10:00 AM	58.6	89.2	51.0

Reference Method :

1. ISO 1996-1

2. กรมควบคุมมลพิษ กระทรวงธรรมการ 2567

Reference Method :		
1. ISO 1996-1	11:45 PM - 11:50 PM	52.6
	11:50 PM - 11:55 PM	58.0
	11:55 PM - 12:00 AM	53.5
		63.3
		47.9
		47.3
		47.7
		47.2

The above results are valid only for the analytical method described in the report. No part of this report or test kit may be reproduced in any form without written consent from the laboratory. At S Laboratory Group (Thailand) strong recommendations that this report is not reproduced in full.

Approved by

Wilawan Borirak

Approved by

Wiliwon Bortrak
Manager

PO BOX 616/10 Moo 5 T. Maenam Khu A. Phukdaeng Rayong 21140 Thailand PHONE +66 0 3204 8555 / FAX +66 0 3204 8556
ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phukdaeng Rayong 21140 Thailand PHONE +66 0 3204 8555 / FAX +66 0 3204 8556

SILKROADTRAVEL.COM CABLE:THAIL-SILKROAD TRAVEL E-MAIL: info@silksroadtravel.com

ALCANTARA (NYSE:ALC) IS A LEADER IN THE PERFORMANCE MATERIALS MARKET. WE ARE A DIVISION OF ALCANTARA CORPORATION, A PUBLIC COMPANY LISTED ON THE NYSE. WE ARE A LEADER IN THE PERFORMANCE MATERIALS MARKET. WE ARE A DIVISION OF ALCANTARA CORPORATION, A PUBLIC COMPANY LISTED ON THE NYSE.

www.alsglobal.com

www.minggroup.com

RIGHT SOLUTIONS RIGHT PARTNERS



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban Bueang, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322073-1

Page 1 of 3

Sample No. : 2520546-5
Parameter : Noise
Location : หน้าบ้าน/7 อาคารพาณิชย์ ชั้น 1 (หน้าบ้านด้านซ้าย) (GPS 47P 0736230, 1455649) (Shut down)
Measurement Date : May 08 - 09, 2025
Measurement by : Anuwet Tema
Sound Level Meter : 01122607

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
10:00 AM - 11:00 AM	51.9	63.5	49.0
11:00 AM - 12:00 PM	56.3	81.2	51.0
12:00 PM - 01:00 PM	54.0	76.4	50.6
01:00 PM - 02:00 PM	54.5	78.2	50.7
02:00 PM - 03:00 PM	53.7	63.4	50.9
03:00 PM - 04:00 PM	55.3	70.8	52.6
04:00 PM - 05:00 PM	54.8	71.4	52.1
05:00 PM - 06:00 PM	53.1	71.7	49.9
06:00 PM - 07:00 PM	55.2	69.6	52.6
07:00 PM - 08:00 PM	53.2	66.1	50.2
08:00 PM - 09:00 PM	54.4	74.2	50.7
09:00 PM - 10:00 PM	53.9	63.2	50.0
10:00 PM - 10:05 PM	54.4	59.4	47.4
10:05 PM - 10:10 PM	53.4	66.8	49.1
10:10 PM - 10:15 PM	52.1	56.5	48.5
10:15 PM - 10:20 PM	51.6	56.7	47.7
10:20 PM - 10:25 PM	51.5	58.6	48.1
10:25 PM - 10:30 PM	48.8	55.5	45.9
10:30 PM - 10:35 PM	52.6	57.4	48.9
10:35 PM - 10:40 PM	52.9	57.8	49.1
10:40 PM - 10:45 PM	53.5	57.7	50.0
10:45 PM - 10:50 PM	53.0	60.5	48.4
10:50 PM - 10:55 PM	52.6	58.9	48.1
10:55 PM - 11:00 PM	51.7	57.3	47.9
11:00 PM - 11:05 PM	50.5	54.7	47.8
11:05 PM - 11:10 PM	52.1	61.3	49.2
11:10 PM - 11:15 PM	52.0	56.3	49.8
11:15 PM - 11:20 PM	51.8	61.1	48.2
11:20 PM - 11:25 PM	51.6	57.4	49.3
11:25 PM - 11:30 PM	52.9	60.1	50.6
11:30 PM - 11:35 PM	52.2	62.2	50.7
11:35 PM - 11:40 PM	51.5	55.9	49.6
11:40 PM - 11:45 PM	52.0	59.9	49.9
11:45 PM - 11:50 PM	51.6	56.1	49.0
11:50 PM - 11:55 PM	51.9	56.5	49.9
11:55 PM - 12:00 AM	51.6	56.4	49.1
12:00 AM - 12:05 AM	51.1	56.7	48.1
12:05 AM - 12:10 AM	50.0	55.4	47.0
12:10 AM - 12:15 AM	49.4	54.9	46.2
12:15 AM - 12:20 AM	51.0	56.9	47.2

This report is for the sole use of the client and is not to be used for any other purpose. The data in this report is based on the information provided by the client and is not to be used for any other purpose. The data in this report is based on the information provided by the client and is not to be used for any other purpose.

Approved by

Wilawan Borirak
Manager

Wilawan Borirak

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban Bueang, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322073-1

Page 2 of 3

Sample No. : 2520546-5
Parameter : Noise
Location : หน้าบ้าน/7 อาคารพาณิชย์ ชั้น 1 (หน้าบ้านด้านซ้าย) (GPS 47P 0736230, 1455649) (Shut down)
Measurement Date : May 08 - 09, 2025
Measurement by : Anuwet Tema
Sound Level Meter : 01122607

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:20 AM - 12:25 AM	51.9	57.7	48.0
12:25 AM - 12:30 AM	51.4	56.8	45.7
12:30 AM - 12:35 AM	51.5	56.5	48.0
12:35 AM - 12:40 AM	52.0	56.5	48.3
12:40 AM - 12:45 AM	52.2	59.1	47.8
12:45 AM - 12:50 AM	51.2	57.6	47.6
12:50 AM - 12:55 AM	50.7	56.5	47.2
12:55 AM - 01:00 AM	50.7	56.5	47.2
01:00 AM - 01:05 AM	50.0	57.8	48.4
01:05 AM - 01:10 AM	50.5	59.6	49.3
01:10 AM - 01:15 AM	50.2	57.9	48.3
01:15 AM - 01:20 AM	48.6	54.6	47.4
01:20 AM - 01:25 AM	50.9	61.0	45.7
01:25 AM - 01:30 AM	51.7	63.0	46.3
01:30 AM - 01:35 AM	53.0	60.2	45.2
01:35 AM - 01:40 AM	51.2	56.2	49.3
01:40 AM - 01:45 AM	52.6	58.3	48.4
01:45 AM - 01:50 AM	52.3	57.2	47.5
01:50 AM - 01:55 AM	53.3	59.7	49.5
01:55 AM - 02:00 AM	50.1	57.1	45.3
02:00 AM - 02:05 AM	50.0	57.8	46.1
02:05 AM - 02:10 AM	50.1	55.1	45.9
02:10 AM - 02:15 AM	49.2	56.2	44.3
02:15 AM - 02:20 AM	50.1	56.6	45.0
02:20 AM - 02:25 AM	51.7	57.9	47.1
02:25 AM - 02:30 AM	53.1	57.6	48.2
02:30 AM - 02:35 AM	53.6	58.8	47.9
02:35 AM - 02:40 AM	52.4	59.0	45.3
02:40 AM - 02:45 AM	52.6	57.3	48.1
02:45 AM - 02:50 AM	52.7	57.4	48.3
02:50 AM - 02:55 AM	51.2	55.9	46.8
02:55 AM - 03:00 AM	52.1	56.5	47.4
03:00 AM - 03:05 AM	51.6	56.7	46.3
03:05 AM - 03:10 AM	51.8	61.4	45.5
03:10 AM - 03:15 AM	50.4	56.1	45.0
03:15 AM - 03:20 AM	50.0	56.1	43.6
03:20 AM - 03:25 AM	50.7	56.3	45.2
03:25 AM - 03:30 AM	49.8	56.0	43.1
03:30 AM - 03:35 AM	49.0	56.8	42.8
03:35 AM - 03:40 AM	50.0	56.5	45.6

This report is for the sole use of the client and is not to be used for any other purpose. The data in this report is based on the information provided by the client and is not to be used for any other purpose. The data in this report is based on the information provided by the client and is not to be used for any other purpose.

Approved by

Wilawan Borirak
Manager

Wilawan Borirak

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name
Project Location

Monitoring
WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322074-1

Project Name	: Monitoring
Project Location	: WHA ESIF 2.1

Dr. J. C. ...

Sample No.	2570546-6
------------	-----------

Parameter Noise

Location กสณบปำนพม7 บำบมบำนสำนบม จดท่ 1 (ลำบมทศโคโงงโคมททท) (GPS 47P 0735230 1455649) (Shut down)

Measurement Date
May 09 - 10, 2025

Measurement by Anuwet Tema

Sound Level Meter 01122607

Time	L _{eq} (dB(A))	L _{max} (dB(A))	L ₉₀ (dB(A))
10:00 AM - 11:00 AM	57.7	80.4	55.4
11:00 AM - 12:00 PM	51.1	79.5	47.2
12:00 PM - 01:00 PM	60.3	92.1	52.3
01:00 PM - 02:00 PM	56.1	87.4	52.3
02:00 PM - 03:00 PM	55.0	76.0	51.4
03:00 PM - 04:00 PM	53.9	75.1	49.6
04:00 PM - 05:00 PM	51.4	73.8	48.2
05:00 PM - 06:00 PM	50.4	68.6	47.8
06:00 PM - 07:00 PM	55.1	75.2	52.3
07:00 PM - 08:00 PM	52.6	73.1	49.8
08:00 PM - 09:00 PM	53.0	71.0	50.6
09:00 PM - 10:00 PM	53.3	62.9	49.8
10:00 PM - 10:05 PM	53.8	59.3	50.1
10:05 PM - 10:10 PM	53.1	57.4	50.0
10:10 PM - 10:15 PM	54.4	58.4	52.5
10:15 PM - 10:20 PM	54.6	58.1	53.1
10:20 PM - 10:25 PM	54.5	60.4	53.5
10:25 PM - 10:30 PM	54.0	63.0	52.2
10:30 PM - 10:35 PM	52.5	59.3	49.7
10:35 PM - 10:40 PM	52.8	58.7	51.2
10:40 PM - 10:45 PM	50.9	54.8	47.4
10:45 PM - 10:50 PM	51.7	60.4	49.7
10:50 PM - 10:55 PM	50.5	55.9	48.1
10:55 PM - 11:00 PM	48.6	53.6	45.5
11:00 PM - 11:05 PM	48.9	53.6	45.7
11:05 PM - 11:10 PM	49.8	54.7	47.4
11:10 PM - 11:15 PM	50.3	54.7	48.4
11:15 PM - 11:20 PM	50.9	54.7	49.7
11:20 PM - 11:25 PM	50.2	53.7	47.9
11:25 PM - 11:30 PM	51.0	57.4	48.9
11:30 PM - 11:35 PM	51.2	56.0	49.0
11:35 PM - 11:40 PM	51.0	62.6	44.8
11:40 PM - 11:45 PM	49.0	57.1	45.2
11:45 PM - 11:50 PM	49.3	55.1	44.6
11:50 PM - 11:55 PM	49.7	60.2	45.3
11:55 PM - 12:00 AM	49.5	55.1	46.4
12:00 AM - 12:05 AM	50.6	55.5	47.0
12:05 AM - 12:10 AM	50.1	56.2	46.0
12:10 AM - 12:15 AM	50.9	55.9	47.0
12:15 AM - 12:20 AM	51.6	56.9	46.4

1. ISO 1996-1
2. ประกาศนียบัตรโรงเรียนสาธิตแห่งมหาวิทยาลัยเกษตรศาสตร์ วิทยาเขตกำแพงแสน จังหวัดนครปฐม และโรงเรียนสาธิตแห่งมหาวิทยาลัยเกษตรศาสตร์ วิทยาเขตกำแพงแสน จังหวัดกำแพงเพชร 24 ธันวาคม 2557

The above results are typical of the anti-symmetrical samples (S) as indicated in this report. The rest of the report is reproducible when the S is reproduced in any form without written consent from The Laboratory. **B. S. Luborsky, D.D.S. (Tulane)**
I hereby recognize that this report is not reproduced except in full.

Approved by

Willawan Borin
Manager

ADDRESS: 616/10 Moo 5, Maenam Khu A, Pluakdaeng Rayong 21140 Thailand. PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsolocal.com

http://www.sciencemag.com

RIGHT SOLUTIONS RIGHT PEOPLE. RIGHT PLACE. RIGHT TIME.



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueing, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322075-1

Page 1 of 3

Sample No. 2520546-7
Parameter Noise
Location near building 7 อาคารบ้านพักอาศัย 7 (Shut down)
Measurement Date May 10 - 11, 2025
Measurement by Anuwet Tema
Sound Level Meter 01122607

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
10:00 AM - 11:00 AM	56.5	79.6	52.7
11:00 AM - 12:00 PM	53.8	73.5	50.3
12:00 PM - 01:00 PM	59.7	80.2	52.1
01:00 PM - 02:00 PM	60.5	78.5	50.3
02:00 PM - 03:00 PM	56.3	76.9	50.3
03:00 PM - 04:00 PM	60.5	94.1	54.7
04:00 PM - 05:00 PM	55.6	70.8	52.3
05:00 PM - 06:00 PM	57.2	80.5	54.1
06:00 PM - 07:00 PM	61.1	81.2	57.8
07:00 PM - 08:00 PM	60.0	83.5	55.8
08:00 PM - 09:00 PM	55.9	72.1	54.5
09:00 PM - 10:00 PM	53.5	71.0	52.1
10:00 PM - 10:05 PM	52.5	69.2	51.5
10:05 PM - 10:10 PM	52.5	63.2	50.2
10:10 PM - 10:15 PM	52.1	61.3	50.5
10:15 PM - 10:20 PM	51.8	63.8	50.4
10:20 PM - 10:25 PM	51.0	61.1	49.3
10:25 PM - 10:30 PM	51.1	55.8	49.5
10:30 PM - 10:35 PM	51.1	60.6	49.5
10:35 PM - 10:40 PM	52.4	64.7	49.5
10:40 PM - 10:45 PM	51.7	61.3	49.1
10:45 PM - 10:50 PM	50.3	59.3	48.9
10:50 PM - 10:55 PM	50.5	59.2	49.1
10:55 PM - 11:00 PM	51.4	57.2	48.7
11:00 PM - 11:05 PM	50.7	63.9	49.0
11:05 PM - 11:10 PM	50.9	63.7	48.9
11:10 PM - 11:15 PM	52.2	59.0	49.7
11:15 PM - 11:20 PM	49.6	59.6	46.7
11:20 PM - 11:25 PM	50.5	61.3	48.6
11:25 PM - 11:30 PM	50.0	60.8	48.3
11:30 PM - 11:35 PM	50.9	60.2	49.3
11:35 PM - 11:40 PM	51.3	61.3	46.8
11:40 PM - 11:45 PM	50.3	58.3	48.8
11:45 PM - 11:50 PM	50.1	56.3	48.7
11:50 PM - 11:55 PM	52.6	76.2	47.3
11:55 PM - 12:00 AM	50.2	58.2	47.3
12:00 AM - 12:05 AM	49.7	56.1	47.3
12:05 AM - 12:10 AM	49.6	58.6	46.3
12:10 AM - 12:15 AM	51.1	61.2	47.5
12:15 AM - 12:20 AM	50.5	57.6	47.9

This document is for use only for the indicated project. It is not to be used for any other purpose without the written consent of the laboratory. ALS is not responsible for the accuracy of the data reported in this report. The data reported in this report is not to be used for any other purpose.

Approved by

Wilawan Borirak

Wilawan Borirak
Manager

ADDRESS 616/10 Moo 5 T. Mueang Khui A. Phakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

NIGHT SOLUTIONS



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueing, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322075-1

Page 2 of 3

Sample No. 2520546-7
Parameter Noise
Location near building 7 อาคารบ้านพักอาศัย 7 (Shut down)
Measurement Date May 10 - 11, 2025
Measurement by Anuwet Tema
Sound Level Meter 01122607

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:20 AM - 12:25 AM	51.5	57.8	48.5
12:25 AM - 12:30 AM	48.9	58.3	47.0
12:30 AM - 12:35 AM	51.8	58.5	47.8
12:35 AM - 12:40 AM	50.6	62.5	47.7
12:40 AM - 12:45 AM	50.7	58.0	46.8
12:45 AM - 12:50 AM	48.6	55.5	46.8
12:50 AM - 12:55 AM	52.3	59.4	47.9
12:55 AM - 01:00 AM	48.5	59.9	48.5
01:00 AM - 01:05 AM	53.2	59.6	47.3
01:05 AM - 01:10 AM	54.3	59.7	48.1
01:10 AM - 01:15 AM	57.4	60.8	55.0
01:15 AM - 01:20 AM	58.0	61.4	55.5
01:20 AM - 01:25 AM	56.7	61.8	56.7
01:25 AM - 01:30 AM	59.0	61.9	57.5
01:30 AM - 01:35 AM	59.1	61.8	57.8
01:35 AM - 01:40 AM	58.1	62.0	52.6
01:40 AM - 01:45 AM	59.1	61.7	57.7
01:45 AM - 01:50 AM	59.7	62.4	58.3
01:50 AM - 01:55 AM	59.3	62.5	57.2
01:55 AM - 02:00 AM	59.0	62.6	55.8
02:00 AM - 02:05 AM	58.2	62.4	49.9
02:05 AM - 02:10 AM	57.6	62.3	50.0
02:10 AM - 02:15 AM	58.6	62.8	55.4
02:15 AM - 02:20 AM	58.9	62.3	56.2
02:20 AM - 02:25 AM	59.1	61.9	57.7
02:25 AM - 02:30 AM	59.0	71.3	54.0
02:30 AM - 02:35 AM	59.1	63.9	56.9
02:35 AM - 02:40 AM	58.1	61.2	56.5
02:40 AM - 02:45 AM	57.5	61.4	51.8
02:45 AM - 02:50 AM	58.8	62.5	56.9
02:50 AM - 02:55 AM	58.0	62.1	56.4
02:55 AM - 03:00 AM	58.0	61.4	56.6
03:00 AM - 03:05 AM	57.8	60.9	56.5
03:05 AM - 03:10 AM	58.0	61.8	56.5
03:10 AM - 03:15 AM	58.6	61.3	57.3
03:15 AM - 03:20 AM	58.4	61.8	56.9
03:20 AM - 03:25 AM	58.3	61.8	56.9
03:25 AM - 03:30 AM	57.6	61.6	54.1
03:30 AM - 03:35 AM	58.5	61.7	57.0
03:35 AM - 03:40 AM	57.9	61.8	52.8

This document is for use only for the indicated project. It is not to be used for any other purpose without the written consent of the laboratory. ALS is not responsible for the accuracy of the data reported in this report. The data reported in this report is not to be used for any other purpose.

Approved by

Wilawan Borirak

Wilawan Borirak
Manager

ADDRESS 616/10 Moo 5 T. Mueang Khui A. Phakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

NIGHT SOLUTIONS



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322075-1

Page 3 of 3

Sample No. : 2520546-7
Parameter : Noise
Location : ถนนสาย 7 ถนนสาย 1 (ถนนสาย 1 ถนนสาย 7) (GPS 47P 0736230, 1455649) (Shut down)
Measurement Date : May 10 - 11, 2025
Measurement by : Anuwat Tema
Sound Level Meter : 01122607

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:40 AM - 03:45 AM	57.4	62.9	50.5
03:45 AM - 03:50 AM	57.1	60.8	50.1
03:50 AM - 03:55 AM	57.1	61.5	54.4
03:55 AM - 04:00 AM	57.9	61.4	55.4
04:00 AM - 04:05 AM	54.9	60.9	45.7
04:05 AM - 04:10 AM	53.5	59.3	47.7
04:10 AM - 04:15 AM	54.3	60.2	47.1
04:15 AM - 04:20 AM	55.3	60.2	46.8
04:20 AM - 04:25 AM	52.9	70.0	46.6
04:25 AM - 04:30 AM	52.5	67.2	46.9
04:30 AM - 04:35 AM	49.9	60.5	46.1
04:35 AM - 04:40 AM	49.8	63.9	45.8
04:40 AM - 04:45 AM	51.3	66.3	44.7
04:45 AM - 04:50 AM	51.3	67.2	46.7
04:50 AM - 04:55 AM	51.5	63.0	46.5
04:55 AM - 05:00 AM	65.7	65.7	45.0
05:00 AM - 05:05 AM	49.8	65.9	45.8
05:05 AM - 05:10 AM	51.3	63.8	47.5
05:10 AM - 05:15 AM	50.5	60.6	46.6
05:15 AM - 05:20 AM	48.8	59.4	44.7
05:20 AM - 05:25 AM	50.8	64.5	45.5
05:25 AM - 05:30 AM	50.3	57.9	46.2
05:30 AM - 05:35 AM	49.8	59.8	46.4
05:35 AM - 05:40 AM	50.7	60.1	46.3
05:40 AM - 05:45 AM	49.7	59.0	46.5
05:45 AM - 05:50 AM	49.9	55.9	46.5
05:50 AM - 05:55 AM	52.0	70.3	46.7
05:55 AM - 06:00 AM	51.3	60.6	46.5
06:00 AM - 07:00 AM	51.3	69.3	45.8
07:00 AM - 08:00 AM	54.6	89.7	46.5
08:00 AM - 09:00 AM	56.2	87.4	50.8
09:00 AM - 10:00 AM	51.5	70.3	47.8

Reference Method :

- ISO 1996-1
- อุปกรณ์การวัดเสียงที่ใช้ในการวัดเสียงตามมาตรฐาน 24 ชั่วโมง และผลการวัดเสียงตามมาตรฐาน พ.ร.บ. 2567

This report is valid only for the project and location specified in the report. It is not valid for other projects or locations. The report is the property of ALS and shall not be reproduced or used in any way without the written consent of ALS. (This report is the property of ALS and shall not be reproduced or used in any way without the written consent of ALS.)

Approved by

Wilawan Borirak

Wilawan Borirak
Manager

ADDRESS: 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand PHONF +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PEOPLE



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322076-1

Page 1 of 3

Sample No. : 2520546-8
Parameter : Noise
Location : ถนนสาย 7 ถนนสาย 1 (ถนนสาย 1 ถนนสาย 7) (GPS 47P 0736430, 1456265) (Shut down)
Measurement Date : May 04 - 05, 2025
Measurement by : Anuwat Tema
Sound Level Meter : 01222723

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	54.3	80.6	48.8
12:00 PM - 01:00 PM	54.2	72.9	49.0
01:00 PM - 02:00 PM	55.1	81.2	49.8
02:00 PM - 03:00 PM	56.1	79.4	50.9
03:00 PM - 04:00 PM	54.7	83.5	48.7
04:00 PM - 05:00 PM	55.3	72.1	50.3
05:00 PM - 06:00 PM	55.6	81.0	50.6
06:00 PM - 07:00 PM	54.3	72.3	49.5
07:00 PM - 08:00 PM	54.6	75.3	49.5
08:00 PM - 09:00 PM	54.2	68.0	49.7
09:00 PM - 10:00 PM	53.0	68.1	47.8
10:00 PM - 10:05 PM	51.8	63.1	47.0
10:05 PM - 10:10 PM	52.1	66.1	44.9
10:10 PM - 10:15 PM	51.3	68.0	45.5
10:15 PM - 10:20 PM	53.3	66.6	45.3
10:20 PM - 10:25 PM	53.4	64.7	46.1
10:25 PM - 10:30 PM	51.5	73.2	44.7
10:30 PM - 10:35 PM	50.4	68.7	45.2
10:35 PM - 10:40 PM	53.0	69.9	44.7
10:40 PM - 10:45 PM	51.5	63.7	43.3
10:45 PM - 10:50 PM	48.2	59.9	42.3
10:50 PM - 10:55 PM	49.9	66.2	43.7
10:55 PM - 11:00 PM	49.0	66.2	41.4
11:00 PM - 11:05 PM	49.8	65.3	44.8
11:05 PM - 11:10 PM	51.6	66.4	46.1
11:10 PM - 11:15 PM	49.3	59.7	42.2
11:15 PM - 11:20 PM	52.5	71.9	44.6
11:20 PM - 11:25 PM	56.4	71.5	42.9
11:25 PM - 11:30 PM	49.8	62.4	41.8
11:30 PM - 11:35 PM	51.8	68.0	45.5
11:35 PM - 11:40 PM	50.3	63.7	44.1
11:40 PM - 11:45 PM	52.2	68.8	44.8
11:45 PM - 11:50 PM	49.3	62.7	40.9
11:50 PM - 11:55 PM	55.5	70.8	45.3
11:55 PM - 12:00 AM	52.4	63.7	44.6
12:00 AM - 12:05 AM	49.8	70.0	40.8
12:05 AM - 12:10 AM	49.3	63.3	42.1
12:10 AM - 12:15 AM	49.4	66.4	43.3
12:15 AM - 12:20 AM	52.0	65.9	43.6
12:20 AM - 12:25 AM	48.7	60.0	43.6

Approved by

Wilawan Borirak

Wilawan Borirak
Manager

ADDRESS: 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand PHONF +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PEOPLE



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322076-1

Page 2 of 3

Sample No. : 2520546-8
Parameter : Noise
Location : ถนนพหลโยธิน 7 กิโลเมตรจากตัวเมือง 2 (ถนนพหลโยธินตัดกับถนนพหลโยธิน) (GPS 47P 0736430, 1456265) (Shut down)
Measurement Date : May 04 - 05, 2025
Measurement by : Anuwat Tema
Sound Level Meter : 01222723

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:25 AM - 12:30 AM	48.9	69.7	41.5
12:30 AM - 12:35 AM	50.4	60.5	43.5
12:35 AM - 12:40 AM	49.8	64.2	42.4
12:40 AM - 12:45 AM	50.3	64.7	42.9
12:45 AM - 12:50 AM	50.4	71.0	42.3
12:50 AM - 12:55 AM	48.3	64.0	40.9
12:55 AM - 01:00 AM	49.4	66.5	42.7
01:00 AM - 01:05 AM	50.3	63.8	44.3
01:05 AM - 01:10 AM	50.6	60.7	43.7
01:10 AM - 01:15 AM	49.6	63.0	41.9
01:15 AM - 01:20 AM	49.5	63.9	42.1
01:20 AM - 01:25 AM	47.9	60.7	41.6
01:25 AM - 01:30 AM	50.6	71.2	42.5
01:30 AM - 01:35 AM	50.1	64.0	44.0
01:35 AM - 01:40 AM	52.6	71.8	43.0
01:40 AM - 01:45 AM	51.1	67.0	40.1
01:45 AM - 01:50 AM	47.8	60.2	40.4
01:50 AM - 01:55 AM	53.3	68.0	42.8
01:55 AM - 02:00 AM	56.9	81.9	39.4
02:00 AM - 02:05 AM	48.2	63.3	41.7
02:05 AM - 02:10 AM	48.1	60.4	40.5
02:10 AM - 02:15 AM	47.9	58.5	41.2
02:15 AM - 02:20 AM	50.2	65.4	42.5
02:20 AM - 02:25 AM	48.8	63.6	41.7
02:25 AM - 02:30 AM	50.1	63.2	43.0
02:30 AM - 02:35 AM	45.8	57.9	40.2
02:35 AM - 02:40 AM	50.8	63.5	42.9
02:40 AM - 02:45 AM	48.6	64.9	42.0
02:45 AM - 02:50 AM	50.3	62.2	41.8
02:50 AM - 02:55 AM	49.8	69.3	41.9
02:55 AM - 03:00 AM	49.1	61.0	40.8
03:00 AM - 03:05 AM	48.1	63.7	41.2
03:05 AM - 03:10 AM	50.0	60.2	42.2
03:10 AM - 03:15 AM	51.1	68.5	41.8
03:15 AM - 03:20 AM	53.7	68.7	43.3
03:20 AM - 03:25 AM	51.1	69.8	42.3
03:25 AM - 03:30 AM	48.4	60.8	41.0
03:30 AM - 03:35 AM	52.0	73.7	43.6
03:35 AM - 03:40 AM	50.9	65.2	40.0
03:40 AM - 03:45 AM	50.5	63.1	41.6

This document is the property of ALS. It is not to be distributed outside the laboratory. If it is reproduced without the written consent of the laboratory, ALS Laboratory Group (Thailand) Ltd. shall not be responsible for any loss or damage.

Approved by

Wilawan Borriak

Wilawan Borriak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. an ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322076-1

Page 3 of 3

Sample No. : 2520546-8
Parameter : Noise
Location : ถนนพหลโยธิน 7 กิโลเมตรจากตัวเมือง 2 (ถนนพหลโยธินตัดกับถนนพหลโยธิน) (GPS 47P 0736430, 1456265) (Shut down)
Measurement Date : May 04 - 05, 2025
Measurement by : Anuwat Tema
Sound Level Meter : 01222723

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 03:50 AM	50.0	61.2	42.3
03:50 AM - 03:55 AM	53.3	68.3	42.2
03:55 AM - 04:00 AM	52.2	63.8	43.5
04:00 AM - 04:05 AM	51.4	63.6	44.0
04:05 AM - 04:10 AM	50.8	64.9	43.4
04:10 AM - 04:15 AM	52.5	68.4	45.3
04:15 AM - 04:20 AM	50.5	61.7	44.3
04:20 AM - 04:25 AM	51.7	63.8	44.8
04:25 AM - 04:30 AM	52.7	72.4	44.1
04:30 AM - 04:35 AM	52.4	66.5	45.4
04:35 AM - 04:40 AM	53.1	62.7	47.0
04:40 AM - 04:45 AM	56.8	73.3	47.9
04:45 AM - 04:50 AM	53.5	65.6	45.9
04:50 AM - 04:55 AM	53.2	64.0	46.7
04:55 AM - 05:00 AM	54.3	64.9	48.6
05:00 AM - 05:05 AM	55.8	66.1	48.5
05:05 AM - 05:10 AM	56.5	67.2	51.0
05:10 AM - 05:15 AM	55.5	66.2	50.4
05:15 AM - 05:20 AM	56.8	72.9	50.9
05:20 AM - 05:25 AM	55.7	67.5	49.9
05:25 AM - 05:30 AM	56.7	70.2	50.5
05:30 AM - 05:35 AM	56.9	70.6	51.1
05:35 AM - 05:40 AM	56.5	68.1	51.1
05:40 AM - 05:45 AM	56.4	65.2	51.4
05:45 AM - 05:50 AM	56.5	65.6	51.2
05:50 AM - 05:55 AM	57.2	69.1	51.1
05:55 AM - 06:00 AM	56.5	70.9	51.0
06:00 AM - 07:00 AM	56.8	72.4	51.3
07:00 AM - 08:00 AM	55.5	74.2	50.6
08:00 AM - 09:00 AM	55.9	77.4	50.9
09:00 AM - 10:00 AM	55.9	70.6	50.7
10:00 AM - 11:00 AM	55.6	77.1	50.1

Reference Method : 1. ISO 1996-1

2. ข้อกำหนดโรงงานอุตสาหกรรม เรื่อง มาตรการควบคุมเสียงการปฏิบัติงาน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่ได้จากการประกอบกิจการงาน พ.ม. 2567

Approved by

Wilawan Borriak

Wilawan Borriak
Manager

This document is the property of ALS. It is not to be distributed outside the laboratory. If it is reproduced without the written consent of the laboratory, ALS Laboratory Group (Thailand) Ltd. shall not be responsible for any loss or damage.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. an ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueang, Chonburi Thailand 20220
P/O : 54250077 : Monitoring
Project Name : WHA ESIE 2.1
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322077-1

Page 1 of 3

Sample No. 2520546-9
Parameter Noise
Location โรงงาน/7 ชั้นบนสุด อาคาร 2 (ชั้นใต้ดินและชั้นใต้ดิน) (GPS 47P 0736430, 1456265) (Shut down)
Measurement Date May 05 - 06, 2025
Measurement by Anuwat Tema
Sound Level Meter 01222723

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	54.2	70.3	49.1
12:00 PM - 01:00 PM	54.5	70.3	49.0
01:00 PM - 02:00 PM	55.3	76.2	51.0
02:00 PM - 03:00 PM	56.5	75.2	52.0
03:00 PM - 04:00 PM	56.1	77.7	50.4
04:00 PM - 05:00 PM	56.5	72.9	51.9
05:00 PM - 06:00 PM	55.9	72.9	51.1
06:00 PM - 07:00 PM	54.6	69.3	50.2
07:00 PM - 08:00 PM	54.3	72.2	49.6
08:00 PM - 09:00 PM	53.4	71.1	48.8
09:00 PM - 10:00 PM	53.3	69.3	48.6
10:00 PM - 10:05 PM	53.8	74.1	46.5
10:05 PM - 10:10 PM	53.0	63.8	47.5
10:10 PM - 10:15 PM	51.6	62.7	45.8
10:15 PM - 10:20 PM	52.5	61.6	46.6
10:20 PM - 10:25 PM	50.9	61.4	46.4
10:25 PM - 10:30 PM	51.7	62.8	45.5
10:30 PM - 10:35 PM	52.5	70.4	46.7
10:35 PM - 10:40 PM	52.0	62.8	47.7
10:40 PM - 10:45 PM	53.7	63.9	49.6
10:45 PM - 10:50 PM	54.1	64.5	49.8
10:50 PM - 10:55 PM	50.7	58.0	48.1
10:55 PM - 11:00 PM	50.2	61.2	47.2
11:00 PM - 11:05 PM	50.6	62.4	45.0
11:05 PM - 11:10 PM	51.6	64.9	44.8
11:10 PM - 11:15 PM	51.1	66.5	44.8
11:15 PM - 11:20 PM	50.7	65.6	44.9
11:20 PM - 11:25 PM	51.7	66.5	46.2
11:25 PM - 11:30 PM	52.1	69.2	45.1
11:30 PM - 11:35 PM	52.4	65.9	47.0
11:35 PM - 11:40 PM	52.7	62.7	44.5
11:40 PM - 11:45 PM	50.9	61.6	45.0
11:45 PM - 11:50 PM	50.7	59.8	46.9
11:50 PM - 11:55 PM	50.5	61.9	44.7
11:55 PM - 12:00 AM	52.3	64.6	47.0
12:00 AM - 12:05 AM	52.4	64.8	47.1
12:05 AM - 12:10 AM	50.8	63.5	45.8
12:10 AM - 12:15 AM	52.1	61.6	48.0
12:15 AM - 12:20 AM	50.1	63.0	44.7
12:20 AM - 12:25 AM	51.4	62.0	44.8

The above results are valid only for the area specified in the report. No part of the report or data should be reproduced in any form without the written consent of the Laboratory. A full Laboratory Report (Printed and signed) must be provided with the report to be considered valid.

Approved by

Wilab

Wiwat Borrak
Manager

ADDRESS: 616/10 Moo 5 T. Mueang Khui A. Phukdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueang, Chonburi Thailand 20220
P/O : 54250077 : Monitoring
Project Name : WHA ESIE 2.1
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322077-1

Page 2 of 3

Sample No. 2520546-9
Parameter Noise
Location โรงงาน/7 ชั้นบนสุด อาคาร 2 (ชั้นใต้ดินและชั้นใต้ดิน) (GPS 47P 0736430, 1456265) (Shut down)
Measurement Date May 05 - 06, 2025
Measurement by Anuwat Tema
Sound Level Meter 01222723

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:25 AM - 12:30 AM	49.0	65.9	45.3
12:30 AM - 12:35 AM	49.6	60.2	44.0
12:35 AM - 12:40 AM	48.8	61.2	43.3
12:40 AM - 12:45 AM	49.6	60.1	45.0
12:45 AM - 12:50 AM	48.7	58.9	42.5
12:50 AM - 12:55 AM	52.6	66.4	44.7
12:55 AM - 01:00 AM	50.8	66.1	43.7
01:00 AM - 01:05 AM	47.7	58.9	42.7
01:05 AM - 01:10 AM	50.1	66.7	43.2
01:10 AM - 01:15 AM	48.9	58.8	41.5
01:15 AM - 01:20 AM	48.8	67.1	42.0
01:20 AM - 01:25 AM	51.1	64.0	43.6
01:25 AM - 01:30 AM	50.0	66.6	42.3
01:30 AM - 01:35 AM	54.6	73.2	44.0
01:35 AM - 01:40 AM	49.2	61.4	42.5
01:40 AM - 01:45 AM	60.1	81.0	43.7
01:45 AM - 01:50 AM	51.1	65.5	44.5
01:50 AM - 01:55 AM	52.0	74.4	43.6
01:55 AM - 02:00 AM	50.0	61.6	43.2
02:00 AM - 02:05 AM	48.4	64.2	42.9
02:05 AM - 02:10 AM	47.0	64.3	41.2
02:10 AM - 02:15 AM	50.2	63.9	42.3
02:15 AM - 02:20 AM	48.1	62.9	41.6
02:20 AM - 02:25 AM	49.7	61.6	43.2
02:25 AM - 02:30 AM	50.1	62.5	43.4
02:30 AM - 02:35 AM	48.2	61.0	42.0
02:35 AM - 02:40 AM	52.3	64.7	43.7
02:40 AM - 02:45 AM	49.0	62.6	42.3
02:45 AM - 02:50 AM	50.1	65.5	41.6
02:50 AM - 02:55 AM	50.4	66.2	41.6
02:55 AM - 03:00 AM	49.8	66.1	41.4
03:00 AM - 03:05 AM	49.2	63.8	42.9
03:05 AM - 03:10 AM	49.9	63.7	42.7
03:10 AM - 03:15 AM	48.7	59.9	41.0
03:15 AM - 03:20 AM	50.1	61.1	42.2
03:20 AM - 03:25 AM	51.2	63.3	41.0
03:25 AM - 03:30 AM	50.5	64.2	42.5
03:30 AM - 03:35 AM	50.2	64.6	42.3
03:35 AM - 03:40 AM	49.8	63.5	40.2
03:40 AM - 03:45 AM	53.1	68.7	44.5

The above results are valid only for the area specified in the report. No part of the report or data should be reproduced in any form without the written consent of the Laboratory. A full Laboratory Report (Printed and signed) must be provided with the report to be considered valid.

Approved by

Wilab

Wiwat Borrak
Manager

ADDRESS: 616/10 Moo 5 T. Mueang Khui A. Phukdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueing, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322077-1

Page 3 of 3

Sample No. : 2520546-9
Parameter : Noise
Location : ถนนพหลโยธิน 7 กิโลเมตรที่ 14 กิโลเมตรที่ 15 (ด้านทิศเหนือของถนนพหลโยธิน) (GPS 47P 0736430, 1456265) (Shut down)
Measurement Date : May 05 - 06, 2025
Measurement by : Anuwet Tema
Sound Level Meter : 01222723

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 03:50 AM	51.8	62.2	44.4
03:50 AM - 03:55 AM	51.3	64.5	40.7
03:55 AM - 04:00 AM	54.2	70.2	45.9
04:00 AM - 04:05 AM	52.5	64.3	44.6
04:05 AM - 04:10 AM	51.2	61.2	44.4
04:10 AM - 04:15 AM	51.9	70.1	45.2
04:15 AM - 04:20 AM	51.1	65.7	42.2
04:20 AM - 04:25 AM	55.3	79.7	44.7
04:25 AM - 04:30 AM	51.8	65.1	44.1
04:30 AM - 04:35 AM	52.5	65.8	44.3
04:35 AM - 04:40 AM	52.7	68.2	44.0
04:40 AM - 04:45 AM	51.1	60.2	43.8
04:45 AM - 04:50 AM	53.1	65.7	46.6
04:50 AM - 04:55 AM	54.6	68.0	48.7
04:55 AM - 05:00 AM	55.9	69.5	49.6
05:00 AM - 05:05 AM	56.4	70.9	50.4
05:05 AM - 05:10 AM	55.3	70.9	49.3
05:10 AM - 05:15 AM	56.2	67.7	50.4
05:15 AM - 05:20 AM	56.3	71.8	50.1
05:20 AM - 05:25 AM	55.8	67.2	49.8
05:25 AM - 05:30 AM	56.2	66.8	51.0
05:30 AM - 05:35 AM	56.2	66.8	51.0
05:35 AM - 05:40 AM	54.7	67.9	48.6
05:40 AM - 05:45 AM	56.7	68.4	50.2
05:45 AM - 05:50 AM	56.6	67.1	50.2
05:50 AM - 05:55 AM	56.3	66.3	51.7
05:55 AM - 06:00 AM	56.5	64.8	51.4
06:00 AM - 07:00 AM	56.7	84.3	50.8
07:00 AM - 08:00 AM	55.5	72.9	50.5
08:00 AM - 09:00 AM	54.8	73.4	49.3
09:00 AM - 10:00 AM	57.1	94.3	50.1
10:00 AM - 11:00 AM	56.1	75.6	50.7

Reference Method :

- ISO 1996-1
- ใช้เครื่องมือวัดเสียงแบบเคลื่อนที่ วัดค่าเสียงเฉลี่ยถ่วงน้ำหนัก 24 ชั่วโมง และระดับเสียงสูงสุดต่อชั่วโมงตามเกณฑ์การรายงาน พ.ร.บ. 2567

This report is the property of ALS. It is to be used for the purpose specified in the report. No part of this report is to be reproduced in any form without written consent from the Laboratory (i.e. Laboratory Group Thailand). A report is not valid unless it is signed and stamped by the Laboratory.

Approved by

Wilawan Borirak
Manager

Wilawan Borirak

ADDRESS 61/670 Moo 5 T. Maenam Khw A. Phukdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueing, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322077-1

Page 1 of 3

Sample No. : 2520546-10
Parameter : Noise
Location : ถนนพหลโยธิน 7 กิโลเมตรที่ 14 กิโลเมตรที่ 15 (ด้านทิศเหนือของถนนพหลโยธิน) (GPS 47P 0736430, 1456265) (Shut down)
Measurement Date : May 05 - 07, 2025
Measurement by : Anuwet Tema
Sound Level Meter : 01222723

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	55.1	71.9	49.6
12:00 PM - 01:00 PM	54.5	76.2	49.2
01:00 PM - 02:00 PM	55.6	71.6	50.4
02:00 PM - 03:00 PM	56.2	75.8	50.6
03:00 PM - 04:00 PM	56.3	73.1	51.7
04:00 PM - 05:00 PM	56.7	81.6	51.0
05:00 PM - 06:00 PM	55.9	70.1	50.2
06:00 PM - 07:00 PM	54.7	69.7	49.4
07:00 PM - 08:00 PM	55.0	77.7	49.8
08:00 PM - 09:00 PM	55.4	83.1	48.9
09:00 PM - 10:00 PM	53.2	72.6	47.5
10:00 PM - 10:05 PM	53.6	69.0	47.1
10:05 PM - 10:10 PM	55.0	69.6	48.7
10:10 PM - 10:15 PM	53.0	66.7	47.2
10:15 PM - 10:20 PM	52.9	67.4	46.7
10:20 PM - 10:25 PM	52.4	66.2	47.7
10:25 PM - 10:30 PM	53.9	65.4	47.5
10:30 PM - 10:35 PM	52.2	65.6	46.7
10:35 PM - 10:40 PM	54.3	69.4	47.2
10:40 PM - 10:45 PM	54.7	69.4	48.8
10:45 PM - 10:50 PM	54.3	70.6	48.8
10:50 PM - 10:55 PM	53.6	70.8	45.0
10:55 PM - 11:00 PM	53.0	65.1	46.7
11:00 PM - 11:05 PM	52.4	69.1	45.0
11:05 PM - 11:10 PM	52.0	64.2	43.1
11:10 PM - 11:15 PM	52.3	66.9	46.9
11:15 PM - 11:20 PM	52.1	64.4	44.9
11:20 PM - 11:25 PM	51.5	61.8	44.8
11:25 PM - 11:30 PM	51.0	59.9	45.0
11:30 PM - 11:35 PM	50.3	61.9	44.4
11:35 PM - 11:40 PM	51.8	61.3	45.7
11:40 PM - 11:45 PM	51.6	64.7	45.9
11:45 PM - 11:50 PM	51.3	71.3	44.3
11:50 PM - 11:55 PM	52.2	67.2	45.3
11:55 PM - 12:00 AM	51.6	65.6	44.2
12:00 AM - 12:05 AM	51.4	62.9	45.8
12:05 AM - 12:10 AM	51.2	63.2	45.0
12:10 AM - 12:15 AM	50.3	62.6	45.0
12:15 AM - 12:20 AM	52.4	67.9	45.5
12:20 AM - 12:25 AM	48.7	60.7	43.9

This report is the property of ALS. It is to be used for the purpose specified in the report. No part of this report is to be reproduced in any form without written consent from the Laboratory (i.e. Laboratory Group Thailand). A report is not valid unless it is signed and stamped by the Laboratory.

Approved by

Wilawan Borirak
Manager

Wilawan Borirak

ADDRESS 61/670 Moo 5 T. Maenam Khw A. Phukdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
47/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueing, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322079-1

Page 1 of 3

Sample No. : 2520546-11
Parameter : Noise
Location : ถนนพหลโยธิน หน้าอาคาร 2 (ด้านหน้าอาคารใกล้ถนนพหลโยธิน) (GPS 47P 0736430, 1456265) (Shut down)
Measurement Date : May 07 - 08, 2025
Measurement by : Anuwet Tema
Sound Level Meter : 01222723

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	55.8	75.5	50.6
12:00 PM - 01:00 PM	55.7	70.7	51.0
01:00 PM - 02:00 PM	55.7	73.4	50.5
02:00 PM - 03:00 PM	56.5	76.5	51.5
03:00 PM - 04:00 PM	56.5	74.4	51.9
04:00 PM - 05:00 PM	56.7	73.1	52.2
05:00 PM - 06:00 PM	56.3	76.4	51.5
06:00 PM - 07:00 PM	55.1	75.0	49.8
07:00 PM - 08:00 PM	54.5	72.8	49.2
08:00 PM - 09:00 PM	53.5	66.5	47.9
09:00 PM - 10:00 PM	53.7	73.5	47.7
10:00 PM - 10:05 PM	54.8	71.5	46.9
10:05 PM - 10:10 PM	55.0	71.0	48.3
10:10 PM - 10:15 PM	52.2	66.1	45.4
10:15 PM - 10:20 PM	54.7	70.2	49.0
10:20 PM - 10:25 PM	54.8	70.1	46.8
10:25 PM - 10:30 PM	53.8	67.5	46.5
10:30 PM - 10:35 PM	55.0	69.1	46.1
10:35 PM - 10:40 PM	52.4	66.6	45.9
10:40 PM - 10:45 PM	53.5	66.5	46.4
10:45 PM - 10:50 PM	51.5	63.1	44.9
10:50 PM - 10:55 PM	50.7	59.2	46.5
10:55 PM - 11:00 PM	53.0	67.9	45.7
11:00 PM - 11:05 PM	52.2	67.1	46.3
11:05 PM - 11:10 PM	50.5	61.2	44.6
11:10 PM - 11:15 PM	50.5	59.6	42.7
11:15 PM - 11:20 PM	51.7	62.6	42.2
11:20 PM - 11:25 PM	51.1	63.2	44.4
11:25 PM - 11:30 PM	49.4	60.2	43.3
11:30 PM - 11:35 PM	51.9	70.6	41.5
11:35 PM - 11:40 PM	54.4	64.3	47.1
11:40 PM - 11:45 PM	52.0	63.2	44.7
11:45 PM - 11:50 PM	52.1	61.3	45.4
11:50 PM - 11:55 PM	52.7	64.5	44.1
11:55 PM - 12:00 AM	52.9	69.1	45.9
12:00 AM - 12:05 AM	52.9	74.1	45.0
12:05 AM - 12:10 AM	52.0	68.3	46.1
12:10 AM - 12:15 AM	52.1	67.5	44.8
12:15 AM - 12:20 AM	52.8	68.6	46.8
12:20 AM - 12:25 AM	53.6	73.7	45.5

The above result is the result of the test conducted in accordance with the standard of the Ministry of Natural Resources and Environmental Conservation (MNR) of Thailand. The result is not a guarantee of the accuracy of the test result. The result is only for reference.

Approved by

Witawan Borriak
Manager

Witawan Borriak

ADDRESS 61/6/10 Moo 5 T. Nongnang Khu A. Phrakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. for ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
47/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueing, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322079-1

Page 2 of 3

Sample No. : 2520546-11
Parameter : Noise
Location : ถนนพหลโยธิน หน้าอาคาร 2 (ด้านหน้าอาคารใกล้ถนนพหลโยธิน) (GPS 47P 0736430, 1456265) (Shut down)
Measurement Date : May 07 - 08, 2025
Measurement by : Anuwet Tema
Sound Level Meter : 01222723

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:25 AM - 12:30 AM	53.4	64.0	48.8
12:30 AM - 12:35 AM	52.3	62.1	46.9
12:35 AM - 12:40 AM	51.6	61.4	47.6
12:40 AM - 12:45 AM	51.2	61.4	46.7
12:45 AM - 12:50 AM	53.0	66.9	46.1
12:50 AM - 12:55 AM	50.9	60.6	46.8
12:55 AM - 01:00 AM	49.8	62.5	43.1
01:00 AM - 01:05 AM	48.9	59.3	44.2
01:05 AM - 01:10 AM	51.4	67.0	44.4
01:10 AM - 01:15 AM	51.5	67.7	42.8
01:15 AM - 01:20 AM	54.5	65.7	44.6
01:20 AM - 01:25 AM	50.1	74.0	44.0
01:25 AM - 01:30 AM	50.0	66.6	43.0
01:30 AM - 01:35 AM	50.0	69.0	42.1
01:35 AM - 01:40 AM	52.2	67.1	42.7
01:40 AM - 01:45 AM	50.8	65.3	42.5
01:45 AM - 01:50 AM	53.6	67.5	42.9
01:50 AM - 01:55 AM	53.0	70.5	44.3
01:55 AM - 02:00 AM	50.1	63.7	43.8
02:00 AM - 02:05 AM	50.7	64.8	41.5
02:05 AM - 02:10 AM	51.2	66.7	43.9
02:10 AM - 02:15 AM	52.2	66.1	44.8
02:15 AM - 02:20 AM	52.5	71.1	42.0
02:20 AM - 02:25 AM	50.2	64.1	43.4
02:25 AM - 02:30 AM	52.6	65.2	43.3
02:30 AM - 02:35 AM	48.7	62.7	42.4
02:35 AM - 02:40 AM	50.8	63.2	42.9
02:40 AM - 02:45 AM	50.6	63.1	42.9
02:45 AM - 02:50 AM	53.5	71.3	42.5
02:50 AM - 02:55 AM	54.1	67.3	44.5
02:55 AM - 03:00 AM	52.5	70.4	44.3
03:00 AM - 03:05 AM	50.7	62.1	43.7
03:05 AM - 03:10 AM	53.6	72.1	45.3
03:10 AM - 03:15 AM	53.1	65.3	43.1
03:15 AM - 03:20 AM	50.8	61.2	43.4
03:20 AM - 03:25 AM	53.1	67.4	44.6
03:25 AM - 03:30 AM	51.0	63.1	42.8
03:30 AM - 03:35 AM	51.3	64.8	42.1
03:35 AM - 03:40 AM	52.8	63.1	46.3
03:40 AM - 03:45 AM	52.7	73.6	43.1

The above result is the result of the test conducted in accordance with the standard of the Ministry of Natural Resources and Environmental Conservation (MNR) of Thailand. The result is not a guarantee of the accuracy of the test result. The result is only for reference.

Approved by

Witawan Borriak
Manager

Witawan Borriak

ADDRESS 61/6/10 Moo 5 T. Nongnang Khu A. Phrakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. for ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueang, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322079-1

Page 2 of 3

Sample No. 2520546-11
Parameter Noise
Location โรงงาน/7 บ้านสวนใกล้ 2 (ด้านทิศตะวันออกของโรงงาน) (GPS 478 0736430, 1456265) (Shut down)
Measurement Date May 07 - 08, 2025
Measurement by Anuwat Tema
Sound Level Meter 01222723

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 03:50 AM	51.3	67.1	42.6
03:50 AM - 03:55 AM	54.8	69.8	45.9
03:55 AM - 04:00 AM	51.7	62.2	44.2
04:00 AM - 04:05 AM	51.9	65.1	45.2
04:05 AM - 04:10 AM	51.9	64.0	45.8
04:10 AM - 04:15 AM	51.2	68.6	45.1
04:15 AM - 04:20 AM	53.5	65.3	45.1
04:20 AM - 04:25 AM	53.5	67.5	44.8
04:25 AM - 04:30 AM	52.3	69.1	44.4
04:30 AM - 04:35 AM	53.2	62.0	45.4
04:35 AM - 04:40 AM	53.5	68.5	47.1
04:40 AM - 04:45 AM	53.3	66.8	46.4
04:45 AM - 04:50 AM	55.8	70.0	47.2
04:50 AM - 04:55 AM	54.5	73.7	47.0
04:55 AM - 05:00 AM	56.1	66.3	50.6
05:00 AM - 05:05 AM	56.3	66.3	52.1
05:05 AM - 05:10 AM	56.6	68.4	51.9
05:10 AM - 05:15 AM	59.5	69.5	51.9
05:15 AM - 05:20 AM	57.4	69.5	50.6
05:20 AM - 05:25 AM	56.0	67.8	49.8
05:25 AM - 05:30 AM	56.5	69.1	49.8
05:30 AM - 05:35 AM	56.0	65.8	51.6
05:35 AM - 05:40 AM	57.4	69.5	50.1
05:40 AM - 05:45 AM	55.9	66.0	50.6
05:45 AM - 05:50 AM	57.9	70.8	52.3
05:50 AM - 05:55 AM	57.0	67.2	50.7
05:55 AM - 06:00 AM	56.4	66.6	51.4
06:00 AM - 07:00 AM	56.6	73.9	51.0
07:00 AM - 08:00 AM	55.5	75.5	50.3
08:00 AM - 09:00 AM	54.7	72.0	49.8
09:00 AM - 10:00 AM	55.0	70.8	49.3
10:00 AM - 11:00 AM	54.8	71.2	49.6

Reference Method :

- ISO 1996-1
- ใช้เครื่องมือวัดเสียงแบบพกพา รุ่น 2430 และเครื่องมือวัดเสียงแบบถาวรรุ่น 2430

This report must be used only for the specific project and location. It is not valid for other projects or locations. The data in this report is for information only and should not be used for legal or other purposes. The data in this report is not a guarantee of performance.

Approved by

Wiwat Borrak
Manager

Wiwat Borrak
Manager

ADDRESS: 616/10 Moo 5 T. Maenam Khu A. Phukdangrayong 21140 Thailand (HDD) 466 0 3304 8555 FAX 466 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueang, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322080-1

Page 1 of 3

Sample No. 2520546-12
Parameter Noise
Location โรงงาน/7 บ้านสวนใกล้ 2 (ด้านทิศตะวันออกของโรงงาน) (GPS 478 0736430, 1456265) (Shut down)
Measurement Date May 08 - 09, 2025
Measurement by Anuwat Tema
Sound Level Meter 01222723

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	55.2	79.6	49.9
12:00 PM - 01:00 PM	57.6	78.5	51.4
01:00 PM - 02:00 PM	57.2	74.5	52.7
02:00 PM - 03:00 PM	56.5	76.4	52.0
03:00 PM - 04:00 PM	56.2	74.3	51.1
04:00 PM - 05:00 PM	56.8	74.1	52.4
05:00 PM - 06:00 PM	56.3	72.7	52.0
06:00 PM - 07:00 PM	55.3	73.7	50.7
07:00 PM - 08:00 PM	55.1	72.2	49.6
08:00 PM - 09:00 PM	54.3	75.9	49.0
09:00 PM - 10:00 PM	53.7	72.5	47.7
10:00 PM - 10:05 PM	55.3	72.2	48.3
10:05 PM - 10:10 PM	53.3	64.2	48.2
10:10 PM - 10:15 PM	53.6	62.7	48.6
10:15 PM - 10:20 PM	55.7	69.6	48.7
10:20 PM - 10:25 PM	54.7	68.4	48.5
10:25 PM - 10:30 PM	52.7	67.3	47.1
10:30 PM - 10:35 PM	52.6	61.3	47.7
10:35 PM - 10:40 PM	53.2	67.7	47.1
10:40 PM - 10:45 PM	51.7	63.6	44.3
10:45 PM - 10:50 PM	51.1	65.1	45.0
10:50 PM - 10:55 PM	53.2	63.2	47.0
10:55 PM - 11:00 PM	51.6	64.7	45.7
11:00 PM - 11:05 PM	51.2	63.9	44.4
11:05 PM - 11:10 PM	51.7	63.3	44.4
11:10 PM - 11:15 PM	53.0	64.7	45.2
11:15 PM - 11:20 PM	52.8	64.6	45.6
11:20 PM - 11:25 PM	50.5	62.5	45.3
11:25 PM - 11:30 PM	53.3	70.3	46.8
11:30 PM - 11:35 PM	50.6	61.7	43.9
11:35 PM - 11:40 PM	51.3	63.7	44.8
11:40 PM - 11:45 PM	50.8	61.0	43.9
11:45 PM - 11:50 PM	52.7	65.2	45.7
11:50 PM - 11:55 PM	51.0	67.8	43.0
11:55 PM - 12:00 AM	51.4	67.4	44.9
12:00 AM - 12:05 AM	53.1	73.8	42.5
12:05 AM - 12:10 AM	50.7	65.8	43.7
12:10 AM - 12:15 AM	52.4	67.2	43.0
12:15 AM - 12:20 AM	51.9	62.8	45.3
12:20 AM - 12:25 AM	51.1	62.4	45.8

This report must be used only for the specific project and location. It is not valid for other projects or locations. The data in this report is for information only and should not be used for legal or other purposes. The data in this report is not a guarantee of performance.

Approved by

Wiwat Borrak
Manager

Wiwat Borrak
Manager

ADDRESS: 616/10 Moo 5 T. Maenam Khu A. Phukdangrayong 21140 Thailand (HDD) 466 0 3304 8555 FAX 466 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322081-1

Page 1 of 3

Sample No. : 2520546-13
Parameter : Noise
Location : หน้างาน/7 ชั้นบนสุด อาคาร 2 (ด้านทิศตะวันออกของโครงการ) (GPS 47P 0736430, 1456265) (Shut down)
Measurement Date : May 09 - 10, 2025
Measurement by : Anuwat Tema
Sound Level Meter : 01222723

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	55.0	70.7	49.6
12:00 PM - 01:00 PM	55.2	72.9	49.6
01:00 PM - 02:00 PM	55.2	79.3	50.2
02:00 PM - 03:00 PM	60.4	80.1	52.9
03:00 PM - 04:00 PM	61.1	84.0	51.4
04:00 PM - 05:00 PM	57.8	82.8	52.2
05:00 PM - 06:00 PM	57.4	82.3	52.0
06:00 PM - 07:00 PM	55.2	73.4	50.5
07:00 PM - 08:00 PM	55.6	73.1	51.3
08:00 PM - 09:00 PM	55.0	71.3	49.9
09:00 PM - 10:00 PM	54.1	71.3	48.6
10:00 PM - 10:05 PM	52.2	62.1	46.9
10:05 PM - 10:10 PM	54.6	72.1	49.4
10:10 PM - 10:15 PM	54.1	64.2	48.6
10:15 PM - 10:20 PM	55.3	67.1	49.3
10:20 PM - 10:25 PM	52.7	60.9	46.6
10:25 PM - 10:30 PM	52.4	66.4	47.4
10:30 PM - 10:35 PM	53.0	64.9	45.8
10:35 PM - 10:40 PM	52.1	62.7	46.0
10:40 PM - 10:45 PM	53.9	64.2	48.9
10:45 PM - 10:50 PM	52.6	67.1	45.8
10:50 PM - 10:55 PM	53.4	63.7	46.3
10:55 PM - 11:00 PM	51.4	61.8	46.1
11:00 PM - 11:05 PM	54.2	70.0	46.4
11:05 PM - 11:10 PM	53.9	68.4	46.3
11:10 PM - 11:15 PM	52.6	66.1	46.4
11:15 PM - 11:20 PM	52.3	63.2	47.4
11:20 PM - 11:25 PM	53.2	67.4	45.7
11:25 PM - 11:30 PM	52.9	64.3	45.7
11:30 PM - 11:35 PM	51.4	64.1	44.6
11:35 PM - 11:40 PM	53.0	70.1	45.6
11:40 PM - 11:45 PM	52.8	66.6	44.6
11:45 PM - 11:50 PM	53.5	66.9	46.1
11:50 PM - 11:55 PM	51.9	68.8	45.5
11:55 PM - 12:00 AM	52.5	65.7	45.1
12:00 AM - 12:05 AM	54.3	68.7	44.8
12:05 AM - 12:10 AM	50.1	70.9	43.9
12:10 AM - 12:15 AM	52.2	70.9	45.4
12:15 AM - 12:20 AM	66.9	52.9	45.5
12:20 AM - 12:25 AM	53.5	75.7	45.2

This report is valid only for the use and condition specified on the report in this report. No part of this report or any data herein may be reproduced or used in any manner without the written consent of ALS Laboratory Group (Thailand) Co., Ltd. (ALS Lab Group). This report is the property of ALS Laboratory Group (Thailand) Co., Ltd. and shall remain confidential.

Approved by

Wib

Wibwan Borriak
Manager

ADDRESS: 616/10 Moo 5 T. Maenam Khu A. Phrakdaeng Rayong 21140 Thailand PH: 090-466 0 3304 8555 FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNERS



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322081-1

Page 2 of 3

Sample No. : 2520546-13
Parameter : Noise
Location : หน้างาน/7 ชั้นบนสุด อาคาร 2 (ด้านทิศตะวันออกของโครงการ) (GPS 47P 0736430, 1456265) (Shut down)
Measurement Date : May 09 - 10, 2025
Measurement by : Anuwat Tema
Sound Level Meter : 01222723

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:25 AM - 12:30 AM	52.8	64.6	45.4
12:30 AM - 12:35 AM	51.3	61.5	46.7
12:35 AM - 12:40 AM	52.3	74.4	45.3
12:40 AM - 12:45 AM	52.3	63.9	46.4
12:45 AM - 12:50 AM	50.7	64.8	44.2
12:50 AM - 12:55 AM	51.4	62.2	45.5
12:55 AM - 01:00 AM	49.5	62.6	45.0
01:00 AM - 01:05 AM	51.2	68.0	45.2
01:05 AM - 01:10 AM	53.2	70.6	45.6
01:10 AM - 01:15 AM	50.6	62.3	45.1
01:15 AM - 01:20 AM	48.6	60.0	42.2
01:20 AM - 01:25 AM	52.7	68.1	45.1
01:25 AM - 01:30 AM	49.2	61.2	43.3
01:30 AM - 01:35 AM	52.6	68.7	45.0
01:35 AM - 01:40 AM	49.6	63.6	43.0
01:40 AM - 01:45 AM	50.8	62.8	43.6
01:45 AM - 01:50 AM	50.7	63.8	43.1
01:50 AM - 01:55 AM	51.0	66.4	41.6
01:55 AM - 02:00 AM	48.9	60.5	42.4
02:00 AM - 02:05 AM	50.0	62.8	43.0
02:05 AM - 02:10 AM	52.1	64.7	44.9
02:10 AM - 02:15 AM	51.4	67.6	43.4
02:15 AM - 02:20 AM	50.4	64.9	43.0
02:20 AM - 02:25 AM	51.3	63.5	44.2
02:25 AM - 02:30 AM	52.3	69.0	41.4
02:30 AM - 02:35 AM	51.5	65.9	44.9
02:35 AM - 02:40 AM	50.0	59.9	43.0
02:40 AM - 02:45 AM	51.0	63.9	43.2
02:45 AM - 02:50 AM	53.3	68.3	46.1
02:50 AM - 02:55 AM	50.7	64.6	45.0
02:55 AM - 03:00 AM	52.4	64.7	44.6
03:00 AM - 03:05 AM	52.1	62.8	44.2
03:05 AM - 03:10 AM	50.9	61.4	43.3
03:10 AM - 03:15 AM	52.8	68.2	44.3
03:15 AM - 03:20 AM	52.1	67.4	42.3
03:20 AM - 03:25 AM	53.8	68.5	43.5
03:25 AM - 03:30 AM	52.1	67.6	42.9
03:30 AM - 03:35 AM	48.8	63.7	41.7
03:35 AM - 03:40 AM	51.6	68.3	45.1
03:40 AM - 03:45 AM	51.1	64.1	41.4

This report is valid only for the use and condition specified on the report in this report. No part of this report or any data herein may be reproduced or used in any manner without the written consent of ALS Laboratory Group (Thailand) Co., Ltd. (ALS Lab Group). This report is the property of ALS Laboratory Group (Thailand) Co., Ltd. and shall remain confidential.

Approved by

Wib

Wibwan Borriak
Manager

ADDRESS: 616/10 Moo 5 T. Maenam Khu A. Phrakdaeng Rayong 21140 Thailand PH: 090-466 0 3304 8555 FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNERS



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueing, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322081-1

Page 3 of 3

Sample No. : 2520546-13
Parameter : Noise
Location : ถนนพหลโยธิน 7 กิโลเมตรจากสี่แยก 2 (ด้านทิศเหนือของถนนพหลโยธิน) (GPS 7P 0736430, 1456265) (Shut down)
Measurement Date : May 09 - 10, 2025
Measurement by : Anuwet Tema
Sound Level Meter : 01222723

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 03:50 AM	51.7	62.8	44.5
03:50 AM - 03:55 AM	54.1	73.2	44.8
03:55 AM - 04:00 AM	54.1	66.5	45.1
04:00 AM - 04:05 AM	51.5	70.1	39.9
04:05 AM - 04:10 AM	53.6	65.4	44.8
04:10 AM - 04:15 AM	53.2	71.0	46.3
04:15 AM - 04:20 AM	52.5	60.9	46.3
04:20 AM - 04:25 AM	53.7	68.6	45.9
04:25 AM - 04:30 AM	52.4	62.8	45.1
04:30 AM - 04:35 AM	53.5	64.4	46.9
04:35 AM - 04:40 AM	54.0	68.5	47.5
04:40 AM - 04:45 AM	53.4	62.2	47.9
04:45 AM - 04:50 AM	53.7	65.2	45.2
04:50 AM - 04:55 AM	53.4	65.8	47.1
04:55 AM - 05:00 AM	55.1	66.3	48.2
05:00 AM - 05:05 AM	55.1	66.3	49.1
05:05 AM - 05:10 AM	54.3	67.0	48.7
05:10 AM - 05:15 AM	57.8	70.2	50.8
05:15 AM - 05:20 AM	54.7	64.6	48.5
05:20 AM - 05:25 AM	55.5	68.0	49.5
05:25 AM - 05:30 AM	56.6	71.3	48.5
05:30 AM - 05:35 AM	55.4	70.4	49.2
05:35 AM - 05:40 AM	56.1	66.8	49.8
05:40 AM - 05:45 AM	55.9	68.6	49.8
05:45 AM - 05:50 AM	57.8	66.9	52.7
05:50 AM - 05:55 AM	55.8	66.3	49.4
05:55 AM - 06:00 AM	57.9	66.8	51.9
06:00 AM - 07:00 AM	57.2	75.4	51.9
07:00 AM - 08:00 AM	56.2	73.1	50.8
08:00 AM - 09:00 AM	55.6	73.4	50.3
09:00 AM - 10:00 AM	55.9	76.3	50.4
10:00 AM - 11:00 AM	56.7	72.4	52.6

Reference Method :

- ISO 1996-1
- เป็นกฎหมายว่าด้วยการควบคุมเสียงรบกวน พ.ศ. 2567

This document is the sole property of ALS. It is not to be used for any other purpose without the written consent of ALS. If it is used for any other purpose, the user shall be liable for any damage or loss incurred by the user.

Wib

Approved by

Wibwan Borirak
Manager

400/95 616/10 Moo 5 T. Maenam Khu A. Phrakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PEOPLE



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueing, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322082-1

Page 1 of 2

Sample No. : 2520546-14
Parameter : Noise
Location : ถนนพหลโยธิน 7 กิโลเมตรจากสี่แยก 2 (ด้านทิศเหนือของถนนพหลโยธิน) (GPS 7P 0736430, 1456265) (Shut down)
Measurement Date : May 10 - 11, 2025
Measurement by : Anuwet Tema
Sound Level Meter : 01222723

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:00 AM - 12:00 PM	57.5	75.5	53.3
12:00 PM - 01:00 PM	56.2	70.5	51.9
01:00 PM - 02:00 PM	57.2	73.7	52.5
02:00 PM - 03:00 PM	56.7	75.8	51.4
03:00 PM - 04:00 PM	56.7	74.3	51.8
04:00 PM - 05:00 PM	56.8	78.0	51.6
05:00 PM - 06:00 PM	57.3	71.6	53.2
06:00 PM - 07:00 PM	58.0	77.5	54.4
07:00 PM - 08:00 PM	60.3	78.9	56.2
08:00 PM - 09:00 PM	56.8	76.9	54.5
09:00 PM - 10:00 PM	55.5	72.1	51.7
10:00 PM - 10:05 PM	53.9	64.9	50.8
10:05 PM - 10:10 PM	53.0	63.3	49.6
10:10 PM - 10:15 PM	54.2	73.6	49.5
10:15 PM - 10:20 PM	54.2	68.4	49.5
10:20 PM - 10:25 PM	55.7	68.7	51.8
10:25 PM - 10:30 PM	54.1	64.8	50.7
10:30 PM - 10:35 PM	54.1	69.5	49.9
10:35 PM - 10:40 PM	53.1	61.2	49.5
10:40 PM - 10:45 PM	53.4	64.9	48.7
10:45 PM - 10:50 PM	53.4	62.8	48.7
10:50 PM - 10:55 PM	53.6	64.4	48.1
10:55 PM - 11:00 PM	52.7	61.6	46.6
11:00 PM - 11:05 PM	54.7	67.4	48.9
11:05 PM - 11:10 PM	55.1	70.5	49.2
11:10 PM - 11:15 PM	53.7	65.6	48.1
11:15 PM - 11:20 PM	53.1	62.9	48.3
11:20 PM - 11:25 PM	52.2	66.1	45.8
11:25 PM - 11:30 PM	50.8	60.1	46.4
11:30 PM - 11:35 PM	49.5	63.2	45.8
11:35 PM - 11:40 PM	50.8	63.9	46.0
11:40 PM - 11:45 PM	51.2	63.2	44.7
11:45 PM - 11:50 PM	50.4	60.9	44.6
11:50 PM - 11:55 PM	52.7	69.4	45.6
11:55 PM - 12:00 AM	49.2	67.5	42.5
12:00 AM - 12:05 AM	49.6	63.4	43.5
12:05 AM - 12:10 AM	50.7	68.9	43.3
12:10 AM - 12:15 AM	47.8	59.3	42.9
12:15 AM - 12:20 AM	49.5	61.1	44.9
12:20 AM - 12:25 AM	51.7	63.3	44.2

This document is the sole property of ALS. It is not to be used for any other purpose without the written consent of ALS. If it is used for any other purpose, the user shall be liable for any damage or loss incurred by the user.

Wib

Approved by

Wibwan Borirak
Manager

400/95 616/10 Moo 5 T. Maenam Khu A. Phrakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PEOPLE



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Buang, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322082-1

Page 2 of 3

Sample No. : 2520546-14
Parameter : Noise
Location : ถนนพหลโยธิน/ บริเวณหน้าตึก 2 (พื้นที่ทดสอบเสียงโดยโครงการ) (GPS 47P 0736430, 1456265) (Shut down)
Measurement Date : May 10 - 11, 2025
Measurement by : Anuwat Tema
Sound Level Meter : 01222723

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:25 AM - 12:30 AM	49.1	61.8	42.9
12:30 AM - 12:35 AM	52.1	67.2	43.9
12:35 AM - 12:40 AM	48.7	59.1	42.2
12:40 AM - 12:45 AM	51.9	68.1	43.2
12:45 AM - 12:50 AM	52.5	75.0	40.4
12:50 AM - 12:55 AM	49.5	60.1	41.9
12:55 AM - 01:00 AM	51.5	66.4	40.7
01:00 AM - 01:05 AM	49.4	59.4	42.0
01:05 AM - 01:10 AM	48.7	64.1	41.5
01:10 AM - 01:15 AM	47.4	58.8	39.1
01:15 AM - 01:20 AM	49.2	63.7	41.5
01:20 AM - 01:25 AM	52.2	68.4	44.0
01:25 AM - 01:30 AM	50.1	62.9	44.5
01:30 AM - 01:35 AM	48.7	61.5	40.6
01:35 AM - 01:40 AM	51.1	63.5	43.2
01:40 AM - 01:45 AM	49.7	68.7	41.7
01:45 AM - 01:50 AM	49.5	59.9	41.7
01:50 AM - 01:55 AM	47.5	59.9	39.6
01:55 AM - 02:00 AM	48.2	62.7	42.2
02:00 AM - 02:05 AM	48.6	64.7	40.4
02:05 AM - 02:10 AM	50.3	64.0	41.2
02:10 AM - 02:15 AM	48.3	61.5	40.3
02:15 AM - 02:20 AM	47.3	62.2	39.7
02:20 AM - 02:25 AM	48.0	57.2	39.1
02:25 AM - 02:30 AM	49.4	64.8	40.2
02:30 AM - 02:35 AM	51.7	65.8	38.8
02:35 AM - 02:40 AM	49.3	59.6	41.0
02:40 AM - 02:45 AM	51.4	68.8	44.7
02:45 AM - 02:50 AM	49.3	61.0	41.9
02:50 AM - 02:55 AM	50.6	65.3	42.6
02:55 AM - 03:00 AM	50.4	60.7	44.0
03:00 AM - 03:05 AM	49.1	59.1	40.0
03:05 AM - 03:10 AM	50.0	62.4	42.1
03:10 AM - 03:15 AM	50.1	59.1	44.3
03:15 AM - 03:20 AM	49.0	63.9	40.0
03:20 AM - 03:25 AM	49.2	66.0	40.7
03:25 AM - 03:30 AM	51.0	61.9	40.7
03:30 AM - 03:35 AM	50.3	65.5	39.4
03:35 AM - 03:40 AM	51.2	66.6	43.6
03:40 AM - 03:45 AM	50.9	64.2	42.1

This document is for reference only. It is not a contract. The data and results are subject to change without notice. The user must be aware of the fact that the data and results are not a guarantee of the accuracy of the measurement. The user must be aware of the fact that the data and results are not a guarantee of the accuracy of the measurement. The user must be aware of the fact that the data and results are not a guarantee of the accuracy of the measurement.

Approved by

Wibb.

Wiwawan Borrak
Manager

ADDRESS: 616/10 Moo 5 T. Maenam Khu A. Phukdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. AN ALS LIMITED COMPANY

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Buang, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322082-1

Page 3 of 3

Sample No. : 2520546-14
Parameter : Noise
Location : ถนนพหลโยธิน/ บริเวณหน้าตึก 2 (พื้นที่ทดสอบเสียงโดยโครงการ) (GPS 47P 0736430, 1456265) (Shut down)
Measurement Date : May 10 - 11, 2025
Measurement by : Anuwat Tema
Sound Level Meter : 01222723

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:45 AM - 03:50 AM	51.3	64.8	40.6
03:50 AM - 03:55 AM	51.5	66.7	37.0
03:55 AM - 04:00 AM	52.1	68.9	41.2
04:00 AM - 04:05 AM	49.9	61.5	41.5
04:05 AM - 04:10 AM	49.7	62.6	40.6
04:10 AM - 04:15 AM	54.3	73.7	43.0
04:15 AM - 04:20 AM	48.6	61.0	41.2
04:20 AM - 04:25 AM	51.3	62.4	43.0
04:25 AM - 04:30 AM	50.3	61.7	40.0
04:30 AM - 04:35 AM	50.7	60.4	43.0
04:35 AM - 04:40 AM	51.2	65.7	41.2
04:40 AM - 04:45 AM	52.5	62.9	44.7
04:45 AM - 04:50 AM	51.3	62.6	43.4
04:50 AM - 04:55 AM	52.3	68.8	45.8
04:55 AM - 05:00 AM	54.4	67.8	48.0
05:00 AM - 05:05 AM	53.8	64.1	47.3
05:05 AM - 05:10 AM	55.8	66.4	49.5
05:10 AM - 05:15 AM	55.1	65.3	48.4
05:15 AM - 05:20 AM	57.2	71.4	49.1
05:20 AM - 05:25 AM	56.1	69.4	49.8
05:25 AM - 05:30 AM	54.5	65.7	47.9
05:30 AM - 05:35 AM	54.0	66.5	47.1
05:35 AM - 05:40 AM	58.1	73.1	49.0
05:40 AM - 05:45 AM	55.6	67.9	49.3
05:45 AM - 05:50 AM	55.8	66.4	50.2
05:50 AM - 05:55 AM	55.7	69.1	49.0
05:55 AM - 06:00 AM	56.7	66.9	51.3
06:00 AM - 07:00 AM	56.6	72.1	50.6
07:00 AM - 08:00 AM	56.3	71.5	50.7
08:00 AM - 09:00 AM	56.0	71.5	51.0
09:00 AM - 10:00 AM	54.4	71.3	49.3
10:00 AM - 11:00 AM	53.7	70.4	49.7

Reference Method :

1. ISO 1996-1

2. ใช้มาตรฐานของกรมส่งเสริมการค้าระหว่างประเทศ (กรมส่งเสริมการค้าระหว่างประเทศ) 24 ธันวาคม 2558 และมาตรฐานของกรมส่งเสริมการค้าระหว่างประเทศ พ.ศ. 2567

This document is for reference only. It is not a contract. The data and results are subject to change without notice. The user must be aware of the fact that the data and results are not a guarantee of the accuracy of the measurement. The user must be aware of the fact that the data and results are not a guarantee of the accuracy of the measurement. The user must be aware of the fact that the data and results are not a guarantee of the accuracy of the measurement.

Approved by

Wibb.

Wiwawan Borrak
Manager

ADDRESS: 616/10 Moo 5 T. Maenam Khu A. Phukdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. AN ALS LIMITED COMPANY

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322083-1

Page 1 of 3

Sample No. : 2520546-15
Parameter : Noise
Location : โรงงานผลิตชิ้นส่วนรถยนต์ 3 (ถนนพหลโยธินสายใหม่) (GPS 47P 0736147, 1457374) (Shut down)
Measurement Date : May 04 - 05, 2025
Measurement by : Anuwet Tema
Sound Level Meter : 01122579

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
09:00 AM - 10:00 AM	58.1	60.8	54.2
10:00 AM - 11:00 AM	58.8	65.4	54.8
11:00 AM - 12:00 PM	57.0	65.2	52.4
12:00 PM - 01:00 PM	47.4	65.9	43.1
01:00 PM - 02:00 PM	53.3	75.2	49.2
02:00 PM - 03:00 PM	57.6	85.7	52.3
03:00 PM - 04:00 PM	55.6	86.2	50.8
04:00 PM - 05:00 PM	54.4	77.7	51.0
05:00 PM - 06:00 PM	56.0	82.6	47.2
06:00 PM - 07:00 PM	51.2	79.1	46.2
07:00 PM - 08:00 PM	46.9	72.1	42.4
08:00 PM - 09:00 PM	47.7	71.5	41.9
09:00 PM - 10:00 PM	43.6	80.8	41.6
10:00 PM - 10:05 PM	43.9	53.8	40.8
10:05 PM - 10:10 PM	43.9	53.4	40.8
10:10 PM - 10:15 PM	47.2	68.1	40.4
10:15 PM - 10:20 PM	42.5	54.9	40.3
10:20 PM - 10:25 PM	45.9	64.0	41.1
10:25 PM - 10:30 PM	42.7	53.7	41.0
10:30 PM - 10:35 PM	45.8	59.9	41.8
10:35 PM - 10:40 PM	47.8	63.8	42.0
10:40 PM - 10:45 PM	42.3	45.8	41.0
10:45 PM - 10:50 PM	41.7	48.7	40.1
10:50 PM - 10:55 PM	44.2	56.4	41.3
10:55 PM - 11:00 PM	49.3	67.8	41.0
11:00 PM - 11:05 PM	41.6	56.7	40.2
11:05 PM - 11:10 PM	44.1	64.1	40.4
11:10 PM - 11:15 PM	41.2	45.0	40.2
11:15 PM - 11:20 PM	41.3	55.5	40.0
11:20 PM - 11:25 PM	40.9	51.1	39.3
11:25 PM - 11:30 PM	40.7	54.2	39.3
11:30 PM - 11:35 PM	41.3	55.1	39.9
11:35 PM - 11:40 PM	41.3	51.2	39.9
11:40 PM - 11:45 PM	41.2	50.8	40.2
11:45 PM - 11:50 PM	40.8	45.2	39.6
11:50 PM - 11:55 PM	41.1	47.9	39.8
11:55 PM - 12:00 AM	41.8	47.9	40.1
12:00 AM - 12:05 AM	46.3	59.6	38.7
12:05 AM - 12:10 AM	40.3	45.3	39.2
12:10 AM - 12:15 AM	41.0	46.6	39.4

This document is the property of ALS. It is not to be used for any other purpose than the one for which it was prepared. It is not to be reproduced or used in any way without the written consent of ALS. The information contained herein is confidential and its disclosure to third parties is strictly prohibited.

Approved by

Wilawan Borirak

Wilawan Borirak
Manager

ADDRESS: 616/10 Moo 5, T. Maenam Khu A, Phrakdaeng Rayong 21140 Thailand. PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322083-1

Page 2 of 3

Sample No. : 2520546-15
Parameter : Noise
Location : โรงงานผลิตชิ้นส่วนรถยนต์ 3 (ถนนพหลโยธินสายใหม่) (GPS 47P 0736147, 1457374) (Shut down)
Measurement Date : May 04 - 05, 2025
Measurement by : Anuwet Tema
Sound Level Meter : 01122579

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:15 AM - 12:20 AM	42.7	50.6	41.4
12:20 AM - 12:25 AM	43.5	55.4	42.1
12:25 AM - 12:30 AM	42.6	46.2	41.4
12:30 AM - 12:35 AM	41.9	49.1	40.5
12:35 AM - 12:40 AM	41.5	46.8	40.1
12:40 AM - 12:45 AM	42.0	45.8	40.7
12:45 AM - 12:50 AM	43.3	54.4	41.8
12:50 AM - 12:55 AM	44.1	52.6	42.0
12:55 AM - 01:00 AM	43.9	48.3	42.3
01:00 AM - 01:05 AM	43.9	51.4	42.4
01:05 AM - 01:10 AM	44.2	52.6	42.8
01:10 AM - 01:15 AM	43.8	47.9	42.3
01:15 AM - 01:20 AM	44.3	57.0	42.8
01:20 AM - 01:25 AM	43.9	48.9	42.4
01:25 AM - 01:30 AM	43.8	49.7	42.1
01:30 AM - 01:35 AM	44.2	50.6	42.4
01:35 AM - 01:40 AM	44.1	46.8	42.6
01:40 AM - 01:45 AM	44.0	61.2	42.4
01:45 AM - 01:50 AM	44.3	49.2	42.7
01:50 AM - 01:55 AM	45.0	66.2	43.0
01:55 AM - 02:00 AM	45.0	51.9	43.3
02:00 AM - 02:05 AM	45.1	61.1	43.2
02:05 AM - 02:10 AM	44.5	48.2	43.1
02:10 AM - 02:15 AM	44.6	54.3	43.1
02:15 AM - 02:20 AM	44.3	48.5	42.7
02:20 AM - 02:25 AM	43.6	49.6	42.1
02:25 AM - 02:30 AM	50.3	64.9	42.7
02:30 AM - 02:35 AM	44.7	49.0	43.0
02:35 AM - 02:40 AM	44.1	48.3	42.4
02:40 AM - 02:45 AM	44.0	48.7	42.4
02:45 AM - 02:50 AM	44.7	56.9	43.1
02:50 AM - 02:55 AM	45.5	49.2	43.9
02:55 AM - 03:00 AM	45.7	54.6	43.9
03:00 AM - 03:05 AM	44.7	48.3	43.3
03:05 AM - 03:10 AM	44.5	48.8	43.0
03:10 AM - 03:15 AM	44.6	60.7	42.6
03:15 AM - 03:20 AM	45.2	54.3	43.4
03:20 AM - 03:25 AM	45.3	49.4	44.0
03:25 AM - 03:30 AM	45.2	49.8	43.4
03:30 AM - 03:35 AM	44.9	64.5	42.8

This document is the property of ALS. It is not to be used for any other purpose than the one for which it was prepared. It is not to be reproduced or used in any way without the written consent of ALS. The information contained herein is confidential and its disclosure to third parties is strictly prohibited.

Approved by

Wilawan Borirak

Wilawan Borirak
Manager

ADDRESS: 616/10 Moo 5, T. Maenam Khu A, Phrakdaeng Rayong 21140 Thailand. PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322083-1

Page 3 of 3

Sample No. 2520546-15
Parameter Noise
Location ถนนสาย 7 ตำบลนาโพธิ์ อำเภอ 3 (ถนนสายพัฒนา 3) (GPS 47° 07'36.147, 145° 37'4) (Shut down)
Measurement Date May 04 - 05, 2025
Measurement by Anuwat Tema
Sound Level Meter 01122579

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:35 AM - 03:40 AM	44.5	52.0	42.9
03:40 AM - 03:45 AM	44.7	57.5	42.9
03:45 AM - 03:50 AM	48.6	78.5	43.2
03:50 AM - 03:55 AM	44.5	49.1	42.8
03:55 AM - 04:00 AM	43.6	51.0	40.9
04:00 AM - 04:05 AM	43.5	54.0	40.4
04:05 AM - 04:10 AM	43.4	51.2	41.5
04:10 AM - 04:15 AM	43.0	51.3	40.8
04:15 AM - 04:20 AM	42.9	56.1	40.8
04:20 AM - 04:25 AM	43.8	48.0	42.3
04:25 AM - 04:30 AM	43.4	48.5	41.9
04:30 AM - 04:35 AM	43.2	52.0	41.8
04:35 AM - 04:40 AM	43.7	51.9	41.6
04:40 AM - 04:45 AM	42.1	50.9	40.9
04:45 AM - 04:50 AM	43.6	57.0	41.4
04:50 AM - 04:55 AM	41.6	51.1	40.3
04:55 AM - 05:00 AM	42.0	48.8	40.7
05:00 AM - 05:05 AM	42.7	52.9	39.4
05:05 AM - 05:10 AM	41.3	51.2	39.3
05:10 AM - 05:15 AM	41.8	57.9	40.0
05:15 AM - 05:20 AM	43.3	59.9	39.8
05:20 AM - 05:25 AM	46.5	67.7	39.5
05:25 AM - 05:30 AM	44.5	55.0	40.5
05:30 AM - 05:35 AM	44.3	56.3	40.9
05:35 AM - 05:40 AM	45.0	63.3	40.4
05:40 AM - 05:45 AM	51.7	71.0	41.8
05:45 AM - 05:50 AM	56.4	73.0	41.8
05:50 AM - 05:55 AM	58.3	84.6	42.1
05:55 AM - 06:00 AM	62.8	85.0	41.7
06:00 AM - 07:00 AM	54.8	86.2	45.7
07:00 AM - 08:00 AM	50.1	77.1	39.9
08:00 AM - 09:00 AM	53.9	86.7	46.3

Reference Method :

- ISO 1996-1
- ใช้มาตรฐานการวัดเสียงตามถนนของกรมโยธาธิการและผังเมือง ฉบับที่ 24 สำหรับพื้นที่เสียงจากจราจรประเภทการจราจรทางบก

This report was prepared for the client only. For any and all purposes, the information in this report is not to be used for any other purpose than the one for which it was prepared. The client is responsible for the accuracy and completeness of the information provided to the laboratory. The laboratory is not responsible for the accuracy and completeness of the information provided to the client.

Approved by

Wilawan Borriak

Wilawan Borriak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Klu A. Phukdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PEOPLE



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322084-1

Page 1 of 3

Sample No. 2520546-16
Parameter Noise
Location ถนนสาย 7 ตำบลนาโพธิ์ อำเภอ 3 (ถนนสายพัฒนา 3) (GPS 47° 07'36.147, 145° 37'4) (Shut down)
Measurement Date May 05 - 06, 2025
Measurement by Anuwat Tema
Sound Level Meter 01122579

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
09:00 AM - 10:00 AM	58.6	90.9	49.5
10:00 AM - 11:00 AM	59.0	92.6	50.4
11:00 AM - 12:00 PM	54.3	86.1	46.4
12:00 PM - 01:00 PM	49.8	70.1	43.5
01:00 PM - 02:00 PM	59.9	96.1	51.1
02:00 PM - 03:00 PM	61.7	83.9	56.5
03:00 PM - 04:00 PM	57.7	83.1	52.4
04:00 PM - 05:00 PM	60.0	81.9	55.1
05:00 PM - 06:00 PM	57.4	75.4	54.0
06:00 PM - 07:00 PM	51.3	71.7	47.0
07:00 PM - 08:00 PM	46.8	79.1	42.2
08:00 PM - 09:00 PM	42.9	62.5	40.3
09:00 PM - 10:00 PM	42.9	64.1	40.6
10:00 PM - 10:05 PM	43.0	56.3	40.9
10:05 PM - 10:10 PM	42.4	53.3	40.4
10:10 PM - 10:15 PM	41.6	54.6	40.1
10:15 PM - 10:20 PM	42.0	50.1	40.2
10:20 PM - 10:25 PM	47.7	65.7	40.6
10:25 PM - 10:30 PM	42.3	47.8	41.0
10:30 PM - 10:35 PM	42.0	50.5	40.0
10:35 PM - 10:40 PM	42.5	51.5	40.4
10:40 PM - 10:45 PM	43.7	50.8	40.8
10:45 PM - 10:50 PM	40.9	47.6	39.3
10:50 PM - 10:55 PM	40.3	46.2	38.3
10:55 PM - 11:00 PM	39.7	49.4	38.4
11:00 PM - 11:05 PM	40.0	47.7	38.1
11:05 PM - 11:10 PM	42.3	49.0	37.2
11:10 PM - 11:15 PM	46.8	62.9	44.3
11:15 PM - 11:20 PM	46.1	52.4	39.3
11:20 PM - 11:25 PM	40.0	45.2	38.8
11:25 PM - 11:30 PM	39.6	47.2	37.6
11:30 PM - 11:35 PM	39.0	42.4	38.1
11:35 PM - 11:40 PM	40.1	48.0	38.7
11:40 PM - 11:45 PM	41.8	54.7	38.8
11:45 PM - 11:50 PM	42.8	56.2	37.4
11:50 PM - 11:55 PM	43.7	60.5	38.1
11:55 PM - 12:00 AM	38.8	53.4	37.4
12:00 AM - 12:05 AM	38.4	38.4	37.2
12:05 AM - 12:10 AM	39.5	55.8	37.5
12:10 AM - 12:15 AM	38.5	46.8	36.7

This report was prepared for the client only. For any and all purposes, the information in this report is not to be used for any other purpose than the one for which it was prepared. The client is responsible for the accuracy and completeness of the information provided to the laboratory. The laboratory is not responsible for the accuracy and completeness of the information provided to the client.

Approved by

Wilawan Borriak

Wilawan Borriak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Klu A. Phukdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PEOPLE



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueing, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322084-1

Page 2 of 3

Sample No. : 2520546-16
Parameter : Noise
Location : ถนนพหลโยธิน/ถนนพหลโยธิน ซอย 3 (ด้านทิศเหนือของโครงการ) (GPS 47P 0736147, 1457374) (Shut down)
Measurement Date : May 05 - 06, 2025
Measurement by : Anuwet Tema
Sound Level Meter : 01122579

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:15 AM - 12:20 AM	38.4	52.4	37.0
12:20 AM - 12:25 AM	38.4	49.2	37.2
12:25 AM - 12:30 AM	40.0	50.1	37.4
12:30 AM - 12:35 AM	39.0	43.7	37.6
12:35 AM - 12:40 AM	38.2	43.9	36.7
12:40 AM - 12:45 AM	37.2	46.4	35.9
12:45 AM - 12:50 AM	42.2	63.0	36.0
12:50 AM - 12:55 AM	37.2	49.8	35.5
12:55 AM - 01:00 AM	37.7	43.5	36.2
01:00 AM - 01:05 AM	41.7	71.1	36.6
01:05 AM - 01:10 AM	39.3	63.7	34.8
01:10 AM - 01:15 AM	36.3	41.5	35.3
01:15 AM - 01:20 AM	38.2	44.3	37.0
01:20 AM - 01:25 AM	49.0	63.1	36.4
01:25 AM - 01:30 AM	37.7	44.0	36.2
01:30 AM - 01:35 AM	37.4	44.7	36.1
01:35 AM - 01:40 AM	39.8	60.3	37.3
01:40 AM - 01:45 AM	40.7	57.5	36.9
01:45 AM - 01:50 AM	37.9	42.9	36.4
01:50 AM - 01:55 AM	37.7	43.9	36.6
01:55 AM - 02:00 AM	38.9	44.5	37.3
02:00 AM - 02:05 AM	39.0	47.3	37.2
02:05 AM - 02:10 AM	38.2	52.5	36.6
02:10 AM - 02:15 AM	38.5	60.2	36.2
02:15 AM - 02:20 AM	38.0	47.6	36.5
02:20 AM - 02:25 AM	38.9	55.3	36.8
02:25 AM - 02:30 AM	38.3	48.7	36.7
02:30 AM - 02:35 AM	37.6	45.4	36.0
02:35 AM - 02:40 AM	37.5	54.2	35.7
02:40 AM - 02:45 AM	39.5	51.8	36.4
02:45 AM - 02:50 AM	36.6	41.4	35.3
02:50 AM - 02:55 AM	37.8	55.2	36.3
02:55 AM - 03:00 AM	37.8	49.5	36.5
03:00 AM - 03:05 AM	38.0	47.2	36.6
03:05 AM - 03:10 AM	38.2	42.6	36.9
03:10 AM - 03:15 AM	38.7	48.5	37.1
03:15 AM - 03:20 AM	37.8	43.6	36.2
03:20 AM - 03:25 AM	37.9	46.1	36.3
03:25 AM - 03:30 AM	39.3	47.9	38.1
03:30 AM - 03:35 AM	40.0	51.8	38.7

This report is for the sole use of the client. It is not to be used for any other purpose. The data in this report is for information only. It is not a guarantee of performance. The data in this report is for information only. It is not a guarantee of performance.

Approved by

Wilawan

Wilawan Borriak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. AN ALS LIMITED COMPANY

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueing, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322084-1

Page 2 of 3

Sample No. : 2520546-16
Parameter : Noise
Location : ถนนพหลโยธิน/ถนนพหลโยธิน ซอย 3 (ด้านทิศเหนือของโครงการ) (GPS 47P 0736147, 1457374) (Shut down)
Measurement Date : May 05 - 06, 2025
Measurement by : Anuwet Tema
Sound Level Meter : 01122579

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:35 AM - 03:40 AM	39.8	47.5	38.4
03:40 AM - 03:45 AM	39.1	49.2	37.3
03:45 AM - 03:50 AM	39.8	49.9	38.1
03:50 AM - 03:55 AM	40.3	45.6	36.9
03:55 AM - 04:00 AM	39.8	44.4	38.4
04:00 AM - 04:05 AM	39.4	49.3	37.2
04:05 AM - 04:10 AM	40.9	50.8	37.9
04:10 AM - 04:15 AM	39.5	44.8	37.4
04:15 AM - 04:20 AM	41.0	48.6	38.9
04:20 AM - 04:25 AM	41.0	60.8	38.6
04:25 AM - 04:30 AM	41.3	44.7	39.6
04:30 AM - 04:35 AM	42.3	48.2	40.8
04:35 AM - 04:40 AM	44.4	56.6	40.4
04:40 AM - 04:45 AM	41.5	56.4	38.6
04:45 AM - 04:50 AM	49.5	64.2	39.8
04:50 AM - 04:55 AM	43.8	68.6	38.5
04:55 AM - 05:00 AM	41.7	55.4	37.3
05:00 AM - 05:05 AM	40.3	58.2	37.6
05:05 AM - 05:10 AM	42.0	52.2	38.8
05:10 AM - 05:15 AM	40.9	54.5	37.1
05:15 AM - 05:20 AM	40.8	52.2	37.5
05:20 AM - 05:25 AM	47.8	60.6	40.0
05:25 AM - 05:30 AM	46.7	60.3	38.0
05:30 AM - 05:35 AM	48.7	57.6	38.5
05:35 AM - 05:40 AM	53.3	67.7	44.7
05:40 AM - 05:45 AM	53.7	81.7	42.4
05:45 AM - 05:50 AM	59.9	85.5	48.8
05:50 AM - 05:55 AM	59.4	77.1	56.7
05:55 AM - 06:00 AM	62.8	86.7	57.1
06:00 AM - 07:00 AM	61.4	85.8	55.8
07:00 AM - 08:00 AM	50.0	78.2	39.9
08:00 AM - 09:00 AM	53.5	74.0	48.0

Reference Method :

- ISO 1996-1
- ใช้เกณฑ์/รายงานมาตรฐาน เรื่อง 18 การตรวจวัดเสียงรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่ได้จากโปรแกรมการตรวจ ม.ม. 2567

This report is for the sole use of the client. It is not to be used for any other purpose. The data in this report is for information only. It is not a guarantee of performance. The data in this report is for information only. It is not a guarantee of performance.

Approved by

Wilawan

Wilawan Borriak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. AN ALS LIMITED COMPANY

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322085-1

Page 1 of 3

Sample No. : 2520546-17
Parameter : Noise
Location : ถนนพหลโยธิน ซอย 3 (หน้าวัดบ้านดงใหญ่) (GPS 47P 0736147, 1457374) (Shut down)
Measurement Date : May 06 - 07, 2025
Measurement by : Anuwat Tema
Sound Level Meter : 01122579

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
09:00 AM - 10:00 AM	58.0	80.2	49.8
10:00 AM - 11:00 AM	57.0	75.4	50.9
11:00 AM - 12:00 PM	56.8	80.5	51.5
12:00 PM - 01:00 PM	49.0	79.2	41.7
01:00 PM - 02:00 PM	54.5	78.7	49.8
02:00 PM - 03:00 PM	54.8	81.6	49.4
03:00 PM - 04:00 PM	53.1	81.6	49.0
04:00 PM - 05:00 PM	53.1	83.9	51.0
05:00 PM - 06:00 PM	56.3	84.0	50.9
06:00 PM - 07:00 PM	50.6	67.9	46.3
07:00 PM - 08:00 PM	46.6	68.2	42.2
08:00 PM - 09:00 PM	48.0	76.9	39.4
09:00 PM - 10:00 PM	42.3	59.2	39.8
10:00 PM - 10:05 PM	51.3	72.4	39.0
10:05 PM - 10:15 PM	39.1	46.5	37.4
10:15 PM - 10:20 PM	39.7	51.4	37.7
10:20 PM - 10:25 PM	47.4	63.5	37.9
10:25 PM - 10:30 PM	39.3	44.5	37.8
10:30 PM - 10:35 PM	50.1	65.2	38.7
10:35 PM - 10:40 PM	40.2	45.7	38.6
10:40 PM - 10:45 PM	39.5	49.0	37.8
10:45 PM - 10:50 PM	51.3	51.3	38.0
10:50 PM - 10:55 PM	39.1	54.9	37.4
10:55 PM - 11:00 PM	39.3	56.4	37.3
11:00 PM - 11:05 PM	38.8	53.7	38.2
11:05 PM - 11:10 PM	42.8	64.1	38.2
11:10 PM - 11:15 PM	39.6	50.3	38.0
11:15 PM - 11:20 PM	39.5	54.7	37.5
11:20 PM - 11:25 PM	50.8	70.3	38.9
11:25 PM - 11:30 PM	41.4	53.8	39.5
11:30 PM - 11:35 PM	41.8	51.5	39.2
11:35 PM - 11:40 PM	40.2	54.8	39.3
11:40 PM - 11:45 PM	42.5	51.6	38.8
11:45 PM - 11:50 PM	41.9	54.1	38.2
11:50 PM - 11:55 PM	45.4	54.7	39.0
11:55 PM - 12:00 AM	42.1	58.2	41.5
12:00 AM - 12:05 AM	46.9	56.3	39.3
12:05 AM - 12:10 AM	46.8	59.9	40.5
12:10 AM - 12:15 AM	42.7	61.1	39.7
12:15 AM - 12:20 AM	42.7	54.1	39.5

This document is valid only for the specified location(s) as per order in this report. No part of this report or certificate may be reproduced or used in any form without written consent from ALS Laboratory Group (Thailand) Co., Ltd. Any unauthorized use may result in legal action.

Approved by

Wilawan Bortrak

Wilawan Bortrak
Manager

ADDRESS 61/6/10 Moo 5 T. Maeruan Khu A. Phukdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. AN ALS LIMITED COMPANY

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322085-1

Page 2 of 3

Sample No. : 2520546-17
Parameter : Noise
Location : ถนนพหลโยธิน ซอย 3 (หน้าวัดบ้านดงใหญ่) (GPS 47P 0736147, 1457374) (Shut down)
Measurement Date : May 06 - 07, 2025
Measurement by : Anuwat Tema
Sound Level Meter : 01122579

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:15 AM - 12:20 AM	42.0	51.3	40.2
12:20 AM - 12:25 AM	41.1	45.7	40.2
12:25 AM - 12:30 AM	40.7	54.0	38.3
12:30 AM - 12:35 AM	39.9	48.8	36.8
12:35 AM - 12:40 AM	40.0	48.4	35.0
12:40 AM - 12:45 AM	38.9	50.6	37.3
12:45 AM - 12:50 AM	40.0	61.2	36.6
12:50 AM - 12:55 AM	38.3	47.3	37.0
12:55 AM - 01:00 AM	38.9	51.9	36.9
01:00 AM - 01:05 AM	39.5	47.8	37.7
01:05 AM - 01:10 AM	41.2	50.9	38.6
01:10 AM - 01:15 AM	40.6	53.5	37.6
01:15 AM - 01:20 AM	39.8	45.2	37.6
01:20 AM - 01:25 AM	40.0	51.9	37.9
01:25 AM - 01:30 AM	40.3	46.1	36.9
01:30 AM - 01:35 AM	41.1	68.8	37.8
01:35 AM - 01:40 AM	39.7	53.1	37.1
01:40 AM - 01:45 AM	39.2	49.5	37.9
01:45 AM - 01:50 AM	40.0	45.9	38.4
01:50 AM - 01:55 AM	39.9	48.0	38.5
01:55 AM - 02:00 AM	40.7	49.6	39.5
02:00 AM - 02:05 AM	40.7	47.5	39.4
02:05 AM - 02:10 AM	39.7	51.1	37.2
02:10 AM - 02:15 AM	38.7	43.9	37.7
02:15 AM - 02:20 AM	39.0	42.7	38.4
02:20 AM - 02:25 AM	39.3	43.6	38.4
02:25 AM - 02:30 AM	39.3	50.8	37.9
02:30 AM - 02:35 AM	39.8	47.5	38.9
02:35 AM - 02:40 AM	39.7	46.1	38.6
02:40 AM - 02:45 AM	39.2	46.9	38.4
02:45 AM - 02:50 AM	38.9	42.5	37.9
02:50 AM - 02:55 AM	39.3	48.9	38.3
02:55 AM - 03:00 AM	38.9	47.1	38.1
03:00 AM - 03:05 AM	38.8	43.0	37.7
03:05 AM - 03:10 AM	39.6	47.2	38.8
03:10 AM - 03:15 AM	39.5	42.0	38.7
03:15 AM - 03:20 AM	45.8	60.5	38.7
03:20 AM - 03:25 AM	39.5	45.1	38.4
03:25 AM - 03:30 AM	41.6	67.2	37.0
03:30 AM - 03:35 AM	38.6	51.2	37.4

This document is valid only for the specified location(s) as per order in this report. No part of this report or certificate may be reproduced or used in any form without written consent from ALS Laboratory Group (Thailand) Co., Ltd. Any unauthorized use may result in legal action.

Approved by

Wilawan Bortrak

Wilawan Bortrak
Manager

ADDRESS 61/6/10 Moo 5 T. Maeruan Khu A. Phukdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. AN ALS LIMITED COMPANY

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueing, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322085-1

Page 3 of 3

Sample No. 2520546-17

Parameter Noise

Location โรงงานผลิตชิ้นส่วนรถยนต์ ยี่ห้อ 3 (ด้านหน้าโรงงาน/โรงงาน) (GPS 47P 0736147, 1457374) (Shut down)

Measurement Date May 06 - 07, 2025

Measurement by Anuwet Tema

Sound Level Meter 01122579

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:35 AM - 03:40 AM	38.8	51.2	37.6
03:40 AM - 03:45 AM	39.0	44.3	37.8
03:45 AM - 03:50 AM	39.8	60.7	37.9
03:50 AM - 03:55 AM	38.8	43.4	37.2
03:55 AM - 04:00 AM	41.2	51.8	39.1
04:00 AM - 04:05 AM	40.2	49.2	38.6
04:05 AM - 04:10 AM	39.7	57.6	38.3
04:10 AM - 04:15 AM	38.6	46.5	37.6
04:15 AM - 04:20 AM	38.6	43.2	37.3
04:20 AM - 04:25 AM	39.9	42.8	38.7
04:25 AM - 04:30 AM	40.1	46.6	38.3
04:30 AM - 04:35 AM	38.3	44.4	36.7
04:35 AM - 04:40 AM	39.3	47.9	38.6
04:40 AM - 04:45 AM	38.3	62.4	36.0
04:45 AM - 04:50 AM	38.4	43.5	36.7
04:50 AM - 04:55 AM	37.8	49.2	36.0
05:00 AM - 05:05 AM	39.2	49.9	36.7
05:05 AM - 05:10 AM	41.0	57.5	35.1
05:10 AM - 05:15 AM	43.4	65.2	37.4
05:15 AM - 05:20 AM	42.7	65.3	36.7
05:20 AM - 05:25 AM	51.6	69.7	39.5
05:25 AM - 05:30 AM	40.3	70.9	38.8
05:30 AM - 05:35 AM	44.2	62.8	39.6
05:35 AM - 05:40 AM	40.4	78.0	40.4
05:40 AM - 05:45 AM	47.7	68.7	41.9
05:45 AM - 05:50 AM	62.3	86.2	43.0
05:50 AM - 05:55 AM	64.2	86.6	42.3
05:55 AM - 06:00 AM	55.7	76.1	49.0
06:00 AM - 07:00 AM	49.6	65.9	43.7
07:00 AM - 08:00 AM	61.9	88.4	42.6
08:00 AM - 09:00 AM	48.4	72.6	41.0
	51.6	77.9	46.3

Reference Method :

- ISO 1996-1
- ใช้มาตรฐานการวัดเสียงตามเกณฑ์ 24 ชั่วโมง และระดับเสียงสูงสุดที่การตรวจวัดเสียงตามเกณฑ์ 2567

This report is for the use of the client only. It is not to be used for any other purpose. The data in this report is for the use of the client only. It is not to be used for any other purpose. The data in this report is for the use of the client only. It is not to be used for any other purpose.

Approved by

Wilawan Borirak

Wilawan Borirak
Manager

ADDRESS 61/610 Moo 5 T. Narmam Khw A. Phakdang Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT TIME



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueing, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322086-1

Page 1 of 3

Sample No. 2520546-18

Parameter Noise

Location โรงงานผลิตชิ้นส่วนรถยนต์ ยี่ห้อ 3 (ด้านหน้าโรงงาน/โรงงาน) (GPS 47P 0736147, 1457374) (Shut down)

Measurement Date May 07 - 08, 2025

Measurement by Anuwet Tema

Sound Level Meter 01122579

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
09:00 AM - 10:00 AM	57.0	87.4	50.5
10:00 AM - 11:00 AM	55.9	84.0	50.5
11:00 AM - 12:00 PM	56.6	83.7	52.2
12:00 PM - 01:00 PM	57.4	78.9	53.7
01:00 PM - 02:00 PM	54.8	76.5	51.5
02:00 PM - 03:00 PM	55.8	82.0	51.4
03:00 PM - 04:00 PM	56.0	75.8	52.6
04:00 PM - 05:00 PM	56.9	82.1	53.4
05:00 PM - 06:00 PM	56.3	78.3	53.1
06:00 PM - 07:00 PM	50.7	71.8	46.4
07:00 PM - 08:00 PM	48.3	74.9	41.2
08:00 PM - 09:00 PM	50.4	88.3	40.8
09:00 PM - 10:00 PM	40.8	63.8	38.7
10:00 PM - 10:05 PM	47.3	68.2	39.4
10:05 PM - 10:10 PM	40.7	48.8	39.0
10:10 PM - 10:15 PM	40.6	49.7	38.2
10:15 PM - 10:20 PM	40.4	46.4	39.0
10:20 PM - 10:25 PM	41.5	55.4	38.5
10:25 PM - 10:30 PM	40.9	55.8	38.5
10:30 PM - 10:35 PM	45.9	60.3	39.1
10:35 PM - 10:40 PM	40.6	45.1	39.4
10:40 PM - 10:45 PM	42.1	66.2	38.6
10:45 PM - 10:50 PM	40.3	45.8	39.0
10:50 PM - 10:55 PM	41.3	48.6	39.7
10:55 PM - 11:00 PM	41.0	54.2	39.0
11:00 PM - 11:05 PM	41.3	56.9	39.4
11:05 PM - 11:10 PM	40.9	49.6	38.7
11:10 PM - 11:15 PM	41.4	59.2	38.8
11:15 PM - 11:20 PM	40.2	50.5	39.0
11:20 PM - 11:25 PM	40.8	44.8	39.0
11:25 PM - 11:30 PM	40.8	49.5	39.4
11:30 PM - 11:35 PM	40.7	45.2	39.1
11:35 PM - 11:40 PM	39.5	44.8	38.5
11:40 PM - 11:45 PM	41.0	50.0	38.6
11:45 PM - 11:50 PM	40.1	52.9	38.5
11:50 PM - 11:55 PM	39.2	46.8	38.0
11:55 PM - 12:00 AM	38.9	48.8	37.4
12:00 AM - 12:05 AM	39.1	47.1	38.1
12:05 AM - 12:10 AM	41.1	50.9	39.6
12:10 AM - 12:15 AM	41.0	63.9	38.5

This report is for the use of the client only. It is not to be used for any other purpose. The data in this report is for the use of the client only. It is not to be used for any other purpose. The data in this report is for the use of the client only. It is not to be used for any other purpose.

Approved by

Wilawan Borirak

Wilawan Borirak
Manager

ADDRESS 61/610 Moo 5 T. Narmam Khw A. Phakdang Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT TIME



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322086-1

Page 2 of 3

Sample No. 2520546-18
Parameter Noise
Location ถนนสาย 7 บ้านนาบัว ต.บึง 3 (ด้านทิศใต้ของโครงการ) (GPS 47° 07'36.147, 14°57'37.4) (Shut down)
Measurement Date May 07 - 08, 2025
Measurement by Anuwit Tema
Sound Level Meter 01122579

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:15 AM - 12:20 AM	44.3	57.8	38.3
12:20 AM - 12:25 AM	39.4	47.7	37.9
12:25 AM - 12:30 AM	39.8	50.6	38.6
12:30 AM - 12:35 AM	39.8	47.9	38.3
12:35 AM - 12:40 AM	40.6	54.0	38.4
12:40 AM - 12:45 AM	42.1	53.3	40.0
12:45 AM - 12:50 AM	41.4	51.6	39.7
12:50 AM - 12:55 AM	40.1	62.2	38.3
12:55 AM - 01:00 AM	41.3	51.7	39.4
01:00 AM - 01:05 AM	41.3	61.7	39.6
01:05 AM - 01:10 AM	42.2	57.9	40.2
01:10 AM - 01:15 AM	42.0	57.3	39.6
01:15 AM - 01:20 AM	44.9	59.3	41.0
01:20 AM - 01:25 AM	40.2	51.5	38.2
01:25 AM - 01:30 AM	41.1	51.3	39.2
01:30 AM - 01:35 AM	41.6	58.3	39.4
01:35 AM - 01:40 AM	40.2	51.8	38.4
01:40 AM - 01:45 AM	40.1	49.3	39.0
01:45 AM - 01:50 AM	40.7	51.3	39.6
01:50 AM - 01:55 AM	40.6	51.7	39.0
01:55 AM - 02:00 AM	41.8	47.6	39.0
02:00 AM - 02:05 AM	41.5	53.6	39.1
02:05 AM - 02:10 AM	45.6	59.9	39.4
02:10 AM - 02:15 AM	42.2	55.0	40.0
02:15 AM - 02:20 AM	40.8	49.6	38.8
02:20 AM - 02:25 AM	40.6	53.9	38.9
02:25 AM - 02:30 AM	39.9	46.0	38.5
02:30 AM - 02:35 AM	40.5	49.2	39.0
02:35 AM - 02:40 AM	41.3	53.2	39.7
02:40 AM - 02:45 AM	42.6	55.4	39.9
02:45 AM - 02:50 AM	40.2	47.4	39.2
02:50 AM - 02:55 AM	41.2	49.4	39.4
02:55 AM - 03:00 AM	41.2	49.2	39.5
03:00 AM - 03:05 AM	40.6	46.9	38.7
03:05 AM - 03:10 AM	41.1	52.9	38.7
03:10 AM - 03:15 AM	39.4	47.6	38.1
03:15 AM - 03:20 AM	46.2	39.9	38.4
03:20 AM - 03:25 AM	40.3	46.5	38.5
03:25 AM - 03:30 AM	40.5	49.2	39.1
03:30 AM - 03:35 AM	40.0	45.6	38.8

This report is for use only for the designated purpose(s) as indicated in the scope of the contract. It is not to be used for any other purpose without the prior written consent of the Laboratory. A Laboratory Group (Thailand) strongly recommends that this report is not reproduced or copied in full.

Approved by

Wibb.

Wibwan Borrak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand THCNF +66 0 3304 8553 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An-ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322086-1

Page 3 of 3

Sample No. 2520546-18
Parameter Noise
Location ถนนสาย 7 บ้านนาบัว ต.บึง 3 (ด้านทิศใต้ของโครงการ) (GPS 47° 07'36.147, 14°57'37.4) (Shut down)
Measurement Date May 07 - 08, 2025
Measurement by Anuwit Tema
Sound Level Meter 01122579

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:35 AM - 03:40 AM	39.6	46.5	38.4
03:40 AM - 03:45 AM	41.6	62.6	38.4
03:45 AM - 03:50 AM	39.7	54.1	38.1
03:50 AM - 03:55 AM	39.4	44.6	38.3
03:55 AM - 04:00 AM	40.2	48.7	39.0
04:00 AM - 04:05 AM	40.3	57.8	38.7
04:05 AM - 04:10 AM	38.9	42.3	37.8
04:10 AM - 04:15 AM	38.0	45.1	36.9
04:15 AM - 04:20 AM	38.4	49.2	37.0
04:20 AM - 04:25 AM	40.3	49.7	38.0
04:25 AM - 04:30 AM	40.8	57.1	37.3
04:30 AM - 04:35 AM	45.4	61.7	37.7
04:35 AM - 04:40 AM	40.2	55.9	36.8
04:40 AM - 04:45 AM	40.0	49.4	37.8
04:45 AM - 04:50 AM	40.8	53.4	38.2
04:50 AM - 04:55 AM	38.8	47.1	36.8
04:55 AM - 05:00 AM	41.6	62.4	37.0
05:00 AM - 05:05 AM	45.4	71.6	37.9
05:05 AM - 05:10 AM	47.9	70.2	40.8
05:10 AM - 05:15 AM	50.7	63.4	41.8
05:15 AM - 05:20 AM	52.5	64.1	50.1
05:20 AM - 05:25 AM	51.4	61.5	48.2
05:25 AM - 05:30 AM	58.2	63.0	49.5
05:30 AM - 05:35 AM	51.1	57.0	48.8
05:35 AM - 05:40 AM	51.1	63.9	44.1
05:40 AM - 05:45 AM	45.6	61.9	40.7
05:45 AM - 05:50 AM	50.8	72.8	42.5
05:50 AM - 05:55 AM	68.5	89.8	45.9
05:55 AM - 06:00 AM	50.2	70.0	42.6
06:00 AM - 07:00 AM	57.5	89.2	48.5
07:00 AM - 08:00 AM	59.6	90.0	43.7
08:00 AM - 09:00 AM	54.0	86.1	48.6

Reference Method :

1. ISO 1996-1

2. ใช้งานตามมาตรฐาน (ใช้) สำหรับทดสอบการรบกวนเสียงในอาคาร 24 ชั่วโมง และสำหรับจุดเก็บค่าการรบกวนเสียงตาม พ.ร.บ. 2567

This report is for use only for the designated purpose(s) as indicated in the scope of the contract. It is not to be used for any other purpose without the prior written consent of the Laboratory. A Laboratory Group (Thailand) strongly recommends that this report is not reproduced or copied in full.

Approved by

Wibb.

Wibwan Borrak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand THCNF +66 0 3304 8553 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An-ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueing, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Lot ID: 2520546

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report No. : 3322087-1

Page 1 of 3

Sample No. : 2520546-19

Parameter : Noise

Location : ถนนสุขุมวิท กรุงเทพมหานคร เขต 3 (ด้านทิศเหนือของโครงการ) (GPS 47P 0736147, 1457374) (Shut down)

Measurement Date : May 08 - 09, 2025

Measurement by : Anuwet Tema

Sound Level Meter : 01122579

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
09:00 AM - 10:00 AM	54.2	77.3	50.3
10:00 AM - 11:00 AM	55.4	85.2	49.4
11:00 AM - 12:00 PM	53.0	79.1	49.6
12:00 PM - 01:00 PM	56.5	83.4	52.4
01:00 PM - 02:00 PM	58.4	91.0	49.8
02:00 PM - 03:00 PM	60.0	85.6	53.3
03:00 PM - 04:00 PM	62.5	90.2	56.6
04:00 PM - 05:00 PM	62.1	91.5	56.3
05:00 PM - 06:00 PM	59.7	79.3	55.2
06:00 PM - 07:00 PM	53.5	80.5	47.5
07:00 PM - 08:00 PM	46.5	72.2	42.1
08:00 PM - 09:00 PM	45.1	68.8	41.2
09:00 PM - 10:00 PM	41.4	60.2	39.3
10:00 PM - 10:05 PM	41.7	47.1	40.9
10:05 PM - 10:10 PM	40.8	44.6	37.8
10:10 PM - 10:15 PM	40.8	62.5	38.7
10:15 PM - 10:20 PM	43.0	63.0	39.3
10:20 PM - 10:25 PM	41.4	56.3	39.7
10:25 PM - 10:30 PM	42.4	55.0	42.4
10:30 PM - 10:35 PM	43.7	56.7	39.8
10:35 PM - 10:40 PM	44.0	68.0	39.9
10:40 PM - 10:45 PM	40.8	52.9	38.3
10:45 PM - 10:50 PM	39.7	53.6	37.7
10:50 PM - 10:55 PM	42.4	56.3	40.0
10:55 PM - 11:00 PM	41.2	53.0	39.8
11:00 PM - 11:05 PM	40.6	50.6	38.8
11:05 PM - 11:10 PM	41.2	64.2	39.3
11:10 PM - 11:15 PM	41.7	65.7	39.0
11:15 PM - 11:20 PM	40.4	58.4	39.1
11:20 PM - 11:25 PM	40.5	53.2	39.1
11:25 PM - 11:30 PM	40.9	44.4	40.0
11:30 PM - 11:35 PM	40.3	43.6	39.5
11:35 PM - 11:40 PM	42.7	55.6	40.7
11:40 PM - 11:45 PM	42.5	46.1	41.5
11:45 PM - 11:50 PM	42.1	46.3	40.9
11:50 PM - 11:55 PM	42.2	55.5	41.2
11:55 PM - 12:00 AM	43.9	68.8	40.9
12:00 AM - 12:05 AM	41.9	45.3	41.1
12:05 AM - 12:10 AM	39.7	47.5	37.9
12:10 AM - 12:15 AM	39.9	54.0	38.4

This report is valid only for the use of the sound level meter (Leq) and is not valid for the use of the sound level meter (Lmax) and is not valid for the use of the sound level meter (L90) without written consent from the Laboratory. ALS Laboratory Group (Thailand) Ltd. is not responsible for any errors or omissions in this report.

Approved by

Wilawan Borirak

Wilawan Borirak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand / PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueing, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Lot ID: 2520546

Date Received : May 30, 2025

Date Reported : Jun 04, 2025

Report No. : 3322087-1

Page 2 of 3

Sample No. : 2520546-19

Parameter : Noise

Location : ถนนสุขุมวิท กรุงเทพมหานคร เขต 3 (ด้านทิศเหนือของโครงการ) (GPS 47P 0736147, 1457374) (Shut down)

Measurement Date : May 08 - 09, 2025

Measurement by : Anuwet Tema

Sound Level Meter : 01122579

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:15 AM - 12:20 AM	40.5	46.3	39.2
12:20 AM - 12:25 AM	42.3	68.1	38.9
12:25 AM - 12:30 AM	39.7	48.1	38.7
12:30 AM - 12:35 AM	39.8	46.4	38.6
12:35 AM - 12:40 AM	40.3	45.2	38.0
12:40 AM - 12:45 AM	38.7	45.2	37.2
12:45 AM - 12:50 AM	38.2	45.7	37.3
12:50 AM - 12:55 AM	38.5	50.6	37.4
12:55 AM - 01:00 AM	38.3	50.2	37.2
01:00 AM - 01:05 AM	39.7	54.1	36.6
01:05 AM - 01:10 AM	40.9	65.4	36.4
01:10 AM - 01:15 AM	39.5	50.9	37.9
01:15 AM - 01:20 AM	40.4	51.0	38.4
01:20 AM - 01:25 AM	40.2	55.2	38.1
01:25 AM - 01:30 AM	38.7	45.9	36.6
01:30 AM - 01:35 AM	38.7	47.1	36.8
01:35 AM - 01:40 AM	38.0	61.2	36.2
01:40 AM - 01:45 AM	38.1	43.5	36.2
01:45 AM - 01:50 AM	39.3	46.4	37.9
01:50 AM - 01:55 AM	38.9	49.0	37.4
01:55 AM - 02:00 AM	40.0	57.1	37.4
02:00 AM - 02:05 AM	37.7	46.2	36.4
02:05 AM - 02:10 AM	39.7	61.3	37.1
02:10 AM - 02:15 AM	39.0	44.5	37.4
02:15 AM - 02:20 AM	40.9	47.6	39.1
02:20 AM - 02:25 AM	40.1	50.8	38.7
02:25 AM - 02:30 AM	40.0	45.7	38.4
02:30 AM - 02:35 AM	40.1	44.9	38.5
02:35 AM - 02:40 AM	39.5	44.3	38.0
02:40 AM - 02:45 AM	39.8	58.1	36.5
02:45 AM - 02:50 AM	38.5	55.9	36.7
02:50 AM - 02:55 AM	39.6	48.1	37.5
02:55 AM - 03:00 AM	41.1	50.0	39.4
03:00 AM - 03:05 AM	44.2	68.6	38.5
03:05 AM - 03:10 AM	40.6	44.8	38.9
03:10 AM - 03:15 AM	39.5	46.4	37.1
03:15 AM - 03:20 AM	39.7	61.1	36.5
03:20 AM - 03:25 AM	39.6	54.1	37.8
03:25 AM - 03:30 AM	39.5	50.0	38.0
03:30 AM - 03:35 AM	40.3	44.6	38.6

This report is valid only for the use of the sound level meter (Leq) and is not valid for the use of the sound level meter (Lmax) and is not valid for the use of the sound level meter (L90) without written consent from the Laboratory. ALS Laboratory Group (Thailand) Ltd. is not responsible for any errors or omissions in this report.

Approved by

Wilawan Borirak

Wilawan Borirak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand / PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322087-1

P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Page 3 of 3

Sample No. : 2520546-19
Parameter : Noise
Location : ถนนสุขุมวิท/ บ้านนาบัววัด จุดที่ 3 (ถนนสุขุมวิท/บ้านนาบัววัด) (GPS 47P 0736147, 1457374) (Shut down)
Measurement Date : May 08 - 09, 2025
Measurement by : Anuwat Tema
Sound Level Meter : 01122579

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:35 AM - 03:40 AM	40.7	46.2	39.0
03:40 AM - 03:45 AM	42.4	63.2	38.6
03:45 AM - 03:50 AM	40.4	52.6	38.3
03:50 AM - 03:55 AM	39.9	44.4	38.2
03:55 AM - 04:00 AM	41.2	47.5	39.1
04:00 AM - 04:05 AM	41.9	60.7	39.3
04:05 AM - 04:10 AM	40.2	54.8	38.1
04:10 AM - 04:15 AM	41.9	59.6	39.0
04:15 AM - 04:20 AM	37.8	45.6	36.5
04:20 AM - 04:25 AM	38.7	46.7	37.3
04:25 AM - 04:30 AM	38.8	48.3	37.3
04:30 AM - 04:35 AM	39.4	48.4	37.4
04:35 AM - 04:40 AM	40.4	53.1	37.1
04:40 AM - 04:45 AM	39.7	45.1	38.0
04:45 AM - 04:50 AM	38.8	46.3	36.9
04:50 AM - 04:55 AM	40.5	53.9	37.4
04:55 AM - 05:00 AM	45.2	71.8	37.7
05:00 AM - 05:05 AM	41.6	58.0	39.5
05:05 AM - 05:10 AM	50.9	75.8	39.0
05:10 AM - 05:15 AM	49.2	67.0	39.2
05:15 AM - 05:20 AM	48.7	68.1	46.5
05:20 AM - 05:25 AM	48.8	67.3	45.0
05:25 AM - 05:30 AM	51.7	62.0	47.2
05:30 AM - 05:35 AM	47.7	55.5	45.2
05:35 AM - 05:40 AM	48.0	57.7	45.9
05:40 AM - 05:45 AM	59.6	85.9	45.9
05:45 AM - 05:50 AM	69.8	89.2	46.9
05:50 AM - 05:55 AM	91.2	67.6	54.3
05:55 AM - 06:00 AM	56.8	61.9	54.3
06:00 AM - 06:05 AM	55.4	83.1	46.8
06:05 AM - 06:10 AM	55.7	86.1	40.1
06:10 AM - 06:15 AM	55.5	80.0	46.1

Reference Method :

1. ISO 1996-1
2. กรุงเทพมหานคร กรมการขนส่งทางบก ประกาศเรื่อง ค่ามาตรฐานระดับเสียงจากยานพาหนะจราจรทางบก พ.ศ. 2567

This document is valid only for the test and measurement conditions as indicated in the report. Any change in the test and measurement conditions may affect the results. The results are for information only and should not be used for legal purposes. The results are not a guarantee of performance.

Approved by

Wibb.

Wiwawan Borrak
Manager



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322088-1

P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Page 1 of 3

Sample No. : 2520546-20
Parameter : Noise
Location : ถนนสุขุมวิท/ บ้านนาบัววัด จุดที่ 3 (ถนนสุขุมวิท/บ้านนาบัววัด) (GPS 47P 0736147, 1457374) (Shut down)
Measurement Date : May 09 - 10, 2025
Measurement by : Anuwat Tema
Sound Level Meter : 01122579

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
09:00 AM - 10:00 AM	55.5	80.9	50.1
10:00 AM - 11:00 AM	56.6	86.9	52.3
11:00 AM - 12:00 PM	55.2	78.7	49.9
12:00 PM - 01:00 PM	46.5	65.4	41.8
01:00 PM - 02:00 PM	55.7	72.3	51.3
02:00 PM - 03:00 PM	56.2	74.8	53.0
03:00 PM - 04:00 PM	56.9	85.3	52.2
04:00 PM - 05:00 PM	56.1	77.1	51.7
05:00 PM - 06:00 PM	56.8	79.2	53.0
06:00 PM - 07:00 PM	51.7	72.5	46.0
07:00 PM - 08:00 PM	48.6	74.2	43.3
08:00 PM - 09:00 PM	44.7	62.5	41.1
09:00 PM - 10:00 PM	42.9	62.2	40.0
10:00 PM - 10:05 PM	41.6	54.6	39.6
10:05 PM - 10:10 PM	42.4	50.7	40.4
10:10 PM - 10:15 PM	42.8	51.1	40.9
10:15 PM - 10:20 PM	42.5	66.5	40.0
10:20 PM - 10:25 PM	41.3	46.7	39.8
10:25 PM - 10:30 PM	41.1	46.4	40.1
10:30 PM - 10:35 PM	40.6	50.7	39.8
10:35 PM - 10:40 PM	40.6	46.7	39.5
10:40 PM - 10:45 PM	40.2	46.9	39.2
10:45 PM - 10:50 PM	42.2	47.7	40.8
10:50 PM - 10:55 PM	41.2	54.1	39.7
10:55 PM - 11:00 PM	40.2	47.9	39.0
11:00 PM - 11:05 PM	41.7	53.8	39.0
11:05 PM - 11:10 PM	40.0	52.6	39.0
11:10 PM - 11:15 PM	41.3	45.7	39.6
11:15 PM - 11:20 PM	41.8	54.5	39.9
11:20 PM - 11:25 PM	40.6	57.8	38.9
11:25 PM - 11:30 PM	40.0	49.2	38.8
11:30 PM - 11:35 PM	39.7	43.2	38.2
11:35 PM - 11:40 PM	40.2	44.6	38.6
11:40 PM - 11:45 PM	41.7	49.6	39.9
11:45 PM - 11:50 PM	44.0	65.4	40.1
11:50 PM - 11:55 PM	42.2	54.6	39.1
11:55 PM - 12:00 AM	41.5	50.2	39.3
12:00 AM - 12:05 AM	40.4	52.3	38.1
12:05 AM - 12:10 AM	39.9	43.6	38.2
12:10 AM - 12:15 AM	40.1	44.7	38.2

This document is valid only for the test and measurement conditions as indicated in the report. Any change in the test and measurement conditions may affect the results. The results are for information only and should not be used for legal purposes. The results are not a guarantee of performance.

Approved by

Wibb.

Wiwawan Borrak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phukdaeng Raying 21140 Thailand PH090 +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
47/5/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueing, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322088-1

Page 2 of 3

Sample No. : 2520546-20
Parameter : Noise
Location : ถนนพหลโยธิน/ บ้านนาสามัคคี ซอย 3 (ด้านทิศเหนือของโครงการ) (GPS 47P 0736147, 1457374) (Shut down)
Measurement Date : May 09 - 10, 2025
Measurement by : Anuwet Tema
Sound Level Meter : 01122579

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:15 AM - 12:20 AM	40.2	56.1	38.2
12:20 AM - 12:25 AM	40.9	54.0	38.3
12:25 AM - 12:30 AM	39.4	44.2	37.8
12:30 AM - 12:35 AM	40.5	44.7	38.7
12:35 AM - 12:40 AM	40.0	50.4	38.1
12:40 AM - 12:45 AM	39.1	47.2	37.6
12:45 AM - 12:50 AM	39.6	47.1	38.4
12:50 AM - 12:55 AM	40.8	55.9	39.0
12:55 AM - 01:00 AM	42.0	63.9	38.9
01:00 AM - 01:05 AM	39.4	46.9	38.3
01:05 AM - 01:10 AM	40.0	55.2	38.8
01:10 AM - 01:15 AM	40.5	58.3	39.1
01:15 AM - 01:20 AM	41.6	54.6	38.9
01:20 AM - 01:25 AM	40.0	49.2	38.6
01:25 AM - 01:30 AM	41.0	61.7	38.5
01:30 AM - 01:35 AM	40.7	56.7	38.5
01:35 AM - 01:40 AM	40.0	52.5	38.6
01:40 AM - 01:45 AM	40.7	50.4	39.0
01:45 AM - 01:50 AM	39.6	54.8	37.9
01:50 AM - 01:55 AM	39.8	51.2	38.6
01:55 AM - 02:00 AM	39.6	46.5	38.0
02:00 AM - 02:05 AM	39.3	45.1	37.6
02:05 AM - 02:10 AM	38.8	56.3	37.9
02:10 AM - 02:15 AM	38.3	43.9	37.4
02:15 AM - 02:20 AM	38.5	41.9	37.4
02:20 AM - 02:25 AM	38.7	42.5	37.8
02:25 AM - 02:30 AM	39.2	53.5	37.3
02:30 AM - 02:35 AM	40.8	51.3	38.3
02:35 AM - 02:40 AM	39.4	43.3	38.5
02:40 AM - 02:45 AM	38.7	48.9	37.7
02:45 AM - 02:50 AM	38.6	43.3	37.5
02:50 AM - 02:55 AM	38.2	43.4	37.4
02:55 AM - 03:00 AM	38.0	44.3	36.8
03:00 AM - 03:05 AM	38.7	43.8	37.7
03:05 AM - 03:10 AM	39.3	44.1	37.9
03:10 AM - 03:15 AM	38.3	54.6	36.9
03:15 AM - 03:20 AM	39.0	46.9	37.2
03:20 AM - 03:25 AM	39.4	47.2	37.3
03:25 AM - 03:30 AM	39.0	45.8	37.4
03:30 AM - 03:35 AM	41.9	63.7	39.0

This report is valid only for the project and location specified in the header.
The report is not valid for other projects or locations.
The report is not valid for other dates or times.
The report is not valid for other measurement methods.
The report is not valid for other measurement equipment.

Approved by

Wilawan Borirak

Wilawan Borirak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand TEL. 066 0 3304 8555 FAX. 066 0 3304 8556
ALS is a subsidiary of RIGHT SOLUTIONS (THAILAND) CO., LTD. So. Als. Limited Company

www.alsglobal.com

RIGHT SOLUTIONS (THAILAND) CO., LTD.



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
47/5/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur Ban
Bueing, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322088-1

Page 3 of 3

Sample No. : 2520546-20
Parameter : Noise
Location : ถนนพหลโยธิน/ บ้านนาสามัคคี ซอย 3 (ด้านทิศเหนือของโครงการ) (GPS 47P 0736147, 1457374) (Shut down)
Measurement Date : May 09 - 10, 2025
Measurement by : Anuwet Tema
Sound Level Meter : 01122579

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:35 AM - 03:40 AM	39.9	44.9	38.3
03:40 AM - 03:45 AM	40.2	58.6	37.8
03:45 AM - 03:50 AM	39.8	46.8	38.1
03:50 AM - 03:55 AM	39.7	54.2	37.4
03:55 AM - 04:00 AM	37.8	50.9	36.0
04:00 AM - 04:05 AM	37.9	61.9	35.0
04:05 AM - 04:10 AM	40.9	66.2	34.9
04:10 AM - 04:15 AM	37.9	48.5	36.0
04:15 AM - 04:20 AM	36.9	41.7	35.3
04:20 AM - 04:25 AM	36.8	57.7	34.9
04:25 AM - 04:30 AM	38.8	68.8	35.1
04:30 AM - 04:35 AM	38.6	60.4	36.0
04:35 AM - 04:40 AM	41.0	56.1	36.9
04:40 AM - 04:45 AM	36.8	52.4	35.2
04:45 AM - 04:50 AM	38.0	46.5	35.9
04:50 AM - 04:55 AM	42.6	59.7	38.3
04:55 AM - 05:00 AM	40.3	50.6	38.2
05:00 AM - 05:05 AM	40.9	48.3	39.4
05:05 AM - 05:10 AM	41.6	55.5	39.3
05:10 AM - 05:15 AM	41.4	52.4	38.1
05:15 AM - 05:20 AM	46.2	66.1	39.5
05:20 AM - 05:25 AM	49.0	63.4	40.6
05:25 AM - 05:30 AM	51.4	65.9	47.5
05:30 AM - 05:35 AM	50.6	60.5	47.4
05:35 AM - 05:40 AM	52.4	56.4	50.7
05:40 AM - 05:45 AM	52.1	67.5	50.1
05:45 AM - 05:50 AM	63.9	88.3	50.5
05:50 AM - 05:55 AM	57.0	82.0	48.0
05:55 AM - 06:00 AM	65.0	87.5	49.8
06:00 AM - 06:05 AM	61.3	89.3	48.0
06:05 AM - 06:10 AM	60.2	92.0	38.9
06:10 AM - 06:15 AM	51.4	75.1	47.4

Reference Method :

- ISO 1996-1
- ใช้มาตรฐานของกรมส่งเสริมการค้าระหว่างประเทศ กระทรวงพาณิชย์ เรื่อง มาตรการควบคุมระดับเสียงการรบกวน ระดับเสียงต่อตัว 24 ชั่วโมง และระดับเสียงออกสู่สาธารณะจากโรงงาน พ.ศ. 2567

This report is valid only for the project and location specified in the header.
The report is not valid for other projects or locations.
The report is not valid for other dates or times.
The report is not valid for other measurement methods.
The report is not valid for other measurement equipment.

Approved by

Wilawan Borirak

Wilawan Borirak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand TEL. 066 0 3304 8555 FAX. 066 0 3304 8556
ALS is a subsidiary of RIGHT SOLUTIONS (THAILAND) CO., LTD. So. Als. Limited Company

www.alsglobal.com

RIGHT SOLUTIONS (THAILAND) CO., LTD.



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322089-1

Page 1 of 3

Sample No. 2520546-21
Parameter Noise
Location ภาณุมาศ/7 บ้านนาบึงบัว หมู่ 3 (ศูนย์พัฒนาอุตสาหกรรม) (GPS 47° 07'36.147, 145°37'44) (Shut down)
Measurement Date May 10 - 11, 2025
Measurement by Anuwat Tema
Sound Level Meter 01122579

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
09:00 AM - 10:00 AM	53.6	70.7	50.5
10:00 AM - 11:00 AM	53.2	77.6	49.8
11:00 AM - 12:00 PM	50.9	81.9	46.5
12:00 PM - 01:00 PM	50.6	68.7	46.9
01:00 PM - 02:00 PM	55.5	82.5	52.0
02:00 PM - 03:00 PM	53.0	76.5	49.3
03:00 PM - 04:00 PM	55.3	78.9	52.4
04:00 PM - 05:00 PM	53.6	76.6	49.0
05:00 PM - 06:00 PM	56.5	85.5	50.4
06:00 PM - 07:00 PM	50.7	77.9	44.7
07:00 PM - 08:00 PM	63.9	82.6	58.9
08:00 PM - 09:00 PM	55.8	75.9	51.8
09:00 PM - 10:00 PM	55.9	78.0	54.0
10:00 PM - 10:05 PM	51.4	65.2	49.7
10:05 PM - 10:10 PM	53.6	75.5	51.0
10:10 PM - 10:15 PM	51.7	64.3	50.6
10:15 PM - 10:20 PM	53.4	73.2	51.5
10:20 PM - 10:25 PM	52.7	64.2	51.1
10:25 PM - 10:30 PM	50.6	67.3	48.8
10:30 PM - 10:35 PM	51.7	71.2	50.2
10:35 PM - 10:40 PM	51.7	62.4	50.1
10:40 PM - 10:45 PM	50.1	63.2	47.8
10:45 PM - 10:50 PM	62.3	62.3	48.1
10:50 PM - 10:55 PM	49.7	71.1	48.1
10:55 PM - 11:00 PM	48.3	61.2	45.9
11:00 PM - 11:05 PM	50.8	69.1	49.2
11:05 PM - 11:10 PM	53.5	66.9	48.2
11:10 PM - 11:15 PM	47.1	59.3	45.8
11:15 PM - 11:20 PM	46.3	55.2	44.8
11:20 PM - 11:25 PM	46.3	57.9	44.7
11:25 PM - 11:30 PM	45.8	60.8	44.5
11:30 PM - 11:35 PM	44.9	63.2	43.6
11:35 PM - 11:40 PM	46.9	65.8	45.6
11:40 PM - 11:45 PM	46.2	59.6	45.0
11:45 PM - 11:50 PM	44.4	57.8	42.9
11:50 PM - 11:55 PM	45.1	59.8	43.8
11:55 PM - 12:00 AM	46.5	61.8	43.5
12:00 AM - 12:05 AM	46.9	57.0	44.3
12:05 AM - 12:10 AM	46.5	63.2	45.2
12:10 AM - 12:15 AM	46.4	51.9	45.4

This report is for the use of the client only. It is not to be used for any other purpose without the written consent of ALS. The data in this report is for information only and is not to be used for any other purpose without the written consent of ALS.

Approved by

Wilwan Borirak

Wilwan Borirak
Manager

Address : 61/6/10 Moo 5 T. Maenam Khu A, Phukdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322089-1

Page 2 of 3

Sample No. 2520546-21
Parameter Noise
Location ภาณุมาศ/7 บ้านนาบึงบัว หมู่ 3 (ศูนย์พัฒนาอุตสาหกรรม) (GPS 47° 07'36.147, 145°37'44) (Shut down)
Measurement Date May 10 - 11, 2025
Measurement by Anuwat Tema
Sound Level Meter 01122579

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
12:15 AM - 12:20 AM	45.0	59.3	43.9
12:20 AM - 12:25 AM	44.6	59.8	43.6
12:25 AM - 12:30 AM	44.7	54.6	43.6
12:30 AM - 12:35 AM	44.3	57.4	43.3
12:35 AM - 12:40 AM	44.0	53.0	42.6
12:40 AM - 12:45 AM	51.7	68.6	42.5
12:45 AM - 12:50 AM	47.2	63.7	44.1
12:50 AM - 12:55 AM	44.0	60.0	43.3
12:55 AM - 01:00 AM	41.8	49.7	40.8
01:00 AM - 01:05 AM	41.0	54.0	39.9
01:05 AM - 01:10 AM	41.7	47.2	40.4
01:10 AM - 01:15 AM	41.6	44.8	40.8
01:15 AM - 01:20 AM	41.4	52.8	40.7
01:20 AM - 01:25 AM	42.0	51.5	40.9
01:25 AM - 01:30 AM	40.8	45.9	39.9
01:30 AM - 01:35 AM	41.3	48.5	40.3
01:35 AM - 01:40 AM	41.7	49.2	40.4
01:40 AM - 01:45 AM	41.9	50.7	41.0
01:45 AM - 01:50 AM	41.5	45.8	40.4
01:50 AM - 01:55 AM	41.2	56.4	40.4
01:55 AM - 02:00 AM	41.8	56.3	40.5
02:00 AM - 02:05 AM	41.4	46.2	40.6
02:05 AM - 02:10 AM	42.9	48.7	41.6
02:10 AM - 02:15 AM	42.0	45.9	41.3
02:15 AM - 02:20 AM	42.6	48.3	40.9
02:20 AM - 02:25 AM	42.1	56.1	41.2
02:25 AM - 02:30 AM	41.2	44.6	40.3
02:30 AM - 02:35 AM	41.3	50.1	38.8
02:35 AM - 02:40 AM	42.1	48.7	39.1
02:40 AM - 02:45 AM	41.6	47.9	39.0
02:45 AM - 02:50 AM	41.2	59.3	39.0
02:50 AM - 02:55 AM	43.6	49.6	39.1
02:55 AM - 03:00 AM	43.9	50.4	40.0
03:00 AM - 03:05 AM	44.5	52.3	39.2
03:05 AM - 03:10 AM	45.5	52.0	38.9
03:10 AM - 03:15 AM	45.6	52.3	38.9
03:15 AM - 03:20 AM	46.0	74.3	38.5
03:20 AM - 03:25 AM	45.8	62.1	39.0
03:25 AM - 03:30 AM	45.8	53.9	39.4
03:30 AM - 03:35 AM	46.2	58.4	41.6

This report is for the use of the client only. It is not to be used for any other purpose without the written consent of ALS. The data in this report is for information only and is not to be used for any other purpose without the written consent of ALS.

Approved by

Wilwan Borirak

Wilwan Borirak
Manager

Address : 61/6/10 Moo 5 T. Maenam Khu A, Phukdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur Ban
Bueang, Chonburi Thailand 20220

Lot ID: 2520546
Date Received : May 30, 2025
Date Reported : Jun 04, 2025
Report No. : 3322089-1


P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Page 3 of 3

Sample No. : 2520546-21
Parameter : Noise
Location : โรงงานผลิต/ ฐานการผลิต เซลล์ 3 (ด้านหลังตึกอาคาร) (GPS 47P 0736147, 1457374) (Shut down)
Measurement Date : May 10 - 11, 2025
Measurement by : Anuwet Tema
Sound Level Meter : 01122579

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
03:35 AM - 03:40 AM	45.4	51.8	38.5
03:40 AM - 03:45 AM	47.5	53.5	39.1
03:45 AM - 03:50 AM	47.5	53.6	39.3
03:50 AM - 03:55 AM	46.6	52.6	40.3
03:55 AM - 04:00 AM	46.0	52.1	39.9
04:00 AM - 04:05 AM	46.2	58.1	39.9
04:05 AM - 04:10 AM	45.9	70.3	39.3
04:10 AM - 04:15 AM	45.6	53.7	39.6
04:15 AM - 04:20 AM	45.8	52.6	39.4
04:20 AM - 04:25 AM	45.3	51.8	38.6
04:25 AM - 04:30 AM	44.7	52.1	38.0
04:30 AM - 04:35 AM	45.9	53.2	38.3
04:35 AM - 04:40 AM	44.3	53.0	38.5
04:40 AM - 04:45 AM	42.7	57.4	38.8
04:45 AM - 04:50 AM	46.1	69.3	38.1
04:50 AM - 04:55 AM	41.7	57.2	37.4
04:55 AM - 05:00 AM	39.8	50.0	37.4
05:00 AM - 05:05 AM	42.1	53.6	38.9
05:05 AM - 05:10 AM	50.5	69.0	39.9
05:10 AM - 05:15 AM	44.5	50.5	41.8
05:15 AM - 05:20 AM	44.4	51.9	41.0
05:20 AM - 05:25 AM	47.1	55.4	41.9
05:25 AM - 05:30 AM	45.4	59.9	40.8
05:30 AM - 05:35 AM	46.0	57.1	41.5
05:35 AM - 05:40 AM	53.1	66.6	52.1
05:40 AM - 05:45 AM	69.7	90.1	51.8
05:45 AM - 05:50 AM	68.1	89.3	42.7
05:50 AM - 05:55 AM	49.3	69.7	41.8
05:55 AM - 06:00 AM	48.6	68.5	42.1
06:00 AM - 07:00 AM	58.4	89.3	44.8
07:00 AM - 08:00 AM	55.4	88.7	40.8
08:00 AM - 09:00 AM	49.0	73.0	41.0

Reference Method :
1. ISO 1996-1
2. ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดเสียงในอาคารโรงงาน ลงวันที่ 24 ธันวาคม 2549 และฉบับแก้ไขเพิ่มเติมในประกาศกรมโรงงานอุตสาหกรรม พ.ศ. 2567

Approved by 
Wilawan Borirak
Manager

This report is for internal use only. It is not to be used for any other purpose without the written consent of the Laboratory. It is the responsibility of the client to ensure that the report is used for the intended purpose only. The Laboratory is not responsible for any misuse of the report.

ADDRESS 616/10 Moo 5 T. Maenam Klu A. Phakdaeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
AIA LABORATORY GROUP THAILAND CO., LTD. An ALS Limited Company

www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNERS

ภาคผนวก ค-3

คุณภาพน้ำผิวดิน



TESTING
No. 0042

Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur
Ben Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520561
Date Received : Mar 17, 2025
Date Reported : Mar 25, 2025
Report Number : 3254378-1

Page 1 of 8

Sample Number	2520561-1
Sample Date	Mar 17, 2025 1:50 PM
Sample Description	Surface Water
Location	W1: ฐานการผลิต
Date Analysis Commenced	Mar 17, 2025
Condition of Sample	Contained in two glass vials, three amber glass bottles, two BOD bottles and six plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)
Physical Property	Yellow, some odour, solid and a lot of turbid

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
(M) Arsenic	mg/L	0.0003	0.0005	0.007	≤0.01	≤0.01	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3125 B, 3030 F	Bangkok
(M) Copper	mg/L	0.0003	0.0005	0.004	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3125 B, 3030 F	Bangkok
(M) Hexavalent Chromium	mg/L	0.003	0.01	Not Detected	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3500-Cr B	Bangkok
(M) Iron	mg/L	0.003	0.005	4.04	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3125 B, 3030 F	Bangkok
(M) Lead	mg/L	0.0003	0.0005	0.01	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3125 B, 3030 F	Bangkok
(M) Mercury	mg/L	0.0001	0.0005	Not Detected	≤0.002	≤0.002	In-house method : STM 05-007 based on United States Environmental Protection Agency, 2002, EPA Method 1631, Revision E	Bangkok
(M) Zinc	mg/L	0.003	0.005	0.02	≤1	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3125 B, 3030 F	Bangkok

Microbiological Testing

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

D. Manan

Dej Changchon
Senior Manager

ADDRESS: 616/10 Moo 5 T. Maenam Khu A. Phrakdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

3143/21 PNL

3143/21 PNL

Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur
Ben Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Lot ID: 2520561
Date Received : Mar 17, 2025
Date Reported : Mar 25, 2025
Report Number : 3254378-1

Page 2 of 8

Sample Number	2520561-1
Sample Date	Mar 17, 2025 1:50 PM
Sample Description	Surface Water
Location	W1: ฐานการผลิต
Date Analysis Commenced	Mar 17, 2025
Condition of Sample	Contained in two glass vials, three amber glass bottles, two BOD bottles and six plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)
Physical Property	Yellow, some odour, solid and a lot of turbid

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Microbiological Testing								
(M) Fecal Coliform	MPN/100mL	-	-	7900.0	≤4000	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B, E	Bangkok
(M) Total Coliform	MPN/100mL	-	-	7900.0	≤20000	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Pesticides - Organochlorine Group								
(M) 2,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
(M) 2,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
(M) 2,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
(M) 4,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

D. Manan

Dej Changchon
Senior Manager

ADDRESS: 616/10 Moo 5 T. Maenam Khu A. Phrakdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

3143/21 PNL

3143/21 PNL



TESTING
No.0042

Lot ID: 2520561
Date Received : Mar 17, 2017
Date Reported : Mar 25, 2017
Report Number : 3254378-1

page 3 of 8

Sample Number	2520561-1							
Sample Date	Mar 17, 2025 1:50 PM							
Sample Description	Surface Water							
Location	W1: sfhuangmual-tungd							
Date Analysis Commenced	Mar 17, 2025							
Condition of Sample	Contained in two glass vials, three amber glass bottles, two BOD bottles and six plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Physical Property	Yellow, some odour, solid and a lot of turbid							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^(A) beta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^(A) Chlordane	ug/L	0.02	0.04	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^(A) DDT	ug/L	0.06	0.12	Not Detected	≤1	≤1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^(A) delta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^(A) Dieldrin	ug/L	0.01	0.02	Not Detected	≤0.1	≤0.1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^(A) Endosulfan	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Results apply to the sample(s) as submitted; unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by _____

Dej Changchon
Senior Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phua daeng Rayong 21140 Thailand PHONE +66 0 3304 8555 FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS

358-719 / PRIVATE

© 1999 Blackwell Science Ltd, *Journal of Internal Medicine* 245: 293–298

S. Reports\March\AL2012.rpt (7:50PM)



Analysis / Test Report

TESTING
No. 0042

Lot ID: 2520561

Date Received : Mar 17, 2025
Date Reported : Mar 25, 2025
Report Number : 3254378-1

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur
Ban Bueang, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Page 5 of 8

Sample Number	2520561-1												
Sample Date	Mar 17, 2025 1:50 PM												
Sample Description	Surface Water												
Location	W1: สุ่มบริเวณน้ำท่วม												
Date Analysis Commenced	Mar 17, 2025												
Condition of Sample	Contained in two glass vials, three amber glass bottles, two BOD bottles and six plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)												
Physical Property	Yellow, some odour, solid and a lot of turbid												
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location					
Pesticides - Organochlorine Group													
	(A)	Endosulfan I	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok			
(A)	Endosulfan II	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok				
(A)	Endrin	ug/L	0.01	0.02	Not Detected	Not Detected	Not Detected	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok				
(A)	gamma-BHC (Lindane)	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok				
(A)	Heptachlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok				
	Heptachlor and Heptachlor epoxide *	ug/L	0.01	0.02	Not Detected	≤0.2	≤0.2	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok				

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

D. Chongchon

Dej Chongchon
Senior Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phukdaeng Rayong 21140 Thailand PHONE +66 0 3304 8553 FAX +66 0 3304 8556
ALS LABORATORY GROUP THAILAND CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS IN GREAT VARIATION

09-23171946

51 Wapornthelad, A3-23-01 (7/50PH)



Analysis / Test Report

TESTING
No. 0042

Lot ID: 2520561

Date Received : Mar 17, 2025
Date Reported : Mar 25, 2025
Report Number : 3254378-1

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur
Ban Bueang, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Page 6 of 8

Sample Number	2520561-1													
Sample Date	Mar 17, 2025 1:50 PM													
Sample Description	Surface Water													
Location	W1: บ้านจันทน์ตุ้ม													
Date Analysis Commenced	Mar 17, 2025													
Condition of Sample	Contained in two glass vials, three amber glass bottles, two BOD bottles and six plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)													
Physical Property	Yellow, some odour, solid and a lot of turbid													
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location						
Pesticides - Organochlorine Group														
^(A1) Heptachlor-Epoxide	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok						
^(A1) Hexachlorobenzene	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok						
^(A1) Lindane (gamma-BHC)	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok						
^(A1) Methoxychlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok						
Toxaphene *	ug/L	2	4	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok						
Water Testing														
BOD *	mg/L	-	2	<2.0	≤2	≤4	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O, C	Rayong						

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

D. Chongchon

Dej Chongchon
Senior Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Phukdaeng Rayong 21140 Thailand PHONE +66 0 3304 8553 FAX +66 0 3304 8556
ALS LABORATORY GROUP THAILAND CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS IN GREAT VARIATION

09-23171946

51 Wapornthelad, A3-23-01 (7/50PH)



Analysis / Test Report

TESTING
No.0042

Lot ID: 2520561
Date Received : Mar 17, 2025
Date Reported : Mar 25, 2025
Report Number : 3254378-1

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur
Ban Bueang, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Page 7 of 8

Sample Number	2520561-1
Sample Date	Mar 17, 2025 1:50 PM
Sample Description	Surface Water
Location	W1: 11.458789, 101.711111
Date Analysis Commenced	Mar 17, 2025
Condition of Sample	Contained in two glass vials, three amber glass bottles, two BOD bottles and six plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)
Physical Property	Yellow, some odour, solid and a lot of turbid

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
COD *	mg/L	-	25	<25	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5220 D	Rayong
Dissolved Oxygen *	mg/L	-	0.1	6.6	≥4	≥2	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-O (C)	Rayong
Odour *		-	-	Odourless	(a)	(a)	TIS, 257-259	Rayong
Oil & Grease *	mg/L	-	3	<3	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5520 G	Rayong
pH at 25 degree C		-	-	7.5	5.0-9.0	5.0-9.0	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500 -H (6)	Rayong
Temperature *	Degree C	-	-	31.2	(c)	(c)	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2550 B	Rayong
Total Dissolved Solids Dried at 180 degree C	mg/L	-	5	326	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Rayong

Guideline : (1) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 3)
(2) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 4)
(a) Not Change from natural condition
(b) Non Objectionable
(c) Change from Natural condition not more than 3 degree C

Sampling By : Pithaya Thongdaeng , Petitarapol Sawangjittam

Remark :

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Dej Changchon
Senior Manager

Approved by

Dej Changchon
Senior Manager

Analysis / Test Report

TESTING
No.0042

Lot ID: 2520561
Date Received : Mar 17, 2025
Date Reported : Mar 25, 2025
Report Number : 3254378-1

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tumbol Klong Kiew, Amphur
Ban Bueang, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Page 8 of 8

- LOD : Limit of Detection
- < : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Dej Changchon
Senior Manager

D. Changchon

ADDRESS: 616/10 Moo 5 T. Maenam Khu A. Phakdaeng Rayong 21140 Thailand PHONE: +66 0 3304 8555 FAX: +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

354321/THA

354321/THA

354321/THA

ภาคผนวก ค-4

คุณภาพตะกอนดิน



Analysis / Test Report

Lot ID: 2520568

Date Received : Mar 17, 2025
Date Reported : Mar 27, 2025
Report Number : 3247203-1

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur
Ban Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Page 1 of 3

Sample Number 2520568-1
Sample Date Mar 17, 2025 2:52 PM
Sample Description Sediment
Location SW1: ใต้ตอม่อเขื่อนกั้นน้ำจากโรงบำบัดน้ำเสียในคลองน้ำ 500 เมตร
(GPS 47P X=735225 Y=1457511)
Date Analysis Commenced Mar 18, 2025
Condition of Sample Packed in one plastic bag, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Arsenic	mg/kg	-	0.50	2.17	≤10	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Copper	mg/kg	-	1.00	<1.00	≤31.5	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Hexavalent Chromium	mg/kg	-	0.25	<0.25	No Standard	United States Environmental Protection Agency, EPA Method 3060 A and 7196 A	Bangkok
Iron	mg/kg	-	1.00	2732	No Standard	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Lead	mg/kg	-	1.00	4.01	≤36	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Mercury	mg/kg	-	0.10	<0.10	≤0.2	United States Environmental Protection Agency, EPA Method 7473	Bangkok
Zinc	mg/kg	-	1.00	6.03	≤120	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Physical Parameters							
Moisture	%	-	0.1	23.6	No Standard	In-house method based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 G	Bangkok

Guideline : Notification of The National Environmental Board B.E.2565, for protect benthic animals

Note : Analysis Results expressed on dry basis.

Sampling By : Pithaya Thongtaeng

Remark :
- LOD : Limit of Detection
- < : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Approved by
Savitree N.
Savitree Nonsangiam
Manager



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur
Ban Bueng, Chonburi Thailand 20220
P/O : 54250077
Project Name : Monitoring
Project Location : WHA ESIE 2.1

Page 2 of 3

Sample Number 2520568-2
Sample Date Mar 17, 2025 2:18 PM
Sample Description Sediment
Location SW2: ใต้ตอม่อเขื่อนกั้นน้ำจากโรงบำบัดน้ำเสียในคลองน้ำ 20 เมตร
Date Analysis Commenced Mar 18, 2025
Condition of Sample Packed in one plastic bag, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Arsenic	mg/kg	-	0.50	2.29	≤10	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Copper	mg/kg	-	1.00	<1.00	≤31.5	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Hexavalent Chromium	mg/kg	-	0.25	<0.25	No Standard	United States Environmental Protection Agency, EPA Method 3060 A and 7196 A	Bangkok
Iron	mg/kg	-	1.00	3188	No Standard	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Lead	mg/kg	-	1.00	4.57	≤36	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Mercury	mg/kg	-	0.10	<0.10	≤0.2	United States Environmental Protection Agency, EPA Method 7473	Bangkok
Zinc	mg/kg	-	1.00	7.94	≤120	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Physical Parameters							
Moisture	%	-	0.1	16.3	No Standard	In-house method based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 G	Bangkok

Guideline : Notification of The National Environmental Board B.E.2565, for protect benthic animals

Note : Analysis Results expressed on dry basis.

Sampling By : Pithaya Thongtaeng

Remark :
- LOD : Limit of Detection
- < : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Approved by
Savitree N.
Savitree Nonsangiam
Manager



Analysis / Test Report

Client : WHA Industrial Development Public Company Limited
475/5 Moo 7 WHA City Park, Room no. 11-12, 2nd Floor, Tambol Klong Kiew, Amphur
Ben Bueng, Chonburi Thailand 20220

P/O : 54250077

Project Name : Monitoring

Project Location : WHA ESIE 2.1

Lot ID: 2520568

Date Received : Mar 17, 2025

Date Reported : Mar 27, 2025

Report Number : 3247203-1

Page 3 of 3

Sample Number	2520568-3				
Sampled Date	Mar 17, 2025 2:33 PM				
Sample Description	Sediment				
Location	SW3: บริเวณบึงน้ำดิบหลังโรงบำบัดน้ำเสียของเทศบาลตำบลหนองทราย 500 เมตร (GPS 479 X=735771, 1458136)				
Date Analysis Commenced	Mar 18, 2025				
Condition of Sample	Packed in one plastic bag, sample containers comply to pretreatment - preservation standards (APHA, USEPA)				
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification
Metals Testing					
Arsenic	mg/kg	-	0.50	6.79	≤10 United States Environmental Protection Agency, EPA Method 3050 B and 6010 D
Copper	mg/kg	-	1.00	2.55	≤31.5 United States Environmental Protection Agency, EPA Method 3050 B and 6010 D
Hexavalent Chromium	mg/kg	-	0.25	<0.25	No Standard United States Environmental Protection Agency, EPA Method 3060 A and 7156 A
Iron	mg/kg	-	1.00	4627	No Standard United States Environmental Protection Agency, EPA Method 3050 B and 6010 D
Lead	mg/kg	-	1.00	8.25	≤36 United States Environmental Protection Agency, EPA Method 3050 B and 6010 D
Mercury	mg/kg	-	0.10	<0.10	≤0.2 United States Environmental Protection Agency, EPA Method 7473
Zinc	mg/kg	-	1.00	16.1	≤120 United States Environmental Protection Agency, EPA Method 3050 B and 6010 D
Physical Parameters					
Moisture	%	-	0.1	27.1	No Standard In-house method based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 G

Guideline : Notification of The National Environmental Board B.E.2565, for protect benthic animals

Note : Analysis Results expressed on dry basis.

Sampling By : Pithaya Thongtaeng

Remark :
→ LOD : Limit of Detection
→ LOR : Lower than LOD (Limit of Quantitation) / LOR (Limit of Reporting)

Result apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Savitree N.

Savitree Naisianglam
Manager

ADDRESS: 104 Phatthanakul 40, Phatthanakul Rd., Khwaeng Phatthanakul, Phra San Luang, Bangkok 10250 Thailand TEL: +66 0 2760 3000 FAX: +66 0 2760 3197
E-MAIL: info@alsglobal.com

www.alsglobal.com

RIGHT SOLUTIONS

354231/ENGL

5/Report/Word_A4_GL.pdf (1/8/2025)