



Analysis/Test Report

Private Laboratory Registration ๗-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 11/01/2025

Sampling Method : Grab

Report Date : 17/01/2025

Sampling Date : 10/01/2025

Report No. : WT3861267001

Receive Date : 11/01/2025

Parameter	Unit	Method**	4378/12/24	Standard ***
			Influent	
*pH	-	Electrometric Method	7.8	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	95	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	125	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	391	<1,000
Oil & Grease	mg/L	Partition Gravimetric	8.10	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	7	<1.0
TKN	mg/L	Kjeldahl	48.00	<35
Sample Condition		Observation	Turbid gray odour sediment	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567

Do not copy some scuffing Do not modify this report.



Analysis/Test Report

Private Laboratory Registration ๖-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 11/01/2025

Sampling Method : Grab

Report Date : 17/01/2025

Sampling Date : 10/01/2025

Report No. : WT3860168002

Receive Date : 11/01/2025

Parameter	Unit	Method**	0253/01/25	Standard ***
			Effluent	
*pH	-	Electrometric Method	7.2	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	8	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	16	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	302	<1,000
Oil & Grease	mg/L	Partition Gravimetric	1.80	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	<1.0	<1.0
TKN	mg/L	Kjeldahl	10.00	<35
Sample Condition		Observation	Light yellow	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567

Do not copy some scuffing Do not modify this report.



Analysis/Test Report

Private Laboratory Registration ๖-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 12/02/2025

Sampling Method : Grab

Report Date : 19/02/2025

Sampling Date : 11/02/2025

Report No. : WT3860268001

Receive Date : 12/02/2025

Parameter	Unit	Method**	0493/02/25	Standard ***
			Influent	
*pH	-	Electrometric Method	6.8	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	50	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	50	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	470	<1,000
Oil & Grease	mg/L	Partition Gravimetric	8.00	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	0.68	<1.0
TKN	mg/L	Kjeldahl	47	<35
Sample Condition		Observation	Turbid gray odour sediment	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567



Analysis/Test Report

Private Laboratory Registration ๖-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 12/02/2025

Sampling Method : Grab

Report Date : 19/02/2025

Sampling Date : 11/02/2025

Report No. : WT3860268002

Receive Date : 12/02/2025

Parameter	Unit	Method**	0494/02/25	Standard ***
			Effluent	
*pH	-	Electrometric Method	7.4	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	2	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	<5	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	223	<1,000
Oil & Grease	mg/L	Partition Gravimetric	ND	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	<1.0	<1.0
TKN	mg/L	Kjeldahl	5	<35
Sample Condition		Observation	Light gray	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567

Do not copy some scuffing Do not modify this report.



Analysis/Test Report

Private Laboratory Registration ๗-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 14/03/2025

Sampling Method : Grab

Report Date : 21/03/2025

Sampling Date : 13/03/2025

Report No. : WT3860368001

Receive Date : 14/03/2025

Parameter	Unit	Method**	0693/03/25	Standard ***
			Influent	
*pH	-	Electrometric Method	7.3	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	125	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	95	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	378	<1,000
Oil & Grease	mg/L	Partition Gravimetric	4.00	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	<1.0	<1.0
TKN	mg/L	Kjeldahl	41	<35
Sample Condition		Observation	Turbid gray odour sediment	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567



Analysis/Test Report

Private Laboratory Registration ๖-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 14/03/2025

Sampling Method : Grab

Report Date : 21/03/2025

Sampling Date : 13/03/2025

Report No. : WT3860368002

Receive Date : 14/03/2025

Parameter	Unit	Method**	0694/03/25	Standard ***
			Effluent	
*pH	-	Electrometric Method	7.2	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	4	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	20	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	273	<1,000
Oil & Grease	mg/L	Partition Gravimetric	ND	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	<1.0	<1.0
TKN	mg/L	Kjeldahl	6	<35
Sample Condition		Observation	Light gray	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567

Do not copy some scuffing Do not modify this report.



Analysis/Test Report

Private Laboratory Registration ๖-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 09/04/2025

Sampling Method : Grab

Report Date : 17/04/2025

Sampling Date : 08/04/2025

Report No. : WT3860468001

Receive Date : 09/04/2025

Parameter	Unit	Method**	1076/04/25	Standard ***
			Influent	
*pH	-	Electrometric Method	7.3	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	131	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	130	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	451	<1,000
Oil & Grease	mg/L	Partition Gravimetric	4.00	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	2	<1.0
TKN	mg/L	Kjeldahl	43	<35
Sample Condition		Observation	Turbid gray odour sediment	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567



Analysis/Test Report

Private Laboratory Registration ๖-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 09/04/2025

Sampling Method : Grab

Report Date : 17/04/2025

Sampling Date : 08/04/2025

Report No. : WT3860468002

Receive Date : 09/04/2025

Parameter	Unit	Method**	1077/04/25	Standard ***
			Effluent	
*pH	-	Electrometric Method	7.3	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	6	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	22	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	237	<1,000
Oil & Grease	mg/L	Partition Gravimetric	ND	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	<1.0	<1.0
TKN	mg/L	Kjeldahl	28	<35
Sample Condition		Observation	Light gray	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567

Do not copy some scuffing Do not modify this report.



Analysis/Test Report

Private Laboratory Registration ๖-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 17/05/2025

Sampling Method : Grab

Report Date : 23/05/2025

Sampling Date : 16/05/2025

Report No. : WT3860568001

Receive Date : 17/05/2025

Parameter	Unit	Method**	1317/05/25	Standard ***
			Influent	
*pH	-	Electrometric Method	7.3	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	129	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	121	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	431	<1,000
Oil & Grease	mg/L	Partition Gravimetric	3.15	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	1	<1.0
TKN	mg/L	Kjeldahl	41	<35
Sample Condition		Observation	Turbid gray odour sediment	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567



Analysis/Test Report

Private Laboratory Registration ๖-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 17/05/2025

Sampling Method : Grab

Report Date : 23/05/2025

Sampling Date : 16/05/2025

Report No. : WT3860568002

Receive Date : 17/05/2025

Parameter	Unit	Method**	1318/05/25	Standard ***
			Effluent	
*pH	-	Electrometric Method	6.8	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	12	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	16	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	259	<1,000
Oil & Grease	mg/L	Partition Gravimetric	ND	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	<1.0	<1.0
TKN	mg/L	Kjeldahl	12	<35
Sample Condition		Observation	Light gray	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567

Do not copy some scuffing Do not modify this report.



Analysis/Test Report

Private Laboratory Registration ๖-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 12/06/2025

Sampling Method : Grab

Report Date : 19/06/2025

Sampling Date : 11/06/2025

Report No. : WT3860668001

Receive Date : 12/06/2025

Parameter	Unit	Method**	1583/06/25	Standard ***
			Influent	
*pH	-	Electrometric Method	7.0	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	137	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	90	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	477	<1,000
Oil & Grease	mg/L	Partition Gravimetric	5.00	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	<0.1	<1.0
TKN	mg/L	Kjeldahl	48	<35
Sample Condition		Observation	Turbid gray odour sediment	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567



Analysis/Test Report

Private Laboratory Registration ๖-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 12/06/2025

Sampling Method : Grab

Report Date : 19/06/2025

Sampling Date : 11/06/2025

Report No. : WT3860668002

Receive Date : 12/06/2025

Parameter	Unit	Method**	1584/06/25	Standard ***
			Effluent	
*pH	-	Electrometric Method	7.2	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	15	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	<5	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	373	<1,000
Oil & Grease	mg/L	Partition Gravimetric	ND	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	<1.0	<1.0
TKN	mg/L	Kjeldahl	10	<35
Sample Condition		Observation	Light gray	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567

Do not copy some scuffing Do not modify this report.



ที่ สธ ๐๖๓๐/ร ๑๐๘๓

ศูนย์วิทยาศาสตร์การแพทย์ที่ ๑๑/๑ ภูเก็ต
๑๔๑ หมู่ ๔ ตำบลศรีสุนทร อำเภอถลาง
จังหวัดภูเก็ต ๘๓๑๑๐

๒๖ มีนาคม ๒๕๖๘

เรื่อง รายงานผลการทดสอบ

เรียน ผู้จัดการบริษัท ดีแอนด์จี คอร์ปอเรชั่น จำกัด

อ้างถึง หนังสือที่ - ลงวันที่ ๑๔ มีนาคม ๒๕๖๘

สิ่งที่ส่งมาด้วย รายงานผลการทดสอบ ๖๘๐๓๑๓๒๔๐๐๑-๖๘๐๓๑๓๒๔๐๐๔ จำนวน ๑ ฉบับ

ตามหนังสือที่อ้างถึง ท่าน ได้ส่งตัวอย่างเพื่อทำการทดสอบ ซึ่งศูนย์วิทยาศาสตร์การแพทย์ที่ ๑๑/๑ ภูเก็ต ได้รับเมื่อวันที่ ๑๔ มีนาคม ๒๕๖๘ นั้น

ศูนย์วิทยาศาสตร์การแพทย์ที่ ๑๑/๑ ภูเก็ต ได้ดำเนินการทดสอบตัวอย่าง ดังกล่าวเสร็จเรียบร้อยแล้ว ตามรายงานผลการทดสอบที่ส่งมาพร้อมนี้ หากท่านมีข้อสงสัยผลการทดสอบสามารถสอบถามได้ตามหมายเลขโทรศัพท์ที่ปรากฏอยู่ด้านล่างนี้

จึงเรียนมาเพื่อโปรดทราบ

ขอแสดงความนับถือ

(นางทรงศนีย์ นุ่นประดับ)

ผู้อำนวยการศูนย์วิทยาศาสตร์การแพทย์ที่ ๑๑/๑ ภูเก็ต
ปฏิบัติราชการแทนอธิบดีกรมวิทยาศาสตร์การแพทย์

ฝ่ายบริหารทั่วไป

โทรศัพท์ ๐๗๖-๖๐๐๑๑๙-๒๑

โทรสาร ๐๗๖-๖๐๐๑๒๒

ไปรษณีย์อิเล็กทรอนิกส์ Phuket@dmso.mail.go.th



กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ต้นฉบับ

ศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต
141 หมู่ 4 ตำบลศรีสุนทร อำเภอถลาง จังหวัดภูเก็ต 83110
โทรศัพท์ 076-600119-21 โทรสาร 076-600122
<http://rmsc11-1.dmsc.moph.go.th/>



หมายเลขทะเบียน 4022/49

รายงานผลการทดสอบ

เลขที่รายงาน R68032600632

หน้า 1 ของ 1 หน้า

หนังสืออ้างอิงที่	-	ผู้ส่งตัวอย่าง	บริษัท ดีแอนด์จี คอร์ปอเรชั่น จำกัด
ลงวันที่	14/03/2568	ที่อยู่	307/223
วันที่รับตัวอย่าง	14/03/2568		ถนนเจริญสุขนิทวงศ์ แขวงบางขุนศรี เขตบางกอกน้อย กรุงเทพมหานคร 10700
หมายเลขตัวอย่าง	68031724001	วันที่เก็บตัวอย่าง	13/03/2568
ชนิดตัวอย่าง	น้ำ	ปริมาณที่รับ	1 ขวด ขวดละ 1,000 มิลลิลิตร

ชื่อตัวอย่าง	Hot water wash basin guest room 6105		
ลักษณะตัวอย่าง	ของเหลวใส ไม่มีสี มีตะกอนสีน้ำตาล สถานที่เก็บตัวอย่าง: OZO Chaweng Samui		
รายการทดสอบ	ผลการทดสอบ	วิธีทดสอบ	
การตรวจหาเชื้อ <i>Legionella</i> ในตัวอย่างน้ำด้วยเทคนิคการเพาะเชื้อ และนับจำนวน	Not detected	CDC 2005	

หมายเหตุ 1.ห้องปฏิบัติการได้รับการรับรองความสามารถตามมาตรฐาน ISO/IEC 17025

กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ผู้ทดสอบ	นางสาววัชร ทองขาว	 ปฏิบัติราชการแทนอธิบดีกรมวิทยาศาสตร์การแพทย์
ผู้ตรวจสอบ	นางอริยะพร กองทัพ	
วันที่ทดสอบ	14/03/2568	
วันที่ออกรายงาน	26/03/2568	

รายงานนี้รับรองเฉพาะตัวอย่างที่ได้รับเท่านั้น

ห้ามนำรายงานไปคัดลอกหรือทำสำเนาบางส่วนโดยไม่ได้รับอนุญาตเป็นลายลักษณ์อักษร





กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ต้นฉบับ

ศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต
141 หมู่ 4 ตำบลศรีสุนทร อำเภอถลาง จังหวัดภูเก็ต 83110
โทรศัพท์ 076-600119-21 โทรสาร 076-600122
<http://rmsc11-1.dmsc.moph.go.th/>



หมายเลขทะเบียน 4022/49

รายงานผลการทดสอบ

เลขที่รายงาน R68032600631

หน้า 1 ของ 1 หน้า

หนังสืออ้างอิงที่	-	ผู้ส่งตัวอย่าง	บริษัท ดีแอนด์จี คอร์ปอเรชั่น จำกัด
ลงวันที่	14/03/2568	ที่อยู่	307/223
วันที่รับตัวอย่าง	14/03/2568		ถนนเจริญสุขนิทวงศ์
			แขวงบางขุนศรี เขตบางกอกน้อย
			กรุงเทพมหานคร 10700
หมายเลขตัวอย่าง	68031724002	วันที่เก็บตัวอย่าง	13/03/2568
ชนิดตัวอย่าง	น้ำ	ปริมาณที่รับ	1 ขวด ขวดละ 1,000 มิลลิลิตร
ชื่อตัวอย่าง	Cold water wash basin guest room 6105		
ลักษณะตัวอย่าง	ของเหลวใส ไม่มีสี มีตะกอนสีน้ำตาล สถานที่เก็บตัวอย่าง: OZO Chaweng Samui		
รายการทดสอบ	ผลการทดสอบ	วิธีทดสอบ	
การตรวจหาเชื้อ <i>Legionella</i> ในตัวอย่างน้ำด้วยเทคนิคการเพาะเชื้อ และนับจำนวน	Not detected	CDC 2005	

หมายเหตุ 1.ห้องปฏิบัติการได้รับการรับรองความสามารถตามมาตรฐาน ISO/IEC 17025

กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ผู้ทดสอบ	นางสาววัชร ทองขาว	 ผู้ดำเนินการศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต ปฏิบัติราชการแทนอธิบดีกรมวิทยาศาสตร์การแพทย์
ผู้ตรวจสอบ	นางอริยะพร กองทัพ	
วันที่ทดสอบ	14/03/2568	
วันที่ออกรายงาน	26/03/2568	

รายงานนี้รับรองเฉพาะตัวอย่างที่ได้รับเท่านั้น

ห้ามนำรายงานไปคัดลอกหรือทำสำเนาบางส่วนโดยไม่ได้รับอนุญาตเป็นลายลักษณ์อักษร





กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ต้นฉบับ

ศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต
141 หมู่ 4 ตำบลศรีสุนทร อำเภอถลาง จังหวัดภูเก็ต 83110
โทรศัพท์ 076-600119-21 โทรสาร 076-600122
<http://rmsc11-1.dmsc.moph.go.th/>



หมายเลขทะเบียน 4022/49

รายงานผลการทดสอบ

เลขที่รายงาน R68032600630

หน้า 1 ของ 1 หน้า

หนังสืออ้างอิงที่	-	ผู้ส่งตัวอย่าง	บริษัท ดีแอนด์จี คอร์ปอเรชั่น จำกัด
ลงวันที่	14/03/2568	ที่อยู่	307/223
วันที่รับตัวอย่าง	14/03/2568		ถนนเจริญสุขนิทวงศ์
			แขวงบางขุนศรี เขตบางกอกน้อย
			กรุงเทพมหานคร 10700
หมายเลขตัวอย่าง	68031724003	วันที่เก็บตัวอย่าง	13/03/2568
ชนิดตัวอย่าง	น้ำ	ปริมาณที่รับ	1 ขวด ขวดละ 1,000 มิลลิลิตร
ชื่อตัวอย่าง	Drain air room 6105		
ลักษณะตัวอย่าง	ของเหลวใส ไม่มีสี มีตะกอนสีดำ สถานที่เก็บตัวอย่าง: OZO Chaweng Samui		
รายการทดสอบ		ผลการทดสอบ	วิธีทดสอบ
การตรวจหาเชื้อ <i>Legionella</i> ในตัวอย่างน้ำด้วยเทคนิคการเพาะเชื้อ และนับจำนวน		Not detected	CDC 2005

หมายเหตุ 1.ห้องปฏิบัติการได้รับการรับรองความสามารถตามมาตรฐาน ISO/IEC 17025

กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ผู้ทดสอบ	นางสาววัชร ทองขาว	
ผู้ตรวจสอบ	นางอริยะพร กองทัพ	
วันที่ทดสอบ	14/03/2568	
วันที่ออกรายงาน	26/03/2568	

ผู้อำนวยการศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต
ปฏิบัติราชการแทนอธิบดีกรมวิทยาศาสตร์การแพทย์

รายงานนี้รับรองเฉพาะตัวอย่างที่ได้รับเท่านั้น

ห้ามนำรายงานไปคัดลอกหรือทำสำเนาบางส่วนโดยไม่ได้รับอนุญาตเป็นลายลักษณ์อักษร





กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ต้นฉบับ

ศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต
141 หมู่ 4 ตำบลศรีสุนทร อำเภอถลาง จังหวัดภูเก็ต 83110
โทรศัพท์ 076-600119-21 โทรสาร 076-600122
<http://rmsc11-1.dmsc.moph.go.th/>



หมายเลขทะเบียน 4022/49

รายงานผลการทดสอบ

เลขที่รายงาน R68032600629

หน้า 1 ของ 1 หน้า

หนังสือส่งที่	-	ผู้ส่งตัวอย่าง	บริษัท ดีแอนด์จี คอร์ปอเรชั่น จำกัด
ลงวันที่	14/03/2568	ที่อยู่	307/223
วันที่รับตัวอย่าง	14/03/2568		ถนนจรัญสนิทวงศ์
			แขวงบางขุนศรี เขตบางกอกน้อย
			กรุงเทพมหานคร 10700
หมายเลขตัวอย่าง	68031724004	วันที่เก็บตัวอย่าง	13/03/2568
ชนิดตัวอย่าง	น้ำ	ปริมาณที่รับ	1 ขวด ขวดละ 1,000 มิลลิลิตร
ชื่อตัวอย่าง	Swimming pool		
ลักษณะตัวอย่าง	ของเหลวใส ไม่มีสี มีตะกอนสีขาว สถานที่เก็บตัวอย่าง: OZO Chaweng Samui		
รายการทดสอบ		ผลการทดสอบ	วิธีทดสอบ
การตรวจหาเชื้อ <i>Legionella</i> ในตัวอย่างน้ำด้วยเทคนิคการเพาะเชื้อ และนับจำนวน		Not detected	CDC 2005

หมายเหตุ 1.ห้องปฏิบัติการได้รับการรับรองความสามารถตามมาตรฐาน ISO/IEC 17025

กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ผู้ทดสอบ	นางสาววัชร ทองขาว	
ผู้ตรวจสอบ	นางอริยะพร กองทัพ	
วันที่ทดสอบ	14/03/2568	
วันที่ออกรายงาน	26/03/2568	

ปฏิบัติราชการแทนอธิบดีกรมวิทยาศาสตร์การแพทย์

รายงานนี้รับรองเฉพาะตัวอย่างที่ได้รับเท่านั้น

ห้ามนำรายงานไปคัดลอกหรือทำสำเนาบางส่วนโดยไม่ได้รับอนุญาตเป็นลายลักษณ์อักษร





ที่ สธ ๐๖๓๐/ร ๑๐๘๔

ศูนย์วิทยาศาสตร์การแพทย์ที่ ๑๑/๑ ภูเก็ต
๑๔๑ หมู่ ๔ ตำบลศรีสุนทร อำเภอถลาง
จังหวัดภูเก็ต ๘๓๑๑๐

๒๖ มีนาคม ๒๕๖๘

เรื่อง รายงานผลการทดสอบ

เรียน ผู้จัดการบริษัท ดีแอนด์จี คอร์ปอเรชั่น จำกัด

อ้างถึง หนังสือที่ - ลงวันที่ ๑๔ มีนาคม ๒๕๖๘

สิ่งที่ส่งมาด้วย รายงานผลการทดสอบ ๖๘๐๓๑๓๒๗๐๐๑-๖๘๐๓๑๓๒๗๐๐๕ จำนวน ๑ ฉบับ


ตามหนังสือที่อ้างถึง ท่าน ได้ส่งตัวอย่างเพื่อทำการทดสอบ ซึ่งศูนย์วิทยาศาสตร์การแพทย์ที่ ๑๑/๑ ภูเก็ต ได้รับเมื่อวันที่ ๑๔ มีนาคม ๒๕๖๘ นั้น

ศูนย์วิทยาศาสตร์การแพทย์ที่ ๑๑/๑ ภูเก็ต ได้ดำเนินการทดสอบตัวอย่าง ดังกล่าวเสร็จเรียบร้อยแล้ว ตามรายงานผลการทดสอบที่ส่งมาพร้อมนี้ หากท่านมีข้อสงสัยผลการทดสอบสามารถสอบถามได้ตามหมายเลขโทรศัพท์ที่ปรากฏอยู่ด้านล่างนี้

จึงเรียนมาเพื่อโปรดทราบ

ขอแสดงความนับถือ

ผู้
อ



ปณิธานการแทนอธิบดีกรมวิทยาศาสตร์การแพทย์

ฝ่ายบริหารทั่วไป

โทรศัพท์ ๐๗๖-๖๐๐๑๑๙-๒๑

โทรสาร ๐๗๖-๖๐๐๑๒๒

ไปรษณีย์อิเล็กทรอนิกส์ Phuket@dmso.mail.go.th



กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ต้นฉบับ

ศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต
141 หมู่ 4 ตำบลศรีสุนทร อำเภอถลาง จังหวัดภูเก็ต 83110
โทรศัพท์ 076-600119-21 โทรสาร 076-600122
<http://rmsc11-1.dmsc.moph.go.th/>



หมายเลขทะเบียน 4022/49

รายงานผลการทดสอบ

เลขที่รายงาน R68032600628

หน้า 1 ของ 1 หน้า

หนังสืออ้างอิงที่	-	ผู้ส่งตัวอย่าง	บริษัท ดีแอนด์จี คอร์ปอเรชั่น จำกัด
ลงวันที่	14/03/2568	ที่อยู่	307/223
วันที่รับตัวอย่าง	14/03/2568		ถนนจรัญสนิทวงศ์
			แขวงบางขุนศรี เขตบางกอกน้อย
			กรุงเทพมหานคร 10700
หมายเลขตัวอย่าง	68031727001	วันที่เก็บตัวอย่าง	12/03/2568
ชนิดตัวอย่าง	น้ำ	ปริมาณที่รับ	1 ขวด ขวดละ 1,000 มิลลิลิตร
ชื่อตัวอย่าง	Hot water wash basin guest room 3124		
ลักษณะตัวอย่าง	ของเหลวใส ไม่มีสี ไม่มีตะกอน สถานที่เก็บตัวอย่าง: Amari Plam Reef Koh Samui		
รายการทดสอบ	ผลการทดสอบ	วิธีทดสอบ	
การตรวจหาเชื้อ <i>Legionella</i> ในตัวอย่างน้ำด้วยเทคนิคการเพาะเชื้อ และนับจำนวน	Not detected	CDC 2005	

หมายเหตุ 1.ห้องปฏิบัติการได้รับการรับรองความสามารถตามมาตรฐาน ISO/IEC 17025

กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ผู้ทดสอบ	นางสาววัชร ทองขาว	
ผู้ตรวจสอบ	นางอิริยาพร กองทัพ	
วันที่ทดสอบ	14/03/2568	
วันที่ออกรายงาน	26/03/2568	
		ผู้อำนวยการศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต ปฏิบัติราชการแทนอธิบดีกรมวิทยาศาสตร์การแพทย์

รายงานนี้รับรองเฉพาะตัวอย่างที่ได้รับเท่านั้น

ห้ามนำรายงานไปคัดลอกหรือทำสำเนาบางส่วนโดยไม่ได้รับอนุญาตเป็นลายลักษณ์อักษร





กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ต้นฉบับ

ศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต
141 หมู่ 4 ตำบลศรีสุนทร อำเภอถลาง จังหวัดภูเก็ต 83110
โทรศัพท์ 076-600119-21 โทรสาร 076-600122
<http://rmsc11-1.dmsc.moph.go.th/>



หมายเลขทะเบียน 4022/49

รายงานผลการทดสอบ

เลขที่รายงาน R68032600627

หน้า 1 ของ 1 หน้า

หนังสืออ้างอิงที่	-	ผู้ส่งตัวอย่าง	บริษัท ดีแอนด์จี คอร์ปอเรชั่น จำกัด
ลงวันที่	14/03/2568	ที่อยู่	307/223
วันที่รับตัวอย่าง	14/03/2568		ถนนจรัญสนิทวงศ์
			แขวงบางขุนศรี เขตบางกอกน้อย
			กรุงเทพมหานคร 10700
หมายเลขตัวอย่าง	68031727002	วันที่เก็บตัวอย่าง	12/03/2568
ชนิดตัวอย่าง	น้ำ	ปริมาณที่รับ	1 ขวด ขวดละ 1,000 มิลลิลิตร
ชื่อตัวอย่าง	Cold water wash basin guest room 3124		
ลักษณะตัวอย่าง	ของเหลวใส ไม่มีสี ไม่มีตะกอน สถานที่เก็บตัวอย่าง: Amari Plam Reef Koh Samui		
รายการทดสอบ	ผลการทดสอบ	วิธีทดสอบ	
การตรวจหาเชื้อ <i>Legionella</i> ในตัวอย่างน้ำด้วยเทคนิคการเพาะเชื้อ และนับจำนวน	Not detected	CDC 2005	

หมายเหตุ 1.ห้องปฏิบัติการได้รับการรับรองความสามารถตามมาตรฐาน ISO/IEC 17025

กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ผู้ทดสอบ	นางสาววัชร ทองขาว	
ผู้ตรวจสอบ	นางอริยะพร กองทัพ	
วันที่ทดสอบ	14/03/2568	
วันที่ออกรายงาน	26/03/2568	

ผู้อำนวยการศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต
ปฏิบัติราชการแทนอธิบดีกรมวิทยาศาสตร์การแพทย์

รายงานนี้รับรองเฉพาะตัวอย่างที่ได้รับเท่านั้น

ห้ามนำรายงานไปคัดลอกหรือทำสำเนาบางส่วนโดยไม่ได้รับอนุญาตเป็นลายลักษณ์อักษร





กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ต้นฉบับ

ศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต
141 หมู่ 4 ตำบลศรีสุนทร อำเภอถลาง จังหวัดภูเก็ต 83110
โทรศัพท์ 076-600119-21 โทรสาร 076-600122
<http://rmsc11-1.dmsc.moph.go.th/>



หมายเลขทะเบียน 4022/49

รายงานผลการทดสอบ


เลขที่รายงาน R68032600626

หน้า 1 ของ 1 หน้า

หนังสืออ้างอิงที่	-	ผู้ส่งตัวอย่าง	บริษัท ดีแอนด์จี คอร์ปอเรชั่น จำกัด
ลงวันที่	14/03/2568	ที่อยู่	307/223
วันที่รับตัวอย่าง	14/03/2568		ถนนจรัญสนิทวงศ์
			แขวงบางขุนศรี เขตบางกอกน้อย
			กรุงเทพมหานคร 10700
หมายเลขตัวอย่าง	68031727003	วันที่เก็บตัวอย่าง	12/03/2568
ชนิดตัวอย่าง	น้ำ	ปริมาณที่รับ	1 ขวด ขวดละ 1,000 มิลลิลิตร
ชื่อตัวอย่าง	Drain air room 3129		
ลักษณะตัวอย่าง	ของเหลวใส ไม่มีสี ไม่มีตะกอน สถานที่เก็บตัวอย่าง: Amari Plam Reef Koh Samui		
รายการทดสอบ	ผลการทดสอบ	วิธีทดสอบ	
การตรวจหาเชื้อ <i>Legionella</i> ในตัวอย่างน้ำด้วยเทคนิคการเพาะเชื้อ และนับจำนวน	Not detected	CDC 2005	

หมายเหตุ 1.ห้องปฏิบัติการได้รับการรับรองความสามารถตามมาตรฐาน ISO/IEC 17025

กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ผู้ทดสอบ	นางสาววัชร ทองขาว	
ผู้ตรวจสอบ	นางอริยะพร กองทัพ	
วันที่ทดสอบ	14/03/2568	
วันที่ออกรายงาน	26/03/2568	
		ผู้อำนวยการศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต ปฏิบัติราชการแทนอธิบดีกรมวิทยาศาสตร์การแพทย์

รายงานนี้รับรองเฉพาะตัวอย่างที่ได้รับเท่านั้น

ห้ามนำรายงานไปคัดลอกหรือทำสำเนาบางส่วนโดยไม่ได้รับอนุญาตเป็นลายลักษณ์อักษร





กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ต้นฉบับ

ศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต
141 หมู่ 4 ตำบลศรีสุนทร อำเภอถลาง จังหวัดภูเก็ต 83110
โทรศัพท์ 076-600119-21 โทรสาร 076-600122
<http://rmsc11-1.dmsc.moph.go.th/>



หมายเลขทะเบียน 4022/49

รายงานผลการทดสอบ

เลขที่รายงาน R68032600625

หน้า 1 ของ 1 หน้า

หนังสืออ้างอิงที่	-	ผู้ส่งตัวอย่าง	บริษัท ดีแอนด์จี คอร์ปอเรชั่น จำกัด
ลงวันที่	14/03/2568	ที่อยู่	307/223
วันที่รับตัวอย่าง	14/03/2568		ถนนจรัญสนิทวงศ์
			แขวงบางขุนศรี เขตบางกอกน้อย
			กรุงเทพมหานคร 10700
หมายเลขตัวอย่าง	68031727004	วันที่เก็บตัวอย่าง	12/03/2568
ชนิดตัวอย่าง	น้ำ	ปริมาณที่รับ	1 ขวด ขวดละ 1,000 มิลลิลิตร
ชื่อตัวอย่าง	Swimming Pool B		
ลักษณะตัวอย่าง	ของเหลวใส ไม่มีสี ไม่มีตะกอน สถานที่เก็บตัวอย่าง: Amari Plam Reef Koh Samui		
รายการทดสอบ	ผลการทดสอบ	วิธีทดสอบ	
การตรวจหาเชื้อ <i>Legionella</i> ในตัวอย่างน้ำด้วยเทคนิคการเพาะเชื้อ และนับจำนวน	Not detected	CDC 2005	

หมายเหตุ 1.ห้องปฏิบัติการได้รับการรับรองความสามารถตามมาตรฐาน ISO/IEC 17025

กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ผู้ทดสอบ	นางสาววัชร ทองขาว	
ผู้ตรวจสอบ	นางอิริยาพร กองทัพ	
วันที่ทดสอบ	14/03/2568	
วันที่ออกรายงาน	26/03/2568	
		ผู้อำนวยการศูนย์วิทยาศาสตร์การแพทย์ 11/1 ภูเก็ต ปฏิบัติราชการแทนอธิบดีกรมวิทยาศาสตร์การแพทย์

รายงานนี้รับรองเฉพาะตัวอย่างที่ได้รับเท่านั้น

ห้ามนำรายงานไปคัดลอกหรือทำสำเนาบางส่วนโดยไม่ได้รับอนุญาตเป็นลายลักษณ์อักษร





กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ต้นฉบับ

ศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต
141 หมู่ 4 ตำบลศรีสุนทร อำเภอถลาง จังหวัดภูเก็ต 83110
โทรศัพท์ 076-600119-21 โทรสาร 076-600122
<http://rmsc11-1.dmsc.moph.go.th/>



หมายเลขทะเบียน 4022/49

รายงานผลการทดสอบ

เลขที่รายงาน R68032600624

หน้า 1 ของ 1 หน้า

หนังสืออ้างอิงที่	-	ผู้ส่งตัวอย่าง	บริษัท ดีแอนด์จี คอร์ปอเรชั่น จำกัด
ลงวันที่	14/03/2568	ที่อยู่	307/223
วันที่รับตัวอย่าง	14/03/2568		ถนนเจริญสุขุมวิท
			แขวงบางขุนศรี เขตบางกอกน้อย
			กรุงเทพมหานคร 10700

หมายเลขตัวอย่าง	68031727005	วันที่เก็บตัวอย่าง	12/03/2568
-----------------	-------------	--------------------	------------

ชนิดตัวอย่าง	น้ำ	ปริมาณที่รับ	1 ขวด ขวดละ 1,000 มิลลิลิตร
--------------	-----	--------------	-----------------------------

ชื่อตัวอย่าง	Swimming Pool C
--------------	-----------------

ลักษณะตัวอย่าง	ของเหลวใส ไม่มีสี ไม่มีตะกอน สถานที่เก็บตัวอย่าง: Amari Plam Reef Koh Samui
----------------	---

รายการทดสอบ	ผลการทดสอบ	วิธีทดสอบ
การตรวจหาเชื้อ <i>Legionella</i> ในตัวอย่างน้ำด้วยเทคนิคการเพาะเชื้อ และนับจำนวน	Not detected	CDC 2005

หมายเหตุ 1.ห้องปฏิบัติการได้รับการรับรองความสามารถตามมาตรฐาน ISO/IEC 17025

กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ผู้ทดสอบ	นางสาววัชร ทองขาว	 ผู้อำนวยการศูนย์วิทยาศาสตร์การแพทย์ 11/1 ภูเก็ต ปฏิบัติราชการแทนอธิบดีกรมวิทยาศาสตร์การแพทย์
ผู้ตรวจสอบ	นางอิริยาพร กองทัพ	
วันที่ทดสอบ	14/03/2568	
วันที่ออกรายงาน	26/03/2568	

รายงานนี้รับรองเฉพาะตัวอย่างที่ได้รับเท่านั้น

ห้ามนำรายงานไปคัดลอกหรือทำสำเนาบางส่วนโดยไม่ได้รับอนุญาตเป็นลายลักษณ์อักษร

