

ภาคผนวกที่ 3

ใบรายงานผลการตรวจวัดคุณภาพสิ่งแวดล้อม

ภาคผนวกที่ 3-1
ใบรายงานผลการตรวจวัดคุณภาพอากาศ



PACIFIC

LABORATORY CO., LTD.

Pacific Laboratory Co., Ltd.

14/5358 Moo 14 Tambol Bang Bua Thong

Amphoe Bang Bua Thong, Nonthaburi 11110

Tel. : 0-2045-2446-7 Fax. : 0-2045-3991

ANALYSIS REPORT


Analysis No. : Lab-AB 041/2568
Job No. : PCL 0560-04/68
Report Date : April 24, 2025

Project Name : โครงการ ทยะ โฮเทล แบงค็อก ของ บริษัท ทยชาติ จำกัด
Address : เลขที่ 888 ซอยพัฒนาการ 42 แขวงพัฒนาการ เขตสวนหลวง กรุงเทพมหานคร 10251
Sampling Point : บริเวณพื้นที่โครงการ
Sampling Date/Time : April 1-2, 2025/12:00 p.m.
GPS. Coordinate : UTM 47 P 0676219 E, 1519143 N
Sampling Method : US. EPA. 40 CFR 50
Method of Analysis : High-Volume Air Sampler/Gravimetric Method

Received Date : April 3, 2025
Analytical Date : April 3, 2025
Sampling Condition : Good

Item	Measure Date	Unit	Result	
			ฝุ่นละอองขนาดไม่เกิน 100 ไมครอน (TSP) 24 Hours Average	ฝุ่นละอองขนาดไม่เกิน 10 ไมครอน (PM-10) 24 Hours Average
1.	1-2/04/25	mg/m ³	0.045	0.021
Standard ^{1/}			≤0.33	≤0.12

Remark : 1. ^{1/} ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 24 (พ.ศ. 2547) เรื่อง กำหนดมาตรฐานคุณภาพอากาศในบรรยากาศโดยทั่วไป
(ลงวันที่ 9 สิงหาคม พ.ศ. 2547)
2. สภาพอากาศ : ปกติ



(Mr. Rnus Fakto)
Lab. Supervisor



PACIFIC

LABORATORY CO., LTD.

Pacific Laboratory Co., Ltd.

14/5358 Moo 14 Tambol Bang Bua Thong

Amphoe Bang Bua Thong, Nonthaburi 11110

Tel. : 0-2045-2446-7 Fax. : 0-2045-3991

ANALYSIS REPORT

Analysis No. : Lab-AB 041/2568

Job No. : PCL 0560-04/68

Report Date : April 24, 2025

Project Name : โครงการ ทยะ โฮเทล แบงค็อก ของ บริษัท ทยชาติ จำกัด

Address : เลขที่ 888 ซอยพัฒนาการ 42 แขวงพัฒนาการ เขตสวนหลวง กรุงเทพมหานคร 10251

Sampling Point : บริเวณบ้านเลขที่ 1486 ซอยพัฒนาการ 42 แขวงสวนหลวง เขตสวนหลวง กรุงเทพมหานคร 10251

Sampling Date/Time : April 1-2, 2025/12:00 p.m.

Received Date : April 3, 2025

GPS. Coordinate : UTM 47 P 0676144 E, 1519096 N

Analytical Date : April 3, 2025

Sampling Method : US. EPA. 40 CFR 50

Sampling Condition : Good

Method of Analysis : High-Volume Air Sampler/Gravimetric Method

Item	Measure Date	Unit	Result	
			ฝุ่นละอองขนาดไม่เกิน 100 ไมครอน (TSP) 24 Hours Average	ฝุ่นละอองขนาดไม่เกิน 10 ไมครอน (PM-10) 24 Hours Average
1.	1-2/04/25	mg/m ³	0.065	0.030
Standard ^{1/}			≤0.33	≤0.12

Remark : 1. ^{1/} ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 24 (พ.ศ. 2547) เรื่อง กำหนดมาตรฐานคุณภาพอากาศในบรรยากาศโดยทั่วไป
(ลงวันที่ 9 สิงหาคม พ.ศ. 2547)

2. สภาพอากาศ : ปกติ



(Mr. Rnus Fakto)
Lab. Supervisor

ภาคผนวกที่ 3-2
ใบรายงานผลการตรวจวิเคราะห์คุณภาพน้ำใช้



PACIFIC

LABORATORY CO., LTD.

Pacific Laboratory Co., Ltd.

14/5358 Moo 14 Tambol Bang Bua Thong

Amphoe Bang Bua Thong, Nonthaburi 11110

Tel. : 0-2045-2446-7 Fax. : 0-2045-3991

ANALYSIS REPORT

Analysis No. : Lab-W 270/2568
Job No. : PCL 0560-04/68
Report Date : April 21, 2025

Customer Name : โครงการ โรงแรมทยะ ของบริษัท ทยชาติ จำกัด
Address : เลขที่ 888 ซอยพัฒนาการ 42 ถนนพัฒนาการ แขวงพัฒนาการ เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : ถังเก็บน้ำชั้นใต้ดิน
Sampling Method : Grab
Sampling Time : 11:29 a.m.
Sampling Type : น้ำประปา
Sampling By : Mr. Thanakorn Lanan
Analyzed By : Ms. Ninlawan Marjang

Sampling Date : April 2, 2025
Received Date : April 3, 2025
Analytical Date : April 3-21, 2025
Sample ID No. : 021/04/68

Item	Parameter	Unit	Method of Analysis	Result	Standard ^{1/}	Evaluation
1.	Free Chlorine	mg/l	Iodometric Method	<0.1	-	-
Sample Condition				ใส	-	-

Remark : 1. ^{1/} มาตรฐานคุณภาพน้ำประปาของการประปานครหลวง ตามแนะนำขององค์การอนามัยโลก (WHO) ปี 2011



(Mr. Rnus Fakto)
Lab. Supervisor



PACIFIC

LABORATORY CO., LTD.

Pacific Laboratory Co., Ltd.

14/5358 Moo 14 Tambol Bang Bua Thong

Amphoe Bang Bua Thong, Nonthaburi 11110

Tel. : 0-2045-2446-7 Fax. : 0-2045-3991

ANALYSIS REPORT

Analysis No. : Lab-W 270/2568
Job No. : PCL 0560-04/68
Report Date : April 21, 2025

Customer Name : โครงการ โรงแรมทยะ ของบริษัท ทยชาติ จำกัด
Address : เลขที่ 888 ซอยพัฒนาการ 42 ถนนพัฒนาการ แขวงพัฒนาการ เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : ถังเก็บน้ำชั้นดาดฟ้า
Sampling Method : Grab
Sampling Time : 11:31 a.m.
Sampling Type : น้ำประปา
Sampling By : Mr. Thanakorn Lanan
Analyzed By : Ms. Ninlawan Marjang

Sampling Date : April 2, 2025
Received Date : April 3, 2025
Analytical Date : April 3-21, 2025
Sample ID No. : 022/04/68

Item	Parameter	Unit	Method of Analysis	Result	Standard ^{1/}	Evaluation
1.	Free Chlorine	mg/l	Iodometric Method	<0.1	-	-
Sample Condition				ใส	-	-

Remark : 1. ^{1/} มาตรฐานคุณภาพน้ำประปาของการประปานครหลวง ตามแนะนำขององค์การอนามัยโลก (WHO) ปี 2011



(Mr. Rnus Fakto)
Lab. Supervisor

ภาคผนวกที่ 3-3

ใบรายงานผลการตรวจวิเคราะห์คุณภาพน้ำทิ้ง



PACIFIC

LABORATORY CO., LTD.

Pacific Laboratory Co., Ltd.

14/5358 Moo 14 Tambol Bang Bua Thong

Amphoe Bang Bua Thong, Nonthaburi 11110

Tel. : 0-2045-2446-7 Fax. : 0-2045-3991

ANALYSIS REPORT

Analysis No. : Lab-W 198/2568

Job No. : PCL 0560-01/68

Report Date : January 21, 2025

Customer Name : โครงการ โรงแรมทยะ ของบริษัท ทยชาติ จำกัด

Address : เลขที่ 888 ซอยพัฒนาการ 42 ถนนพัฒนาการ แขวงพัฒนาการ เขตสวนหลวง กรุงเทพมหานคร 10250

Sampling Point : บ่อพักน้ำสุดท้ายก่อนปล่อยออกสู่ท่อสาธารณะ

GPS. Coordinate : UTM 47 P 0676193 E, 1519147 N

Sampling Date : January 6, 2025

Sampling Method : แบบจ้วง

Received Date : January 7, 2025

Sampling Type : Waste Water

Analytical Date : January 7-21, 2025

Sampling By : Mr. Thanakorn Lanan

Sampling Time : 11:54 a.m.

Analyzed By : Pacific Laboratory Co., Ltd./

Sample ID No. : 061/03/68

United Analyst and Engineering Consultant Co., Ltd.

Item	Parameter	Unit	Method of Analysis ^[1]	Result	Standard ^{1/}	Evaluation
1.	pH (at 25 °C)	-	Electrometric Method (4500-H ⁺ B.)	7.8	5.5-9.0	pass
2.	Biochemical Oxygen Demand	mg/l	5-Day BOD Test, Azide Modification Method (5210 B. & 4500-O C.)	12.6	≤30	pass
3.	Total Suspended Solids	mg/l	Dried at 103-105 °C (2540 D.)	14.7	≤40	pass
4.	Settleable Solids	ml/l	Settleable Solids Method (2540 F.)	0.1	-	-
5.	Total Dissolved Solids	mg/l	Dried at 103-105 °C	498	≤1000	pass
6.	Oil & Grease	mg/l	Liquid- Liquid, Partition-Gravimetric Method (5520 B.)	<5	≤20	pass
7.	Sulfide	mg/l	Iodometric Method (4500-S ²⁻ F.)	<1	≤1.0	pass
8.	Fecal Coliform Bacteria	MPN/100ml	Multiple-Tube Fermentation Technique	>160,000 ^{2/}	-	-
9.	Total Kjeldahl Nitrogen	mg/l	Kjeldahl Method	13.6 ^{2/}	≤35	pass
Sample Condition				เหลือใส มีตะกอน	-	-

Remark : 1. ^[1] Standard Methods for Examination of water and wastewater, APHA, AWWA, WEF, 24th Edition (2023)2. ^{1/} ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่องกำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด พ.ศ. 2567 (ลงวันที่ 28 มิถุนายน พ.ศ. 2567) (อาคารประเภท ข)3. ^{2/} วิเคราะห์โดย บริษัท ยูโนเด็ค แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด

4. ค่า TDS ในใบรายงานผลนี้คือค่า TDS น้ำเสียที่กลับกับค่า TDS น้ำใช้แล้ว (ค่า TDS ในน้ำใช้ปกติ = 194 mg/l)



(Mr. Rnus Fakto)

Lab. Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

Page 1/1



PACIFIC

LABORATORY CO., LTD.

Pacific Laboratory Co., Ltd.

14/5358 Moo 14 Tambol Bang Bua Thong

Amphoe Bang Bua Thong, Nonthaburi 11110

Tel. : 0-2045-2446-7 Fax. : 0-2045-3991

ANALYSIS REPORT

Analysis No. : Lab-W 200/2568
Job No. : PCL 0560-02/68
Report Date : February 21, 2025

Customer Name : โครงการ โรงแรมทยะ ของบริษัท ทยชาติ จำกัด
Address : เลขที่ 888 ซอยพัฒนาการ 42 ถนนพัฒนาการ แขวงพัฒนาการ เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : บ่อกักน้ำสุดท้ายก่อนปล่อยออกสู่ท่อสาธารณะ
GPS. Coordinate : UTM 47 P 0676193 E, 1519147 N
Sampling Method : แบบจ้วง
Sampling Type : Waste Water
Sampling By : Mr. Thanakorn Lanan
Analyzed By : Pacific Laboratory Co., Ltd./
United Analyst and Engineering Consultant Co., Ltd.

Sampling Date : February 6, 2025
Received Date : February 7, 2025
Analytical Date : February 7-21, 2025
Sampling Time : 11:58 a.m.
Sample ID No. : 064/03/68

Item	Parameter	Unit	Method of Analysis ^[1]	Result	Standard ^{1/}	Evaluation
1.	pH (at 25 °C)	-	Electrometric Method (4500-H ⁺ B.)	7.7	5.5-9.0	pass
2.	Biochemical Oxygen Demand	mg/l	5-Day BOD Test, Azide Modification Method (5210 B. & 4500-O C.)	15.0	≤30	pass
3.	Total Suspended Solids	mg/l	Dried at 103-105 °C (2540 D.)	12.2	≤40	pass
4.	Settleable Solids	ml/l	Settleable Solids Method (2540 F.)	0.1	-	-
5.	Total Dissolved Solids	mg/l	Dried at 103-105 °C	506	≤1000	pass
6.	Oil & Grease	mg/l	Liquid- Liquid, Partition-Gravimetric Method (5520 B.)	<5	≤20	pass
7.	Sulfide	mg/l	Iodometric Method (4500-S ²⁻ F.)	<1	≤1.0	pass
8.	Fecal Coliform Bacteria	MPN/100ml	Multiple-Tube Fermentation Technique	>160,000 ^{2/}	-	-
9.	Total Kjeldahl Nitrogen	mg/l	Kjeldahl Method	10.5 ^{2/}	≤35	pass
Sample Condition				เหลือใส มีตะกอน	-	-

Remark : 1. ^[1] Standard Methods for Examination of water and wastewater, APHA, AWWA, WEF, 24th Edition (2023)
2. ^{1/} ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่องกำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด พ.ศ. 2567 (ลงวันที่ 28 มิถุนายน พ.ศ. 2567) (อาคารประเภท ข)
3. ^{2/} วิเคราะห์โดย บริษัท ยูไนเต็ด แอนาไลซิส แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด
4. ค่า TDS ในใบรายงานผลนี้คือค่า TDS น้ำเสียเทียบกับค่า TDS น้ำใช้แล้ว (ค่า TDS ในน้ำใช้ปกติ = 192 mg/l)

PACIFIC LABORATORY CO., LTD.
PCL
(Mr. Rnus Fakto)
Lab. Supervisor



PACIFIC

LABORATORY CO., LTD.

Pacific Laboratory Co., Ltd.

14/5358 Moo 14 Tambol Bang Bua Thong

Amphoe Bang Bua Thong, Nonthaburi 11110

Tel. : 0-2045-2446-7 Fax. : 0-2045-3991

ANALYSIS REPORT

Analysis No. : Lab-W 201/2568
Job No. : PCL 0560-03/68
Report Date : March 21, 2025

Customer Name : โครงการ โรงแรมทยะ ของบริษัท หยชาติ จำกัด
Address : เลขที่ 888 ซอยพัฒนาการ 42 ถนนพัฒนาการ แขวงพัฒนาการ เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : บ่อกักน้ำสุดท้ายก่อนปล่อยออกสู่ท่อสาธารณะ
GPS. Coordinate : UTM 47 P 0676193 E, 1519147 N
Sampling Method : แบบจ้วง
Sampling Type : Waste Water
Sampling By : Mr. Thanakorn Lanan
Analyzed By : Pacific Laboratory Co., Ltd./
United Analyst and Engineering Consultant Co., Ltd.

Sampling Date : March 6, 2025
Received Date : March 7, 2025
Analytical Date : March 7-21, 2025
Sampling Time : 12:03 a.m.
Sample ID No. : 067/03/68

Item	Parameter	Unit	Method of Analysis ^[1]	Result	Standard ^{1/}	Evaluation
1.	pH (at 25 °C)	-	Electrometric Method (4500-H ⁺ B.)	7.8	5.5-9.0	pass
2.	Biochemical Oxygen Demand	mg/l	5-Day BOD Test, Azide Modification Method (5210 B. & 4500-O C.)	14.8	≤30	pass
3.	Total Suspended Solids	mg/l	Dried at 103-105 °C (2540 D.)	13.6	≤40	pass
4.	Settleable Solids	ml/l	Settleable Solids Method (2540 F.)	0.1	-	-
5.	Total Dissolved Solids	mg/l	Dried at 103-105 °C	498	≤1000	pass
6.	Oil & Grease	mg/l	Liquid- Liquid, Partition-Gravimetric Method (5520 B.)	<5	≤20	pass
7.	Sulfide	mg/l	Iodometric Method (4500-S ²⁻ F.)	<1	≤1.0	pass
8.	Fecal Coliform Bacteria	MPN/100ml	Multiple-Tube Fermentation Technique	>160,000 ^{2/}	-	-
9.	Total Kjeldahl Nitrogen	mg/l	Kjeldahl Method	11.1 ^{2/}	≤35	pass
Sample Condition				เหลือใส มีตะกอน	-	-

Remark : 1. ^[1] Standard Methods for Examination of water and wastewater, APHA, AWWA, WEF, 24th Edition (2023)
2. ^{1/} ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่องกำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด พ.ศ. 2567 (ลงวันที่ 28 มิถุนายน พ.ศ. 2567) (อาคารประเภท ข)
3. ^{2/} วิเคราะห์โดย บริษัท ยูนิเทค แอนนาลิซิส แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด
4. ค่า TDS ในใบรายงานผลนี้คือค่า TDS น้ำเสียที่กลบกับค่า TDS น้ำใช้แล้ว (ค่า TDS ในน้ำใช้ปกติ = 188 mg/l)



(Mr. Rnus Fakto)
Lab. Supervisor

ANALYSIS REPORT

Analysis No. : Lab-W 270/2568
Job No. : PCL 0560-04/68
Report Date : April 21, 2025

Customer Name : โครงการ โรงแรมทยะ ของบริษัท ทยชาติ จำกัด
Address : เลขที่ 888 ซอยพัฒนาการ 42 ถนนพัฒนาการ แขวงพัฒนาการ เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : บ่อกักน้ำสุดท้ายก่อนปล่อยออกสู่ท่อสาธารณะ
GPS. Coordinate : UTM 47 P 0676193 E, 1519147 N
Sampling Method : แบบจ้วง
Sampling Type : Waste Water
Sampling By : Mr. Thanakorn Lanan
Analyzed By : Pacific Laboratory Co., Ltd./
United Analyst and Engineering Consultant Co., Ltd.

Sampling Date : April 2, 2025
Received Date : April 3, 2025
Analytical Date : April 3-21, 2025
Sampling Time : 11:05 a.m.
Sample ID No. : 023/04/68

Item	Parameter	Unit	Method of Analysis ^[1]	Result	Standard ^{1/}	Evaluation
1.	pH (at 25 °C)	-	Electrometric Method (4500-H ⁺ B.)	7.6	5.5-9.0	pass
2.	Biochemical Oxygen Demand	mg/l	5-Day BOD Test, Azide Modification Method (5210 B. & 4500-O C.)	7.2	≤30	pass
3.	Total Suspended Solids	mg/l	Dried at 103-105 °C (2540 D.)	10.0	≤40	pass
4.	Settleable Solids	ml/l	Settleable Solids Method (2540 F.)	<0.1	-	-
5.	Total Dissolved Solids	mg/l	Dried at 103-105 °C	512	≤1000	pass
6.	Oil & Grease	mg/l	Liquid- Liquid, Partition-Gravimetric Method (5520 B.)	<5	≤20	pass
7.	Sulfide	mg/l	Iodometric Method (4500-S ²⁻ F.)	<1	≤1.0	pass
8.	Fecal Coliform Bacteria	MPN/100ml	Multiple-Tube Fermentation Technique	4,900	-	-
9.	Total Kjeldahl Nitrogen	mg/l	Kjeldahl Method	6.1	≤35	pass
Sample Condition				เหลือใส มีตะกอน	-	-

Remark : 1. ^[1] Standard Methods for Examination of water and wastewater, APHA, AWWA, WEF, 24th Edition (2023)
2. ^{1/} ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่องกำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด พ.ศ. 2567 (ลงวันที่ 28 มิถุนายน พ.ศ. 2567) (อาคารประเภท ข)
3. ^{2/} วิเคราะห์โดย บริษัท ยูนิเทค แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด
4. ค่า TDS ในใบรายงานผลนี้คือค่า TDS น้ำเสียเทียบกับค่า TDS น้ำใช้แล้ว (ค่า TDS ในน้ำใช้ปกติ = 188 mg/l)



(Mr. Rnus Fakto)
Lab. Supervisor



PACIFIC

LABORATORY CO., LTD.

Pacific Laboratory Co., Ltd.

14/5358 Moo 14 Tambol Bang Bua Thong

Amphoe Bang Bua Thong, Nonthaburi 11110

Tel. : 0-2045-2446-7 Fax. : 0-2045-3991

ANALYSIS REPORT

Analysis No. : Lab-W 370/2568
Job No. : PCL 0560-05/68
Report Date : May 21, 2025

Customer Name : โครงการ โรงแรมทยะ ของบริษัท ทยชาติ จำกัด
Address : เลขที่ 888 ซอยพัฒนาการ 42 ถนนพัฒนาการ แขวงพัฒนาการ เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : บ่อกักน้ำสุดท้ายก่อนปล่อยออกสู่ท่อสาธารณะ
GPS. Coordinate : UTM 47 P 0676193 E, 1519147 N
Sampling Method : แบบจ้วง
Sampling Type : Waste Water
Sampling By : Mr. Thanakorn Lanan
Analyzed By : Pacific Laboratory Co., Ltd./
United Analyst and Engineering Consultant Co., Ltd.

Sampling Date : May 5, 2025
Received Date : May 6, 2025
Analytical Date : May 6-21, 2025
Sampling Time : 11:04 a.m.
Sample ID No. : 091/05/68

Item	Parameter	Unit	Method of Analysis ^[1]	Result	Standard ^{1/}	Evaluation
1.	pH (at 25 °C)	-	Electrometric Method (4500-H ⁺ B.)	7.6	5.5-9.0	pass
2.	Biochemical Oxygen Demand	mg/l	5-Day BOD Test, Azide Modification Method (5210 B. & 4500-O C.)	5.0	≤30	pass
3.	Total Suspended Solids	mg/l	Dried at 103-105 °C (2540 D.)	<10	≤40	pass
4.	Settleable Solids	ml/l	Settleable Solids Method (2540 F.)	<0.1	-	-
5.	Total Dissolved Solids	mg/l	Dried at 103-105 °C	240	≤1000	pass
6.	Oil & Grease	mg/l	Liquid- Liquid, Partition-Gravimetric Method (5520 B.)	<5	≤20	pass
7.	Sulfide	mg/l	Iodometric Method (4500-S ²⁻ F.)	<1	≤1.0	pass
8.	Fecal Coliform Bacteria	MPN/100ml	Multiple-Tube Fermentation Technique	>160,000 ^{2/}	-	-
9.	Total Kjeldahl Nitrogen	mg/l	Kjeldahl Method	2.7 ^{2/}	≤35	pass
Sample Condition				เหลือใส มีตะกอน	-	-

Remark : 1. ^[1] Standard Methods for Examination of water and wastewater, APHA, AWWA, WEF, 24th Edition (2023)
2. ^{1/} ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่องกำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด พ.ศ. 2567 (ลงวันที่ 28 มิถุนายน พ.ศ. 2567) (อาคารประเภท ข)
3. ^{2/} วิเคราะห์โดย บริษัท ยูโนเด็ค แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด
4. ค่า TDS ในใบรายงานผลนี้คือค่า TDS น้ำเสียที่กลับกับค่า TDS น้ำใช้แล้ว (ค่า TDS ในน้ำใช้ปกติ = 180 mg/l)

PACIFIC LABORATORY CO., LTD.
PCL
(Mr. Rnus Faktu)
Lab. Supervisor



PACIFIC

LABORATORY CO., LTD.

Pacific Laboratory Co., Ltd.

14/5358 Moo 14 Tambol Bang Bua Thong

Amphoe Bang Bua Thong, Nonthaburi 11110

Tel. : 0-2045-2446-7 Fax. : 0-2045-3991

ANALYSIS REPORT

Analysis No. : Lab-W 485/2568
Job No. : PCL 0560-06/68
Report Date : June 16, 2025

Customer Name : โครงการ โรงแรมทยะ ของบริษัท ทยชาติ จำกัด
Address : เลขที่ 888 ซอยพัฒนาการ 42 ถนนพัฒนาการ แขวงพัฒนาการ เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : บ่อกักน้ำสุดท้ายก่อนปล่อยออกสู่ท่อสาธารณะ
GPS. Coordinate : UTM 47 P 0676193 E, 1519147 N
Sampling Method : แบบจ้วง
Sampling Type : Waste Water
Sampling By : Mr. Thanakorn Lanan
Analyzed By : Pacific Laboratory Co., Ltd./
United Analyst and Engineering Consultant Co., Ltd.

Sampling Date : June 3, 2025
Received Date : June 4, 2025
Analytical Date : June 4-16, 2025
Sampling Time : 08:59 a.m.
Sample ID No. : 039/06/68

Item	Parameter	Unit	Method of Analysis ^[1]	Result	Standard ^{1/}	Evaluation
1.	pH (at 25 °C)	-	Electrometric Method (4500-H ⁺ B.)	7.5	5.5-9.0	pass
2.	Biochemical Oxygen Demand	mg/l	5-Day BOD Test, Azide Modification Method (5210 B. & 4500-O C.)	6.0	≤30	pass
3.	Total Suspended Solids	mg/l	Dried at 103-105 °C (2540 D.)	<10	≤40	pass
4.	Settleable Solids	ml/l	Settleable Solids Method (2540 F.)	<0.1	-	-
5.	Total Dissolved Solids	mg/l	Dried at 103-105 °C	288	≤1000	pass
6.	Oil & Grease	mg/l	Liquid- Liquid, Partition-Gravimetric Method (5520 B.)	<5	≤20	pass
7.	Sulfide	mg/l	Iodometric Method (4500-S ²⁻ F.)	<1	≤1.0	pass
8.	Fecal Coliform Bacteria	MPN/100ml	Multiple-Tube Fermentation Technique	>54,000 ^{2/}	-	-
9.	Total Kjeldahl Nitrogen	mg/l	Kjeldahl Method	2.7 ^{2/}	≤35	pass
Sample Condition				เหลืองใส มีตะกอน	-	-

Remark : 1. ^[1] Standard Methods for Examination of water and wastewater, APHA, AWWA, WEF, 24th Edition (2023)
2. ^{1/} ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่องกำหนดมาตรฐานควบคุมการระบายน้ำทิ้งจากอาคารบางประเภทและบางขนาด พ.ศ. 2567 (ลงวันที่ 28 มิถุนายน พ.ศ. 2567) (อาคารประเภท ข)
3. ^{2/} วิเคราะห์โดย บริษัท ยูโนเด็ค แอนาไลซิส แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด
4. ค่า TDS ในใบรายงานผลนี้คือค่า TDS น้ำเสียที่กลับกับค่า TDS น้ำใช้แล้ว (ค่า TDS ในน้ำใช้ปกติ = 204 mg/l)

PACIFIC LABORATORY CO., LTD.
(Mr. Rnus Fakto)
Lab. Supervisor

ภาคผนวกที่ 3-4
ใบรายงานผลการตรวจวิเคราะห์คุณภาพน้ำใสระวายนน้ำ



PACIFIC

LABORATORY CO., LTD.

Pacific Laboratory Co., Ltd.

14/5358 Moo 14 Tambol Bang Bua Thong

Amphoe Bang Bua Thong, Nonthaburi 11110

Tel. : 0-2045-2446-7, Fax. : 0-2045-3991

ANALYSIS REPORT

Analysis No. : Lab-W 198/2568

Job No. : PCL 0560-01/68

Report Date : January 21, 2025

Customer Name : โครงการ โรงแรมทยะ ของบริษัท ทยชาติ จำกัด
Address : เลขที่ 888 ซอยพัฒนาการ 42 ถนนพัฒนาการ แขวงพัฒนาการ เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : น้ำสระว่ายน้ำ
Sampling Time : 11:36 a.m. Sampling Date : January 6, 2025
Sampling Method : แบบจ้วง Received Date : January 7, 2025
Sampling Type : Swimming Pool Water Analytical Date : January 7-21, 2025
Sampling By : Mr. Thanakorn Lanan Sampling ID No. : 063/03/68
Analyzed By : United Analyst and Engineering Consultant Co., Ltd.

Item	Parameter	Unit	Method of Analysis ^[1]	Result	Standard ^{1/}
1.	Total Coliform Bacteria	MPN/100ml	Multiple-Tube Fermentation Technique	<1.1 ^{2/}	≤10
2.	Fecal Coliform Bacteria	MPN/100ml	Presence-Absence (P-A) Coliform Test	ND ^{2/}	ตรวจไม่พบ
Sample Condition				ใส	

Remark : 1. ^[1] Based on Standard methods for the Examination of Water and Wastewater, APHA, AWWA, WEF. Edition 24th 2023
2. ^{1/} ค่าแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่นๆในทำนองเดียวกัน
3. ^{2/} วิเคราะห์โดย บริษัท ยูโนเต็ด แอนาไลซิส แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด
4. <1.8 หมายถึง ตรวจไม่พบโดยเป็นไปตามการรายงานตาม Standard Method
ND = NOT DETECTED

PACIFIC LABORATORY CO., LTD.
(Mr. Rnus Fakto)
Lab. Supervisor



PACIFIC

LABORATORY CO., LTD.

Pacific Laboratory Co., Ltd.

14/5358 Moo 14 Tambol Bang Bua Thong

Amphoe Bang Bua Thong, Nonthaburi 11110

Tel. : 0-2045-2446-7, Fax. : 0-2045-3991

ANALYSIS REPORT

Analysis No. : Lab-W 200/2568
Job No. : PCL 0560-02/68
Report Date : February 21, 2025

Customer Name : โครงการ โรงแรมทยะ ของบริษัท ทยชาติ จำกัด
Address : เลขที่ 888 ซอยพัฒนาการ 42 ถนนพัฒนาการ แขวงพัฒนาการ เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : น้ำสระว่ายน้ำ
Sampling Time : 11:37 a.m. Sampling Date : February 6, 2025
Sampling Method : แบบจ้วง Received Date : February 7, 2025
Sampling Type : Swimming Pool Water Analytical Date : February 7-21, 2025
Sampling By : Mr. Thanakorn Lanan Sampling ID No. : 066/03/68
Analyzed By : United Analyst and Engineering Consultant Co., Ltd.

Item	Parameter	Unit	Method of Analysis ^[1]	Result	Standard ^{1/}
1.	Total Coliform Bacteria	MPN/100ml	Multiple-Tube Fermentation Technique	<1.1 ^{2/}	≤10
2.	Fecal Coliform Bacteria	MPN/100ml	Presence-Absence (P-A) Coliform Test	ND ^{2/}	ตรวจไม่พบ
Sample Condition				ใส	

Remark : 1. ^[1] Based on Standard methods for the Examination of Water and Wastewater, APHA, AWWA, WEF. Edition 24th 2023
2. ^{1/} ค่าแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่นๆในทำนองเดียวกัน
3. ^{2/} วิเคราะห์โดย บริษัท ยูโนเต็ด แอนาไลซิส แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด
4. <1.8 หมายถึง ตรวจไม่พบโดยเป็นไปตามการรายงานตาม Standard Method
ND = NOT DETECTED

PACIFIC LABORATORY CO., LTD.

(Mr. Rhus Fakto)
Lab. Supervisor



PACIFIC

LABORATORY CO., LTD.

Pacific Laboratory Co., Ltd.

14/5358 Moo 14 Tambol Bang Bua Thong

Amphoe Bang Bua Thong, Nonthaburi 11110

Tel. : 0-2045-2446-7, Fax. : 0-2045-3991

ANALYSIS REPORT

Analysis No. : Lab-W 201/2568

Job No. : PCL 0560-03/68

Report Date : March 21, 2025

Customer Name : โครงการ โรงแรมทยะ ของบริษัท ทยชาติ จำกัด
Address : เลขที่ 888 ซอยพัฒนาการ 42 ถนนพัฒนาการ แขวงพัฒนาการ เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : น้ำสระว่ายน้ำ
Sampling Time : 11:38 a.m. Sampling Date : March 6, 2025
Sampling Method : แบบจ้วง Received Date : March 7, 2025
Sampling Type : Swimming Pool Water Analytical Date : March 7-21, 2025
Sampling By : Mr. Thanakorn Lanan Sampling ID No. : 069/03/68
Analyzed By : United Analyst and Engineering Consultant Co., Ltd.

Item	Parameter	Unit	Method of Analysis ^[1]	Result	Standard ^{1/}
1.	Total Coliform Bacteria	MPN/100ml	Multiple-Tube Fermentation Technique	<1.1 ^{2/}	≤10
2.	Fecal Coliform Bacteria	MPN/100ml	Presence-Absence (P-A) Coliform Test	ND ^{2/}	ตรวจไม่พบ
Sample Condition				ใส	

Remark : 1. ^[1] Based on Standard methods for the Examination of Water and Wastewater, APHA, AWWA, WEF. Edition 24th 2023
2. ^{1/} ค่าแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่นๆในทำนองเดียวกัน
3. ^{2/} วิเคราะห์โดย บริษัท ยูโนเต็ด แอนาไลซิส แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด
4. <1.8 หมายถึง ตรวจไม่พบโดยเป็นไปตามการรายงานตาม Standard Method
ND = NOT DETECTED

PACIFIC LABORATORY CO., LTD.
PCL
(Mr. Rnus Fakto)
Lab. Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY



PACIFIC

LABORATORY CO., LTD.

Pacific Laboratory Co., Ltd.

14/5358 Moo 14 Tambol Bang Bua Thong

Amphoe Bang Bua Thong, Nonthaburi 11110

Tel. : 0-2045-2446-7, Fax. : 0-2045-3991

ANALYSIS REPORT

Analysis No. : Lab-W 270/2568

Job No. : PCL 0560-04/68

Report Date : April 21, 2025

Customer Name : โครงการ โรงแรมทยะ ของบริษัท ทยชาติ จำกัด
Address : เลขที่ 888 ซอยพัฒนาการ 42 ถนนพัฒนาการ แขวงพัฒนาการ เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : น้ำสระว่ายน้ำ
Sampling Time : 11:30 a.m. Sampling Date : April 2, 2025
Sampling Method : แบบจ้วง Received Date : April 3, 2025
Sampling Type : Swimming Pool Water Analytical Date : April 3-21, 2025
Sampling By : Mr. Thanakorn Lanan Sampling ID No. : 025/04/68
Analyzed By : United Analyst and Engineering Consultant Co., Ltd.

Item	Parameter	Unit	Method of Analysis ^[1]	Result	Standard ^{1/}
1.	Total Coliform Bacteria	MPN/100ml	Multiple-Tube Fermentation Technique	<1.1 ^{2/}	≤10
2.	Fecal Coliform Bacteria	MPN/100ml	Presence-Absence (P-A) Coliform Test	ND ^{2/}	ตรวจไม่พบ
Sample Condition				ใส	

Remark : 1. ^[1] Based on Standard methods for the Examination of Water and Wastewater, APHA, AWWA, WEF. Edition 24th 2023
2. ^{1/} ค่าแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่นๆในทำนองเดียวกัน
3. ^{2/} วิเคราะห์โดย บริษัท ยูไนเต็ด แอนาไลซิส แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด
4. <1.8 หมายถึง ตรวจไม่พบโดยเป็นไปตามการรายงานตาม Standard Method
ND = NOT DETECTED



(Mr. Rnus Fakto)

Lab. Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY



PACIFIC

LABORATORY CO., LTD.

Pacific Laboratory Co., Ltd.

14/5358 Moo 14 Tambol Bang Bua Thong

Amphoe Bang Bua Thong, Nonthaburi 11110

Tel. : 0-2045-2446-7, Fax. : 0-2045-3991

ANALYSIS REPORT

Analysis No. : Lab-W 370/2568

Job No. : PCL 0560-05/68

Report Date : May 21, 2025

Customer Name : โครงการ โรงแรมทยะ ของบริษัท ทยชาติ จำกัด

Address : เลขที่ 888 ซอยพัฒนาการ 42 ถนนพัฒนาการ แขวงพัฒนาการ เขตสวนหลวง กรุงเทพมหานคร 10250

Sampling Point : น้ำสระว่ายน้ำ

Sampling Time : 10:54 a.m.

Sampling Date : May 5, 2025

Sampling Method : แบบจ้วง

Received Date : May 6, 2025

Sampling Type : Swimming Pool Water

Analytical Date : May 6-21, 2025

Sampling By : Mr. Thanakorn Lanan

Sampling ID No. : 069/03/68

Analyzed By : United Analyst and Engineering Consultant Co., Ltd.

Item	Parameter	Unit	Method of Analysis ^[1]	Result	Standard ^{1/}
1.	Total Coliform Bacteria	MPN/100ml	Multiple-Tube Fermentation Technique	<1.1 ^{2/}	≤10
2.	Fecal Coliform Bacteria	MPN/100ml	Presence-Absence (P-A) Coliform Test	ND ^{2/}	ตรวจไม่พบ
Sample Condition				ใส	

Remark : 1. ^[1] Based on Standard methods for the Examination of Water and Wastewater, APHA, AWWA, WEF. Edition 24th 2023
2. ^{1/} ค่าแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่นๆในทำนองเดียวกัน
3. ^{2/} วิเคราะห์โดย บริษัท ยูโนเด็ค แอนาไลสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด
4. <1.1 หมายถึง ตรวจไม่พบโดยเป็นไปตามการรายงานตาม Standard Method
ND = NOT DETECTED

PACIFIC LABORATORY CO., LTD.

(Mr. Rnus Fakto)
Lab. Supervisor



PACIFIC

LABORATORY CO., LTD.

Pacific Laboratory Co., Ltd.

14/5358 Moo 14 Tambol Bang Bua Thong

Amphoe Bang Bua Thong, Nonthaburi 11110

Tel. : 0-2045-2446-7, Fax. : 0-2045-3991

ANALYSIS REPORT

Analysis No. : Lab-W 485/2568

Job No. : PCL 0560-06/68

Report Date : June 16, 2025

Customer Name : โครงการ โรงแรมทยะ ของบริษัท ทยชาติ จำกัด
Address : เลขที่ 888 ซอยพัฒนาการ 42 ถนนพัฒนาการ แขวงพัฒนาการ เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : น้ำสระว่ายน้ำ
Sampling Time : 09:03 a.m. Sampling Date : June 3, 2025
Sampling Method : แบบจ้วง Received Date : June 4, 2025
Sampling Type : Swimming Pool Water Analytical Date : June 4-16, 2025
Sampling By : Mr. Thanakorn Lanan Sampling ID No. : 041/06/68
Analyzed By : United Analyst and Engineering Consultant Co., Ltd.

Item	Parameter	Unit	Method of Analysis ^[1]	Result	Standard ^{1/}
1.	Total Coliform Bacteria	MPN/100ml	Multiple-Tube Fermentation Technique	<1.1 ^{2/}	≤10
2.	Fecal Coliform Bacteria	MPN/100ml	Presence-Absence (P-A) Coliform Test	ND ^{2/}	ตรวจไม่พบ
Sample Condition				ใส	

Remark : 1. ^[1] Based on Standard methods for the Examination of Water and Wastewater, APHA, AWWA, WEF. Edition 24th 2023
2. ^{1/} ค่าแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่นๆในทำนองเดียวกัน
3. ^{2/} วิเคราะห์โดย บริษัท ยูโนเด็ค แอนาไลซิส แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด
4. <1.1 หมายถึง ตรวจไม่พบโดยเป็นไปตามการรายงานตาม Standard Method
ND = NOT DETECTED

PACIFIC LABORATORY CO., LTD.
PCL
(Mr. Rnus Fakto)
Lab. Supervisor

ภาคผนวกที่ 4
เอกสารรับรองห้องปฏิบัติการวิเคราะห์เอกชน



๘ กุมภาพันธ์ ๒๕๖๗

เรื่อง ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท แปซิฟิก แลบบอราตอรี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๗ ตุลาคม ๒๕๖๖

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท แปซิฟิก แลบบอราตอรี จำกัด จำนวน ๒ แผ่น

ตามหนังสือที่อ้างถึง บริษัท แปซิฟิก แลบบอราตอรี จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน
เลขทะเบียน ว-๒๗๒ สถานที่ตั้งเลขที่ ๑๔/๕๓๕๘ หมู่ที่ ๑๔ ตำบลบางบัวทอง อำเภอบางบัวทอง จังหวัดนนทบุรี
ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท แปซิฟิก แลบบอราตอรี จำกัด ต่ออายุหนังสือ
รับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์

๑) นายอานัส พิโกโต

ทะเบียนเลขที่ ว-๒๗๒-ค-๐๐๐๑

๒) นางสาวสุกฤตา ศุภรส

ทะเบียนเลขที่ ว-๒๗๒-ค-๐๐๐๒

๓) นายโอชา บุญเชิด

ทะเบียนเลขที่ ว-๒๗๒-ค-๐๐๐๓

๔) นางสาวจุฑามาส พุ่มทิม

ทะเบียนเลขที่ ว-๒๗๒-ค-๐๐๐๔

๕) นางสาววิภาวรรณ โพธิ์ศรี

ทะเบียนเลขที่ ว-๒๗๒-ค-๐๐๐๕

๖) นางสาวชุติมา พรายงาม

ทะเบียนเลขที่ ว-๒๗๒-ค-๐๐๐๖

๗) นายสรารุช นิลนิตย

ทะเบียนเลขที่ ว-๒๗๒-ค-๐๐๐๗

๘) นางสาวอโณทัย สืบเนื่อง

ทะเบียนเลขที่ ว-๒๗๒-ค-๐๐๐๘

๙) นางสาวนิสาร์ตัน พุ่มสวัสดิ์

ทะเบียนเลขที่ ว-๒๗๒-ค-๐๐๐๙

๑๐) ว่าที่ร้อยตรีศราวุธ นิมนวล

ทะเบียนเลขที่ ว-๒๗๒-ค-๐๐๑๐

๑๑) นายสงกรานต์ ดวงใส

ทะเบียนเลขที่ ว-๒๗๒-ค-๐๐๑๑

ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์

๑) นายธนากรณ์ หานันท์

ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๐๑

๒) นางสาววาสนา เจริญตา

ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๐๒

๓) นายศิริพงษ์ ทองเกตุ

ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๐๓

๔) นางสาวอุทัยทิพย์ ประจันศรี

ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๐๔

๕) นางสาวอรชฎา พลธิราช

ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๐๕

๖) นางสาวไอลดา มาราวี

ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๐๖

๗) นางสาวศศิวรรณ เสวยราช

ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๐๗

๘) นายสุรศักดิ์ เสาสูง

ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๐๘

๙) นายอริญชัย แสงจันทร์

ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๐๙

๑๐) นางสาวนัตตา เกษดี	ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๑๐
๑๑) นางสาวภริมย์ญา อาดำ	ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๑๑
๑๒) นางสาวเจนจิรา สุขขำ	ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๑๒
๑๓) นายสุเมธ ภาที	ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๑๓
๑๔) นายอนุชา นุชแป้น	ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๑๔
๑๕) นางสาวนิลวรรณ มาแจ้ง	ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๑๕
๑๖) นายจรรุวัฒน์ หนักแน่น	ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๑๖
๑๗) นายพงศธร คัมภีร์	ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๑๗
๑๘) นางสาวณัฐธิดา สุขสีทอง	ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๑๘
๑๙) นางสาวนิตยา เห่งกระโทก	ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๑๙
๒๐) นางสาวกัญญารัตน์ ทวีคุณ	ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๒๐

ค. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำเสีย น้ำใต้ดิน อากาศเสีย และสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว ตามสิ่งที่ส่งมาด้วย

หนังสือฉบับนี้จะหมดอายุในวันที่ ๑๖ พฤศจิกายน ๒๕๖๙ หากประสงค์จะต่ออายุหนังสือ รับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน สามารถยื่นคำขอผ่านระบบอิเล็กทรอนิกส์ได้ที่หน้าเว็บไซต์ กรมโรงงานอุตสาหกรรม

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายประสม ดำรงพงษ์)

ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน
ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท แปซิฟิค แลборาตอรี จำกัด

เลขทะเบียน ว-๒๗๒

ที่ ออก ๐๓๑๐(๑)/๑๑๖๕

ลงวันที่ ๐๘ กุมภาพันธ์ ๒๕๖๗

ขอขยายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๒๒ รายการ
น้ำเสีย จำนวน 11 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Biochemical Oxygen Demand	5-Day BOD Test, Azide Modification Method ^[3]
2	Chemical Oxygen Demand	Closed Reflux, Colorimetric Method ^[3]
3	Color	ADMI Weighted-Ordinate Spectrophotometric Method ^[3]
4	Free Chlorine	Iodometric Method ^[3]
5	Hexavalent Chromium	Colorimetric Method ^[3]
6	Oil & Grease	Liquid-Liquid, Partition-Gravimetric Method ^[3]
7	pH	Electrometric Method ^[3]
8	Sulfide	Iodometric Method ^[3]
9	Temperature	Laboratory and Field Methods ^[3]
10	Total Dissolved Solids	Dried at 180 °C ^[3]
11	Total Suspended Solids	Dried from 103 to 105 °C ^[3]

น้ำใต้ดิน จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	pH	Electrometric Method ^[3]

อากาศเสีย (ปล่องระบาย) จำนวน 9 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Carbon monoxide	Instrumental Analyzer Method ^[4]
2	Cresol	Adsorption Sampling, Gas Chromatographic Method ^[4]
3	Hydrogen Sulfide	Absorption Sampling, Iodometric Method
4	Opacity	Ringelmann's Method ^[2]
5	Oxides of Nitrogen	Absorption Sampling, Phenoldisulfonic acid Method ^[4]
6	Sulfur Dioxide	Absorption Sampling, Barium-Thorin Titrimetric Method ^[4]
7	Sulfuric Acid	Isokinetic Sampling, Barium-Thorin Titrimetric Method ^[4]
8	Total Suspended Particulate	Isokinetic Sampling, Gravimetric Method ^[4]
9	Xylene	Adsorption Sampling, Gas Chromatographic Method ^[4]

สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	pH	Electrometric Method ^[1,5,6,7] วิธีวัด

เอกสารอ้างอิง

1. กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2566. เรื่อง การจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว.ราชกิจจานุเบกษา. 31 พฤษภาคม 2566. เล่มที่ 140 ตอนพิเศษ 126ง.
2. กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณเขม่าควันที่เจือปนในอากาศที่ระบายออกจากปล่องของหม้อน้ำโรงสีข้าวที่ใช้กลบเป็นเชื้อเพลิง.ราชกิจจานุเบกษา. 4 ธันวาคม 2549. เล่มที่ 123 ตอนพิเศษ 125ง.
3. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater**. 24th ed. Washington, DC: APHA, 2023.
4. United States Environmental Protection Agency. **Standards of Performance for New Stationary Sources**. 40 CFR 60. Appendix A, 2023.
5. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. SW-846**, 2014.
6. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **pH Electrometric Measurement. SW-846 Method 9040C**, 2004.
7. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Solid and Waste pH. SW-846 Method 9045D**, 2004.

ที่ อก ๐๓๑๐(๑)/ ๔๗๕๖



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๐ พฤษภาคม ๒๕๖๗

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท แปซิฟิค แลบบอราตอรี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๗ มีนาคม ๒๕๖๗

ตามคำขอที่อ้างถึง บริษัท แปซิฟิค แลบบอราตอรี จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน
เลขทะเบียน ว-๒๗๒ สถานที่ตั้งเลขที่ ๑๔/๕๓๕๕ หมู่ที่ ๑๔ ตำบลบางบัวทอง อำเภอบางบัวทอง จังหวัดนนทบุรี
ขอเปลี่ยนแปลงบุคลากร ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้เพิ่มเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน
จำนวน ๑๓ ราย ได้แก่

๑) นางสาวศุภัตติญา ปันฟู	ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๒๑
๒) นางสาวปัทมา เสรีจตุระ	ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๒๒
๓) นายอิทธิพล สีสไ	ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๒๓
๔) นางสาววิภาดา มาลัย	ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๒๔
๕) นางสาวชนิสรา เจริญพานิช	ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๒๕
๖) นางสาวอนัญญา วาหารักษ์	ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๒๖
๗) นางสาวอุดมพร สีลาทอน	ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๒๗
๘) นายวิฑูรย์ กองเพชร	ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๒๘
๙) นายพีรวัฒน์ วัฒนไ	ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๒๙
๑๐) นายพาทีศ นิยมดุสิต	ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๓๐
๑๑) นายเจนวิทย์ มีปั้น	ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๓๑
๑๒) นายศุภณัฐ ชุมพันธ์	ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๓๒
๑๓) นางสาวอนุธิดา โถน้อย	ทะเบียนเลขที่ ว-๒๗๒-จ-๐๐๓๓

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
ในวันที่ ๑๖ พฤศจิกายน ๒๕๖๙

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายพรยศ กลั่นกรอง)

รองอธิบดี ปฏิบัติราชการแทน

อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



“อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว”



ที่ อก ๐๓๑๐(๑)/ ๑ ๐ ๘ ๙



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

๐๗ กุมภาพันธ์ ๒๕๖๘

เรื่อง ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๓ ธันวาคม ๒๕๖๗

- สิ่งที่ส่งมาด้วย ๑. รายชื่อผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๔๐ ราย
๒. รายชื่อเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๑๔๑ ราย
๓. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม

ตามคำขอที่อ้างถึง บริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด ขอต่ออายุ
หนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๑๔๕ สถานที่ตั้งเลขที่ ๓ ซอยอุดมสุข ๔๑
ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริง
คอนซัลแตนท์ จำกัด ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

- ก. ผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๔๐ ราย ตามสิ่งที่ส่งมาด้วย ๑
ข. เจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๑๔๑ ราย ตามสิ่งที่ส่งมาด้วย ๒
ค. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน อากาศเสีย
สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว และดิน ตามสิ่งที่ส่งมาด้วย ๓

หนังสือฉบับนี้จะหมดอายุในวันที่ ๒ กุมภาพันธ์ ๒๕๗๒ หากประสงค์จะต่ออายุหนังสือ
รับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอต่อกรมโรงงาน
อุตสาหกรรมภายใน ๖๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายธีรทัศน์ อิศรางกูร ณ อยุธยา)

รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

UNITED ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED

นางชภัท

ดำเนินาถูกต้อง

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



“อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว”



เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด เลขทะเบียน ว-๑๔๕

ที่ ออก ๐๓๑๐(๑)/ ๑ ๐ ๘ ๙

ลงวันที่

๐๗ กุมภาพันธ์ ๒๕๖๘

ก. ผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๔๐ ราย

๑) นางสาวกฤชวรรณ ภัทรธีรกุล	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๐๑
๒) นายณรงค์ ฉิมพาลี	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๐๒
๓) นางสาวนันทิตา บุญไสย	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๐๓
๔) นางปิยะพัชร สุทมนัสวงษ์	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๐๔
๕) นางสาวเบญจวรรณ วิริโยทัย	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๐๖
๖) นายพนรัตน์ วงศ์อนุรักษ์ชัย	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๐๗
๗) นางสาวฉวีวรรณ บุญลา	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๐๘
๘) นายสุวิทย์ จอดนอก	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๐๙
๙) นางสาวโชติภา สมบรรณ	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๑๐
๑๐) นางสาวบุษกร เลิศภานุมาศ	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๑๑
๑๑) นางสาววิไลลักษณ์ ศรีสุข	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๑๒
๑๒) นายศิลา บรรจงใจรักษ์	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๑๔
๑๓) นายปฏิกรณ์ คณะนา	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๑๕
๑๔) นายธีรวัฒน์ ขมมิ่ง	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๑๖
๑๕) นางสาวศิริพร ศรีประดิษฐ์	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๑๗
๑๖) นางสาวสาวิตรี รุ่ง	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๑๘
๑๗) นางสาวนพวรรณ อูรารักษ์	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๑๙
๑๘) นายภูชงค์ พานิชย์เลิศอำไพ	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๒๐
๑๙) นายณัฐวัฒน์ แดงสวัสดิ์	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๒๑
๒๐) นายเอกรัตน์ ปละคามินทร์	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๒๒
๒๑) นางสาวนิศาตร์ตัน ศรีสกุลสิทธิโชค	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๒๓
๒๒) นางสาวเจตจรินทร์ ทำสะอาด	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๒๔
๒๓) นางสาวสุวรรณ คงทอง	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๒๕
๒๔) นางสาววรรณ พัดสองชั้น	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๒๖
๒๕) นายวิริยยุทธ โมกแก้ว	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๒๗
๒๖) นายวัชรพงษ์ เทพดนตรี	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๒๘
๒๗) นายอนุศาสน์ สวยดี	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๒๙
๒๘) นายกรวิทย์ เจียศิริสกุล	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๓๐
๒๙) นายสุทธธีระ อรุณจันทร์	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๓๓ พงษ์กมล
๓๐) นางสาวทัศนีย์ อ่อนคำ	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๓๔
๓๑) นางพริ้มพรรณ กอนสิน	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๓๕
๓๒) นายศุภณัฐร์ คุณธนการยูจีน	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๓๖
๓๓) นางสาวศิริภาพร เหมือนแร่	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๓๗
๓๔) นางสาวนัส ขำนิล	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๓๘
๓๕) นางสาวพรณิภา ธีระจินดาชล	ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๓๙

งาน

๓๖) นายนาเคนทร์...

- ๓๖) นายนาเคนทร์ พันธุ์วิชาติกุล
- ๓๗) นายกานต์พงศ์ บุญพวง
- ๓๘) นางสาวธรรมา แก้วซ้อนนอก
- ๓๙) นางสาวสริน ไชยเชษฐ์พิพัฒกุล
- ๔๐) นางมานิดา แยมไย

ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๔๐

ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๔๑

ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๔๒

ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๔๓

ทะเบียนเลขที่ ว-๑๔๕-ค-๐๐๔๔

๓๖



พงษ์เทพ
๓๖
ดำเนินถูกต้อง

๓๖) นางสาวนิภาพร จันทเขตต์	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๔๗
๓๗) นายรณภพ ภูตระกูลพัฒนา	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๔๘
๓๘) นายสมพงศ์ สุกุลไทย	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๕๑
๓๙) นายสุริยัน นิธิเชิดชูวงศ์	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๕๒
๔๐) นายอัษฎาวุธ ยนศิริ	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๕๓
๔๑) นายเอกวุฒิ เสนอใจ	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๕๔
๔๒) นายสุขสันต์ บุญเลี้ยง	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๕๕
๔๓) นายธนเดช ทวานเสนาะ	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๕๖
๔๔) นายอภิสิทธิ์ ศรีคงแก้ว	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๕๘
๔๕) ว่าที่ร้อยตรีอุทัย แก้วรากมุก	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๖๐
๔๖) นางสาววนารินทร์ สานนท์	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๖๑
๔๗) นายศุภกร รินวงศ์	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๖๒
๔๘) นางสาวจินตสุภา เปลี่ยนศรี	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๖๕
๔๙) นางสาวเนตรนภา กมลบูรณ์	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๖๖
๕๐) นางสาวอารียา ทรากรมย์	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๖๗
๕๑) นายจิรวัดน์ สุขเกษม	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๖๘
๕๒) นายกิตติพงษ์ สอนชัยภูมิ	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๖๙
๕๓) นายจุมพล สวนเพชร	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๗๐
๕๔) นางสาวพัชรภรณ์ แสงฟ้า	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๗๑
๕๕) นายรัตนชัย เหล่ามา	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๗๒
๕๖) นายอิทธิพงษ์ ศรีวิเศษ	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๗๓
๕๗) นางสาวกรรณิการ์ สำลีทา	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๗๔
๕๘) นางสาวณัฐชา พรหมศิริ	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๗๙
๕๙) นายณกสิทธิ์ ศรีพิมพ์	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๘๕
๖๐) นางสาวลักขิกา จันทรสุข	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๘๖
๖๑) นายศักดิ์ศิรินทร์ นุ่มนัม	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๘๙
๖๒) นายวรพงษ์ นนทจันทร์	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๙๐
๖๓) นางสาวชนาภา มาคะมาตร	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๙๑
๖๔) นายณัฐชัย พรหมอารักษ์	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๙๖
๖๕) นายชินทร์ พานแก้ว	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๙๗
๖๖) นายปรัชชาพล โสภา	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๙๘
๖๗) นายวัชรินทร์ แสงงาม	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๐๙๙
๖๘) นายอาทิตย์ อุดมผล	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๑๐๑
๖๙) นายอิทธิเดช ใจบุญ	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๑๐๓
๗๐) นายคณิติน พงษ์อัครานุพร	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๑๐๔
๗๑) นายเสกฐวุฒิ เอมกลิ่นบัว	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๑๐๖
๗๒) นางสาวนาตาชา แหวนในเมือง	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๑๐๙
๗๓) นางสาวพิมลวรรณ สิมมา	ทะเบียนเลขที่ ว-๑๔๕-จ-๐๑๑๐



พงษ์ภัท
สำนักงาน

อนุมัติ

๗๔) นายนันทวัฒน์...

๗๔) นายนันท์วัฒน์ วงศ์คำ	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๑๑
๗๕) นายประพันธ์ยุทธ์ เผือกนาง	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๑๒
๗๖) นางสาวศมิษฐา ลำซิด	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๑๓
๗๗) นางสาวนภาพร ชื่นนุกข์	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๑๔
๗๘) นางสาวเบญญา มอม่งคุณ	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๑๕
๗๙) นายอมรพล อมรลักษณ์	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๑๖
๘๐) นางสาวศรีเพชร ทองขาว	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๑๗
๘๑) นางสาวณิชกร ศุภชาติไกรสร	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๑๘
๘๒) นางสาววิมลวรรณ คำตัน	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๑๙
๘๓) นายคุณานนท์ ฤทธาคณานนท์	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๒๓
๘๔) นายชาญณรงค์ อ่ำลอย	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๒๔
๘๕) นางสาวจิตรมาส ศรีวรรณ	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๒๕
๘๖) นายสุจิตต์ โปชันเงิน	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๒๖
๘๗) นายเจษฎา ช่วยตรี	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๒๗
๘๘) นายชุต hemะจุลิน	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๒๘
๘๙) นายสุรโชค หล้าโท	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๓๐
๙๐) นายชัย บัวสด	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๓๑
๙๑) นางสาวอรญา ประสานศรี	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๓๒
๙๒) นายนพดล เนียมนิยม	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๓๓
๙๓) นายศุภกร สวนศรี	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๓๔
๙๔) นายคณพล คิลานนท์	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๓๕
๙๕) นายโชคชัย พุ่มไสว	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๓๖
๙๖) นายธีรวัฒน์ ธรรมสุวรรณ	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๓๘
๙๗) นายนันทพงศ์ ชะขุนทด	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๓๙
๙๘) นางสาวณัฐฤดา พลนิกรกิจ	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๔๐
๙๙) นางสาวชไมพร ทองบุรณ์	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๔๑
๑๐๐) นางสาวพรชิตา ขจรเนติยุทธ์	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๔๒
๑๐๑) นางสาวเพ็ญพิชชา รอดทอง	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๔๕
๑๐๒) นางสาวณัชชา แสงสว่าง	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๔๖
๑๐๓) นายกิริติ สีอาจ	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๔๗
๑๐๔) นายดนุพร คงศรี	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๔๘
๑๐๕) นางสาวสุภัทสรดา เฉียนเงิน	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๔๙
๑๐๖) นางสาวพรรณทิพา อะโนนาม	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๕๐
๑๐๗) นายอนันต์ มุดอ	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๕๑
๑๐๘) นางสาวพรพิมล ประชาพัชร	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๕๒
๑๐๙) นายวีรภัทร บุญญาธิ	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๕๓
๑๑๐) นางสาวณัฐชา แถวภาพ	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๕๔
๑๑๑) นายสิทธิพล พร้อมพอชื่นบุญ	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๕๖
๑๑๒) นางสาวนนท์ทิชา กลิ่นหนู	ทะเบียนเลขที่	ว-๑๔๕-จ-๐๑๕๘



พงษ์วิภา
อัมพร
ผู้แทนกอง

๑๑๓) นางสาวปิตยา...

เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท ยูโนเด็ค แอนนาไลสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด เลขทะเบียน ว-๑๔๕

ที่ ออก ๐๓๑๐(๑)/ ๑๐๘๙ ลงวันที่ ๐๗ กุมภาพันธ์ ๒๕๖๘

ขอขยายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๕๗ รายการ

น้ำ/น้ำเสีย จำนวน 46 รายการ

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
2	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
3	Barium	Digestion, Inductively Coupled Plasma Method ^[4]
4	α -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
5	β -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
6	δ -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
7	γ -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
8	Biochemical Oxygen Demand	1) 5-Day BOD Test, Azide Modification Method ^[4] 2) 5-Day BOD Test, Membrane Electrode Method ^[4]
9	Cadmium	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
10	Chemical Oxygen Demand	1) Closed Reflux, Titrimetric Method ^[4] 2) Closed Reflux, Colorimetric Method ^[4] 3) Open Reflux, Titrimetric Method ^[4]
11	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
12	Chromium	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
13	Color	ADMI Weighted-Ordinate Spectrophotometric Method ^[4]
14	Copper	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
15	Cyanide	1) Distillation, Colorimetric Method ^[4] 2) Total Cyanide after Distillation, by Flow Injection Analysis Method ^[4]
16	o,p'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
17	4,4'-DDD	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
18	4,4'-DDE	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
19	4,4'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
20	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
21	Endosulfan I	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
22	Endosulfan II	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
23	Endosulfan sulfate	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
24	Endrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
25	Endrin aldehyde	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
26	Formaldehyde	Distillation, Colorimetric Method ^[2]
27	Free Chlorine	1) Iodometric Method ^[4] 2) DPD Ferrous Titrimetric Method ^[4]
28	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
29	Heptachlor Epoxide	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
30	Hexavalent Chromium	Colorimetric Method ^[4]
31	Lead	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
32	Manganese	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
33	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[4]
34	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
35	Nickel	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
36	Oil & Grease	1) Liquid-Liquid, Partition-Gravimetric Method ^[4] 2) Soxhlet Extraction Method ^[4]
37	pH	Electrometric Method ^[4]
38	Phenols	1) Distillation, Chloroform Extraction Method ^[4] 2) Distillation, Direct Photometric Method ^[4]
39	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
40	Sulfide	1) Iodometric Method ^[4] 2) Methylene Blue Method ^[4]
41	Temperature	Laboratory and Field Methods ^[4]
42	Total Dissolved Solids	Dried at 180 °C ^[4]
43	Total Kjeldahl Nitrogen	Semi-Micro-Kjeldahl Method ^[4]
44	Total Suspended Solids	Dried from 103 to 105 °C ^[4]
45	Trivalent Chromium	1) Digestion, Direct Air-Acetylene Flame Method; Colorimetric Method; Calculation ^[4] 2) Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ^[4]
46	Zinc	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]

น้ำใต้ดิน จำนวน 126 รายการ

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
2	Acetone	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
3	Aldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
4	Anthracene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
5	Antimony	Digestion, Inductively Coupled Plasma Method ^[4]
6	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
7	Atrazine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
8	Barium	Digestion, Inductively Coupled Plasma Method ^[4]
9	Benz(a)anthracene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
10	Benzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
11	Benzo(b)fluoranthene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
12	Benzo(k)fluoranthene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
13	Benzoic acid	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
14	Benzo(a)pyrene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
15	Benzo(g,h,i)perylene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
16	Beryllium	Digestion, Inductively Coupled Plasma Method ^[4]
17	Bis(2-chloroethyl)ether	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
18	Bis(2-ethylhexyl)phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
19	Bromodichloromethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
20	Bromoform	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
21	Butanol	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
22	Butyl benzyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
23	Cadmium	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]
24	Carbazole	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
25	Carbon disulfide	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
26	Carbon tetrachloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
27	Chlordane	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
28	p-Chloroaniline	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
29	Chlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
30	Chlorodibromomethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
31	Chloroform	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
32	2-Chlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
33	Chromium	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
34	Chromium (III)	1) Digestion, Direct Air-Acetylene Flame Method; Colorimetric Method; Calculation ^[4] 2) Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ^[4]
35	Chromium (VI)	Colorimetric Method ^[4]
36	Chrysene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
37	Cyanide	Distillation, Colorimetric Method ^[4]
38	2,4-D	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
39	DDD	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
40	DDE	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
41	DDT	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
42	Dibenz(a,h)anthracene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
43	Di-n-butyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
44	1,2-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
45	1,3-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
46	1,4-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
47	3,3'-Dichlorobenzidine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
48	1,1-Dichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
49	1,2-Dichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
50	1,1-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
51	cis-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
52	trans-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
53	2,4-Dichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
54	1,2-Dichloropropane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
55	1,3-Dichloropropane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
56	1,3-Dichloropropene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
57	Dieldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
58	Diethyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
59	2,4-Dimethylphenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
60	2,4-Dinitrophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
61	2,4-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
62	2,6-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
63	Di-n-Octyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
64	Endosulfan	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
65	Endrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
66	Ethylbenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
67	Fluoranthene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
68	Fluorene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
69	Heptachlor	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
70	Heptachlor epoxide	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
71	Hexachlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
72	Hexachloro-1,3-butadiene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
73	n-Hexane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
74	α -HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
75	β -HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
76	γ -HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
77	Hexachlorocyclopentadiene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
78	Hexachloroethane	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
79	Indeno(1,2,3-cd)pyrene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
80	Isophorone	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
81	Lead	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]
82	Manganese	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
83	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[4]
84	Methanol	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
85	Methoxychlor	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
86	Methyl bromide	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]

87 Methylene chloride...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
87	Methylene chloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
88	2-Methylphenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
89	2-Methylnaphthalene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
90	Methyl tert-butyl ether	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
91	Naphthalene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
92	Nickel	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
93	Nitrobenzene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
94	N-Nitrosodiphenylamine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
95	N-Nitrosodi-n-propylamine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
96	Polychlorinated Biphenyls - PCB 1016 - PCB 1221 - PCB 1232 - PCB-1242 - PCB-1248 - PCB-1254 - PCB-1260	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
97	Pentachlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
98	pH	Electrometric Method ^[4]
99	Phenanthrene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
100	Phenol	1) Distillation, Chloroform Extraction Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
101	Pyrene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
102	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
103	Silver	Digestion, Inductively Coupled Plasma Method ^[4]
104	Styrene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
105	1,1,2,2-Tetrachloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
106	Tetrachloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
107	Toluene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
108	Toxaphene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
109	TPH (C ₅ - C ₈)	1) Purge and Trap, Gas Chromatographic Method ^[12,22] 2) Purge and Trap, Gas Chromatographic/Mass spectrometric Method ^[12,27]
110	TPH (C ₈ - C ₁₆)	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[9,22]
111	TPH (C ₁₆ - C ₃₅)	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[9,22]
112	1,2,4-Trichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
113	1,1,1-Trichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
114	1,1,2-Trichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
115	Trichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
116	2,4,5-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
117	2,4,6-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
118	1,3,5-Trimethylbenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
119	Vanadium	Digestion, Inductively Coupled Plasma Method ^[4]
120	Vinyl acetate	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
121	Vinyl chloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
122	m-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
123	o-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
124	p-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
125	Xylene (Total)	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
126	Zinc	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]

อากาศเสีย (ปล่อยระบาย) จำนวน 25 รายการ

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
2	Arsenic	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
3	Cadmium	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
4	Carbon Monoxide	Instrumental Analyzer Method ^[5]
5	Chlorine	Isokinetic Sampling, Ion Chromatographic Method ^[5]
6	Chromium	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5]

Chromium (ต่อ)...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
6	Chromium (ต่อ)	2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
7	Cobalt	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
8	Copper	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
9	Cresol	Absorption Sampling, Gas Chromatographic Method ^[5]
10	Dioxins/Furans	Isokinetic Sampling ^[5]
11	Hydrogen Chloride	Isokinetic Sampling, Ion Chromatographic Method ^[5]
12	Hydrogen Fluoride	Isokinetic Sampling, Ion Chromatographic Method ^[5]
13	Hydrogen Sulfide	Absorption Sampling, Iodometric Method ^[5]
14	Lead	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
15	Manganese	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
16	Mercury	Isokinetic Sampling, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[5]
17	Nickel	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
18	Opacity	Ringelmann's Method ^[1]
19	Oxides of Nitrogen	1) Absorption Sampling, Phenoldisulfonic acid Method ^[5] 2) Instrumental Analyzer Method ^[5]
20	Selenium	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
21	Sulfur Dioxide	1) Absorption Sampling, Barium-Thorin Titrimetric Method ^[5] 2) Instrumental Analyzer Method ^[5]
22	Sulfuric Acid	Isokinetic Sampling, Barium-Thorin Titrimetric Method ^[5]

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
23	Total Suspended Particulate	Isokinetic Sampling, Gravimetric Method ^[5]
24	Vanadium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
25	Xylene	1) Bag Sampling, Gas Chromatographic Method ^[5] 2) Adsorption Sampling, Gas Chromatographic Method ^[5]

สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน 35 รายการ

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[3,9,23] 2) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23]
2	Antimony	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
3	Arsenic	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[3,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,16] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
4	Barium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
5	Beryllium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
6	Cadmium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[3,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
7	Chlordane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[3,9,23] 2) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23]

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
8	Chromium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[3,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
9	Chromium (III)	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method; Waste Extraction, Colorimetric Method; Calculation ^[3,6,15,17] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method; Waste Extraction, Colorimetric Method; Calculation ^[3,6,14,17] 3) Digestion, Flame Atomic Absorption Spectrometric Method; Alkaline Digestion, Colorimetric Method; Calculation ^[7,8,15,17] 4) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation ^[7,8,14,17]
10	Chromium (VI)	1) Waste Extraction, Colorimetric Method ^[3,17] 2) Alkaline Digestion, Colorimetric Method ^[8,17]
11	Cobalt	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
12	Copper	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[3,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
13	2,4-D	1) Waste Extraction, Gas Chromatographic Method ^[3,26] 2) Ultrasonic Extraction, Gas Chromatographic Method ^[26]
14	DDD	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[3,9,23] 2) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23]

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
15	DDE	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[3,9,23] 2) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23]
16	DDT	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[3,9,23] 2) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23]
17	Dieldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[3,9,23] 2) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23]
18	Endrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[3,9,23] 2) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23]
19	Heptachlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[3,9,23] 2) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23]
20	Lead	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[3,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
21	Lindane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[3,9,23] 2) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23]
22	Mercury	1) Waste Extraction, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[3,19] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 3) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[19] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]

Mercury (ต่อ)...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
22	Mercury (ต่อ)	5) Thermal Decomposition Amalgamation and Atomic Absorption Spectrometric Method ^[20]
23	Methoxychlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[3,9,23] 2) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23]
24	Molybdenum	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
25	Nickel	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[3,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
26	Polychlorinated Biphenyls - Aroclor 1016 - Aroclor 1221 - Aroclor 1232 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260 - 2-Chlorobiphenyl - 2,3-Dichlorobiphenyl - 2,2',5-Trichlorobiphenyl - 2,4',5-Trichlorobiphenyl - 2,2',3,5'-Tetrachlorobiphenyl - 2,2',5,5'-Tetrachlorobiphenyl - 2,3',4,4'-Tetrachlorobiphenyl - 2,2',3,4,5'-Pentachlorobiphenyl - 2,2',4,5,5'-Pentachlorobiphenyl - 2,3,3',4',6-Pentachlorobiphenyl	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[3,9,24] 2) Ultrasonic Extraction, Gas Chromatographic Method ^[10,24]

UAE
UNITED ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED

ดำเนินการถูกต้อง

พช/ทพ

๗๖/๒

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
27	Polychlorinated Biphenyls(ต่อ) - 2,2',3,4,4',5'- Hexachlorobiphenyl - 2,2',3,4,5,5'- Hexachlorobiphenyl - 2,2',3,5,5',6- Hexachlorobiphenyl - 2,2',4,4',5,5'- Hexachlorobiphenyl - 2,2',3,3',4,4',5- Heptachlorobiphenyl - 2,2',3,4,4',5,5'- Heptachlorobiphenyl - 2,2',3,4,4',5',6- Heptachlorobiphenyl - 2,2',3,4',5,5',6- Heptachlorobiphenyl - 2,2',3,3',4,4',5,5',6- Nonachlorobiphenyl	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[3,9,28] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
28	pH	Electrometric Method ^[31,32]
29	Selenium	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[3,6,21] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,21]
30	Silver	4) Digestion, Inductively Coupled Plasma Method ^[7,14] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14]
31	Thallium	2) Digestion, Inductively Coupled Plasma Method ^[7,14] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
32	Toxaphene	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[3,9,23] 2) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23]
33	Trichloroethylene	1) Waste Extraction, Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[3,12,27] 2) Waste Extraction, Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^[3,11,27] 3) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27] 4) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
34	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
35	Zinc	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[3,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]

ดิน จำนวน 125 รายการ

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,25] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
2	Acetone	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
3	Aldrin	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
4	Anthracene	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,25]

Anthracene (ต่อ)...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
4	Anthracene (ต่อ)	2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
5	Antimony	Digestion, Inductively Coupled Plasma Method ^[7,14]
6	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,16] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
7	Atrazine	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
8	Barium	Digestion, Inductively Coupled Plasma Method ^[7,14]
9	Benz(a)anthracene	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,25] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
10	Benzene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27] 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
11	Benzo(b)fluoranthene	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,25] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
12	Benzo(k)fluoranthene	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,25] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
13	Benzoic acid	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
14	Benzo(a)pyrene	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,25] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
15	Benzo(g,h,i)perylene	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,25] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
16	Beryllium	Digestion, Inductively Coupled Plasma Method ^[7,14]

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
17	Bis(2-chloroethyl)ether	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
18	Bis(2-ethylhexyl)phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
19	Bromodichloromethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
20	Bromoform	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
21	Butanol	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
22	Butyl benzyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
23	Cadmium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
24	Carbazole	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
25	Carbon disulfide	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
26	Carbon tetrachloride	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27] 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
27	Chlordane	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
28	p-Chloroaniline	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
29	Chlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
30	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
31	Chloroform	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
32	2-Chlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
33	Chromium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15]
34	Chromium (III)	2) Digestion, Inductively Coupled Plasma Method ^[7,14] 1) Digestion, Flame Atomic Absorption Spectrometric Method; Alkaline Digestion, Colorimetric Method; Calculation ^[7,8,15,17] 2) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation ^[7,8,14,17]
35	Chromium (VI)	Alkaline Digestion, Colorimetric Method ^[8,17]
36	Chrysene	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,25] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
37	Cyanide	Extraction, Distillation, Colorimetric Method ^[29,30]
38	2,4-D	Ultrasonic Extraction, Gas Chromatographic Method ^[26]
39	DDD	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
40	DDE	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
41	DDT	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
42	Dibenz(a,h)anthracene	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,25] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
43	Di-n-butyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
44	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
45	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
46	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
47	3,3'-Dichlorobenzidine	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
48	1,1-Dichloroethane	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27] 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
49	1,2-Dichloroethane	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27] 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
50	1,1-Dichloroethylene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27] 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
51	cis-1,2-Dichloroethylene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27] 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
52	trans-1,2-Dichloroethylene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27] 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
53	2,4-Dichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
54	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
55	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
56	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
57	Dieldrin	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
58	Diethyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
59	2,4-Dimethylphenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
60	2,4-Dinitrophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
61	2,4-Dinitrotoluene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
62	2,6-Dinitrotoluene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
63	Di-n-Octyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
64	Endosulfan	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
65	Endrin	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
66	Ethylbenzene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27] 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
67	Fluoranthene	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,25] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
68	Fluorene	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,25] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
69	Heptachlor	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
70	Heptachlor epoxide	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23]

Heptachlor epoxide (ต่อ)...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
70	Heptachlor epoxide (ต่อ)	2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
71	Hexachlorobenzene	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
72	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
73	n-Hexane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
74	α -HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
75	β -HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
76	γ -HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
77	Hexachlorocyclopentadiene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
78	Hexachloroethane	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
79	Indeno(1,2,3-cd)pyrene	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,25] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
80	Isophorone	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
81	Lead	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
82	Manganese	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
83	Mercury	1) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[19] 2) Thermal Decomposition Amalgamation and Atomic Absorption Spectrometric Method ^[20]
84	Methanol	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
85	Methoxychlor	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,23] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
86	Methyl bromide	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
87	Methylene chloride	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27] 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
88	2-Methylphenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
89	2-Methylnaphthalene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
90	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
91	Naphthalene	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,25] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
92	Nickel	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
93	Nitrobenzene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
94	N-Nitrosodiphenylamine	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
95	N-Nitrosodi-n-propylamine	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
96	Polychlorinated Biphenyls - Aroclor 1016	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,24]

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
96	<p>Polychlorinated Biphenyls(ต่อ)</p> <ul style="list-style-type: none"> - Aroclor 1221 - Aroclor 1232 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260 <p>Polychlorinated Biphenyls</p> <ul style="list-style-type: none"> - 2-Chlorobiphenyl - 2,3-Dichlorobiphenyl - 2,2',5-Trichlorobiphenyl - 2,4',5-Trichlorobiphenyl - 2,2',3,5'-Tetrachlorobiphenyl - 2,2',5,5'-Tetrachlorobiphenyl - 2,3',4,4'-Tetrachlorobiphenyl - 2,2',3,4,5'- <p>Pentachlorobiphenyl</p> <ul style="list-style-type: none"> - 2,2',4,5,5'- <p>Pentachlorobiphenyl</p> <ul style="list-style-type: none"> - 2,3,3',4',6- <p>Pentachlorobiphenyl</p> <ul style="list-style-type: none"> - 2,2',3,4,4',5'- <p>Hexachlorobiphenyl</p> <ul style="list-style-type: none"> - 2,2',3,4,5,5'- <p>Hexachlorobiphenyl</p> <ul style="list-style-type: none"> - 2,2',3,5,5',6- <p>Hexachlorobiphenyl</p> <ul style="list-style-type: none"> - 2,2',4,4',5,5'- <p>Hexachlorobiphenyl</p> <ul style="list-style-type: none"> - 2,2',3,3',4,4',5- <p>Heptachlorobiphenyl</p> <ul style="list-style-type: none"> - 2,2',3,4,4',5,5'- <p>Heptachlorobiphenyl</p> <ul style="list-style-type: none"> - 2,2',3,4,4',5',6- <p>Heptachlorobiphenyl</p> <ul style="list-style-type: none"> - 2,2',3,4',5,5',6- <p>Heptachlorobiphenyl</p> <ul style="list-style-type: none"> - 2,2',3,3',4,4',5,5',6- <p>Nonachlorobiphenyl</p>	<p>2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method^[10,28]</p> <p>Ultrasonic Extraction, Gas Chromatographic Method^[10,24]</p>


 UNITED ANALYST AND ENGINEERING
 CONSULTANT COMPANY LIMITED

พงษ์กมล
 ดำเนินการถูกต้อง

อนุมัติ

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
97	Pentachlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
98	Phenanthrene	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,25] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
99	Phenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
100	Pyrene	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10,25] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
101	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,21] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
102	Silver	Digestion, Inductively Coupled Plasma Method ^[7,14]
103	Styrene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27] 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
104	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
105	Tetrachloroethylene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27] 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
106	Toluene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27] 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
107	Toxaphene	Ultrasonic Extraction, Gas Chromatographic Method ^[10,23]
108	TPH (C ₅ -C ₈)	1) Purge and Trap, Gas Chromatographic Method ^[13,22] 2) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
109	TPH (C ₈ -C ₁₆)	Ultrasonic Extraction, Gas Chromatographic Method ^[10,22]
110	TPH (C ₁₆ -C ₃₅)	Ultrasonic Extraction, Gas Chromatographic Method ^[10,22]

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
111	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
112	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
113	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
114	Trichloroethylene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27] 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
115	2,4,5-Trichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
116	2,4,6-Trichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,28]
117	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
118	Vanadium	Digestion, Inductively Coupled Plasma Method ^[7,14]
119	Vinyl acetate	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
120	Vinyl chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27]
121	m-Xylene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27] 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
122	o-Xylene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27] 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
123	p-Xylene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27] 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
124	Xylene (Total)	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,27] 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^[11,27]

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
125	Zinc	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]

เอกสารอ้างอิง

- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณเขม่าควันที่เจือปนในอากาศที่ระบายออกจากปล่องของหม้อน้ำโรงสีข้าวที่ใช้กลบเป็นเชื้อเพลิง. ราชกิจจานุเบกษา. 4 ธันวาคม 2549. เล่มที่ 123 ตอนพิเศษ 125ง.
- สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย. คู่มือวิเคราะห์น้ำเสีย. พิมพ์ครั้งที่ 4. กรุงเทพฯ: เรือนแก้วการพิมพ์, 2547.
- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2566. เรื่อง การจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว. ราชกิจจานุเบกษา. 31 พฤษภาคม 2566. เล่มที่ 140 ตอนพิเศษ 126 ง.
- APHA, AWWA, WEF. Standard Methods for the Examination of Water and Wastewater. 24th ed. Washington, DC: APHA, 2023.
- United States Environmental Protection Agency. Standards of Performance for New Stationary Sources. 40 CFR 60. Appendix A, 2020.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. SW-846, 2014.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Acid Digestion of Sediments, Sludges, and Soils. SW-846 Method 3050B, 1996.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Alkaline Digestion for Hexavalent Chromium. SW-846 Method 3060A, 1996.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste 3. Physical/Chemical Methods. Separatory Funnel Liquid-Liquid Extraction. SW-846 Method 3510C, 1996.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Ultrasonic Extraction. SW-846 Method 3550C, 2007.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Volatile Organic Compounds in Various Sample Matrices Using Equilibrium Headspace Analysis. SW-846 Method 5021A, 2014.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Purge and Trap for Aqueous Samples. SW-846 Method 5030C, 2003.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Closed System Purge and Trap and Extraction for Volatile Organics in Soil and Waste Sample. SW-846 Method 5035A, 2000.
- United States...

14. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Inductively Coupled Plasma-Optical Emission Spectrometry. SW-846 Method 6010D, 2014.
15. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Flame Atomic Absorption Spectrophotometry. SW-846 Method 7000B, 2007.
16. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Arsenic (Atomic Absorption, Gaseous Hydride). SW-846 Method 7061A, 1992.
17. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Chromium, Hexavalent (Colorimetric). SW-846 Method 7196A, 1992.
18. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Mercury in Liquid Waste (Manual Cold Vapor Technique). SW-846 Method 7470A, 1994.
19. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique). SW-846 Method 7471B, 1998.
20. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Mercury in Solids and Solutions by Thermal Decomposition, Amalgamation, and Atomic Absorption Spectrophotometry. SW-846 Method 7473, 2007.
21. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Selenium (Atomic Absorption, Borohydride Reduction). SW-846 Method 7742, 1994.
22. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Nonhalogenated Organics Using GC/FID. SW-846 Method 8015D, 2003.
23. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Organochlorine Pesticides by Gas Chromatography. SW-846 Method 8081B, 2007.
24. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Polychlorinated Biphenyls (PCBs) by Gas Chromatography. SW-846 Method 8082A, 2007.
25. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Organochlorine Pesticides by Gas Chromatography. SW-846 Method 8081B, 2007.
26. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Chlorinated Herbicides by GC Using Methylation or Pentafluorobenzoylation Derivatization. SW-846 Method 8151A, 1996.
27. United States...

นพช.กพ
KANE
CONSULTANT AND ENGINEERING
CONSULTANT COMPANY LIMITED
ดำเนินกิจการ

27. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Volatile Organic Compounds by Gas Chromatography/ Mass Spectrometry. SW-846 Method 8260D, 2018.
28. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Semivolatile Organic Compounds by Gas Chromatography/Mass Spectrometry. SW-846 Method 8270E, 2018.
29. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Cyanide Extraction Procedure for Solids and Oils. SW-846 Method 9013A, 2014.
30. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Cyanide in Waters and Extracts using Titrimetric and Manual Spectrophotometric Procedures. SW-846 Method 9014, 2014.
31. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. pH Electrometric Measurement. SW-846 Method 9040C, 2004.
32. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Soil and Waste pH. SW-846 Method 9045D, 2004.

๑๗



พงษ์ภัพ
ดำเนินถูกต้อง