

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
 Project Name : โครงการ The Riviera Jomtien
 Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
 จังหวัดชลบุรี 20150
 Sampling Point : บ่อน้ำทิ้งสุดท้ายก่อนปล่อยออกนอกโครงการ
 GPS. Coordinate : 47 P 704627 E 1424953 N
 Sampling By : TNP ENVIRONMENT CO.,LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W68015
 Sample No. : W68015/1
 Sample Type : Wastewater
 Sampling Date : 09 January 2025
 Sampling Time : 02.39 p.m.
 Received Date : 10 January 2025
 Analytical Date : 10 – 17 January 2025
 Report Date : 20 January 2025


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 25 °C	-	Electrometric Method (4500-H ⁺ B)	7.2	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	24.1	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	306	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	72.3	≤ 20
Fat, Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	0.65	≤ 1.0
Settleable Solid *	mL/L	Imhoff Cone (2540 F)	0.2	-
Total Kjeldahl Nitrogen * ^{2/}	mg/L	Based on Standard Methods for Examination of Water and Wastewater, APHA, AWWA, WEF, 24 th Edition 2023, part 4500-Norg B and part 4500-NH ₃ C	82.74	≤ 35
Sample Appearance		Yellow/Turbid/Sediment/Smelly		

Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act,
 B.E. 2567 (2024), Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by SGS (Thailand) Limited, Environmental Laboratory (Rayong Branch) registration number Wo.-197.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิตบุศคลออาคารชุด เดอะ ริวีแย รำ จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง จังหวัดชลบุรี 20150
Sampling Point : บ่อน้ำทิ้งสุดท้ายก่อนปล่อยออกนอกโครงการ
GPS. Coordinate : 47 P 704614 E 1424946 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W68015
Sample No. : W68015/1
Sample Type : Wastewater
Sampling Date : 03 February 2025
Sampling Time : 03.48 p.m.
Received Date : 04 February 2025
Analytical Date : 04 – 13 February 2025
Report Date : 14 February 2025


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 22.4 °C	-	Electrometric Method (4500-H ⁺ B)	7.4	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	53.8	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	342	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	28.0	≤ 20
Fat, Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Settleable Solid *	mL/L	Imhoff Cone (2540 F)	0.2	-
Total Kjeldahl Nitrogen ^{2/}	mg/L	Based on Standard Methods for Examination of Water and Wastewater, APHA, AWWA, WEF, 24 th Edition 2023, part 4500-Norg B and part 4500-NH ₃ C	33.46	≤ 35
Sample Appearance		Yellow/Turbid/Sediment/Smelly		

Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by SGS (Thailand) Limited, Environmental Laboratory (Rayong Branch) registration number Wo.-197.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : ป่อน้ำทิ้งสุดท้ายก่อนปล่อยออกนอกโครงการ
GPS. Coordinate : 47 P 704626 E 1424951 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W68015
Sample No. : W68015/1
Sample Type : Wastewater
Sampling Date : 06 March 2025
Sampling Time : 10.32 a.m.
Received Date : 07 March 2025
Analytical Date : 07 – 20 March 2025
Report Date : 21 March 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 27.7 °C	-	Electrometric Method (4500-H ⁺ B)	7.2	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	23.8	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	340	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	19.4	≤ 20
Fat, Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Settleable Solid *	mL/L	Imhoff Cone (2540 F)	< 0.1	-
Total Kjeldahl Nitrogen * ^{2/}	mg/L	APHA:4500-Norg (B) ^{3/}	< 0.28	≤ 35
Sample Appearance		Yellow/Turbid/Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024), Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีแยร์ จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : บ่อน้ำทิ้งสุดท้ายก่อนปล่อยออกนอกโครงการ
GPS. Coordinate : 47 P 704625 E 1424952 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W68015
Sample No. : W68015/1
Sample Type : Wastewater
Sampling Date : 07 April 2025
Sampling Time : 02.26 p.m.
Received Date : 08 April 2025
Analytical Date : 08 – 23 April 2025
Report Date : 24 April 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 27.4 °C	-	Electrometric Method (4500-H ⁺ B)	7.5	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	26.6	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	388	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	41.0	≤ 20
Fat, Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	0.60	≤ 1.0
Settleable Solid *	mL/L	Imhoff Cone (2540 F)	0.5	-
Total Kjeldahl Nitrogen ^{2/}	mg/L	APHA:4500-Norg (B) ^{3/}	59	≤ 35
Sample Appearance		Yellow/Turbid/Sediment/Smelly		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024), Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีแย่า จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : บ่อน้ำทิ้งสุดท้ายก่อนปล่อยออกนอกโครงการ
GPS. Coordinate : 47 P 704630 E 1424966 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W68015
Sample No. : W68015/1
Sample Type : Wastewater
Sampling Date : 07 May 2025
Sampling Time : 12.09 p.m.
Received Date : 08 May 2025
Analytical Date : 08 – 19 May 2025
Report Date : 20 May 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 25.3 °C	-	Electrometric Method (4500-H ⁺ B)	7.2	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	40.2	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	971	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	31.8	≤ 20
Fat, Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Settleable Solid *	mL/L	Imhoff Cone (2540 F)	0.5	-
Total Kjeldahl Nitrogen * ^{2/}	mg/L	APHA:4500-Norg (B) ^{3/}	49	≤ 35
Sample Appearance		Yellow/Turbid/Sediment/Smelly		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : บ่อน้ำทิ้งสุดท้ายก่อนปล่อยออกนอกโครงการ
GPS. Coordinate : 47 P 704645 E 1424956 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W68015
Sample No. : W68015/1
Sample Type : Wastewater
Sampling Date : 02 June 2025
Sampling Time : 03.10 p.m.
Received Date : 03 June 2025
Analytical Date : 03 – 17 June 2025
Report Date : 18 June 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 25.6 °C	-	Electrometric Method (4500-H ⁺ B)	7.2	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	11.1	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	386	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification (4500-O C, 5210 B)	33.3	≤ 20
Fat, Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Settleable Solid *	mL/L	Imhoff Cone (2540 F)	< 0.1	-
Total Kjeldahl Nitrogen ^{2/}	mg/L	APHA:4500-Norg (B) ^{3/}	41	≤ 35
Sample Appearance		Yellow/Turbid/Little Sediment/Smelly		

Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024), Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนลึก ชั้นที่ 1
GPS. Coordinate : 47 P 704627 E 1424941 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/2
Sample Type : Swimming pool Water
Sampling Date : 09 January 2025
Sampling Time : 02.37 p.m.
Received Date : 10 January 2025
Analytical Date : 10 – 17 January 2025
Report Date : 20 January 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
 Project Name : โครงการ The Riviera Jomtien
 Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
 จังหวัดชลบุรี 20150
 Sampling Point : สระว่ายน้ำส่วนต้น ชั้นที่ 1
 GPS. Coordinate : 47 P 704626 E 1424943 N
 Sampling By : TNP ENVIRONMENT CO.,LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
 Sample No : W68015/3
 Sample Type : Swimming pool Water
 Sampling Date : 09 January 2025
 Sampling Time : 02.37 p.m.
 Received Date : 10 January 2025
 Analytical Date : 10 – 17 January 2025
 Report Date : 20 January 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนลึก ชั้นที่ 4
GPS. Coordinate : 47 P 704582 E 1424987 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68015
Sample No : W68015/4
Sample Type : Swimming pool Water
Sampling Date : 09 January 2025
Sampling Time : 02.31 p.m.
Received Date : 10 January 2025
Analytical Date : 10 – 17 January 2025
Report Date : 20 January 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.





TNP ENVIRONMENT CO.,LTD.

เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273

E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่



NSC-TISI-TIS 17025

Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนต้น ชั้นที่ 4
GPS. Coordinate : 47 P 704577 E 1424990 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68015
Sample No : W68015/5
Sample Type : Swimming pool Water
Sampling Date : 09 January 2025
Sampling Time : 02.32 p.m.
Received Date : 10 January 2025
Analytical Date : 10 – 17 January 2025
Report Date : 20 January 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิตินุคคณาการชุด เดอะ ริวีเยรา จอมเทียน
 Project Name : โครงการ The Riviera Jomtien
 Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
 จังหวัดชลบุรี 20150
 Sampling Point : สระว่ายน้ำส่วนลึก ชั้นที่ 37
 GPS. Coordinate : 47 P 704590 E 1424971 N
 Sampling By : TNP ENVIRONMENT CO.,LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
 Sample No : W68015/6
 Sample Type : Swimming pool Water
 Sampling Date : 09 January 2025
 Sampling Time : 02.26 p.m.
 Received Date : 10 January 2025
 Analytical Date : 10 – 17 January 2025
 Report Date : 20 January 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.





TNP ENVIRONMENT CO.,LTD.

เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273

E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่



NSC-TISI-TIS 17025

Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนดิน ชั้นที่ 37
GPS. Coordinate : 47 P 704600 E 1424958 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/7
Sample Type : Swimming pool Water
Sampling Date : 09 January 2025
Sampling Time : 02.25 p.m.
Received Date : 10 January 2025
Analytical Date : 10 – 17 January 2025
Report Date : 20 January 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
 Project Name : โครงการ The Riviera Jomtien
 Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
 จังหวัดชลบุรี 20150
 Sampling Point : สระว่ายน้ำส่วนลึก ชั้นที่ 42
 GPS. Coordinate : 47 P 704619 E 142925 N
 Sampling By : TNP ENVIRONMENT CO.,LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68015
 Sample No : W68015/8
 Sample Type : Swimming pool Water
 Sampling Date : 09 January 2025
 Sampling Time : 02.21 p.m.
 Received Date : 10 January 2025
 Analytical Date : 10 – 17 January 2025
 Report Date : 20 January 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนต้น ชั้นที่ 42
GPS. Coordinate : 47 P 704623 E 1424920 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/9
Sample Type : Swimming pool Water
Sampling Date : 09 January 2025
Sampling Time : 02.20 p.m.
Received Date : 10 January 2025
Analytical Date : 10 – 17 January 2025
Report Date : 20 January 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนลึก ชั้นที่ 1
GPS. Coordinate : 47 P 704627 E 1424940 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/2
Sample Type : Swimming pool Water
Sampling Date : 03 February 2025
Sampling Time : 03.46 p.m.
Received Date : 04 February 2025
Analytical Date : 04 – 13 February 2025
Report Date : 14 February 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนต้น ชั้นที่ 1
GPS. Coordinate : 47 P 704632 E 1424934 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68015
Sample No : W68015/3
Sample Type : Swimming pool Water
Sampling Date : 03 February 2025
Sampling Time : 03.46 p.m.
Received Date : 04 February 2025
Analytical Date : 04 – 13 February 2025
Report Date : 14 February 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนลึก ชั้นที่ 4
GPS. Coordinate : 47 P 704592 E 1424987 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/4
Sample Type : Swimming pool Water
Sampling Date : 03 February 2025
Sampling Time : 03.43 p.m.
Received Date : 04 February 2025
Analytical Date : 04 – 13 February 2025
Report Date : 14 February 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนต้น ชั้นที่ 4
GPS. Coordinate : 47 P 704584 E 1424993 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/5
Sample Type : Swimming pool Water
Sampling Date : 03 February 2025
Sampling Time : 03.44 p.m.
Received Date : 04 February 2025
Analytical Date : 04 – 13 February 2025
Report Date : 14 February 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนลึก ชั้นที่ 37
GPS. Coordinate : 47 P 704667 E 1424999 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/6
Sample Type : Swimming pool Water
Sampling Date : 03 February 2025
Sampling Time : 03.39 p.m.
Received Date : 04 February 2025
Analytical Date : 04 – 13 February 2025
Report Date : 14 February 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนต้น ชั้นที่ 37
GPS. Coordinate : 47 P 704611 E 1424960 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/7
Sample Type : Swimming pool Water
Sampling Date : 03 February 2025
Sampling Time : 03.40 p.m.
Received Date : 04 February 2025
Analytical Date : 04 – 13 February 2025
Report Date : 14 February 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนลึก ชั้นที่ 42
GPS. Coordinate : 47 P 704619 E 1424924 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68015
Sample No : W68015/8
Sample Type : Swimming pool Water
Sampling Date : 03 February 2025
Sampling Time : 03.35 p.m.
Received Date : 04 February 2025
Analytical Date : 04 – 13 February 2025
Report Date : 14 February 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนต้น ชั้นที่ 42
GPS. Coordinate : 47 P 704694 E 1424942 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/9
Sample Type : Swimming pool Water
Sampling Date : 03 February 2025
Sampling Time : 03.34 p.m.
Received Date : 04 February 2025
Analytical Date : 04 – 13 February 2025
Report Date : 14 February 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคณาการชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนลึก ชั้นที่ 1
GPS. Coordinate : 47 P 704628 E 1424941 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/2
Sample Type : Swimming pool Water
Sampling Date : 06 March 2025
Sampling Time : 10.31 a.m.
Received Date : 07 March 2025
Analytical Date : 07 – 18 March 2025
Report Date : 18 March 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนต้น ชั้นที่ 1
GPS. Coordinate : 47 P 704626 E 1424942 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68015
Sample No : W68015/3
Sample Type : Swimming pool Water
Sampling Date : 06 March 2025
Sampling Time : 10.30 a.m.
Received Date : 07 March 2025
Analytical Date : 07 – 18 March 2025
Report Date : 18 March 2025

Parameter	Unit	Analytical Method ^u	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/ Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^u Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนลึก ชั้นที่ 4
GPS. Coordinate : 47 P 704578 E 1424990 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/4
Sample Type : Swimming pool Water
Sampling Date : 06 March 2025
Sampling Time : 10.25 a.m.
Received Date : 07 March 2025
Analytical Date : 07 – 18 March 2025
Report Date : 18 March 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/ Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนต้น ชั้นที่ 4
GPS. Coordinate : 47 P 704578 E 1424997 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/5
Sample Type : Swimming pool Water
Sampling Date : 06 March 2025
Sampling Time : 10.24 a.m.
Received Date : 07 March 2025
Analytical Date : 07 – 18 March 2025
Report Date : 18 March 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/ Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนลึก ชั้นที่ 37
GPS. Coordinate : 47 P 704597 E 1424968 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68015
Sample No : W68015/6
Sample Type : Swimming pool Water
Sampling Date : 06 March 2025
Sampling Time : 10.21 a.m.
Received Date : 07 March 2025
Analytical Date : 07 – 18 March 2025
Report Date : 18 March 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/ Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนต้น ชั้นที่ 37
GPS. Coordinate : 47 P 704583 E 1424952 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/7
Sample Type : Swimming pool Water
Sampling Date : 06 March 2025
Sampling Time : 10.20 a.m.
Received Date : 07 March 2025
Analytical Date : 07 – 18 March 2025
Report Date : 18 March 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/ Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
 Project Name : โครงการ The Riviera Jomtien
 Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
 จังหวัดชลบุรี 20150
 Sampling Point : สระว่ายน้ำส่วนลึก ชั้นที่ 42
 GPS. Coordinate : 47 P 704612 E 1424929 N
 Sampling By : TNP ENVIRONMENT CO.,LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68015
 Sample No : W68015/8
 Sample Type : Swimming pool Water
 Sampling Date : 06 March 2025
 Sampling Time : 10.16 a.m.
 Received Date : 07 March 2025
 Analytical Date : 07 – 18 March 2025
 Report Date : 18 March 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria [*]	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria [*]	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/ Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนต้น ชั้นที่ 42
GPS. Coordinate : 47 P 704656 E 1424904 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68015
Sample No : W68015/9
Sample Type : Swimming pool Water
Sampling Date : 06 March 2025
Sampling Time : 10.15 a.m.
Received Date : 07 March 2025
Analytical Date : 07 – 18 March 2025
Report Date : 18 March 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/ Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนลึก ชั้นที่ 1
GPS. Coordinate : 47 P 704620 E 1424948 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/2
Sample Type : Swimming pool Water
Sampling Date : 07 April 2025
Sampling Time : 02.24 p.m.
Received Date : 08 April 2025
Analytical Date : 08 – 23 April 2025
Report Date : 24 April 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยร์ จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนดิน ชั้นที่ 1
GPS. Coordinate : 47 P 704620 E 1424941 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68015
Sample No : W68015/3
Sample Type : Swimming pool Water
Sampling Date : 07 April 2025
Sampling Time : 02.25 p.m.
Received Date : 08 April 2025
Analytical Date : 08 – 23 April 2025
Report Date : 24 April 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนลึก ชั้นที่ 4
GPS. Coordinate : 47 P 704579 E 1424993 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/4
Sample Type : Swimming pool Water
Sampling Date : 07 April 2025
Sampling Time : 02.19 p.m.
Received Date : 08 April 2025
Analytical Date : 08 – 23 April 2025
Report Date : 24 April 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนต้น ชั้นที่ 4
GPS. Coordinate : 47 P 704584 E 1425007 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68015
Sample No : W68015/5
Sample Type : Swimming pool Water
Sampling Date : 07 April 2025
Sampling Time : 02.18 p.m.
Received Date : 08 April 2025
Analytical Date : 08 – 23 April 2025
Report Date : 24 April 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคณาการชุด เดอะ ริวีเยรา จอมเทียน
 Project Name : โครงการ The Riviera Jomtien
 Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
 จังหวัดชลบุรี 20150
 Sampling Point : สระว่ายน้ำสวนต้น ชั้นที่ 37
 GPS. Coordinate : 47 P 704653 E 1424969 N
 Sampling By : TNP ENVIRONMENT CO.,LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68015
 Sample No : W68015/7
 Sample Type : Swimming pool Water
 Sampling Date : 07 April 2025
 Sampling Time : 02.14 p.m.
 Received Date : 08 April 2025
 Analytical Date : 08 – 23 April 2025
 Report Date : 24 April 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
 จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนลึก ชั้นที่ 42
GPS. Coordinate : 47 P 704617 E 1424916 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/8
Sample Type : Swimming pool Water
Sampling Date : 07 April 2025
Sampling Time : 02.10 p.m.
Received Date : 08 April 2025
Analytical Date : 08 – 23 April 2025
Report Date : 24 April 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิตบุคคณาการชุด เดอะ ริวีเยรา จอมเทียน
 Project Name : โครงการ The Riviera Jomtien
 Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
 จังหวัดชลบุรี 20150
 Sampling Point : สระว่ายน้ำส่วนต้น ชั้นที่ 42
 GPS. Coordinate : 47 P 704615 E 1424912 N
 Sampling By : TNP ENVIRONMENT CO.,LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
 Sample No : W68015/9
 Sample Type : Swimming pool Water
 Sampling Date : 07 April 2025
 Sampling Time : 02.09 p.m.
 Received Date : 08 April 2025
 Analytical Date : 08 – 23 April 2025
 Report Date : 24 April 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
 จังหวัดชลบุรี 20150
Sampling Point : น้ำใช้บริเวณบนดาดฟ้า
GPS. Coordinate : 47 P 704650 E 1424874 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68015
Sample No : W68015/10
Sample Type : Water Supply
Sampling Date : 07 April 2025
Sampling Time : 02.03 p.m.
Received Date : 08 April 2025
Analytical Date : 08 – 23 April 2025
Report Date : 24 April 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Color * ^{2/}	Pt-Co	Spectrophotometric Method (2120 C) ^{3/}	< 5	≤ 15
Turbidity * ^{2/}	NTU	Nephelometric Method (2130 B) ^{3/}	0.29	≤ 5.0
Odour *	-	Observation Method	Not Objectionability	-
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		


Standard : The Department of Health, Criterias of Supplied Drinkable Water Quality, B.E. 2563.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนลึก ชั้นที่ 1
GPS. Coordinate : 47 P 704630 E 1424947 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/2
Sample Type : Swimming pool Water
Sampling Date : 07 May 2025
Sampling Time : 12.07 p.m.
Received Date : 08 May 2025
Analytical Date : 08 – 19 May 2025
Report Date : 20 May 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนต้น ชั้นที่ 1
GPS. Coordinate : 47 P 704636 E 1424939 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/3
Sample Type : Swimming pool Water
Sampling Date : 07 May 2025
Sampling Time : 12.06 p.m.
Received Date : 08 May 2025
Analytical Date : 08 – 19 May 2025
Report Date : 20 May 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเอร์ จอมเทียน
 Project Name : โครงการ The Riviera Jomtien
 Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
 จังหวัดชลบุรี 20150
 Sampling Point : สระว่ายน้ำส่วนลึก ชั้นที่ 4
 GPS. Coordinate : 47 P 704581 E 1424996 N
 Sampling By : TNP ENVIRONMENT CO.,LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
 Sample No : W68015/4
 Sample Type : Swimming pool Water
 Sampling Date : 07 May 2025
 Sampling Time : 12.01 p.m.
 Received Date : 08 May 2025
 Analytical Date : 08 – 19 May 2025
 Report Date : 20 May 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนต้น ชั้นที่ 4
GPS. Coordinate : 47 P 704591 E 1425009 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68015
Sample No : W68015/5
Sample Type : Swimming pool Water
Sampling Date : 07 May 2025
Sampling Time : 12.01 p.m.
Received Date : 08 May 2025
Analytical Date : 08 – 19 May 2025
Report Date : 20 May 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนลึก ชั้นที่ 37
GPS. Coordinate : 47 P 704590 E 1424982 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/6
Sample Type : Swimming pool Water
Sampling Date : 07 May 2025
Sampling Time : 11.57 a.m.
Received Date : 08 May 2025
Analytical Date : 08 – 19 May 2025
Report Date : 20 May 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
 Project Name : โครงการ The Riviera Jomtien
 Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
 จังหวัดชลบุรี 20150
 Sampling Point : สระว่ายน้ำส่วนต้น ชั้นที่ 37
 GPS. Coordinate : 47 P 704559 E 1424976 N
 Sampling By : TNP ENVIRONMENT CO.,LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
 Sample No : W68015/7
 Sample Type : Swimming pool Water
 Sampling Date : 07 May 2025
 Sampling Time : 11.56 a.m.
 Received Date : 08 May 2025
 Analytical Date : 08 – 19 May 2025
 Report Date : 20 May 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนลึก ชั้นที่ 42
GPS. Coordinate : 47 P 704617 E 1424923 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/8
Sample Type : Swimming pool Water
Sampling Date : 07 May 2025
Sampling Time : 11.53 p.m.
Received Date : 08 May 2025
Analytical Date : 08 – 19 May 2025
Report Date : 20 May 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนต้น ชั้นที่ 42
GPS. Coordinate : 47 P 704628 E 1424919 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/9
Sample Type : Swimming pool Water
Sampling Date : 07 May 2025
Sampling Time : 11.52 p.m.
Received Date : 08 May 2025
Analytical Date : 08 – 19 May 2025
Report Date : 20 May 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิตินุศลาคารชุด เดอะ ริวีเอร์ จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนลึก ชั้นที่ 1
GPS. Coordinate : 47 P 704633 E 1424944 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/2
Sample Type : Swimming pool Water
Sampling Date : 02 June 2025
Sampling Time : 03.08 p.m.
Received Date : 03 June 2025
Analytical Date : 03 – 17 June 2025
Report Date : 18 June 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนต้น ชั้นที่ 1
GPS. Coordinate : 47 P 704627 E 1424944 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/3
Sample Type : Swimming pool Water
Sampling Date : 02 June 2025
Sampling Time : 03.09 p.m.
Received Date : 03 June 2025
Analytical Date : 03 – 17 June 2025
Report Date : 18 June 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนลึก ชั้นที่ 4
GPS. Coordinate : 47 P 704578 E 1424989 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/4
Sample Type : Swimming pool Water
Sampling Date : 02 June 2025
Sampling Time : 03.04 p.m.
Received Date : 03 June 2025
Analytical Date : 03 – 17 June 2025
Report Date : 18 June 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
 จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนต้น ชั้นที่ 4
GPS. Coordinate : 47 P 704572 E 1425012 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/5
Sample Type : Swimming pool Water
Sampling Date : 02 June 2025
Sampling Time : 03.03 p.m.
Received Date : 03 June 2025
Analytical Date : 03 – 17 June 2025
Report Date : 18 June 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
 Project Name : โครงการ The Riviera Jomtien
 Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
 จังหวัดชลบุรี 20150
 Sampling Point : สระว่ายน้ำส่วนลึก ชั้นที่ 37
 GPS. Coordinate : 47 P 704642 E 1425000 N
 Sampling By : TNP ENVIRONMENT CO.,LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
 Sample No : W68015/6
 Sample Type : Swimming pool Water
 Sampling Date : 02 June 2025
 Sampling Time : 02.59 p.m.
 Received Date : 03 June 2025
 Analytical Date : 03 – 17 June 2025
 Report Date : 18 June 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำสวนต้น ชั้นที่ 37
GPS. Coordinate : 47 P 704662 E 1424988 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/7
Sample Type : Swimming pool Water
Sampling Date : 02 June 2025
Sampling Time : 02.58 p.m.
Received Date : 03 June 2025
Analytical Date : 03 – 17 June 2025
Report Date : 18 June 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนลึก ชั้นที่ 42
GPS. Coordinate : 47 P 704611 E 1424788 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68015
Sample No : W68015/8
Sample Type : Swimming pool Water
Sampling Date : 02 June 2025
Sampling Time : 02.54 p.m.
Received Date : 03 June 2025
Analytical Date : 03 – 17 June 2025
Report Date : 18 June 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
Project Name : โครงการ The Riviera Jomtien
Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
จังหวัดชลบุรี 20150
Sampling Point : สระว่ายน้ำส่วนต้น ชั้นที่ 42
GPS. Coordinate : 47 P 704633 E 1424914 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68015
Sample No : W68015/9
Sample Type : Swimming pool Water
Sampling Date : 02 June 2025
Sampling Time : 02.53 p.m.
Received Date : 03 June 2025
Analytical Date : 03 – 17 June 2025
Report Date : 18 June 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด เดอะ ริวีเยรา จอมเทียน
 Project Name : โครงการ The Riviera Jomtien
 Address Project : เลขที่ 29/72 หมู่ที่ 12 ตำบลหนองปรือ อำเภอบางละมุง
 จังหวัดชลบุรี 20150
 Sampling Point : ถังน้ำใช้รดน้ำ
 GPS. Coordinate : 47 P 704661 E 1424908 N
 Sampling By : TNP ENVIRONMENT CO.,LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68015
 Sample No : W68015/10
 Sample Type : Water Supply
 Sampling Date : 02 June 2025
 Sampling Time : 02.49 p.m.
 Received Date : 03 June 2025
 Analytical Date : 03 – 17 June 2025
 Report Date : 18 June 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Color ^{* 2/}	Pt-Co	APHA : 2120 B ^{3/}	< 5	≤ 15
Turbidity ^{* 2/}	NTU	APHA : 2130 B ^{3/}	0.56	≤ 5.0
Odour [*]	-	Observation Method	Not Objectionability	-
<i>Escherichia coli</i> [*]	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : The Department of Health, Criterias of Supplied Drinkable Water Quality, B.E. 2563.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.

^{*} This item is out the scope ISO/IEC 17025:2017 Accreditation.

