

ภาคผนวกที่ 1

สำเนาหนังสือเห็นชอบในรายงานผลกระทบสิ่งแวดล้อมเบื้องต้น
โครงการ ศุภาลัย วิลล์ พัทยา-มอเตอร์เวย์

ภาคผนวกที่ 2

ใบอนุญาตก่อสร้างอาคาร ดัดแปลง รื้อถอน
หรือเคลื่อนย้ายอาคาร (อ.1)
และใบอนุญาตให้ทำการจัดสรรที่ดิน (จส.2)



เลขที่ ๑๑๒ / ๒๕๖๔.

ใบอนุญาตให้ทำการจัดสรรที่ดิน

อาศัยอำนาจตามความในมาตรา ๒๑ แห่งพระราชบัญญัติการจัดสรรที่ดิน พ.ศ. ๒๕๕๓
 คณะกรรมการจัดสรรที่ดิน จังหวัดชลบุรี ออกใบอนุญาตฉบับนี้ เพื่อแสดงว่า
 บริษัท ศุภาลัย จำกัด (มหาชน) ที่อยู่/ที่ตั้งสำนักงาน เลขที่ ๑๐๑๑
 ตรอก/ซอย อาคารศุภาลัย แกรนด์ ทาวเวอร์ ถนน พระราม ๓ หมู่ที่ -
 ตำบล/แขวง ช่อนันทรี อำเภอ/เขต ยานนาวา จังหวัด กรุงเทพมหานคร
 ชื่อสำนักงานจัดสรรที่ดิน บริษัท ศุภาลัย จำกัด (มหาชน)
 โครงการ ศุภาลัย วิลล์ พัทยา-มอเตอร์เวย์ ที่ตั้งเลขที่ - ตรอก/ซอย -
 ถนน - หมู่ที่ - ตำบล/แขวง หนองปรือ
 อำเภอ/เขต บางละมุง จังหวัด ชลบุรี เป็นผู้ได้รับใบอนุญาตให้ทำการจัดสรรที่ดินตาม
 โฉนดที่ดินเลขที่ ๕๔๑๖๖, ๕๔๑๖๗, ๕๔๑๖๘ และ ๕๔๐๓๗ (บางส่วน)
 ตำบล/แขวง หนองปรือ อำเภอ/เขต บางละมุง จังหวัด ชลบุรี
 ตามแผนผัง โครงการ และวิธีการแนบท้ายใบอนุญาตนี้

ออกให้ ณ วันที่ ๒๓ กันยายน พ.ศ. ๒๕๖๔

(นายภัครธรณ์ เทียนไชย)

ผู้ว่าราชการจังหวัดชลบุรี

ประธานกรรมการ



แบบ อ. ๑


ใบอนุญาตก่อสร้าง ดัดแปลง รื้อถอน หรือเคลื่อนย้ายอาคาร

เลขที่ 180/๒๕๖๔

อนุญาตให้ บริษัท ศุภาลัย จำกัด (มหาชน) โดยนายกริช จันทร์เจริญสุข เจ้าของอาคาร
อยู่บ้านเลขที่ ๑๐๑๑ ตรอก/ซอย - ถนน พระราม ๓ หมู่ที่ -
ตำบล/แขวง ช่อนนทรี อำเภอ/เขต ยานนาวา จังหวัด กรุงเทพมหานคร รหัสไปรษณีย์ ๑๐๑๒๐

ข้อ ๑ ทำการ ก่อสร้างอาคาร
อยู่บ้านเลขที่ - ตรอก/ซอย - ถนน - หมู่ที่ ๑
ตำบล/แขวง หนองปรือ อำเภอ/เขต บางละมุง จังหวัด ชลบุรี รหัสไปรษณีย์ ๒๐๑๕๐
ในที่ดิน ☒ โฉนดที่ดิน ☐ น.ส.๓ ☐ น.ส.๓ ก ☐ ส.ค. ๑ ☐ อื่นๆ เลขที่ ๕๔๑๖๖, ๕๔๑๖๗, ๕๔๑๖๘,
๕๔๑๓๗ เป็นที่ดินของ บริษัท ศุภาลัย จำกัด (มหาชน)

ทำการเคลื่อนย้ายอาคารในท้องที่ที่อยู่ในเขตอำนาจของเจ้าพนักงานท้องถิ่นที่อาคารจะทำการ
เคลื่อนย้ายตั้งอยู่ไปยังบ้านเลขที่ - ตรอก/ซอย - ถนน - หมู่ที่ ๑
ตำบล/แขวง - อำเภอ/เขต - จังหวัด - รหัสไปรษณีย์ -
ในที่ดิน ☐ โฉนดที่ดิน ☐ น.ส.๓ ☐ น.ส.๓ ก ☐ ส.ค. ๑ ☐ อื่นๆ เลขที่ -
เลขที่ - เป็นที่ดินของ -



ข้อ ๒ เป็นอาคาร
(๑) ชนิด ค.ส.ล. ๒ ชั้น จำนวน ๑๐ หลัง เพื่อใช้เป็น พักอาศัย
พื้นที่อาคาร/ความยาว ๑,๕๔๖.๐๐ ตารางเมตร โดยมีที่จอดรถ ที่กั๊บลัด และทางเข้าออกของรถ
จำนวน - คัน พื้นที่ - ตารางเมตร
(๒) ชนิด บ้านแฝด ค.ส.ล. ๒ ชั้น จำนวน ๑๔ หลัง (๓๔ คูหา) เพื่อใช้เป็น พักอาศัย
พื้นที่อาคาร/ความยาว ๕,๖๖๒.๐๐ ตารางเมตร โดยมีที่จอดรถ ที่กั๊บลัด และทางเข้าออกของรถ
จำนวน - คัน พื้นที่ - ตารางเมตร
(๓) ชนิด บ้านแถว ค.ส.ล. ๒ ชั้น จำนวน ๒ หลัง (๑๑ คูหา) เพื่อใช้เป็น พักอาศัย
พื้นที่อาคาร/ความยาว ๑,๓๘๖.๐๐ ตารางเมตร โดยมีที่จอดรถ ที่กั๊บลัด และทางเข้าออกของรถ
จำนวน - คัน พื้นที่ - ตารางเมตร

ตามแผนผังบริเวณ แบบแปลน รายการประกอบแบบแปลน และรายการคำนวณเลขที่ ๑๖๖/๒๕๖๔ ที่แนบท้ายใบอนุญาตนี้
ข้อ ๓ มี นายสุทธิศักดิ์ อินทรสนธิ ทย.๖๖๔๘๗ เป็นผู้ควบคุมงาน
หรือ - เป็นผู้ออกแบบและคำนวณอาคาร

ข้อ ๔ ผู้ได้รับอนุญาตต้องปฏิบัติตามเงื่อนไข ดังต่อไปนี้
(๑) ผู้ได้รับใบอนุญาตต้องปฏิบัติตามหลักเกณฑ์ วิธีการ และเงื่อนไขตามที่กำหนดในกฎกระทรวง
ซึ่งออกตามความในมาตรา ๘ (๑๑) แห่งพระราชบัญญัติควบคุมอาคาร พ.ศ.๒๕๖๒ หรือข้อบัญญัติท้องถิ่นซึ่งออกตามความใน
มาตรา ๙ หรือมาตรา ๑๐ แห่งพระราชบัญญัติควบคุมอาคาร พ.ศ.๒๕๖๒
(๒) ค่าธรรมเนียม ๕,๐๐๗.๐๐ บาท ค่าใบอนุญาต ๒๐.๐๐ บาท รวมเป็นเงิน ๕,๐๒๗.๐๐ บาท

ใบอนุญาตฉบับนี้ให้ใช้ได้จนถึงวันที่ ๒๑ พ.ค. ๒๕๖๕
ออกให้ ณ วันที่ ๑๖ พ.ค. ๒๕๖๔
นายตรวจ -
หัวหน้าฝ่าย -
ผอ.กองช่าง -
ปลัดเทศบาล -
รองนายกเทศมนตรีเมืองหนองปรือ -
ใบอนุญาตฉบับนี้ให้ใช้ได้จนถึงวันที่ ๒๑ พ.ค. ๒๕๖๕
ออกให้ ณ วันที่ ๑๖ พ.ค. ๒๕๖๔
(นายวิรัตน์ ดันดีปาลกุล)
ปลัดเทศบาล รักษาการแทน
นายกเทศมนตรีเมืองหนองปรือ



เพิ่มเติม (๔) เพื่อใช้เป็น ตั๋วระบาย



ใบอนุญาตก่อสร้างอาคาร ตัดแปลงอาคาร หรือรื้อถอนอาคาร

เลขที่ 119 / 2564

อนุญาตให้ บริษัท สุภาลัย จำกัด (มหาชน) โดยนายกริช จันทร์เจริญสุข เจ้าของอาคาร
 อยู่บ้านเลขที่ 1011 ตรอก/ซอย ถนน หมู่ที่ 3
 ตำบล/แขวง ช้องนทรี อำเภอ/เขต ยานนาวา จังหวัด กรุงเทพมหานคร
 ก่อสร้างอาคาร

ข้อ ๑ ทำการ
 ที่บ้านเลขที่ ตรอก/ซอย ถนน หมู่ที่ 1
 ตำบล/แขวง หนองปรือ อำเภอ/เขต บางละมุง จังหวัด ชลบุรี

ในที่ดินโฉนดที่ดิน เลขที่/น.ส. ๓ เลขที่/ส.ค. ๑ เลขที่ โฉนดที่ดิน 54166, 54167, 54168, 59037
 เป็นที่ดินของ บริษัท สุภาลัย จำกัด (มหาชน)

ข้อ ๒ เป็นอาคาร
 (๑) ชนิด ค.ส.ล. 2 ชั้น จำนวน 1 หลัง เพื่อใช้เป็น นิติบุคคล
 110.00 ตารางเมตร

พื้นที่/ความยาว ที่จอดรถ ที่กัลปกร และทางเข้าออกของรถ
 จำนวน คัน พื้นที่ ตารางเมตร

(๒) ชนิด ท่อระบายน้ำ ค.ส.ล. จำนวน 6.00 เมตร เพื่อใช้เป็น ท่อระบายน้ำ
 พื้นที่/ความยาว 6.00 เมตร ที่จอดรถ ที่กัลปกร และทางเข้าออกของรถ

จำนวน คัน พื้นที่ ตารางเมตร
 (๓) ชนิด จำนวน เพื่อใช้เป็น

พื้นที่/ความยาว ที่จอดรถ ที่กัลปกร และทางเข้าออกของรถ
 จำนวน คัน พื้นที่ ตารางเมตร

ตามแผนผังบริเวณ แบบแปลน รายการประกอบแบบแปลน และรายการคำนวณ
 เลขที่ 094 / 2564 ที่แนบท้ายใบอนุญาตนี้

ข้อ ๓ โดยมี นายสุทธิศักดิ์ อินทรสนธิ อย.66487 เป็นผู้ควบคุมงาน

ข้อ ๔ ผู้ได้รับใบอนุญาตต้องปฏิบัติตามเงื่อนไขดังต่อไปนี้

(๑) ผู้ได้รับใบอนุญาตต้องปฏิบัติตามหลักเกณฑ์ วิธีการ และเงื่อนไขตามที่กำหนดในกฎ
 กระทรวงและหรือข้อบัญญัติท้องถิ่น ซึ่งออกตามความในมาตรา ๘ (๑๑) มาตรา ๙ หรือมาตรา ๑๐
 แห่งพระราชบัญญัติควบคุมอาคาร พ.ศ. ๒๕๖๒

(๒) ค่าธรรมเนียม 61.00 บาท ค่าใบอนุญาต 20.00 บาท รวมเป็นเงิน 81.00 บาท

ใบอนุญาตฉบับนี้ให้ใช้ได้จนถึงวันที่ เดือน - ๙ ๒๕๖๕ พ.ศ.

ออกให้ ณ วันที่ เดือน - ๙ ๒๕๖๕ พ.ศ.

นายช่าง
 หัวหน้าฝ่าย
 ผอ.กองช่าง
 ปลัดเทศบาล
 กองช่างเทศบาลเมืองหนองปรือ



(ลายมือชื่อ)
 นายวิรัตน์ ต้นติปาสุกุล
 ปลัดเทศบาล ปฏิบัติหน้าที่
 นายกเทศมนตรีเมืองหนองปรือ
 เจ้าพนักงานท้องถิ่น

ที่ ขบ ๕๔๓๐๘/ ๗๐๗๖



สำนักงานเทศบาลเมืองหนองปรือ

๑๑๑ หมู่ ๗ ตำบลหนองปรือ

อำเภอบางละมุง จังหวัดชลบุรี

๒๐๑๕๐

๖ กันยายน ๒๕๖๓

เรื่อง การขออนุญาตเชื่อมต่อระบายน้ำสาธารณะ

เรียน กรรมการผู้จัดการ บริษัท ศุภาลัย จำกัด (มหาชน)

อ้างถึง หนังสือบริษัทฯ ลงวันที่ ๘ กรกฎาคม ๒๕๖๓

ตามหนังสือที่อ้างถึง บริษัท ศุภาลัย จำกัด (มหาชน) ได้ดำเนินการจัดสรรที่ดิน บนโฉนดที่ดิน เลขที่ ๕๔๑๖๖, ๕๔๑๖๗, ๕๔๑๖๘ และ ๕๔๐๓๗ ตำบลหนองปรือ อำเภอบางละมุง จังหวัดชลบุรี เพื่อจำหน่ายที่ดินพร้อมสิ่งปลูกสร้างประเภท บ้านเดี่ยว บ้านแฝด และทาวน์เฮาส์ โดยขออนุญาตเชื่อมต่อระบายน้ำทั้งจากโครงการกับท่อระบายน้ำสาธารณะประโยชน์ของเทศบาล นั้น

เทศบาลเมืองหนองปรือ ได้พิจารณาแล้ว อนุญาตให้ดำเนินการวางท่อระบายน้ำ เชื่อมลงสู่ท่อระบายน้ำสาธารณะของเทศบาล โดยขอให้ปฏิบัติ ดังนี้

๑. ให้ดำเนินการเชื่อมต่อน้ำทั้งบริเวณด้านหน้าของโครงการกับท่อระบายน้ำสาธารณะประโยชน์ เป็นท่อ คสล. ขนาด Ø ๐.๘๐ เมตร พร้อมบ่อพัก คสล. ฝาปิดเหล็กหล่อ ทุกระยะ ๑๕ เมตร โดยซ่อมแซมผิวจราจรกลับคืนให้อยู่ในสภาพใช้งานได้ตามเดิม

๒. คุณภาพน้ำทิ้งที่ปล่อยลงท่อระบายน้ำสาธารณะต้องได้คุณภาพตามมาตรฐาน และต้องมีจุดตรวจสอบไม่น้อยกว่า ๑ แห่ง

๓. การดำเนินการก่อสร้างให้แล้วเสร็จภายใน ๖๐ วัน นับจากวันที่ได้รับอนุญาตให้ดำเนินการ ค่าใช้จ่ายในการดำเนินการดังกล่าว บริษัท ฯ เป็นผู้จ่ายเองทั้งหมด

ในการนี้ ได้มอบหมายให้ นายวรวิทย์ เจือจาน ผู้ช่วยนายช่างโยธา โทรศัพท์หมายเลข ๐๘๗-๓๕๗๕๔๙๑ เป็นผู้ประสานงานและควบคุมงานให้เป็นไปตามแบบแปลนมาตรฐาน จึงขอให้แจ้งผู้ควบคุมงานก่อนดำเนินการก่อสร้าง

จึงเรียนมาเพื่อทราบและดำเนินการต่อไป

ขอแสดงความนับถือ

(นายมาย ไชยนิตย์)

นายกเทศมนตรีเมืองหนองปรือ

กองช่างสุขาภิบาล (ฝ่ายจัดการคุณภาพน้ำ)

โทร ๐-๓๘๘๓-๓๑๐๕

โทรสาร ๐-๓๘๘๓-๓๑๘๙



ที่ ขบ ๕๔๗๐๓/๗๖๕

สำนักงานเทศบาลเมืองหนองปรือ
๑๑๑ หมู่ที่ ๗ ตำบลหนองปรือ
อำเภอบางละมุง ขบ ๒๐๑๕๐

๗ มีนาคม ๒๕๖๔

เรื่อง ขออนุญาตเชื่อมทางเข้า-ออกโครงการ ศุภาลัยวิลล์ พัทยา-มอเตอร์เวย์ และปรับปรุงถนนสาธารณประโยชน์
พร้อมทอระบายน้ำสาธารณะ

เรียน กรรมการผู้มีอำนาจลงนามบริษัท ศุภาลัย จำกัด (มหาชน)

อ้างถึง ๑. หนังสือบริษัท ศุภาลัย จำกัด (มหาชน) ที่ SPL/๖๓๐๖-๐๐๓ ลงวันที่ ๘ กรกฎาคม ๒๕๖๓

๒. หนังสือบริษัท ศุภาลัย จำกัด (มหาชน) ที่ SPL/๖๓๐๖-๐๐๔ ลงวันที่ ๗ ตุลาคม ๒๕๖๓

สิ่งที่ส่งมาด้วย สำเนาหนังสืออำเภอบางละมุง ที่ ขบ ๐๖๑๘/๑๑๔๓ ลงวันที่ ๒๔ กุมภาพันธ์ ๒๕๖๔ จำนวน ๑ ชุด

ตามที่เทศบาลเมืองหนองปรือ ได้รับแจ้งจากบริษัท ศุภาลัย จำกัด (มหาชน) มีความประสงค์ที่จะ
ดำเนินการโครงการ ศุภาลัยวิลล์ พัทยา-มอเตอร์เวย์ บนเนื้อที่ ๒๑-๐-๒๕.๘ ไร่ เป็นที่ดินจัดสรร จำนวน ๑๔๘
แปลง ประกอบด้วยบ้านเดี่ยว บ้านแฝด และทาวน์โฮม ตั้งอยู่ที่ฟาร์มจระเข้ซอย ๖ หมู่ที่ ๑ ถนนชัยพรวิถิ ๒๑
ตำบลหนองปรือ อำเภอบางละมุง จังหวัดชลบุรี บนโฉนดที่ดินเลขที่ ๕๔๑๖๖, ๕๔๑๖๗, ๕๔๑๖๘, ๕๔๑๓๗
บริษัทขออนุญาตเชื่อมทางเข้า-ออก โครงการฯ กับทางสาธารณประโยชน์เพื่อใช้เป็นทางเข้า-ออก และปรับปรุง
ถนนสาธารณประโยชน์พร้อมทอระบายน้ำสาธารณะ นั้น

เทศบาลเมืองหนองปรือมีอำนาจในการดูแลรักษาและคุ้มครองป้องกันที่ดินสาธารณะสมบัติ ตาม
พระราชบัญญัติเทศบาล พ.ศ. ๒๔๙๖ จึงขอแจ้งให้บริษัทฯ ทราบว่า บัดนี้อำเภอบางละมุงได้รับแจ้งจากจังหวัด
ชลบุรีว่าได้รับการพิจารณาเห็นชอบ กรณีการเชื่อมทางเข้า-ออกของโครงการ และปรับปรุงถนนสาธารณประโยชน์
พร้อมทอระบายน้ำสาธารณะ โดยทั้งนี้จักต้องปฏิบัติให้เป็นไปตามเงื่อนไข ปรากฏตามสิ่งที่ส่งมาด้วย

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

๑๑

(นายวิรัตน์ ตันติपालกุล)

ปลัดเทศบาล ปฏิบัติหน้าที่

นายกเทศมนตรีเมืองหนองปรือ

กองช่าง

ฝ่ายผังเมือง

โทร. ๐ ๓๘๙๓ ๓๑๕๘

โทรสาร ๐ ๓๘๙๓ ๓๑๒๒

ภาคผนวกที่ 3

ใบรายงานผลการวิเคราะห์จากห้องปฏิบัติการ


ANALYSIS REPORT

Customer Name : บริษัท ศุภาลัย จำกัด (มหาชน)
Address : เลขที่ 1011 สำนักงานก่อสร้างแนวราบ อาคารศุภาลัยแกรนด์ทาวเวอร์ ชั้น 32 ถนนพระราม 3 แขวงช่องนนทรี เขตยานนาวา กรุงเทพมหานคร 10120
Project Name : โครงการ ศุภาลัย วิลล์ พัทยา - มอเดอร์เวย์
Project Location : ฟาร์มจระเข้ ขอย 6 หมู่ที่ 1 ถนนชัยพฤกษ์ 21 ตำบลหนองปรือ อำเภอบางละมุง จังหวัดชลบุรี
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าระบบบำบัดน้ำเสียรวมของโครงการ
GPS. Coordinate : UTM (WGS84) 47P 0710538 E, 1432314 N
Sampling Date : January 9, 2025
Sampling Time : 10:49
Sampling Method : Grab
Sampling By : Mr.Akarawat Kochobog
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2024-02196
Analysis No. : 2025-AA078-001
Received Date : January 10, 2025
Analytical Date : January 10-22, 2025
Report No. : 2025-RAAB046
Report Date : January 23, 2025

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	7.7
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	11
Total Suspended Solids	mg/L	Dried at 103-105°C	9.8
Total Dissolved Solids	mg/L	Dried at 180°C	196
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	21
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	>1,600,000
Settleable Solids	mL/L	Volumetric	0.1

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.



(Ms. Yuwadee Na Ranong)
Laboratory Reviewer




(Mr. Virat Hemvannanukul)
Laboratory Supervisor

ANALYSIS REPORT

Customer Name : บริษัท ศุภาสัย จำกัด (มหาชน)
Address : เลขที่ 1011 สำนักงานก่อสร้างแนวราบ อาคารศุภาสัยแกรนด์ทาวเวอร์ ชั้น 32 ถนนพระราม 3 แขวงช่องนนทรี เขตยานนาวา กรุงเทพมหานคร 10120
Project Name : โครงการ ศุภาสัย วิลล์ พัทยา - มอเตอร์เวย์
Project Location : ฟาร์มจระเข้ ซอย 6 หมู่ที่ 1 ถนนชัยพฤกษ์ 21 ตำบลหนองปรือ อำเภอบางละมุง จังหวัดชลบุรี
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าระบบบำบัดน้ำเสียรวมของโครงการ
GPS. Coordinate : UTM (WGS84) 47P 0710538 E, 1432315 N
Sampling Date : February 18, 2025
Sampling Time : 10:20
Sampling Method : Grab
Sampling By : Mr.Akarawat Kochobog
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2024-02196
Analysis No. : 2025-AA536-001
Received Date : February 19, 2025
Analytical Date : February 19-26, 2025
Report No. : 2025-RAAD085
Report Date : March 4, 2025

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	7.6
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	8.2
Total Suspended Solids	mg/L	Dried at 103-105°C	11
Total Dissolved Solids	mg/L	Dried at 180°C	262
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	37
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	3.6
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	21,000
Settleable Solids	mL/L	Volumetric	0.2

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.


 (Ms. Yuwadee Na Ranong)
 Laboratory Reviewer




 (Mr. Virat Hemvannanukul)
 Laboratory Supervisor


ANALYSIS REPORT

Customer Name : บริษัท ศุภาสัย จำกัด (มหาชน)
Address : เลขที่ 1011 สำนักงานก่อสร้างแนวราบ อาคารศุภาสัยแกรนด์ทาวเวอร์ ชั้น 32 ถนนพระราม 3 แขวงช่องนนทรี เขตยานนาวา กรุงเทพมหานคร 10120
Project Name : โครงการ ศุภาสัย วิลล์ พัทยา - มอเตอร์เวย์
Project Location : ฟาร์มจระเข้ ซอย 6 หมู่ที่ 1 ถนนชัยพรวิถิ 21 ตำบลหนองปรือ อำเภอบางละมุง จังหวัดชลบุรี
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าระบบบำบัดน้ำเสียรวมของโครงการ
GPS. Coordinate : UTM (WGS84) 47P 0710538 E, 1432316 N
Sampling Date : March 28, 2025
Sampling Time : 14:27
Sampling Method : Grab
Sampling By : Mr.Akarawat Kochobog
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2024-02196
Analysis No. : 2025-AB178-001
Received Date : March 31, 2025
Analytical Date : March 31-April 9, 2025
Report No. : 2025-RAAG467
Report Date : April 10, 2025

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	8.2
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	4.8
Total Suspended Solids	mg/L	Dried at 103-105°C	8.2
Total Dissolved Solids	mg/L	Dried at 180°C	282
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	20
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	920,000
Settleable Solids	mL/L	Volumetric	<0.1

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.


 (Ms. Yuwadee Na Ranong)
 Laboratory Reviewer


 (Mr. Virat Hemvannanukul)
 Laboratory Supervisor

ANALYSIS REPORT

Customer Name : บริษัท ศุภลัย จำกัด (มหาชน)
Address : เลขที่ 1011 สำนักงานก่อสร้างแนวราบ อาคารศุภลัยแกรนด์ทาวเวอร์ ชั้น 32 ถนนพระราม 3 แขวงช่องนนทรี เขตยานนาวา กรุงเทพมหานคร 10120
Project Name : โครงการ ศุภลัย วิลล์ พัทยา - มอเตอร์เวย์
Project Location : ฟาร์มจระเข้ ซอย 6 หมู่ที่ 1 ถนนชัยพฤกษ์ 21 ตำบลหนองปรือ อำเภอบางละมุง จังหวัดชลบุรี
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าระบบบำบัดน้ำเสียรวมของโครงการ
GPS. Coordinate : UTM (WGS84) 47P 0710534 E, 1432325 N
Sampling Date : April 27, 2025
Sampling Time : 09:33
Sampling Method : Grab
Sampling By : Mr.Arnon Kuanhanghong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2024-02196
Analysis No. : 2025-AB691-001
Received Date : April 28, 2025
Analytical Date : April 28-May 14, 2025
Report No. : 2025-RAAJ079
Report Date : May 15, 2025

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	6.7
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	2.7
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0
Total Dissolved Solids	mg/L	Dried at 180°C	152
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	16
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	13,000
Settleable Solids	mL/L	Volumetric	0.1

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.


 (Ms. Yuwadee Na Ranong)
 Laboratory Reviewer




 (Mr. Virat Hemvannanukul)
 Laboratory Supervisor

ANALYSIS REPORT

Customer Name : บริษัท ศุภาสัย จำกัด (มหาชน)
Address : เลขที่ 1011 สำนักงานก่อสร้างแนวราบ อาคารศุภาสัยแกรนด์ทาวเวอร์ ชั้น 32 ถนนพระราม 3 แขวงช่องนนทรี เขตยานนาวา กรุงเทพมหานคร 10120
Project Name : โครงการ ศุภาสัย วิลล์ พัทยา - มอเตอร์เวย์
Project Location : ฟาร์มจระเข้ ซอย 6 หมู่ที่ 1 ถนนชัยพฤกษ์ 21 ตำบลหนองปรือ อำเภอบางละมุง จังหวัดชลบุรี
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าระบบบำบัดน้ำเสียรวมของโครงการ
GPS. Coordinate : UTM (WGS84) 47P 0710533 E, 1432302 N
Sampling Date : May 15, 2025
Sampling Time : 09:07
Sampling Method : Grab
Sampling By : Mr.Akarawat Kochobog
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2024-02196
Analysis No. : 2025-AC125-001
Received Date : May 16, 2025
Analytical Date : May 16-28, 2025
Report No. : 2025-RAAL547
Report Date : May 29, 2025

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	7.3
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	2.2
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0
Total Dissolved Solids	mg/L	Dried at 180°C	176
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.5
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	11
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	1.2
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	1,600,000
Settleable Solids	mL/L	Volumetric	<0.1

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.


 (Ms. Yuwadee Na Ranong)
 Laboratory Reviewer




 (Mr. Virat Hemvannanukul)
 Laboratory Supervisor


ANALYSIS REPORT

Customer Name : บริษัท ศุภาลัย จำกัด (มหาชน)
Address : เลขที่ 1011 สำนักงานก่อสร้างแนวราบ อาคารศุภาลัยแกรนด์ทาวเวอร์ ชั้น 32 ถนนพระราม 3 แขวงช่องนนทรี เขตยานนาวา กรุงเทพมหานคร 10120
Project Name : โครงการ ศุภาลัย วิลล์ พักอาศัย - มอเตอร์เวย์
Project Location : ฟาร์มจระเข้ ซอย 6 หมู่ที่ 1 ถนนชัยพฤกษ์ 21 ตำบลหนองปรือ อำเภอบางละมุง จังหวัดชลบุรี
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าระบบบำบัดน้ำเสียรวมของโครงการ
GPS. Coordinate : UTM (WGS84) 47P 0710536 E, 1432313 N
Sampling Date : June 14, 2025
Sampling Time : 11:10
Sampling Method : Grab
Sampling By : Mr.Akarawat Kochobog
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2024-02196
Analysis No. : 2025-AC813-001
Received Date : June 16, 2025
Analytical Date : June 16-25, 2025
Report No. : 2025-RAA0021
Report Date : June 26, 2025

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	7.6
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	2.8
Total Suspended Solids	mg/L	Dried at 103-105°C	187
Total Dissolved Solids	mg/L	Dried at 180°C	136
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.5
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	6.8
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	54,000
Settleable Solids	mL/L	Volumetric	22

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.


 (Ms. Yuwadee Na Ranong)
 Laboratory Reviewer




 (Mr. Virat Hemvannanukul)
 Laboratory Supervisor

ANALYSIS REPORT


Customer Name : บริษัท ศุภาลัย จำกัด (มหาชน)
Address : เลขที่ 1011 สำนักงานก่อสร้างแนวราบ อาคารศุภาลัยแกรนด์ทาวเวอร์ ชั้น 32 ถนนพระราม 3 แขวงช่องนนทรี เขตยานนาวา กรุงเทพมหานคร 10120
Project Name : โครงการ ศุภาลัย วิลล์ พัทยา - โมเดิร์นเวย์
Project Location : ฟาร์มจระเข้ ซอย 6 หมู่ที่ 1 ถนนชัยพฤกษ์ 21 ตำบลหนองปรือ อำเภอบางละมุง จังหวัดชลบุรี
Sampling Source : Wastewater Sampling
Sampling Point : หลังออกจากระบบบำบัดน้ำเสียรวมของโครงการ
GPS. Coordinate : UTM (WGS84) 47P 0710534 E, 1432322 N
Sampling Date : February 18, 2025
Sampling Time : 10:09
Sampling Method : Grab
Sampling By : Mr.Akarawat Kochobog
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2024-02196
Analysis No. : 2025-AA536-002
Received Date : February 19, 2025
Analytical Date : February 19-March 4, 2025
Report No. : 2025-RAAD086
Report Date : March 4, 2025

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	7.8	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	23	30
Total Suspended Solids	mg/L	Dried at 103-105°C	10	40
Total Dissolved Solids	mg/L	Dried at 180°C	271	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	30	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Fecal Coliform Bacteria	MPN/100ml	Most Probable Number	3,900	-
Settleable Solids	mL/L	Volumetric	0.1	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2564 (2021), published in the Royal Government Gazette No.138 Part 161D dated July 19, B.E.2564 (2021), Maximum Permitted Value for Developed Land Type B.



(Ms.Yuwadee Na Ranong)
Laboratory Reviewer




(Mr.Virat Hemvannanukul)
Laboratory Supervisor

ANALYSIS REPORT


Customer Name : บริษัท ศุภลัย จำกัด (มหาชน)
Address : เลขที่ 1011 สำนักงานก่อสร้างแนวราบ อาคารศุภลัยแกรนด์ทาวเวอร์ ชั้น 32 ถนนพระราม 3 แขวงช่องนนทรี เขตยานนาวา กรุงเทพมหานคร 10120
Project Name : โครงการ ศุภลัย วิลล์ พัทยา - มอเตอร์เวย์
Project Location : ฟาร์มจระเข้ ซอย 6 หมู่ที่ 1 ถนนชัยพฤกษ์ 21 ตำบลหนองปรือ อำเภอบางละมุง จังหวัดชลบุรี
Sampling Source : Wastewater Sampling
Sampling Point : หลังออกจากระบบบำบัดน้ำเสียรวมของโครงการ
GPS. Coordinate : UTM (WGS84) 47P 0710534 E, 1432322 N
Sampling Date : January 9, 2025
Sampling Time : 10:36
Sampling Method : Grab
Sampling By : Mr.Akarawat Kochobog
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2024-02196
Analysis No. : 2025-AA078-002
Received Date : January 10, 2025
Analytical Date : January 10-22, 2025
Report No. : 2025-RAAB047
Report Date : January 23, 2025

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	7.6	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	7.8	30
Total Suspended Solids	mg/L	Dried at 103-105°C	18	40
Total Dissolved Solids	mg/L	Dried at 180°C	142	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	15	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	>1,600,000	-
Settleable Solids	mL/L	Volumetric	0.4	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2564 (2021), published in the Royal Government Gazette No.138 Part 161D dated July 19, B.E.2564 (2021), Maximum Permitted Value for Developed Land Type B.



(Ms. Yuwadee Na Ranong)
Laboratory Reviewer




(Mr. Virat Hemvannanukul)
Laboratory Supervisor

ANALYSIS REPORT

Customer Name : บริษัท ศุภาลัย จำกัด (มหาชน)
Address : เลขที่ 1011 สำนักงานก่อสร้างแนวราบ อาคารศุภาลัยแกรนด์ทาวเวอร์ ชั้น 32 ถนนพระราม 3 แขวงช่องนนทรี เขตยานนาวา กรุงเทพมหานคร 10120
Project Name : โครงการ ศุภาลัย วิลลัส พัทยา - มอเตอร์เวย์
Project Location : ฟาร์มจระเข้ ซอย 6 หมู่ที่ 1 ถนนชัยพรวิถิ 21 ตำบลหนองปรือ อำเภอบางละมุง จังหวัดชลบุรี
Sampling Source : Wastewater Sampling
Sampling Point : หลังออกจากระบบบำบัดน้ำเสียรวมของโครงการ
GPS. Coordinate : UTM (WGS84) 47P 0710534 E, 1432323 N
Sampling Date : March 28, 2025
Sampling Time : 14:19
Sampling Method : Grab
Sampling By : Mr.Akarawat Kochobog
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2024-02196
Analysis No. : 2025-AB178-002
Received Date : March 31, 2025
Analytical Date : March 31-April 9, 2025
Report No. : 2025-RAAG468
Report Date : April 10, 2025

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	8.4	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	6.4	30
Total Suspended Solids	mg/L	Dried at 103-105°C	8.4	40
Total Dissolved Solids	mg/L	Dried at 180°C	278	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	12	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Fecal Coliform Bacteria	MPN/100ml	Most Probable Number	13,000	-
Settleable Solids	mL/L	Volumetric	<0.1	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2564 (2021), published in the Royal Government Gazette No.138 Part 161D dated July 19, B.E.2564 (2021), Maximum Permitted Value for Developed Land Type B.


 (Ms. Yuwadee Na Ranong)
 Laboratory Reviewer




 (Mr. Virat Hemvannanukul)
 Laboratory Supervisor

ANALYSIS REPORT

Customer Name : บริษัท ศุภาลัย จำกัด (มหาชน)
Address : เลขที่ 1011 สำนักงานก่อสร้างแนวราบ อาคารศุภาลัยแกรนด์ทาวเวอร์ ชั้น 32 ถนนพระราม 3 แขวงช่องนนทรี เขตยานนาวา กรุงเทพมหานคร 10120
Project Name : โครงการ ศุภาลัย วิลล์ พัทยา - มอเตอร์เวย์
Project Location : ฟาร์มจระเข้ ชอย 6 หมู่ที่ 1 ถนนชัยพฤกษ์ 21 ตำบลหนองปรือ อำเภอบางละมุง จังหวัดชลบุรี
Sampling Source : Wastewater Sampling
Sampling Point : หลังออกจากระบบบำบัดน้ำเสียรวมของโครงการ
GPS. Coordinate : UTM (WGS84) 47P 0710532 E, 1432321 N
Sampling Date : April 27, 2025
Sampling Time : 09:26
Sampling Method : Grab
Sampling By : Mr.Arnon Kuanhanghong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2024-02196
Analysis No. : 2025-AB691-002
Received Date : April 28, 2025
Analytical Date : April 28-May 14, 2025
Report No. : 2025-RAAJ087
Report Date : May 15, 2025

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	6.8	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	3.2	30
Total Suspended Solids	mg/L	Dried at 103-105°C	7.7	40
Total Dissolved Solids	mg/L	Dried at 180°C	176	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	20	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	24,000	-
Settleable Solids	mL/L	Volumetric	0.1	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2564 (2021), published in the Royal Government Gazette No.138 Part 161D dated July 19, B.E.2564 (2021), Maximum Permitted Value for Developed Land Type B.


 (Ms. Yuwadee Na Ranong)
 Laboratory Reviewer


 (Mr. Virat Hemvannanukul)
 Laboratory Supervisor

ANALYSIS REPORT


Customer Name : บริษัท ศุภาลัย จำกัด (มหาชน)
Address : เลขที่ 1011 สำนักงานก่อสร้างแนวราบ อาคารศุภาลัยแกรนด์ทาวเวอร์ ชั้น 32 ถนนพระราม 3 แขวงช่องนนทรี เขตยานนาวา กรุงเทพมหานคร 10120
Project Name : โครงการ ศุภาลัย วิลล์ พัทยา - มอเตอร์เวย์
Project Location : ฟาร์มจระเข้ ชอ่ย 6 หมู่ที่ 1 ถนนชัยพฤกษ์ 21 ตำบลหนองปรือ อำเภอบางละมุง จังหวัดชลบุรี
Sampling Source : Wastewater Sampling
Sampling Point : หลังออกจากระบบบำบัดน้ำเสียรวมของโครงการ
GPS. Coordinate : UTM (WGS84) 47P 0710532 E, 1432321 N
Sampling Date : May 15, 2025
Sampling Time : 08:57
Sampling Method : Grab
Sampling By : Mr.Akarawat Kochobog
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2024-02196
Analysis No. : 2025-AC125-002
Received Date : May 16, 2025
Analytical Date : May 16-28, 2025
Report No. : 2025-RAAL548
Report Date : May 29, 2025

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	7.3	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	<2.0	30
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0	40
Total Dissolved Solids	mg/L	Dried at 180°C	144	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	6.5	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	2.0	20
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	2,200	-
Settleable Solids	mL/L	Volumetric	<0.1	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2564 (2021), published in the Royal Government Gazette No.138 Part 161D dated July 19, B.E.2564 (2021), Maximum Permitted Value for Developed Land Type B.


(Ms.Yuwadee Na Ranong)
Laboratory Reviewer




(Mr.Virat Hemvannanukul)
Laboratory Supervisor

ANALYSIS REPORT

Customer Name : บริษัท ศุภาลัย จำกัด (มหาชน)
Address : เลขที่ 1011 สำนักงานก่อสร้างแนวราบ อาคารศุภาลัยแกรนด์ทาวเวอร์ ชั้น 32 ถนนพระราม 3 แขวงช่องนนทรี เขตยานนาวา กรุงเทพมหานคร 10120
Project Name : โครงการ ศุภาลัย วิลล่า พัทยา - มอเตอร์เวย์
Project Location : ฟาร์มจระเข้ ซอย 6 หมู่ที่ 1 ถนนชัยพฤกษ์ 21 ตำบลหนองปรือ อำเภอบางละมุง จังหวัดชลบุรี
Sampling Source : Wastewater Sampling
Sampling Point : หลังออกจากระบบบำบัดน้ำเสียรวมของโครงการ
GPS. Coordinate : UTM (WGS84) 47P 0710533 E, 1432320 N
Sampling Date : June 14, 2025
Sampling Time : 11:01
Sampling Method : Grab
Sampling By : Mr.Akarawat Kochobog
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2024-02196
Analysis No. : 2025-AC813-002
Received Date : June 16, 2025
Analytical Date : June 16-25, 2025
Report No. : 2025-RAAO022
Report Date : June 26, 2025

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	7.9	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	2.6	30
Total Suspended Solids	mg/L	Dried at 103-105°C	5.4	40
Total Dissolved Solids	mg/L	Dried at 180°C	190	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.5	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	11	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	24,000	-
Settleable Solids	mL/L	Volumetric	0.1	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2564 (2021), published in the Royal Government Gazette No.138 Part 161D dated July 19, B.E.2564 (2021), Maximum Permitted Value for Developed Land Type B.


 (Ms.Yuwadee Na Ranong)
 Laboratory Reviewer




 (Mr.Virat Hemvannanukul)
 Laboratory Supervisor

ANALYSIS REPORT


Customer Name : บริษัท ศุภาสัย จำกัด (มหาชน)
Address : เลขที่ 1011 สำนักงานก่อสร้างแนวราบ อาคารศุภาสัยแกรนด์ทาวเวอร์ ชั้น 32 ถนนพระราม 3 แขวงช่องนนทรี เขตยานนาวา กรุงเทพมหานคร 10120
Project Name : โครงการ ศุภาสัย วิลล์ พัทยา - มอเตอร์เวย์
Project Location : ฟาร์มจระเข้ ซอย 6 หมู่ที่ 1 ถนนชัยพฤกษ์ 21 ตำบลหนองปรือ อำเภอบางละมุง จังหวัดชลบุรี
Sampling Source : Wastewater Sampling
Sampling Point : ปอดตรวจสอบน้ำก่อนออกนอกโครงการ บริเวณต่อเชื่อมถนนสาธารณะประโยชน์
GPS. Coordinate : UTM (WGS84) 47P 0710535 E, 1432524 N
Sampling Date : January 9, 2025
Sampling Time : 10:42
Sampling Method : Grab
Sampling By : Mr.Akarawat Kochobog
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2024-02196
Analysis No. : 2025-AA078-003
Received Date : January 10, 2025
Analytical Date : January 10-22, 2025
Report No. : 2025-RAAB048
Report Date : January 23, 2025

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	7.7	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	4.3	30
Total Suspended Solids	mg/L	Dried at 103-105°C	10	40
Total Dissolved Solids	mg/L	Dried at 180°C	65	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	13	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	1.2	20
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	13,000	-
Settleable Solids	mL/L	Volumetric	0.1	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2564 (2021), published in the Royal Government Gazette No.138 Part 161D dated July 19, B.E.2564 (2021), Maximum Permitted Value for Developed Land Type B.


 (Ms. Yuwadee Na Ranong)
 Laboratory Reviewer




 (Mr. Virat Hemvannanukul)
 Laboratory Supervisor

ANALYSIS REPORT

Customer Name : บริษัท ศุภาลัย จำกัด (มหาชน)
Address : เลขที่ 1011 สำนักงานก่อสร้างแนวราบ อาคารศุภาลัยแกรนด์ทาวเวอร์ ชั้น 32 ถนนพระราม 3 แขวงช่องนนทรี เขตยานนาวา กรุงเทพมหานคร 10120
Project Name : โครงการ ศุภาลัย วิลล์ พัทยา - โมเดิร์นเวย์
Project Location : ฟาร์มจระเข้ ซอย 6 หมู่ที่ 1 ถนนชัยพฤกษ์ 21 ตำบลหนองปรือ อำเภอบางละมุง จังหวัดชลบุรี
Sampling Source : Wastewater Sampling
Sampling Point : ปอดตรวจสภาพน้ำก่อนออกนอกโครงการ บริเวณต่อเชื่อมถนนสาธารณะประโยชน์
GPS. Coordinate : UTM (WGS84) 47P 0710536 E, 1432324 N
Sampling Date : February 18, 2025
Sampling Time : 10:15
Sampling Method : Grab
Sampling By : Mr.Akarawat Kochobog
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2024-02196
Analysis No. : 2025-AA536-003
Received Date : February 19, 2025
Analytical Date : February 19-26, 2025
Report No. : 2025-RAAD087
Report Date : March 4, 2025

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	7.7	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	7.1	30
Total Suspended Solids	mg/L	Dried at 103-105°C	10	40
Total Dissolved Solids	mg/L	Dried at 180°C	286	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	29	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	2.0	20
Fecal Coliform Bacteria	MPN/100ml	Most Probable Number	13,000	-
Settleable Solids	mL/L	Volumetric	<0.1	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2564 (2021), published in the Royal Government Gazette No.138 Part 161D dated July 19, B.E.2564 (2021), Maximum Permitted Value for Developed Land Type B.


 (Ms. Yuwadee Na Ranong)
 Laboratory Reviewer




 (Mr. Virat Hemvannanukul)
 Laboratory Supervisor

ANALYSIS REPORT


Customer Name : บริษัท ศุภาลัย จำกัด (มหาชน)
Address : เลขที่ 1011 สำนักงานก่อสร้างแนวราบ อาคารศุภาลัยแกรนด์ทาวเวอร์ ชั้น 32 ถนนพระราม 3 แขวงช่องนนทรี เขตยานนาวา กรุงเทพมหานคร 10120
Project Name : โครงการ ศุภาลัย วิลล่า พักตาก - มอเตอร์เวย์
Project Location : ฟาร์มจระเข้ ซอย 6 หมู่ที่ 1 ถนนชัยพฤกษ์ 21 ตำบลหนองปรือ อำเภอบางละมุง จังหวัดชลบุรี
Sampling Source : Wastewater Sampling
Sampling Point : ปอดตรวจสอบน้ำก่อนออกนอกโครงการ บริเวณต่อเชื่อมถนนสาธารณะประโยชน์
GPS. Coordinate : UTM (WGS84) 47P 0710534 E, 1432325 N
Sampling Date : March 28, 2025
Sampling Time : 14:23
Sampling Method : Grab
Sampling By : Mr.Akarawat Kochobog
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2024-02196
Analysis No. : 2025-AB178-003
Received Date : March 31, 2025
Analytical Date : March 31-April 9, 2025
Report No. : 2025-RAAG469
Report Date : April 10, 2025

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	8.2	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	6.6	30
Total Suspended Solids	mg/L	Dried at 103-105°C	11	40
Total Dissolved Solids	mg/L	Dried at 180°C	268	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	15	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	1.2	20
Fecal Coliform Bacteria	MPN/100ml	Most Probable Number	7,900	-
Settleable Solids	mL/L	Volumetric	<0.1	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2564 (2021), published in the Royal Government Gazette No.138 Part 161D dated July 19, B.E.2564 (2021), Maximum Permitted Value for Developed Land Type B.


 (Ms. Yuwadee Na Ranong)
 Laboratory Reviewer


 (Mr. Virat Hemvannanukul)
 Laboratory Supervisor

ANALYSIS REPORT

Customer Name : บริษัท ศุภลัย จำกัด (มหาชน)
Address : เลขที่ 1011 สำนักงานก่อสร้างแนวราบ อาคารศุภลัยแกรนด์ทาวเวอร์ ชั้น 32 ถนนพระราม 3 แขวงช่องนนทรี เขตยานนาวา กรุงเทพมหานคร 10120
Project Name : โครงการ ศุภลัย วิลล์ พัทยา - มอเตอร์เวย์
Project Location : ฟาร์มจระเข้ ชอ่ย หมู่ที่ 1 ถนนชัยพรวิที 21 ตำบลหนองปรือ อำเภอบางละมุง จังหวัดชลบุรี
Sampling Source : Wastewater Sampling
Sampling Point : ปอดตรวจสภาพน้ำก่อนออกนอกโครงการ บริเวณต่อเชื่อมถนนสาธารณะประโยชน์
GPS. Coordinate : UTM (WGS84) 47P 0710536 E, 1432313 N
Sampling Date : April 27, 2025
Sampling Time : 09:17
Sampling Method : Grab
Sampling By : Mr.Arnon Kuanhanghong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2024-02196
Analysis No. : 2025-AB691-003
Received Date : April 28, 2025
Analytical Date : April 28-May 14, 2025
Report No. : 2025-RAAJ088
Report Date : May 15, 2025

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	7.3	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	3.7	30
Total Suspended Solids	mg/L	Dried at 103-105°C	13	40
Total Dissolved Solids	mg/L	Dried at 180°C	190	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	19	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	1.6	20
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	35,000	-
Settleable Solids	mL/L	Volumetric	0.1	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2564 (2021), published in the Royal Government Gazette No.138 Part 161D dated July 19, B.E.2564 (2021), Maximum Permitted Value for Developed Land Type B.


 (Ms. Yuwadee Na Ranong)
 Laboratory Reviewer




 (Mr. Virat Hemvannanukul)
 Laboratory Supervisor

ANALYSIS REPORT

Customer Name : บริษัท ศุภาลัย จำกัด (มหาชน)
Address : เลขที่ 1011 สำนักงานก่อสร้างแนวราบ อาคารศุภาลัยแกรนด์ทาวเวอร์ ชั้น 32 ถนนพระราม 3 แขวงช่องนนทรี เขตยานนาวา กรุงเทพมหานคร 10120
Project Name : โครงการ ศุภาลัย วิลล่า พัทยา - มอเตอร์เวย์
Project Location : ฟาร์มจระเข้ ซอย 6 หมู่ที่ 1 ถนนชัยพฤกษ์ 21 ตำบลหนองปรือ อำเภอบางละมุง จังหวัดชลบุรี
Sampling Source : Wastewater Sampling
Sampling Point : บ่อตรวจสภาพน้ำก่อนออกนอกโครงการ บริเวณต่อเชื่อมถนนสาธารณะประโยชน์
GPS. Coordinate : UTM (WGS84) 47P 0710534 E, 1432324 N
Sampling Date : May 15, 2025
Sampling Time : 09:01
Sampling Method : Grab
Sampling By : Mr.Akarawat Kochobog
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2024-02196
Analysis No. : 2025-AC125-003
Received Date : May 16, 2025
Analytical Date : May 16-28, 2025
Report No. : 2025-RAAL550
Report Date : May 29, 2025

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	7.3	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	<2.0	30
Total Suspended Solids	mg/L	Dried at 103-105°C	7.4	40
Total Dissolved Solids	mg/L	Dried at 180°C	172	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	7.3	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	14,000	-
Settleable Solids	mL/L	Volumetric	<0.1	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2564 (2021), published in the Royal Government Gazette No.138 Part 161D dated July 19, B.E.2564 (2021), Maximum Permitted Value for Developed Land Type B.


 (Ms. Yuwadee Na Ranong)
 Laboratory Reviewer




 (Mr. Virat Hemvannanukul)
 Laboratory Supervisor

ANALYSIS REPORT


Customer Name : บริษัท ศุภลัย จำกัด (มหาชน)
Address : เลขที่ 1011 สำนักงานก่อสร้างแนวราบ อาคารศุภลัยแกรนด์ทาวเวอร์ ชั้น 32 ถนนพระราม 3 แขวงช่องนนทรี เขตยานนาวา กรุงเทพมหานคร 10120
Project Name : โครงการ ศุภลัย วิลล์ พัทยา - มอเตอร์เวย์
Project Location : ฟาร์มจระเข้ ชอว์ 6 หมู่ที่ 1 ถนนชัยพรวิที 21 ตำบลหนองปรือ อำเภอบางละมุง จังหวัดชลบุรี
Sampling Source : Wastewater Sampling
Sampling Point : บ่อตรวจสอบสภาพน้ำก่อนออกนอกโครงการ บริเวณต่อเชื่อมถนนสาธารณะประโยชน์
GPS. Coordinate : UTM (WGS84) 47P 0710535 E, 1432325 N
Sampling Date : June 14, 2025
Sampling Time : 11:06
Sampling Method : Grab
Sampling By : Mr.Akarawat Kochobog
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2024-02196
Analysis No. : 2025-AC813-003
Received Date : June 16, 2025
Analytical Date : June 16-25, 2025
Report No. : 2025-RAA0024
Report Date : June 26, 2025

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	7.8	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	5.6	30
Total Suspended Solids	mg/L	Dried at 103-105°C	14	40
Total Dissolved Solids	mg/L	Dried at 180°C	107	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	6.1	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	1.4	20
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	35,000	-
Settleable Solids	mL/L	Volumetric	0.2	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2564 (2021), published in the Royal Government Gazette No.138 Part 161D dated July 19, B.E.2564 (2021), Maximum Permitted Value for Developed Land Type B.



(Ms.Yuwadee Na Ranong)
Laboratory Reviewer




(Mr.Virat Hemvannanukul)
Laboratory Supervisor

ภาคผนวกที่ 4

สำเนาเอกสารขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี

ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

๐๓ กรกฎาคม ๒๕๖๗

เรื่อง ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๔ เมษายน ๒๕๖๗

- สิ่งที่ส่งมาด้วย ๑. รายชื่อผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๑ แผ่น
๒. รายชื่อเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒ แผ่น
๓. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑๔ แผ่น

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด ขอต่ออายุหนังสือ
รับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖
ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง เขตหลักสี่ กรุงเทพมหานคร ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด
ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

- ก. ผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒๐ ราย ตามสิ่งที่ส่งมาด้วย ๑
ข. เจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน ๖๑ ราย ตามสิ่งที่ส่งมาด้วย ๒
ค. ขอบข่ายชนิดสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน อากาศเสีย
สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว และดิน ตามสิ่งที่ส่งมาด้วย ๓

หนังสือฉบับนี้จะหมดอายุในวันที่ ๑๘ พฤษภาคม ๒๕๗๑ หากประสงค์จะต่ออายุหนังสือรับขึ้น
ทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอต่อกรมโรงงานอุตสาหกรรม
ภายใน ๖๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายพรยศ กลั่นกรอง)

รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



“อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว”



เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

เลขทะเบียน ว-๐๙๙

ที่ อก ๐๓๑๐(๑)/ ๖๔๗ ๖

ลงวันที่ ๐๓ กรกฎาคม ๒๕๖๗

ก. ผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒๐ ราย

- | | |
|---------------------------------|----------------------------|
| ๑) นางสาวสุดารัตน์ เขจรรักษ์ | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๑ |
| ๒) นางสาวพิชิตา เขียววรภัย | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๒ |
| ๓) นางสาววลิตา โพธิ์เจริญ | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๓ |
| ๔) ว่าที่ร้อยตรีวันชนะ สีหามาตร | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๔ |
| ๕) นางสาวรัชนีวรรณ ภูประเสริฐ | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๕ |
| ๖) นางสาวปณิชา พรหมชัย | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๖ |
| ๗) นางณัฐรดา เลี้ยงรักษา | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๗ |
| ๘) นายมงคล บุรภักดิ์ | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๘ |
| ๙) นางสาวธนิดา บุญรุ่งเรือง | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๙ |
| ๑๐) นางสาวรมิตา แต่งไทย | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๐ |
| ๑๑) นางสาวไรวินทร์ โพธิ์สิทธิ์ | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๑ |
| ๑๒) นางสาวณัฐนิชา เสริมมิตวงศ์ | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๒ |
| ๑๓) นายนพสิทธิ์ ทวีพรประดิษฐ์ | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๓ |
| ๑๔) นางสาวธิดารัตน์ ปุ๊กคะ | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๔ |
| ๑๕) นายอภิชาติ พูลพล | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๕ |
| ๑๖) นายนันทน์ ศิริชาติ | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๖ |
| ๑๗) นายสุทธิชาญ สังข์ทอง | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๗ |
| ๑๘) นางสาวยุวดี ณ ระนอง | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๘ |
| ๑๙) นางสาวสุภาวรรณ สุวรรณภา | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๙ |
| ๒๐) นางสาวนภาพรสิริ หมั่นวงษ์ | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๒๐ |

วิภา

เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

เลขทะเบียน ว-๐๙๙

ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖

ลงวันที่ ๐๓ กรกฎาคม ๒๕๖๗

ข. เจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๖๑ ราย

๑) นางสาวณัฐธิดา ขาวสุทธิ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๒
๒) นางสาวสุธิดา ทองประภา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๕
๓) นายจิรยุทธ์ สามารถ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๗
๔) นายอัษฎา ไชยวงศ์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๘
๕) นางสาวณัฐริสา บุญหนัก	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๙
๖) นายนฤตม์ โชติกาญจน์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๒
๗) นางสาวพรทิพย์ อัมภรัตน์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๓
๘) นายอัศววัฒน์ คชบก	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๕
๙) นางสาวธัญพิชชา สุตเขียน	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๖
๑๐) นางสาวพาขวัญ นนพละ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๗
๑๑) นางสาววิมลรัตน์ แปรทอง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๘
๑๒) นางสาวจรรยาวัดี ขำแบ่ง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๙
๑๓) นางสาวธารารภรณ์ สมัยใหม่	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๐
๑๔) นางสาวรัตนชนก ชนะคำ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๑
๑๕) นางสาวกมลทิพย์ พุ่มตาก้อง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๒
๑๖) นางสาวสุพัตตรา ผาสุขพัคตร์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๓
๑๗) นางสาวฉัตรยาลักษณ์ บรรดิษฐ์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๔
๑๘) นางสาวอาภัสรา หล้าสูงเนิน	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๕
๑๙) นางสาวพิมพ์ิศา ทับพันธ์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๖
๒๐) นางสาวอัจฉรี แก้วเพชรวงศ์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๗
๒๑) นางสาวชลธิชา กันยานุช	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๘
๒๒) นางสาวพิชามณูช ยังฝ่อง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๙
๒๓) นางสาวณิชารีย์ ปริญาณวัตร	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๐
๒๔) นายวัชรพล บุตรดีขันน	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๑
๒๕) นางสาวณัฐติมา ปัดชา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๒
๒๖) นายวัชรพงษ์ พูลเขตกิจ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๓
๒๗) นายศิวักร วงสุตาล	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๔
๒๘) นางสาววิภา จาระณะ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๕
๒๙) นางสาวธัญญาภรณ์ คณะศรี	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๖
๓๐) นางสาวพัชรพร อนุสร	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๗
๓๑) นายธนากร อริยพงษ์โสภณ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๘
๓๒) นางสาวบุษกร สมรักษ์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๙
๓๓) นางสาววิลาวณีย์ แก้วยม	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๐
๓๔) นางสาวธัญญาลักษณ์ แสงโยธา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๑
๓๕) นายสุชาพงศ์ รุ่งเรือง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๒

วิภา

๓๖) นายสิทธิพร...

- ๓๖) นายสิทธิพร วงษ์คำ
- ๓๗) นางเตชินี สืบเสระ
- ๓๘) นางสาวธัญพร คนแรง
- ๓๙) นายภาณุพล โพธิ์แดง
- ๔๐) นายวัชรกร กองแสง
- ๔๑) นางสาวสุธาทิพย์ อิ่มน้อย
- ๔๒) นางสาวชมพูนุท กสิชีวิน
- ๔๓) นางสาวรวีวรรณ สุขารมย์
- ๔๔) นางสาวกัญญาลักษณ์ กระทาง
- ๔๕) นางสาวปิยธิดา ประแดงโค
- ๔๖) นางสาวปวีตรา นาเหล็ก
- ๔๗) นางสาวทักษพร ไกรสิงห์
- ๔๘) นางสาวเบญจวรรณ คำหงษา
- ๔๙) นางสาวพัชชา แก้วย้อย
- ๕๐) นางสาวณัฐชา สัมฤทธิ์ดี
- ๕๑) นายรอมซี กาเต๊ะ
- ๕๒) นางสาวอังคณา อุ่นตา
- ๕๓) นายสุริยะ ชูทอง
- ๕๔) นายฉันทวิชญ์ เหลวกุล
- ๕๕) นายศิวาวุธ ธรรมนิทา
- ๕๖) นายอนุวัฒน์ เรืองอ่อน
- ๕๗) นายฉัตรชัย โยวะผุย
- ๕๘) นายกลยุทธ อินทร์คำ
- ๕๙) นางสาวนันทชา เนื่อนวล
- ๖๐) นางสาวจิตตวรรณ ลิ้มสมบูรณ์
- ๖๑) ว่าที่ร้อยตรีณัฐพล สุทธิมล

- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๓
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๔
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๕
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๖
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๗
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๘
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๙
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๐
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๑
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๒
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๓
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๔
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๕
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๖
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๗
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๘
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๙
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๐
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๑
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๒
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๓
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๔
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๕
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๖
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๗
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๘

วิมล

เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอ็นไวรอนเม้นท์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

เลขทะเบียน ว-๐๙๙

ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖

ลงวันที่ ๐๓ กรกฎาคม ๒๕๖๗

ขอขยายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑๙๓ รายการ

น้ำ/น้ำเสีย จำนวน 27 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4]
2	Barium	2) Digestion, Inductively Coupled Plasma Method ^[4]
3	Biochemical Oxygen Demand	Digestion, Inductively Coupled Plasma Method ^[4]
4	Cadmium	1) 5-Day BOD Test, Azide Modification Method ^[4]
5	Chemical Oxygen Demand	2) 5-Day BOD Test, Membrane Electrode Method ^[4]
6	Chromium	Digestion, Inductively Coupled Plasma Method ^[4]
7	Color	Closed Reflux, Titrimetric Method ^[4]
8	Copper	Digestion, Inductively Coupled Plasma Method ^[4]
9	Cyanide	ADMI Weighted-Ordinate Spectrophotometric Method ^[4]
10	Formaldehyde	Digestion, Inductively Coupled Plasma Method ^[4]
11	Free Chlorine	Distillation, Colorimetric Method ^[3]
12	Hexavalent Chromium	1) Iodometric Method ^[4]
13	Lead	2) DPD Colorimetric Method ^[4]
14	Manganese	Colorimetric Method ^[4]
15	Mercury	1) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4]
16	Nickel	2) Digestion, Inductively Coupled Plasma Method ^[4]
17	Oil & Grease	Digestion, Inductively Coupled Plasma Method ^[4]
18	pH	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[4]
19	Phenols	Digestion, Inductively Coupled Plasma Method ^[4]
20	Selenium	Liquid-Liquid, Partition-Gravimetric Method ^[4]
		Electrometric Method ^[4]
		Distillation, Direct Photometric Method ^[4]
		1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4]
		2) Digestion, Inductively Coupled Plasma Method ^[4]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
21	Sulfide	Iodometric Method ^[4]
22	Temperature	Laboratory and Field Methods ^[4]
23	Total Dissolved Solids	Dried at 180 °C ^[4]
24	Total Kjeldahl Nitrogen	1) Macro-Kjeldahl Method ^[4] 2) Semi-Micro-Kjeldahl Method ^[4]
25	Total Suspended Solids	Dried from 103 to 105 °C ^[4]
26	Trivalent Chromium	Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ^[4]
27	Zinc	Digestion, Inductively Coupled Plasma Method ^[4]

น้ำใต้ดิน จำนวน 61 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acetone	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
2	Antimony	Digestion, Inductively Coupled Plasma Method ^[4]
3	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
4	Barium	Digestion, Inductively Coupled Plasma Method ^[4]
5	Benzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
6	Beryllium	Digestion, Inductively Coupled Plasma Method ^[4]
7	Bromodichloromethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
8	Bromoform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
9	Cadmium	Digestion, Inductively Coupled Plasma Method ^[4]
10	Carbon disulfide	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
11	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
12	Chlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
13	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
14	Chloroform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
15	Chromium	Digestion, Inductively Coupled Plasma Method ^[4]
16	Chromium (III)	Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ^[4]
17	Chromium (VI)	Colorimetric Method ^[4]
18	Cyanide	Distillation, Colorimetric Method ^[4]
19	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
20	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
21	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
22	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
23	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
24	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
25	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
26	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
27	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
28	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
29	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
30	Ethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]

30/1

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
31	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
32	Lead	1) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
33	Manganese	Digestion, Inductively Coupled Plasma Method ^[4]
34	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[4]
35	Methyl bromide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
36	Methylene chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
37	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
38	Naphthalene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
39	Nickel	Digestion, Inductively Coupled Plasma Method ^[4]
40	pH	Electrometric Method ^[4]
41	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
42	Silver	Digestion, Inductively Coupled Plasma Method ^[4]
43	Styrene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
44	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
45	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
46	Toluene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
47	TPH (C ₅ -C ₈)	Purge and Trap, Gas Chromatographic Method ^[11,19]
48	TPH (C _{>8} -C ₁₆)	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[9,19]

3mm

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
49	TPH (C ₁₆ -C ₃₅)	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[9,19]
50	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
51	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
52	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
53	Trichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
54	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
55	Vanadium	Digestion, Inductively Coupled Plasma Method ^[4]
56	Vinyl chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
57	m-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
59	o-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
59	p-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
60	Xylene (Total)	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
61	Zinc	Digestion, Inductively Coupled Plasma Method ^[4]

อากาศเสีย (ปล่อยระบาย) จำนวน 26 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
2	Arsenic	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]

3mg

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
3	Beryllium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
4	Cadmium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
5	Carbon Monoxide	Instrumental Analyzer Method ^[5]
6	Chlorine	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
7	Chromium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
8	Cobalt	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
9	Copper	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
10	Dioxins/Furans	Isokinetic Sampling ^[5]
11	Hydrogen Chloride	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
12	Hydrogen Fluoride	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
13	Hydrogen Sulfide	Absorption Sampling, Iodometric Method ^[5]
14	Lead	1) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5] 2) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5]
15	Manganese	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
16	Mercury	Isokinetic Sampling, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[5]
17	Nickel	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
18	Opacity	Ringelmann's Method ^[2]
19	Oxides of Nitrogen	1) Absorption Sampling, Alkaline Permanganate/Colorimetric Method ^[5] 2) Instrumental Analyzer Method ^[5]
20	Selenium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]

31/10/2561

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
21	Sulfur Dioxide	1) Isokinetic Sampling, Barium-Thorin Titrimetric Method ^[5] 2) Absorption Sampling, Barium-Thorin Titrimetric Method ^[5] 3) Instrumental Analyzer Method ^[5]
22	Sulfuric Acid	Isokinetic Sampling, Barium-Thorin Titrimetric Method ^[5]
23	Tin	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
24	Total Suspended Particulate	Isokinetic Sampling, Gravimetric Method ^[5]
25	Vanadium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
26	Xylene	Adsorption Sampling, Gas Chromatographic Method ^[5]

สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน 20 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
2	Arsenic	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[1,6,14] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,14] 4) Digestion, Inductively Coupled Plasma Method ^[7,13]
3	Barium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
4	Beryllium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
5	Cadmium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
6	Chromium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]
7	Chromium (III)	2) Digestion, Inductively Coupled Plasma Method ^[7,13] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method; Waste Extraction, Colorimetric Method; Calculation ^[1,6,13,15]
8	Chromium (VI)	2) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation ^[7,8,13,15] 1) Waste Extraction, Colorimetric Method ^[1,15]
9	Cobalt	2) Alkaline Digestion, Colorimetric Method ^[8,15] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]
10	Copper	2) Digestion, Inductively Coupled Plasma Method ^[7,13] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]
11	Lead	2) Digestion, Inductively Coupled Plasma Method ^[7,13] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]
12	Mercury	2) Digestion, Inductively Coupled Plasma Method ^[7,13] 1) Waste Extraction, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[1,6,16]
13	Molybdenum	2) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[17] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]
14	Nickel	2) Digestion, Inductively Coupled Plasma Method ^[7,13] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]
15	pH	2) Digestion, Inductively Coupled Plasma Method ^[7,13] Electrometric Method ^[21,22]
16	Selenium	1) Waste Extraction, Digestion, Hydride Generation/ Atomic Absorption Spectrometric Method ^[1,6,18] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]



ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
17	Silver	3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,18] 4) Digestion, Inductively Coupled Plasma Method ^[7,13] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
18	Thallium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
19	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
20	Zinc	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]

ดิน จำนวน 59 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acetone	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
2	Antimony	Digestion, Inductively Coupled Plasma Method ^[7,13]
3	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
4	Barium	Digestion, Inductively Coupled Plasma Method ^[7,13]
5	Benzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
6	Beryllium	Digestion, Inductively Coupled Plasma Method ^[7,13]
7	Bromodichloromethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
8	Bromoform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
9	Cadmium	Digestion, Inductively Coupled Plasma Method ^[7,13]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
10	Carbon disulfide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
11	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
12	Chlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
13	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
14	Chloroform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
15	Chromium	Digestion, Inductively Coupled Plasma Method ^[7,13]
16	Chromium (III)	Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation ^[7,8,13,15]
17	Chromium (VI)	Alkaline Digestion, Colorimetric Method ^[8,15]
18	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
19	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
20	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
21	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
22	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
23	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
24	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
25	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
26	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
27	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
28	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
29	Ethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
30	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
31	Lead	Digestion, Inductively Coupled Plasma Method ^[7,13]
32	Manganese	Digestion, Inductively Coupled Plasma Method ^[7,13]
33	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[17]
34	Methyl bromide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
35	Methylene chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
36	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
37	Naphthalene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
38	Nickel	Digestion, Inductively Coupled Plasma Method ^[7,13]
39	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,18] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
40	Silver	Digestion, Inductively Coupled Plasma Method ^[7,13]
41	Styrene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
42	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
43	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
44	Toluene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
45	TPH (C ₅ -C ₈)	Purge and Trap, Gas Chromatographic Method ^[12,19]
46	TPH (C _{>8} -C ₁₆)	Ultrasonic Extraction, Gas Chromatographic Method ^[10,19]

31มก

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
47	TPH (C _{>16} -C ₃₅)	Ultrasonic Extraction, Gas Chromatographic Method ^[10,19]
48	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
49	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
50	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
51	Trichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
52	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
53	Vanadium	Digestion, Inductively Coupled Plasma Method ^[7,13]
54	Vinyl chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
55	m-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
56	o-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
57	p-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
58	Xylene (Total)	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
59	Zinc	Digestion, Inductively Coupled Plasma Method ^[7,13]

เอกสารอ้างอิง

- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2566. เรื่อง การจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว. ราชกิจจานุเบกษา. 31 พฤษภาคม 2566. เล่มที่ 140 ตอนพิเศษ 126 ง.
- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณเขม่าควันที่เจือปนในอากาศที่ระบายออกจากปล่องของหม้อน้ำโรงสีข้าวที่ใช้กลบเป็นเชื้อเพลิง. ราชกิจจานุเบกษา. 4 ธันวาคม 2549. เล่มที่ 123 ตอนพิเศษ 125ง.
- สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย. คู่มือวิเคราะห์น้ำเสีย. พิมพ์ครั้งที่ 4. กรุงเทพฯ: เรือนแก้วการพิมพ์, 2547.
- APHA, AWWA, WEF. Standard Methods for the Examination of Water and Wastewater. 24th ed. Washington, DC: APHA, 2023.

5. United States Environmental Protection Agency. **Standards of Performance for New Stationary Sources**. 40 CFR 60. Appendix A, 2023.
6. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods**. SW-846, 1997.
7. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Acid Digestion of Sludges and Sediments and Soils**. SW-846 Method 3050B, 1996.
8. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Alkaline Digestion for Hexavalent Chromium**. SW-846 Method 3060A, 1996.
9. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Separatory Funnel Liquid-Liquid Extraction**. SW-846 Method 3510C, 1996.
10. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Ultrasonic Extraction**. SW-846 Method 3550C, 2007.
11. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Purge-and-Trap for Aqueous Samples**. SW-846 Method 5030C, 2003.
12. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Closed-System Purge-and-Trap and Extraction for Volatile Organics in Soil and Waste Samples**. SW-846 Method 5035A, 2002.
13. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Inductively Coupled Plasma - Atomic Emission Spectrometry**. SW-846 Method 6010D, 2018.
14. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Antimony and Arsenic (Atomic Absorption, Borohydride Reduction)**. SW-846 Method 7062, 1994.
15. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Chromium, Hexavalent (Colorimetric)**. SW-846 Method 7196A, 1992.
16. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Mercury in Liquid Waste (Manual Cold-Vapor Technique)**. SW-846 Method 7470A, 1994.
17. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique)**. SW-846 Method 7471B, 2007.
18. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Selenium (Atomic Absorption, Borohydride Reduction)**. SW-846 Method 7742, 1994. *Sample*

19. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Nonhalogenated Organics Using GC/FID. SW-846 Method 8015D**, 2003.

20. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/ Chemical Methods. **Volatile Organic Compounds by Gas Chromatography/ Mass Spectrometry (GC/MS). SW-846 Method 8260C**, 1996.

21. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **pH Electrometric Measurement. SW-846 Method 9040C**, 2004.

22. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Soil and Waste pH. SW-846 Method 9045D**, 2004.

3mg/l

ที่ อก ๐๓๑๐(๑)/ ๑๑๕๒๓



กรมโรงงานอุตสาหกรรม

ถนนพระรามที่ ๖ แขวงทุ่งพญาไท

เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

๒๑ พฤศจิกายน ๒๕๖๗

เรื่อง เปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๓ กันยายน ๒๕๖๗

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด จำนวน ๒ แผ่น

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด ห้องปฏิบัติการวิเคราะห์
เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง
เขตหลักสี่ กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์ ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๒ ราย

๑) นางสาวกมลทิพย์ พุ่มตาก้อง

ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๒

๒) นายศิวารุธ ธรรมนิทา

ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๒

๒. ให้เพิ่มขอบข่ายชนิดสารมลพิษที่วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน และดิน ตามสิ่งที่ส่งมาด้วย

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

ในวันที่ ๑๘ พฤษภาคม ๒๕๗๑

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายธีรศักดิ์ อิศรางกูร ณ อยุธยา)

รองอธิบดี ปฏิบัติราชการแทน

อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

บริษัท เอ็นไวรอนเม้นท์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

เลขทะเบียน ว-๐๙๙

ที่ ออก ๐๓๑๐(๑)/ ๑๑ ๕๒ ๓

ลงวันที่ ๒๑ พฤศจิกายน ๒๕๖๗

ขอข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๔๗ รายการ

น้ำ/น้ำเสีย จำนวน 19 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
2	α -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
3	β -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
4	δ -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
5	γ -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
6	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
7	o,p'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
8	4,4'-DDD	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
9	4,4'-DDE	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
10	4,4'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
11	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
12	Endosulfan I	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
13	Endosulfan II	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
14	Endosulfan sulfate	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
15	Endrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
16	Endrin aldehyde	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
17	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
18	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
19	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]

น้ำใต้ดิน จำนวน 14 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
2	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
3	DDD	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
4	DDE	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
5	DDT	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
6	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]

7 Endosulfan...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
7	Endosulfan	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
8	Endrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
9	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
10	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
11	α -HCH	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
12	β -HCH	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
13	γ -HCH	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
14	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]

ดิน จำนวน 14 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
2	Chlordane	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
3	DDD	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
4	DDE	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
5	DDT	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
6	Dieldrin	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
7	Endosulfan	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
8	Endrin	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
9	Heptachlor	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
10	Heptachlor epoxide	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
11	α -HCH	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
12	β -HCH	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
13	γ -HCH	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
14	Methoxychlor	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]

เอกสารอ้างอิง

1. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater**. 24th ed. Washington, DC: APHA, 2023.
2. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Ultrasonic Extraction. SW-846 Method 3550C**, 2007.
3. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Organochlorine Pesticides by Gas Chromatography. SW-846 Method 8081B**, 2007.

ที่ อก ๐๓๑๐(๑)/ ๑๖๐๘



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

๒๘ กุมภาพันธ์ ๒๕๖๘

เรื่อง เปลี่ยนแปลงสารมลพิษที่วิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๗ มกราคม ๒๕๖๘

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือเปลี่ยนแปลงสารมลพิษที่วิเคราะห์

บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด จำนวน ๑ แผ่น

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด ห้องปฏิบัติการวิเคราะห์
เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง
เขตหลักสี่ กรุงเทพมหานคร ขอเปลี่ยนแปลงสารมลพิษที่วิเคราะห์ ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด
เพิ่มขอบข่ายชนิดสารมลพิษที่วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน อากาศเสีย และดิน ตามสิ่งที่ส่งมาด้วย

อนึ่ง หนังสือฉบับนี้จะสิ้นอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
ในวันที่ ๑๘ พฤษภาคม ๒๕๗๑

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

รังสรรค์

(นายธีรทัศน์ อิศรางกูร ณ อยุธยา)

รองอธิบดี ปฏิบัติราชการแทน

อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



เอกสารแนบท้ายหนังสือเปลี่ยนแปลงสารมลพิษที่วิเคราะห์

บริษัท เอ็นไวรอนเม้นท์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

เลขทะเบียน ว-๐๙๙

ที่ อก ๐๓๑๐(๑)/ ๑๖๐๘

ลงวันที่ ๒๘ กุมภาพันธ์ ๒๕๖๘

ขอข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๔ รายการ

น้ำ/น้ำเสีย จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Toxaphene	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]

น้ำใต้ดิน จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Toxaphene	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]

อากาศเสีย (ปล่องระบาย) จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Cresol	Adsorption Sampling, Gas Chromatographic Method ^[2]

ดิน จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Toxaphene	Ultrasonic Extraction, Gas Chromatographic Method ^[3,4]

เอกสารอ้างอิง

1. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater.** 24th ed. Washington, DC: APHA, 2017.
2. United States Environmental Protection Agency. **Standards of Performance for New Stationary Sources.** 40 CFR 60. Appendix A, 2023.
3. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Ultrasonic Extraction. SW-846 Method 3550C,** 2007.
4. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organochlorine Pesticides by Gas Chromatography. SW-846 Method 8081B,** 2007.

ภาคผนวกที่ 5

เอกสารสอบเทียบเครื่องมือตรวจวัด

Calibration Report


Customer Name : บริษัท สุภาลัย จำกัด (มหาชน)
Address : เลขที่ 1011 สำนักงานก่อสร้างแนวราบ อาคารสุภาลัยแกรนด์ทาวเวอร์ ชั้น 32 ถนนพระราม 3 แขวงช่องนนทรี เขตยานนาวา กรุงเทพมหานคร 10120
Project Name : โครงการ สุภาลัย วิลล่า พัทยา-มอเดิร์นเวย์
Project Location : ฟาร์มจระเข้ ซอย 6 หมู่ที่ 1 ถนนชัยพฤกษ์ 21 ตำบลหนองปรือ อำเภอบางละมุง จังหวัดชลบุรี
Sampling Date : มกราคม - มิถุนายน 2568

Water

Item	Equipment	Manufacturer	Model	Serial Number	Calibration Date
1	pH Meter	Eutech	pHTestr 30	3195381	January 15, 2025
2	Incubator	Hotpack	352601	78633	November 29, 2024
3	DO Meter	YSI	5000-115V	03C1280 AC	September 6, 2024
4	Electronic Balance	Mettler Toledo	MS204S/01	B334691537	January 15, 2025
5	Hot Air Oven	Binder	FED 115 E2	11-22823	January 6, 2025
6	Hot Air Oven	Memmert	UF 110	B414.0652	January 6, 2025
7	Electronic Balance	Mettler Toledo	MS204TS/00	B547728937	January 15, 2025
8	Incubator	Ehret	BK 4106	22162	January 7-8, 2025


(Ms. Napajarut Muenwong)
Environmental Scientist




(Ms. Panicha Promchai)
Laboratory Supervisor