

เอกสารแนบที่ 11

ผลการวิเคราะห์คุณภาพสิ่งแวดล้อม

ผลการตรวจวัดคุณภาพน้ำทะเล



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2371786

Date Received : Jul 21, 2023

Date Reported : Jul 27, 2023

Report Number : 2730453-1

Page 1 of 2

Sample Number	2371786-1
Sampled Date	Jul 20, 2023 11:20 AM
Sample Description	Seawater
Location	น้ำทะเลบริเวณหน้าโครงการ
Date Analysis Commenced	Jul 21, 2023
Condition of Sample	Contained in two BOD bottles and three plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	CFU/100mL	-	-	3000	≤100	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9222 D	Bangkok
Total Coliform	MPN/100mL	-	-	7900.0	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B	Bangkok
Water Testing							
Ammonia Nitrogen	mg/L	-	0.06	0.42	≤0.2	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NH3 (B, F)	Bangkok
Dissolved Oxygen	mg/L	-	0.1	7.2	≥4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-O (C)	Songkhla
Nitrate as N	mg/L	0.003	0.02	0.18	≤0.06	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NO3 E	Bangkok
pH at 25 degree C		-	-	7.9	7.0-8.5	In-house method : STM 13-001 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - H (B)	Songkhla
Phosphate as P	mg/L	0.005	0.01	<0.01	≤0.015	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-P (E)	Bangkok
Salinity	ppt	-	-	30.0	Change from lower salinity not more than 10%	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2520 B	Songkhla
Total Suspended Solids	mg/L	-	2	119	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2371786

Date Received : Jul 21, 2023

Date Reported : Jul 27, 2023

Report Number : 2730453-1

Page 2 of 2

Guideline : Notification of the National Environmental Board, B.E.2564 : Coastal Water Quality Standard (Class 4)

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2371786

Date Received : Jul 21, 2023

Date Reported : Jul 27, 2023

Report Number : 2730454-1

Page 1 of 2

Sample Number	2371786-2						
Sampled Date	Jul 20, 2023 11:35 AM						
Sample Description	Seawater						
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ						
Date Analysis Commenced	Jul 21, 2023						
Condition of Sample	Contained in two BOD bottles and three plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)						
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	CFU/100mL	-	-	7000	≤100	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9222 D	Bangkok
Total Coliform	MPN/100mL	-	-	7900.0	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B	Bangkok
Water Testing							
Ammonia Nitrogen	mg/L	-	0.06	0.48	≤0.2	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NH3 (B, F)	Bangkok
Dissolved Oxygen	mg/L	-	0.1	7.2	≥4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-O (C)	Songkhla
Nitrate as N	mg/L	0.003	0.02	0.17	≤0.06	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NO3 E	Bangkok
pH at 25 degree C		-	-	7.9	7.0-8.5	In-house method : STM 13-001 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - H (B)	Songkhla
Phosphate as P	mg/L	0.005	0.01	<0.01	≤0.015	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-P (E)	Bangkok
Salinity	ppt	-	-	30.2	Change from lower salinity not more than 10%	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2520 B	Songkhla
Total Suspended Solids	mg/L	-	2	163	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2371786

Date Received : Jul 21, 2023

Date Reported : Jul 27, 2023

Report Number : 2730454-1

Page 2 of 2

Guideline : Notification of the National Environmental Board, B.E.2564 : Coastal Water Quality Standard (Class 4)

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports_All_GL.rpt (2:26PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000
P/O :
Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ
Project Location :

Lot ID: 2371787

Date Received : Jul 22, 2023
Date Reported : Jul 26, 2023
Report Number : 2691986-1

Page 1 of 6

Sample Number	2371787-1
Sampled Date	Jul 21, 2023 12:00 AM
Sample Description	Seawater
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 00.00น. 47N 432306 863978
Date Analysis Commenced	Jul 22, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	53	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (4:15PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2371787

Date Received : Jul 22, 2023

Date Reported : Jul 26, 2023

Report Number : 2691986-1

Page 2 of 6

Sample Number 2371787-2
Sampled Date Jul 21, 2023 4:00 AM
Sample Description Seawater
Location น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 04.00น.
47N 432306 863978
Date Analysis Commenced Jul 22, 2023
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	39	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (4:15PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2371787

Date Received : Jul 22, 2023

Date Reported : Jul 26, 2023

Report Number : 2691986-1

Page 3 of 6

Sample Number	2371787-3					
Sampled Date	Jul 21, 2023 8:00 AM					
Sample Description	Seawater					
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 08.00น. 47N 432306 863978					
Date Analysis Commenced	Jul 22, 2023					
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)					

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	35	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (4:15PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2371787

Date Received : Jul 22, 2023

Date Reported : Jul 26, 2023

Report Number : 2691986-1

Page 4 of 6

Sample Number	2371787-4
Sampled Date	Jul 21, 2023 12:00 PM
Sample Description	Seawater
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 12.00น. 47N 432306 863978
Date Analysis Commenced	Jul 22, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	39	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports_All_NoGLrpt (4:15PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000
P/O :
Project Name : โครงการ มายบีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ
Project Location :

Lot ID: 2371787

Date Received : Jul 22, 2023

Date Reported : Jul 26, 2023

Report Number : 2691986-1

Page 5 of 6

Sample Number 2371787-5
Sampled Date Jul 21, 2023 4:00 PM
Sample Description Seawater
Location น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 16.00น.
47N 432306 863978
Date Analysis Commenced Jul 22, 2023
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	50	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL\rpt (4:15PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายมีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2371787

Date Received : Jul 22, 2023

Date Reported : Jul 26, 2023

Report Number : 2691986-1

Page 6 of 6

Sample Number 2371787-6
Sampled Date Jul 21, 2023 8:00 PM
Sample Description Seawater
Location น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 20.00น.
47N 432306 863978
Date Analysis Commenced Jul 22, 2023
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	11	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (4:15PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2371792

Date Received : Jul 22, 2023

Date Reported : Jul 26, 2023

Report Number : 2691994-1

Page 1 of 6

Sample Number	2371792-1					
Sampled Date	Jul 21, 2023 12:00 AM					
Sample Description	Seawater					
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 00.00น. 47N 432244 864001					
Date Analysis Commenced	Jul 22, 2023					
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)					
Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	51	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายมีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2371792

Date Received : Jul 22, 2023

Date Reported : Jul 26, 2023

Report Number : 2691994-1

Page 2 of 6

Sample Number 2371792-2
Sampled Date Jul 21, 2023 4:00 AM
Sample Description Seawater
Location น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 04.00น.
47N 432244 864001
Date Analysis Commenced Jul 22, 2023
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	59	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (4:16PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายนิช รีสอร์ท (ติดตั้งและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2371792

Date Received : Jul 22, 2023

Date Reported : Jul 26, 2023

Report Number : 2691994-1

Page 3 of 6

Sample Number	2371792-3
Sampled Date	Jul 21, 2023 8:00 AM
Sample Description	Seawater
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 08.00น. 47N 432244 864001
Date Analysis Commenced	Jul 22, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	37	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL\rpt (4:16PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ทท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2371792

Date Received : Jul 22, 2023

Date Reported : Jul 26, 2023

Report Number : 2691994-1

Page 4 of 6

Sample Number	2371792-4
Sampled Date	Jul 21, 2023 12:00 PM
Sample Description	Seawater
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 12.00น. 47N 432244 864001
Date Analysis Commenced	Jul 22, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	63	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (4:16PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2371792

Date Received : Jul 22, 2023

Date Reported : Jul 26, 2023

Report Number : 2691994-1

Page 5 of 6

Sample Number 2371792-5
Sampled Date Jul 21, 2023 4:00 PM
Sample Description Seawater
Location น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 16.00น.
47N 432244 864001
Date Analysis Commenced Jul 22, 2023
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	62	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2371792

Date Received : Jul 22, 2023

Date Reported : Jul 26, 2023

Report Number : 2691994-1

Page 6 of 6

Sample Number	2371792-6
Sampled Date	Jul 21, 2023 8:00 PM
Sample Description	Seawater
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 20.00น. 47N 432244 864001
Date Analysis Commenced	Jul 22, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	9	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (4:16PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ นายบ๊วย รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING

No.0009

Lot ID: 2386529

Date Received : Aug 25, 2023

Date Reported : Aug 31, 2023

Report Number : 2762225-1

Page 1 of 2

Sample Number	2386529-1
Sampled Date	Aug 24, 2023 11:42 AM
Sample Description	Seawater
Location	น้ำทะเลบริเวณหน้าโครงการ 47N 432306 863978
Date Analysis Commenced	Aug 25, 2023
Condition of Sample	Contained in two BOD bottles and three plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	CFU/100mL	-	-	2	≤100	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9222 D	Bangkok
Total Coliform	MPN/100mL	-	-	4.5	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B	Bangkok
Water Testing							
Ammonia Nitrogen *	mg/L	-	0.06	0.51	≤0.2	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NH3 (B, F)	Bangkok
Dissolved Oxygen *	mg/L	-	0.1	7.5	≥4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-O (C)	Songkhla
Nitrate as N *	mg/L	0.003	0.02	0.10	≤0.06	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NO3 E	Bangkok
pH at 25 degree C *		-	-	8.0	No Standard	In-house method : STM 13-001 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - H (B)	Songkhla
Phosphate as P *	mg/L	0.005	0.01	Not Detected	≤0.015	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-P (E)	Bangkok
Salinity *	ppt	-	-	31.0	Change from lower salinity not more than 10%	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2520 B	Songkhla
Total Suspended Solids *	mg/L	-	2	20	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Siriluk P.

Siriluk Puengpang
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

Life Sciences

www.alsglobal.com

S:\Reports_All_GL.rpt (1:40PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบ๊ช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING

No.0009

Lot ID: 2386529

Date Received : Aug 25, 2023

Date Reported : Aug 31, 2023

Report Number : 2762225-1

Page 2 of 2

Guideline : Notification of the National Environmental Board, B.E.2560 : Coastal Water Quality Standard (Class 4)

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Siriluk P.

Siriluk Puengpang
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

Life Sciences

www.alsglobal.com

S:\Reports_All_GL.rpt (1:40PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING

No.0009

Lot ID: 2386529

Date Received : Aug 25, 2023

Date Reported : Aug 31, 2023

Report Number : 2762226-1

Page 1 of 2

Sample Number	2386529-2
Sampled Date	Aug 24, 2023 11:51 AM
Sample Description	Seawater
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ 47N 432244 864001
Date Analysis Commenced	Aug 25, 2023
Condition of Sample	Contained in two BOD bottles and three plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	CFU/100mL	-	-	<1	≤100	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9222 D	Bangkok
Total Coliform	MPN/100mL	-	-	4.5	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B	Bangkok
Water Testing							
Ammonia Nitrogen *	mg/L	-	0.06	0.42	≤0.2	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NH3 (B, F)	Bangkok
Dissolved Oxygen *	mg/L	-	0.1	7.5	≥4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-O (C)	Songkhla
Nitrate as N *	mg/L	0.003	0.02	0.08	≤0.06	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NO3 E	Bangkok
pH at 25 degree C *		-	-	7.9	7.0-8.5	In-house method : STM 13-001 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - H (B)	Songkhla
Phosphate as P *	mg/L	0.005	0.01	Not Detected	≤0.015	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-P (E)	Bangkok
Salinity *	ppt	-	-	31.5	Change from lower salinity not more than 10%	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2520 B	Songkhla
Total Suspended Solids *	mg/L	-	2	11	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Siriluk P.

Siriluk Puengpang
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

Life Sciences

www.alsglobal.com

S:\Reports_All_GL_rpt (1:41PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING
No.0009

Lot ID: 2386529

Date Received : Aug 25, 2023

Date Reported : Aug 31, 2023

Report Number : 2762226-1

Page 2 of 2

Guideline : Notification of the National Environmental Board, B.E.2564 : Coastal Water Quality Standard (Class 4)

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Siriluk P.

Siriluk Puengpang
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

Life Sciences

www.alsglobal.com

S:\Reports_All_GL.rpt (1:41PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2386533

Date Received : Aug 26, 2023

Date Reported : Aug 30, 2023

Report Number : 2727525-1

Page 1 of 6

Sample Number 2386533-1
Sampled Date Aug 25, 2023 12:00 AM
Sample Description Seawater
Location น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 00.00น.
47N 432306 863978
Date Analysis Commenced Aug 26, 2023
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (12:56PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2386533

Date Received : Aug 26, 2023

Date Reported : Aug 30, 2023

Report Number : 2727525-1

Page 2 of 6

Sample Number	2386533-2					
Sampled Date	Aug 25, 2023 4:00 AM					
Sample Description	Seawater					
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 04.00น. 47N 432306 863978					
Date Analysis Commenced	Aug 26, 2023					
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)					

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	6	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports\All_NoGL.rpt (12:56PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2386533

Date Received : Aug 26, 2023

Date Reported : Aug 30, 2023

Report Number : 2727525-1

Page 3 of 6

Sample Number 2386533-3
Sampled Date Aug 25, 2023 8:00 AM
Sample Description Seawater
Location น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 08.00น.
47N 432306 863978
Date Analysis Commenced Aug 26, 2023
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	16	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (12:56PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2386533

Date Received : Aug 26, 2023

Date Reported : Aug 30, 2023

Report Number : 2727525-1

Page 4 of 6

Sample Number	2386533-4					
Sampled Date	Aug 25, 2023 12:00 PM					
Sample Description	Seawater					
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 12.00น. 47N 432306 863978					
Date Analysis Commenced	Aug 26, 2023					
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)					
Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	14	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (12:56PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2386533

Date Received : Aug 26, 2023

Date Reported : Aug 30, 2023

Report Number : 2727525-1

Page 5 of 6

Sample Number	2386533-5
Sampled Date	Aug 25, 2023 4:00 PM
Sample Description	Seawater
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 16.00น. 47N 432306 863978
Date Analysis Commenced	Aug 26, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	17	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports\All_NoGL.rpt (12:56PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2386533

Date Received : Aug 26, 2023

Date Reported : Aug 30, 2023

Report Number : 2727525-1

Page 6 of 6

Sample Number 2386533-6
Sampled Date Aug 25, 2023 8:00 PM
Sample Description Seawater
Location น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 20.00น.
47N 432306 863978
Date Analysis Commenced Aug 26, 2023
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	133	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports\AIL_NoGL.rpt (12:56PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2386534

Date Received : Aug 26, 2023

Date Reported : Aug 30, 2023

Report Number : 2727538-1

Page 1 of 6

Sample Number	2386534-1
Sampled Date	Aug 25, 2023 12:00 AM
Sample Description	Seawater
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 00.00น. 47N 432244 864001
Date Analysis Commenced	Aug 26, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	43	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (12:55PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2386534

Date Received : Aug 26, 2023

Date Reported : Aug 30, 2023

Report Number : 2727538-1

Page 2 of 6

Sample Number 2386534-2
Sampled Date Aug 25, 2023 4:00 AM
Sample Description Seawater
Location น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 04.00น.
47N 432244 864001
Date Analysis Commenced Aug 26, 2023
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	3	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports\AIL_NoGL.rpt (12:55PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2386534

Date Received : Aug 26, 2023

Date Reported : Aug 30, 2023

Report Number : 2727538-1

Page 3 of 6

Sample Number 2386534-3
Sampled Date Aug 25, 2023 8:00 AM
Sample Description Seawater
Location น้ำทะเลบริเวณจุดระเหมายน้ำทั้งของโครงการ เก็บตัวอย่างช่วงเวลา 08.00น.
47N 432244 864001
Date Analysis Commenced Aug 26, 2023
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	30	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports\All_NoGL_rpt (12:55PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2386534

Date Received : Aug 26, 2023

Date Reported : Aug 30, 2023

Report Number : 2727538-1

Page 4 of 6

Sample Number	2386534-4
Sampled Date	Aug 25, 2023 12:00 PM
Sample Description	Seawater
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 12.00น. 47N 432244 864001
Date Analysis Commenced	Aug 26, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	16	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports\All_NoGL.rpt (12:55PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2386534

Date Received : Aug 26, 2023

Date Reported : Aug 30, 2023

Report Number : 2727538-1

Page 5 of 6

Sample Number	2386534-5
Sampled Date	Aug 25, 2023 4:00 PM
Sample Description	Seawater
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 16.00น. 47N 432244 864001
Date Analysis Commenced	Aug 26, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	13	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports\All_NoGL.rpt (12:55PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2386534

Date Received : Aug 26, 2023

Date Reported : Aug 30, 2023

Report Number : 2727538-1

Page 6 of 6

Sample Number	2386534-6
Sampled Date	Aug 25, 2023 8:00 PM
Sample Description	Seawater
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 20.00น. 47N 432244 864001
Date Analysis Commenced	Aug 26, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	23	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (12:55PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING
No.0009

Lot ID: 2398861

Date Received : Sep 22, 2023

Date Reported : Sep 28, 2023

Report Number : 2790908-1

Page 1 of 2

Sample Number	2398861-1
Sampled Date	Sep 21, 2023 1:40 PM
Sample Description	Seawater
Location	น้ำทะเลบริเวณหน้าโครงการ 47N 432306 863978
Date Analysis Commenced	Sep 22, 2023
Condition of Sample	Contained in two BOD bottles and three plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	CFU/100mL	-	-	1	≤100	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9222 D	Bangkok
Total Coliform	MPN/100mL	-	-	2.0	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B	Bangkok
Water Testing							
Ammonia Nitrogen *	mg/L	-	0.06	0.46	≤0.2	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NH3 (B, F)	Bangkok
Dissolved Oxygen *	mg/L	-	0.1	7.4	≥4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-O (C)	Songkhla
Nitrate as N *	mg/L	0.003	0.02	0.11	≤0.06	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NO3 E	Bangkok
pH at 25 degree C *		-	-	8.3	7.0-8.5	In-house method : STM 13-001 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - H (B)	Songkhla
Phosphate as P *	mg/L	0.005	0.01	<0.01	≤0.015	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-P (E)	Bangkok
Salinity *	ppt	-	-	31.2	Change from lower salinity not more than 10%	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2520 B	Songkhla
Total Suspended Solids *	mg/L	-	2	6	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sithichok T.

Sithichok Thongnguen
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports\All_GL.rpt (5:31PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายมีช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING

No.0009

Lot ID: 2398861

Date Received : Sep 22, 2023

Date Reported : Sep 28, 2023

Report Number : 2790908-1

Page 2 of 2

Guideline : Notification of the National Environmental Board, B.E.2564 : Coastal Water Quality Standard (Class 4)

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sithichok T.

Sithichok Thongnguen
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_All_GL.rpt (5:31PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING

No.0009

Lot ID: 2398861

Date Received : Sep 22, 2023

Date Reported : Sep 28, 2023

Report Number : 2790909-1

Page 1 of 2

Sample Number	2398861-2						
Sampled Date	Sep 21, 2023 1:45 PM						
Sample Description	Seawater						
Location	น้ำทะเลบริเวณจุดระเหมายน้ำทั้งของโครงการ 47N 432244 864001						
Date Analysis Commenced	Sep 22, 2023						
Condition of Sample	Contained in two BOD bottles and three plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)						

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	CFU/100mL	-	-	11	≤100	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9222 D	Bangkok
Total Coliform	MPN/100mL	-	-	13.0	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B	Bangkok
Water Testing							
Ammonia Nitrogen *	mg/L	-	0.06	0.52	≤0.2	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NH3 (B, F)	Bangkok
Dissolved Oxygen *	mg/L	-	0.1	7.7	≥4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-O (C)	Songkhla
Nitrate as N *	mg/L	0.003	0.02	0.12	≤0.06	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NO3 E	Bangkok
pH at 25 degree C *		-	-	8.2	7.0-8.5	In-house method : STM 13-001 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - H (B)	Songkhla
Phosphate as P *	mg/L	0.005	0.01	<0.01	≤0.015	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-P (E)	Bangkok
Salinity *	ppt	-	-	30.8	Change from lower salinity not more than 10%	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2520 B	Songkhla
Total Suspended Solids *	mg/L	-	2	6	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sithichok T.

Sithichok Thongnueen
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_All_GL.rpt (5:32PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING

No.0009

Lot ID: 2398861

Date Received : Sep 22, 2023

Date Reported : Sep 28, 2023

Report Number : 2790909-1

Page 2 of 2

Guideline : Notification of the National Environmental Board, B.E.2564 : Coastal Water Quality Standard (Class 4)

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sithichok T.

Sithichok Thongnguen
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports_All_GL.rpt (5:32PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ทท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2398862

Date Received : Sep 23, 2023

Date Reported : Sep 27, 2023

Report Number : 2754308-1

Page 1 of 6

Sample Number	2398862-1					
Sampled Date	Sep 22, 2023 12:00 AM					
Sample Description	Seawater					
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 00.00น. 47N 432306 863978					
Date Analysis Commenced	Sep 25, 2023					
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)					
Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	<2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

Life Sciences

www.alsglobal.com

S:\Reports\AIL_NoGL.rpt (1:46PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2398862

Date Received : Sep 23, 2023

Date Reported : Sep 27, 2023

Report Number : 2754308-1

Page 2 of 6

Sample Number	2398862-2
Sampled Date	Sep 22, 2023 4:00 AM
Sample Description	Seawater
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 04.00น. 47N 432306 863978
Date Analysis Commenced	Sep 25, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	<2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

Life Sciences

www.alsglobal.com

S:\Reports\All_NoGL.rpt (1:46PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ทท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2398862

Date Received : Sep 23, 2023

Date Reported : Sep 27, 2023

Report Number : 2754308-1

Page 3 of 6

Sample Number	2398862-3
Sampled Date	Sep 22, 2023 8:00 AM
Sample Description	Seawater
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 08.00น. 47N 432306 863978
Date Analysis Commenced	Sep 25, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports\All_NoGL.rpt (1:46PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2398862

Date Received : Sep 23, 2023

Date Reported : Sep 27, 2023

Report Number : 2754308-1

Page 4 of 6

Sample Number	2398862-4
Sampled Date	Sep 22, 2023 12:00 PM
Sample Description	Seawater
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 12.00น. 47N 432306 863978
Date Analysis Commenced	Sep 25, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	15	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports\All_NoGLrpt (1:46PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000
P/O :
Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ
Project Location :

Lot ID: 2398862

Date Received : Sep 23, 2023

Date Reported : Sep 27, 2023

Report Number : 2754308-1

Page 5 of 6

Sample Number	2398862-5					
Sampled Date	Sep 22, 2023 4:00 PM					
Sample Description	Seawater					
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 16.00น. 47N 432306 863978					
Date Analysis Commenced	Sep 25, 2023					
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)					

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	11	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (1:46PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2398862

Date Received : Sep 23, 2023

Date Reported : Sep 27, 2023

Report Number : 2754308-1

Page 6 of 6

Sample Number	2398862-6
Sampled Date	Sep 22, 2023 8:00 PM
Sample Description	Seawater
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 20.00น. 47N 432306 863978
Date Analysis Commenced	Sep 25, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	100	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_L\All_NoGL.rpt (1:46PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ทท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2398863

Date Received : Sep 23, 2023

Date Reported : Sep 27, 2023

Report Number : 2754315-1

Page 1 of 6

Sample Number	2398863-1
Sampled Date	Sep 22, 2023 12:00 AM
Sample Description	Seawater
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 00.00น. 47N 432244 864001
Date Analysis Commenced	Sep 25, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (1:52PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2398863

Date Received : Sep 23, 2023

Date Reported : Sep 27, 2023

Report Number : 2754315-1

Page 2 of 6

Sample Number	2398863-2					
Sampled Date	Sep 22, 2023 4:00 AM					
Sample Description	Seawater					
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 04.00น. 47N 432244 864001					
Date Analysis Commenced	Sep 25, 2023					
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)					

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	3	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_L\All_NoGL_rpt (1:52PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2398863

Date Received : Sep 23, 2023

Date Reported : Sep 27, 2023

Report Number : 2754315-1

Page 3 of 6

Sample Number	2398863-3
Sampled Date	Sep 22, 2023 8:00 AM
Sample Description	Seawater
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 08.00น. 47N 432244 864001
Date Analysis Commenced	Sep 25, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	9	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (1:52PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ทท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2398863

Date Received : Sep 23, 2023

Date Reported : Sep 27, 2023

Report Number : 2754315-1

Page 4 of 6

Sample Number	2398863-4
Sampled Date	Sep 22, 2023 12:00 PM
Sample Description	Seawater
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 12.00น. 47N 432244 864001
Date Analysis Commenced	Sep 25, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (1:52PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ นายมีช ธีสรุท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2398863

Date Received : Sep 23, 2023

Date Reported : Sep 27, 2023

Report Number : 2754315-1

Page 5 of 6

Sample Number	2398863-5
Sampled Date	Sep 22, 2023 4:00 PM
Sample Description	Seawater
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 16.00น. 47N 432244 864001
Date Analysis Commenced	Sep 25, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	12	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (1:52PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2398863

Date Received : Sep 23, 2023

Date Reported : Sep 27, 2023

Report Number : 2754315-1

Page 6 of 6

Sample Number 2398863-6
Sampled Date Sep 22, 2023 8:00 PM
Sample Description Seawater
Location น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 20.00น.
47N 432244 864001
Date Analysis Commenced Sep 25, 2023
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	197	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (1:52PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING

No.0009

Lot ID: 23113682

Date Received : Oct 20, 2023

Date Reported : Oct 27, 2023

Report Number : 2817193-1

Page 1 of 2

Sample Number	23113682-1
Sampled Date	Oct 19, 2023 10:58 AM
Sample Description	Seawater
Location	น้ำทะเลบริเวณหน้าโครงการ 47N 432306 863978
Date Analysis Commenced	Oct 20, 2023
Condition of Sample	Contained in two BOD bottles and three plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	CFU/100mL	-	-	7	≤100	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9222 D	Bangkok
Total Coliform	MPN/100mL	-	-	40.0	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B	Bangkok
Water Testing							
Ammonia Nitrogen *	mg/L	-	0.06	0.39	≤0.2	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NH3 (B, F)	Bangkok
Dissolved Oxygen *	mg/L	-	0.1	7.6	≥4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-O (C)	Songkhla
Nitrate as N *	mg/L	0.003	0.02	0.09	≤0.06	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NO3 E	Bangkok
pH at 25 degree C *		-	-	8.0	7.0-8.5	In-house method : STM 13-001 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - H (B)	Songkhla
Phosphate as P *	mg/L	0.005	0.01	0.01	≤0.015	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-P (E)	Bangkok
Salinity *	ppt	-	-	30.1	Change from lower salinity not more than 10%	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2520 B	Songkhla
Total Suspended Solids *	mg/L	-	2	6	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Suwannee Chumkeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_All_GL.rpt (12:59PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING
No.0009

Lot ID: 23113682

Date Received : Oct 20, 2023

Date Reported : Oct 27, 2023

Report Number : 2817193-1

Page 2 of 2

Guideline : Notification of the National Environmental Board, B.E.2564 : Coastal Water Quality Standard (Class 4)

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Suwannee Chuamkeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports\All_GL.rpt (12:59PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING

No.0009

Lot ID: 23113682

Date Received : Oct 20, 2023

Date Reported : Oct 27, 2023

Report Number : 2817194-1

Page 1 of 2

Sample Number	23113682-2
Sampled Date	Oct 19, 2023 11:05 AM
Sample Description	Seawater
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ 47N 432244 864001
Date Analysis Commenced	Oct 20, 2023
Condition of Sample	Contained in two BOD bottles and three plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	CFU/100mL	-	-	31	≤100	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9222 D	Bangkok
Total Coliform	MPN/100mL	-	-	47.0	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B	Bangkok
Water Testing							
Ammonia Nitrogen *	mg/L	-	0.06	0.34	≤0.2	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NH3 (B, F)	Bangkok
Dissolved Oxygen *	mg/L	-	0.1	7.5	≥4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-O (C)	Songkhla
Nitrate as N *	mg/L	0.003	0.02	0.08	≤0.06	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NO3 E	Bangkok
pH at 25 degree C *		-	-	8.0	7.0-8.5	In-house method : STM 13-001 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - H (B)	Songkhla
Phosphate as P *	mg/L	0.005	0.01	0.03	≤0.015	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-P (E)	Bangkok
Salinity *	ppt	-	-	29.7	Change from lower salinity not more than 10%	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2520 B	Songkhla
Total Suspended Solids *	mg/L	-	2	6	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Suwannee Chumkeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports\All_GL_rpt (12:59PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING

No.0009

Lot ID: 23113682

Date Received : Oct 20, 2023

Date Reported : Oct 27, 2023

Report Number : 2817194-1

Page 2 of 2

Guideline : Notification of the National Environmental Board, B.E.2564 : Coastal Water Quality Standard (Class 4)

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Suwannee Chuamkeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports\All_GL.rpt (12:59PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ทท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23113688

Date Received : Oct 21, 2023

Date Reported : Oct 26, 2023

Report Number : 2790527-1

Page 1 of 6

Sample Number	23113688-1
Sampled Date	Oct 20, 2023 12:00 AM
Sample Description	Seawater
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 00.00น. 47N 432306 863978
Date Analysis Commenced	Oct 23, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	3	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_AIL_NoGL.rpt (3:02PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23113688

Date Received : Oct 21, 2023

Date Reported : Oct 26, 2023

Report Number : 2790527-1

Page 2 of 6

Sample Number	23113688-2
Sampled Date	Oct 20, 2023 4:00 AM
Sample Description	Seawater
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 04.00น. 47N 432306 863978
Date Analysis Commenced	Oct 23, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	<2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports\All_NoGL.rpt (3:02PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23113688

Date Received : Oct 21, 2023

Date Reported : Oct 26, 2023

Report Number : 2790527-1

Page 3 of 6

Sample Number 23113688-3
Sampled Date Oct 20, 2023 8:00 AM
Sample Description Seawater
Location น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 08.00น.
47N 432306 863978
Date Analysis Commenced Oct 23, 2023
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	<2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports\All_NoGL.rpt (3:02PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23113688

Date Received : Oct 21, 2023

Date Reported : Oct 26, 2023

Report Number : 2790527-1

Page 4 of 6

Sample Number 23113688-4
Sampled Date Oct 20, 2023 12:00 PM
Sample Description Seawater
Location น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 12.00น.
47N 432306 863978
Date Analysis Commenced Oct 23, 2023
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	3	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (3:02PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ทท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23113688

Date Received : Oct 21, 2023

Date Reported : Oct 26, 2023

Report Number : 2790527-1

Page 5 of 6

Sample Number	23113688-5
Sampled Date	Oct 20, 2023 4:00 PM
Sample Description	Seawater
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 16.00น. 47N 432306 863978
Date Analysis Commenced	Oct 23, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	8	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (3:02PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายมิช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23113688

Date Received : Oct 21, 2023

Date Reported : Oct 26, 2023

Report Number : 2790527-1

Page 6 of 6

Sample Number	23113688-6					
Sampled Date	Oct 20, 2023 8:00 PM					
Sample Description	Seawater					
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 20.00น. 47N 432306 863978					
Date Analysis Commenced	Oct 23, 2023					
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)					

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports\All_NoGL.rpt (3:02PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายมิช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23113689

Date Received : Oct 21, 2023

Date Reported : Oct 26, 2023

Report Number : 2790533-1

Page 1 of 6

Sample Number 23113689-1
Sampled Date Oct 20, 2023 12:00 AM
Sample Description Seawater
Location น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 00.00น.
47N 432244 864001
Date Analysis Commenced Oct 23, 2023
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	<2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana , Sakkarin Panpheng

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL\rpt (3:09PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23113689

Date Received : Oct 21, 2023

Date Reported : Oct 26, 2023

Report Number : 2790533-1

Page 2 of 6

Sample Number	23113689-2					
Sampled Date	Oct 20, 2023 4:00 AM					
Sample Description	Seawater					
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 04.00น. 47N 432244 864001					
Date Analysis Commenced	Oct 23, 2023					
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)					

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	3	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana , Sakkarin Panpheng

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (3:09PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23113689

Date Received : Oct 21, 2023

Date Reported : Oct 26, 2023

Report Number : 2790533-1

Page 3 of 6

Sample Number	23113689-3
Sampled Date	Oct 20, 2023 8:00 AM
Sample Description	Seawater
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 08.00น. 47N 432244 864001
Date Analysis Commenced	Oct 23, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	<2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana , Sakkarin Panpheng

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (3:09PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายมีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23113689

Date Received : Oct 21, 2023

Date Reported : Oct 26, 2023

Report Number : 2790533-1

Page 4 of 6

Sample Number	23113689-4
Sampled Date	Oct 20, 2023 12:00 PM
Sample Description	Seawater
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 12.00น. 47N 432244 864001
Date Analysis Commenced	Oct 23, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana , Sakkarin Panpheng

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (3:09PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายมีช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23113689

Date Received : Oct 21, 2023

Date Reported : Oct 26, 2023

Report Number : 2790533-1

Page 5 of 6

Sample Number 23113689-5
Sampled Date Oct 20, 2023 4:00 PM
Sample Description Seawater
Location น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 16.00น.
47N 432244 864001
Date Analysis Commenced Oct 23, 2023
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	8	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana , Sakkarin Panpheng

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (3:09PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ทท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23113689

Date Received : Oct 21, 2023

Date Reported : Oct 26, 2023

Report Number : 2790533-1

Page 6 of 6

Sample Number	23113689-6
Sampled Date	Oct 20, 2023 8:00 PM
Sample Description	Seawater
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 20.00น. 47N 432244 864001
Date Analysis Commenced	Oct 23, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana , Sakkarin Panpheng

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

Life Sciences

www.alsglobal.com

S:\Reports\All_NoGL.rpt (3:09PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายมิช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING
No.0166

Lot ID: 23123383

Date Received : Nov 24, 2023

Date Reported : Dec 04, 2023

Report Number : 2851103-1

Page 1 of 2

Sample Number	23123383-1
Sampled Date	Nov 23, 2023 10:30 AM
Sample Description	Seawater
Location	น้ำทะเลบริเวณหน้าโครงการ 47N 432306 863978
Date Analysis Commenced	Nov 24, 2023
Condition of Sample	Contained in two BOD bottles and three plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	CFU/100mL	-	-	68	≤100	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9222 D	Songkhla
Total Coliform	MPN/100mL	-	-	3300.0	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B	Songkhla
Water Testing							
Ammonia Nitrogen *	mg/L	-	0.06	0.40	≤0.2	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NH3 (B, F)	Bangkok
Dissolved Oxygen *	mg/L	-	0.1	5.6	≥4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-O (C)	Songkhla
Nitrate as N *	mg/L	0.003	0.02	0.06	≤0.06	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NO3 E	Bangkok
pH at 25 degree C *		-	-	8.0	7.0-8.5	In-house method : STM 13-001 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - H (B)	Songkhla
Phosphate as P *	mg/L	0.005	0.01	0.01	≤0.015	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-P (E)	Bangkok
Salinity *	ppt	-	-	29.2	Change from lower salinity not more than 10%	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2520 B	Songkhla

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Chompoonuch F.

Chompoonuch Funtha
Supervisor

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_Atl_GL_rpt (4:07PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีย รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING
No.0166

Lot ID: 23123383

Date Received : Nov 24, 2023

Date Reported : Dec 04, 2023

Report Number : 2851103-1

Page 2 of 2

Sample Number	23123383-1
Sampled Date	Nov 23, 2023 10:30 AM
Sample Description	Seawater
Location	น้ำทะเลบริเวณหน้าโครงการ 47N 432306 863978
Date Analysis Commenced	Nov 24, 2023
Condition of Sample	Contained in two BOD bottles and three plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids *	mg/L	-	2	3	≤ 9.18	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Guideline : Notification of the National Environmental Board, B.E.2564 : Coastal Water Quality Standard (Class 4)

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Chompoonuch F.

Chompoonuch Funtha
Supervisor

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

Life Sciences

www.alsglobal.com

S:\Reports\AIL_GL.rpt (4:07PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายมิช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING
No.0166

Lot ID: 23123383

Date Received : Nov 24, 2023

Date Reported : Dec 04, 2023

Report Number : 2851104-1

Page 1 of 2

Sample Number	23123383-2
Sampled Date	Nov 23, 2023 10:35 AM
Sample Description	Seawater
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ 47N 432244 864001
Date Analysis Commenced	Nov 24, 2023
Condition of Sample	Contained in two BOD bottles and three plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	CFU/100mL	-	-	110	≤100	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9222 D	Songkhla
Total Coliform	MPN/100mL	-	-	3300.0	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B	Songkhla
Water Testing							
Ammonia Nitrogen *	mg/L	-	0.06	0.42	≤0.2	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NH3 (B, F)	Bangkok
Dissolved Oxygen *	mg/L	-	0.1	5.6	≥4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-O (C)	Songkhla
Nitrate as N *	mg/L	0.003	0.02	0.09	≤0.06	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NO3 E	Bangkok
pH at 25 degree C *		-	-	8.0	7.0-8.5	In-house method : STM 13-001 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - H (B)	Songkhla
Phosphate as P *	mg/L	0.005	0.01	0.01	≤0.015	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-P (E)	Bangkok
Salinity *	ppt	-	-	28.4	Change from lower salinity not more than 10%	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2520 B	Songkhla

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Chompoonuch F.

Chompoonuch Funtha
Supervisor

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports\All_GL.rpt (4:08PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING
No.0166

Lot ID: 23123383

Date Received : Nov 24, 2023

Date Reported : Dec 04, 2023

Report Number : 2851104-1

Page 2 of 2

Sample Number	23123383-2
Sampled Date	Nov 23, 2023 10:35 AM
Sample Description	Seawater
Location	น้ำทะเลบริเวณจุดระมายน้ำทั้งของโครงการ 47N 432244 864001
Date Analysis Commenced	Nov 24, 2023
Condition of Sample	Contained in two BOD bottles and three plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids *	mg/L	-	2	12	≤ 12.90	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Guideline : Notification of the National Environmental Board, B.E.2564 : Coastal Water Quality Standard (Class 4)

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Chompoonuch F.

Chompoonuch Funtha
Supervisor

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21
Life Sciences

www.alsglobal.com

S:\Reports_All_GL.rpt (4:08PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23123406

Date Received : Nov 25, 2023

Date Reported : Nov 29, 2023

Report Number : 2814398-1

Page 1 of 6

Sample Number 23123406-1
Sampled Date Nov 24, 2023 12:00 AM
Sample Description Seawater
Location น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 00.00น.
47N 432306 863978
Date Analysis Commenced Nov 25, 2023
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (10:24AM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ขวงดำเนินการ

Project Location :

Lot ID: 23123406

Date Received : Nov 25, 2023

Date Reported : Nov 29, 2023

Report Number : 2814398-1

Page 2 of 6

Sample Number 23123406-2
Sampled Date Nov 24, 2023 4:00 AM
Sample Description Seawater
Location น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 04.00น.
47N 432306 863978
Date Analysis Commenced Nov 25, 2023
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (10:24AM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23123406

Date Received : Nov 25, 2023

Date Reported : Nov 29, 2023

Report Number : 2814398-1

Page 3 of 6

Sample Number 23123406-3
Sampled Date Nov 24, 2023 8:00 AM
Sample Description Seawater
Location น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 08.00น.
47N 432306 863978
Date Analysis Commenced Nov 25, 2023
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (10:24AM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23123406

Date Received : Nov 25, 2023

Date Reported : Nov 29, 2023

Report Number : 2814398-1

Page 4 of 6

Sample Number	23123406-4
Sampled Date	Nov 24, 2023 12:00 PM
Sample Description	Seawater
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 12.00น. 47N 432306 863978
Date Analysis Commenced	Nov 25, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports\All_NoGL.rpt (10:24AM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23123406

Date Received : Nov 25, 2023

Date Reported : Nov 29, 2023

Report Number : 2814398-1

Page 5 of 6

Sample Number	23123406-5					
Sampled Date	Nov 24, 2023 4:00 PM					
Sample Description	Seawater					
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 16.00น. 47N 432306 863978					
Date Analysis Commenced	Nov 25, 2023					
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)					
Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (10:24AM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ นายบิษ ธีรสาร (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23123406

Date Received : Nov 25, 2023

Date Reported : Nov 29, 2023

Report Number : 2814398-1

Page 6 of 6

Sample Number	23123406-6					
Sampled Date	Nov 24, 2023 8:00 PM					
Sample Description	Seawater					
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 20.00น. 47N 432306 863978					
Date Analysis Commenced	Nov 25, 2023					
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)					

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports\All_NoGL.rpt (10:24AM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายมิช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23123410

Date Received : Nov 25, 2023

Date Reported : Nov 29, 2023

Report Number : 2814403-1

Page 1 of 6

Sample Number	23123410-1					
Sampled Date	Nov 24, 2023 12:00 AM					
Sample Description	Seawater					
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 00.00น. 47N 432244 864001					
Date Analysis Commenced	Nov 25, 2023					
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)					

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	7	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports\All_NoGL.rpt (10:26AM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23123410

Date Received : Nov 25, 2023

Date Reported : Nov 29, 2023

Report Number : 2814403-1

Page 2 of 6

Sample Number	23123410-2
Sampled Date	Nov 24, 2023 4:00 AM
Sample Description	Seawater
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 04.00น. 47N 432244 864001
Date Analysis Commenced	Nov 25, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

Life Sciences

www.alsglobal.com

S:\Reports\All_NoGL.rpt (10:26AM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23123410

Date Received : Nov 25, 2023

Date Reported : Nov 29, 2023

Report Number : 2814403-1

Page 3 of 6

Sample Number	23123410-3					
Sampled Date	Nov 24, 2023 8:00 AM					
Sample Description	Seawater					
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 08.00น. 47N 432244 864001					
Date Analysis Commenced	Nov 25, 2023					
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)					

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21 Life Sciences

www.alsglobal.com

S:\Reports_All_NoGL.rpt (10:26AM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000
P/O :
Project Name : โครงการ มายบีช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ
Project Location :

Lot ID: 23123410

Date Received : Nov 25, 2023

Date Reported : Nov 29, 2023

Report Number : 2814403-1

Page 4 of 6

Sample Number	23123410-4
Sampled Date	Nov 24, 2023 12:00 PM
Sample Description	Seawater
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 12.00น. 47N 432244 864001
Date Analysis Commenced	Nov 25, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	12	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23123410

Date Received : Nov 25, 2023

Date Reported : Nov 29, 2023

Report Number : 2814403-1

Page 5 of 6

Sample Number	23123410-5
Sampled Date	Nov 24, 2023 4:00 PM
Sample Description	Seawater
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 16.00น. 47N 432244 864001
Date Analysis Commenced	Nov 25, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	15	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

Life Sciences

www.alsglobal.com

6\Reports\All_NeGL_rpt (10-26AM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายมิช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23123410

Date Received : Nov 25, 2023

Date Reported : Nov 29, 2023

Report Number : 2814403-1

Page 6 of 6

Sample Number	23123410-6					
Sampled Date	Nov 24, 2023 8:00 PM					
Sample Description	Seawater					
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 20.00น. 47N 432244 864001					
Date Analysis Commenced	Nov 25, 2023					
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)					

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	7	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายมีช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ขวงดำเนินการ

Project Location :

TESTING
No.0166

Lot ID: 23133928

Date Received : Dec 22, 2023

Date Reported : Dec 28, 2023

Report Number : 2875882-1

Page 1 of 2

Sample Number	23133928-1
Sampled Date	Dec 21, 2023 1:40 PM
Sample Description	Seawater
Location	น้ำทะเลบริเวณหน้าโครงการ 47N 432306 863978
Date Analysis Commenced	Dec 22, 2023
Condition of Sample	Contained in two BOD bottles and three plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	CFU/100mL	-	-	1	≤100	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9222 D	Songkhla
Total Coliform	MPN/100mL	-	-	14.0	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B	Songkhla
Water Testing							
Ammonia Nitrogen *	mg/L	-	0.06	0.57	≤0.2	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NH3 (B, F)	Bangkok
Dissolved Oxygen *	mg/L	-	0.1	9.8	≥4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-O (C)	Songkhla
Nitrate as N *	mg/L	0.003	0.02	0.06	≤0.06	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NO3 E	Bangkok
pH at 25 degree C *		-	-	8.2	7.0-8.5	In-house method : STM 13-001 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - H (B)	Songkhla
Phosphate as P *	mg/L	0.005	0.01	<0.01	≤0.015	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-P (E)	Bangkok
Salinity *	ppt	-	-	30.4	Change from lower salinity not more than 10%	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2520 B	Songkhla

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Chompoonuch F.

Chompoonuch Funtha
Supervisor

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ติดตั้งและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ
Project Location :

TESTING
No.0166

Lot ID: 23133928

Date Received : Dec 22, 2023

Date Reported : Dec 28, 2023

Report Number : 2875882-1

Page 2 of 2

Sample Number	23133928-1						
Sampled Date	Dec 21, 2023 1:40 PM						
Sample Description	Seawater						
Location	น้ำทะเลบริเวณหน้าโครงการ 47N 432306 863978						
Date Analysis Commenced	Dec 22, 2023						
Condition of Sample	Contained in two BOD bottles and three plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)						

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids *	mg/L	-	2	20	≤42.86	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Guideline : Notification of the National Environmental Board, B.E.2564 : Coastal Water Quality Standard (Class 4)

Sampling By : Yuttapong Rattana , Sakkarin Panpheng

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Chompoonuch F.

Chompoonuch Funtha
Supervisor

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายมีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING
No.0166

Lot ID: 23133928

Date Received : Dec 22, 2023

Date Reported : Dec 28, 2023

Report Number : 2875883-1

Page 1 of 2

Sample Number	23133928-2
Sampled Date	Dec 21, 2023 1:48 PM
Sample Description	Seawater
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ 47N 432244 864001
Date Analysis Commenced	Dec 22, 2023
Condition of Sample	Contained in two BOD bottles and three plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	CFU/100mL	-	-	<1	≤100	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9222 D	Songkhla
Total Coliform	MPN/100mL	-	-	4.5	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B	Songkhla
Water Testing							
Ammonia Nitrogen *	mg/L	-	0.06	0.44	≤0.2	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NH3 (B, F)	Bangkok
Dissolved Oxygen *	mg/L	-	0.1	9.7	≥4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-O (C)	Songkhla
Nitrate as N *	mg/L	0.003	0.02	0.10	≤0.06	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NO3 E	Bangkok
pH at 25 degree C *		-	-	8.2	7.0-8.5	In-house method : STM 13-001 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - H (B)	Songkhla
Phosphate as P *	mg/L	0.005	0.01	Not Detected	≤0.015	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-P (E)	Bangkok
Salinity *	ppt	-	-	30.3	Change from lower salinity not more than 10%	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2520 B	Songkhla

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Chompoonuch F.

Chompoonuch Funtha
Supervisor

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายมีช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING
No.0166

Lot ID: 23133928

Date Received : Dec 22, 2023

Date Reported : Dec 28, 2023

Report Number : 2875883-1

Page 2 of 2

Sample Number	23133928-2
Sampled Date	Dec 21, 2023 1:48 PM
Sample Description	Seawater
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ 47N 432244 864001
Date Analysis Commenced	Dec 22, 2023
Condition of Sample	Contained in two BOD bottles and three plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids *	mg/L	-	2	28	≤62.03	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Guideline : Notification of the National Environmental Board, B.E.2564 : Coastal Water Quality Standard (Class 4)

Sampling By : Yuttapong Rattana , Sakkarin Panpheng

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Chompoonuch F.

Chompoonuch Funtha
Supervisor

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23133931

Date Received : Dec 23, 2023

Date Reported : Dec 27, 2023

Report Number : 2838421-1

Page 1 of 6

Sample Number	23133931-1
Sampled Date	Dec 22, 2023 12:00 AM
Sample Description	Seawater
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 00.00น. 47N 432306 863978
Date Analysis Commenced	Dec 23, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	46	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana , Sakkarin Panpheng

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23133931

Date Received : Dec 23, 2023

Date Reported : Dec 27, 2023

Report Number : 2838421-1

Page 2 of 6

Sample Number	23133931-2					
Sampled Date	Dec 22, 2023 4:00 AM					
Sample Description	Seawater					
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 04.00น. 47N 432306 863978					
Date Analysis Commenced	Dec 23, 2023					
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)					

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	11	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana , Sakkarin Panpheng

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23133931

Date Received : Dec 23, 2023

Date Reported : Dec 27, 2023

Report Number : 2838421-1

Page 3 of 6

Sample Number	23133931-3					
Sampled Date	Dec 22, 2023 8:00 AM					
Sample Description	Seawater					
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 08.00น. 47N 432306 863978					
Date Analysis Commenced	Dec 23, 2023					
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)					

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana , Sakkarin Panpheng

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23133931

Date Received : Dec 23, 2023

Date Reported : Dec 27, 2023

Report Number : 2838421-1

Page 4 of 6

Sample Number	23133931-4
Sampled Date	Dec 22, 2023 12:00 PM
Sample Description	Seawater
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 12.00น. 47N 432306 863978
Date Analysis Commenced	Dec 23, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	20	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana , Sakkarin Panpheng

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23133931

Date Received : Dec 23, 2023

Date Reported : Dec 27, 2023

Report Number : 2838421-1

Page 5 of 6

Sample Number	23133931-5
Sampled Date	Dec 22, 2023 4:00 PM
Sample Description	Seawater
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 16.00น. 47N 432306 863978
Date Analysis Commenced	Dec 23, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	49	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana , Sakkarin Panpheng

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

Life Sciences

www.alsglobal.com

S:\Reports\All NoGL.rpt (5:13PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23133931

Date Received : Dec 23, 2023

Date Reported : Dec 27, 2023

Report Number : 2838421-1

Page 6 of 6

Sample Number	23133931-6					
Sampled Date	Dec 22, 2023 8:00 PM					
Sample Description	Seawater					
Location	น้ำทะเลบริเวณหน้าโครงการ เก็บตัวอย่างช่วงเวลา 20.00น. 47N 432306 863978					
Date Analysis Commenced	Dec 23, 2023					
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)					

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	15	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana , Sakkarin Panpheng

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23133934

Date Received : Dec 23, 2023

Date Reported : Dec 27, 2023

Report Number : 2838424-1

Page 1 of 6

Sample Number	23133934-1
Sampled Date	Dec 22, 2023 12:00 AM
Sample Description	Seawater
Location	น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 00.00น. 47N 432244 864001
Date Analysis Commenced	Dec 23, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	93	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana , Sakkarin Panpheng

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ นายบ๊วย รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23133934

Date Received : Dec 23, 2023

Date Reported : Dec 27, 2023

Report Number : 2838424-1

Page 2 of 6

Sample Number 23133934-2
Sampled Date Dec 22, 2023 4:00 AM
Sample Description Seawater
Location น้ำทะเลบริเวณเขตรอบน่านน้ำของโครงการ เก็บตัวอย่างช่วงเวลา 04.00น.
47N 432244 864001
Date Analysis Commenced Dec 23, 2023
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	20	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana , Sakkarin Panpheng

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายมิช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23133934

Date Received : Dec 23, 2023

Date Reported : Dec 27, 2023

Report Number : 2838424-1

Page 3 of 6

Sample Number 23133934-3
Sampled Date Dec 22, 2023 8:00 AM
Sample Description Seawater
Location น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 08.00น.
47N 432244 864001
Date Analysis Commenced Dec 23, 2023
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	3	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana , Sakkarin Panpheng

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

Life Sciences

www.alsglobal.com

G:\Reports\ALL NoCL\ rpt (5:26PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23133934

Date Received : Dec 23, 2023

Date Reported : Dec 27, 2023

Report Number : 2838424-1

Page 4 of 6

Sample Number 23133934-4
Sampled Date Dec 22, 2023 12:00 PM
Sample Description Seawater
Location น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 12.00น.
47N 432244 864001
Date Analysis Commenced Dec 23, 2023
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	25	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana , Sakkarin Panpheng

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

S:\Reports\All_NoGL.rpt (5:26PM)

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :
Project Name : โครงการ มายบิซ รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ
Project Location :

Lot ID: 23133934

Date Received : Dec 23, 2023

Date Reported : Dec 27, 2023

Report Number : 2838424-1

Page 5 of 6

Sample Number 23133934-5
Sampled Date Dec 22, 2023 4:00 PM
Sample Description Seawater
Location น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 16.00น.
47N 432244 864001
Date Analysis Commenced Dec 23, 2023
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	23	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana , Sakkarin Panpheng

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

Life Sciences

www.alsglobal.com

SoReport: All NoCL rpt (5:26PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23133934

Date Received : Dec 23, 2023

Date Reported : Dec 27, 2023

Report Number : 2838424-1

Page 6 of 6

Sample Number 23133934-6
Sampled Date Dec 22, 2023 8:00 PM
Sample Description Seawater
Location น้ำทะเลบริเวณจุดระบายน้ำทิ้งของโครงการ เก็บตัวอย่างช่วงเวลา 20.00น.
47N 432244 864001
Date Analysis Commenced Dec 23, 2023
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Total Suspended Solids	mg/L	-	2	16	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Sampling By : Yuttapong Rattana , Sakkarin Panpheng

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

Life Sciences

www.alsglobal.com

S:\Reports\All NoGL.rpt (5:26PM)

RIGHT SOLUTIONS RIGHT PARTNER

ผลการวิเคราะห์คุณภาพน้ำทิ้ง



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING
No.0166

Lot ID: 2371786

Date Received : Jul 21, 2023

Date Reported : Jul 27, 2023

Report Number : 2730455-1

Page 1 of 2

Sample Number	2371786-3
Sampled Date	Jul 20, 2023 11:05 AM
Sample Description	Wastewater
Location	บ่อตรวจคุณภาพน้ำหลังเขาระบบบำบัดน้ำเสียรวมของโครงการ
Date Analysis Commenced	Jul 21, 2023
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Total Coliform *	MPN/100mL	-	-	790000.0	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B	Bangkok
Water Testing							
BOD *	mg/L	-	2	10.5	≤30	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 5210 B	Songkhla
Oil & Grease	mg/L	-	3	<3	≤20	In-house method : STM 13-006 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 5520 B	Songkhla
pH at 25 degree C		-	-	7.7	5.0-9.0	In-house method : STM 13-001 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - H (B)	Songkhla
Settleable Solid *	mL/L/hr	-	0.1	<0.1	≤0.5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 F	Songkhla
Sulfide *	mg/L	-	0.5	0.6	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-S2 (C, F)	Songkhla
Total Dissolved Solids Dried at 103-105 degree C *	mg/L	-	5	444	(1)	In-house method : STM 04-010 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 C	Songkhla
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	23.2	≤35	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-Norg (C)	Bangkok

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING
No.0166

Lot ID: 2371786

Date Received : Jul 21, 2023

Date Reported : Jul 27, 2023

Report Number : 2730455-1

Page 2 of 2

Sample Number	2371786-3
Sampled Date	Jul 20, 2023 11:05 AM
Sample Description	Wastewater
Location	บ่อตรวจคุณภาพน้ำหลังเขาระบบบำบัดน้ำเสียรวมของโครงการ
Date Analysis Commenced	Jul 21, 2023
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids	mg/L	-	5	30	≤40	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Guideline : Notification of Ministry of Natural Resources and Environment November, 7, B.E. 2548 on Effluent Control Standard from Types and Sized of Buildings, Type B.

(1) : The values are in addition to the Total Dissolved Solids of the water used not more than 500 mg/L.

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



Analysis / Test Report

TESTING
No.0166

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2371786

Date Received : Jul 21, 2023

Date Reported : Jul 27, 2023

Report Number : 2730456-1

Page 1 of 1

Sample Number	2371786-4
Sampled Date	Jul 20, 2023 11:10 AM
Sample Description	Consumption Water
Location	น้ำในห้องพักแขก
Date Analysis Commenced	Jul 21, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	374	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 C	Songkhla

Guideline : Water quality standards of the Provincial Waterworks Authority B.E.2565

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ติดตั้งและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING
No.0166

Lot ID: 2386529

Date Received : Aug 25, 2023

Date Reported : Aug 31, 2023

Report Number : 2762227-1

Page 1 of 2

Sample Number	2386529-3
Sampled Date	Aug 24, 2023 11:05 AM
Sample Description	Wastewater
Location	บ่อตรวจคุณภาพน้ำหลังเขาระบบบำบัดน้ำเสียรวมของโครงการ 47N 432333 864005
Date Analysis Commenced	Aug 25, 2023
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
^[A] Total Coliform	MPN/100mL	-	-	490000.0	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B	Bangkok
Water Testing							
BOD *	mg/L	-	2	12.5	≤30	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 5210 B	Songkhla
Oil & Grease	mg/L	-	3	<3	≤20	In-house method : STM 13-006 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 5520 B	Songkhla
pH at 25 degree C		-	-	7.3	5.0-9.0	In-house method : STM 13-001 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - H (B)	Songkhla
Settleable Solid *	mL/L/hr	-	0.1	<0.1	≤0.5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 F	Songkhla
Sulfide *	mg/L	-	0.5	2.4	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-S2 (C, F)	Songkhla
Total Dissolved Solids Dried at 103-105 degree C *	mg/L	-	5	308	(1)	In-house method : STM 04-010 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 C	Songkhla
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	27.4	≤35	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-Norg (C)	Bangkok

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.
Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

Life Sciences

www.alsglobal.com

S:\Reports_All_GL_rpt (2:38PM)



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING

No.0166

Lot ID: 2386529

Date Received : Aug 25, 2023

Date Reported : Aug 31, 2023

Report Number : 2762227-1

Page 2 of 2

Sample Number	2386529-3						
Sampled Date	Aug 24, 2023 11:05 AM						
Sample Description	Wastewater						
Location	บ่อดำรงคุณภาพน้ำหลังเข้าระบบบำบัดน้ำเสียรวมของโครงการ 47N 432333 864005						
Date Analysis Commenced	Aug 25, 2023						
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)						

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids	mg/L	-	5	30	≤40	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Guideline : Notification of Ministry of Natural Resources and Environment November, 7, B.E. 2548 on Effluent Control Standard from Types and Sized of Buildings, Type B.

(1) : The values are in addition to the Total Dissolved Solids of the water used not more than 500 mg/L.

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- [A] Analysis conducted by ALS Laboratory Group (Thailand) Co., Ltd. Bangkok Branch, DSS Accreditation No. 0009.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_All_GL.rpt (2:38PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING
No.0166

Lot ID: 2386529

Date Received : Aug 25, 2023

Date Reported : Aug 31, 2023

Report Number : 2762228-1

Page 1 of 1

Sample Number	2386529-4
Sampled Date	Aug 24, 2023 11:20 AM
Sample Description	Consumption Water
Location	น้ำใช้แทงค์น้ำใบ 47N 432335 863957
Date Analysis Commenced	Aug 25, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	300	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 C	Songkhla

Guideline : Water quality standards of the Provincial Waterworks Authority B.E.2565

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_All_GL_rpt (12:39PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING
No.0166

Lot ID: 2398861

Date Received : Sep 22, 2023

Date Reported : Sep 28, 2023

Report Number : 2790910-1

Page 1 of 2

Sample Number	2398861-3
Sampled Date	Sep 21, 2023 1:10 PM
Sample Description	Wastewater
Location	บ่อตรวจคุณภาพน้ำหลังเขาระบบบำบัดน้ำเสียรวมของโครงการ 47N 432333 864005
Date Analysis Commenced	Sep 22, 2023
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
^[A] Total Coliform	MPN/100mL	-	-	3300000.0	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B	Bangkok
Water Testing							
BOD *	mg/L	-	2	21.4	≤30	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 5210 B	Songkhla
Oil & Grease	mg/L	-	3	<3	≤20	In-house method : STM 13-006 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 5520 B	Songkhla
pH at 25 degree C		-	-	7.6	5.0-9.0	In-house method : STM 13-001 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - H (B)	Songkhla
Settleable Solid *	mL/L/hr	-	0.1	0.1	≤0.5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 F	Songkhla
Sulfide *	mg/L	-	0.5	1.8	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-S2 (C, F)	Songkhla
Total Dissolved Solids Dried at 103-105 degree C *	mg/L	-	5	276	(1)	In-house method : STM 04-010 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 C	Songkhla
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	27.9	≤35	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-Norg (C)	Bangkok

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_All_GL\rpt (5:39PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING

No.0166

Lot ID: 2398861

Date Received : Sep 22, 2023

Date Reported : Sep 28, 2023

Report Number : 2790910-1

Page 2 of 2

Sample Number	2398861-3
Sampled Date	Sep 21, 2023 1:10 PM
Sample Description	Wastewater
Location	บ่อตรวจคุณภาพน้ำหลังเข้าระบบบำบัดน้ำเสียรวมของโครงการ 47N 432333 864005
Date Analysis Commenced	Sep 22, 2023
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids	mg/L	-	5	20	≤40	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Guideline : Notification of Ministry of Natural Resources and Environment November, 7, B.E. 2548 on Effluent Control Standard from Types and Sized of Buildings, Type B.

(1) : The values are in addition to the Total Dissolved Solids of the water used not more than 500 mg/L.

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- [A] Analysis conducted by ALS Laboratory Group (Thailand) Co., Ltd. Bangkok Branch, DSS Accreditation No. 0009.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_All_GL.rpt (5:39PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING
No.0166

Lot ID: 2398861

Date Received : Sep 22, 2023

Date Reported : Sep 28, 2023

Report Number : 2790911-1

Page 1 of 1

Sample Number	2398861-4
Sampled Date	Sep 21, 2023 1:25 PM
Sample Description	Consumption Water
Location	น้ำไขหนาด 47N 432269 864000
Date Analysis Commenced	Sep 25, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	260	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 C	Songkhla

Guideline : Water quality standards of the Provincial Waterworks Authority B.E.2565

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_All_GL.rpt (5:40PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING
No.0166

Lot ID: 23113682

Date Received : Oct 20, 2023

Date Reported : Oct 27, 2023

Report Number : 2817195-1

Page 1 of 2

Sample Number	23113682-3
Sampled Date	Oct 19, 2023 10:13 AM
Sample Description	Wastewater
Location	บ่อตรวจคุณภาพน้ำหลังเขาระบบบำบัดน้ำเสียรวมของโครงการ 47N 432333 864005
Date Analysis Commenced	Oct 20, 2023
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
^[A] Total Coliform	MPN/100mL	-	-	110000.0	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B	Bangkok
Water Testing							
BOD *	mg/L	-	2	9.4	≤30	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 5210 B	Songkhla
Oil & Grease	mg/L	-	3	<3	≤20	In-house method : STM 13-006 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 5520 B	Songkhla
pH at 25 degree C		-	-	7.4	5.0-9.0	In-house method : STM 13-001 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - H (B)	Songkhla
Settleable Solid *	mL/L/hr	-	0.1	<0.1	≤0.5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 F	Songkhla
Sulfide *	mg/L	-	0.5	0.6	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-S2 (C, F)	Songkhla
Total Dissolved Solids Dried at 103-105 degree C *	mg/L	-	5	232	(1)	In-house method : STM 04-010 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 C	Songkhla
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	11.8	≤35	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-Norg (C)	Bangkok

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports\All_GL_rpt (12:16PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING

No.0166

Lot ID: 23113682

Date Received : Oct 20, 2023

Date Reported : Oct 27, 2023

Report Number : 2817195-1

Page 2 of 2

Sample Number	23113682-3
Sampled Date	Oct 19, 2023 10:13 AM
Sample Description	Wastewater
Location	บ่อตรวจคุณภาพน้ำหลังเข้าระบบบำบัดน้ำเสียรวมของโครงการ 47N 432333 864005
Date Analysis Commenced	Oct 20, 2023
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids	mg/L	-	5	10	≤40	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Guideline : Notification of Ministry of Natural Resources and Environment November, 7, B.E. 2548 on Effluent Control Standard from Types and Sized of Buildings, Type B.

(1) : The values are in addition to the Total Dissolved Solids of the water used not more than 500 mg/L.

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- [A] Analysis conducted by ALS Laboratory Group (Thailand) Co., Ltd. Bangkok Branch, DSS Accreditation No. 0009.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_All_GL.rpt (12:16PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING
No.0166

Lot ID: 23113682

Date Received : Oct 20, 2023

Date Reported : Oct 27, 2023

Report Number : 2817196-1

Page 1 of 1

Sample Number	23113682-4
Sampled Date	Oct 19, 2023 10:25 AM
Sample Description	Consumption Water
Location	น้ำในห้องพักแขก Room 1204 47N 432312 863956
Date Analysis Commenced	Oct 23, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	254	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 C	Songkhla

Guideline : Water quality standards of the Provincial Waterworks Authority B.E.2565

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_All_GL_rpt (12:16PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING
No.0166

Lot ID: 23123383

Date Received : Nov 24, 2023

Date Reported : Dec 04, 2023

Report Number : 2851105-1

Page 1 of 2

Sample Number	23123383-3
Sampled Date	Nov 23, 2023 10:00 AM
Sample Description	Wastewater
Location	บ่อตรวจคุณภาพน้ำหลังเขาระบบบำบัดน้ำเสียรวมของโครงการ 47N 432333 864005
Date Analysis Commenced	Nov 24, 2023
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Total Coliform	MPN/100mL	-	-	790000.0	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B	Songkhla
Water Testing							
BOD *	mg/L	-	2	8.4	≤30	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 5210 B	Songkhla
Oil & Grease	mg/L	-	3	<3	≤20	In-house method : STM 13-006 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 5520 B	Songkhla
pH at 25 degree C		-	-	7.3	5.0-9.0	In-house method : STM 13-001 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - H (B)	Songkhla
Settleable Solid *	mL/L/hr	-	0.1	<0.1	≤0.5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 F	Songkhla
Sulfide *	mg/L	-	0.5	0.6	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-S2 (C, F)	Songkhla
Total Dissolved Solids Dried at 103-105 degree C *	mg/L	-	5	162	(1)	In-house method : STM 04-010 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 C	Songkhla
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	10.0	≤35	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-Norg (C)	Bangkok

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Chompoonuch F.

Chompoonuch Funtha
Supervisor

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_All_GL.rpt (4:08PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ นายบ๊วย รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING
No.0166

Lot ID: 23123383

Date Received : Nov 24, 2023

Date Reported : Dec 04, 2023

Report Number : 2851105-1

Page 2 of 2

Sample Number	23123383-3
Sampled Date	Nov 23, 2023 10:00 AM
Sample Description	Wastewater
Location	บ่อตรวจคุณภาพน้ำหลังเขาระบบบำบัดน้ำเสียรวมของโครงการ 47N 432333 864005
Date Analysis Commenced	Nov 24, 2023
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids	mg/L	-	5	12	≤40	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Guideline : Notification of Ministry of Natural Resources and Environment November, 7, B.E. 2548 on Effluent Control Standard from Types and Sized of Buildings, Type B.

(1) : The values are in addition to the Total Dissolved Solids of the water used not more than 500 mg/L.

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Chompoonuch F.

Chompoonuch Funtha
Supervisor

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

Life Sciences

www.alsglobal.com

S:\Reports_All_GL.rpt (4:08PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING
No.0166

Lot ID: 23123383

Date Received : Nov 24, 2023

Date Reported : Dec 01, 2023

Report Number : 2851106-1

Page 1 of 1

Sample Number	23123383-4
Sampled Date	Nov 23, 2023 10:15 AM
Sample Description	Consumption Water
Location	ก๊อมน้ำไขหนานหาด 47N 432269 864000
Date Analysis Commenced	Nov 24, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	289	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 C	Songkhla

Guideline : Water quality standards of the Provincial Waterworks Authority B.E.2565

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21
Life Sciences

www.alsglobal.com

S:\Reports_All_GL.rpt (2:18PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING
No.0166

Lot ID: 23133928

Date Received : Dec 22, 2023

Date Reported : Dec 28, 2023

Report Number : 2875884-1

Page 1 of 2

Sample Number	23133928-3
Sampled Date	Dec 21, 2023 1:12 PM
Sample Description	Wastewater
Location	บ่อตรวจคุณภาพน้ำหลังเข้าระบบบำบัดน้ำเสียรวมของโครงการ 47N 432333 864005
Date Analysis Commenced	Dec 22, 2023
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Total Coliform	MPN/100mL	-	-	240000.0	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B	Songkhla
Water Testing							
BOD *	mg/L	-	2	7.6	≤30	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 5210 B	Songkhla
Oil & Grease	mg/L	-	3	<3	≤20	In-house method : STM 13-006 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 5520 B	Songkhla
pH at 25 degree C		-	-	7.6	5.0-9.0	In-house method : STM 13-001 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500 - H (B)	Songkhla
Settleable Solid *	mL/L/hr	-	0.1	<0.1	≤0.5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 F	Songkhla
Sulfide *	mg/L	-	0.5	0.6	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-S2 (C, F)	Songkhla
Total Dissolved Solids Dried at 103-105 degree C *	mg/L	-	5	304	(1)	In-house method : STM 04-010 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 C	Songkhla
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	31.7	≤35	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-Norg (C)	Bangkok

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Chompoonuch F.

Chompoonuch Funtha
Supervisor

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING
No.0166

Lot ID: 23133928

Date Received : Dec 22, 2023

Date Reported : Dec 28, 2023

Report Number : 2875884-1

Page 2 of 2

Sample Number	23133928-3
Sampled Date	Dec 21, 2023 1:12 PM
Sample Description	Wastewater
Location	บ่อตรวจคุณภาพน้ำหลังเขาระบบบำบัดน้ำเสียรวมของโครงการ 47N 432333 864005
Date Analysis Commenced	Dec 22, 2023
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids	mg/L	-	5	<5	≤40	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 D	Songkhla

Guideline : Notification of Ministry of Natural Resources and Environment November, 7, B.E. 2548 on Effluent Control Standard from Types and Sized of Buildings, Type B.

(1) : The values are in addition to the Total Dissolved Solids of the water used not more than 500 mg/L.

Sampling By : Yuttapong Rattana , Sakkarin Panpheng

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Chompoonuch F.

Chompoonuch Funtha
Supervisor

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายมีช รีส์อร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ
Project Location :

TESTING
No.0166

Lot ID: 23133928

Date Received : Dec 22, 2023

Date Reported : Dec 28, 2023

Report Number : 2875885-1

Page 1 of 1

Sample Number	23133928-4						
Sampled Date	Dec 21, 2023 1:21 PM						
Sample Description	Consumption Water						
Location	น้ำใช้ห้องพักแขก ห้องเบเกอรี่ 47N 432284 864001						
Date Analysis Commenced	Dec 23, 2023						
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)						

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	312	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2540 C	Songkhla

Guideline : Water quality standards of the Provincial Waterworks Authority B.E.2565

Sampling By : Yuttapong Rattana , Sakkarin Panpheng

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Ananta B.

Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ผลการวิเคราะห์คุณภาพน้ำสระว่ายนํ้า



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 2371786

Date Received : Jul 21, 2023

Date Reported : Jul 27, 2023

Report Number : 2730457-1

Page 1 of 1

Sample Number	2371786-5
Sampled Date	Jul 20, 2023 11:15 AM
Sample Description	Swimming Pool
Location	สระว่ายน้ำของโครงการ (Main Pool)
Date Analysis Commenced	Jul 21, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B, E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B	Bangkok

Guideline : ค่าแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่น ๆ ในทำนองเดียวกัน

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Suwannee Chuamkeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING
No.0009

Lot ID: 2386529

Date Received : Aug 25, 2023

Date Reported : Aug 31, 2023

Report Number : 2762229-1

Page 1 of 1

Sample Number	2386529-5
Sampled Date	Aug 24, 2023 11:30 AM
Sample Description	Swimming Pool
Location	สระว่ายน้ำของโครงการ 47N 452292 863963
Date Analysis Commenced	Aug 25, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B, E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B	Bangkok

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่น ๆ ในทำนองเดียวกัน

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Suwannee Chuamkeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_All_GL.rpt (8:13AM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบิซ รีสอร์ทท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING

No.0009

Lot ID: 2398861

Date Received : Sep 22, 2023

Date Reported : Sep 28, 2023

Report Number : 2790912-1

Page 1 of 1

Sample Number	2398861-5
Sampled Date	Sep 21, 2023 1:20 PM
Sample Description	Swimming Pool
Location	สระว่ายน้ำของโครงการ 47N 452292 863963
Date Analysis Commenced	Sep 22, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B	Bangkok

Guideline : ค่าแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่น ๆ ในทำนองเดียวกัน

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sithichok T.

Sithichok Thongnguen
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports_All_GL.rpt (5:32PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

TESTING

No.0009

Lot ID: 23113682

Date Received : Oct 20, 2023

Date Reported : Oct 27, 2023

Report Number : 2817197-1

Page 1 of 1

Sample Number	23113682-5
Sampled Date	Oct 19, 2023 10:37 AM
Sample Description	Swimming Pool
Location	สระว่ายน้ำของโครงการ 47N 452292 863963
Date Analysis Commenced	Oct 20, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B, E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B	Bangkok

Guideline : ค่าแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่น ๆ ในทำนองเดียวกัน

Sampling By : Yuttapong Rattana

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Suwannee Chumkeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports\All_GL.rpt (12:59PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายมีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23123383

Date Received : Nov 24, 2023

Date Reported : Dec 04, 2023

Report Number : 2851107-1

Page 1 of 2

Sample Number	23123383-5
Sampled Date	Nov 23, 2023 10:20 AM
Sample Description	Swimming Pool
Location	สระว่ายน้ำของโครงการ Main pool 47N 452292 863963
Date Analysis Commenced	Nov 24, 2023
Condition of Sample	Contained in five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
<i>Escherichia coli</i>	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B, F	Songkhla
Fecal Coliform	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B, E	Songkhla
<i>Pseudomonas aeruginosa</i>	in 100 mL	-	-	Not Detected	Not Detected	In-house method in connection with: - Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9213 E	Bangkok
<i>Staphylococcus aureus</i>	in 100 mL	-	-	Not Detected	Not Detected	In-house method : STM No. 14-039 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9213 B and FDA Bacteriological Analytical Manual online, Chapter 12, 2016	Songkhla
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B	Songkhla
Water Testing							
Ammonia Nitrogen	mg/L	-	0.06	<0.06	≤20	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4500-NH3 (B, F)	Bangkok
Calcium Hardness as CaCO3	mg/L	-	1	67	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 3500-Ca (B)	Songkhla

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Chompoonuch F.

Chompoonuch Funtha
Supervisor

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

S:\Reports\All_GL\rlpt (4:08PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.
125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายบีช รีสอร์ท (ตัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23123383

Date Received : Nov 24, 2023

Date Reported : Dec 04, 2023

Report Number : 2851107-1

Page 2 of 2

Sample Number	23123383-5						
Sampled Date	Nov 23, 2023 10:20 AM						
Sample Description	Swimming Pool						
Location	สระว่ายน้ำของโครงการ Main pool 47N 452292 863963						
Date Analysis Commenced	Nov 24, 2023						
Condition of Sample	Contained in five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)						
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Chloride as Cl	mg/L	0.06	0.2	757	≤600	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4110 B	Bangkok
Cyanuric acid	mg/L	2	7	Not Detected	30-60	Colorimetric Method	Bangkok
Nitrate as NO3	mg/L	0.3	1.0	70.6	≤50	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 4110 B	Bangkok
Total Alkalinity as CaCO3	mg/L	-	1	34	80-100	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 2320 B	Songkhla

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่น ๆ ในทำนองเดียวกัน

Sampling By : Thaksin Aintrom

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Chompoonuch F.

Chompoonuch Funtha
Supervisor

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

11485-21

Life Sciences

www.alsglobal.com

S:\Reports_Ali_GL_rpt (4:08PM)

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Phuket Environmental Services Co., Ltd.

125/512 M.5, T.Rasada, A.Muang, Phuket Thailand 83000

P/O :

Project Name : โครงการ มายมิช รีสอร์ท (ดัดแปลงและเปลี่ยนการใช้อาคาร) ช่วงดำเนินการ

Project Location :

Lot ID: 23133928

Date Received : Dec 22, 2023

Date Reported : Dec 28, 2023

Report Number : 2875886-1

Page 1 of 1

Sample Number	23133928-5
Sampled Date	Dec 21, 2023 1:30 PM
Sample Description	Swimming Pool
Location	สระว่ายน้ำของโครงการ 47N 452292 863963
Date Analysis Commenced	Dec 22, 2023
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B, E	Songkhla
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 23rd ed., 2017, part 9221 B	Songkhla

Guideline : ค่าแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่น ๆ ในทำนองเดียวกัน

Sampling By : Yuttapong Rattana , Sakkarin Panpheng

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. No part of this report may be reproduced in any form without written consent from the laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Chompoonuch F.

Chompoonuch Funtha
Supervisor

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068

เอกสารแนบที่ 12

เอกสารขึ้นทะเบียนห้องปฏิบัติการ



ที่ อก ๐๓๑๐(๑)/ ๑๐๖๙

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ เขตราชเทวี
กรุงเทพมหานคร ๑๐๔๐๐

๒๘ มกราคม ๒๕๖๕

เรื่อง ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท เอแอลเอส แลบบอราทอรี กรุ๊ป (ประเทศไทย) จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๓๐ กรกฎาคม ๒๕๖๓

สิ่งที่ส่งมาด้วย ๑. รายชื่อผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๑ แผ่น

๒. รายชื่อเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๕ แผ่น

๓. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๑ แผ่น

ตามหนังสือที่อ้างถึง บริษัท เอแอลเอส แลบบอราทอรี กรุ๊ป (ประเทศไทย) จำกัด ขอต่ออายุ
หนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๒๐๔ สถานที่ตั้งเลขที่ ๑๐๔
ซอยพัฒนาการ ๔๐ ถนนพัฒนาการ แขวงพัฒนาการ เขตสวนหลวง กรุงเทพมหานคร
ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท เอแอลเอส แลบบอราทอรี กรุ๊ป (ประเทศไทย)
จำกัด ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๖ ราย ตามสิ่งที่ส่งมาด้วย ๑

ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๑๖๒ ราย ตามสิ่งที่ส่งมาด้วย ๒

ค. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำเสีย จำนวน ๕๙ รายการ น้ำใต้ดิน
จำนวน ๑๒๖ รายการ อากาศเสีย ๑๖ รายการ สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน ๓๕ รายการ และดิน
จำนวน ๑๒๕ รายการ รวมทั้งสิ้นจำนวน ๓๖๑ รายการ ตามสิ่งที่ส่งมาด้วย ๓

หนังสือฉบับนี้จะหมดอายุในวันที่ ๒ กันยายน ๒๕๖๖ หากประสงค์จะต่ออายุหนังสือ
รับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอ
ต่อกรมโรงงานอุตสาหกรรม ภายใน ๓๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์
เอกชน ซึ่งคำขอต่ออายุดังกล่าวขอรับได้ที่กรมโรงงานอุตสาหกรรม

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายศิระ จันทรเจ็ด)

นักวิทยาศาสตร์ชำนาญการพิเศษ รักษาการแทน

ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน

ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๒๐๒ ๔๑๔๖ ๐ ๒๒๐๒ ๔๐๐๒

โทรสาร ๐ ๒๓๕๕ ๓๒๐๘ ๐ ๒๓๕๕ ๓๔๑๕

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอแอลเอส แลบบอราทอรี กรุป (ประเทศไทย) จำกัด

เลขทะเบียน ว-๒๐๔

ที่ อก ๐๓๑๐(๑)/

ลงวันที่ ๒๘ มกราคม ๒๕๖๕

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๖ ราย

๑) นางสาวยุพาพร จันทร์เปล่ง

ทะเบียนเลขที่ ว-๒๐๔-ค-๔๗๐๐

๒) นางสาวชัชชัย โกมารกุล ณ นคร

ทะเบียนเลขที่ ว-๒๐๔-ค-๔๗๐๑

๓) นายศรายุทธ จิตรานนท์

ทะเบียนเลขที่ ว-๒๐๔-ค-๔๗๐๒

๔) นางสาวกนกกร เอนก

ทะเบียนเลขที่ ว-๒๐๔-ค-๖๑๑๑

๕) นายสุริยา สอนแก้ว

ทะเบียนเลขที่ ว-๒๐๔-ค-๖๑๑๒

๖) นายวิชาญ ชุมหรัตน์

ทะเบียนเลขที่ ว-๒๐๔-ค-๖๑๑๓



(นายศิระ จันทรเจ็ด)

นักวิทยาศาสตร์ชำนาญการพิเศษ รักษาการแทน

ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน

ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอแอลเอส แล็บอราทอรี กรุ๊ป (ประเทศไทย) จำกัด

เลขทะเบียน ว-๒๐๔

ที่ อก ๐๓๑๐(๑)/ ๑๐๖๙

ลงวันที่ ๒๘ มกราคม ๒๕๖๕

ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๑๖๒ ราย

๑) นางสาวจินดา โชจุลธรรม	ทะเบียนเลขที่ ว-๒๐๔-จ-๔๗๐๘
๒) นางสาวสาวิตรี น้อยเสงี่ยม	ทะเบียนเลขที่ ว-๒๐๔-จ-๔๗๐๙
๓) นางสาวชนัญฎาญจน์ อิ่มชม	ทะเบียนเลขที่ ว-๒๐๔-จ-๔๗๑๐
๔) นางสาวนรินทร์ สายเส็ง	ทะเบียนเลขที่ ว-๒๐๔-จ-๔๗๑๕
๕) นางสาวนันทดี สมบูรณ์	ทะเบียนเลขที่ ว-๒๐๔-จ-๔๗๑๖
๖) นางสาวศรัณยา เฉลิมธำรงค์	ทะเบียนเลขที่ ว-๒๐๔-จ-๔๗๑๗
๗) นางสาวสรารักษ์ มงคลจิรวุฒิ	ทะเบียนเลขที่ ว-๒๐๔-จ-๔๗๑๙
๘) นางสาวศิริลักษณ์ พึ่งแพง	ทะเบียนเลขที่ ว-๒๐๔-จ-๔๗๒๐
๙) นายณพพงศ์ จันทรพันธุ์	ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๐๘
๑๐) นายนรเศรษฐ์ โกมลาลัย	ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๑๑
๑๑) นายธันวา จริยา	ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๑๔
๑๒) นางสาวเกศรินทร์ แก้วมัน	ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๑๖
๑๓) นางสาวสุวิมล ชัยเรืองวุฒิ	ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๑๗
๑๔) นางสาวสุชาดา ธรรมถาวร	ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๒๑
๑๕) นางสาวเปมิกา ชัยเดชธนกุล	ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๒๓
๑๖) นางสาวศศิธร หมุสวีสต์	ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๒๔
๑๗) นางสาวเสาวลักษณ์ ภูณภาอำพร	ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๒๕
๑๘) นายอภิสิทธิ์ สิงหา	ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๒๖
๑๙) นายศักดิ์สิทธิ์ ไพศาลพิสุทธ์	ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๒๗
๒๐) ว่าที่ร้อยตรีหญิง พรรณิภา ขำเจริญ	ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๒๘
๒๑) นางจิตตา คำภูแก้ว	ทะเบียนเลขที่ ว-๒๐๔-จ-๕๔๓๑
๒๒) นางสาวอรรวรรณ รักยง	ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๑๕
๒๓) นางสาวนพรัตน์ แยมกรานต์	ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๑๙
๒๔) นายจุลเดช วารินทร์	ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๒๐
๒๕) นางสาวดาญรัตน์ ร้องคำ	ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๒๑
๒๖) นายนคร สุขเจริญ	ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๒๒
๒๗) นายบัญญัติ นามเขตต์	ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๒๓
๒๘) นายพรมมี ศรีปัตเนตร	ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๒๕
๒๙) นายอุทิศ อุ่นลิ้ม	ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๒๖
๓๐) ว่าที่ร้อยตรี เฉลิมเกียรติ อมรศรีเสริม	ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๒๘
๓๑) นางสาวรียา สร้างนา	ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๒๙
๓๒) นายอนุพงศ์ รัตนศรีประเสริฐ	ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๓๐
๓๓) นางสาวจุฑารัตน์ โอนสันเทียะ	ทะเบียนเลขที่ ว-๒๐๔-จ-๖๒๔๒
๓๔) นางสาวจารุวรรณ พิมพ์อภิกฤติยา	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๗๖

(นายศิระ จันทร์เจ็ด)

๓๕) นางสาวปรางค์ทิพย์...

นักวิทยาศาสตร์ชำนาญการพิเศษ รักษาการแทน

ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน

สำนักงานคณะกรรมการกฤษฎีกา

๓๕) นางสาวปรางค์ทิพย์ กิจไพศาลศักดิ์	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๗๙
๓๖) นางสาวเตือนใจ ทางกลาง	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๘๐
๓๗) นางสาวจิราพร ศิริเวช	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๘๑
๓๘) นายวรากร ผูกรักษ์	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๘๒
๓๙) นายทอง วิริยะสทกิจ	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๘๓
๔๐) นายธนิต เจนจบ	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๘๔
๔๑) นายคณิศร ขำเพชร	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๘๕
๔๒) นายอรรคพล นิยมวิทยาพันธ์	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๘๖
๔๓) นายภูวิช พรหมสะอาด	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๘๗
๔๔) นายธนเดช โภคาพิพัฒน์	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๘๘
๔๕) นายชวฤทธิ์ วงษ์จันทร์	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๘๙
๔๖) นายอาทิตย์ ศรีเสน	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๙๐
๔๗) นายเจษฎินทร์ คงศักดิ์ไทย	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๙๑
๔๘) นายจรัส บุญยิ่ง	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๙๒
๔๙) นายธนาภรณ์ เอนก	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๙๓
๕๐) นายอภิวัฒน์ ทุมหนู	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๙๔
๕๑) นางสาวสุภาขวัญ มาก	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๙๕
๕๒) นางสาวหัตถพร ขวาลสมบุญ	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๙๖
๕๓) นางสาวธิดิมา บุญเพ็ง	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๙๗
๕๔) นางสาวกนกอร เข้มเพชร	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๙๘
๕๕) นางสาวพัชรียา หงษ์สมดี	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๙๙
๕๖) นางสาวภาวนิดา สุรวงศ์ตระกูล	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๐๐
๕๗) นางสาวภาณุมาศ นามวัฒน์	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๐๑
๕๘) นางสาวอุไรรัตน์ ทังสร้างแป้น	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๐๒
๕๙) นายธีรวัฒน์ ปวงสุข	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๐๓
๖๐) นายอิทธิพล ยะโส	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๐๔
๖๑) นายประพจน์ วรรณชูชัย	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๐๕
๖๒) นายชยธร พวงทิพย์	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๐๖
๖๓) นางสาวกนกวรรณ จันทบาล	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๐๗
๖๔) นางสาวเกษร หลีกบุญ	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๐๘
๖๕) นายสิทธิโชค ธงเงิน	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๐๙
๖๖) นางสาววรรณใจ บุญ	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๑๐
๖๗) นางสาวพรรณธิดา พุ่มคง	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๑๑
๖๘) นางสาวศรณีย์ ยิ่งดี	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๑๒
๖๙) นายนวกัทร ศรีวิริยะ	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๑๓
๗๐) นายสุวิชา ทองอ่อน	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๑๔
๗๑) นายวิญญู บุญตะนัย	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๑๕

(นายศิริระ จันท์เจ็ด)

นักวิทยาศาสตร์ชำนาญการพิเศษ ศึกษาราชการแทน

ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน

12/11/2564

๗๒) นายสมบุญ...

๗๒) นายสมบุรณ์ บุตรจันทร์	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๑๔
๗๓) นายวิรัตน์ ไชยชนะรา	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๑๕
๗๔) นายณฤเบศน์ เพิ่มพูน	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๑๖
๗๕) นายจิรณัฐ ขาวละออ	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๑๗
๗๖) นายสมโภช วันสา	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๑๘
๗๗) นายอัสรี นามบุรี	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๑๙
๗๘) นายณัฐนันท์ ปานประเสริฐ	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๒๐
๗๙) นายอัครเวศ จ่อสาว	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๒๑
๘๐) นายประเสริฐ สุระขันธุ์	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๒๒
๘๑) นายบุญล จันทรเนียม	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๒๓
๘๒) นายพิรพงษ์ ทองคุณปรีดา	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๒๔
๘๓) นายณฤพล ทองนุช	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๒๕
๘๔) นายอนุวัฒน์ ม่วงแพ	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๒๖
๘๕) นายเจตศราวุฒิ ปัตตะมะ	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๒๗
๘๖) นายกฤษณะ สายวรรณ	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๒๘
๘๗) นายพิชัย บุญยงค์	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๒๙
๘๘) นายภาณุพงศ์ ไหมวงศ์	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๓๐
๘๙) นายสามารถ คุ่มปลี	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๓๑
๙๐) นายสัญญาชัย โกศรีนาม	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๓๒
๙๑) นายณัฐวุฒิ ศรีประเสริฐ	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๓๓
๙๒) นายชวลิตช์ นาคพนม	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๓๔
๙๓) นายพงศธร ชัยทิพย์	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๓๕
๙๔) ว่าที่ร้อยตรี ภาณุพงศ์ แสนศรี	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๓๖
๙๕) นายสิทธิโชค ทาสิดา	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๓๗
๙๖) นายธนากร อินสุตา	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๓๘
๙๗) นางสาววรรณิษา ขาติวันชัย	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๓๙
๙๘) นางสาวพิมพ์ตะวัน มินากุล	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๔๐
๙๙) นางสาวเพชรรัตน์ สิงห์สมบูรณ์	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๔๑
๑๐๐) นางสาวชญาณิน พรหมจันทร์	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๔๒
๑๐๑) นายกักริตี ทวีราช	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๔๓
๑๐๒) นายจักริน หมั่นวิชา	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๔๔
๑๐๓) นายฉัตรชัย สุขเปี้ย	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๔๕
๑๐๔) นายณรรณห์ ต๊ะทองคำ	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๔๖
๑๐๕) นายตุลยพล สมนอก	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๔๗
๑๐๖) นายทักษ์ดนัย อุบลศรี	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๔๘
๑๐๗) นายธนศร นามะกฤษณา	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๔๙
๑๐๘) นายธิตินพงศ์ บัวแดง	ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๕๐

(นายศิระ จันทรเจ็ด)

นักวิทยาศาสตร์ชำนาญการพิเศษ รักษาการแทน

ผู้อำนวยการกองวิจัยและพัฒนากิจการงาน

บริการทางการแพทย์และสาธารณสุข

๑๐๙) นายณนทชัย...

๑๐๙) นายพนทชัย อุปลัมภ	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๕๕๔
๑๑๐) นายรัฐพล คุณสุทธิ	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๕๕๕
๑๑๑) นายฉันทวัฒน์ สาริน	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๕๕๖
๑๑๒) นายปิยะนัฐ พลมะศรี	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๕๕๗
๑๑๓) นายพงศ์สิริ โสมเขียว	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๕๕๘
๑๑๔) นายพีรพัฒน์ กำคำ	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๕๕๙
๑๑๕) นายภาณุพงศ์ มานิตย์	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๐๐
๑๑๖) นายมงคล ผลาทิพย์	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๐๑
๑๑๗) นายมนินทร์ พูลศิริ	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๐๒
๑๑๘) นายสิรินนท์ ทองอิน	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๐๓
๑๑๙) นายอเนชา ทันสมัย	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๐๔
๑๒๐) นายอดิศักดิ์ ผมไผ	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๐๕
๑๒๑) นายอนันตชัย วิสม	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๐๖
๑๒๒) นายณัฐดนัย เจือละออง	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๐๗
๑๒๓) นายวรวิฑูรย์ ดินัก	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๐๘
๑๒๔) นายแสงตะวัน นະະะสัต	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๐๙
๑๒๕) นายยุทธพงศ์ รัตนะ	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๑๐
๑๒๖) นายชัยณัฐ ไชยชนะ	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๑๑
๑๒๗) นายวิศรุต ศรีธรรมมา	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๑๒
๑๒๘) นายพนทกร เพ็ญผ่อง	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๑๓
๑๒๙) นายกำชัย สุทธะ	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๑๔
๑๓๐) นางสาวณัฐภรณ์ รักทะเล	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๑๕
๑๓๑) นางสาวประภาภรณ์ บุตรพรม	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๑๖
๑๓๒) นางสาวนิลาวัลย์ นามพรม	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๑๗
๑๓๓) นางสาวพัชรินทร์ แสนสร้อย	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๑๘
๑๓๔) นายไพรัช ปรียัมพิมาย	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๑๙
๑๓๕) นางสาวศุภมาศ ทองมาก	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๒๐
๑๓๖) นางสาวลลิตา จิตรสว่าง	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๒๑
๑๓๗) นางสาวชไมพร เลิกภูเขียว	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๒๒
๑๓๘) นางสาวกฤติมาพร คำมีแก่น	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๒๓
๑๓๙) นางสาวสกุลรัตน์ ภาควุฒิ	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๒๔
๑๔๐) นางสาวกาญจนา คงคุณ	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๒๕
๑๔๑) นางสาวไพรินทร์ ศรีรูปี	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๒๖
๑๔๒) นางสาวทิพนันทร พุฒปัญญา	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๒๗
๑๔๓) นางสาวสาธิตา ปานทอง	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๒๘
๑๔๔) นางสาวอริสา ทองนวล	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๒๙
๑๔๕) นางสาวอรยา คำคลอง	ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๓๐

(นายศิระ จันทร์เจิด)

นักวิทยาศาสตร์ชำนาญการพิเศษ รักษาการแทน

ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน

๑๔๖) นางสาวบุษมาภรณ์...

๑๔๖) นางสาวชุตามภรณ์ สุนทรสนาน	ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๓๕
๑๔๗) นางสาวสุตารัตน์ นนท์ประสาท	ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๓๖
๑๔๘) นางสาวรัชนีกร เนียมกลาง	ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๓๗
๑๔๙) นางสาวกัญญารัตน์ ศรีนิลทา	ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๓๘
๑๕๐) นางสาวอัญชลี คำจันทร์	ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๓๙
๑๕๑) นายบุญฤทธิ์ เอี่ยมเทศ	ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๔๐
๑๕๒) นายศิริวัฒน์ พานิชย์	ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๔๑
๑๕๓) นางสาวศุภรดา บัณมยุรา	ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๔๒
๑๕๔) นางสาวพาฤดี คุณนาน	ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๔๓
๑๕๕) นางสาวจิราเจต ฟองดา	ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๔๔
๑๕๖) นางสาวกนกภรณ์ อูระ	ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๔๕
๑๕๗) นางสาวอารยา มีชัย	ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๔๖
๑๕๘) นางสาวจิตสุภา ประเทืองสุข	ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๔๗
๑๕๙) นางสาวอริสา วิริยขันติธรรม	ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๔๘
๑๖๐) นางสาววิชชุดา นาคผจญ	ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๔๙
๑๖๑) นางสาวพนิดา ยอดอินทร์	ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๕๐
๑๖๒) นางสาวนันทิยา จันทะลุน	ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๕๑



(นายศิริระ จันทรเจ็ด)

นักวิทยาศาสตร์ชำนาญการพิเศษ รักษาการแทน
ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน
ปฏิบัติราชการหนออธิบดีกรมโรงงานอุตสาหกรรม

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอแอลเอส แลบลอราทอรี กรุ๊ป (ประเทศไทย) จำกัด

เลขทะเบียน ว-๒๐๔

ที่.อก.๐๓๑๐(๑)/ ๑-๐-๖๕ ลงวันที่ ๒๘ มกราคม ๒๕๖๕

ขอขยายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๖๑ รายการ

น้ำเสีย จำนวน 59 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldicarb	High-Performance Liquid Chromatographic Method ^[4]
2	Aldicarb Sulfone	High-Performance Liquid Chromatographic Method ^[4]
3	Aldicarb Sulfoxide	High-Performance Liquid Chromatographic Method ^[4]
4	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
5	Arsenic	1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4]
6	Barium	1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4]
7	α -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
8	β -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
9	δ -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
10	γ -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
11	Biochemical Oxygen Demand	1) 5-Day BOD Test, Azide Modification Method ^[4] 2) 5-Day BOD Test, Membrane Electrode Method ^[4]
12	Carbaryl	High-Performance Liquid Chromatographic Method ^[4]
13	Carbofuran	High-Performance Liquid Chromatographic Method ^[4]
14	Cadmium	1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4]
15	Chemical Oxygen Demand	1) Closed Reflux, Colorimetric Method ^[4] 2) Closed Reflux, Titrimetric Method ^[4]
16	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
17	Chromium	1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[4]
18	Color	ADMI Weighted-Ordinate Spectrophotometric Method



(นางริกาญจน์ ฉัตรสกุลวิไล)

19 Copper...

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
และทะเบียนห้องปฏิบัติการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
19	Copper	1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4]
20	Cyanide	Distillation, Colorimetric Method ^[4]
21	2,4'-DDD	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
22	4,4'-DDD	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
23	2,4'-DDE	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
24	4,4'-DDE	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
25	2,4'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
26	4,4'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
27	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
28	Endosulfan Sulfate	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
29	Endosulfan I	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
30	Endosulfan II	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
31	Endrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
32	Endrin Aldehyde	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
33	Formaldehyde	Distillation, Colorimetric Method ^[3]
34	Free Chlorine	1) DPD Ferrous Titrimetric Method ^[4] 2) Iodometric Method ^[4]
35	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
36	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
37	Hexavalent Chromium	Filtration, Colorimetric Method ^[4]
38	3-Hydroxycarbofuran	High-Performance Liquid Chromatographic Method ^[4]
39	Lead	1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4]
40	Manganese	1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4]
41	Mercury	1) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma/Mass spectrometric Method ^[4]
42	Methiocarb	High-Performance Liquid Chromatographic Method ^[4]
43	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]

วิมล

44 Methomyl...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

กองควบคุมมลพิษ กรมควบคุมมลพิษ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
44	Methomyl	High-Performance Liquid Chromatographic Method ^[4]
45	Nickel	1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4]
46	Oil & Grease	1) Liquid-Liquid, Partition-Gravimetric Method ^[4] 2) Soxhlet Extraction Method ^[4]
47	Oxamyl	High-Performance Liquid Chromatographic Method ^[4]
48	Propoxur	High-Performance Liquid Chromatographic Method ^[4]
49	pH	Electrometric Method ^[4]
50	Phenols	1) Distillation, Chloroform Extraction Method ^[4] 2) Distillation, Direct Photometric Method ^[4]
51	Selenium	1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4]
52	Sulfide	Iodometric Method ^[4]
53	Temperature	Laboratory and Field Methods ^[4]
54	Total Dissolved Solids	Dried at 180 °C ^[4]
55	Total Kjeldahl Nitrogen	Semi-Micro Kjeldahl Method ^[4]
56	Total Suspended Solids	Dried at 103-105 °C ^[4]
57	Toxaphene	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
58	Trivalent Chromium	1) Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method; Colorimetric Method; Calculation ^[4]
59	Zinc	1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[4]

น้ำใต้ดิน จำนวน 126 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
2	Acetone	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]

วิมล

3 Aldrin...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
และทะเบียนห้องปฏิบัติการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
3	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
4	Anthracene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
5	Antimony	1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4]
6	Arsenic	1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4]
7	Atrazine	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
8	Barium	1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4]
9	Benz(a)anthracene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
10	Benzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
11	Benzo(b)fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
12	Benzo(k)fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
13	Benzoic Acid	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
14	Benzo(a)pyrene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
15	Benzo[g,h,i]perylene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
16	Beryllium	1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4]
17	Bis(2-chloroethyl)ether	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]


วิภาวดี

18 Bis(2-ethylhexyl)phthalate...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
และขอเรียนห้องปฏิบัติการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
18	Bis(2-ethylhexyl)phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
19	Bromodichloromethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
20	Bromoform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
21	Butanol	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method ^[4]
22	Butyl Benzyl Phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
23	Cadmium	1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4]
24	Carbazole	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
25	Carbon Disulfide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
26	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
27	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
28	p-Chloroaniline	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
29	Chlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
30	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
31	Chloroform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
32	2-Chlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
33	Chromium	1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4]



34 Chromium (III)...

(นางวิภาณูจน์ ฉัตรสุกวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
34	Chromium (III)	1) Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method; Colorimetric Method; Calculation ^[4]
35	Chromium (VI)	Colorimetric Method ^[4]
36	Chrysene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
37	Cyanide	Distillation, Colorimetric Method ^[4]
38	2,4-D	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
39	DDD	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
40	DDE	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
41	DDT	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
42	Dibenz(a,h)anthracene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
43	Di-n-Butyl Phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
44	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
45	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
46	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
47	3,3-Dichlorobenzidine	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
48	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
49	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
50	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]

วิมลพร

51 cis-1,2-Dichloroethylene...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

กองควบคุมและเฝ้าระวังมลพิษ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
51	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
52	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
53	2,4-Dichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
54	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
55	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
56	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
57	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
58	Diethyl Phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
59	2,4-Dimethylphenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
60	2,4-Dinitrophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
61	2,4-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
62	2,6-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
63	Di-n-Octyl Phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
64	Endosulfan	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
65	Endrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
66	Ethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
67	Fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
68	Fluorene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
69	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
70	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
71	Hexachlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
72	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
73	n-Hexane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
74	α -HCH	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
75	β -HCH	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
76	γ -HCH	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
77	Hexachlorocyclopentadiene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
78	Hexachloroethane	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
79	Indeno(1,2,3-cd)pyrene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
80	Isophorone	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
81	Lead	1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4]
82	Manganese	1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4]
83	Mercury	1) Cold Vapor Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4]

วิมล

84 Methanol...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

กองพิษและมลพิษทางอากาศ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
84	Methanol	1) Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4] 2) Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method ^[4]
85	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
86	Methyl Bromide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
87	Methylene Chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
88	2-Methylphenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
89	2-Methylnaphthalene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
90	Methyl tert-Butyl Ether	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
91	Naphthalene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
92	Nickel	1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4]
93	Nitrobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
94	N-Nitrosodiphenylamine	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
95	N-Nitrosodi-n-Propylamine	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
96	Polychlorinated Biphenyls - PCB 1016 - PCB 1221 - PCB 1232 - PCB 1242 - PCB 1248 - PCB 1254 - PCB 1260	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]

วิมล

97 Pentachlorophenol...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

และทะเบียนห้องปฏิบัติการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
97	Pentachlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
98	pH	Electrometric Method ^[4]
99	Phenanthrene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
100	Phenol	1) Distillation, Direct Photometric Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
101	Pyrene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
102	Selenium	1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4]
103	Silver	1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4]
104	Styrene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
105	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
106	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
107	Toluene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
108	Toxaphene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
109	TPH (C ₅ -C ₈)	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[13,24]
110	TPH (C ₈ -C ₁₆)	Solvent Extraction, Gas Chromatographic Method ^[9,21]
111	TPH (C ₁₆ -C ₃₅)	Solvent Extraction, Gas Chromatographic Method ^[9,21]
112	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
113	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]

วิมล

114 1,1,2-Trichloroethane...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
และทะเบียนห้องปฏิบัติการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
114	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
115	Trichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
116	2,4,5-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
117	2,4,6-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[4]
118	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
119	Vanadium	1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4]
120	Vinyl Acetate	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
121	Vinyl Chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
122	m-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
123	o-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
124	p-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
125	Xylene (Total)	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
126	Zinc	1) Digestion, Inductively Coupled Plasma Method ^[4] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[4]

อากาศเสีย (ปล่องระบาย) จำนวน 16 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	Isokinetic, Digestion, Inductively Coupled Plasma Method ^[5]
2	Arsenic	Isokinetic, Digestion, Inductively Coupled Plasma Method ^[5]



3 Carbon Monoxide...

(นางริกาญจน์ นิตรสุกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

และนายเนืองนิตย์ ใจดีการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
3	Carbon Monoxide	1) Sampling Bag Non-Dispersive Infrared Method ^[5] 2) Non-Dispersive Infrared Method ^[5] 3) Instrumental Analyzer Method ^[5]
4	Chlorine	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
5	Copper	Isokinetic, Digestion, Inductively Coupled Plasma Method ^[5]
6	Dioxins	Isokinetic Sampling, Analysis by ISO/IEC 17025 Accredited Laboratory or Analysis by Department of Industrial Works Registered Laboratory (Dioxins/Furans Analysis Approved) ^[5]
7	Hydrogen Chloride	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
8	Hydrogen Sulfide	Absorption Sampling, Iodometric Method ^[5]
9	Lead	Isokinetic, Digestion, Inductively Coupled Plasma Method ^[5]
10	Mercury	1) Isokinetic Sampling, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[5] 2) Isokinetic, Digestion, Inductively Coupled Plasma Method ^[5]
11	Opacity	Ringelmann's Method ^[2]
12	Oxides of Nitrogen	1) Absorption Sampling, Phenoldisulfonic Acid Method ^[5] 2) Chemiluminescence Method ^[5] 3) Instrumental Analyzer Method ^[5]
13	Sulfur Dioxide	1) Absorption Sampling, Barium-Thorin Titrimetric Method ^[5] 2) UV-Fluorescence Method ^[5] 3) Instrumental Analyzer Method ^[5]
14	Sulfuric Acid	Isokinetic Sampling, Barium-Thorin Titrimetric Method ^[5]
15	Total Suspended Particulate	Isokinetic Sampling, Gravimetric Method ^[5]
16	Xylene	Adsorption Sampling, Gas Chromatographic Method ^[5]

วิมล

สิ่งปลูก...

(นางริภาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิชาการวิเคราะห์ทดสอบมลพิษ

.....

สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน 35 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31]
2	Antimony	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16]
3	Arsenic	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16]
4	Barium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16]
5	Beryllium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16]

วิมล

6 Cadmium...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
และทะเบียนห้องปฏิบัติการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
6	Cadmium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16]
7	Chlordane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,19,25] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31]
8	Chromium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16]
9	Chromium (III)	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method; Waste Extraction, Colorimetric Method; Calculation Method ^[1,6,15,17] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method; Waste Extraction, Colorimetric Method; Calculation Method ^[1,6,16,17] 3) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation Method ^[7,8,15,17] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method; Alkaline Digestion, Colorimetric Method; Calculation Method ^[7,8,16,17]
10	Chromium (VI)	1) Waste Extraction, Colorimetric Method ^[1,6,17] 2) Alkaline Digestion, Colorimetric Method ^[8,17]



(นางริกาญจน์ ฉัตรสกุลวิไล)

11 Cobalt...

ผู้อำนวยการกลุ่มมาตรฐานวิชาการวิเคราะห์ทดสอบมลพิษ

.....เพื่อส่งให้พิจารณา

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
11	Cobalt	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16]
12	Copper	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction; Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16]
13	2,4-D	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31]
14	DDD	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31]
15	DDE	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31]
16	DDT	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25]

วิมล

2) Soxhlet...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
และทะเบียนห้องปฏิบัติการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
17	Dieldrin	2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31] 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25]
18	Endrin	2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31] 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25]
19	Heptachlor	2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31] 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25]
20	Lead	2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16]
21	Lindane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31]
22	Mercury	1) Waste Extraction, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[1,6,18]

วิมล

2) Waste Extraction...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

.....

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
23	Methoxychlor	2) Waste Extraction, Thermal Decomposition Amalgamation and Atomic Absorption Spectrometric Method ^[1,6,19] 3) Waste Extraction, Digestion, Cold-Vapor Atomic Fluorescence Spectrometric Method ^[1,6,20] 4) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[18] 5) Thermal Decomposition Amalgamation and Atomic Absorption Spectrometric Method ^[19] 6) Digestion, Cold-Vapor Atomic Fluorescence Spectrometric Method ^[20]
24	Mirex	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31]
25	Molybdenum	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31]
26	Nickel	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16]
		1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16]

วิภาดา

27 Polychlorinated...

(นางริภาณูจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
27	Polychlorinated biphenyls (PCBs) - Aroclor 1016 - Aroclor 1221 - Aroclor 1232 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260 - 2-Chlorobiphenyl - 2,3-Dichlorobiphenyl - 2,2',5-Trichlorobiphenyl - 2,4',5-Trichlorobiphenyl - 2,2',3,5'-Tetrachlorobiphenyl - 2,2',5,5'-Tetrachlorobiphenyl - 2,3',4,4'-Tetrachlorobiphenyl - 2,2',3,4,5'-Pentachlorobiphenyl - 2,2',4,5,5'-Pentachlorobiphenyl - 2,3,3',4',6-Pentachlorobiphenyl - 2,2',3,4,4',5'-Hexachlorobiphenyl - 2,2',3,4,5,5'-Hexachlorobiphenyl - 2,2',3,5,5',6-Hexachlorobiphenyl - 2,2',4,4',5,5'-Hexachlorobiphenyl - 2,2',3,3',4,4',5-Heptachlorobiphenyl - 2,2',3,4,4',5,5'-Heptachlorobiphenyl - 2,2',3,4,4',5,6-Heptachlorobiphenyl - 2,2',3,4,5,5',6-Heptachlorobiphenyl - 2,2',3,3',4,4',5,6-Nonachlorobiphenyl	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method^[1,9,23] 2) Soxhlet Extraction, Gas Chromatographic Method^[10,23] 3) Automated Soxhlet Extraction, Gas Chromatographic Method^[22,31]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
28	Pentachlorophenol	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31]
29	pH	Electrometric Method ^[29,30]
30	Selenium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16]
31	Silver	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16]
32	Thallium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16]
33	Toxaphene	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1,9,25] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 3) Automated Soxhlet Extraction, Gas Chromatographic Method ^[22,31]
34	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15]

วิมล

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิชาการวิเคราะห์ทดสอบมลพิษ

กรมควบคุมมลพิษ

4) Digestion...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
35	Zinc	4) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[7,16] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[1,6,16] 3) Digestion, Inductively Coupled Plasma Method ^[7,15] 4) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[7,16]

ดิน จำนวน 125 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31]
2	Acetone	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]
3	Aldrin	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31]
4	Anthracene	Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31]
5	Antimony	1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[7,16]
6	Arsenic	1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[7,16]
7	Atrazine	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31]
8	Barium	1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[7,16]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
9	Benz(a)anthracene	Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31]
10	Benzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]
11	Benzo(b)fluoranthene	Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31]
12	Benzo(k)fluoranthene	Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31]
13	Benzoic acid	Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31]
14	Benzo(a)pyrene	Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31]
15	Benzo(g,h,i)perylene	Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31]
16	Beryllium	1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[7,16]
17	Bis(2-chloroethyl)ether	Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31]
18	Bis(2-ethylhexyl)phthalate	Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31]
19	Bromodichloromethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]
20	Bromoform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]
21	Butanol	Equilibrium Headspace, Gas Chromatographic/ Mass Spectrometric Method ^[12,24]
22	Butyl Benzyl Phthalate	Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31]
23	Cadmium	1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[7,16]
24	Carbazole	Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31]
25	Carbon Disulfide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]

วิภาวดี

26 Carbon tetrachloride...

(นางริกาญจน์ ฉัตรสุกวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
26	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]
27	Chlordane	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31]
28	p-Chloroaniline	Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31]
29	Chlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]
30	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]
31	Chloroform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]
32	2-Chlorophenol	Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31]
33	Chromium	1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[7,16]
34	Chromium (III)	1) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation Method ^[7,8,15,17] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method; Alkaline Digestion, Colorimetric Method; Calculation Method ^[7,8,16,17]
35	Chromium (VI)	Alkaline Digestion, Colorimetric Method ^[8,17]
36	Chrysene	Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31]
37	Cyanide	Extraction, Distillation, Colorimetric Method ^[26,27,28]
38	2,4-D	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31]
39	DDD	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
40	DDE	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
41	DDT	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
42	Dibenz(a,h)anthracene	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
43	Di-n-Butyl Phthalate	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
44	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24]
45	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24]
46	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24]
47	3,3-Dichlorobenzidine	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
48	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24]
49	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24]
50	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24]
51	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24]
52	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24]
53	2,4-Dichlorophenol	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
54	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24]
55	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24]
56	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24]

วิมล

57 Dieldrin...

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
57	Dieldrin	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
58	Diethyl Phthalate	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
59	2,4-Dimethylphenol	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
60	2,4-Dinitrophenol	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
61	2,4-Dinitrotoluene	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
62	2,6-Dinitrotoluene	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
63	Di-n-Octyl Phthalate	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
64	Endosulfan	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
65	Endrin	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
66	Ethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24]
67	Fluoranthene	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
68	Fluorene	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
69	Heptachlor	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
70	Heptachlor Epoxide	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
71	Hexachlorobenzene	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
72	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24]
73	n-Hexane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24]
74	α -HCH	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
75	β -HCH	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
76	γ -HCH	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
77	Hexachlorocyclopentadiene	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
78	Hexachloroethane	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
79	Indeno(1,2,3-cd)pyrene	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
80	Isophorone	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
81	Lead	1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16]
82	Manganese	1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16]
83	Mercury	1) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[18]

วิมล

(นางริภาณูญณ์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
และประเมินห้องปฏิบัติการ

2) Thermal...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
84	Methanol	2) Thermal Decomposition, Amalgamation, and Atomic Absorption Spectrophotometry ^[19] 3) Digestion, Cold-Vapor Atomic Fluorescence Spectrometric Method ^[20] Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^[12,24]
85	Methoxychlor	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
86	Methyl Bromide	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24]
87	Methylene Chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24]
88	2-methylphenol	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
89	2-Methylnaphthalene	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
90	Methyl tert-Butyl Ether	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,24]
91	Naphthalene	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
92	Nickel	1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/Mass Spectrometric Method ^[7,16]
93	Nitrobenzene	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
94	N-Nitrosodiphenylamine	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
95	N-Nitrosodi-n-propylamine	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
96	Polychlorinated biphenyls (PCBs) - Aroclor 1016 - Aroclor 1221 - Aroclor 1232	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,23] 2) Automated Soxhlet Extraction, Gas Chromatographic Method ^[23,32]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
	- Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260 - 2-Chlorobiphenyl - 2,2',3,5'-Tetrachlorobiphenyl - 2,2',5,5'-Tetrachlorobiphenyl - 2,3',4,4'-Tetrachlorobiphenyl - 2,2',3,4,5'-Pentachlorobiphenyl - 2,2',4,5,5'-Pentachlorobiphenyl - 2,3,3',4',6-Pentachlorobiphenyl - 2,2',3,4,4',5'-Hexachlorobiphenyl - 2,2',3,4,5,5'-Hexachlorobiphenyl - 2,2',3,5,5',6-Hexachlorobiphenyl - 2,2',4,4',5,5'-Hexachlorobiphenyl - 2,2',3,3',4,4',5-Heptachlorobiphenyl - 2,2',3,4,4',5,5'-Heptachlorobiphenyl - 2,2',3,4,4',5',6-Heptachlorobiphenyl - 2,2',3,4',5,5',6-Heptachlorobiphenyl - 2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl	
97	Pentachlorophenol	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
98	Phenanthrene	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
99	Phenol	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]
100	Pyrene	Automated Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25,31]

วิกรม

(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ
คณะกรรมการห้องปฏิบัติการ

101 Selenium...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
101	Selenium	1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[7,16]
102	Silver	1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[7,16]
103	Styrene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]
104	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]
105	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]
106	Toluene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]
107	Toxaphene	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 2) Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31]
108	TPH (C ₅ -C ₈)	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]
109	TPH (C ₈ - C ₁₆)	1) Solvent Extraction, Gas Chromatographic Method ^[11,21] 2) Automated Soxhlet Extraction, Gas Chromatographic Method ^[21,31]
110	TPH (C ₁₆ - C ₃₅)	1) Solvent Extraction, Gas Chromatographic Method ^[11,21] 2) Automated Soxhlet Extraction, Gas Chromatographic Method ^[21,31]
111	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]
112	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]
113	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]
114	Trichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]
115	2,4,5-Trichlorophenol	Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31]

วิมล

116 2,4,6-Trichlorophenol...


(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
116	2,4,6-Trichlorophenol	Automated Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method ^[25,31]
117	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]
118	Vanadium	1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[7,16]
119	Vinyl Acetate	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]
120	Vinyl Chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]
121	m-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]
122	o-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]
123	p-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]
124	Xylene (Total)	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[14,24]
125	Zinc	1) Digestion, Inductively Coupled Plasma Method ^[7,15] 2) Digestion, Inductively Coupled Plasma/ Mass Spectrometric Method ^[7,16]

เอกสารอ้างอิง

1. กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2548. เรื่อง การกำจัดสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว.ราชกิจจานุเบกษา. 25 มกราคม 2549. เล่มที่ 123 ตอนพิเศษ 11ง.
2. กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณเขม่าควันที่เจือปนในอากาศที่ระบายออกจากปล่องของหม้อน้ำโรงสีข้าวที่ใช้กลบเป็นเชื้อเพลิง.ราชกิจจานุเบกษา. 4 ธันวาคม 2549. เล่มที่ 123 ตอนพิเศษ 125ง.
3. สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย. คู่มือวิเคราะห์น้ำเสีย. พิมพ์ครั้งที่ 4. กรุงเทพฯ: เรือนแก้วการพิมพ์, 2547.
4. APHA, AWWA, WEF. Standard Methods for the Examination of Water and Wastewater. 23rd ed. Washington, DC: APHA, 2017.
5. United States Environmental Protection Agency. Standards of Performance for New Stationary Sources. 40 CFR 60. Appendix A, 2019.
6. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. SW-846, 1997.


 (นางริกาญจน์ ฉัตรสกุลวิไล)
 ผู้อำนวยการกลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษ

7. United States...

7. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Acid Digestion of Sludges and Sediments and Soils. SW-846 Method 3050B, 1996.

8. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Alkaline Digestion for Hexavalent Chromium. SW-846 Method 3060A, 1996.

9. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Separatory Funnel Liquid-Liquid Extraction. SW-846 Method 3510C, 1996.

10. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Soxhlet Extraction. SW-846 Method 3540C, 1996.

11. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Microscale Solvent Extraction (MSE). SW-846 Method 3570, 2002.

12. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Volatile Organic Compounds (VOCs) in Various Sample Matrices Using Equilibrium Headspace Analysis. SW-846 Method 5021A, 2014.

13. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Purge-and-Trap for Aqueous Samples. SW-846 Method 5030B, 1996.

14. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Closed-System Purge-and-Trap and Extraction for Volatile Organics in Soil and Waste Samples. SW-846 Method 5035, 1996.

15. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Inductively Coupled Plasma- Atomic Emission Spectrometry. SW-846 Method 6010B, 1996.

16. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Inductively Coupled Plasma-Mass Spectrometry. SW-846 Method 6020A, 2007.

17. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Chromium, Hexavalent (Colorimetric). SW-846 Method 7196A, 1992.

18. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique). SW-846 Method 7471B, 2007.

19. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Mercury in Solids and Solutions by Thermal Decomposition, Amalgamation, and Atomic Absorption Spectrophotometry. SW-846 Method 7473, 2007

20. United States...

20. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Mercury in Sediment and Tissue Sample by Atomic Fluorescence Spectrometry. SW-846 Method 7474, 2007.

21. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Nonhalogenated Organics Using GC/FID. SW-846 Method 8015B, 1996.

22. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Organochlorine Pesticides by Gas Chromatography. SW-846 Method 8081B, 2007.

23. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Polychlorinated Biphenyls (PCBs) by Gas Chromatography. SW-846 Method 8082, 1996.

24. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS). SW-846 Method 8260D, 2018.

25. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Semivolatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS). SW-846 Method 8270E, 2018.

26. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Total and Amenable Cyanide: Distillation SW-846 Method 9010B, 1996.

27. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Cyanide Extraction Procedure for Solids and Oil. SW-846 Method 9013A, 1996.

28. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Cyanide in Waters and Extracts Using Titrimetric and Manual Spectrophotometric Procedures. SW-846 Method 9014, 2014.

29. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. pH Electrometric Measurement. SW-846 Method 9040C, 2004.

30. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Soil and Waste pH. SW-846 Method 9045D, 2004.

31. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Automated Soxhlet Extraction. SW-846 Method 3541, 1994.



(นางริกาญจน์ ฉัตรสกุลวิไล)

ผู้อำนวยการกลุ่มมาตรฐานวิชาการวิเคราะห์ทดสอบมลพิษ
และทะเบียนห้องปฏิบัติการ



ที่อก ๐๓๑๐(๑)/ ๕ ๓ ๗ ๙

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๐ ๙ มีนาคม ๒๕๖๖

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอแอลเอส แลบบอราทอรี กรุ๊ป (ประเทศไทย) จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๔ กุมภาพันธ์ ๒๕๖๖

ตามหนังสือที่อ้างถึง บริษัท เอแอลเอส แลบบอราทอรี กรุ๊ป (ประเทศไทย) จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๒๐๔ สถานที่ตั้งเลขที่ ๑๐๔ ซอยพัฒนาการ ๔๐ ถนนพัฒนาการ แขวงพัฒนาการ เขตสวนหลวง กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์ ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๑๙ ราย

- | | |
|---------------------------------|----------------------------|
| ๑) นายนคร สุขเจริญ | ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๒๒ |
| ๒) นายบัญชา นามเขตต์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๖๑๒๓ |
| ๓) นายอรรคพล นิยมวิทยาพันธ์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๐๘๗ |
| ๔) นางสาวพัชรียา หงษ์สมดี | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๐๓ |
| ๕) นางสาวภานิดา สุรวงศ์ตระกูล | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๑๐๔ |
| ๖) นางสาวศรณีย์ ยิ่งดี | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๐๙ |
| ๗) นายสมโภช วันสา | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๕๑๙ |
| ๘) นายณัฐนันท์ ปานประเสริฐ | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๘๑๙ |
| ๙) ว่าที่ร้อยตรีภาณุพงศ์ แสนศรี | ทะเบียนเลขที่ ว-๒๐๔-จ-๗๘๓๖ |
| ๑๐) นายมนินทร์ พูลศิริ | ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๐๒ |
| ๑๑) นายณัฐดนัย เจือละออง | ทะเบียนเลขที่ ว-๒๐๔-จ-๘๖๐๗ |
| ๑๒) นางสาวกาญจนา คงคุณ | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๒๙ |
| ๑๓) นางสาวรัชนิกร เนียมกลาง | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๓๗ |
| ๑๔) นางสาวกัญญารัตน์ ศรีนิลทา | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๓๘ |
| ๑๕) นายศิริวัฒน์ พานิชย์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๔๑ |
| ๑๖) นางสาวกนกภรณ์ อูระ | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๔๕ |
| ๑๗) นางสาวจิตสุภา ประเทืองสุข | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๔๗ |
| ๑๘) นางสาวอริสา วิริยขันติธรรม | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๔๘ |
| ๑๙) นางสาวพนิดา ยอดอินทร์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๙๒๕๐ |

๒. ให้เพิ่มเจ้าหน้าที่...

๒. ให้เพิ่มเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๕ ราย

- | | |
|--------------------------------|----------------------------|
| ๑) นายกาจบัณฑิต กิตติศุภวณิชย์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๐๐๐๑ |
| ๒) นายภัทรพล สว่างใจธรรม์ | ทะเบียนเลขที่ ว-๒๐๔-จ-๐๐๐๒ |
| ๓) นายณราธิป เทือกชัยคำ | ทะเบียนเลขที่ ว-๒๐๔-จ-๐๐๐๓ |
| ๔) นายศิริโชค พงษ์ประสม | ทะเบียนเลขที่ ว-๒๐๔-จ-๐๐๐๔ |
| ๕) นายณัฐวุฒิ ดั่งแพง | ทะเบียนเลขที่ ว-๒๐๔-จ-๐๐๐๕ |

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ที่ อก ๐๓๑๐(๑)/๑๐๖๙ ลงวันที่ ๒๘ มกราคม ๒๕๖๔ คือในวันที่ ๒ กันยายน ๒๕๖๖ ทั้งนี้ สามารถยื่นคำขอผ่านระบบอิเล็กทรอนิกส์ได้ที่หน้าเว็บไซต์กรมโรงงานอุตสาหกรรม ตาม QR Code ท้ายหนังสือฉบับนี้

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ



(นางริกาญจน์ อัตรสกุลวิไล)

นักวิทยาศาสตร์ชำนาญการพิเศษ รักษาการแทน

ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน

ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

