เอกสารแนบ

เอกสารแนบที่ 2

สำเนาหนังสือรับรองบริษัทและหนังสือมอบอำนาจ

เอกสารแนบที่ 3

Preventive maintenance มอเตอร์และปั๊มน้ำใช้

Amari
PHUKET

Engineering Department

Daily inspection sanitary system

March-24

มีนาคม 2567

For All Shift

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status 1/3/67		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	600 L.	400 L.	390 L.
	CHP	Super PAC Level	500 L.	600 L.	400 L.	390 L.
	CHC	Chlorine Level	200 L.	160 L.	140 L.	140 L.
	CHS	Caustic soda Level	200 L.	160 L.	140 L.	140 L.
			Report By :			
			Time :	18 : 00	20 : 25	06 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	600 L.	400 L.	390 L.
	CHP	Super PAC Level	500 L.	600 L.	400 L.	390 L.
	CHC	Chlorine Level	200 L.	160 L.	140 L.	140 L.
	CHS	Caustic soda Level	200 L.	160 L.	140 L.	140 L.
			Report By :			
			Time :	9 : 45	21 : 25	06 : 10

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	150	140	150
Tank 300 m^3	300 m^3	290	295	290
Water Tank (WT 04)		160	140	160
Water Tank (WT 05)		150	140	140
	Report By :			
	Time :	10 : 10	20 : 15	06 : 30

Abnormal Comment :

Amari PHUKET
AMARI PHUKET
DATE 2/3/69
SENGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET 2/3/2567

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	690 L.	400 L.	390 L.
	CHP	Super PAC Level	500 L.	690 L.	400 L.	380 L.
	CHC	Chlorine Level	200 L.	160 L.	140 L.	140 L.
	CHS	Caustic soda Level	200 L.	160 L.	140 L.	140 L.
			Report By :			
			Time :	9 : 50	20 : 00	06 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	620 L.	400 L.	1000 L.
	CHP	Super PAC Level	500 L.	690 L.	400 L.	1390 L.
	CHC	Chlorine Level	200 L.	170 L.	140 L.	140 L.
	CHS	Caustic soda Level	200 L.	170 L.	120 L.	140 L.
			Report By :			
			Time :	9 : 40	21 : 00	06 : 10

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	150	150	150
Tank 300 m^3	300 m^3	290	300	290
Water Tank (WT 04)		140	140	140
Water Tank (WT 05)		140	140	140
	Report By :			
	Time :	9 : 40	23 : 00	06 : 20

Abnormal Comment :

Amari PHUKET
AMARI PHUKET
DATE 3/3/24
SIGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

3/3/2567

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	490 L.	400 L.	490 L.
	CHP	Super PAC Level	500 L.	490 L.	400 L.	480 L.
	CHC	Chlorine Level	200 L.	160 L.	140 L.	190 L.
	CHS	Caustic soda Level	200 L.	160 L.	140 L.	160 L.
			Report By :			
			Time :	9 : 40	20 : 00	06 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	490 L.	400 L.	490 L.
	CHP	Super PAC Level	500 L.	490 L.	400 L.	490 L.
	CHC	Chlorine Level	200 L.	170 L.	150 L.	190 L.
	CHS	Caustic soda Level	200 L.	160 L.	150 L.	160 L.
			Report By :			
			Time :	9 : 45	21 : 00	06 : 26

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	160	150	150
Tank 300 m^3	300 m^3	290	300	290
Water Tank (WT 04)		100	140	100
Water Tank (WT 05)		170	140	160
	Report By :			
	Time :	9 : 45	23 : 00	06 : 40

Abnormal Comment :

Amari PHUKET
AMARI PHUKET
DATE 4/3/24
SN.MNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

A/3/2569

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	490 L.	400 L.	380 L.
	CHP	Super PAC Level	500 L.	490 L.	400 L.	380 L.
	CHC	Chlorine Level	200 L.	160 L.	140 L.	140 L.
	CHS	Caustic soda Level	200 L.	160 L.	140 L.	140 L.
			Report By :			
			Time :	10 : 00	20 : 00	06 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	490 L.	400 L.	380 L.
	CHP	Super PAC Level	500 L.	495 L.	400 L.	380 L.
	CHC	Chlorine Level	200 L.	160 L.	140 L.	140 L.
	CHS	Caustic soda Level	200 L.	160 L.	140 L.	140 L.
			Report By :			
			Time :	18 : 00	21 : 00	06 : 10

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	150	140	150
Tank 300 m^3	300 m^3	290	300	290
Water Tank (WT 04)		150	140	140
Water Tank (WT 05)		150	140	140
	Report By :			
	Time :	10 : 00	20 : 00	06 : 30

Abnormal Comment :

Amari PHUKET
DATE 3/3/24
SIGNATURE
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET 5/3/2567

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	400 L.	400 L.	400 L.
	CHP	Super PAC Level	500 L.	400 L.	350 L.	350 L.
	CHC	Chlorine Level	200 L.	160 L.	120 L.	120 L.
	CHS	Caustic soda Level	200 L.	150 L.	130 L.	130 L.
			Report By :			
			Time :	9 : 50	20 : 46	2 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	400 L.	400 L.	400 L.
	CHP	Super PAC Level	500 L.	350 L.	350 L.	350 L.
	CHC	Chlorine Level	200 L.	120 L.	120 L.	120 L.
	CHS	Caustic soda Level	200 L.	130 L.	130 L.	130 L.
			Report By :			
			Time :	9 : 50	20 : 00	2 : 00

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	150	150	150
Tank 300 m^3	300 m^3	290	295	290
Water Tank (WT 04)		100	140	140
Water Tank (WT 05)		100	140	140
	Report By :			
	Time :	10 : 20	21 : 20	2 : 30

Abnormal Comment :

Amari PHUKET
AMARI PHUKET
DATE 6/3/24
SINGNAGE
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET 6/3/2567

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	470 L.	400 L.	400 L.
	CHP	Super PAC Level	500 L.	410 L.	390 L.	380 L.
	CHC	Chlorine Level	200 L.	170 L.	140 L.	180 L.
	CHS	Caustic soda Level	200 L.	150 L.	130 L.	120 L.
				Report By :		
				Time : 9 : 50	21 : 07	3 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	450 L.	390 L.	350 L.
	CHP	Super PAC Level	500 L.	450 L.	360 L.	370 L.
	CHC	Chlorine Level	200 L.	150 L.	140 L.	190 L.
	CHS	Caustic soda Level	200 L.	150 L.	140 L.	130 L.
				Report By :		
				Time : 9 : 00	21 : 05	4 : 00

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	150	140	130
Tank 300 m^3	300 m^3	298	295	300
Water Tank (WT 04)		150	140	130
Water Tank (WT 05)		150	140	130
	Report By :			
	Time :	9 : 40	21 : 30	5 : 00

Abnormal Comment :

Amari PHUKET
AMARI PHUKET
DATE 7/3/24
SIGNATURE
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET 7/3/2567

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	610 L.	390 L.	390 L.
	CHP	Super PAC Level	500 L.	610 L.	400 L.	390 L.
	CHC	Chlorine Level	200 L.	150 L.	140 L.	140 L.
	CHS	Caustic soda Level	200 L.	150 L.	140 L.	140 L.
			Report By :			
			Time :	9 : 30	21 : 35	06 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	610 L.	395 L.	390 L.
	CHP	Super PAC Level	500 L.	610 L.	400 L.	380 L.
	CHC	Chlorine Level	200 L.	150 L.	140 L.	140 L.
	CHS	Caustic soda Level	200 L.	150 L.	140 L.	140 L.
			Report By :			
			Time :	9 : 35	22 : 05	06 : 20

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	150	140	150
Tank 300 m^3	300 m^3	290	295	290
Water Tank (WT 04)		150	140	140
Water Tank (WT 05)		150	140	145
	Report By :			
	Time :	9 : 20.	:	06 : 30

Abnormal Comment :

Amari PHUKET
AMARI PHUKET
DATE 8/3/24
SIGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

8/3/24

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	500 L.	500 L.	500 L.
	CHP	Super PAC Level	500 L.	500 L.	450 L.	400 L.
	CHC	Chlorine Level	200 L.	150 L.	150 L.	150 L.
	CHS	Caustic soda Level	200 L.	150 L.	150 L.	150 L.
			Report By :			
			Time :	9 : 30	21 : 00	06 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	450 L.	400 L.	400 L.
	CHP	Super PAC Level	500 L.	450 L.	450 L.	410 L.
	CHC	Chlorine Level	200 L.	150 L.	150 L.	150 L.
	CHS	Caustic soda Level	200 L.	150 L.	150 L.	150 L.
			Report By :			
			Time :	9 : 40	22 : 05	06 : 20

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	150	150	150
Tank 300 m^3	300 m^3	290	295	290
Water Tank (WT 04)		150	150	150
Water Tank (WT 05)		150	150	150
	Report By :			
	Time :	9 : 40	21 : 07	06 : 00

Abnormal Comment :

Amari PHUKET
AMARI PHUKET
DATE 9/3/24
SIGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET 9/3/2567

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	620 L.	300 L.	390 L.
	CHP	Super PAC Level	500 L.	600 L.	380 L.	490 L.
	CHC	Chlorine Level	200 L.	190 L.	140 L.	140 L.
	CHS	Caustic soda Level	200 L.	160 L.	140 L.	140 L.
			Report By :			
			Time :	9 : 50	20 : 00	06 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	620 L.	380 L.	380 L.
	CHP	Super PAC Level	500 L.	620 L.	390 L.	390 L.
	CHC	Chlorine Level	200 L.	190 L.	140 L.	140 L.
	CHS	Caustic soda Level	200 L.	160 L.	140 L.	140 L.
			Report By :			
			Time :	9 : 55	19 : 30	06 : 10

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	150	100	150
Tank 300 m^3	300 m^3	290	300	290
Water Tank (WT 04)		150	140	140
Water Tank (WT 05)		150	140	140
	Report By :			
	Time :	10 : 00	21 : 30	06 : 00

Abnormal Comment :

AMARI PHUKET
DATE 10/3/24
SIGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

10/3/2560

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	390 L.	380 L.	380 L.
	CHP	Super PAC Level	500 L.	490 L.	360 L.	380 L.
	CHC	Chlorine Level	200 L.	160 L.	140 L.	130 L.
	CHS	Caustic soda Level	200 L.	150 L.	120 L.	120 L.
				Report By :		Mon
				Time : 10 : 00	20 : 00	06 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	400 L.	380 L.	370 L.
	CHP	Super PAC Level	500 L.	450 L.	350 L.	370 L.
	CHC	Chlorine Level	200 L.	180 L.	140 L.	140 L.
	CHS	Caustic soda Level	200 L.	150 L.	140 L.	140 L.
				Report By :		Mon
				Time : 10 : 10	21 : 00	06 : 20

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	150	150	150
Tank 300 m^3	300 m^3	290	300	290
Water Tank (WT 04)		150	140	140
Water Tank (WT 05)		150	140	140
				Mon
		Report By :		
		Time : 10 : 10	20 : 30	06 : 00

Abnormal Comment :

Amari PHUKET
AMARI PHUKET
DATE 11/3/24
SIGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

/3/2567

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	620 L.	380 L.	380 L.
	CHP	Super PAC Level	500 L.	620 L.	380 L.	380 L.
	CHC	Chlorine Level	200 L.	160 L.	140 L.	140 L.
	CHS	Caustic soda Level	200 L.	140 L.	140 L.	140 L.
			Report By :			
			Time :	9 : 30	20 : 00	06 : 10

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	360 L.	380 L.	380 L.
	CHP	Super PAC Level	500 L.	380 L.	380 L.	380 L.
	CHC	Chlorine Level	200 L.	140 L.	140 L.	136 L.
	CHS	Caustic soda Level	200 L.	160 L.	140 L.	136 L.
			Report By :			
			Time :	9 : 45	21 : 00	06 : 20

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	150	150	150
Tank 300 m^3	300 m^3	290	300	290
Water Tank (WT 04)		150	140	140
Water Tank (WT 05)		140	140	140
	Report By :			
	Time :	9 : 45	21 : 30	06 : 00

Abnormal Comment :

AMARI PHUKET
DATE 1/3/24
SINGHAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET 12/3/2024

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Blower	Selecter Switch	Off	On ✓ Off	On ✓ Off	On ✓ Off
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Mix Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	Polymer Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	PAC Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	Chlorine Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	NaOH Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	C2P	Polymer Level	500 L.	490 L.	420 L.	490 L.
	CHP	Super PAC Level	500 L.	480 L.	420 L.	410 L.
	CHC	Chlorine Level	200 L.	180 L.	100 L.	130 L.
	CHS	Caustic soda Level	200 L.	160 L.	100 L.	120 L.
				Report By :		
				Time : 19 : 00	22 : 00	2 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Blower	Selecter Switch	Off	On ✓ Off	On ✓ Off	On ✓ Off
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Mix Pump	Selecter Switch	On	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	Polymer Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	PAC Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	Chlorine Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	NaOH Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	C2P	Polymer Level	500 L.	470 L.	420 L.	450 L.
	CHP	Super PAC Level	500 L.	460 L.	410 L.	460 L.
	CHC	Chlorine Level	200 L.	170 L.	140 L.	160 L.
	CHS	Caustic soda Level	200 L.	160 L.	140 L.	150 L.
				Report By :		
				Time : 15 : 00	21 : 08	2 : 00

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	150	100	150
Tank 300 m^3	300 m^3	290	285	280
Water Tank (WT 04)		140	140	140
Water Tank (WT 05)		140	140	140
		Report By :		
		Time : 19 : 20	21 : 15	6 : 00

Abnormal Comment :

Amari PHUKET
AMARI PHUKET
DATE 13/3/24
SIGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

13/3/24

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	400 L.	410 L.	400 L.
	CHP	Super PAC Level	500 L.	600 L.	410 L.	400 L.
	CHC	Chlorine Level	200 L.	190 L.	140 L.	130 L.
	CHS	Caustic soda Level	200 L.	190 L.	140 L.	130 L.
			Report By :			
			Time :	9 : 30	20 : 25	2 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	600 L.	400 L.	350 L.
	CHP	Super PAC Level	500 L.	620 L.	410 L.	330 L.
	CHC	Chlorine Level	200 L.	190 L.	140 L.	130 L.
	CHS	Caustic soda Level	200 L.	190 L.	140 L.	130 L.
			Report By :			
			Time :	9 : 30	21 : 00	3 : 00

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	150	140	140
Tank 300 m^3	300 m^3	290	295	290
Water Tank (WT 04)		140	140	140
Water Tank (WT 05)		140	140	140
	Report By :			
	Time :	9 : 35	21 : 30	3 : 00

Abnormal Comment :

AMARI PHUKET
DATE 14/3/24
SIGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

14/3/24

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	460 L.	400 L.	390 L.
	CHP	Super PAC Level	500 L.	450 L.	400 L.	390 L.
	CHC	Chlorine Level	200 L.	140 L.	140 L.	160 L.
	CHS	Caustic soda Level	200 L.	160 L.	180 L.	160 L.
			Report By :	[illegible]	[illegible]	[illegible]
			Time :	10 : 00	21 : 50	06 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	450 L.	400 L.	390 L.
	CHP	Super PAC Level	500 L.	460 L.	410 L.	390 L.
	CHC	Chlorine Level	200 L.	140 L.	140 L.	160 L.
	CHS	Caustic soda Level	200 L.	160 L.	140 L.	160 L.
			Report By :	[illegible]		[illegible]
			Time :	10 : 00	20 : 55	06 : 20

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	150	140	150
Tank 300 m^3	300 m^3	290	295	290
Water Tank (WT 04)		160	140	160
Water Tank (WT 05)		160	140	160
	Report By :	[illegible]	[illegible]	[illegible]
	Time :	10 : 10	20 : 30	06 : 00

Abnormal Comment :

Amari PHUKET
DATE: 14/3/24
SIGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET 15/03/68

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	620 L.	410 L.	400 L.
	CHP	Super PAC Level	500 L.	650 L.	430 L.	400 L.
	CHC	Chlorine Level	200 L.	150 L.	100 L.	150 L.
	CHS	Caustic soda Level	200 L.	190 L.	190 L.	190 L.
				Report By :		
				Time : 9 : 00	21 : 40	06 : 10

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	600 L.	410 L.	400 L.
	CHP	Super PAC Level	500 L.	620 L.	410 L.	400 L.
	CHC	Chlorine Level	200 L.	150 L.	100 L.	150 L.
	CHS	Caustic soda Level	200 L.	190 L.	190 L.	190 L.
				Report By :		
				Time : 9 : 20	20 : 06	06 : 20

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	140	140	150
Tank 300 m^3	300 m^3	290	300	290
Water Tank (WT 04)		150	140	140
Water Tank (WT 05)		150	140	140
		Report By :		
		Time : 9 : 20	20 : 07	06 : 20

Abnormal Comment :

Amari PHUKET
AMARI PHUKET
DATE 15/4
SINGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET 16/3/2567

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
		Overload	No Show	Show / No Show	Show No Show	Show / No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
		Overload	No Show	Show / No Show	Show No Show	Show / No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
		Overload	No Show	Show / No Show	Show No Show	Show / No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
		Overload	No Show	Show / No Show	Show No Show	Show / No Show
	Blower	Selecter Switch	Off	On / Off	On / Off	On / Off
		Overload	No Show	Show / No Show	Show / No Show	Show / No Show
	Mix Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	Polymer Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	PAC Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	Chlorine Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	NaOH Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	C2P	Polymer Level	500 L.	340 L.	370 L.	390 L.
	CHP	Super PAC Level	500 L.	390 L.	340 L.	380 L.
	CHC	Chlorine Level	200 L.	140 L.	130 L.	140 L.
	CHS	Caustic soda Level	200 L.	140 L.	130 L.	148 L.
			Report By :	Phu	[illegible]	Noor
			Time :	9 : 00	20 : 00	06 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
		Overload	No Show	Show / No Show	Show No Show	Show / No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
		Overload	No Show	Show / No Show	Show No Show	Show / No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
		Overload	No Show	Show / No Show	Show No Show	Show / No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
		Overload	No Show	Show / No Show	Show No Show	Show / No Show
	Blower	Selecter Switch	Off	On / Off	On / Off	On / Off
		Overload	No Show	Show / No Show	Show / No Show	Show / No Show
	Mix Pump	Selecter Switch	On	On Off / Auto	On Off / Auto	On Off / Auto
	Polymer Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	PAC Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	Chlorine Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	NaOH Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	C2P	Polymer Level	500 L.	380 L.	360 L.	380 L.
	CHP	Super PAC Level	500 L.	330 L.	350 L.	380 L.
	CHC	Chlorine Level	200 L.	140 L.	130 L.	140 L.
	CHS	Caustic soda Level	200 L.	140 L.	130 L.	148 L.
			Report By :	Phu	[illegible]	Noor
			Time :	8 : 50	21 : 00	06 : 20

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	180	150	150
Tank 300 m^3	300 m^3	280	300	290
Water Tank (WT 04)		140	140	140
Water Tank (WT 05)		140	140	148
	Report By :	Phu	[illegible]	Noor
	Time :	11 : 10	22 : 00	06 : 50

Abnormal Comment :

Amari PHUKET
AMARI PHUKET
DATE 16/3
SIGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

17/3/2567

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	420 L.	400 L.	390 L.
	CHP	Super PAC Level	500 L.	390 L.	380 L.	390 L.
	CHC	Chlorine Level	200 L.	170 L.	160 L.	160 L.
	CHS	Caustic soda Level	200 L.	170 L.	140 L.	140 L.
			Report By :			
			Time :	10 : 00	20 : 00	06 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	420 L.	400 L.	390 L.
	CHP	Super PAC Level	500 L.	390 L.	380 L.	380 L.
	CHC	Chlorine Level	200 L.	170 L.	160 L.	160 L.
	CHS	Caustic soda Level	200 L.	160 L.	140 L.	140 L.
			Report By :			
			Time :	10 : 20	21 : 00	06 : 20

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	150	150	150
Tank 300 m^3	300 m^3	240	300	290
Water Tank (WT 04)		150	140	160
Water Tank (WT 05)		150	140	160
	Report By :			
	Time :	10 : 30	22 : 30	06 : 40

Abnormal Comment :

Amari PHUKET
AMARI PHUKET
DATE.....
SINGNAGER.....
CHIEF ENGINEER

ONYX Hospitality Group

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

18/3/67

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	400 L.	390 L.	390 L.
	CHP	Super PAC Level	500 L.	400 L.	380 L.	380 L.
	CHC	Chlorine Level	200 L.	180 L.	190 L.	190 L.
	CHS	Caustic soda Level	200 L.	190 L.	190 L.	190 L.
			Report By :			
			Time :	10 : 00	20 : 00	06 : 10

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	420 L.	400 L.	390 L.
	CHP	Super PAC Level	500 L.	420 L.	400 L.	380 L.
	CHC	Chlorine Level	200 L.	180 L.	180 L.	190 L.
	CHS	Caustic soda Level	200 L.	190 L.	190 L.	190 L.
			Report By :			
			Time :	10 : 00	21 : 00	06 : 30

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	150	150	150
Tank 300 m^3	300 m^3	290	300	290
Water Tank (WT 04)		100	150	100
Water Tank (WT 05)		100	150	100
	Report By :			
	Time :	10 : 20	22 : 00	06 : 30

Abnormal Comment :

Amari
AMARI PHUKET
DATE 18 3 67
SINGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET 19/3/2567

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
		Overload	No Show	Show / No Show	Show / No Show	Show / No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
		Overload	No Show	Show / No Show	Show / No Show	Show / No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
		Overload	No Show	Show / No Show	Show / No Show	Show / No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
		Overload	No Show	Show / No Show	Show / No Show	Show / No Show
	Blower	Selecter Switch	Off	On / Off	On / Off	On / Off
		Overload	No Show	Show / No Show	Show / No Show	Show / No Show
	Mix Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	Polymer Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	PAC Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	Chlorine Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	NaOH Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	C2P	Polymer Level	500 L.	600 L.	480 L.	300 L.
	CHP	Super PAC Level	500 L.	600 L.	400 L.	300 L.
	CHC	Chlorine Level	200 L.	160 L.	180 L.	170 L.
	CHS	Caustic soda Level	200 L.	190 L.	170 L.	190 L.
			Report By :	[illegible]	[illegible]	[illegible]
			Time :	10 : 00	21 : 10	2 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
		Overload	No Show	Show / No Show	Show / No Show	Show / No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
		Overload	No Show	Show / No Show	Show / No Show	Show / No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
		Overload	No Show	Show / No Show	Show / No Show	Show / No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
		Overload	No Show	Show / No Show	Show / No Show	Show / No Show
	Blower	Selecter Switch	Off	On / Off	On / Off	On / Off
		Overload	No Show	Show / No Show	Show / No Show	Show / No Show
	Mix Pump	Selecter Switch	On	On Off / Auto	On Off / Auto	On Off / Auto
	Polymer Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	PAC Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	Chlorine Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	NaOH Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	C2P	Polymer Level	500 L.	600 L.	480 L.	300 L.
	CHP	Super PAC Level	500 L.	600 L.	400 L.	300 L.
	CHC	Chlorine Level	200 L.	160 L.	180 L.	170 L.
	CHS	Caustic soda Level	200 L.	190 L.	170 L.	190 L.
			Report By :	[illegible]	[illegible]	[illegible]
			Time :	10 : 20	21 : 05	3 : 00

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	150	150	150
Tank 300 m^3	300 m^3	240	300	300
Water Tank (WT 04)		100	140	150
Water Tank (WT 05)		100	150	150
	Report By :	[illegible]	[illegible]	[illegible]
	Time :	10 : 10	21 : 00	0 : 00

Abnormal Comment :

Amari PHUKET
DATE
SINGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

Sanitary System

20/3/24

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	420 L.	420 L.	400 L.
	CHP	Super PAC Level	500 L.	420 L.	410 L.	400 L.
	CHC	Chlorine Level	200 L.	140 L.	140 L.	130 L.
	CHS	Caustic soda Level	200 L.	140 L.	140 L.	130 L.
			Report By :			
			Time :	10:00	20:00	2:00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	420 L.	420 L.	410 L.
	CHP	Super PAC Level	500 L.	420 L.	400 L.	400 L.
	CHC	Chlorine Level	200 L.	140 L.	140 L.	130 L.
	CHS	Caustic soda Level	200 L.	140 L.	140 L.	130 L.
			Report By :			
			Time :	10:00	21:05	3:00

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	150	140	150 a
Tank 300 m^3	300 m^3	290	295	300 a
Water Tank (WT 04)		140	140	140 a
Water Tank (WT 05)		140	140	140 a
	Report By :			
	Time :	10:10	21:05	6:00

Abnormal Comment :

Amari
AMARI PHUKET
DATE
SINGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

21/3/67

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	600 L.	399 L.	390 L.
	CHP	Super PAC Level	500 L.	600 L.	400 L.	400 L.
	CHC	Chlorine Level	200 L.	150 L.	150 L.	150 L.
	CHS	Caustic soda Level	200 L.	150 L.	140 L.	100 L.
			Report By :			
			Time :	10 : 00	20 : 35	06 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	600 L.	400 L.	410 L.
	CHP	Super PAC Level	500 L.	600 L.	400 L.	400 L.
	CHC	Chlorine Level	200 L.	150 L.	140 L.	150 L.
	CHS	Caustic soda Level	200 L.	150 L.	100 L.	100 L.
			Report By :			
			Time :	10 : 20	21 : 40	06 : 10

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	150	140	150
Tank 300 m^3	300 m^3	290	295	290
Water Tank (WT 04)		100	140	100
Water Tank (WT 05)		150	140	100
	Report By :			
	Time :	10 : 10	21 : 25	06 : 20

Abnormal Comment :

AMARI PHUKET
DATE 21/3/67
SIGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

Sanitary System

22/3/07

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	450 L.	400 L.	450 L.
	CHP	Super PAC Level	500 L.	450 L.	410 L.	450 L.
	CHC	Chlorine Level	200 L.	190 L.	180 L.	190 L.
	CHS	Caustic soda Level	200 L.	190 L.	180 L.	190 L.
			Report By :			
			Time :	10 : 00	22 : 40	06 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	420 L.	410 L.	430 L.
	CHP	Super PAC Level	500 L.	420 L.	400 L.	490 L.
	CHC	Chlorine Level	200 L.	180 L.	140 L.	190 L.
	CHS	Caustic soda Level	200 L.	180 L.	140 L.	190 L.
			Report By :			
			Time :	10 : 00	22 : 40	06 : 10

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	140	140	150
Tank 300 m^3	300 m^3	280	290	290
Water Tank (WT 04)		150	140	160
Water Tank (WT 05)		150	140	160
	Report By :			
	Time :	10 : 10	22 : 25	06 : 40

Abnormal Comment :

Amari PHUKET
AMARI PHUKET
DATE 22/3/07
SIGNMAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET 23/3/2567

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	620 L.	400 L.	400 L.
	CHP	Super PAC Level	500 L.	600 L.	380 L.	400 L.
	CHC	Chlorine Level	200 L.	190 L.	140 L.	150 L.
	CHS	Caustic soda Level	200 L.	190 L.	130 L.	140 L.
			Report By :			
			Time :	8 : 00	20 : 00	06 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	620 L.	400 L.	400 L.
	CHP	Super PAC Level	500 L.	600 L.	380 L.	390 L.
	CHC	Chlorine Level	200 L.	190 L.	140 L.	140 L.
	CHS	Caustic soda Level	200 L.	190 L.	130 L.	130 L.
			Report By :			
			Time :	6 : 0	21 : 30	06 : 10

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	150	150	150
Tank 300 m^3	300 m^3	290	300	290
Water Tank (WT 04)		150	140	140
Water Tank (WT 05)		150	140	140
	Report By :			
	Time :	10 : 00	09 : 30	06 : 40

Abnormal Comment :

Amari PHUKET
AMARI PHUKET
DATE
SINGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET 24/3/2019

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	600 L.	350 L.	910 L.
	CHP	Super PAC Level	500 L.	600 L.	350 L.	600 L.
	CHC	Chlorine Level	200 L.	160 L.	130 L.	190 L.
	CHS	Caustic soda Level	200 L.	160 L.	130 L.	190 L.
			Report By :			
			Time :	9 : 00	20 : 00	06 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	600 L.	350 L.	690 L.
	CHP	Super PAC Level	500 L.	600 L.	350 L.	690 L.
	CHC	Chlorine Level	200 L.	190 L.	200 L.	140 L.
	CHS	Caustic soda Level	200 L.	170 L.	130 L.	140 L.
			Report By :			
			Time :	10 : 00	:	06 : 10

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	150	140	150
Tank 300 m^3	300 m^3	290	300	290
Water Tank (WT 04)		150	140	140
Water Tank (WT 05)		150	140	140
	Report By :			
	Time :	9 : 150	22 : 30	06 : 30

Abnormal Comment :

Amari
AMARI PHUKET
DATE
SIGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET 25/3/2023

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
		Overload	No Show	Show / No Show	Show / No Show	Show / No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
		Overload	No Show	Show / No Show	Show / No Show	Show / No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
		Overload	No Show	Show / No Show	Show / No Show	Show / No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
		Overload	No Show	Show / No Show	Show / No Show	Show / No Show
	Blower	Selecter Switch	Off	On / Off	On / Off	On / Off
		Overload	No Show	Show / No Show	Show / No Show	Show / No Show
	Mix Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	Polymer Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	PAC Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	Chlorine Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	NaOH Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	C2P	Polymer Level	500 L.	400 L.	380 L.	410 L.
	CHP	Super PAC Level	500 L.	400 L.	380 L.	410 L.
	CHC	Chlorine Level	200 L.	150 L.	120 L.	150 L.
	CHS	Caustic soda Level	200 L.	150 L.	120 L.	160 L.
			Report By :			Nai
			Time :	10 : 10	20 : 00	06 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
		Overload	No Show	Show / No Show	Show / No Show	Show / No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
		Overload	No Show	Show / No Show	Show / No Show	Show / No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
		Overload	No Show	Show / No Show	Show / No Show	Show / No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
		Overload	No Show	Show / No Show	Show / No Show	Show / No Show
	Blower	Selecter Switch	Off	On / Off	On / Off	On / Off
		Overload	No Show	Show / No Show	Show / No Show	Show / No Show
	Mix Pump	Selecter Switch	On	On Off / Auto	On Off / Auto	On Off / Auto
	Polymer Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	PAC Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	Chlorine Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	NaOH Pump	Selecter Switch	Auto	On Off / Auto	On Off / Auto	On Off / Auto
	C2P	Polymer Level	500 L.	360 L.	346 L.	380 L.
	CHP	Super PAC Level	500 L.	350 L.	350 L.	380 L.
	CHC	Chlorine Level	200 L.	100 L.	120 L.	140 L.
	CHS	Caustic soda Level	200 L.	100 L.	120 L.	140 L.
			Report By :			Nai
			Time :	10 : 20	21 : 00	06 : 20

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	150	150	150
Tank 300 m^3	300 m^3	290	300	290
Water Tank (WT 04)		150	140	140
Water Tank (WT 05)		150	140	160
	Report By :			Nai
	Time :	10 : 20	22 : 30	06 : 00

Abnormal Comment :

Amari PHUKET
AMARI PHUKET
DATE
SIGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

26/03 / 2567

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	560 L.	400 L.	380 L.
	CHP	Super PAC Level	500 L.	480 L.	460 L.	380 L.
	CHC	Chlorine Level	200 L.	180 L.	140 L.	140 L.
	CHS	Caustic soda Level	200 L.	160 L.	160 L.	150 L.
			Report By :			
			Time :	9 : 00	19 : 15	00 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	460 L.	420 L.	420 L.
	CHP	Super PAC Level	500 L.	420 L.	410 L.	400 L.
	CHC	Chlorine Level	200 L.	160 L.	160 L.	150 L.
	CHS	Caustic soda Level	200 L.	160 L.	140 L.	140 L.
			Report By :			
			Time :	9 : 45	20 : 02	3 : 00

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	150	150	140
Tank 300 m^3	300 m^3	290	290	300
Water Tank (WT 04)		150	150	140
Water Tank (WT 05)		150	150	140
	Report By :			
	Time :	9 : 45	20 : 30	00 : 00

Abnormal Comment :

Amari PHUKET
DATE
SINGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET 27/3/2567

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Blower	Selecter Switch	Off	On ✓ Off	On ✓ Off	On ✓ Off
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Mix Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	Polymer Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	PAC Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	Chlorine Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	NaOH Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	C2P	Polymer Level	500 L.	420 L.	400 L.	380 L.
	CHP	Super PAC Level	500 L.	420 L.	400 L.	350 L.
	CHC	Chlorine Level	200 L.	160 L.	140 L.	140 L.
	CHS	Caustic soda Level	200 L.	160 L.	140 L.	140 L.
			Report By :	[illegible]	[illegible]	[illegible]
			Time :	8 : 50	21 : 07	2 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Blower	Selecter Switch	Off	On ✓ Off	On ✓ Off	On ✓ Off
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Mix Pump	Selecter Switch	On	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	Polymer Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	PAC Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	Chlorine Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	NaOH Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	C2P	Polymer Level	500 L.	460 L.	430 L.	420 L.
	CHP	Super PAC Level	500 L.	420 L.	400 L.	400 L.
	CHC	Chlorine Level	200 L.	140 L.	140 L.	140 L.
	CHS	Caustic soda Level	200 L.	140 L.	140 L.	140 L.
			Report By :	[illegible]	[illegible]	[illegible]
			Time :	8 : 50	21 : 15	3 : 00

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	140	150	140
Tank 300 m^3	300 m^3	28	300	300
Water Tank (WT 04)		140	140	140
Water Tank (WT 05)		140	140	140
	Report By :	[illegible]	[illegible]	[illegible]
	Time :	11 : 30	20 : 45	6 : 00

Abnormal Comment :

AMARI PHUKET
DATE
SNGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

28/3/21

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	450 L.	400 L.	390 L.
	CHP	Super PAC Level	500 L.	430 L.	420 L.	385 L.
	CHC	Chlorine Level	200 L.	140 L.	140 L.	140 L.
	CHS	Caustic soda Level	200 L.	140 L.	140 L.	140 L.
			Report By :			
			Time :	8 : 45	21 : 35	06 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	420 L.	400 L.	390 L.
	CHP	Super PAC Level	500 L.	430 L.	480 L.	440 L.
	CHC	Chlorine Level	200 L.	140 L.	140 L.	140 L.
	CHS	Caustic soda Level	200 L.	140 L.	140 L.	140 L.
			Report By :			
			Time :	9 : 00	22 : 07	06 : 20

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	120	140	150
Tank 300 m^3	300 m^3	280	290	290
Water Tank (WT 04)		140	140	140
Water Tank (WT 05)		140	140	140
	Report By :			
	Time :	11 : 30	22 : 07	06 : 20

Abnormal Comment :

Amari PHUKET
AMARI PHUKET
DATE
SINGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

Sanitary System

Cold Water Treatment No.1 for ACP			Standard	Status 29/3/20		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Blower	Selecter Switch	Off	On ✓ Off	On ✓ Off	On ✓ Off
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Mix Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	Polymer Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	PAC Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	Chlorine Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	NaOH Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	C2P	Polymer Level	500 L.	450 L.	440 L.	410 L.
	CHP	Super PAC Level	500 L.	430 L.	420 L.	450 L.
	CHC	Chlorine Level	200 L.	150 L.	140 L.	150 L.
	CHS	Caustic soda Level	200 L.	150 L.	140 L.	150 L.
			Report By :	[illegible]	[illegible]	[illegible]
			Time :	9 : 05	21 : 07	06 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Blower	Selecter Switch	Off	On ✓ Off	On ✓ Off	On ✓ Off
		Overload	No Show	Show ✓ No Show	Show ✓ No Show	Show ✓ No Show
	Mix Pump	Selecter Switch	On	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	Polymer Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	PAC Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	Chlorine Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	NaOH Pump	Selecter Switch	Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
	C2P	Polymer Level	500 L.	420 L.	430 L.	400 L.
	CHP	Super PAC Level	500 L.	420 L.	410 L.	490 L.
	CHC	Chlorine Level	200 L.	150 L.	140 L.	140 L.
	CHS	Caustic soda Level	200 L.	150 L.	140 L.	140 L.
			Report By :	[illegible]	[illegible]	[illegible]
			Time :	9 : 10	20 : 37	06 : 10

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	140	140	150
Tank 300 m^3	300 m^3	280	290	290
Water Tank (WT 04)		140	140	140
Water Tank (WT 05)		140	140	140
	Report By :	[illegible]	[illegible]	[illegible]
	Time :	11 : 40	21 : 40	06 : 40

Abnormal Comment :

AMARI PHUKET
DATE
SINGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

Sanitary System

30/3/24

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	400 L.	320 L.	360 L.
	CHP	Super PAC Level	500 L.	400 L.	300 L.	350 L.
	CHC	Chlorine Level	200 L.	190 L.	120 L.	110 L.
	CHS	Caustic soda Level	200 L.	180 L.	120 L.	110 L.
			Report By :	My		
			Time :	9 : 00	20 : 00	24 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	400 L.	360 L.	320 L.
	CHP	Super PAC Level	500 L.	400 L.	350 L.	300 L.
	CHC	Chlorine Level	200 L.	180 L.	180 L.	160 L.
	CHS	Caustic soda Level	200 L.	180 L.	120 L.	160 L.
			Report By :	My		
			Time :	9 : 05	21 : 00	24 : 00

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	140	140	150
Tank 300 m^3	300 m^3	280	300	280
Water Tank (WT 04)		140	140	150
Water Tank (WT 05)		140	140	150
	Report By :	Me		
	Time :	11 : 30	22 : 50	24 : 00

Abnormal Comment :

Amari PHUKET
AMARI PHUKET
DATE 30/3
SINGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

Sanitary System

31/3/20

Cold Water Treatment No.1 for ACP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ACP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	450 L.	350 L.	360 L.
	CHP	Super PAC Level	500 L.	450 L.	350 L.	360 L.
	CHC	Chlorine Level	200 L.	180 L.	120 L.	120 L.
	CHS	Caustic soda Level	200 L.	180 L.	120 L.	120 L.
			Report By :			
			Time :	9 : 30	21 : 00	2 : 00

Sanitary System

Cold Water Treatment No.2 for ARP			Standard	Status		
Location	Item	Detail		Morning Shift	Afternoon Shift	Night Shift
ARP	Transfer Pump (TP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Transfer Pump (TP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.1	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Filter Pump (FP) No.2	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Blower	Selecter Switch	Off	On Off	On Off	On Off
		Overload	No Show	Show No Show	Show No Show	Show No Show
	Mix Pump	Selecter Switch	On	On Off Auto	On Off Auto	On Off Auto
	Polymer Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	PAC Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	Chlorine Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	NaOH Pump	Selecter Switch	Auto	On Off Auto	On Off Auto	On Off Auto
	C2P	Polymer Level	500 L.	450 L.	350 L.	360 L.
	CHP	Super PAC Level	500 L.	450 L.	350 L.	360 L.
	CHC	Chlorine Level	200 L.	180 L.	120 L.	120 L.
	CHS	Caustic soda Level	200 L.	180 L.	120 L.	120 L.
			Report By :			
			Time :	9 : 10	21 : 00	2 : 00

Water Level In Storage Tank

Location	Standard	Status		
		Morning Shift	Afternoon Shift	Night Shift
Tank 150 m^3	150 m^3	140	140	150
Tank 300 m^3	300 m^3	289	300	300
Water Tank (WT 04)		140	140	150
Water Tank (WT 05)		140	140	150
	Report By :			
	Time :	11 : 20	23 : 00	2 : 00

Abnormal Comment :

Amari PHUKET
AMARI PHUKET
DATE 31/3/20
SINGNAGER
CHIEF ENGINEER

เอกสารแนบที่ 4

Preventive maintenance ระบบบำบัดน้ำเสีย

Amari
PHUKET

Engineering Department

Daily Log Sheet for Wash Water System

March-24

มีนาคม 2567

For Night Shift

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 1 / 3 / 67

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	650	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5461	5458		
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			254	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			240	

และแนวทางแก้ไข :

AMARI PHUKET
DATE 2/3/24
MANAGER
CHIEF ENGINEER

Record By :

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 2 / 3 / 67

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	650	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5461	5464	3	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			250	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			220	

และแนวทางแก้ไข :

Amari PHUKET
DATE 3/3/24
SINGNAGER
CHIEF ENGINEER

Record By : Amornchai

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 3 / 3 / 67

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	650	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5467	5464	3	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			260	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			240	

และแนวทางแก้ไข :

Amari PHUKET
AMARI PHUKET
DATE 4/3/26
ENGINEER
CHIEF ENGINEER

Record By : Ammarin

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 4 / 3 / 67

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	650	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	8470	8467	3	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			254	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			221	

และแนวทางแก้ไข :

Amari PHUKET
AMARI PHUKET
DATE 5/3/67
SIGNATURE
CHIEF ENGINEER

Record By : Amarin

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 5 / 3 / 2567

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(/) Normal	( ) Abnormal	(/) ON	( ) FFO	
เครื่องสูบน้ำ	(/) Normal	( ) Abnormal	(/) ON	( ) FFO	
เครื่องเติมอากาศ	(/) Normal	( ) Abnormal	(/) ON	( ) FFO	
เครื่องสูบตะกอน	(/) Normal	( ) Abnormal	(/) ON	( ) FFO	
หัวจ่ายอากาศ	(/) Normal	( ) Abnormal	(/) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(/) Normal	( ) Abnormal	(/) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(/) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(/) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	650	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5473	5470	3	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			280	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			223	

และแนวทางแก้ไข :

Amari PHUKET
AMARI PHUKET
DATE 6/3/24
SINGNAGER
CHIEF ENGINEER

Record By : Wecou

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 6 / 3 / 256

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	630	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5479	5473	6	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			370	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			279	

และแนวทางแก้ไข :

Amari PHUKET
AMARI PHUKET
DATE 3/3/24
SINGNAGER
CHIEF ENGINEER

Record By :

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 7 / 3 / 67

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	650	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5482	5479	3	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			260	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			240	

และแนวทางแก้ไข :

Amari PHUKET
AMARI PHUKET
DATE 8/3/24
SENIOR MANAGER
CHIEF ENGINEER

Record By : [signature]

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 8 / 3 / 67

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	650	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5485	5482	3	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			280	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			275	

และแนวทางแก้ไข :

AMARI PHUKET
DATE 9/3/24
SINGNAGER
CHIEF ENGINEER

Record By :

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 9 / 3 / 67

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	650	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5486	5485	3	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			310	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			286	

และแนวทางแก้ไข :

Amari PHUKET
AMARI PHUKET
DATE 13/8/24
SINGNAGER
CHIEF ENGINEER

Record By : Asumarin

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 10 / 3 / 67

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	600	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5491	5488	3	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			285	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			290	

และแนวทางแก้ไข :

Amari PHUKET
AMARI PHUKET
DATE 13/3/24
SINGNAGER
CHIEF ENGINEER

Record By : Amnarin

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 11 / 3 / 67

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	600	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5494	5491	3	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			286	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			260	

และแนวทางแก้ไข :

Amari PHUKET
AMARI PHUKET
DATE 13/3/24
SINGNAGER
CHIEF ENGINEER

Record By : Ammarin

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 12 / 3 / 2567

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	620	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5499	5494	5	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			273	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			191.1	

และแนวทางแก้ไข :

Amari PHUKET
AMARI PHUKET
DATE 13/3/24
SIGNAGER
CHIEF ENGINEER

Record By : พิชญ์

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 13 / 3 / 2567

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	620	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5503	5499	4	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			293	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			205.1	

และแนวทางแก้ไข :

AMARI PHUKET
DATE
SINGNAGER
CHIEF ENGINEER

Record By : Wisoot

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 14/ 3/ 67

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	600	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5506	5503	3	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			265	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			215	

และแนวทางแก้ไข :

AMARI PHUKET
DATE
SIGNMAGER
CHIEF ENGINEER

Record By : Ammarin

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 15 / 3 / 67

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	600	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5509	5501	3	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			290	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			231	

และแนวทางแก้ไข :

Amari PHUKET
AMARI PHUKET
DATE 15/3/67
SINGNACER
CHIEF ENGINEER

Record By : Ammarin

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 16 / 7 / 67

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	600	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5512	5509	3	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			260	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			220	

และแนวทางแก้ไข :

Amari PHUKET
AMARI PHUKET
DATE 16/7/67
SIN.MAGER
CHIEF ENGINEER

Record By : Amarasin

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 19 / 3 / 67

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	600	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5515	5512	3	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			260	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			210	

และแนวทางแก้ไข :

Amari PHUKET
AMARI PHUKET
DATE
SIGNAGE
CHIEF ENGINEER

Record By : Ammarin

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 18 / 3 / 67

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	600	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5518	5515	3	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			280	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			220	

และแนวทางแก้ไข :

Amari PHUKET
AMARI PHUKET
DATE
SINGNAGER
CHIEF ENGINEER

Record By : Ammarin

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 19 / 3 / 2567

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(/) Normal	( ) Abnormal	(/) ON	( ) FFO	
เครื่องสูบน้ำ	(/) Normal	( ) Abnormal	(/) ON	( ) FFO	
เครื่องเติมอากาศ	(/) Normal	( ) Abnormal	(/) ON	( ) FFO	
เครื่องสูบตะกอน	(/) Normal	( ) Abnormal	(/) ON	( ) FFO	
หัวจ่ายอากาศ	(/) Normal	( ) Abnormal	(/) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(/) Normal	( ) Abnormal	(/) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(/) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(/) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	600	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5522	5518	4	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			285.5	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)				

และแนวทางแก้ไข :

Amari PHUKET
AMARI PHUKET
DATE
SIGNAGER
CHIEF ENGINEER

Record By : WJ5001

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 20 / 3 / 2567

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	600	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5525	5522	3	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			214.0	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			149.8	

และแนวทางแก้ไข :

Amari PHUKET
AMARI PHUKET
DATE
SIGNAGER
CHIEF ENGINEER

Record By : Wisan

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 21 / 3 / 67

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	650	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5528	5525	3	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			296	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			290	

และแนวทางแก้ไข :

Amari PHUKET
AMARI PHUKET
DATE
SIGNAGER
CHIEF ENGINEER

Record By : Atthawut

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 22 / 3 / 67

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	650	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5531	5528	3	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			265	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			210	

และแนวทางแก้ไข :

Record By : Aommarin

Approved By :

Amari PHUKET
AMARI PHUKET
DATE
SENIOR MANAGER
CHIEF ENGINEER

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 23 / 3 / 67

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	650	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5535	5531	4	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			280	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			270	

และแนวทางแก้ไข :

AMARI PHUKET

DATE

SINGNACER

CHIEF ENGINEER

Record By : Aammarin

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 24 / 3 / 17

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	650	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5538	5535	3	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			267	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			230	

และแนวทางแก้ไข :

Amari PHUKET
AMARI PHUKET
DATE 24/3/17
SUNGMAGER
CHIEF ENGINEER

Record By : Amara

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 25 / 3 / 67

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	650	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5541	5538	3	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			260	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			210	

และแนวทางแก้ไข :

Amari PHUKET
AMARI PHUKET
DATE 25/3/67
SINGNAGER
CHIEF ENGINEER

Record By : Amnarin

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 26 / 3 / 2567

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	600	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5546	5541	5	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			350	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			245	

และแนวทางแก้ไข :

Amari PHUKET
AMARI PHUKET
DATE 26/3/67
SL.MANAGER
CHIEF ENGINEER

Record By : Wasoon

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 27 / 3 / 2567

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	600	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5550	5546	4	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			265	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			210	

และแนวทางแก้ไข :

Amari PHUKET
AMARI PHUKET
DATE
SINGAWGER
CHIEF ENGINEER

Record By : Wyson K

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 28 / 3 / 67

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	650	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5553	5550	3	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			260	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			220	

และแนวทางแก้ไข :

Amari PHUKET
AMARI PHUKET
DATE 28/3
SINGNAGER
CHIEF ENGINEER

Record By : Ammarin

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 29/3/67

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	700	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5556	5553	3	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			260	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			290	

และแนวทางแก้ไข :

Amari PHUKET
AMARI PHUKET
DATE 29/3/67
SINGNAGER
CHIEF ENGINEER

Record By : Ammarin

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 30 / 3 / 67

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	700	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5559	5556	3	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			260	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			220	

และแนวทางแก้ไข :

Amari PHUKET
AMARI PHUKET
DATE 30/3/67
SINGNAGER
CHIEF ENGINEER

Record By : Atmamarak

Approved By :

Property Name : Amari Phuket

Department : Engineering

Subject : Daily Checklist Activated Sludg

Amari PHUKET

Date 31/3/67

ระบบบ่อบำบัดน้ำเสีย

Description	Status				Remark
ระนนบำบัดน้ำเสีย	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบน้ำ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องเติมอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องสูบตะกอน	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
หัวจ่ายอากาศ	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
เครื่องฟีดคลอรีน10%	(✓) Normal	( ) Abnormal	(✓) ON	( ) FFO	
สีของเชื้อจุลินทรีย์สีน้ำตาล	(✓) Normal	( ) Abnormal			
การระบายทิ้งจากระบบบำบัดน้ำเสีย	(✓) Yes	( ) No			
ปริมาณเชื้อในบ่อเพาะเชื้อ(ลบ.ม./วัน)					

	ACP	ARP	Remark
ค่าจุลินทรีย์ในระบบ (SV30)	700	600	

	today	Yesterday	total	Remark
ปริมาณใช้ไฟฟ้าของระบบบำบัดน้ำเสีย(หน่วย)	5562	5559	3	
ปริมาณการใช้น้ำในทุกกิจกรรมของแหล่งกำเนิดมลพิษ(ลบ.			270	
ปริมาณน้ำเสียที่เข้าระบบบำบัดน้ำเสีย(ลบ.ม.)			230	

และแนวทางแก้ไข :

Amari PHUKET
AMARI PHUKET
DATE 8/4/24
SIGNAGER
CHIEF ENGINEER

Record By : [signature]

Approved By :

เอกสารแนบที่ 5

ใบเสร็จขยะมูลฝอย

เล่มที่ 58/67 เลขที่ 88

ใบเสร็จรับเงิน

เลขที่ RCPT-04074/67

วันที่ 12 มกราคม 2567

เทศบาลเมืองป่าตอง

ได้รับเงินจาก บริษัท อิตัลไทย เรียล เอ็ซเทท จำกัด

ลำดับ	รายการ	รหัสบัญชี	จำนวนเงิน (บาท)	หมายเหตุ
	ที่อยู่ 2 ถ.หมื่นเงิน ม.- ซ.- ถ.- ต.ป่าตอง อ.กะทู้ จ.ภูเก็ต			
1	ค่าธรรมเนียมเก็บและขนมูลฝอย	4401030106.001	40,000.00	ประจำเดือน ส.ค.-ธ.ค.2566 โรงแรม อมารี ภูเก็ต
2	ค่าธรรมเนียมกำจัดขยะมูลฝอย	4401030128.001	10,000.00	
		รวมเงิน	50,000.00	

ตัวอักษร (ห้าหมื่นบาทถ้วน)

ไว้เป็นการถูกต้องแล้ว

ลงชื่อ ..... ผู้รับเงิน

(นางสาวฮาฮิตา อินปากดี)

เจ้าพนักงานธุรการ

เงินโอนเข้าบัญชีธนาคารกรุงไทย จำกัด (มหาชน) สาขาป่าตอง เลขที่บัญชี 8376009184 : 50,000.00 บาท
วันที่ 10 มกราคม 2567

รวม : 50,000.00 บาท

รับเอกสารฉบับจริงแล้ว

ลงชื่อ.....

เอกสารแนบที่ 6

Preventive maintenance MDB

Amari
PHUKET

Engineering Department

Daily inspection main switchboard



FLS 18 : Main Switchboard

March-24

มีนาคม 2567

For All Shift

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

Frequency : Every 9 Hrs.

Date 1 / 3 / 67

Ref:Red file FLS 18-04 Record of daily inspection main switchboard room

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 1	Volt	L1-L2	380 ± 5%	400 Volt.	400 Volt.	400 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	400 Volt.
		L3-L1	380 ± 5%	400 Volt.	400 Volt.	401 Volt.
		L1-N	220 ± 5%	296 Volt.	235 Volt.	234 Volt.
		L2-N	220 ± 5%	296 Volt.	230 Volt.	235 Volt.
		L3-N	220 ± 5%	232 Volt.	231 Volt.	236 Volt.
	Current	L1		691 Amp.	642 Amp.	691 Amp.
		L2		660 Amp.	615 Amp.	640 Amp.
		L3		600 Amp.	605 Amp.	610 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test / Auto Off Eng.start	Test / Auto Off Eng.start	Test / Auto Off Eng.start
PF.			≥ 0.85	0.95	0.85	0.96
Cap.Bank (On / Off / Auto)			Auto	On Off / Auto	On Off / Auto	On Off / Auto
Temp. of The MDB room			25 C°	25 C°	26 C°	26 C°
Report By :				[signature]	[signature]	[signature]
Time :				9 : 00	20 : 35	06 : 00

Abnormal Comment :

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 2 (Engineering Office)	Volt	L1-L2	380 ± 5%	400 Volt.	399 Volt.	401 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	406 Volt.
		L3-L1	380 ± 5%	400 Volt.	399 Volt.	401 Volt.
		L1-N	220 ± 5%	235 Volt.	236 Volt.	233 Volt.
		L2-N	220 ± 5%	232 Volt.	235 Volt.	234 Volt.
		L3-N	220 ± 5%	232 Volt.	236 Volt.	235 Volt.
	Current	L1		290 Amp.	235 Amp.	291 Amp.
		L2		290 Amp.	246 Amp.	240 Amp.
		L3		275 Amp.	271 Amp.	219 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test / Auto Off Eng.start	Test / Auto Off Eng.start	Test / Auto Off Eng.start
PF.			≥ 0.85	0.95	0.95	0.94
Cap.Bank (On / Off / Auto)			Auto	On Off / Auto	On Off / Auto	On Off / Auto
Temp. of The MDB room			25 C°	25 C°	28 C°	26 C°
Report By :				[signature]	[signature]	[signature]
Time :				9 : 20	20 : 00	06 : 20

Abnormal Comment :

Approved By :

Amari PHUKET
AMARI PHUKET
DATE
SINGMAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

Frequency : Every 9 Hrs.

Date 1 / 3 / 67

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 3 (ARP Room 1)	Volt	L1-L2	380 ± 5%	400 Volt.	400 Volt.	400 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	401 Volt.
		L3-L1	380 ± 5%	400 Volt.	400 Volt.	400 Volt.
		L1-N	220 ± 5%	225 Volt.	230 Volt.	232 Volt.
		L2-N	220 ± 5%	221 Volt.	225 Volt.	229 Volt.
		L3-N	220 ± 5%	226 Volt.	228 Volt.	234 Volt.
	Current	L1		298 Amp.	220 Amp.	210 Amp.
		L2		298 Amp.	235 Amp.	196 Amp.
		L3		294 Amp.	237 Amp.	186 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test Auto Off Eng.start	Test Auto Off Eng.start	Test Auto Off Eng.start
PF.			≥ 0.85	0.95	0.86	0.90
Cap.Bank (On / Off / Auto)			Auto	On Off Auto	On Off Auto	On Off Auto
Temp. of The MDB room			25 C°	25 C°	27 C°	26 C°
Report By :				[illegible]	[illegible]	[illegible]
Time :				10 : 20	21 : 05	06 : 50

Abnormal Comment :

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 4	Volt	L1-L2	380 ± 5%	402 Volt.	399 Volt.	401 Volt.
		L2-L3	380 ± 5%	401 Volt.	401 Volt.	406 Volt.
		L3-L1	380 ± 5%	400 Volt.	400 Volt.	400 Volt.
		L1-N	220 ± 5%	228 Volt.	232 Volt.	237 Volt.
		L2-N	220 ± 5%	232 Volt.	234 Volt.	239 Volt.
		L3-N	220 ± 5%	231 Volt.	230 Volt.	233 Volt.
	Current	L1		298 Amp.	270 Amp.	196 Amp.
		L2		292 Amp.	252 Amp.	188 Amp.
		L3		277 Amp.	260 Amp.	169 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test Auto Off Eng.start	Test Auto Off Eng.start	Test Auto Off Eng.start
PF.			≥ 0.85	0.95	0.86	0.98
Cap.Bank (On / Off / Auto)			Auto	On Off Auto	On Off Auto	On Off Auto
Temp. of The MDB room			25 C°	25 C°	26 C°	26 C°
Report By :				[illegible]	[illegible]	[illegible]
Time :				10 : 00	21 : 00	06 : 10

Abnormal Comment :

Approved By :

AMARI PHUKET
AMARI PHUKET
DATE 2/3/67
SIN GNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

Frequency : Every 9 Hrs.

Date 2 / 3 / 2567

Ref:Red file FLS 18-04 Record of daily inspection main switchboard room

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 1	Volt	L1-L2	380 ± 5%	400 Volt.	399 Volt.	401 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	400 Volt.
		L3-L1	380 ± 5%	400 Volt.	399 Volt.	401 Volt.
		L1-N	220 ± 5%	235 Volt.	234 Volt.	234 Volt.
		L2-N	220 ± 5%	232 Volt.	234 Volt.	235 Volt.
		L3-N	220 ± 5%	235 Volt.	234 Volt.	234 Volt.
	Current	L1		620 Amp.	633 Amp.	640 Amp.
		L2		650 Amp.	623 Amp.	641 Amp.
		L3		660 Amp.	639 Amp.	610 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test / Auto Off Eng.start	Test / Auto Off Eng.start	Test / Auto Off Eng.start
PF.			≥ 0.85	0.95	0.96	0.96
Cap.Bank (On / Off / Auto)			Auto	On Off / Auto	On Off / Auto	On Off / Auto
Temp. of The MDB room			25 C°	25 C°	25 C°	26 C°
Report By :				[illegible]	[illegible]	[illegible]
Time :				10 : 00	20 : 00	06 : 10

Abnormal Comment :

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 2 (Engineering Office)	Volt	L1-L2	380 ± 5%	400 Volt.	399 Volt.	401 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	400 Volt.
		L3-L1	380 ± 5%	400 Volt.	399 Volt.	400 Volt.
		L1-N	220 ± 5%	235 Volt.	234 Volt.	234 Volt.
		L2-N	220 ± 5%	231 Volt.	234 Volt.	234 Volt.
		L3-N	220 ± 5%	232 Volt.	234 Volt.	235 Volt.
	Current	L1		350 Amp.	310 Amp.	291 Amp.
		L2		331 Amp.	289 Amp.	248 Amp.
		L3		320 Amp.	279 Amp.	211 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test / Auto Off Eng.start	Test / Auto Off Eng.start	Test / Auto Off Eng.start
PF.			≥ 0.85	0.95	0.94	0.94
Cap.Bank (On / Off / Auto)			Auto	On Off Auto	On Off / Auto	On Off / Auto
Temp. of The MDB room			25 C°	25 C°	25 C°	26 C°
Report By :				[illegible]	[illegible]	[illegible]
Time :				10 : 20	21 : 00	06 : 20

Abnormal Comment :

Approved By :

AMARI PHUKET
DATE 3/3/24
SIGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket

Engineering

Engineering Daily Check List

Amari PHUKET

Frequency : Every 9 Hrs.

Date 2 / 3 / 2567

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 3 (ARP Room 1)	Volt	L1-L2	380 ± 5%	400 Volt.	399 Volt.	401 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	401 Volt.
		L3-L1	380 ± 5%	400 Volt.	399 Volt.	402 Volt.
		L1-N	220 ± 5%	228 Volt.	234 Volt.	233 Volt.
		L2-N	220 ± 5%	231 Volt.	234 Volt.	234 Volt.
		L3-N	220 ± 5%	232 Volt.	234 Volt.	235 Volt.
	Current	L1		220 Amp.	233 Amp.	210 Amp.
		L2		200 Amp.	213 Amp.	196 Amp.
		L3		240 Amp.	223 Amp.	189 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test Auto ✓ Off Eng.start	Test Auto ✓ Off Eng.start	Test Auto ✓ Off Eng.start
PF.			≥ 0.85	0.95	0.94	0.90
Cap.Bank (On / Off / Auto)			Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
Temp. of The MDB room			25 C°	26 C°	24 C°	26 C°
Report By :				[illegible]	[illegible]	[illegible]
Time :				9 : 30	21 : 30	06 : 30

Abnormal Comment :

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 4	Volt	L1-L2	380 ± 5%	400 Volt.	399 Volt.	401 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	400 Volt.
		L3-L1	380 ± 5%	400 Volt.	399 Volt.	401 Volt.
		L1-N	220 ± 5%	230 Volt.	234 Volt.	233 Volt.
		L2-N	220 ± 5%	232 Volt.	234 Volt.	234 Volt.
		L3-N	220 ± 5%	231 Volt.	234 Volt.	235 Volt.
	Current	L1		220 Amp.	243 Amp.	200 Amp.
		L2		210 Amp.	253 Amp.	194 Amp.
		L3		230 Amp.	246 Amp.	189 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test Auto ✓ Off Eng.start	Test Auto ✓ Off Eng.start	Test Auto ✓ Off Eng.start
PF.			≥ 0.85	0.95	0.94	0.92
Cap.Bank (On / Off / Auto)			Auto	On Off ✓ Auto	On Off ✓ Auto	On Off ✓ Auto
Temp. of The MDB room			25 C°	25 C°	24 C°	26 C°
Report By :				[illegible]	[illegible]	[illegible]
Time :				9 : 50	21 : 30	06 : 30

Abnormal Comment :

Approved By :

Amari PHUKET
AMARI PHUKET
DATE 3/4/24
SENGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

Frequency : Every 9 Hrs.

Date 3 / 8 / 2567

Ref:Red file FLS 18-04 Record of daily inspection main switchboard room

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 1	Volt	L1-L2	380 ± 5%	400 Volt.	399 Volt.	401 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	401 Volt.
		L3-L1	380 ± 5%	400 Volt.	399 Volt.	400 Volt.
		L1-N	220 ± 5%	232 Volt.	234 Volt.	236 Volt.
		L2-N	220 ± 5%	230 Volt.	234 Volt.	235 Volt.
		L3-N	220 ± 5%	232 Volt.	234 Volt.	236 Volt.
	Current	L1		640 Amp.	623 Amp.	691 Amp.
		L2		640 Amp.	623 Amp.	640 Amp.
		L3		650 Amp.	633 Amp.	610 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test ☑ Auto ☐ Off ☐ Eng.start	Test ☑ Auto ☐ Off ☐ Eng.start	Test ☑ Auto ☐ Off ☐ Eng.start
PF.			≥ 0.85	0.95	0.96	0.96
Cap.Bank (On / Off / Auto)			Auto	☐ On ☐ Off ☑ Auto	☐ On ☐ Off ☑ Auto	☐ On ☐ Off ☑ Auto
Temp. of The MDB room			25 C°	24 C°	25 C°	26 C°
Report By :				[signature]	[signature]	[signature]
Time :				9 : 34	20 :00	06 : 00

Abnormal Comment :

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 2 (Engineering Office)	Volt	L1-L2	380 ± 5%	400 Volt.	399 Volt.	402 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	400 Volt.
		L3-L1	380 ± 5%	400 Volt.	399 Volt.	400 Volt.
		L1-N	220 ± 5%	232 Volt.	234 Volt.	233 Volt.
		L2-N	220 ± 5%	232 Volt.	234 Volt.	234 Volt.
		L3-N	220 ± 5%	232 Volt.	234 Volt.	235 Volt.
	Current	L1		310 Amp.	310 Amp.	291 Amp.
		L2		320 Amp.	300 Amp.	290 Amp.
		L3		310 Amp.	318 Amp.	310 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test ☑ Auto ☐ Off ☐ Eng.start	Test ☑ Auto ☐ Off ☐ Eng.start	Test ☑ Auto ☐ Off ☐ Eng.start
PF.			≥ 0.85	0.95	0.94	0.94
Cap.Bank (On / Off / Auto)			Auto	☐ On ☐ Off ☑ Auto	☐ On ☐ Off ☑ Auto	☐ On ☐ Off ☑ Auto
Temp. of The MDB room			25 C°	24 C°	25 C°	26 C°
Report By :				[signature]	[signature]	[signature]
Time :				9 : 34	21 :00	06 : 10

Abnormal Comment :

Approved By :

Amari PHUKET
AMARI PHUKET
DATE 9/3/2024
SINGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

Frequency : Every 9 Hrs.

Date 3 / 3 / 2567

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 3 (ARP Room 1)	Volt	L1-L2	380 ± 5%	400 Volt.	399 Volt.	401 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	400 Volt.
		L3-L1	380 ± 5%	400 Volt.	399 Volt.	401 Volt.
		L1-N	220 ± 5%	238 Volt.	234 Volt.	240 Volt.
		L2-N	220 ± 5%	232 Volt.	234 Volt.	240 Volt.
		L3-N	220 ± 5%	232 Volt.	234 Volt.	235 Volt.
	Current	L1		200 Amp.	233 Amp.	241 Amp.
		L2		210 Amp.	242 Amp.	210 Amp.
		L3		210 Amp.	230 Amp.	196 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test Auto Off Eng.start	Test Auto Off Eng.start	Test Auto Off Eng.start
PF.			≥ 0.85	0.95	0.94	0.94
Cap.Bank (On / Off / Auto)			Auto	On Off Auto	On Off Auto	On Off Auto
Temp. of The MDB room			25 C°	25 C°	25 C°	25 C°
Report By :						
Time :				10 : 30	21 : 30	06 : 50

Abnormal Comment :

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 4	Volt	L1-L2	380 ± 5%	400 Volt.	399 Volt.	401 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	400 Volt.
		L3-L1	380 ± 5%	400 Volt.	399 Volt.	400 Volt.
		L1-N	220 ± 5%	235 Volt.	234 Volt.	243 Volt.
		L2-N	220 ± 5%	232 Volt.	234 Volt.	246 Volt.
		L3-N	220 ± 5%	232 Volt.	234 Volt.	245 Volt.
	Current	L1		200 Amp.	244 Amp.	210 Amp.
		L2		210 Amp.	239 Amp.	190 Amp.
		L3		212 Amp.	248 Amp.	186 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test Auto Off Eng.start	Test Auto Off Eng.start	Test Auto Off Eng.start
PF.			≥ 0.85	0.95	0.94	0.94
Cap.Bank (On / Off / Auto)			Auto	On Off Auto	On Off Auto	On Off Auto
Temp. of The MDB room			25 C°	25 C°	25 C°	25 C°
Report By :						
Time :				10 : 30	22 : 00	07 : 10

Abnormal Comment :

Approved By :

Amari PHUKET
AMARI PHUKET
DATE 6/3/24
SIGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

Frequency : Every 9 Hrs.

Date 4 / 3 / 2567

Ref:Red file FLS 18-04 Record of daily inspection main switchboard room

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 1	Volt	L1-L2	380 ± 5%	400 Volt.	399 Volt.	401 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	400 Volt.
		L3-L1	380 ± 5%	401 Volt.	399 Volt.	401 Volt.
		L1-N	220 ± 5%	228 Volt.	234 Volt.	234 Volt.
		L2-N	220 ± 5%	232 Volt.	234 Volt.	235 Volt.
		L3-N	220 ± 5%	232 Volt.	234 Volt.	236 Volt.
	Current	L1		650 Amp.	644 Amp.	640 Amp.
		L2		620 Amp.	623 Amp.	641 Amp.
		L3		640 Amp.	630 Amp.	610 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test ☑ Auto ☐ Off ☐ Eng.start	Test ☑ Auto ☐ Off ☐ Eng.start	Test ☑ Auto ☐ Off ☐ Eng.start
PF.			≥ 0.85	0.95	0.96	0.95
Cap.Bank (On / Off / Auto)			Auto	☐ On ☐ Off ☑ Auto	☐ On ☐ Off ☑ Auto	☐ On ☐ Off ☑ Auto
Temp. of The MDB room			25 C°	25 C°	24 C°	26 C°
Report By :				[illegible]	[illegible]	[illegible]
Time :				9 : 00	20 : 00	06 : 00

Abnormal Comment :

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 2 (Engineering Office)	Volt	L1-L2	380 ± 5%	402 Volt.	399 Volt.	401 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	400 Volt.
		L3-L1	380 ± 5%	402 Volt.	399 Volt.	401 Volt.
		L1-N	220 ± 5%	228 Volt.	234 Volt.	234 Volt.
		L2-N	220 ± 5%	232 Volt.	234 Volt.	235 Volt.
		L3-N	220 ± 5%	232 Volt.	234 Volt.	236 Volt.
	Current	L1		320 Amp.	313 Amp.	261 Amp.
		L2		328 Amp.	322 Amp.	260 Amp.
		L3		310 Amp.	313 Amp.	210 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test ☑ Auto ☐ Off ☐ Eng.start	Test ☑ Auto ☐ Off ☐ Eng.start	Test ☑ Auto ☐ Off ☐ Eng.start
PF.			≥ 0.85	0.95	0.96	0.94
Cap.Bank (On / Off / Auto)			Auto	☐ On ☐ Off ☑ Auto	☐ On ☐ Off ☑ Auto	☐ On ☐ Off ☑ Auto
Temp. of The MDB room			25 C°	25 C°	25 C°	26 C°
Report By :				[illegible]	[illegible]	[illegible]
Time :				9 : 00	21 : 00	06 : 30

Abnormal Comment :

Approved By :

AMARI PHUKET
DATE 5/3/24
SIGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

Frequency : Every 9 Hrs.

Date 4 / 3 / 2567

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 3 (ARP Room 1)	Volt	L1-L2	380 ± 5%	400 Volt.	399 Volt.	401 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	400 Volt.
		L3-L1	380 ± 5%	400 Volt.	399 Volt.	400 Volt.
		L1-N	220 ± 5%	228 Volt.	234 Volt.	233 Volt.
		L2-N	220 ± 5%	221 Volt.	234 Volt.	236 Volt.
		L3-N	220 ± 5%	221 Volt.	234 Volt.	235 Volt.
	Current	L1		200 Amp.	242 Amp.	210 Amp.
		L2		200 Amp.	236 Amp.	194 Amp.
		L3		228 Amp.	234 Amp.	181 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test Auto Off Eng.start	Test Auto Off Eng.start	Test Auto Off Eng.start
PF.			≥ 0.85	0.95	0.94	0.90
Cap.Bank (On / Off / Auto)			Auto	On Off Auto	On Off Auto	On Off Auto
Temp. of The MDB room			25 C°	28 C°	25 C°	26 C°
Report By :				[illegible]	[illegible]	[illegible]
Time :				10 : 10	22 : 00	06 : 50

Abnormal Comment :

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 4	Volt	L1-L2	380 ± 5%	400 Volt.	399 Volt.	401 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	400 Volt.
		L3-L1	380 ± 5%	400 Volt.	399 Volt.	400 Volt.
		L1-N	220 ± 5%	227 Volt.	234 Volt.	233 Volt.
		L2-N	220 ± 5%	221 Volt.	234 Volt.	234 Volt.
		L3-N	220 ± 5%	221 Volt.	234 Volt.	235 Volt.
	Current	L1		410 Amp.	333 Amp.	200 Amp.
		L2		220 Amp.	323 Amp.	194 Amp.
		L3		250 Amp.	319 Amp.	178 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test Auto Off Eng.start	Test Auto Off Eng.start	Test Auto Off Eng.start
PF.			≥ 0.85	0.95	0.96	0.92
Cap.Bank (On / Off / Auto)			Auto	On Off Auto	On Off Auto	On Off Auto
Temp. of The MDB room			25 C°	25 C°	25 C°	26 C°
Report By :				[illegible]	[illegible]	[illegible]
Time :				10 : 17	23 : 00	07 : 19

Abnormal Comment :

Approved By :

Amari PHUKET
AMARI PHUKET
DATE 5/3/24
SIN GNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

Frequency : Every 9 Hrs.

Date 5 / 3 / 2567

Ref:Red file FLS 18-04 Record of daily inspection main switchboard room

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 1	Volt	L1-L2	380 ± 5%	400 Volt.	399 Volt.	399 Volt.
		L2-L3	380 ± 5%	400 Volt.	400 Volt.	399 Volt.
		L3-L1	380 ± 5%	400 Volt.	401 Volt.	399 Volt.
		L1-N	220 ± 5%	235 Volt.	235 Volt.	234 Volt.
		L2-N	220 ± 5%	230 Volt.	230 Volt.	234 Volt.
		L3-N	220 ± 5%	231 Volt.	230 Volt.	234 Volt.
	Current	L1		650 Amp.	645 Amp.	644 Amp.
		L2		620 Amp.	637 Amp.	637 Amp.
		L3		650 Amp.	654 Amp.	653 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test ☑ Auto ☐ Off ☐ Eng.start	Test ☑ Auto ☐ Off ☐ Eng.start	Test ☑ Auto ☐ Off ☐ Eng.start
PF.			≥ 0.85	0.95	0.96	0.96
Cap.Bank (On / Off / Auto)			Auto	☐ On ☐ Off ☑ Auto	☐ On ☐ Off ☑ Auto	☐ On ☐ Off ☑ Auto
Temp. of The MDB room			25 C°	26 C°	25 C°	25 C°
Report By :				[illegible]	[illegible]	[illegible]
Time :				10 : 00	20 : 25	2 : 00

Abnormal Comment :

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 2 (Engineering Office)	Volt	L1-L2	380 ± 5%	402 Volt.	400 Volt.	399 Volt.
		L2-L3	380 ± 5%	401 Volt.	399 Volt.	399 Volt.
		L3-L1	380 ± 5%	403 Volt.	401 Volt.	399 Volt.
		L1-N	220 ± 5%	237 Volt.	235 Volt.	234 Volt.
		L2-N	220 ± 5%	231 Volt.	234 Volt.	234 Volt.
		L3-N	220 ± 5%	237 Volt.	230 Volt.	234 Volt.
	Current	L1		310 Amp.	320 Amp.	320 Amp.
		L2		300 Amp.	306 Amp.	306 Amp.
		L3		298 Amp.	316 Amp.	316 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test ☑ Auto ☐ Off ☐ Eng.start	Test ☑ Auto ☐ Off ☐ Eng.start	Test ☑ Auto ☐ Off ☐ Eng.start
PF.			≥ 0.85	0.95	0.96	0.96
Cap.Bank (On / Off / Auto)			Auto	☐ On ☐ Off ☑ Auto	☐ On ☐ Off ☑ Auto	☐ On ☐ Off ☑ Auto
Temp. of The MDB room			25 C°	25 C°	26 C°	25 C°
Report By :				[illegible]	[illegible]	[illegible]
Time :				10 : 25	21 : 20	1 : 00

Abnormal Comment :

Approved By :

Amari PHUKET
AMARI PHUKET
DATE 6/3/24
SINGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

Frequency : Every 9 Hrs.

Date 5 / 8 / 2567

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 3 (ARP Room 1)	Volt	L1-L2	380 ± 5%	400 Volt.	400 Volt.	399 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	399 Volt.
		L3-L1	380 ± 5%	400 Volt.	398 Volt.	399 Volt.
		L1-N	220 ± 5%	232 Volt.	235 Volt.	234 Volt.
		L2-N	220 ± 5%	232 Volt.	230 Volt.	234 Volt.
		L3-N	220 ± 5%	232 Volt.	229 Volt.	234 Volt.
	Current	L1		245 Amp.	257 Amp.	244 Amp.
		L2		240 Amp.	245 Amp.	232 Amp.
		L3		200 Amp.	237 Amp.	236 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test ☑ Auto ☐ Off ☐ Eng.start	Test ☑ Auto ☐ Off ☐ Eng.start	Test ☑ Auto ☐ Off ☐ Eng.start
PF.			≥ 0.85	0.92	0.96	0.88
Cap.Bank (On / Off / Auto)			Auto	☐ On ☐ Off ☑ Auto	☐ On ☐ Off ☑ Auto	☐ On ☐ Off ☑ Auto
Temp. of The MDB room			25 C°	26 C°	26 C°	25 C°
Report By :				[illegible]	[illegible]	[illegible]
Time :				10 : 15	21 : 35	2 : 30

Abnormal Comment :

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 4	Volt	L1-L2	380 ± 5%	400 Volt.	400 Volt.	399 Volt.
		L2-L3	380 ± 5%	402 Volt.	399 Volt.	399 Volt.
		L3-L1	380 ± 5%	401 Volt.	400 Volt.	399 Volt.
		L1-N	220 ± 5%	235 Volt.	234 Volt.	234 Volt.
		L2-N	220 ± 5%	232 Volt.	235 Volt.	236 Volt.
		L3-N	220 ± 5%	231 Volt.	230 Volt.	235 Volt.
	Current	L1		310 Amp.	320 Amp.	320 Amp.
		L2		320 Amp.	295 Amp.	310 Amp.
		L3		300 Amp.	297 Amp.	286 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test ☑ Auto ☐ Off ☐ Eng.start	Test ☑ Auto ☐ Off ☐ Eng.start	Test ☑ Auto ☐ Off ☐ Eng.start
PF.			≥ 0.85	0.91	0.95	0.96
Cap.Bank (On / Off / Auto)			Auto	☐ On ☐ Off ☑ Auto	☐ On ☐ Off ☑ Auto	☐ On ☐ Off ☑ Auto
Temp. of The MDB room			25 C°	28 C°	27 C°	25 C°
Report By :				[illegible]	[illegible]	[illegible]
Time :				10 : 20	22 : 00	3 : 00

Abnormal Comment :

Approved By :

Amari PHUKET
AMARI PHUKET
DATE 8/8/24
SIGNACER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

Frequency : Every 9 Hrs.

Date 6 / 3 / 67

Ref:Red file FLS 18-04 Record of daily inspection main switchboard room

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 1	Volt	L1-L2	380 ± 5%	400 Volt.	399 Volt.	399 Volt.
		L2-L3	380 ± 5%	399 Volt.	400 Volt.	399 Volt.
		L3-L1	380 ± 5%	400 Volt.	399 Volt.	399 Volt.
		L1-N	220 ± 5%	232 Volt.	236 Volt.	234 Volt.
		L2-N	220 ± 5%	231 Volt.	232 Volt.	234 Volt.
		L3-N	220 ± 5%	231 Volt.	229 Volt.	235 Volt.
	Current	L1		650 Amp.	651 Amp.	688 Amp.
		L2		660 Amp.	632 Amp.	679 Amp.
		L3		670 Amp.	622 Amp.	680 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test / Auto Off Eng.start	Test Auto / Off Eng.start	Test / Auto Off Eng.start
PF.			≥ 0.85	0.95	0.96	0.99
Cap.Bank (On / Off / Auto)			Auto	On Off / Auto	On Off / Auto	On Off / Auto
Temp. of The MDB room			25 C°	25 C°	26 C°	25 C°
Report By :						
Time :				9 : 10	19 : 45	1 : 00

Abnormal Comment :

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 2 (Engineering Office)	Volt	L1-L2	380 ± 5%	400 Volt.	400 Volt.	399 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	399 Volt.
		L3-L1	380 ± 5%	400 Volt.	398 Volt.	399 Volt.
		L1-N	220 ± 5%	238 Volt.	236 Volt.	238 Volt.
		L2-N	220 ± 5%	231 Volt.	232 Volt.	236 Volt.
		L3-N	220 ± 5%	232 Volt.	230 Volt.	237 Volt.
	Current	L1		310 Amp.	316 Amp.	355 Amp.
		L2		320 Amp.	307 Amp.	320 Amp.
		L3		350 Amp.	306 Amp.	330 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test / Auto Off Eng.start	Test Auto / Off Eng.start	Test / Auto Off Eng.start
PF.			≥ 0.85	0.95	0.96	0.96
Cap.Bank (On / Off / Auto)			Auto	On Off / Auto	On Off / Auto	On Off / Auto
Temp. of The MDB room			25 C°	25 C°	26 C°	25 C°
Report By :						
Time :				9 : 45	20 : 20	2 : 00

Abnormal Comment :

Approved By :

AMARI PHUKET
DATE
SENIOR MANAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

Frequency : Every 9 Hrs.

Date 6 / 3 / 67

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 3 (ARP Room 1)	Volt	L1-L2	380 ± 5%	400 Volt.	400 Volt.	399 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	399 Volt.
		L3-L1	380 ± 5%	400 Volt.	400 Volt.	399 Volt.
		L1-N	220 ± 5%	232 Volt.	230 Volt.	234 Volt.
		L2-N	220 ± 5%	231 Volt.	231 Volt.	234 Volt.
		L3-N	220 ± 5%	231 Volt.	232 Volt.	235 Volt.
	Current	L1		300 Amp.	320 Amp.	333 Amp.
		L2		296 Amp.	296 Amp.	312 Amp.
		L3		300 Amp.	299 Amp.	329 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test Auto Off Eng.start	Test Auto Off Eng.start	Test Auto Off Eng.start
PF.			≥ 0.85		0.96	0.96
Cap.Bank (On / Off / Auto)			Auto	On Off Auto	On Off Auto	On Off Auto
Temp. of The MDB room			25 C°	26 C°	26 C°	25 C°
Report By :						
Time :				9 : 40	21 : 07	3 : 00

Abnormal Comment :

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 4	Volt	L1-L2	380 ± 5%	400 Volt.	399 Volt.	399 Volt.
		L2-L3	380 ± 5%	400 Volt.	400 Volt.	399 Volt.
		L3-L1	380 ± 5%	400 Volt.	400 Volt.	399 Volt.
		L1-N	220 ± 5%	231 Volt.	232 Volt.	238 Volt.
		L2-N	220 ± 5%	232 Volt.	235 Volt.	237 Volt.
		L3-N	220 ± 5%	230 Volt.	230 Volt.	239 Volt.
	Current	L1		320 Amp.	315 Amp.	345 Amp.
		L2		310 Amp.	320 Amp.	320 Amp.
		L3		320 Amp.	296 Amp.	335 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test Auto Off Eng.start	Test Auto Off Eng.start	Test Auto Off Eng.start
PF.			≥ 0.85	0.95	0.96	0.96
Cap.Bank (On / Off / Auto)			Auto	On Off Auto	On Off Auto	On Off Auto
Temp. of The MDB room			25 C°	25 C°	27 C°	25 C°
Report By :						
Time :				9 : 40	21 : 40	4 : 00

Abnormal Comment :

Approved By :

Amari PHUKET
DATE 8/3/67
SINGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket

Engineering

Engineering Daily Check List

Amari PHUKET

Frequency : Every 9 Hrs.

Date 7 / 3 / 67

Ref:Red file FLS 18-04 Record of daily inspection main switchboard room

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 1	Volt	L1-L2	380 ± 5%	400 Volt.	400 Volt.	401 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	402 Volt.
		L3-L1	380 ± 5%	400 Volt.	400 Volt.	401 Volt.
		L1-N	220 ± 5%	230 Volt.	235 Volt.	236 Volt.
		L2-N	220 ± 5%	232 Volt.	232 Volt.	235 Volt.
		L3-N	220 ± 5%	230 Volt.	231 Volt.	236 Volt.
	Current	L1		650 Amp.	652 Amp.	691 Amp.
		L2		660 Amp.	643 Amp.	640 Amp.
		L3		640 Amp.	625 Amp.	610 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test / Auto Off Eng.start	Test / Auto Off Eng.start	Test / Auto Off Eng.start
PF.			≥ 0.85	0.95	0.9	0.97
Cap.Bank (On / Off / Auto)			Auto	On Off / Auto	On Off / Auto	On Off / Auto
Temp. of The MDB room			25 C°	26 C°	26 C°	26 C°
Report By :				[illegible]	[illegible]	[illegible]
Time :				10 : 00	20 : 35	06 : 00

Abnormal Comment :

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 2 (Engineering Office)	Volt	L1-L2	380 ± 5%	400 Volt.	399 Volt.	400 Volt.
		L2-L3	380 ± 5%	400 Volt.	398 Volt.	401 Volt.
		L3-L1	380 ± 5%	400 Volt.	400 Volt.	400 Volt.
		L1-N	220 ± 5%	228 Volt.	230 Volt.	233 Volt.
		L2-N	220 ± 5%	232 Volt.	235 Volt.	236 Volt.
		L3-N	220 ± 5%	230 Volt.	229 Volt.	235 Volt.
	Current	L1		320 Amp.	320 Amp.	291 Amp.
		L2		310 Amp.	315 Amp.	240 Amp.
		L3		340 Amp.	319 Amp.	310 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test / Auto Off Eng.start	Test Auto / Off Eng.start	Test Auto / Off Eng.start
PF.			≥ 0.85	0.95	0.96	0.96
Cap.Bank (On / Off / Auto)			Auto	On Off / Auto	On Off / Auto	On Off / Auto
Temp. of The MDB room			25 C°	26 C°	21 C°	26 C°
Report By :				[illegible]	[illegible]	[illegible]
Time :				10 : 20	21 : 07	06 : 20

Abnormal Comment :

Approved By : DATE 6/3/67

SM.ENGINEER

CHIEF ENGINEER

Amari PHUKET AMARI PHUKET

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

Frequency : Every 9 Hrs.

Date 7 / 8 / 67

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 3 (ARP Room 1)	Volt	L1-L2	380 ± 5%	400 Volt.	400 Volt.	401 Volt.
		L2-L3	380 ± 5%	402 Volt.	399 Volt.	400 Volt.
		L3-L1	380 ± 5%	400 Volt.	400 Volt.	401 Volt.
		L1-N	220 ± 5%	230 Volt.	230 Volt.	232 Volt.
		L2-N	220 ± 5%	232 Volt.	236 Volt.	233 Volt.
		L3-N	220 ± 5%	232 Volt.	231 Volt.	232 Volt.
	Current	L1		190 Amp.	320 Amp.	210 Amp.
		L2		189 Amp.	317 Amp.	196 Amp.
		L3		190 Amp.	305 Amp.	187 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test Auto Off Eng.start	Test Auto Off Eng.start	Test Auto Off Eng.start
PF.			≥ 0.85	0.95	0.96	0.96
Cap.Bank (On / Off / Auto)			Auto	On Off Auto	On Off Auto	On Off Auto
Temp. of The MDB room			25 C°	25 C°	27 C°	26 C°
Report By :				[illegible]	[illegible]	[illegible]
Time :				10 : 00	21 : 15	06 : 40

Abnormal Comment :

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 4	Volt	L1-L2	380 ± 5%	400 Volt.	400 Volt.	400 Volt.
		L2-L3	380 ± 5%	400 Volt.	397 Volt.	399 Volt.
		L3-L1	380 ± 5%	402 Volt.	396 Volt.	399 Volt.
		L1-N	220 ± 5%	238 Volt.	236 Volt.	239 Volt.
		L2-N	220 ± 5%	240 Volt.	230 Volt.	240 Volt.
		L3-N	220 ± 5%	242 Volt.	230 Volt.	245 Volt.
	Current	L1		318 Amp.	317 Amp.	198 Amp.
		L2		290 Amp.	320 Amp.	190 Amp.
		L3		290 Amp.	315 Amp.	184 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test Auto Off Eng.start	Test Auto Off Eng.start	Test Auto Off Eng.start
PF.			≥ 0.85	0.95	0.96	0.93
Cap.Bank (On / Off / Auto)			Auto	On Off Auto	On Off Auto	On Off Auto
Temp. of The MDB room			25 C°	25 C°	26 C°	26 C°
Report By :				[illegible]	[illegible]	[illegible]
Time :				10 : 20	20 : 25	06 : 30

Abnormal Comment :

Approved By :

AMARI PHUKET
AMARI PHUKET
DATE 8/8/24
SING.MANAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

Frequency : Every 9 Hrs.

Date 8 / 3 / 24

Ref:Red file FLS 18-04 Record of daily inspection main switchboard room

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 1	Volt	L1-L2	380 ± 5%	400 Volt.	400 Volt.	401 Volt.
		L2-L3	380 ± 5%	400 Volt.	400 Volt.	400 Volt.
		L3-L1	380 ± 5%	400 Volt.	400 Volt.	401 Volt.
		L1-N	220 ± 5%	236 Volt.	236 Volt.	235 Volt.
		L2-N	220 ± 5%	232 Volt.	232 Volt.	236 Volt.
		L3-N	220 ± 5%	230 Volt.	231 Volt.	237 Volt.
	Current	L1		600 Amp.	670 Amp.	691 Amp.
		L2		650 Amp.	660 Amp.	682 Amp.
		L3		620 Amp.	600 Amp.	610 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test ☑ Auto Off Eng.start	Test ☑ Auto Off Eng.start	Test ☑ Auto Off Eng.start
PF.			≥ 0.85	0.95	0.96	0.97
Cap.Bank (On / Off / Auto)			Auto	On Off ☑ Auto	On Off ☑ Auto	On Off ☑ Auto
Temp. of The MDB room			25 C°	23 C°	23 C°	26 C°
Report By :						
Time :				10 : 00	16 : 00	06 : 10

Abnormal Comment :

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 2 (Engineering Office)	Volt	L1-L2	380 ± 5%	400 Volt.	400 Volt.	399 Volt.
		L2-L3	380 ± 5%	400 Volt.	400 Volt.	398 Volt.
		L3-L1	380 ± 5%	400 Volt.	400 Volt.	399 Volt.
		L1-N	220 ± 5%	232 Volt.	236 Volt.	230 Volt.
		L2-N	220 ± 5%	232 Volt.	232 Volt.	235 Volt.
		L3-N	220 ± 5%	231 Volt.	231 Volt.	236 Volt.
	Current	L1		320 Amp.	310 Amp.	291 Amp.
		L2		320 Amp.	320 Amp.	261 Amp.
		L3		310 Amp.	310 Amp.	210 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test ☑ Auto Off Eng.start	Test ☑ Auto Off Eng.start	Test ☑ Auto Off Eng.start
PF.			≥ 0.85	0.95	0.95	0.95
Cap.Bank (On / Off / Auto)			Auto	On Off ☑ Auto	On Off ☑ Auto	On Off ☑ Auto
Temp. of The MDB room			25 C°	22 C°	25 C°	26 C°
Report By :						
Time :				10 : 20	16 : 00	06 : 30

Abnormal Comment :

Approved By :

Amari PHUKET
AMARI PHUKET
DATE 2/3/24
SENIOR MANAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

Frequency : Every 9 Hrs.

Date 6/3/24

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 3 (ARP Room 1)	Volt	L1-L2	380 ± 5%	400 Volt.	400 Volt.	399 Volt.
		L2-L3	380 ± 5%	400 Volt.	400 Volt.	400 Volt.
		L3-L1	380 ± 5%	400 Volt.	400 Volt.	400 Volt.
		L1-N	220 ± 5%	232 Volt.	232 Volt.	233 Volt.
		L2-N	220 ± 5%	232 Volt.	232 Volt.	234 Volt.
		L3-N	220 ± 5%	230 Volt.	235 Volt.	235 Volt.
	Current	L1		220 Amp.	200 Amp.	201 Amp.
		L2		210 Amp.	210 Amp.	210 Amp.
		L3		220 Amp.	200 Amp.	194 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test Auto Off Eng.start	Test Auto Off Eng.start	Test Auto Off Eng.start
PF.			≥ 0.85	0.95	0.90	0.90
Cap.Bank (On / Off / Auto)			Auto	On Off Auto	On Off Auto	On Off Auto
Temp. of The MDB room			25 C°	25 C°	26 C°	26 C°
Report By :						
Time :				9:00	10:10	06:30

Abnormal Comment :

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 4	Volt	L1-L2	380 ± 5%	400 Volt.	400 Volt.	399 Volt.
		L2-L3	380 ± 5%	400 Volt.	400 Volt.	398 Volt.
		L3-L1	380 ± 5%	400 Volt.	400 Volt.	399 Volt.
		L1-N	220 ± 5%	235 Volt.	235 Volt.	232 Volt.
		L2-N	220 ± 5%	232 Volt.	232 Volt.	233 Volt.
		L3-N	220 ± 5%	235 Volt.	236 Volt.	234 Volt.
	Current	L1		220 Amp.	250 Amp.	210 Amp.
		L2		210 Amp.	200 Amp.	196 Amp.
		L3		220 Amp.	250 Amp.	187 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test Auto Off Eng.start	Test Auto Off Eng.start	Test Auto Off Eng.start
PF.			≥ 0.85	0.95	0.99	0.92
Cap.Bank (On / Off / Auto)			Auto	On Off Auto	On Off Auto	On Off Auto
Temp. of The MDB room			25 C°	25 C°	25 C°	26 C°
Report By :						
Time :				10:10	10:00	08:10

Abnormal Comment :

Approved By :

Amari PHUKET
AMARI PHUKET
DATE 7/3/24
SINGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

Frequency : Every 9 Hrs.

Date 9 / 3 / 2567

Ref:Red file FLS 18-04 Record of daily inspection main switchboard room

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 1	Volt	L1-L2	380 ± 5%	400 Volt.	399 Volt.	401 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	402 Volt.
		L3-L1	380 ± 5%	400 Volt.	398 Volt.	401 Volt.
		L1-N	220 ± 5%	232 Volt.	234 Volt.	234 Volt.
		L2-N	220 ± 5%	232 Volt.	237 Volt.	235 Volt.
		L3-N	220 ± 5%	231 Volt.	236 Volt.	236 Volt.
	Current	L1		624 Amp.	688 Amp.	692 Amp.
		L2		610 Amp.	672 Amp.	669 Amp.
		L3		620 Amp.	673 Amp.	610 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test / Auto Off Eng.start	Test / Auto Off Eng.start	Test / Auto Off Eng.start
PF.			≥ 0.85	0.95	0.98	0.96
Cap.Bank (On / Off / Auto)			Auto	On Off / Auto	On Off / Auto	On Off / Auto
Temp. of The MDB room			25 C°	25 C°	25 C°	26 C°
Report By :				[illegible]	[illegible]	[illegible]
Time :				9 : 50	20 : 00	06 : 00

Abnormal Comment :

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 2 (Engineering Office)	Volt	L1-L2	380 ± 5%	400 Volt.	399 Volt.	401 Volt.
		L2-L3	380 ± 5%	400 Volt.	398 Volt.	400 Volt.
		L3-L1	380 ± 5%	400 Volt.	396 Volt.	400 Volt.
		L1-N	220 ± 5%	234 Volt.	234 Volt.	235 Volt.
		L2-N	220 ± 5%	232 Volt.	237 Volt.	236 Volt.
		L3-N	220 ± 5%	231 Volt.	237 Volt.	237 Volt.
	Current	L1		220 Amp.	344 Amp.	296 Amp.
		L2		250 Amp.	322 Amp.	292 Amp.
		L3		290 Amp.	298 Amp.	210 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test / Auto Off Eng.start	Test / Auto Off Eng.start	Test / Auto Off Eng.start
PF.			≥ 0.85	0.95	0.96	0.96
Cap.Bank (On / Off / Auto)			Auto	On Off / Auto	On Off / Auto	On Off / Auto
Temp. of The MDB room			25 C°	25 C°	25 C°	26 C°
Report By :				[illegible]	[illegible]	[illegible]
Time :				9 : 45	21 : 00	06 : 20

Abnormal Comment :

Approved By :

AMARI PHUKET
AMARI PHUKET
DATE 10/3/24
SENIOR MANAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

Frequency : Every 9 Hrs.

Date 9 / 3 / 2567

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 3 (ARP Room 1)	Volt	L1-L2	380 ± 5%	400 Volt.	399 Volt.	401 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	399 Volt.
		L3-L1	380 ± 5%	400 Volt.	399 Volt.	398 Volt.
		L1-N	220 ± 5%	235 Volt.	234 Volt.	232 Volt.
		L2-N	220 ± 5%	232 Volt.	234 Volt.	234 Volt.
		L3-N	220 ± 5%	231 Volt.	237 Volt.	235 Volt.
	Current	L1		210 Amp.	244 Amp.	241 Amp.
		L2		190 Amp.	232 Amp.	210 Amp.
		L3		220 Amp.	230 Amp.	196 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test / Auto Off Eng.start	Test / Auto Off Eng.start	Test / Auto Off Eng.start
PF.			≥ 0.85	0.95	0.96	0.97
Cap.Bank (On / Off / Auto)			Auto	On Off / Auto	On Off / Auto	On Off / Auto
Temp. of The MDB room			25 C°	25 C°	25 C°	26 C°
Report By :				[illegible]	[illegible]	[illegible]
Time :				9 : 30	19 : 00	06 : 30

Abnormal Comment :

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 4	Volt	L1-L2	380 ± 5%	400 Volt.	399 Volt.	401 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	399 Volt.
		L3-L1	380 ± 5%	400 Volt.	398 Volt.	399 Volt.
		L1-N	220 ± 5%	232 Volt.	234 Volt.	233 Volt.
		L2-N	220 ± 5%	231 Volt.	234 Volt.	234 Volt.
		L3-N	220 ± 5%	230 Volt.	235 Volt.	235 Volt.
	Current	L1		320 Amp.	322 Amp.	198 Amp.
		L2		310 Amp.	333 Amp.	191 Amp.
		L3		330 Amp.	320 Amp.	186 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test / Auto Off Eng.start	Test / Auto Off Eng.start	Test / Auto Off Eng.start
PF.			≥ 0.85	0.95	0.96	0.96
Cap.Bank (On / Off / Auto)			Auto	On Off / Auto	On Off / Auto	On Off / Auto
Temp. of The MDB room			25 C°	25 C°	25 C°	26 C°
Report By :				[illegible]	[illegible]	[illegible]
Time :				9 : 35	19 : 30	06 : 35

Abnormal Comment :

Approved By :

AMARI PHUKET
DATE 10/2/24
SINGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

Frequency : Every 9 Hrs.

Date 10 / 3 / 2567

Ref:Red file FLS 18-04 Record of daily inspection main switchboard room

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 1	Volt	L1-L2	380 ± 5%	400 Volt.	399 Volt.	400 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	400 Volt.
		L3-L1	380 ± 5%	400 Volt.	399 Volt.	400 Volt.
		L1-N	220 ± 5%	234 Volt.	234 Volt.	234 Volt.
		L2-N	220 ± 5%	232 Volt.	234 Volt.	235 Volt.
		L3-N	220 ± 5%	230 Volt.	234 Volt.	236 Volt.
	Current	L1		620 Amp.	699 Amp.	691 Amp.
		L2		620 Amp.	689 Amp.	640 Amp.
		L3		650 Amp.	680 Amp.	610 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test ☑ Auto Off Eng.start	Test ☑ Auto Off Eng.start	Test ☑ Auto Off Eng.start
PF.			≥ 0.85	0.96	0.96	0.94
Cap.Bank (On / Off / Auto)			Auto	On Off ☑ Auto	On Off ☑ Auto	On Off ☑ Auto
Temp. of The MDB room			25 C°	25 C°	25 C°	26 C°
Report By :				[illegible]	[illegible]	[illegible]
Time :				9 : 25	10 : 30	06 : 00

Abnormal Comment :

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 2 (Engineering Office)	Volt	L1-L2	380 ± 5%	400 Volt.	399 Volt.	400 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	399 Volt.
		L3-L1	380 ± 5%	400 Volt.	396 Volt.	396 Volt.
		L1-N	220 ± 5%	232 Volt.	234 Volt.	234 Volt.
		L2-N	220 ± 5%	235 Volt.	235 Volt.	236 Volt.
		L3-N	220 ± 5%	232 Volt.	235 Volt.	235 Volt.
	Current	L1		290 Amp.	377 Amp.	296 Amp.
		L2		285 Amp.	380 Amp.	261 Amp.
		L3		278 Amp.	359 Amp.	220 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test ☑ Auto Off Eng.start	Test ☑ Auto Off Eng.start	Test ☑ Auto Off Eng.start
PF.			≥ 0.85	0.95	0.94	0.93
Cap.Bank (On / Off / Auto)			Auto	On Off ☑ Auto	On Off ☑ Auto	On Off ☑ Auto
Temp. of The MDB room			25 C°	25 C°	25 C°	26 C°
Report By :				[illegible]	[illegible]	[illegible]
Time :				9 : 10	10 : 00	06 : 20

Abnormal Comment :

Approved By :

AMARI PHUKET
DATE 11/3/24
SIGNAGER
CHIEF ENGINEER

ONYX

Amari Phuket
Engineering
Engineering Daily Check List

Amari PHUKET

Frequency : Every 9 Hrs.

Date 10 / 3 / 2567

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 3 (ARP Room 1)	Volt	L1-L2	380 ± 5%	400 Volt.	399 Volt.	398 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	401 Volt.
		L3-L1	380 ± 5%	400 Volt.	399 Volt.	401 Volt.
		L1-N	220 ± 5%	232 Volt.	234 Volt.	233 Volt.
		L2-N	220 ± 5%	232 Volt.	235 Volt.	234 Volt.
		L3-N	220 ± 5%	232 Volt.	237 Volt.	239 Volt.
	Current	L1		200 Amp.	349 Amp.	201 Amp.
		L2		196 Amp.	350 Amp.	210 Amp.
		L3		196 Amp.	323 Amp.	198 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test Auto Off Eng.start	Test Auto Off Eng.start	Test Auto Off Eng.start
PF.			≥ 0.85	0.95	0.96	0.91
Cap.Bank (On / Off / Auto)			Auto	On Off Auto	On Off Auto	On Off Auto
Temp. of The MDB room			25 C°	26 C°	25 C°	26 C°
Report By :						
Time :				10 : 10	20 : 30น	06 : 40

Abnormal Comment :

Electric System

Location	Detail		Standard	Status: Morning Shift	Status: Afternoon Shift	Status: Night Shift
MDB 4	Volt	L1-L2	380 ± 5%	400 Volt.	399 Volt.	400 Volt.
		L2-L3	380 ± 5%	400 Volt.	399 Volt.	399 Volt.
		L3-L1	380 ± 5%	400 Volt.	399 Volt.	398 Volt.
		L1-N	220 ± 5%	235 Volt.	234 Volt.	242 Volt.
		L2-N	220 ± 5%	232 Volt.	235 Volt.	233 Volt.
		L3-N	220 ± 5%	235 Volt.	235 Volt.	234 Volt.
	Current	L1		322 Amp.	322 Amp.	210 Amp.
		L2		321 Amp.	333 Amp.	196 Amp.
		L3		330 Amp.	320 Amp.	199 Amp.
Autometic Tranfer Switch (ATS)			Auto	Test Auto Off Eng.start	Test Auto Off Eng.start	Test Auto Off Eng.start
PF.			≥ 0.85	0.95	0.94	0.91
Cap.Bank (On / Off / Auto)			Auto	On Off Auto	On Off Auto	On Off Auto
Temp. of The MDB room			25 C°	23 C°	25 C°	26 C°
Report By :						
Time :				10 : 30	21 : 00	06 : 50

Abnormal Comment :

Approved By :

Amari PHUKET
AMARI PHUKET
DATE
SIGNATURE
CHIEF ENGINEER