

ภาคผนวกที่ 2

ผลการติดตามตรวจสอบคุณภาพสิ่งแวดล้อม

ภาคผนวกที่ 2.1

ผลการตรวจวิเคราะห์คุณภาพน้ำผ่านการบำบัด (EFFLUENT)



TEST REPORT

CUSTOMER : Erawan Phuket Co., Ltd. ADDRESS : 32 moo 5, T.Pakkok
SAMPLING SOURCE : The Naka Island a Luxury Collection Resort & Spa A.Thalang, Phuket
SAMPLING DATE : 23/01/2025 SAMPLING No. : 6801-971
SAMPLING CONDITION : Wastewater SAMPLING TIME : 11.11 AM
SAMPLING METHOD : GRAB SAMPLING BY : STC
TESTED DATE : 23/01/2025-03/02/2025 (MS. JUTAPORN JUTAMAST ๓-176-๖-0006)
FILE NAME : Erawan Phuket Co., Ltd. RECEIVED DATE : 23/01/2025
REPORTED DATE : 04/02/2025

PARAMETER	UNIT	METHOD	RECYCLE WATER	STANDARD
pH at 25 °C	-	Eletrometric	7.35	5.5 - 9.0
BOD ₅	mg/l	5-Day BOD Test, Azide modification	38.0	≤ 30
Total Suspended Solids	mg/l	Dried at 103-105 °C	24.0	≤ 40
Total Kjeldahl Nitrogen	mg/l	Mactro, Kjeldahl	27.37	≤ 35
Sulfide	mg/l as S ²⁻	Iodometric	3.80	≤ 1
Total Dissolved Solids	mg/l	Dried at 180 °C	2,094	≤ 1,000

PHYSICAL APPEARANCE 1. Sample : turbid, brown SS

2. Container : normal [PE 2.0 L (2 bottles), G 0.5 L]

STANDARD

Notification of the Ministry of Natural Resources and Environment B.E. 2567 (2024)

Subject : Standards for Controlling Wastewater from Certain Types and Sizes of Buildings (Type B)

Examined by ...

REPORTED ANALYSIS REFER TO SUMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL LABORATORY




TEST REPORT

CUSTOMER : Erawan Phuket Co., Ltd. ADDRESS : 32 moo 5, T.Pakkok
SAMPLING SOURCE : The Naka Island a Luxury Collection Resort & Spa A.Thalang, Phuket
SAMPLING DATE : 23/01/2025 SAMPLING No. : 6801-971
SAMPLING CONDITION : Wastewater SAMPLING TIME : 11.11 AM
SAMPLING METHOD : GRAB SAMPLING BY : STC
TESTED DATE : 23/01/2025-03/02/2025 (MS. JUTAPORN JUTAMAST)
FILE NAME : Erawan Phuket Co., Ltd. RECEIVED DATE : 23/01/2025
REPORTED DATE : 04/02/2025

PARAMETER	UNIT	METHOD	RECYCLE WATER	STANDARD
Grease & Oil	mg/l	Partition-Gravimetric	ND	≤ 20
Settleable Solids	ml/l	Volumetric	ND	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	350,000	-

PHYSICAL APPEARANCE 1. Sample : turbid, brown SS 2. Container : normal [PE 1.0 L]
STANDARD Notification of the Ministry of Natural Resources and Environment B.E. 2567 (2024)
Subject : Standards for Controlling Wastewater from Certain Types and Sizes of Buildings (Type B)
REMARK 1) ND = Not Detected



REPORTED ANALYSIS REFER TO SUBMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL LABORATORY



TEST REPORT

CUSTOMER : Erawan Phuket Co., Ltd. ADDRESS : 32 moo 5, T.Pakkok
SAMPLING SOURCE : The Naka Island a Luxury Collection Resort & Spa A.Thalang, Phuket
SAMPLING DATE : 23/01/2025 SAMPLING No. : 6801-972
SAMPLING CONDITION : Water Supply SAMPLING TIME : 11.13 AM
SAMPLING METHOD : GRAB SAMPLING BY : STC
TESTED DATE : 23/01/2025-03/02/2025 (MS. JUTAPORN JUTAMAST 3-176-จ-0006)
FILE NAME : Erawan Phuket Co., Ltd. RECEIVED DATE : 23/01/2025
REPORTED DATE : 04/02/2025

PARAMETER	UNIT	METHOD	WATER SUPPLY	STANDARD
Total Dissolved Solids	mg/l	Dried at 180 °C	1,748	≤ 600


PHYSICAL APPEARANCE 1. Sample : clear

2. Container : normal [PE 0.5 L]

STANDARD

Water Quality Standards of The Provincial Waterworks Authority 2024

Examined by ..



REPORTED ANALYSIS REFER TO SUMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL LABORATORY



TEST REPORT

CUSTOMER : Erawan Phuket Co., Ltd. ADDRESS : 32 moo 5, T.Pakkok
SAMPLING SOURCE : The Naka Island a Luxury Collection Resort & Spa A.Thalang, Phuket
SAMPLING DATE : 11/02/2025 SAMPLING No. : 6802-477
SAMPLING CONDITION : Wastewater Treatment SAMPLING TIME : 08.26 AM
SAMPLING METHOD : GRAB SAMPLING BY : STC
TESTED DATE : 11-20/02/2025 (MS. JUTAPORN JUTAMAST 7-176-จ-0006)
FILE NAME : Erawan Phuket Co., Ltd. RECEIVED DATE : 11/02/2025
REPORTED DATE : 21/02/2025

PARAMETER	UNIT	METHOD	RECYCLE WATER	STANDARD
pH at 25 °C	-	Eletrometric	7.14	5.5 - 9.0
BOD ₅	mg/l	5-Day BOD Test, Azide modification	17.0	≤ 30
Total Suspended Solids	mg/l	Dried at 103-105 °C	8.0	≤ 40
Total Kjeldahl Nitrogen	mg/l	Mactro, Kjeldahl	23.24	≤ 35
Total Dissolved Solids	mg/l	Dried at 180 °C	2,246	≤ 1,000

PHYSICAL APPEARANCE 1. Sample : turbid, brown SS

2. Container : normal [PE 2.0 L (2 bottles), G 0.5 L]

STANDARD

Notification of the Ministry of Natural Resources and Environment B.E. 2567 (2024)

Subject : Standards for Controlling Wastewater from Certain Types and Sizes of Buildings (Type B)

Examined by ..

(M

REPORTED ANALYSIS REFER TO SUMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL LABORATORY




TEST REPORT

CUSTOMER : Erawan Phuket Co., Ltd. ADDRESS : 32 moo 5, T.Pakkok
SAMPLING SOURCE : The Naka Island a Luxury Collection Resort & Spa A.Thalang, Phuket
SAMPLING DATE : 11/02/2025 SAMPLING No. : 6802-477
SAMPLING CONDITION : Wastewater Treatment SAMPLING TIME : 08.26 AM
SAMPLING METHOD : GRAB SAMPLING BY : STC
TESTED DATE : 11-20/02/2025 (MS. JUTAPORN JUTAMAST)
FILE NAME : Erawan Phuket Co., Ltd. RECEIVED DATE : 11/02/2025
REPORTED DATE : 21/02/2025

PARAMETER	UNIT	METHOD	RECYCLE WATER	STANDARD
Grease & Oil	mg/l	Partition-Gravimetric	ND	≤ 20
Sulfide	mg/l as S ²⁻	Iodometric	0.40	≤ 1
Settleable Solids	ml/l	Volumetric	ND	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	240,000	-

PHYSICAL APPEARANCE 1. Sample : turbid, brown SS 2. Container : normal [PE 1.0 L]
STANDARD Notification of the Ministry of Natural Resources and Environment B.E. 2567 (2024)
Subject : Standards for Controlling Wastewater from Certain Types and Sizes of Buildings (Type B)
REMARK 1) ND = Not Detected



REPORTED ANALYSIS REFER TO SUMMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL LABORATORY



TEST REPORT

CUSTOMER : Erawan Phuket Co., Ltd. ADDRESS : 32 moo 5, T.Pakkok
SAMPLING SOURCE : The Naka Island a Luxury Collection Resort & Spa A.Thalang, Phuket
SAMPLING DATE : 12/03/2025 SAMPLING No. : 6803-533
SAMPLING CONDITION : Wastewater Treatment SAMPLING TIME : 11.02 AM
SAMPLING METHOD : GRAB SAMPLING BY : STC
TESTED DATE : 12-24/03/2025 (MS. JUTAPORN JUTAMAST ๖-176-๖-0006)
FILE NAME : Erawan Phuket Co., Ltd. RECEIVED DATE : 12/03/2025
REPORTED DATE : 25/03/2025

PARAMETER	UNIT	METHOD	RECYCLE WATER	STANDARD
pH at 25 °C	-	Eletrometric	7.19	5.5 - 9.0
BOD ₅	mg/l	5-Day BOD Test, Azide modification	54.0	≤ 30
Total Suspended Solids	mg/l	Dried at 103-105 °C	135	≤ 40
Total Kjeldahl Nitrogen	mg/l	Mactro, Kjeldahl	21.14	≤ 35
Total Dissolved Solids	mg/l	Dried at 180 °C	1,798	≤ 1,000
Sulfide	mg/l as S ²⁻	Iodometric	2.93	≤ 1

PHYSICAL APPEARANCE 1. Sample : turbid, black SS, smelling

2. Container : normal [PE 2.0 L (2 bottles), G 0.5 L]

STANDARD

Notification of the Ministry of Natural Resources and Environment B.E. 2567 (2024)

Subject : Standards for Controlling Wastewater from Certain Types and Sizes of Buildings (Type B)

Examined by

REPORTED ANALYSIS REFER TO SUMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL LABORATORY



TEST REPORT

CUSTOMER : Erawan Phuket Co., Ltd. ADDRESS : 32 moo 5, T.Pakkok
SAMPLING SOURCE : The Naka Island a Luxury Collection Resort & Spa A.Thalang, Phuket
SAMPLING DATE : 12/03/2025 SAMPLING No. : 6803-533
SAMPLING CONDITION : Wastewater Treatment SAMPLING TIME : 11.02 AM
SAMPLING METHOD : GRAB SAMPLING BY : STC
TESTED DATE : 12-24/03/2025 (MS. JUTAPORN JUTAMAST)
FILE NAME : Erawan Phuket Co., Ltd. RECEIVED DATE : 12/03/2025
REPORTED DATE : 25/03/2025

PARAMETER	UNIT	METHOD	RECYCLE WATER	STANDARD
Grease & Oil	mg/l	Partition-Gravimetric	2.0	≤ 20
Settleable Solids	ml/l	Volumetric	2.0	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	240,000	-

PHYSICAL APPEARANCE 1. Sample : turbid, black SS, smelling 2. Container : normal [PE 1.0 L]

STANDARD Notification of the Ministry of Natural Resources and Environment B.E. 2567 (2024)

Subject : Standards for Controlling Wastewater from Certain Types and Sizes of Buildings (Type B)

REPORTED ANALYSIS REFER TO SUMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL LABORATORY



TEST REPORT

CUSTOMER : Erawan Phuket Co., Ltd. ADDRESS : 32 moo 5, T.Pakkok
SAMPLING SOURCE : The Naka Island a Luxury Collection Resort & Spa A.Thalang, Phuket
SAMPLING DATE : 17/04/2025 SAMPLING No. : 6804-742
SAMPLING CONDITION : Wastewater Treatment SAMPLING TIME : 11.05 AM
SAMPLING METHOD : GRAB SAMPLING BY : STC
TESTED DATE : 17-25/04/2025 (MS. JUTAPORN JUTAMAST ๖-176-๖-0006)
FILE NAME : Erawan Phuket Co., Ltd. RECEIVED DATE : 17/04/2025
REPORTED DATE : 28/04/2025

PARAMETER	UNIT	METHOD	RECYCLE WATER	STANDARD
pH at 25 °C	-	Eletrometric	7.20	5.5 - 9.0
BOD ₅	mg/l	5-Day BOD Test, Azide modification	14.0	≤ 30
Total Suspended Solids	mg/l	Dried at 103-105 °C	15.0	≤ 40
Total Dissolved Solids	mg/l	Dried at 180 °C	986	≤ 1,000
Sulfide	mg/l as S ²⁻	Iodometric	0.60	≤ 1

PHYSICAL APPEARANCE 1. Sample : turbid, black SS


2. Container : normal [PE 2.0 L (2 bottles), G 0.5 L]

STANDARD

Notification of the Ministry of Natural Resources and Environment B.E. 2567 (2024)

Subject : Standards for Controlling Wastewater from Certain Types and Sizes of Buildings (Type B)

Examined by ..



REPORTED ANALYSIS REFER TO SUMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL LABORATORY



TEST REPORT

CUSTOMER : Erawan Phuket Co., Ltd. ADDRESS : 32 moo 5, T.Pakkok
SAMPLING SOURCE : The Naka Island a Luxury Collection Resort & Spa A.Thalang, Phuket
SAMPLING DATE : 17/04/2025 SAMPLING No. : 6804-742
SAMPLING CONDITION : Wastewater Treatment SAMPLING TIME : 11.05 AM
SAMPLING METHOD : GRAB SAMPLING BY : STC
TESTED DATE : 17-25/04/2025 (MS. JUTAPORN JUTAMAST)
FILE NAME : Erawan Phuket Co., Ltd. RECEIVED DATE : 17/04/2025
REPORTED DATE : 28/04/2025


PARAMETER	UNIT	METHOD	RECYCLE WATER	STANDARD
Total Kjeldahl Nitrogen	mg/l	Mactro, Kjeldahl	4.27	≤ 35
Grease & Oil	mg/l	Partition-Gravimetric	ND	≤ 20
Settleable Solids	ml/l	Volumetric	ND	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	9,200,000	-

PHYSICAL APPEARANCE 1. Sample : turbid, black SS 2. Container : normal [PE 1.0 L]

STANDARD Notification of the Ministry of Natural Resources and Environment B.E. 2567 (2024)

Subject : Standards for Controlling Wastewater from Certain Types and Sizes of Buildings (Type B)

REMARK 1) ND = Not Detected



REPORTED ANALYSIS REFER TO SUMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL LABORATORY



TEST REPORT

CUSTOMER : Erawan Phuket Co., Ltd. ADDRESS : 32 moo 5, T.Pakkok
SAMPLING SOURCE : The Naka Island a Luxury Collection Resort & Spa A.Thalang, Phuket
SAMPLING DATE : 22/05/2025 SAMPLING No. : 6805-941
SAMPLING CONDITION : Wastewater Treatment SAMPLING TIME : 07.42 AM
SAMPLING METHOD : GRAB SAMPLING BY : STC
TESTED DATE : 22/05/2025-06/06/2025 (MS. JUTAPORN JUTAMAST ๖-176-๖-0006)
FILE NAME : Erawan Phuket Co., Ltd. RECEIVED DATE : 22/05/2025
REPORTED DATE : 07/06/2025

PARAMETER	UNIT	METHOD	RECYCLE WATER	STANDARD
pH at 25 °C	-	Eletrometric	7.74	5.5 - 9.0
BOD ₅	mg/l	5-Day BOD Test, Azide modification	31.0	≤ 30
Total Suspended Solids	mg/l	Dried at 103-105 °C	56.0	≤ 40
Total Dissolved Solids	mg/l	Dried at 180 °C	1,842	≤ 1,000
Sulfide	mg/l as S ²⁻	Iodometric	0.93	≤ 1
Total Kjeldahl Nitrogen	mg/l	Mactro, Kjeldahl	16.10	≤ 35

PHYSICAL APPEARANCE 1. Sample : turbid, brown SS, smelling


2. Container : normal [PE 2.0 L (2 bottles), G 0.5 L]

STANDARD

Notification of the Ministry of Natural Resources and Environment B.E. 2567 (2024)

Subject : Standards for Controlling Wastewater from Certain Types and Sizes of Buildings (Type B)

Examined by



เลขที่ใบอนุญาต ๖-176

REPORTED ANALYSIS REFER TO SUMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL LABORATORY



TEST REPORT

CUSTOMER : Erawan Phuket Co., Ltd. ADDRESS : 32 moo 5, T.Pakkok
SAMPLING SOURCE : The Naka Island a Luxury Collection Resort & Spa A.Thalang, Phuket
SAMPLING DATE : 22/05/2025 SAMPLING No. : 6805-941
SAMPLING CONDITION : Wastewater Treatment SAMPLING TIME : 07.42 AM
SAMPLING METHOD : GRAB SAMPLING BY : STC
TESTED DATE : 22/05/2025-06/06/2025 (MS. JUTAPORN JUTAMAST)
FILE NAME : Erawan Phuket Co., Ltd. RECEIVED DATE : 22/05/2025
REPORTED DATE : 07/06/2025


PARAMETER	UNIT	METHOD	RECYCLE WATER	STANDARD
Grease & Oil	mg/l	Partition-Gravimetric	ND	≤ 20
Settleable Solids	ml/l	Volumetric	3.5	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	24,000	-

PHYSICAL APPEARANCE 1. Sample : turbid, brown SS, smelling 2. Container : normal [PE 1.0 L]

STANDARD Notification of the Ministry of Natural Resources and Environment B.E. 2567 (2024)

Subject : Standards for Controlling Wastewater from Certain Types and Sizes of Buildings (Type B)

REMARK 1) ND = Not Detected



REPORTED ANALYSIS REFER TO SUMMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL LABORATORY



TEST REPORT

CUSTOMER : Erawan Phuket Co., Ltd. ADDRESS : 32 moo 5, T.Pakkok
SAMPLING SOURCE : The Naka Island a Luxury Collection Resort & Spa A.Thalang, Phuket
SAMPLING DATE : 17/06/2025 SAMPLING No. : 6806-725
SAMPLING CONDITION : Wastewater Treatment SAMPLING TIME : 10.55 AM
SAMPLING METHOD : GRAB SAMPLING BY : STC
TESTED DATE : 17-25/06/2025 (MS. JUTAPORN JUTAMAST ๖-176-๖-0006)
FILE NAME : Erawan Phuket Co., Ltd. RECEIVED DATE : 17/06/2025
REPORTED DATE : 26/06/2025

PARAMETER	UNIT	METHOD	RECYCLE WATER	STANDARD
pH at 25 °C	-	Eletrometric	6.92	5.5 - 9.0
BOD ₅	mg/l	5-Day BOD Test, Azide modification	26.0	≤ 30
Total Suspended Solids	mg/l	Dried at 103-105 °C	19.0	≤ 40
Total Dissolved Solids	mg/l	Dried at 180 °C	1,190	≤ 1,000
Total Kjeldahl Nitrogen	mg/l	Mactro, Kjeldahl	11.13	≤ 35

PHYSICAL APPEARANCE 1. Sample : turbid, brown SS, smelling

2. Container : normal [PE 2.0 L (2 bottles), G 0.5 L]

STANDARD

Notification of the Ministry of Natural Resources and Environment B.E. 2567 (2024)

Subject : Standards for Controlling Wastewater from Certain Types and Sizes of Buildings (Type B)

Examined by ..

(M

REPORTED ANALYSIS REFER TO SUMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL LABORATORY



TEST REPORT


CUSTOMER : Erawan Phuket Co., Ltd. ADDRESS : 32 moo 5, T.Pakkok
SAMPLING SOURCE : The Naka Island a Luxury Collection Resort & Spa A.Thalang, Phuket
SAMPLING DATE : 17/06/2025 SAMPLING No. : 6806-725
SAMPLING CONDITION : Wastewater Treatment SAMPLING TIME : 10.55 AM
SAMPLING METHOD : GRAB SAMPLING BY : STC
TESTED DATE : 17-25/06/2025 (MS. JUTAPORN JUTAMAST)
FILE NAME : Erawan Phuket Co., Ltd. RECEIVED DATE : 17/06/2025
REPORTED DATE : 26/06/2025

PARAMETER	UNIT	METHOD	RECYCLE WATER	STANDARD
Grease & Oil	mg/l	Partition-Gravimetric	ND	≤ 20
Sulfide	mg/l as S ²⁻	Iodometric	0.47	≤ 1
Settleable Solids	ml/l	Volumetric	ND	-
Total Coliform Bacteria	MPN/100 ml	MPN Test	1,600,000	-

PHYSICAL APPEARANCE 1. Sample : turbid, brown SS, smelling 2. Container : normal [PE 1.0 L]

STANDARD Notification of the Ministry of Natural Resources and Environment B.E. 2567 (2024)
Subject : Standards for Controlling Wastewater from Certain Types and Sizes of Buildings (Type B)

REMARK 1) ND = Not Detected



REPORTED ANALYSIS REFER TO SUMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL LABORATORY

ภาคผนวกที่ 2.2

ผลการตรวจวิเคราะห์คุณภาพน้ำใช้ (WATER SUPPLY)



TEST REPORT

CUSTOMER : Erawan Phuket Co., Ltd. ADDRESS : 32 moo 5, T.Pakkok
SAMPLING SOURCE : The Naka Island a Luxury Collection Resort & Spa A.Thalang, Phuket
SAMPLING DATE : 22/05/2025 SAMPLING No. : 6805-944
SAMPLING CONDITION : Water SAMPLING TIME : 09.19 AM
SAMPLING METHOD : GRAB SAMPLING BY : STC
TESTED DATE : 22/05/2025-06/06/2025 (MS. JUTAPORN JUTAMAST จ-176-จ-0006)
FILE NAME : Erawan Phuket Co., Ltd. RECEIVED DATE : 22/05/2025
REPORTED DATE : 07/06/2025

PARAMETER	UNIT	METHOD	Usage Water "Canteen"	STANDARD
pH at 25 °C	-	Eletrometric	7.18	6.5-8.5
Total Dissolved Solids	mg/l	Dried at 180 °C	94.0	≤ 600

PHYSICAL APPEARANCE 1. Sample : clear 2. Container : normal [PE 2.0 L]

STANDARD Water Quality Standards of The Provincial Waterworks Authority 2024

Examined by .

(N

REPORTED ANALYSIS REFER TO SUMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL LABORATORY



TEST REPORT

CUSTOMER	: Erawan Phuket Co., Ltd.	ADDRESS	: 32 moo 5, T.Pakkok
SAMPLING SOURCE	: The Naka Island a Luxury Collection Resort & Spa		A.Thalang, Phuket
SAMPLING DATE	: 22/05/2025	SAMPLING No.	: 6805-944
SAMPLING CONDITION	: Water	SAMPLING TIME	: 09.19 AM
SAMPLING METHOD	: GRAB	SAMPLING BY	: STC
TESTED DATE	: 22/05/2025-06/06/2025		(MS. JUTAPORN JUTAMAST)
FILE NAME	: Erawan Phuket Co., Ltd.	RECEIVED DATE	: 22/05/2025
		REPORTED DATE	: 07/06/2025

PARAMETER	UNIT	METHOD	Usage Water "Canteen"	STANDARD
Manganese	mg/l as Mn	Persulfate	ND	≤ 0.08
Iron	mg/l as Fe	Phenanthroline Method	ND	≤ 0.3
Chloride	mg/l as Cl ⁻	Argentometric	23.82	≤ 250
Hardness	mg/l as CaCO ₃	EDTA Titrimetric	14.0	≤ 300
Apparent color	Pt.Co	Spectrophotometric	0.43	≤ 15
Turbidity	NTU	Nephelometric Method	0.09	≤ 4
Fluoride	mg/l as F ⁻	SPADNS Method	ND	≤ 0.7
Nitrate	mg/l as NO ₃ ⁻	Cadmium Reduction Method	7.17	≤ 50

PHYSICAL APPEARANCE 1. Sample : clear 2. Container : normal [PE 2.0 L]

STANDARD Water Quality Standards of The Provincial Waterworks Authority 2024

REMARK 1) ND = Not Detected

REPORTED ANALYSIS REFER TO SUMMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL LABORATORY



TEST REPORT

CUSTOMER : Erawan Phuket Co., Ltd. ADDRESS : 32 moo 5, T.Pakkok
SAMPLING SOURCE : The Naka Island a Luxury Collection Resort & Spa A.Thalang, Phuket
SAMPLING DATE : 22/05/2025 SAMPLING No. : 6805-944
SAMPLING CONDITION : Water SAMPLING TIME : 09.19 AM
SAMPLING METHOD : GRAB SAMPLING BY : STC
TESTED DATE : 22/05/2025-06/06/2025 (MS. JUTAPORN JUTAMAST)
FILE NAME : Erawan Phuket Co., Ltd. RECEIVED DATE : 22/05/2025
REPORTED DATE : 07/06/2025

PARAMETER	UNIT	METHOD	Usage Water "Canteen"	STANDARD
Copper ^{1/}	mg/l as Cu	Digestion, Inductively coupled Plasma Method	0.04	≤ 2
Zinc ^{1/}	mg/l as Zn	Digestion, Inductively coupled Plasma Method	0.08	≤ 3
Lead ^{1/}	mg/l as Pb	Digestion, Inductively coupled Plasma Method	ND	≤ 0.01
Chromium ^{1/}	mg/l as Cr	Digestion, Inductively coupled Plasma Method	ND	≤ 0.05
Cadmium ^{1/}	mg/l as Cd	Digestion, Inductively coupled Plasma Method	ND	≤ 0.003
Arsenic ^{1/}	mg/l as As	Continuous Hydride Generation/AAS Method	ND	≤ 0.01
Mercury ^{1/}	mg/l as Hg	Cold Vapor Technique-AAS	ND	≤ 0.001
Sulfate ^{1/}	mg/l as SO ₄ ²⁻	Turbidimetric Method	15.00	≤ 250

PHYSICAL APPEARANCE 1. Sample : clear 2. Container : normal [PE 2.0 L]

STANDARD Water Quality Standards of The Provincial Waterworks Authority 2024

REMARK 1)^{1/} Tested by Eastern Thai Consulting 1992 Co.,Ltd. (Sriracha) : Registration No. ๓-003

2) ND = Not Detected

REPORTED ANALYSIS REFER TO SUMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL LABORATORY



TEST REPORT


CUSTOMER : Erawan Phuket Co., Ltd. ADDRESS : 32 moo 5, T.Pakkok
SAMPLING SOURCE : The Naka Island a Luxury Collection Resort & Spa A.Thalang, Phuket
SAMPLING DATE : 22/05/2025 SAMPLING No. : 6805-944
SAMPLING CONDITION : Water SAMPLING TIME : 09.19 AM
SAMPLING METHOD : GRAB SAMPLING BY : STC
TESTED DATE : 22/05/2025-06/06/2025 (MS. JUTAPORN JUTAMAST)
FILE NAME : Erawan Phuket Co., Ltd. RECEIVED DATE : 22/05/2025
REPORTED DATE : 07/06/2025

PARAMETER	UNIT	METHOD	Usage Water "Canteen"	STANDARD
Total coliform bacteria	in 100 ml	MPN Test	< 1.8	Not found
Escherichia Coli	in 100 ml	MPN Test	ND	Not found

PHYSICAL APPEARANCE 1. Sample : clear 2. Container : normal [G 0.25 L]

STANDARD Water Quality Standards of The Provincial Waterworks Authority 2024
World Health Organization (WHO) 2011

REMARK 1) ND = Not Detected
2) Total coliform bacteria < 1.8 mean Not Detected



REPORTED ANALYSIS REFER TO SUMMITTED SAMPLES ONLY

THIS REPORT SHALL NOT REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL LABORATORY