กรมชลประทาน

รายงานผลการตรวจวัดคุณภาพสิ่งแวดล้อม

ฉบับเดือนสิงหาคม 2568

โครงการเพิ่มปริมาณน้ำในอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา

จังหวัดเชียงใหม่

เสนอต่อ กรมชลประทาน



Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
โทร: (02) 939-4370-72, แฟกซ์: (02) 513-4221, E-mail: sale@spscon.com., www.spscon.com

รายงานผลการตรวจวัดคุณภาพสิ่งแวดล้อม
โครงการเพิ่มปริมาณน้ำในอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา จังหวัดเชียงใหม่
ของกรมชลประทาน
แขวงถนนนครไชยศรี เขตดุสิต กรุงเทพมหานคร
ประจำเดือนสิงหาคม 2568

---

1. บทนำ

กรมชลประทาน ได้มอบหมายให้ บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด เป็นผู้ดำเนินการตรวจวัดคุณภาพสิ่งแวดล้อม โครงการเพิ่มปริมาณน้ำในอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา จังหวัดเชียงใหม่ โดยดำเนินการตรวจวัดระหว่างวันที่ 20-25 สิงหาคม 2568 มีรายละเอียดการดำเนินการ ดังนี้

2. วัตถุประสงค์

เพื่อทำการตรวจวัดคุณภาพสิ่งแวดล้อม ประกอบด้วย คุณภาพอากาศในบรรยากาศ ความเร็วและทิศทางลม ระดับเสียงในบรรยากาศ และระดับความสั่นสะเทือน จากนั้นนำผลการตรวจวัดที่ได้มาเปรียบเทียบกับเกณฑ์มาตรฐานที่กำหนด

3. ขอบเขตการตรวจวัด

1) คุณภาพอากาศในบรรยากาศ

ทำการตรวจวัดคุณภาพอากาศในบรรยากาศ เป็นเวลา 5 วันต่อเนื่อง จำนวน 2 สถานี **(รูปที่ 1)** โดยมีดัชนีการตรวจวัด ดังนี้ Total Suspended Particulate (TSP), Particulate Matter less than 10 Microns (PM_{10}) และความเร็วและทิศทางลม


2) ระดับเสียงในบรรยากาศ

ทำการตรวจวัดระดับเสียงในบรรยากาศ เป็นเวลา 5 วันต่อเนื่อง จำนวน 2 สถานี **(รูปที่ 2)** โดยมีดัชนีการตรวจวัด ดังนี้ ระดับเสียงเฉลี่ย 24 ชั่วโมง (L_{eq} 24 hr), ระดับเสียงสูงสุด (L_{max}) และระดับเสียงเฉลี่ยกลางวัน-กลางคืน (L_{dn})

3) ระดับความสั่นสะเทือน

ทำการตรวจวัดระดับความสั่นสะเทือน เป็นเวลา 5 วันต่อเนื่อง จำนวน 2 สถานี **(รูปที่ 3)** โดยมีดัชนีการตรวจวัด ดังนี้ ความเร็วอนุภาคสูงสุด (PPV) และความถี่ (Frequency)

Draft Report




<u>สัญลักษณ์</u>

- **จุดตรวจวัดคุณภาพอากาศในบรรยากาศ ความเร็วและทิศทางลม**
- 1 สถานีที่ 1 บริเวณอุโมงค์เข้าออกหมายเลข 6 (Adit 6)
- 2 สถานีที่ 2 บริเวณอาคารรับน้ำ จากเขื่อนแม่งัดสมบูรณ์ชล ไปยังอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา

รูปที่ 1 แสดงตำแหน่งและภาพถ่ายการตรวจวัดคุณภาพอากาศในบรรยากาศ ความเร็วและทิศทางลม

Draft




<u>สัญลักษณ์</u>

- **จุดตรวจวัดระดับเสียงในบรรยากาศ**
- 1 สถานีที่ 1 บริเวณอุโมงค์เข้าออกหมายเลข 6 (Adit 6)
- 2 สถานีที่ 2 บริเวณอาคารรับน้ำ จากเขื่อนแม่งัดสมบูรณ์ชล ไปยังอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา

รูปที่ 2 แสดงตำแหน่งและภาพถ่ายการตรวจวัดระดับเสียงในบรรยากาศ

Draft



<u>สัญลักษณ์</u>

- **จุดตรวจวัดระดับความสั่นสะเทือน**
- 1 สถานีที่ 2 บริเวณอาคารรับน้ำ จากเขื่อนแม่งัดสมบูรณ์ชล ไปยังอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา
- 2 สถานีที่ 3 บริเวณที่ทำการอุทยานแห่งชาติน้ำตกบัวตอง-น้ำพุเจ็ดสี

รูปที่ 3 แสดงตำแหน่งและภาพถ่ายการตรวจวัดระดับความสั่นสะเทือน

Draft

4. วิธีการเก็บตัวอย่างและวิธีการวิเคราะห์

สำหรับวิธีการเก็บตัวอย่าง วิธีการวิเคราะห์ และมาตรฐานวิธีการวิเคราะห์คุณภาพสิ่งแวดล้อม แสดงในตารางที่ 1

ตารางที่ 1 วิธีการเก็บตัวอย่าง วิธีการวิเคราะห์ และมาตรฐานวิธีการวิเคราะห์คุณภาพสิ่งแวดล้อม

รายการตรวจวัด	วิธีการเก็บตัวอย่าง	วิธีการวิเคราะห์	มาตรฐานวิธีวิเคราะห์
1. คุณภาพอากาศในบรรยากาศและความเร็วและทิศทางลม			
TSP	High Volume Air Sampler	Gravimetric Method	U.S. EPA 40 CFR Part 50 Appendix B
PM_{10}	High Volume PM_{10} Air Sampler	Gravimetric Method	U.S. EPA 40 CFR Part 50 Appendix J
Wind Speed & Wind Direction	Wind Vane Anemometer	Wind Speed & Wind Direction Sensor	-
2. ระดับเสียงในบรรยากาศ			
L_{eq} 1 hr, L_{eq} 24 hr, L_{max} และ L_{dn}	Integrated Sound Level Meter	Integrated Sound Level Meter	ISO 1996
3. ระดับความสั่นสะเทือน			
ความเร็วอนุภาคสูงสุด (PPV) และความถี่ (Frequency)	Vibration Meter	Ground Vibration Method	ISO 2631-2

Draft Report

5. คุณภาพอากาศในบรรยากาศ และความเร็วและทิศทางลม

5.1 ผลการตรวจวัด

จากการตรวจวัดคุณภาพอากาศในบรรยากาศ ความเร็วและทิศทางลม เป็นเวลา 5 วันต่อเนื่อง จำนวน 2 สถานี ระหว่างวันที่ 20-25 สิงหาคม 2568 มีผลการตรวจวัดแสดงในตารางที่ 2 และผลการวิเคราะห์ในภาคผนวกที่ 1



5.2 สรุปผลการตรวจวัด

จากผลการตรวจวัดคุณภาพอากาศในบรรยากาศ ความเร็วและทิศทางลม เป็นเวลา 5 วันต่อเนื่อง จำนวน 2 สถานี เมื่อนำมาเปรียบเทียบกับเกณฑ์มาตรฐานตามประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 24 (พ.ศ. 2547) เรื่อง กำหนดมาตรฐานคุณภาพอากาศในบรรยากาศโดยทั่วไปที่กำหนดให้มีค่า TSP, PM_{10} มีค่าได้ไม่เกิน 0.33 mg/m^3 และ 0.12 mg/m^3 ตามลำดับ พบว่า คุณภาพอากาศที่ทำการตรวจวัดมีค่าอยู่ในเกณฑ์มาตรฐานที่กำหนด รายละเอียดดังนี้

1) สถานีที่ 1 บริเวณอาคารสำนักงาน อุโมงค์เข้าออกหมายเลข 6 (Adit 6)
   - Total Suspended Particulate (TSP) มีค่าอยู่ในช่วง 0.037-0.051 mg/m^3
   - Particulate Matter less than 10 Microns (PM_{10}) มีค่าอยู่ในช่วง 0.016-0.021 mg/m^3
   - ทิศทางลมส่วนใหญ่พัดมาจากทางทิศตะวันตก (W)
     คิดเป็นสัดส่วนร้อยละ 15.833 โดยความเร็วลมส่วนใหญ่เป็นลมเบา (1-5 km/hr)
2) สถานีที่ 2 บริเวณอาคารรับน้ำจากเขื่อนแม่งัดสมบูรณ์ชล ไปยังอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา
   - Total Suspended Particulate (TSP) มีค่าอยู่ในช่วง 0.030-0.040 mg/m^3
   - Particulate Matter less than 10 Microns (PM_{10}) มีค่าอยู่ในช่วง 0.012-0.017 mg/m^3
   - ทิศทางลมส่วนใหญ่พัดมาจากทางทิศใต้ (S) และทิศตะวันตกเฉียงใต้ (SW)
     คิดเป็นสัดส่วนร้อยละ 14.167 โดยความเร็วลมส่วนใหญ่เป็นลมเบา (1-5 km/hr)

Draft Report

ตารางที่ 2 ผลการตรวจวัดคุณภาพอากาศในบรรยากาศ ความเร็วและทิศทางลม

สถานีตรวจวัด	วันที่เก็บตัวอย่าง	ผลการตรวจวัด				
		TSP (mg/m^3)	PM_{10} (mg/m^3)	WS (Km/hr)	WD[/1]	ผังแสดงความเร็วและทิศทางลม
1. สถานีที่ 1 อุโมงค์เข้าออกหมายเลข 6 (Adit 6)	20-21/08/68	0.051	0.021	1.6-4.8	W (15.833%)	
	21-22/08/68	0.043	0.020	1.6-4.8		
	22-23/08/68	0.040	0.018	1.6-4.8		
	23-24/08/68	0.039	0.019	1.6-4.8		
	24-25/08/68	0.037	0.016	1.6-4.8		
2. สถานีที่ 2 บริเวณอาคารรับน้ำจากเขื่อนแม่งัดสมบูรณ์ชล ไปยังอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา	20-21/08/68	0.035	0.015	1.6-4.8	S และ SW (14.167%)	
	21-22/08/68	0.040	0.017	1.6-4.8		
	22-23/08/68	0.033	0.014	1.6-4.8		
	23-24/08/68	0.030	0.012	1.6-4.8		
	24-25/08/68	0.037	0.016	1.6-4.8		
มาตรฐาน		**ไม่เกิน 0.33**	**ไม่เกิน 0.12**	-	-	-

มาตรฐาน : ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 24 (พ.ศ. 2547) เรื่อง กำหนดมาตรฐานคุณภาพอากาศในบรรยากาศโดยทั่วไป

/1 : ร้อยละของทิศทางลมที่สูงที่สุดในช่วงเวลาที่ตรวจวัด

ชื่อบริษัทผู้ตรวจวัดและวิเคราะห์ตัวอย่าง/ควบคุม : บริษัท เอส.พี.เอส.คอนซัลติ้ง เซอร์วิส จำกัด

Draft Report

6. ระดับเสียงในบรรยากาศ

6.1 ผลการตรวจวัด

จากการตรวจวัดระดับเสียงในบรรยากาศ เป็นเวลา 5 วันต่อเนื่อง จำนวน 2 สถานี ระหว่างวันที่ 20-25 สิงหาคม 2568 มีผลการตรวจวัดแสดงในตารางที่ 3 และผลการวิเคราะห์ในภาคผนวกที่ 1

ตารางที่ 3 ผลการตรวจวัดระดับเสียงในบรรยากาศ

สถานีตรวจวัด	วันที่ตรวจวัด	ผลการตรวจวัด [dB(A)]			
		L_{eq} 1 hr	L_{eq} 24 hr	L_{max}	L_{dn}
1. สถานีที่ 1 อุโมงค์เข้าออกหมายเลข 6 (Adit 6)	20-21/08/68	66.6-73.8	69.0	99.6	74.7
	21-22/08/68	66.3-69.7	68.4	90.8	74.7
	22-23/08/68	65.8-71.1	68.4	95.8	73.5
	23-24/08/68	65.5-72.3	69.2	91.2	74.1
	24-25/08/68	64.2-70.9	69.0	95.4	73.4
2. สถานีที่ 2 บริเวณอาคารรับน้ำจากเขื่อนแม่งัดสมบูรณ์ชลไปยังอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา	20-21/08/68	46.4-53.9	51.0	82.0	56.2
	21-22/08/68	47.2-54.1	50.8	87.6	56.4
	22-23/08/68	47.2-53.6	51.3	95.4	58.0
	23-24/08/68	50.8-59.2	54.2	88.2	61.7
	24-25/08/68	47.6-51.4	49.9	92.8	56.5
ค่ามาตรฐาน		-	**ไม่เกิน 70.0**	**ไม่เกิน 115.0**	-

ค่ามาตรฐาน : ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่อง กำหนดมาตรฐานระดับเสียงโดยทั่วไป

ชื่อบริษัทผู้ตรวจวัดและวิเคราะห์ตัวอย่าง/ควบคุม : บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

Draft Report

6.2 สรุปผลการตรวจวัด

จากผลการตรวจวัดระดับเสียงในบรรยากาศ จำนวน 2 สถานี พบว่า ระดับเสียงเฉลี่ย 24 ชั่วโมง (L_{eq} 24 hr) และระดับเสียงสูงสุด (L_{max}) เมื่อนำมาเปรียบเทียบกับเกณฑ์มาตรฐานตามประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่อง กำหนดมาตรฐานระดับเสียงโดยทั่วไป ที่กำหนดให้ L_{eq} 24 hr และ L_{max} มีค่าได้ไม่เกิน 70.0 dB(A) และ 115.0 dB(A) ตามลำดับ พบว่า มีค่าอยู่ในเกณฑ์มาตรฐานที่กำหนด รายละเอียดดังนี้

1) สถานีที่ 1 อุโมงค์เข้าออกหมายเลข 6 (Adit 6)
   - ระดับเสียงเฉลี่ย 24 ชั่วโมง (L_{eq} 24 hr) มีค่าอยู่ในช่วง 68.4-69.2 dB(A)
   - ระดับเสียงสูงสุด (L_{max}) มีค่าอยู่ในช่วง 90.8-99.6 dB(A)
2) สถานีที่ 2 บริเวณอาคารรับน้ำ จากเขื่อนแม่งัดสมบูรณ์ชล ไปยังอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา
   - ระดับเสียงเฉลี่ย 24 ชั่วโมง (L_{eq} 24 hr) มีค่าอยู่ในช่วง 49.9-54.2 dB(A)
   - ระดับเสียงสูงสุด (L_{max}) มีค่าอยู่ในช่วง 82.0-95.4 dB(A)

สำหรับระดับเสียง L_{eq} 1 hr และ L_{dn} มาตรฐานดังกล่าวไม่ได้กำหนดค่าไว้เพื่อการควบคุม

Draft Report

7. ระดับความสั่นสะเทือน

7.1 ผลการตรวจวัด

จากการตรวจวัดระดับความสั่นสะเทือน เป็นเวลา 5 วันต่อเนื่อง จำนวน 2 สถานี ระหว่างวันที่ 20-25 สิงหาคม 2568 มีผลการตรวจวัดแสดงในตารางที่ 4 และผลการวิเคราะห์ในภาคผนวกที่ 1

7.2 สรุปผลการตรวจวัด

จากผลการตรวจวัดระดับความสั่นสะเทือน จำนวน 2 สถานี ความเร็วอนุภาคสูงสุด (PPV), ความถี่ (Frequency) เมื่อนำผลการตรวจวัดมาเปรียบเทียบตามประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติฉบับที่ 37 (พ.ศ. 2553) เรื่อง กำหนดมาตรฐานความสั่นสะเทือนเพื่อป้องกันผลกระทบต่ออาคาร (เทียบกับความสั่นสะเทือนในกรณีที่ 1 ตรวจวัดบริเวณฐานรากหรือชั้นล่างของอาคาร) รายละเอียดดังนี้

1) สถานีที่ 2 บริเวณอาคารรับน้ำจากเขื่อนแม่งัดสมบูรณ์ชล ไปยังอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา
   - ระดับความสั่นสะเทือนอยู่ในช่วง 0.0394-2.81 mm/s
   - ค่าความถี่อยู่ในช่วง 1.00 ถึง >400.00 Hz
   - ค่าความเร็วอนุภาคสูงสุด (PPV) อยู่ในแนวแกนตั้ง (Vertical) มีค่าเท่ากับ 2.81 mm/s มีค่าความถี่ (Frequency) เท่ากับ 89.00 Hz ซึ่งเป็นเหตุการณ์ที่เกิดในวันที่ 23 สิงหาคม 2568 เวลา 14:46 น.
   - เมื่อนำค่าที่ได้ดังกล่าวไปเปรียบเทียบกับเกณฑ์มาตรฐาน พบว่า ผลการตรวจวัดในช่วงเวลาดังกล่าวไม่มีผลกระทบต่ออาคาร และมีค่าอยู่ในระดับที่มีความรู้สึกรำคาญ
2) สถานีที่ 3 บริเวณที่ทำการอุทยานแห่งชาติน้ำตกบัวตอง-น้ำพุเจ็ดสี
   - ระดับความสั่นสะเทือนอยู่ในช่วง 0.0552-2.01 mm/s
   - ค่าความถี่อยู่ในช่วง N/A ถึง 256.00 Hz
   - ค่าความเร็วอนุภาคสูงสุด (PPV) อยู่ในแนวแกนนอน (Longitudinal) มีค่าเท่ากับ 2.01 mm/s มีค่าความถี่ (Frequency) เท่ากับ 108.00 Hz ซึ่งเป็นเหตุการณ์ที่เกิดในวันที่ 25 สิงหาคม 2568 เวลา 12:33 น.
   - เมื่อนำค่าที่ได้ดังกล่าวไปเปรียบเทียบกับเกณฑ์มาตรฐาน พบว่า ผลการตรวจวัดในช่วงเวลาดังกล่าวไม่มีผลกระทบต่ออาคาร และมีค่าอยู่ในระดับที่สามารถรับรู้ได้โดยง่าย

Draft Report

ตารางที่ 4 ผลการตรวจวัดระดับความสั่นสะเทือน

สถานีตรวจวัด	วันที่ตรวจวัด	ผลการตรวจวัด					ค่ามาตรฐาน[1]	ค่ามาตรฐาน[2]	
		วันที่	เวลา (น.)	PPV (mm/s)	Frequency (Hz)	Trigger	ผลกระทบต่อสิ่งก่อสร้าง	ระดับ	ผลกระทบต่อปฏิกิริยาของมนุษย์
1. สถานีที่ 2 บริเวณอาคารรับน้ำจากเขื่อนแม่งัดสมบูรณ์ชลไปยังอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา	20-25/08/68	23/08/68	14:46	2.81	89.00	Vert	ไม่มีผลกระทบต่ออาคาร	4	มีความรู้สึกรำคาญ
2. สถานีที่ 3 บริเวณที่ทำการอุทยานแห่งชาติน้ำตกบัวตอง-น้ำพุเจ็ดสี	20-25/08/68	25/08/68	12:33	2.01	108.00	Long	ไม่มีผลกระทบต่ออาคาร	3	สามารถรับรู้ได้โดยง่าย

หมายเหตุ : * = ผลการตรวจวัดเป็นเหตุการณ์ที่มีค่า Peak Vector Sum สูงสุด ในช่วงวันที่ตรวจวัด

: N/A = Not Applicable (ไม่สามารถระบุความถี่และระยะการขจัดที่เกิดขึ้นได้)

: PPV = Peak Particle Velocity หมายถึง ค่าความเร็วอนุภาคสูงสุด หน่วยเป็น mm/s

: Vert = Vertical (แรงสั่นสะเทือนในแนวแกนตั้ง)

: Long = Longitudinal (แรงสั่นสะเทือนในแนวแกนนอน)

: Tran = Transverse (แรงสั่นสะเทือนในแนวแกนขวาง)

ค่ามาตรฐาน[1] : มาตรฐานกำหนดความสั่นสะเทือนเพื่อป้องกันผลกระทบต่ออาคาร (อาคารประเภทที่ 2) ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 37 พ.ศ. 2553 ดังตารางที่ 5

ค่ามาตรฐาน[2] : มาตรฐานกำหนดระดับความสั่นสะเทือนที่ก่อให้เกิดอันตรายต่อสุขภาพของประชาชนและการรับรู้ (Reiher and Meister) ดังตารางที่ 6

ชื่อบริษัทผู้ตรวจวัดและวิเคราะห์ตัวอย่าง/ควบคุม : บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำก

Draft Report

ตารางที่ 5 มาตรฐานกำหนดความสั่นสะเทือนเพื่อป้องกันผลกระทบต่ออาคาร
ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 37 พ.ศ. 2553

อาคาร ประเภทที่	จุดตรวจวัด	ความถี่ (เฮิรตซ์)	ความเร็วอนุภาคสูงสุดไม่เกิน (มิลลิเมตรต่อวินาที)	
			ความสั่นสะเทือนกรณีที่ 1	ความสั่นสะเทือนกรณีที่ 2
1	1.1 ฐานรากหรือชั้นล่างของอาคาร	f ≤ 10	20	-
		10 < f ≤ 50	0.5 f + 15	
		50 < f ≤ 100	0.2 f + 30	
		f > 100	50	
	1.2 ชั้นบนสุดของอาคาร	ทุกความถี่	40*	10*
	1.3 พื้นอาคารในแต่ละชั้น	ทุกความถี่	20**	10**
2	2.1 ฐานรากหรือชั้นล่างของอาคาร	f ≤ 10	5	-
		10 < f ≤ 50	0.25 f + 2.5	
		50 < f ≤ 100	0.1 f + 10	
		f > 100	20	
	2.2 ชั้นบนสุดของอาคาร	ทุกความถี่	15*	5*
	2.3 พื้นอาคารในแต่ละชั้น	ทุกความถี่	20**	10**
3	3.1 ฐานรากหรือชั้นล่างของอาคาร	f ≤ 10	3	-
		10 < f ≤ 50	0.125 f + 1.75	
		50 < f ≤ 100	0.04 f + 6	
		f > 100	10	
	3.2 ชั้นบนสุดของอาคาร	ทุกความถี่	8*	2.5*
	3.3 พื้นอาคารในแต่ละชั้น	ทุกความถี่	20**	10**

หมายเหตุ : f = ความถี่ของความสั่นสะเทือน ณ เวลาที่มีความเร็วอนุภาคสูงสุดมีหน่วยเฮิรตซ์

* = กำหนดมาตรฐานไว้เฉพาะค่าความเร็วอนุภาคสูงสุดในแกนนอน

** = กำหนดมาตรฐานไว้เฉพาะค่าความเร็วอนุภาคสูงสุดในแกนตั้ง

อาคารประเภทที่ 1 หมายถึง โรงงาน อาคารพาณิชย์ อาคารสำนักงาน อาคารคลังสินค้า อาคารพิเศษ อาคารขนาดใหญ่หรืออาคารอื่นใดที่มีการใช้ประโยชน์เพื่อวัตถุประสงค์ดังกล่าวข้างต้น

อาคารประเภทที่ 2 หมายถึง อาคารอยู่อาศัย อาคารอยู่อาศัยรวม ห้องแถว ตึกแถว บ้านแถว บ้านแฝด อาคารชุด หอพัก อาคารที่ใช้เป็นสถานพยาบาลและโรงพยาบาล อาคารที่ใช้ประโยชน์เพื่อเป็นสถานศึกษาเพื่อกิจกรรมทางศาสนา หรืออาคารอื่นใดที่มีการใช้ประโยชน์เพื่อวัตถุประสงค์ดังกล่าวข้างต้น

อาคารประเภทที่ 3 หมายถึง โบราณสถาน หรือสิ่งปลูกสร้างที่มีลักษณะอื่นใดที่มีลักษณะไม่มั่นคงแข็งแรงแต่มีคุณค่าทางวัฒนธรรม

Draft Report

ตารางที่ 6 มาตรฐานกำหนดระดับความสั่นสะเทือนที่ก่อให้เกิดอันตรายต่อสุขภาพของประชาชนและการรับรู้

ระดับความสั่นสะเทือน	ความเร็วอนุภาคสูงสุด (มิลลิเมตร/วินาที)	ผลกระทบต่อปฏิกิริยาของมนุษย์
ระดับที่ 1	0.00-0.15	ไม่สามารถรับรู้ได้
ระดับที่ 2	0.15-1.99	รู้สึกได้เพียงเล็กน้อย
ระดับที่ 3	2	สามารถรับรู้ได้โดยง่าย
ระดับที่ 4	2.5	มีความรู้สึกรำคาญ
ระดับที่ 5	5	รู้สึกไม่สบายและถูกรบกวน
ระดับที่ 6	10-15	รู้สึกเจ็บปวด

ที่มา : Reiher and Meister

หมายเหตุ : ค่าความเร็วอนุภาคของแต่ละระดับความสั่นสะเทือนเป็นค่าต่ำสุด (Minimum) ของระดับความสั่นสะเทือนนั้นๆ

: ระดับที่ 1 = มีค่าความเร็วอนุภาค อยู่ระหว่าง 0.00-0.15 มิลลิเมตร/วินาที

: ระดับที่ 2 = มีค่าความเร็วอนุภาค อยู่ระหว่าง 0.15-1.99 มิลลิเมตร/วินาที

: ระดับที่ 3 = มีค่าความเร็วอนุภาค อยู่ระหว่าง 2.00-2.49 มิลลิเมตร/วินาที

: ระดับที่ 4 = มีค่าความเร็วอนุภาค อยู่ระหว่าง 2.50-4.99 มิลลิเมตร/วินาที

: ระดับที่ 5 = มีค่าความเร็วอนุภาค อยู่ระหว่าง 5.00-9.99 มิลลิเมตร/วินาที

: ระดับที่ 6 = มีค่าความเร็วอนุภาค อยู่ระหว่าง 10.00-15.00 มิลลิเมตร/วินาที

Draft Report

ภาคผนวกที่ 1

ผลการวิเคราะห์คุณภาพสิ่งแวดล้อม

Draft Report

คุณภาพอากาศในบรรยากาศ ความเร็วและทิศทางลม

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

Ref. No. A579(1)-A579(5)/08/25
115/2/68

Report No. 2508/403

รายงานผลการวิเคราะห์คุณภาพอากาศในบรรยากาศ

โครงการ : เพิ่มปริมาณน้ำในอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา จังหวัดเชียงใหม่
ชื่อ/ที่อยู่ลูกค้า : กรมชลประทาน
811 ถนนสามเสน แขวงถนนนครไชยศรี เขตดุสิต กรุงเทพมหานคร
ผู้เก็บตัวอย่าง : นายวิษณุ อยู่สุข
บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

วันที่เก็บตัวอย่าง : 20-25 สิงหาคม 2568
วันที่รับตัวอย่าง : 25 สิงหาคม 2568
วันที่วิเคราะห์ : 25 สิงหาคม-3 กันยายน 2568
วันที่ออกรายงาน : 4 กันยายน 2568

พารามิเตอร์	วิธีเก็บตัวอย่าง	วิธีวิเคราะห์	สถานีที่ 1 อุโมงค์เข้าออกหมายเลข 6 (Adit6)					ค่ามาตรฐาน
			เดือนสิงหาคม 2568					
			20-21	21-22	22-23	23-24	24-25	
Total Suspended Particulate (mg/m^3)	High Volume Air Sampler	Gravimetric Method (U.S. EPA 40 CFR Part 50 Appendix B)	0.051	0.043	0.040	0.039	0.037	ไม่เกิน 0.33
PM_{10} (mg/m^3)	High Volume PM_{10} Air Sampler	Gravimetric Method (U.S. EPA 40 CFR Part 50 Appendix J)	0.021	0.020	0.018	0.019	0.016	ไม่เกิน 0.12

หมายเหตุ:

ค่ามาตรฐาน = ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 24 (พ.ศ. 2547) เรื่อง กำหนดมาตรฐานคุณภาพอากาศในบรรยากาศโดยทั่วไป

ผลการตรวจวิเคราะห์นี้รับรองเฉพาะตัวอย่างที่ได้ทำการวิเคราะห์เท่านั้น
ห้ามคัดถ่ายรายงานผลการตรวจวิเคราะห์เพียงบางส่วนโดยไม่ได้รับอนุญาตจากบริษัทเป็นลายลักษณ์อักษร

ขวัญนภา

(นางสาวขวัญนภา ทองนพ)
ผู้ควบคุมห้องวิเคราะห์
04 / 09 / 68

- - - - - - - - End of Report - - - - - - - -

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

Ref. No. A580(1)-A580(5)/08/25
115/2/68

Report No. 2508/403

รายงานผลการวิเคราะห์คุณภาพอากาศในบรรยากาศ

โครงการ : เพิ่มปริมาณน้ำในอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา จังหวัดเชียงใหม่
ชื่อ/ที่อยู่ลูกค้า : กรมชลประทาน
811 ถนนสามเสน แขวงถนนนครไชยศรี เขตดุสิต กรุงเทพมหานคร
ผู้เก็บตัวอย่าง : นายวิษณุ อยู่สุข
บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

วันที่เก็บตัวอย่าง : 20-25 สิงหาคม 2568
วันที่รับตัวอย่าง : 25 สิงหาคม 2568
วันที่วิเคราะห์ : 25 สิงหาคม-3 กันยายน 2568
วันที่ออกรายงาน : 4 กันยายน 2568

พารามิเตอร์	วิธีเก็บตัวอย่าง	วิธีวิเคราะห์	สถานีที่ 2 อาคารรับน้ำ จากเขื่อนแม่งัดสมบูรณ์ชล ไปยังอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา เดือนสิงหาคม 2568					ค่ามาตรฐาน
			20-21	21-22	22-23	23-24	24-25	
Total Suspended Particulate (mg/m^3)	High Volume Air Sampler	Gravimetric Method (U.S. EPA 40 CFR Part 50 Appendix B)	0.035	0.040	0.033	0.030	0.037	ไม่เกิน 0.33
PM_{10} (mg/m^3)	High Volume PM_{10} Air Sampler	Gravimetric Method (U.S. EPA 40 CFR Part 50 Appendix J)	0.015	0.017	0.014	0.012	0.016	ไม่เกิน 0.12

หมายเหตุ:

ค่ามาตรฐาน = ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 24 (พ.ศ. 2547) เรื่อง กำหนดมาตรฐานคุณภาพอากาศในบรรยากาศโดยทั่วไป

ผลการตรวจวิเคราะห์นี้รับรองเฉพาะตัวอย่างที่ได้ทำการวิเคราะห์เท่านั้น
ห้ามคัดถ่ายรายงานผลการตรวจวิเคราะห์เพียงบางส่วนโดยไม่ได้รับอนุญาตจากบริษัทเป็นลายลักษณ์อักษร

ขวัญนภา

(นางสาวขวัญนภา ทองนพ)
ผู้ควบคุมห้องวิเคราะห์
04 / 09 / 68

- - - - - - - - End of Report - - - - - - - -

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com, www.spscon.com

BY224/08/68
115/2/68

รายงานผลการตรวจวัดความเร็ว และทิศทางลม

โครงการ : เพิ่มปริมาณน้ำในอ่างเก็บน้ำเขื่อนแม่กวงอุดมธาราเชียงใหม่
ชื่อ/ที่อยู่ลูกค้า : กรมชลประทาน
811 ถนนสามเสน แขวงถนนนครไชยศรี เขตดุสิต กรุงเทพมหานคร
ผู้ตรวจวัด : บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

วันที่ตรวจวัด : 20-25 สิงหาคม 2568
วันที่ออกรายงาน : 28 สิงหาคม 2568

Wind Speed / Wind Direction	สถานีที่ 1 อุโมงค์เข้าออกหมายเลข 6 (Adit 6)				
	Percent of Wind Speed (%)				
	Light Air	Light Breeze	Gentle Breeze	Moderate Breeze	Fresh Breeze
	0.3-1.6 m/s (1-5 km/hr)	1.7-3.3 m/s (6-11 km/hr)	3.4-5.5 m/s (12-19 km/hr)	5.6-8.0 m/s (20-28 km/hr)	8.1-10.8 m/s (29-38 km/hr)
N (349°-11°)	10.833	-	-	-	-
NNE (11°-34°)	2.500	-	-	-	-
NE (34°-56°)	9.167	-	-	-	-
ENE (56°-79°)	10.000	-	-	-	-
E (79°-102°)	10.833	-	-	-	-
ESE (102°-124°)	3.333	-	-	-	-
SE (124°-146°)	8.333	-	-	-	-
SSE (146°-169°)	1.667	-	-	-	-
S (169°-191°)	0.833	-	-	-	-
SSW (191°-214°)	0.833	-	-	-	-
SW (214°-236°)	3.333	-	-	-	-
WSW (236°-259°)	5.000	-	-	-	-
W (259°-281°)	15.833	-	-	-	-
WNW (281°-304°)	6.667	-	-	-	-
NW (304°-326°)	4.168	-	-	-	-
NNW (326°-349°)	6.667	-	-	-	-
Total	100.000	0.000	0.000	0.000	0.000
Calm <0.3 m/s (<1 km/hr)	0.000				

ผลการตรวจวัดนี้รับรองเฉพาะช่วงเวลาที่ได้ทำการตรวจวัดเท่านั้น
ห้ามคัดถ่ายรายงานผลตรวจวัดเพียงบางส่วนโดยไม่ได้รับอนุญาตจากบริษัทเป็นลายลักษณ์อักษร

Thanyaphat L.
(นางสาวธันย์พัฒน์ หลานเศษฐา)
ผู้รับรองรายงานผลการวิเคราะห์
28 / 08 / 68

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com, www.spscon.com

BY224/08/68

115/2/68

รายงานผลการตรวจวัดความเร็ว และทิศทางลม

โครงการ : เพิ่มปริมาณน้ำในอ่างเก็บน้ำเขื่อนแม่กวงอุดมธาราเชียงใหม่
ชื่อ/ที่อยู่ลูกค้า : กรมชลประทาน
811 ถนนสามเสน แขวงถนนนครไชยศรี เขตดุสิต กรุงเทพมหานคร
ผู้ตรวจวัด : บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

วันที่ตรวจวัด : 20-25 สิงหาคม 2568
วันที่ออกรายงาน : 28 สิงหาคม 2568

เวลา	สถานีที่ 1 อุโมงค์เข้าออกหมายเลข 6 (Adit 6) เดือนสิงหาคม 2568														
	20-21			21-22			22-23			23-24			24-25		
	WS		WD	WS		WD	WS		WD	WS		WD	WS		WD
	m/s	km/hr		m/s	km/hr		m/s	km/hr		m/s	km/hr		m/s	km/hr	
11:00-12:00	0.4	1.6	WNW	0.9	3.2	WSW	0.9	3.2	WNW	0.9	3.2	NW	0.4	1.6	W
12:00-13:00	0.4	1.6	N	0.4	1.6	W	0.9	3.2	SE	0.4	1.6	NW	0.4	1.6	W
13:00-14:00	0.9	3.2	SW	0.4	1.6	SW	0.4	1.6	W	0.4	1.6	NW	0.9	3.2	WSW
14:00-15:00	0.4	1.6	WSW	0.9	3.2	S	0.4	1.6	W	0.9	3.2	W	0.4	1.6	WSW
15:00-16:00	0.4	1.6	SSW	0.4	1.6	W	0.9	3.2	ENE	0.9	3.2	W	0.9	3.2	ENE
16:00-17:00	0.4	1.6	ENE	0.9	3.2	E	0.9	3.2	ENE	0.4	1.6	SSE	0.9	3.2	SE
17:00-18:00	0.4	1.6	NE	0.4	1.6	NE	0.4	1.6	ENE	0.4	1.6	W	1.3	4.8	SSE
18:00-19:00	0.9	3.2	WSW	0.4	1.6	N	0.4	1.6	WNW	0.4	1.6	W	1.3	4.8	E
19:00-20:00	0.9	3.2	WSW	0.4	1.6	N	0.4	1.6	NNW	0.4	1.6	WNW	1.3	4.8	NNE
20:00-21:00	0.9	3.2	W	0.9	3.2	N	0.4	1.6	NE	0.9	3.2	WNW	0.9	3.2	ENE
21:00-22:00	0.4	1.6	W	0.9	3.2	NNE	0.9	3.2	NE	0.9	3.2	WNW	0.9	3.2	NE
22:00-23:00	0.4	1.6	N	0.9	3.2	NNE	0.9	3.2	E	0.9	3.2	SE	0.9	3.2	NE
23:00-00:00	0.9	3.2	N	1.3	4.8	SE	0.9	3.2	ESE	0.4	1.6	SE	1.3	4.8	NW
00:00-01:00	0.9	3.2	NE	1.3	4.8	NNW	1.3	4.8	NNW	0.4	1.6	W	1.3	4.8	NW
01:00-02:00	1.3	4.8	NE	0.4	1.6	ENE	1.3	4.8	NNW	0.4	1.6	SW	1.3	4.8	W
02:00-03:00	1.3	4.8	NE	0.9	3.2	E	1.3	4.8	ENE	0.9	3.2	SW	0.9	3.2	W
03:00-04:00	0.9	3.2	ENE	0.9	3.2	E	0.9	3.2	SE	0.9	3.2	W	0.9	3.2	E
04:00-05:00	0.4	1.6	SE	0.9	3.2	ESE	0.4	1.6	SE	1.3	4.8	W	0.9	3.2	E
05:00-06:00	0.4	1.6	SE	1.3	4.8	ESE	0.9	3.2	E	1.3	4.8	WNW	0.4	1.6	NNW
06:00-07:00	0.9	3.2	NE	0.9	3.2	E	0.4	1.6	E	0.9	3.2	WNW	0.4	1.6	NNW
07:00-08:00	1.3	4.8	ENE	0.4	1.6	E	0.4	1.6	E	0.4	1.6	NNW	0.4	1.6	N
08:00-09:00	1.3	4.8	NE	0.4	1.6	ENE	0.4	1.6	ESE	0.9	3.2	NNW	0.9	3.2	N
09:00-10:00	0.9	3.2	SE	0.4	1.6	ENE	0.4	1.6	N	0.4	1.6	N	0.9	3.2	W
10:00-11:00	0.4	1.6	E	0.9	3.2	N	0.9	3.2	N	0.4	1.6	N	0.4	1.6	W
อุณหภูมิเฉลี่ย (^{o}C)	26.0			26.1			27.6			26.1			28.3		
ความดันบรรยากาศเฉลี่ย (mmHg)	723.29			723.04			722.87			722.89			721.92		
สภาพท้องฟ้า	ฟ้าโปร่ง			ฟ้าโปร่ง			ฟ้าโปร่ง			ฟ้าโปร่ง			ฟ้าโปร่ง		

ผลการตรวจวัดนี้รับรองเฉพาะช่วงเวลาที่ได้ทำการตรวจวัดเท่านั้น
ห้ามคัดถ่ายรายงานผลตรวจวัดเพียงบางส่วนโดยไม่ได้รับอนุญาตจากบริษัทเป็นลายลักษณ์อักษร

Thanyaphat L.
(นางสาวธันยพัฒน์ หลานเศษฐา)
ผู้รับรองรายงานผลการวิเคราะห์
28 / 08 / 68

Draft Report


บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com,. www.spscon.com

BY224/08/68
115/2/68

รายงานผลการตรวจวัดความเร็ว และทิศทางลม

โครงการ	:	เพิ่มปริมาณน้ำในอ่างเก็บน้ำเขื่อนแม่กวงอุดมธาราเชียงใหม่	วันที่ตรวจวัด	:	20-25 สิงหาคม 2568
ชื่อ/ที่อยู่ลูกค้า	:	กรมชลประทาน 811 ถนนสามเสน แขวงถนนนครไชยศรี เขตดุสิต กรุงเทพมหานคร	วันที่ออกรายงาน	:	28 สิงหาคม 2568
ผู้ตรวจวัด	:	บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด			

สถานีที่ 1 อุโมงค์เข้าออกหมายเลข 6 (Adit 6)



WIND SPEED
(m/s)

- >10.8
- 8.1 - 10.8
- 5.6 - 8.0
- 3.4 - 5.5
- 1.7 - 3.3
- 0.3 - 1.6

Calms: 0.000%

ผลการตรวจวัดนี้รับรองเฉพาะช่วงเวลาที่ได้ทำการตรวจวัดเท่านั้น
ห้ามคัดถ่ายรายงานผลตรวจวัดเพียงบางส่วนโดยไม่ได้รับอนุญาตจากบริษัทเป็นลายลักษณ์อักษร

Thayphat L.
(นางสาวธัชยพัฒน์ หลานเศษฐา)
ผู้รับรองรายงานผลการวิเคราะห์
28 / 08 / 68

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY224/08/68
115/2/68

รายงานผลการตรวจวัดความเร็ว และทิศทางลม

โครงการ : เพิ่มปริมาณน้ำในอ่างเก็บน้ำเขื่อนแม่กวงอุดมธาราเชียงใหม่
ชื่อ/ที่อยู่ลูกค้า : กรมชลประทาน
811 ถนนสามเสน แขวงถนนนครไชยศรี เขตดุสิต กรุงเทพมหานคร
ผู้ตรวจวัด : บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

วันที่ตรวจวัด : 20-25 สิงหาคม 2568
วันที่ออกรายงาน : 28 สิงหาคม 2568

Wind Speed / Wind Direction	สถานีที่ 2 บริเวณอาคารรับน้ำ จากเขื่อนแม่งัดสมบูรณ์ชล ไปยังอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา				
	Percent of Wind Speed (%)				
	Light Air	Light Breeze	Gentle Breeze	Moderate Breeze	Fresh Breeze
	0.3-1.6 m/s (1-5 km/hr)	1.7-3.3 m/s (6-11 km/hr)	3.4-5.5 m/s (12-19 km/hr)	5.6-8.0 m/s (20-28 km/hr)	8.1-10.8 m/s (29-38 km/hr)
N (349°-11°)	8.333	-	-	-	-
NNE (11°-34°)	3.333	-	-	-	-
NE (34°-56°)	1.667	-	-	-	-
ENE (56°-79°)	3.333	-	-	-	-
E (79°-102°)	3.333	-	-	-	-
ESE (102°-124°)	8.333	-	-	-	-
SE (124°-146°)	10.000	-	-	-	-
SSE (146°-169°)	1.668	-	-	-	-
S (169°-191°)	14.167	-	-	-	-
SSW (191°-214°)	5.833	-	-	-	-
SW (214°-236°)	14.167	-	-	-	-
WSW (236°-259°)	8.333	-	-	-	-
W (259°-281°)	8.333	-	-	-	-
WNW (281°-304°)	0.833	-	-	-	-
NW (304°-326°)	1.667	-	-	-	-
NNW (326°-349°)	6.667	-	-	-	-
Total	100.000	0.000	0.000	0.000	0.000
Calm <0.3 m/s (<1 km/hr)	0.000				

ผลการตรวจวัดนี้รับรองเฉพาะช่วงเวลาที่ได้ทำการตรวจวัดเท่านั้น
ห้ามคัดถ่ายรายงานผลตรวจวัดเพียงบางส่วนโดยไม่ได้รับอนุญาตจากบริษัทเป็นลายลักษณ์อักษร

Thanyaphat L.
(นางสาวธันยพัฒน์ หลานเศษฐา)
ผู้รับรองรายงานผลการวิเคราะห์
28 / 08 / 68

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY224/08/68

115/2/68

รายงานผลการตรวจวัดความเร็ว และทิศทางลม

โครงการ : เพิ่มปริมาณน้ำในอ่างเก็บน้ำเขื่อนแม่กวงอุดมธาราเชียงใหม่

ชื่อ/ที่อยู่ลูกค้า : กรมชลประทาน
811 ถนนสามเสน แขวงถนนนครไชยศรี เขตดุสิต กรุงเทพมหานคร

ผู้ตรวจวัด : บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

วันที่ตรวจวัด : 20-25 สิงหาคม 2568

วันที่ออกรายงาน : 28 สิงหาคม 2568

เวลา	สถานีที่ 2 บริเวณอาคารรับน้ำ จากเขื่อนแม่งัดสมบูรณ์ชล ไปยังอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา														
	เดือนสิงหาคม 2568														
	20-21			21-22			22-23			23-24			24-25		
	WS		WD	WS		WD	WS		WD	WS		WD	WS		WD
	m/s	km/hr		m/s	km/hr		m/s	km/hr		m/s	km/hr		m/s	km/hr	
12:00-13:00	0.9	3.2	ESE	1.3	4.8	S	1.3	4.8	WSW	0.4	1.6	WSW	0.4	1.6	NNE
13:00-14:00	0.9	3.2	NW	1.3	4.8	W	0.9	3.2	WSW	0.4	1.6	S	0.4	1.6	ENE
14:00-15:00	0.4	1.6	WNW	1.3	4.8	W	0.4	1.6	SW	0.9	3.2	SW	0.4	1.6	SW
15:00-16:00	0.4	1.6	ESE	1.3	4.8	W	0.4	1.6	SW	1.3	4.8	ESE	1.3	4.8	W
16:00-17:00	0.9	3.2	SE	0.4	1.6	SW	0.9	3.2	W	1.3	4.8	ESE	0.9	3.2	NW
17:00-18:00	0.9	3.2	WSW	0.4	1.6	SSW	0.9	3.2	NNW	0.4	1.6	ENE	0.9	3.2	ENE
18:00-19:00	0.9	3.2	S	0.4	1.6	SSW	1.3	4.8	NNW	0.4	1.6	ESE	0.4	1.6	SSE
19:00-20:00	1.3	4.8	S	0.4	1.6	W	0.9	3.2	N	0.4	1.6	ESE	0.4	1.6	NE
20:00-21:00	1.3	4.8	S	0.4	1.6	SW	0.4	1.6	N	0.4	1.6	S	0.9	3.2	ESE
21:00-22:00	1.3	4.8	S	0.4	1.6	SW	0.9	3.2	SSW	0.9	3.2	S	0.9	3.2	E
22:00-23:00	0.9	3.2	SE	0.9	3.2	SE	0.4	1.6	SSW	0.9	3.2	SSE	0.9	3.2	ESE
23:00-00:00	0.9	3.2	SE	0.9	3.2	SE	0.9	3.2	S	0.9	3.2	S	1.3	4.8	SE
00:00-01:00	0.9	3.2	SE	1.3	4.8	N	0.9	3.2	SW	1.3	4.8	S	0.9	3.2	SE
01:00-02:00	0.4	1.6	SE	0.4	1.6	N	0.9	3.2	SW	1.3	4.8	S	1.3	4.8	N
02:00-03:00	0.4	1.6	S	0.9	3.2	N	0.9	3.2	SE	1.3	4.8	SSW	0.9	3.2	N
03:00-04:00	0.4	1.6	WSW	0.9	3.2	ENE	0.4	1.6	SE	0.9	3.2	SSW	1.3	4.8	NNW
04:00-05:00	0.9	3.2	W	1.3	4.8	E	0.4	1.6	S	0.9	3.2	SW	0.9	3.2	NNW
05:00-06:00	0.9	3.2	WSW	0.9	3.2	E	0.4	1.6	S	0.9	3.2	SW	0.9	3.2	NE
06:00-07:00	0.9	3.2	WSW	0.4	1.6	ESE	0.4	1.6	S	0.4	1.6	N	1.3	4.8	ESE
07:00-08:00	1.3	4.8	SW	0.9	3.2	E	0.9	3.2	SW	0.4	1.6	N	0.9	3.2	SE
08:00-09:00	1.3	4.8	SW	0.9	3.2	NNW	0.9	3.2	SW	0.4	1.6	NNW	0.4	1.6	NNE
09:00-10:00	0.9	3.2	SW	0.9	3.2	NNW	0.9	3.2	SSW	0.9	3.2	NNW	0.4	1.6	NNE
10:00-11:00	0.9	3.2	SW	0.4	1.6	NNE	0.4	1.6	S	0.9	3.2	W	0.4	1.6	WSW
11:00-12:00	0.9	3.2	WSW	0.9	3.2	W	0.4	1.6	WSW	0.9	3.2	W	0.4	1.6	N
อุณหภูมิ เฉลี่ย (^{o}C)	25.0			26.7			26.0			25.1			27.5		
ความดันบรรยากาศ เฉลี่ย (mmHg)	724.81			723.92			724.40			724.43			723.39		
สภาพท้องฟ้า	ฟ้าโปร่ง			ฟ้าโปร่ง			ฟ้าโปร่ง			ฟ้าโปร่ง			ฟ้าโปร่ง		

ผลการตรวจวัดนี้รับรองเฉพาะช่วงเวลาที่ได้ทำการตรวจวัดเท่านั้น

ห้ามคัดถ่ายรายงานผลตรวจวัดเพียงบางส่วนโดยไม่ได้รับอนุญาตจากบริษัทเป็นลายลักษณ์อักษร

Thanyaphat L.

(นางสาวธันยพัฒน์ หลานเศษฐา)

ผู้รับรองรายงานผลการวิเคราะห์

28 / 08 / 68

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72. Fax : (662) 513-4221. E-mail : sale@spscon.com., www.spscon.com


BY224/08/68

115/2/68

รายงานผลการตรวจวัดความเร็ว และทิศทางลม

โครงการ	:	เพิ่มปริมาณน้ำในอ่างเก็บน้ำเขื่อนแม่กวงอุดมธาราเชียงใหม่	วันที่ตรวจวัด	:	20-25 สิงหาคม 2568
ชื่อ/ที่อยู่ลูกค้า	:	กรมชลประทาน 811 ถนนสามเสน แขวงถนนนครไชยศรี เขตดุสิต กรุงเทพมหานคร	วันที่ออกรายงาน	:	28 สิงหาคม 2568
ผู้ตรวจวัด	:	บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด			

สถานีที่ 2 บริเวณอาคารรับน้ำ จากเขื่อนแม่งัดสมบูรณ์ชล ไปยังอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา



ผลการตรวจวัดนี้รับรองเฉพาะช่วงเวลาที่ได้ทำการตรวจวัดเท่านั้น

ห้ามคัดถ่ายรายงานผลตรวจวัดเพียงบางส่วนโดยไม่ได้รับอนุญาตจากบริษัทเป็นลายลักษณ์อักษร

Thyaphat L.

(นางสาวธันย์พัฒน์ หลานเศษฐา)

ผู้รับรองรายงานผลการวิเคราะห์

28 / 08 / 68

Draft Report

ระดับเสียงในบรรยากาศ

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY224/08/68
115/2/68

รายงานผลการตรวจวัดระดับเสียง

โครงการ : เพิ่มปริมาณน้ำในอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา จังหวัดเชียงใหม่
ชื่อ/ที่อยู่ลูกค้า : กรมชลประทาน
811 ถนนสามเสน แขวงถนนนครไชยศรี เขตดุสิต กรุงเทพมหานคร
ผู้ตรวจวัด : บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

วันที่ตรวจวัด : 20-25 สิงหาคม 2568
วันที่ออกรายงาน : 28 สิงหาคม 2568

เวลา	สถานีที่ 1 อุโมงค์เข้าออกหมายเลข 6 (Adit 6)					ค่ามาตรฐาน
	เดือนสิงหาคม 2568					
	20-21	21-22	22-23	23-24	24-25	
	L_{eq} 1 hr [dB(A)]	L_{eq} 1 hr [dB(A)]	L_{eq} 1 hr [dB(A)]	L_{eq} 1 hr [dB(A)]	L_{eq} 1 hr [dB(A)]	
11:00-12:00	69.3	68.4	70.3	70.6	69.4	-
12:00-13:00	73.2	67.4	70.0	70.4	70.5	-
13:00-14:00	73.8	68.3	71.0	72.3	70.3	-
14:00-15:00	68.9	68.5	71.1	70.6	70.1	-
15:00-16:00	68.8	68.5	69.6	71.1	70.4	-
16:00-17:00	69.1	68.8	70.8	70.5	70.9	-
17:00-18:00	68.1	68.3	70.5	70.5	70.4	-
18:00-19:00	67.8	69.2	69.5	70.3	69.9	-
19:00-20:00	68.2	68.9	68.8	69.5	70.3	-
20:00-21:00	67.8	69.7	68.5	69.6	70.1	-
21:00-22:00	67.5	69.6	68.2	68.9	68.0	-
22:00-23:00	67.8	69.4	67.2	68.5	67.6	-
23:00-00:00	68.1	69.3	66.3	68.0	66.7	-
00:00-01:00	67.9	69.0	66.7	67.8	66.2	-
01:00-02:00	67.5	68.8	66.9	67.4	65.9	-
02:00-03:00	67.9	68.4	66.8	66.9	65.4	-
03:00-04:00	68.2	67.7	66.6	66.6	64.2	-
04:00-05:00	68.1	67.3	66.2	65.7	64.8	-
05:00-06:00	68.5	66.6	66.1	65.5	66.0	-
06:00-07:00	68.0	66.3	66.5	66.3	67.8	-
07:00-08:00	67.1	66.8	66.0	67.7	69.9	-
08:00-09:00	66.6	67.4	67.0	68.5	70.6	-
09:00-10:00	66.9	68.0	66.7	69.1	69.7	-
10:00-11:00	70.9	69.6	65.8	69.6	69.3	-
L_{eq} 24 hr [dB(A)]	69.0	68.4	68.4	69.2	69.0	ไม่เกิน 70.0
L_{max} [dB(A)]	99.6	90.8	95.8	91.2	95.4	ไม่เกิน 115.0
L_{dn} [dB(A)]	74.7	74.7	73.5	74.1	73.4	-

-	Sound Level Meter Data				-
	Calibrate Sheet No.: Noise B_392/25		18 August 2025		
	SLM No.	Brand	Model	Serial No.	
	ACO-R54	ACO	6236	00222307	
	Actual Reading [dB]				
	Before Adjustment		After Adjustment		
	93.9		93.9		

หมายเหตุ:
ค่ามาตรฐาน = ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่อง กำหนดมาตรฐานระดับเสียงโดยทั่วไป
วิธีการตรวจวัด = เครื่องมือตรวจวัดระดับเสียง
เครื่องวัดเสียงทำการสอบเทียบโดยใช้ Acoustic Calibrator, ACO, Model 2127, S/N. 130006

ผลการตรวจวัดนี้รับรองเฉพาะช่วงเวลาที่ได้ทำการตรวจวัดเท่านั้น
ห้ามคัดถ่ายรายงานผลตรวจวัดเพียงบางส่วนโดยไม่ได้รับอนุญาตจากบริษัทเป็นลายลักษณ์อักษร

(นางสาวชนัยพัฒน์ หลานเศษฐา)
ผู้จัดทำรายงานผลการวิเคราะห์
28 / 08 / 68

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY224/08/68
115/2/68

รายงานผลการตรวจวัดระดับเสียง

โครงการ : เพิ่มปริมาณน้ำในอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา จังหวัดเชียงใหม่
ชื่อ/ที่อยู่ลูกค้า : กรมชลประทาน
811 ถนนสามเสน แขวงถนนนครไชยศรี เขตดุสิต กรุงเทพมหานคร
ผู้ตรวจวัด : บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

วันที่ตรวจวัด : 20-25 สิงหาคม 2568
วันที่ออกรายงาน : 28 สิงหาคม 2568

เวลา	สถานีที่ 2 บริเวณอาคารรับน้ำ จากเขื่อนแม่งัดสมบูรณ์ชล ไปยังอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา					ค่ามาตรฐาน
	เดือนสิงหาคม 2568					
	20-21	21-22	22-23	23-24	24-25	
	L_{eq} 1 hr [dB(A)]	L_{eq} 1 hr [dB(A)]	L_{eq} 1 hr [dB(A)]	L_{eq} 1 hr [dB(A)]	L_{eq} 1 hr [dB(A)]	
14:00-15:00	53.4	53.4	50.8	51.3	50.7	-
15:00-16:00	52.8	52.6	50.3	50.8	47.6	-
16:00-17:00	52.5	51.9	51.4	51.9	48.7	-
17:00-18:00	53.0	54.1	51.4	51.9	49.8	-
18:00-19:00	52.4	52.9	50.8	51.3	50.5	-
19:00-20:00	51.1	52.5	51.5	52.0	48.0	-
20:00-21:00	51.6	51.7	52.0	51.8	47.7	-
21:00-22:00	51.2	50.8	51.0	51.5	51.3	-
22:00-23:00	47.0	51.6	51.9	52.4	50.4	-
23:00-00:00	47.6	50.2	51.7	52.5	49.7	-
00:00-01:00	49.9	48.1	53.0	54.6	49.5	-
01:00-02:00	49.7	49.3	52.3	57.9	50.4	-
02:00-03:00	49.0	48.8	53.6	59.2	49.9	-
03:00-04:00	49.7	49.2	51.7	57.3	50.2	-
04:00-05:00	50.0	51.4	50.4	53.7	49.5	-
05:00-06:00	50.5	49.1	49.7	52.7	50.0	-
06:00-07:00	49.3	47.7	47.8	53.3	51.4	-
07:00-08:00	46.4	49.7	49.5	55.0	50.6	-
08:00-09:00	48.5	47.4	48.3	54.0	49.8	-
09:00-10:00	49.6	47.1	47.2	52.7	48.0	-
10:00-11:00	50.5	47.2	49.6	54.3	48.7	-
11:00-12:00	51.3	49.5	50.7	54.3	49.9	-
12:00-13:00	52.8	50.7	54.0	55.0	50.6	-
13:00-14:00	53.9	52.0	53.4	54.6	51.1	-
L_{eq} 24 hr [dB(A)]	51.0	50.8	51.3	54.2	49.9	ไม่เกิน 70.0
L_{max} [dB(A)]	82.0	87.6	95.4	88.2	92.8	ไม่เกิน 115.0
L_{dn} [dB(A)]	56.2	56.4	58.0	61.7	56.5	-

-	Sound Level Meter Data				-
	Calibrate Sheet No.: Noise B_392/25		18 August 2025		
	SLM No.	Brand	Model	Serial No.	
	ACO-R55	ACO	6236	00222309	
	Actual Reading [dB]				
	Before Adjustment		After Adjustment		
	93.8		93.9		

หมายเหตุ:
ค่ามาตรฐาน = ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่อง กำหนดมาตรฐานระดับเสียงโดยทั่วไป
วิธีการตรวจวัด = เครื่องมือตรวจวัดระดับเสียง
เครื่องวัดเสียงทำการสอบเทียบโดยใช้ Acoustic Calibrator, ACO, Model 2127, S/N. 130006

ผลการตรวจวัดนี้รับรองเฉพาะช่วงเวลาที่ได้ทำการตรวจวัดเท่านั้น
ห้ามคัดถ่ายรายงานผลตรวจวัดเพียงบางส่วนโดยไม่ได้รับอนุญาตจากบริษัทเป็นลายลักษณ์อักษร

Thyphat L.
(นางสาวธัยพัฒน์ หลานเศษฐา)
ผู้จัดทำรายงานผลการวิเคราะห์
28 / 08 / 68

Draft Report

ระดับความสั่นสะเทือน

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY224/08/68
115/2/68

รายงานผลการตรวจวัดระดับความสั่นสะเทือน

โครงการ : เพิ่มปริมาณน้ำในอ่างเก็บน้ำเขื่อนแม่กวงอุดมธาราเชียงใหม่
ชื่อ/ที่อยู่ลูกค้า : กรมชลประทาน
811 ถนนสามเสน แขวงถนนนครไชยศรี เขตดุสิต กรุงเทพมหานคร
ผู้ตรวจวัด : บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

วันที่ตรวจวัด : 20-25 สิงหาคม 2568
วันที่ออกรายงาน : 28 สิงหาคม 2568

สถานีที่ 2 อาคารรับน้ำ จากเขื่อนแม่จัดสมบูรณ์ชล ไปยังอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา								
Date	Time	Trigger	Transverse		Vertical		Longitudinal	
			PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)
20/08/68	14:00-15:00	-	<0.127	-	<0.127	-	<0.127	-
	16:00-17:00	-	<0.127	-	<0.127	-	<0.127	-
	18:00-19:00	-	<0.127	-	<0.127	-	<0.127	-
	19:00-20:00	-	<0.127	-	<0.127	-	<0.127	-
	20:00-21:00	-	<0.127	-	<0.127	-	<0.127	-
	21:00-22:00	-	<0.127	-	<0.127	-	<0.127	-
	22:00-23:00	-	<0.127	-	<0.127	-	<0.127	-
	23:00-00:00	-	<0.127	-	<0.127	-	<0.127	-
21/08/68	00:00-01:00	-	<0.127	-	<0.127	-	<0.127	-
	01:00-02:00	-	<0.127	-	<0.127	-	<0.127	-
	02:00-03:00	-	<0.127	-	<0.127	-	<0.127	-
	03:00-04:00	-	<0.127	-	<0.127	-	<0.127	-
	04:00-05:00	-	<0.127	-	<0.127	-	<0.127	-
	05:46	Vert	0.0394	>400.00	0.166	1.10	0.0394	>400.00
	06:00-07:00	-	<0.127	-	<0.127	-	<0.127	-
	07:00-08:00	-	<0.127	-	<0.127	-	<0.127	-
	08:00-09:00	-	<0.127	-	<0.127	-	<0.127	-
	09:00-10:00	-	<0.127	-	<0.127	-	<0.127	-
	10:56	Vert	0.181	73.00	0.292	62.00	0.197	171.00
	11:00	Vert	0.236	79.00	0.410	73.00	0.158	68.00

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : safe@spscon.com., www.spscon.com

BY224/08/68
115/2/68

รายงานผลการตรวจวัดระดับความสั่นสะเทือน

สถานีที่ 2 อาคารรับน้ำ จากเขื่อนแม่งัดสมบูรณ์ชล ไปยังอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา

Date	Time	Trigger	Transverse		Vertical		Longitudinal	
			PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)
21/08/68	11:00-12:00	-	<0.127	-	<0.127	-	<0.127	-
	12:00-13:00	-	<0.127	-	<0.127	-	<0.127	-
	13:29	Vert	0.0473	256.00	0.134	1.00	0.0473	228.00
	14:00-15:00	-	<0.127	-	<0.127	-	<0.127	-
	15:00-16:00	-	<0.127	-	<0.127	-	<0.127	-
	16:00-17:00	-	<0.127	-	<0.127	-	<0.127	-
	17:00-18:00	-	<0.127	-	<0.127	-	<0.127	-
	18:00-19:00	-	<0.127	-	<0.127	-	<0.127	-
	19:00-20:00	-	<0.127	-	<0.127	-	<0.127	-
	20:00-21:00	-	<0.127	-	<0.127	-	<0.127	-
	21:00-22:00	-	<0.127	-	<0.127	-	<0.127	-
	22:00-23:00	-	<0.127	-	<0.127	-	<0.127	-
	23:00-00:00	-	<0.127	-	<0.127	-	<0.127	-
22/08/68	00:00-01:00	-	<0.127	-	<0.127	-	<0.127	-
	01:58	Vert	0.229	98.00	0.355	93.00	0.118	128.00
	02:00	Vert	0.166	68.00	0.268	66.00	0.159	205.00
	03:00-04:00	-	<0.127	-	<0.127	-	<0.127	-
	04:00-05:00	-	<0.127	-	<0.127	-	<0.127	-
	05:00-06:00	-	<0.127	-	<0.127	-	<0.127	-
	06:00-07:00	-	<0.127	-	<0.127	-	<0.127	-
	07:00-08:00	-	<0.127	-	<0.127	-	<0.127	-
	08:21	Long	0.0867	171.00	0.0867	293.00	0.127	256.00
	09:00-10:00	-	<0.127	-	<0.127	-	<0.127	-
	10:00-11:00	-	<0.127	-	<0.127	-	<0.127	-
	11:21	Vert	0.0631	186.00	0.189	158.00	0.0631	>400.00

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY224/08/68

115/2/68

รายงานผลการตรวจวัดระดับความสั่นสะเทือน

สถานีที่ 2 อาคารรับน้ำ จากเขื่อนแม่งัดสมบูรณ์ชล ไปยังอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา

Date	Time	Trigger	Transverse		Vertical		Longitudinal	
			PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)
22/08/65	12:00-13:00	-	<0.127	-	<0.127	-	<0.127	-
	13:00-14:00	-	<0.127	-	<0.127	-	<0.127	-
	14:00-15:00	-	<0.127	-	<0.127	-	<0.127	-
	15:00-16:00	-	<0.127	-	<0.127	-	<0.127	-
	16:00-17:00	-	<0.127	-	<0.127	-	<0.127	-
	17:15	Vert	0.552	128.00	0.772	120.00	0.386	205.00
	18:00-19:00	-	<0.127	-	<0.127	-	<0.127	-
	19:00-20:00	-	<0.127	-	<0.127	-	<0.127	-
	20:00-21:00	-	<0.127	-	<0.127	-	<0.127	-
	21:00-22:00	-	<0.127	-	<0.127	-	<0.127	-
	22:00-23:00	-	<0.127	-	<0.127	-	<0.127	-
	23:20	Long	0.394	186.00	0.378	120.00	0.741	228.00
23/08/68	00:09	Long	0.102	256.00	0.118	293.00	0.150	293.00
	01:00-02:00	-	<0.127	-	<0.127	-	<0.127	-
	02:00-03:00	-	<0.127	-	<0.127	-	<0.127	-
	03:00-04:00	-	<0.127	-	<0.127	-	<0.127	-
	04:00-05:00	-	<0.127	-	<0.127	-	<0.127	-
	05:00-06:00	-	<0.127	-	<0.127	-	<0.127	-
	06:00-07:00	-	<0.127	-	<0.127	-	<0.127	-
	07:00-08:00	-	<0.127	-	<0.127	-	<0.127	-
	08:00-09:00	-	<0.127	-	<0.127	-	<0.127	-
	09:00-10:00	-	<0.127	-	<0.127	-	<0.127	-
	10:51	Vert	0.489	341.00	1.91	341.00	0.402	341.00
	11:18	Vert	0.0631	228.00	0.221	146.00	0.0473	293.00
	12:08	Vert	0.378	89.00	0.544	85.00	0.315	62.00

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY224/08/68

115/2/68

รายงานผลการตรวจวัดระดับความสั่นสะเทือน

สถานีที่ 2 อาคารรับน้ำ จากเขื่อนแม่งัดสมบูรณ์ชล ไปยังอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา

Date	Time	Trigger	Transverse		Vertical		Longitudinal	
			PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)
23/08/68	13:04	Tran	0.938	31.50	0.363	57.00	0.481	32.50
	14:46	Vert	2.48	102.00	*2.81*	89.00	0.757	79.00
	15:02	Long	1.21	128.00	1.02	158.00	1.50	205.00
	16:00-17:00	-	<0.127	-	<0.127	-	<0.127	-
	17:00-18:00	-	<0.127	-	<0.127	-	<0.127	-
	18:00-19:00	-	<0.127	-	<0.127	-	<0.127	-
	19:00-20:00	-	<0.127	-	<0.127	-	<0.127	-
	20:00-21:00	-	<0.127	-	<0.127	-	<0.127	-
	21:00-22:00	-	<0.127	-	<0.127	-	<0.127	-
	22:00-23:00	-	<0.127	-	<0.127	-	<0.127	-
	23:00-00:00	-	<0.127	-	<0.127	-	<0.127	-
24/08/68	00:00-01:00	-	<0.127	-	<0.127	-	<0.127	-
	01:00-02:00	-	<0.127	-	<0.127	-	<0.127	-
	02:00-03:00	-	<0.127	-	<0.127	-	<0.127	-
	03:00-04:00	-	<0.127	-	<0.127	-	<0.127	-
	04:16	Long	0.0552	228.00	0.0788	256.00	0.127	205.00
	05:00-06:00	-	<0.127	-	<0.127	-	<0.127	-
	06:00-07:00	-	<0.127	-	<0.127	-	<0.127	-
	07:32	Long	0.0788	21.30	0.0709	32.00	0.166	20.70
	08:20	Vert	0.0709	37.90	0.142	38.60	0.102	25.00
	09:00-10:00	-	<0.127	-	<0.127	-	<0.127	-
	10:00-11:00	-	<0.127	-	<0.127	-	<0.127	-
	11:07	Long	0.173	137.00	0.110	228.00	0.229	205.00
	12:00-13:00	-	<0.127	-	<0.127	-	<0.127	-
	13:00-14:00	-	<0.127	-	<0.127	-	<0.127	-

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY224/08/68

115/2/68

รายงานผลการตรวจวัดระดับความสั่นสะเทือน

สถานีที่ 2 อาคารรับน้ำ จากเขื่อนแม่งัดสมบูรณ์ชล ไปยังอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา

Date	Time	Trigger	Transverse		Vertical		Longitudinal	
			PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)
24/08/68	14:00-15:00	-	<0.127	-	<0.127	-	<0.127	-
	15:00-16:00	-	<0.127	-	<0.127	-	<0.127	-
	16:00-17:00	-	<0.127	-	<0.127	-	<0.127	-
	17:00-18:00	-	<0.127	-	<0.127	-	<0.127	-
	18:00-19:00	-	<0.127	-	<0.127	-	<0.127	-
	19:00-20:00	-	<0.127	-	<0.127	-	<0.127	-
	20:00-21:00	-	<0.127	-	<0.127	-	<0.127	-
	21:00-22:00	-	<0.127	-	<0.127	-	<0.127	-
	22:00-23:00	-	<0.127	-	<0.127	-	<0.127	-
	23:00-00:00	-	<0.127	-	<0.127	-	<0.127	-
25/08/68	00:00-01:00	-	<0.127	-	<0.127	-	<0.127	-
	01:00-02:00	-	<0.127	-	<0.127	-	<0.127	-
	02:00-03:00	-	<0.127	-	<0.127	-	<0.127	-
	03:00-04:00	-	<0.127	-	<0.127	-	<0.127	-
	04:00-05:00	-	<0.127	-	<0.127	-	<0.127	-
	05:00-06:00	-	<0.127	-	<0.127	-	<0.127	-
	06:00-07:00	-	<0.127	-	<0.127	-	<0.127	-
	07:00-08:00	-	<0.127	-	<0.127	-	<0.127	-
	08:00-09:00	-	<0.127	-	<0.127	-	<0.127	-
	09:00-10:00	-	<0.127	-	<0.127	-	<0.127	-
	10:00-11:00	-	<0.127	-	<0.127	-	<0.127	-
	11:00-12:00	-	<0.127	-	<0.127	-	<0.127	-
	12:00-13:00	-	<0.127	-	<0.127	-	<0.127	-
	13:00-14:00	-	<0.127	-	<0.127	-	<0.127	-

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY224/08/68

115/2/68

รายงานผลการตรวจวัดระดับความสั่นสะเทือน

หมายเหตุ:

N/A = Not Applicable

PPV = Peak Particle Velocity (mm/s)

Trigger Source, Geo : 0.127 mm/s (เริ่มทำการบันทึกค่าระดับความสั่นสะเทือนเมื่อความเร็วอนุภาค (Peak Particle Velocity, PPV) มีค่าตั้งแต่ 0.127 mm/s ขึ้นไป)

วิธีการตรวจวัด = เครื่องวัดระดับความสั่นสะเทือน

เริ่มทำการตรวจวัดตั้งแต่วันที่ 20 สิงหาคม 2568 เวลา 14:00 น. - วันที่ 25 สิงหาคม 2568 เวลา 14:00 น., เป็นเวลา 5 วันต่อเนื่อง

ผลการตรวจวัดนี้รับรองเฉพาะช่วงเวลาที่ได้ทำการตรวจวัดเท่านั้น

ห้ามคัดถ่ายรายงานผลตรวจวัดเพียงบางส่วนโดยไม่ได้รับอนุญาตจากบริษัทเป็นลายลักษณ์อักษร

Thanyaphat L.

(นางสาวธันยพัฒน์ หลานเศษฐา)

ผู้รับรองรายงานผลการวิเคราะห์

28 / 08 / 68

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY224/08/68
115/2/68

รายงานผลการตรวจวัดระดับความสั่นสะเทือน

โครงการ : เพิ่มปริมาณน้ำในอ่างเก็บน้ำเขื่อนแม่กวงอุดมธาราเชียงใหม่
ชื่อ/ที่อยู่ลูกค้า : กรมชลประทาน
811 ถนนสามเสน แขวงถนนนครไชยศรี เขตดุสิต กรุงเทพมหานคร
ผู้ตรวจวัด : บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

วันที่ตรวจวัด : 20-25 สิงหาคม 2568
วันที่ออกรายงาน : 28 สิงหาคม 2568

สถานีที่ 3 บริเวณที่ทำการอุทยานแห่งชาติน้ำตกบัวตอง-น้ำพุเจ็ดสี								
Date	Time	Trigger	Transverse		Vertical		Longitudinal	
			PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)
20/08/68	15:33	Long	0.150	98.00	0.0788	137.00	0.229	120.00
	16:44	Tran	0.221	120.00	0.142	114.00	0.150	85.00
	17:00-18:00	-	<0.127	-	<0.127	-	<0.127	-
	18:00-19:00	-	<0.127	-	<0.127	-	<0.127	-
	19:00-20:00	-	<0.127	-	<0.127	-	<0.127	-
	20:00-21:00	-	<0.127	-	<0.127	-	<0.127	-
	21:00-22:00	-	<0.127	-	<0.127	-	<0.127	-
	22:00-23:00	-	<0.127	-	<0.127	-	<0.127	-
	23:00-00:00	-	<0.127	-	<0.127	-	<0.127	-
21/08/68	00:00-01:00	-	<0.127	-	<0.127	-	<0.127	-
	01:00-02:00	-	<0.127	-	<0.127	-	<0.127	-
	02:00-03:00	-	<0.127	-	<0.127	-	<0.127	-
	03:00-04:00	-	<0.127	-	<0.127	-	<0.127	-
	04:00-05:00	-	<0.127	-	<0.127	-	<0.127	-
	05:00-06:00	-	<0.127	-	<0.127	-	<0.127	-
	06:00-07:00	-	<0.127	-	<0.127	-	<0.127	-
	07:00-08:00	-	<0.127	-	<0.127	-	<0.127	-
	08:00-09:00	-	<0.127	-	<0.127	-	<0.127	-
	09:00-10:00	-	<0.127	-	<0.127	-	<0.127	-
	10:17	Long	0.0709	68.00	0.0552	114.00	0.134	85.00

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY224/08/68

115/2/68

รายงานผลการตรวจวัดระดับความสั่นสะเทือน

สถานีที่ 3 บริเวณที่ทำการอุทยานแห่งชาติน้ำตกบัวตอง-น้ำพุเจ็ดสี								
Date	Time	Trigger	Transverse		Vertical		Longitudinal	
			PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)
21/08/68	11:41	Tran	0.244	146.00	0.166	186.00	0.173	128.00
	12:00-13:00	-	<0.127	-	<0.127	-	<0.127	-
	13:00-14:00	-	<0.127	-	<0.127	-	<0.127	-
	14:00-15:00	-	<0.127	-	<0.127	-	<0.127	-
	15:00-16:00	-	<0.127	-	<0.127	-	<0.127	-
	16:00-17:00	-	<0.127	-	<0.127	-	<0.127	-
	17:00-18:00	-	<0.127	-	<0.127	-	<0.127	-
	18:00-19:00	-	<0.127	-	<0.127	-	<0.127	-
	19:00-20:00	-	<0.127	-	<0.127	-	<0.127	-
	20:00-21:00	-	<0.127	-	<0.127	-	<0.127	-
	21:00-22:00	-	<0.127	-	<0.127	-	<0.127	-
	22:00-23:00	-	<0.127	-	<0.127	-	<0.127	-
	23:00-00:00	-	<0.127	-	<0.127	-	<0.127	-
22/08/68	00:00-01:00	-	<0.127	-	<0.127	-	<0.127	-
	01:00-02:00	-	<0.127	-	<0.127	-	<0.127	-
	02:00-03:00	-	<0.127	-	<0.127	-	<0.127	-
	03:00-04:00	-	<0.127	-	<0.127	-	<0.127	-
	04:00-05:00	-	<0.127	-	<0.127	-	<0.127	-
	05:00-06:00	-	<0.127	-	<0.127	-	<0.127	-
	06:00-07:00	-	<0.127	-	<0.127	-	<0.127	-
	07:00-08:00	-	<0.127	-	<0.127	-	<0.127	-
	08:00-09:00	-	<0.127	-	<0.127	-	<0.127	-
	09:00-10:00	-	<0.127	-	<0.127	-	<0.127	-
	10:00-11:00	-	<0.127	-	<0.127	-	<0.127	-
	11:00-12:00	-	<0.127	-	<0.127	-	<0.127	-

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY224/08/68

115/2/68

รายงานผลการตรวจวัดระดับความสั่นสะเทือน

สถานีที่ 3 บริเวณที่ทำการอุทยานแห่งชาติน้ำตกบัวตอง-น้ำพุเจ็ดสี

Date	Time	Trigger	Transverse		Vertical		Longitudinal	
			PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)
22/08/68	12:29	Tran	0.205	137.00	0.197	186.00	0.181	120.00
	13:21	Long	0.0552	128.00	0.0788	146.00	0.158	128.00
	14:11	Long	0.268	73.00	0.229	85.00	0.481	85.00
	15:00-16:00	-	<0.127	-	<0.127	-	<0.127	-
	16:47	Vert	0.102	66.00	0.127	64.00	0.0867	68.00
	17:02	Tran	0.426	98.00	0.323	79.00	0.268	114.00
	18:00-19:00	-	<0.127	-	<0.127	-	<0.127	-
	19:00-20:00	-	<0.127	-	<0.127	-	<0.127	-
	20:00-21:00	-	<0.127	-	<0.127	-	<0.127	-
	21:00-22:00	-	<0.127	-	<0.127	-	<0.127	-
	22:00-23:00	-	<0.127	-	<0.127	-	<0.127	-
	23:00-00:00	-	<0.127	-	<0.127	-	<0.127	-
23/08/68	00:00-01:00	-	<0.127	-	<0.127	-	<0.127	-
	01:00-02:00	-	<0.127	-	<0.127	-	<0.127	-
	02:00-03:00	-	<0.127	-	<0.127	-	<0.127	-
	03:00-04:00	-	<0.127	-	<0.127	-	<0.127	-
	04:00-05:00	-	<0.127	-	<0.127	-	<0.127	-
	05:00-06:00	-	<0.127	-	<0.127	-	<0.127	-
	06:00-07:00	-	<0.127	-	<0.127	-	<0.127	-
	07:00-08:00	-	<0.127	-	<0.127	-	<0.127	-
	08:58	Long	0.473	2.30	0.851	N/A	1.32	1.60
	09:01	Vert	0.0946	98.00	0.126	79.00	0.118	108.00
	10:19	Tran	0.481	108.00	0.142	108.00	0.378	102.00
	11:35	Long	0.347	98.00	0.394	98.00	0.434	120.00
	12:33	Long	1.88	128.00	1.22	171.00	*2.01*	108.00

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY224/08/68

115/2/68

รายงานผลการตรวจวัดระดับความสั่นสะเทือน

สถานีที่ 3 บริเวณที่ทำการอุทยานแห่งชาติน้ำตกบัวตอง-น้ำพุเจ็ดสี

Date	Time	Trigger	Transverse		Vertical		Longitudinal	
			PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)
23/08/68	13:11	Tran	0.221	120.00	0.166	128.00	0.126	108.00
	14:26	Long	0.150	98.00	0.118	73.00	0.197	102.00
	15:10	Long	0.741	93.00	0.686	114.00	0.930	120.00
	16:16	Tran	0.158	73.00	0.110	73.00	0.142	71.00
	17:00-18:00	-	<0.127	-	<0.127	-	<0.127	-
	18:00-19:00	-	<0.127	-	<0.127	-	<0.127	-
	19:00-20:00	-	<0.127	-	<0.127	-	<0.127	-
	20:00-21:00	-	<0.127	-	<0.127	-	<0.127	-
	21:00-22:00	-	<0.127	-	<0.127	-	<0.127	-
	22:00-23:00	-	<0.127	-	<0.127	-	<0.127	-
	23:00-00:00	-	<0.127	-	<0.127	-	<0.127	-
24/08/68	00:00-01:00	-	<0.127	-	<0.127	-	<0.127	-
	01:00-02:00	-	<0.127	-	<0.127	-	<0.127	-
	02:00-03:00	-	<0.127	-	<0.127	-	<0.127	-
	03:34	Long	0.0946	171.00	0.0788	158.00	0.189	171.00
	04:00-05:00	-	<0.127	-	<0.127	-	<0.127	-
	05:00-06:00	-	<0.127	-	<0.127	-	<0.127	-
	06:00-07:00	-	<0.127	-	<0.127	-	<0.127	-
	07:00-08:00	-	<0.127	-	<0.127	-	<0.127	-
	08:39	Tran	0.701	128.00	0.520	114.00	0.694	137.00
	09:00-10:00	-	<0.127	-	<0.127	-	<0.127	-
	10:00-11:00	-	<0.127	-	<0.127	-	<0.127	-
	11:45	Long	0.473	128.00	0.544	108.00	0.883	120.00
	12:16	Long	0.142	128.00	0.118	120.00	0.244	120.00
	13:43	Tran	0.339	137.00	0.323	93.00	0.323	102.00

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY224/08/68

115/2/68

รายงานผลการตรวจวัดระดับความสั่นสะเทือน

สถานีที่ 3 บริเวณที่ทำการอุทยานแห่งชาติน้ำตกบัวตอง-น้ำพุเจ็ดสี

Date	Time	Trigger	Transverse		Vertical		Longitudinal	
			PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)
24/08/68	14:25	Tran	1.05	93.00	0.749	68.00	0.772	89.00
	15:49	Long	0.110	137.00	0.0552	146.00	0.134	146.00
	16:18	Tran	0.323	137.00	0.244	205.00	0.197	114.00
	17:00-18:00	-	<0.127	-	<0.127	-	<0.127	-
	18:00-19:00	-	<0.127	-	<0.127	-	<0.127	-
	19:00-20:00	-	<0.127	-	<0.127	-	<0.127	-
	20:00-21:00	-	<0.127	-	<0.127	-	<0.127	-
	21:00-22:00	-	<0.127	-	<0.127	-	<0.127	-
	22:00-23:00	-	<0.127	-	<0.127	-	<0.127	-
	23:00-00:00	-	<0.127	-	<0.127	-	<0.127	-
25/08/68	00:00-01:00	-	<0.127	-	<0.127	-	<0.127	-
	01:00-02:00	-	<0.127	-	<0.127	-	<0.127	-
	02:00-03:00	-	<0.127	-	<0.127	-	<0.127	-
	03:00-04:00	-	<0.127	-	<0.127	-	<0.127	-
	04:00-05:00	-	<0.127	-	<0.127	-	<0.127	-
	05:00-06:00	-	<0.127	-	<0.127	-	<0.127	-
	06:00-07:00	-	<0.127	-	<0.127	-	<0.127	-
	07:00-08:00	-	<0.127	-	<0.127	-	<0.127	-
	08:23	Long	0.150	158.00	0.0946	256.00	0.221	171.00
	09:04	Long	0.560	137.00	0.552	98.00	1.43	128.00
	10:00-11:00	-	<0.127	-	<0.127	-	<0.127	-
	11:29	Long	0.173	76.00	0.260	76.00	0.457	82.00
	12:51	Long	0.300	120.00	0.292	158.00	0.426	146.00
	13:00-14:00	-	<0.127	-	<0.127	-	<0.127	-
	14:00-15:00	-	<0.127	-	<0.127	-	<0.127	-

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY224/08/68

115/2/68

รายงานผลการตรวจวัดระดับความสั่นสะเทือน

หมายเหตุ:

N/A = Not Applicable

PPV = Peak Particle Velocity (mm/s)

Trigger Source, Geo : 0.127 mm/s (เริ่มทำการบันทึกค่าระดับความสั่นสะเทือนเมื่อความเร็วอนุภาค (Peak Particle Velocity, PPV) มีค่าตั้งแต่ 0.127 mm/s ขึ้นไป)

วิธีการตรวจวัด = เครื่องวัดระดับความสั่นสะเทือน

เริ่มทำการตรวจวัดตั้งแต่วันที่ 20 สิงหาคม 2568 เวลา 15:00 น. - วันที่ 25 สิงหาคม 2568 เวลา 15:00 น., เป็นเวลา 5 วันต่อเนื่อง

ผลการตรวจวัดนี้รับรองเฉพาะช่วงเวลาที่ได้ทำการตรวจวัดเท่านั้น

ห้ามคัดถ่ายรายงานผลตรวจวัดเพียงบางส่วนโดยไม่ได้รับอนุญาตจากบริษัทเป็นลายลักษณ์อักษร

Thanyathat L.

(นางสาวธันยพัฒน์ หลานเศษฐา)

ผู้รับรองรายงานผลการวิเคราะห์

28 / 08 / 68

Draft Report

ภาคผนวกที่ 2

หนังสืออนุญาตขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

Draft Report

ที่ อก ๐๓๑๐(๑)/ ๑๔๓๒๑

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๑๑ ตุลาคม ๒๕๖๖

เรื่อง ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๒๒ มิถุนายน ๒๕๖๖

สิ่งที่ส่งมาด้วย ๑. รายชื่อผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๑ แผ่น
๒. รายชื่อเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๒ แผ่น
๓. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๔ แผ่น

ตามหนังสือที่อ้างถึง บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๑๑ สถานที่ตั้งเลขที่ ๗ ซอยพหลโยธิน ๒๔ ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๓๔ ราย ตามสิ่งที่ส่งมาด้วย ๑
ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๔๗ ราย ตามสิ่งที่ส่งมาด้วย ๒
ค. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำเสีย น้ำใต้ดิน อากาศเสีย สิ่งปฏิกูล หรือวัสดุที่ไม่ใช้แล้ว และดิน ตามสิ่งที่ส่งมาด้วย ๓

หนังสือฉบับนี้จะหมดอายุในวันที่ ๑๐ กรกฎาคม ๒๕๖๙ หากประสงค์จะต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอต่อกรมโรงงานอุตสาหกรรมภายใน ๓๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ทั้งนี้ สามารถยื่นคำขอผ่านระบบอิเล็กทรอนิกส์ได้ที่หน้าเว็บไซต์กรมโรงงานอุตสาหกรรม

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายประสม คำรงพงษ์)
ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน
ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด เลขทะเบียน ว-๐๑๑
ที่ อก ๐๓๑๐(๑)/ ๑๔๓๒๑ ลงวันที่ ๑๑ ตุลาคม ๒๕๖๖

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๓๔ ราย

๑) นายชลิต เขียวระยับ	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๐๒
๒) นางสาวโสภิดา ประสาทพร	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๐๓
๓) นางสาวพิมพ์นัดดา มะโรงศรี	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๐๔
๔) นางสาวเขมรินทร์ อิรรัฐเศรษฐ์	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๐๕
๕) นางสาวกวิสรา วรรณชัย	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๐๖
๖) นางสาวเบญจภรณ์ หอมกลิ่น	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๐๘
๗) นางสาวชนนิกานต์ หอมรื่น	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๐๙
๘) นายยุทธนา ธาณาธะระนิต	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๐
๙) นางสาวนลินี สีมาก	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๑
๑๐) นายวิทยา โพนชัย	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๒
๑๑) นางสาวเพ็ญภา วิภาสธวัช	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๓
๑๒) นางสาวธันยพัฒน์ หลานเศษฐา	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๔
๑๓) นางสาวธนัฏพร นำตระกูลพัฒนา	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๕
๑๔) นางสาวอัจฉรา ไชยยาว	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๖
๑๕) นายวรวิทย์ เหล่าตระกูล	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๗
๑๖)นางสาวจินตาพร ภารกุล	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๘
๑๗) นายอีซัน ลอแม	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๙
๑๘) นายเกษม สีมาพล	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๒๐
๑๙) นางสาววรรยารักษ์ เครือมังกร	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๒๑
๒๐) นางปรียานุช ทัศจรรย์	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๒๒
๒๑) นายอดุลย์ แดงกล่อม	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๒๓
๒๒) นายเฉลิมวุฒิ เพ็ชรนิคม	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๒๔
๒๓) นางสาวสุจินดา วิชาสวัสดิ์	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๒๕
๒๔) นางสาวสุภาวดี แสนทวีสุข	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๒๖
๒๕) นางสาวขวัญนภา ทองนพ	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๒๗
๒๖) นางสาวจารินี นันทวิสุทธิ์	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๒๘
๒๗) นายสมประสงค์ มั่งมี	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๒๙
๒๘) นางสาวฑิฆัมพร พูลพ่วง	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๓๐
๒๙) นางสาวดาริน ทองศรี	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๓๑
๓๐) นางสาวเบญจวรรณ สรรพวงศ์	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๓๒
๓๑) นางสาววราภรณ์ ชัยสิทธิ์	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๓๓
๓๒) นายนฤนาท โตภู่	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๓๔
๓๓) นายสมชาย ธนาวิบูลเศรษฐ	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๓๕
๓๔) นายพีระ เดชอุดม	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๓๖

Draft Report

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด เลขทะเบียน ว-๐๑๑
ที่ อก ๐๓๑๐(๑)/ ๑๔๓๒๑ ลงวันที่ ๑๑ ตุลาคม ๒๕๖๖

ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๔๗ ราย

๑) นางสาวณัชกมล มีระหาญ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๐๑
๒) นายสิทธิเมธา ศรีบุตรดา ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๐๕
๓) นางสาววรรษมน พรมพิมาย ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๐๘
๔) นางสาวอรพรรณ บุญตาน้อย ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๐๙
๕) นางสาวบุศยารัตน์ ศิลาชัย ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๐
๖) นายรัฐธนากรณ์ ยศเรืองศักดิ์ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๑
๗) นางสาวณิชา กรดเต็ม ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๒
๘) นายอุดมศักดิ์ จันทร์จิระวิทย์ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๓
๙) นางสาวสิรินารถ ชาวทะเล ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๔
๑๐) นางสาวบัวลม คืนดี ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๕
๑๑) นางสาวอุทุมพร มูลตรี ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๖
๑๒) นายเทพพิทักษ์ โสภณ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๗
๑๓) นายภาณุวิชญ์ ชูสิงห์ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๘
๑๔) นางสาวกมลชนก บุญไชยมิ่ง ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๙
๑๕) นางสาววราภรณ์ ภูวัด ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๐
๑๖) นางสาวนฤชา ช้างแก้ว ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๑
๑๗) นางสาวนภัสวรรณ แสงทับทิม ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๒
๑๘) นายปริญญา โพธิ์ขำ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๓
๑๙) นายฐิตินันท์ เรืองรัมย์ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๔
๒๐) นางสาวจิตสุภา สติคราม ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๕
๒๑) นายสราวุธ พรหมกระโทก ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๖
๒๒) ว่าที่ร้อยตรีพีระพงษ์ สุพรรณศรี ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๗
๒๓) นางสาวจิราพร ตาลจรัส ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๘
๒๔) นางสาวยุภรัตน์ สาแก้ว ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๙
๒๕) นางสาวสุวรรณา กรอนกลาง ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๐
๒๖) นางสาวศิริวรรณ เจริญทิม ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๑
๒๗) นางสาวธนิษฐา รักวงศ์ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๒
๒๘) นายยศธน คงแก้ว ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๓
๒๙) นายพิสิษฐ์ วรรณชัย ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๔
๓๐) นายวิษณุ อยู่สุข ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๕
๓๑) นายชาญชัย เกาวิจิตร ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๖
๓๒) นายกิตติ ช่วยวัน ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๗
๓๓) นายปิยวัฒน์ สิมมา ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๘
๓๔) นายณัฐพงษ์ เชื้อเล็ก ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๙
๓๕) นายสิทธิศักดิ์ คำวงษา ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๔๐

๓๖) นายกิตติพงษ์...

๓๖) นายกิตติพงษ์ แสนวงศ์ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๔๑
๓๗) นางสาวอาทิตยา โสภณ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๔๒
๓๘) นางสาวโชติรส สัตย์ซื่อ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๔๓
๓๙) นางสาวปิยมน เนื้อทอง ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๔๔
๔๐) นางสาวญาดา ชุ่มสีดา ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๔๕
๔๑) นางสาวกรนภา เรืองศรี ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๔๖
๔๒) นางสาวนภาพรรณ สินโคกสูง ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๔๗
๔๓) นางสาวญาณี แก้วนก ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๔๘
๔๔) นางสาวชนิตา แสนทอง ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๔๙
๔๕) นายอัษฎาวุฒิ นิระผาย ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๐
๔๖) นายชญานนท์ ชาติสุวรรณ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๑
๔๗) นายอริยะ วงษ์เนตร ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๒

Draft Report

สิ่งที่ส่งมาด้วย ๓

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด เลขทะเบียน ว-๐๑๑

ที่ อก ๐๓๑๐(๑)/ ๑๔๓๒๑ ลงวันที่ ๑๑ ตุลาคม ๒๕๖๖

ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๗๙ รายการ

น้ำเสีย จำนวน 62 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldicarb	High-Performance Liquid Chromatographic Method[4]
2	Aldicarb Sulfone	High-Performance Liquid Chromatographic Method[4]
3	Aldicarb Sulfoxide	High-Performance Liquid Chromatographic Method[4]
4	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
5	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
6	Barium	Digestion, Inductively Coupled Plasma Method[4]
7	α-BHC	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
8	β-BHC	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
9	δ-BHC	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
10	γ-BHC	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
11	Biochemical Oxygen Demand	1) 5-Day BOD Test, Azide Modification Method[4] 2) 5-Day BOD Test, Membrane Electrode Method[4]
12	Cadmium	1) Digestion, Direct Air-Acetylene Flame Method[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method[4] 3) Digestion, Inductively Coupled Plasma Method[4]

13 Carbaryl...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
13	Carbaryl	High-Performance Liquid Chromatographic Method[4]
14	Carbofuran	High-Performance Liquid Chromatographic Method[4]
15	Chemical Oxygen Demand	1) Open Reflux, Titrimetric method[4] 2) Closed Reflux, Colorimetric method[4] 3) Closed Reflux, Titrimetric Method[4]
16	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
17	Chromium	1) Digestion, Direct Air-Acetylene Flame Method[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method[4] 3) Digestion, Inductively Coupled Plasma Method[4]
18	Color	ADMI Weighted-Ordinate Spectrophotometric Method[4]
19	Copper	1) Digestion, Direct Air-Acetylene Flame Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
20	Cyanide	Distillation, Colorimetric method[4]
21	4,4′-DDD	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
22	4,4′-DDE	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
23	4,4′-DDT	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
24	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
25	Endosulfan I	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]

26 Endosulfan II...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
26	Endosulfan II	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
27	Endosulfan Sulfate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
28	Endrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
29	Endrin aldehyde	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
30	Formaldehyde	Distillation, Colorimetric Method[3]
31	Free Chlorine	1) Iodometric Method[4] 2) DPD Colorimetric Method[4]
32	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
33	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
34	Hexavalent Chromium	Colorimetric Method[4]
35	3-Hydroxycarbofuran	High-Performance Liquid Chromatographic Method[4]
36	Lead	1) Digestion, Direct Air-Acetylene Flame Method[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method[4] 3) Digestion, Inductively Coupled Plasma Method[4]
37	Malathion	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
38	Manganese	1) Digestion, Direct Air-Acetylene Flame Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
39	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[4]

40 Methiocarb...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
40	Methiocarb	High-Performance Liquid Chromatographic Method[4]
41	Methomyl	High-Performance Liquid Chromatographic Method[4]
42	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
43	Methyl parathion	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
44	1-Naphthol	High-Performance Liquid Chromatographic Method[4]
45	Nickel	1) Digestion, Direct Air-Acetylene Flame Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
46	Oil & Grease	1) Liquid-Liquid, Partition-Gravimetric Method[4] 2) Soxhlet Extraction Method[4]
47	Oxamyl	High-Performance Liquid Chromatographic Method[4]
48	pH	Electrometric Method[4]
49	Phenols	1) Distillation, Chloroform Extraction Method[4] 2) Distillation, Direct Photometric Method[4]
50	Propoxur	High-Performance Liquid Chromatographic Method[4]
51	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
52	Settleable Solids	Settleable Solids Method[4]
53	Sulfide	1) Iodometric method[4] 2) Methylene blue method[4]
54	Temperature	Laboratory and Field Methods[4]
55	Total Dissolved Solids	Dried at 180 °C[4]

56 Total Kjeldahl Nitrogen...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
56	Total Kjeldahl Nitrogen	Macro-Kjeldahl Method[4]
57	Total Phosphorous	Digestion, Colorimetric Method[4]
58	Total Suspended Solids	Dried at 103-105 °C[4]
59	Toxaphene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
60	Trivalent Chromium	Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation[4]
61	Turbidity	Nephelometric Method[4]
62	Zinc	1) Digestion, Direct Air-Acetylene Flame Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]

น้ำใต้ดิน จำนวน 126 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
2	Acetone	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
3	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
4	Anthracene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
5	Antimony	Digestion, Inductively Coupled Plasma Spectrometric Method[4]
6	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
7	Atrazine	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]

8 Barium...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
8	Barium	Digestion, Inductively Coupled Plasma Spectrometric Method[4]
9	Benz(a)anthracene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
10	Benzene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
11	Benzo(b)fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
12	Benzo(k)fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
13	Benzoic acid	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
14	Benzo(a)pyrene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
15	Benzo(g,h,i)perylene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
16	Beryllium	Digestion, Inductively Coupled Plasma Spectrometric Method[4]
17	Bis(2-chloroethyl)ether	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
18	Bis(2-ethylhexyl)phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
19	Bromodichloromethane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
20	Bromoform	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
21	Butanol	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
22	Butyl benzyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
23	Cadmium	Digestion, Inductively Coupled Plasma Spectrometric Method[4]

24 Carbazole...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
24	Carbazole	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
25	Carbon disulfide	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
26	Carbon tetrachloride	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
27	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
28	p-Chloroaniline	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
29	Chlorobenzene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
30	Chlorodibromomethane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
31	Chloroform	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
32	2-Chlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
33	Chromium	1) Digestion, Direct Air-Acetylene Flame Method[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method[4]
34	Chromium (III)	Digestion, Inductively Coupled Plasma Spectrometric Method; Colorimetric Method; Calculation[4]
35	Chromium (VI)	Colorimetric Method[4]
36	Chrysene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
37	Cyanide	Distillation, Colorimetric Method[4]

38 2,4-D...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
38	2,4-D	Liquid-Liquid Extraction, Gas Chromatographic Method[4]
39	DDD	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
40	DDE	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
41	DDT	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
42	Dibenz(a,h)anthracene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
43	Di-n-butyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
44	1,2-Dichlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
45	1,3-Dichlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
46	1,4-Dichlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
47	3,3′-Dichlorobenzidine	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
48	1,1-Dichloroethane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
49	1,2-Dichloroethane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
50	1,1-Dichloroethylene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
51	cis-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
52	trans-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
53	2,4-Dichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]

54 1,2-Dichloropropane...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
54	1,2-Dichloropropane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
55	1,3-Dichloropropane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
56	1,3-Dichloropropene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
57	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
58	Diethyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
59	2,4-Dimethylphenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
60	2,4-Dinitrophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
61	2,4-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
62	2,6-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
63	Di-n-Octyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
64	Endosulfan	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
65	Endrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
66	Ethylbenzene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
67	Fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
68	Fluorene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
69	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]

70 Heptachlor epoxide...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
70	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
71	Hexachlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
72	Hexachloro-1,3-butadiene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
73	n-Hexane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
74	α-HCH	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
75	β-HCH	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
76	γ-HCH	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
77	Hexachlorocyclopentadiene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
78	Hexachloroethane	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
79	Indeno(1,2,3-cd)pyrene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
80	Isophorone	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
81	Lead	1) Digestion, Direct Air-Acetylene Flame Method[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method[4]
82	Manganese	1) Digestion, Direct Air-Acetylene Flame Method[4] 2) Digestion, Inductively Coupled Plasma Spectrometric Method [4]

83 Mercury...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
83	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[4]
84	Methanol	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
85	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
86	Methyl bromide	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
87	Methylene chloride	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
88	2-Methylphenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
89	2-Methylnaphthalene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
90	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
91	Naphthalene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
92	Nickel	1) Digestion, Direct Air-Acetylene Flame Method[4] 2) Digestion, Inductively Coupled Plasma Spectrometric Method [4]
93	Nitrobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
94	N-Nitrosodiphenylamine	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
95	N-Nitrosodi-n-propylamine	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
96	Polychlorinated Biphenyls - PCB-1016 - PCB-1221 - PCB-1232	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]

- PCB-1242...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
	- PCB-1242 - PCB-1248 - PCB-1254 - PCB-1260	
97	Pentachlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
98	pH	Electrometric method[4]
99	Phenanthrene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
100	Phenol	1) Distillation, Chloroform Extraction Method[4] 2) Distillation, Direct Photometric Method[4]
101	Pyrene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
102	Selenium	Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[4]
103	Silver	Digestion, Inductively Coupled Plasma Method[4]
104	Styrene	Purge and Trap Gas Chromatographic/ Mass spectrometric Method[4]
105	1,1,2,2-Tetrachloroethane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
106	Tetrachloroethylene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
107	Toluene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
108	Toxaphene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
109	TPH (C_5-C_8)	Purge and Trap, Gas Chromatographic Method[13,22]
110	TPH ($C_{>8}$-C_{16})	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[9,22]
111	TPH ($C_{>16}$-C_{35})	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[9,22]

112 1,2,4-Trichlorobenzene...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
112	1,2,4-Trichlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
113	1,1,1-Trichloroethane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
114	1,1,2-Trichloroethane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
115	Trichloroethylene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
116	2,4,5-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
117	2,4,6-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
118	1,3,5-Trimethylbenzene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
119	Vanadium	Digestion, Inductively Coupled Plasma Spectrometric Method[4]
120	Vinyl acetate	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
121	Vinyl chloride	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
122	m-Xylene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
123	o-Xylene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
124	p-Xylene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
125	Xylene (Total)	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
126	Zinc	1) Digestion, Direct Air-Acetylene Flame Method[4] 2) Digestion, Inductively Coupled Plasma Spectrometric Method[4]

อากาศเสีย...

อากาศเสีย (ปล่องระบาย) จำนวน 28 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
2	Arsenic	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
3	Beryllium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
4	Cadmium	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
5	Carbon Monoxide	Instrumental Analyzer Method[5]
6	Chlorine	1) Absorption Sampling, Ion Chromatographic Method[5] 2) Isokinetic Sampling, Ion Chromatographic Method[5]
7	Chromium	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
8	Cobalt	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
9	Copper	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]

10 Cresol...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
10	Cresol	Adsorption Sampling, Gas Chromatographic Method[5]
11	Dioxins/Furans	Isokinetic Sampling[5]
12	Hydrogen Chloride	1) Absorption Sampling, Ion Chromatographic Method[5] 2) Isokinetic Sampling, Ion Chromatographic Method[5]
13	Hydrogen Fluoride	1) Absorption Sampling, Ion Chromatographic Method[5] 2) Isokinetic Sampling, Ion Chromatographic Method[5]
14	Hydrogen Sulfide	Absorption Sampling, Iodometric Method[5]
15	Lead	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
16	Manganese	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
17	Mercury	Isokinetic Sampling, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[5]
18	Nickel	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
19	Opacity	Ringelmann's Method[2]
20	Oxides of Nitrogen	1) Absorption Sampling, Phenoldisulfonic acid Method[5] 2) Instrumental Analyzer Method[5]
21	Selenium	Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[5]

22 Sulfur Dioxide...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
22	Sulfur Dioxide	1) Absorption Sampling, Barium-Thorin Titrimetric Method[5] 2) Isokinetic Sampling, Barium-Thorin Titrimetric Method[5] 3) Instrumental Analyzer Method[5]
23	Sulfuric acid	Isokinetic Sampling, Barium-Thorin Titrimetric Method[5]
24	Tellurium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
25	Tin	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
26	Total Suspended Particulate	Isokinetic Sampling, Gravimetric Method[5]
27	Vanadium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
28	Xylene	1) Adsorption Sampling, Gas Chromatographic Method[5] 2) Adsorption Sampling, Gas Chromatographic/ Mass Spectrometric Method[5]

<u>สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน 38 รายการ</u>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acrylonitrile	1) Waste Extraction, Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[1,13,27] 2) Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[14,27]
2	Aldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method [1,9,23] 2) Soxhlet Extraction, Gas Chromatographic Method[10,23]

3 Antimony...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
3	Antimony	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 3) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 4) Digestion, Inductively Coupled Plasma Method[7,15]
4	Arsenic	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[1,6,17] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[7,17] 4) Digestion, Inductively Coupled Plasma Method [7,15]
5	Barium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 2) Digestion, Inductively Coupled Plasma Method [7,15]
6	Beryllium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 2) Digestion, Inductively Coupled Plasma Method [7,15]
7	Cadmium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 3) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 4) Digestion, Inductively Coupled Plasma Method [7,15]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
8	Chlordane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method [1,9,28] 2) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method [10,28]
9	Chromium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 3) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 4) Digestion, Inductively Coupled Plasma Method [7,15]
10	Chromium (VI)	1) Waste Extraction, Colorimetric Method [1,18] 2) Alkaline Digestion, Colorimetric Method [8,18]
11	Cobalt	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 3) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 4) Digestion, Inductively Coupled Plasma Method [7,15]
12	Copper	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 3) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 4) Digestion, Inductively Coupled Plasma Method [7,15]

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
13	2,4-D	1) Waste Extraction, Gas Chromatographic/ Mass Spectrometric Method [1,26] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method [26]
14	DDD	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,9,23] 2) Soxhlet Extraction, Gas Chromatographic Method[10,23]
15	DDE	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,9,23] 2) Soxhlet Extraction, Gas Chromatographic Method[10,23]
16	DDT	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,9,23] 2) Soxhlet Extraction, Gas Chromatographic Method[10,23]
17	Dieldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,9,23] 2) Soxhlet Extraction, Gas Chromatographic Method[10,23]
18	Endrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,9,23] 2) Soxhlet Extraction, Gas Chromatographic Method[10,23]
19	Heptachlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,9,23]

2) Soxhlet Extraction...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
		2) Soxhlet Extraction, Gas Chromatographic Method[10,23]
20	Kepone	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method[1,9,28] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method[11,28]
21	Lead	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 3) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 4) Digestion, Inductively Coupled Plasma Method [7,15]
22	Lindane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method [1,9,28] 2) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method [10,28]
23	Mercury	1) Waste Extraction, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[1,19] 2) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[20]
24	Methoxychlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,9,23] 2) Soxhlet Extraction, Gas Chromatographic Method[10,23]
25	Mirex	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method[1,9,28] 2) Soxhlet Extraction, Gas Chromatographic Method[10,23]

26 Molybdenum...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
26	Molybdenum	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 3) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 4) Digestion, Inductively Coupled Plasma Method [7,15]
27	Nickel	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 3) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 4) Digestion, Inductively Coupled Plasma Method [7,15]
28	Polychlorinated Biphenyls - Aroclor 1016 - Aroclor 1221 - Aroclor 1232 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[1,9,28] 2) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method[10,28]
29	Pentachlorophenol	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method[1,9,28] 2) Soxhlet Extration, Gas Chromatographic/Mass Spectrometric Method[10,28]
30	pH	Electrometric Method[32,33]

31 Selenium...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
31	Selenium	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[1,6,21] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[7,21] 4) Digestion, Inductively Coupled Plasma Method [7,15]
32	Silver	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 3) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 4) Digestion, Inductively Coupled Plasma Method [7,15]
33	Silvex	1) Waste Extraction, Gas Chromatographic/ Mass Spectrometric Method[1,26] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method[26]
34	Thallium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 2) Digestion, Inductively Coupled Plasma Method [7,15]
35	Toxaphene	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[1,9,28] 2) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method[10,28]

36 Trichloroethylene...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
36	Trichloroethylene	1) Waste Extraction, Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[1,13,27] 2) Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[14,27]
37	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 2) Digestion, Inductively Coupled Plasma Method [7,15]
38	Zinc	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 3) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 4) Digestion, Inductively Coupled Plasma Method [7,15]

<u>ดิน จำนวน 125 รายการ</u>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
2	Acetone	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
3	Aldrin	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
4	Anthracene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
5	Antimony	1) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 2) Digestion, Inductively Coupled Plasma Method[7,15]

6 Arsenic...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
6	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[7,17] 2) Digestion, Inductively Coupled Plasma Method[7,15]
7	Atrazine	Soxhlet Extraction, Gas Chromatographic Method [10,25]
8	Barium	Digestion, Inductively Coupled Plasma Method[7,15]
9	Benz(a)anthracene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
10	Benzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
11	Benzo(b)fluoranthene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
12	Benzo(k)fluoranthene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
13	Benzoic acid	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
14	Benzo(a)pyrene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
15	Benzo(g,h,i)perylene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
16	Beryllium	Digestion, Inductively Coupled Plasma Method[7,15]
17	Bis(2-chloroethyl)ether	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
18	Bis(2-ethylhexyl)phthalate	Soxhlet Extraction, Gas Chromatographic Method[10,24]
19	Bromodichloromethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
20	Bromoform	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]

21 Butanol...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
21	Butanol	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
22	Butyl benzyl phthalate	Soxhlet Extraction, Gas Chromatographic Method[10,24]
23	Cadmium	1) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 2) Digestion, Inductively Coupled Plasma Method[7,15]
24	Carbazole	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
25	Carbon disulfide	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
26	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
27	Chlordane	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
28	p-Chloroaniline	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
29	Chlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
30	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
31	Chloroform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[14,27]
32	2-Chlorophenol	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
33	Chromium	1) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 2) Digestion, Inductively Coupled Plasma Method[7,15]
34	Chromium (III)	Digestion, Inductively Coupled Plasma Method; Alkaline Digestion Colorimetric Method; Calculation[7,8,15,18]

35 Chromium (VI)...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
35	Chromium (VI)	Alkaline Digestion, Colorimetric Method[8,18]
36	Chrysene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
37	Cyanide	Extraction, Distillation, Colorimetric Method[29,30,31]
38	2,4-D	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method[26]
39	DDD	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
40	DDE	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
41	DDT	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
42	Dibenz(a,h)anthracene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
43	Di-n-butyl phthalate	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
44	1,2-Dichlorobenzene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
45	1,3-Dichlorobenzene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
46	1,4-Dichlorobenzene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
47	3,3′-Dichlorobenzidine	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
48	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
49	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
50	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]

52 trans-1,2-Dichloroethylene...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
52	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
53	2,4-Dichlorophenol	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
54	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
55	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
56	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
57	Dieldrin	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
58	Diethyl phthalate	Soxhlet Extraction, Gas Chromatographic Method[10,24]
59	2,4-Dimethylphenol	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
60	2,4-Dinitrophenol	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
61	2,4-Dinitrotoluene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
62	2,6-Dinitrotoluene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
63	Di-n-Octyl phthalate	Soxhlet Extraction, Gas Chromatographic Method[10,24]
64	Endosulfan	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
65	Endrin	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
66	Ethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
67	Fluoranthene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
68	Fluorene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
69	Heptachlor	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
70	Heptachlor epoxide	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
71	Hexachlorobenzene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
72	Hexachloro-1,3-butadiene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
73	n-Hexane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
74	α-HCH	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
75	β-HCH	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
76	γ-HCH	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
77	Hexachlorocyclopentadiene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
78	Hexachloroethane	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
79	Indeno(1,2,3-cd)pyrene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
80	Isophorone	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
81	Lead	1) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 2) Digestion, Inductively Coupled Plasma Method[7,15]

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
82	Manganese	1) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 2) Digestion, Inductively Coupled Plasma Method[7,15]
83	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[20]
84	Methanol	Equilibrium Headspace, Gas chromatographic Method [12,22]
85	Methoxychlor	Soxhlet Extraction, Gas Chromatographic Method[10,23]
86	Methyl bromide	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
87	Methylene chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
88	2-Methylphenol	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
89	2-Methylnaphthalene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
90	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
91	Naphthalene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[14,27]
92	Nickel	1) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 2) Digestion, Inductively Coupled Plasma Method[7,15]
93	Nitrobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
94	N-Nitrosodiphenylamine	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
95	N-Nitrosodi-n-propylamine	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]

96 Polychlorinated...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
96	Polychlorinated Biphenyls - Aroclor 1016 - Aroclor 1221 - Aroclor 1232 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
97	Pentachlorophenol	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
98	Phenanthrene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
99	Phenol	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
100	Pyrene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
101	Selenium	Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[7,21]
102	Silver	Digestion, Inductively Coupled Plasma Method[7,15]
103	Styrene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
104	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
105	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
106	Toluene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
107	Toxaphene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
108	TPH (C_5-C_8)	Purge and Trap, Gas Chromatographic Method[14,22]

109 TPH ($C_{>8}$-C_{16})...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
109	TPH ($C_{>8}$-C_{16})	Soxhlet Extraction, Gas Chromatographic Method[10,22]
110	TPH ($C_{>16}$-C_{35})	Soxhlet Extraction, Gas Chromatographic Method[10,22]
111	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
112	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
113	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
114	Trichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
115	2,4,5-Trichlorophenol	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
116	2,4,6-Trichlorophenol	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
117	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[14,27]
118	Vanadium	Digestion, Inductively Coupled Plasma Method[7,15]
119	Vinyl acetate	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[14,27]
120	Vinyl chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[14,27]
121	m-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
122	o-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
123	p-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
124	Xylene (Total)	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]

125 Zinc...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
125	Zinc	1) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 2) Digestion, Inductively Coupled Plasma Method[7,15]

เอกสารอ้างอิง

1. กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2548. เรื่อง การกำจัดสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว.**ราชกิจจานุเบกษา.** 25 มกราคม 2549. เล่มที่ 123 ตอนพิเศษ 11ง.

2. กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณเขม่าควันที่เจือปนในอากาศที่ระบายออกจากปล่องของหม้อน้ำโรงสีข้าวที่ใช้แกลบเป็นเชื้อเพลิง. **ราชกิจจานุเบกษา.** 4 ธันวาคม 2549. เล่มที่ 123 ตอนพิเศษ 125ง.

3. สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย. **คู่มือวิเคราะห์น้ำเสีย.** พิมพ์ครั้งที่ 4. กรุงเทพฯ: เรือนแก้วการพิมพ์, 2547.

4. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater.** 24th ed. Washington, DC: APHA, 2023.

5. United States Environmental Protection Agency. **Standards of Performance for New Stationary Sources.** 40 CFR 60. Appendix A, 2023.

6. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. SW-846,** 2014.

7. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Acid Digestion of Sediments, Sludges, and Soils. SW-846 Method 3050B,** 1996.

8. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Alkaline Digestion for Hexavalent Chromium. SW-846 Method 3060A,** 1996.

9. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Separatory Funnel Liquid-Liquid Extraction. SW-846 Method 3510C,** 1996.

10. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Soxhlet Extraction. SW-846 Method 3540C,** 1996.

11. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Ultrasonic Extraction. SW-846 Method 3550C,** 2007.

12. United States...

Draft Report

12. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Volatile Organic Compounds in Various Sample Matrices Using Equilibrium Headspace Analysis. SW-846 Method 5021A,** 2014.

13. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Purge-and-Trap for Aqueous Samples. SW-846 Method 5030C,** 2003.

14. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Closed-System **Purge-and-Trap And Extraction For Volatile Organics in Soil and Waste Samples. SW-846 Method 5035A,** 2002.

15. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Inductively Coupled Plasma-optical Emission Spectrometry. SW-846 Method 6010D,** 2018

16. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Flame Atomic Absorption Spectrophotometry. SW-846 Method 7000B,** 2007.

17. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Arsenic (Atomic Absorption, Gaseous Hydride). SW-846 Method 7061A,** 1992.

18. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chromium, Hexavalent (Colorimetric), SW-846 Method 7196A,** 1992.

19. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Liquid Waste (Manual Cold-Vapor Technique, SW-846 Method 7470A,** 1994.

20. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique, SW-846 Method 7471B,** 2007.

21. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Selenium (Atomic Absorption, Gaseous Hydride), SW-846 Method 7741A,** 1994.

22. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Nonhalogenated Organics Using GC/FID. SW-846 Method 8015D,** 2003.

23. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organochlorine Pesticide by Gas Chromatography. SW-846 Method 8081B,** 2007.

24. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Phthalate Esters by Gas Chromatography with Electron Capture Detection (GC/ECD). SW-846 Method 8061A,** 1996.

25. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organophosphorus Compounds by Gas Chromatography. SW-846 Method 8141B,** 2007.

26. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chlorinated Herbicides By GC Using Methylation or Pentafluorobenzylation Derivatization. SW-846 Method 8151A,** 1996.

27. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Volatile Organic Compounds by Gas Chromatography/ Mass Spectrometry (GC/MS). SW-846 Method 8260D,** 2018.

28. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **SemiVolatile Organic Compounds by Gas Chromatography/Mass Spectrometry. SW-846 Method 8270E,** 2018.

29. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Total and Amenable Cyanide: Distillation. SW-846 Method 9010C,** 2004.

30. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Cyanide Extraction Procedure for Solids and Oils. SW-846 Method 9013A,** 2014.

31. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Cyanide in Waters and Extracts Using Titrimetric and Manual Spectrophotometric. SW-846 Method 9014,** 2014.

32. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **pH Electrometric Measurement. SW-846 Method 9040C,** 2004.

33. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Solid and Waste pH. SW-846 Method 9045D,** 2004.

Draft Report

ที่ อก ๐๓๑๐(๑)/๑๑๑

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๔ มกราคม ๒๕๖๗

เรื่อง เปลี่ยนแปลงบุคลากรและเอกสารอ้างอิงวิธีวิเคราะห์สารมลพิษ

เรียน กรรมการผู้จัดการ บริษัท เอส.พี.เอส คอนซัลติ้ง เซอร์วิส จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และขนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๒๖ ธันวาคม ๒๕๖๖

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและเอกสารอ้างอิงวิธีวิเคราะห์สารมลพิษ บริษัท เอส.พี.เอส คอนซัลติ้ง เซอร์วิส จำกัด จำนวน ๘ แผ่น

ตามหนังสือที่อ้างถึง บริษัท เอส.พี.เอส คอนซัลติ้ง เซอร์วิส จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๑๑ สถานที่ตั้งเลขที่ ๗ ซอยพหลโยธิน ๒๔ ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร แจ้งขอเปลี่ยนแปลงบุคลากรและเอกสารอ้างอิงวิธีวิเคราะห์สารมลพิษในสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้วของห้องปฏิบัติการวิเคราะห์ นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นให้เปลี่ยนแปลงดังนี้

๑. ให้ยกเลิกผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๑ ราย
นางสาวจินตาพร ภารกุล ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๘

๒. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๑ ราย
นางสาวณิชา กรดเต็ม ทะเบียนเลขที่ ว-๐๑๑-จ-๗๑๓๔

๓. ให้เพิ่มเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๖ ราย ได้แก่
๑) นางสาวอารยา เฮงประเสริฐ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๓
๒) นางสาวเขมณัฏฐ์ แสนทายก ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๔
๓) นางสาวไทยสิริ ปัญญากุล ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๕
๔) นายอนุชา สมใจ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๖
๕) นายพัชชานนท์ อินปริก ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๗
๖) นายสถาพร วิเศษหมื่น ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๘

๔. ให้ยกเลิกขอบข่ายรายการสารมลพิษในสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว ตามรายการเอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ที่ อก ๐๓๑๐(๑)/๑๔๓๒๑ ลงวันที่ ๑๑ ตุลาคม ๒๕๖๖

๕. ให้วิเคราะห์สารมลพิษตามขอบข่ายที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน ๓๘ รายการ ตามเอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและเอกสารอ้างอิงวิธีวิเคราะห์สารมลพิษ ดังสิ่งที่ส่งมาด้วย

อนึ่ง...

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน คือในวันที่ ๑๐ กรกฎาคม ๒๕๖๙ ทั้งนี้ สามารถยื่นคำขอผ่านระบบอิเล็กทรอนิกส์ได้ที่หน้าเว็บไซต์กรมโรงงานอุตสาหกรรม

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายศิระ จันทร์เฉิด)
นักวิทยาศาสตร์เชี่ยวชาญ รักษาราชการแทน
ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน
ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

Draft Report

เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและเอกสารอ้างอิงวิธีวิเคราะห์สารมลพิษ
บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด เลขทะเบียน ว-๐๑๑
ที่ อก ๐๓๑๐(๑)/ ๖๖๖ ลงวันที่ ๒๔ มกราคม ๒๕๖๗

ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๘ รายการ

สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว 38 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acrylonitrile	1) Waste Extraction, Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[1,9,23] 2) Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[10,23]
2	Aldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,5,19] 2) Soxhlet Extraction, Gas Chromatographic Method[6,19]
3	Antimony	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method[3,11]
4	Arsenic	1) Waste Extraction, Digestion, Hydride Generation/ Atomic Absorption Spectrometric Method[1,2,13] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Hydride Generation/ Atomic Absorption Spectrometric Method[3,13] 4) Digestion, Inductively Coupled Plasma Method [3,11]
5	Barium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 2) Digestion, Inductively Coupled Plasma Method [3,11]
6	Beryllium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 2) Digestion, Inductively Coupled Plasma Method [3,11]
7	Cadmium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method [3,11]

8 Chlordane...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
8	Chlordane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method [1,5,24] 2) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method [6,24]
9	Chromium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method [3,11]
10	Chromium (VI)	1) Waste Extraction, Colorimetric Method [1,14] 2) Alkaline Digestion, Colorimetric Method [4,14]
11	Cobalt	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method [3,11]
12	Copper	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method [3,11]
13	2,4-D	1) Waste Extraction, Gas Chromatographic/ Mass Spectrometric Method [1,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method [22]
14	DDD	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,5,19] 2) Soxhlet Extraction, Gas Chromatographic Method[6,19]

15 DDE...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
15	DDE	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,5,19] 2) Soxhlet Extraction, Gas Chromatographic Method[6,19]
16	DDT	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,5,19] 2) Soxhlet Extraction, Gas Chromatographic Method[6,19]
17	Dieldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,5,19] 2) Soxhlet Extraction, Gas Chromatographic Method[6,19]
18	Endrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,5,19] 2) Soxhlet Extraction, Gas Chromatographic Method[6,19]
19	Heptachlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,5,19] 2) Soxhlet Extraction, Gas Chromatographic Method[6,19]
20	Kepone	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method[1,5,24] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method[7,24]
21	Lead	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method [3,11]
22	Lindane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method [1,5,24] 2) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method [6,24]
23	Mercury	1) Waste Extraction, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[1,15] 2) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[16]
24	Methoxychlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,5,19] 2) Soxhlet Extraction, Gas Chromatographic Method[6,19]

25 Mirex...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
25	Mirex	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method[1,5,24] 2) Soxhlet Extraction, Gas Chromatographic Method[6,19]
26	Molybdenum	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method [3,11]
27	Nickel	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method [3,11]
28	Polychlorinated Biphenyls - Aroclor 1016 - Aroclor 1221 - Aroclor 1232 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method[1,5,24] 2) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method[6,24]
29	Pentachlorophenol	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method[1,5,24] 2) Soxhlet Extration, Gas Chromatographic/ Mass Spectrometric Method[6,24]
30	pH	Electrometric Method[28,29]

31 Selenium...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
31	Selenium	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[1,2,17] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,2,11] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[3,17] 4) Digestion, Inductively Coupled Plasma Method [3,11]
32	Silver	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method [3,11]
33	Silvex	1) Waste Extraction, Gas Chromatographic/ Mass Spectrometric Method[1,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method[22]
34	Thallium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 2) Digestion, Inductively Coupled Plasma Method [3,11]
35	Toxaphene	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method[1,5,24] 2) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method[6,24]
36	Trichloroethylene	1) Waste Extraction, Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[1,9,23] 2) Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[10,23]
37	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,2,11] 2) Digestion, Inductively Coupled Plasma Method[3,11]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
38	Zinc	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method [3,11]

เอกสารอ้างอิง

1. กระทรวงอุตสาหกรรม. **ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2566.** เรื่องการจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว. **ราชกิจจานุเบกษา.** 31 พฤษภาคม 2566. เล่ม 140 ตอนพิเศษ 126 ง.

2. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. SW-846,** 2014.

3. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Acid Digestion of Sediments, Sludges, and Soils. SW-846 Method 3050B,** 1996.

4. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Alkaline Digestion for Hexavalent Chromium. SW-846 Method 3060A,** 1996.

5. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Separatory Funnel Liquid-Liquid Extraction. SW-846 Method 3510C,** 1996.

6. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Soxhlet Extraction. SW-846 Method 3540C,** 1996.

7. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Ultrasonic Extraction. SW-846 Method 3550C,** 2007.

8. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Volatile Organic Compounds in Various Sample Matrices Using Equilibrium Headspace Analysis. SW-846 Method 5021A,** 2014.

9. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Purge-and-Trap for Aqueous Samples. SW-846 Method 5030C,** 2003.

10. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Closed-System **Purge-and-Trap And Extraction For Volatile Organics in Soil and Waste Samples. SW-846 Method 5035A,** 2002.

Draft Report

11. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Inductively Coupled Plasma-optical Emission Spectrometry. SW-846 Method 6010D,** 2018

12. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Flame Atomic Absorption Spectrophotometry. SW-846 Method 7000B,** 2007.

13. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Arsenic (Atomic Absorption, Gaseous Hydride). SW-846 Method 7061A,** 1992.

14. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chromium, Hexavalent (Colorimetric), SW-846 Method 7196A,** 1992.

15. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Liquid Waste (Manual Cold-Vapor Technique, SW-846 Method 7470A,** 1994.

16. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique, SW-846 Method 7471B,** 2007.

17. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Selenium (Atomic Absorption, Gaseous Hydride), SW-846 Method 7741A,** 1994.

18. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Nonhalogenated Organics Using GC/FID. SW-846 Method 8015D,** 2003.

19. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organochlorine Pesticide by Gas Chromatography. SW-846 Method 8081B,** 2007.

20. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Phthalate Esters by Gas Chromatography with Electron Capture Detection (GC/ECD). SW-846 Method 8061A,** 1996.

21. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organophosphorus Compounds by Gas Chromatography. SW-846 Method 8141B,** 2007.

22. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chlorinated Herbicides By GC Using Methylation or Pentafluorobenzylation Derivatization. SW-846 Method 8151A,** 1996.

23. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Volatile Organic Compounds by Gas Chromatography/ Mass Spectrometry (GC/MS). SW-846 Method 8260D,** 2018.

24. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **SemiVolatile Organic Compounds by Gas Chromatography/Mass Spectrometry. SW-846 Method 8270E,** 2018.

25. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Total and Amenable Cyanide: Distillation. SW-846 Method 9010C,** 2004.

26. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Cyanide Extraction Procedure for Solids and Oils. SW-846 Method 9013A,** 2014.

27. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Cyanide in Waters and Extracts Using Titrimetric and Manual Spectrophotometric. SW-846 Method 9014,** 2014.

28. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **pH Electrometric Measurement. SW-846 Method 9040C,** 2004.

29. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Solid and Waste pH. SW-846 Method 9045D,** 2004.

Draft Report

ที่ อก ๐๓๑๐(๑)/ ๒๐๗๒

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๐๕ มีนาคม ๒๕๖๗

เรื่อง เปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๘ กุมภาพันธ์ ๒๕๖๗

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์ บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด จำนวน ๑ แผ่น

ตามหนังสือที่อ้างถึง บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๑๑ สถานที่ตั้งเลขที่ ๗ ซอยพหลโยธิน ๒๔ ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์ ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้วมีความเห็นดังนี้

๑. ให้ยกเลิกผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๒ ราย
   ๑) นางสาวกวิสรา วรรณชัย ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๐๖
   ๒) นางสาวนลินี สีมาก ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๑
๒. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๑ ราย
   นายพิสิษฐ์ วรรณชัย ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๔
๓. ให้เพิ่มขอบข่ายสารมลพิษที่วิเคราะห์ในดิน ตามสิ่งที่ส่งมาด้วย

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน คือในวันที่ ๑๐ กรกฎาคม ๒๕๖๙ ทั้งนี้ สามารถยื่นคำขอผ่านระบบอิเล็กทรอนิกส์ได้ที่หน้าเว็บไซต์กรมโรงงานอุตสาหกรรม

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายพรยศ กลั่นกรอง)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์
บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด เลขทะเบียน ว-๐๑๑
ที่ อก ๐๓๑๐(๑)/ ๒๐๗๒ ลงวันที่ ๐๕ มีนาคม ๒๕๖๗

ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑ รายการ

ดิน จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method

เอกสารอ้างอิง

1. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Closed-System **Purge-and-Trap And Extraction For Volatile Organics in Soil and Waste Samples. SW-846 Method 5035A,** 2002.

2. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Volatile Organic Compounds by Gas Chromatography/ Mass Spectrometry (GC/MS). SW-846 Method 8260D,** 2018.

Draft Report

ที่ อก ๐๓๑๐(๑)/ ๓๘๕๖

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๑๘ เมษายน ๒๕๖๗

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอส.พี.เอส คอนซัลติ้ง เซอร์วิส จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๑๙ มีนาคม ๒๕๖๗

ตามคำขอที่อ้างถึง บริษัท เอส.พี.เอส คอนซัลติ้ง เซอร์วิส จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๑๑ สถานที่ตั้งเลขที่ ๗ ซอยพหลโยธิน ๒๔ ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากร ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๒ ราย ได้แก่

๑) นางสาวสิรินารถ ชาวทะเล ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๔
๒) นางสาวญาณี แก้วนก ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๔๘

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายพรยศ กลั่นกรอง)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

ที่ อก ๐๓๑๐(๑)/ ๔๖๐๓

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๑๔ พฤษภาคม ๒๕๖๗

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๓ พฤษภาคม ๒๕๖๗

ตามคำขอที่อ้างถึง บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๑๑ สถานที่ตั้งเลขที่ ๗ ซอยพหลโยธิน ๒๔ ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากร ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๒ ราย

๑) นางสาวจิราพร ตาลจรัส ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๘
๒) นายกิตติพงษ์ แสนวงศ์ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๔๑

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายพรยศ กลั่นกรอง)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

Green Industry
"อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว"

Draft Report

ที่ อก ๐๓๑๐(๑)/ ๘๖๑๐

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๖ สิงหาคม ๒๕๖๗

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอส.พี.เอส คอนซัลติ้ง เซอร์วิส จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๑ สิงหาคม ๒๕๖๗

ตามคำขอที่อ้างถึง บริษัท เอส.พี.เอส คอนซัลติ้ง เซอร์วิส จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๑๑ สถานที่ตั้งเลขที่ ๗ ซอยพหลโยธิน ๒๔ ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากร ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๓ ราย
   ๑) นางสาวกมลชนก บุญไชยมิ่ง ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๙
   ๒) นางสาววราภรณ์ ภูวัด ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๐
   ๓) นายพัชชานนท์ อินปริก ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๗
๒. ให้เพิ่มผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒ ราย
   ๑) นางสาวกมลชนก บุญไชยมิ่ง ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๓๗
   ๒) นางสาววราภรณ์ ภูวัด ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๓๘

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ในวันที่ ๑๐ กรกฎาคม ๒๕๖๙

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายพรยศ กลั่นกรอง)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

Green Industry
"อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว"

ที่ อก ๐๓๑๐(๑)/ ๒๖๗๖

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๕ มีนาคม ๒๕๖๘

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๒๖ กุมภาพันธ์ ๒๕๖๘

ตามคำขอที่อ้างถึง บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๑๑ สถานที่ตั้งเลขที่ ๗ ซอยพหลโยธิน ๒๔ ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากร ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้ยกเลิกผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๑ ราย
   นายวิทยา โพนชัย ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๒
๒. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๔ ราย
   ๑) นายสิทธิเมธา ศรีบุตรดา ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๐๕
   ๒) นายปิยวัฒน์ สิมมา ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๘
   ๓) นายณัฐพงษ์ เชื้อเล็ก ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๙
   ๔) นางสาวอารยา เฮงประเสริฐ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๓
๓. ให้เพิ่มเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๓ ราย
   ๑) นางสาวพัสวี จารุศิริวัฒนา ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๙
   ๒) นายฤทธิเกียรติ โสภาณา ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๖๐
   ๓) นายไชยสิทธิ์ คำเถาว์ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๖๑

อนึ่ง หนังสือฉบับนี้จะสิ้นอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ในวันที่ ๑๐ กรกฎาคม ๒๕๖๙

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายธีรทัศน์ อิศรางกูร ณ อยุธยา)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

Green Industry
"อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว"

Draft Report

ภาคผนวกที่ 3

เอกสารการสอบเทียบความถูกต้องของเครื่องมือ

Draft Report

ตารางสรุปรายการเอกสารการสอบเทียบความถูกต้องของเครื่องมือเก็บตัวอย่าง
และเครื่องมือตรวจวัดคุณภาพสิ่งแวดล้อม

รายการตรวจวัด	เครื่องมือเก็บตัวอย่าง	เครื่องมือตรวจวัด
	ชื่อเครื่องมือ	ชื่อเครื่องมือ
1. คุณภาพอากาศในบรรยากาศ		
TSP	High Volume Air Sampler No. B40, B43	Digital Balance
PM_{10}	High Volume PM_{10} Air Sampler No. B31, R02	Digital Balance
2. ระดับเสียงในบรรยากาศ		
L_{eq} 1 hr, L_{eq} 24 hr, L_{max} และ L_{dn}	Acoustic Calibrator Sound Level Meter No. ACO-R54, R55	-
3. ระดับความสั่นสะเทือน		
Vibration	Vibration Meter No. B26, B27	-

Draft Report

คุณภาพอากาศในบรรยากาศ

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com, www.spscon.com

High Volume Air Sampler Calibration Report

Calibration Method : Multipoint Orifice Flow Transfer Standard	Model : TE 5025A	S/N : 3440

Calibration Data				
High Volume Air Sampler Data		Calibration Data		
Recorder No.	Blower No.	Date	Actual Flowrate (ft^3/min)	R^2
B35	B35	01/08/2025	y = 1.126x-2.314	0.997
B36	B36	01/08/2025	y = 1.158x-3.625	0.999
B37	B37	01/08/2025	y = 1.071x-0.714	0.998
B38	B38	07/08/2025	y = 1.138x-6.470	0.999
B39	B39	07/08/2025	y = 1.074x-2.233	0.999
B40	B40	01/08/2025	y = 1.137x-4.281	0.998
B41	B41	01/08/2025	y = 1.124x-3.061	0.999
B42	B42	01/08/2025	y = 1.130x-3.831	0.998
B43	B43	04/08/2025	y = 1.098x-1.647	0.999
B44	B44	07/08/2025	y = 1.107x-2.029	0.997
R01	R01	01/08/2025	y = 1.027x+1.685	0.998
R02	R02	01/08/2025	y = 1.154x-5.444	0.998
R03	R03	01/08/2025	y = 1.174x-5.934	0.999
R04	R04	04/08/2025	y = 1.125x-3.465	0.997
R05	R05	01/08/2025	y = 1.097x+0.437	0.999
R06	R06	04/08/2025	y = 1.138x-2.560	0.997
R07	R07	01/08/2025	y = 1.046x-0.699	0.999
R08	R08	01/08/2025	y = 1.109x-3.582	0.997
R09	R09	01/08/2025	y = 1.088x-1.852	0.999
R10	R10	01/08/2025	y = 1.134x-4.535	0.996
R11	R11	01/08/2025	y = 1.170x-6.929	0.998
R12	R12	01/08/2025	y = 1.151x-4.183	0.999
R13	R13	01/08/2025	y = 1.117x-4.198	0.999
R14	R14	01/08/2025	y = 1.109x-2.662	0.998
R15	R15	01/08/2025	y = 1.126x-5.806	0.996
R16	R16	01/08/2025	y = 1.149x-7.086	0.996
R17	R17	01/08/2025	y = 1.120x-5.050	0.997
R18	R18	04/08/2025	y = 1.155x-5.737	0.997
R19	R19	04/08/2025	y = 1.131x-5.715	0.997
R20	R20	01/08/2025	y = 1.152x-5.912	0.996

Calibrated by : Adul Dangklom
(Mr.Adul Dangklom)

Approved by :
(Mr. Peera Detudom)

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

High Volume PM-10 Air Sampler Calibration Report

Calibration Method : Multipoint Orifice Flow Transfer Standard	Model : TE 5025A	S/N : 3440

Calibration Data				
High Volume PM-10 Data		Calibration Data		
Recorder No.	Blower No.	Date	Actual Flowrate (ft^3/min)	R^2
B01	B01	01/08/2025	y = 1.114x-2.914	0.997
B02	B02	07/08/2025	y = 1.013x+1.223	0.998
B03	B03	01/08/2025	y = 1.161x-6.637	0.997
B04	B04	01/08/2025	y = 1.104x-4.741	0.999
B05	B05	01/08/2025	y = 1.139x-4.983	0.999
B06	B06	07/08/2025	y = 1.115x-4.334	0.997
B07	B07	01/08/2025	y = 1.134x-5.274	0.999
B08	B08	07/08/2025	y = 1.118x-2.369	0.999
B09	B09	01/08/2025	y = 1.043x-0.834	0.999
B10	B10	01/08/2025	y = 1.096x-2.892	0.998
B11	B11	01/08/2025	y = 1.114x-3.605	0.997
B12	B12	06/08/2025	y = 1.096x-2.892	0.998
B13	B13	04/08/2025	y = 1.112x-4.752	0.996
B14	B14	01/08/2025	y = 1.104x-3.418	0.997
B15	B15	01/08/2025	y = 1.119x-2.509	0.996
B16	B16	01/08/2025	y = 1.012x+1.776	0.996
B17	B17	04/08/2025	y = 1.094x-0.874	0.999
B18	B18	07/08/2025	y = 1.140x-5.779	0.997
B19	B19	04/08/2025	y = 1.087x-0.543	0.999
B20	B20	01/08/2025	y = 1.108x-3.582	0.997
B21	B21	01/08/2025	y = 1.138x-4.442	0.996
B22	B22	01/08/2025	y = 1.097x-3.833	0.999
B23	B23	01/08/2025	y = 1.127x-4.713	0.999
B24	B24	01/08/2025	y = 1.117x-4.019	0.999
B25	B25	01/08/2025	y = 1.137x-5.745	0.996
B26	B26	01/08/2025	y = 1.029x-0.023	0.998
B27	B27	01/08/2025	y = 1.136x-6.732	0.996
B28	B28	01/08/2025	y = 1.114x-4.531	0.999
B29	B29	01/08/2025	y = 1.126x-5.420	0.999
B30	B30	01/08/2025	y = 1.119x-4.736	0.998
B31	B31	01/08/2025	y = 1.011x+2.394	0.998
B32	B32	01/08/2025	y = 1.047x-0.534	0.999
B33	B33	01/08/2025	y = 1.052x-0.474	0.998
B34	B34	07/08/2025	y = 1.028x+2.008	0.997

Calibrated by :	Approved by :
Adul Dangklom (Mr.Adul Dangklom)	(Mr. Peera Detudom)

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com, www.spscon.com

High Volume PM-10 Air Sampler Calibration Report

Calibration Method : Multipoint Orifice Flow Transfer Standard	Model : TE 5025A	S/N : 3440

Calibration Data				
High Volume PM-10 Data		Calibration Data		
Recorder No.	Blower No.	Date	Actual Flowrate (ft^3/min)	R^2
R01	R01	01/08/2025	y = 1.104x-5.304	0.998
R02	R02	01/08/2025	y = 1.064x-2.883	0.998
R03	R03	01/08/2025	y = 1.108x-4.353	0.999
R04	R04	01/08/2025	y = 1.101x-5.579	0.998
R05	R05	01/08/2025	y = 1.119x-5.074	0.996
R06	R06	04/08/2025	y = 1.127x-3.817	0.998
R07	R07	04/08/2025	y = 1.037x+1.136	0.998
R08	R08	01/08/2025	y = 1.042x+0.842	0.998
R09	R09	01/08/2025	y = 1.083x-2.007	0.997
R10	R10	01/08/2025	y = 1.041x-0.474	0.997
R11	R11	01/08/2025	y = 1.085x-1.404	0.997
R12	R12	01/08/2025	y = 1.062x-1.485	0.997
R13	R13	01/08/2025	y = 1.075x-2.468	0.999
R14	R14	01/08/2025	y = 1.017x+0.519	0.999
R15	R15	01/08/2025	y = 1.138x-6.436	0.998
R16	R16	04/08/2025	y = 1.051x+0.908	0.999
R17	R17	04/08/2025	y = 1.114x-4.329	0.998
R18	R18	01/08/2025	y = 1.098x-5.423	0.998
R19	R19	01/08/2025	y = 1.113x-2.373	0.997
R20	R20	01/08/2025	y = 1.105x-4.058	0.998

Calibrated by :	Approved by :
Adul Dangklom (Mr.Adul Dangklom)	(Mr. Peera Detudom)

Draft Report

QUALITY CALIBRATION CO.,LTD.
235 Petchkasem 63/2 Road, Laksong, Bangkae, Bangkok 10160
Tel (662) 421-5402, (662) 444-0152-3, Fax (662) 809-4584
www.qcalibration.com

NSC-TISI-TIS17025
CALIBRATION 0049

CERTIFICATE No : 25M2254
REFERENCE No : 76365-1

Certificate of Calibration

EQUIPMENT	:	DIGITAL BALANCE
MANUFACTURER	:	METTLER TOLEDO
MODEL	:	XS105DU
SERIAL No	:	1126422905
ID No	:	BA05/50
CONDITION AS RECEIVED	:	USED ITEM
SUBMITTED BY	:	S.P.S. CONSULTING SERVICE CO., LTD. 7 SOI PHAHOLYOTHIN 24, PHAHOLYOTHIN RD., JOMPOL, CHATUCHAK, BANGKOK 10900

CALIBRATED BY	:	ATSAWIN Y.
CALIBRATION DATE	:	07-Mar-25
APPROVED BY	:	PONGSAK J.
ISSUED DATE	:	13-Mar-25
RECEIVED DATE	:	07-Mar-25

Draft Report for Participation

THIS CERTIFICATE MAY NOT BE REPRODUCED OTHER THAN IN FULL EXCEPT WITH THE PRIOR WRITTEN APPROVAL OF QUALITY CALIBRATION CO., LTD.

QUALITY CALIBRATION CO.,LTD.
235 Petchkasem 63/2 Road, Laksong, Bangkae, Bangkok 10160
Tel (662) 421-5402, (662) 444-0152-3, Fax (662) 809-4584
www.qcalibration.com

CERTIFICATE No : 25M2254

Calibration Report

EQUIPMENT	:	DIGITAL BALANCE	**MODEL**	:	XS105DU
MANUFACTURER	:	METTLER TOLEDO	**S/N**	:	1126422905
ID No	:	BA05/50	**RECEIVED DATE**	:	07-Mar-25
AIR PRESSURE	:	1009mbar ± 1mbar	**CALIBRATION DATE**	:	07-Mar-25
AMBIENT TEMPERATURE	:	24° C ± 1° C	**RELATIVE HUMIDITY**	:	54 %RH ± 10 % RH

CONDITION OF THIS RESULTS OF CALIBRATION

1. THIS INSTRUMENT WAS CALIBRATED BY ACCORDING TO UKAS LAB 14 EDITION 6:2019 BY USING KNOWN WEIGHT STANDARD WEIGHT. THE BALANCE WAS NOT ADJUSTED BEFORE CALIBRATION. THE BALANCE HAS NO ZERO TRACKING FUNCTION. REPEATABILITY WAS MEASURED BY USING 10 REPEATED MEASUREMENTS. LINEARITY WAS MEASURED COVERING 10 POINTS, EVENLY SPREAD OVER THE RANGE. THE INSTRUMENT WAS SET ZERO BEFORE PERFORMING THE LINEARLITY TEST. OFF-CENTER LOADING WAS MEASURED BY USING STANDARD WEIGHTS PLACED ON THE PAN AND MOVED TO VARIOUS POSITIONS ON THE PAN.
2. REFERENCE STANDARD INSTRUMENTS :-

INSTRUMENT	MODEL	SERIAL No	CERTIFICATE No	DUE DATE
1) STANDARD WEIGHT SET	E2	QK-I-151	C02250116	28-Jan-27
2) STANDARD WEIGHT	E2	15843	C02250117	29-Jan-27


3. THE CERTIFICATE IS VALID FOR THE ITEM CALIBRATED AS SHOWN ON THE DATE AND PLACE OF CALIBRATION ONLY.
4. THIS RESULT EXCLUDE LONG TERM STABILITY OF THE UNIT UNDER CALIBRATION.
5. THIS CERTIFICATE IS TRACEABLE TO THE INTERNATIONAL SYSTEM OF UNIT MAINTAINED AT:-
   - NATIONAL INSTITUTE OF METROLOGY (THAILAND)

RESULT OF CALIBRATION :- WITHOUT ADJUSTMENT

1. ZERO SETTING FUNCTION : NORMAL
2. TARE FUNCTION : NORMAL
3. REPEATABILITY OF READING AT 120 g WAS 0.000055 g
4. DEPARTURE FROM NOMINAL VALUE/ LINEARITY

NOMINAL VALUE (g)	BALANCE READING (g)	CORRECTION (g)	UNCERTAINTY (± g)
0.00	0.00000	0.00000	0.000065
0.02	0.01999	0.00001	0.000065
0.10	0.10001	-0.00001	0.000066
0.20	0.20001	-0.00001	0.000066
0.50	0.50002	-0.00002	0.000065
1.00	1.00003	-0.00003	0.000066
2.00	2.00001	-0.00001	0.000067
5.00	5.00002	-0.00002	0.000068
10.00	10.00000	0.00000	0.000070
20.00	20.00004	-0.00004	0.000078
50.00	50.0000	0.0000	0.00013
100.00	100.0001	-0.0001	0.00019
120.00	120.0002	-0.0002	0.00022

5. OFF CENTER LOADING ERROR



POINT	READING (g)
1	50.0000
2	50.0000
3	50.0000
4	50.0000
5	50.0000
OFF-CENTER LOADING	0.0000

NOTE: THIS CALIBRATION WAS CARRIED OUT AT THE CUSTOMER'S PLACE AT LABORATORY AREA
THE REPORTED UNCERTAINTY OF MEASUREMENT WAS BASED ON A STANDARD UNCERTAINTY MULTIPLIED BY A COVERAGE FACTOR k =2, PROVIDING A LEVEL OF CONFIDENCE APPROXIMATELY 95%.

END OF CALIBRATION REPORT

Draft Report Only

ระดับเสียงในบรรยากาศ

Draft Report

THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-68/0220 **MTC No.** EEL. BP. 44/0268

CALIBRATION CERTIFICATE

Submitted by : S.P.S.Consulting Service Co.,Ltd.

Address : 7 Soi Phaholyothin 24, Phaholyothin Road, Jompol, Chatuchak, Bangkok 10900.

Calibrated at : Electrical and Electronic Standards Laboratory, Industrial Metrology and Testing Service Centre. Soi 1C, Bangpoo Industrial Estate, Sukhumvit Rd., Muang, Samutprakan 10280.

Instrument Calibrated :

Description : Sound Calibrator

Manufacturer : ACO

Model : 2127

Serial No. : 130006

Ambient Environment

Temperature : (23 + 3) °C

Relative Humidity : (50 ± 15) %

Ambient Pressure : (101.325 ± 1.500) kPa

Standards used :

1. Digital Function Synthesizer NF Electronic DF-193A S/N 122037.
2. Measuring Amplifier Bruel&Kjaer 2636 S/N 1537484.
3. Programmable Attenuator Tamagawa TPA-303A S/N OF 2214.
4. Digital Multimeter Agilent 34401A S/N MY44005560.
5. Pressure Transmitter Vaisala PTB202AD S/N T0650001.
6. Audio Analyzer Panasonic VP-7722A S/N 041477D122.
7. Condenser Microphone B&K 4180 S/N 2889871.

Calibration Procedure: CP-102-04 based on IEC 60942-2003; The sound pressure level generated by sound calibrator under test shall be measured by standard microphone using an insert voltage technique.

This instrument has been calibrated against standards maintained at Electrical and Electronic Standards Laboratory (EEL), which are traceable to the International System of Units through the National Institute of Metrology (Thailand).

The information on actual reading is attached herewith and the uncertainty limits quoted refer to the measured values only.

Date of Receipt : 19 Feb. 2025

Date of Calibration : 21 Feb. 2025

Draft Report

The results relate only to the items tested/calibrated or value assigned.
Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9009

Office/Laboratory
668 Mu 2 Tambon Bangpoomai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672-80 ext. 115, 116
(66) 08 3219 9440
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
196 Phahonyothin Road, Ladyao, Chatuchak,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5217
(66) 08 1889 6827

THAILAND INSTITUTE OF SCIENTIFIC AND TECHNOLOGICAL RESEARCH (TISTR)

Request No. 21-68/0220 **MTC No.** EEL. BP. 44/0268

The reported expanded uncertainty is based upon a standard uncertainty multiplied by a coverage factor k = 2, providing a level of confidence of approximately 95%.

Nominal Output of Unit Under Test = 94 dB re 20μPa at 1000 Hz

Acoustic Output in dB re 20μPa, Corrected to Reference Conditions: 101.325 kPa, 23.0 °C and 50 %RH.

1. Sound Pressure Level

Standard Microphone Type	Measured Sound Pressure Level (dB)	Deviated value (dB)	Uncertainty (dB)	Tolerance limit IEC60942:2003 Class 1
1/2 inch Bruel&Kjaer 4180	93.81	-0.19	± 0.10	±0.40 dB

2. Frequency

Standard Microphone Type	Measured Frequency (Hz)	Deviated value (Hz)	Uncertainty (Hz)	Tolerance limit IEC60942:2003 Class 1
1/2 inch Bruel&Kjaer 4180	999.9	-0.1	± 1.5	±1.0%

3. Total Distortion

Standard Microphone Type	Measured Total Distortion (%)	Uncertainty (%)	Tolerance limit IEC60942:2003 Class 1
1/2 inch Bruel&Kjaer 4180	0.95	± 0.50	±3.0%

Note : 1. No adjustment.

2. The calibrator pressure correction was not included.

3. The microphone volume correction was not included.

Calibrated by :

.....

(Mr.Weerachai Deechaiyae)

Approved by :

.....

(Mr.Prawate Kluaypa)

Director

Electrical and Electronic Standards Laboratory

Industrial Metrology and Testing Service Centre

Date of Calibration : 21 Feb. 2025

Date of Issue : 24 Feb. 2025

Ref : 20112680219007390001

End of Certificate

The results relate only to the items tested/calibrated or value assigned.
Advertising the Report/Certificate and publicity of the results except in full are prohibited unless written permission is obtained from the governor of TISTR.

Head Office
35 Mu 3 Tambon Khlong Ha, Amphoe Khlong Luang,
Changwat Pathumthani 12120, Thailand
Tel. (66) 0 2577 9036
Fax. (66) 0 2577 9009

Office/Laboratory
668 Mu 2 Tambon Bangpoomai, Amphoe Muang Samutprakan,
Changwat Samutprakan 10280, Thailand
Tel. (66) 0 2323 1672-80 ext. 115, 116
(66) 08 3219 9440
E-mail : mtc@tistr.or.th Website : www.tistr.or.th

Office
196 Phahonyothin Road, Ladyao, Chatuchak,
Bangkok 10900, Thailand
Tel. (66) 0 2579 1121-30 ext. 5219, 5225, 5217
(66) 08 1889 6827

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

Noise B_392/25

Sound Level Meter Calibration Report

Acoustic Calibrator Data			
Brand	ACO	Number	AC 03/56
Model	2127	Serial No.	130006
Calibration Range	94 dB, 1000 Hz	Last Calibration	21 February 2025
		Due Date	21 February 2026

Calibration Data

Sound Level Meter Data				Calibration Data		
SLM No.	Brand	Model	Serial No.	Date	Actual Reading [dB]	
					Before Adjustment	After Adjustment
ACO-R54	ACO	6236	00222307	18 August 2025	93.9	93.9
ACO-R55	ACO	6236	00222309	18 August 2025	93.8	93.9
Acoustic Certified Value : Thailand Institute of Scientific and Technological Research (TISTR)					93.81 ± 0.10 dB	

Calibrated by : Adul Dangklom
(Mr. Adul Dangklom)

Approved by :
(Mr. Peera Detudom)

Draft Report

ระดับความสั่นสะเทือน

Draft Report

CALIBRATION LABORATORY CO., LTD.
2/10-11,14,55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail:sale@cal-laboratory.com

CLC
Accredited
ISO/IEC 17025

ilac-MRA

ANAB
ANSI National Accreditation Board
ACCREDITED
ISO/IEC 17025
CALIBRATION AND DIMENSIONAL MEASUREMENT
ACDM-2814

CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE	:	VIBRATION METER
MANUFACTURER	:	INSTANTEL
MODEL / TYPE	:	721A2601/721A3301
SERIAL NO.	:	UM15503/UM15503
CLID. NO.	:	252101481
JOB CONTROL NO.	:	241029115542
CALIBRATION SERVICE	:	☑ IN-LABORATORY ☐ ON-SITE

CUSTOMER : S.P.S. CONSULTING SERVICE CO., LTD.
7 SOI PHAHOLYOTHIN 24 ROAD.,
JOMPOL, CHATUCHAK, BANGKOK 10900

DATE OF RECEIVED : 29 October 2024 DATE OF ISSUED : 01 November 2024

The report of calibration shall not be reproduced except in full without approval of the Calibration Laboratory Co., Ltd.

Calibrated By : Suwit Phuanbusabong
Calibration Engineer

Approved By : Mongkol Yotsoontorn
Authorized Signatory
01 November 2024

This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q24115542

F3-011-05/12-23

@clccalibration

Draft Report

CALIBRATION LABORATORY CO., LTD.
2/10-11,14,55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail:sale@cal-laboratory.com

CLC
Accredited
ISO/IEC 17025

ilac-MRA

ANAB
ANSI National Accreditation Board
ACCREDITED
ISO/IEC 17025
CALIBRATION AND DIMENSIONAL MEASUREMENT
ACDM-2814

REPORT OF CALIBRATION

FOR

NOMENCLATURE	:	**VIBRATION METER**
MANUFACTURER	:	**INSTANTEL**
MODEL / TYPE	:	**721A2601/721A3301**
SERIAL NO.	:	**UM15503/UM15503**
DATE OF CALIBRATION	:	**30 October 2024**
DUE DATE OF CALIBRATION	:	**30 October 2025**

ENVIRONMENT CONDITIONS :

Temperature : (23 ± 2) °C **Relative Humidity :** (55 ± 15) %RH

PROCEDURE USED :

This instrument was calibrated under procedure No. **CLC-CPEE-08** based on **ISO 16063-21** as calibration guideline. The calibration was performed by using Digital Multimeter, Programmable Timer/Counter, Vibration Calibrator which maintained by the Calibration Laboratory Co., Ltd.

REFERENCE STANDARD USED :

1. Vibration Calibrator, The Modal Shop Model 9110D S/N. 11424.
2. Digital Multimeter, Hewlett Packard Model 34401A S/N. 3146A75935.
3. Programmable Timer/Counter, Philips Model PM6680B S/N. SM607101.

TRACEABILITY :

1. The measurements are traceable to International System of Units (SI), through National Institute of Metrology (Thailand) Certificate No. AV-0030-24, Due Date 19 July 2025.
2. The measurements are traceable to International System of Units (SI), through National Institute of Metrology (Thailand) Certificate No. EE-0130-23, Due Date 29 November 2024.
3. The measurements are traceable to International System of Units (SI), through Aeronautical Radio of Thailand Ltd. Certificate No. 07-0050/24 , Due Date 13 May 2025 .

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k = 2{,}00$ which for a normal distribution corresponds to a coverage probability of approximately 95 %. It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2022)"

Draft Report

@clccalibration

CALIBRATION LABORATORY CO., LTD.
2/10-11,14,55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail:sale@cal-laboratory.com

CLC Accredited ISO/IEC 17025

ilac-MRA

ANAB ANSI National Accreditation Board ACCREDITED ISO/IEC 17025 CALIBRATION AND DIMENSIONAL MEASUREMENT ACDM-2814

CONDITION OF CALIBRATION ITEM : RECEIVED IN GOOD OPERATIONAL CONDITION

MEASUREMENT RESULTS : (X) without adjustment ( ) adjustment

CALIBRATION DATA

VELOCITY RESULT

Test point		Mode	STD Reading	DUC Reading	Correction	Uncertainty
(mm/s)	(frequency)		(mm/s)	(mm/s)	(mm/s)	± (% of rdg.)
10.000	160 Hz	peak	10.000	10.287	-0.287	1.6
20.000	160 Hz		20.000	20.457	-0.457	1.6
30.000	160 Hz		30.000	30.532	-0.532	1.6
40.000	160 Hz		40.000	40.671	-0.671	1.6
50.000	160 Hz		50.000	50.765	-0.765	1.6

Note. The Scope of Accredited ANAB Certificate No. ACDM-2814 Version 012 Page 2 of 67

Draft Report

This report is valid for the above stated instrument/s only.

End of Certificate

@clccalibration

CALIBRATION LABORATORY CO., LTD.
2/10-11,14,55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail:sale@cal-laboratory.com

CLC
Accredited
ISO/IEC 17025

ilac-MRA

ANAB
ANSI National Accreditation Board
ACCREDITED
ISO/IEC 17025
CALIBRATION AND DIMENSIONAL MEASUREMENT
ACDM-2814

CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE	:	VIBRATION METER
MANUFACTURER	:	INSTANTEL
MODEL / TYPE	:	721A2601
SERIAL NO.	:	UM15504/N/A [VOM-B27]
CLID. NO.	:	252101482
JOB CONTROL NO.	:	241029115543
CALIBRATION SERVICE	:	☑ IN-LABORATORY ☐ ON-SITE

CUSTOMER : S.P.S. CONSULTING SERVICE CO., LTD.
7 SOI PHAHOLYOTHIN 24 ROAD.,
JOMPOL, CHATUCHAK, BANGKOK 10900

DATE OF RECEIVED : 29 October 2024 DATE OF ISSUED : 01 November 2024

The report of calibration shall not be reproduced except in full without approval of the Calibration Laboratory Co., Ltd.

Calibrated By : Suwit Phuanbusabong
Calibration Engineer

Approved By : Mongkol Yotsoontorn
Authorized Signatory
01 November 2024

This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q24115543

Draft Report

@clccalibration

CALIBRATION LABORATORY CO., LTD.
2/10-11,14,55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail:sale@cal-laboratory.com

CLC
Accredited
ISO/IEC 17025

ilac-MRA

ANAB
ANSI National Accreditation Board
ACCREDITED
ISO/IEC 17025
CALIBRATION AND DIMENSIONAL MEASUREMENT
ACDM-2814

REPORT OF CALIBRATION

FOR

NOMENCLATURE	:	**VIBRATION METER**
MANUFACTURER	:	**INSTANTEL**
MODEL / TYPE	:	**721A2601**
SERIAL NO.	:	**UM15504/N/A [VOM-B27]**
DATE OF CALIBRATION	:	**30 October 2024**
DUE DATE OF CALIBRATION	:	**30 October 2025**

ENVIRONMENT CONDITIONS :

Temperature : (23 ± 2) °C **Relative Humidity :** (55 ± 15) %RH

PROCEDURE USED :

This instrument was calibrated under procedure No. **CLC-CPEE-08** based on **ISO 16063-21** as calibration guideline. The calibration was performed by using Digital Multimeter, Programmable Timer/Counter, Vibration Calibrator which maintained by the Calibration Laboratory Co., Ltd.

REFERENCE STANDARD USED :

1. Vibration Calibrator, The Modal Shop Model 9110D S/N. 11424.
2. Digital Multimeter, Hewlett Packard Model 34401A S/N. 3146A75935.
3. Programmable Timer/Counter, Philips Model PM6680B S/N. SM607101.

TRACEABILITY :

1. The measurements are traceable to International System of Units (SI), through National Institute of Metrology (Thailand) Certificate No. AV-0030-24, Due Date 19 July 2025.
2. The measurements are traceable to International System of Units (SI), through National Institute of Metrology (Thailand) Certificate No. EE-0130-23, Due Date 29 November 2024.
3. The measurements are traceable to International System of Units (SI), through Aeronautical Radio of Thailand Ltd. Certificate No. 07-0050/24 , Due Date 13 May 2025 .

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k = 2{,}00$ which for a normal distribution corresponds to a coverage probability of approximately 95 %. It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2022)"

Draft Report

@clccalibration

CONDITION OF CALIBRATION ITEM : RECEIVED IN GOOD OPERATIONAL CONDITION

MEASUREMENT RESULTS : (X) without adjustment ( ) adjustment

CALIBRATION DATA

VELOCITY RESULT

Test point		Mode	STD Reading	DUC Reading	Correction	Uncertainty
(mm/s)	(frequency)		(mm/s)	(mm/s)	(mm/s)	± (% of rdg.)
10.000	160 Hz	peak	10.000	10.331	-0.331	1.6
20.000	160 Hz		20.000	20.578	-0.578	1.6
30.000	160 Hz		30.000	30.662	-0.662	1.6
40.000	160 Hz		40.000	40.839	-0.839	1.6
50.000	160 Hz		50.000	50.951	-0.951	1.6

Note. The Scope of Accredited ANAB Certificate No. ACDM-2814 Version 012 Page 2 of 67

This report is valid for the above stated instrument/s only.

Draft Report

End of Certificate