

ภาคผนวก ค

ใบรับรองผลการวิเคราะห์

คุณภาพอากาศในบรรยากาศ



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582805

Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number: 3399856-1

Page 1 of 1

Sample Description Air Quality
Location ฟาร์มกรุงไทย (สาขาเนินสี) (A1) (GPS 47P 0748450, 1462476)
Date Analysis Commenced Oct 03, 2025
Condition of Sample Drawn into one glass filter paper (8x10 inch) placed in plastic bag and one quartz filter paper (8x10 inch) placed in plastic bag

Sample Number	Sampled Date	Sampling Condition		Total Suspended Particulate (mg/m3)	Particulate Matter (PM-10) (mg/m3)
		Pressure (mm Hg)	Temperature (°C)		
2582805-1	Sep 23 - Sep 24, 2025	752	30.2	0.036	0.013
2582805-2	Sep 24 - Sep 25, 2025	752	30.7	0.080	0.027
2582805-3	Sep 25 - Sep 26, 2025	752	30.4	0.092	0.029
2582805-4	Sep 26 - Sep 27, 2025	752	29.6	0.100	0.034
2582805-5	Sep 27 - Sep 28, 2025	752	30.9	0.034	0.014
2582805-6	Sep 28 - Sep 29, 2025	752	31.0	0.050	0.016
2582805-7	Sep 29 - Sep 30, 2025	752	30.1	0.057	0.020
Guideline		-	-	0.33	0.12

Reference Method

Total Suspended Particulate : United States Environmental Protection Agency 40 CFR, method 50, Appendix B, revised as of July 1, 2008
Particulate Matter (PM-10) : United States Environmental Protection Agency 40 CFR, method 50, Appendix J, revised as of July 1, 2008

Guideline : Notification of the National Environmental Board. No.24, 2004 (B.E.2547) dated September 22, 2004

Sampled By : Anurak Tongkhajonsakda

Approved by

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582805

Date Received : Oct 03, 2025
Date Reported : Oct 09, 2025
Report Number: 3399856-2

Page 1 of 1

Sample Description Air Quality
Location ที่พักอาศัยด้านทิศเหนือของบ่อหนองน้ำฝน 3 (A2) (GPS 47P 0748581, 1461603)
Date Analysis Commenced Oct 03, 2025
Condition of Sample Drawn into one glass filter paper (8x10 inch) placed in plastic bag and one quartz filter paper (8x10 inch) placed in plastic bag

Sample Number	Sampled Date	Sampling Condition		Total Suspended Particulate (mg/m3)	Particulate Matter (PM-10) (mg/m3)
		Pressure (mm Hg)	Temperature (°C)		
2582805-8	Sep 23 - Sep 24, 2025	752	30.2	0.034	0.025
2582805-9	Sep 24 - Sep 25, 2025	752	30.7	0.043	0.028
2582805-10	Sep 25 - Sep 26, 2025	752	30.4	0.044	0.027
2582805-11	Sep 26 - Sep 27, 2025	752	29.6	0.042	0.026
2582805-12	Sep 27 - Sep 28, 2025	752	30.9	0.029	0.018
2582805-13	Sep 28 - Sep 29, 2025	752	31.0	0.033	0.024
2582805-14	Sep 29 - Sep 30, 2025	752	30.1	0.034	0.021
Guideline		-	-	0.33	0.12

Reference Method

Total Suspended Particulate : United States Environmental Protection Agency 40 CFR, method 50, Appendix B, revised as of July 1, 2008
Particulate Matter (PM-10) : United States Environmental Protection Agency 40 CFR, method 50, Appendix J, revised as of July 1, 2008

Guideline : Notification of the National Environmental Board. No.24, 2004 (B.E.2547) dated September 22, 2004

Sampled By : Anurak Tongkhajonsakda

Approved by

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582805

Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number: 3399856-3

Page 1 of 1

Sample Description	Air Quality				
Location	ที่พักอาศัยด้านทิศเหนือของแปลง A06 (A3) (GPS 47P 0747525, 1460273)				
Date Analysis Commenced	Oct 03, 2025				
Condition of Sample	Drawn into one glass filter paper (8x10 inch) placed in plastic bag and one quartz filter paper (8x10 inch) placed in plastic bag				
Sample Number	Sampled Date	Sampling Condition		Total Suspended Particulate (mg/m3)	Particulate Matter (PM-10) (mg/m3)
		Pressure (mm Hg)	Temperature (°C)		
2582805-15	Sep 23 - Sep 24, 2025	752	30.2	0.069	0.030
2582805-16	Sep 24 - Sep 25, 2025	752	30.7	0.030	0.017
2582805-17	Sep 25 - Sep 26, 2025	752	30.4	0.079	0.032
2582805-18	Sep 26 - Sep 27, 2025	752	29.6	0.084	0.032
2582805-19	Sep 27 - Sep 28, 2025	752	30.9	0.086	0.035
2582805-20	Sep 28 - Sep 29, 2025	752	31.0	0.081	0.038
2582805-21	Sep 29 - Sep 30, 2025	752	30.1	0.075	0.032
Guideline		-	-	0.33	0.12

Reference Method

Total Suspended Particulate : United States Environmental Protection Agency 40 CFR, method 50, Appendix B, revised as of July 1, 2008
Particulate Matter (PM-10) : United States Environmental Protection Agency 40 CFR, method 50, Appendix J, revised as of July 1, 2008

Guideline : Notification of the National Environmental Board. No.24, 2004 (B.E.2547) dated September 22, 2004

Sampled By : Anurak Tongkhajonsakda

Approved by

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582805

Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number: 3399856-4

Page 1 of 1

Sample Description Air Quality
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (A4) (GPS 47P 0748113, 1461272)
Date Analysis Commenced Oct 03, 2025
Condition of Sample Drawn into one glass filter paper (8x10 inch) placed in plastic bag and one quartz filter paper (8x10 inch) placed in plastic bag

Sample Number	Sampled Date	Sampling Condition		Total Suspended Particulate (mg/m3)	Particulate Matter (PM-10) (mg/m3)
		Pressure (mm Hg)	Temperature (°C)		
2582805-22	Sep 23 - Sep 24, 2025	752	30.2	0.031	0.027
2582805-23	Sep 24 - Sep 25, 2025	752	30.7	0.038	0.029
2582805-24	Sep 25 - Sep 26, 2025	752	30.4	0.037	0.028
2582805-25	Sep 26 - Sep 27, 2025	752	29.6	0.056	0.036
2582805-26	Sep 27 - Sep 28, 2025	752	30.9	0.062	0.031
2582805-27	Sep 28 - Sep 29, 2025	752	31.0	0.077	0.047
2582805-28	Sep 29 - Sep 30, 2025	752	30.0	0.037	0.029
Guideline		-	-	0.33	0.12

Reference Method

Total Suspended Particulate : United States Environmental Protection Agency 40 CFR, method 50, Appendix B, revised as of July 1, 2008
Particulate Matter (PM-10) : United States Environmental Protection Agency 40 CFR, method 50, Appendix J, revised as of July 1, 2008

Guideline : Notification of the National Environmental Board. No.24, 2004 (B.E.2547) dated September 22, 2004

Sampled By : Anurak Tongkhajonsakda

Approved by

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang,
Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582803

Date Received : Oct 03, 2025

Date Reported : Oct 09, 2025

Report Number: 3424375-1

Page 1 of 1

Sample Description Air Quality

Location ฟาร์มกรุงเทพ (สาขาเนินสี) (A1)
(GPS 47P 0748450, 1462476)

Parameter Sulfur Dioxide (ppm)

Measurement Date Sep 23, 2025 - Sep 30, 2025

Measurement by Anurak Tongkhajonsakda

	2582803-1	2582803-2	2582803-3	2582803-4	2582803-5	2582803-6	2582803-7
Time	Sep 23, 2025	Sep 24, 2025	Sep 25, 2025	Sep 26, 2025	Sep 27, 2025	Sep 28, 2025	Sep 29, 2025
12:00 PM - 01:00 PM	0.0005	0.0005	0.0005	0.0005	0.0004	0.0004	0.0005
01:00 PM - 02:00 PM	0.0004	0.0004	0.0004	0.0004	0.0003	0.0003	0.0004
02:00 PM - 03:00 PM	0.0004	0.0003	0.0004	0.0004	0.0003	0.0002	0.0003
03:00 PM - 04:00 PM	0.0003	0.0003	0.0003	0.0003	0.0002	0.0002	0.0003
04:00 PM - 05:00 PM	0.0016	0.0002	0.0003	0.0003	0.0002	0.0002	0.0002
05:00 PM - 06:00 PM	0.0011	0.0003	0.0004	0.0004	0.0003	0.0002	0.0003
06:00 PM - 07:00 PM	0.0006	0.0003	0.0006	0.0006	0.0005	0.0004	0.0006
07:00 PM - 08:00 PM	0.0008	0.0007	0.0008	0.0009	0.0006	0.0005	0.0008
08:00 PM - 09:00 PM	0.0007	0.0007	0.0007	0.0008	0.0005	0.0004	0.0007
09:00 PM - 10:00 PM	0.0006	0.0006	0.0006	0.0007	0.0005	0.0004	0.0006
10:00 PM - 11:00 PM	0.0005	0.0005	0.0005	0.0006	0.0005	0.0003	0.0005
11:00 PM - 12:00 AM	0.0005	0.0004	0.0005	0.0005	0.0004	0.0003	0.0004
12:00 AM - 01:00 AM	0.0004	0.0004	0.0004	0.0005	0.0004	0.0002	0.0004
01:00 AM - 02:00 AM	0.0004	0.0003	0.0004	0.0004	0.0003	0.0002	0.0003
02:00 AM - 03:00 AM	0.0003	0.0003	0.0003	0.0004	0.0003	0.0002	0.0003
03:00 AM - 04:00 AM	0.0004	0.0003	0.0004	0.0004	0.0003	0.0002	0.0003
04:00 AM - 05:00 AM	0.0005	0.0005	0.0005	0.0006	0.0004	0.0003	0.0005
05:00 AM - 06:00 AM	0.0007	0.0007	0.0007	0.0008	0.0006	0.0005	0.0007
06:00 AM - 07:00 AM	0.0006	0.0006	0.0006	0.0007	0.0005	0.0005	0.0006
07:00 AM - 08:00 AM	0.0005	0.0005	0.0012	0.0006	0.0005	0.0004	0.0005
08:00 AM - 09:00 AM	0.0005	0.0005	0.0016	0.0006	0.0004	0.0004	0.0005
09:00 AM - 10:00 AM	0.0004	0.0004	0.0021	0.0005	0.0004	0.0003	0.0004
10:00 AM - 11:00 AM	0.0004	0.0004	0.0004	0.0005	0.0003	0.0003	0.0003
11:00 AM - 12:00 PM	0.0003	0.0003	0.0003	0.0004	0.0003	0.0002	0.0003
Average	0.0006	0.0004	0.0006	0.0005	0.0004	0.0003	0.0004
1hr - Maximum	0.0016	0.0007	0.0021	0.0009	0.0006	0.0005	0.0008
Standard 1hr - Average	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Standard 24 hrs - Average	0.12	0.12	0.12	0.12	0.12	0.12	0.12

Standard : Notification of the National Environment Board No.10, 1995 (B.E.2538), No. 21, 2001 (B.E.2544) and No.24, 2004 (B.E.2547).

Reference Method : U.S. Environmental Protection Agency, EPA Method Part 53 and 58

Approved by

Saranya C.

Saranya Chalermthamrong

Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang,
Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582803

Date Received : Oct 03, 2025

Date Reported : Oct 10, 2025

Report Number: 3424376-1

Page 1 of 1

Sample Description	Air Quality
Location	ที่พักอาศัยด้านทิศเหนือของบ่อน้ำมัน 3 (A2) (GPS 47P 0748581, 1461603)
Parameter	Sulfur Dioxide (ppm)
Measurement Date	Sep 23, 2025 - Sep 30, 2025
Measurement by	Anurak Tongkhajonsakda

	2582803-8 Sep 23, 2025	2582803-9 Sep 24, 2025	2582803-10 Sep 25, 2025	2582803-11 Sep 26, 2025	2582803-12 Sep 26, 2025	2582803-13 Sep 28, 2025	2582803-14 Sep 29, 2025
Time							
10:00 AM - 11:00 AM	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002	0.0003
11:00 AM - 12:00 PM	0.0003	0.0003	0.0003	0.0003	0.0002	0.0002	0.0003
12:00 PM - 01:00 PM	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002
01:00 PM - 02:00 PM	0.0002	0.0002	0.0002	0.0003	0.0002	0.0002	0.0002
02:00 PM - 03:00 PM	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003
03:00 PM - 04:00 PM	0.0004	0.0004	0.0004	0.0005	0.0004	0.0004	0.0004
04:00 PM - 05:00 PM	0.0005	0.0005	0.0006	0.0006	0.0005	0.0005	0.0005
05:00 PM - 06:00 PM	0.0005	0.0005	0.0005	0.0005	0.0004	0.0004	0.0005
06:00 PM - 07:00 PM	0.0004	0.0004	0.0004	0.0004	0.0003	0.0003	0.0004
07:00 PM - 08:00 PM	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002	0.0003
08:00 PM - 09:00 PM	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002
09:00 PM - 10:00 PM	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002
10:00 PM - 11:00 PM	0.0002	0.0002	0.0002	0.0002	0.0002	0.0001	0.0002
11:00 PM - 12:00 AM	0.0001	0.0001	0.0001	0.0002	0.0001	0.0001	0.0001
12:00 AM - 01:00 AM	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001
01:00 AM - 02:00 AM	0.0001	0.0001	0.0002	0.0002	0.0001	0.0001	0.0001
02:00 AM - 03:00 AM	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002
03:00 AM - 04:00 AM	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003
04:00 AM - 05:00 AM	0.0004	0.0004	0.0005	0.0004	0.0004	0.0004	0.0004
05:00 AM - 06:00 AM	0.0006	0.0006	0.0007	0.0005	0.0005	0.0006	0.0006
06:00 AM - 07:00 AM	0.0005	0.0005	0.0006	0.0004	0.0004	0.0005	0.0005
07:00 AM - 08:00 AM	0.0004	0.0004	0.0004	0.0003	0.0003	0.0004	0.0004
08:00 AM - 09:00 AM	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003
09:00 AM - 10:00 AM	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003
Average	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003
1hr - Maximum	0.0006	0.0006	0.0007	0.0006	0.0005	0.0006	0.0006
Standard 1hr - Average	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Standard 24 hrs - Average	0.12	0.12	0.12	0.12	0.12	0.12	0.12

Standard : Notification of the National Environment Board No.10, 1995 (B.E.2538), No. 21, 2001 (B.E.2544) and No.24, 2004 (B.E.2547).

Reference Method : U.S. Environmental Protection Agency, EPA Method Part 53 and 58

Approved by

Saranya C.

Saranya Chalermthamrong
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang,
Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582803

Date Received : Oct 03, 2025

Date Reported : Oct 09, 2025

Report Number: 3424377-1

Page 1 of 1

Sample Description Air Quality

Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (A3)
(GPS 47P 0747525, 1460273)

Parameter Sulfur Dioxide (ppm)

Measurement Date Sep 23, 2025 - Sep 30, 2025

Measurement by Anurak Tongkhajonsakda

	2582803-15	2582803-16	2582803-17	2582803-18	2582803-19	2582803-20	2582803-21
Time	Sep 23, 2025	Sep 24, 2025	Sep 25, 2025	Sep 26, 2025	Sep 27, 2025	Sep 28, 2025	Sep 29, 2025
10:00 AM - 11:00 AM	0.0005	0.0004	0.0005	0.0005	0.0004	0.0004	0.0004
11:00 AM - 12:00 PM	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003	0.0004
12:00 PM - 01:00 PM	0.0004	0.0004	0.0004	0.0004	0.0003	0.0003	0.0004
01:00 PM - 02:00 PM	0.0004	0.0004	0.0004	0.0004	0.0003	0.0003	0.0004
02:00 PM - 03:00 PM	0.0005	0.0005	0.0005	0.0005	0.0004	0.0004	0.0005
03:00 PM - 04:00 PM	0.0007	0.0007	0.0007	0.0008	0.0006	0.0006	0.0007
04:00 PM - 05:00 PM	0.0008	0.0008	0.0009	0.0009	0.0007	0.0007	0.0009
05:00 PM - 06:00 PM	0.0007	0.0007	0.0008	0.0008	0.0006	0.0006	0.0007
06:00 PM - 07:00 PM	0.0006	0.0006	0.0006	0.0006	0.0005	0.0005	0.0006
07:00 PM - 08:00 PM	0.0005	0.0005	0.0005	0.0005	0.0004	0.0004	0.0005
08:00 PM - 09:00 PM	0.0004	0.0004	0.0004	0.0004	0.0003	0.0003	0.0004
09:00 PM - 10:00 PM	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003
10:00 PM - 11:00 PM	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002	0.0003
11:00 PM - 12:00 AM	0.0002	0.0002	0.0003	0.0003	0.0002	0.0002	0.0002
12:00 AM - 01:00 AM	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002
01:00 AM - 02:00 AM	0.0003	0.0002	0.0003	0.0003	0.0002	0.0002	0.0003
02:00 AM - 03:00 AM	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003
03:00 AM - 04:00 AM	0.0005	0.0005	0.0005	0.0004	0.0004	0.0005	0.0005
04:00 AM - 05:00 AM	0.0007	0.0007	0.0007	0.0006	0.0005	0.0007	0.0007
05:00 AM - 06:00 AM	0.0009	0.0010	0.0010	0.0007	0.0007	0.0009	0.0009
06:00 AM - 07:00 AM	0.0008	0.0008	0.0009	0.0007	0.0006	0.0008	0.0008
07:00 AM - 08:00 AM	0.0006	0.0006	0.0007	0.0006	0.0005	0.0006	0.0006
08:00 AM - 09:00 AM	0.0005	0.0005	0.0006	0.0005	0.0004	0.0005	0.0005
09:00 AM - 10:00 AM	0.0005	0.0005	0.0005	0.0004	0.0004	0.0005	0.0005
Average	0.0005	0.0005	0.0005	0.0005	0.0004	0.0004	0.0005
1hr - Maximum	0.0009	0.0010	0.0010	0.0009	0.0007	0.0009	0.0009
Standard 1hr - Average	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Standard 24 hrs - Average	0.12	0.12	0.12	0.12	0.12	0.12	0.12

Standard : Notification of the National Environment Board No.10, 1995 (B.E.2538), No. 21, 2001 (B.E.2544) and No.24, 2004 (B.E.2547).

Reference Method : U.S. Environmental Protection Agency, EPA Method Part 53 and 58

Approved by

Saranya C.

Saranya Chalermthamrong

Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang,
Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582803

Date Received : Oct 03, 2025

Date Reported : Oct 09, 2025

Report Number: 3399843-1

Page 1 of 1

Sample Description Air Quality

Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (A4)
(GPS 47P 0748113, 1461272)

Parameter Sulfur Dioxide (ppm)

Measurement Date Sep 23, 2025 - Sep 30, 2025

Measurement by Anurak Tongkhajonsakda

	2582803-22	2582803-23	2582803-24	2582803-25	2582803-26	2582803-27	2582803-28
Time	Sep 23, 2025	Sep 24, 2025	Sep 25, 2025	Sep 26, 2025	Sep 27, 2025	Sep 28, 2025	Sep 29, 2025
11:00 AM - 12:00 PM	0.0004	0.0004	0.0004	0.0004	0.0003	0.0003	0.0004
12:00 PM - 01:00 PM	0.0004	0.0003	0.0003	0.0004	0.0003	0.0003	0.0003
01:00 PM - 02:00 PM	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003
02:00 PM - 03:00 PM	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003
03:00 PM - 04:00 PM	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003	0.0004
04:00 PM - 05:00 PM	0.0006	0.0006	0.0006	0.0006	0.0005	0.0005	0.0006
05:00 PM - 06:00 PM	0.0007	0.0007	0.0008	0.0008	0.0006	0.0006	0.0007
06:00 PM - 07:00 PM	0.0006	0.0006	0.0007	0.0007	0.0005	0.0005	0.0006
07:00 PM - 08:00 PM	0.0005	0.0005	0.0005	0.0005	0.0004	0.0004	0.0005
08:00 PM - 09:00 PM	0.0004	0.0004	0.0004	0.0004	0.0003	0.0003	0.0004
09:00 PM - 10:00 PM	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003
10:00 PM - 11:00 PM	0.0003	0.0003	0.0003	0.0003	0.0002	0.0002	0.0003
11:00 PM - 12:00 AM	0.0002	0.0002	0.0002	0.0003	0.0002	0.0002	0.0002
12:00 AM - 01:00 AM	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002
01:00 AM - 02:00 AM	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002
02:00 AM - 03:00 AM	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002
03:00 AM - 04:00 AM	0.0003	0.0003	0.0003	0.0003	0.0002	0.0003	0.0003
04:00 AM - 05:00 AM	0.0004	0.0004	0.0004	0.0004	0.0003	0.0004	0.0004
05:00 AM - 06:00 AM	0.0006	0.0006	0.0006	0.0005	0.0004	0.0006	0.0006
06:00 AM - 07:00 AM	0.0008	0.0008	0.0009	0.0006	0.0006	0.0008	0.0008
07:00 AM - 08:00 AM	0.0007	0.0007	0.0007	0.0006	0.0005	0.0007	0.0007
08:00 AM - 09:00 AM	0.0005	0.0005	0.0006	0.0005	0.0004	0.0005	0.0005
09:00 AM - 10:00 AM	0.0004	0.0004	0.0005	0.0004	0.0004	0.0004	0.0004
10:00 AM - 11:00 AM	0.0004	0.0004	0.0004	0.0004	0.0003	0.0004	0.0004
Average	0.0004	0.0004	0.0004	0.0004	0.0003	0.0004	0.0004
1hr - Maximum	0.0008	0.0008	0.0009	0.0008	0.0006	0.0008	0.0008
Standard 1hr - Average	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Standard 24 hrs - Average	0.12	0.12	0.12	0.12	0.12	0.12	0.12

Standard : Notification of the National Environment Board No.10, 1995 (B.E.2538), No. 21, 2001 (B.E.2544) and No.24, 2004 (B.E.2547).

Reference Method : U.S. Environmental Protection Agency, EPA Method Part 53 and 58

Approved by

Saranya C.

Saranya Chalermthamrong

Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang,
Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582801

Date Received : Oct 03, 2025

Date Reported : Oct 09, 2025

Report Number: 3424372-1

Page 1 of 1

Sample Description Air Quality
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (A1)
(GPS 47P 0748450, 1462476)
Parameter Nitrogen dioxide (ppm)
Measurement Date Sep 23, 2025 - Sep 30, 2025
Measurement by Anurak Tongkhajonsakda

	2582801-1	2582801-2	2582801-3	2582801-4	2582801-5	2582801-6	2582801-7
Time	Sep 23, 2025	Sep 24, 2025	Sep 25, 2025	Sep 26, 2025	Sep 27, 2025	Sep 28, 2025	Sep 29, 2025
12:00 PM - 01:00 PM	0.0034	0.0038	0.0036	0.0041	0.0045	0.0035	0.0025
01:00 PM - 02:00 PM	0.0029	0.0033	0.0031	0.0036	0.0040	0.0030	0.0020
02:00 PM - 03:00 PM	0.0034	0.0038	0.0036	0.0041	0.0045	0.0035	0.0025
03:00 PM - 04:00 PM	0.0047	0.0051	0.0049	0.0054	0.0058	0.0045	0.0035
04:00 PM - 05:00 PM	0.0070	0.0075	0.0073	0.0078	0.0082	0.0060	0.0055
05:00 PM - 06:00 PM	0.0063	0.0068	0.0066	0.0071	0.0075	0.0055	0.0050
06:00 PM - 07:00 PM	0.0053	0.0058	0.0056	0.0061	0.0065	0.0050	0.0045
07:00 PM - 08:00 PM	0.0046	0.0051	0.0049	0.0054	0.0058	0.0045	0.0040
08:00 PM - 09:00 PM	0.0040	0.0045	0.0043	0.0048	0.0052	0.0040	0.0035
09:00 PM - 10:00 PM	0.0035	0.0040	0.0038	0.0043	0.0047	0.0035	0.0030
10:00 PM - 11:00 PM	0.0030	0.0035	0.0033	0.0038	0.0042	0.0030	0.0025
11:00 PM - 12:00 AM	0.0042	0.0041	0.0043	0.0045	0.0038	0.0035	0.0040
12:00 AM - 01:00 AM	0.0039	0.0037	0.0040	0.0042	0.0034	0.0030	0.0036
01:00 AM - 02:00 AM	0.0035	0.0033	0.0036	0.0038	0.0030	0.0025	0.0032
02:00 AM - 03:00 AM	0.0031	0.0029	0.0032	0.0034	0.0026	0.0025	0.0028
03:00 AM - 04:00 AM	0.0028	0.0027	0.0029	0.0031	0.0024	0.0020	0.0026
04:00 AM - 05:00 AM	0.0035	0.0034	0.0036	0.0038	0.0030	0.0025	0.0033
05:00 AM - 06:00 AM	0.0058	0.0055	0.0060	0.0063	0.0048	0.0045	0.0056
06:00 AM - 07:00 AM	0.0081	0.0079	0.0084	0.0088	0.0065	0.0050	0.0076
07:00 AM - 08:00 AM	0.0073	0.0071	0.0076	0.0080	0.0060	0.0045	0.0069
08:00 AM - 09:00 AM	0.0064	0.0062	0.0067	0.0071	0.0055	0.0040	0.0060
09:00 AM - 10:00 AM	0.0053	0.0051	0.0056	0.0060	0.0050	0.0035	0.0049
10:00 AM - 11:00 AM	0.0048	0.0046	0.0051	0.0055	0.0045	0.0030	0.0044
11:00 AM - 12:00 PM	0.0043	0.0041	0.0046	0.0050	0.0040	0.0025	0.0039
Average	0.0046	0.0047	0.0049	0.0052	0.0048	0.0037	0.0041
1hr - Maximum	0.0081	0.0079	0.0084	0.0088	0.0082	0.0060	0.0076
Standard 1hr - Average	0.170	0.170	0.170	0.170	0.170	0.170	0.170

Standard : Notification of the National Environment Board No. 33, 2009 (B.E. 2552).

Reference Method : U.S. Environmental Protection Agency Method Part 50 App. F (Chemiluminescence)

Approved by

Saranya C.

Saranya Chalermthamrong
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang,
Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582801

Date Received : Oct 03, 2025

Date Reported : Oct 10, 2025

Report Number: 3424373-1

Page 1 of 1

Sample Description	Air Quality
Location	ที่พักอาศัยด้านทิศเหนือของบ่อหนองน้ำฝน 3 (A2) (GPS 47P 0748581, 1461603)
Parameter	Nitrogen dioxide (ppm)
Measurement Date	Sep 23, 2025 - Sep 30, 2025
Measurement by	Anurak Tongkhajonsakda

	2582801-8 Sep 23, 2025	2582801-9 Sep 24, 2025	2582801-10 Sep 25, 2025	2582801-11 Sep 26, 2025	2582801-12 Sep 27, 2025	2582801-13 Sep 28, 2025	2582801-14 Sep 29, 2025
Time							
10:00 AM - 11:00 AM	0.0031	0.0030	0.0031	0.0032	0.0027	0.0025	0.0030
11:00 AM - 12:00 PM	0.0029	0.0028	0.0029	0.0030	0.0025	0.0024	0.0028
12:00 PM - 01:00 PM	0.0026	0.0025	0.0026	0.0027	0.0023	0.0022	0.0025
01:00 PM - 02:00 PM	0.0027	0.0026	0.0027	0.0028	0.0024	0.0023	0.0026
02:00 PM - 03:00 PM	0.0032	0.0031	0.0032	0.0033	0.0028	0.0027	0.0031
03:00 PM - 04:00 PM	0.0045	0.0044	0.0046	0.0048	0.0039	0.0037	0.0045
04:00 PM - 05:00 PM	0.0058	0.0059	0.0061	0.0064	0.0049	0.0047	0.0060
05:00 PM - 06:00 PM	0.0051	0.0050	0.0052	0.0055	0.0043	0.0041	0.0051
06:00 PM - 07:00 PM	0.0039	0.0038	0.0040	0.0042	0.0034	0.0032	0.0039
07:00 PM - 08:00 PM	0.0030	0.0029	0.0031	0.0032	0.0027	0.0026	0.0030
08:00 PM - 09:00 PM	0.0024	0.0023	0.0025	0.0026	0.0022	0.0021	0.0024
09:00 PM - 10:00 PM	0.0021	0.0020	0.0022	0.0023	0.0019	0.0018	0.0021
10:00 PM - 11:00 PM	0.0018	0.0017	0.0019	0.0020	0.0017	0.0016	0.0018
11:00 PM - 12:00 AM	0.0015	0.0015	0.0016	0.0017	0.0014	0.0014	0.0015
12:00 AM - 01:00 AM	0.0014	0.0013	0.0014	0.0015	0.0013	0.0012	0.0014
01:00 AM - 02:00 AM	0.0016	0.0015	0.0017	0.0018	0.0015	0.0014	0.0016
02:00 AM - 03:00 AM	0.0020	0.0019	0.0021	0.0022	0.0019	0.0019	0.0020
03:00 AM - 04:00 AM	0.0029	0.0028	0.0030	0.0027	0.0026	0.0028	0.0029
04:00 AM - 05:00 AM	0.0044	0.0045	0.0048	0.0038	0.0036	0.0043	0.0044
05:00 AM - 06:00 AM	0.0063	0.0065	0.0069	0.0051	0.0048	0.0062	0.0063
06:00 AM - 07:00 AM	0.0054	0.0055	0.0058	0.0046	0.0043	0.0053	0.0054
07:00 AM - 08:00 AM	0.0041	0.0042	0.0045	0.0037	0.0035	0.0040	0.0041
08:00 AM - 09:00 AM	0.0034	0.0035	0.0037	0.0031	0.0029	0.0033	0.0034
09:00 AM - 10:00 AM	0.0032	0.0033	0.0034	0.0028	0.0027	0.0031	0.0032
Average	0.0033	0.0033	0.0035	0.0033	0.0028	0.0030	0.0033
1hr - Maximum	0.0063	0.0065	0.0069	0.0064	0.0049	0.0062	0.0063
Standard 1hr - Average	0.170	0.170	0.170	0.170	0.170	0.170	0.170

Standard : Notification of the National Environment Board No. 33, 2009 (B.E. 2552).

Reference Method : U.S. Environmental Protection Agency Method Part 50 App. F (Chemiluminescence)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Saranya C.

Saranya Chalermthamrong
Scientist (4)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang,
Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582801

Date Received : Oct 03, 2025

Date Reported : Oct 09, 2025

Report Number: 3424374-1

Page 1 of 1

Sample Description Air Quality

Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (A3)
(GPS 47P 0747525, 1460273)

Parameter Nitrogen dioxide (ppm)

Measurement Date Sep 23, 2025 - Sep 30, 2025

Measurement by Anurak Tongkhajonsakda

Time	2582801-15 Sep 23, 2025	2582801-16 Sep 24, 2025	2582801-17 Sep 25, 2025	2582801-18 Sep 26, 2025	2582801-19 Sep 27, 2025	2582801-20 Sep 28, 2025	2582801-21 Sep 29, 2025
10:00 AM - 11:00 AM	0.0049	0.0047	0.0048	0.0050	0.0041	0.0039	0.0046
11:00 AM - 12:00 PM	0.0045	0.0043	0.0044	0.0046	0.0038	0.0036	0.0042
12:00 PM - 01:00 PM	0.0041	0.0039	0.0040	0.0042	0.0035	0.0033	0.0038
01:00 PM - 02:00 PM	0.0043	0.0042	0.0043	0.0044	0.0037	0.0035	0.0041
02:00 PM - 03:00 PM	0.0053	0.0052	0.0054	0.0055	0.0044	0.0042	0.0051
03:00 PM - 04:00 PM	0.0078	0.0077	0.0080	0.0083	0.0062	0.0058	0.0076
04:00 PM - 05:00 PM	0.0092	0.0094	0.0098	0.0102	0.0076	0.0072	0.0095
05:00 PM - 06:00 PM	0.0081	0.0078	0.0084	0.0088	0.0068	0.0064	0.0079
06:00 PM - 07:00 PM	0.0062	0.0060	0.0064	0.0066	0.0053	0.0050	0.0061
07:00 PM - 08:00 PM	0.0049	0.0047	0.0050	0.0052	0.0043	0.0040	0.0048
08:00 PM - 09:00 PM	0.0039	0.0037	0.0040	0.0041	0.0034	0.0032	0.0038
09:00 PM - 10:00 PM	0.0033	0.0032	0.0034	0.0035	0.0029	0.0028	0.0033
10:00 PM - 11:00 PM	0.0029	0.0028	0.0030	0.0031	0.0026	0.0025	0.0029
11:00 PM - 12:00 AM	0.0025	0.0024	0.0026	0.0027	0.0022	0.0021	0.0025
12:00 AM - 01:00 AM	0.0022	0.0021	0.0023	0.0024	0.0020	0.0020	0.0022
01:00 AM - 02:00 AM	0.0026	0.0025	0.0027	0.0028	0.0023	0.0023	0.0026
02:00 AM - 03:00 AM	0.0032	0.0031	0.0033	0.0034	0.0028	0.0030	0.0032
03:00 AM - 04:00 AM	0.0048	0.0047	0.0050	0.0043	0.0040	0.0046	0.0048
04:00 AM - 05:00 AM	0.0075	0.0076	0.0080	0.0061	0.0056	0.0073	0.0075
05:00 AM - 06:00 AM	0.0101	0.0104	0.0109	0.0080	0.0074	0.0098	0.0101
06:00 AM - 07:00 AM	0.0088	0.0090	0.0094	0.0072	0.0067	0.0085	0.0088
07:00 AM - 08:00 AM	0.0068	0.0069	0.0072	0.0058	0.0054	0.0066	0.0068
08:00 AM - 09:00 AM	0.0055	0.0056	0.0059	0.0048	0.0045	0.0054	0.0055
09:00 AM - 10:00 AM	0.0050	0.0051	0.0053	0.0044	0.0041	0.0049	0.0050
Average	0.0054	0.0053	0.0056	0.0052	0.0044	0.0047	0.0053
1hr - Maximum	0.0101	0.0104	0.0109	0.0102	0.0076	0.0098	0.0101
Standard 1hr - Average	0.170	0.170	0.170	0.170	0.170	0.170	0.170

Standard : Notification of the National Environment Board No. 33, 2009 (B.E. 2552).

Reference Method : U.S. Environmental Protection Agency Method Part 50 App. F (Chemiluminescence)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Saranya C.

Saranya Chalermthamrong
Scientist (4)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang,
Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582801

Date Received : Oct 03, 2025

Date Reported : Oct 09, 2025

Report Number: 3399835-1

Page 1 of 1

Sample Description Air Quality
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (A4)
(GPS 47P 0748113, 1461272)
Parameter Nitrogen dioxide (ppm)
Measurement Date Sep 23, 2025 - Sep 30, 2025
Measurement by Anurak Tongkhajonsakda

	2582801-22	2582801-23	2582801-24	2582801-25	2582801-26	2582801-27	2582801-28
Time	Sep 23, 2025	Sep 24, 2025	Sep 25, 2025	Sep 26, 2025	Sep 27, 2025	Sep 28, 2025	Sep 29, 2025
11:00 AM - 12:00 PM	0.0041	0.0039	0.0040	0.0041	0.0034	0.0032	0.0039
12:00 PM - 01:00 PM	0.0038	0.0036	0.0037	0.0038	0.0032	0.0030	0.0036
01:00 PM - 02:00 PM	0.0035	0.0033	0.0034	0.0035	0.0029	0.0028	0.0033
02:00 PM - 03:00 PM	0.0036	0.0035	0.0036	0.0037	0.0031	0.0029	0.0035
03:00 PM - 04:00 PM	0.0042	0.0041	0.0043	0.0044	0.0036	0.0035	0.0041
04:00 PM - 05:00 PM	0.0059	0.0058	0.0061	0.0062	0.0049	0.0047	0.0059
05:00 PM - 06:00 PM	0.0075	0.0076	0.0079	0.0081	0.0062	0.0059	0.0077
06:00 PM - 07:00 PM	0.0068	0.0065	0.0069	0.0071	0.0055	0.0052	0.0066
07:00 PM - 08:00 PM	0.0051	0.0049	0.0052	0.0053	0.0044	0.0041	0.0050
08:00 PM - 09:00 PM	0.0040	0.0038	0.0041	0.0042	0.0035	0.0033	0.0039
09:00 PM - 10:00 PM	0.0032	0.0031	0.0033	0.0034	0.0028	0.0027	0.0032
10:00 PM - 11:00 PM	0.0028	0.0027	0.0029	0.0030	0.0025	0.0024	0.0028
11:00 PM - 12:00 AM	0.0025	0.0024	0.0026	0.0027	0.0022	0.0021	0.0025
12:00 AM - 01:00 AM	0.0021	0.0020	0.0022	0.0023	0.0019	0.0018	0.0021
01:00 AM - 02:00 AM	0.0019	0.0018	0.0020	0.0021	0.0017	0.0017	0.0019
02:00 AM - 03:00 AM	0.0022	0.0021	0.0023	0.0024	0.0019	0.0019	0.0022
03:00 AM - 04:00 AM	0.0026	0.0025	0.0027	0.0028	0.0024	0.0025	0.0026
04:00 AM - 05:00 AM	0.0039	0.0038	0.0040	0.0035	0.0033	0.0038	0.0039
05:00 AM - 06:00 AM	0.0058	0.0059	0.0061	0.0048	0.0045	0.0057	0.0058
06:00 AM - 07:00 AM	0.0082	0.0084	0.0088	0.0065	0.0061	0.0080	0.0082
07:00 AM - 08:00 AM	0.0071	0.0072	0.0075	0.0059	0.0055	0.0069	0.0071
08:00 AM - 09:00 AM	0.0055	0.0056	0.0059	0.0047	0.0044	0.0054	0.0055
09:00 AM - 10:00 AM	0.0045	0.0046	0.0048	0.0039	0.0037	0.0044	0.0045
10:00 AM - 11:00 AM	0.0042	0.0043	0.0044	0.0036	0.0034	0.0041	0.0042
Average	0.0044	0.0043	0.0045	0.0042	0.0036	0.0038	0.0043
1hr - Maximum	0.0082	0.0084	0.0088	0.0081	0.0062	0.0080	0.0082
Standard 1hr - Average	0.170	0.170	0.170	0.170	0.170	0.170	0.170

Standard : Notification of the National Environment Board No. 33, 2009 (B.E. 2552).

Reference Method : U.S. Environmental Protection Agency Method Part 50 App. F (Chemiluminescence)

Approved by

Saranya C.

Saranya Chalermthamrong
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582806

Date Received : Oct 03, 2025

Date Reported : Oct 10, 2025

Report Number : 3399860-1

Page 1 of 2

Sample Number : 2582806-1 to 7
Parameter : Wind Speed / Wind Direction
Location : ฟาร์มกรุงเทพ (สาขาเนินสี) (A1) (GPS 47P 0748450, 1462476)
Sampling Date : Sep 23 - Sep 30, 2025
Sampling by : Anurak Tongkhajonsakda

Time	Sep 23 - Sep 24, 2025			Sep 24 - Sep 25, 2025			Sep 25 - Sep 26, 2025			Sep 26 - Sep 27, 2025			Sep 27 - Sep 28, 2025			Sep 28 - Sep 29, 2025			Sep 29 - Sep 30, 2025		
	WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)	
12:00 PM - 01:00 PM	3.9	204.0	SSW	3.3	136.0	SE	3.9	119.0	ESE	1.2	231.0	SW	3.9	105.0	ESE	1.4	90.0	E	0.0	-	-
01:00 PM - 02:00 PM	2.6	204.0	SSW	3.9	96.0	E	2.8	147.0	SSE	2.2	126.0	SE	2.9	85.0	E	1.6	73.0	ENE	3.4	126.0	SE
02:00 PM - 03:00 PM	1.8	214.0	SW	3.0	116.0	ESE	2.3	211.0	SSW	2.7	95.0	E	2.5	82.0	E	1.8	62.0	ENE	1.4	139.0	SE
03:00 PM - 04:00 PM	1.1	231.0	SW	2.2	115.0	ESE	2.4	211.0	SSW	1.6	104.0	ESE	3.4	86.0	E	1.5	58.0	ENE	3.0	130.0	SE
04:00 PM - 05:00 PM	0.2	-	-	1.5	246.0	WSW	3.9	236.0	SW	0.3	293.0	WNW	2.2	112.0	ESE	1.3	107.0	ESE	2.4	133.0	SE
05:00 PM - 06:00 PM	0.3	254.0	WSW	2.4	245.0	WSW	1.5	254.0	WSW	0.4	324.0	NW	0.3	74.0	ENE	0.4	89.0	E	1.8	124.0	SE
06:00 PM - 07:00 PM	0.2	-	-	0.1	-	-	1.0	289.0	WNW	0.0	-	-	0.0	-	-	0.0	-	-	0.2	-	-
07:00 PM - 08:00 PM	0.2	-	-	2.1	221.0	SW	0.8	224.0	SW	0.8	324.0	NW	0.2	-	-	1.0	149.0	SSE	0.2	-	-
08:00 PM - 09:00 PM	0.5	137.0	SE	0.5	214.0	SW	0.3	223.0	SW	0.2	-	-	1.1	79.0	E	1.5	127.0	SE	0.2	-	-
09:00 PM - 10:00 PM	0.8	161.0	SSE	0.6	214.0	SW	0.0	-	-	0.4	295.0	WNW	1.6	93.0	E	1.6	156.0	SSE	0.2	-	-
10:00 PM - 11:00 PM	0.7	129.0	SE	0.0	-	-	0.7	146.0	SE	0.3	141.0	SE	0.4	103.0	ESE	0.7	151.0	SSE	1.0	158.0	SSE
11:00 PM - 12:00 AM	0.0	-	-	0.2	-	-	1.3	133.0	SE	0.0	-	-	0.0	-	-	0.5	140.0	SE	2.1	128.0	SE
12:00 AM - 01:00 AM	0.7	149.0	SSE	0.6	156.0	SSE	0.8	137.0	SE	0.0	-	-	0.7	51.0	NE	0.3	134.0	SE	0.6	147.0	SSE
01:00 AM - 02:00 AM	1.0	133.0	SE	0.4	132.0	SE	1.2	137.0	SE	0.3	225.0	SW	0.8	73.0	ENE	1.7	76.0	ENE	1.6	150.0	SSE
02:00 AM - 03:00 AM	1.0	132.0	SE	0.3	132.0	SE	1.4	146.0	SE	2.3	176.0	S	0.9	73.0	ENE	0.2	-	-	2.7	142.0	SE
03:00 AM - 04:00 AM	0.5	155.0	SSE	0.1	-	-	0.7	177.0	S	0.6	213.0	SSW	0.0	-	-	0.2	-	-	2.6	146.0	SE
04:00 AM - 05:00 AM	0.2	-	-	0.5	138.0	SE	2.9	132.0	SE	0.4	224.0	SW	0.6	157.0	SSE	0.6	52.0	NE	2.3	128.0	SE
05:00 AM - 06:00 AM	0.0	-	-	1.0	137.0	SE	0.1	-	-	0.0	-	-	0.4	192.0	SSW	0.5	73.0	ENE	1.8	135.0	SE
06:00 AM - 07:00 AM	0.5	139.0	SE	1.1	164.0	SSE	1.0	148.0	SSE	0.0	-	-	0.0	-	-	0.4	71.0	ENE	0.2	-	-
07:00 AM - 08:00 AM	1.6	128.0	SE	1.3	128.0	SE	0.7	153.0	SSE	0.0	-	-	0.2	-	-	1.0	134.0	SE	0.3	125.0	SE
08:00 AM - 09:00 AM	2.5	122.0	ESE	1.8	147.0	SSE	1.6	170.0	S	1.1	115.0	ESE	1.0	77.0	ENE	3.0	138.0	SE	0.2	-	-
09:00 AM - 10:00 AM	2.3	159.0	SSE	3.9	92.0	E	1.5	134.0	SE	1.1	107.0	ESE	1.0	114.0	ESE	3.8	107.0	ESE	0.3	144.0	SE
10:00 AM - 11:00 AM	4.0	128.0	SE	1.7	121.0	ESE	2.0	143.0	SE	3.3	131.0	SE	1.8	87.0	E	2.5	137.0	SE	0.6	157.0	SSE
11:00 AM - 12:00 PM	4.0	111.0	ESE	3.9	136.0	SE	2.6	128.0	SE	2.2	119.0	ESE	2.2	125.0	SE	0.0	-	-	0.5	158.0	SSE

Reference Method : Cup Anemometer & Anodized Aluminium Vane Method

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582806


Date Received : Oct 03, 2025

Date Reported : Oct 10, 2025


Report Number : 3399860-1

Page 2 of 2


Wind Rose




Date : Sep 23-24, 2025




Date : Sep 24-25, 2025




Date : Sep 25-26, 2025




Date : Sep 26-27, 2025




Date : Sep 27-28, 2025



Date : Sep 28-29, 2025



Date : Sep 29-30, 2025



Date : Sep 23-30, 2025

WS (m/s)	%
≥ 10.0	0.00
8.0-10.0	0.00
5.5-8.0	0.00
3.3-5.5	8.33
1.7-3.3	22.02
0.3-1.7	48.21
Calms	21.43

Location : ฟาร์มกรงไทย (สาขาเนินสี) (A1) (GPS 47P 0748450, 1462476)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italhai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582806

Date Received : Oct 03, 2025

Date Reported : Oct 10, 2025

Report Number : 3399860-1

Page 1 of 2

Sample Number : 2582806-8 to 14
Parameter : Wind Speed / Wind Direction
Location : ที่พักอาศัยด้านทิศเหนือของปอหนองน้ำฝน 3 (A2) (GPS 47P 0748581, 1461603)
Sampling Date : Sep 23 - Sep 30, 2025
Sampling by : Anurak Tongkhajonsakda

Time	Sep 23 - Sep 24, 2025			Sep 24 - Sep 25, 2025			Sep 25 - Sep 26, 2025			Sep 26 - Sep 27, 2025			Sep 27 - Sep 28, 2025			Sep 28 - Sep 29, 2025			Sep 29 - Sep 30, 2025		
	WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)	
10:00 AM - 11:00 AM	1.6	132.0	SE	0.2	-	-	3.4	248.0	WSW	1.2	172.0	S	2.8	228.0	SW	0.1	-	-	1.9	181.0	S
11:00 AM - 12:00 PM	1.3	268.0	W	0.2	-	-	1.2	63.0	ENE	2.9	261.0	W	3.5	320.0	NW	1.2	298.0	WNW	2.1	169.0	S
12:00 PM - 01:00 PM	0.9	288.0	WNW	1.5	179.0	S	0.1	-	-	0.1	-	-	0.2	-	-	1.9	299.0	WNW	0.1	-	-
01:00 PM - 02:00 PM	0.4	263.0	W	3.5	309.0	NW	3.6	237.0	WSW	1.7	332.0	NNW	1.4	262.0	W	3.9	281.0	W	2.6	151.0	SSE
02:00 PM - 03:00 PM	0.2	-	-	3.5	301.0	WNW	1.5	245.0	WSW	0.6	206.0	SSW	1.2	253.0	WSW	2.6	284.0	WNW	2.3	167.0	SSE
03:00 PM - 04:00 PM	3.2	175.0	S	0.7	223.0	SW	0.7	184.0	S	1.5	277.0	W	3.7	208.0	SSW	0.8	278.0	W	3.1	142.0	SE
04:00 PM - 05:00 PM	2.7	139.0	SE	0.1	-	-	1.4	272.0	W	3.5	265.0	W	2.1	301.0	WNW	2.4	317.0	NW	0.9	156.0	SSE
05:00 PM - 06:00 PM	0.1	-	-	1.3	208.0	SSW	1.3	192.0	SSW	1.2	265.0	W	0.9	320.0	NW	1.1	305.0	NW	1.5	176.0	S
06:00 PM - 07:00 PM	1.4	153.0	SSE	2.3	236.0	SW	1.9	175.0	S	0.3	265.0	W	0.2	-	-	0.3	304.0	NW	1.7	142.0	SE
07:00 PM - 08:00 PM	0.3	163.0	SSE	1.7	236.0	SW	2.6	141.0	SE	2.6	139.0	SE	0.2	-	-	5.0	166.0	SSE	0.3	150.0	SSE
08:00 PM - 09:00 PM	1.9	150.0	SSE	2.0	181.0	S	2.7	166.0	SSE	2.4	121.0	ESE	2.6	309.0	NW	1.3	180.0	S	0.1	-	-
09:00 PM - 10:00 PM	1.1	137.0	SE	1.2	163.0	SSE	0.3	131.0	SE	0.2	-	-	1.5	276.0	W	1.2	161.0	SSE	3.8	179.0	S
10:00 PM - 11:00 PM	0.3	148.0	SSE	0.3	161.0	SSE	3.0	172.0	S	0.2	-	-	2.6	195.0	SSW	3.5	165.0	SSE	1.5	175.0	S
11:00 PM - 12:00 AM	0.1	-	-	0.2	-	-	1.2	142.0	SE	1.3	137.0	SE	1.1	182.0	S	0.2	-	-	0.7	109.0	ESE
12:00 AM - 01:00 AM	1.2	191.0	S	0.2	-	-	1.6	200.0	SSW	1.7	138.0	SE	0.5	329.0	NNW	1.2	162.0	SSE	1.1	130.0	SE
01:00 AM - 02:00 AM	1.9	163.0	SSE	1.1	164.0	SSE	1.6	153.0	SSE	0.4	152.0	SSE	2.2	159.0	SSE	0.3	157.0	SSE	2.3	156.0	SSE
02:00 AM - 03:00 AM	0.2	-	-	1.9	139.0	SE	0.2	-	-	0.3	14.0	NNE	0.3	187.0	S	1.0	145.0	SE	4.1	178.0	S
03:00 AM - 04:00 AM	2.3	161.0	SSE	2.7	189.0	S	2.3	164.0	SSE	0.9	45.0	NE	2.7	189.0	S	0.6	177.0	S	0.9	125.0	SE
04:00 AM - 05:00 AM	2.6	182.0	S	3.5	143.0	SE	0.7	164.0	SSE	0.1	-	-	1.1	199.0	SSW	3.4	147.0	SSE	0.4	147.0	SSE
05:00 AM - 06:00 AM	2.7	153.0	SSE	1.9	188.0	S	2.0	140.0	SE	2.4	5.0	N	1.2	180.0	S	1.2	145.0	SE	1.3	175.0	S
06:00 AM - 07:00 AM	3.2	168.0	SSE	3.2	168.0	SSE	3.5	135.0	SE	1.2	57.0	ENE	0.5	80.0	E	2.7	167.0	SSE	5.8	160.0	SSE
07:00 AM - 08:00 AM	0.3	169.0	S	2.5	196.0	SSW	1.3	155.0	SSE	1.8	168.0	SSE	0.2	-	-	0.7	155.0	SSE	0.2	-	-
08:00 AM - 09:00 AM	0.1	-	-	1.2	262.0	W	2.6	203.0	SSW	1.9	259.0	W	3.3	286.0	WNW	1.8	154.0	SSE	1.5	146.0	SE
09:00 AM - 10:00 AM	0.1	-	-	0.2	-	-	2.4	204.0	SSW	0.4	220.0	SW	2.2	301.0	WNW	0.3	223.0	SW	1.6	167.0	SSE

Reference Method : Cup Anemometer & Anodized Aluminium Vane Method

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582806


Date Received : Oct 03, 2025

Date Reported : Oct 10, 2025


Report Number : 3399860-1

Page 2 of 2


Wind Rose




Date : Sep 23-24, 2025




Date : Sep 24-25, 2025




Date : Sep 25-26, 2025




Date : Sep 26-27, 2025




Date : Sep 27-28, 2025



Date : Sep 28-29, 2025



Date : Sep 29-30, 2025



Date : Sep 23-30, 2025

WS (m/s)	%
≥ 10.0	0.00
8.0-10.0	0.00
5.5-8.0	0.60
3.3-5.5	9.52
1.7-3.3	30.36
0.3-1.7	43.45
Calms	16.07

Location : ที่พักอาศัยด้านทิศเหนือของบ่อน้ำมัน 3 (A2) (GPS 47P 0748581, 1461603)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582806

Date Received :Oct 03, 2025

Date Reported :Oct 10, 2025

Report Number :3399860-1

Page 1 of 2

Sample Number 2582806-15 to 21
Parameter Wind Speed / Wind Direction
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (A3) (GPS 47P 0747525, 1460273)
Sampling Date Sep 23 - Sep 30, 2025
Sampling by Anurak Tongkhajonsakda

Time	Sep 23 - Sep 24, 2025			Sep 24 - Sep 25, 2025			Sep 25 - Sep 26, 2025			Sep 26 - Sep 27, 2025			Sep 27 - Sep 28, 2025			Sep 28 - Sep 29, 2025			Sep 29 - Sep 30, 2025		
	WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)	
10:00 AM - 11:00 AM	1.7	213.0	SSW	2.5	193.0	SSW	3.1	266.0	W	1.1	186.0	S	0.0	-	-	1.0	297.0	WNW	1.1	240.0	WSW
11:00 AM - 12:00 PM	0.7	215.0	SW	3.1	226.0	SW	2.7	249.0	WSW	0.3	161.0	SSE	1.1	313.0	NW	0.0	-	-	0.9	236.0	SW
12:00 PM - 01:00 PM	3.7	266.0	W	0.4	203.0	SSW	3.3	262.0	W	1.3	190.0	S	2.7	235.0	SW	2.3	337.0	NNW	2.5	170.0	S
01:00 PM - 02:00 PM	1.4	229.0	SW	2.3	259.0	W	2.4	243.0	WSW	1.8	238.0	WSW	3.3	275.0	W	1.2	327.0	NNW	3.7	176.0	S
02:00 PM - 03:00 PM	0.9	264.0	W	1.7	267.0	W	1.5	278.0	W	1.2	262.0	W	2.4	256.0	WSW	1.5	359.0	N	2.9	171.0	S
03:00 PM - 04:00 PM	1.2	164.0	SSE	2.4	243.0	WSW	1.9	255.0	WSW	3.1	307.0	NW	2.6	303.0	WNW	2.7	323.0	NW	1.8	215.0	SW
04:00 PM - 05:00 PM	2.8	180.0	S	2.7	242.0	WSW	2.6	232.0	SW	0.7	304.0	NW	1.9	308.0	NW	1.4	295.0	WNW	4.3	200.0	SSW
05:00 PM - 06:00 PM	0.5	106.0	ESE	0.0	-	-	1.0	280.0	W	0.0	-	-	0.0	-	-	0.0	-	-	1.8	159.0	SSE
06:00 PM - 07:00 PM	1.7	178.0	S	0.0	-	-	0.8	174.0	S	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-	-
07:00 PM - 08:00 PM	1.3	114.0	ESE	0.6	220.0	SW	0.0	-	-	1.0	103.0	ESE	0.0	-	-	0.0	-	-	1.5	175.0	S
08:00 PM - 09:00 PM	0.0	-	-	0.9	167.0	SSE	0.3	129.0	SE	2.4	143.0	SE	1.3	349.0	N	0.7	207.0	SSW	2.7	169.0	S
09:00 PM - 10:00 PM	0.2	-	-	0.0	-	-	0.2	-	-	0.6	151.0	SSE	1.1	303.0	WNW	1.3	169.0	S	1.3	158.0	SSE
10:00 PM - 11:00 PM	1.6	122.0	ESE	0.5	209.0	SSW	1.6	189.0	S	0.5	164.0	SSE	0.3	55.0	NE	0.6	150.0	SSE	3.0	181.0	S
11:00 PM - 12:00 AM	0.5	133.0	SE	2.4	159.0	SSE	1.2	169.0	S	0.0	-	-	0.5	49.0	NE	0.5	128.0	SE	1.3	144.0	SE
12:00 AM - 01:00 AM	0.6	168.0	SSE	0.5	129.0	SE	0.8	171.0	S	0.0	-	-	1.2	50.0	NE	0.6	166.0	SSE	0.7	140.0	SE
01:00 AM - 02:00 AM	0.0	-	-	0.6	141.0	SE	0.5	177.0	S	0.0	-	-	2.0	13.0	NNE	0.0	-	-	1.6	181.0	S
02:00 AM - 03:00 AM	0.0	-	-	0.3	168.0	SSE	0.0	-	-	2.4	305.0	NW	0.0	-	-	0.0	-	-	1.2	176.0	S
03:00 AM - 04:00 AM	1.1	176.0	S	0.0	-	-	0.0	-	-	0.3	59.0	ENE	0.0	-	-	0.4	165.0	SSE	0.7	159.0	SSE
04:00 AM - 05:00 AM	0.8	127.0	SE	0.0	-	-	1.1	171.0	S	0.4	35.0	NE	0.6	268.0	W	0.0	-	-	3.0	169.0	S
05:00 AM - 06:00 AM	0.8	172.0	S	0.9	170.0	S	0.3	121.0	ESE	0.3	21.0	NNE	0.9	268.0	W	0.5	145.0	SE	0.5	171.0	S
06:00 AM - 07:00 AM	0.0	-	-	1.9	201.0	SSW	0.9	160.0	SSE	0.0	-	-	0.0	-	-	0.3	131.0	SE	0.7	164.0	SSE
07:00 AM - 08:00 AM	0.9	184.0	S	0.0	-	-	1.5	144.0	SE	0.0	-	-	0.0	-	-	0.0	-	-	1.5	175.0	S
08:00 AM - 09:00 AM	0.8	221.0	SW	0.5	200.0	SSW	1.6	179.0	S	0.6	333.0	NNW	2.3	269.0	W	1.6	154.0	SSE	0.3	185.0	S
09:00 AM - 10:00 AM	1.4	216.0	SW	1.2	273.0	W	1.6	217.0	SW	0.0	-	-	1.9	314.0	NW	3.6	178.0	S	0.6	186.0	S

Reference Method : Cup Anemometer & Anodized Aluminium Vane Method

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582806


Date Received : Oct 03, 2025

Date Reported : Oct 10, 2025


Report Number : 3399860-1

Page 2 of 2


Wind Rose




Date : Sep 23-24, 2025




Date : Sep 24-25, 2025




Date : Sep 25-26, 2025




Date : Sep 26-27, 2025




Date : Sep 27-28, 2025



Date : Sep 28-29, 2025



Date : Sep 29-30, 2025



Date : Sep 23-30, 2025

WS (m/s)	%
≥ 10.0	0.00
8.0-10.0	0.00
5.5-8.0	0.00
3.3-5.5	3.57
1.7-3.3	21.43
0.3-1.7	51.19
Calms	23.81

Location : ที่พักอาศัยด้านทิศเหนือของแปลง A06 (A3) (GPS 47P 0747525, 1460273)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italhai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582806

Date Received :Oct 03, 2025

Date Reported :Oct 10, 2025

Report Number :3399860-1

Page 1 of 2

Sample Number 2582806-22 to 28
Parameter Wind Speed / Wind Direction
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (A4) (GPS 47P 0748113, 1461272)
Sampling Date Sep 23 - Sep 30, 2025
Sampling by Anurak Tongkhajonsakda

Time	Sep 23 - Sep 24, 2025			Sep 24 - Sep 25, 2025			Sep 25 - Sep 26, 2025			Sep 26 - Sep 27, 2025			Sep 27 - Sep 28, 2025			Sep 28 - Sep 29, 2025			Sep 29 - Sep 30, 2025		
	WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)	
11:00 AM - 12:00 PM	1.8	259.0	W	2.6	236.0	SW	1.8	296.0	WNW	2.8	240.0	WSW	0.2	-	-	0.2	-	-	0.2	-	-
12:00 PM - 01:00 PM	2.4	296.0	WNW	4.1	260.0	W	3.6	255.0	WSW	2.0	275.0	W	1.4	284.0	WNW	3.5	313.0	NW	0.2	-	-
01:00 PM - 02:00 PM	3.5	264.0	W	3.5	232.0	SW	3.4	252.0	WSW	2.7	274.0	W	2.5	323.0	NW	2.3	345.0	NNW	0.1	-	-
02:00 PM - 03:00 PM	0.8	246.0	WSW	2.3	232.0	SW	1.3	298.0	WNW	4.7	330.0	NNW	3.2	279.0	W	2.7	21.0	NNE	0.6	218.0	SW
03:00 PM - 04:00 PM	0.0	-	-	2.9	208.0	SSW	3.6	252.0	WSW	1.5	292.0	WNW	1.2	275.0	W	1.1	359.0	N	3.3	150.0	SSE
04:00 PM - 05:00 PM	0.0	-	-	1.1	261.0	W	1.9	252.0	WSW	1.2	320.0	NW	1.5	277.0	W	3.2	321.0	NW	3.7	207.0	SSW
05:00 PM - 06:00 PM	0.2	-	-	1.7	227.0	SW	1.1	242.0	WSW	0.4	301.0	WNW	0.2	-	-	0.3	307.0	NW	2.4	174.0	S
06:00 PM - 07:00 PM	1.7	181.0	S	0.8	260.0	W	1.1	230.0	SW	0.0	-	-	0.0	-	-	0.0	-	-	1.9	151.0	SSE
07:00 PM - 08:00 PM	1.5	154.0	SSE	1.0	225.0	SW	1.2	228.0	SW	1.9	150.0	SSE	1.1	348.0	NNW	1.3	191.0	S	2.7	179.0	S
08:00 PM - 09:00 PM	1.1	159.0	SSE	0.0	-	-	1.0	169.0	S	0.6	139.0	SE	2.9	328.0	NNW	1.3	198.0	SSW	0.0	-	-
09:00 PM - 10:00 PM	0.7	138.0	SE	0.0	-	-	1.1	202.0	SSW	1.1	182.0	S	0.3	326.0	NW	1.1	194.0	SSW	0.0	-	-
10:00 PM - 11:00 PM	0.9	179.0	S	0.0	-	-	0.9	205.0	SSW	1.0	171.0	S	1.6	355.0	N	0.0	-	-	2.3	213.0	SSW
11:00 PM - 12:00 AM	0.5	173.0	S	0.4	179.0	S	0.0	-	-	0.3	155.0	SSE	0.8	34.0	NE	0.0	-	-	1.8	176.0	S
12:00 AM - 01:00 AM	0.4	166.0	SSE	1.4	174.0	S	0.0	-	-	0.0	-	-	1.0	20.0	NNE	0.0	-	-	1.6	194.0	SSW
01:00 AM - 02:00 AM	0.7	188.0	S	1.3	191.0	S	0.0	-	-	0.2	-	-	1.5	23.0	NNE	1.7	189.0	S	0.6	212.0	SSW
02:00 AM - 03:00 AM	1.2	187.0	S	0.9	185.0	S	0.7	176.0	S	0.5	272.0	W	0.0	-	-	0.6	171.0	S	0.2	-	-
03:00 AM - 04:00 AM	0.0	-	-	1.4	181.0	S	1.9	166.0	SSE	0.5	42.0	NE	0.0	-	-	1.3	208.0	SSW	0.2	-	-
04:00 AM - 05:00 AM	0.4	150.0	SSE	0.9	158.0	SSE	1.1	209.0	SSW	0.6	359.0	N	0.0	-	-	0.6	175.0	S	0.0	-	-
05:00 AM - 06:00 AM	0.6	161.0	SSE	2.0	189.0	S	1.1	193.0	SSW	0.0	-	-	0.6	249.0	WSW	0.5	187.0	S	3.3	202.0	SSW
06:00 AM - 07:00 AM	0.7	208.0	SSW	1.0	188.0	S	1.5	170.0	S	0.0	-	-	0.0	-	-	0.4	112.0	ESE	1.9	156.0	SSE
07:00 AM - 08:00 AM	1.6	200.0	SSW	0.0	-	-	0.0	-	-	0.0	-	-	0.1	-	-	0.9	191.0	S	3.6	200.0	SSW
08:00 AM - 09:00 AM	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-	-	1.5	346.0	NNW	2.1	225.0	SW	2.0	190.0	S
09:00 AM - 10:00 AM	1.4	219.0	SW	0.0	-	-	0.0	-	-	0.7	294.0	WNW	0.0	-	-	1.6	181.0	S	2.4	169.0	S
10:00 AM - 11:00 AM	0.0	-	-	0.0	-	-	1.9	201.0	SSW	0.6	256.0	WSW	2.7	326.0	NW	1.7	246.0	WSW	1.2	174.0	S

Reference Method : Cup Anemometer & Anodized Aluminium Vane Method

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italhai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582806


Date Received : Oct 03, 2025

Date Reported : Oct 10, 2025


Report Number : 3399860-1

Page 2 of 2


Wind Rose




Date : Sep 23-24, 2025




Date : Sep 24-25, 2025




Date : Sep 25-26, 2025




Date : Sep 26-27, 2025




Date : Sep 27-28, 2025



Date : Sep 28-29, 2025



Date : Sep 29-30, 2025



Date : Sep 23-30, 2025

WS (m/s)	%
≥ 10.0	0.00
8.0-10.0	0.00
5.5-8.0	0.00
3.3-5.5	7.14
1.7-3.3	20.24
0.3-1.7	44.05
Calms	28.57


Location : ที่พักอาศัยด้านทิศใต้ของแปลง A17 (A4) (GPS 47P 0748113, 1461272)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager

ระดับเสียง





Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423188-1

Page 1 of 1

Sample Number	2582807-1
Parameter	Noise (Leq 24 hrs.)
Location	ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date	Sep 23 - Sep 24, 2025
Measurement by	Anurak Tongkhajonsakda
Sound Level meter	Serial No. 623391

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	53.7	74.4	51.1
09:00 AM - 10:00 AM	57.2	70.7	53.6
10:00 AM - 11:00 AM	62.4	78.3	56.7
11:00 AM - 12:00 PM	49.8	72.5	47.9
12:00 PM - 01:00 PM	51.8	77.6	43.4
01:00 PM - 02:00 PM	49.3	69.1	43.9
02:00 PM - 03:00 PM	50.2	68.8	43.5
03:00 PM - 04:00 PM	47.6	75.2	42.7
04:00 PM - 05:00 PM	50.9	71.2	44.0
05:00 PM - 06:00 PM	52.1	76.2	44.9
06:00 PM - 07:00 PM	51.4	68.1	48.3
07:00 PM - 08:00 PM	57.3	72.8	54.3
08:00 PM - 09:00 PM	57.3	67.9	51.4
09:00 PM - 10:00 PM	66.0	71.1	57.3
10:00 PM - 11:00 PM	68.2	72.1	58.7
11:00 PM - 12:00 AM	64.7	71.0	55.7
12:00 AM - 01:00 AM	54.6	70.3	50.0
01:00 AM - 02:00 AM	59.0	75.0	50.9
02:00 AM - 03:00 AM	60.9	75.7	51.4
03:00 AM - 04:00 AM	62.6	76.0	54.9
04:00 AM - 05:00 AM	64.3	74.8	53.8
05:00 AM - 06:00 AM	59.1	74.1	51.2
06:00 AM - 07:00 AM	53.7	65.4	51.4
07:00 AM - 08:00 AM	49.7	69.4	46.3

Leq Average 24 hrs. (dB(A))	60.3		
Lmax (dB(A))		78.3	
L90 (dB(A))			51.1
Ldn (dB(A))	68.8		
Standard (dB(A))	70	115	

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423189-1

Page 1 of 1

Sample Number 2582807-2
Parameter Noise (Leq 24 hrs.)
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 24 - Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	48.6	70.8	44.2
09:00 AM - 10:00 AM	49.8	73.9	44.7
10:00 AM - 11:00 AM	51.8	79.0	45.6
11:00 AM - 12:00 PM	51.7	78.8	44.8
12:00 PM - 01:00 PM	52.0	73.1	43.5
01:00 PM - 02:00 PM	50.6	74.4	45.2
02:00 PM - 03:00 PM	52.0	73.3	45.7
03:00 PM - 04:00 PM	53.9	74.4	46.5
04:00 PM - 05:00 PM	51.5	79.4	45.3
05:00 PM - 06:00 PM	49.9	71.9	44.8
06:00 PM - 07:00 PM	50.9	66.5	47.0
07:00 PM - 08:00 PM	60.8	72.0	51.7
08:00 PM - 09:00 PM	63.0	66.5	51.9
09:00 PM - 10:00 PM	64.0	67.1	52.8
10:00 PM - 11:00 PM	63.5	67.3	51.2
11:00 PM - 12:00 AM	61.0	72.1	50.2
12:00 AM - 01:00 AM	60.9	68.5	50.3
01:00 AM - 02:00 AM	61.0	67.9	50.6
02:00 AM - 03:00 AM	54.0	68.6	47.7
03:00 AM - 04:00 AM	47.5	65.8	44.1
04:00 AM - 05:00 AM	48.4	60.3	45.3
05:00 AM - 06:00 AM	50.2	66.8	47.4
06:00 AM - 07:00 AM	53.2	66.6	50.0
07:00 AM - 08:00 AM	51.3	70.0	47.9

Leq Average 24 hrs. (dB(A)) 57.7
Lmax (dB(A)) 79.4
L90 (dB(A)) 46.5
Ldn (dB(A)) 64.9
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423190-1

Page 1 of 1

Sample Number 2582807-3
Parameter Noise (Leq 24 hrs.)
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 25 - Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	49.6	68.1	47.0
09:00 AM - 10:00 AM	50.8	66.4	45.9
10:00 AM - 11:00 AM	50.3	66.2	45.2
11:00 AM - 12:00 PM	49.6	67.9	44.9
12:00 PM - 01:00 PM	49.5	74.5	43.4
01:00 PM - 02:00 PM	47.4	65.0	43.3
02:00 PM - 03:00 PM	48.6	66.1	44.0
03:00 PM - 04:00 PM	48.3	67.0	43.7
04:00 PM - 05:00 PM	50.3	83.9	44.5
05:00 PM - 06:00 PM	49.9	73.5	44.2
06:00 PM - 07:00 PM	49.8	69.8	45.6
07:00 PM - 08:00 PM	51.9	67.7	49.0
08:00 PM - 09:00 PM	61.1	75.0	53.9
09:00 PM - 10:00 PM	59.8	68.4	54.2
10:00 PM - 11:00 PM	59.2	65.2	55.4
11:00 PM - 12:00 AM	56.0	61.6	49.4
12:00 AM - 01:00 AM	56.5	64.9	48.7
01:00 AM - 02:00 AM	49.0	67.6	46.9
02:00 AM - 03:00 AM	60.0	72.4	48.5
03:00 AM - 04:00 AM	54.6	66.1	45.7
04:00 AM - 05:00 AM	47.1	55.5	45.2
05:00 AM - 06:00 AM	48.0	61.2	46.0
06:00 AM - 07:00 AM	54.9	70.2	46.6
07:00 AM - 08:00 AM	54.9	81.2	45.3

Leq Average 24 hrs. (dB(A)) 54.8
Lmax (dB(A)) 83.9
L90 (dB(A)) 45.7
Ldn (dB(A)) 62.0
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423191-1

Page 1 of 1

Sample Number 2582807-4
Parameter Noise (Leq 24 hrs.)
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 26 - Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	53.6	84.4	45.4
09:00 AM - 10:00 AM	55.6	80.5	42.7
10:00 AM - 11:00 AM	53.0	79.2	42.7
11:00 AM - 12:00 PM	50.2	79.5	44.4
12:00 PM - 01:00 PM	50.7	73.8	45.5
01:00 PM - 02:00 PM	50.7	74.6	46.5
02:00 PM - 03:00 PM	58.8	82.6	54.5
03:00 PM - 04:00 PM	59.3	71.3	55.9
04:00 PM - 05:00 PM	55.2	73.0	49.3
05:00 PM - 06:00 PM	53.3	71.4	49.8
06:00 PM - 07:00 PM	50.8	73.0	45.9
07:00 PM - 08:00 PM	58.8	73.0	51.4
08:00 PM - 09:00 PM	50.4	66.7	47.5
09:00 PM - 10:00 PM	60.3	70.5	50.9
10:00 PM - 11:00 PM	55.3	67.5	48.0
11:00 PM - 12:00 AM	56.3	65.2	48.9
12:00 AM - 01:00 AM	45.0	63.7	43.0
01:00 AM - 02:00 AM	49.3	61.9	44.6
02:00 AM - 03:00 AM	51.9	81.1	48.1
03:00 AM - 04:00 AM	52.1	68.9	49.1
04:00 AM - 05:00 AM	58.3	73.2	50.6
05:00 AM - 06:00 AM	68.8	74.8	61.7
06:00 AM - 07:00 AM	59.3	84.0	47.6
07:00 AM - 08:00 AM	51.8	68.7	48.8

Leq Average 24 hrs. (dB(A)) 58.2
Lmax (dB(A)) 84.4
L90 (dB(A)) 48.0
Ldn (dB(A)) 66.6
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423192-1

Page 1 of 1

Sample Number	2582807-5
Parameter	Noise (Leq 24 hrs.)
Location	ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date	Sep 27 - Sep 28, 2025
Measurement by	Anurak Tongkhajonsakda
Sound Level meter	Serial No. 623391

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	56.1	75.5	51.7
09:00 AM - 10:00 AM	54.5	72.3	52.3
10:00 AM - 11:00 AM	51.8	78.8	44.9
11:00 AM - 12:00 PM	48.9	69.6	43.8
12:00 PM - 01:00 PM	46.1	65.0	42.0
01:00 PM - 02:00 PM	45.5	60.5	42.7
02:00 PM - 03:00 PM	51.4	73.4	45.1
03:00 PM - 04:00 PM	50.4	67.0	45.6
04:00 PM - 05:00 PM	51.2	69.4	44.9
05:00 PM - 06:00 PM	50.7	70.7	43.9
06:00 PM - 07:00 PM	50.5	67.8	47.9
07:00 PM - 08:00 PM	57.8	69.1	54.6
08:00 PM - 09:00 PM	63.6	69.6	61.8
09:00 PM - 10:00 PM	66.0	68.9	65.1
10:00 PM - 11:00 PM	65.8	69.0	64.8
11:00 PM - 12:00 AM	62.4	73.2	60.7
12:00 AM - 01:00 AM	64.7	71.9	61.8
01:00 AM - 02:00 AM	63.3	70.1	59.6
02:00 AM - 03:00 AM	66.0	71.0	63.3
03:00 AM - 04:00 AM	66.4	71.4	63.7
04:00 AM - 05:00 AM	64.7	70.8	61.9
05:00 AM - 06:00 AM	62.0	72.3	57.9
06:00 AM - 07:00 AM	51.1	72.2	48.0
07:00 AM - 08:00 AM	50.1	66.9	47.3

Leq Average 24 hrs. (dB(A))	61.3		
Lmax (dB(A))		78.8	
L90 (dB(A))			51.7
Ldn (dB(A))	70.1		
Standard (dB(A))	70	115	

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423193-1

Page 1 of 1

Sample Number 2582807-6
Parameter Noise (Leq 24 hrs.)
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 28 - Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	50.4	68.2	45.7
09:00 AM - 10:00 AM	52.1	81.9	44.8
10:00 AM - 11:00 AM	50.1	71.3	45.4
11:00 AM - 12:00 PM	50.7	72.4	44.7
12:00 PM - 01:00 PM	48.2	71.5	41.6
01:00 PM - 02:00 PM	51.4	78.7	43.7
02:00 PM - 03:00 PM	49.2	73.4	43.7
03:00 PM - 04:00 PM	49.3	71.2	44.5
04:00 PM - 05:00 PM	48.9	68.4	44.3
05:00 PM - 06:00 PM	51.1	77.3	46.2
06:00 PM - 07:00 PM	51.1	78.1	47.0
07:00 PM - 08:00 PM	55.5	73.5	53.8
08:00 PM - 09:00 PM	66.2	70.1	54.2
09:00 PM - 10:00 PM	65.1	69.3	53.4
10:00 PM - 11:00 PM	59.6	69.0	50.0
11:00 PM - 12:00 AM	50.2	57.8	48.5
12:00 AM - 01:00 AM	53.5	65.7	47.9
01:00 AM - 02:00 AM	56.0	61.8	47.4
02:00 AM - 03:00 AM	49.5	60.5	45.8
03:00 AM - 04:00 AM	54.0	62.1	46.4
04:00 AM - 05:00 AM	46.4	59.4	45.3
05:00 AM - 06:00 AM	49.0	58.7	47.3
06:00 AM - 07:00 AM	50.0	63.2	47.6
07:00 AM - 08:00 AM	51.2	71.4	47.3

Leq Average 24 hrs. (dB(A)) 56.7
Lmax (dB(A)) 81.9
L90 (dB(A)) 46.2
Ldn (dB(A)) 61.1
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423194-1

Page 1 of 1

Sample Number 2582807-7
Parameter Noise (Leq 24 hrs.)
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 29 - Sep 30, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	50.1	68.6	46.5
09:00 AM - 10:00 AM	50.2	72.9	45.4
10:00 AM - 11:00 AM	47.2	66.7	43.3
11:00 AM - 12:00 PM	48.7	69.0	43.5
12:00 PM - 01:00 PM	52.6	77.7	39.9
01:00 PM - 02:00 PM	54.5	70.4	51.0
02:00 PM - 03:00 PM	59.7	78.7	56.1
03:00 PM - 04:00 PM	60.8	72.4	57.4
04:00 PM - 05:00 PM	54.8	68.4	49.5
05:00 PM - 06:00 PM	53.5	75.7	46.5
06:00 PM - 07:00 PM	48.9	68.9	43.7
07:00 PM - 08:00 PM	48.6	65.0	47.0
08:00 PM - 09:00 PM	47.6	66.7	45.3
09:00 PM - 10:00 PM	46.6	61.0	45.3
10:00 PM - 11:00 PM	48.0	60.8	46.2
11:00 PM - 12:00 AM	48.0	62.3	46.3
12:00 AM - 01:00 AM	48.0	59.6	46.5
01:00 AM - 02:00 AM	47.6	56.5	46.2
02:00 AM - 03:00 AM	46.6	57.1	45.2
03:00 AM - 04:00 AM	47.2	62.8	45.6
04:00 AM - 05:00 AM	46.9	67.0	44.8
05:00 AM - 06:00 AM	48.3	65.5	46.7
06:00 AM - 07:00 AM	51.1	69.8	48.8
07:00 AM - 08:00 AM	52.1	69.5	50.3

Leq Average 24 hrs. (dB(A)) 52.7
Lmax (dB(A)) 78.7
L90 (dB(A)) 46.2
Ldn (dB(A)) 56.1
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423195-1

Page 1 of 1

Sample Number	2582807-8
Parameter	Noise (Leq 24 hrs.)
Location	ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date	Sep 23 - Sep 24, 2025
Measurement by	Anurak Tongkhajonsakda
Sound Level meter	Serial No. 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	56.7	81.3	49.8
09:00 AM - 10:00 AM	58.8	89.6	52.9
10:00 AM - 11:00 AM	54.8	71.7	50.4
11:00 AM - 12:00 PM	50.8	77.4	45.2
12:00 PM - 01:00 PM	55.8	77.9	46.7
01:00 PM - 02:00 PM	57.4	82.9	50.2
02:00 PM - 03:00 PM	53.2	74.0	47.5
03:00 PM - 04:00 PM	52.1	71.7	47.8
04:00 PM - 05:00 PM	56.7	82.4	47.5
05:00 PM - 06:00 PM	54.3	76.6	46.6
06:00 PM - 07:00 PM	54.1	72.8	49.3
07:00 PM - 08:00 PM	55.7	71.3	52.0
08:00 PM - 09:00 PM	52.9	69.8	48.0
09:00 PM - 10:00 PM	53.5	66.9	48.7
10:00 PM - 11:00 PM	54.1	72.0	49.0
11:00 PM - 12:00 AM	50.8	71.9	45.1
12:00 AM - 01:00 AM	46.0	68.0	44.0
01:00 AM - 02:00 AM	47.2	69.6	45.5
02:00 AM - 03:00 AM	48.6	56.6	45.6
03:00 AM - 04:00 AM	56.5	61.3	53.9
04:00 AM - 05:00 AM	59.7	63.1	57.8
05:00 AM - 06:00 AM	59.9	83.2	58.3
06:00 AM - 07:00 AM	58.8	81.8	53.0
07:00 AM - 08:00 AM	52.0	74.9	41.9
Leq Average 24 hrs. (dB(A))	55.5		
Lmax (dB(A))		89.6	
L90 (dB(A))			48.0
Ldn (dB(A))	62.4		
Standard (dB(A))	70	115	
Reference Method : ISO 1996-1 : 2016			
Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป			
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการ			
โรงงาน พ.ศ. 2548			
Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.			

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423196-1

Page 1 of 1

Sample Number 2582807-9
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 24 - Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	59.0	94.1	44.6
09:00 AM - 10:00 AM	52.3	83.3	47.7
10:00 AM - 11:00 AM	53.8	74.9	49.0
11:00 AM - 12:00 PM	52.9	74.1	47.3
12:00 PM - 01:00 PM	52.4	73.6	44.8
01:00 PM - 02:00 PM	51.1	69.1	46.8
02:00 PM - 03:00 PM	52.8	70.3	48.7
03:00 PM - 04:00 PM	53.6	74.6	47.9
04:00 PM - 05:00 PM	54.7	83.8	46.9
05:00 PM - 06:00 PM	59.4	82.4	46.6
06:00 PM - 07:00 PM	51.7	70.3	46.7
07:00 PM - 08:00 PM	52.8	75.0	48.5
08:00 PM - 09:00 PM	51.4	76.3	47.3
09:00 PM - 10:00 PM	49.8	73.4	46.3
10:00 PM - 11:00 PM	46.9	66.2	44.6
11:00 PM - 12:00 AM	51.7	77.8	45.3
12:00 AM - 01:00 AM	52.3	80.4	44.5
01:00 AM - 02:00 AM	47.6	53.1	46.2
02:00 AM - 03:00 AM	47.7	64.1	45.9
03:00 AM - 04:00 AM	48.7	71.5	45.5
04:00 AM - 05:00 AM	47.3	67.8	44.7
05:00 AM - 06:00 AM	54.3	82.7	48.1
06:00 AM - 07:00 AM	51.4	71.9	46.4
07:00 AM - 08:00 AM	55.0	79.2	44.1

Leq Average 24 hrs. (dB(A)) 53.4
Lmax (dB(A)) 94.1
L90 (dB(A)) 46.4
Ldn (dB(A)) 57.8
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423197-1

Page 1 of 1

Sample Number 2582807-10
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 25 - Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	55.3	78.7	48.2
09:00 AM - 10:00 AM	53.4	75.3	47.3
10:00 AM - 11:00 AM	52.9	70.7	48.0
11:00 AM - 12:00 PM	52.6	77.5	47.5
12:00 PM - 01:00 PM	50.6	76.9	40.3
01:00 PM - 02:00 PM	52.8	70.1	47.3
02:00 PM - 03:00 PM	52.4	70.3	47.5
03:00 PM - 04:00 PM	53.1	85.9	47.2
04:00 PM - 05:00 PM	56.1	85.5	48.1
05:00 PM - 06:00 PM	57.3	79.9	47.2
06:00 PM - 07:00 PM	54.4	86.8	47.2
07:00 PM - 08:00 PM	52.7	72.3	48.1
08:00 PM - 09:00 PM	52.5	70.7	48.8
09:00 PM - 10:00 PM	52.1	82.2	48.7
10:00 PM - 11:00 PM	49.5	67.4	47.8
11:00 PM - 12:00 AM	49.7	66.3	46.7
12:00 AM - 01:00 AM	48.2	67.1	45.7
01:00 AM - 02:00 AM	48.0	64.4	46.5
02:00 AM - 03:00 AM	48.5	61.5	47.0
03:00 AM - 04:00 AM	48.4	52.1	47.4
04:00 AM - 05:00 AM	50.4	67.1	48.5
05:00 AM - 06:00 AM	51.2	77.9	48.0
06:00 AM - 07:00 AM	54.2	82.1	45.3
07:00 AM - 08:00 AM	56.1	77.7	44.5

Leq Average 24 hrs. (dB(A)) 52.9
Lmax (dB(A)) 86.8
L90 (dB(A)) 47.3
Ldn (dB(A)) 57.4
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423198-1

Page 1 of 1

Sample Number 2582807-11
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 26 - Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	49.3	71.9	44.1
09:00 AM - 10:00 AM	52.6	76.0	47.4
10:00 AM - 11:00 AM	52.4	72.5	48.5
11:00 AM - 12:00 PM	52.2	74.2	47.5
12:00 PM - 01:00 PM	54.8	85.2	46.6
01:00 PM - 02:00 PM	59.1	83.8	46.7
02:00 PM - 03:00 PM	54.2	80.3	48.8
03:00 PM - 04:00 PM	56.9	76.0	50.5
04:00 PM - 05:00 PM	59.8	86.2	53.9
05:00 PM - 06:00 PM	60.0	80.1	54.5
06:00 PM - 07:00 PM	56.3	79.1	49.5
07:00 PM - 08:00 PM	53.3	71.7	48.0
08:00 PM - 09:00 PM	55.6	83.5	48.6
09:00 PM - 10:00 PM	54.8	78.4	49.1
10:00 PM - 11:00 PM	53.4	77.6	50.0
11:00 PM - 12:00 AM	54.3	76.7	50.2
12:00 AM - 01:00 AM	57.9	79.7	50.8
01:00 AM - 02:00 AM	56.2	73.0	50.1
02:00 AM - 03:00 AM	62.7	80.8	58.3
03:00 AM - 04:00 AM	58.4	87.5	56.7
04:00 AM - 05:00 AM	62.6	76.8	61.4
05:00 AM - 06:00 AM	60.9	87.8	58.2
06:00 AM - 07:00 AM	56.8	75.7	54.6
07:00 AM - 08:00 AM	57.7	79.6	54.3

Leq Average 24 hrs. (dB(A)) 57.6
Lmax (dB(A)) 87.8
L90 (dB(A)) 50.0
Ldn (dB(A)) 65.3
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423199-1

Page 1 of 1

Sample Number	2582807-12
Parameter	Noise (Leq 24 hrs.)
Location	ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date	Sep 27 - Sep 28, 2025
Measurement by	Anurak Tongkhajonsakda
Sound Level meter	Serial No. 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	57.1	77.2	54.6
09:00 AM - 10:00 AM	55.3	74.3	51.6
10:00 AM - 11:00 AM	55.2	75.4	49.3
11:00 AM - 12:00 PM	56.1	79.2	47.5
12:00 PM - 01:00 PM	52.6	76.6	44.6
01:00 PM - 02:00 PM	51.0	69.9	48.3
02:00 PM - 03:00 PM	53.1	70.1	49.2
03:00 PM - 04:00 PM	55.7	77.7	48.8
04:00 PM - 05:00 PM	54.0	75.1	45.4
05:00 PM - 06:00 PM	51.7	76.1	43.9
06:00 PM - 07:00 PM	53.0	74.1	47.4
07:00 PM - 08:00 PM	53.3	75.6	50.0
08:00 PM - 09:00 PM	56.5	71.8	53.8
09:00 PM - 10:00 PM	56.0	72.1	55.0
10:00 PM - 11:00 PM	55.8	71.2	54.8
11:00 PM - 12:00 AM	55.3	61.8	54.3
12:00 AM - 01:00 AM	55.5	59.0	54.6
01:00 AM - 02:00 AM	54.0	61.9	52.7
02:00 AM - 03:00 AM	52.4	66.9	50.6
03:00 AM - 04:00 AM	57.4	79.1	53.2
04:00 AM - 05:00 AM	59.2	67.3	57.7
05:00 AM - 06:00 AM	61.1	82.7	58.4
06:00 AM - 07:00 AM	54.9	76.0	52.5
07:00 AM - 08:00 AM	59.0	82.8	46.0

Leq Average 24 hrs. (dB(A))	55.9		
Lmax (dB(A))		82.8	
L90 (dB(A))			50.6
Ldn (dB(A))	63.2		
Standard (dB(A))	70	115	

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423200-1

Page 1 of 1

Sample Number 2582807-13
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 28 - Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	59.1	78.8	48.4
09:00 AM - 10:00 AM	56.5	86.4	48.3
10:00 AM - 11:00 AM	52.5	73.8	47.2
11:00 AM - 12:00 PM	55.4	76.9	47.2
12:00 PM - 01:00 PM	55.2	77.0	46.4
01:00 PM - 02:00 PM	50.5	71.4	45.5
02:00 PM - 03:00 PM	52.9	77.7	46.2
03:00 PM - 04:00 PM	55.2	88.3	46.4
04:00 PM - 05:00 PM	53.2	75.8	47.4
05:00 PM - 06:00 PM	58.7	92.4	51.7
06:00 PM - 07:00 PM	56.9	79.1	51.6
07:00 PM - 08:00 PM	53.2	77.7	47.9
08:00 PM - 09:00 PM	49.8	69.0	47.4
09:00 PM - 10:00 PM	47.6	65.5	46.1
10:00 PM - 11:00 PM	48.2	65.6	46.7
11:00 PM - 12:00 AM	48.9	65.5	47.1
12:00 AM - 01:00 AM	47.9	64.8	46.0
01:00 AM - 02:00 AM	48.3	63.1	46.9
02:00 AM - 03:00 AM	48.4	59.5	46.7
03:00 AM - 04:00 AM	46.9	63.5	45.5
04:00 AM - 05:00 AM	48.4	58.0	46.9
05:00 AM - 06:00 AM	55.5	83.7	50.7
06:00 AM - 07:00 AM	53.0	74.2	48.5
07:00 AM - 08:00 AM	55.9	82.9	45.2

Leq Average 24 hrs. (dB(A)) 54.0
Lmax (dB(A)) 92.4
L90 (dB(A)) 46.9
Ldn (dB(A)) 58.0
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423201-1

Page 1 of 1

Sample Number	2582807-14
Parameter	Noise (Leq 24 hrs.)
Location	ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date	Sep 29 - Sep 30, 2025
Measurement by	Anurak Tongkhajonsakda
Sound Level meter	Serial No. 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	52.2	74.4	45.4
09:00 AM - 10:00 AM	58.8	80.1	49.4
10:00 AM - 11:00 AM	51.4	71.2	46.8
11:00 AM - 12:00 PM	50.6	77.3	45.2
12:00 PM - 01:00 PM	50.1	70.0	43.0
01:00 PM - 02:00 PM	55.8	80.3	49.7
02:00 PM - 03:00 PM	58.6	80.3	49.1
03:00 PM - 04:00 PM	53.0	72.8	48.3
04:00 PM - 05:00 PM	55.2	74.9	51.4
05:00 PM - 06:00 PM	57.7	80.0	48.9
06:00 PM - 07:00 PM	52.8	71.4	47.0
07:00 PM - 08:00 PM	52.4	77.0	47.4
08:00 PM - 09:00 PM	54.1	82.6	49.1
09:00 PM - 10:00 PM	47.9	68.0	44.6
10:00 PM - 11:00 PM	48.2	64.6	45.3
11:00 PM - 12:00 AM	47.6	54.5	45.7
12:00 AM - 01:00 AM	46.7	57.2	45.1
01:00 AM - 02:00 AM	46.8	60.4	45.3
02:00 AM - 03:00 AM	47.9	54.1	46.1
03:00 AM - 04:00 AM	48.2	54.6	46.3
04:00 AM - 05:00 AM	50.7	65.8	48.5
05:00 AM - 06:00 AM	56.3	82.5	50.5
06:00 AM - 07:00 AM	53.0	77.0	48.1
07:00 AM - 08:00 AM	62.3	88.2	51.0

Leq Average 24 hrs. (dB(A))	54.6		
Lmax (dB(A))		88.2	
L90 (dB(A))			47.0
Ldn (dB(A))	58.4		
Standard (dB(A))	70	115	

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423202-1

Page 1 of 1

Sample Number	2582807-15		
Parameter	Noise (Leq 24 hrs.)		
Location	ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)		
Measurement Date	Sep 23 - Sep 24, 2025		
Measurement by	Anurak Tongkhajonsakda		
Sound Level meter	Serial No. 623390		

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	49.6	77.5	46.1
09:00 AM - 10:00 AM	49.3	77.4	45.8
10:00 AM - 11:00 AM	51.6	75.8	46.8
11:00 AM - 12:00 PM	57.6	93.4	46.8
12:00 PM - 01:00 PM	52.3	75.5	46.6
01:00 PM - 02:00 PM	53.7	75.5	47.4
02:00 PM - 03:00 PM	52.7	74.8	47.2
03:00 PM - 04:00 PM	55.5	76.8	49.3
04:00 PM - 05:00 PM	55.1	78.5	49.4
05:00 PM - 06:00 PM	52.4	75.9	48.0
06:00 PM - 07:00 PM	47.7	67.2	45.5
07:00 PM - 08:00 PM	50.0	70.5	47.6
08:00 PM - 09:00 PM	50.8	62.1	47.1
09:00 PM - 10:00 PM	51.0	62.2	49.3
10:00 PM - 11:00 PM	51.3	71.4	50.0
11:00 PM - 12:00 AM	49.2	70.7	47.1
12:00 AM - 01:00 AM	49.7	66.8	46.0
01:00 AM - 02:00 AM	46.2	56.7	45.2
02:00 AM - 03:00 AM	45.4	59.4	44.2
03:00 AM - 04:00 AM	47.4	77.4	44.7
04:00 AM - 05:00 AM	46.8	67.9	45.3
05:00 AM - 06:00 AM	49.2	81.7	46.6
06:00 AM - 07:00 AM	47.7	72.4	45.3
07:00 AM - 08:00 AM	55.2	81.6	48.8
Leq Average 24 hrs. (dB(A))	51.9		
Lmax (dB(A))		93.4	
L90 (dB(A))			46.8
Ldn (dB(A))	55.9		
Standard (dB(A))	70	115	
Reference Method : ISO 1996-1 : 2016			
Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป			
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการ			
โรงงาน พ.ศ. 2548			
Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.			

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423203-1

Page 1 of 1

Sample Number 2582807-16
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Sep 24 - Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	53.7	71.9	49.2
09:00 AM - 10:00 AM	52.7	71.6	48.2
10:00 AM - 11:00 AM	53.5	82.4	50.1
11:00 AM - 12:00 PM	52.5	72.4	48.9
12:00 PM - 01:00 PM	52.1	71.3	47.5
01:00 PM - 02:00 PM	53.7	73.7	50.2
02:00 PM - 03:00 PM	54.2	87.1	47.6
03:00 PM - 04:00 PM	53.5	82.5	49.0
04:00 PM - 05:00 PM	51.4	79.6	48.0
05:00 PM - 06:00 PM	50.8	72.3	47.6
06:00 PM - 07:00 PM	58.1	96.3	47.1
07:00 PM - 08:00 PM	50.1	69.2	48.1
08:00 PM - 09:00 PM	49.8	67.3	47.7
09:00 PM - 10:00 PM	50.0	56.2	48.3
10:00 PM - 11:00 PM	58.0	62.8	55.7
11:00 PM - 12:00 AM	59.1	64.8	56.2
12:00 AM - 01:00 AM	58.7	76.5	54.9
01:00 AM - 02:00 AM	59.3	68.4	55.6
02:00 AM - 03:00 AM	57.0	76.6	51.7
03:00 AM - 04:00 AM	48.9	61.8	47.5
04:00 AM - 05:00 AM	49.0	68.4	47.7
05:00 AM - 06:00 AM	49.6	67.3	48.0
06:00 AM - 07:00 AM	49.1	72.1	46.6
07:00 AM - 08:00 AM	52.1	74.9	48.4

Leq Average 24 hrs. (dB(A)) 54.6
Lmax (dB(A)) 96.3
L90 (dB(A)) 48.2
Ldn (dB(A)) 62.4
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423204-1

Page 1 of 1

Sample Number 2582807-17
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Sep 25 - Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	52.2	72.7	47.2
09:00 AM - 10:00 AM	56.3	75.5	52.4
10:00 AM - 11:00 AM	59.8	81.9	56.5
11:00 AM - 12:00 PM	50.4	72.5	45.9
12:00 PM - 01:00 PM	51.8	74.1	47.0
01:00 PM - 02:00 PM	54.4	67.4	50.0
02:00 PM - 03:00 PM	55.2	71.4	50.1
03:00 PM - 04:00 PM	53.8	68.5	49.1
04:00 PM - 05:00 PM	50.7	72.9	46.7
05:00 PM - 06:00 PM	50.5	72.4	45.4
06:00 PM - 07:00 PM	47.7	67.8	45.5
07:00 PM - 08:00 PM	60.0	72.5	53.6
08:00 PM - 09:00 PM	58.2	69.9	52.7
09:00 PM - 10:00 PM	51.9	64.7	48.8
10:00 PM - 11:00 PM	49.2	62.8	48.0
11:00 PM - 12:00 AM	48.5	65.3	47.1
12:00 AM - 01:00 AM	48.4	64.1	47.0
01:00 AM - 02:00 AM	49.3	66.2	47.8
02:00 AM - 03:00 AM	48.6	71.0	47.0
03:00 AM - 04:00 AM	48.1	58.8	46.7
04:00 AM - 05:00 AM	48.0	55.4	46.5
05:00 AM - 06:00 AM	50.0	69.9	48.3
06:00 AM - 07:00 AM	50.0	73.3	47.7
07:00 AM - 08:00 AM	53.5	74.7	49.2

Leq Average 24 hrs. (dB(A)) 53.8
Lmax (dB(A)) 81.9
L90 (dB(A)) 47.7
Ldn (dB(A)) 57.0
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423205-1

Page 1 of 1

Sample Number 2582807-18
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Sep 26 - Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	53.1	72.0	47.6
09:00 AM - 10:00 AM	52.2	76.0	46.7
10:00 AM - 11:00 AM	50.0	82.4	45.3
11:00 AM - 12:00 PM	50.8	72.4	45.4
12:00 PM - 01:00 PM	48.9	77.5	44.8
01:00 PM - 02:00 PM	49.5	67.9	45.5
02:00 PM - 03:00 PM	49.7	66.1	45.9
03:00 PM - 04:00 PM	50.2	69.8	45.7
04:00 PM - 05:00 PM	52.0	81.9	47.5
05:00 PM - 06:00 PM	53.8	75.7	48.7
06:00 PM - 07:00 PM	55.3	69.0	48.2
07:00 PM - 08:00 PM	53.6	62.6	49.2
08:00 PM - 09:00 PM	50.4	67.1	48.7
09:00 PM - 10:00 PM	50.9	57.5	49.8
10:00 PM - 11:00 PM	50.9	72.4	49.8
11:00 PM - 12:00 AM	50.0	64.6	48.9
12:00 AM - 01:00 AM	48.6	68.6	47.4
01:00 AM - 02:00 AM	48.6	66.6	47.5
02:00 AM - 03:00 AM	61.1	82.1	57.1
03:00 AM - 04:00 AM	58.9	74.5	55.5
04:00 AM - 05:00 AM	67.3	80.4	63.6
05:00 AM - 06:00 AM	67.6	85.4	63.6
06:00 AM - 07:00 AM	54.6	74.0	50.6
07:00 AM - 08:00 AM	55.1	82.5	49.2

Leq Average 24 hrs. (dB(A)) 58.3
Lmax (dB(A)) 85.4
L90 (dB(A)) 48.2
Ldn (dB(A)) 67.7
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423206-1

Page 1 of 1

Sample Number	2582807-19		
Parameter	Noise (Leq 24 hrs.)		
Location	ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)		
Measurement Date	Sep 27 - Sep 28, 2025		
Measurement by	Anurak Tongkhajonsakda		
Sound Level meter	Serial No. 623390		

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	53.0	78.9	49.9
09:00 AM - 10:00 AM	51.5	71.7	48.6
10:00 AM - 11:00 AM	50.6	75.2	46.4
11:00 AM - 12:00 PM	50.1	74.6	46.0
12:00 PM - 01:00 PM	50.8	68.7	46.1
01:00 PM - 02:00 PM	55.8	84.1	47.4
02:00 PM - 03:00 PM	55.2	78.9	46.9
03:00 PM - 04:00 PM	55.7	85.2	46.7
04:00 PM - 05:00 PM	51.0	71.4	47.0
05:00 PM - 06:00 PM	49.4	74.0	46.2
06:00 PM - 07:00 PM	51.6	76.5	49.8
07:00 PM - 08:00 PM	53.4	60.7	52.2
08:00 PM - 09:00 PM	54.3	67.7	50.7
09:00 PM - 10:00 PM	57.1	67.8	55.0
10:00 PM - 11:00 PM	58.7	67.1	57.1
11:00 PM - 12:00 AM	59.9	72.2	57.7
12:00 AM - 01:00 AM	57.0	69.6	53.7
01:00 AM - 02:00 AM	61.8	71.6	49.7
02:00 AM - 03:00 AM	66.4	81.3	59.9
03:00 AM - 04:00 AM	67.1	73.4	61.7
04:00 AM - 05:00 AM	66.6	73.3	62.8
05:00 AM - 06:00 AM	62.4	82.5	59.3
06:00 AM - 07:00 AM	52.6	66.7	47.7
07:00 AM - 08:00 AM	51.9	79.8	47.8
Leq Average 24 hrs. (dB(A))	59.8		
Lmax (dB(A))		85.2	
L90 (dB(A))			49.7
Ldn (dB(A))	69.2		
Standard (dB(A))	70	115	
Reference Method : ISO 1996-1 : 2016			
Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป			
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการ			
โรงงาน พ.ศ. 2548			
Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.			

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423207-1

Page 1 of 1

Sample Number	2582807-20		
Parameter	Noise (Leq 24 hrs.)		
Location	ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)		
Measurement Date	Sep 28 - Sep 29, 2025		
Measurement by	Anurak Tongkhajonsakda		
Sound Level meter	Serial No. 623390		

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	49.1	63.4	45.7
09:00 AM - 10:00 AM	51.2	71.8	45.9
10:00 AM - 11:00 AM	46.9	65.9	44.5
11:00 AM - 12:00 PM	48.6	65.3	45.1
12:00 PM - 01:00 PM	48.6	73.7	44.3
01:00 PM - 02:00 PM	53.5	76.5	47.5
02:00 PM - 03:00 PM	52.3	79.2	49.5
03:00 PM - 04:00 PM	50.8	76.0	45.8
04:00 PM - 05:00 PM	53.6	81.0	47.0
05:00 PM - 06:00 PM	52.1	74.5	46.4
06:00 PM - 07:00 PM	58.8	72.4	55.2
07:00 PM - 08:00 PM	52.4	65.3	48.9
08:00 PM - 09:00 PM	50.7	67.7	49.4
09:00 PM - 10:00 PM	55.4	63.6	54.3
10:00 PM - 11:00 PM	55.9	60.2	54.0
11:00 PM - 12:00 AM	53.3	66.3	50.1
12:00 AM - 01:00 AM	47.9	63.8	46.5
01:00 AM - 02:00 AM	47.4	53.6	46.2
02:00 AM - 03:00 AM	47.0	61.3	45.7
03:00 AM - 04:00 AM	48.1	57.5	46.0
04:00 AM - 05:00 AM	53.1	59.9	48.7
05:00 AM - 06:00 AM	48.3	56.7	46.6
06:00 AM - 07:00 AM	50.3	76.0	46.2
07:00 AM - 08:00 AM	50.0	74.8	47.0
<hr/>			
Leq Average 24 hrs. (dB(A))	52.2		
Lmax (dB(A))		81.0	
L90 (dB(A))			46.5
Ldn (dB(A))	57.9		
Standard (dB(A))	70	115	
Reference Method : ISO 1996-1 : 2016			
Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป			
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการ			
โรงงาน พ.ศ. 2548			
Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.			

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423208-1

Page 1 of 1

Sample Number	2582807-21
Parameter	Noise (Leq 24 hrs.)
Location	ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date	Sep 29 - Sep 30, 2025
Measurement by	Anurak Tongkhajonsakda
Sound Level meter	Serial No. 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	53.3	81.8	48.1
09:00 AM - 10:00 AM	52.9	74.6	47.3
10:00 AM - 11:00 AM	48.7	75.0	45.3
11:00 AM - 12:00 PM	48.5	69.2	45.4
12:00 PM - 01:00 PM	46.8	68.5	43.5
01:00 PM - 02:00 PM	49.5	70.7	46.4
02:00 PM - 03:00 PM	52.5	69.6	49.4
03:00 PM - 04:00 PM	51.8	75.1	47.4
04:00 PM - 05:00 PM	53.2	75.5	49.2
05:00 PM - 06:00 PM	50.5	75.9	46.0
06:00 PM - 07:00 PM	48.7	68.3	46.1
07:00 PM - 08:00 PM	50.4	64.3	48.3
08:00 PM - 09:00 PM	49.3	60.4	46.7
09:00 PM - 10:00 PM	49.4	62.2	47.6
10:00 PM - 11:00 PM	48.7	55.8	47.2
11:00 PM - 12:00 AM	46.8	71.5	45.2
12:00 AM - 01:00 AM	48.0	72.5	46.1
01:00 AM - 02:00 AM	44.7	65.5	43.4
02:00 AM - 03:00 AM	46.6	55.2	45.1
03:00 AM - 04:00 AM	50.2	83.0	46.8
04:00 AM - 05:00 AM	48.9	67.2	47.4
05:00 AM - 06:00 AM	49.0	60.0	47.7
06:00 AM - 07:00 AM	49.0	73.5	46.6
07:00 AM - 08:00 AM	51.5	82.2	46.1
Leq Average 24 hrs. (dB(A))	50.1		
Lmax (dB(A))		83.0	
L90 (dB(A))			46.6
Ldn (dB(A))	55.2		
Standard (dB(A))	70	115	
Reference Method : ISO 1996-1 : 2016			
Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป			
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการ			
โรงงาน พ.ศ. 2548			
Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.			

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423209-1

Page 1 of 1

Sample Number	2582807-22		
Parameter	Noise (Leq 24 hrs.)		
Location	ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)		
Measurement Date	Sep 23 - Sep 24, 2025		
Measurement by	Anurak Tongkhajonsakda		
Sound Level meter	Serial No. 623389		

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	51.0	74.6	46.6
09:00 AM - 10:00 AM	50.2	70.4	46.4
10:00 AM - 11:00 AM	50.5	73.6	43.5
11:00 AM - 12:00 PM	50.7	78.2	44.1
12:00 PM - 01:00 PM	50.8	75.1	43.6
01:00 PM - 02:00 PM	51.1	79.9	44.2
02:00 PM - 03:00 PM	52.7	73.1	42.7
03:00 PM - 04:00 PM	51.9	72.6	43.5
04:00 PM - 05:00 PM	52.4	76.0	43.9
05:00 PM - 06:00 PM	50.2	69.8	45.5
06:00 PM - 07:00 PM	52.9	68.5	50.5
07:00 PM - 08:00 PM	51.9	67.0	49.7
08:00 PM - 09:00 PM	50.0	57.4	48.7
09:00 PM - 10:00 PM	50.9	63.1	49.5
10:00 PM - 11:00 PM	49.9	63.9	48.8
11:00 PM - 12:00 AM	48.5	59.8	47.8
12:00 AM - 01:00 AM	48.2	58.8	47.6
01:00 AM - 02:00 AM	49.4	56.5	48.9
02:00 AM - 03:00 AM	49.2	54.8	48.7
03:00 AM - 04:00 AM	49.5	60.2	48.9
04:00 AM - 05:00 AM	51.3	67.9	49.4
05:00 AM - 06:00 AM	54.3	67.9	51.7
06:00 AM - 07:00 AM	53.2	79.4	51.2
07:00 AM - 08:00 AM	53.5	80.0	49.4
Leq Average 24 hrs. (dB(A))	51.3		
Lmax (dB(A))		80.0	
L90 (dB(A))			47.8
Ldn (dB(A))	57.4		
Standard (dB(A))	70	115	
Reference Method : ISO 1996-1 : 2016			
Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป			
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการ			
โรงงาน พ.ศ. 2548			
Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.			

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423210-1

Page 1 of 1

Sample Number 2582807-23
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Sep 24 - Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	51.6	70.8	48.3
09:00 AM - 10:00 AM	51.9	76.3	45.3
10:00 AM - 11:00 AM	51.4	78.8	43.4
11:00 AM - 12:00 PM	48.7	67.9	43.2
12:00 PM - 01:00 PM	50.8	77.7	43.5
01:00 PM - 02:00 PM	51.2	75.1	42.9
02:00 PM - 03:00 PM	51.5	74.9	45.0
03:00 PM - 04:00 PM	46.1	64.9	42.4
04:00 PM - 05:00 PM	47.0	65.7	43.1
05:00 PM - 06:00 PM	48.2	66.9	43.5
06:00 PM - 07:00 PM	55.8	63.5	53.0
07:00 PM - 08:00 PM	56.8	63.0	51.5
08:00 PM - 09:00 PM	56.0	61.3	49.9
09:00 PM - 10:00 PM	51.1	60.2	48.1
10:00 PM - 11:00 PM	52.7	59.7	49.4
11:00 PM - 12:00 AM	51.5	63.5	48.4
12:00 AM - 01:00 AM	50.1	62.1	48.2
01:00 AM - 02:00 AM	49.2	59.7	47.7
02:00 AM - 03:00 AM	49.4	74.4	47.3
03:00 AM - 04:00 AM	49.7	64.2	47.9
04:00 AM - 05:00 AM	52.1	73.3	48.7
05:00 AM - 06:00 AM	53.3	67.8	49.2
06:00 AM - 07:00 AM	51.7	70.5	49.2
07:00 AM - 08:00 AM	51.2	75.0	48.3

Leq Average 24 hrs. (dB(A)) 52.0
Lmax (dB(A)) 78.8
L90 (dB(A)) 47.9
Ldn (dB(A)) 57.9
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423211-1

Page 1 of 1

Sample Number	2582807-24		
Parameter	Noise (Leq 24 hrs.)		
Location	ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)		
Measurement Date	Sep 25 - Sep 26, 2025		
Measurement by	Anurak Tongkhajonsakda		
Sound Level meter	Serial No. 623389		

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	51.3	76.8	45.2
09:00 AM - 10:00 AM	52.4	73.6	45.3
10:00 AM - 11:00 AM	49.1	72.6	43.9
11:00 AM - 12:00 PM	50.8	75.2	42.6
12:00 PM - 01:00 PM	45.6	66.8	41.6
01:00 PM - 02:00 PM	51.3	79.8	42.7
02:00 PM - 03:00 PM	45.5	64.7	41.7
03:00 PM - 04:00 PM	47.1	79.4	43.0
04:00 PM - 05:00 PM	49.9	74.2	43.5
05:00 PM - 06:00 PM	48.8	74.7	42.7
06:00 PM - 07:00 PM	54.8	72.8	51.2
07:00 PM - 08:00 PM	56.1	64.7	50.7
08:00 PM - 09:00 PM	48.4	59.8	46.1
09:00 PM - 10:00 PM	46.5	55.0	45.6
10:00 PM - 11:00 PM	47.3	61.6	46.6
11:00 PM - 12:00 AM	47.2	59.4	46.5
12:00 AM - 01:00 AM	47.7	60.2	46.9
01:00 AM - 02:00 AM	48.5	64.4	47.5
02:00 AM - 03:00 AM	49.3	58.4	48.1
03:00 AM - 04:00 AM	49.8	59.5	48.2
04:00 AM - 05:00 AM	52.0	65.1	48.5
05:00 AM - 06:00 AM	53.8	68.6	49.4
06:00 AM - 07:00 AM	53.9	81.6	51.1
07:00 AM - 08:00 AM	53.9	72.2	50.7
Leq Average 24 hrs. (dB(A))	51.1		
Lmax (dB(A))		81.6	
L90 (dB(A))			46.1
Ldn (dB(A))	57.2		
Standard (dB(A))	70	115	
Reference Method : ISO 1996-1 : 2016			
Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป			
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการ			
โรงงาน พ.ศ. 2548			
Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.			

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423212-1

Page 1 of 1

Sample Number 2582807-25
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Sep 26 - Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	56.3	75.1	53.4
09:00 AM - 10:00 AM	56.9	75.4	53.1
10:00 AM - 11:00 AM	47.2	64.4	42.9
11:00 AM - 12:00 PM	47.6	72.3	42.2
12:00 PM - 01:00 PM	47.4	75.3	41.7
01:00 PM - 02:00 PM	46.9	70.9	42.6
02:00 PM - 03:00 PM	44.8	63.5	42.5
03:00 PM - 04:00 PM	46.2	63.8	42.5
04:00 PM - 05:00 PM	47.7	68.6	42.7
05:00 PM - 06:00 PM	47.5	66.9	42.9
06:00 PM - 07:00 PM	54.7	63.9	49.6
07:00 PM - 08:00 PM	53.8	63.9	48.5
08:00 PM - 09:00 PM	55.6	61.4	51.8
09:00 PM - 10:00 PM	53.5	62.0	47.9
10:00 PM - 11:00 PM	49.6	61.8	47.2
11:00 PM - 12:00 AM	47.6	74.2	46.3
12:00 AM - 01:00 AM	45.8	60.9	44.5
01:00 AM - 02:00 AM	49.0	71.3	47.5
02:00 AM - 03:00 AM	58.6	86.4	54.2
03:00 AM - 04:00 AM	55.2	79.9	54.0
04:00 AM - 05:00 AM	57.0	82.1	55.8
05:00 AM - 06:00 AM	55.8	73.3	53.4
06:00 AM - 07:00 AM	55.2	72.7	52.9
07:00 AM - 08:00 AM	53.2	71.0	51.3

Leq Average 24 hrs. (dB(A)) 53.3
Lmax (dB(A)) 86.4
L90 (dB(A)) 47.5
Ldn (dB(A)) 60.7
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการ
โรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423213-1

Page 1 of 1

Sample Number 2582807-26
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Sep 27 - Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	52.3	67.8	50.1
09:00 AM - 10:00 AM	53.2	78.4	47.1
10:00 AM - 11:00 AM	50.8	75.2	43.6
11:00 AM - 12:00 PM	48.3	70.4	42.4
12:00 PM - 01:00 PM	46.7	64.2	41.8
01:00 PM - 02:00 PM	50.5	79.8	43.3
02:00 PM - 03:00 PM	49.7	72.5	43.0
03:00 PM - 04:00 PM	46.4	65.4	42.4
04:00 PM - 05:00 PM	48.3	72.6	42.6
05:00 PM - 06:00 PM	49.1	70.0	43.9
06:00 PM - 07:00 PM	49.9	62.2	48.6
07:00 PM - 08:00 PM	50.3	62.3	49.2
08:00 PM - 09:00 PM	49.6	65.7	48.4
09:00 PM - 10:00 PM	49.0	58.4	48.2
10:00 PM - 11:00 PM	50.3	65.9	49.6
11:00 PM - 12:00 AM	49.0	54.7	48.3
12:00 AM - 01:00 AM	48.9	55.5	48.2
01:00 AM - 02:00 AM	48.2	66.0	47.7
02:00 AM - 03:00 AM	48.9	55.2	48.0
03:00 AM - 04:00 AM	50.9	65.4	49.9
04:00 AM - 05:00 AM	50.9	65.1	49.5
05:00 AM - 06:00 AM	52.8	68.4	49.7
06:00 AM - 07:00 AM	52.0	69.0	49.9
07:00 AM - 08:00 AM	51.8	70.9	49.3

Leq Average 24 hrs. (dB(A)) 50.2
Lmax (dB(A)) 79.8
L90 (dB(A)) 48.2
Ldn (dB(A)) 56.8
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423214-1

Page 1 of 1

Sample Number 2582807-27
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Sep 28 - Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	47.8	69.7	45.2
09:00 AM - 10:00 AM	48.2	68.7	42.9
10:00 AM - 11:00 AM	46.1	66.6	41.8
11:00 AM - 12:00 PM	49.3	73.8	41.6
12:00 PM - 01:00 PM	46.8	67.8	41.4
01:00 PM - 02:00 PM	50.1	73.2	41.9
02:00 PM - 03:00 PM	48.1	76.8	42.2
03:00 PM - 04:00 PM	48.0	69.7	42.6
04:00 PM - 05:00 PM	47.1	69.3	42.8
05:00 PM - 06:00 PM	48.4	67.3	45.3
06:00 PM - 07:00 PM	49.8	71.1	47.0
07:00 PM - 08:00 PM	49.5	65.4	48.4
08:00 PM - 09:00 PM	50.4	60.1	49.6
09:00 PM - 10:00 PM	49.9	59.7	49.0
10:00 PM - 11:00 PM	51.4	62.6	50.6
11:00 PM - 12:00 AM	50.9	67.7	49.8
12:00 AM - 01:00 AM	49.6	64.5	48.7
01:00 AM - 02:00 AM	50.3	59.0	49.5
02:00 AM - 03:00 AM	50.6	71.7	50.0
03:00 AM - 04:00 AM	51.9	62.9	50.8
04:00 AM - 05:00 AM	52.1	64.8	50.6
05:00 AM - 06:00 AM	53.1	66.8	50.7
06:00 AM - 07:00 AM	52.4	70.4	50.8
07:00 AM - 08:00 AM	51.3	65.8	49.6

Leq Average 24 hrs. (dB(A)) 50.1
Lmax (dB(A)) 76.8
L90 (dB(A)) 48.4
Ldn (dB(A)) 57.6
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423215-1

Page 1 of 1

Sample Number	2582807-28		
Parameter	Noise (Leq 24 hrs.)		
Location	ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)		
Measurement Date	Sep 29 - Sep 30, 2025		
Measurement by	Anurak Tongkhajonsakda		
Sound Level meter	Serial No. 623389		

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	51.0	77.4	45.3
09:00 AM - 10:00 AM	49.8	76.6	44.1
10:00 AM - 11:00 AM	49.4	75.5	42.4
11:00 AM - 12:00 PM	49.4	74.8	42.0
12:00 PM - 01:00 PM	54.9	73.4	41.9
01:00 PM - 02:00 PM	48.0	72.6	42.6
02:00 PM - 03:00 PM	48.8	67.2	43.8
03:00 PM - 04:00 PM	48.8	65.8	45.0
04:00 PM - 05:00 PM	51.4	76.8	45.9
05:00 PM - 06:00 PM	48.6	63.8	44.8
06:00 PM - 07:00 PM	48.7	66.3	46.6
07:00 PM - 08:00 PM	50.2	69.5	48.3
08:00 PM - 09:00 PM	51.3	78.6	48.7
09:00 PM - 10:00 PM	50.8	69.7	50.0
10:00 PM - 11:00 PM	51.9	54.7	51.2
11:00 PM - 12:00 AM	51.4	55.2	50.6
12:00 AM - 01:00 AM	51.3	56.4	50.4
01:00 AM - 02:00 AM	50.9	55.7	49.8
02:00 AM - 03:00 AM	52.7	55.3	51.9
03:00 AM - 04:00 AM	51.5	62.4	50.4
04:00 AM - 05:00 AM	50.3	62.5	49.2
05:00 AM - 06:00 AM	53.7	73.8	50.8
06:00 AM - 07:00 AM	52.6	70.8	50.6
07:00 AM - 08:00 AM	51.3	71.6	48.7
Leq Average 24 hrs. (dB(A))	51.1		
Lmax (dB(A))		78.6	
L90 (dB(A))			48.3
Ldn (dB(A))	58.2		
Standard (dB(A))	70	115	
Reference Method : ISO 1996-1 : 2016			
Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป			
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการ			
โรงงาน พ.ศ. 2548			
Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.			

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423216-1

Page 1 of 1

Sample Number 2582807-29
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Sep 23 - Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623388

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	57.5	76.3	49.0
09:00 AM - 10:00 AM	51.1	70.5	46.1
10:00 AM - 11:00 AM	52.9	74.7	46.6
11:00 AM - 12:00 PM	49.8	68.4	43.6
12:00 PM - 01:00 PM	49.2	67.6	43.0
01:00 PM - 02:00 PM	50.6	69.2	43.0
02:00 PM - 03:00 PM	50.6	70.3	42.6
03:00 PM - 04:00 PM	51.9	69.6	44.4
04:00 PM - 05:00 PM	56.4	77.6	49.8
05:00 PM - 06:00 PM	58.2	78.9	50.6
06:00 PM - 07:00 PM	58.5	79.1	51.6
07:00 PM - 08:00 PM	58.0	77.8	51.7
08:00 PM - 09:00 PM	57.6	76.6	49.0
09:00 PM - 10:00 PM	56.0	77.0	47.6
10:00 PM - 11:00 PM	54.3	73.2	46.2
11:00 PM - 12:00 AM	56.2	79.7	47.1
12:00 AM - 01:00 AM	52.8	74.1	44.3
01:00 AM - 02:00 AM	50.2	68.4	43.3
02:00 AM - 03:00 AM	49.7	72.4	42.4
03:00 AM - 04:00 AM	48.8	66.8	41.9
04:00 AM - 05:00 AM	53.9	71.6	44.6
05:00 AM - 06:00 AM	56.0	76.6	48.3
06:00 AM - 07:00 AM	59.2	84.0	51.4
07:00 AM - 08:00 AM	52.8	71.7	47.6

Leq Average 24 hrs. (dB(A)) 55.0
Lmax (dB(A)) 84.0
L90 (dB(A)) 46.2
Ldn (dB(A)) 61.2
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423217-1

Page 1 of 1

Sample Number 2582807-30
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Sep 24 - Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623388

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	50.2	66.9	44.5
09:00 AM - 10:00 AM	50.4	68.5	44.8
10:00 AM - 11:00 AM	48.8	61.6	44.0
11:00 AM - 12:00 PM	50.0	67.9	44.0
12:00 PM - 01:00 PM	50.6	68.8	44.0
01:00 PM - 02:00 PM	49.7	67.8	44.2
02:00 PM - 03:00 PM	50.2	69.8	44.2
03:00 PM - 04:00 PM	51.9	67.3	46.2
04:00 PM - 05:00 PM	53.8	71.0	48.4
05:00 PM - 06:00 PM	57.5	73.9	52.1
06:00 PM - 07:00 PM	57.7	78.0	52.0
07:00 PM - 08:00 PM	57.8	79.9	51.2
08:00 PM - 09:00 PM	55.6	73.6	48.0
09:00 PM - 10:00 PM	54.4	72.8	46.5
10:00 PM - 11:00 PM	52.5	72.8	44.9
11:00 PM - 12:00 AM	52.1	72.6	44.1
12:00 AM - 01:00 AM	48.9	79.2	43.6
01:00 AM - 02:00 AM	48.6	70.6	43.1
02:00 AM - 03:00 AM	48.0	67.0	41.8
03:00 AM - 04:00 AM	48.5	71.8	42.1
04:00 AM - 05:00 AM	48.9	69.1	43.5
05:00 AM - 06:00 AM	51.8	68.5	45.8
06:00 AM - 07:00 AM	55.0	74.8	49.2
07:00 AM - 08:00 AM	53.6	73.9	47.6

Leq Average 24 hrs. (dB(A)) 53.1
Lmax (dB(A)) 79.9
L90 (dB(A)) 44.5
Ldn (dB(A)) 58.1
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423218-1

Page 1 of 1

Sample Number	2582807-31		
Parameter	Noise (Leq 24 hrs.)		
Location	ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)		
Measurement Date	Sep 25 - Sep 26, 2025		
Measurement by	Anurak Tongkhajonsakda		
Sound Level meter	Serial No. 623388		

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	51.6	68.7	44.7
09:00 AM - 10:00 AM	50.1	69.9	44.5
10:00 AM - 11:00 AM	49.7	71.7	44.6
11:00 AM - 12:00 PM	49.6	65.9	43.7
12:00 PM - 01:00 PM	50.6	67.9	45.2
01:00 PM - 02:00 PM	50.4	69.1	44.3
02:00 PM - 03:00 PM	53.4	76.0	44.3
03:00 PM - 04:00 PM	54.2	74.1	48.8
04:00 PM - 05:00 PM	55.0	78.5	49.2
05:00 PM - 06:00 PM	55.5	71.1	52.6
06:00 PM - 07:00 PM	54.4	71.8	49.6
07:00 PM - 08:00 PM	53.3	70.0	48.8
08:00 PM - 09:00 PM	52.2	71.8	46.4
09:00 PM - 10:00 PM	50.9	69.0	45.3
10:00 PM - 11:00 PM	49.7	66.1	44.6
11:00 PM - 12:00 AM	52.0	78.1	49.4
12:00 AM - 01:00 AM	49.5	70.7	41.4
01:00 AM - 02:00 AM	48.7	73.1	41.4
02:00 AM - 03:00 AM	48.2	70.8	41.6
03:00 AM - 04:00 AM	52.3	68.9	44.2
04:00 AM - 05:00 AM	56.0	68.9	48.0
05:00 AM - 06:00 AM	57.3	75.2	50.5
06:00 AM - 07:00 AM	53.1	71.7	47.5
07:00 AM - 08:00 AM	51.0	65.7	45.0
Leq Average 24 hrs. (dB(A))	52.7		
Lmax (dB(A))		78.5	
L90 (dB(A))			45.0
Ldn (dB(A))	59.3		
Standard (dB(A))	70	115	
Reference Method : ISO 1996-1 : 2016			
Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป			
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการ			
โรงงาน พ.ศ. 2548			
Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.			

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423219-1

Page 1 of 1

Sample Number	2582807-32
Parameter	Noise (Leq 24 hrs.)
Location	ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date	Sep 26 - Sep 27, 2025
Measurement by	Anurak Tongkhajonsakda
Sound Level meter	Serial No. 623388

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	50.0	66.1	44.3
09:00 AM - 10:00 AM	50.3	70.4	43.5
10:00 AM - 11:00 AM	50.7	72.2	47.1
11:00 AM - 12:00 PM	53.5	76.3	48.6
12:00 PM - 01:00 PM	53.7	82.7	45.1
01:00 PM - 02:00 PM	52.2	77.2	47.1
02:00 PM - 03:00 PM	51.8	74.0	47.0
03:00 PM - 04:00 PM	53.1	77.0	47.4
04:00 PM - 05:00 PM	53.3	80.1	48.2
05:00 PM - 06:00 PM	57.9	82.5	48.6
06:00 PM - 07:00 PM	56.4	74.1	48.2
07:00 PM - 08:00 PM	51.1	70.5	48.5
08:00 PM - 09:00 PM	52.2	77.6	46.8
09:00 PM - 10:00 PM	48.8	65.3	46.9
10:00 PM - 11:00 PM	48.3	77.5	46.6
11:00 PM - 12:00 AM	46.1	58.3	45.1
12:00 AM - 01:00 AM	51.4	80.5	46.1
01:00 AM - 02:00 AM	47.7	76.3	45.7
02:00 AM - 03:00 AM	52.2	81.1	49.7
03:00 AM - 04:00 AM	45.5	63.6	41.9
04:00 AM - 05:00 AM	46.5	66.1	41.3
05:00 AM - 06:00 AM	51.2	71.5	43.5
06:00 AM - 07:00 AM	53.3	74.5	48.2
07:00 AM - 08:00 AM	54.6	74.4	48.5

Leq Average 24 hrs. (dB(A))	52.4		
Lmax (dB(A))		82.7	
L90 (dB(A))			46.9
Ldn (dB(A))	57.0		
Standard (dB(A))	70	115	

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423220-1

Page 1 of 1

Sample Number 2582807-33
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Sep 27 - Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623388

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	50.8	69.2	46.1
09:00 AM - 10:00 AM	53.6	79.6	48.4
10:00 AM - 11:00 AM	55.6	75.9	51.5
11:00 AM - 12:00 PM	55.5	77.0	50.9
12:00 PM - 01:00 PM	54.6	73.0	52.4
01:00 PM - 02:00 PM	54.7	71.6	52.4
02:00 PM - 03:00 PM	54.3	74.7	52.7
03:00 PM - 04:00 PM	53.4	71.5	52.1
04:00 PM - 05:00 PM	54.9	78.2	52.0
05:00 PM - 06:00 PM	55.4	84.2	48.0
06:00 PM - 07:00 PM	53.4	73.2	50.4
07:00 PM - 08:00 PM	52.4	71.9	51.2
08:00 PM - 09:00 PM	51.0	71.0	49.2
09:00 PM - 10:00 PM	54.1	81.1	49.9
10:00 PM - 11:00 PM	56.1	79.3	51.8
11:00 PM - 12:00 AM	52.8	64.1	52.0
12:00 AM - 01:00 AM	51.7	62.7	50.7
01:00 AM - 02:00 AM	57.0	81.3	48.6
02:00 AM - 03:00 AM	50.4	73.2	48.9
03:00 AM - 04:00 AM	53.5	75.4	51.4
04:00 AM - 05:00 AM	56.0	77.4	53.4
05:00 AM - 06:00 AM	58.2	75.0	56.1
06:00 AM - 07:00 AM	54.4	73.6	52.1
07:00 AM - 08:00 AM	50.6	69.6	47.9

Leq Average 24 hrs. (dB(A)) 54.4
Lmax (dB(A)) 84.2
L90 (dB(A)) 51.2
Ldn (dB(A)) 61.4
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423221-1

Page 1 of 1

Sample Number 2582807-34
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Sep 28 - Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623388

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	53.2	83.3	46.7
09:00 AM - 10:00 AM	57.8	88.7	45.9
10:00 AM - 11:00 AM	54.2	74.1	47.4
11:00 AM - 12:00 PM	52.3	75.5	45.9
12:00 PM - 01:00 PM	49.9	72.2	44.6
01:00 PM - 02:00 PM	53.0	76.1	45.1
02:00 PM - 03:00 PM	55.6	76.9	47.0
03:00 PM - 04:00 PM	49.5	71.3	44.7
04:00 PM - 05:00 PM	51.4	75.9	45.7
05:00 PM - 06:00 PM	50.6	67.0	45.8
06:00 PM - 07:00 PM	51.9	78.2	47.1
07:00 PM - 08:00 PM	53.0	77.6	49.3
08:00 PM - 09:00 PM	49.9	73.1	48.1
09:00 PM - 10:00 PM	53.2	76.2	46.3
10:00 PM - 11:00 PM	53.6	82.5	46.0
11:00 PM - 12:00 AM	48.0	75.3	46.4
12:00 AM - 01:00 AM	47.1	54.6	45.9
01:00 AM - 02:00 AM	47.2	73.6	46.1
02:00 AM - 03:00 AM	47.6	70.9	46.4
03:00 AM - 04:00 AM	47.0	58.2	46.2
04:00 AM - 05:00 AM	48.3	52.0	46.8
05:00 AM - 06:00 AM	53.2	79.7	48.3
06:00 AM - 07:00 AM	50.2	78.5	47.9
07:00 AM - 08:00 AM	58.0	78.3	49.6

Leq Average 24 hrs. (dB(A)) 52.7
Lmax (dB(A)) 88.7
L90 (dB(A)) 46.3
Ldn (dB(A)) 57.1
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423222-1

Page 1 of 1

Sample Number	2582807-35		
Parameter	Noise (Leq 24 hrs.)		
Location	ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)		
Measurement Date	Sep 29 - Sep 30, 2025		
Measurement by	Anurak Tongkhajonsakda		
Sound Level meter	Serial No. 623388		

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	60.9	76.1	51.6
09:00 AM - 10:00 AM	57.6	81.8	48.1
10:00 AM - 11:00 AM	55.0	72.4	48.6
11:00 AM - 12:00 PM	55.9	82.2	48.6
12:00 PM - 01:00 PM	52.7	73.5	46.3
01:00 PM - 02:00 PM	53.4	82.3	48.6
02:00 PM - 03:00 PM	54.1	78.8	48.9
03:00 PM - 04:00 PM	53.5	76.0	48.9
04:00 PM - 05:00 PM	55.6	84.0	50.0
05:00 PM - 06:00 PM	59.3	79.6	51.3
06:00 PM - 07:00 PM	59.6	85.1	50.8
07:00 PM - 08:00 PM	53.6	73.8	51.6
08:00 PM - 09:00 PM	53.8	75.9	51.1
09:00 PM - 10:00 PM	50.9	74.8	48.7
10:00 PM - 11:00 PM	47.4	62.8	46.2
11:00 PM - 12:00 AM	49.5	73.0	47.0
12:00 AM - 01:00 AM	55.9	81.1	46.9
01:00 AM - 02:00 AM	48.7	75.6	46.9
02:00 AM - 03:00 AM	54.4	78.4	47.6
03:00 AM - 04:00 AM	48.5	63.7	47.2
04:00 AM - 05:00 AM	47.2	61.4	46.0
05:00 AM - 06:00 AM	48.1	59.8	47.2
06:00 AM - 07:00 AM	52.2	74.8	47.4
07:00 AM - 08:00 AM	58.6	78.6	49.8
<hr/>			
Leq Average 24 hrs. (dB(A))	55.3		
Lmax (dB(A))		85.1	
L90 (dB(A))			48.6
Ldn (dB(A))	59.0		
Standard (dB(A))	70	115	
Reference Method : ISO 1996-1 : 2016			
Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป			
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการ			
โรงงาน พ.ศ. 2548			
Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.			

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423223-1

Page 1 of 1

Sample Number	2582807-36		
Parameter	Noise (Leq 24 hrs.)		
Location	ที่พักอาศัยบริเวณหน้าห้องโครงการ (N6) (GPS 47P 0744105, 1460956)		
Measurement Date	Sep 23 - Sep 24, 2025		
Measurement by	Anurak Tongkhajonsakda		
Sound Level meter	Serial No. 623393		

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	56.6	82.0	45.9
09:00 AM - 10:00 AM	56.5	78.9	44.4
10:00 AM - 11:00 AM	56.6	79.8	44.0
11:00 AM - 12:00 PM	54.4	75.7	43.7
12:00 PM - 01:00 PM	55.9	78.3	44.7
01:00 PM - 02:00 PM	57.1	85.1	43.0
02:00 PM - 03:00 PM	55.3	77.9	43.5
03:00 PM - 04:00 PM	56.3	80.5	44.5
04:00 PM - 05:00 PM	57.3	81.7	45.2
05:00 PM - 06:00 PM	58.5	76.8	48.3
06:00 PM - 07:00 PM	58.3	82.2	49.6
07:00 PM - 08:00 PM	57.3	82.9	49.6
08:00 PM - 09:00 PM	54.9	77.3	47.2
09:00 PM - 10:00 PM	55.2	77.9	48.4
10:00 PM - 11:00 PM	54.2	78.8	48.5
11:00 PM - 12:00 AM	51.8	77.3	46.5
12:00 AM - 01:00 AM	47.5	68.6	44.4
01:00 AM - 02:00 AM	46.7	62.9	45.3
02:00 AM - 03:00 AM	48.4	68.7	45.9
03:00 AM - 04:00 AM	53.0	80.2	47.4
04:00 AM - 05:00 AM	50.6	70.1	47.6
05:00 AM - 06:00 AM	54.6	76.9	50.1
06:00 AM - 07:00 AM	56.5	74.8	48.1
07:00 AM - 08:00 AM	57.0	77.8	47.9
Leq Average 24 hrs. (dB(A))	55.5		
Lmax (dB(A))		85.1	
L90 (dB(A))			45.9
Ldn (dB(A))	59.9		
Standard (dB(A))	70	115	
Reference Method : ISO 1996-1 : 2016			
Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป			
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการ			
โรงงาน พ.ศ. 2548			
Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.			

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423224-1

Page 1 of 1

Sample Number 2582807-37
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยบริเวณหน้าห้องโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Sep 24 - Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	55.7	83.9	44.3
09:00 AM - 10:00 AM	54.1	75.0	42.8
10:00 AM - 11:00 AM	53.4	74.4	42.4
11:00 AM - 12:00 PM	54.8	79.0	42.7
12:00 PM - 01:00 PM	57.6	89.6	43.8
01:00 PM - 02:00 PM	57.5	87.0	44.4
02:00 PM - 03:00 PM	57.5	90.8	46.3
03:00 PM - 04:00 PM	56.4	82.0	46.7
04:00 PM - 05:00 PM	56.8	77.8	47.0
05:00 PM - 06:00 PM	59.1	80.9	50.0
06:00 PM - 07:00 PM	57.9	80.1	51.4
07:00 PM - 08:00 PM	60.7	86.4	53.8
08:00 PM - 09:00 PM	57.0	75.6	52.9
09:00 PM - 10:00 PM	54.0	76.4	47.8
10:00 PM - 11:00 PM	56.1	80.7	47.6
11:00 PM - 12:00 AM	53.2	74.6	47.9
12:00 AM - 01:00 AM	53.5	78.3	46.9
01:00 AM - 02:00 AM	47.3	61.5	45.3
02:00 AM - 03:00 AM	48.3	71.9	43.9
03:00 AM - 04:00 AM	53.2	80.6	44.2
04:00 AM - 05:00 AM	48.8	67.2	45.8
05:00 AM - 06:00 AM	54.3	75.4	48.6
06:00 AM - 07:00 AM	57.2	83.0	48.4
07:00 AM - 08:00 AM	58.0	87.5	47.8

Leq Average 24 hrs. (dB(A)) 56.1
Lmax (dB(A)) 90.8
L90 (dB(A)) 46.7
Ldn (dB(A)) 60.7
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423225-1

Page 1 of 1

Sample Number	2582807-38
Parameter	Noise (Leq 24 hrs.)
Location	ที่พักอาศัยบริเวณหน้าทั้งของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date	Sep 25 - Sep 26, 2025
Measurement by	Anurak Tongkhajonsakda
Sound Level meter	Serial No. 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	55.0	74.1	44.1
09:00 AM - 10:00 AM	54.4	77.2	43.3
10:00 AM - 11:00 AM	53.5	76.0	43.7
11:00 AM - 12:00 PM	54.4	77.3	43.4
12:00 PM - 01:00 PM	55.8	84.0	43.5
01:00 PM - 02:00 PM	54.9	75.0	43.2
02:00 PM - 03:00 PM	55.1	80.9	43.2
03:00 PM - 04:00 PM	58.3	85.3	45.1
04:00 PM - 05:00 PM	57.9	81.9	46.8
05:00 PM - 06:00 PM	58.1	79.2	49.0
06:00 PM - 07:00 PM	58.5	82.5	52.7
07:00 PM - 08:00 PM	57.9	77.0	52.9
08:00 PM - 09:00 PM	56.6	82.4	51.2
09:00 PM - 10:00 PM	56.0	80.6	52.2
10:00 PM - 11:00 PM	57.1	84.4	50.5
11:00 PM - 12:00 AM	53.0	73.1	49.1
12:00 AM - 01:00 AM	50.3	66.7	47.5
01:00 AM - 02:00 AM	53.1	66.8	51.0
02:00 AM - 03:00 AM	54.9	69.5	52.9
03:00 AM - 04:00 AM	55.0	80.1	51.2
04:00 AM - 05:00 AM	54.2	64.1	52.3
05:00 AM - 06:00 AM	57.2	85.6	51.9
06:00 AM - 07:00 AM	57.5	79.7	49.5
07:00 AM - 08:00 AM	59.4	86.1	49.3

Leq Average 24 hrs. (dB(A))	56.2		
Lmax (dB(A))		86.1	
L90 (dB(A))			49.1
Ldn (dB(A))	61.9		
Standard (dB(A))	70	115	

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423226-1

Page 1 of 1

Sample Number 2582807-39
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยบริเวณหน้าห้องโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Sep 26 - Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	54.6	78.7	43.4
09:00 AM - 10:00 AM	56.0	82.3	42.6
10:00 AM - 11:00 AM	53.4	71.8	42.8
11:00 AM - 12:00 PM	54.5	75.2	43.7
12:00 PM - 01:00 PM	54.6	81.2	43.1
01:00 PM - 02:00 PM	54.5	81.6	43.9
02:00 PM - 03:00 PM	54.9	76.6	44.5
03:00 PM - 04:00 PM	56.5	79.5	45.1
04:00 PM - 05:00 PM	57.3	79.6	47.0
05:00 PM - 06:00 PM	59.2	84.2	48.5
06:00 PM - 07:00 PM	59.8	81.7	51.9
07:00 PM - 08:00 PM	58.8	81.4	52.3
08:00 PM - 09:00 PM	55.7	73.6	51.5
09:00 PM - 10:00 PM	56.5	82.5	51.2
10:00 PM - 11:00 PM	56.9	81.3	52.3
11:00 PM - 12:00 AM	58.8	86.1	54.5
12:00 AM - 01:00 AM	55.3	85.4	47.3
01:00 AM - 02:00 AM	48.0	74.2	40.1
02:00 AM - 03:00 AM	56.0	73.2	49.8
03:00 AM - 04:00 AM	54.8	79.8	51.7
04:00 AM - 05:00 AM	53.9	71.4	51.7
05:00 AM - 06:00 AM	55.6	69.9	52.4
06:00 AM - 07:00 AM	57.4	75.8	52.3
07:00 AM - 08:00 AM	60.1	81.5	54.2

Leq Average 24 hrs. (dB(A)) 56.6
Lmax (dB(A)) 86.1
L90 (dB(A)) 48.5
Ldn (dB(A)) 62.5
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423227-1

Page 1 of 1

Sample Number	2582807-40		
Parameter	Noise (Leq 24 hrs.)		
Location	ที่พักอาศัยบริเวณหน้าห้องโครงการ (N6) (GPS 47P 0744105, 1460956)		
Measurement Date	Sep 27 - Sep 28, 2025		
Measurement by	Anurak Tongkhajonsakda		
Sound Level meter	Serial No. 623393		

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	58.1	80.4	50.4
09:00 AM - 10:00 AM	56.5	78.6	47.2
10:00 AM - 11:00 AM	54.5	76.1	44.0
11:00 AM - 12:00 PM	54.9	73.7	44.2
12:00 PM - 01:00 PM	54.6	75.2	43.6
01:00 PM - 02:00 PM	57.0	83.6	44.1
02:00 PM - 03:00 PM	56.5	80.1	43.4
03:00 PM - 04:00 PM	59.6	88.3	44.9
04:00 PM - 05:00 PM	57.7	85.6	47.1
05:00 PM - 06:00 PM	59.9	84.0	49.2
06:00 PM - 07:00 PM	60.5	75.9	57.8
07:00 PM - 08:00 PM	61.6	79.3	59.4
08:00 PM - 09:00 PM	61.7	80.3	59.3
09:00 PM - 10:00 PM	60.7	84.3	58.2
10:00 PM - 11:00 PM	61.8	80.5	60.4
11:00 PM - 12:00 AM	62.3	77.3	61.2
12:00 AM - 01:00 AM	60.2	77.7	58.5
01:00 AM - 02:00 AM	58.2	72.8	56.5
02:00 AM - 03:00 AM	54.1	67.8	51.5
03:00 AM - 04:00 AM	60.9	77.9	59.0
04:00 AM - 05:00 AM	59.5	67.8	57.7
05:00 AM - 06:00 AM	59.0	79.4	56.5
06:00 AM - 07:00 AM	57.5	81.4	50.2
07:00 AM - 08:00 AM	58.3	80.9	47.5
Leq Average 24 hrs. (dB(A))	59.2		
Lmax (dB(A))		88.3	
L90 (dB(A))			50.4
Ldn (dB(A))	66.1		
Standard (dB(A))	70	115	
Reference Method : ISO 1996-1 : 2016			
Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป			
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการ			
โรงงาน พ.ศ. 2548			
Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.			

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423228-1

Page 1 of 1

Sample Number 2582807-41
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยบริเวณหน้าห้องโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Sep 28 - Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	56.4	80.7	44.2
09:00 AM - 10:00 AM	56.2	82.0	43.7
10:00 AM - 11:00 AM	55.8	78.0	43.2
11:00 AM - 12:00 PM	56.3	82.7	42.1
12:00 PM - 01:00 PM	56.4	82.0	42.5
01:00 PM - 02:00 PM	57.2	84.0	42.8
02:00 PM - 03:00 PM	53.9	79.2	42.1
03:00 PM - 04:00 PM	56.5	76.2	45.5
04:00 PM - 05:00 PM	57.5	81.2	47.5
05:00 PM - 06:00 PM	59.7	82.6	49.1
06:00 PM - 07:00 PM	59.9	84.6	54.3
07:00 PM - 08:00 PM	59.8	80.3	55.5
08:00 PM - 09:00 PM	56.3	86.2	49.6
09:00 PM - 10:00 PM	54.5	76.2	50.3
10:00 PM - 11:00 PM	55.5	80.1	50.4
11:00 PM - 12:00 AM	52.6	72.5	48.5
12:00 AM - 01:00 AM	52.9	76.8	47.3
01:00 AM - 02:00 AM	53.3	76.0	45.4
02:00 AM - 03:00 AM	49.9	68.3	47.0
03:00 AM - 04:00 AM	53.8	75.9	48.5
04:00 AM - 05:00 AM	55.6	76.5	52.1
05:00 AM - 06:00 AM	56.7	81.1	52.5
06:00 AM - 07:00 AM	57.1	75.7	50.1
07:00 AM - 08:00 AM	60.1	83.0	49.7

Leq Average 24 hrs. (dB(A)) 56.7
Lmax (dB(A)) 86.2
L90 (dB(A)) 47.5
Ldn (dB(A)) 61.6
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582807

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number: 3423229-1

Page 1 of 1

Sample Number 2582807-42
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยบริเวณหน้าห้องโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Sep 29 - Sep 30, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	56.5	78.2	45.4
09:00 AM - 10:00 AM	53.7	74.8	42.3
10:00 AM - 11:00 AM	56.7	80.3	43.0
11:00 AM - 12:00 PM	57.1	81.7	42.1
12:00 PM - 01:00 PM	55.5	80.4	41.7
01:00 PM - 02:00 PM	55.2	77.7	42.2
02:00 PM - 03:00 PM	55.2	80.2	43.5
03:00 PM - 04:00 PM	56.8	83.2	45.6
04:00 PM - 05:00 PM	58.6	86.7	47.7
05:00 PM - 06:00 PM	59.0	78.8	49.8
06:00 PM - 07:00 PM	58.8	80.3	52.4
07:00 PM - 08:00 PM	56.3	78.7	48.6
08:00 PM - 09:00 PM	55.3	79.4	48.0
09:00 PM - 10:00 PM	53.5	77.1	49.8
10:00 PM - 11:00 PM	53.9	78.5	49.3
11:00 PM - 12:00 AM	50.9	68.4	47.7
12:00 AM - 01:00 AM	56.2	68.0	53.7
01:00 AM - 02:00 AM	55.9	72.5	53.6
02:00 AM - 03:00 AM	55.7	73.0	53.1
03:00 AM - 04:00 AM	50.0	74.8	43.6
04:00 AM - 05:00 AM	51.7	72.4	47.9
05:00 AM - 06:00 AM	54.8	70.0	50.7
06:00 AM - 07:00 AM	57.3	81.7	49.0
07:00 AM - 08:00 AM	57.9	78.9	48.4

Leq Average 24 hrs. (dB(A)) 56.1
Lmax (dB(A)) 86.7
L90 (dB(A)) 47.9
Ldn (dB(A)) 61.4
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582813

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number : 3422486-1

Page 1 of 1

Sample No. 2582813-1
Parameter เสียงรบกวน
Location ฟาร์มกรงไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 23, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623391

ระดับเสียง (dB(A))						
เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีกิจกรรม	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	53.7	49.0	51.9	-	44.5	7.4
09:00 AM - 10:00 AM	57.2	49.0	56.5	-	44.5	12.0
10:00 AM - 11:00 AM	62.4	49.0	62.2	-	44.5	17.7
11:00 AM - 12:00 PM	49.8	49.0	42.1	-	44.5	-2.4
12:00 PM - 01:00 PM	51.8	49.0	48.6	-	44.5	4.1
01:00 PM - 02:00 PM	49.3	49.0	37.5	-	44.5	-7.0
02:00 PM - 03:00 PM	50.2	49.0	44.0	-	44.5	-0.5
03:00 PM - 04:00 PM	47.6	49.0	n/a	-	44.5	-
04:00 PM - 05:00 PM	50.9	49.0	46.4	-	44.5	1.9
ค่ามาตรฐาน						≤ 10

Reference Method :

1. ISO 1996-1

2. ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

1. ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

2. ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

1. ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 23 กันยายน 2568 (08:00 - 17:00 น.)

2. ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีกิจกรรม (Sample No.2582814-1 วันที่ตรวจวัด 23 กันยายน 2568, 18:00 - 19:00 น.)

3. n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีกิจกรรม

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582813

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number : 3422487-1

Page 1 of 1

Sample No. 2582813-2
Parameter เสียงรบกวน
Location ฟาร์มกรงไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623391

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	48.6	49.3	n/a	-	45.0	-
09:00 AM - 10:00 AM	49.8	49.3	40.2	-	45.0	-4.8
10:00 AM - 11:00 AM	51.8	49.3	48.2	-	45.0	3.2
11:00 AM - 12:00 PM	51.7	49.3	48.0	-	45.0	3.0
12:00 PM - 01:00 PM	52.0	49.3	48.7	-	45.0	3.7
01:00 PM - 02:00 PM	50.6	49.3	44.7	-	45.0	-0.3
02:00 PM - 03:00 PM	52.0	49.3	48.7	-	45.0	3.7
03:00 PM - 04:00 PM	53.9	49.3	52.1	-	45.0	7.1
04:00 PM - 05:00 PM	51.5	49.3	47.5	-	45.0	2.5
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 24 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-2 วันที่ตรวจวัด 24 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582813

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number : 3422488-1

Page 1 of 1

Sample No. 2582813-3
Parameter เสียงรบกวน
Location ฟาร์มกรงไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623391

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	49.6	46.2	46.9	-	43.9	3.0
09:00 AM - 10:00 AM	50.8	46.2	49.0	-	43.9	5.1
10:00 AM - 11:00 AM	50.3	46.2	48.2	-	43.9	4.3
11:00 AM - 12:00 PM	49.6	46.2	46.9	-	43.9	3.0
12:00 PM - 01:00 PM	49.5	46.2	46.8	-	43.9	2.9
01:00 PM - 02:00 PM	47.4	46.2	41.2	-	43.9	-2.7
02:00 PM - 03:00 PM	48.6	46.2	44.9	-	43.9	1.0
03:00 PM - 04:00 PM	48.3	46.2	44.1	-	43.9	0.2
04:00 PM - 05:00 PM	50.3	46.2	48.2	-	43.9	4.3
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 25 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-3 วันที่ตรวจวัด 25 กันยายน 2568, 18:00 - 19:00 น.)
- ก/า: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582813

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number : 3422489-1

Page 1 of 1

Sample No. 2582813-4
Parameter เสียงรบกวน
Location ฟาร์มกรุงไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623391

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	53.6	49.4	51.5	-	44.6	6.9
09:00 AM - 10:00 AM	55.6	49.4	54.4	-	44.6	9.8
10:00 AM - 11:00 AM	53.0	49.4	50.5	-	44.6	5.9
11:00 AM - 12:00 PM	50.2	49.4	42.5	-	44.6	-2.1
12:00 PM - 01:00 PM	50.7	49.4	44.8	-	44.6	0.2
01:00 PM - 02:00 PM	50.7	49.4	44.8	-	44.6	0.2
02:00 PM - 03:00 PM	58.8	49.4	58.3	-	44.6	13.7
03:00 PM - 04:00 PM	59.3	49.4	58.8	-	44.6	14.2
04:00 PM - 05:00 PM	55.2	49.4	53.9	-	44.6	9.3
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 26 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-4 วันที่ตรวจวัด 26 กันยายน 2568, 18:00 - 19:00 น.)
- ก/า: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582813

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number : 3422490-1

Page 1 of 1

Sample No. 2582813-5
Parameter เสียงรบกวน
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623391

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	56.1	50.5	54.7	-	45.8	8.9
09:00 AM - 10:00 AM	54.5	50.5	52.3	-	45.8	6.5
10:00 AM - 11:00 AM	51.8	50.5	45.9	-	45.8	0.1
11:00 AM - 12:00 PM	48.9	50.5	n/a	-	45.8	-
12:00 PM - 01:00 PM	46.1	50.5	n/a	-	45.8	-
01:00 PM - 02:00 PM	45.5	50.5	n/a	-	45.8	-
02:00 PM - 03:00 PM	51.4	50.5	44.1	-	45.8	-1.7
03:00 PM - 04:00 PM	50.4	50.5	n/a	-	45.8	-
04:00 PM - 05:00 PM	51.2	50.5	42.9	-	45.8	-2.9
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 27 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-5 วันที่ตรวจวัด 27 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582813

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number : 3422491-1

Page 1 of 1

Sample No. 2582813-6
Parameter เสียงรบกวน
Location ฟาร์มกรงไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623391

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	50.4	49.5	43.1	-	45.9	-2.8
09:00 AM - 10:00 AM	52.1	49.5	48.6	-	45.9	2.7
10:00 AM - 11:00 AM	50.1	49.5	41.2	-	45.9	-4.7
11:00 AM - 12:00 PM	50.7	49.5	44.5	-	45.9	-1.4
12:00 PM - 01:00 PM	48.2	49.5	n/a	-	45.9	-
01:00 PM - 02:00 PM	51.4	49.5	46.9	-	45.9	1.0
02:00 PM - 03:00 PM	49.2	49.5	n/a	-	45.9	-
03:00 PM - 04:00 PM	49.3	49.5	n/a	-	45.9	-
04:00 PM - 05:00 PM	48.9	49.5	n/a	-	45.9	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 28 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-6 วันที่ตรวจวัด 28 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582813

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number : 3422492-1

Page 1 of 1

Sample No. 2582813-7
Parameter เสียงรบกวน
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623391

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	50.1	46.2	47.8	-	43.0	4.8
09:00 AM - 10:00 AM	50.2	46.2	48.0	-	43.0	5.0
10:00 AM - 11:00 AM	47.2	46.2	40.3	-	43.0	-2.7
11:00 AM - 12:00 PM	48.7	46.2	45.1	-	43.0	2.1
12:00 PM - 01:00 PM	52.6	46.2	51.5	-	43.0	8.5
01:00 PM - 02:00 PM	54.5	46.2	53.8	-	43.0	10.8
02:00 PM - 03:00 PM	59.7	46.2	59.5	-	43.0	16.5
03:00 PM - 04:00 PM	60.8	46.2	60.6	-	43.0	17.6
04:00 PM - 05:00 PM	54.8	46.2	54.2	-	43.0	11.2
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 29 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-7 วันที่ตรวจวัด 29 กันยายน 2568, 18:00 - 19:00 น.)
- ก/า: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582813

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number : 3422493-1

Page 1 of 1

Sample No. 2582813-8
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 23, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623392

ระดับเสียง (dB(A))						
เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีกิจกรรม	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	56.7	53.2	54.1	-	47.1	7.0
09:00 AM - 10:00 AM	58.8	53.2	57.4	-	47.1	10.3
10:00 AM - 11:00 AM	54.8	53.2	49.7	-	47.1	2.6
11:00 AM - 12:00 PM	50.8	53.2	n/a	-	47.1	-
12:00 PM - 01:00 PM	55.8	53.2	52.3	-	47.1	5.2
01:00 PM - 02:00 PM	57.4	53.2	55.3	-	47.1	8.2
02:00 PM - 03:00 PM	53.2	53.2	n/a	-	47.1	-
03:00 PM - 04:00 PM	52.1	53.2	n/a	-	47.1	-
04:00 PM - 05:00 PM	56.7	53.2	54.1	-	47.1	7.0
ค่ามาตรฐาน						≤ 10

Reference Method :

1. ISO 1996-1

2. ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

1. ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

2. ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

1. ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 23 กันยายน 2568 (08:00 - 17:00 น.)

2. ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีกิจกรรม (Sample No.2582814-8 วันที่ตรวจวัด 23 กันยายน 2568, 18:00 - 19:00 น.)

3. n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีกิจกรรม

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422494-1

Page 1 of 1

Sample No. 2582813-9
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623392

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	59.0	49.5	58.5	-	46.0	12.5
09:00 AM - 10:00 AM	52.3	49.5	49.1	-	46.0	3.1
10:00 AM - 11:00 AM	53.8	49.5	51.8	-	46.0	5.8
11:00 AM - 12:00 PM	52.9	49.5	50.2	-	46.0	4.2
12:00 PM - 01:00 PM	52.4	49.5	49.3	-	46.0	3.3
01:00 PM - 02:00 PM	51.1	49.5	46.0	-	46.0	0.0
02:00 PM - 03:00 PM	52.8	49.5	50.1	-	46.0	4.1
03:00 PM - 04:00 PM	53.6	49.5	51.5	-	46.0	5.5
04:00 PM - 05:00 PM	54.7	49.5	53.1	-	46.0	7.1
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 24 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-9 วันที่ตรวจวัด 24 กันยายน 2568, 18:00 - 19:00 น.)
- ก/า: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422495-1

Page 1 of 1

Sample No. 2582813-10
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623392

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	55.3	60.4	n/a	-	45.7	-
09:00 AM - 10:00 AM	53.4	60.4	n/a	-	45.7	-
10:00 AM - 11:00 AM	52.9	60.4	n/a	-	45.7	-
11:00 AM - 12:00 PM	52.6	60.4	n/a	-	45.7	-
12:00 PM - 01:00 PM	50.6	60.4	n/a	-	45.7	-
01:00 PM - 02:00 PM	52.8	60.4	n/a	-	45.7	-
02:00 PM - 03:00 PM	52.4	60.4	n/a	-	45.7	-
03:00 PM - 04:00 PM	53.1	60.4	n/a	-	45.7	-
04:00 PM - 05:00 PM	56.1	60.4	n/a	-	45.7	-

ค่ามาตรฐาน

≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 25 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-10 วันที่ตรวจวัด 25 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422496-1

Page 1 of 1

Sample No. 2582813-11
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623392

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	49.3	54.9	n/a	-	48.9	-
09:00 AM - 10:00 AM	52.6	54.9	n/a	-	48.9	-
10:00 AM - 11:00 AM	52.4	54.9	n/a	-	48.9	-
11:00 AM - 12:00 PM	52.2	54.9	n/a	-	48.9	-
12:00 PM - 01:00 PM	54.8	54.9	n/a	-	48.9	-
01:00 PM - 02:00 PM	59.1	54.9	57.0	-	48.9	8.1
02:00 PM - 03:00 PM	54.2	54.9	n/a	-	48.9	-
03:00 PM - 04:00 PM	56.9	54.9	52.6	-	48.9	3.7
04:00 PM - 05:00 PM	59.8	54.9	58.1	-	48.9	9.2
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 26 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-11 วันที่ตรวจวัด 26 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422497-1

Page 1 of 1

Sample No. 2582813-12
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623392

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	57.1	53.8	54.4	-	47.4	7.0
09:00 AM - 10:00 AM	55.3	53.8	50.0	-	47.4	2.6
10:00 AM - 11:00 AM	55.2	53.8	49.6	-	47.4	2.2
11:00 AM - 12:00 PM	56.1	53.8	52.2	-	47.4	4.8
12:00 PM - 01:00 PM	52.6	53.8	n/a	-	47.4	-
01:00 PM - 02:00 PM	51.0	53.8	n/a	-	47.4	-
02:00 PM - 03:00 PM	53.1	53.8	n/a	-	47.4	-
03:00 PM - 04:00 PM	55.7	53.8	51.2	-	47.4	3.8
04:00 PM - 05:00 PM	54.0	53.8	40.5	-	47.4	-6.9
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 27 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-12 วันที่ตรวจวัด 27 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582813

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number : 3422498-1

Page 1 of 1

Sample No. 2582813-13
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623392

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	59.1	56.5	55.6	-	51.1	4.5
09:00 AM - 10:00 AM	56.5	56.5	n/a	-	51.1	-
10:00 AM - 11:00 AM	52.5	56.5	n/a	-	51.1	-
11:00 AM - 12:00 PM	55.4	56.5	n/a	-	51.1	-
12:00 PM - 01:00 PM	55.2	56.5	n/a	-	51.1	-
01:00 PM - 02:00 PM	50.5	56.5	n/a	-	51.1	-
02:00 PM - 03:00 PM	52.9	56.5	n/a	-	51.1	-
03:00 PM - 04:00 PM	55.2	56.5	n/a	-	51.1	-
04:00 PM - 05:00 PM	53.2	56.5	n/a	-	51.1	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 28 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-13 วันที่ตรวจวัด 28 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422499-1

Page 1 of 1

Sample No. 2582813-14
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623392

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	52.2	52.9	n/a	-	46.2	-
09:00 AM - 10:00 AM	58.8	52.9	57.5	-	46.2	11.3
10:00 AM - 11:00 AM	51.4	52.9	n/a	-	46.2	-
11:00 AM - 12:00 PM	50.6	52.9	n/a	-	46.2	-
12:00 PM - 01:00 PM	50.1	52.9	n/a	-	46.2	-
01:00 PM - 02:00 PM	55.8	52.9	52.7	-	46.2	6.5
02:00 PM - 03:00 PM	58.6	52.9	57.2	-	46.2	11.0
03:00 PM - 04:00 PM	53.0	52.9	36.6	-	46.2	-9.6
04:00 PM - 05:00 PM	55.2	52.9	51.3	-	46.2	5.1
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 29 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-14 วันที่ตรวจวัด 29 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422500-1

Page 1 of 1

Sample No. 2582813-15
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261)
Measurement Date Sep 23, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623390

ระดับเสียง (dB(A))						
เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีกิจกรรมกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	49.6	47.0	46.1	-	45.0	1.1
09:00 AM - 10:00 AM	49.3	47.0	45.4	-	45.0	0.4
10:00 AM - 11:00 AM	51.6	47.0	49.8	-	45.0	4.8
11:00 AM - 12:00 PM	57.6	47.0	57.2	-	45.0	12.2
12:00 PM - 01:00 PM	52.3	47.0	50.8	-	45.0	5.8
01:00 PM - 02:00 PM	53.7	47.0	52.7	-	45.0	7.7
02:00 PM - 03:00 PM	52.7	47.0	51.3	-	45.0	6.3
03:00 PM - 04:00 PM	55.5	47.0	54.8	-	45.0	9.8
04:00 PM - 05:00 PM	55.1	47.0	54.4	-	45.0	9.4
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
 - ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567
- มาตรฐาน
- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
 - ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 23 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีกิจกรรมกวน (Sample No.2582814-15 วันที่ตรวจวัด 23 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีกิจกรรมกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582813

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number : 3422501-1

Page 1 of 1

Sample No. 2582813-16
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261)
Measurement Date Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623390

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	53.7	49.5	51.6	-	47.0	4.6
09:00 AM - 10:00 AM	52.7	49.5	49.9	-	47.0	2.9
10:00 AM - 11:00 AM	53.5	49.5	51.3	-	47.0	4.3
11:00 AM - 12:00 PM	52.5	49.5	49.5	-	47.0	2.5
12:00 PM - 01:00 PM	52.1	49.5	48.6	-	47.0	1.6
01:00 PM - 02:00 PM	53.7	49.5	51.6	-	47.0	4.6
02:00 PM - 03:00 PM	54.2	49.5	52.4	-	47.0	5.4
03:00 PM - 04:00 PM	53.5	49.5	51.3	-	47.0	4.3
04:00 PM - 05:00 PM	51.4	49.5	46.9	-	47.0	-0.1
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 24 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-16 วันที่ตรวจวัด 24 กันยายน 2568, 18:00 - 19:00 น.)
- ก/า: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422502-1

Page 1 of 1

Sample No. 2582813-17
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261)
Measurement Date Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623390

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	52.2	46.9	50.7	-	45.4	5.3
09:00 AM - 10:00 AM	56.3	46.9	55.8	-	45.4	10.4
10:00 AM - 11:00 AM	59.8	46.9	59.6	-	45.4	14.2
11:00 AM - 12:00 PM	50.4	46.9	47.8	-	45.4	2.4
12:00 PM - 01:00 PM	51.8	46.9	50.1	-	45.4	4.7
01:00 PM - 02:00 PM	54.4	46.9	53.5	-	45.4	8.1
02:00 PM - 03:00 PM	55.2	46.9	54.5	-	45.4	9.1
03:00 PM - 04:00 PM	53.8	46.9	52.8	-	45.4	7.4
04:00 PM - 05:00 PM	50.7	46.9	48.4	-	45.4	3.0
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 25 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-17 วันที่ตรวจวัด 25 กันยายน 2568, 18:00 - 19:00 น.)
- ก/า: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422503-1

Page 1 of 1

Sample No. 2582813-18
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261)
Measurement Date Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623390

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	53.1	59.1	n/a	-	46.2	-
09:00 AM - 10:00 AM	52.2	59.1	n/a	-	46.2	-
10:00 AM - 11:00 AM	50.0	59.1	n/a	-	46.2	-
11:00 AM - 12:00 PM	50.8	59.1	n/a	-	46.2	-
12:00 PM - 01:00 PM	48.9	59.1	n/a	-	46.2	-
01:00 PM - 02:00 PM	49.5	59.1	n/a	-	46.2	-
02:00 PM - 03:00 PM	49.7	59.1	n/a	-	46.2	-
03:00 PM - 04:00 PM	50.2	59.1	n/a	-	46.2	-
04:00 PM - 05:00 PM	52.0	59.1	n/a	-	46.2	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 26 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-18 วันที่ตรวจวัด 26 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422504-1

Page 1 of 1

Sample No. 2582813-19
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261)
Measurement Date Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623390

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	53.0	51.1	48.5	-	50.0	-1.5
09:00 AM - 10:00 AM	51.5	51.1	40.9	-	50.0	-9.1
10:00 AM - 11:00 AM	50.6	51.1	n/a	-	50.0	-
11:00 AM - 12:00 PM	50.1	51.1	n/a	-	50.0	-
12:00 PM - 01:00 PM	50.8	51.1	n/a	-	50.0	-
01:00 PM - 02:00 PM	55.8	51.1	54.0	-	50.0	4.0
02:00 PM - 03:00 PM	55.2	51.1	53.1	-	50.0	3.1
03:00 PM - 04:00 PM	55.7	51.1	53.9	-	50.0	3.9
04:00 PM - 05:00 PM	51.0	51.1	n/a	-	50.0	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 27 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-19 วันที่ตรวจวัด 27 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582813

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number : 3422505-1

Page 1 of 1

Sample No. 2582813-20
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261)
Measurement Date Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623390

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	49.1	59.2	n/a	-	52.5	-
09:00 AM - 10:00 AM	51.2	59.2	n/a	-	52.5	-
10:00 AM - 11:00 AM	46.9	59.2	n/a	-	52.5	-
11:00 AM - 12:00 PM	48.6	59.2	n/a	-	52.5	-
12:00 PM - 01:00 PM	48.6	59.2	n/a	-	52.5	-
01:00 PM - 02:00 PM	53.5	59.2	n/a	-	52.5	-
02:00 PM - 03:00 PM	52.3	59.2	n/a	-	52.5	-
03:00 PM - 04:00 PM	50.8	59.2	n/a	-	52.5	-
04:00 PM - 05:00 PM	53.6	59.2	n/a	-	52.5	-

ค่ามาตรฐาน

≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 28 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-20 วันที่ตรวจวัด 28 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422506-1

Page 1 of 1

Sample No. 2582813-21
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261)
Measurement Date Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623390

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	53.3	47.2	52.1	-	45.6	6.5
09:00 AM - 10:00 AM	52.9	47.2	51.5	-	45.6	5.9
10:00 AM - 11:00 AM	48.7	47.2	43.4	-	45.6	-2.2
11:00 AM - 12:00 PM	48.5	47.2	42.6	-	45.6	-3.0
12:00 PM - 01:00 PM	46.8	47.2	n/a	-	45.6	-
01:00 PM - 02:00 PM	49.5	47.2	45.6	-	45.6	0.0
02:00 PM - 03:00 PM	52.5	47.2	51.0	-	45.6	5.4
03:00 PM - 04:00 PM	51.8	47.2	50.0	-	45.6	4.4
04:00 PM - 05:00 PM	53.2	47.2	51.9	-	45.6	6.3
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 29 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-21 วันที่ตรวจวัด 29 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422507-1

Page 1 of 1

Sample No. 2582813-22
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606)
Measurement Date Sep 23, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623389

ระดับเสียง (dB(A))						
เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	51.0	53.5	n/a	-	50.9	-
09:00 AM - 10:00 AM	50.2	53.5	n/a	-	50.9	-
10:00 AM - 11:00 AM	50.5	53.5	n/a	-	50.9	-
11:00 AM - 12:00 PM	50.7	53.5	n/a	-	50.9	-
12:00 PM - 01:00 PM	50.8	53.5	n/a	-	50.9	-
01:00 PM - 02:00 PM	51.1	53.5	n/a	-	50.9	-
02:00 PM - 03:00 PM	52.7	53.5	n/a	-	50.9	-
03:00 PM - 04:00 PM	51.9	53.5	n/a	-	50.9	-
04:00 PM - 05:00 PM	52.4	53.5	n/a	-	50.9	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 23 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-22 วันที่ตรวจวัด 23 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422508-1

Page 1 of 1

Sample No. 2582813-23
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606)
Measurement Date Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623389

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	51.6	56.6	n/a	-	53.9	-
09:00 AM - 10:00 AM	51.9	56.6	n/a	-	53.9	-
10:00 AM - 11:00 AM	51.4	56.6	n/a	-	53.9	-
11:00 AM - 12:00 PM	48.7	56.6	n/a	-	53.9	-
12:00 PM - 01:00 PM	50.8	56.6	n/a	-	53.9	-
01:00 PM - 02:00 PM	51.2	56.6	n/a	-	53.9	-
02:00 PM - 03:00 PM	51.5	56.6	n/a	-	53.9	-
03:00 PM - 04:00 PM	46.1	56.6	n/a	-	53.9	-
04:00 PM - 05:00 PM	47.0	56.6	n/a	-	53.9	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 24 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-23 วันที่ตรวจวัด 24 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422509-1

Page 1 of 1

Sample No. 2582813-24
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606)
Measurement Date Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623389

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	51.3	52.3	n/a	-	47.0	-
09:00 AM - 10:00 AM	52.4	52.3	36.0	-	47.0	-11.0
10:00 AM - 11:00 AM	49.1	52.3	n/a	-	47.0	-
11:00 AM - 12:00 PM	50.8	52.3	n/a	-	47.0	-
12:00 PM - 01:00 PM	45.6	52.3	n/a	-	47.0	-
01:00 PM - 02:00 PM	51.3	52.3	n/a	-	47.0	-
02:00 PM - 03:00 PM	45.5	52.3	n/a	-	47.0	-
03:00 PM - 04:00 PM	47.1	52.3	n/a	-	47.0	-
04:00 PM - 05:00 PM	49.9	52.3	n/a	-	47.0	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 25 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-24 วันที่ตรวจวัด 25 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422510-1

Page 1 of 1

Sample No. 2582813-25
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606)
Measurement Date Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623389

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	56.3	48.5	55.5	-	46.1	9.4
09:00 AM - 10:00 AM	56.9	48.5	56.2	-	46.1	10.1
10:00 AM - 11:00 AM	47.2	48.5	n/a	-	46.1	-
11:00 AM - 12:00 PM	47.6	48.5	n/a	-	46.1	-
12:00 PM - 01:00 PM	47.4	48.5	n/a	-	46.1	-
01:00 PM - 02:00 PM	46.9	48.5	n/a	-	46.1	-
02:00 PM - 03:00 PM	44.8	48.5	n/a	-	46.1	-
03:00 PM - 04:00 PM	46.2	48.5	n/a	-	46.1	-
04:00 PM - 05:00 PM	47.7	48.5	n/a	-	46.1	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 26 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-25 วันที่ตรวจวัด 26 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582813

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number : 3422511-1

Page 1 of 1

Sample No. 2582813-26
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606)
Measurement Date Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623389

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	52.3	50.0	48.4	-	49.1	-0.7
09:00 AM - 10:00 AM	53.2	50.0	50.4	-	49.1	1.3
10:00 AM - 11:00 AM	50.8	50.0	43.1	-	49.1	-6.0
11:00 AM - 12:00 PM	48.3	50.0	n/a	-	49.1	-
12:00 PM - 01:00 PM	46.7	50.0	n/a	-	49.1	-
01:00 PM - 02:00 PM	50.5	50.0	40.9	-	49.1	-8.2
02:00 PM - 03:00 PM	49.7	50.0	n/a	-	49.1	-
03:00 PM - 04:00 PM	46.4	50.0	n/a	-	49.1	-
04:00 PM - 05:00 PM	48.3	50.0	n/a	-	49.1	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 27 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-26 วันที่ตรวจวัด 27 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582813

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number : 3422512-1

Page 1 of 1

Sample No. 2582813-27
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606)
Measurement Date Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623389

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	47.8	48.2	n/a	-	47.0	-
09:00 AM - 10:00 AM	48.2	48.2	n/a	-	47.0	-
10:00 AM - 11:00 AM	46.1	48.2	n/a	-	47.0	-
11:00 AM - 12:00 PM	49.3	48.2	42.8	-	47.0	-4.2
12:00 PM - 01:00 PM	46.8	48.2	n/a	-	47.0	-
01:00 PM - 02:00 PM	50.1	48.2	45.6	-	47.0	-1.4
02:00 PM - 03:00 PM	48.1	48.2	n/a	-	47.0	-
03:00 PM - 04:00 PM	48.0	48.2	n/a	-	47.0	-
04:00 PM - 05:00 PM	47.1	48.2	n/a	-	47.0	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 28 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-27 วันที่ตรวจวัด 28 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422513-1

Page 1 of 1

Sample No. 2582813-28
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606)
Measurement Date Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623389

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	51.0	49.0	46.7	-	47.2	-0.5
09:00 AM - 10:00 AM	49.8	49.0	42.1	-	47.2	-5.1
10:00 AM - 11:00 AM	49.4	49.0	38.8	-	47.2	-8.4
11:00 AM - 12:00 PM	49.4	49.0	38.8	-	47.2	-8.4
12:00 PM - 01:00 PM	54.9	49.0	53.6	-	47.2	6.4
01:00 PM - 02:00 PM	48.0	49.0	n/a	-	47.2	-
02:00 PM - 03:00 PM	48.8	49.0	n/a	-	47.2	-
03:00 PM - 04:00 PM	48.8	49.0	n/a	-	47.2	-
04:00 PM - 05:00 PM	51.4	49.0	47.7	-	47.2	0.5
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 29 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-28 วันที่ตรวจวัด 29 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422514-1

Page 1 of 1

Sample No. 2582813-29
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261)
Measurement Date Sep 23, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623388

ระดับเสียง (dB(A))						
เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	57.5	58.5	n/a	-	50.9	-
09:00 AM - 10:00 AM	51.1	58.5	n/a	-	50.9	-
10:00 AM - 11:00 AM	52.9	58.5	n/a	-	50.9	-
11:00 AM - 12:00 PM	49.8	58.5	n/a	-	50.9	-
12:00 PM - 01:00 PM	49.2	58.5	n/a	-	50.9	-
01:00 PM - 02:00 PM	50.6	58.5	n/a	-	50.9	-
02:00 PM - 03:00 PM	50.6	58.5	n/a	-	50.9	-
03:00 PM - 04:00 PM	51.9	58.5	n/a	-	50.9	-
04:00 PM - 05:00 PM	56.4	58.5	n/a	-	50.9	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 23 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-29 วันที่ตรวจวัด 23 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422515-1

Page 1 of 1

Sample No. 2582813-30
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261)
Measurement Date Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623388

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	50.2	57.2	n/a	-	49.4	-
09:00 AM - 10:00 AM	50.4	57.2	n/a	-	49.4	-
10:00 AM - 11:00 AM	48.8	57.2	n/a	-	49.4	-
11:00 AM - 12:00 PM	50.0	57.2	n/a	-	49.4	-
12:00 PM - 01:00 PM	50.6	57.2	n/a	-	49.4	-
01:00 PM - 02:00 PM	49.7	57.2	n/a	-	49.4	-
02:00 PM - 03:00 PM	50.2	57.2	n/a	-	49.4	-
03:00 PM - 04:00 PM	51.9	57.2	n/a	-	49.4	-
04:00 PM - 05:00 PM	53.8	57.2	n/a	-	49.4	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 24 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-30 วันที่ตรวจวัด 24 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422516-1

Page 1 of 1

Sample No. 2582813-31
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261)
Measurement Date Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623388

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	51.6	54.3	n/a	-	49.9	-
09:00 AM - 10:00 AM	50.1	54.3	n/a	-	49.9	-
10:00 AM - 11:00 AM	49.7	54.3	n/a	-	49.9	-
11:00 AM - 12:00 PM	49.6	54.3	n/a	-	49.9	-
12:00 PM - 01:00 PM	50.6	54.3	n/a	-	49.9	-
01:00 PM - 02:00 PM	50.4	54.3	n/a	-	49.9	-
02:00 PM - 03:00 PM	53.4	54.3	n/a	-	49.9	-
03:00 PM - 04:00 PM	54.2	54.3	n/a	-	49.9	-
04:00 PM - 05:00 PM	55.0	54.3	46.7	-	49.9	-3.2
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 25 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-31 วันที่ตรวจวัด 25 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422517-1

Page 1 of 1

Sample No. 2582813-32
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261)
Measurement Date Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623388

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	50.0	52.8	n/a	-	47.4	-
09:00 AM - 10:00 AM	50.3	52.8	n/a	-	47.4	-
10:00 AM - 11:00 AM	50.7	52.8	n/a	-	47.4	-
11:00 AM - 12:00 PM	53.5	52.8	45.2	-	47.4	-2.2
12:00 PM - 01:00 PM	53.7	52.8	46.4	-	47.4	-1.0
01:00 PM - 02:00 PM	52.2	52.8	n/a	-	47.4	-
02:00 PM - 03:00 PM	51.8	52.8	n/a	-	47.4	-
03:00 PM - 04:00 PM	53.1	52.8	41.3	-	47.4	-6.1
04:00 PM - 05:00 PM	53.3	52.8	43.7	-	47.4	-3.7
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 26 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-32 วันที่ตรวจวัด 26 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422518-1

Page 1 of 1

Sample No. 2582813-33
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261)
Measurement Date Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623388

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	50.8	53.9	n/a	-	49.5	-
09:00 AM - 10:00 AM	53.6	53.9	n/a	-	49.5	-
10:00 AM - 11:00 AM	55.6	53.9	50.7	-	49.5	1.2
11:00 AM - 12:00 PM	55.5	53.9	50.4	-	49.5	0.9
12:00 PM - 01:00 PM	54.6	53.9	46.3	-	49.5	-3.2
01:00 PM - 02:00 PM	54.7	53.9	47.0	-	49.5	-2.5
02:00 PM - 03:00 PM	54.3	53.9	43.7	-	49.5	-5.8
03:00 PM - 04:00 PM	53.4	53.9	n/a	-	49.5	-
04:00 PM - 05:00 PM	54.9	53.9	48.0	-	49.5	-1.5
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 27 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-33 วันที่ตรวจวัด 27 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422519-1

Page 1 of 1

Sample No. 2582813-34
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261)
Measurement Date Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623388

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	53.2	50.5	49.9	-	46.8	3.1
09:00 AM - 10:00 AM	57.8	50.5	56.9	-	46.8	10.1
10:00 AM - 11:00 AM	54.2	50.5	51.8	-	46.8	5.0
11:00 AM - 12:00 PM	52.3	50.5	47.6	-	46.8	0.8
12:00 PM - 01:00 PM	49.9	50.5	n/a	-	46.8	-
01:00 PM - 02:00 PM	53.0	50.5	49.4	-	46.8	2.6
02:00 PM - 03:00 PM	55.6	50.5	54.0	-	46.8	7.2
03:00 PM - 04:00 PM	49.5	50.5	n/a	-	46.8	-
04:00 PM - 05:00 PM	51.4	50.5	44.1	-	46.8	-2.7
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 28 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-34 วันที่ตรวจวัด 28 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italhai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422520-1

Page 1 of 1

Sample No. 2582813-35
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261)
Measurement Date Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623388

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	60.9	52.7	60.2	-	48.5	11.7
09:00 AM - 10:00 AM	57.6	52.7	55.9	-	48.5	7.4
10:00 AM - 11:00 AM	55.0	52.7	51.1	-	48.5	2.6
11:00 AM - 12:00 PM	55.9	52.7	53.1	-	48.5	4.6
12:00 PM - 01:00 PM	52.7	52.7	n/a	-	48.5	-
01:00 PM - 02:00 PM	53.4	52.7	45.1	-	48.5	-3.4
02:00 PM - 03:00 PM	54.1	52.7	48.5	-	48.5	0.0
03:00 PM - 04:00 PM	53.5	52.7	45.8	-	48.5	-2.7
04:00 PM - 05:00 PM	55.6	52.7	52.5	-	48.5	4.0
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 29 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-35 วันที่ตรวจวัด 29 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422521-1

Page 1 of 1

Sample No. 2582813-36
Parameter เสียงรบกวน
Location ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105 1460956)
Measurement Date Sep 23, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623393

ระดับเสียง (dB(A))						
เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	56.6	57.4	n/a	-	49.2	-
09:00 AM - 10:00 AM	56.5	57.4	n/a	-	49.2	-
10:00 AM - 11:00 AM	56.6	57.4	n/a	-	49.2	-
11:00 AM - 12:00 PM	54.4	57.4	n/a	-	49.2	-
12:00 PM - 01:00 PM	55.9	57.4	n/a	-	49.2	-
01:00 PM - 02:00 PM	57.1	57.4	n/a	-	49.2	-
02:00 PM - 03:00 PM	55.3	57.4	n/a	-	49.2	-
03:00 PM - 04:00 PM	56.3	57.4	n/a	-	49.2	-
04:00 PM - 05:00 PM	57.3	57.4	n/a	-	49.2	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 23 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-36 วันที่ตรวจวัด 23 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582813

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number : 3422522-1

Page 1 of 1

Sample No. 2582813-37
Parameter เสียงรบกวน
Location ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105 1460956)
Measurement Date Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623393

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	55.7	57.0	n/a	-	49.4	-
09:00 AM - 10:00 AM	54.1	57.0	n/a	-	49.4	-
10:00 AM - 11:00 AM	53.4	57.0	n/a	-	49.4	-
11:00 AM - 12:00 PM	54.8	57.0	n/a	-	49.4	-
12:00 PM - 01:00 PM	57.6	57.0	48.7	-	49.4	-0.7
01:00 PM - 02:00 PM	57.5	57.0	47.9	-	49.4	-1.5
02:00 PM - 03:00 PM	57.5	57.0	47.9	-	49.4	-1.5
03:00 PM - 04:00 PM	56.4	57.0	n/a	-	49.4	-
04:00 PM - 05:00 PM	56.8	57.0	n/a	-	49.4	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 24 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-37 วันที่ตรวจวัด 24 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582813

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report Number : 3422523-1

Page 1 of 1

Sample No. 2582813-38
Parameter เสียงรบกวน
Location ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105 1460956)
Measurement Date Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623393

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	55.0	55.7	n/a	-	50.9	-
09:00 AM - 10:00 AM	54.4	55.7	n/a	-	50.9	-
10:00 AM - 11:00 AM	53.5	55.7	n/a	-	50.9	-
11:00 AM - 12:00 PM	54.4	55.7	n/a	-	50.9	-
12:00 PM - 01:00 PM	55.8	55.7	39.4	-	50.9	-11.5
01:00 PM - 02:00 PM	54.9	55.7	n/a	-	50.9	-
02:00 PM - 03:00 PM	55.1	55.7	n/a	-	50.9	-
03:00 PM - 04:00 PM	58.3	55.7	54.8	-	50.9	3.9
04:00 PM - 05:00 PM	57.9	55.7	53.9	-	50.9	3.0
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 25 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-38 วันที่ตรวจวัด 25 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422524-1

Page 1 of 1

Sample No. 2582813-39
Parameter เสียงรบกวน
Location ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105 1460956)
Measurement Date Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623393

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	54.6	57.6	n/a	-	52.4	-
09:00 AM - 10:00 AM	56.0	57.6	n/a	-	52.4	-
10:00 AM - 11:00 AM	53.4	57.6	n/a	-	52.4	-
11:00 AM - 12:00 PM	54.5	57.6	n/a	-	52.4	-
12:00 PM - 01:00 PM	54.6	57.6	n/a	-	52.4	-
01:00 PM - 02:00 PM	54.5	57.6	n/a	-	52.4	-
02:00 PM - 03:00 PM	54.9	57.6	n/a	-	52.4	-
03:00 PM - 04:00 PM	56.5	57.6	n/a	-	52.4	-
04:00 PM - 05:00 PM	57.3	57.6	n/a	-	52.4	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 26 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-39 วันที่ตรวจวัด 26 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422525-1

Page 1 of 1

Sample No. 2582813-40
Parameter เสียงรบกวน
Location ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105 1460956)
Measurement Date Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623393

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	58.1	60.8	n/a	-	58.2	-
09:00 AM - 10:00 AM	56.5	60.8	n/a	-	58.2	-
10:00 AM - 11:00 AM	54.5	60.8	n/a	-	58.2	-
11:00 AM - 12:00 PM	54.9	60.8	n/a	-	58.2	-
12:00 PM - 01:00 PM	54.6	60.8	n/a	-	58.2	-
01:00 PM - 02:00 PM	57.0	60.8	n/a	-	58.2	-
02:00 PM - 03:00 PM	56.5	60.8	n/a	-	58.2	-
03:00 PM - 04:00 PM	59.6	60.8	n/a	-	58.2	-
04:00 PM - 05:00 PM	57.7	60.8	n/a	-	58.2	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 27 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-40 วันที่ตรวจวัด 27 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422526-1

Page 1 of 1

Sample No. 2582813-41
Parameter เสียงรบกวน
Location ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105 1460956)
Measurement Date Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623393

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	56.4	60.6	n/a	-	50.8	-
09:00 AM - 10:00 AM	56.2	60.6	n/a	-	50.8	-
10:00 AM - 11:00 AM	55.8	60.6	n/a	-	50.8	-
11:00 AM - 12:00 PM	56.3	60.6	n/a	-	50.8	-
12:00 PM - 01:00 PM	56.4	60.6	n/a	-	50.8	-
01:00 PM - 02:00 PM	57.2	60.6	n/a	-	50.8	-
02:00 PM - 03:00 PM	53.9	60.6	n/a	-	50.8	-
03:00 PM - 04:00 PM	56.5	60.6	n/a	-	50.8	-
04:00 PM - 05:00 PM	57.5	60.6	n/a	-	50.8	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 28 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-41 วันที่ตรวจวัด 28 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2582813
Date Received : Oct 03, 2025
Date Reported : Oct 08, 2025
Report Number : 3422527-1

Page 1 of 1

Sample No. 2582813-42
Parameter เสียงรบกวน
Location ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105 1460956)
Measurement Date Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623393

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	56.5	58.3	n/a	-	51.5	-
09:00 AM - 10:00 AM	53.7	58.3	n/a	-	51.5	-
10:00 AM - 11:00 AM	56.7	58.3	n/a	-	51.5	-
11:00 AM - 12:00 PM	57.1	58.3	n/a	-	51.5	-
12:00 PM - 01:00 PM	55.5	58.3	n/a	-	51.5	-
01:00 PM - 02:00 PM	55.2	58.3	n/a	-	51.5	-
02:00 PM - 03:00 PM	55.2	58.3	n/a	-	51.5	-
03:00 PM - 04:00 PM	56.8	58.3	n/a	-	51.5	-
04:00 PM - 05:00 PM	58.6	58.3	46.8	-	51.5	-4.7
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 29 กันยายน 2568 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2582814-42 วันที่ตรวจวัด 29 กันยายน 2568, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422531-1

Page 1 of 1

Sample No. 2582814-1
Parameter Noise
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499) (Shut down)
Measurement Date Sep 23, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623391

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	49.5	64.0	43.9
06:05 PM - 06:10 PM	49.0	63.0	44.5
06:10 PM - 06:15 PM	50.2	68.1	42.8
06:15 PM - 06:20 PM	48.2	63.1	43.0
06:20 PM - 06:25 PM	50.8	63.2	44.6
06:25 PM - 06:30 PM	49.3	63.7	43.5
06:30 PM - 06:35 PM	49.2	59.8	44.2
06:35 PM - 06:40 PM	49.0	56.6	45.5
06:40 PM - 06:45 PM	49.8	61.7	45.2
06:45 PM - 06:50 PM	50.9	57.7	45.3
06:50 PM - 06:55 PM	55.3	59.1	53.2
06:55 PM - 07:00 PM	56.1	60.8	55.1

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422532-1

Page 1 of 1

Sample No. 2582814-2
Parameter Noise
Location ฟาร์มกรงไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499) (Shut down)
Measurement Date Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623391

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	49.0	62.1	45.6
06:05 PM - 06:10 PM	48.4	63.5	44.5
06:10 PM - 06:15 PM	49.3	58.1	45.0
06:15 PM - 06:20 PM	51.2	61.2	46.3
06:20 PM - 06:25 PM	50.7	60.4	45.1
06:25 PM - 06:30 PM	52.8	66.5	46.4
06:30 PM - 06:35 PM	49.9	62.6	43.9
06:35 PM - 06:40 PM	48.3	60.0	44.2
06:40 PM - 06:45 PM	47.8	55.0	43.9
06:45 PM - 06:50 PM	49.6	62.4	44.6
06:50 PM - 06:55 PM	53.1	59.8	50.4
06:55 PM - 07:00 PM	54.4	65.7	52.2

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422533-1

Page 1 of 1

Sample No. 2582814-3
Parameter Noise
Location ฟาร์มกรงไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499) (Shut down)
Measurement Date Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623391

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	53.1	66.7	46.8
06:05 PM - 06:10 PM	53.2	69.8	45.1
06:10 PM - 06:15 PM	47.3	65.8	43.5
06:15 PM - 06:20 PM	47.2	58.2	44.5
06:20 PM - 06:25 PM	47.2	56.4	44.0
06:25 PM - 06:30 PM	46.2	54.7	43.9
06:30 PM - 06:35 PM	46.4	59.2	42.6
06:35 PM - 06:40 PM	50.2	63.7	42.6
06:40 PM - 06:45 PM	45.1	55.2	42.5
06:45 PM - 06:50 PM	51.0	62.9	43.1
06:50 PM - 06:55 PM	50.1	55.9	49.1
06:55 PM - 07:00 PM	51.0	53.7	50.0

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422534-1

Page 1 of 1

Sample No. 2582814-4
Parameter Noise
Location ฟาร์มกรงไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499) (Shut down)
Measurement Date Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623391

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	53.2	73.0	47.0
06:05 PM - 06:10 PM	51.9	72.7	44.7
06:10 PM - 06:15 PM	48.6	62.0	44.5
06:15 PM - 06:20 PM	52.6	67.2	47.8
06:20 PM - 06:25 PM	52.2	66.2	44.3
06:25 PM - 06:30 PM	48.6	67.1	43.4
06:30 PM - 06:35 PM	49.4	61.5	44.6
06:35 PM - 06:40 PM	45.9	60.7	42.6
06:40 PM - 06:45 PM	50.5	65.7	43.5
06:45 PM - 06:50 PM	52.2	67.1	45.8
06:50 PM - 06:55 PM	49.5	58.6	48.5
06:55 PM - 07:00 PM	49.8	60.0	48.6

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422535-1

Page 1 of 1

Sample No. 2582814-5
Parameter Noise
Location ฟาร์มกรุงไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499) (Shut down)
Measurement Date Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623391

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	49.0	64.3	44.2
06:05 PM - 06:10 PM	46.3	57.2	43.7
06:10 PM - 06:15 PM	49.9	67.8	44.5
06:15 PM - 06:20 PM	48.9	60.5	45.6
06:20 PM - 06:25 PM	50.5	61.6	45.8
06:25 PM - 06:30 PM	47.8	59.3	44.9
06:30 PM - 06:35 PM	51.5	62.7	45.9
06:35 PM - 06:40 PM	48.3	56.0	46.1
06:40 PM - 06:45 PM	48.9	57.0	46.6
06:45 PM - 06:50 PM	52.6	59.6	50.1
06:50 PM - 06:55 PM	52.3	55.1	51.6
06:55 PM - 07:00 PM	53.8	59.3	52.6

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422536-1

Page 1 of 1

Sample No. 2582814-6
Parameter Noise
Location ฟาร์มกรงไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499) (Shut down)
Measurement Date Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623391

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	49.9	60.2	45.7
06:05 PM - 06:10 PM	49.5	57.6	45.9
06:10 PM - 06:15 PM	49.6	58.0	45.5
06:15 PM - 06:20 PM	49.4	57.0	45.7
06:20 PM - 06:25 PM	49.7	64.4	45.1
06:25 PM - 06:30 PM	52.5	71.3	45.6
06:30 PM - 06:35 PM	53.6	66.6	46.5
06:35 PM - 06:40 PM	51.3	78.1	46.1
06:40 PM - 06:45 PM	53.1	67.1	47.4
06:45 PM - 06:50 PM	49.1	56.1	47.2
06:50 PM - 06:55 PM	50.8	60.4	49.0
06:55 PM - 07:00 PM	51.8	55.3	50.3

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422537-1

Page 1 of 1

Sample No. 2582814-7
Parameter Noise
Location ฟาร์มกรงไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499) (Shut down)
Measurement Date Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623391

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
05:05 PM - 06:05 PM	48.6	62.5	44.5
05:10 PM - 06:10 PM	48.8	65.8	43.5
05:15 PM - 06:15 PM	52.8	67.3	43.6
05:20 PM - 06:20 PM	49.7	68.9	43.6
05:25 PM - 06:25 PM	45.4	58.2	42.1
05:30 PM - 06:30 PM	45.1	54.6	42.7
05:35 PM - 06:35 PM	46.2	59.4	43.0
05:40 PM - 06:40 PM	46.8	57.5	42.8
05:45 PM - 06:45 PM	48.8	59.8	42.2
05:50 PM - 06:50 PM	50.5	62.2	42.7
05:55 PM - 06:55 PM	46.8	54.7	45.1
06:00 PM - 07:00 PM	50.5	65.2	46.6

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422538-1

Page 1 of 1

Sample No. 2582814-8
Parameter Noise
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373) (Shut down)
Measurement Date Sep 23, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	54.6	67.1	48.0
06:05 PM - 06:10 PM	52.7	67.5	47.4
06:10 PM - 06:15 PM	54.0	64.4	46.3
06:15 PM - 06:20 PM	51.3	65.3	45.4
06:20 PM - 06:25 PM	49.3	62.4	45.3
06:25 PM - 06:30 PM	51.4	70.9	46.7
06:30 PM - 06:35 PM	51.7	72.5	47.0
06:35 PM - 06:40 PM	53.2	67.0	47.1
06:40 PM - 06:45 PM	56.5	72.8	52.0
06:45 PM - 06:50 PM	54.7	66.4	51.4
06:50 PM - 06:55 PM	57.4	67.4	52.5
06:55 PM - 07:00 PM	55.8	67.7	52.1

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422539-1

Page 1 of 1

Sample No. 2582814-9
Parameter Noise
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373) (Shut down)
Measurement Date Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	51.0	66.3	45.5
06:05 PM - 06:10 PM	55.8	69.3	47.9
06:10 PM - 06:15 PM	51.0	63.0	46.3
06:15 PM - 06:20 PM	49.5	62.0	46.0
06:20 PM - 06:25 PM	50.6	69.8	46.4
06:25 PM - 06:30 PM	50.2	63.9	46.0
06:30 PM - 06:35 PM	52.2	67.5	45.2
06:35 PM - 06:40 PM	47.4	58.5	44.2
06:40 PM - 06:45 PM	49.2	70.3	45.0
06:45 PM - 06:50 PM	53.7	66.1	48.2
06:50 PM - 06:55 PM	51.9	63.1	48.1
06:55 PM - 07:00 PM	51.4	62.8	48.6

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422540-1

Page 1 of 1

Sample No. 2582814-10
Parameter Noise
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373) (Shut down)
Measurement Date Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	50.1	62.3	45.4
06:05 PM - 06:10 PM	60.4	86.8	45.7
06:10 PM - 06:15 PM	53.0	79.2	45.0
06:15 PM - 06:20 PM	55.9	72.9	44.9
06:20 PM - 06:25 PM	49.7	60.3	44.5
06:25 PM - 06:30 PM	49.3	70.6	43.6
06:30 PM - 06:35 PM	51.8	62.0	46.9
06:35 PM - 06:40 PM	51.6	64.4	47.3
06:40 PM - 06:45 PM	51.5	68.2	47.0
06:45 PM - 06:50 PM	55.2	78.1	50.0
06:50 PM - 06:55 PM	55.7	77.4	50.7
06:55 PM - 07:00 PM	52.4	63.5	48.8

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422541-1

Page 1 of 1

Sample No. 2582814-11
Parameter Noise
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373) (Shut down)
Measurement Date Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	57.0	73.4	48.3
06:05 PM - 06:10 PM	54.9	66.7	48.9
06:10 PM - 06:15 PM	56.1	69.3	51.5
06:15 PM - 06:20 PM	55.5	67.4	49.6
06:20 PM - 06:25 PM	54.2	66.4	48.4
06:25 PM - 06:30 PM	54.1	64.2	48.8
06:30 PM - 06:35 PM	59.9	79.1	50.9
06:35 PM - 06:40 PM	55.7	71.7	50.7
06:40 PM - 06:45 PM	55.6	69.6	48.1
06:45 PM - 06:50 PM	57.1	72.9	49.2
06:50 PM - 06:55 PM	55.0	71.6	47.1
06:55 PM - 07:00 PM	57.1	70.1	50.4

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422542-1

Page 1 of 1

Sample No. 2582814-12
Parameter Noise
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373) (Shut down)
Measurement Date Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	50.5	65.4	45.2
06:05 PM - 06:10 PM	54.2	67.1	44.4
06:10 PM - 06:15 PM	50.3	64.8	45.4
06:15 PM - 06:20 PM	54.1	66.2	47.2
06:20 PM - 06:25 PM	53.8	72.7	47.4
06:25 PM - 06:30 PM	53.3	72.0	45.8
06:30 PM - 06:35 PM	53.3	74.1	48.0
06:35 PM - 06:40 PM	53.3	64.0	48.2
06:40 PM - 06:45 PM	55.7	72.2	48.5
06:45 PM - 06:50 PM	51.4	62.5	47.9
06:50 PM - 06:55 PM	50.7	63.4	48.1
06:55 PM - 07:00 PM	52.0	61.0	49.3

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422543-1

Page 1 of 1

Sample No. 2582814-13
Parameter Noise
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373) (Shut down)
Measurement Date Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	54.8	64.6	52.7
06:05 PM - 06:10 PM	56.7	67.0	53.6
06:10 PM - 06:15 PM	58.3	71.4	52.7
06:15 PM - 06:20 PM	56.5	69.0	51.1
06:20 PM - 06:25 PM	59.0	72.3	52.5
06:25 PM - 06:30 PM	53.6	70.6	47.7
06:30 PM - 06:35 PM	58.1	71.9	52.9
06:35 PM - 06:40 PM	59.7	79.1	50.6
06:40 PM - 06:45 PM	57.2	67.9	52.4
06:45 PM - 06:50 PM	55.7	65.4	50.1
06:50 PM - 06:55 PM	54.6	66.7	49.9
06:55 PM - 07:00 PM	53.9	62.4	49.4

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422544-1

Page 1 of 1

Sample No. 2582814-14
Parameter Noise
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373) (Shut down)
Measurement Date Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
05:05 PM - 06:05 PM	52.9	68.2	46.2
05:10 PM - 06:10 PM	53.4	67.9	46.2
05:15 PM - 06:15 PM	58.1	68.3	51.1
05:20 PM - 06:20 PM	52.5	64.4	45.3
05:25 PM - 06:25 PM	48.4	63.0	41.0
05:30 PM - 06:30 PM	49.3	63.0	44.5
05:35 PM - 06:35 PM	50.3	64.0	45.3
05:40 PM - 06:40 PM	47.2	54.6	44.7
05:45 PM - 06:45 PM	51.5	60.4	47.5
05:50 PM - 06:50 PM	52.3	67.7	48.1
05:55 PM - 06:55 PM	52.6	63.0	48.2
06:00 PM - 07:00 PM	54.0	71.4	48.3

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422545-1

Page 1 of 1

Sample No. 2582814-15
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261) (Shut down)
Measurement Date Sep 23, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	46.4	66.0	43.6
06:05 PM - 06:10 PM	45.8	60.7	43.8
06:10 PM - 06:15 PM	46.2	57.7	43.0
06:15 PM - 06:20 PM	47.8	65.5	44.0
06:20 PM - 06:25 PM	46.4	55.8	44.3
06:25 PM - 06:30 PM	47.0	57.9	45.0
06:30 PM - 06:35 PM	48.3	67.2	45.0
06:35 PM - 06:40 PM	47.1	56.9	45.8
06:40 PM - 06:45 PM	47.9	56.0	46.7
06:45 PM - 06:50 PM	48.8	62.0	46.9
06:50 PM - 06:55 PM	49.4	60.5	47.4
06:55 PM - 07:00 PM	49.1	55.7	47.4

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422546-1

Page 1 of 1

Sample No. 2582814-16
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261) (Shut down)
Measurement Date Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	50.4	66.6	47.2
06:05 PM - 06:10 PM	49.5	63.9	45.8
06:10 PM - 06:15 PM	48.7	60.2	45.8
06:15 PM - 06:20 PM	49.7	64.0	45.0
06:20 PM - 06:25 PM	49.4	62.5	46.7
06:25 PM - 06:30 PM	48.6	59.4	46.1
06:30 PM - 06:35 PM	49.5	59.7	47.0
06:35 PM - 06:40 PM	49.5	63.4	47.8
06:40 PM - 06:45 PM	68.3	96.3	48.1
06:45 PM - 06:50 PM	51.2	64.6	48.1
06:50 PM - 06:55 PM	49.2	56.7	48.3
06:55 PM - 07:00 PM	49.0	55.7	47.6

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422547-1

Page 1 of 1

Sample No. 2582814-17
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261) (Shut down)
Measurement Date Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	47.0	60.8	44.0
06:05 PM - 06:10 PM	47.1	61.9	43.9
06:10 PM - 06:15 PM	47.2	54.6	45.3
06:15 PM - 06:20 PM	47.5	58.6	44.3
06:20 PM - 06:25 PM	49.3	61.1	45.3
06:25 PM - 06:30 PM	46.9	60.2	45.4
06:30 PM - 06:35 PM	48.1	58.7	46.1
06:35 PM - 06:40 PM	47.4	63.4	45.8
06:40 PM - 06:45 PM	48.0	67.8	46.5
06:45 PM - 06:50 PM	47.7	61.6	46.5
06:50 PM - 06:55 PM	47.2	55.0	45.8
06:55 PM - 07:00 PM	48.0	55.3	46.5

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422548-1

Page 1 of 1

Sample No. 2582814-18
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261) (Shut down)
Measurement Date Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	61.8	69.0	54.7
06:05 PM - 06:10 PM	59.1	67.8	46.2
06:10 PM - 06:15 PM	46.6	64.6	43.7
06:15 PM - 06:20 PM	46.2	63.0	44.2
06:20 PM - 06:25 PM	49.8	61.2	45.3
06:25 PM - 06:30 PM	48.1	60.1	45.2
06:30 PM - 06:35 PM	49.3	59.9	45.9
06:35 PM - 06:40 PM	51.8	64.8	47.1
06:40 PM - 06:45 PM	55.8	65.2	46.8
06:45 PM - 06:50 PM	57.2	62.6	47.9
06:50 PM - 06:55 PM	52.8	62.3	48.5
06:55 PM - 07:00 PM	51.5	65.7	48.2

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422549-1

Page 1 of 1

Sample No. 2582814-19
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261) (Shut down)
Measurement Date Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	50.5	65.8	47.4
06:05 PM - 06:10 PM	52.0	73.2	47.4
06:10 PM - 06:15 PM	50.5	57.9	49.0
06:15 PM - 06:20 PM	51.2	66.2	49.4
06:20 PM - 06:25 PM	51.1	58.3	49.7
06:25 PM - 06:30 PM	51.1	55.1	50.0
06:30 PM - 06:35 PM	51.7	58.2	50.4
06:35 PM - 06:40 PM	51.6	60.9	50.7
06:40 PM - 06:45 PM	51.8	63.1	50.6
06:45 PM - 06:50 PM	51.8	61.9	50.4
06:50 PM - 06:55 PM	51.9	62.9	50.8
06:55 PM - 07:00 PM	53.6	76.5	50.6

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422550-1

Page 1 of 1

Sample No. 2582814-20
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261) (Shut down)
Measurement Date Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	51.1	65.3	45.2
06:05 PM - 06:10 PM	53.6	63.1	46.8
06:10 PM - 06:15 PM	54.5	72.4	46.7
06:15 PM - 06:20 PM	55.6	62.9	48.1
06:20 PM - 06:25 PM	58.9	65.9	49.6
06:25 PM - 06:30 PM	60.3	72.4	52.6
06:30 PM - 06:35 PM	61.1	65.4	59.8
06:35 PM - 06:40 PM	60.9	65.3	59.5
06:40 PM - 06:45 PM	60.0	63.0	57.1
06:45 PM - 06:50 PM	59.7	62.2	57.0
06:50 PM - 06:55 PM	59.2	62.4	52.5
06:55 PM - 07:00 PM	59.9	62.6	57.1

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422551-1

Page 1 of 1

Sample No. 2582814-21
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261) (Shut down)
Measurement Date Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
05:05 PM - 06:05 PM	46.4	62.6	43.7
05:10 PM - 06:10 PM	49.0	63.0	44.1
05:15 PM - 06:15 PM	49.0	68.3	43.6
05:20 PM - 06:20 PM	47.5	56.6	44.4
05:25 PM - 06:25 PM	46.6	57.9	44.9
05:30 PM - 06:30 PM	47.2	53.4	45.6
05:35 PM - 06:35 PM	48.6	61.7	46.4
05:40 PM - 06:40 PM	49.7	63.4	47.7
05:45 PM - 06:45 PM	49.1	56.7	47.2
05:50 PM - 06:50 PM	49.3	55.6	47.1
05:55 PM - 06:55 PM	50.1	58.5	47.3
06:00 PM - 07:00 PM	49.8	59.4	47.8

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422552-1

Page 1 of 1

Sample No. 2582814-22
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606) (Shut down)
Measurement Date Sep 23, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	50.5	68.5	47.1
06:05 PM - 06:10 PM	50.7	59.0	48.0
06:10 PM - 06:15 PM	50.3	56.4	48.6
06:15 PM - 06:20 PM	50.4	53.1	48.8
06:20 PM - 06:25 PM	51.6	56.8	50.2
06:25 PM - 06:30 PM	53.5	57.0	51.2
06:30 PM - 06:35 PM	54.4	57.0	51.8
06:35 PM - 06:40 PM	54.8	61.1	52.7
06:40 PM - 06:45 PM	53.8	57.0	51.3
06:45 PM - 06:50 PM	53.6	57.0	51.3
06:50 PM - 06:55 PM	53.9	57.3	51.2
06:55 PM - 07:00 PM	53.5	56.6	50.9

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422553-1

Page 1 of 1

Sample No. 2582814-23
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606) (Shut down)
Measurement Date Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	47.6	63.0	44.0
06:05 PM - 06:10 PM	48.0	62.1	43.3
06:10 PM - 06:15 PM	50.5	59.1	43.2
06:15 PM - 06:20 PM	56.2	60.1	45.7
06:20 PM - 06:25 PM	57.3	61.2	55.6
06:25 PM - 06:30 PM	56.6	60.7	53.9
06:30 PM - 06:35 PM	56.8	59.3	55.0
06:35 PM - 06:40 PM	56.9	61.5	55.0
06:40 PM - 06:45 PM	56.8	62.4	52.1
06:45 PM - 06:50 PM	57.0	63.5	55.0
06:50 PM - 06:55 PM	56.9	59.8	53.9
06:55 PM - 07:00 PM	57.1	59.9	55.1

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422554-1

Page 1 of 1

Sample No. 2582814-24
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606) (Shut down)
Measurement Date Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	48.0	62.5	42.8
06:05 PM - 06:10 PM	48.7	68.6	43.9
06:10 PM - 06:15 PM	45.8	56.3	44.3
06:15 PM - 06:20 PM	46.6	55.3	45.2
06:20 PM - 06:25 PM	52.3	61.9	47.0
06:25 PM - 06:30 PM	57.1	61.0	48.9
06:30 PM - 06:35 PM	57.8	61.0	55.1
06:35 PM - 06:40 PM	58.2	72.8	55.4
06:40 PM - 06:45 PM	57.1	70.4	55.0
06:45 PM - 06:50 PM	56.9	61.3	54.4
06:50 PM - 06:55 PM	55.1	60.4	47.2
06:55 PM - 07:00 PM	50.2	59.5	46.6

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422555-1

Page 1 of 1

Sample No. 2582814-25
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606) (Shut down)
Measurement Date Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	47.4	60.1	42.2
06:05 PM - 06:10 PM	48.5	59.9	46.1
06:10 PM - 06:15 PM	48.6	63.9	46.3
06:15 PM - 06:20 PM	48.7	58.1	46.3
06:20 PM - 06:25 PM	47.4	59.0	43.2
06:25 PM - 06:30 PM	56.9	62.8	45.7
06:30 PM - 06:35 PM	57.7	60.5	55.6
06:35 PM - 06:40 PM	53.6	60.0	45.3
06:40 PM - 06:45 PM	56.9	59.7	54.2
06:45 PM - 06:50 PM	55.9	61.9	46.5
06:50 PM - 06:55 PM	55.4	61.0	45.9
06:55 PM - 07:00 PM	58.3	63.8	52.0

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422556-1

Page 1 of 1

Sample No. 2582814-26
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606) (Shut down)
Measurement Date Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	46.5	55.3	44.3
06:05 PM - 06:10 PM	48.2	55.6	44.6
06:10 PM - 06:15 PM	49.3	61.8	47.3
06:15 PM - 06:20 PM	49.1	52.2	47.7
06:20 PM - 06:25 PM	49.7	59.7	48.5
06:25 PM - 06:30 PM	50.0	53.1	49.1
06:30 PM - 06:35 PM	50.4	55.8	49.6
06:35 PM - 06:40 PM	51.4	62.2	49.7
06:40 PM - 06:45 PM	51.2	60.0	49.5
06:45 PM - 06:50 PM	50.6	53.0	49.8
06:50 PM - 06:55 PM	50.5	57.6	49.6
06:55 PM - 07:00 PM	50.3	52.8	49.3

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422557-1

Page 1 of 1

Sample No. 2582814-27
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606) (Shut down)
Measurement Date Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	47.4	64.0	43.9
06:05 PM - 06:10 PM	52.1	71.1	44.5
06:10 PM - 06:15 PM	50.0	62.9	45.1
06:15 PM - 06:20 PM	49.0	61.6	46.1
06:20 PM - 06:25 PM	49.9	61.1	47.4
06:25 PM - 06:30 PM	48.2	50.8	47.0
06:30 PM - 06:35 PM	49.1	53.0	48.0
06:35 PM - 06:40 PM	50.0	63.0	48.1
06:40 PM - 06:45 PM	49.5	58.9	48.3
06:45 PM - 06:50 PM	49.1	56.6	48.1
06:50 PM - 06:55 PM	52.7	70.2	47.5
06:55 PM - 07:00 PM	47.8	54.9	46.8

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422558-1

Page 1 of 1

Sample No. 2582814-28
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606) (Shut down)
Measurement Date Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
05:05 PM - 06:05 PM	50.5	66.3	42.3
05:10 PM - 06:10 PM	46.3	54.4	42.5
05:15 PM - 06:15 PM	45.5	52.1	42.5
05:20 PM - 06:20 PM	47.6	51.9	45.5
05:25 PM - 06:25 PM	49.0	61.2	47.2
05:30 PM - 06:30 PM	48.6	52.3	47.6
05:35 PM - 06:35 PM	49.2	59.0	47.7
05:40 PM - 06:40 PM	48.8	52.8	47.8
05:45 PM - 06:45 PM	50.0	61.9	47.8
05:50 PM - 06:50 PM	48.5	52.0	47.0
05:55 PM - 06:55 PM	49.0	53.3	48.0
06:00 PM - 07:00 PM	48.5	52.1	47.5

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422559-1

Page 1 of 1

Sample No. 2582814-29
Parameter Noise
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261) (Shut down)
Measurement Date Sep 23, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623388

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	57.2	65.9	51.8
06:05 PM - 06:10 PM	58.5	70.0	50.9
06:10 PM - 06:15 PM	60.7	75.3	53.2
06:15 PM - 06:20 PM	59.0	67.6	55.1
06:20 PM - 06:25 PM	58.8	69.2	52.9
06:25 PM - 06:30 PM	56.7	66.4	50.0
06:30 PM - 06:35 PM	57.8	66.8	51.9
06:35 PM - 06:40 PM	55.5	63.1	49.4
06:40 PM - 06:45 PM	57.6	68.3	51.8
06:45 PM - 06:50 PM	57.2	66.2	50.1
06:50 PM - 06:55 PM	56.6	67.3	48.1
06:55 PM - 07:00 PM	61.9	79.1	49.0

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422560-1

Page 1 of 1

Sample No. 2582814-30
Parameter Noise
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261) (Shut down)
Measurement Date Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623388

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	61.5	71.5	59.1
06:05 PM - 06:10 PM	58.2	69.2	50.1
06:10 PM - 06:15 PM	57.8	67.6	52.2
06:15 PM - 06:20 PM	58.0	67.0	52.3
06:20 PM - 06:25 PM	57.2	69.0	49.4
06:25 PM - 06:30 PM	56.6	69.1	50.1
06:30 PM - 06:35 PM	58.3	72.7	48.2
06:35 PM - 06:40 PM	56.4	71.1	48.0
06:40 PM - 06:45 PM	59.1	78.0	48.0
06:45 PM - 06:50 PM	55.4	65.8	50.3
06:50 PM - 06:55 PM	53.9	63.5	48.9
06:55 PM - 07:00 PM	55.0	65.4	49.3

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422561-1

Page 1 of 1

Sample No. 2582814-31
Parameter Noise
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261) (Shut down)
Measurement Date Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623388

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	52.0	63.0	47.8
06:05 PM - 06:10 PM	54.9	69.3	50.4
06:10 PM - 06:15 PM	55.3	63.6	50.9
06:15 PM - 06:20 PM	53.8	62.1	50.7
06:20 PM - 06:25 PM	55.3	63.2	50.8
06:25 PM - 06:30 PM	54.2	64.0	50.3
06:30 PM - 06:35 PM	52.6	58.5	49.0
06:35 PM - 06:40 PM	53.5	61.5	47.2
06:40 PM - 06:45 PM	54.3	62.8	49.9
06:45 PM - 06:50 PM	56.3	71.8	49.9
06:50 PM - 06:55 PM	52.4	65.0	47.9
06:55 PM - 07:00 PM	55.6	70.9	48.4

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422562-1

Page 1 of 1

Sample No. 2582814-32
Parameter Noise
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261) (Shut down)
Measurement Date Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623388

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	61.7	72.8	49.2
06:05 PM - 06:10 PM	63.2	74.1	52.2
06:10 PM - 06:15 PM	58.1	73.0	47.9
06:15 PM - 06:20 PM	51.0	69.2	45.6
06:20 PM - 06:25 PM	47.1	67.2	43.4
06:25 PM - 06:30 PM	47.9	62.4	44.1
06:30 PM - 06:35 PM	48.2	55.7	46.4
06:35 PM - 06:40 PM	49.7	68.0	46.5
06:40 PM - 06:45 PM	52.8	68.8	47.4
06:45 PM - 06:50 PM	53.5	68.4	49.0
06:50 PM - 06:55 PM	50.9	59.9	49.4
06:55 PM - 07:00 PM	49.9	54.7	49.0

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422563-1

Page 1 of 1

Sample No. 2582814-33
Parameter Noise
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261) (Shut down)
Measurement Date Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623388

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	52.1	66.2	48.1
06:05 PM - 06:10 PM	51.6	64.8	48.4
06:10 PM - 06:15 PM	52.6	70.4	49.0
06:15 PM - 06:20 PM	50.7	71.7	49.0
06:20 PM - 06:25 PM	53.9	70.2	49.5
06:25 PM - 06:30 PM	53.1	67.0	49.4
06:30 PM - 06:35 PM	55.1	70.2	50.8
06:35 PM - 06:40 PM	53.1	73.2	50.9
06:40 PM - 06:45 PM	52.3	65.0	51.0
06:45 PM - 06:50 PM	53.6	71.3	51.4
06:50 PM - 06:55 PM	54.9	64.8	52.1
06:55 PM - 07:00 PM	55.1	71.4	52.4

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422564-1

Page 1 of 1

Sample No. 2582814-34
Parameter Noise
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261) (Shut down)
Measurement Date Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623388

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	48.6	58.0	46.3
06:05 PM - 06:10 PM	52.7	66.7	46.5
06:10 PM - 06:15 PM	55.2	78.2	46.4
06:15 PM - 06:20 PM	47.6	55.4	45.6
06:20 PM - 06:25 PM	53.4	69.6	45.7
06:25 PM - 06:30 PM	50.5	66.0	46.8
06:30 PM - 06:35 PM	50.9	65.1	46.8
06:35 PM - 06:40 PM	50.9	63.2	47.3
06:40 PM - 06:45 PM	51.5	63.6	47.1
06:45 PM - 06:50 PM	52.7	66.9	48.2
06:50 PM - 06:55 PM	53.0	73.6	48.4
06:55 PM - 07:00 PM	50.4	57.0	48.8

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422565-1

Page 1 of 1

Sample No. 2582814-35
Parameter Noise
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261) (Shut down)
Measurement Date Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623388

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
05:05 PM - 06:05 PM	61.9	74.4	51.9
05:10 PM - 06:10 PM	63.9	74.5	56.1
05:15 PM - 06:15 PM	65.4	85.1	55.1
05:20 PM - 06:20 PM	63.6	74.8	49.0
05:25 PM - 06:25 PM	52.0	70.5	47.2
05:30 PM - 06:30 PM	51.7	69.4	47.2
05:35 PM - 06:35 PM	52.0	71.3	46.4
05:40 PM - 06:40 PM	53.1	74.0	47.2
05:45 PM - 06:45 PM	50.1	63.8	46.7
05:50 PM - 06:50 PM	52.7	66.7	48.5
05:55 PM - 06:55 PM	50.7	58.1	49.1
06:00 PM - 07:00 PM	51.2	62.2	49.6

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422566-1

Page 1 of 1

Sample No. 2582814-36
Parameter Noise
Location ที่พักอาศัยบริเวณเหนือทางของโครงการ (N6) (GPS 47P 0744105 1460956) (Shut down)
Measurement Date Sep 23, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	60.9	78.4	46.4
06:05 PM - 06:10 PM	55.2	69.4	47.1
06:10 PM - 06:15 PM	61.1	80.3	48.5
06:15 PM - 06:20 PM	56.7	67.8	50.6
06:20 PM - 06:25 PM	59.1	77.6	51.1
06:25 PM - 06:30 PM	56.8	70.9	50.9
06:30 PM - 06:35 PM	57.4	76.2	49.2
06:35 PM - 06:40 PM	61.3	82.2	48.6
06:40 PM - 06:45 PM	56.6	71.8	49.7
06:45 PM - 06:50 PM	57.4	72.7	51.3
06:50 PM - 06:55 PM	54.3	66.7	49.1
06:55 PM - 07:00 PM	54.9	66.5	50.0

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422567-1

Page 1 of 1

Sample No. 2582814-37
Parameter Noise
Location ที่พักอาศัยบริเวณเหนือทางของโครงการ (N6) (GPS 47P 0744105 1460956) (Shut down)
Measurement Date Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	58.2	73.2	49.1
06:05 PM - 06:10 PM	56.1	70.8	47.5
06:10 PM - 06:15 PM	55.4	77.0	47.1
06:15 PM - 06:20 PM	55.8	69.1	48.0
06:20 PM - 06:25 PM	57.0	68.3	49.4
06:25 PM - 06:30 PM	60.9	80.1	48.5
06:30 PM - 06:35 PM	57.3	73.7	53.4
06:35 PM - 06:40 PM	60.1	76.1	53.7
06:40 PM - 06:45 PM	57.0	67.2	52.0
06:45 PM - 06:50 PM	55.9	67.5	51.1
06:50 PM - 06:55 PM	58.0	68.5	54.8
06:55 PM - 07:00 PM	58.7	75.0	53.4

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422568-1

Page 1 of 1

Sample No. 2582814-38
Parameter Noise
Location ที่พักอาศัยบริเวณเหนือทางของโครงการ (N6) (GPS 47P 0744105 1460956) (Shut down)
Measurement Date Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	56.0	69.2	48.9
06:05 PM - 06:10 PM	55.3	71.2	47.8
06:10 PM - 06:15 PM	57.5	75.0	47.9
06:15 PM - 06:20 PM	58.7	74.8	49.3
06:20 PM - 06:25 PM	54.1	62.2	49.4
06:25 PM - 06:30 PM	55.7	66.1	50.9
06:30 PM - 06:35 PM	61.0	82.5	53.6
06:35 PM - 06:40 PM	57.2	65.7	53.7
06:40 PM - 06:45 PM	60.8	77.7	54.6
06:45 PM - 06:50 PM	59.6	72.3	55.2
06:50 PM - 06:55 PM	60.0	77.2	55.5
06:55 PM - 07:00 PM	60.1	74.6	54.8

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422569-1

Page 1 of 1

Sample No. 2582814-39
Parameter Noise
Location ที่พักอาศัยบริเวณเหนือทางของโครงการ (N6) (GPS 47P 0744105 1460956) (Shut down)
Measurement Date Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	59.6	78.9	47.2
06:05 PM - 06:10 PM	56.8	69.1	47.4
06:10 PM - 06:15 PM	57.1	72.6	45.9
06:15 PM - 06:20 PM	53.7	66.7	46.1
06:20 PM - 06:25 PM	56.1	71.6	50.7
06:25 PM - 06:30 PM	58.1	66.5	53.9
06:30 PM - 06:35 PM	56.3	66.5	52.9
06:35 PM - 06:40 PM	57.6	71.1	52.4
06:40 PM - 06:45 PM	58.4	71.7	53.2
06:45 PM - 06:50 PM	61.3	81.7	53.4
06:50 PM - 06:55 PM	63.1	80.1	54.4
06:55 PM - 07:00 PM	65.2	81.7	53.5

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422570-1

Page 1 of 1

Sample No. 2582814-40
Parameter Noise
Location ที่พักอาศัยบริเวณเหนือหน้าทั้งของโครงการ (N6) (GPS 47P 0744105 1460956) (Shut down)
Measurement Date Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	56.0	67.0	48.5
06:05 PM - 06:10 PM	59.8	72.8	51.7
06:10 PM - 06:15 PM	57.2	70.7	48.5
06:15 PM - 06:20 PM	56.6	69.6	50.4
06:20 PM - 06:25 PM	60.5	75.9	54.6
06:25 PM - 06:30 PM	60.8	72.4	58.2
06:30 PM - 06:35 PM	61.2	71.2	59.6
06:35 PM - 06:40 PM	61.7	71.1	59.7
06:40 PM - 06:45 PM	61.7	71.4	59.5
06:45 PM - 06:50 PM	61.9	68.4	60.2
06:50 PM - 06:55 PM	61.5	66.4	60.2
06:55 PM - 07:00 PM	62.3	75.2	60.2

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422571-1

Page 1 of 1

Sample No. 2582814-41
Parameter Noise
Location ที่พักอาศัยบริเวณเหนือหน้าทั้งของโครงการ (N6) (GPS 47P 0744105 1460956) (Shut down)
Measurement Date Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	57.6	70.0	50.3
06:05 PM - 06:10 PM	59.7	78.0	50.3
06:10 PM - 06:15 PM	60.6	77.9	50.8
06:15 PM - 06:20 PM	58.1	75.3	50.4
06:20 PM - 06:25 PM	56.0	70.0	50.5
06:25 PM - 06:30 PM	61.4	80.2	50.5
06:30 PM - 06:35 PM	57.9	68.9	54.5
06:35 PM - 06:40 PM	60.6	74.1	58.1
06:40 PM - 06:45 PM	59.8	74.6	56.4
06:45 PM - 06:50 PM	63.4	84.6	57.1
06:50 PM - 06:55 PM	60.1	72.8	56.4
06:55 PM - 07:00 PM	58.0	71.6	53.8

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582814

Date Received : Oct 03, 2025

Date Reported : Oct 08, 2025

Report No. : 3422572-1

Page 1 of 1

Sample No. 2582814-42
Parameter Noise
Location ที่พักอาศัยบริเวณเหนือทางของโครงการ (N6) (GPS 47P 0744105 1460956) (Shut down)
Measurement Date Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level Meter 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
05:05 PM - 06:05 PM	55.0	72.5	47.5
05:10 PM - 06:10 PM	60.0	76.6	48.0
05:15 PM - 06:15 PM	56.9	71.8	48.4
05:20 PM - 06:20 PM	55.1	67.7	48.6
05:25 PM - 06:25 PM	57.3	72.6	49.0
05:30 PM - 06:30 PM	58.3	71.6	51.5
05:35 PM - 06:35 PM	60.5	77.2	52.6
05:40 PM - 06:40 PM	60.2	76.9	54.7
05:45 PM - 06:45 PM	61.2	80.3	55.0
05:50 PM - 06:50 PM	59.9	76.3	55.1
05:55 PM - 06:55 PM	58.4	70.3	53.9
06:00 PM - 07:00 PM	57.5	70.9	53.6

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421675-1

Page 1 of 3

Sample Number 2582812-1
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 23 - Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Sep 23, 2025	Leq	L90	Sep 23, 2025	Leq	L90	Sep 23, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	51.5	50.1	10:40 AM - 10:45 AM	51.5	45.6	01:20 PM - 01:25 PM	44.0	42.1
08:05 AM - 08:10 AM	50.9	49.3	10:45 AM - 10:50 AM	50.9	46.1	01:25 PM - 01:30 PM	48.3	44.2
08:10 AM - 08:15 AM	50.6	49.3	10:50 AM - 10:55 AM	51.0	45.4	01:30 PM - 01:35 PM	45.8	43.8
08:15 AM - 08:20 AM	51.1	49.7	10:55 AM - 11:00 AM	53.0	44.6	01:35 PM - 01:40 PM	49.0	43.7
08:20 AM - 08:25 AM	52.0	49.9	11:00 AM - 11:05 AM	51.1	49.2	01:40 PM - 01:45 PM	45.4	43.1
08:25 AM - 08:30 AM	51.0	49.6	11:05 AM - 11:10 AM	50.8	48.8	01:45 PM - 01:50 PM	48.5	43.5
08:30 AM - 08:35 AM	53.1	49.6	11:10 AM - 11:15 AM	51.0	48.2	01:50 PM - 01:55 PM	52.6	46.4
08:35 AM - 08:40 AM	52.4	49.8	11:15 AM - 11:20 AM	50.0	47.8	01:55 PM - 02:00 PM	52.9	46.3
08:40 AM - 08:45 AM	53.2	49.5	11:20 AM - 11:25 AM	50.3	47.6	02:00 PM - 02:05 PM	46.2	41.7
08:45 AM - 08:50 AM	51.3	48.1	11:25 AM - 11:30 AM	49.3	47.4	02:05 PM - 02:10 PM	46.3	42.1
08:50 AM - 08:55 AM	56.4	52.0	11:30 AM - 11:35 AM	48.5	47.4	02:10 PM - 02:15 PM	51.2	43.7
08:55 AM - 09:00 AM	59.2	56.8	11:35 AM - 11:40 AM	49.0	48.0	02:15 PM - 02:20 PM	53.8	45.4
09:00 AM - 09:05 AM	56.9	54.1	11:40 AM - 11:45 AM	49.0	47.7	02:20 PM - 02:25 PM	45.5	43.2
09:05 AM - 09:10 AM	54.3	51.0	11:45 AM - 11:50 AM	48.8	47.9	02:25 PM - 02:30 PM	53.5	43.7
09:10 AM - 09:15 AM	54.3	51.1	11:50 AM - 11:55 AM	49.0	47.6	02:30 PM - 02:35 PM	49.2	42.7
09:15 AM - 09:20 AM	54.3	51.0	11:55 AM - 12:00 PM	49.3	47.3	02:35 PM - 02:40 PM	53.8	45.3
09:20 AM - 09:25 AM	59.7	55.9	12:00 PM - 12:05 PM	59.5	47.1	02:40 PM - 02:45 PM	50.2	45.1
09:25 AM - 09:30 AM	63.7	61.1	12:05 PM - 12:10 PM	52.9	47.1	02:45 PM - 02:50 PM	45.9	42.0
09:30 AM - 09:35 AM	58.7	50.9	12:10 PM - 12:15 PM	47.4	41.6	02:50 PM - 02:55 PM	46.4	42.0
09:35 AM - 09:40 AM	55.8	48.8	12:15 PM - 12:20 PM	46.1	42.7	02:55 PM - 03:00 PM	45.7	42.7
09:40 AM - 09:45 AM	51.2	48.2	12:20 PM - 12:25 PM	47.7	42.4	03:00 PM - 03:05 PM	46.7	43.5
09:45 AM - 09:50 AM	52.9	48.9	12:25 PM - 12:30 PM	47.1	41.8	03:05 PM - 03:10 PM	46.2	43.7
09:50 AM - 09:55 AM	50.8	47.9	12:30 PM - 12:35 PM	54.0	44.6	03:10 PM - 03:15 PM	43.7	41.2
09:55 AM - 10:00 AM	49.5	46.8	12:35 PM - 12:40 PM	48.7	41.1	03:15 PM - 03:20 PM	48.0	41.8
10:00 AM - 10:05 AM	55.7	47.1	12:40 PM - 12:45 PM	45.0	41.4	03:20 PM - 03:25 PM	46.8	42.6
10:05 AM - 10:10 AM	60.3	56.8	12:45 PM - 12:50 PM	45.8	42.0	03:25 PM - 03:30 PM	44.2	41.4
10:10 AM - 10:15 AM	62.3	58.9	12:50 PM - 12:55 PM	45.4	40.5	03:30 PM - 03:35 PM	48.3	42.5
10:15 AM - 10:20 AM	63.5	59.8	12:55 PM - 01:00 PM	49.0	40.6	03:35 PM - 03:40 PM	47.2	41.9
10:20 AM - 10:25 AM	62.1	55.4	01:00 PM - 01:05 PM	53.1	42.7	03:40 PM - 03:45 PM	46.1	42.7
10:25 AM - 10:30 AM	67.5	60.8	01:05 PM - 01:10 PM	44.6	40.7	03:45 PM - 03:50 PM	45.7	43.0
10:30 AM - 10:35 AM	68.5	62.0	01:10 PM - 01:15 PM	46.8	42.9	03:50 PM - 03:55 PM	47.2	43.4
10:35 AM - 10:40 AM	56.9	42.7	01:15 PM - 01:20 PM	47.6	43.7	03:55 PM - 04:00 PM	52.8	43.4

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421675-1

Page 2 of 3

Sample Number 2582812-1
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 23 - Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Sep 23, 2025	Leq	L90	Sep 23, 2025	Leq	L90	Sep 23, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	46.8	44.7	06:40 PM - 06:45 PM	49.8	45.2	09:20 PM - 09:25 PM	63.8	53.3
04:05 PM - 04:10 PM	45.1	42.8	06:45 PM - 06:50 PM	50.9	45.3	09:25 PM - 09:30 PM	68.7	63.0
04:10 PM - 04:15 PM	46.4	43.0	06:50 PM - 06:55 PM	55.3	53.2	09:30 PM - 09:35 PM	66.8	54.2
04:15 PM - 04:20 PM	46.5	42.9	06:55 PM - 07:00 PM	56.1	55.1	09:35 PM - 09:40 PM	68.4	59.9
04:20 PM - 04:25 PM	52.5	45.2	07:00 PM - 07:05 PM	58.0	54.7	09:40 PM - 09:45 PM	68.4	56.1
04:25 PM - 04:30 PM	52.3	44.5	07:05 PM - 07:10 PM	57.0	55.0	09:45 PM - 09:50 PM	67.1	55.3
04:30 PM - 04:35 PM	49.6	43.0	07:10 PM - 07:15 PM	56.8	54.9	09:50 PM - 09:55 PM	68.9	60.8
04:35 PM - 04:40 PM	45.8	43.7	07:15 PM - 07:20 PM	58.2	55.3	09:55 PM - 10:00 PM	67.7	55.2
04:40 PM - 04:45 PM	51.1	43.6	07:20 PM - 07:25 PM	58.3	55.4	10:00 PM - 10:05 PM	67.8	54.7
04:45 PM - 04:50 PM	55.2	43.8	07:25 PM - 07:30 PM	58.1	55.0	10:05 PM - 10:10 PM	69.1	61.3
04:50 PM - 04:55 PM	54.1	44.5	07:30 PM - 07:35 PM	57.4	55.2	10:10 PM - 10:15 PM	69.2	60.5
04:55 PM - 05:00 PM	50.9	44.8	07:35 PM - 07:40 PM	56.4	53.7	10:15 PM - 10:20 PM	69.1	61.9
05:00 PM - 05:05 PM	51.4	44.6	07:40 PM - 07:45 PM	55.8	54.4	10:20 PM - 10:25 PM	68.6	58.1
05:05 PM - 05:10 PM	52.9	45.2	07:45 PM - 07:50 PM	56.4	54.2	10:25 PM - 10:30 PM	67.5	54.8
05:10 PM - 05:15 PM	49.3	44.1	07:50 PM - 07:55 PM	57.4	50.5	10:30 PM - 10:35 PM	65.8	54.3
05:15 PM - 05:20 PM	46.8	43.8	07:55 PM - 08:00 PM	56.6	47.6	10:35 PM - 10:40 PM	68.5	59.7
05:20 PM - 05:25 PM	54.5	46.3	08:00 PM - 08:05 PM	56.3	48.4	10:40 PM - 10:45 PM	68.4	58.8
05:25 PM - 05:30 PM	52.9	45.8	08:05 PM - 08:10 PM	59.7	53.4	10:45 PM - 10:50 PM	68.5	60.3
05:30 PM - 05:35 PM	52.9	44.5	08:10 PM - 08:15 PM	59.4	51.5	10:50 PM - 10:55 PM	67.2	55.0
05:35 PM - 05:40 PM	56.2	45.3	08:15 PM - 08:20 PM	55.7	52.2	10:55 PM - 11:00 PM	67.4	55.7
05:40 PM - 05:45 PM	50.5	44.9	08:20 PM - 08:25 PM	55.2	52.0	11:00 PM - 11:05 PM	67.8	55.1
05:45 PM - 05:50 PM	50.5	45.4	08:25 PM - 08:30 PM	53.2	48.2	11:05 PM - 11:10 PM	68.1	56.8
05:50 PM - 05:55 PM	48.9	44.9	08:30 PM - 08:35 PM	52.8	48.3	11:10 PM - 11:15 PM	68.5	58.9
05:55 PM - 06:00 PM	49.6	43.8	08:35 PM - 08:40 PM	53.3	48.8	11:15 PM - 11:20 PM	68.6	60.7
06:00 PM - 06:05 PM	49.5	43.9	08:40 PM - 08:45 PM	57.6	53.0	11:20 PM - 11:25 PM	68.3	57.1
06:05 PM - 06:10 PM	49.0	44.5	08:45 PM - 08:50 PM	58.1	51.9	11:25 PM - 11:30 PM	54.7	52.3
06:10 PM - 06:15 PM	50.2	42.8	08:50 PM - 08:55 PM	61.4	52.8	11:30 PM - 11:35 PM	54.6	52.1
06:15 PM - 06:20 PM	48.2	43.0	08:55 PM - 09:00 PM	53.5	51.5	11:35 PM - 11:40 PM	54.6	52.0
06:20 PM - 06:25 PM	50.8	44.6	09:00 PM - 09:05 PM	53.7	52.1	11:40 PM - 11:45 PM	54.8	53.3
06:25 PM - 06:30 PM	49.3	43.5	09:05 PM - 09:10 PM	53.7	52.1	11:45 PM - 11:50 PM	55.7	53.6
06:30 PM - 06:35 PM	49.2	44.2	09:10 PM - 09:15 PM	54.2	52.4	11:50 PM - 11:55 PM	56.1	51.6
06:35 PM - 06:40 PM	49.0	45.5	09:15 PM - 09:20 PM	54.7	52.5	11:55 PM - 12:00 AM	54.0	50.9

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421675-1

Page 3 of 3

Sample Number : 2582812-1
Parameter : Noise Level (Leq 5 min)
Location : ฟาร์มกุ้งไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date : Sep 23 - Sep 24, 2025
Measurement by : Anurak Tongkhajonsakda
Sound Level meter : Serial No. 623391

Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	54.6	51.5	02:40 AM - 02:45 AM	59.5	49.2	05:20 AM - 05:25 AM	57.4	51.3
12:05 AM - 12:10 AM	54.9	52.8	02:45 AM - 02:50 AM	61.7	53.3	05:25 AM - 05:30 AM	54.5	50.3
12:10 AM - 12:15 AM	56.4	52.5	02:50 AM - 02:55 AM	61.9	52.2	05:30 AM - 05:35 AM	54.4	49.7
12:15 AM - 12:20 AM	54.6	51.6	02:55 AM - 03:00 AM	60.0	48.9	05:35 AM - 05:40 AM	53.5	50.5
12:20 AM - 12:25 AM	53.5	48.9	03:00 AM - 03:05 AM	58.0	44.6	05:40 AM - 05:45 AM	53.6	50.9
12:25 AM - 12:30 AM	56.7	49.2	03:05 AM - 03:10 AM	58.8	47.3	05:45 AM - 05:50 AM	54.2	51.6
12:30 AM - 12:35 AM	54.6	47.7	03:10 AM - 03:15 AM	61.7	46.5	05:50 AM - 05:55 AM	57.4	51.1
12:35 AM - 12:40 AM	50.5	46.4	03:15 AM - 03:20 AM	58.6	47.0	05:55 AM - 06:00 AM	54.2	51.1
12:40 AM - 12:45 AM	51.7	48.1	03:20 AM - 03:25 AM	59.2	48.7	06:00 AM - 06:05 AM	54.2	52.4
12:45 AM - 12:50 AM	57.6	48.5	03:25 AM - 03:30 AM	61.1	51.8	06:05 AM - 06:10 AM	54.4	52.9
12:50 AM - 12:55 AM	51.6	48.4	03:30 AM - 03:35 AM	64.1	52.9	06:10 AM - 06:15 AM	55.0	52.9
12:55 AM - 01:00 AM	52.2	48.7	03:35 AM - 03:40 AM	63.5	51.9	06:15 AM - 06:20 AM	55.1	52.9
01:00 AM - 01:05 AM	60.6	47.3	03:40 AM - 03:45 AM	64.8	59.2	06:20 AM - 06:25 AM	53.7	50.8
01:05 AM - 01:10 AM	60.5	52.2	03:45 AM - 03:50 AM	64.9	59.1	06:25 AM - 06:30 AM	55.2	51.5
01:10 AM - 01:15 AM	55.5	50.7	03:50 AM - 03:55 AM	65.0	58.3	06:30 AM - 06:35 AM	54.3	51.0
01:15 AM - 01:20 AM	54.8	51.8	03:55 AM - 04:00 AM	63.3	58.2	06:35 AM - 06:40 AM	53.5	50.4
01:20 AM - 01:25 AM	60.7	51.5	04:00 AM - 04:05 AM	62.8	48.6	06:40 AM - 06:45 AM	52.1	50.4
01:25 AM - 01:30 AM	57.9	51.1	04:05 AM - 04:10 AM	65.2	52.8	06:45 AM - 06:50 AM	51.4	49.8
01:30 AM - 01:35 AM	60.0	50.5	04:10 AM - 04:15 AM	65.0	55.8	06:50 AM - 06:55 AM	51.6	50.0
01:35 AM - 01:40 AM	54.8	50.3	04:15 AM - 04:20 AM	66.6	53.9	06:55 AM - 07:00 AM	51.5	49.6
01:40 AM - 01:45 AM	59.0	51.2	04:20 AM - 04:25 AM	63.5	53.2	07:00 AM - 07:05 AM	52.0	48.9
01:45 AM - 01:50 AM	61.6	52.5	04:25 AM - 04:30 AM	62.4	44.8	07:05 AM - 07:10 AM	50.3	48.1
01:50 AM - 01:55 AM	60.2	50.5	04:30 AM - 04:35 AM	63.8	50.2	07:10 AM - 07:15 AM	49.5	47.2
01:55 AM - 02:00 AM	53.2	48.9	04:35 AM - 04:40 AM	64.5	56.8	07:15 AM - 07:20 AM	48.2	46.1
02:00 AM - 02:05 AM	57.8	50.4	04:40 AM - 04:45 AM	65.5	57.7	07:20 AM - 07:25 AM	48.2	45.9
02:05 AM - 02:10 AM	60.3	50.4	04:45 AM - 04:50 AM	65.0	55.9	07:25 AM - 07:30 AM	50.4	44.8
02:10 AM - 02:15 AM	60.4	51.2	04:50 AM - 04:55 AM	63.2	50.9	07:30 AM - 07:35 AM	51.8	45.1
02:15 AM - 02:20 AM	61.0	51.7	04:55 AM - 05:00 AM	62.3	49.6	07:35 AM - 07:40 AM	51.6	46.8
02:20 AM - 02:25 AM	63.6	54.4	05:00 AM - 05:05 AM	63.8	52.0	07:40 AM - 07:45 AM	49.3	45.8
02:25 AM - 02:30 AM	60.3	51.5	05:05 AM - 05:10 AM	65.1	52.7	07:45 AM - 07:50 AM	47.0	45.0
02:30 AM - 02:35 AM	62.0	50.8	05:10 AM - 05:15 AM	59.9	51.8	07:50 AM - 07:55 AM	46.6	44.8
02:35 AM - 02:40 AM	59.6	49.7	05:15 AM - 05:20 AM	57.2	50.9	07:55 AM - 08:00 AM	47.0	44.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421676-1

Page 1 of 3

Sample Number 2582812-2
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 24 - Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	47.5	44.9	10:40 AM - 10:45 AM	53.7	48.0	01:20 PM - 01:25 PM	51.8	46.6
08:05 AM - 08:10 AM	49.9	45.3	10:45 AM - 10:50 AM	51.2	46.2	01:25 PM - 01:30 PM	48.4	44.8
08:10 AM - 08:15 AM	47.4	45.0	10:50 AM - 10:55 AM	55.3	44.4	01:30 PM - 01:35 PM	50.1	44.5
08:15 AM - 08:20 AM	51.8	45.2	10:55 AM - 11:00 AM	49.2	44.3	01:35 PM - 01:40 PM	47.9	45.1
08:20 AM - 08:25 AM	51.8	44.7	11:00 AM - 11:05 AM	45.1	42.5	01:40 PM - 01:45 PM	47.5	44.1
08:25 AM - 08:30 AM	46.9	44.0	11:05 AM - 11:10 AM	48.0	43.9	01:45 PM - 01:50 PM	48.6	45.3
08:30 AM - 08:35 AM	46.7	43.9	11:10 AM - 11:15 AM	54.4	45.1	01:50 PM - 01:55 PM	48.7	45.0
08:35 AM - 08:40 AM	47.5	44.8	11:15 AM - 11:20 AM	49.6	45.4	01:55 PM - 02:00 PM	55.9	47.0
08:40 AM - 08:45 AM	44.9	43.2	11:20 AM - 11:25 AM	54.8	47.5	02:00 PM - 02:05 PM	52.3	46.7
08:45 AM - 08:50 AM	50.4	43.3	11:25 AM - 11:30 AM	55.0	46.0	02:05 PM - 02:10 PM	56.5	48.3
08:50 AM - 08:55 AM	46.7	43.0	11:30 AM - 11:35 AM	55.1	44.4	02:10 PM - 02:15 PM	49.6	45.1
08:55 AM - 09:00 AM	44.0	42.1	11:35 AM - 11:40 AM	48.7	44.5	02:15 PM - 02:20 PM	49.5	45.5
09:00 AM - 09:05 AM	48.9	43.5	11:40 AM - 11:45 AM	46.8	43.1	02:20 PM - 02:25 PM	52.0	43.6
09:05 AM - 09:10 AM	48.8	45.1	11:45 AM - 11:50 AM	49.6	44.4	02:25 PM - 02:30 PM	48.1	44.2
09:10 AM - 09:15 AM	52.8	44.3	11:50 AM - 11:55 AM	49.0	44.0	02:30 PM - 02:35 PM	47.5	44.1
09:15 AM - 09:20 AM	48.7	45.8	11:55 AM - 12:00 PM	48.7	44.5	02:35 PM - 02:40 PM	55.5	47.1
09:20 AM - 09:25 AM	47.8	45.7	12:00 PM - 12:05 PM	57.5	43.8	02:40 PM - 02:45 PM	49.2	44.8
09:25 AM - 09:30 AM	50.9	46.0	12:05 PM - 12:10 PM	53.4	43.5	02:45 PM - 02:50 PM	49.4	45.5
09:30 AM - 09:35 AM	49.9	45.7	12:10 PM - 12:15 PM	49.9	42.6	02:50 PM - 02:55 PM	53.0	45.7
09:35 AM - 09:40 AM	49.3	44.0	12:15 PM - 12:20 PM	50.6	41.2	02:55 PM - 03:00 PM	49.7	45.0
09:40 AM - 09:45 AM	46.8	43.6	12:20 PM - 12:25 PM	50.1	43.5	03:00 PM - 03:05 PM	49.8	46.5
09:45 AM - 09:50 AM	46.0	42.4	12:25 PM - 12:30 PM	50.5	44.0	03:05 PM - 03:10 PM	50.9	46.1
09:50 AM - 09:55 AM	50.3	43.8	12:30 PM - 12:35 PM	48.8	43.6	03:10 PM - 03:15 PM	51.6	48.9
09:55 AM - 10:00 AM	52.0	44.4	12:35 PM - 12:40 PM	46.9	42.8	03:15 PM - 03:20 PM	54.1	48.5
10:00 AM - 10:05 AM	51.3	44.9	12:40 PM - 12:45 PM	51.0	43.7	03:20 PM - 03:25 PM	51.2	46.2
10:05 AM - 10:10 AM	47.6	43.6	12:45 PM - 12:50 PM	52.9	44.7	03:25 PM - 03:30 PM	61.4	45.0
10:10 AM - 10:15 AM	51.7	44.9	12:50 PM - 12:55 PM	52.8	44.1	03:30 PM - 03:35 PM	50.4	46.2
10:15 AM - 10:20 AM	51.0	46.5	12:55 PM - 01:00 PM	48.1	43.1	03:35 PM - 03:40 PM	51.2	46.9
10:20 AM - 10:25 AM	51.3	45.2	01:00 PM - 01:05 PM	51.7	46.9	03:40 PM - 03:45 PM	50.7	45.9
10:25 AM - 10:30 AM	52.6	45.6	01:05 PM - 01:10 PM	50.5	43.8	03:45 PM - 03:50 PM	52.9	45.0
10:30 AM - 10:35 AM	48.4	45.3	01:10 PM - 01:15 PM	48.9	43.2	03:50 PM - 03:55 PM	48.4	44.6
10:35 AM - 10:40 AM	52.2	46.8	01:15 PM - 01:20 PM	48.8	44.2	03:55 PM - 04:00 PM	52.1	45.3

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421676-1

Page 2 of 3

Sample Number 2582812-2
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกุ้งไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 24 - Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	47.2	44.3	06:40 PM - 06:45 PM	47.8	43.9	09:20 PM - 09:25 PM	63.7	49.1
04:05 PM - 04:10 PM	49.3	45.1	06:45 PM - 06:50 PM	49.6	44.6	09:25 PM - 09:30 PM	63.8	49.9
04:10 PM - 04:15 PM	48.8	44.5	06:50 PM - 06:55 PM	53.1	50.4	09:30 PM - 09:35 PM	64.1	51.1
04:15 PM - 04:20 PM	47.9	44.5	06:55 PM - 07:00 PM	54.4	52.2	09:35 PM - 09:40 PM	64.9	56.3
04:20 PM - 04:25 PM	50.2	44.8	07:00 PM - 07:05 PM	55.5	52.1	09:40 PM - 09:45 PM	64.6	54.5
04:25 PM - 04:30 PM	47.3	43.4	07:05 PM - 07:10 PM	55.7	52.6	09:45 PM - 09:50 PM	62.6	47.2
04:30 PM - 04:35 PM	50.9	45.1	07:10 PM - 07:15 PM	54.5	52.8	09:50 PM - 09:55 PM	61.9	48.4
04:35 PM - 04:40 PM	50.4	45.3	07:15 PM - 07:20 PM	57.7	53.1	09:55 PM - 10:00 PM	64.3	50.4
04:40 PM - 04:45 PM	49.8	46.1	07:20 PM - 07:25 PM	59.9	53.1	10:00 PM - 10:05 PM	65.0	53.6
04:45 PM - 04:50 PM	53.4	47.2	07:25 PM - 07:30 PM	62.8	52.9	10:05 PM - 10:10 PM	64.6	53.0
04:50 PM - 04:55 PM	54.4	46.2	07:30 PM - 07:35 PM	61.2	53.0	10:10 PM - 10:15 PM	64.5	53.4
04:55 PM - 05:00 PM	56.5	45.7	07:35 PM - 07:40 PM	65.6	52.3	10:15 PM - 10:20 PM	63.5	49.3
05:00 PM - 05:05 PM	51.1	45.2	07:40 PM - 07:45 PM	61.4	47.7	10:20 PM - 10:25 PM	64.2	51.4
05:05 PM - 05:10 PM	47.7	44.4	07:45 PM - 07:50 PM	62.5	47.8	10:25 PM - 10:30 PM	64.0	50.5
05:10 PM - 05:15 PM	49.7	44.8	07:50 PM - 07:55 PM	54.2	47.1	10:30 PM - 10:35 PM	57.9	47.0
05:15 PM - 05:20 PM	48.0	45.3	07:55 PM - 08:00 PM	61.7	49.1	10:35 PM - 10:40 PM	63.1	47.9
05:20 PM - 05:25 PM	55.0	45.8	08:00 PM - 08:05 PM	63.1	52.2	10:40 PM - 10:45 PM	64.0	53.9
05:25 PM - 05:30 PM	50.9	46.2	08:05 PM - 08:10 PM	63.3	53.0	10:45 PM - 10:50 PM	64.4	52.0
05:30 PM - 05:35 PM	48.1	44.1	08:10 PM - 08:15 PM	60.9	48.0	10:50 PM - 10:55 PM	61.4	47.1
05:35 PM - 05:40 PM	51.0	45.4	08:15 PM - 08:20 PM	61.1	48.1	10:55 PM - 11:00 PM	60.7	47.0
05:40 PM - 05:45 PM	46.1	43.5	08:20 PM - 08:25 PM	61.9	50.0	11:00 PM - 11:05 PM	64.0	52.2
05:45 PM - 05:50 PM	47.8	43.8	08:25 PM - 08:30 PM	62.0	48.9	11:05 PM - 11:10 PM	64.6	55.4
05:50 PM - 05:55 PM	46.2	43.7	08:30 PM - 08:35 PM	63.1	49.5	11:10 PM - 11:15 PM	64.1	50.7
05:55 PM - 06:00 PM	47.1	43.9	08:35 PM - 08:40 PM	62.5	49.5	11:15 PM - 11:20 PM	62.4	45.4
06:00 PM - 06:05 PM	49.0	45.6	08:40 PM - 08:45 PM	63.9	54.1	11:20 PM - 11:25 PM	63.6	48.2
06:05 PM - 06:10 PM	48.4	44.5	08:45 PM - 08:50 PM	63.9	54.6	11:25 PM - 11:30 PM	62.8	46.9
06:10 PM - 06:15 PM	49.3	45.0	08:50 PM - 08:55 PM	64.0	55.3	11:30 PM - 11:35 PM	50.6	47.2
06:15 PM - 06:20 PM	51.2	46.3	08:55 PM - 09:00 PM	64.2	51.5	11:35 PM - 11:40 PM	52.7	49.8
06:20 PM - 06:25 PM	50.7	45.1	09:00 PM - 09:05 PM	64.8	56.8	11:40 PM - 11:45 PM	52.8	49.8
06:25 PM - 06:30 PM	52.8	46.4	09:05 PM - 09:10 PM	64.1	52.2	11:45 PM - 11:50 PM	52.9	49.5
06:30 PM - 06:35 PM	49.9	43.9	09:10 PM - 09:15 PM	63.5	47.4	11:50 PM - 11:55 PM	52.1	48.2
06:35 PM - 06:40 PM	48.3	44.2	09:15 PM - 09:20 PM	64.2	55.0	11:55 PM - 12:00 AM	53.1	49.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421676-1

Page 3 of 3

Sample Number 2582812-2
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกุ้งไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 24 - Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Sep 25, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 25, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 25, 2025 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	49.9	46.5	02:40 AM - 02:45 AM	50.5	47.4	05:20 AM - 05:25 AM	50.2	47.5
12:05 AM - 12:10 AM	56.5	47.5	02:45 AM - 02:50 AM	49.6	46.1	05:25 AM - 05:30 AM	49.6	47.3
12:10 AM - 12:15 AM	60.5	49.1	02:50 AM - 02:55 AM	49.6	45.8	05:30 AM - 05:35 AM	49.5	47.1
12:15 AM - 12:20 AM	51.5	46.3	02:55 AM - 03:00 AM	49.2	44.2	05:35 AM - 05:40 AM	49.5	46.8
12:20 AM - 12:25 AM	51.5	48.4	03:00 AM - 03:05 AM	48.7	43.2	05:40 AM - 05:45 AM	49.8	47.3
12:25 AM - 12:30 AM	59.6	48.2	03:05 AM - 03:10 AM	46.7	42.1	05:45 AM - 05:50 AM	50.1	47.8
12:30 AM - 12:35 AM	63.3	51.8	03:10 AM - 03:15 AM	47.4	43.4	05:50 AM - 05:55 AM	52.0	49.0
12:35 AM - 12:40 AM	61.3	51.0	03:15 AM - 03:20 AM	47.2	44.1	05:55 AM - 06:00 AM	52.2	49.8
12:40 AM - 12:45 AM	64.2	53.7	03:20 AM - 03:25 AM	46.8	44.0	06:00 AM - 06:05 AM	52.6	49.8
12:45 AM - 12:50 AM	63.2	51.2	03:25 AM - 03:30 AM	46.6	44.1	06:05 AM - 06:10 AM	52.2	49.9
12:50 AM - 12:55 AM	63.4	53.1	03:30 AM - 03:35 AM	47.3	44.3	06:10 AM - 06:15 AM	51.8	49.7
12:55 AM - 01:00 AM	62.1	48.9	03:35 AM - 03:40 AM	47.3	43.9	06:15 AM - 06:20 AM	51.7	48.8
01:00 AM - 01:05 AM	50.7	47.2	03:40 AM - 03:45 AM	47.1	44.5	06:20 AM - 06:25 AM	56.5	50.9
01:05 AM - 01:10 AM	59.9	50.0	03:45 AM - 03:50 AM	48.6	44.6	06:25 AM - 06:30 AM	55.6	49.9
01:10 AM - 01:15 AM	58.8	48.8	03:50 AM - 03:55 AM	47.4	44.4	06:30 AM - 06:35 AM	52.1	49.8
01:15 AM - 01:20 AM	58.3	49.9	03:55 AM - 04:00 AM	48.0	45.7	06:35 AM - 06:40 AM	52.2	50.1
01:20 AM - 01:25 AM	61.3	51.8	04:00 AM - 04:05 AM	48.4	45.5	06:40 AM - 06:45 AM	54.5	51.2
01:25 AM - 01:30 AM	62.2	51.2	04:05 AM - 04:10 AM	48.1	45.3	06:45 AM - 06:50 AM	52.3	50.5
01:30 AM - 01:35 AM	63.5	54.3	04:10 AM - 04:15 AM	47.9	45.4	06:50 AM - 06:55 AM	51.7	49.6
01:35 AM - 01:40 AM	62.7	50.7	04:15 AM - 04:20 AM	48.8	46.2	06:55 AM - 07:00 AM	50.8	49.2
01:40 AM - 01:45 AM	62.8	52.0	04:20 AM - 04:25 AM	48.6	45.5	07:00 AM - 07:05 AM	50.3	48.9
01:45 AM - 01:50 AM	62.0	49.6	04:25 AM - 04:30 AM	48.2	45.2	07:05 AM - 07:10 AM	48.9	47.2
01:50 AM - 01:55 AM	60.1	45.9	04:30 AM - 04:35 AM	48.3	44.9	07:10 AM - 07:15 AM	51.6	48.1
01:55 AM - 02:00 AM	59.0	50.1	04:35 AM - 04:40 AM	48.7	45.5	07:15 AM - 07:20 AM	51.7	47.6
02:00 AM - 02:05 AM	59.0	51.6	04:40 AM - 04:45 AM	49.0	45.2	07:20 AM - 07:25 AM	52.4	46.9
02:05 AM - 02:10 AM	60.4	49.6	04:45 AM - 04:50 AM	48.5	44.8	07:25 AM - 07:30 AM	51.0	46.6
02:10 AM - 02:15 AM	51.4	47.8	04:50 AM - 04:55 AM	47.8	44.9	07:30 AM - 07:35 AM	52.5	48.0
02:15 AM - 02:20 AM	51.4	47.4	04:55 AM - 05:00 AM	48.0	45.1	07:35 AM - 07:40 AM	53.1	48.5
02:20 AM - 02:25 AM	51.4	47.0	05:00 AM - 05:05 AM	49.2	45.6	07:40 AM - 07:45 AM	51.6	48.7
02:25 AM - 02:30 AM	51.4	47.1	05:05 AM - 05:10 AM	49.0	46.2	07:45 AM - 07:50 AM	50.6	48.4
02:30 AM - 02:35 AM	50.0	47.2	05:10 AM - 05:15 AM	50.2	46.6	07:50 AM - 07:55 AM	49.6	47.5
02:35 AM - 02:40 AM	50.1	46.6	05:15 AM - 05:20 AM	49.2	46.0	07:55 AM - 08:00 AM	50.2	47.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421677-1

Page 1 of 3

Sample Number 2582812-3
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 25 - Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	49.9	47.7	10:40 AM - 10:45 AM	50.5	44.9	01:20 PM - 01:25 PM	46.9	43.7
08:05 AM - 08:10 AM	49.8	48.3	10:45 AM - 10:50 AM	50.8	45.6	01:25 PM - 01:30 PM	45.9	42.3
08:10 AM - 08:15 AM	50.3	48.1	10:50 AM - 10:55 AM	50.5	46.0	01:30 PM - 01:35 PM	50.5	44.0
08:15 AM - 08:20 AM	50.3	47.9	10:55 AM - 11:00 AM	53.8	47.1	01:35 PM - 01:40 PM	47.4	44.0
08:20 AM - 08:25 AM	48.6	47.0	11:00 AM - 11:05 AM	50.9	47.2	01:40 PM - 01:45 PM	47.9	44.5
08:25 AM - 08:30 AM	48.9	46.9	11:05 AM - 11:10 AM	47.9	43.9	01:45 PM - 01:50 PM	47.3	44.1
08:30 AM - 08:35 AM	48.5	46.5	11:10 AM - 11:15 AM	52.8	46.2	01:50 PM - 01:55 PM	44.8	42.6
08:35 AM - 08:40 AM	48.1	45.7	11:15 AM - 11:20 AM	51.1	45.8	01:55 PM - 02:00 PM	50.5	44.6
08:40 AM - 08:45 AM	48.3	45.9	11:20 AM - 11:25 AM	47.5	43.5	02:00 PM - 02:05 PM	46.8	43.7
08:45 AM - 08:50 AM	47.3	45.5	11:25 AM - 11:30 AM	47.3	43.0	02:05 PM - 02:10 PM	50.8	44.6
08:50 AM - 08:55 AM	52.3	47.2	11:30 AM - 11:35 AM	48.6	44.2	02:10 PM - 02:15 PM	46.4	44.2
08:55 AM - 09:00 AM	50.8	45.7	11:35 AM - 11:40 AM	48.0	43.9	02:15 PM - 02:20 PM	49.7	45.6
09:00 AM - 09:05 AM	47.9	45.3	11:40 AM - 11:45 AM	49.8	45.0	02:20 PM - 02:25 PM	47.6	44.6
09:05 AM - 09:10 AM	50.9	45.7	11:45 AM - 11:50 AM	47.2	43.6	02:25 PM - 02:30 PM	49.4	45.3
09:10 AM - 09:15 AM	53.2	46.3	11:50 AM - 11:55 AM	50.7	45.0	02:30 PM - 02:35 PM	46.0	43.6
09:15 AM - 09:20 AM	51.9	47.3	11:55 AM - 12:00 PM	49.0	45.5	02:35 PM - 02:40 PM	48.8	43.9
09:20 AM - 09:25 AM	50.0	45.8	12:00 PM - 12:05 PM	51.7	45.0	02:40 PM - 02:45 PM	45.4	43.1
09:25 AM - 09:30 AM	51.0	46.5	12:05 PM - 12:10 PM	46.6	42.6	02:45 PM - 02:50 PM	52.9	43.1
09:30 AM - 09:35 AM	48.5	44.9	12:10 PM - 12:15 PM	46.6	41.1	02:50 PM - 02:55 PM	45.4	42.6
09:35 AM - 09:40 AM	50.1	45.9	12:15 PM - 12:20 PM	53.3	41.5	02:55 PM - 03:00 PM	45.7	42.5
09:40 AM - 09:45 AM	51.4	44.7	12:20 PM - 12:25 PM	42.8	38.8	03:00 PM - 03:05 PM	51.8	46.1
09:45 AM - 09:50 AM	51.3	46.2	12:25 PM - 12:30 PM	48.3	40.5	03:05 PM - 03:10 PM	50.9	43.9
09:50 AM - 09:55 AM	49.5	46.0	12:30 PM - 12:35 PM	52.2	47.2	03:10 PM - 03:15 PM	49.2	44.4
09:55 AM - 10:00 AM	51.5	45.4	12:35 PM - 12:40 PM	49.3	43.6	03:15 PM - 03:20 PM	47.4	42.0
10:00 AM - 10:05 AM	50.2	46.0	12:40 PM - 12:45 PM	52.0	45.5	03:20 PM - 03:25 PM	47.0	42.9
10:05 AM - 10:10 AM	48.8	45.1	12:45 PM - 12:50 PM	45.6	41.9	03:25 PM - 03:30 PM	48.9	42.3
10:10 AM - 10:15 AM	49.5	45.4	12:50 PM - 12:55 PM	46.1	42.8	03:30 PM - 03:35 PM	44.7	42.9
10:15 AM - 10:20 AM	48.6	44.3	12:55 PM - 01:00 PM	46.9	42.9	03:35 PM - 03:40 PM	44.5	42.6
10:20 AM - 10:25 AM	49.7	44.3	01:00 PM - 01:05 PM	44.1	41.6	03:40 PM - 03:45 PM	48.8	44.0
10:25 AM - 10:30 AM	49.0	44.7	01:05 PM - 01:10 PM	44.9	41.6	03:45 PM - 03:50 PM	47.2	44.1
10:30 AM - 10:35 AM	46.9	43.8	01:10 PM - 01:15 PM	45.2	41.9	03:50 PM - 03:55 PM	45.6	43.6
10:35 AM - 10:40 AM	50.9	44.3	01:15 PM - 01:20 PM	47.4	43.5	03:55 PM - 04:00 PM	47.2	43.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421677-1

Page 2 of 3

Sample Number 2582812-3
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 25 - Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	47.6	44.6	06:40 PM - 06:45 PM	45.1	42.5	09:20 PM - 09:25 PM	60.4	51.5
04:05 PM - 04:10 PM	45.5	42.9	06:45 PM - 06:50 PM	51.0	43.1	09:25 PM - 09:30 PM	62.6	57.4
04:10 PM - 04:15 PM	45.7	43.4	06:50 PM - 06:55 PM	50.1	49.1	09:30 PM - 09:35 PM	60.7	50.4
04:15 PM - 04:20 PM	53.0	46.1	06:55 PM - 07:00 PM	51.0	50.0	09:35 PM - 09:40 PM	58.3	51.5
04:20 PM - 04:25 PM	47.3	45.0	07:00 PM - 07:05 PM	51.0	50.1	09:40 PM - 09:45 PM	60.9	57.5
04:25 PM - 04:30 PM	47.3	44.2	07:05 PM - 07:10 PM	52.4	49.9	09:45 PM - 09:50 PM	61.4	57.2
04:30 PM - 04:35 PM	50.7	44.5	07:10 PM - 07:15 PM	49.0	46.9	09:50 PM - 09:55 PM	59.6	50.9
04:35 PM - 04:40 PM	48.0	43.2	07:15 PM - 07:20 PM	48.8	46.3	09:55 PM - 10:00 PM	58.4	51.4
04:40 PM - 04:45 PM	48.0	44.8	07:20 PM - 07:25 PM	49.9	45.8	10:00 PM - 10:05 PM	59.7	55.8
04:45 PM - 04:50 PM	47.9	44.3	07:25 PM - 07:30 PM	52.0	46.6	10:05 PM - 10:10 PM	59.4	54.3
04:50 PM - 04:55 PM	56.7	45.2	07:30 PM - 07:35 PM	55.2	48.6	10:10 PM - 10:15 PM	59.1	54.5
04:55 PM - 05:00 PM	48.5	45.2	07:35 PM - 07:40 PM	51.2	48.8	10:15 PM - 10:20 PM	57.7	53.2
05:00 PM - 05:05 PM	51.3	45.4	07:40 PM - 07:45 PM	50.6	49.4	10:20 PM - 10:25 PM	59.6	56.5
05:05 PM - 05:10 PM	46.4	44.5	07:45 PM - 07:50 PM	51.1	49.6	10:25 PM - 10:30 PM	60.7	57.4
05:10 PM - 05:15 PM	49.6	44.2	07:50 PM - 07:55 PM	52.4	50.7	10:30 PM - 10:35 PM	60.2	56.6
05:15 PM - 05:20 PM	53.9	45.0	07:55 PM - 08:00 PM	54.0	51.2	10:35 PM - 10:40 PM	61.2	58.2
05:20 PM - 05:25 PM	51.7	46.5	08:00 PM - 08:05 PM	55.2	52.1	10:40 PM - 10:45 PM	61.3	58.0
05:25 PM - 05:30 PM	44.4	42.5	08:05 PM - 08:10 PM	54.4	52.3	10:45 PM - 10:50 PM	58.3	51.6
05:30 PM - 05:35 PM	49.3	42.6	08:10 PM - 08:15 PM	54.3	52.1	10:50 PM - 10:55 PM	52.6	49.4
05:35 PM - 05:40 PM	48.2	43.5	08:15 PM - 08:20 PM	58.9	53.3	10:55 PM - 11:00 PM	52.3	49.2
05:40 PM - 05:45 PM	51.2	43.4	08:20 PM - 08:25 PM	66.1	57.3	11:00 PM - 11:05 PM	51.8	48.8
05:45 PM - 05:50 PM	46.8	43.8	08:25 PM - 08:30 PM	66.8	57.5	11:05 PM - 11:10 PM	52.5	49.2
05:50 PM - 05:55 PM	47.3	43.7	08:30 PM - 08:35 PM	62.0	54.7	11:10 PM - 11:15 PM	56.4	50.1
05:55 PM - 06:00 PM	49.3	44.1	08:35 PM - 08:40 PM	63.4	53.7	11:15 PM - 11:20 PM	57.1	49.5
06:00 PM - 06:05 PM	53.1	46.8	08:40 PM - 08:45 PM	54.5	52.3	11:20 PM - 11:25 PM	57.3	50.1
06:05 PM - 06:10 PM	53.2	45.1	08:45 PM - 08:50 PM	54.1	52.1	11:25 PM - 11:30 PM	57.6	49.8
06:10 PM - 06:15 PM	47.3	43.5	08:50 PM - 08:55 PM	55.2	52.4	11:30 PM - 11:35 PM	57.0	48.7
06:15 PM - 06:20 PM	47.2	44.5	08:55 PM - 09:00 PM	56.5	51.3	11:35 PM - 11:40 PM	53.2	48.7
06:20 PM - 06:25 PM	47.2	44.0	09:00 PM - 09:05 PM	56.0	51.6	11:40 PM - 11:45 PM	55.5	49.2
06:25 PM - 06:30 PM	46.2	43.9	09:05 PM - 09:10 PM	58.8	52.9	11:45 PM - 11:50 PM	54.4	47.4
06:30 PM - 06:35 PM	46.4	42.6	09:10 PM - 09:15 PM	55.0	52.0	11:50 PM - 11:55 PM	57.5	50.1
06:35 PM - 06:40 PM	50.2	42.6	09:15 PM - 09:20 PM	60.1	55.7	11:55 PM - 12:00 AM	57.2	50.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421677-1

Page 3 of 3

Sample Number 2582812-3
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกุ้งไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 25 - Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Sep 26, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 26, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 26, 2025 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	55.4	49.3	02:40 AM - 02:45 AM	61.1	46.2	05:20 AM - 05:25 AM	48.0	46.7
12:05 AM - 12:10 AM	55.6	49.7	02:45 AM - 02:50 AM	66.3	56.0	05:25 AM - 05:30 AM	48.6	47.3
12:10 AM - 12:15 AM	58.3	50.8	02:50 AM - 02:55 AM	62.7	45.5	05:30 AM - 05:35 AM	48.2	47.0
12:15 AM - 12:20 AM	55.7	47.9	02:55 AM - 03:00 AM	53.3	45.2	05:35 AM - 05:40 AM	47.7	45.6
12:20 AM - 12:25 AM	53.7	47.3	03:00 AM - 03:05 AM	55.4	45.3	05:40 AM - 05:45 AM	47.4	45.4
12:25 AM - 12:30 AM	54.0	47.1	03:05 AM - 03:10 AM	58.0	45.5	05:45 AM - 05:50 AM	47.6	45.4
12:30 AM - 12:35 AM	59.3	48.6	03:10 AM - 03:15 AM	58.4	45.8	05:50 AM - 05:55 AM	48.6	46.3
12:35 AM - 12:40 AM	60.2	49.4	03:15 AM - 03:20 AM	60.5	47.0	05:55 AM - 06:00 AM	49.1	46.7
12:40 AM - 12:45 AM	59.0	48.6	03:20 AM - 03:25 AM	53.8	45.7	06:00 AM - 06:05 AM	49.3	45.6
12:45 AM - 12:50 AM	50.1	48.2	03:25 AM - 03:30 AM	49.2	45.0	06:05 AM - 06:10 AM	50.6	46.8
12:50 AM - 12:55 AM	51.3	47.7	03:30 AM - 03:35 AM	46.3	45.3	06:10 AM - 06:15 AM	49.4	46.8
12:55 AM - 01:00 AM	52.3	47.7	03:35 AM - 03:40 AM	46.8	45.8	06:15 AM - 06:20 AM	59.1	48.1
01:00 AM - 01:05 AM	49.6	47.5	03:40 AM - 03:45 AM	46.7	45.8	06:20 AM - 06:25 AM	58.5	47.3
01:05 AM - 01:10 AM	49.0	47.1	03:45 AM - 03:50 AM	47.1	46.2	06:25 AM - 06:30 AM	57.2	46.7
01:10 AM - 01:15 AM	50.0	47.4	03:50 AM - 03:55 AM	46.8	45.6	06:30 AM - 06:35 AM	49.2	46.1
01:15 AM - 01:20 AM	50.9	47.4	03:55 AM - 04:00 AM	50.0	45.5	06:35 AM - 06:40 AM	48.7	46.3
01:20 AM - 01:25 AM	48.8	47.0	04:00 AM - 04:05 AM	46.3	45.5	06:40 AM - 06:45 AM	51.4	45.5
01:25 AM - 01:30 AM	48.5	47.1	04:05 AM - 04:10 AM	46.4	45.6	06:45 AM - 06:50 AM	51.2	46.0
01:30 AM - 01:35 AM	47.9	46.5	04:10 AM - 04:15 AM	46.3	44.6	06:50 AM - 06:55 AM	56.4	46.5
01:35 AM - 01:40 AM	48.3	46.6	04:15 AM - 04:20 AM	45.9	44.6	06:55 AM - 07:00 AM	56.9	47.0
01:40 AM - 01:45 AM	48.7	47.1	04:20 AM - 04:25 AM	45.4	43.5	07:00 AM - 07:05 AM	48.3	46.5
01:45 AM - 01:50 AM	48.9	46.6	04:25 AM - 04:30 AM	45.8	43.6	07:05 AM - 07:10 AM	48.0	45.4
01:50 AM - 01:55 AM	47.3	45.9	04:30 AM - 04:35 AM	45.8	43.4	07:10 AM - 07:15 AM	46.8	45.1
01:55 AM - 02:00 AM	49.5	46.7	04:35 AM - 04:40 AM	48.8	46.9	07:15 AM - 07:20 AM	46.3	44.4
02:00 AM - 02:05 AM	50.0	46.8	04:40 AM - 04:45 AM	48.8	47.5	07:20 AM - 07:25 AM	46.3	44.0
02:05 AM - 02:10 AM	51.1	46.9	04:45 AM - 04:50 AM	48.1	45.0	07:25 AM - 07:30 AM	47.0	44.9
02:10 AM - 02:15 AM	49.0	46.3	04:50 AM - 04:55 AM	47.4	44.2	07:30 AM - 07:35 AM	51.3	45.2
02:15 AM - 02:20 AM	52.3	45.9	04:55 AM - 05:00 AM	48.4	45.4	07:35 AM - 07:40 AM	51.3	44.9
02:20 AM - 02:25 AM	56.6	46.0	05:00 AM - 05:05 AM	48.3	45.1	07:40 AM - 07:45 AM	55.7	45.6
02:25 AM - 02:30 AM	60.1	46.6	05:05 AM - 05:10 AM	46.2	44.0	07:45 AM - 07:50 AM	51.4	45.2
02:30 AM - 02:35 AM	60.3	46.4	05:10 AM - 05:15 AM	47.2	44.8	07:50 AM - 07:55 AM	64.0	45.6
02:35 AM - 02:40 AM	61.2	46.1	05:15 AM - 05:20 AM	48.1	46.8	07:55 AM - 08:00 AM	48.4	45.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421678-1

Page 1 of 3

Sample Number 2582812-4
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 26 - Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	48.6	45.4	10:40 AM - 10:45 AM	49.7	43.1	01:20 PM - 01:25 PM	49.2	46.1
08:05 AM - 08:10 AM	47.5	45.6	10:45 AM - 10:50 AM	45.3	42.0	01:25 PM - 01:30 PM	52.7	48.1
08:10 AM - 08:15 AM	47.8	45.9	10:50 AM - 10:55 AM	53.6	43.4	01:30 PM - 01:35 PM	55.1	47.4
08:15 AM - 08:20 AM	48.2	45.6	10:55 AM - 11:00 AM	55.3	43.4	01:35 PM - 01:40 PM	49.3	45.4
08:20 AM - 08:25 AM	53.3	45.7	11:00 AM - 11:05 AM	45.5	41.6	01:40 PM - 01:45 PM	50.3	47.3
08:25 AM - 08:30 AM	49.5	45.9	11:05 AM - 11:10 AM	50.8	42.5	01:45 PM - 01:50 PM	49.4	46.0
08:30 AM - 08:35 AM	50.7	45.2	11:10 AM - 11:15 AM	53.5	43.9	01:50 PM - 01:55 PM	52.5	47.5
08:35 AM - 08:40 AM	48.4	45.5	11:15 AM - 11:20 AM	50.5	46.2	01:55 PM - 02:00 PM	51.3	47.4
08:40 AM - 08:45 AM	62.5	44.9	11:20 AM - 11:25 AM	53.9	46.2	02:00 PM - 02:05 PM	55.3	50.4
08:45 AM - 08:50 AM	48.7	44.6	11:25 AM - 11:30 AM	48.0	44.4	02:05 PM - 02:10 PM	55.2	52.1
08:50 AM - 08:55 AM	49.7	45.9	11:30 AM - 11:35 AM	48.3	44.8	02:10 PM - 02:15 PM	59.0	51.6
08:55 AM - 09:00 AM	46.9	44.6	11:35 AM - 11:40 AM	50.3	44.4	02:15 PM - 02:20 PM	57.4	52.9
09:00 AM - 09:05 AM	47.8	44.1	11:40 AM - 11:45 AM	48.3	43.8	02:20 PM - 02:25 PM	57.8	53.4
09:05 AM - 09:10 AM	46.0	43.4	11:45 AM - 11:50 AM	46.3	43.7	02:25 PM - 02:30 PM	60.7	54.8
09:10 AM - 09:15 AM	47.5	42.9	11:50 AM - 11:55 AM	47.6	44.1	02:30 PM - 02:35 PM	61.3	57.1
09:15 AM - 09:20 AM	50.3	43.3	11:55 AM - 12:00 PM	50.0	44.9	02:35 PM - 02:40 PM	57.8	53.4
09:20 AM - 09:25 AM	48.8	43.6	12:00 PM - 12:05 PM	50.2	45.4	02:40 PM - 02:45 PM	57.4	53.8
09:25 AM - 09:30 AM	49.3	42.7	12:05 PM - 12:10 PM	49.2	44.2	02:45 PM - 02:50 PM	60.3	57.0
09:30 AM - 09:35 AM	45.6	41.4	12:10 PM - 12:15 PM	49.6	44.9	02:50 PM - 02:55 PM	58.4	53.8
09:35 AM - 09:40 AM	45.1	41.3	12:15 PM - 12:20 PM	48.1	43.0	02:55 PM - 03:00 PM	60.5	57.1
09:40 AM - 09:45 AM	48.6	41.8	12:20 PM - 12:25 PM	53.4	46.9	03:00 PM - 03:05 PM	60.0	56.8
09:45 AM - 09:50 AM	48.4	42.6	12:25 PM - 12:30 PM	49.9	45.7	03:05 PM - 03:10 PM	60.1	54.2
09:50 AM - 09:55 AM	45.4	42.5	12:30 PM - 12:35 PM	53.6	48.1	03:10 PM - 03:15 PM	60.7	57.4
09:55 AM - 10:00 AM	65.7	42.0	12:35 PM - 12:40 PM	50.7	46.0	03:15 PM - 03:20 PM	60.0	56.1
10:00 AM - 10:05 AM	60.2	43.9	12:40 PM - 12:45 PM	53.0	46.4	03:20 PM - 03:25 PM	58.9	56.1
10:05 AM - 10:10 AM	55.5	43.1	12:45 PM - 12:50 PM	46.6	44.1	03:25 PM - 03:30 PM	60.6	58.8
10:10 AM - 10:15 AM	49.1	43.7	12:50 PM - 12:55 PM	50.7	44.1	03:30 PM - 03:35 PM	62.2	59.2
10:15 AM - 10:20 AM	47.5	42.4	12:55 PM - 01:00 PM	46.8	44.4	03:35 PM - 03:40 PM	58.4	50.0
10:20 AM - 10:25 AM	45.3	41.8	01:00 PM - 01:05 PM	47.2	45.5	03:40 PM - 03:45 PM	56.0	51.3
10:25 AM - 10:30 AM	47.4	42.2	01:05 PM - 01:10 PM	45.2	42.8	03:45 PM - 03:50 PM	55.2	51.6
10:30 AM - 10:35 AM	44.1	41.4	01:10 PM - 01:15 PM	48.1	45.4	03:50 PM - 03:55 PM	57.8	56.7
10:35 AM - 10:40 AM	44.2	41.1	01:15 PM - 01:20 PM	49.5	46.2	03:55 PM - 04:00 PM	55.7	49.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421678-1

Page 2 of 3

Sample Number 2582812-4
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกุ้งไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 26 - Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	53.4	48.1	06:40 PM - 06:45 PM	50.5	43.5	09:20 PM - 09:25 PM	60.0	50.6
04:05 PM - 04:10 PM	60.6	49.9	06:45 PM - 06:50 PM	52.2	45.8	09:25 PM - 09:30 PM	63.5	54.9
04:10 PM - 04:15 PM	53.0	47.7	06:50 PM - 06:55 PM	49.5	48.5	09:30 PM - 09:35 PM	61.1	53.0
04:15 PM - 04:20 PM	51.1	47.5	06:55 PM - 07:00 PM	49.8	48.6	09:35 PM - 09:40 PM	62.9	53.1
04:20 PM - 04:25 PM	51.8	47.3	07:00 PM - 07:05 PM	59.3	48.9	09:40 PM - 09:45 PM	62.1	49.2
04:25 PM - 04:30 PM	49.6	46.9	07:05 PM - 07:10 PM	63.9	50.6	09:45 PM - 09:50 PM	55.9	48.1
04:30 PM - 04:35 PM	49.9	46.7	07:10 PM - 07:15 PM	65.7	58.5	09:50 PM - 09:55 PM	56.8	48.6
04:35 PM - 04:40 PM	51.3	47.6	07:15 PM - 07:20 PM	50.6	48.7	09:55 PM - 10:00 PM	59.9	49.6
04:40 PM - 04:45 PM	57.0	50.3	07:20 PM - 07:25 PM	53.9	49.9	10:00 PM - 10:05 PM	57.3	47.5
04:45 PM - 04:50 PM	56.0	51.4	07:25 PM - 07:30 PM	52.5	49.9	10:05 PM - 10:10 PM	57.3	48.5
04:50 PM - 04:55 PM	56.9	53.4	07:30 PM - 07:35 PM	50.9	50.0	10:10 PM - 10:15 PM	59.0	49.4
04:55 PM - 05:00 PM	56.6	48.6	07:35 PM - 07:40 PM	50.5	49.0	10:15 PM - 10:20 PM	59.7	49.0
05:00 PM - 05:05 PM	50.6	46.7	07:40 PM - 07:45 PM	57.3	49.8	10:20 PM - 10:25 PM	51.5	48.2
05:05 PM - 05:10 PM	49.5	46.1	07:45 PM - 07:50 PM	55.6	49.1	10:25 PM - 10:30 PM	50.4	47.7
05:10 PM - 05:15 PM	50.2	46.2	07:50 PM - 07:55 PM	52.2	48.3	10:30 PM - 10:35 PM	56.6	49.2
05:15 PM - 05:20 PM	51.5	49.0	07:55 PM - 08:00 PM	52.4	46.9	10:35 PM - 10:40 PM	50.7	47.3
05:20 PM - 05:25 PM	52.6	49.4	08:00 PM - 08:05 PM	47.2	46.3	10:40 PM - 10:45 PM	51.4	46.3
05:25 PM - 05:30 PM	52.1	48.8	08:05 PM - 08:10 PM	48.3	46.6	10:45 PM - 10:50 PM	48.4	46.4
05:30 PM - 05:35 PM	52.0	48.7	08:10 PM - 08:15 PM	48.2	46.8	10:50 PM - 10:55 PM	49.1	47.5
05:35 PM - 05:40 PM	54.5	51.5	08:15 PM - 08:20 PM	48.6	47.4	10:55 PM - 11:00 PM	50.2	47.9
05:40 PM - 05:45 PM	56.9	52.9	08:20 PM - 08:25 PM	49.2	47.9	11:00 PM - 11:05 PM	48.8	47.4
05:45 PM - 05:50 PM	56.0	52.4	08:25 PM - 08:30 PM	48.9	47.1	11:05 PM - 11:10 PM	49.6	46.2
05:50 PM - 05:55 PM	55.0	50.9	08:30 PM - 08:35 PM	51.0	48.1	11:10 PM - 11:15 PM	51.2	46.2
05:55 PM - 06:00 PM	51.4	48.6	08:35 PM - 08:40 PM	52.2	48.7	11:15 PM - 11:20 PM	54.1	47.0
06:00 PM - 06:05 PM	53.2	47.0	08:40 PM - 08:45 PM	52.9	48.8	11:20 PM - 11:25 PM	50.5	46.9
06:05 PM - 06:10 PM	51.9	44.7	08:45 PM - 08:50 PM	51.8	47.6	11:25 PM - 11:30 PM	52.3	46.2
06:10 PM - 06:15 PM	48.6	44.5	08:50 PM - 08:55 PM	51.4	47.2	11:30 PM - 11:35 PM	55.0	46.1
06:15 PM - 06:20 PM	52.6	47.8	08:55 PM - 09:00 PM	50.3	47.0	11:35 PM - 11:40 PM	57.2	46.1
06:20 PM - 06:25 PM	52.2	44.3	09:00 PM - 09:05 PM	53.2	47.5	11:40 PM - 11:45 PM	59.0	50.9
06:25 PM - 06:30 PM	48.6	43.4	09:05 PM - 09:10 PM	60.9	51.9	11:45 PM - 11:50 PM	59.5	52.0
06:30 PM - 06:35 PM	49.4	44.6	09:10 PM - 09:15 PM	60.3	48.7	11:50 PM - 11:55 PM	59.9	53.2
06:35 PM - 06:40 PM	45.9	42.6	09:15 PM - 09:20 PM	56.3	48.4	11:55 PM - 12:00 AM	58.8	49.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421678-1

Page 3 of 3

Sample Number 2582812-4
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกุ้งไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 26 - Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Sep 27, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 27, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 27, 2025 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	49.1	42.3	02:40 AM - 02:45 AM	51.6	48.0	05:20 AM - 05:25 AM	68.8	62.9
12:05 AM - 12:10 AM	44.4	42.7	02:45 AM - 02:50 AM	59.5	53.0	05:25 AM - 05:30 AM	68.7	57.5
12:10 AM - 12:15 AM	44.6	42.8	02:50 AM - 02:55 AM	54.0	51.7	05:30 AM - 05:35 AM	69.7	60.1
12:15 AM - 12:20 AM	45.8	42.4	02:55 AM - 03:00 AM	51.4	50.0	05:35 AM - 05:40 AM	69.2	56.6
12:20 AM - 12:25 AM	43.5	42.7	03:00 AM - 03:05 AM	50.7	49.6	05:40 AM - 05:45 AM	69.8	58.6
12:25 AM - 12:30 AM	42.8	42.3	03:05 AM - 03:10 AM	52.3	51.4	05:45 AM - 05:50 AM	69.8	62.3
12:30 AM - 12:35 AM	44.7	43.6	03:10 AM - 03:15 AM	54.6	49.9	05:50 AM - 05:55 AM	69.8	63.8
12:35 AM - 12:40 AM	44.5	43.1	03:15 AM - 03:20 AM	49.5	48.6	05:55 AM - 06:00 AM	69.1	64.5
12:40 AM - 12:45 AM	44.2	43.8	03:20 AM - 03:25 AM	52.7	49.0	06:00 AM - 06:05 AM	67.1	49.4
12:45 AM - 12:50 AM	44.3	43.6	03:25 AM - 03:30 AM	51.1	49.8	06:05 AM - 06:10 AM	58.9	49.0
12:50 AM - 12:55 AM	44.4	43.5	03:30 AM - 03:35 AM	54.4	48.9	06:10 AM - 06:15 AM	60.2	48.1
12:55 AM - 01:00 AM	44.5	43.4	03:35 AM - 03:40 AM	49.8	48.9	06:15 AM - 06:20 AM	48.9	47.7
01:00 AM - 01:05 AM	46.0	43.9	03:40 AM - 03:45 AM	50.0	47.9	06:20 AM - 06:25 AM	52.9	47.3
01:05 AM - 01:10 AM	45.2	44.2	03:45 AM - 03:50 AM	51.5	47.5	06:25 AM - 06:30 AM	49.0	46.7
01:10 AM - 01:15 AM	47.3	44.8	03:50 AM - 03:55 AM	54.7	47.6	06:30 AM - 06:35 AM	48.0	46.4
01:15 AM - 01:20 AM	50.4	44.9	03:55 AM - 04:00 AM	48.5	47.9	06:35 AM - 06:40 AM	49.7	46.8
01:20 AM - 01:25 AM	50.5	45.9	04:00 AM - 04:05 AM	55.6	48.3	06:40 AM - 06:45 AM	53.7	47.3
01:25 AM - 01:30 AM	53.5	46.3	04:05 AM - 04:10 AM	50.1	48.5	06:45 AM - 06:50 AM	51.9	47.6
01:30 AM - 01:35 AM	53.9	45.0	04:10 AM - 04:15 AM	50.7	48.8	06:50 AM - 06:55 AM	49.4	46.9
01:35 AM - 01:40 AM	46.0	43.0	04:15 AM - 04:20 AM	56.8	48.9	06:55 AM - 07:00 AM	63.4	47.2
01:40 AM - 01:45 AM	45.1	44.0	04:20 AM - 04:25 AM	52.9	50.3	07:00 AM - 07:05 AM	52.9	47.8
01:45 AM - 01:50 AM	44.2	43.4	04:25 AM - 04:30 AM	54.8	50.1	07:05 AM - 07:10 AM	50.8	48.2
01:50 AM - 01:55 AM	44.5	43.6	04:30 AM - 04:35 AM	53.0	50.7	07:10 AM - 07:15 AM	53.0	48.8
01:55 AM - 02:00 AM	49.4	44.5	04:35 AM - 04:40 AM	59.0	51.8	07:15 AM - 07:20 AM	50.7	48.9
02:00 AM - 02:05 AM	48.6	44.1	04:40 AM - 04:45 AM	62.8	52.2	07:20 AM - 07:25 AM	50.6	48.2
02:05 AM - 02:10 AM	48.7	45.1	04:45 AM - 04:50 AM	60.5	51.4	07:25 AM - 07:30 AM	51.0	49.4
02:10 AM - 02:15 AM	45.8	45.1	04:50 AM - 04:55 AM	61.3	51.8	07:30 AM - 07:35 AM	50.0	48.5
02:15 AM - 02:20 AM	45.2	44.3	04:55 AM - 05:00 AM	61.0	52.1	07:35 AM - 07:40 AM	53.3	48.8
02:20 AM - 02:25 AM	47.7	44.2	05:00 AM - 05:05 AM	64.7	52.2	07:40 AM - 07:45 AM	54.1	50.3
02:25 AM - 02:30 AM	47.9	45.6	05:05 AM - 05:10 AM	65.9	51.9	07:45 AM - 07:50 AM	52.2	50.2
02:30 AM - 02:35 AM	47.6	46.5	05:10 AM - 05:15 AM	68.6	61.9	07:50 AM - 07:55 AM	51.4	48.0
02:35 AM - 02:40 AM	47.5	46.4	05:15 AM - 05:20 AM	69.3	66.3	07:55 AM - 08:00 AM	49.3	47.2

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421679-1

Page 1 of 3

Sample Number 2582812-5
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 27 - Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Sep 27, 2025	Leq	L90	Sep 27, 2025	Leq	L90	Sep 27, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	49.8	46.9	10:40 AM - 10:45 AM	53.0	43.1	01:20 PM - 01:25 PM	44.7	43.2
08:05 AM - 08:10 AM	50.1	47.4	10:45 AM - 10:50 AM	54.3	47.4	01:25 PM - 01:30 PM	44.8	43.0
08:10 AM - 08:15 AM	49.2	47.2	10:50 AM - 10:55 AM	47.1	43.6	01:30 PM - 01:35 PM	45.3	42.9
08:15 AM - 08:20 AM	50.6	46.5	10:55 AM - 11:00 AM	54.7	45.3	01:35 PM - 01:40 PM	44.6	42.2
08:20 AM - 08:25 AM	52.6	48.2	11:00 AM - 11:05 AM	50.4	45.0	01:40 PM - 01:45 PM	45.4	42.6
08:25 AM - 08:30 AM	61.7	50.1	11:05 AM - 11:10 AM	48.6	44.0	01:45 PM - 01:50 PM	47.1	42.9
08:30 AM - 08:35 AM	56.4	51.3	11:10 AM - 11:15 AM	52.9	45.0	01:50 PM - 01:55 PM	48.4	44.0
08:35 AM - 08:40 AM	53.1	49.9	11:15 AM - 11:20 AM	50.8	44.3	01:55 PM - 02:00 PM	46.9	42.6
08:40 AM - 08:45 AM	53.9	50.6	11:20 AM - 11:25 AM	48.5	42.4	02:00 PM - 02:05 PM	47.3	43.3
08:45 AM - 08:50 AM	53.9	53.0	11:25 AM - 11:30 AM	48.1	44.1	02:05 PM - 02:10 PM	52.8	46.4
08:50 AM - 08:55 AM	59.9	53.0	11:30 AM - 11:35 AM	47.6	43.2	02:10 PM - 02:15 PM	52.2	46.9
08:55 AM - 09:00 AM	58.8	58.2	11:35 AM - 11:40 AM	46.1	42.7	02:15 PM - 02:20 PM	55.4	46.3
09:00 AM - 09:05 AM	60.4	59.9	11:40 AM - 11:45 AM	45.3	43.0	02:20 PM - 02:25 PM	49.4	45.5
09:05 AM - 09:10 AM	59.7	54.9	11:45 AM - 11:50 AM	47.6	43.6	02:25 PM - 02:30 PM	52.3	45.6
09:10 AM - 09:15 AM	51.0	48.8	11:50 AM - 11:55 AM	47.8	43.4	02:30 PM - 02:35 PM	50.8	45.9
09:15 AM - 09:20 AM	50.8	49.1	11:55 AM - 12:00 PM	46.5	43.6	02:35 PM - 02:40 PM	49.5	44.5
09:20 AM - 09:25 AM	51.4	49.2	12:00 PM - 12:05 PM	46.8	42.0	02:40 PM - 02:45 PM	46.1	43.1
09:25 AM - 09:30 AM	51.8	49.6	12:05 PM - 12:10 PM	47.1	43.0	02:45 PM - 02:50 PM	49.1	43.8
09:30 AM - 09:35 AM	53.3	50.4	12:10 PM - 12:15 PM	47.0	42.3	02:50 PM - 02:55 PM	54.1	43.3
09:35 AM - 09:40 AM	49.7	48.4	12:15 PM - 12:20 PM	47.4	42.8	02:55 PM - 03:00 PM	47.2	43.9
09:40 AM - 09:45 AM	53.0	48.2	12:20 PM - 12:25 PM	48.2	42.5	03:00 PM - 03:05 PM	51.4	45.3
09:45 AM - 09:50 AM	51.0	48.7	12:25 PM - 12:30 PM	44.3	41.6	03:05 PM - 03:10 PM	48.0	42.8
09:50 AM - 09:55 AM	48.9	47.2	12:30 PM - 12:35 PM	45.8	40.9	03:10 PM - 03:15 PM	50.7	45.5
09:55 AM - 10:00 AM	50.1	46.4	12:35 PM - 12:40 PM	43.2	40.3	03:15 PM - 03:20 PM	52.0	46.0
10:00 AM - 10:05 AM	50.7	46.6	12:40 PM - 12:45 PM	43.8	41.2	03:20 PM - 03:25 PM	49.6	45.4
10:05 AM - 10:10 AM	52.8	45.6	12:45 PM - 12:50 PM	43.7	41.6	03:25 PM - 03:30 PM	52.6	47.4
10:10 AM - 10:15 AM	49.9	45.7	12:50 PM - 12:55 PM	46.9	41.6	03:30 PM - 03:35 PM	50.4	45.6
10:15 AM - 10:20 AM	46.7	44.0	12:55 PM - 01:00 PM	44.9	42.8	03:35 PM - 03:40 PM	46.5	44.3
10:20 AM - 10:25 AM	47.3	42.9	01:00 PM - 01:05 PM	44.3	42.3	03:40 PM - 03:45 PM	48.7	44.5
10:25 AM - 10:30 AM	50.7	42.7	01:05 PM - 01:10 PM	45.3	41.8	03:45 PM - 03:50 PM	50.2	46.1
10:30 AM - 10:35 AM	54.9	45.6	01:10 PM - 01:15 PM	42.9	41.4	03:50 PM - 03:55 PM	50.0	45.4
10:35 AM - 10:40 AM	48.6	42.8	01:15 PM - 01:20 PM	43.7	42.4	03:55 PM - 04:00 PM	51.3	46.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421679-1

Page 2 of 3

Sample Number 2582812-5
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกุ้งไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 27 - Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Sep 27, 2025	Leq	L90	Sep 27, 2025	Leq	L90	Sep 27, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	50.7	46.6	06:40 PM - 06:45 PM	48.9	46.6	09:20 PM - 09:25 PM	66.0	65.1
04:05 PM - 04:10 PM	48.1	44.2	06:45 PM - 06:50 PM	52.6	50.1	09:25 PM - 09:30 PM	66.3	65.4
04:10 PM - 04:15 PM	50.3	44.9	06:50 PM - 06:55 PM	52.3	51.6	09:30 PM - 09:35 PM	66.2	65.2
04:15 PM - 04:20 PM	49.9	45.6	06:55 PM - 07:00 PM	53.8	52.6	09:35 PM - 09:40 PM	66.6	65.9
04:20 PM - 04:25 PM	51.2	45.1	07:00 PM - 07:05 PM	55.2	52.7	09:40 PM - 09:45 PM	66.4	65.6
04:25 PM - 04:30 PM	54.6	45.2	07:05 PM - 07:10 PM	55.1	52.7	09:45 PM - 09:50 PM	66.5	65.7
04:30 PM - 04:35 PM	49.4	45.3	07:10 PM - 07:15 PM	55.7	53.3	09:50 PM - 09:55 PM	66.5	65.6
04:35 PM - 04:40 PM	50.3	46.1	07:15 PM - 07:20 PM	57.0	54.3	09:55 PM - 10:00 PM	66.5	65.7
04:40 PM - 04:45 PM	45.7	43.1	07:20 PM - 07:25 PM	57.4	55.5	10:00 PM - 10:05 PM	66.3	65.5
04:45 PM - 04:50 PM	55.5	45.5	07:25 PM - 07:30 PM	57.1	54.7	10:05 PM - 10:10 PM	66.5	65.7
04:50 PM - 04:55 PM	50.4	42.0	07:30 PM - 07:35 PM	59.0	54.3	10:10 PM - 10:15 PM	66.3	65.6
04:55 PM - 05:00 PM	49.3	42.7	07:35 PM - 07:40 PM	57.4	54.4	10:15 PM - 10:20 PM	66.3	65.4
05:00 PM - 05:05 PM	46.8	42.4	07:40 PM - 07:45 PM	58.1	55.6	10:20 PM - 10:25 PM	65.9	64.2
05:05 PM - 05:10 PM	50.6	43.7	07:45 PM - 07:50 PM	58.9	55.2	10:25 PM - 10:30 PM	66.4	65.6
05:10 PM - 05:15 PM	49.5	44.8	07:50 PM - 07:55 PM	58.6	55.3	10:30 PM - 10:35 PM	66.5	65.8
05:15 PM - 05:20 PM	53.4	44.2	07:55 PM - 08:00 PM	60.4	56.2	10:35 PM - 10:40 PM	66.5	65.7
05:20 PM - 05:25 PM	51.7	43.6	08:00 PM - 08:05 PM	61.4	59.1	10:40 PM - 10:45 PM	63.4	59.5
05:25 PM - 05:30 PM	51.6	43.2	08:05 PM - 08:10 PM	63.2	60.2	10:45 PM - 10:50 PM	64.5	63.3
05:30 PM - 05:35 PM	53.2	44.1	08:10 PM - 08:15 PM	65.1	63.1	10:50 PM - 10:55 PM	65.2	64.1
05:35 PM - 05:40 PM	48.9	44.1	08:15 PM - 08:20 PM	66.3	64.8	10:55 PM - 11:00 PM	64.7	63.5
05:40 PM - 05:45 PM	46.3	43.6	08:20 PM - 08:25 PM	60.8	59.2	11:00 PM - 11:05 PM	64.5	63.7
05:45 PM - 05:50 PM	52.0	44.2	08:25 PM - 08:30 PM	62.0	60.4	11:05 PM - 11:10 PM	62.5	60.9
05:50 PM - 05:55 PM	50.2	44.7	08:30 PM - 08:35 PM	63.1	61.4	11:10 PM - 11:15 PM	63.1	61.1
05:55 PM - 06:00 PM	47.6	44.2	08:35 PM - 08:40 PM	61.7	60.1	11:15 PM - 11:20 PM	62.2	60.7
06:00 PM - 06:05 PM	49.0	44.2	08:40 PM - 08:45 PM	63.0	61.3	11:20 PM - 11:25 PM	61.9	60.5
06:05 PM - 06:10 PM	46.3	43.7	08:45 PM - 08:50 PM	63.8	62.0	11:25 PM - 11:30 PM	61.6	58.8
06:10 PM - 06:15 PM	49.9	44.5	08:50 PM - 08:55 PM	64.5	63.4	11:30 PM - 11:35 PM	60.2	58.8
06:15 PM - 06:20 PM	48.9	45.6	08:55 PM - 09:00 PM	64.9	62.5	11:35 PM - 11:40 PM	61.8	60.6
06:20 PM - 06:25 PM	50.5	45.8	09:00 PM - 09:05 PM	64.2	62.6	11:40 PM - 11:45 PM	61.3	59.8
06:25 PM - 06:30 PM	47.8	44.9	09:05 PM - 09:10 PM	64.7	63.3	11:45 PM - 11:50 PM	61.4	59.9
06:30 PM - 06:35 PM	51.5	45.9	09:10 PM - 09:15 PM	66.0	65.1	11:50 PM - 11:55 PM	60.5	59.3
06:35 PM - 06:40 PM	48.3	46.1	09:15 PM - 09:20 PM	65.9	65.0	11:55 PM - 12:00 AM	65.3	61.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421679-1

Page 3 of 3

Sample Number 2582812-5
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 27 - Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	64.4	59.4	02:40 AM - 02:45 AM	66.0	63.0	05:20 AM - 05:25 AM	62.9	58.6
12:05 AM - 12:10 AM	66.8	64.6	02:45 AM - 02:50 AM	65.8	64.1	05:25 AM - 05:30 AM	62.0	55.2
12:10 AM - 12:15 AM	66.7	65.5	02:50 AM - 02:55 AM	66.5	64.8	05:30 AM - 05:35 AM	60.0	52.6
12:15 AM - 12:20 AM	64.0	56.3	02:55 AM - 03:00 AM	66.8	64.5	05:35 AM - 05:40 AM	61.0	53.4
12:20 AM - 12:25 AM	65.8	64.3	03:00 AM - 03:05 AM	65.8	63.0	05:40 AM - 05:45 AM	58.0	50.6
12:25 AM - 12:30 AM	64.1	58.5	03:05 AM - 03:10 AM	65.3	61.7	05:45 AM - 05:50 AM	54.8	49.2
12:30 AM - 12:35 AM	65.0	62.1	03:10 AM - 03:15 AM	67.1	64.9	05:50 AM - 05:55 AM	56.5	49.5
12:35 AM - 12:40 AM	63.7	60.2	03:15 AM - 03:20 AM	67.3	65.0	05:55 AM - 06:00 AM	58.9	49.5
12:40 AM - 12:45 AM	65.1	63.0	03:20 AM - 03:25 AM	65.8	63.4	06:00 AM - 06:05 AM	56.5	50.5
12:45 AM - 12:50 AM	62.0	57.6	03:25 AM - 03:30 AM	65.8	63.8	06:05 AM - 06:10 AM	52.2	47.2
12:50 AM - 12:55 AM	62.4	58.8	03:30 AM - 03:35 AM	66.8	62.7	06:10 AM - 06:15 AM	48.2	46.8
12:55 AM - 01:00 AM	63.9	60.5	03:35 AM - 03:40 AM	66.9	63.9	06:15 AM - 06:20 AM	48.8	47.2
01:00 AM - 01:05 AM	62.7	58.9	03:40 AM - 03:45 AM	66.5	64.1	06:20 AM - 06:25 AM	49.8	48.0
01:05 AM - 01:10 AM	60.9	54.7	03:45 AM - 03:50 AM	66.3	64.3	06:25 AM - 06:30 AM	50.8	48.9
01:10 AM - 01:15 AM	61.5	54.6	03:50 AM - 03:55 AM	67.2	63.7	06:30 AM - 06:35 AM	50.5	48.5
01:15 AM - 01:20 AM	61.3	55.4	03:55 AM - 04:00 AM	64.9	62.0	06:35 AM - 06:40 AM	50.7	47.9
01:20 AM - 01:25 AM	63.2	60.6	04:00 AM - 04:05 AM	64.9	62.5	06:40 AM - 06:45 AM	49.7	47.5
01:25 AM - 01:30 AM	64.2	60.9	04:05 AM - 04:10 AM	64.7	62.0	06:45 AM - 06:50 AM	50.0	47.3
01:30 AM - 01:35 AM	65.0	61.5	04:10 AM - 04:15 AM	64.5	61.9	06:50 AM - 06:55 AM	49.0	47.1
01:35 AM - 01:40 AM	64.4	59.0	04:15 AM - 04:20 AM	64.8	62.4	06:55 AM - 07:00 AM	48.2	47.1
01:40 AM - 01:45 AM	64.3	61.9	04:20 AM - 04:25 AM	64.1	61.8	07:00 AM - 07:05 AM	48.7	47.7
01:45 AM - 01:50 AM	63.5	59.9	04:25 AM - 04:30 AM	63.9	62.2	07:05 AM - 07:10 AM	48.7	47.4
01:50 AM - 01:55 AM	62.6	58.7	04:30 AM - 04:35 AM	63.2	61.1	07:10 AM - 07:15 AM	48.5	47.6
01:55 AM - 02:00 AM	64.1	61.6	04:35 AM - 04:40 AM	63.3	59.5	07:15 AM - 07:20 AM	48.7	47.3
02:00 AM - 02:05 AM	65.4	61.3	04:40 AM - 04:45 AM	66.8	63.5	07:20 AM - 07:25 AM	49.0	47.0
02:05 AM - 02:10 AM	64.9	62.1	04:45 AM - 04:50 AM	66.5	63.3	07:25 AM - 07:30 AM	48.1	46.5
02:10 AM - 02:15 AM	65.7	62.6	04:50 AM - 04:55 AM	65.3	63.0	07:30 AM - 07:35 AM	48.5	46.8
02:15 AM - 02:20 AM	66.4	64.2	04:55 AM - 05:00 AM	62.1	52.2	07:35 AM - 07:40 AM	48.9	46.9
02:20 AM - 02:25 AM	67.0	64.8	05:00 AM - 05:05 AM	64.4	59.9	07:40 AM - 07:45 AM	53.7	48.2
02:25 AM - 02:30 AM	66.4	62.8	05:05 AM - 05:10 AM	65.0	62.7	07:45 AM - 07:50 AM	49.3	47.1
02:30 AM - 02:35 AM	65.9	62.3	05:10 AM - 05:15 AM	64.3	61.6	07:50 AM - 07:55 AM	51.3	47.0
02:35 AM - 02:40 AM	64.8	60.0	05:15 AM - 05:20 AM	63.7	61.1	07:55 AM - 08:00 AM	52.5	47.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421680-1

Page 1 of 3

Sample Number 2582812-6
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 28 - Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	51.2	47.1	10:40 AM - 10:45 AM	47.9	46.0	01:20 PM - 01:25 PM	59.8	43.9
08:05 AM - 08:10 AM	51.2	47.4	10:45 AM - 10:50 AM	50.7	46.5	01:25 PM - 01:30 PM	49.5	43.9
08:10 AM - 08:15 AM	47.1	44.5	10:50 AM - 10:55 AM	48.2	44.3	01:30 PM - 01:35 PM	47.3	42.9
08:15 AM - 08:20 AM	48.1	44.7	10:55 AM - 11:00 AM	49.3	44.9	01:35 PM - 01:40 PM	48.7	44.5
08:20 AM - 08:25 AM	48.1	46.5	11:00 AM - 11:05 AM	49.3	45.7	01:40 PM - 01:45 PM	47.7	44.2
08:25 AM - 08:30 AM	48.9	45.2	11:05 AM - 11:10 AM	46.8	44.5	01:45 PM - 01:50 PM	50.5	44.2
08:30 AM - 08:35 AM	48.4	44.6	11:10 AM - 11:15 AM	52.6	46.2	01:50 PM - 01:55 PM	46.4	43.7
08:35 AM - 08:40 AM	50.3	45.8	11:15 AM - 11:20 AM	53.7	46.8	01:55 PM - 02:00 PM	45.4	42.7
08:40 AM - 08:45 AM	50.2	45.9	11:20 AM - 11:25 AM	49.3	45.2	02:00 PM - 02:05 PM	47.0	43.5
08:45 AM - 08:50 AM	52.5	43.7	11:25 AM - 11:30 AM	51.0	43.1	02:05 PM - 02:10 PM	45.8	42.1
08:50 AM - 08:55 AM	53.7	45.3	11:30 AM - 11:35 AM	46.4	43.2	02:10 PM - 02:15 PM	49.0	43.7
08:55 AM - 09:00 AM	49.5	46.2	11:35 AM - 11:40 AM	49.6	43.8	02:15 PM - 02:20 PM	46.8	43.7
09:00 AM - 09:05 AM	48.9	45.7	11:40 AM - 11:45 AM	50.0	45.6	02:20 PM - 02:25 PM	47.4	42.5
09:05 AM - 09:10 AM	48.5	44.6	11:45 AM - 11:50 AM	55.1	44.9	02:25 PM - 02:30 PM	47.9	43.2
09:10 AM - 09:15 AM	50.1	45.7	11:50 AM - 11:55 AM	46.7	42.0	02:30 PM - 02:35 PM	46.9	43.4
09:15 AM - 09:20 AM	48.6	45.3	11:55 AM - 12:00 PM	45.6	42.8	02:35 PM - 02:40 PM	48.4	43.9
09:20 AM - 09:25 AM	48.0	45.0	12:00 PM - 12:05 PM	50.7	43.5	02:40 PM - 02:45 PM	53.8	45.3
09:25 AM - 09:30 AM	47.0	43.3	12:05 PM - 12:10 PM	48.5	44.4	02:45 PM - 02:50 PM	48.5	43.8
09:30 AM - 09:35 AM	45.6	42.8	12:10 PM - 12:15 PM	50.0	42.8	02:50 PM - 02:55 PM	47.4	43.5
09:35 AM - 09:40 AM	46.8	44.2	12:15 PM - 12:20 PM	46.2	41.7	02:55 PM - 03:00 PM	52.6	44.8
09:40 AM - 09:45 AM	47.3	43.3	12:20 PM - 12:25 PM	45.9	40.0	03:00 PM - 03:05 PM	49.4	45.3
09:45 AM - 09:50 AM	50.1	44.9	12:25 PM - 12:30 PM	42.1	40.0	03:05 PM - 03:10 PM	47.9	44.8
09:50 AM - 09:55 AM	50.5	46.1	12:30 PM - 12:35 PM	42.7	39.9	03:10 PM - 03:15 PM	53.8	45.8
09:55 AM - 10:00 AM	60.7	44.8	12:35 PM - 12:40 PM	50.1	40.1	03:15 PM - 03:20 PM	48.5	44.1
10:00 AM - 10:05 AM	50.1	44.2	12:40 PM - 12:45 PM	49.4	41.3	03:20 PM - 03:25 PM	49.4	44.2
10:05 AM - 10:10 AM	49.1	44.8	12:45 PM - 12:50 PM	51.5	42.9	03:25 PM - 03:30 PM	48.8	44.0
10:10 AM - 10:15 AM	54.8	48.4	12:50 PM - 12:55 PM	45.3	39.0	03:30 PM - 03:35 PM	45.8	42.9
10:15 AM - 10:20 AM	48.6	43.8	12:55 PM - 01:00 PM	42.9	39.0	03:35 PM - 03:40 PM	48.2	43.0
10:20 AM - 10:25 AM	49.3	44.3	01:00 PM - 01:05 PM	44.8	41.0	03:40 PM - 03:45 PM	48.1	43.9
10:25 AM - 10:30 AM	47.2	44.8	01:05 PM - 01:10 PM	46.6	43.7	03:45 PM - 03:50 PM	47.5	43.6
10:30 AM - 10:35 AM	50.4	44.3	01:10 PM - 01:15 PM	46.2	43.3	03:50 PM - 03:55 PM	50.0	45.1
10:35 AM - 10:40 AM	49.1	46.0	01:15 PM - 01:20 PM	50.7	44.8	03:55 PM - 04:00 PM	49.3	46.2

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421680-1

Page 2 of 3

Sample Number 2582812-6
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกุ้งไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 28 - Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	50.8	44.5	06:40 PM - 06:45 PM	53.1	47.4	09:20 PM - 09:25 PM	62.7	50.4
04:05 PM - 04:10 PM	47.5	43.8	06:45 PM - 06:50 PM	49.1	47.2	09:25 PM - 09:30 PM	65.4	52.3
04:10 PM - 04:15 PM	47.2	43.3	06:50 PM - 06:55 PM	50.8	49.0	09:30 PM - 09:35 PM	66.1	55.1
04:15 PM - 04:20 PM	47.6	44.2	06:55 PM - 07:00 PM	51.8	50.3	09:35 PM - 09:40 PM	66.0	54.8
04:20 PM - 04:25 PM	48.2	44.4	07:00 PM - 07:05 PM	53.0	51.6	09:40 PM - 09:45 PM	65.9	54.9
04:25 PM - 04:30 PM	51.0	44.9	07:05 PM - 07:10 PM	54.9	53.0	09:45 PM - 09:50 PM	64.7	49.9
04:30 PM - 04:35 PM	47.2	44.9	07:10 PM - 07:15 PM	54.5	52.8	09:50 PM - 09:55 PM	64.8	51.4
04:35 PM - 04:40 PM	46.7	44.5	07:15 PM - 07:20 PM	55.0	53.6	09:55 PM - 10:00 PM	64.7	51.9
04:40 PM - 04:45 PM	51.9	45.0	07:20 PM - 07:25 PM	55.9	54.5	10:00 PM - 10:05 PM	64.1	48.2
04:45 PM - 04:50 PM	49.1	44.0	07:25 PM - 07:30 PM	57.3	53.5	10:05 PM - 10:10 PM	65.0	50.4
04:50 PM - 04:55 PM	48.8	44.1	07:30 PM - 07:35 PM	56.4	54.2	10:10 PM - 10:15 PM	65.1	50.4
04:55 PM - 05:00 PM	46.2	43.9	07:35 PM - 07:40 PM	55.7	54.3	10:15 PM - 10:20 PM	56.1	48.9
05:00 PM - 05:05 PM	51.6	44.9	07:40 PM - 07:45 PM	55.9	54.7	10:20 PM - 10:25 PM	54.7	50.8
05:05 PM - 05:10 PM	51.0	46.5	07:45 PM - 07:50 PM	55.8	54.5	10:25 PM - 10:30 PM	52.8	51.1
05:10 PM - 05:15 PM	48.4	45.3	07:50 PM - 07:55 PM	55.7	54.5	10:30 PM - 10:35 PM	54.9	51.2
05:15 PM - 05:20 PM	50.5	48.4	07:55 PM - 08:00 PM	54.2	52.7	10:35 PM - 10:40 PM	53.2	51.0
05:20 PM - 05:25 PM	57.0	47.9	08:00 PM - 08:05 PM	60.1	53.1	10:40 PM - 10:45 PM	53.0	50.2
05:25 PM - 05:30 PM	50.4	46.2	08:05 PM - 08:10 PM	65.1	52.7	10:45 PM - 10:50 PM	51.2	48.7
05:30 PM - 05:35 PM	48.2	45.0	08:10 PM - 08:15 PM	67.0	57.1	10:50 PM - 10:55 PM	51.5	48.4
05:35 PM - 05:40 PM	47.4	44.5	08:15 PM - 08:20 PM	67.5	57.2	10:55 PM - 11:00 PM	51.5	48.4
05:40 PM - 05:45 PM	47.6	45.4	08:20 PM - 08:25 PM	66.7	49.9	11:00 PM - 11:05 PM	51.3	48.7
05:45 PM - 05:50 PM	51.5	44.9	08:25 PM - 08:30 PM	66.7	53.4	11:05 PM - 11:10 PM	51.4	49.0
05:50 PM - 05:55 PM	47.8	45.5	08:30 PM - 08:35 PM	66.6	53.5	11:10 PM - 11:15 PM	51.6	49.8
05:55 PM - 06:00 PM	50.5	47.2	08:35 PM - 08:40 PM	67.0	54.5	11:15 PM - 11:20 PM	50.8	49.5
06:00 PM - 06:05 PM	49.9	45.7	08:40 PM - 08:45 PM	67.0	55.5	11:20 PM - 11:25 PM	49.9	48.7
06:05 PM - 06:10 PM	49.5	45.9	08:45 PM - 08:50 PM	65.6	52.6	11:25 PM - 11:30 PM	48.5	47.5
06:10 PM - 06:15 PM	49.6	45.5	08:50 PM - 08:55 PM	65.9	53.5	11:30 PM - 11:35 PM	49.1	47.9
06:15 PM - 06:20 PM	49.4	45.7	08:55 PM - 09:00 PM	64.9	51.2	11:35 PM - 11:40 PM	50.1	48.7
06:20 PM - 06:25 PM	49.7	45.1	09:00 PM - 09:05 PM	67.1	57.3	11:40 PM - 11:45 PM	50.2	47.6
06:25 PM - 06:30 PM	52.5	45.6	09:05 PM - 09:10 PM	66.3	52.7	11:45 PM - 11:50 PM	50.0	48.2
06:30 PM - 06:35 PM	53.6	46.5	09:10 PM - 09:15 PM	62.6	51.1	11:50 PM - 11:55 PM	49.9	48.3
06:35 PM - 06:40 PM	51.3	46.1	09:15 PM - 09:20 PM	62.1	52.3	11:55 PM - 12:00 AM	48.6	47.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421680-1

Page 3 of 3

Sample Number 2582812-6
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกุ้งไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 28 - Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	50.3	47.8	02:40 AM - 02:45 AM	47.6	45.2	05:20 AM - 05:25 AM	48.1	46.3
12:05 AM - 12:10 AM	49.9	47.6	02:45 AM - 02:50 AM	48.6	45.5	05:25 AM - 05:30 AM	49.0	48.0
12:10 AM - 12:15 AM	49.5	47.6	02:50 AM - 02:55 AM	54.4	47.4	05:30 AM - 05:35 AM	48.7	47.3
12:15 AM - 12:20 AM	49.4	47.6	02:55 AM - 03:00 AM	53.6	46.5	05:35 AM - 05:40 AM	49.4	48.7
12:20 AM - 12:25 AM	50.1	47.9	03:00 AM - 03:05 AM	57.1	48.7	05:40 AM - 05:45 AM	49.2	47.2
12:25 AM - 12:30 AM	49.6	47.9	03:05 AM - 03:10 AM	57.1	49.4	05:45 AM - 05:50 AM	50.7	49.1
12:30 AM - 12:35 AM	52.1	48.1	03:10 AM - 03:15 AM	57.9	48.3	05:50 AM - 05:55 AM	50.4	47.9
12:35 AM - 12:40 AM	54.2	48.5	03:15 AM - 03:20 AM	55.9	47.0	05:55 AM - 06:00 AM	49.8	47.0
12:40 AM - 12:45 AM	54.5	48.0	03:20 AM - 03:25 AM	52.7	45.8	06:00 AM - 06:05 AM	48.6	46.8
12:45 AM - 12:50 AM	55.3	47.1	03:25 AM - 03:30 AM	50.8	44.6	06:05 AM - 06:10 AM	50.4	47.5
12:50 AM - 12:55 AM	56.1	47.9	03:30 AM - 03:35 AM	46.6	44.2	06:10 AM - 06:15 AM	51.0	47.9
12:55 AM - 01:00 AM	58.1	49.0	03:35 AM - 03:40 AM	50.6	44.9	06:15 AM - 06:20 AM	51.4	48.3
01:00 AM - 01:05 AM	58.5	49.6	03:40 AM - 03:45 AM	54.3	45.0	06:20 AM - 06:25 AM	49.6	47.9
01:05 AM - 01:10 AM	58.4	49.3	03:45 AM - 03:50 AM	51.1	44.5	06:25 AM - 06:30 AM	49.0	47.9
01:10 AM - 01:15 AM	58.4	48.8	03:50 AM - 03:55 AM	45.3	44.4	06:30 AM - 06:35 AM	49.3	47.5
01:15 AM - 01:20 AM	58.4	48.4	03:55 AM - 04:00 AM	47.9	44.6	06:35 AM - 06:40 AM	50.3	48.2
01:20 AM - 01:25 AM	57.2	46.3	04:00 AM - 04:05 AM	45.0	44.2	06:40 AM - 06:45 AM	49.5	47.7
01:25 AM - 01:30 AM	47.7	45.8	04:05 AM - 04:10 AM	46.4	44.1	06:45 AM - 06:50 AM	51.5	47.6
01:30 AM - 01:35 AM	51.3	46.5	04:10 AM - 04:15 AM	45.4	44.3	06:50 AM - 06:55 AM	49.7	47.3
01:35 AM - 01:40 AM	55.1	47.0	04:15 AM - 04:20 AM	44.8	44.4	06:55 AM - 07:00 AM	47.7	46.6
01:40 AM - 01:45 AM	56.6	47.0	04:20 AM - 04:25 AM	45.4	44.8	07:00 AM - 07:05 AM	48.9	46.8
01:45 AM - 01:50 AM	54.4	45.9	04:25 AM - 04:30 AM	45.3	44.6	07:05 AM - 07:10 AM	48.7	46.5
01:50 AM - 01:55 AM	51.3	45.7	04:30 AM - 04:35 AM	47.6	45.8	07:10 AM - 07:15 AM	51.5	46.9
01:55 AM - 02:00 AM	46.8	45.1	04:35 AM - 04:40 AM	46.5	45.3	07:15 AM - 07:20 AM	48.0	46.7
02:00 AM - 02:05 AM	46.3	45.1	04:40 AM - 04:45 AM	46.9	45.8	07:20 AM - 07:25 AM	48.3	47.1
02:05 AM - 02:10 AM	46.1	45.3	04:45 AM - 04:50 AM	47.0	46.0	07:25 AM - 07:30 AM	54.8	47.7
02:10 AM - 02:15 AM	46.2	45.5	04:50 AM - 04:55 AM	47.3	46.3	07:30 AM - 07:35 AM	50.6	47.3
02:15 AM - 02:20 AM	46.8	45.4	04:55 AM - 05:00 AM	48.0	46.6	07:35 AM - 07:40 AM	49.4	47.1
02:20 AM - 02:25 AM	47.2	45.5	05:00 AM - 05:05 AM	46.8	45.9	07:40 AM - 07:45 AM	52.5	48.4
02:25 AM - 02:30 AM	46.5	45.4	05:05 AM - 05:10 AM	47.3	46.2	07:45 AM - 07:50 AM	53.8	48.0
02:30 AM - 02:35 AM	47.3	45.6	05:10 AM - 05:15 AM	48.0	46.3	07:50 AM - 07:55 AM	51.6	47.7
02:35 AM - 02:40 AM	50.5	46.1	05:15 AM - 05:20 AM	48.8	46.7	07:55 AM - 08:00 AM	49.4	47.3

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421681-1

Page 1 of 3

Sample Number 2582812-7
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 29 - Sep 30, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	48.2	47.0	10:40 AM - 10:45 AM	48.1	42.3	01:20 PM - 01:25 PM	49.5	42.9
08:05 AM - 08:10 AM	48.7	47.4	10:45 AM - 10:50 AM	47.8	42.7	01:25 PM - 01:30 PM	43.8	41.2
08:10 AM - 08:15 AM	48.7	47.4	10:50 AM - 10:55 AM	47.8	42.4	01:30 PM - 01:35 PM	45.4	43.3
08:15 AM - 08:20 AM	48.1	46.8	10:55 AM - 11:00 AM	48.2	44.5	01:35 PM - 01:40 PM	47.2	45.1
08:20 AM - 08:25 AM	56.8	48.6	11:00 AM - 11:05 AM	53.9	46.6	01:40 PM - 01:45 PM	54.4	46.5
08:25 AM - 08:30 AM	49.0	46.5	11:05 AM - 11:10 AM	48.3	42.5	01:45 PM - 01:50 PM	58.9	53.6
08:30 AM - 08:35 AM	50.1	46.2	11:10 AM - 11:15 AM	49.2	44.0	01:50 PM - 01:55 PM	60.1	57.6
08:35 AM - 08:40 AM	47.8	45.5	11:15 AM - 11:20 AM	47.1	41.9	01:55 PM - 02:00 PM	60.1	57.3
08:40 AM - 08:45 AM	47.8	45.7	11:20 AM - 11:25 AM	46.9	42.8	02:00 PM - 02:05 PM	62.4	59.7
08:45 AM - 08:50 AM	47.0	45.2	11:25 AM - 11:30 AM	45.0	42.4	02:05 PM - 02:10 PM	60.9	58.2
08:50 AM - 08:55 AM	47.7	45.0	11:30 AM - 11:35 AM	49.3	43.5	02:10 PM - 02:15 PM	63.0	60.1
08:55 AM - 09:00 AM	47.1	45.0	11:35 AM - 11:40 AM	46.3	44.2	02:15 PM - 02:20 PM	63.5	59.8
09:00 AM - 09:05 AM	48.4	45.3	11:40 AM - 11:45 AM	50.3	44.1	02:20 PM - 02:25 PM	62.1	59.8
09:05 AM - 09:10 AM	46.5	44.5	11:45 AM - 11:50 AM	48.1	43.6	02:25 PM - 02:30 PM	59.4	49.0
09:10 AM - 09:15 AM	47.5	44.9	11:50 AM - 11:55 AM	45.8	42.7	02:30 PM - 02:35 PM	53.8	50.6
09:15 AM - 09:20 AM	50.2	46.0	11:55 AM - 12:00 PM	44.6	41.8	02:35 PM - 02:40 PM	52.0	46.5
09:20 AM - 09:25 AM	47.5	45.5	12:00 PM - 12:05 PM	47.2	43.0	02:40 PM - 02:45 PM	56.4	48.5
09:25 AM - 09:30 AM	49.1	44.4	12:05 PM - 12:10 PM	43.4	40.7	02:45 PM - 02:50 PM	58.2	46.6
09:30 AM - 09:35 AM	49.4	46.3	12:10 PM - 12:15 PM	41.4	39.1	02:50 PM - 02:55 PM	47.3	43.9
09:35 AM - 09:40 AM	54.5	46.4	12:15 PM - 12:20 PM	42.5	39.1	02:55 PM - 03:00 PM	49.1	44.7
09:40 AM - 09:45 AM	53.6	45.2	12:20 PM - 12:25 PM	40.9	38.3	03:00 PM - 03:05 PM	52.7	46.9
09:45 AM - 09:50 AM	49.1	45.2	12:25 PM - 12:30 PM	40.9	38.5	03:05 PM - 03:10 PM	50.8	45.5
09:50 AM - 09:55 AM	50.6	46.0	12:30 PM - 12:35 PM	48.0	38.9	03:10 PM - 03:15 PM	47.0	44.3
09:55 AM - 10:00 AM	46.9	44.5	12:35 PM - 12:40 PM	41.7	38.9	03:15 PM - 03:20 PM	50.4	44.7
10:00 AM - 10:05 AM	45.9	43.7	12:40 PM - 12:45 PM	59.5	39.7	03:20 PM - 03:25 PM	47.3	44.1
10:05 AM - 10:10 AM	47.4	44.1	12:45 PM - 12:50 PM	60.2	41.0	03:25 PM - 03:30 PM	51.8	46.4
10:10 AM - 10:15 AM	47.3	44.6	12:50 PM - 12:55 PM	43.5	40.1	03:30 PM - 03:35 PM	60.2	47.6
10:15 AM - 10:20 AM	47.1	43.8	12:55 PM - 01:00 PM	42.8	38.5	03:35 PM - 03:40 PM	64.8	62.0
10:20 AM - 10:25 AM	45.5	43.0	01:00 PM - 01:05 PM	43.8	38.7	03:40 PM - 03:45 PM	63.2	59.2
10:25 AM - 10:30 AM	48.8	42.8	01:05 PM - 01:10 PM	44.7	41.0	03:45 PM - 03:50 PM	63.0	58.6
10:30 AM - 10:35 AM	45.7	42.7	01:10 PM - 01:15 PM	43.4	40.7	03:50 PM - 03:55 PM	64.3	61.9
10:35 AM - 10:40 AM	43.9	41.9	01:15 PM - 01:20 PM	44.4	40.9	03:55 PM - 04:00 PM	64.5	62.0

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421681-1

Page 2 of 3

Sample Number 2582812-7
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกุ้งไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 29 - Sep 30, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	62.0	57.4	06:40 PM - 06:45 PM	48.8	42.2	09:20 PM - 09:25 PM	46.8	45.8
04:05 PM - 04:10 PM	53.8	45.4	06:45 PM - 06:50 PM	50.5	42.7	09:25 PM - 09:30 PM	46.7	45.8
04:10 PM - 04:15 PM	53.9	47.3	06:50 PM - 06:55 PM	46.8	45.1	09:30 PM - 09:35 PM	46.5	45.0
04:15 PM - 04:20 PM	49.6	45.3	06:55 PM - 07:00 PM	50.5	46.6	09:35 PM - 09:40 PM	47.0	45.9
04:20 PM - 04:25 PM	49.4	45.4	07:00 PM - 07:05 PM	48.0	46.6	09:40 PM - 09:45 PM	47.7	46.8
04:25 PM - 04:30 PM	52.0	47.0	07:05 PM - 07:10 PM	47.5	46.2	09:45 PM - 09:50 PM	46.9	45.1
04:30 PM - 04:35 PM	54.1	47.6	07:10 PM - 07:15 PM	47.9	46.7	09:50 PM - 09:55 PM	45.7	44.8
04:35 PM - 04:40 PM	56.1	49.0	07:15 PM - 07:20 PM	49.2	47.2	09:55 PM - 10:00 PM	45.8	44.8
04:40 PM - 04:45 PM	51.2	45.6	07:20 PM - 07:25 PM	48.8	47.5	10:00 PM - 10:05 PM	46.5	45.2
04:45 PM - 04:50 PM	49.8	45.9	07:25 PM - 07:30 PM	48.0	47.2	10:05 PM - 10:10 PM	48.4	46.3
04:50 PM - 04:55 PM	51.4	46.0	07:30 PM - 07:35 PM	49.1	47.1	10:10 PM - 10:15 PM	48.5	46.3
04:55 PM - 05:00 PM	52.2	47.1	07:35 PM - 07:40 PM	49.3	48.2	10:15 PM - 10:20 PM	47.6	46.3
05:00 PM - 05:05 PM	54.5	46.8	07:40 PM - 07:45 PM	50.9	48.0	10:20 PM - 10:25 PM	46.7	46.1
05:05 PM - 05:10 PM	55.4	47.4	07:45 PM - 07:50 PM	48.3	46.2	10:25 PM - 10:30 PM	47.0	46.3
05:10 PM - 05:15 PM	55.9	47.9	07:50 PM - 07:55 PM	47.2	46.0	10:30 PM - 10:35 PM	47.2	46.4
05:15 PM - 05:20 PM	52.1	46.8	07:55 PM - 08:00 PM	48.1	46.0	10:35 PM - 10:40 PM	48.2	46.4
05:20 PM - 05:25 PM	54.3	46.5	08:00 PM - 08:05 PM	46.9	45.7	10:40 PM - 10:45 PM	48.3	46.8
05:25 PM - 05:30 PM	55.6	48.8	08:05 PM - 08:10 PM	47.0	45.5	10:45 PM - 10:50 PM	49.2	46.8
05:30 PM - 05:35 PM	54.5	45.5	08:10 PM - 08:15 PM	47.5	45.8	10:50 PM - 10:55 PM	49.2	46.1
05:35 PM - 05:40 PM	51.5	45.8	08:15 PM - 08:20 PM	52.1	46.3	10:55 PM - 11:00 PM	47.9	45.3
05:40 PM - 05:45 PM	51.8	44.8	08:20 PM - 08:25 PM	46.9	45.3	11:00 PM - 11:05 PM	48.1	45.3
05:45 PM - 05:50 PM	51.9	45.3	08:25 PM - 08:30 PM	45.6	44.5	11:05 PM - 11:10 PM	45.9	45.0
05:50 PM - 05:55 PM	47.7	44.4	08:30 PM - 08:35 PM	47.0	44.4	11:10 PM - 11:15 PM	46.2	45.2
05:55 PM - 06:00 PM	49.3	45.6	08:35 PM - 08:40 PM	45.9	44.6	11:15 PM - 11:20 PM	46.8	45.0
06:00 PM - 06:05 PM	48.6	44.5	08:40 PM - 08:45 PM	46.4	45.3	11:20 PM - 11:25 PM	45.9	45.1
06:05 PM - 06:10 PM	48.8	43.5	08:45 PM - 08:50 PM	46.6	45.5	11:25 PM - 11:30 PM	47.0	45.8
06:10 PM - 06:15 PM	52.8	43.6	08:50 PM - 08:55 PM	46.9	45.4	11:30 PM - 11:35 PM	49.0	46.9
06:15 PM - 06:20 PM	49.7	43.6	08:55 PM - 09:00 PM	47.7	45.1	11:35 PM - 11:40 PM	48.7	47.1
06:20 PM - 06:25 PM	45.4	42.1	09:00 PM - 09:05 PM	46.4	45.0	11:40 PM - 11:45 PM	49.3	47.6
06:25 PM - 06:30 PM	45.1	42.7	09:05 PM - 09:10 PM	45.3	44.2	11:45 PM - 11:50 PM	49.0	47.3
06:30 PM - 06:35 PM	46.2	43.0	09:10 PM - 09:15 PM	45.9	44.5	11:50 PM - 11:55 PM	49.5	47.7
06:35 PM - 06:40 PM	46.8	42.8	09:15 PM - 09:20 PM	47.3	45.4	11:55 PM - 12:00 AM	48.3	46.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421681-1

Page 3 of 3

Sample Number 2582812-7
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกุ้งไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Sep 29 - Sep 30, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623391

Sep 30, 2025	Leq	L90	Sep 30, 2025	Leq	L90	Sep 30, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	47.9	46.3	02:40 AM - 02:45 AM	45.6	44.0	05:20 AM - 05:25 AM	47.5	46.5
12:05 AM - 12:10 AM	47.4	45.8	02:45 AM - 02:50 AM	46.0	44.1	05:25 AM - 05:30 AM	48.5	47.4
12:10 AM - 12:15 AM	48.8	46.2	02:50 AM - 02:55 AM	45.5	44.7	05:30 AM - 05:35 AM	48.8	48.0
12:15 AM - 12:20 AM	48.4	46.6	02:55 AM - 03:00 AM	45.9	45.1	05:35 AM - 05:40 AM	48.8	48.0
12:20 AM - 12:25 AM	49.1	47.3	03:00 AM - 03:05 AM	46.2	45.3	05:40 AM - 05:45 AM	48.7	46.9
12:25 AM - 12:30 AM	48.5	47.1	03:05 AM - 03:10 AM	47.3	45.3	05:45 AM - 05:50 AM	48.2	47.2
12:30 AM - 12:35 AM	47.9	46.9	03:10 AM - 03:15 AM	46.2	45.2	05:50 AM - 05:55 AM	48.3	47.3
12:35 AM - 12:40 AM	48.3	47.1	03:15 AM - 03:20 AM	47.3	44.9	05:55 AM - 06:00 AM	48.0	46.6
12:40 AM - 12:45 AM	48.2	46.5	03:20 AM - 03:25 AM	47.3	45.4	06:00 AM - 06:05 AM	47.6	46.2
12:45 AM - 12:50 AM	47.3	45.8	03:25 AM - 03:30 AM	46.5	45.6	06:05 AM - 06:10 AM	48.3	45.9
12:50 AM - 12:55 AM	46.9	45.8	03:30 AM - 03:35 AM	47.7	45.8	06:10 AM - 06:15 AM	49.6	47.1
12:55 AM - 01:00 AM	46.5	45.6	03:35 AM - 03:40 AM	46.8	45.8	06:15 AM - 06:20 AM	49.5	47.9
01:00 AM - 01:05 AM	47.0	45.1	03:40 AM - 03:45 AM	46.9	45.7	06:20 AM - 06:25 AM	50.4	48.4
01:05 AM - 01:10 AM	46.2	45.2	03:45 AM - 03:50 AM	46.9	45.9	06:25 AM - 06:30 AM	52.7	49.0
01:10 AM - 01:15 AM	46.9	45.4	03:50 AM - 03:55 AM	47.8	46.2	06:30 AM - 06:35 AM	51.0	49.1
01:15 AM - 01:20 AM	46.7	45.5	03:55 AM - 04:00 AM	48.8	45.7	06:35 AM - 06:40 AM	54.0	49.9
01:20 AM - 01:25 AM	47.3	45.3	04:00 AM - 04:05 AM	46.7	45.2	06:40 AM - 06:45 AM	52.3	50.6
01:25 AM - 01:30 AM	48.6	45.1	04:05 AM - 04:10 AM	46.0	44.7	06:45 AM - 06:50 AM	50.7	48.8
01:30 AM - 01:35 AM	47.4	44.9	04:10 AM - 04:15 AM	45.8	44.7	06:50 AM - 06:55 AM	50.9	49.6
01:35 AM - 01:40 AM	47.8	46.8	04:15 AM - 04:20 AM	45.5	44.8	06:55 AM - 07:00 AM	51.5	50.3
01:40 AM - 01:45 AM	48.5	47.5	04:20 AM - 04:25 AM	46.3	45.1	07:00 AM - 07:05 AM	51.7	50.4
01:45 AM - 01:50 AM	48.4	47.9	04:25 AM - 04:30 AM	52.1	44.6	07:05 AM - 07:10 AM	52.5	50.9
01:50 AM - 01:55 AM	48.0	47.0	04:30 AM - 04:35 AM	46.2	44.4	07:10 AM - 07:15 AM	52.0	50.8
01:55 AM - 02:00 AM	47.6	46.9	04:35 AM - 04:40 AM	45.5	44.5	07:15 AM - 07:20 AM	51.6	50.4
02:00 AM - 02:05 AM	48.7	46.0	04:40 AM - 04:45 AM	45.4	44.6	07:20 AM - 07:25 AM	51.5	50.5
02:05 AM - 02:10 AM	46.4	45.5	04:45 AM - 04:50 AM	45.3	44.6	07:25 AM - 07:30 AM	51.5	49.8
02:10 AM - 02:15 AM	46.8	46.3	04:50 AM - 04:55 AM	45.8	45.0	07:30 AM - 07:35 AM	51.6	49.9
02:15 AM - 02:20 AM	48.7	46.4	04:55 AM - 05:00 AM	45.9	44.9	07:35 AM - 07:40 AM	51.1	49.7
02:20 AM - 02:25 AM	47.0	46.4	05:00 AM - 05:05 AM	45.7	45.1	07:40 AM - 07:45 AM	53.1	50.3
02:25 AM - 02:30 AM	46.2	44.8	05:05 AM - 05:10 AM	45.9	45.2	07:45 AM - 07:50 AM	54.7	51.4
02:30 AM - 02:35 AM	45.4	44.6	05:10 AM - 05:15 AM	45.9	45.1	07:50 AM - 07:55 AM	51.9	49.7
02:35 AM - 02:40 AM	44.9	43.9	05:15 AM - 05:20 AM	51.8	45.7	07:55 AM - 08:00 AM	51.1	49.9

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421682-1

Page 1 of 3

Sample Number 2582812-8
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 23 - Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623392

Sep 23, 2025	Leq	L90	Sep 23, 2025	Leq	L90	Sep 23, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	56.3	45.5	10:40 AM - 10:45 AM	55.7	52.9	01:20 PM - 01:25 PM	50.8	48.4
08:05 AM - 08:10 AM	55.7	47.3	10:45 AM - 10:50 AM	57.5	54.3	01:25 PM - 01:30 PM	51.0	48.3
08:10 AM - 08:15 AM	54.3	47.7	10:50 AM - 10:55 AM	57.1	51.4	01:30 PM - 01:35 PM	51.5	47.9
08:15 AM - 08:20 AM	50.7	47.2	10:55 AM - 11:00 AM	49.9	44.1	01:35 PM - 01:40 PM	54.8	49.3
08:20 AM - 08:25 AM	49.3	44.9	11:00 AM - 11:05 AM	50.0	44.6	01:40 PM - 01:45 PM	52.9	48.5
08:25 AM - 08:30 AM	56.1	51.3	11:05 AM - 11:10 AM	51.6	46.5	01:45 PM - 01:50 PM	58.8	47.3
08:30 AM - 08:35 AM	53.0	45.0	11:10 AM - 11:15 AM	51.4	46.8	01:50 PM - 01:55 PM	53.1	48.0
08:35 AM - 08:40 AM	53.9	50.3	11:15 AM - 11:20 AM	49.5	45.9	01:55 PM - 02:00 PM	57.2	49.1
08:40 AM - 08:45 AM	54.6	51.1	11:20 AM - 11:25 AM	54.2	44.2	02:00 PM - 02:05 PM	51.1	46.6
08:45 AM - 08:50 AM	55.9	53.1	11:25 AM - 11:30 AM	49.6	44.7	02:05 PM - 02:10 PM	54.5	47.3
08:50 AM - 08:55 AM	63.7	52.7	11:30 AM - 11:35 AM	49.4	44.5	02:10 PM - 02:15 PM	54.2	48.0
08:55 AM - 09:00 AM	56.1	51.2	11:35 AM - 11:40 AM	51.5	46.5	02:15 PM - 02:20 PM	52.0	48.1
09:00 AM - 09:05 AM	55.8	51.8	11:40 AM - 11:45 AM	50.5	46.2	02:20 PM - 02:25 PM	55.2	48.2
09:05 AM - 09:10 AM	54.1	51.2	11:45 AM - 11:50 AM	49.7	43.9	02:25 PM - 02:30 PM	53.8	47.9
09:10 AM - 09:15 AM	54.7	52.3	11:50 AM - 11:55 AM	50.8	44.2	02:30 PM - 02:35 PM	56.9	48.2
09:15 AM - 09:20 AM	55.1	52.3	11:55 AM - 12:00 PM	46.8	41.7	02:35 PM - 02:40 PM	51.0	46.9
09:20 AM - 09:25 AM	56.7	52.9	12:00 PM - 12:05 PM	60.2	48.6	02:40 PM - 02:45 PM	53.3	47.3
09:25 AM - 09:30 AM	59.3	52.4	12:05 PM - 12:10 PM	56.3	42.3	02:45 PM - 02:50 PM	49.7	46.6
09:30 AM - 09:35 AM	53.7	51.5	12:10 PM - 12:15 PM	51.4	44.1	02:50 PM - 02:55 PM	48.0	46.9
09:35 AM - 09:40 AM	52.8	48.2	12:15 PM - 12:20 PM	55.2	45.9	02:55 PM - 03:00 PM	50.7	47.2
09:40 AM - 09:45 AM	54.9	52.5	12:20 PM - 12:25 PM	49.9	39.9	03:00 PM - 03:05 PM	48.8	46.8
09:45 AM - 09:50 AM	63.9	53.4	12:25 PM - 12:30 PM	51.7	41.4	03:05 PM - 03:10 PM	53.2	47.0
09:50 AM - 09:55 AM	60.6	55.8	12:30 PM - 12:35 PM	50.4	41.9	03:10 PM - 03:15 PM	49.9	46.5
09:55 AM - 10:00 AM	63.5	55.8	12:35 PM - 12:40 PM	49.7	42.9	03:15 PM - 03:20 PM	47.2	43.5
10:00 AM - 10:05 AM	54.6	50.8	12:40 PM - 12:45 PM	48.9	43.2	03:20 PM - 03:25 PM	54.2	48.6
10:05 AM - 10:10 AM	54.9	51.3	12:45 PM - 12:50 PM	60.9	50.6	03:25 PM - 03:30 PM	53.5	49.9
10:10 AM - 10:15 AM	55.8	49.2	12:50 PM - 12:55 PM	56.8	50.2	03:30 PM - 03:35 PM	53.4	49.2
10:15 AM - 10:20 AM	52.7	45.9	12:55 PM - 01:00 PM	56.1	50.1	03:35 PM - 03:40 PM	53.2	49.2
10:20 AM - 10:25 AM	54.0	47.9	01:00 PM - 01:05 PM	52.6	50.2	03:40 PM - 03:45 PM	49.2	47.1
10:25 AM - 10:30 AM	51.0	48.2	01:05 PM - 01:10 PM	56.6	50.2	03:45 PM - 03:50 PM	55.5	48.7
10:30 AM - 10:35 AM	52.0	45.2	01:10 PM - 01:15 PM	59.9	52.6	03:50 PM - 03:55 PM	48.5	46.9
10:35 AM - 10:40 AM	55.9	52.0	01:15 PM - 01:20 PM	64.2	55.0	03:55 PM - 04:00 PM	49.8	47.0

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421682-1

Page 2 of 3

Sample Number 2582812-8
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 23 - Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623392

Sep 23, 2025	Leq	L90	Sep 23, 2025	Leq	L90	Sep 23, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	51.8	46.5	06:40 PM - 06:45 PM	56.5	52.0	09:20 PM - 09:25 PM	54.2	48.8
04:05 PM - 04:10 PM	59.0	49.6	06:45 PM - 06:50 PM	54.7	51.4	09:25 PM - 09:30 PM	52.6	48.7
04:10 PM - 04:15 PM	51.4	46.7	06:50 PM - 06:55 PM	57.4	52.5	09:30 PM - 09:35 PM	53.8	48.4
04:15 PM - 04:20 PM	52.3	46.6	06:55 PM - 07:00 PM	55.8	52.1	09:35 PM - 09:40 PM	54.7	48.5
04:20 PM - 04:25 PM	52.2	47.4	07:00 PM - 07:05 PM	55.2	52.5	09:40 PM - 09:45 PM	54.1	49.1
04:25 PM - 04:30 PM	52.9	48.4	07:05 PM - 07:10 PM	57.3	53.8	09:45 PM - 09:50 PM	54.0	49.7
04:30 PM - 04:35 PM	60.7	50.1	07:10 PM - 07:15 PM	56.3	52.8	09:50 PM - 09:55 PM	54.1	49.3
04:35 PM - 04:40 PM	60.0	47.7	07:15 PM - 07:20 PM	55.7	52.4	09:55 PM - 10:00 PM	53.2	49.1
04:40 PM - 04:45 PM	54.1	46.6	07:20 PM - 07:25 PM	54.4	50.9	10:00 PM - 10:05 PM	55.2	50.3
04:45 PM - 04:50 PM	59.8	45.5	07:25 PM - 07:30 PM	56.2	52.5	10:05 PM - 10:10 PM	56.9	51.6
04:50 PM - 04:55 PM	57.1	46.2	07:30 PM - 07:35 PM	56.3	52.6	10:10 PM - 10:15 PM	57.1	49.1
04:55 PM - 05:00 PM	50.5	46.5	07:35 PM - 07:40 PM	55.1	52.3	10:15 PM - 10:20 PM	55.7	49.5
05:00 PM - 05:05 PM	51.4	46.3	07:40 PM - 07:45 PM	54.6	51.6	10:20 PM - 10:25 PM	54.8	47.0
05:05 PM - 05:10 PM	56.5	47.6	07:45 PM - 07:50 PM	55.0	48.3	10:25 PM - 10:30 PM	50.8	47.0
05:10 PM - 05:15 PM	60.6	47.0	07:50 PM - 07:55 PM	54.3	50.9	10:30 PM - 10:35 PM	53.2	48.5
05:15 PM - 05:20 PM	51.1	46.3	07:55 PM - 08:00 PM	56.6	50.7	10:35 PM - 10:40 PM	54.3	51.8
05:20 PM - 05:25 PM	54.9	47.1	08:00 PM - 08:05 PM	56.9	49.7	10:40 PM - 10:45 PM	51.8	48.2
05:25 PM - 05:30 PM	51.4	47.2	08:05 PM - 08:10 PM	54.4	50.3	10:45 PM - 10:50 PM	51.4	47.1
05:30 PM - 05:35 PM	52.7	46.1	08:10 PM - 08:15 PM	54.4	49.0	10:50 PM - 10:55 PM	51.5	47.1
05:35 PM - 05:40 PM	52.2	46.1	08:15 PM - 08:20 PM	53.8	48.3	10:55 PM - 11:00 PM	48.5	45.2
05:40 PM - 05:45 PM	51.6	45.1	08:20 PM - 08:25 PM	54.7	48.0	11:00 PM - 11:05 PM	49.2	45.4
05:45 PM - 05:50 PM	51.5	45.1	08:25 PM - 08:30 PM	49.6	46.7	11:05 PM - 11:10 PM	50.8	44.8
05:50 PM - 05:55 PM	51.6	46.4	08:30 PM - 08:35 PM	50.8	46.9	11:10 PM - 11:15 PM	49.6	44.9
05:55 PM - 06:00 PM	51.4	47.5	08:35 PM - 08:40 PM	49.1	47.1	11:15 PM - 11:20 PM	51.4	44.8
06:00 PM - 06:05 PM	54.6	48.0	08:40 PM - 08:45 PM	49.4	46.6	11:20 PM - 11:25 PM	50.4	45.1
06:05 PM - 06:10 PM	52.7	47.4	08:45 PM - 08:50 PM	50.7	47.1	11:25 PM - 11:30 PM	53.8	45.2
06:10 PM - 06:15 PM	54.0	46.3	08:50 PM - 08:55 PM	51.7	47.1	11:30 PM - 11:35 PM	51.1	45.7
06:15 PM - 06:20 PM	51.3	45.4	08:55 PM - 09:00 PM	50.8	47.2	11:35 PM - 11:40 PM	48.7	45.2
06:20 PM - 06:25 PM	49.3	45.3	09:00 PM - 09:05 PM	50.8	47.3	11:40 PM - 11:45 PM	53.7	45.4
06:25 PM - 06:30 PM	51.4	46.7	09:05 PM - 09:10 PM	52.5	48.4	11:45 PM - 11:50 PM	50.1	45.4
06:30 PM - 06:35 PM	51.7	47.0	09:10 PM - 09:15 PM	53.9	49.0	11:50 PM - 11:55 PM	48.5	44.6
06:35 PM - 06:40 PM	53.2	47.1	09:15 PM - 09:20 PM	53.0	47.9	11:55 PM - 12:00 AM	47.6	45.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421682-1

Page 3 of 3

Sample Number 2582812-8
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 23 - Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623392

Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	45.6	43.7	02:40 AM - 02:45 AM	50.4	47.5	05:20 AM - 05:25 AM	60.7	60.0
12:05 AM - 12:10 AM	46.0	44.1	02:45 AM - 02:50 AM	51.1	46.9	05:25 AM - 05:30 AM	60.4	59.2
12:10 AM - 12:15 AM	48.3	44.1	02:50 AM - 02:55 AM	51.2	46.8	05:30 AM - 05:35 AM	60.0	58.4
12:15 AM - 12:20 AM	47.4	44.2	02:55 AM - 03:00 AM	50.3	45.5	05:35 AM - 05:40 AM	60.1	58.7
12:20 AM - 12:25 AM	45.2	43.7	03:00 AM - 03:05 AM	52.9	49.1	05:40 AM - 05:45 AM	59.3	57.8
12:25 AM - 12:30 AM	45.5	43.6	03:05 AM - 03:10 AM	54.8	52.3	05:45 AM - 05:50 AM	58.8	55.1
12:30 AM - 12:35 AM	44.9	44.0	03:10 AM - 03:15 AM	52.9	46.0	05:50 AM - 05:55 AM	60.5	51.5
12:35 AM - 12:40 AM	45.4	44.1	03:15 AM - 03:20 AM	54.5	47.6	05:55 AM - 06:00 AM	53.2	51.2
12:40 AM - 12:45 AM	45.1	44.0	03:20 AM - 03:25 AM	54.5	47.2	06:00 AM - 06:05 AM	53.5	50.1
12:45 AM - 12:50 AM	46.0	44.5	03:25 AM - 03:30 AM	54.2	45.4	06:05 AM - 06:10 AM	51.9	50.0
12:50 AM - 12:55 AM	45.6	43.7	03:30 AM - 03:35 AM	57.6	56.6	06:10 AM - 06:15 AM	51.3	49.3
12:55 AM - 01:00 AM	45.6	44.1	03:35 AM - 03:40 AM	57.9	57.1	06:15 AM - 06:20 AM	50.1	48.5
01:00 AM - 01:05 AM	46.1	45.0	03:40 AM - 03:45 AM	58.6	57.7	06:20 AM - 06:25 AM	53.1	48.3
01:05 AM - 01:10 AM	47.0	44.6	03:45 AM - 03:50 AM	59.2	58.5	06:25 AM - 06:30 AM	56.6	48.5
01:10 AM - 01:15 AM	47.1	46.2	03:50 AM - 03:55 AM	57.7	52.1	06:30 AM - 06:35 AM	53.3	46.5
01:15 AM - 01:20 AM	47.2	46.3	03:55 AM - 04:00 AM	56.8	48.6	06:35 AM - 06:40 AM	48.1	45.4
01:20 AM - 01:25 AM	47.9	46.5	04:00 AM - 04:05 AM	59.2	58.3	06:40 AM - 06:45 AM	61.4	45.7
01:25 AM - 01:30 AM	46.9	45.7	04:05 AM - 04:10 AM	59.3	58.1	06:45 AM - 06:50 AM	66.4	62.4
01:30 AM - 01:35 AM	47.0	45.9	04:10 AM - 04:15 AM	59.7	58.9	06:50 AM - 06:55 AM	62.3	45.6
01:35 AM - 01:40 AM	46.6	45.4	04:15 AM - 04:20 AM	60.1	59.3	06:55 AM - 07:00 AM	52.4	44.2
01:40 AM - 01:45 AM	47.4	45.5	04:20 AM - 04:25 AM	59.0	51.6	07:00 AM - 07:05 AM	50.8	42.2
01:45 AM - 01:50 AM	46.0	44.0	04:25 AM - 04:30 AM	59.5	56.9	07:05 AM - 07:10 AM	48.9	41.0
01:50 AM - 01:55 AM	48.1	45.1	04:30 AM - 04:35 AM	59.9	54.9	07:10 AM - 07:15 AM	49.2	42.2
01:55 AM - 02:00 AM	48.4	45.3	04:35 AM - 04:40 AM	59.8	57.1	07:15 AM - 07:20 AM	54.5	43.2
02:00 AM - 02:05 AM	45.8	44.8	04:40 AM - 04:45 AM	59.9	58.5	07:20 AM - 07:25 AM	52.8	40.7
02:05 AM - 02:10 AM	46.1	44.8	04:45 AM - 04:50 AM	60.1	58.0	07:25 AM - 07:30 AM	50.4	40.7
02:10 AM - 02:15 AM	46.7	45.1	04:50 AM - 04:55 AM	60.1	59.0	07:30 AM - 07:35 AM	50.5	41.5
02:15 AM - 02:20 AM	48.0	45.8	04:55 AM - 05:00 AM	60.2	58.7	07:35 AM - 07:40 AM	54.7	41.6
02:20 AM - 02:25 AM	45.8	44.1	05:00 AM - 05:05 AM	60.2	59.1	07:40 AM - 07:45 AM	49.4	41.6
02:25 AM - 02:30 AM	47.5	44.4	05:05 AM - 05:10 AM	60.7	59.8	07:45 AM - 07:50 AM	51.5	41.5
02:30 AM - 02:35 AM	47.3	45.1	05:10 AM - 05:15 AM	60.4	59.6	07:50 AM - 07:55 AM	54.1	43.3
02:35 AM - 02:40 AM	47.0	44.9	05:15 AM - 05:20 AM	60.6	59.6	07:55 AM - 08:00 AM	51.0	42.2

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421683-1

Page 1 of 3

Sample Number 2582812-9
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 24 - Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623392

Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	45.6	42.3	10:40 AM - 10:45 AM	50.3	48.2	01:20 PM - 01:25 PM	50.8	47.3
08:05 AM - 08:10 AM	47.3	42.2	10:45 AM - 10:50 AM	50.0	47.3	01:25 PM - 01:30 PM	53.5	47.6
08:10 AM - 08:15 AM	49.1	41.8	10:50 AM - 10:55 AM	52.5	48.0	01:30 PM - 01:35 PM	50.1	46.7
08:15 AM - 08:20 AM	47.2	43.4	10:55 AM - 11:00 AM	56.3	49.6	01:35 PM - 01:40 PM	53.4	47.9
08:20 AM - 08:25 AM	59.4	44.9	11:00 AM - 11:05 AM	51.1	48.6	01:40 PM - 01:45 PM	51.1	47.7
08:25 AM - 08:30 AM	47.9	45.2	11:05 AM - 11:10 AM	52.4	48.1	01:45 PM - 01:50 PM	52.0	48.9
08:30 AM - 08:35 AM	47.4	43.5	11:10 AM - 11:15 AM	53.9	47.5	01:50 PM - 01:55 PM	51.8	49.0
08:35 AM - 08:40 AM	68.3	43.7	11:15 AM - 11:20 AM	55.9	47.4	01:55 PM - 02:00 PM	51.3	47.9
08:40 AM - 08:45 AM	49.8	43.0	11:20 AM - 11:25 AM	53.0	48.5	02:00 PM - 02:05 PM	50.3	47.9
08:45 AM - 08:50 AM	56.4	45.2	11:25 AM - 11:30 AM	48.6	46.8	02:05 PM - 02:10 PM	54.2	48.1
08:50 AM - 08:55 AM	49.4	44.5	11:30 AM - 11:35 AM	52.2	47.1	02:10 PM - 02:15 PM	52.9	48.4
08:55 AM - 09:00 AM	60.2	49.4	11:35 AM - 11:40 AM	50.6	47.3	02:15 PM - 02:20 PM	53.2	47.8
09:00 AM - 09:05 AM	52.9	47.4	11:40 AM - 11:45 AM	54.3	47.1	02:20 PM - 02:25 PM	51.9	49.2
09:05 AM - 09:10 AM	50.2	47.6	11:45 AM - 11:50 AM	49.4	46.7	02:25 PM - 02:30 PM	52.4	49.2
09:10 AM - 09:15 AM	48.9	47.4	11:50 AM - 11:55 AM	51.3	46.1	02:30 PM - 02:35 PM	54.4	48.9
09:15 AM - 09:20 AM	54.5	46.9	11:55 AM - 12:00 PM	55.4	45.5	02:35 PM - 02:40 PM	52.9	49.0
09:20 AM - 09:25 AM	49.5	47.4	12:00 PM - 12:05 PM	58.5	44.7	02:40 PM - 02:45 PM	53.0	48.9
09:25 AM - 09:30 AM	51.5	47.6	12:05 PM - 12:10 PM	46.9	42.4	02:45 PM - 02:50 PM	51.8	48.5
09:30 AM - 09:35 AM	49.0	46.3	12:10 PM - 12:15 PM	49.4	44.9	02:50 PM - 02:55 PM	53.2	48.8
09:35 AM - 09:40 AM	49.7	46.9	12:15 PM - 12:20 PM	51.7	47.5	02:55 PM - 03:00 PM	52.2	49.0
09:40 AM - 09:45 AM	51.2	47.3	12:20 PM - 12:25 PM	49.8	46.7	03:00 PM - 03:05 PM	54.5	48.0
09:45 AM - 09:50 AM	52.0	48.9	12:25 PM - 12:30 PM	54.6	47.1	03:05 PM - 03:10 PM	55.5	47.6
09:50 AM - 09:55 AM	56.2	49.2	12:30 PM - 12:35 PM	50.8	47.0	03:10 PM - 03:15 PM	53.9	47.4
09:55 AM - 10:00 AM	54.6	48.5	12:35 PM - 12:40 PM	52.2	42.0	03:15 PM - 03:20 PM	56.2	48.2
10:00 AM - 10:05 AM	57.5	49.4	12:40 PM - 12:45 PM	54.0	42.7	03:20 PM - 03:25 PM	53.8	47.6
10:05 AM - 10:10 AM	52.1	48.7	12:45 PM - 12:50 PM	48.6	42.7	03:25 PM - 03:30 PM	51.2	47.8
10:10 AM - 10:15 AM	57.4	50.8	12:50 PM - 12:55 PM	46.5	41.4	03:30 PM - 03:35 PM	52.9	48.6
10:15 AM - 10:20 AM	50.3	47.3	12:55 PM - 01:00 PM	45.2	40.5	03:35 PM - 03:40 PM	50.5	47.4
10:20 AM - 10:25 AM	52.6	49.0	01:00 PM - 01:05 PM	46.3	42.0	03:40 PM - 03:45 PM	52.0	47.5
10:25 AM - 10:30 AM	52.7	49.6	01:05 PM - 01:10 PM	46.5	41.9	03:45 PM - 03:50 PM	50.2	47.6
10:30 AM - 10:35 AM	53.4	50.3	01:10 PM - 01:15 PM	46.8	43.1	03:50 PM - 03:55 PM	51.0	48.3
10:35 AM - 10:40 AM	50.7	48.3	01:15 PM - 01:20 PM	52.5	44.0	03:55 PM - 04:00 PM	56.1	48.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421683-1

Page 2 of 3

Sample Number 2582812-9
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 24 - Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623392

Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	58.1	47.9	06:40 PM - 06:45 PM	49.2	45.0	09:20 PM - 09:25 PM	47.7	46.1
04:05 PM - 04:10 PM	49.9	47.3	06:45 PM - 06:50 PM	53.7	48.2	09:25 PM - 09:30 PM	48.9	46.1
04:10 PM - 04:15 PM	52.9	48.5	06:50 PM - 06:55 PM	51.9	48.1	09:30 PM - 09:35 PM	56.1	45.8
04:15 PM - 04:20 PM	53.6	49.2	06:55 PM - 07:00 PM	51.4	48.6	09:35 PM - 09:40 PM	47.9	46.1
04:20 PM - 04:25 PM	52.1	44.6	07:00 PM - 07:05 PM	51.6	48.5	09:40 PM - 09:45 PM	48.0	46.2
04:25 PM - 04:30 PM	54.5	47.8	07:05 PM - 07:10 PM	55.4	49.8	09:45 PM - 09:50 PM	47.6	46.4
04:30 PM - 04:35 PM	52.8	48.5	07:10 PM - 07:15 PM	54.7	48.1	09:50 PM - 09:55 PM	47.9	46.4
04:35 PM - 04:40 PM	51.4	44.4	07:15 PM - 07:20 PM	51.5	48.2	09:55 PM - 10:00 PM	47.3	46.2
04:40 PM - 04:45 PM	53.5	45.8	07:20 PM - 07:25 PM	50.8	48.4	10:00 PM - 10:05 PM	47.6	45.4
04:45 PM - 04:50 PM	52.7	45.0	07:25 PM - 07:30 PM	51.8	49.5	10:05 PM - 10:10 PM	46.1	43.7
04:50 PM - 04:55 PM	58.6	45.1	07:30 PM - 07:35 PM	50.5	48.1	10:10 PM - 10:15 PM	45.4	43.7
04:55 PM - 05:00 PM	56.9	45.5	07:35 PM - 07:40 PM	56.1	48.2	10:15 PM - 10:20 PM	47.3	43.1
05:00 PM - 05:05 PM	56.3	45.8	07:40 PM - 07:45 PM	53.4	48.1	10:20 PM - 10:25 PM	48.5	44.3
05:05 PM - 05:10 PM	51.4	45.5	07:45 PM - 07:50 PM	51.0	48.4	10:25 PM - 10:30 PM	46.4	44.3
05:10 PM - 05:15 PM	56.5	48.4	07:50 PM - 07:55 PM	50.6	48.4	10:30 PM - 10:35 PM	46.7	45.1
05:15 PM - 05:20 PM	50.5	44.9	07:55 PM - 08:00 PM	50.6	48.3	10:35 PM - 10:40 PM	46.8	45.4
05:20 PM - 05:25 PM	50.7	45.6	08:00 PM - 08:05 PM	51.2	47.7	10:40 PM - 10:45 PM	47.4	45.3
05:25 PM - 05:30 PM	51.3	47.1	08:05 PM - 08:10 PM	57.1	47.1	10:45 PM - 10:50 PM	46.1	44.1
05:30 PM - 05:35 PM	57.0	45.1	08:10 PM - 08:15 PM	50.1	47.6	10:50 PM - 10:55 PM	46.3	44.7
05:35 PM - 05:40 PM	56.9	44.3	08:15 PM - 08:20 PM	51.4	48.1	10:55 PM - 11:00 PM	46.9	44.9
05:40 PM - 05:45 PM	53.9	45.4	08:20 PM - 08:25 PM	50.3	47.4	11:00 PM - 11:05 PM	46.3	44.7
05:45 PM - 05:50 PM	63.6	47.8	08:25 PM - 08:30 PM	49.4	46.9	11:05 PM - 11:10 PM	60.3	45.4
05:50 PM - 05:55 PM	64.9	49.2	08:30 PM - 08:35 PM	52.4	47.1	11:10 PM - 11:15 PM	47.1	44.9
05:55 PM - 06:00 PM	64.1	47.1	08:35 PM - 08:40 PM	48.8	46.9	11:15 PM - 11:20 PM	46.9	44.9
06:00 PM - 06:05 PM	51.0	45.5	08:40 PM - 08:45 PM	49.0	47.6	11:20 PM - 11:25 PM	48.1	45.7
06:05 PM - 06:10 PM	55.8	47.9	08:45 PM - 08:50 PM	50.1	47.6	11:25 PM - 11:30 PM	49.6	46.2
06:10 PM - 06:15 PM	51.0	46.3	08:50 PM - 08:55 PM	48.3	47.0	11:30 PM - 11:35 PM	49.0	46.1
06:15 PM - 06:20 PM	49.5	46.0	08:55 PM - 09:00 PM	48.7	46.5	11:35 PM - 11:40 PM	50.5	45.7
06:20 PM - 06:25 PM	50.6	46.4	09:00 PM - 09:05 PM	48.6	46.0	11:40 PM - 11:45 PM	48.3	45.2
06:25 PM - 06:30 PM	50.2	46.0	09:05 PM - 09:10 PM	48.5	46.7	11:45 PM - 11:50 PM	46.7	45.6
06:30 PM - 06:35 PM	52.2	45.2	09:10 PM - 09:15 PM	47.9	46.1	11:50 PM - 11:55 PM	47.2	45.0
06:35 PM - 06:40 PM	47.4	44.2	09:15 PM - 09:20 PM	50.5	46.8	11:55 PM - 12:00 AM	44.9	43.0

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421683-1

Page 3 of 3

Sample Number 2582812-9
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 24 - Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623392

Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	47.7	43.7	02:40 AM - 02:45 AM	47.9	46.0	05:20 AM - 05:25 AM	49.8	47.0
12:05 AM - 12:10 AM	53.2	44.0	02:45 AM - 02:50 AM	47.2	46.0	05:25 AM - 05:30 AM	50.5	46.6
12:10 AM - 12:15 AM	48.4	44.4	02:50 AM - 02:55 AM	47.3	45.6	05:30 AM - 05:35 AM	51.6	46.7
12:15 AM - 12:20 AM	45.8	44.3	02:55 AM - 03:00 AM	46.1	44.6	05:35 AM - 05:40 AM	51.3	46.9
12:20 AM - 12:25 AM	46.7	44.6	03:00 AM - 03:05 AM	47.5	45.9	05:40 AM - 05:45 AM	52.8	47.7
12:25 AM - 12:30 AM	47.2	44.6	03:05 AM - 03:10 AM	48.2	46.7	05:45 AM - 05:50 AM	53.3	49.1
12:30 AM - 12:35 AM	47.3	44.9	03:10 AM - 03:15 AM	49.4	47.8	05:50 AM - 05:55 AM	61.8	51.6
12:35 AM - 12:40 AM	47.0	44.9	03:15 AM - 03:20 AM	49.7	46.2	05:55 AM - 06:00 AM	56.7	48.6
12:40 AM - 12:45 AM	47.4	44.9	03:20 AM - 03:25 AM	47.2	45.8	06:00 AM - 06:05 AM	51.6	49.3
12:45 AM - 12:50 AM	47.6	45.1	03:25 AM - 03:30 AM	46.6	44.9	06:05 AM - 06:10 AM	52.4	50.3
12:50 AM - 12:55 AM	60.8	45.0	03:30 AM - 03:35 AM	52.9	44.0	06:10 AM - 06:15 AM	52.6	49.1
12:55 AM - 01:00 AM	51.2	42.9	03:35 AM - 03:40 AM	46.4	44.9	06:15 AM - 06:20 AM	50.2	45.8
01:00 AM - 01:05 AM	46.6	45.0	03:40 AM - 03:45 AM	49.7	45.2	06:20 AM - 06:25 AM	50.4	45.2
01:05 AM - 01:10 AM	47.5	46.0	03:45 AM - 03:50 AM	48.6	45.2	06:25 AM - 06:30 AM	54.3	45.9
01:10 AM - 01:15 AM	47.2	45.6	03:50 AM - 03:55 AM	46.0	44.2	06:30 AM - 06:35 AM	49.9	44.0
01:15 AM - 01:20 AM	47.2	45.8	03:55 AM - 04:00 AM	45.5	43.9	06:35 AM - 06:40 AM	51.1	44.9
01:20 AM - 01:25 AM	47.4	45.9	04:00 AM - 04:05 AM	47.3	44.4	06:40 AM - 06:45 AM	49.1	42.7
01:25 AM - 01:30 AM	47.7	46.5	04:05 AM - 04:10 AM	45.2	43.7	06:45 AM - 06:50 AM	48.4	41.9
01:30 AM - 01:35 AM	47.8	46.5	04:10 AM - 04:15 AM	46.2	44.6	06:50 AM - 06:55 AM	49.3	41.8
01:35 AM - 01:40 AM	47.8	46.5	04:15 AM - 04:20 AM	47.2	44.8	06:55 AM - 07:00 AM	53.2	45.2
01:40 AM - 01:45 AM	48.0	46.5	04:20 AM - 04:25 AM	46.1	43.6	07:00 AM - 07:05 AM	55.4	42.3
01:45 AM - 01:50 AM	48.0	46.3	04:25 AM - 04:30 AM	46.8	44.0	07:05 AM - 07:10 AM	58.1	46.9
01:50 AM - 01:55 AM	48.1	46.8	04:30 AM - 04:35 AM	46.3	43.7	07:10 AM - 07:15 AM	52.5	40.4
01:55 AM - 02:00 AM	47.7	46.1	04:35 AM - 04:40 AM	48.0	45.2	07:15 AM - 07:20 AM	55.2	44.0
02:00 AM - 02:05 AM	47.8	45.9	04:40 AM - 04:45 AM	48.0	45.0	07:20 AM - 07:25 AM	58.9	44.3
02:05 AM - 02:10 AM	47.6	45.8	04:45 AM - 04:50 AM	48.4	45.6	07:25 AM - 07:30 AM	49.0	43.1
02:10 AM - 02:15 AM	47.9	46.0	04:50 AM - 04:55 AM	48.7	45.6	07:30 AM - 07:35 AM	48.6	42.8
02:15 AM - 02:20 AM	47.7	46.0	04:55 AM - 05:00 AM	48.2	45.5	07:35 AM - 07:40 AM	59.1	42.7
02:20 AM - 02:25 AM	47.9	46.0	05:00 AM - 05:05 AM	48.9	46.9	07:40 AM - 07:45 AM	49.2	41.6
02:25 AM - 02:30 AM	49.1	47.5	05:05 AM - 05:10 AM	49.5	47.4	07:45 AM - 07:50 AM	46.7	42.6
02:30 AM - 02:35 AM	48.5	45.7	05:10 AM - 05:15 AM	50.0	48.1	07:50 AM - 07:55 AM	48.8	45.5
02:35 AM - 02:40 AM	46.8	45.5	05:15 AM - 05:20 AM	50.8	47.9	07:55 AM - 08:00 AM	55.1	47.3

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421684-1

Page 1 of 3

Sample Number : 2582812-10
Parameter : Noise Level (Leq 5 min)
Location : ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date : Sep 25 - Sep 26, 2025
Measurement by : Anurak Tongkhajonsakda
Sound Level meter : Serial No. 623392

Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	61.4	44.9	10:40 AM - 10:45 AM	53.2	47.9	01:20 PM - 01:25 PM	51.5	47.5
08:05 AM - 08:10 AM	51.4	45.1	10:45 AM - 10:50 AM	52.5	48.6	01:25 PM - 01:30 PM	52.0	47.4
08:10 AM - 08:15 AM	49.5	44.8	10:50 AM - 10:55 AM	49.1	45.3	01:30 PM - 01:35 PM	51.4	47.5
08:15 AM - 08:20 AM	60.2	50.6	10:55 AM - 11:00 AM	55.8	47.7	01:35 PM - 01:40 PM	53.9	47.9
08:20 AM - 08:25 AM	54.3	50.3	11:00 AM - 11:05 AM	51.4	48.2	01:40 PM - 01:45 PM	51.5	46.2
08:25 AM - 08:30 AM	53.4	49.0	11:05 AM - 11:10 AM	51.1	46.7	01:45 PM - 01:50 PM	54.2	48.7
08:30 AM - 08:35 AM	49.8	47.5	11:10 AM - 11:15 AM	51.8	46.0	01:50 PM - 01:55 PM	52.4	47.6
08:35 AM - 08:40 AM	52.6	48.7	11:15 AM - 11:20 AM	52.3	47.5	01:55 PM - 02:00 PM	53.2	47.1
08:40 AM - 08:45 AM	52.9	49.4	11:20 AM - 11:25 AM	53.3	50.5	02:00 PM - 02:05 PM	53.0	46.9
08:45 AM - 08:50 AM	53.8	48.8	11:25 AM - 11:30 AM	52.3	47.6	02:05 PM - 02:10 PM	52.7	47.7
08:50 AM - 08:55 AM	50.6	47.8	11:30 AM - 11:35 AM	50.8	47.2	02:10 PM - 02:15 PM	53.2	48.0
08:55 AM - 09:00 AM	51.3	46.5	11:35 AM - 11:40 AM	52.4	48.1	02:15 PM - 02:20 PM	52.8	47.4
09:00 AM - 09:05 AM	53.4	48.4	11:40 AM - 11:45 AM	51.5	44.7	02:20 PM - 02:25 PM	54.9	49.3
09:05 AM - 09:10 AM	54.1	45.3	11:45 AM - 11:50 AM	51.9	47.1	02:25 PM - 02:30 PM	50.9	47.3
09:10 AM - 09:15 AM	50.3	46.2	11:50 AM - 11:55 AM	55.9	48.6	02:30 PM - 02:35 PM	50.3	46.4
09:15 AM - 09:20 AM	50.0	44.6	11:55 AM - 12:00 PM	54.0	44.8	02:35 PM - 02:40 PM	49.6	46.1
09:20 AM - 09:25 AM	50.7	47.1	12:00 PM - 12:05 PM	51.7	41.3	02:40 PM - 02:45 PM	53.2	47.0
09:25 AM - 09:30 AM	50.3	45.5	12:05 PM - 12:10 PM	41.8	37.6	02:45 PM - 02:50 PM	51.7	47.1
09:30 AM - 09:35 AM	54.8	47.4	12:10 PM - 12:15 PM	46.5	40.6	02:50 PM - 02:55 PM	52.6	47.9
09:35 AM - 09:40 AM	58.9	48.4	12:15 PM - 12:20 PM	48.8	38.4	02:55 PM - 03:00 PM	51.6	47.7
09:40 AM - 09:45 AM	52.5	47.9	12:20 PM - 12:25 PM	44.4	39.1	03:00 PM - 03:05 PM	49.4	46.1
09:45 AM - 09:50 AM	52.1	48.7	12:25 PM - 12:30 PM	59.4	43.5	03:05 PM - 03:10 PM	49.2	46.2
09:50 AM - 09:55 AM	52.8	47.6	12:30 PM - 12:35 PM	46.0	40.5	03:10 PM - 03:15 PM	52.4	45.9
09:55 AM - 10:00 AM	49.7	48.3	12:35 PM - 12:40 PM	47.0	39.9	03:15 PM - 03:20 PM	49.4	45.9
10:00 AM - 10:05 AM	50.4	48.2	12:40 PM - 12:45 PM	43.3	39.9	03:20 PM - 03:25 PM	52.2	47.0
10:05 AM - 10:10 AM	54.3	48.2	12:45 PM - 12:50 PM	44.2	39.8	03:25 PM - 03:30 PM	55.2	48.2
10:10 AM - 10:15 AM	52.0	47.5	12:50 PM - 12:55 PM	45.2	39.2	03:30 PM - 03:35 PM	55.4	48.6
10:15 AM - 10:20 AM	50.7	47.4	12:55 PM - 01:00 PM	46.0	41.2	03:35 PM - 03:40 PM	55.4	48.1
10:20 AM - 10:25 AM	52.0	47.7	01:00 PM - 01:05 PM	51.3	43.0	03:40 PM - 03:45 PM	55.9	48.2
10:25 AM - 10:30 AM	52.5	47.8	01:05 PM - 01:10 PM	52.3	47.2	03:45 PM - 03:50 PM	52.7	47.3
10:30 AM - 10:35 AM	53.8	48.4	01:10 PM - 01:15 PM	52.9	46.9	03:50 PM - 03:55 PM	50.0	46.9
10:35 AM - 10:40 AM	54.1	49.6	01:15 PM - 01:20 PM	55.2	48.2	03:55 PM - 04:00 PM	51.0	46.3

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421684-1

Page 2 of 3

Sample Number 2582812-10
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 25 - Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623392

Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	51.9	47.5	06:40 PM - 06:45 PM	51.5	47.0	09:20 PM - 09:25 PM	51.2	48.5
04:05 PM - 04:10 PM	50.0	46.3	06:45 PM - 06:50 PM	55.2	50.0	09:25 PM - 09:30 PM	51.0	49.5
04:10 PM - 04:15 PM	57.6	46.0	06:50 PM - 06:55 PM	55.7	50.7	09:30 PM - 09:35 PM	55.4	48.6
04:15 PM - 04:20 PM	58.8	48.2	06:55 PM - 07:00 PM	52.4	48.8	09:35 PM - 09:40 PM	54.2	49.2
04:20 PM - 04:25 PM	53.0	47.7	07:00 PM - 07:05 PM	51.5	48.1	09:40 PM - 09:45 PM	51.6	48.8
04:25 PM - 04:30 PM	54.0	49.2	07:05 PM - 07:10 PM	50.6	47.8	09:45 PM - 09:50 PM	52.3	49.6
04:30 PM - 04:35 PM	51.2	48.2	07:10 PM - 07:15 PM	52.9	48.1	09:50 PM - 09:55 PM	52.5	49.5
04:35 PM - 04:40 PM	54.5	49.0	07:15 PM - 07:20 PM	51.6	47.6	09:55 PM - 10:00 PM	52.1	48.6
04:40 PM - 04:45 PM	51.8	47.7	07:20 PM - 07:25 PM	52.0	46.5	10:00 PM - 10:05 PM	50.4	48.8
04:45 PM - 04:50 PM	53.9	47.1	07:25 PM - 07:30 PM	53.5	47.2	10:05 PM - 10:10 PM	49.9	48.2
04:50 PM - 04:55 PM	60.1	50.1	07:30 PM - 07:35 PM	54.8	50.1	10:10 PM - 10:15 PM	48.8	47.3
04:55 PM - 05:00 PM	60.3	48.0	07:35 PM - 07:40 PM	52.2	48.2	10:15 PM - 10:20 PM	48.0	46.5
05:00 PM - 05:05 PM	54.7	46.5	07:40 PM - 07:45 PM	53.8	48.2	10:20 PM - 10:25 PM	48.3	47.0
05:05 PM - 05:10 PM	57.8	50.3	07:45 PM - 07:50 PM	55.2	47.9	10:25 PM - 10:30 PM	49.0	47.4
05:10 PM - 05:15 PM	53.0	45.3	07:50 PM - 07:55 PM	49.8	47.8	10:30 PM - 10:35 PM	48.9	47.4
05:15 PM - 05:20 PM	50.8	46.2	07:55 PM - 08:00 PM	51.0	48.2	10:35 PM - 10:40 PM	49.5	48.0
05:20 PM - 05:25 PM	53.6	47.0	08:00 PM - 08:05 PM	54.4	48.4	10:40 PM - 10:45 PM	51.0	48.1
05:25 PM - 05:30 PM	54.5	48.2	08:05 PM - 08:10 PM	52.8	49.2	10:45 PM - 10:50 PM	49.4	48.0
05:30 PM - 05:35 PM	51.9	46.3	08:10 PM - 08:15 PM	54.6	48.3	10:50 PM - 10:55 PM	49.7	48.3
05:35 PM - 05:40 PM	51.9	45.1	08:15 PM - 08:20 PM	51.3	48.3	10:55 PM - 11:00 PM	49.8	48.4
05:40 PM - 05:45 PM	50.5	44.6	08:20 PM - 08:25 PM	53.9	50.4	11:00 PM - 11:05 PM	51.2	48.3
05:45 PM - 05:50 PM	62.8	48.7	08:25 PM - 08:30 PM	53.7	49.7	11:05 PM - 11:10 PM	50.7	47.2
05:50 PM - 05:55 PM	61.8	49.3	08:30 PM - 08:35 PM	50.4	48.0	11:10 PM - 11:15 PM	48.0	45.4
05:55 PM - 06:00 PM	59.2	44.5	08:35 PM - 08:40 PM	51.6	48.8	11:15 PM - 11:20 PM	48.2	46.7
06:00 PM - 06:05 PM	50.1	45.4	08:40 PM - 08:45 PM	53.5	49.9	11:20 PM - 11:25 PM	48.3	46.2
06:05 PM - 06:10 PM	60.4	45.7	08:45 PM - 08:50 PM	50.0	48.2	11:25 PM - 11:30 PM	50.1	46.8
06:10 PM - 06:15 PM	53.0	45.0	08:50 PM - 08:55 PM	50.0	48.3	11:30 PM - 11:35 PM	51.9	47.3
06:15 PM - 06:20 PM	55.9	44.9	08:55 PM - 09:00 PM	49.3	47.3	11:35 PM - 11:40 PM	50.6	46.6
06:20 PM - 06:25 PM	49.7	44.5	09:00 PM - 09:05 PM	49.3	47.6	11:40 PM - 11:45 PM	48.0	45.9
06:25 PM - 06:30 PM	49.3	43.6	09:05 PM - 09:10 PM	50.2	47.5	11:45 PM - 11:50 PM	50.2	46.5
06:30 PM - 06:35 PM	51.8	46.9	09:10 PM - 09:15 PM	50.3	47.3	11:50 PM - 11:55 PM	48.6	46.1
06:35 PM - 06:40 PM	51.6	47.3	09:15 PM - 09:20 PM	50.3	48.4	11:55 PM - 12:00 AM	48.3	46.2

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421684-1

Page 3 of 3

Sample Number 2582812-10
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 25 - Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623392

Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	47.7	46.3	02:40 AM - 02:45 AM	48.2	46.9	05:20 AM - 05:25 AM	49.7	48.0
12:05 AM - 12:10 AM	47.4	46.0	02:45 AM - 02:50 AM	48.2	47.3	05:25 AM - 05:30 AM	49.9	47.9
12:10 AM - 12:15 AM	47.1	42.7	02:50 AM - 02:55 AM	47.9	46.7	05:30 AM - 05:35 AM	50.1	47.8
12:15 AM - 12:20 AM	47.4	46.0	02:55 AM - 03:00 AM	49.9	46.2	05:35 AM - 05:40 AM	50.6	48.6
12:20 AM - 12:25 AM	48.1	46.0	03:00 AM - 03:05 AM	48.2	47.5	05:40 AM - 05:45 AM	52.2	48.4
12:25 AM - 12:30 AM	48.4	45.9	03:05 AM - 03:10 AM	48.6	48.0	05:45 AM - 05:50 AM	52.5	48.9
12:30 AM - 12:35 AM	47.7	45.6	03:10 AM - 03:15 AM	48.0	47.2	05:50 AM - 05:55 AM	55.1	48.6
12:35 AM - 12:40 AM	48.0	45.7	03:15 AM - 03:20 AM	47.9	46.8	05:55 AM - 06:00 AM	53.2	48.0
12:40 AM - 12:45 AM	47.3	45.9	03:20 AM - 03:25 AM	48.3	47.1	06:00 AM - 06:05 AM	52.4	48.6
12:45 AM - 12:50 AM	50.6	47.2	03:25 AM - 03:30 AM	48.4	47.5	06:05 AM - 06:10 AM	51.0	47.1
12:50 AM - 12:55 AM	46.9	44.2	03:30 AM - 03:35 AM	48.3	47.4	06:10 AM - 06:15 AM	48.4	46.5
12:55 AM - 01:00 AM	50.2	44.9	03:35 AM - 03:40 AM	48.2	47.3	06:15 AM - 06:20 AM	47.9	46.2
01:00 AM - 01:05 AM	46.1	45.1	03:40 AM - 03:45 AM	48.3	47.1	06:20 AM - 06:25 AM	48.0	45.8
01:05 AM - 01:10 AM	47.7	46.9	03:45 AM - 03:50 AM	48.4	47.1	06:25 AM - 06:30 AM	49.0	43.6
01:10 AM - 01:15 AM	48.4	47.3	03:50 AM - 03:55 AM	49.3	48.5	06:30 AM - 06:35 AM	47.3	43.9
01:15 AM - 01:20 AM	47.8	46.1	03:55 AM - 04:00 AM	48.6	47.5	06:35 AM - 06:40 AM	47.4	42.5
01:20 AM - 01:25 AM	48.3	47.4	04:00 AM - 04:05 AM	48.9	47.8	06:40 AM - 06:45 AM	50.2	43.3
01:25 AM - 01:30 AM	48.3	47.1	04:05 AM - 04:10 AM	51.8	48.4	06:45 AM - 06:50 AM	53.2	45.6
01:30 AM - 01:35 AM	49.3	46.3	04:10 AM - 04:15 AM	52.2	48.3	06:50 AM - 06:55 AM	60.3	43.2
01:35 AM - 01:40 AM	47.9	46.7	04:15 AM - 04:20 AM	51.6	48.5	06:55 AM - 07:00 AM	60.4	40.1
01:40 AM - 01:45 AM	46.9	45.2	04:20 AM - 04:25 AM	49.6	48.4	07:00 AM - 07:05 AM	53.4	45.2
01:45 AM - 01:50 AM	47.1	45.9	04:25 AM - 04:30 AM	48.7	47.6	07:05 AM - 07:10 AM	50.2	43.3
01:50 AM - 01:55 AM	49.2	46.5	04:30 AM - 04:35 AM	49.6	48.8	07:10 AM - 07:15 AM	60.3	45.5
01:55 AM - 02:00 AM	48.3	47.3	04:35 AM - 04:40 AM	50.0	49.0	07:15 AM - 07:20 AM	59.1	46.1
02:00 AM - 02:05 AM	48.4	47.0	04:40 AM - 04:45 AM	50.0	48.7	07:20 AM - 07:25 AM	52.1	43.4
02:05 AM - 02:10 AM	47.7	46.9	04:45 AM - 04:50 AM	51.0	50.0	07:25 AM - 07:30 AM	54.3	42.9
02:10 AM - 02:15 AM	47.8	46.9	04:50 AM - 04:55 AM	50.0	48.5	07:30 AM - 07:35 AM	53.7	44.5
02:15 AM - 02:20 AM	50.1	47.8	04:55 AM - 05:00 AM	49.3	48.1	07:35 AM - 07:40 AM	48.4	43.5
02:20 AM - 02:25 AM	49.3	48.2	05:00 AM - 05:05 AM	49.6	48.3	07:40 AM - 07:45 AM	59.4	44.9
02:25 AM - 02:30 AM	47.9	46.6	05:05 AM - 05:10 AM	48.4	47.0	07:45 AM - 07:50 AM	56.0	45.2
02:30 AM - 02:35 AM	47.8	46.5	05:10 AM - 05:15 AM	47.8	46.6	07:50 AM - 07:55 AM	54.8	43.4
02:35 AM - 02:40 AM	47.9	46.7	05:15 AM - 05:20 AM	48.5	46.8	07:55 AM - 08:00 AM	56.3	44.3

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421685-1

Page 1 of 3

Sample Number 2582812-11
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 26 - Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623392

Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	53.4	43.6	10:40 AM - 10:45 AM	52.9	48.8	01:20 PM - 01:25 PM	54.4	45.6
08:05 AM - 08:10 AM	48.3	42.8	10:45 AM - 10:50 AM	50.1	47.8	01:25 PM - 01:30 PM	49.7	43.9
08:10 AM - 08:15 AM	47.6	43.3	10:50 AM - 10:55 AM	52.1	48.4	01:30 PM - 01:35 PM	48.6	44.3
08:15 AM - 08:20 AM	46.5	43.6	10:55 AM - 11:00 AM	51.5	47.3	01:35 PM - 01:40 PM	58.7	45.7
08:20 AM - 08:25 AM	47.3	44.4	11:00 AM - 11:05 AM	51.9	48.3	01:40 PM - 01:45 PM	68.0	48.6
08:25 AM - 08:30 AM	48.9	44.3	11:05 AM - 11:10 AM	54.8	49.1	01:45 PM - 01:50 PM	61.0	47.7
08:30 AM - 08:35 AM	48.4	44.4	11:10 AM - 11:15 AM	52.1	47.4	01:50 PM - 01:55 PM	55.5	49.2
08:35 AM - 08:40 AM	51.2	45.1	11:15 AM - 11:20 AM	49.8	47.4	01:55 PM - 02:00 PM	50.7	47.2
08:40 AM - 08:45 AM	51.0	45.4	11:20 AM - 11:25 AM	55.6	47.1	02:00 PM - 02:05 PM	56.9	48.6
08:45 AM - 08:50 AM	47.5	43.5	11:25 AM - 11:30 AM	51.5	47.6	02:05 PM - 02:10 PM	49.7	47.4
08:50 AM - 08:55 AM	46.8	43.8	11:30 AM - 11:35 AM	53.1	47.2	02:10 PM - 02:15 PM	58.4	48.2
08:55 AM - 09:00 AM	48.2	44.2	11:35 AM - 11:40 AM	50.3	47.2	02:15 PM - 02:20 PM	51.3	48.3
09:00 AM - 09:05 AM	53.2	43.2	11:40 AM - 11:45 AM	48.8	46.7	02:20 PM - 02:25 PM	52.8	49.3
09:05 AM - 09:10 AM	48.1	44.3	11:45 AM - 11:50 AM	50.4	48.0	02:25 PM - 02:30 PM	52.2	48.5
09:10 AM - 09:15 AM	51.7	44.4	11:50 AM - 11:55 AM	52.6	46.7	02:30 PM - 02:35 PM	51.3	48.3
09:15 AM - 09:20 AM	49.9	42.3	11:55 AM - 12:00 PM	49.5	46.4	02:35 PM - 02:40 PM	51.5	48.9
09:20 AM - 09:25 AM	48.6	42.8	12:00 PM - 12:05 PM	57.3	44.9	02:40 PM - 02:45 PM	53.5	49.6
09:25 AM - 09:30 AM	51.2	45.4	12:05 PM - 12:10 PM	48.9	42.4	02:45 PM - 02:50 PM	53.3	48.7
09:30 AM - 09:35 AM	53.9	47.6	12:10 PM - 12:15 PM	55.6	42.0	02:50 PM - 02:55 PM	51.6	49.0
09:35 AM - 09:40 AM	50.6	47.8	12:15 PM - 12:20 PM	56.5	42.3	02:55 PM - 03:00 PM	57.1	49.9
09:40 AM - 09:45 AM	50.6	48.2	12:20 PM - 12:25 PM	49.1	43.7	03:00 PM - 03:05 PM	50.7	48.2
09:45 AM - 09:50 AM	57.1	50.1	12:25 PM - 12:30 PM	49.2	41.5	03:05 PM - 03:10 PM	51.8	48.9
09:50 AM - 09:55 AM	54.2	50.5	12:30 PM - 12:35 PM	55.3	45.8	03:10 PM - 03:15 PM	56.0	50.1
09:55 AM - 10:00 AM	53.3	50.4	12:35 PM - 12:40 PM	58.9	51.3	03:15 PM - 03:20 PM	54.0	49.8
10:00 AM - 10:05 AM	52.9	49.3	12:40 PM - 12:45 PM	57.1	50.8	03:20 PM - 03:25 PM	55.9	50.0
10:05 AM - 10:10 AM	54.0	50.3	12:45 PM - 12:50 PM	51.6	46.6	03:25 PM - 03:30 PM	63.2	51.4
10:10 AM - 10:15 AM	53.5	49.1	12:50 PM - 12:55 PM	51.7	48.2	03:30 PM - 03:35 PM	53.5	49.3
10:15 AM - 10:20 AM	53.4	47.8	12:55 PM - 01:00 PM	49.9	44.5	03:35 PM - 03:40 PM	54.1	49.9
10:20 AM - 10:25 AM	51.6	47.8	01:00 PM - 01:05 PM	49.0	44.1	03:40 PM - 03:45 PM	59.9	51.6
10:25 AM - 10:30 AM	50.5	47.6	01:05 PM - 01:10 PM	52.1	47.4	03:45 PM - 03:50 PM	51.5	49.1
10:30 AM - 10:35 AM	50.2	47.6	01:10 PM - 01:15 PM	51.1	47.0	03:50 PM - 03:55 PM	57.3	52.5
10:35 AM - 10:40 AM	53.7	49.4	01:15 PM - 01:20 PM	48.7	45.1	03:55 PM - 04:00 PM	55.6	52.9

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421685-1

Page 2 of 3

Sample Number 2582812-11
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 26 - Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623392

Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	55.9	51.1	06:40 PM - 06:45 PM	55.6	48.1	09:20 PM - 09:25 PM	53.2	47.8
04:05 PM - 04:10 PM	55.6	53.0	06:45 PM - 06:50 PM	57.1	49.2	09:25 PM - 09:30 PM	52.8	48.7
04:10 PM - 04:15 PM	56.0	53.4	06:50 PM - 06:55 PM	55.0	47.1	09:30 PM - 09:35 PM	52.7	48.4
04:15 PM - 04:20 PM	58.2	52.6	06:55 PM - 07:00 PM	57.1	50.4	09:35 PM - 09:40 PM	55.8	48.2
04:20 PM - 04:25 PM	65.2	53.8	07:00 PM - 07:05 PM	55.3	49.9	09:40 PM - 09:45 PM	56.0	48.6
04:25 PM - 04:30 PM	62.9	57.2	07:05 PM - 07:10 PM	56.5	48.6	09:45 PM - 09:50 PM	54.7	49.4
04:30 PM - 04:35 PM	59.0	54.2	07:10 PM - 07:15 PM	52.1	48.2	09:50 PM - 09:55 PM	58.1	51.7
04:35 PM - 04:40 PM	61.5	58.0	07:15 PM - 07:20 PM	53.9	48.5	09:55 PM - 10:00 PM	53.9	50.6
04:40 PM - 04:45 PM	58.1	54.0	07:20 PM - 07:25 PM	53.3	47.7	10:00 PM - 10:05 PM	52.7	51.2
04:45 PM - 04:50 PM	58.4	49.8	07:25 PM - 07:30 PM	49.9	47.2	10:05 PM - 10:10 PM	52.5	49.5
04:50 PM - 04:55 PM	56.6	50.2	07:30 PM - 07:35 PM	54.8	47.4	10:10 PM - 10:15 PM	52.4	49.9
04:55 PM - 05:00 PM	57.0	50.4	07:35 PM - 07:40 PM	53.8	48.9	10:15 PM - 10:20 PM	53.9	50.4
05:00 PM - 05:05 PM	57.9	53.2	07:40 PM - 07:45 PM	51.3	47.4	10:20 PM - 10:25 PM	55.7	49.8
05:05 PM - 05:10 PM	55.3	51.4	07:45 PM - 07:50 PM	51.4	47.2	10:25 PM - 10:30 PM	51.9	50.5
05:10 PM - 05:15 PM	58.8	54.1	07:50 PM - 07:55 PM	49.9	46.0	10:30 PM - 10:35 PM	51.3	49.6
05:15 PM - 05:20 PM	57.2	52.7	07:55 PM - 08:00 PM	52.4	48.0	10:35 PM - 10:40 PM	53.7	48.8
05:20 PM - 05:25 PM	56.0	53.5	08:00 PM - 08:05 PM	51.4	46.5	10:40 PM - 10:45 PM	55.0	50.3
05:25 PM - 05:30 PM	59.5	55.7	08:05 PM - 08:10 PM	58.1	49.1	10:45 PM - 10:50 PM	53.9	50.0
05:30 PM - 05:35 PM	60.7	58.3	08:10 PM - 08:15 PM	60.1	48.2	10:50 PM - 10:55 PM	52.7	49.8
05:35 PM - 05:40 PM	60.6	56.4	08:15 PM - 08:20 PM	56.6	49.0	10:55 PM - 11:00 PM	52.5	50.0
05:40 PM - 05:45 PM	61.6	55.5	08:20 PM - 08:25 PM	52.4	48.2	11:00 PM - 11:05 PM	51.9	49.9
05:45 PM - 05:50 PM	57.4	48.4	08:25 PM - 08:30 PM	54.2	48.7	11:05 PM - 11:10 PM	53.0	50.2
05:50 PM - 05:55 PM	61.9	53.2	08:30 PM - 08:35 PM	54.8	49.6	11:10 PM - 11:15 PM	52.3	49.8
05:55 PM - 06:00 PM	64.3	53.4	08:35 PM - 08:40 PM	55.2	49.5	11:15 PM - 11:20 PM	51.4	49.8
06:00 PM - 06:05 PM	57.0	48.3	08:40 PM - 08:45 PM	51.1	48.1	11:20 PM - 11:25 PM	50.8	49.2
06:05 PM - 06:10 PM	54.9	48.9	08:45 PM - 08:50 PM	56.2	48.2	11:25 PM - 11:30 PM	52.4	49.4
06:10 PM - 06:15 PM	56.1	51.5	08:50 PM - 08:55 PM	54.5	49.3	11:30 PM - 11:35 PM	50.3	49.0
06:15 PM - 06:20 PM	55.5	49.6	08:55 PM - 09:00 PM	52.7	47.5	11:35 PM - 11:40 PM	50.9	49.0
06:20 PM - 06:25 PM	54.2	48.4	09:00 PM - 09:05 PM	56.4	48.6	11:40 PM - 11:45 PM	50.4	48.9
06:25 PM - 06:30 PM	54.1	48.8	09:05 PM - 09:10 PM	56.0	49.1	11:45 PM - 11:50 PM	57.9	50.0
06:30 PM - 06:35 PM	59.9	50.9	09:10 PM - 09:15 PM	51.2	47.8	11:50 PM - 11:55 PM	58.6	51.9
06:35 PM - 06:40 PM	55.7	50.7	09:15 PM - 09:20 PM	51.4	47.8	11:55 PM - 12:00 AM	57.9	52.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421685-1

Page 3 of 3

Sample Number 2582812-11
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 26 - Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623392

Sep 27, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 27, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 27, 2025 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	59.2	51.8	02:40 AM - 02:45 AM	61.2	58.2	05:20 AM - 05:25 AM	59.6	58.9
12:05 AM - 12:10 AM	56.6	52.0	02:45 AM - 02:50 AM	58.4	56.8	05:25 AM - 05:30 AM	59.1	58.5
12:10 AM - 12:15 AM	56.9	51.2	02:50 AM - 02:55 AM	62.3	60.1	05:30 AM - 05:35 AM	58.8	58.2
12:15 AM - 12:20 AM	59.2	51.5	02:55 AM - 03:00 AM	61.4	58.5	05:35 AM - 05:40 AM	58.8	58.1
12:20 AM - 12:25 AM	57.5	51.0	03:00 AM - 03:05 AM	57.5	56.0	05:40 AM - 05:45 AM	58.3	57.4
12:25 AM - 12:30 AM	57.6	50.1	03:05 AM - 03:10 AM	58.7	56.6	05:45 AM - 05:50 AM	59.2	57.9
12:30 AM - 12:35 AM	58.7	51.6	03:10 AM - 03:15 AM	59.4	58.1	05:50 AM - 05:55 AM	67.2	59.3
12:35 AM - 12:40 AM	57.3	51.2	03:15 AM - 03:20 AM	58.0	57.2	05:55 AM - 06:00 AM	61.0	57.6
12:40 AM - 12:45 AM	55.2	49.2	03:20 AM - 03:25 AM	57.2	56.3	06:00 AM - 06:05 AM	58.1	57.2
12:45 AM - 12:50 AM	56.3	49.4	03:25 AM - 03:30 AM	56.7	55.7	06:05 AM - 06:10 AM	57.1	56.1
12:50 AM - 12:55 AM	56.8	49.7	03:30 AM - 03:35 AM	56.5	55.3	06:10 AM - 06:15 AM	57.0	55.8
12:55 AM - 01:00 AM	60.5	49.5	03:35 AM - 03:40 AM	57.2	56.1	06:15 AM - 06:20 AM	57.1	56.0
01:00 AM - 01:05 AM	55.3	48.7	03:40 AM - 03:45 AM	57.6	56.5	06:20 AM - 06:25 AM	56.9	55.5
01:05 AM - 01:10 AM	55.6	49.0	03:45 AM - 03:50 AM	58.4	57.1	06:25 AM - 06:30 AM	57.0	56.0
01:10 AM - 01:15 AM	55.9	48.9	03:50 AM - 03:55 AM	61.2	57.3	06:30 AM - 06:35 AM	58.1	55.2
01:15 AM - 01:20 AM	55.9	49.8	03:55 AM - 04:00 AM	59.4	57.8	06:35 AM - 06:40 AM	57.5	53.1
01:20 AM - 01:25 AM	57.9	51.0	04:00 AM - 04:05 AM	59.5	58.3	06:40 AM - 06:45 AM	57.8	51.2
01:25 AM - 01:30 AM	57.9	51.5	04:05 AM - 04:10 AM	63.2	59.4	06:45 AM - 06:50 AM	54.7	51.5
01:30 AM - 01:35 AM	58.1	52.1	04:10 AM - 04:15 AM	62.2	60.6	06:50 AM - 06:55 AM	54.3	50.6
01:35 AM - 01:40 AM	54.9	49.6	04:15 AM - 04:20 AM	63.0	62.0	06:55 AM - 07:00 AM	53.3	50.5
01:40 AM - 01:45 AM	55.6	50.2	04:20 AM - 04:25 AM	63.9	62.7	07:00 AM - 07:05 AM	55.7	53.0
01:45 AM - 01:50 AM	55.9	50.6	04:25 AM - 04:30 AM	65.2	64.2	07:05 AM - 07:10 AM	55.8	53.9
01:50 AM - 01:55 AM	56.4	49.7	04:30 AM - 04:35 AM	63.7	62.8	07:10 AM - 07:15 AM	56.5	54.5
01:55 AM - 02:00 AM	52.8	48.8	04:35 AM - 04:40 AM	61.9	60.8	07:15 AM - 07:20 AM	56.4	54.9
02:00 AM - 02:05 AM	53.0	49.2	04:40 AM - 04:45 AM	62.1	61.1	07:20 AM - 07:25 AM	59.3	54.8
02:05 AM - 02:10 AM	51.3	49.0	04:45 AM - 04:50 AM	61.1	60.1	07:25 AM - 07:30 AM	57.1	51.8
02:10 AM - 02:15 AM	56.6	53.0	04:50 AM - 04:55 AM	61.0	60.2	07:30 AM - 07:35 AM	58.0	53.8
02:15 AM - 02:20 AM	58.8	56.9	04:55 AM - 05:00 AM	61.4	60.8	07:35 AM - 07:40 AM	62.3	54.1
02:20 AM - 02:25 AM	58.6	56.6	05:00 AM - 05:05 AM	61.3	60.0	07:40 AM - 07:45 AM	55.9	54.2
02:25 AM - 02:30 AM	59.3	57.3	05:05 AM - 05:10 AM	59.1	58.5	07:45 AM - 07:50 AM	56.7	55.5
02:30 AM - 02:35 AM	69.5	60.3	05:10 AM - 05:15 AM	56.8	55.7	07:50 AM - 07:55 AM	56.8	55.3
02:35 AM - 02:40 AM	67.1	63.6	05:15 AM - 05:20 AM	58.6	56.9	07:55 AM - 08:00 AM	56.8	54.4

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421686-1

Page 1 of 3

Sample Number 2582812-12
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 27 - Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623392

Sep 27, 2025	Leq	L90	Sep 27, 2025	Leq	L90	Sep 27, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	56.0	54.6	10:40 AM - 10:45 AM	53.6	49.3	01:20 PM - 01:25 PM	51.2	48.2
08:05 AM - 08:10 AM	55.5	53.2	10:45 AM - 10:50 AM	53.2	49.7	01:25 PM - 01:30 PM	51.4	48.6
08:10 AM - 08:15 AM	57.3	54.4	10:50 AM - 10:55 AM	57.0	50.1	01:30 PM - 01:35 PM	49.7	48.3
08:15 AM - 08:20 AM	57.7	55.6	10:55 AM - 11:00 AM	52.5	48.5	01:35 PM - 01:40 PM	51.7	48.0
08:20 AM - 08:25 AM	59.3	55.0	11:00 AM - 11:05 AM	53.1	48.4	01:40 PM - 01:45 PM	49.5	47.8
08:25 AM - 08:30 AM	56.9	54.7	11:05 AM - 11:10 AM	57.3	49.9	01:45 PM - 01:50 PM	50.3	48.4
08:30 AM - 08:35 AM	56.8	55.0	11:10 AM - 11:15 AM	56.4	50.2	01:50 PM - 01:55 PM	53.9	48.6
08:35 AM - 08:40 AM	57.6	55.0	11:15 AM - 11:20 AM	61.6	49.4	01:55 PM - 02:00 PM	53.9	49.7
08:40 AM - 08:45 AM	55.7	53.7	11:20 AM - 11:25 AM	51.1	48.9	02:00 PM - 02:05 PM	52.4	48.9
08:45 AM - 08:50 AM	56.1	54.4	11:25 AM - 11:30 AM	61.6	48.6	02:05 PM - 02:10 PM	54.1	49.3
08:50 AM - 08:55 AM	57.2	55.2	11:30 AM - 11:35 AM	54.1	45.0	02:10 PM - 02:15 PM	53.4	49.0
08:55 AM - 09:00 AM	57.4	54.2	11:35 AM - 11:40 AM	51.0	46.5	02:15 PM - 02:20 PM	54.5	49.8
09:00 AM - 09:05 AM	55.8	53.6	11:40 AM - 11:45 AM	49.5	44.4	02:20 PM - 02:25 PM	53.8	50.0
09:05 AM - 09:10 AM	55.3	52.7	11:45 AM - 11:50 AM	47.5	43.7	02:25 PM - 02:30 PM	55.6	50.4
09:10 AM - 09:15 AM	56.1	53.1	11:50 AM - 11:55 AM	48.9	44.1	02:30 PM - 02:35 PM	53.5	49.2
09:15 AM - 09:20 AM	56.2	53.8	11:55 AM - 12:00 PM	45.7	42.1	02:35 PM - 02:40 PM	51.2	48.2
09:20 AM - 09:25 AM	55.6	52.7	12:00 PM - 12:05 PM	51.7	42.3	02:40 PM - 02:45 PM	49.8	48.4
09:25 AM - 09:30 AM	56.7	52.1	12:05 PM - 12:10 PM	50.3	39.7	02:45 PM - 02:50 PM	53.1	49.2
09:30 AM - 09:35 AM	55.4	51.8	12:10 PM - 12:15 PM	45.2	38.9	02:50 PM - 02:55 PM	50.5	48.3
09:35 AM - 09:40 AM	52.8	47.2	12:15 PM - 12:20 PM	47.5	39.5	02:55 PM - 03:00 PM	51.7	48.8
09:40 AM - 09:45 AM	49.0	45.1	12:20 PM - 12:25 PM	49.6	40.7	03:00 PM - 03:05 PM	53.1	49.4
09:45 AM - 09:50 AM	55.5	49.9	12:25 PM - 12:30 PM	46.0	41.1	03:05 PM - 03:10 PM	51.1	48.5
09:50 AM - 09:55 AM	51.9	48.9	12:30 PM - 12:35 PM	52.7	40.4	03:10 PM - 03:15 PM	53.9	49.2
09:55 AM - 10:00 AM	57.6	50.4	12:35 PM - 12:40 PM	57.5	43.2	03:15 PM - 03:20 PM	51.8	48.9
10:00 AM - 10:05 AM	55.2	50.4	12:40 PM - 12:45 PM	54.0	47.9	03:20 PM - 03:25 PM	52.0	48.6
10:05 AM - 10:10 AM	51.7	49.8	12:45 PM - 12:50 PM	53.1	48.2	03:25 PM - 03:30 PM	60.9	48.5
10:10 AM - 10:15 AM	51.7	48.2	12:50 PM - 12:55 PM	56.2	47.9	03:30 PM - 03:35 PM	60.1	48.9
10:15 AM - 10:20 AM	54.6	48.0	12:55 PM - 01:00 PM	49.0	47.4	03:35 PM - 03:40 PM	56.5	49.0
10:20 AM - 10:25 AM	53.4	46.1	01:00 PM - 01:05 PM	48.7	47.6	03:40 PM - 03:45 PM	52.8	49.6
10:25 AM - 10:30 AM	51.1	45.8	01:05 PM - 01:10 PM	49.2	47.9	03:45 PM - 03:50 PM	54.0	49.2
10:30 AM - 10:35 AM	60.7	52.6	01:10 PM - 01:15 PM	48.8	47.8	03:50 PM - 03:55 PM	52.0	46.9
10:35 AM - 10:40 AM	56.5	49.1	01:15 PM - 01:20 PM	49.2	47.8	03:55 PM - 04:00 PM	54.6	48.0

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421686-1

Page 2 of 3

Sample Number 2582812-12
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 27 - Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623392

Sep 27, 2025	Leq	L90	Sep 27, 2025	Leq	L90	Sep 27, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	50.5	43.1	06:40 PM - 06:45 PM	55.7	48.5	09:20 PM - 09:25 PM	56.4	55.2
04:05 PM - 04:10 PM	53.0	42.2	06:45 PM - 06:50 PM	51.4	47.9	09:25 PM - 09:30 PM	56.5	55.4
04:10 PM - 04:15 PM	53.1	45.6	06:50 PM - 06:55 PM	50.7	48.1	09:30 PM - 09:35 PM	57.2	56.0
04:15 PM - 04:20 PM	53.3	49.4	06:55 PM - 07:00 PM	52.0	49.3	09:35 PM - 09:40 PM	55.9	55.1
04:20 PM - 04:25 PM	50.9	47.5	07:00 PM - 07:05 PM	53.1	49.5	09:40 PM - 09:45 PM	56.0	54.8
04:25 PM - 04:30 PM	48.6	43.2	07:05 PM - 07:10 PM	53.5	49.2	09:45 PM - 09:50 PM	55.4	54.9
04:30 PM - 04:35 PM	53.8	45.2	07:10 PM - 07:15 PM	52.8	49.1	09:50 PM - 09:55 PM	55.0	53.4
04:35 PM - 04:40 PM	48.8	42.7	07:15 PM - 07:20 PM	52.2	49.2	09:55 PM - 10:00 PM	55.2	54.6
04:40 PM - 04:45 PM	53.1	44.5	07:20 PM - 07:25 PM	52.8	49.3	10:00 PM - 10:05 PM	55.3	54.6
04:45 PM - 04:50 PM	58.5	45.1	07:25 PM - 07:30 PM	52.3	49.4	10:05 PM - 10:10 PM	55.0	54.3
04:50 PM - 04:55 PM	58.9	45.7	07:30 PM - 07:35 PM	52.9	49.8	10:10 PM - 10:15 PM	55.6	54.8
04:55 PM - 05:00 PM	50.2	44.4	07:35 PM - 07:40 PM	51.8	49.8	10:15 PM - 10:20 PM	55.6	54.8
05:00 PM - 05:05 PM	50.8	45.3	07:40 PM - 07:45 PM	51.7	50.4	10:20 PM - 10:25 PM	55.8	55.1
05:05 PM - 05:10 PM	55.0	42.6	07:45 PM - 07:50 PM	54.3	50.9	10:25 PM - 10:30 PM	55.8	55.0
05:10 PM - 05:15 PM	53.7	45.8	07:50 PM - 07:55 PM	54.2	51.2	10:30 PM - 10:35 PM	55.4	54.6
05:15 PM - 05:20 PM	56.6	43.7	07:55 PM - 08:00 PM	55.7	51.3	10:35 PM - 10:40 PM	55.1	54.3
05:20 PM - 05:25 PM	49.9	44.5	08:00 PM - 08:05 PM	60.4	52.4	10:40 PM - 10:45 PM	56.3	54.8
05:25 PM - 05:30 PM	46.6	42.3	08:05 PM - 08:10 PM	61.6	57.3	10:45 PM - 10:50 PM	56.5	55.2
05:30 PM - 05:35 PM	47.6	43.2	08:10 PM - 08:15 PM	54.2	52.8	10:50 PM - 10:55 PM	56.8	55.8
05:35 PM - 05:40 PM	49.7	43.9	08:15 PM - 08:20 PM	53.4	52.8	10:55 PM - 11:00 PM	56.2	53.6
05:40 PM - 05:45 PM	50.4	44.3	08:20 PM - 08:25 PM	54.1	52.9	11:00 PM - 11:05 PM	54.9	53.8
05:45 PM - 05:50 PM	49.2	43.2	08:25 PM - 08:30 PM	54.4	53.4	11:05 PM - 11:10 PM	55.5	54.8
05:50 PM - 05:55 PM	49.5	42.7	08:30 PM - 08:35 PM	54.8	53.3	11:10 PM - 11:15 PM	55.7	54.8
05:55 PM - 06:00 PM	48.6	43.8	08:35 PM - 08:40 PM	53.9	52.8	11:15 PM - 11:20 PM	56.0	55.1
06:00 PM - 06:05 PM	50.5	45.2	08:40 PM - 08:45 PM	54.4	52.6	11:20 PM - 11:25 PM	55.5	54.4
06:05 PM - 06:10 PM	54.2	44.4	08:45 PM - 08:50 PM	54.4	53.4	11:25 PM - 11:30 PM	54.8	54.0
06:10 PM - 06:15 PM	50.3	45.4	08:50 PM - 08:55 PM	55.3	54.1	11:30 PM - 11:35 PM	55.0	53.9
06:15 PM - 06:20 PM	54.1	47.2	08:55 PM - 09:00 PM	56.2	54.7	11:35 PM - 11:40 PM	55.0	53.7
06:20 PM - 06:25 PM	53.8	47.4	09:00 PM - 09:05 PM	56.4	55.0	11:40 PM - 11:45 PM	55.4	54.3
06:25 PM - 06:30 PM	53.3	45.8	09:05 PM - 09:10 PM	55.8	54.8	11:45 PM - 11:50 PM	55.7	54.7
06:30 PM - 06:35 PM	53.3	48.0	09:10 PM - 09:15 PM	55.8	55.2	11:50 PM - 11:55 PM	55.4	54.1
06:35 PM - 06:40 PM	53.3	48.2	09:15 PM - 09:20 PM	56.3	55.5	11:55 PM - 12:00 AM	55.0	53.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421686-1

Page 3 of 3

Sample Number 2582812-12
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 27 - Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623392

Sep 28, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 28, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 28, 2025 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	55.7	54.7	02:40 AM - 02:45 AM	51.2	49.6	05:20 AM - 05:25 AM	59.5	57.9
12:05 AM - 12:10 AM	55.9	55.0	02:45 AM - 02:50 AM	51.8	49.7	05:25 AM - 05:30 AM	60.3	58.9
12:10 AM - 12:15 AM	56.2	55.5	02:50 AM - 02:55 AM	52.3	50.3	05:30 AM - 05:35 AM	59.7	58.4
12:15 AM - 12:20 AM	55.8	55.0	02:55 AM - 03:00 AM	54.2	52.5	05:35 AM - 05:40 AM	59.5	58.2
12:20 AM - 12:25 AM	56.0	55.2	03:00 AM - 03:05 AM	54.4	53.2	05:40 AM - 05:45 AM	60.5	59.3
12:25 AM - 12:30 AM	55.4	54.4	03:05 AM - 03:10 AM	55.0	53.9	05:45 AM - 05:50 AM	66.4	59.3
12:30 AM - 12:35 AM	55.7	54.9	03:10 AM - 03:15 AM	54.8	53.8	05:50 AM - 05:55 AM	60.9	58.1
12:35 AM - 12:40 AM	55.1	54.1	03:15 AM - 03:20 AM	54.9	54.0	05:55 AM - 06:00 AM	60.7	56.3
12:40 AM - 12:45 AM	55.2	54.3	03:20 AM - 03:25 AM	55.8	54.2	06:00 AM - 06:05 AM	57.8	55.7
12:45 AM - 12:50 AM	54.9	53.8	03:25 AM - 03:30 AM	53.4	49.9	06:05 AM - 06:10 AM	56.1	54.4
12:50 AM - 12:55 AM	55.1	54.0	03:30 AM - 03:35 AM	54.2	50.6	06:10 AM - 06:15 AM	56.4	55.2
12:55 AM - 01:00 AM	54.5	53.2	03:35 AM - 03:40 AM	53.6	51.6	06:15 AM - 06:20 AM	55.9	53.5
01:00 AM - 01:05 AM	55.0	53.8	03:40 AM - 03:45 AM	64.5	51.7	06:20 AM - 06:25 AM	54.6	52.5
01:05 AM - 01:10 AM	53.9	52.9	03:45 AM - 03:50 AM	55.8	52.4	06:25 AM - 06:30 AM	55.6	53.1
01:10 AM - 01:15 AM	54.3	53.3	03:50 AM - 03:55 AM	55.8	52.6	06:30 AM - 06:35 AM	55.5	52.8
01:15 AM - 01:20 AM	54.6	53.6	03:55 AM - 04:00 AM	58.3	56.2	06:35 AM - 06:40 AM	52.3	48.2
01:20 AM - 01:25 AM	54.1	53.2	04:00 AM - 04:05 AM	58.3	56.3	06:40 AM - 06:45 AM	52.6	48.4
01:25 AM - 01:30 AM	53.7	52.9	04:05 AM - 04:10 AM	58.6	56.9	06:45 AM - 06:50 AM	52.7	49.1
01:30 AM - 01:35 AM	53.5	52.3	04:10 AM - 04:15 AM	58.4	56.9	06:50 AM - 06:55 AM	53.0	49.3
01:35 AM - 01:40 AM	54.2	52.1	04:15 AM - 04:20 AM	58.5	57.2	06:55 AM - 07:00 AM	51.1	46.8
01:40 AM - 01:45 AM	53.8	51.4	04:20 AM - 04:25 AM	58.6	57.1	07:00 AM - 07:05 AM	51.7	43.8
01:45 AM - 01:50 AM	53.8	52.6	04:25 AM - 04:30 AM	58.4	56.8	07:05 AM - 07:10 AM	56.2	44.7
01:50 AM - 01:55 AM	54.4	52.2	04:30 AM - 04:35 AM	59.3	57.8	07:10 AM - 07:15 AM	58.4	42.0
01:55 AM - 02:00 AM	52.8	51.4	04:35 AM - 04:40 AM	59.4	57.7	07:15 AM - 07:20 AM	55.7	42.6
02:00 AM - 02:05 AM	54.4	51.8	04:40 AM - 04:45 AM	60.0	58.9	07:20 AM - 07:25 AM	56.7	44.1
02:05 AM - 02:10 AM	53.3	51.6	04:45 AM - 04:50 AM	59.9	58.1	07:25 AM - 07:30 AM	51.2	44.4
02:10 AM - 02:15 AM	52.4	51.4	04:50 AM - 04:55 AM	60.0	58.5	07:30 AM - 07:35 AM	56.7	43.6
02:15 AM - 02:20 AM	52.3	51.0	04:55 AM - 05:00 AM	59.9	58.8	07:35 AM - 07:40 AM	64.2	50.7
02:20 AM - 02:25 AM	52.1	49.9	05:00 AM - 05:05 AM	59.8	58.1	07:40 AM - 07:45 AM	64.4	48.7
02:25 AM - 02:30 AM	50.5	48.8	05:05 AM - 05:10 AM	60.2	58.8	07:45 AM - 07:50 AM	60.9	48.8
02:30 AM - 02:35 AM	51.1	48.5	05:10 AM - 05:15 AM	59.9	58.6	07:50 AM - 07:55 AM	51.0	44.5
02:35 AM - 02:40 AM	50.8	49.6	05:15 AM - 05:20 AM	59.6	58.0	07:55 AM - 08:00 AM	47.9	43.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421687-1

Page 1 of 3

Sample Number 2582812-13
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 28 - Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623392

Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	51.0	45.1	10:40 AM - 10:45 AM	51.9	48.0	01:20 PM - 01:25 PM	48.4	45.0
08:05 AM - 08:10 AM	49.0	43.3	10:45 AM - 10:50 AM	51.1	47.7	01:25 PM - 01:30 PM	50.6	46.1
08:10 AM - 08:15 AM	54.5	42.8	10:50 AM - 10:55 AM	52.1	47.7	01:30 PM - 01:35 PM	51.3	45.6
08:15 AM - 08:20 AM	47.0	42.6	10:55 AM - 11:00 AM	52.2	47.0	01:35 PM - 01:40 PM	48.9	45.6
08:20 AM - 08:25 AM	49.8	43.6	11:00 AM - 11:05 AM	52.9	47.8	01:40 PM - 01:45 PM	49.9	46.1
08:25 AM - 08:30 AM	67.3	51.3	11:05 AM - 11:10 AM	50.5	46.4	01:45 PM - 01:50 PM	50.1	45.5
08:30 AM - 08:35 AM	52.4	48.0	11:10 AM - 11:15 AM	52.3	45.8	01:50 PM - 01:55 PM	51.4	45.2
08:35 AM - 08:40 AM	54.4	47.3	11:15 AM - 11:20 AM	51.2	45.4	01:55 PM - 02:00 PM	49.9	46.2
08:40 AM - 08:45 AM	62.0	52.5	11:20 AM - 11:25 AM	52.7	46.4	02:00 PM - 02:05 PM	51.8	45.1
08:45 AM - 08:50 AM	58.9	49.5	11:25 AM - 11:30 AM	54.0	47.4	02:05 PM - 02:10 PM	47.1	43.7
08:50 AM - 08:55 AM	57.1	48.5	11:30 AM - 11:35 AM	55.6	48.9	02:10 PM - 02:15 PM	49.2	44.6
08:55 AM - 09:00 AM	56.3	50.7	11:35 AM - 11:40 AM	50.2	46.5	02:15 PM - 02:20 PM	50.8	46.7
09:00 AM - 09:05 AM	60.2	52.3	11:40 AM - 11:45 AM	60.4	46.8	02:20 PM - 02:25 PM	50.4	46.1
09:05 AM - 09:10 AM	56.4	49.7	11:45 AM - 11:50 AM	53.0	47.0	02:25 PM - 02:30 PM	50.6	46.1
09:10 AM - 09:15 AM	51.8	47.4	11:50 AM - 11:55 AM	51.1	47.0	02:30 PM - 02:35 PM	50.2	46.4
09:15 AM - 09:20 AM	50.4	46.6	11:55 AM - 12:00 PM	61.0	49.1	02:35 PM - 02:40 PM	50.8	45.7
09:20 AM - 09:25 AM	53.2	46.1	12:00 PM - 12:05 PM	59.9	48.7	02:40 PM - 02:45 PM	50.9	46.7
09:25 AM - 09:30 AM	61.0	50.8	12:05 PM - 12:10 PM	55.4	45.8	02:45 PM - 02:50 PM	60.5	47.8
09:30 AM - 09:35 AM	54.6	48.1	12:10 PM - 12:15 PM	54.6	45.7	02:50 PM - 02:55 PM	51.2	47.6
09:35 AM - 09:40 AM	55.9	47.9	12:15 PM - 12:20 PM	60.3	46.6	02:55 PM - 03:00 PM	51.2	46.7
09:40 AM - 09:45 AM	60.9	46.9	12:20 PM - 12:25 PM	50.8	45.5	03:00 PM - 03:05 PM	51.1	45.7
09:45 AM - 09:50 AM	49.3	45.7	12:25 PM - 12:30 PM	53.2	45.8	03:05 PM - 03:10 PM	48.0	45.1
09:50 AM - 09:55 AM	48.8	45.3	12:30 PM - 12:35 PM	54.5	47.3	03:10 PM - 03:15 PM	54.6	46.5
09:55 AM - 10:00 AM	51.2	46.7	12:35 PM - 12:40 PM	52.8	46.2	03:15 PM - 03:20 PM	50.7	45.2
10:00 AM - 10:05 AM	51.3	45.1	12:40 PM - 12:45 PM	50.3	46.6	03:20 PM - 03:25 PM	48.7	45.2
10:05 AM - 10:10 AM	55.6	45.6	12:45 PM - 12:50 PM	50.5	45.7	03:25 PM - 03:30 PM	57.3	45.9
10:10 AM - 10:15 AM	54.3	47.8	12:50 PM - 12:55 PM	51.5	46.8	03:30 PM - 03:35 PM	58.6	46.7
10:15 AM - 10:20 AM	48.8	45.1	12:55 PM - 01:00 PM	51.3	45.4	03:35 PM - 03:40 PM	58.0	48.1
10:20 AM - 10:25 AM	52.4	48.1	01:00 PM - 01:05 PM	52.4	45.5	03:40 PM - 03:45 PM	49.8	46.2
10:25 AM - 10:30 AM	52.9	47.4	01:05 PM - 01:10 PM	50.1	44.6	03:45 PM - 03:50 PM	58.8	46.8
10:30 AM - 10:35 AM	53.2	48.4	01:10 PM - 01:15 PM	52.4	45.3	03:50 PM - 03:55 PM	56.0	47.4
10:35 AM - 10:40 AM	50.7	46.9	01:15 PM - 01:20 PM	48.8	44.7	03:55 PM - 04:00 PM	53.0	47.0

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421687-1

Page 2 of 3

Sample Number 2582812-13
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 28 - Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623392

Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	49.9	46.9	06:40 PM - 06:45 PM	57.2	52.4	09:20 PM - 09:25 PM	46.6	45.5
04:05 PM - 04:10 PM	55.9	48.6	06:45 PM - 06:50 PM	55.7	50.1	09:25 PM - 09:30 PM	47.0	46.1
04:10 PM - 04:15 PM	51.9	49.2	06:50 PM - 06:55 PM	54.6	49.9	09:30 PM - 09:35 PM	47.6	46.2
04:15 PM - 04:20 PM	51.3	48.8	06:55 PM - 07:00 PM	53.9	49.4	09:35 PM - 09:40 PM	47.4	46.3
04:20 PM - 04:25 PM	51.3	47.5	07:00 PM - 07:05 PM	52.4	48.5	09:40 PM - 09:45 PM	47.5	46.5
04:25 PM - 04:30 PM	58.1	48.9	07:05 PM - 07:10 PM	58.4	50.3	09:45 PM - 09:50 PM	47.3	46.3
04:30 PM - 04:35 PM	51.6	46.3	07:10 PM - 07:15 PM	54.0	48.6	09:50 PM - 09:55 PM	47.7	46.5
04:35 PM - 04:40 PM	47.5	44.7	07:15 PM - 07:20 PM	56.5	47.6	09:55 PM - 10:00 PM	49.2	48.4
04:40 PM - 04:45 PM	53.4	46.2	07:20 PM - 07:25 PM	48.8	47.0	10:00 PM - 10:05 PM	51.9	47.7
04:45 PM - 04:50 PM	48.7	44.5	07:25 PM - 07:30 PM	48.8	47.1	10:05 PM - 10:10 PM	48.3	46.7
04:50 PM - 04:55 PM	52.6	45.6	07:30 PM - 07:35 PM	49.8	47.1	10:10 PM - 10:15 PM	47.7	46.9
04:55 PM - 05:00 PM	54.7	48.6	07:35 PM - 07:40 PM	50.3	47.0	10:15 PM - 10:20 PM	47.4	44.3
05:00 PM - 05:05 PM	58.0	50.7	07:40 PM - 07:45 PM	48.6	46.8	10:20 PM - 10:25 PM	48.2	47.5
05:05 PM - 05:10 PM	54.4	50.2	07:45 PM - 07:50 PM	52.2	48.0	10:25 PM - 10:30 PM	48.2	47.2
05:10 PM - 05:15 PM	54.7	49.5	07:50 PM - 07:55 PM	52.2	47.5	10:30 PM - 10:35 PM	48.0	47.0
05:15 PM - 05:20 PM	53.5	48.7	07:55 PM - 08:00 PM	52.1	47.8	10:35 PM - 10:40 PM	46.7	45.5
05:20 PM - 05:25 PM	54.1	50.4	08:00 PM - 08:05 PM	50.9	48.2	10:40 PM - 10:45 PM	47.0	45.9
05:25 PM - 05:30 PM	54.2	49.3	08:05 PM - 08:10 PM	52.0	48.6	10:45 PM - 10:50 PM	47.6	46.8
05:30 PM - 05:35 PM	55.0	48.7	08:10 PM - 08:15 PM	50.6	48.2	10:50 PM - 10:55 PM	47.5	46.7
05:35 PM - 05:40 PM	62.6	53.0	08:15 PM - 08:20 PM	50.8	48.7	10:55 PM - 11:00 PM	47.5	46.9
05:40 PM - 05:45 PM	60.2	51.0	08:20 PM - 08:25 PM	50.3	47.9	11:00 PM - 11:05 PM	47.4	46.5
05:45 PM - 05:50 PM	61.6	55.4	08:25 PM - 08:30 PM	49.2	47.0	11:05 PM - 11:10 PM	48.6	47.1
05:50 PM - 05:55 PM	63.2	54.2	08:30 PM - 08:35 PM	48.7	46.8	11:10 PM - 11:15 PM	48.5	47.6
05:55 PM - 06:00 PM	54.8	52.3	08:35 PM - 08:40 PM	48.0	46.8	11:15 PM - 11:20 PM	48.7	47.5
06:00 PM - 06:05 PM	54.8	52.7	08:40 PM - 08:45 PM	47.5	46.1	11:20 PM - 11:25 PM	48.6	47.8
06:05 PM - 06:10 PM	56.7	53.6	08:45 PM - 08:50 PM	49.5	46.3	11:25 PM - 11:30 PM	48.6	47.3
06:10 PM - 06:15 PM	58.3	52.7	08:50 PM - 08:55 PM	47.7	46.3	11:30 PM - 11:35 PM	47.8	46.7
06:15 PM - 06:20 PM	56.5	51.1	08:55 PM - 09:00 PM	50.2	46.3	11:35 PM - 11:40 PM	49.6	47.2
06:20 PM - 06:25 PM	59.0	52.5	09:00 PM - 09:05 PM	49.3	45.1	11:40 PM - 11:45 PM	50.7	47.2
06:25 PM - 06:30 PM	53.6	47.7	09:05 PM - 09:10 PM	45.6	44.4	11:45 PM - 11:50 PM	47.7	46.7
06:30 PM - 06:35 PM	58.1	52.9	09:10 PM - 09:15 PM	46.2	44.9	11:50 PM - 11:55 PM	47.5	46.5
06:35 PM - 06:40 PM	59.7	50.6	09:15 PM - 09:20 PM	48.4	45.9	11:55 PM - 12:00 AM	51.2	46.2

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421687-1

Page 3 of 3

Sample Number 2582812-13
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 28 - Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623392

Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	47.4	46.3	02:40 AM - 02:45 AM	48.6	46.7	05:20 AM - 05:25 AM	52.8	50.5
12:05 AM - 12:10 AM	48.1	46.9	02:45 AM - 02:50 AM	48.1	46.4	05:25 AM - 05:30 AM	52.3	51.1
12:10 AM - 12:15 AM	47.8	45.9	02:50 AM - 02:55 AM	48.5	46.7	05:30 AM - 05:35 AM	52.7	51.5
12:15 AM - 12:20 AM	47.2	42.7	02:55 AM - 03:00 AM	47.6	45.8	05:35 AM - 05:40 AM	52.5	51.4
12:20 AM - 12:25 AM	45.9	44.5	03:00 AM - 03:05 AM	49.5	45.7	05:40 AM - 05:45 AM	52.6	51.5
12:25 AM - 12:30 AM	48.6	44.8	03:05 AM - 03:10 AM	47.8	45.3	05:45 AM - 05:50 AM	61.3	51.6
12:30 AM - 12:35 AM	47.1	44.9	03:10 AM - 03:15 AM	47.0	45.2	05:50 AM - 05:55 AM	61.0	51.0
12:35 AM - 12:40 AM	48.0	46.3	03:15 AM - 03:20 AM	45.9	45.1	05:55 AM - 06:00 AM	52.6	51.1
12:40 AM - 12:45 AM	48.0	46.8	03:20 AM - 03:25 AM	46.0	45.2	06:00 AM - 06:05 AM	52.1	50.9
12:45 AM - 12:50 AM	47.7	46.9	03:25 AM - 03:30 AM	46.1	45.3	06:05 AM - 06:10 AM	52.8	50.6
12:50 AM - 12:55 AM	49.2	47.1	03:30 AM - 03:35 AM	46.4	45.2	06:10 AM - 06:15 AM	51.4	49.6
12:55 AM - 01:00 AM	48.8	47.2	03:35 AM - 03:40 AM	46.2	45.5	06:15 AM - 06:20 AM	51.3	48.7
01:00 AM - 01:05 AM	48.0	46.7	03:40 AM - 03:45 AM	46.2	45.5	06:20 AM - 06:25 AM	51.6	49.2
01:05 AM - 01:10 AM	48.5	47.3	03:45 AM - 03:50 AM	46.3	45.5	06:25 AM - 06:30 AM	51.1	48.2
01:10 AM - 01:15 AM	48.2	47.2	03:50 AM - 03:55 AM	46.7	45.7	06:30 AM - 06:35 AM	53.2	47.7
01:15 AM - 01:20 AM	48.9	47.5	03:55 AM - 04:00 AM	47.1	46.1	06:35 AM - 06:40 AM	53.4	47.4
01:20 AM - 01:25 AM	50.3	46.6	04:00 AM - 04:05 AM	46.8	45.7	06:40 AM - 06:45 AM	50.7	47.0
01:25 AM - 01:30 AM	48.6	47.5	04:05 AM - 04:10 AM	47.3	45.9	06:45 AM - 06:50 AM	51.3	46.5
01:30 AM - 01:35 AM	48.2	46.9	04:10 AM - 04:15 AM	47.3	46.1	06:50 AM - 06:55 AM	50.9	46.6
01:35 AM - 01:40 AM	47.6	46.3	04:15 AM - 04:20 AM	47.6	46.1	06:55 AM - 07:00 AM	58.3	46.3
01:40 AM - 01:45 AM	47.7	46.5	04:20 AM - 04:25 AM	47.8	46.3	07:00 AM - 07:05 AM	51.2	44.3
01:45 AM - 01:50 AM	47.5	46.3	04:25 AM - 04:30 AM	47.4	46.3	07:05 AM - 07:10 AM	51.8	46.3
01:50 AM - 01:55 AM	47.6	46.6	04:30 AM - 04:35 AM	47.7	46.5	07:10 AM - 07:15 AM	46.5	42.7
01:55 AM - 02:00 AM	47.9	46.9	04:35 AM - 04:40 AM	48.3	47.1	07:15 AM - 07:20 AM	53.8	44.0
02:00 AM - 02:05 AM	49.8	47.5	04:40 AM - 04:45 AM	48.5	47.3	07:20 AM - 07:25 AM	52.9	43.5
02:05 AM - 02:10 AM	48.6	47.1	04:45 AM - 04:50 AM	48.9	47.6	07:25 AM - 07:30 AM	51.3	44.2
02:10 AM - 02:15 AM	47.7	46.6	04:50 AM - 04:55 AM	49.8	47.8	07:30 AM - 07:35 AM	59.1	47.8
02:15 AM - 02:20 AM	47.8	46.8	04:55 AM - 05:00 AM	50.9	48.8	07:35 AM - 07:40 AM	63.5	44.2
02:20 AM - 02:25 AM	47.9	46.9	05:00 AM - 05:05 AM	50.6	48.2	07:40 AM - 07:45 AM	53.2	44.6
02:25 AM - 02:30 AM	47.8	46.8	05:05 AM - 05:10 AM	51.3	49.0	07:45 AM - 07:50 AM	49.8	44.9
02:30 AM - 02:35 AM	48.2	46.5	05:10 AM - 05:15 AM	51.4	49.7	07:50 AM - 07:55 AM	53.5	45.9
02:35 AM - 02:40 AM	49.8	46.9	05:15 AM - 05:20 AM	51.8	49.9	07:55 AM - 08:00 AM	53.1	46.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421688-1

Page 1 of 3

Sample Number 2582812-14
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 29 - Sep 30, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623392

Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	49.4	43.8	10:40 AM - 10:45 AM	52.4	46.4	01:20 PM - 01:25 PM	58.5	48.6
08:05 AM - 08:10 AM	53.3	46.4	10:45 AM - 10:50 AM	48.7	44.6	01:25 PM - 01:30 PM	53.1	46.9
08:10 AM - 08:15 AM	55.4	47.5	10:50 AM - 10:55 AM	47.7	44.2	01:30 PM - 01:35 PM	57.6	45.1
08:15 AM - 08:20 AM	49.4	46.7	10:55 AM - 11:00 AM	49.4	44.7	01:35 PM - 01:40 PM	53.3	46.5
08:20 AM - 08:25 AM	47.6	44.2	11:00 AM - 11:05 AM	49.8	44.0	01:40 PM - 01:45 PM	57.0	52.0
08:25 AM - 08:30 AM	58.2	45.2	11:05 AM - 11:10 AM	49.9	44.5	01:45 PM - 01:50 PM	55.8	47.5
08:30 AM - 08:35 AM	49.9	45.2	11:10 AM - 11:15 AM	51.5	46.4	01:50 PM - 01:55 PM	60.5	56.1
08:35 AM - 08:40 AM	49.2	45.4	11:15 AM - 11:20 AM	51.3	46.7	01:55 PM - 02:00 PM	55.7	50.5
08:40 AM - 08:45 AM	48.2	44.1	11:20 AM - 11:25 AM	49.4	45.8	02:00 PM - 02:05 PM	56.2	50.1
08:45 AM - 08:50 AM	51.2	45.6	11:25 AM - 11:30 AM	54.1	44.1	02:05 PM - 02:10 PM	65.1	51.1
08:50 AM - 08:55 AM	47.6	43.5	11:30 AM - 11:35 AM	49.5	44.6	02:10 PM - 02:15 PM	51.0	48.1
08:55 AM - 09:00 AM	49.8	44.7	11:35 AM - 11:40 AM	49.3	44.4	02:15 PM - 02:20 PM	52.7	48.2
09:00 AM - 09:05 AM	49.7	45.7	11:40 AM - 11:45 AM	51.4	46.4	02:20 PM - 02:25 PM	50.7	45.6
09:05 AM - 09:10 AM	50.8	46.1	11:45 AM - 11:50 AM	50.4	46.1	02:25 PM - 02:30 PM	51.6	48.6
09:10 AM - 09:15 AM	52.4	47.8	11:50 AM - 11:55 AM	49.6	43.8	02:30 PM - 02:35 PM	56.6	51.4
09:15 AM - 09:20 AM	62.5	48.9	11:55 AM - 12:00 PM	48.2	43.7	02:35 PM - 02:40 PM	50.9	48.0
09:20 AM - 09:25 AM	55.3	47.8	12:00 PM - 12:05 PM	48.9	44.5	02:40 PM - 02:45 PM	55.2	48.0
09:25 AM - 09:30 AM	53.3	50.2	12:05 PM - 12:10 PM	50.7	44.1	02:45 PM - 02:50 PM	57.2	48.8
09:30 AM - 09:35 AM	54.2	50.1	12:10 PM - 12:15 PM	46.7	41.6	02:50 PM - 02:55 PM	61.4	48.6
09:35 AM - 09:40 AM	54.8	49.9	12:15 PM - 12:20 PM	46.3	43.2	02:55 PM - 03:00 PM	62.4	49.6
09:40 AM - 09:45 AM	65.1	52.3	12:20 PM - 12:25 PM	49.0	43.7	03:00 PM - 03:05 PM	51.0	47.5
09:45 AM - 09:50 AM	58.7	50.3	12:25 PM - 12:30 PM	47.3	41.8	03:05 PM - 03:10 PM	57.7	46.5
09:50 AM - 09:55 AM	54.4	49.4	12:30 PM - 12:35 PM	47.0	40.0	03:10 PM - 03:15 PM	53.4	49.3
09:55 AM - 10:00 AM	62.0	50.1	12:35 PM - 12:40 PM	49.5	41.4	03:15 PM - 03:20 PM	51.6	47.0
10:00 AM - 10:05 AM	52.0	48.1	12:40 PM - 12:45 PM	57.1	43.8	03:20 PM - 03:25 PM	51.2	48.3
10:05 AM - 10:10 AM	53.1	48.8	12:45 PM - 12:50 PM	47.1	42.5	03:25 PM - 03:30 PM	51.2	48.3
10:10 AM - 10:15 AM	54.0	49.3	12:50 PM - 12:55 PM	47.0	43.3	03:30 PM - 03:35 PM	51.2	48.5
10:15 AM - 10:20 AM	53.4	49.6	12:55 PM - 01:00 PM	46.6	43.6	03:35 PM - 03:40 PM	50.2	47.0
10:20 AM - 10:25 AM	53.5	47.1	01:00 PM - 01:05 PM	52.1	43.7	03:40 PM - 03:45 PM	51.4	48.1
10:25 AM - 10:30 AM	49.0	44.3	01:05 PM - 01:10 PM	50.6	46.3	03:45 PM - 03:50 PM	51.6	48.2
10:30 AM - 10:35 AM	48.2	43.8	01:10 PM - 01:15 PM	48.8	46.9	03:50 PM - 03:55 PM	55.0	49.6
10:35 AM - 10:40 AM	48.3	44.3	01:15 PM - 01:20 PM	51.2	48.2	03:55 PM - 04:00 PM	52.8	49.9

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421688-1

Page 2 of 3

Sample Number 2582812-14
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 29 - Sep 30, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623392

Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	53.4	51.0	06:40 PM - 06:45 PM	51.5	47.5	09:20 PM - 09:25 PM	45.8	44.0
04:05 PM - 04:10 PM	53.0	50.7	06:45 PM - 06:50 PM	52.3	48.1	09:25 PM - 09:30 PM	46.1	44.4
04:10 PM - 04:15 PM	55.9	51.5	06:50 PM - 06:55 PM	52.6	48.2	09:30 PM - 09:35 PM	46.4	44.5
04:15 PM - 04:20 PM	54.6	50.9	06:55 PM - 07:00 PM	54.0	48.3	09:35 PM - 09:40 PM	47.1	44.5
04:20 PM - 04:25 PM	56.8	52.0	07:00 PM - 07:05 PM	55.5	46.7	09:40 PM - 09:45 PM	47.0	44.2
04:25 PM - 04:30 PM	52.7	50.1	07:05 PM - 07:10 PM	52.1	48.5	09:45 PM - 09:50 PM	48.8	44.3
04:30 PM - 04:35 PM	55.4	52.7	07:10 PM - 07:15 PM	51.6	47.3	09:50 PM - 09:55 PM	51.0	46.0
04:35 PM - 04:40 PM	57.5	54.5	07:15 PM - 07:20 PM	52.2	49.3	09:55 PM - 10:00 PM	50.4	45.7
04:40 PM - 04:45 PM	53.8	50.0	07:20 PM - 07:25 PM	51.9	47.6	10:00 PM - 10:05 PM	48.5	45.3
04:45 PM - 04:50 PM	56.0	49.5	07:25 PM - 07:30 PM	51.0	46.1	10:05 PM - 10:10 PM	48.8	45.4
04:50 PM - 04:55 PM	56.8	51.6	07:30 PM - 07:35 PM	54.5	47.3	10:10 PM - 10:15 PM	49.6	46.4
04:55 PM - 05:00 PM	53.0	49.6	07:35 PM - 07:40 PM	51.7	48.0	10:15 PM - 10:20 PM	49.2	45.2
05:00 PM - 05:05 PM	54.7	50.6	07:40 PM - 07:45 PM	53.5	48.3	10:20 PM - 10:25 PM	46.9	44.2
05:05 PM - 05:10 PM	52.6	48.8	07:45 PM - 07:50 PM	49.6	45.8	10:25 PM - 10:30 PM	47.8	45.1
05:10 PM - 05:15 PM	55.0	49.7	07:50 PM - 07:55 PM	48.9	45.7	10:30 PM - 10:35 PM	47.0	44.9
05:15 PM - 05:20 PM	59.4	50.4	07:55 PM - 08:00 PM	52.4	47.2	10:35 PM - 10:40 PM	47.9	45.5
05:20 PM - 05:25 PM	50.8	48.2	08:00 PM - 08:05 PM	49.3	45.5	10:40 PM - 10:45 PM	48.6	45.4
05:25 PM - 05:30 PM	63.4	49.8	08:05 PM - 08:10 PM	50.0	46.7	10:45 PM - 10:50 PM	47.6	45.5
05:30 PM - 05:35 PM	50.5	47.2	08:10 PM - 08:15 PM	51.0	46.1	10:50 PM - 10:55 PM	47.9	45.4
05:35 PM - 05:40 PM	54.5	48.0	08:15 PM - 08:20 PM	55.9	49.4	10:55 PM - 11:00 PM	48.1	45.5
05:40 PM - 05:45 PM	63.2	48.8	08:20 PM - 08:25 PM	58.9	49.6	11:00 PM - 11:05 PM	48.0	45.4
05:45 PM - 05:50 PM	52.6	49.6	08:25 PM - 08:30 PM	52.5	50.6	11:05 PM - 11:10 PM	48.1	46.2
05:50 PM - 05:55 PM	51.5	47.4	08:30 PM - 08:35 PM	52.9	50.7	11:10 PM - 11:15 PM	47.7	45.5
05:55 PM - 06:00 PM	53.5	46.6	08:35 PM - 08:40 PM	53.5	51.0	11:15 PM - 11:20 PM	47.7	45.4
06:00 PM - 06:05 PM	52.9	46.2	08:40 PM - 08:45 PM	53.7	51.5	11:20 PM - 11:25 PM	47.1	45.7
06:05 PM - 06:10 PM	53.4	46.2	08:45 PM - 08:50 PM	52.1	50.4	11:25 PM - 11:30 PM	46.5	45.1
06:10 PM - 06:15 PM	58.1	51.1	08:50 PM - 08:55 PM	57.4	45.8	11:30 PM - 11:35 PM	48.2	46.0
06:15 PM - 06:20 PM	52.5	45.3	08:55 PM - 09:00 PM	47.9	45.1	11:35 PM - 11:40 PM	47.4	46.0
06:20 PM - 06:25 PM	48.4	41.0	09:00 PM - 09:05 PM	46.1	44.4	11:40 PM - 11:45 PM	47.8	46.1
06:25 PM - 06:30 PM	49.3	44.5	09:05 PM - 09:10 PM	48.8	44.7	11:45 PM - 11:50 PM	47.3	45.7
06:30 PM - 06:35 PM	50.3	45.3	09:10 PM - 09:15 PM	46.6	44.3	11:50 PM - 11:55 PM	47.2	45.6
06:35 PM - 06:40 PM	47.2	44.7	09:15 PM - 09:20 PM	45.9	44.0	11:55 PM - 12:00 AM	47.4	45.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421688-1

Page 3 of 3

Sample Number 2582812-14
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Sep 29 - Sep 30, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623392

Sep 30, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 30, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 30, 2025 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	47.3	45.7	02:40 AM - 02:45 AM	48.1	46.0	05:20 AM - 05:25 AM	51.5	49.8
12:05 AM - 12:10 AM	47.3	45.6	02:45 AM - 02:50 AM	47.9	46.0	05:25 AM - 05:30 AM	52.0	50.0
12:10 AM - 12:15 AM	46.4	44.4	02:50 AM - 02:55 AM	48.5	46.7	05:30 AM - 05:35 AM	52.1	50.3
12:15 AM - 12:20 AM	47.1	45.6	02:55 AM - 03:00 AM	47.6	46.0	05:35 AM - 05:40 AM	52.6	51.2
12:20 AM - 12:25 AM	46.8	45.5	03:00 AM - 03:05 AM	48.1	46.3	05:40 AM - 05:45 AM	53.1	50.8
12:25 AM - 12:30 AM	46.0	45.1	03:05 AM - 03:10 AM	48.0	46.0	05:45 AM - 05:50 AM	52.2	51.0
12:30 AM - 12:35 AM	46.8	45.3	03:10 AM - 03:15 AM	47.6	45.7	05:50 AM - 05:55 AM	65.1	51.2
12:35 AM - 12:40 AM	46.8	45.4	03:15 AM - 03:20 AM	47.8	45.9	05:55 AM - 06:00 AM	52.6	51.3
12:40 AM - 12:45 AM	45.4	43.1	03:20 AM - 03:25 AM	48.0	45.9	06:00 AM - 06:05 AM	54.1	51.6
12:45 AM - 12:50 AM	46.0	44.9	03:25 AM - 03:30 AM	47.2	46.0	06:05 AM - 06:10 AM	53.8	51.2
12:50 AM - 12:55 AM	46.7	44.9	03:30 AM - 03:35 AM	46.5	45.6	06:10 AM - 06:15 AM	52.5	50.2
12:55 AM - 01:00 AM	46.9	44.7	03:35 AM - 03:40 AM	48.4	46.2	06:15 AM - 06:20 AM	52.0	50.3
01:00 AM - 01:05 AM	47.9	44.8	03:40 AM - 03:45 AM	47.6	46.0	06:20 AM - 06:25 AM	51.3	48.8
01:05 AM - 01:10 AM	46.6	44.8	03:45 AM - 03:50 AM	48.7	46.3	06:25 AM - 06:30 AM	55.6	47.9
01:10 AM - 01:15 AM	46.5	45.4	03:50 AM - 03:55 AM	49.4	47.4	06:30 AM - 06:35 AM	50.4	46.2
01:15 AM - 01:20 AM	46.6	45.8	03:55 AM - 04:00 AM	50.0	48.1	06:35 AM - 06:40 AM	48.5	44.4
01:20 AM - 01:25 AM	46.1	45.2	04:00 AM - 04:05 AM	49.9	48.0	06:40 AM - 06:45 AM	47.9	44.1
01:25 AM - 01:30 AM	46.0	45.2	04:05 AM - 04:10 AM	49.4	47.6	06:45 AM - 06:50 AM	57.9	43.9
01:30 AM - 01:35 AM	46.6	45.5	04:10 AM - 04:15 AM	53.4	47.7	06:50 AM - 06:55 AM	48.0	41.2
01:35 AM - 01:40 AM	46.4	45.2	04:15 AM - 04:20 AM	49.4	47.4	06:55 AM - 07:00 AM	51.5	43.2
01:40 AM - 01:45 AM	46.6	45.4	04:20 AM - 04:25 AM	49.6	47.8	07:00 AM - 07:05 AM	51.5	42.8
01:45 AM - 01:50 AM	47.1	45.1	04:25 AM - 04:30 AM	49.4	48.0	07:05 AM - 07:10 AM	49.6	43.1
01:50 AM - 01:55 AM	47.4	45.5	04:30 AM - 04:35 AM	49.6	48.2	07:10 AM - 07:15 AM	49.0	41.7
01:55 AM - 02:00 AM	47.4	45.4	04:35 AM - 04:40 AM	51.2	49.1	07:15 AM - 07:20 AM	49.5	43.1
02:00 AM - 02:05 AM	47.4	45.6	04:40 AM - 04:45 AM	50.9	49.1	07:20 AM - 07:25 AM	52.8	44.1
02:05 AM - 02:10 AM	47.6	45.9	04:45 AM - 04:50 AM	50.5	48.8	07:25 AM - 07:30 AM	66.9	50.1
02:10 AM - 02:15 AM	48.3	46.5	04:50 AM - 04:55 AM	51.1	49.3	07:30 AM - 07:35 AM	61.2	53.4
02:15 AM - 02:20 AM	48.2	46.5	04:55 AM - 05:00 AM	51.5	49.8	07:35 AM - 07:40 AM	61.1	53.5
02:20 AM - 02:25 AM	47.7	46.2	05:00 AM - 05:05 AM	53.4	50.1	07:40 AM - 07:45 AM	62.8	47.0
02:25 AM - 02:30 AM	48.2	46.8	05:05 AM - 05:10 AM	51.3	49.4	07:45 AM - 07:50 AM	67.2	53.3
02:30 AM - 02:35 AM	47.9	46.4	05:10 AM - 05:15 AM	51.7	50.1	07:50 AM - 07:55 AM	66.1	57.5
02:35 AM - 02:40 AM	46.5	44.3	05:15 AM - 05:20 AM	51.7	50.2	07:55 AM - 08:00 AM	60.5	45.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421689-1

Page 1 of 3

Sample Number 2582812-15
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Sep 23 - Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623390

Sep 23, 2025	Leq	L90	Sep 23, 2025	Leq	L90	Sep 23, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	48.3	45.8	10:40 AM - 10:45 AM	50.6	46.3	01:20 PM - 01:25 PM	54.3	48.8
08:05 AM - 08:10 AM	48.6	46.0	10:45 AM - 10:50 AM	54.3	47.2	01:25 PM - 01:30 PM	53.6	49.5
08:10 AM - 08:15 AM	48.2	45.1	10:50 AM - 10:55 AM	49.8	47.2	01:30 PM - 01:35 PM	53.7	47.8
08:15 AM - 08:20 AM	49.1	45.9	10:55 AM - 11:00 AM	52.0	47.7	01:35 PM - 01:40 PM	50.4	46.6
08:20 AM - 08:25 AM	47.6	45.3	11:00 AM - 11:05 AM	59.3	47.6	01:40 PM - 01:45 PM	50.1	46.5
08:25 AM - 08:30 AM	51.5	45.7	11:05 AM - 11:10 AM	54.2	47.4	01:45 PM - 01:50 PM	54.4	46.7
08:30 AM - 08:35 AM	49.1	46.7	11:10 AM - 11:15 AM	55.6	47.8	01:50 PM - 01:55 PM	53.7	47.0
08:35 AM - 08:40 AM	49.2	46.3	11:15 AM - 11:20 AM	55.0	47.6	01:55 PM - 02:00 PM	54.5	48.5
08:40 AM - 08:45 AM	48.6	46.2	11:20 AM - 11:25 AM	55.2	48.4	02:00 PM - 02:05 PM	57.0	48.8
08:45 AM - 08:50 AM	48.8	45.7	11:25 AM - 11:30 AM	56.0	46.6	02:05 PM - 02:10 PM	51.4	47.1
08:50 AM - 08:55 AM	52.9	47.6	11:30 AM - 11:35 AM	50.0	46.2	02:10 PM - 02:15 PM	53.6	46.7
08:55 AM - 09:00 AM	49.9	46.5	11:35 AM - 11:40 AM	51.5	46.1	02:15 PM - 02:20 PM	50.5	46.3
09:00 AM - 09:05 AM	51.1	46.3	11:40 AM - 11:45 AM	52.7	45.5	02:20 PM - 02:25 PM	50.2	46.2
09:05 AM - 09:10 AM	48.4	45.9	11:45 AM - 11:50 AM	50.8	46.0	02:25 PM - 02:30 PM	53.1	47.9
09:10 AM - 09:15 AM	47.9	45.4	11:50 AM - 11:55 AM	49.1	45.0	02:30 PM - 02:35 PM	53.3	48.3
09:15 AM - 09:20 AM	49.4	45.9	11:55 AM - 12:00 PM	65.7	46.6	02:35 PM - 02:40 PM	51.0	46.6
09:20 AM - 09:25 AM	47.3	45.3	12:00 PM - 12:05 PM	52.7	48.9	02:40 PM - 02:45 PM	51.2	46.1
09:25 AM - 09:30 AM	48.4	45.9	12:05 PM - 12:10 PM	54.1	47.9	02:45 PM - 02:50 PM	51.3	45.9
09:30 AM - 09:35 AM	47.5	45.4	12:10 PM - 12:15 PM	55.4	48.5	02:50 PM - 02:55 PM	53.7	47.7
09:35 AM - 09:40 AM	48.3	45.9	12:15 PM - 12:20 PM	52.7	46.2	02:55 PM - 03:00 PM	50.7	48.0
09:40 AM - 09:45 AM	49.1	45.5	12:20 PM - 12:25 PM	48.4	44.0	03:00 PM - 03:05 PM	53.2	48.0
09:45 AM - 09:50 AM	48.3	45.8	12:25 PM - 12:30 PM	52.1	46.7	03:05 PM - 03:10 PM	54.8	46.4
09:50 AM - 09:55 AM	49.9	46.1	12:30 PM - 12:35 PM	51.7	47.1	03:10 PM - 03:15 PM	57.1	48.8
09:55 AM - 10:00 AM	52.4	45.5	12:35 PM - 12:40 PM	51.1	47.2	03:15 PM - 03:20 PM	54.9	49.2
10:00 AM - 10:05 AM	50.3	45.0	12:40 PM - 12:45 PM	51.1	44.5	03:20 PM - 03:25 PM	56.6	51.2
10:05 AM - 10:10 AM	53.6	44.9	12:45 PM - 12:50 PM	52.0	44.6	03:25 PM - 03:30 PM	56.1	49.3
10:10 AM - 10:15 AM	49.5	47.3	12:50 PM - 12:55 PM	52.4	44.6	03:30 PM - 03:35 PM	55.4	50.7
10:15 AM - 10:20 AM	49.2	46.5	12:55 PM - 01:00 PM	49.4	44.9	03:35 PM - 03:40 PM	57.0	51.1
10:20 AM - 10:25 AM	54.4	47.8	01:00 PM - 01:05 PM	51.6	46.4	03:40 PM - 03:45 PM	56.3	51.1
10:25 AM - 10:30 AM	50.4	46.9	01:05 PM - 01:10 PM	54.3	47.5	03:45 PM - 03:50 PM	55.7	48.6
10:30 AM - 10:35 AM	50.7	47.0	01:10 PM - 01:15 PM	56.0	46.6	03:50 PM - 03:55 PM	52.0	46.5
10:35 AM - 10:40 AM	49.6	46.3	01:15 PM - 01:20 PM	53.9	45.6	03:55 PM - 04:00 PM	54.0	47.4

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421689-1

Page 2 of 3

Sample Number 2582812-15
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Sep 23 - Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623390

Sep 23, 2025	Leq	L90	Sep 23, 2025	Leq	L90	Sep 23, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	55.8	47.8	06:40 PM - 06:45 PM	47.9	46.7	09:20 PM - 09:25 PM	50.3	48.9
04:05 PM - 04:10 PM	53.8	48.6	06:45 PM - 06:50 PM	48.8	46.9	09:25 PM - 09:30 PM	51.2	48.9
04:10 PM - 04:15 PM	52.8	47.7	06:50 PM - 06:55 PM	49.4	47.4	09:30 PM - 09:35 PM	50.6	48.7
04:15 PM - 04:20 PM	52.0	48.4	06:55 PM - 07:00 PM	49.1	47.4	09:35 PM - 09:40 PM	50.8	49.5
04:20 PM - 04:25 PM	53.8	49.5	07:00 PM - 07:05 PM	50.2	48.0	09:40 PM - 09:45 PM	51.3	50.0
04:25 PM - 04:30 PM	57.5	49.4	07:05 PM - 07:10 PM	51.5	48.7	09:45 PM - 09:50 PM	50.9	49.9
04:30 PM - 04:35 PM	56.5	49.4	07:10 PM - 07:15 PM	49.7	47.9	09:50 PM - 09:55 PM	51.5	50.2
04:35 PM - 04:40 PM	54.8	50.0	07:15 PM - 07:20 PM	49.1	47.4	09:55 PM - 10:00 PM	51.7	50.8
04:40 PM - 04:45 PM	53.8	50.3	07:20 PM - 07:25 PM	49.2	47.7	10:00 PM - 10:05 PM	51.2	49.9
04:45 PM - 04:50 PM	56.0	49.2	07:25 PM - 07:30 PM	49.1	47.5	10:05 PM - 10:10 PM	51.6	50.4
04:50 PM - 04:55 PM	54.8	50.3	07:30 PM - 07:35 PM	50.4	48.2	10:10 PM - 10:15 PM	51.7	50.7
04:55 PM - 05:00 PM	56.0	51.3	07:35 PM - 07:40 PM	51.6	47.1	10:15 PM - 10:20 PM	51.5	50.6
05:00 PM - 05:05 PM	52.1	49.2	07:40 PM - 07:45 PM	48.7	47.2	10:20 PM - 10:25 PM	52.0	51.0
05:05 PM - 05:10 PM	53.9	49.9	07:45 PM - 07:50 PM	48.9	46.7	10:25 PM - 10:30 PM	52.2	50.3
05:10 PM - 05:15 PM	55.8	51.4	07:50 PM - 07:55 PM	49.8	47.1	10:30 PM - 10:35 PM	51.5	50.1
05:15 PM - 05:20 PM	52.2	48.8	07:55 PM - 08:00 PM	50.9	46.8	10:35 PM - 10:40 PM	51.2	50.3
05:20 PM - 05:25 PM	51.3	47.7	08:00 PM - 08:05 PM	50.4	46.9	10:40 PM - 10:45 PM	50.8	49.5
05:25 PM - 05:30 PM	52.4	47.1	08:05 PM - 08:10 PM	51.9	47.9	10:45 PM - 10:50 PM	51.1	49.2
05:30 PM - 05:35 PM	54.5	47.3	08:10 PM - 08:15 PM	52.5	47.2	10:50 PM - 10:55 PM	50.2	49.1
05:35 PM - 05:40 PM	51.3	47.3	08:15 PM - 08:20 PM	53.4	46.8	10:55 PM - 11:00 PM	49.3	47.8
05:40 PM - 05:45 PM	52.7	48.0	08:20 PM - 08:25 PM	51.8	46.4	11:00 PM - 11:05 PM	50.0	48.8
05:45 PM - 05:50 PM	48.2	44.3	08:25 PM - 08:30 PM	49.0	47.2	11:05 PM - 11:10 PM	50.0	47.7
05:50 PM - 05:55 PM	48.2	43.9	08:30 PM - 08:35 PM	48.7	47.2	11:10 PM - 11:15 PM	48.3	46.8
05:55 PM - 06:00 PM	49.0	44.0	08:35 PM - 08:40 PM	49.9	46.6	11:15 PM - 11:20 PM	48.4	46.3
06:00 PM - 06:05 PM	46.4	43.6	08:40 PM - 08:45 PM	51.0	47.4	11:20 PM - 11:25 PM	49.5	47.6
06:05 PM - 06:10 PM	45.8	43.8	08:45 PM - 08:50 PM	48.5	46.5	11:25 PM - 11:30 PM	49.1	48.1
06:10 PM - 06:15 PM	46.2	43.0	08:50 PM - 08:55 PM	49.0	47.2	11:30 PM - 11:35 PM	48.9	46.7
06:15 PM - 06:20 PM	47.8	44.0	08:55 PM - 09:00 PM	49.5	47.8	11:35 PM - 11:40 PM	48.3	46.7
06:20 PM - 06:25 PM	46.4	44.3	09:00 PM - 09:05 PM	50.1	47.8	11:40 PM - 11:45 PM	48.9	47.0
06:25 PM - 06:30 PM	47.0	45.0	09:05 PM - 09:10 PM	49.4	47.7	11:45 PM - 11:50 PM	49.5	46.2
06:30 PM - 06:35 PM	48.3	45.0	09:10 PM - 09:15 PM	50.1	47.5	11:50 PM - 11:55 PM	49.6	46.2
06:35 PM - 06:40 PM	47.1	45.8	09:15 PM - 09:20 PM	52.6	50.2	11:55 PM - 12:00 AM	49.7	46.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421689-1

Page 3 of 3

Sample Number : 2582812-15
Parameter : Noise Level (Leq 5 min)
Location : ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date : Sep 23 - Sep 24, 2025
Measurement by : Anurak Tongkhajonsakda
Sound Level meter : Serial No. 623390

Sep 24, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 24, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 24, 2025 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	50.9	46.8	02:40 AM - 02:45 AM	44.8	44.0	05:20 AM - 05:25 AM	48.0	47.1
12:05 AM - 12:10 AM	53.3	46.7	02:45 AM - 02:50 AM	44.8	44.0	05:25 AM - 05:30 AM	47.4	46.6
12:10 AM - 12:15 AM	54.1	47.0	02:50 AM - 02:55 AM	45.3	43.8	05:30 AM - 05:35 AM	47.6	46.5
12:15 AM - 12:20 AM	51.6	45.8	02:55 AM - 03:00 AM	44.4	43.7	05:35 AM - 05:40 AM	46.8	46.1
12:20 AM - 12:25 AM	48.2	46.1	03:00 AM - 03:05 AM	45.2	44.0	05:40 AM - 05:45 AM	47.2	46.2
12:25 AM - 12:30 AM	46.9	46.2	03:05 AM - 03:10 AM	45.1	44.1	05:45 AM - 05:50 AM	47.8	46.5
12:30 AM - 12:35 AM	46.3	45.4	03:10 AM - 03:15 AM	45.2	44.1	05:50 AM - 05:55 AM	48.1	46.4
12:35 AM - 12:40 AM	46.3	45.4	03:15 AM - 03:20 AM	46.0	44.8	05:55 AM - 06:00 AM	48.3	46.2
12:40 AM - 12:45 AM	47.1	45.4	03:20 AM - 03:25 AM	45.7	45.0	06:00 AM - 06:05 AM	47.5	45.9
12:45 AM - 12:50 AM	46.6	45.5	03:25 AM - 03:30 AM	48.3	44.9	06:05 AM - 06:10 AM	48.2	46.1
12:50 AM - 12:55 AM	46.8	45.8	03:30 AM - 03:35 AM	47.1	45.0	06:10 AM - 06:15 AM	47.5	45.9
12:55 AM - 01:00 AM	46.0	45.3	03:35 AM - 03:40 AM	45.6	44.6	06:15 AM - 06:20 AM	46.3	45.6
01:00 AM - 01:05 AM	45.9	45.3	03:40 AM - 03:45 AM	46.2	44.8	06:20 AM - 06:25 AM	50.7	45.8
01:05 AM - 01:10 AM	46.0	45.4	03:45 AM - 03:50 AM	52.8	45.0	06:25 AM - 06:30 AM	46.6	45.0
01:10 AM - 01:15 AM	45.9	45.1	03:50 AM - 03:55 AM	46.5	45.0	06:30 AM - 06:35 AM	47.5	44.7
01:15 AM - 01:20 AM	45.9	45.2	03:55 AM - 04:00 AM	46.8	44.9	06:35 AM - 06:40 AM	46.1	45.1
01:20 AM - 01:25 AM	46.4	45.6	04:00 AM - 04:05 AM	46.2	44.7	06:40 AM - 06:45 AM	47.4	44.9
01:25 AM - 01:30 AM	46.3	45.3	04:05 AM - 04:10 AM	46.7	45.2	06:45 AM - 06:50 AM	47.3	45.3
01:30 AM - 01:35 AM	45.9	45.2	04:10 AM - 04:15 AM	45.4	44.5	06:50 AM - 06:55 AM	48.4	44.4
01:35 AM - 01:40 AM	46.0	45.2	04:15 AM - 04:20 AM	46.5	45.1	06:55 AM - 07:00 AM	46.8	44.5
01:40 AM - 01:45 AM	45.8	45.1	04:20 AM - 04:25 AM	47.3	45.2	07:00 AM - 07:05 AM	48.9	44.9
01:45 AM - 01:50 AM	46.6	44.8	04:25 AM - 04:30 AM	45.8	45.0	07:05 AM - 07:10 AM	57.0	48.8
01:50 AM - 01:55 AM	46.7	44.8	04:30 AM - 04:35 AM	46.5	45.0	07:10 AM - 07:15 AM	54.5	51.8
01:55 AM - 02:00 AM	46.8	45.6	04:35 AM - 04:40 AM	46.2	45.2	07:15 AM - 07:20 AM	54.2	49.6
02:00 AM - 02:05 AM	46.2	44.8	04:40 AM - 04:45 AM	47.3	45.5	07:20 AM - 07:25 AM	53.5	49.1
02:05 AM - 02:10 AM	46.7	44.9	04:45 AM - 04:50 AM	47.5	46.1	07:25 AM - 07:30 AM	54.4	48.6
02:10 AM - 02:15 AM	45.6	44.4	04:50 AM - 04:55 AM	47.1	45.8	07:30 AM - 07:35 AM	54.7	49.5
02:15 AM - 02:20 AM	45.1	44.3	04:55 AM - 05:00 AM	48.2	45.9	07:35 AM - 07:40 AM	53.8	47.3
02:20 AM - 02:25 AM	45.8	44.1	05:00 AM - 05:05 AM	54.5	46.8	07:40 AM - 07:45 AM	59.9	47.4
02:25 AM - 02:30 AM	44.5	43.8	05:05 AM - 05:10 AM	48.2	47.0	07:45 AM - 07:50 AM	54.1	47.2
02:30 AM - 02:35 AM	45.5	44.0	05:10 AM - 05:15 AM	50.6	46.9	07:50 AM - 07:55 AM	55.1	49.0
02:35 AM - 02:40 AM	44.9	44.1	05:15 AM - 05:20 AM	48.1	47.1	07:55 AM - 08:00 AM	53.4	48.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421690-1

Page 1 of 3

Sample Number : 2582812-16
Parameter : Noise Level (Leq 5 min)
Location : ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date : Sep 24 - Sep 25, 2025
Measurement by : Anurak Tongkhajonsakda
Sound Level meter : Serial No. 623390

Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	53.0	47.7	10:40 AM - 10:45 AM	52.3	50.0	01:20 PM - 01:25 PM	52.9	50.1
08:05 AM - 08:10 AM	56.0	49.6	10:45 AM - 10:50 AM	54.5	49.4	01:25 PM - 01:30 PM	52.4	47.8
08:10 AM - 08:15 AM	52.8	48.5	10:50 AM - 10:55 AM	54.1	50.7	01:30 PM - 01:35 PM	53.0	50.1
08:15 AM - 08:20 AM	54.3	50.3	10:55 AM - 11:00 AM	53.6	51.2	01:35 PM - 01:40 PM	53.5	51.0
08:20 AM - 08:25 AM	55.0	50.1	11:00 AM - 11:05 AM	52.7	50.8	01:40 PM - 01:45 PM	52.3	50.1
08:25 AM - 08:30 AM	55.2	51.1	11:05 AM - 11:10 AM	53.5	50.3	01:45 PM - 01:50 PM	52.5	48.4
08:30 AM - 08:35 AM	54.6	51.0	11:10 AM - 11:15 AM	51.7	49.6	01:50 PM - 01:55 PM	51.3	46.5
08:35 AM - 08:40 AM	53.6	48.0	11:15 AM - 11:20 AM	51.5	47.6	01:55 PM - 02:00 PM	53.8	49.3
08:40 AM - 08:45 AM	52.9	48.5	11:20 AM - 11:25 AM	52.0	48.1	02:00 PM - 02:05 PM	60.1	47.9
08:45 AM - 08:50 AM	52.6	47.9	11:25 AM - 11:30 AM	53.8	49.1	02:05 PM - 02:10 PM	49.3	46.7
08:50 AM - 08:55 AM	50.6	47.2	11:30 AM - 11:35 AM	52.1	46.7	02:10 PM - 02:15 PM	51.8	46.8
08:55 AM - 09:00 AM	50.4	48.0	11:35 AM - 11:40 AM	54.0	49.1	02:15 PM - 02:20 PM	52.6	47.6
09:00 AM - 09:05 AM	51.5	48.4	11:40 AM - 11:45 AM	52.1	48.3	02:20 PM - 02:25 PM	53.0	48.5
09:05 AM - 09:10 AM	51.6	47.3	11:45 AM - 11:50 AM	52.9	48.5	02:25 PM - 02:30 PM	50.3	47.6
09:10 AM - 09:15 AM	51.8	47.5	11:50 AM - 11:55 AM	50.7	48.2	02:30 PM - 02:35 PM	50.0	47.3
09:15 AM - 09:20 AM	54.0	48.9	11:55 AM - 12:00 PM	51.9	48.7	02:35 PM - 02:40 PM	53.3	46.6
09:20 AM - 09:25 AM	54.5	49.9	12:00 PM - 12:05 PM	51.7	48.6	02:40 PM - 02:45 PM	51.7	48.0
09:25 AM - 09:30 AM	53.8	49.0	12:05 PM - 12:10 PM	53.2	50.2	02:45 PM - 02:50 PM	51.5	48.7
09:30 AM - 09:35 AM	53.4	49.0	12:10 PM - 12:15 PM	52.0	49.3	02:50 PM - 02:55 PM	57.5	47.6
09:35 AM - 09:40 AM	51.8	47.9	12:15 PM - 12:20 PM	51.3	47.5	02:55 PM - 03:00 PM	54.2	47.4
09:40 AM - 09:45 AM	55.1	47.5	12:20 PM - 12:25 PM	50.1	46.2	03:00 PM - 03:05 PM	49.9	46.2
09:45 AM - 09:50 AM	49.9	46.5	12:25 PM - 12:30 PM	49.2	45.5	03:05 PM - 03:10 PM	50.7	47.1
09:50 AM - 09:55 AM	50.0	46.9	12:30 PM - 12:35 PM	48.7	46.3	03:10 PM - 03:15 PM	52.1	48.6
09:55 AM - 10:00 AM	51.7	48.2	12:35 PM - 12:40 PM	49.8	45.1	03:15 PM - 03:20 PM	54.8	48.7
10:00 AM - 10:05 AM	52.7	48.8	12:40 PM - 12:45 PM	52.1	47.9	03:20 PM - 03:25 PM	55.1	46.5
10:05 AM - 10:10 AM	51.9	49.4	12:45 PM - 12:50 PM	55.5	46.5	03:25 PM - 03:30 PM	51.1	47.2
10:10 AM - 10:15 AM	56.6	50.8	12:50 PM - 12:55 PM	50.0	46.5	03:30 PM - 03:35 PM	54.2	49.9
10:15 AM - 10:20 AM	51.9	48.6	12:55 PM - 01:00 PM	54.8	47.8	03:35 PM - 03:40 PM	53.3	49.4
10:20 AM - 10:25 AM	51.3	48.9	01:00 PM - 01:05 PM	53.6	46.2	03:40 PM - 03:45 PM	55.6	50.6
10:25 AM - 10:30 AM	53.5	50.3	01:05 PM - 01:10 PM	52.7	47.1	03:45 PM - 03:50 PM	54.0	51.3
10:30 AM - 10:35 AM	52.7	50.8	01:10 PM - 01:15 PM	57.8	56.2	03:50 PM - 03:55 PM	53.7	50.5
10:35 AM - 10:40 AM	53.6	51.1	01:15 PM - 01:20 PM	54.6	46.7	03:55 PM - 04:00 PM	54.1	48.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421690-1

Page 2 of 3

Sample Number 2582812-16
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Sep 24 - Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623390

Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	49.7	47.6	06:40 PM - 06:45 PM	68.3	48.1	09:20 PM - 09:25 PM	50.4	48.4
04:05 PM - 04:10 PM	49.8	47.0	06:45 PM - 06:50 PM	51.2	48.1	09:25 PM - 09:30 PM	49.4	47.6
04:10 PM - 04:15 PM	53.4	48.7	06:50 PM - 06:55 PM	49.2	48.3	09:30 PM - 09:35 PM	50.3	48.6
04:15 PM - 04:20 PM	50.3	48.5	06:55 PM - 07:00 PM	49.0	47.6	09:35 PM - 09:40 PM	51.1	49.2
04:20 PM - 04:25 PM	50.2	47.8	07:00 PM - 07:05 PM	50.3	48.5	09:40 PM - 09:45 PM	50.3	48.2
04:25 PM - 04:30 PM	48.9	46.1	07:05 PM - 07:10 PM	49.7	48.5	09:45 PM - 09:50 PM	50.7	49.3
04:30 PM - 04:35 PM	51.7	48.7	07:10 PM - 07:15 PM	49.7	48.0	09:50 PM - 09:55 PM	50.5	48.6
04:35 PM - 04:40 PM	52.1	48.8	07:15 PM - 07:20 PM	50.4	48.8	09:55 PM - 10:00 PM	49.8	48.2
04:40 PM - 04:45 PM	50.8	46.9	07:20 PM - 07:25 PM	52.0	48.5	10:00 PM - 10:05 PM	50.6	49.5
04:45 PM - 04:50 PM	52.0	48.2	07:25 PM - 07:30 PM	50.3	48.0	10:05 PM - 10:10 PM	50.0	48.3
04:50 PM - 04:55 PM	53.8	48.9	07:30 PM - 07:35 PM	50.0	47.9	10:10 PM - 10:15 PM	50.0	48.8
04:55 PM - 05:00 PM	51.1	48.4	07:35 PM - 07:40 PM	51.0	47.8	10:15 PM - 10:20 PM	58.1	54.2
05:00 PM - 05:05 PM	52.9	48.9	07:40 PM - 07:45 PM	48.9	47.5	10:20 PM - 10:25 PM	59.0	56.8
05:05 PM - 05:10 PM	51.2	48.4	07:45 PM - 07:50 PM	49.4	48.1	10:25 PM - 10:30 PM	59.1	56.6
05:10 PM - 05:15 PM	51.1	48.6	07:50 PM - 07:55 PM	49.3	47.4	10:30 PM - 10:35 PM	59.1	56.5
05:15 PM - 05:20 PM	50.2	46.7	07:55 PM - 08:00 PM	49.7	48.2	10:35 PM - 10:40 PM	59.5	57.2
05:20 PM - 05:25 PM	49.1	46.5	08:00 PM - 08:05 PM	49.2	48.0	10:40 PM - 10:45 PM	59.4	57.2
05:25 PM - 05:30 PM	48.6	47.1	08:05 PM - 08:10 PM	48.5	47.2	10:45 PM - 10:50 PM	59.3	57.1
05:30 PM - 05:35 PM	51.9	46.9	08:10 PM - 08:15 PM	49.6	48.1	10:50 PM - 10:55 PM	59.3	57.1
05:35 PM - 05:40 PM	51.8	48.4	08:15 PM - 08:20 PM	49.5	48.2	10:55 PM - 11:00 PM	59.0	56.8
05:40 PM - 05:45 PM	52.2	48.5	08:20 PM - 08:25 PM	49.5	48.0	11:00 PM - 11:05 PM	58.8	56.5
05:45 PM - 05:50 PM	48.6	45.5	08:25 PM - 08:30 PM	49.8	47.0	11:05 PM - 11:10 PM	58.6	56.2
05:50 PM - 05:55 PM	49.4	46.6	08:30 PM - 08:35 PM	50.0	47.3	11:10 PM - 11:15 PM	55.7	48.8
05:55 PM - 06:00 PM	49.7	47.3	08:35 PM - 08:40 PM	49.4	47.8	11:15 PM - 11:20 PM	59.1	56.7
06:00 PM - 06:05 PM	50.4	47.2	08:40 PM - 08:45 PM	49.6	47.8	11:20 PM - 11:25 PM	59.3	57.0
06:05 PM - 06:10 PM	49.5	45.8	08:45 PM - 08:50 PM	50.1	47.2	11:25 PM - 11:30 PM	58.9	54.3
06:10 PM - 06:15 PM	48.7	45.8	08:50 PM - 08:55 PM	49.8	46.0	11:30 PM - 11:35 PM	58.3	51.4
06:15 PM - 06:20 PM	49.7	45.0	08:55 PM - 09:00 PM	51.7	48.8	11:35 PM - 11:40 PM	59.7	57.1
06:20 PM - 06:25 PM	49.4	46.7	09:00 PM - 09:05 PM	50.2	48.5	11:40 PM - 11:45 PM	59.7	57.0
06:25 PM - 06:30 PM	48.6	46.1	09:05 PM - 09:10 PM	49.0	47.3	11:45 PM - 11:50 PM	59.8	57.4
06:30 PM - 06:35 PM	49.5	47.0	09:10 PM - 09:15 PM	48.9	47.4	11:50 PM - 11:55 PM	59.8	57.4
06:35 PM - 06:40 PM	49.5	47.8	09:15 PM - 09:20 PM	49.0	47.2	11:55 PM - 12:00 AM	59.7	57.2

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421690-1

Page 3 of 3

Sample Number 2582812-16
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Sep 24 - Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623390

Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	57.7	47.9	02:40 AM - 02:45 AM	47.1	45.3	05:20 AM - 05:25 AM	48.8	47.3
12:05 AM - 12:10 AM	58.2	53.9	02:45 AM - 02:50 AM	46.6	44.9	05:25 AM - 05:30 AM	50.3	48.8
12:10 AM - 12:15 AM	58.9	56.0	02:50 AM - 02:55 AM	47.4	45.0	05:30 AM - 05:35 AM	49.9	48.4
12:15 AM - 12:20 AM	59.0	56.2	02:55 AM - 03:00 AM	46.8	44.2	05:35 AM - 05:40 AM	49.6	48.3
12:20 AM - 12:25 AM	59.3	56.7	03:00 AM - 03:05 AM	47.0	45.8	05:40 AM - 05:45 AM	49.7	48.0
12:25 AM - 12:30 AM	58.2	49.7	03:05 AM - 03:10 AM	47.8	46.6	05:45 AM - 05:50 AM	49.7	48.5
12:30 AM - 12:35 AM	58.5	55.0	03:10 AM - 03:15 AM	48.7	47.4	05:50 AM - 05:55 AM	50.3	48.5
12:35 AM - 12:40 AM	58.2	51.0	03:15 AM - 03:20 AM	48.8	47.6	05:55 AM - 06:00 AM	48.7	46.9
12:40 AM - 12:45 AM	59.3	56.4	03:20 AM - 03:25 AM	48.7	47.2	06:00 AM - 06:05 AM	48.4	46.3
12:45 AM - 12:50 AM	58.9	55.1	03:25 AM - 03:30 AM	49.2	47.8	06:05 AM - 06:10 AM	48.9	47.1
12:50 AM - 12:55 AM	59.1	56.2	03:30 AM - 03:35 AM	49.0	47.6	06:10 AM - 06:15 AM	48.6	46.5
12:55 AM - 01:00 AM	59.0	56.4	03:35 AM - 03:40 AM	49.1	47.6	06:15 AM - 06:20 AM	47.7	46.5
01:00 AM - 01:05 AM	58.6	55.0	03:40 AM - 03:45 AM	49.1	47.9	06:20 AM - 06:25 AM	47.5	46.5
01:05 AM - 01:10 AM	59.0	56.2	03:45 AM - 03:50 AM	49.1	47.5	06:25 AM - 06:30 AM	48.0	46.1
01:10 AM - 01:15 AM	58.5	54.5	03:50 AM - 03:55 AM	49.7	48.4	06:30 AM - 06:35 AM	47.8	46.7
01:15 AM - 01:20 AM	57.6	45.8	03:55 AM - 04:00 AM	49.4	47.9	06:35 AM - 06:40 AM	48.3	46.6
01:20 AM - 01:25 AM	60.1	57.5	04:00 AM - 04:05 AM	49.1	47.5	06:40 AM - 06:45 AM	51.2	46.1
01:25 AM - 01:30 AM	59.5	55.7	04:05 AM - 04:10 AM	49.2	47.7	06:45 AM - 06:50 AM	50.4	47.0
01:30 AM - 01:35 AM	59.7	56.4	04:10 AM - 04:15 AM	48.9	47.2	06:50 AM - 06:55 AM	50.6	46.3
01:35 AM - 01:40 AM	60.0	57.1	04:15 AM - 04:20 AM	48.6	47.4	06:55 AM - 07:00 AM	49.7	47.3
01:40 AM - 01:45 AM	60.0	57.2	04:20 AM - 04:25 AM	49.0	47.8	07:00 AM - 07:05 AM	49.5	47.1
01:45 AM - 01:50 AM	59.7	56.3	04:25 AM - 04:30 AM	48.5	47.3	07:05 AM - 07:10 AM	50.6	46.1
01:50 AM - 01:55 AM	59.8	56.3	04:30 AM - 04:35 AM	49.0	47.9	07:10 AM - 07:15 AM	55.6	51.3
01:55 AM - 02:00 AM	58.8	46.8	04:35 AM - 04:40 AM	48.8	47.0	07:15 AM - 07:20 AM	52.7	49.5
02:00 AM - 02:05 AM	58.6	45.1	04:40 AM - 04:45 AM	49.5	47.7	07:20 AM - 07:25 AM	53.5	49.7
02:05 AM - 02:10 AM	60.5	57.4	04:45 AM - 04:50 AM	49.3	48.1	07:25 AM - 07:30 AM	52.6	49.8
02:10 AM - 02:15 AM	58.3	45.8	04:50 AM - 04:55 AM	49.1	47.9	07:30 AM - 07:35 AM	50.9	48.0
02:15 AM - 02:20 AM	58.1	45.8	04:55 AM - 05:00 AM	49.3	48.2	07:35 AM - 07:40 AM	51.8	48.3
02:20 AM - 02:25 AM	58.7	54.9	05:00 AM - 05:05 AM	50.0	47.4	07:40 AM - 07:45 AM	51.6	48.9
02:25 AM - 02:30 AM	58.8	54.5	05:05 AM - 05:10 AM	48.6	47.3	07:45 AM - 07:50 AM	51.0	46.3
02:30 AM - 02:35 AM	58.8	55.4	05:10 AM - 05:15 AM	49.5	48.5	07:50 AM - 07:55 AM	50.8	46.1
02:35 AM - 02:40 AM	55.9	45.7	05:15 AM - 05:20 AM	49.3	47.6	07:55 AM - 08:00 AM	50.5	46.0

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421691-1

Page 1 of 3

Sample Number 2582812-17
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Sep 25 - Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623390

Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	48.4	44.7	10:40 AM - 10:45 AM	60.3	57.7	01:20 PM - 01:25 PM	54.7	51.8
08:05 AM - 08:10 AM	51.1	46.2	10:45 AM - 10:50 AM	57.3	54.8	01:25 PM - 01:30 PM	55.1	50.4
08:10 AM - 08:15 AM	48.3	45.9	10:50 AM - 10:55 AM	59.2	55.0	01:30 PM - 01:35 PM	54.1	49.2
08:15 AM - 08:20 AM	52.4	46.3	10:55 AM - 11:00 AM	59.0	54.4	01:35 PM - 01:40 PM	53.8	50.6
08:20 AM - 08:25 AM	51.5	46.8	11:00 AM - 11:05 AM	52.1	49.7	01:40 PM - 01:45 PM	54.7	49.6
08:25 AM - 08:30 AM	54.3	48.1	11:05 AM - 11:10 AM	50.7	47.0	01:45 PM - 01:50 PM	53.7	48.6
08:30 AM - 08:35 AM	52.7	46.4	11:10 AM - 11:15 AM	48.0	45.8	01:50 PM - 01:55 PM	56.1	50.3
08:35 AM - 08:40 AM	53.7	49.7	11:15 AM - 11:20 AM	46.3	44.6	01:55 PM - 02:00 PM	55.5	51.0
08:40 AM - 08:45 AM	55.3	48.3	11:20 AM - 11:25 AM	50.5	45.1	02:00 PM - 02:05 PM	56.4	50.3
08:45 AM - 08:50 AM	51.7	47.9	11:25 AM - 11:30 AM	48.4	44.7	02:05 PM - 02:10 PM	54.5	50.2
08:50 AM - 08:55 AM	50.2	46.7	11:30 AM - 11:35 AM	49.1	45.2	02:10 PM - 02:15 PM	54.9	49.4
08:55 AM - 09:00 AM	51.1	47.6	11:35 AM - 11:40 AM	50.5	45.9	02:15 PM - 02:20 PM	56.6	49.8
09:00 AM - 09:05 AM	52.7	49.4	11:40 AM - 11:45 AM	50.8	45.2	02:20 PM - 02:25 PM	55.1	50.4
09:05 AM - 09:10 AM	52.2	49.6	11:45 AM - 11:50 AM	51.9	45.9	02:25 PM - 02:30 PM	54.0	48.6
09:10 AM - 09:15 AM	52.1	49.3	11:50 AM - 11:55 AM	46.7	44.0	02:30 PM - 02:35 PM	54.5	48.2
09:15 AM - 09:20 AM	51.2	48.5	11:55 AM - 12:00 PM	53.6	44.7	02:35 PM - 02:40 PM	56.1	51.8
09:20 AM - 09:25 AM	55.5	50.6	12:00 PM - 12:05 PM	48.3	44.2	02:40 PM - 02:45 PM	56.1	52.1
09:25 AM - 09:30 AM	57.1	50.1	12:05 PM - 12:10 PM	47.8	44.0	02:45 PM - 02:50 PM	54.9	49.7
09:30 AM - 09:35 AM	57.2	53.5	12:10 PM - 12:15 PM	47.8	44.8	02:50 PM - 02:55 PM	52.4	48.4
09:35 AM - 09:40 AM	57.3	52.3	12:15 PM - 12:20 PM	50.3	44.9	02:55 PM - 03:00 PM	54.9	49.9
09:40 AM - 09:45 AM	57.5	54.2	12:20 PM - 12:25 PM	46.7	43.5	03:00 PM - 03:05 PM	56.7	50.2
09:45 AM - 09:50 AM	58.4	53.8	12:25 PM - 12:30 PM	49.9	45.6	03:05 PM - 03:10 PM	54.0	48.8
09:50 AM - 09:55 AM	56.5	53.6	12:30 PM - 12:35 PM	49.8	45.5	03:10 PM - 03:15 PM	53.3	48.6
09:55 AM - 10:00 AM	59.2	56.1	12:35 PM - 12:40 PM	52.1	45.9	03:15 PM - 03:20 PM	54.7	50.3
10:00 AM - 10:05 AM	58.7	56.3	12:40 PM - 12:45 PM	52.5	47.9	03:20 PM - 03:25 PM	55.1	50.1
10:05 AM - 10:10 AM	58.5	55.9	12:45 PM - 12:50 PM	55.4	48.9	03:25 PM - 03:30 PM	53.4	49.6
10:10 AM - 10:15 AM	58.0	54.7	12:50 PM - 12:55 PM	54.6	49.6	03:30 PM - 03:35 PM	51.3	49.2
10:15 AM - 10:20 AM	60.1	55.1	12:55 PM - 01:00 PM	55.1	51.0	03:35 PM - 03:40 PM	54.1	51.2
10:20 AM - 10:25 AM	61.1	56.6	01:00 PM - 01:05 PM	53.0	50.3	03:40 PM - 03:45 PM	51.4	47.9
10:25 AM - 10:30 AM	59.7	56.6	01:05 PM - 01:10 PM	53.5	48.4	03:45 PM - 03:50 PM	49.1	46.1
10:30 AM - 10:35 AM	61.5	58.7	01:10 PM - 01:15 PM	53.6	49.2	03:50 PM - 03:55 PM	50.0	47.3
10:35 AM - 10:40 AM	61.4	59.0	01:15 PM - 01:20 PM	53.5	48.7	03:55 PM - 04:00 PM	56.2	47.2

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421691-1

Page 2 of 3

Sample Number 2582812-17
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Sep 25 - Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623390

Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	54.0	46.7	06:40 PM - 06:45 PM	48.0	46.5	09:20 PM - 09:25 PM	50.0	48.9
04:05 PM - 04:10 PM	49.5	45.6	06:45 PM - 06:50 PM	47.7	46.5	09:25 PM - 09:30 PM	49.8	48.6
04:10 PM - 04:15 PM	50.1	45.4	06:50 PM - 06:55 PM	47.2	45.8	09:30 PM - 09:35 PM	50.1	48.9
04:15 PM - 04:20 PM	48.4	45.9	06:55 PM - 07:00 PM	48.0	46.5	09:35 PM - 09:40 PM	49.9	48.8
04:20 PM - 04:25 PM	50.4	47.2	07:00 PM - 07:05 PM	48.5	46.7	09:40 PM - 09:45 PM	50.0	48.8
04:25 PM - 04:30 PM	50.2	47.5	07:05 PM - 07:10 PM	52.1	48.2	09:45 PM - 09:50 PM	50.0	48.1
04:30 PM - 04:35 PM	50.6	47.5	07:10 PM - 07:15 PM	55.1	50.0	09:50 PM - 09:55 PM	49.3	48.4
04:35 PM - 04:40 PM	49.7	47.2	07:15 PM - 07:20 PM	60.9	55.2	09:55 PM - 10:00 PM	49.1	48.1
04:40 PM - 04:45 PM	49.4	45.1	07:20 PM - 07:25 PM	60.9	51.6	10:00 PM - 10:05 PM	49.1	48.0
04:45 PM - 04:50 PM	52.7	47.3	07:25 PM - 07:30 PM	62.1	54.3	10:05 PM - 10:10 PM	49.4	48.2
04:50 PM - 04:55 PM	50.2	47.3	07:30 PM - 07:35 PM	59.3	49.0	10:10 PM - 10:15 PM	49.4	48.3
04:55 PM - 05:00 PM	50.2	46.9	07:35 PM - 07:40 PM	61.4	53.9	10:15 PM - 10:20 PM	49.5	48.5
05:00 PM - 05:05 PM	49.5	45.2	07:40 PM - 07:45 PM	62.6	57.5	10:20 PM - 10:25 PM	49.6	48.5
05:05 PM - 05:10 PM	47.9	45.4	07:45 PM - 07:50 PM	60.9	52.8	10:25 PM - 10:30 PM	49.9	48.8
05:10 PM - 05:15 PM	48.3	45.0	07:50 PM - 07:55 PM	59.1	52.4	10:30 PM - 10:35 PM	49.8	48.6
05:15 PM - 05:20 PM	50.1	45.3	07:55 PM - 08:00 PM	60.8	57.2	10:35 PM - 10:40 PM	49.0	47.7
05:20 PM - 05:25 PM	57.6	45.8	08:00 PM - 08:05 PM	60.4	56.0	10:40 PM - 10:45 PM	48.8	47.4
05:25 PM - 05:30 PM	48.2	45.5	08:05 PM - 08:10 PM	59.5	50.5	10:45 PM - 10:50 PM	48.6	46.8
05:30 PM - 05:35 PM	48.6	46.1	08:10 PM - 08:15 PM	57.4	51.7	10:50 PM - 10:55 PM	48.6	46.9
05:35 PM - 05:40 PM	47.7	45.2	08:15 PM - 08:20 PM	57.2	53.0	10:55 PM - 11:00 PM	48.6	47.2
05:40 PM - 05:45 PM	50.5	46.1	08:20 PM - 08:25 PM	57.7	53.1	11:00 PM - 11:05 PM	47.7	46.4
05:45 PM - 05:50 PM	46.9	45.1	08:25 PM - 08:30 PM	57.9	52.5	11:05 PM - 11:10 PM	48.6	47.2
05:50 PM - 05:55 PM	48.0	45.0	08:30 PM - 08:35 PM	57.8	51.0	11:10 PM - 11:15 PM	48.2	46.7
05:55 PM - 06:00 PM	46.0	44.5	08:35 PM - 08:40 PM	58.2	52.8	11:15 PM - 11:20 PM	48.1	46.8
06:00 PM - 06:05 PM	47.0	44.0	08:40 PM - 08:45 PM	60.3	56.2	11:20 PM - 11:25 PM	48.7	46.7
06:05 PM - 06:10 PM	47.1	43.9	08:45 PM - 08:50 PM	57.0	50.0	11:25 PM - 11:30 PM	48.4	47.1
06:10 PM - 06:15 PM	47.2	45.3	08:50 PM - 08:55 PM	56.2	49.8	11:30 PM - 11:35 PM	49.1	47.8
06:15 PM - 06:20 PM	47.5	44.3	08:55 PM - 09:00 PM	55.4	49.3	11:35 PM - 11:40 PM	49.4	48.1
06:20 PM - 06:25 PM	49.3	45.3	09:00 PM - 09:05 PM	54.7	49.3	11:40 PM - 11:45 PM	48.8	47.4
06:25 PM - 06:30 PM	46.9	45.4	09:05 PM - 09:10 PM	56.5	49.3	11:45 PM - 11:50 PM	48.2	47.1
06:30 PM - 06:35 PM	48.1	46.1	09:10 PM - 09:15 PM	53.7	49.2	11:50 PM - 11:55 PM	48.0	46.8
06:35 PM - 06:40 PM	47.4	45.8	09:15 PM - 09:20 PM	50.1	49.0	11:55 PM - 12:00 AM	48.4	46.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok

Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421691-1

Page 3 of 3

Sample Number 2582812-17
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Sep 25 - Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623390

Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	47.8	46.3	02:40 AM - 02:45 AM	48.4	47.0	05:20 AM - 05:25 AM	49.8	47.7
12:05 AM - 12:10 AM	48.1	46.6	02:45 AM - 02:50 AM	48.0	46.4	05:25 AM - 05:30 AM	50.5	48.7
12:10 AM - 12:15 AM	48.3	46.9	02:50 AM - 02:55 AM	47.2	45.9	05:30 AM - 05:35 AM	49.9	48.0
12:15 AM - 12:20 AM	48.6	47.5	02:55 AM - 03:00 AM	47.0	45.7	05:35 AM - 05:40 AM	49.0	47.4
12:20 AM - 12:25 AM	48.2	47.0	03:00 AM - 03:05 AM	47.9	46.7	05:40 AM - 05:45 AM	49.9	48.3
12:25 AM - 12:30 AM	48.1	47.1	03:05 AM - 03:10 AM	48.7	47.2	05:45 AM - 05:50 AM	51.3	50.1
12:30 AM - 12:35 AM	48.1	47.0	03:10 AM - 03:15 AM	48.6	47.3	05:50 AM - 05:55 AM	50.5	48.9
12:35 AM - 12:40 AM	48.3	46.9	03:15 AM - 03:20 AM	49.1	47.7	05:55 AM - 06:00 AM	50.7	48.4
12:40 AM - 12:45 AM	48.3	47.2	03:20 AM - 03:25 AM	48.0	46.7	06:00 AM - 06:05 AM	50.1	48.9
12:45 AM - 12:50 AM	50.0	47.6	03:25 AM - 03:30 AM	48.1	46.8	06:05 AM - 06:10 AM	49.2	47.9
12:50 AM - 12:55 AM	48.3	46.9	03:30 AM - 03:35 AM	48.0	46.7	06:10 AM - 06:15 AM	50.5	48.7
12:55 AM - 01:00 AM	48.6	47.1	03:35 AM - 03:40 AM	48.0	46.7	06:15 AM - 06:20 AM	52.1	47.7
01:00 AM - 01:05 AM	48.8	46.7	03:40 AM - 03:45 AM	47.9	46.7	06:20 AM - 06:25 AM	50.5	47.2
01:05 AM - 01:10 AM	49.1	47.4	03:45 AM - 03:50 AM	47.6	46.4	06:25 AM - 06:30 AM	49.7	47.8
01:10 AM - 01:15 AM	49.9	48.4	03:50 AM - 03:55 AM	47.2	45.3	06:30 AM - 06:35 AM	49.3	47.6
01:15 AM - 01:20 AM	49.7	48.4	03:55 AM - 04:00 AM	47.4	46.0	06:35 AM - 06:40 AM	48.8	46.9
01:20 AM - 01:25 AM	50.0	48.6	04:00 AM - 04:05 AM	47.5	46.3	06:40 AM - 06:45 AM	49.6	47.1
01:25 AM - 01:30 AM	49.8	48.8	04:05 AM - 04:10 AM	47.6	46.5	06:45 AM - 06:50 AM	50.4	47.7
01:30 AM - 01:35 AM	49.4	48.0	04:10 AM - 04:15 AM	47.5	46.2	06:50 AM - 06:55 AM	49.7	47.1
01:35 AM - 01:40 AM	48.5	47.0	04:15 AM - 04:20 AM	47.6	46.2	06:55 AM - 07:00 AM	49.2	47.0
01:40 AM - 01:45 AM	48.9	46.7	04:20 AM - 04:25 AM	47.3	45.6	07:00 AM - 07:05 AM	50.6	47.3
01:45 AM - 01:50 AM	48.9	47.4	04:25 AM - 04:30 AM	47.3	46.2	07:05 AM - 07:10 AM	54.2	49.7
01:50 AM - 01:55 AM	49.4	48.0	04:30 AM - 04:35 AM	47.3	45.8	07:10 AM - 07:15 AM	54.0	49.4
01:55 AM - 02:00 AM	48.6	47.2	04:35 AM - 04:40 AM	48.1	46.8	07:15 AM - 07:20 AM	57.5	53.2
02:00 AM - 02:05 AM	49.2	47.1	04:40 AM - 04:45 AM	48.3	46.9	07:20 AM - 07:25 AM	53.6	48.8
02:05 AM - 02:10 AM	48.8	47.3	04:45 AM - 04:50 AM	50.0	47.6	07:25 AM - 07:30 AM	54.5	48.6
02:10 AM - 02:15 AM	49.0	47.2	04:50 AM - 04:55 AM	48.5	46.9	07:30 AM - 07:35 AM	51.8	48.1
02:15 AM - 02:20 AM	49.1	47.7	04:55 AM - 05:00 AM	48.2	46.9	07:35 AM - 07:40 AM	53.1	49.1
02:20 AM - 02:25 AM	49.3	48.1	05:00 AM - 05:05 AM	48.8	47.7	07:40 AM - 07:45 AM	53.8	49.3
02:25 AM - 02:30 AM	49.3	48.1	05:05 AM - 05:10 AM	49.7	48.1	07:45 AM - 07:50 AM	50.4	47.5
02:30 AM - 02:35 AM	49.0	47.2	05:10 AM - 05:15 AM	49.3	47.9	07:50 AM - 07:55 AM	51.9	48.6
02:35 AM - 02:40 AM	47.6	46.0	05:15 AM - 05:20 AM	49.8	47.8	07:55 AM - 08:00 AM	51.9	47.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421692-1

Page 1 of 3

Sample Number 2582812-18
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Sep 26 - Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623390

Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	54.5	48.1	10:40 AM - 10:45 AM	48.2	45.5	01:20 PM - 01:25 PM	47.7	45.0
08:05 AM - 08:10 AM	53.8	48.3	10:45 AM - 10:50 AM	49.0	45.1	01:25 PM - 01:30 PM	50.8	45.8
08:10 AM - 08:15 AM	52.7	47.5	10:50 AM - 10:55 AM	48.1	46.0	01:30 PM - 01:35 PM	52.7	46.6
08:15 AM - 08:20 AM	52.1	47.4	10:55 AM - 11:00 AM	50.6	46.1	01:35 PM - 01:40 PM	48.3	45.6
08:20 AM - 08:25 AM	52.5	46.0	11:00 AM - 11:05 AM	47.8	45.1	01:40 PM - 01:45 PM	51.0	45.7
08:25 AM - 08:30 AM	51.5	46.7	11:05 AM - 11:10 AM	50.4	44.5	01:45 PM - 01:50 PM	48.1	45.7
08:30 AM - 08:35 AM	54.0	47.9	11:10 AM - 11:15 AM	50.0	45.8	01:50 PM - 01:55 PM	48.6	45.6
08:35 AM - 08:40 AM	52.0	48.0	11:15 AM - 11:20 AM	49.1	45.4	01:55 PM - 02:00 PM	47.1	45.1
08:40 AM - 08:45 AM	53.0	47.9	11:20 AM - 11:25 AM	50.0	44.7	02:00 PM - 02:05 PM	48.7	45.3
08:45 AM - 08:50 AM	54.1	48.1	11:25 AM - 11:30 AM	53.2	45.8	02:05 PM - 02:10 PM	50.0	46.3
08:50 AM - 08:55 AM	52.6	47.3	11:30 AM - 11:35 AM	52.8	45.6	02:10 PM - 02:15 PM	50.3	46.0
08:55 AM - 09:00 AM	52.8	47.5	11:35 AM - 11:40 AM	53.7	45.4	02:15 PM - 02:20 PM	49.5	45.6
09:00 AM - 09:05 AM	53.0	47.9	11:40 AM - 11:45 AM	50.4	45.6	02:20 PM - 02:25 PM	49.9	45.8
09:05 AM - 09:10 AM	53.4	45.5	11:45 AM - 11:50 AM	48.8	45.9	02:25 PM - 02:30 PM	48.3	45.9
09:10 AM - 09:15 AM	50.2	46.1	11:50 AM - 11:55 AM	48.8	45.6	02:30 PM - 02:35 PM	48.4	45.4
09:15 AM - 09:20 AM	54.5	48.3	11:55 AM - 12:00 PM	49.3	45.7	02:35 PM - 02:40 PM	50.2	46.0
09:20 AM - 09:25 AM	52.3	47.7	12:00 PM - 12:05 PM	50.5	46.9	02:40 PM - 02:45 PM	51.7	47.4
09:25 AM - 09:30 AM	48.6	46.3	12:05 PM - 12:10 PM	51.6	47.8	02:45 PM - 02:50 PM	49.9	46.1
09:30 AM - 09:35 AM	50.1	46.1	12:10 PM - 12:15 PM	47.7	43.8	02:50 PM - 02:55 PM	48.9	44.8
09:35 AM - 09:40 AM	50.4	46.1	12:15 PM - 12:20 PM	50.6	44.4	02:55 PM - 03:00 PM	49.2	45.0
09:40 AM - 09:45 AM	53.8	46.3	12:20 PM - 12:25 PM	47.5	44.0	03:00 PM - 03:05 PM	47.8	45.2
09:45 AM - 09:50 AM	49.5	46.0	12:25 PM - 12:30 PM	47.9	44.4	03:05 PM - 03:10 PM	47.7	44.7
09:50 AM - 09:55 AM	51.7	46.2	12:30 PM - 12:35 PM	46.8	43.2	03:10 PM - 03:15 PM	48.0	44.7
09:55 AM - 10:00 AM	53.7	46.8	12:35 PM - 12:40 PM	48.7	43.8	03:15 PM - 03:20 PM	48.1	45.4
10:00 AM - 10:05 AM	53.9	46.7	12:40 PM - 12:45 PM	46.9	43.2	03:20 PM - 03:25 PM	49.1	45.8
10:05 AM - 10:10 AM	49.8	46.2	12:45 PM - 12:50 PM	48.2	44.8	03:25 PM - 03:30 PM	48.0	44.5
10:10 AM - 10:15 AM	47.8	45.1	12:50 PM - 12:55 PM	48.6	43.3	03:30 PM - 03:35 PM	48.2	44.2
10:15 AM - 10:20 AM	47.2	43.7	12:55 PM - 01:00 PM	48.5	44.5	03:35 PM - 03:40 PM	49.0	44.9
10:20 AM - 10:25 AM	50.8	44.2	01:00 PM - 01:05 PM	50.8	45.5	03:40 PM - 03:45 PM	47.0	45.2
10:25 AM - 10:30 AM	52.3	44.8	01:05 PM - 01:10 PM	49.1	44.8	03:45 PM - 03:50 PM	48.5	44.5
10:30 AM - 10:35 AM	48.1	44.6	01:10 PM - 01:15 PM	47.9	44.9	03:50 PM - 03:55 PM	55.1	46.3
10:35 AM - 10:40 AM	47.7	44.9	01:15 PM - 01:20 PM	47.9	44.8	03:55 PM - 04:00 PM	54.6	49.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421692-1

Page 2 of 3

Sample Number 2582812-18
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Sep 26 - Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623390

Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	54.0	50.9	06:40 PM - 06:45 PM	55.8	46.8	09:20 PM - 09:25 PM	50.7	49.8
04:05 PM - 04:10 PM	55.1	50.6	06:45 PM - 06:50 PM	57.2	47.9	09:25 PM - 09:30 PM	50.6	49.6
04:10 PM - 04:15 PM	53.6	46.7	06:50 PM - 06:55 PM	52.8	48.5	09:30 PM - 09:35 PM	50.3	49.0
04:15 PM - 04:20 PM	49.3	45.6	06:55 PM - 07:00 PM	51.5	48.2	09:35 PM - 09:40 PM	51.0	50.0
04:20 PM - 04:25 PM	51.6	45.8	07:00 PM - 07:05 PM	55.9	48.5	09:40 PM - 09:45 PM	51.0	50.1
04:25 PM - 04:30 PM	47.6	44.8	07:05 PM - 07:10 PM	55.8	49.9	09:45 PM - 09:50 PM	51.0	49.9
04:30 PM - 04:35 PM	49.9	45.0	07:10 PM - 07:15 PM	55.3	50.6	09:50 PM - 09:55 PM	50.5	49.6
04:35 PM - 04:40 PM	48.9	45.3	07:15 PM - 07:20 PM	55.1	49.6	09:55 PM - 10:00 PM	50.5	49.3
04:40 PM - 04:45 PM	54.5	44.8	07:20 PM - 07:25 PM	54.6	49.1	10:00 PM - 10:05 PM	50.9	50.0
04:45 PM - 04:50 PM	47.6	44.9	07:25 PM - 07:30 PM	53.4	49.9	10:05 PM - 10:10 PM	50.8	49.8
04:50 PM - 04:55 PM	49.7	45.5	07:30 PM - 07:35 PM	51.9	49.9	10:10 PM - 10:15 PM	51.1	50.2
04:55 PM - 05:00 PM	53.5	50.8	07:35 PM - 07:40 PM	55.2	50.3	10:15 PM - 10:20 PM	51.0	49.9
05:00 PM - 05:05 PM	51.5	48.1	07:40 PM - 07:45 PM	48.9	47.9	10:20 PM - 10:25 PM	51.6	49.9
05:05 PM - 05:10 PM	53.7	50.2	07:45 PM - 07:50 PM	49.7	48.1	10:25 PM - 10:30 PM	52.2	49.8
05:10 PM - 05:15 PM	52.0	48.7	07:50 PM - 07:55 PM	49.3	47.9	10:30 PM - 10:35 PM	50.7	49.7
05:15 PM - 05:20 PM	52.2	44.6	07:55 PM - 08:00 PM	48.8	47.7	10:35 PM - 10:40 PM	50.2	49.1
05:20 PM - 05:25 PM	51.7	44.7	08:00 PM - 08:05 PM	48.9	47.5	10:40 PM - 10:45 PM	50.5	49.8
05:25 PM - 05:30 PM	49.0	45.9	08:05 PM - 08:10 PM	48.8	47.8	10:45 PM - 10:50 PM	50.5	49.6
05:30 PM - 05:35 PM	50.7	43.9	08:10 PM - 08:15 PM	49.3	47.9	10:50 PM - 10:55 PM	50.3	49.4
05:35 PM - 05:40 PM	53.1	48.4	08:15 PM - 08:20 PM	48.4	46.8	10:55 PM - 11:00 PM	50.7	49.9
05:40 PM - 05:45 PM	53.7	49.2	08:20 PM - 08:25 PM	49.0	47.6	11:00 PM - 11:05 PM	50.7	49.7
05:45 PM - 05:50 PM	50.3	44.6	08:25 PM - 08:30 PM	48.6	47.6	11:05 PM - 11:10 PM	50.6	49.8
05:50 PM - 05:55 PM	57.8	52.9	08:30 PM - 08:35 PM	50.9	47.8	11:10 PM - 11:15 PM	50.7	49.8
05:55 PM - 06:00 PM	58.3	51.5	08:35 PM - 08:40 PM	51.6	50.0	11:15 PM - 11:20 PM	50.2	49.3
06:00 PM - 06:05 PM	61.8	54.7	08:40 PM - 08:45 PM	51.2	49.8	11:20 PM - 11:25 PM	49.8	48.9
06:05 PM - 06:10 PM	59.1	46.2	08:45 PM - 08:50 PM	51.8	49.9	11:25 PM - 11:30 PM	49.9	48.9
06:10 PM - 06:15 PM	46.6	43.7	08:50 PM - 08:55 PM	51.3	49.6	11:30 PM - 11:35 PM	50.0	48.9
06:15 PM - 06:20 PM	46.2	44.2	08:55 PM - 09:00 PM	52.1	50.5	11:35 PM - 11:40 PM	50.0	48.4
06:20 PM - 06:25 PM	49.8	45.3	09:00 PM - 09:05 PM	51.0	49.8	11:40 PM - 11:45 PM	49.2	47.8
06:25 PM - 06:30 PM	48.1	45.2	09:05 PM - 09:10 PM	50.8	49.6	11:45 PM - 11:50 PM	49.6	48.4
06:30 PM - 06:35 PM	49.3	45.9	09:10 PM - 09:15 PM	51.6	50.3	11:50 PM - 11:55 PM	49.5	48.4
06:35 PM - 06:40 PM	51.8	47.1	09:15 PM - 09:20 PM	51.1	50.1	11:55 PM - 12:00 AM	49.1	47.2

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421692-1

Page 3 of 3

Sample Number 2582812-18
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Sep 26 - Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623390

Sep 27, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 27, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 27, 2025 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	48.6	46.7	02:40 AM - 02:45 AM	61.2	59.5	05:20 AM - 05:25 AM	68.3	61.3
12:05 AM - 12:10 AM	49.1	48.0	02:45 AM - 02:50 AM	58.5	57.3	05:25 AM - 05:30 AM	67.9	58.9
12:10 AM - 12:15 AM	48.6	47.6	02:50 AM - 02:55 AM	58.5	55.1	05:30 AM - 05:35 AM	69.8	65.4
12:15 AM - 12:20 AM	49.0	47.4	02:55 AM - 03:00 AM	57.4	55.5	05:35 AM - 05:40 AM	68.0	64.1
12:20 AM - 12:25 AM	48.9	47.6	03:00 AM - 03:05 AM	58.2	57.0	05:40 AM - 05:45 AM	66.7	62.1
12:25 AM - 12:30 AM	48.8	47.5	03:05 AM - 03:10 AM	58.2	55.1	05:45 AM - 05:50 AM	61.9	55.2
12:30 AM - 12:35 AM	48.2	47.3	03:10 AM - 03:15 AM	54.2	52.8	05:50 AM - 05:55 AM	58.7	52.4
12:35 AM - 12:40 AM	48.4	47.4	03:15 AM - 03:20 AM	57.6	53.5	05:55 AM - 06:00 AM	55.8	51.3
12:40 AM - 12:45 AM	48.7	47.6	03:20 AM - 03:25 AM	58.7	53.4	06:00 AM - 06:05 AM	53.7	51.2
12:45 AM - 12:50 AM	48.2	46.6	03:25 AM - 03:30 AM	55.3	54.0	06:05 AM - 06:10 AM	62.1	53.5
12:50 AM - 12:55 AM	48.5	47.5	03:30 AM - 03:35 AM	58.3	53.8	06:10 AM - 06:15 AM	51.7	50.6
12:55 AM - 01:00 AM	48.5	47.5	03:35 AM - 03:40 AM	59.9	55.6	06:15 AM - 06:20 AM	52.7	51.3
01:00 AM - 01:05 AM	48.3	47.3	03:40 AM - 03:45 AM	60.1	57.5	06:20 AM - 06:25 AM	53.0	52.0
01:05 AM - 01:10 AM	48.6	47.3	03:45 AM - 03:50 AM	60.7	57.1	06:25 AM - 06:30 AM	52.7	51.8
01:10 AM - 01:15 AM	48.6	47.7	03:50 AM - 03:55 AM	59.5	55.4	06:30 AM - 06:35 AM	52.6	50.0
01:15 AM - 01:20 AM	49.2	48.2	03:55 AM - 04:00 AM	61.1	57.2	06:35 AM - 06:40 AM	52.1	49.4
01:20 AM - 01:25 AM	49.4	48.3	04:00 AM - 04:05 AM	63.0	57.6	06:40 AM - 06:45 AM	51.7	48.6
01:25 AM - 01:30 AM	48.6	47.7	04:05 AM - 04:10 AM	61.8	56.3	06:45 AM - 06:50 AM	51.5	48.4
01:30 AM - 01:35 AM	48.3	46.4	04:10 AM - 04:15 AM	64.4	60.5	06:50 AM - 06:55 AM	51.6	48.5
01:35 AM - 01:40 AM	48.5	47.5	04:15 AM - 04:20 AM	64.7	61.4	06:55 AM - 07:00 AM	50.8	48.3
01:40 AM - 01:45 AM	48.3	47.3	04:20 AM - 04:25 AM	64.7	59.9	07:00 AM - 07:05 AM	52.5	48.7
01:45 AM - 01:50 AM	48.4	47.5	04:25 AM - 04:30 AM	65.6	60.0	07:05 AM - 07:10 AM	52.1	49.3
01:50 AM - 01:55 AM	48.4	47.2	04:30 AM - 04:35 AM	67.6	60.4	07:10 AM - 07:15 AM	50.9	48.8
01:55 AM - 02:00 AM	48.5	47.4	04:35 AM - 04:40 AM	68.4	60.2	07:15 AM - 07:20 AM	51.9	48.7
02:00 AM - 02:05 AM	51.1	49.9	04:40 AM - 04:45 AM	69.2	66.3	07:20 AM - 07:25 AM	51.4	48.7
02:05 AM - 02:10 AM	54.5	52.6	04:45 AM - 04:50 AM	69.3	66.3	07:25 AM - 07:30 AM	50.9	49.2
02:10 AM - 02:15 AM	54.6	54.1	04:50 AM - 04:55 AM	69.6	67.7	07:30 AM - 07:35 AM	60.1	49.2
02:15 AM - 02:20 AM	54.7	54.1	04:55 AM - 05:00 AM	69.8	67.6	07:35 AM - 07:40 AM	52.9	49.8
02:20 AM - 02:25 AM	65.3	55.8	05:00 AM - 05:05 AM	69.4	67.5	07:40 AM - 07:45 AM	53.5	50.4
02:25 AM - 02:30 AM	67.8	63.1	05:05 AM - 05:10 AM	69.3	66.3	07:45 AM - 07:50 AM	58.4	49.9
02:30 AM - 02:35 AM	58.2	55.8	05:10 AM - 05:15 AM	69.1	66.1	07:50 AM - 07:55 AM	58.8	48.6
02:35 AM - 02:40 AM	60.1	57.0	05:15 AM - 05:20 AM	68.5	65.1	07:55 AM - 08:00 AM	50.8	48.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421693-1

Page 1 of 3

Sample Number 2582812-19
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Sep 27 - Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623390

Sep 27, 2025	Leq	L90	Sep 27, 2025	Leq	L90	Sep 27, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	51.1	49.0	10:40 AM - 10:45 AM	49.2	46.6	01:20 PM - 01:25 PM	62.9	48.1
08:05 AM - 08:10 AM	51.7	49.4	10:45 AM - 10:50 AM	51.4	47.1	01:25 PM - 01:30 PM	52.8	47.4
08:10 AM - 08:15 AM	52.3	49.6	10:50 AM - 10:55 AM	49.6	46.6	01:30 PM - 01:35 PM	52.5	47.9
08:15 AM - 08:20 AM	51.9	50.1	10:55 AM - 11:00 AM	48.6	46.2	01:35 PM - 01:40 PM	51.2	47.8
08:20 AM - 08:25 AM	56.4	50.4	11:00 AM - 11:05 AM	47.8	45.9	01:40 PM - 01:45 PM	51.6	48.4
08:25 AM - 08:30 AM	51.9	49.9	11:05 AM - 11:10 AM	49.6	45.9	01:45 PM - 01:50 PM	54.3	48.2
08:30 AM - 08:35 AM	52.3	50.3	11:10 AM - 11:15 AM	47.4	45.6	01:50 PM - 01:55 PM	49.9	46.9
08:35 AM - 08:40 AM	52.7	50.7	11:15 AM - 11:20 AM	47.8	45.8	01:55 PM - 02:00 PM	49.5	47.0
08:40 AM - 08:45 AM	51.3	50.1	11:20 AM - 11:25 AM	47.6	45.6	02:00 PM - 02:05 PM	53.7	46.2
08:45 AM - 08:50 AM	54.7	50.3	11:25 AM - 11:30 AM	49.0	45.6	02:05 PM - 02:10 PM	51.1	47.0
08:50 AM - 08:55 AM	53.7	49.8	11:30 AM - 11:35 AM	52.2	45.9	02:10 PM - 02:15 PM	49.2	47.3
08:55 AM - 09:00 AM	53.1	49.5	11:35 AM - 11:40 AM	55.0	47.3	02:15 PM - 02:20 PM	50.3	46.1
09:00 AM - 09:05 AM	53.2	51.0	11:40 AM - 11:45 AM	50.4	46.8	02:20 PM - 02:25 PM	52.5	47.1
09:05 AM - 09:10 AM	53.0	50.3	11:45 AM - 11:50 AM	49.3	45.6	02:25 PM - 02:30 PM	53.6	47.6
09:10 AM - 09:15 AM	50.4	48.2	11:50 AM - 11:55 AM	48.1	45.2	02:30 PM - 02:35 PM	49.1	47.0
09:15 AM - 09:20 AM	50.5	48.8	11:55 AM - 12:00 PM	49.1	46.1	02:35 PM - 02:40 PM	57.7	46.0
09:20 AM - 09:25 AM	51.1	49.2	12:00 PM - 12:05 PM	51.3	45.9	02:40 PM - 02:45 PM	59.0	47.3
09:25 AM - 09:30 AM	51.5	49.2	12:05 PM - 12:10 PM	48.9	45.8	02:45 PM - 02:50 PM	60.6	47.4
09:30 AM - 09:35 AM	51.2	48.1	12:10 PM - 12:15 PM	47.8	44.9	02:50 PM - 02:55 PM	53.8	46.6
09:35 AM - 09:40 AM	51.8	47.7	12:15 PM - 12:20 PM	48.7	46.1	02:55 PM - 03:00 PM	51.7	47.1
09:40 AM - 09:45 AM	52.9	48.1	12:20 PM - 12:25 PM	49.3	47.2	03:00 PM - 03:05 PM	52.5	47.8
09:45 AM - 09:50 AM	52.5	48.7	12:25 PM - 12:30 PM	47.6	45.7	03:05 PM - 03:10 PM	63.7	47.8
09:50 AM - 09:55 AM	49.5	46.1	12:30 PM - 12:35 PM	50.0	45.4	03:10 PM - 03:15 PM	48.8	46.4
09:55 AM - 10:00 AM	48.0	45.0	12:35 PM - 12:40 PM	50.1	46.1	03:15 PM - 03:20 PM	50.1	47.4
10:00 AM - 10:05 AM	48.9	46.7	12:40 PM - 12:45 PM	50.4	46.2	03:20 PM - 03:25 PM	60.4	47.8
10:05 AM - 10:10 AM	48.6	45.9	12:45 PM - 12:50 PM	48.4	45.9	03:25 PM - 03:30 PM	49.7	46.4
10:10 AM - 10:15 AM	53.8	47.2	12:50 PM - 12:55 PM	48.6	46.1	03:30 PM - 03:35 PM	49.7	46.0
10:15 AM - 10:20 AM	49.8	46.3	12:55 PM - 01:00 PM	57.0	47.3	03:35 PM - 03:40 PM	49.0	46.2
10:20 AM - 10:25 AM	50.1	46.4	01:00 PM - 01:05 PM	58.2	47.4	03:40 PM - 03:45 PM	50.4	45.1
10:25 AM - 10:30 AM	49.0	45.7	01:05 PM - 01:10 PM	48.0	45.6	03:45 PM - 03:50 PM	49.6	45.4
10:30 AM - 10:35 AM	50.0	45.7	01:10 PM - 01:15 PM	48.0	46.0	03:50 PM - 03:55 PM	48.9	46.4
10:35 AM - 10:40 AM	53.7	46.6	01:15 PM - 01:20 PM	58.3	47.2	03:55 PM - 04:00 PM	49.1	46.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421693-1

Page 2 of 3

Sample Number 2582812-19
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Sep 27 - Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623390

Sep 27, 2025	Leq	L90	Sep 27, 2025	Leq	L90	Sep 27, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	48.5	46.2	06:40 PM - 06:45 PM	51.8	50.6	09:20 PM - 09:25 PM	55.2	53.6
04:05 PM - 04:10 PM	48.3	45.6	06:45 PM - 06:50 PM	51.8	50.4	09:25 PM - 09:30 PM	58.9	55.3
04:10 PM - 04:15 PM	49.2	45.7	06:50 PM - 06:55 PM	51.9	50.8	09:30 PM - 09:35 PM	59.6	56.0
04:15 PM - 04:20 PM	50.1	45.7	06:55 PM - 07:00 PM	53.6	50.6	09:35 PM - 09:40 PM	57.3	56.1
04:20 PM - 04:25 PM	47.7	44.2	07:00 PM - 07:05 PM	53.4	51.7	09:40 PM - 09:45 PM	57.5	56.2
04:25 PM - 04:30 PM	53.4	46.0	07:05 PM - 07:10 PM	54.6	53.5	09:45 PM - 09:50 PM	57.5	56.5
04:30 PM - 04:35 PM	49.8	46.6	07:10 PM - 07:15 PM	54.3	52.9	09:50 PM - 09:55 PM	57.7	57.0
04:35 PM - 04:40 PM	52.1	49.3	07:15 PM - 07:20 PM	53.8	52.8	09:55 PM - 10:00 PM	58.0	56.9
04:40 PM - 04:45 PM	51.7	46.7	07:20 PM - 07:25 PM	54.1	52.5	10:00 PM - 10:05 PM	57.9	56.4
04:45 PM - 04:50 PM	52.3	47.6	07:25 PM - 07:30 PM	53.2	52.1	10:05 PM - 10:10 PM	57.7	55.4
04:50 PM - 04:55 PM	52.9	49.1	07:30 PM - 07:35 PM	52.8	51.7	10:10 PM - 10:15 PM	59.7	57.8
04:55 PM - 05:00 PM	51.9	48.2	07:35 PM - 07:40 PM	53.0	51.9	10:15 PM - 10:20 PM	57.1	52.1
05:00 PM - 05:05 PM	51.9	48.6	07:40 PM - 07:45 PM	53.3	52.0	10:20 PM - 10:25 PM	56.0	52.4
05:05 PM - 05:10 PM	48.7	45.5	07:45 PM - 07:50 PM	52.7	51.6	10:25 PM - 10:30 PM	59.0	57.9
05:10 PM - 05:15 PM	48.7	45.5	07:50 PM - 07:55 PM	52.6	51.5	10:30 PM - 10:35 PM	58.0	55.3
05:15 PM - 05:20 PM	48.6	44.2	07:55 PM - 08:00 PM	52.8	51.6	10:35 PM - 10:40 PM	59.2	58.1
05:20 PM - 05:25 PM	48.9	45.5	08:00 PM - 08:05 PM	56.0	52.1	10:40 PM - 10:45 PM	59.4	58.4
05:25 PM - 05:30 PM	48.4	45.2	08:05 PM - 08:10 PM	54.1	52.0	10:45 PM - 10:50 PM	59.2	58.3
05:30 PM - 05:35 PM	48.6	46.5	08:10 PM - 08:15 PM	53.0	51.8	10:50 PM - 10:55 PM	59.6	59.0
05:35 PM - 05:40 PM	48.7	45.8	08:15 PM - 08:20 PM	52.9	51.5	10:55 PM - 11:00 PM	59.6	57.8
05:40 PM - 05:45 PM	49.2	46.4	08:20 PM - 08:25 PM	56.2	51.4	11:00 PM - 11:05 PM	59.7	52.9
05:45 PM - 05:50 PM	50.1	47.0	08:25 PM - 08:30 PM	56.9	50.1	11:05 PM - 11:10 PM	60.5	57.4
05:50 PM - 05:55 PM	48.9	46.1	08:30 PM - 08:35 PM	50.1	48.3	11:10 PM - 11:15 PM	60.1	59.3
05:55 PM - 06:00 PM	50.5	46.4	08:35 PM - 08:40 PM	50.6	49.0	11:15 PM - 11:20 PM	60.9	59.4
06:00 PM - 06:05 PM	50.5	47.4	08:40 PM - 08:45 PM	51.2	50.0	11:20 PM - 11:25 PM	61.5	59.4
06:05 PM - 06:10 PM	52.0	47.4	08:45 PM - 08:50 PM	55.3	50.2	11:25 PM - 11:30 PM	59.2	57.9
06:10 PM - 06:15 PM	50.5	49.0	08:50 PM - 08:55 PM	56.2	49.7	11:30 PM - 11:35 PM	59.6	58.9
06:15 PM - 06:20 PM	51.2	49.4	08:55 PM - 09:00 PM	52.0	50.3	11:35 PM - 11:40 PM	59.2	58.1
06:20 PM - 06:25 PM	51.1	49.7	09:00 PM - 09:05 PM	56.4	51.4	11:40 PM - 11:45 PM	60.5	57.7
06:25 PM - 06:30 PM	51.1	50.0	09:05 PM - 09:10 PM	52.3	50.7	11:45 PM - 11:50 PM	59.6	58.2
06:30 PM - 06:35 PM	51.7	50.4	09:10 PM - 09:15 PM	55.9	51.6	11:50 PM - 11:55 PM	54.3	51.2
06:35 PM - 06:40 PM	51.6	50.7	09:15 PM - 09:20 PM	53.7	52.3	11:55 PM - 12:00 AM	60.5	54.4

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421693-1

Page 3 of 3

Sample Number 2582812-19
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Sep 27 - Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623390

Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	57.9	56.7	02:40 AM - 02:45 AM	67.8	64.8	05:20 AM - 05:25 AM	62.8	61.0
12:05 AM - 12:10 AM	57.9	57.1	02:45 AM - 02:50 AM	67.7	60.0	05:25 AM - 05:30 AM	62.3	60.3
12:10 AM - 12:15 AM	53.5	51.1	02:50 AM - 02:55 AM	67.7	57.4	05:30 AM - 05:35 AM	61.3	59.5
12:15 AM - 12:20 AM	53.5	50.5	02:55 AM - 03:00 AM	63.6	56.4	05:35 AM - 05:40 AM	60.0	57.3
12:20 AM - 12:25 AM	53.8	51.1	03:00 AM - 03:05 AM	65.2	57.0	05:40 AM - 05:45 AM	59.1	56.0
12:25 AM - 12:30 AM	58.2	51.0	03:05 AM - 03:10 AM	67.6	59.5	05:45 AM - 05:50 AM	62.1	51.2
12:30 AM - 12:35 AM	61.0	53.0	03:10 AM - 03:15 AM	69.5	67.4	05:50 AM - 05:55 AM	61.7	50.7
12:35 AM - 12:40 AM	53.6	50.7	03:15 AM - 03:20 AM	66.5	60.2	05:55 AM - 06:00 AM	58.5	50.0
12:40 AM - 12:45 AM	55.0	53.2	03:20 AM - 03:25 AM	68.0	61.7	06:00 AM - 06:05 AM	57.6	49.3
12:45 AM - 12:50 AM	55.5	53.5	03:25 AM - 03:30 AM	66.7	60.4	06:05 AM - 06:10 AM	57.1	48.8
12:50 AM - 12:55 AM	55.8	54.6	03:30 AM - 03:35 AM	66.8	60.5	06:10 AM - 06:15 AM	52.1	48.0
12:55 AM - 01:00 AM	59.5	54.3	03:35 AM - 03:40 AM	66.0	60.4	06:15 AM - 06:20 AM	51.9	47.9
01:00 AM - 01:05 AM	52.4	49.0	03:40 AM - 03:45 AM	68.3	62.1	06:20 AM - 06:25 AM	50.6	47.4
01:05 AM - 01:10 AM	51.2	48.6	03:45 AM - 03:50 AM	67.9	59.8	06:25 AM - 06:30 AM	50.0	47.8
01:10 AM - 01:15 AM	54.0	50.6	03:50 AM - 03:55 AM	64.2	60.9	06:30 AM - 06:35 AM	49.0	47.4
01:15 AM - 01:20 AM	54.1	50.0	03:55 AM - 04:00 AM	66.4	60.9	06:35 AM - 06:40 AM	51.8	47.6
01:20 AM - 01:25 AM	56.9	47.6	04:00 AM - 04:05 AM	68.8	65.0	06:40 AM - 06:45 AM	49.3	47.0
01:25 AM - 01:30 AM	59.3	47.3	04:05 AM - 04:10 AM	69.7	67.5	06:45 AM - 06:50 AM	49.9	47.0
01:30 AM - 01:35 AM	62.3	49.2	04:10 AM - 04:15 AM	67.2	61.9	06:50 AM - 06:55 AM	48.2	46.2
01:35 AM - 01:40 AM	63.8	49.2	04:15 AM - 04:20 AM	68.8	62.5	06:55 AM - 07:00 AM	49.2	46.9
01:40 AM - 01:45 AM	64.4	53.2	04:20 AM - 04:25 AM	65.0	60.7	07:00 AM - 07:05 AM	49.6	47.8
01:45 AM - 01:50 AM	64.8	50.5	04:25 AM - 04:30 AM	65.5	61.0	07:05 AM - 07:10 AM	50.6	47.3
01:50 AM - 01:55 AM	64.8	48.9	04:30 AM - 04:35 AM	64.2	61.4	07:10 AM - 07:15 AM	51.4	50.4
01:55 AM - 02:00 AM	64.7	48.9	04:35 AM - 04:40 AM	64.0	61.2	07:15 AM - 07:20 AM	52.4	50.8
02:00 AM - 02:05 AM	66.5	56.1	04:40 AM - 04:45 AM	66.1	61.3	07:20 AM - 07:25 AM	51.8	47.1
02:05 AM - 02:10 AM	62.0	48.3	04:45 AM - 04:50 AM	65.5	61.2	07:25 AM - 07:30 AM	49.0	46.9
02:10 AM - 02:15 AM	65.8	50.0	04:50 AM - 04:55 AM	65.5	61.9	07:30 AM - 07:35 AM	54.3	47.5
02:15 AM - 02:20 AM	64.6	48.1	04:55 AM - 05:00 AM	64.0	61.5	07:35 AM - 07:40 AM	56.7	46.9
02:20 AM - 02:25 AM	63.1	48.6	05:00 AM - 05:05 AM	65.6	62.1	07:40 AM - 07:45 AM	49.0	46.4
02:25 AM - 02:30 AM	67.8	51.4	05:05 AM - 05:10 AM	63.9	61.2	07:45 AM - 07:50 AM	51.2	46.0
02:30 AM - 02:35 AM	68.2	65.6	05:10 AM - 05:15 AM	63.4	61.5	07:50 AM - 07:55 AM	49.4	46.9
02:35 AM - 02:40 AM	67.1	63.7	05:15 AM - 05:20 AM	63.4	61.4	07:55 AM - 08:00 AM	49.3	46.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421694-1

Page 1 of 3

Sample Number 2582812-20
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Sep 28 - Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623390

Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	48.0	45.7	10:40 AM - 10:45 AM	46.5	44.0	01:20 PM - 01:25 PM	56.5	49.0
08:05 AM - 08:10 AM	47.6	45.1	10:45 AM - 10:50 AM	49.8	45.0	01:25 PM - 01:30 PM	53.2	46.7
08:10 AM - 08:15 AM	47.5	44.7	10:50 AM - 10:55 AM	46.8	45.0	01:30 PM - 01:35 PM	52.0	45.7
08:15 AM - 08:20 AM	47.9	45.1	10:55 AM - 11:00 AM	46.3	44.6	01:35 PM - 01:40 PM	49.0	44.6
08:20 AM - 08:25 AM	47.7	45.1	11:00 AM - 11:05 AM	46.6	44.6	01:40 PM - 01:45 PM	52.8	46.9
08:25 AM - 08:30 AM	47.9	45.4	11:05 AM - 11:10 AM	48.5	44.7	01:45 PM - 01:50 PM	49.3	45.9
08:30 AM - 08:35 AM	49.1	46.6	11:10 AM - 11:15 AM	47.7	43.9	01:50 PM - 01:55 PM	58.2	47.8
08:35 AM - 08:40 AM	47.7	44.9	11:15 AM - 11:20 AM	46.8	44.4	01:55 PM - 02:00 PM	52.8	50.3
08:40 AM - 08:45 AM	48.9	46.8	11:20 AM - 11:25 AM	51.6	46.2	02:00 PM - 02:05 PM	52.2	49.1
08:45 AM - 08:50 AM	48.8	46.0	11:25 AM - 11:30 AM	50.1	47.3	02:05 PM - 02:10 PM	51.2	49.6
08:50 AM - 08:55 AM	49.1	46.4	11:30 AM - 11:35 AM	47.4	45.2	02:10 PM - 02:15 PM	52.7	50.4
08:55 AM - 09:00 AM	53.8	46.1	11:35 AM - 11:40 AM	47.9	45.2	02:15 PM - 02:20 PM	54.7	50.5
09:00 AM - 09:05 AM	50.5	45.7	11:40 AM - 11:45 AM	47.9	45.4	02:20 PM - 02:25 PM	51.5	50.2
09:05 AM - 09:10 AM	51.6	47.3	11:45 AM - 11:50 AM	46.8	44.5	02:25 PM - 02:30 PM	51.4	50.3
09:10 AM - 09:15 AM	52.1	46.3	11:50 AM - 11:55 AM	47.6	44.3	02:30 PM - 02:35 PM	51.5	50.5
09:15 AM - 09:20 AM	50.2	45.3	11:55 AM - 12:00 PM	50.8	44.8	02:35 PM - 02:40 PM	53.8	50.0
09:20 AM - 09:25 AM	51.0	45.3	12:00 PM - 12:05 PM	49.5	45.1	02:40 PM - 02:45 PM	53.0	49.6
09:25 AM - 09:30 AM	53.5	46.3	12:05 PM - 12:10 PM	46.1	43.6	02:45 PM - 02:50 PM	49.5	47.4
09:30 AM - 09:35 AM	53.4	48.0	12:10 PM - 12:15 PM	51.0	44.0	02:50 PM - 02:55 PM	49.6	47.3
09:35 AM - 09:40 AM	52.6	47.0	12:15 PM - 12:20 PM	51.2	45.2	02:55 PM - 03:00 PM	53.8	47.1
09:40 AM - 09:45 AM	48.4	44.8	12:20 PM - 12:25 PM	46.5	43.6	03:00 PM - 03:05 PM	55.1	48.9
09:45 AM - 09:50 AM	50.6	44.2	12:25 PM - 12:30 PM	47.4	44.2	03:05 PM - 03:10 PM	55.9	46.6
09:50 AM - 09:55 AM	48.7	45.3	12:30 PM - 12:35 PM	46.3	43.6	03:10 PM - 03:15 PM	49.7	45.4
09:55 AM - 10:00 AM	46.1	42.3	12:35 PM - 12:40 PM	46.0	43.6	03:15 PM - 03:20 PM	47.3	44.4
10:00 AM - 10:05 AM	46.1	44.2	12:40 PM - 12:45 PM	48.6	44.4	03:20 PM - 03:25 PM	50.1	45.4
10:05 AM - 10:10 AM	46.4	44.2	12:45 PM - 12:50 PM	49.0	44.5	03:25 PM - 03:30 PM	50.2	45.5
10:10 AM - 10:15 AM	46.0	44.4	12:50 PM - 12:55 PM	49.1	44.3	03:30 PM - 03:35 PM	47.2	45.2
10:15 AM - 10:20 AM	46.5	44.7	12:55 PM - 01:00 PM	47.7	45.1	03:35 PM - 03:40 PM	47.8	45.2
10:20 AM - 10:25 AM	46.5	44.6	01:00 PM - 01:05 PM	47.1	44.6	03:40 PM - 03:45 PM	48.2	45.3
10:25 AM - 10:30 AM	47.5	44.7	01:05 PM - 01:10 PM	47.1	44.7	03:45 PM - 03:50 PM	49.3	45.2
10:30 AM - 10:35 AM	46.3	44.0	01:10 PM - 01:15 PM	49.0	46.4	03:50 PM - 03:55 PM	47.2	44.7
10:35 AM - 10:40 AM	46.6	43.9	01:15 PM - 01:20 PM	56.6	51.2	03:55 PM - 04:00 PM	48.3	46.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421694-1

Page 2 of 3

Sample Number 2582812-20
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Sep 28 - Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623390

Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	49.3	46.3	06:40 PM - 06:45 PM	60.0	57.1	09:20 PM - 09:25 PM	55.6	54.7
04:05 PM - 04:10 PM	52.4	47.1	06:45 PM - 06:50 PM	59.7	57.0	09:25 PM - 09:30 PM	55.8	54.8
04:10 PM - 04:15 PM	50.7	46.9	06:50 PM - 06:55 PM	59.2	52.5	09:30 PM - 09:35 PM	55.9	54.9
04:15 PM - 04:20 PM	48.6	45.8	06:55 PM - 07:00 PM	59.9	57.1	09:35 PM - 09:40 PM	56.2	55.1
04:20 PM - 04:25 PM	51.4	47.6	07:00 PM - 07:05 PM	56.9	49.3	09:40 PM - 09:45 PM	56.8	55.8
04:25 PM - 04:30 PM	51.2	47.4	07:05 PM - 07:10 PM	56.9	49.4	09:45 PM - 09:50 PM	57.2	56.4
04:30 PM - 04:35 PM	50.9	47.5	07:10 PM - 07:15 PM	52.3	49.8	09:50 PM - 09:55 PM	53.7	50.6
04:35 PM - 04:40 PM	50.1	45.5	07:15 PM - 07:20 PM	50.2	48.8	09:55 PM - 10:00 PM	56.1	54.9
04:40 PM - 04:45 PM	50.9	46.7	07:20 PM - 07:25 PM	50.7	48.7	10:00 PM - 10:05 PM	57.0	55.7
04:45 PM - 04:50 PM	53.1	45.2	07:25 PM - 07:30 PM	50.2	48.8	10:05 PM - 10:10 PM	57.8	56.9
04:50 PM - 04:55 PM	57.4	47.3	07:30 PM - 07:35 PM	50.7	48.9	10:10 PM - 10:15 PM	57.7	56.7
04:55 PM - 05:00 PM	59.8	49.3	07:35 PM - 07:40 PM	50.2	48.0	10:15 PM - 10:20 PM	56.8	52.4
05:00 PM - 05:05 PM	51.0	45.9	07:40 PM - 07:45 PM	49.6	48.2	10:20 PM - 10:25 PM	56.6	53.5
05:05 PM - 05:10 PM	56.3	47.6	07:45 PM - 07:50 PM	50.0	48.7	10:25 PM - 10:30 PM	54.7	50.6
05:10 PM - 05:15 PM	55.0	48.9	07:50 PM - 07:55 PM	50.0	49.0	10:30 PM - 10:35 PM	52.5	48.5
05:15 PM - 05:20 PM	53.4	47.2	07:55 PM - 08:00 PM	50.0	48.9	10:35 PM - 10:40 PM	54.9	53.1
05:20 PM - 05:25 PM	53.6	47.5	08:00 PM - 08:05 PM	50.6	48.9	10:40 PM - 10:45 PM	55.3	52.6
05:25 PM - 05:30 PM	51.2	48.4	08:05 PM - 08:10 PM	51.0	49.7	10:45 PM - 10:50 PM	55.0	53.8
05:30 PM - 05:35 PM	49.7	45.5	08:10 PM - 08:15 PM	51.2	49.9	10:50 PM - 10:55 PM	55.0	53.0
05:35 PM - 05:40 PM	49.3	45.8	08:15 PM - 08:20 PM	50.3	49.0	10:55 PM - 11:00 PM	55.2	54.0
05:40 PM - 05:45 PM	46.9	44.0	08:20 PM - 08:25 PM	50.2	48.8	11:00 PM - 11:05 PM	53.1	47.8
05:45 PM - 05:50 PM	47.8	43.1	08:25 PM - 08:30 PM	50.7	49.2	11:05 PM - 11:10 PM	54.1	50.0
05:50 PM - 05:55 PM	52.2	44.3	08:30 PM - 08:35 PM	50.5	49.2	11:10 PM - 11:15 PM	52.9	50.9
05:55 PM - 06:00 PM	47.7	44.1	08:35 PM - 08:40 PM	50.7	49.7	11:15 PM - 11:20 PM	53.1	49.6
06:00 PM - 06:05 PM	51.1	45.2	08:40 PM - 08:45 PM	50.8	49.5	11:20 PM - 11:25 PM	54.1	50.6
06:05 PM - 06:10 PM	53.6	46.8	08:45 PM - 08:50 PM	50.9	49.9	11:25 PM - 11:30 PM	54.9	51.9
06:10 PM - 06:15 PM	54.5	46.7	08:50 PM - 08:55 PM	50.4	49.4	11:30 PM - 11:35 PM	53.3	50.1
06:15 PM - 06:20 PM	55.6	48.1	08:55 PM - 09:00 PM	51.3	49.9	11:35 PM - 11:40 PM	54.9	51.6
06:20 PM - 06:25 PM	58.9	49.6	09:00 PM - 09:05 PM	52.7	51.2	11:40 PM - 11:45 PM	51.9	48.4
06:25 PM - 06:30 PM	60.3	52.6	09:05 PM - 09:10 PM	53.2	52.1	11:45 PM - 11:50 PM	53.7	51.5
06:30 PM - 06:35 PM	61.1	59.8	09:10 PM - 09:15 PM	53.8	52.1	11:50 PM - 11:55 PM	50.6	47.6
06:35 PM - 06:40 PM	60.9	59.5	09:15 PM - 09:20 PM	55.0	54.3	11:55 PM - 12:00 AM	50.3	47.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421694-1

Page 3 of 3

Sample Number 2582812-20
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Sep 28 - Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623390

Sep 29, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 29, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 29, 2025 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	49.7	47.6	02:40 AM - 02:45 AM	44.6	43.9	05:20 AM - 05:25 AM	48.5	47.1
12:05 AM - 12:10 AM	48.5	46.9	02:45 AM - 02:50 AM	45.0	44.2	05:25 AM - 05:30 AM	48.3	47.0
12:10 AM - 12:15 AM	49.0	47.0	02:50 AM - 02:55 AM	46.2	44.5	05:30 AM - 05:35 AM	48.1	46.9
12:15 AM - 12:20 AM	48.5	46.9	02:55 AM - 03:00 AM	46.7	44.9	05:35 AM - 05:40 AM	48.0	46.6
12:20 AM - 12:25 AM	47.5	46.3	03:00 AM - 03:05 AM	47.5	46.2	05:40 AM - 05:45 AM	47.6	46.0
12:25 AM - 12:30 AM	48.0	46.4	03:05 AM - 03:10 AM	48.2	46.3	05:45 AM - 05:50 AM	47.2	46.0
12:30 AM - 12:35 AM	47.3	46.4	03:10 AM - 03:15 AM	46.8	44.8	05:50 AM - 05:55 AM	47.4	45.8
12:35 AM - 12:40 AM	47.5	46.4	03:15 AM - 03:20 AM	46.1	44.4	05:55 AM - 06:00 AM	47.9	46.3
12:40 AM - 12:45 AM	46.9	45.9	03:20 AM - 03:25 AM	49.1	46.3	06:00 AM - 06:05 AM	48.6	46.6
12:45 AM - 12:50 AM	47.1	46.0	03:25 AM - 03:30 AM	47.4	46.3	06:05 AM - 06:10 AM	48.0	46.2
12:50 AM - 12:55 AM	46.9	45.9	03:30 AM - 03:35 AM	50.4	46.5	06:10 AM - 06:15 AM	48.0	46.5
12:55 AM - 01:00 AM	47.1	46.0	03:35 AM - 03:40 AM	48.3	46.3	06:15 AM - 06:20 AM	48.3	46.4
01:00 AM - 01:05 AM	47.4	46.0	03:40 AM - 03:45 AM	47.0	46.0	06:20 AM - 06:25 AM	48.2	46.5
01:05 AM - 01:10 AM	47.2	46.2	03:45 AM - 03:50 AM	48.8	46.1	06:25 AM - 06:30 AM	53.6	46.6
01:10 AM - 01:15 AM	48.0	46.2	03:50 AM - 03:55 AM	47.3	46.1	06:30 AM - 06:35 AM	51.3	47.1
01:15 AM - 01:20 AM	47.9	46.8	03:55 AM - 04:00 AM	48.8	46.1	06:35 AM - 06:40 AM	54.7	46.5
01:20 AM - 01:25 AM	47.9	46.8	04:00 AM - 04:05 AM	49.8	46.0	06:40 AM - 06:45 AM	49.3	46.1
01:25 AM - 01:30 AM	47.7	46.6	04:05 AM - 04:10 AM	50.8	46.4	06:45 AM - 06:50 AM	49.5	45.5
01:30 AM - 01:35 AM	47.3	46.5	04:10 AM - 04:15 AM	53.1	46.8	06:50 AM - 06:55 AM	47.6	45.5
01:35 AM - 01:40 AM	46.4	45.5	04:15 AM - 04:20 AM	54.0	49.8	06:55 AM - 07:00 AM	47.1	44.9
01:40 AM - 01:45 AM	46.6	45.7	04:20 AM - 04:25 AM	53.4	47.6	07:00 AM - 07:05 AM	48.1	45.7
01:45 AM - 01:50 AM	47.3	46.1	04:25 AM - 04:30 AM	53.6	50.1	07:05 AM - 07:10 AM	49.5	46.1
01:50 AM - 01:55 AM	47.3	46.0	04:30 AM - 04:35 AM	53.2	49.2	07:10 AM - 07:15 AM	48.4	45.9
01:55 AM - 02:00 AM	47.6	46.2	04:35 AM - 04:40 AM	53.1	49.3	07:15 AM - 07:20 AM	49.4	46.2
02:00 AM - 02:05 AM	47.9	46.3	04:40 AM - 04:45 AM	54.5	51.0	07:20 AM - 07:25 AM	50.3	48.6
02:05 AM - 02:10 AM	47.9	46.8	04:45 AM - 04:50 AM	54.2	50.0	07:25 AM - 07:30 AM	50.7	47.6
02:10 AM - 02:15 AM	47.8	46.8	04:50 AM - 04:55 AM	53.8	48.0	07:30 AM - 07:35 AM	49.8	46.3
02:15 AM - 02:20 AM	47.6	46.5	04:55 AM - 05:00 AM	50.9	47.4	07:35 AM - 07:40 AM	50.4	47.1
02:20 AM - 02:25 AM	47.8	46.8	05:00 AM - 05:05 AM	48.8	46.8	07:40 AM - 07:45 AM	49.8	45.7
02:25 AM - 02:30 AM	47.1	46.0	05:05 AM - 05:10 AM	49.0	46.7	07:45 AM - 07:50 AM	49.8	47.0
02:30 AM - 02:35 AM	46.7	45.6	05:10 AM - 05:15 AM	48.7	46.8	07:50 AM - 07:55 AM	51.3	48.0
02:35 AM - 02:40 AM	47.0	44.3	05:15 AM - 05:20 AM	49.1	47.2	07:55 AM - 08:00 AM	51.2	48.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421695-1

Page 1 of 3

Sample Number 2582812-21
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Sep 29 - Sep 30, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623390

Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	50.9	49.0	10:40 AM - 10:45 AM	46.1	44.2	01:20 PM - 01:25 PM	46.7	44.8
08:05 AM - 08:10 AM	51.4	49.1	10:45 AM - 10:50 AM	48.0	45.5	01:25 PM - 01:30 PM	47.2	45.5
08:10 AM - 08:15 AM	50.6	49.0	10:50 AM - 10:55 AM	50.1	45.8	01:30 PM - 01:35 PM	47.3	44.8
08:15 AM - 08:20 AM	51.1	48.7	10:55 AM - 11:00 AM	50.2	46.6	01:35 PM - 01:40 PM	50.3	47.0
08:20 AM - 08:25 AM	51.3	47.8	11:00 AM - 11:05 AM	50.4	46.1	01:40 PM - 01:45 PM	53.2	48.4
08:25 AM - 08:30 AM	57.5	47.4	11:05 AM - 11:10 AM	48.7	45.9	01:45 PM - 01:50 PM	50.2	47.8
08:30 AM - 08:35 AM	50.6	46.7	11:10 AM - 11:15 AM	50.1	44.7	01:50 PM - 01:55 PM	49.2	47.2
08:35 AM - 08:40 AM	52.1	47.6	11:15 AM - 11:20 AM	48.1	44.8	01:55 PM - 02:00 PM	51.7	47.4
08:40 AM - 08:45 AM	50.6	47.8	11:20 AM - 11:25 AM	49.5	46.5	02:00 PM - 02:05 PM	51.3	47.6
08:45 AM - 08:50 AM	53.6	48.5	11:25 AM - 11:30 AM	48.5	47.0	02:05 PM - 02:10 PM	51.6	48.3
08:50 AM - 08:55 AM	57.4	48.1	11:30 AM - 11:35 AM	49.9	46.9	02:10 PM - 02:15 PM	53.9	51.5
08:55 AM - 09:00 AM	52.9	46.1	11:35 AM - 11:40 AM	48.0	45.1	02:15 PM - 02:20 PM	52.7	50.9
09:00 AM - 09:05 AM	53.8	46.9	11:40 AM - 11:45 AM	45.3	44.0	02:20 PM - 02:25 PM	52.5	49.2
09:05 AM - 09:10 AM	52.1	47.1	11:45 AM - 11:50 AM	47.6	44.6	02:25 PM - 02:30 PM	51.8	48.8
09:10 AM - 09:15 AM	52.4	47.5	11:50 AM - 11:55 AM	47.4	44.0	02:30 PM - 02:35 PM	53.8	50.8
09:15 AM - 09:20 AM	52.6	47.5	11:55 AM - 12:00 PM	46.1	44.0	02:35 PM - 02:40 PM	53.6	49.2
09:20 AM - 09:25 AM	52.0	46.8	12:00 PM - 12:05 PM	46.8	43.7	02:40 PM - 02:45 PM	52.1	49.8
09:25 AM - 09:30 AM	55.9	48.0	12:05 PM - 12:10 PM	44.9	43.1	02:45 PM - 02:50 PM	53.8	50.1
09:30 AM - 09:35 AM	53.9	48.4	12:10 PM - 12:15 PM	46.5	43.3	02:50 PM - 02:55 PM	51.2	47.3
09:35 AM - 09:40 AM	51.8	47.3	12:15 PM - 12:20 PM	47.8	43.8	02:55 PM - 03:00 PM	49.1	45.9
09:40 AM - 09:45 AM	55.0	47.6	12:20 PM - 12:25 PM	45.8	43.2	03:00 PM - 03:05 PM	52.4	47.2
09:45 AM - 09:50 AM	48.8	46.2	12:25 PM - 12:30 PM	46.1	42.4	03:05 PM - 03:10 PM	50.0	46.4
09:50 AM - 09:55 AM	51.2	47.1	12:30 PM - 12:35 PM	45.8	43.2	03:10 PM - 03:15 PM	49.9	46.7
09:55 AM - 10:00 AM	49.6	46.6	12:35 PM - 12:40 PM	48.0	43.8	03:15 PM - 03:20 PM	52.7	46.5
10:00 AM - 10:05 AM	50.5	46.0	12:40 PM - 12:45 PM	46.0	42.9	03:20 PM - 03:25 PM	53.6	47.6
10:05 AM - 10:10 AM	50.7	46.5	12:45 PM - 12:50 PM	48.7	44.0	03:25 PM - 03:30 PM	49.2	45.8
10:10 AM - 10:15 AM	46.3	43.4	12:50 PM - 12:55 PM	46.8	43.6	03:30 PM - 03:35 PM	50.2	45.6
10:15 AM - 10:20 AM	47.8	44.4	12:55 PM - 01:00 PM	47.4	44.8	03:35 PM - 03:40 PM	50.4	47.1
10:20 AM - 10:25 AM	48.9	45.8	01:00 PM - 01:05 PM	48.9	46.1	03:40 PM - 03:45 PM	53.6	49.3
10:25 AM - 10:30 AM	47.1	44.9	01:05 PM - 01:10 PM	47.1	45.0	03:45 PM - 03:50 PM	52.9	48.9
10:30 AM - 10:35 AM	48.9	44.6	01:10 PM - 01:15 PM	48.2	45.9	03:50 PM - 03:55 PM	51.1	47.5
10:35 AM - 10:40 AM	46.9	44.4	01:15 PM - 01:20 PM	48.0	45.4	03:55 PM - 04:00 PM	52.5	48.2

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421695-1

Page 2 of 3

Sample Number 2582812-21
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Sep 29 - Sep 30, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623390

Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	53.1	50.4	06:40 PM - 06:45 PM	49.1	47.2	09:20 PM - 09:25 PM	48.7	47.6
04:05 PM - 04:10 PM	52.0	49.6	06:45 PM - 06:50 PM	49.3	47.1	09:25 PM - 09:30 PM	50.0	48.0
04:10 PM - 04:15 PM	52.8	50.3	06:50 PM - 06:55 PM	50.1	47.3	09:30 PM - 09:35 PM	50.8	48.9
04:15 PM - 04:20 PM	55.5	50.9	06:55 PM - 07:00 PM	49.8	47.8	09:35 PM - 09:40 PM	50.6	48.3
04:20 PM - 04:25 PM	55.0	50.8	07:00 PM - 07:05 PM	51.6	49.9	09:40 PM - 09:45 PM	50.0	47.4
04:25 PM - 04:30 PM	55.5	51.6	07:05 PM - 07:10 PM	51.4	49.5	09:45 PM - 09:50 PM	48.2	46.5
04:30 PM - 04:35 PM	53.8	48.3	07:10 PM - 07:15 PM	51.3	49.2	09:50 PM - 09:55 PM	47.7	46.4
04:35 PM - 04:40 PM	53.9	47.6	07:15 PM - 07:20 PM	50.6	48.3	09:55 PM - 10:00 PM	47.5	46.3
04:40 PM - 04:45 PM	51.3	47.2	07:20 PM - 07:25 PM	49.8	47.3	10:00 PM - 10:05 PM	47.6	46.4
04:45 PM - 04:50 PM	51.0	46.3	07:25 PM - 07:30 PM	49.6	47.4	10:05 PM - 10:10 PM	48.8	47.5
04:50 PM - 04:55 PM	49.3	45.4	07:30 PM - 07:35 PM	50.6	48.5	10:10 PM - 10:15 PM	50.1	48.9
04:55 PM - 05:00 PM	50.4	45.6	07:35 PM - 07:40 PM	50.9	48.2	10:15 PM - 10:20 PM	49.9	48.6
05:00 PM - 05:05 PM	50.6	47.1	07:40 PM - 07:45 PM	50.8	49.1	10:20 PM - 10:25 PM	49.1	46.9
05:05 PM - 05:10 PM	49.3	45.7	07:45 PM - 07:50 PM	49.9	47.6	10:25 PM - 10:30 PM	47.1	45.5
05:10 PM - 05:15 PM	51.6	45.9	07:50 PM - 07:55 PM	49.4	47.6	10:30 PM - 10:35 PM	47.3	46.1
05:15 PM - 05:20 PM	53.2	46.1	07:55 PM - 08:00 PM	48.3	46.1	10:35 PM - 10:40 PM	47.5	46.3
05:20 PM - 05:25 PM	52.3	47.1	08:00 PM - 08:05 PM	48.1	46.2	10:40 PM - 10:45 PM	48.6	46.7
05:25 PM - 05:30 PM	49.0	45.5	08:05 PM - 08:10 PM	47.7	45.7	10:45 PM - 10:50 PM	48.5	47.0
05:30 PM - 05:35 PM	51.4	47.0	08:10 PM - 08:15 PM	47.9	45.8	10:50 PM - 10:55 PM	48.5	46.7
05:35 PM - 05:40 PM	49.4	46.5	08:15 PM - 08:20 PM	49.6	47.0	10:55 PM - 11:00 PM	49.7	48.3
05:40 PM - 05:45 PM	47.5	45.4	08:20 PM - 08:25 PM	48.7	45.4	11:00 PM - 11:05 PM	49.4	48.2
05:45 PM - 05:50 PM	50.5	44.9	08:25 PM - 08:30 PM	50.4	46.5	11:05 PM - 11:10 PM	49.3	47.9
05:50 PM - 05:55 PM	47.3	44.1	08:30 PM - 08:35 PM	49.1	46.8	11:10 PM - 11:15 PM	46.4	45.2
05:55 PM - 06:00 PM	50.4	45.8	08:35 PM - 08:40 PM	50.1	46.3	11:15 PM - 11:20 PM	46.0	44.0
06:00 PM - 06:05 PM	46.4	43.7	08:40 PM - 08:45 PM	50.4	47.4	11:20 PM - 11:25 PM	45.5	44.4
06:05 PM - 06:10 PM	49.0	44.1	08:45 PM - 08:50 PM	49.5	46.7	11:25 PM - 11:30 PM	45.8	44.6
06:10 PM - 06:15 PM	49.0	43.6	08:50 PM - 08:55 PM	50.5	48.6	11:30 PM - 11:35 PM	45.2	44.1
06:15 PM - 06:20 PM	47.5	44.4	08:55 PM - 09:00 PM	48.2	46.9	11:35 PM - 11:40 PM	45.6	44.2
06:20 PM - 06:25 PM	46.6	44.9	09:00 PM - 09:05 PM	48.3	46.9	11:40 PM - 11:45 PM	45.4	44.0
06:25 PM - 06:30 PM	47.2	45.6	09:05 PM - 09:10 PM	48.9	47.7	11:45 PM - 11:50 PM	45.6	44.4
06:30 PM - 06:35 PM	48.6	46.4	09:10 PM - 09:15 PM	50.2	47.8	11:50 PM - 11:55 PM	45.5	44.3
06:35 PM - 06:40 PM	49.7	47.7	09:15 PM - 09:20 PM	49.9	48.0	11:55 PM - 12:00 AM	48.4	44.4

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421695-1

Page 3 of 3

Sample Number 2582812-21
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Sep 29 - Sep 30, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623390

Sep 30, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 30, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 30, 2025 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	44.9	44.0	02:40 AM - 02:45 AM	48.3	46.8	05:20 AM - 05:25 AM	48.9	47.7
12:05 AM - 12:10 AM	44.6	43.7	02:45 AM - 02:50 AM	48.4	46.9	05:25 AM - 05:30 AM	48.9	47.7
12:10 AM - 12:15 AM	45.0	43.6	02:50 AM - 02:55 AM	48.5	46.9	05:30 AM - 05:35 AM	48.8	47.5
12:15 AM - 12:20 AM	48.5	46.8	02:55 AM - 03:00 AM	48.0	46.0	05:35 AM - 05:40 AM	49.0	47.8
12:20 AM - 12:25 AM	48.4	46.9	03:00 AM - 03:05 AM	48.3	46.8	05:40 AM - 05:45 AM	49.6	48.1
12:25 AM - 12:30 AM	48.7	47.0	03:05 AM - 03:10 AM	48.9	47.1	05:45 AM - 05:50 AM	48.9	47.3
12:30 AM - 12:35 AM	48.5	46.8	03:10 AM - 03:15 AM	48.5	47.0	05:50 AM - 05:55 AM	48.5	46.8
12:35 AM - 12:40 AM	48.4	46.9	03:15 AM - 03:20 AM	48.3	46.8	05:55 AM - 06:00 AM	48.5	47.0
12:40 AM - 12:45 AM	48.7	47.1	03:20 AM - 03:25 AM	48.1	46.5	06:00 AM - 06:05 AM	49.0	47.4
12:45 AM - 12:50 AM	49.6	47.2	03:25 AM - 03:30 AM	48.0	46.2	06:05 AM - 06:10 AM	49.2	47.6
12:50 AM - 12:55 AM	48.9	46.6	03:30 AM - 03:35 AM	48.1	46.2	06:10 AM - 06:15 AM	52.6	47.1
12:55 AM - 01:00 AM	47.9	44.7	03:35 AM - 03:40 AM	48.2	46.7	06:15 AM - 06:20 AM	49.1	47.2
01:00 AM - 01:05 AM	45.0	43.5	03:40 AM - 03:45 AM	48.8	47.3	06:20 AM - 06:25 AM	49.0	47.2
01:05 AM - 01:10 AM	45.2	43.4	03:45 AM - 03:50 AM	53.5	47.1	06:25 AM - 06:30 AM	49.2	47.4
01:10 AM - 01:15 AM	44.8	43.4	03:50 AM - 03:55 AM	54.9	47.0	06:30 AM - 06:35 AM	49.5	47.3
01:15 AM - 01:20 AM	45.5	43.4	03:55 AM - 04:00 AM	50.2	47.3	06:35 AM - 06:40 AM	48.0	46.7
01:20 AM - 01:25 AM	44.5	43.4	04:00 AM - 04:05 AM	48.8	47.0	06:40 AM - 06:45 AM	47.6	46.0
01:25 AM - 01:30 AM	44.2	43.3	04:05 AM - 04:10 AM	48.7	47.2	06:45 AM - 06:50 AM	48.2	45.2
01:30 AM - 01:35 AM	44.1	43.3	04:10 AM - 04:15 AM	48.7	47.1	06:50 AM - 06:55 AM	46.5	44.5
01:35 AM - 01:40 AM	44.4	43.3	04:15 AM - 04:20 AM	49.0	47.0	06:55 AM - 07:00 AM	47.0	44.2
01:40 AM - 01:45 AM	44.9	43.3	04:20 AM - 04:25 AM	49.1	47.5	07:00 AM - 07:05 AM	53.5	44.8
01:45 AM - 01:50 AM	44.7	43.3	04:25 AM - 04:30 AM	49.1	47.5	07:05 AM - 07:10 AM	48.5	45.2
01:50 AM - 01:55 AM	44.0	43.2	04:30 AM - 04:35 AM	49.1	47.5	07:10 AM - 07:15 AM	57.5	45.3
01:55 AM - 02:00 AM	44.8	43.5	04:35 AM - 04:40 AM	48.9	47.3	07:15 AM - 07:20 AM	47.9	45.4
02:00 AM - 02:05 AM	44.7	43.6	04:40 AM - 04:45 AM	48.9	47.4	07:20 AM - 07:25 AM	50.0	48.2
02:05 AM - 02:10 AM	44.3	43.5	04:45 AM - 04:50 AM	48.9	47.4	07:25 AM - 07:30 AM	51.1	47.2
02:10 AM - 02:15 AM	44.3	43.4	04:50 AM - 04:55 AM	49.1	47.9	07:30 AM - 07:35 AM	48.1	45.4
02:15 AM - 02:20 AM	44.8	43.7	04:55 AM - 05:00 AM	49.0	47.7	07:35 AM - 07:40 AM	50.1	46.1
02:20 AM - 02:25 AM	44.9	43.5	05:00 AM - 05:05 AM	49.3	48.1	07:40 AM - 07:45 AM	49.8	45.3
02:25 AM - 02:30 AM	44.4	43.3	05:05 AM - 05:10 AM	49.1	48.0	07:45 AM - 07:50 AM	50.4	46.6
02:30 AM - 02:35 AM	46.9	44.3	05:10 AM - 05:15 AM	49.1	48.0	07:50 AM - 07:55 AM	50.1	46.4
02:35 AM - 02:40 AM	47.9	46.1	05:15 AM - 05:20 AM	49.2	48.0	07:55 AM - 08:00 AM	48.7	45.9

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421696-1

Page 1 of 3

Sample Number 2582812-22
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Sep 23 - Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623389

Sep 23, 2025	Leq	L90	Sep 23, 2025	Leq	L90	Sep 23, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	48.9	46.0	10:40 AM - 10:45 AM	44.5	42.3	01:20 PM - 01:25 PM	48.6	43.5
08:05 AM - 08:10 AM	48.8	46.1	10:45 AM - 10:50 AM	45.4	43.0	01:25 PM - 01:30 PM	55.9	42.7
08:10 AM - 08:15 AM	50.3	46.7	10:50 AM - 10:55 AM	48.8	43.7	01:30 PM - 01:35 PM	50.5	44.4
08:15 AM - 08:20 AM	52.2	48.2	10:55 AM - 11:00 AM	47.0	44.0	01:35 PM - 01:40 PM	51.4	42.6
08:20 AM - 08:25 AM	50.7	46.7	11:00 AM - 11:05 AM	45.5	42.6	01:40 PM - 01:45 PM	45.4	42.6
08:25 AM - 08:30 AM	52.0	45.8	11:05 AM - 11:10 AM	45.7	43.2	01:45 PM - 01:50 PM	44.8	42.1
08:30 AM - 08:35 AM	49.6	46.3	11:10 AM - 11:15 AM	50.4	43.1	01:50 PM - 01:55 PM	45.6	41.7
08:35 AM - 08:40 AM	55.4	46.9	11:15 AM - 11:20 AM	51.8	46.5	01:55 PM - 02:00 PM	46.0	41.6
08:40 AM - 08:45 AM	49.2	44.7	11:20 AM - 11:25 AM	49.7	44.2	02:00 PM - 02:05 PM	46.6	41.7
08:45 AM - 08:50 AM	50.1	47.3	11:25 AM - 11:30 AM	48.4	45.1	02:05 PM - 02:10 PM	49.6	42.5
08:50 AM - 08:55 AM	48.1	45.7	11:30 AM - 11:35 AM	51.4	42.6	02:10 PM - 02:15 PM	48.8	43.4
08:55 AM - 09:00 AM	50.7	47.2	11:35 AM - 11:40 AM	49.5	42.3	02:15 PM - 02:20 PM	47.4	42.5
09:00 AM - 09:05 AM	49.0	45.9	11:40 AM - 11:45 AM	51.5	44.2	02:20 PM - 02:25 PM	52.7	42.4
09:05 AM - 09:10 AM	50.9	47.0	11:45 AM - 11:50 AM	47.4	44.4	02:25 PM - 02:30 PM	48.2	42.1
09:10 AM - 09:15 AM	48.2	45.4	11:50 AM - 11:55 AM	56.4	44.8	02:30 PM - 02:35 PM	45.7	42.1
09:15 AM - 09:20 AM	49.7	46.5	11:55 AM - 12:00 PM	48.3	44.5	02:35 PM - 02:40 PM	46.5	42.9
09:20 AM - 09:25 AM	51.1	45.4	12:00 PM - 12:05 PM	47.4	44.3	02:40 PM - 02:45 PM	51.2	41.6
09:25 AM - 09:30 AM	46.0	42.2	12:05 PM - 12:10 PM	51.3	45.3	02:45 PM - 02:50 PM	55.5	43.9
09:30 AM - 09:35 AM	48.9	44.0	12:10 PM - 12:15 PM	48.2	43.9	02:50 PM - 02:55 PM	50.9	43.6
09:35 AM - 09:40 AM	53.2	43.7	12:15 PM - 12:20 PM	49.8	42.5	02:55 PM - 03:00 PM	60.0	43.4
09:40 AM - 09:45 AM	51.8	49.4	12:20 PM - 12:25 PM	46.7	41.9	03:00 PM - 03:05 PM	50.7	42.9
09:45 AM - 09:50 AM	50.6	48.1	12:25 PM - 12:30 PM	51.3	42.1	03:05 PM - 03:10 PM	55.9	42.1
09:50 AM - 09:55 AM	48.7	47.4	12:30 PM - 12:35 PM	48.3	43.4	03:10 PM - 03:15 PM	49.3	42.7
09:55 AM - 10:00 AM	49.6	47.4	12:35 PM - 12:40 PM	57.6	44.0	03:15 PM - 03:20 PM	51.3	42.6
10:00 AM - 10:05 AM	52.1	41.3	12:40 PM - 12:45 PM	49.4	43.3	03:20 PM - 03:25 PM	53.0	42.8
10:05 AM - 10:10 AM	49.5	43.9	12:45 PM - 12:50 PM	48.1	44.2	03:25 PM - 03:30 PM	49.0	43.0
10:10 AM - 10:15 AM	52.8	44.5	12:50 PM - 12:55 PM	46.9	43.9	03:30 PM - 03:35 PM	45.7	43.5
10:15 AM - 10:20 AM	46.4	44.0	12:55 PM - 01:00 PM	48.4	43.7	03:35 PM - 03:40 PM	52.7	43.7
10:20 AM - 10:25 AM	45.1	43.1	01:00 PM - 01:05 PM	46.9	44.1	03:40 PM - 03:45 PM	48.0	42.8
10:25 AM - 10:30 AM	45.4	43.2	01:05 PM - 01:10 PM	50.5	44.6	03:45 PM - 03:50 PM	49.0	43.9
10:30 AM - 10:35 AM	57.3	45.0	01:10 PM - 01:15 PM	54.9	49.3	03:50 PM - 03:55 PM	53.8	46.2
10:35 AM - 10:40 AM	49.1	42.5	01:15 PM - 01:20 PM	53.8	43.8	03:55 PM - 04:00 PM	53.8	43.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421696-1

Page 2 of 3

Sample Number 2582812-22
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Sep 23 - Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623389

Sep 23, 2025	Leq	L90	Sep 23, 2025	Leq	L90	Sep 23, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	49.0	43.6	06:40 PM - 06:45 PM	53.8	51.3	09:20 PM - 09:25 PM	52.0	50.3
04:05 PM - 04:10 PM	58.6	45.1	06:45 PM - 06:50 PM	53.6	51.3	09:25 PM - 09:30 PM	51.5	50.3
04:10 PM - 04:15 PM	52.5	43.7	06:50 PM - 06:55 PM	53.9	51.2	09:30 PM - 09:35 PM	51.3	49.0
04:15 PM - 04:20 PM	46.8	43.3	06:55 PM - 07:00 PM	53.5	50.9	09:35 PM - 09:40 PM	50.1	49.2
04:20 PM - 04:25 PM	47.8	43.7	07:00 PM - 07:05 PM	52.7	50.6	09:40 PM - 09:45 PM	50.2	49.2
04:25 PM - 04:30 PM	46.5	43.6	07:05 PM - 07:10 PM	51.9	50.2	09:45 PM - 09:50 PM	49.8	48.9
04:30 PM - 04:35 PM	46.5	44.5	07:10 PM - 07:15 PM	52.1	50.2	09:50 PM - 09:55 PM	49.6	48.5
04:35 PM - 04:40 PM	55.2	44.6	07:15 PM - 07:20 PM	51.7	50.2	09:55 PM - 10:00 PM	49.5	48.4
04:40 PM - 04:45 PM	53.1	44.6	07:20 PM - 07:25 PM	53.1	50.4	10:00 PM - 10:05 PM	48.9	48.2
04:45 PM - 04:50 PM	54.7	43.4	07:25 PM - 07:30 PM	52.7	49.6	10:05 PM - 10:10 PM	50.1	48.3
04:50 PM - 04:55 PM	46.4	43.4	07:30 PM - 07:35 PM	52.3	50.2	10:10 PM - 10:15 PM	51.5	49.2
04:55 PM - 05:00 PM	45.7	43.4	07:35 PM - 07:40 PM	52.0	49.4	10:15 PM - 10:20 PM	49.8	49.0
05:00 PM - 05:05 PM	48.1	44.0	07:40 PM - 07:45 PM	50.8	48.8	10:20 PM - 10:25 PM	50.1	48.8
05:05 PM - 05:10 PM	49.0	43.9	07:45 PM - 07:50 PM	50.7	48.0	10:25 PM - 10:30 PM	50.1	49.2
05:10 PM - 05:15 PM	46.7	43.6	07:50 PM - 07:55 PM	50.9	49.0	10:30 PM - 10:35 PM	49.9	49.1
05:15 PM - 05:20 PM	49.5	44.5	07:55 PM - 08:00 PM	51.0	48.8	10:35 PM - 10:40 PM	49.7	49.2
05:20 PM - 05:25 PM	51.0	44.8	08:00 PM - 08:05 PM	50.8	48.7	10:40 PM - 10:45 PM	49.8	49.3
05:25 PM - 05:30 PM	50.9	44.5	08:05 PM - 08:10 PM	50.6	48.6	10:45 PM - 10:50 PM	49.9	49.0
05:30 PM - 05:35 PM	51.4	45.7	08:10 PM - 08:15 PM	49.9	48.6	10:50 PM - 10:55 PM	49.3	48.2
05:35 PM - 05:40 PM	51.3	45.5	08:15 PM - 08:20 PM	50.1	48.5	10:55 PM - 11:00 PM	48.8	48.2
05:40 PM - 05:45 PM	51.1	45.6	08:20 PM - 08:25 PM	49.5	48.2	11:00 PM - 11:05 PM	49.1	48.3
05:45 PM - 05:50 PM	49.9	46.5	08:25 PM - 08:30 PM	49.9	48.5	11:05 PM - 11:10 PM	48.9	48.3
05:50 PM - 05:55 PM	50.4	47.3	08:30 PM - 08:35 PM	49.7	48.8	11:10 PM - 11:15 PM	49.0	48.4
05:55 PM - 06:00 PM	50.3	47.7	08:35 PM - 08:40 PM	49.6	48.7	11:15 PM - 11:20 PM	48.6	47.9
06:00 PM - 06:05 PM	50.5	47.1	08:40 PM - 08:45 PM	49.6	47.9	11:20 PM - 11:25 PM	48.5	48.0
06:05 PM - 06:10 PM	50.7	48.0	08:45 PM - 08:50 PM	49.9	48.7	11:25 PM - 11:30 PM	48.3	47.8
06:10 PM - 06:15 PM	50.3	48.6	08:50 PM - 08:55 PM	50.1	49.1	11:30 PM - 11:35 PM	48.4	47.6
06:15 PM - 06:20 PM	50.4	48.8	08:55 PM - 09:00 PM	50.2	49.4	11:35 PM - 11:40 PM	48.2	47.6
06:20 PM - 06:25 PM	51.6	50.2	09:00 PM - 09:05 PM	50.4	49.5	11:40 PM - 11:45 PM	47.8	47.1
06:25 PM - 06:30 PM	53.5	51.2	09:05 PM - 09:10 PM	51.0	49.6	11:45 PM - 11:50 PM	48.1	47.7
06:30 PM - 06:35 PM	54.4	51.8	09:10 PM - 09:15 PM	51.5	49.7	11:50 PM - 11:55 PM	48.9	47.5
06:35 PM - 06:40 PM	54.8	52.7	09:15 PM - 09:20 PM	52.6	50.3	11:55 PM - 12:00 AM	48.3	47.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421696-1

Page 3 of 3

Sample Number : 2582812-22
Parameter : Noise Level (Leq 5 min)
Location : ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date : Sep 23 - Sep 24, 2025
Measurement by : Anurak Tongkhajonsakda
Sound Level meter : Serial No. 623389

Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	47.9	47.4	02:40 AM - 02:45 AM	48.9	48.5	05:20 AM - 05:25 AM	54.9	51.6
12:05 AM - 12:10 AM	47.9	47.3	02:45 AM - 02:50 AM	49.0	48.5	05:25 AM - 05:30 AM	55.3	51.9
12:10 AM - 12:15 AM	48.4	47.5	02:50 AM - 02:55 AM	49.2	48.5	05:30 AM - 05:35 AM	55.0	52.3
12:15 AM - 12:20 AM	48.0	47.6	02:55 AM - 03:00 AM	48.8	48.3	05:35 AM - 05:40 AM	55.5	52.8
12:20 AM - 12:25 AM	48.2	47.6	03:00 AM - 03:05 AM	49.1	48.6	05:40 AM - 05:45 AM	54.4	52.5
12:25 AM - 12:30 AM	48.2	47.6	03:05 AM - 03:10 AM	49.6	49.2	05:45 AM - 05:50 AM	53.3	52.0
12:30 AM - 12:35 AM	48.7	47.9	03:10 AM - 03:15 AM	49.8	49.2	05:50 AM - 05:55 AM	54.0	52.4
12:35 AM - 12:40 AM	48.1	47.6	03:15 AM - 03:20 AM	49.7	49.2	05:55 AM - 06:00 AM	53.3	51.5
12:40 AM - 12:45 AM	48.1	47.5	03:20 AM - 03:25 AM	49.2	48.6	06:00 AM - 06:05 AM	57.6	51.7
12:45 AM - 12:50 AM	48.1	47.4	03:25 AM - 03:30 AM	49.2	48.8	06:05 AM - 06:10 AM	53.8	51.7
12:50 AM - 12:55 AM	48.0	47.4	03:30 AM - 03:35 AM	49.1	48.4	06:10 AM - 06:15 AM	53.5	51.6
12:55 AM - 01:00 AM	48.6	48.1	03:35 AM - 03:40 AM	50.1	48.9	06:15 AM - 06:20 AM	52.7	51.6
01:00 AM - 01:05 AM	48.6	48.1	03:40 AM - 03:45 AM	49.3	48.7	06:20 AM - 06:25 AM	52.8	51.8
01:05 AM - 01:10 AM	48.9	48.3	03:45 AM - 03:50 AM	49.2	48.6	06:25 AM - 06:30 AM	52.3	51.2
01:10 AM - 01:15 AM	49.0	48.3	03:50 AM - 03:55 AM	49.5	49.0	06:30 AM - 06:35 AM	52.5	51.5
01:15 AM - 01:20 AM	49.2	48.7	03:55 AM - 04:00 AM	49.6	49.0	06:35 AM - 06:40 AM	52.7	51.5
01:20 AM - 01:25 AM	49.5	49.1	04:00 AM - 04:05 AM	52.6	49.1	06:40 AM - 06:45 AM	51.8	50.9
01:25 AM - 01:30 AM	49.5	49.0	04:05 AM - 04:10 AM	51.4	48.9	06:45 AM - 06:50 AM	51.5	50.2
01:30 AM - 01:35 AM	49.4	49.0	04:10 AM - 04:15 AM	49.2	48.7	06:50 AM - 06:55 AM	50.6	49.8
01:35 AM - 01:40 AM	49.7	49.1	04:15 AM - 04:20 AM	49.3	48.7	06:55 AM - 07:00 AM	51.4	50.0
01:40 AM - 01:45 AM	49.6	49.1	04:20 AM - 04:25 AM	49.7	48.8	07:00 AM - 07:05 AM	54.4	50.5
01:45 AM - 01:50 AM	49.7	49.0	04:25 AM - 04:30 AM	49.3	48.6	07:05 AM - 07:10 AM	51.4	49.8
01:50 AM - 01:55 AM	49.9	49.4	04:30 AM - 04:35 AM	50.0	48.8	07:10 AM - 07:15 AM	54.3	49.8
01:55 AM - 02:00 AM	50.0	49.4	04:35 AM - 04:40 AM	51.1	49.4	07:15 AM - 07:20 AM	54.5	49.8
02:00 AM - 02:05 AM	49.7	49.1	04:40 AM - 04:45 AM	51.7	49.7	07:20 AM - 07:25 AM	51.7	49.7
02:05 AM - 02:10 AM	49.8	49.4	04:45 AM - 04:50 AM	51.6	50.1	07:25 AM - 07:30 AM	51.1	49.4
02:10 AM - 02:15 AM	49.8	49.1	04:50 AM - 04:55 AM	52.7	50.2	07:30 AM - 07:35 AM	58.7	49.6
02:15 AM - 02:20 AM	49.2	48.7	04:55 AM - 05:00 AM	53.6	51.0	07:35 AM - 07:40 AM	49.9	48.8
02:20 AM - 02:25 AM	49.1	48.6	05:00 AM - 05:05 AM	53.8	50.9	07:40 AM - 07:45 AM	50.9	48.7
02:25 AM - 02:30 AM	49.1	48.6	05:05 AM - 05:10 AM	53.5	50.8	07:45 AM - 07:50 AM	54.1	48.3
02:30 AM - 02:35 AM	48.9	48.5	05:10 AM - 05:15 AM	52.9	50.1	07:50 AM - 07:55 AM	49.5	48.1
02:35 AM - 02:40 AM	48.8	48.3	05:15 AM - 05:20 AM	54.6	51.2	07:55 AM - 08:00 AM	51.3	49.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421697-1

Page 1 of 3

Sample Number 2582812-23
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Sep 24 - Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623389

Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	50.7	48.7	10:40 AM - 10:45 AM	50.3	43.5	01:20 PM - 01:25 PM	46.8	42.9
08:05 AM - 08:10 AM	49.4	48.3	10:45 AM - 10:50 AM	53.9	43.2	01:25 PM - 01:30 PM	47.9	42.4
08:10 AM - 08:15 AM	49.3	48.2	10:50 AM - 10:55 AM	45.0	42.4	01:30 PM - 01:35 PM	48.1	42.6
08:15 AM - 08:20 AM	51.6	48.4	10:55 AM - 11:00 AM	51.8	42.2	01:35 PM - 01:40 PM	45.5	41.5
08:20 AM - 08:25 AM	49.5	48.3	11:00 AM - 11:05 AM	45.3	43.2	01:40 PM - 01:45 PM	58.5	42.1
08:25 AM - 08:30 AM	51.8	49.4	11:05 AM - 11:10 AM	49.5	43.1	01:45 PM - 01:50 PM	44.7	41.6
08:30 AM - 08:35 AM	53.9	48.4	11:10 AM - 11:15 AM	49.3	41.9	01:50 PM - 01:55 PM	49.0	43.0
08:35 AM - 08:40 AM	48.9	47.7	11:15 AM - 11:20 AM	46.2	42.8	01:55 PM - 02:00 PM	47.6	43.5
08:40 AM - 08:45 AM	52.4	48.1	11:20 AM - 11:25 AM	46.7	41.8	02:00 PM - 02:05 PM	49.8	46.2
08:45 AM - 08:50 AM	51.3	48.1	11:25 AM - 11:30 AM	46.5	42.3	02:05 PM - 02:10 PM	47.9	44.0
08:50 AM - 08:55 AM	55.2	48.2	11:30 AM - 11:35 AM	52.8	42.5	02:10 PM - 02:15 PM	49.1	43.0
08:55 AM - 09:00 AM	48.9	47.0	11:35 AM - 11:40 AM	46.9	43.6	02:15 PM - 02:20 PM	47.6	42.9
09:00 AM - 09:05 AM	51.8	46.7	11:40 AM - 11:45 AM	47.3	45.4	02:20 PM - 02:25 PM	47.5	43.4
09:05 AM - 09:10 AM	48.8	46.1	11:45 AM - 11:50 AM	47.9	43.9	02:25 PM - 02:30 PM	52.4	48.1
09:10 AM - 09:15 AM	54.9	47.2	11:50 AM - 11:55 AM	51.1	44.0	02:30 PM - 02:35 PM	49.3	45.6
09:15 AM - 09:20 AM	48.6	45.8	11:55 AM - 12:00 PM	48.7	42.5	02:35 PM - 02:40 PM	58.1	44.7
09:20 AM - 09:25 AM	52.3	46.7	12:00 PM - 12:05 PM	49.3	43.6	02:40 PM - 02:45 PM	53.8	44.0
09:25 AM - 09:30 AM	58.0	46.1	12:05 PM - 12:10 PM	47.5	42.5	02:45 PM - 02:50 PM	47.9	43.7
09:30 AM - 09:35 AM	51.8	44.8	12:10 PM - 12:15 PM	52.3	43.5	02:50 PM - 02:55 PM	50.3	46.7
09:35 AM - 09:40 AM	49.5	43.1	12:15 PM - 12:20 PM	47.2	43.4	02:55 PM - 03:00 PM	46.7	44.0
09:40 AM - 09:45 AM	47.7	44.6	12:20 PM - 12:25 PM	49.3	44.9	03:00 PM - 03:05 PM	45.9	42.7
09:45 AM - 09:50 AM	45.4	42.9	12:25 PM - 12:30 PM	48.2	42.2	03:05 PM - 03:10 PM	43.9	41.6
09:50 AM - 09:55 AM	47.3	42.2	12:30 PM - 12:35 PM	46.0	42.5	03:10 PM - 03:15 PM	49.3	43.0
09:55 AM - 10:00 AM	48.6	44.2	12:35 PM - 12:40 PM	54.4	42.8	03:15 PM - 03:20 PM	44.4	41.6
10:00 AM - 10:05 AM	48.9	45.3	12:40 PM - 12:45 PM	49.6	44.3	03:20 PM - 03:25 PM	45.5	42.3
10:05 AM - 10:10 AM	46.3	44.4	12:45 PM - 12:50 PM	45.4	43.1	03:25 PM - 03:30 PM	44.7	41.9
10:10 AM - 10:15 AM	45.7	43.2	12:50 PM - 12:55 PM	56.3	44.7	03:30 PM - 03:35 PM	45.2	42.4
10:15 AM - 10:20 AM	49.4	44.0	12:55 PM - 01:00 PM	46.8	43.4	03:35 PM - 03:40 PM	46.8	43.4
10:20 AM - 10:25 AM	45.6	43.7	01:00 PM - 01:05 PM	49.5	43.1	03:40 PM - 03:45 PM	44.9	41.8
10:25 AM - 10:30 AM	47.3	42.0	01:05 PM - 01:10 PM	50.5	43.3	03:45 PM - 03:50 PM	44.8	42.3
10:30 AM - 10:35 AM	58.7	42.7	01:10 PM - 01:15 PM	52.3	43.0	03:50 PM - 03:55 PM	46.4	42.0
10:35 AM - 10:40 AM	46.4	42.6	01:15 PM - 01:20 PM	50.8	44.5	03:55 PM - 04:00 PM	47.7	42.9

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421697-1

Page 2 of 3

Sample Number 2582812-23
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Sep 24 - Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623389

Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	45.4	42.9	06:40 PM - 06:45 PM	56.8	52.1	09:20 PM - 09:25 PM	49.4	47.7
04:05 PM - 04:10 PM	47.3	43.1	06:45 PM - 06:50 PM	57.0	55.0	09:25 PM - 09:30 PM	50.3	48.0
04:10 PM - 04:15 PM	48.0	42.9	06:50 PM - 06:55 PM	56.9	53.9	09:30 PM - 09:35 PM	49.9	48.4
04:15 PM - 04:20 PM	47.1	42.6	06:55 PM - 07:00 PM	57.1	55.1	09:35 PM - 09:40 PM	49.6	48.5
04:20 PM - 04:25 PM	46.2	43.5	07:00 PM - 07:05 PM	57.0	54.9	09:40 PM - 09:45 PM	49.7	48.4
04:25 PM - 04:30 PM	46.3	43.0	07:05 PM - 07:10 PM	56.1	47.1	09:45 PM - 09:50 PM	51.0	48.8
04:30 PM - 04:35 PM	44.3	41.9	07:10 PM - 07:15 PM	56.3	49.8	09:50 PM - 09:55 PM	53.8	49.0
04:35 PM - 04:40 PM	47.8	43.2	07:15 PM - 07:20 PM	56.2	48.3	09:55 PM - 10:00 PM	56.5	49.8
04:40 PM - 04:45 PM	47.3	43.4	07:20 PM - 07:25 PM	55.5	47.5	10:00 PM - 10:05 PM	56.9	54.7
04:45 PM - 04:50 PM	45.5	43.0	07:25 PM - 07:30 PM	56.1	48.2	10:05 PM - 10:10 PM	54.5	49.1
04:50 PM - 04:55 PM	48.3	43.5	07:30 PM - 07:35 PM	57.7	55.7	10:10 PM - 10:15 PM	50.6	48.9
04:55 PM - 05:00 PM	48.8	43.6	07:35 PM - 07:40 PM	57.3	50.7	10:15 PM - 10:20 PM	51.9	49.2
05:00 PM - 05:05 PM	48.1	43.7	07:40 PM - 07:45 PM	57.0	48.3	10:20 PM - 10:25 PM	51.3	48.3
05:05 PM - 05:10 PM	46.0	43.2	07:45 PM - 07:50 PM	56.9	50.6	10:25 PM - 10:30 PM	50.9	48.7
05:10 PM - 05:15 PM	46.3	42.4	07:50 PM - 07:55 PM	57.4	54.9	10:30 PM - 10:35 PM	53.5	48.1
05:15 PM - 05:20 PM	46.6	42.9	07:55 PM - 08:00 PM	57.0	48.5	10:35 PM - 10:40 PM	53.8	48.0
05:20 PM - 05:25 PM	47.3	44.0	08:00 PM - 08:05 PM	55.8	47.1	10:40 PM - 10:45 PM	49.4	47.7
05:25 PM - 05:30 PM	51.2	44.1	08:05 PM - 08:10 PM	55.5	46.4	10:45 PM - 10:50 PM	48.9	47.6
05:30 PM - 05:35 PM	49.6	44.2	08:10 PM - 08:15 PM	56.3	47.1	10:50 PM - 10:55 PM	50.7	47.6
05:35 PM - 05:40 PM	48.7	44.5	08:15 PM - 08:20 PM	55.4	46.9	10:55 PM - 11:00 PM	52.3	47.7
05:40 PM - 05:45 PM	47.8	43.8	08:20 PM - 08:25 PM	56.1	47.2	11:00 PM - 11:05 PM	52.7	48.5
05:45 PM - 05:50 PM	46.2	42.7	08:25 PM - 08:30 PM	56.4	47.2	11:05 PM - 11:10 PM	51.6	48.4
05:50 PM - 05:55 PM	45.3	42.6	08:30 PM - 08:35 PM	56.3	46.8	11:10 PM - 11:15 PM	52.1	48.4
05:55 PM - 06:00 PM	50.6	43.1	08:35 PM - 08:40 PM	57.3	54.7	11:15 PM - 11:20 PM	51.2	48.3
06:00 PM - 06:05 PM	47.6	44.0	08:40 PM - 08:45 PM	57.5	55.6	11:20 PM - 11:25 PM	51.5	48.7
06:05 PM - 06:10 PM	48.0	43.3	08:45 PM - 08:50 PM	56.7	48.8	11:25 PM - 11:30 PM	52.1	48.9
06:10 PM - 06:15 PM	50.5	43.2	08:50 PM - 08:55 PM	55.3	47.1	11:30 PM - 11:35 PM	52.2	48.7
06:15 PM - 06:20 PM	56.2	45.7	08:55 PM - 09:00 PM	48.9	46.7	11:35 PM - 11:40 PM	51.7	48.2
06:20 PM - 06:25 PM	57.3	55.6	09:00 PM - 09:05 PM	48.1	47.3	11:40 PM - 11:45 PM	50.8	48.0
06:25 PM - 06:30 PM	56.6	53.9	09:05 PM - 09:10 PM	48.2	47.0	11:45 PM - 11:50 PM	50.1	48.2
06:30 PM - 06:35 PM	56.8	55.0	09:10 PM - 09:15 PM	47.5	46.4	11:50 PM - 11:55 PM	50.3	47.8
06:35 PM - 06:40 PM	56.9	55.0	09:15 PM - 09:20 PM	48.0	46.9	11:55 PM - 12:00 AM	50.2	48.2

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421697-1

Page 3 of 3

Sample Number 2582812-23
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Sep 24 - Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623389

Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	49.2	47.9	02:40 AM - 02:45 AM	48.9	47.3	05:20 AM - 05:25 AM	53.9	49.5
12:05 AM - 12:10 AM	49.5	47.8	02:45 AM - 02:50 AM	50.0	47.5	05:25 AM - 05:30 AM	53.4	49.4
12:10 AM - 12:15 AM	51.5	48.1	02:50 AM - 02:55 AM	49.6	47.5	05:30 AM - 05:35 AM	53.4	49.7
12:15 AM - 12:20 AM	50.9	48.2	02:55 AM - 03:00 AM	48.5	46.9	05:35 AM - 05:40 AM	52.2	49.3
12:20 AM - 12:25 AM	50.1	48.3	03:00 AM - 03:05 AM	48.8	46.8	05:40 AM - 05:45 AM	51.6	48.9
12:25 AM - 12:30 AM	50.7	48.5	03:05 AM - 03:10 AM	48.9	47.4	05:45 AM - 05:50 AM	53.4	49.0
12:30 AM - 12:35 AM	50.2	48.2	03:10 AM - 03:15 AM	49.1	47.4	05:50 AM - 05:55 AM	50.9	49.0
12:35 AM - 12:40 AM	50.1	47.8	03:15 AM - 03:20 AM	49.2	47.9	05:55 AM - 06:00 AM	50.0	48.9
12:40 AM - 12:45 AM	48.8	47.9	03:20 AM - 03:25 AM	48.7	47.7	06:00 AM - 06:05 AM	50.0	49.2
12:45 AM - 12:50 AM	50.0	48.5	03:25 AM - 03:30 AM	48.9	47.8	06:05 AM - 06:10 AM	50.4	49.1
12:50 AM - 12:55 AM	49.9	48.5	03:30 AM - 03:35 AM	51.6	48.2	06:10 AM - 06:15 AM	49.5	48.9
12:55 AM - 01:00 AM	49.8	48.3	03:35 AM - 03:40 AM	50.6	48.6	06:15 AM - 06:20 AM	49.7	48.9
01:00 AM - 01:05 AM	49.4	48.2	03:40 AM - 03:45 AM	50.2	48.7	06:20 AM - 06:25 AM	50.5	48.7
01:05 AM - 01:10 AM	48.4	47.5	03:45 AM - 03:50 AM	50.5	48.4	06:25 AM - 06:30 AM	53.7	49.0
01:10 AM - 01:15 AM	48.5	47.2	03:50 AM - 03:55 AM	49.3	48.0	06:30 AM - 06:35 AM	55.0	49.4
01:15 AM - 01:20 AM	48.5	47.2	03:55 AM - 04:00 AM	49.3	47.8	06:35 AM - 06:40 AM	52.9	49.9
01:20 AM - 01:25 AM	49.2	47.8	04:00 AM - 04:05 AM	52.0	48.1	06:40 AM - 06:45 AM	51.9	49.7
01:25 AM - 01:30 AM	49.2	47.7	04:05 AM - 04:10 AM	51.6	48.2	06:45 AM - 06:50 AM	51.1	49.5
01:30 AM - 01:35 AM	49.1	47.6	04:10 AM - 04:15 AM	51.8	48.2	06:50 AM - 06:55 AM	51.6	49.1
01:35 AM - 01:40 AM	49.2	47.8	04:15 AM - 04:20 AM	50.9	48.1	06:55 AM - 07:00 AM	50.6	49.2
01:40 AM - 01:45 AM	48.7	47.2	04:20 AM - 04:25 AM	50.5	48.2	07:00 AM - 07:05 AM	49.9	48.9
01:45 AM - 01:50 AM	49.1	47.5	04:25 AM - 04:30 AM	50.8	48.7	07:05 AM - 07:10 AM	52.3	48.9
01:50 AM - 01:55 AM	49.2	47.7	04:30 AM - 04:35 AM	52.7	49.1	07:10 AM - 07:15 AM	51.3	48.4
01:55 AM - 02:00 AM	51.0	48.3	04:35 AM - 04:40 AM	53.1	49.2	07:15 AM - 07:20 AM	52.0	48.9
02:00 AM - 02:05 AM	49.9	48.2	04:40 AM - 04:45 AM	54.0	49.2	07:20 AM - 07:25 AM	51.3	49.3
02:05 AM - 02:10 AM	50.1	48.5	04:45 AM - 04:50 AM	52.6	48.7	07:25 AM - 07:30 AM	49.5	48.4
02:10 AM - 02:15 AM	50.8	48.7	04:50 AM - 04:55 AM	51.6	48.9	07:30 AM - 07:35 AM	50.6	48.6
02:15 AM - 02:20 AM	49.6	47.7	04:55 AM - 05:00 AM	51.9	49.3	07:35 AM - 07:40 AM	50.0	48.2
02:20 AM - 02:25 AM	49.7	46.9	05:00 AM - 05:05 AM	52.8	49.3	07:40 AM - 07:45 AM	49.5	47.8
02:25 AM - 02:30 AM	47.8	45.8	05:05 AM - 05:10 AM	54.5	49.2	07:45 AM - 07:50 AM	55.5	48.0
02:30 AM - 02:35 AM	48.6	45.9	05:10 AM - 05:15 AM	55.2	49.0	07:50 AM - 07:55 AM	48.8	47.1
02:35 AM - 02:40 AM	48.5	46.1	05:15 AM - 05:20 AM	55.3	49.5	07:55 AM - 08:00 AM	47.3	46.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421698-1

Page 1 of 3

Sample Number 2582812-24
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Sep 25 - Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623389

Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	47.0	45.6	10:40 AM - 10:45 AM	48.3	44.9	01:20 PM - 01:25 PM	47.8	45.2
08:05 AM - 08:10 AM	48.4	45.5	10:45 AM - 10:50 AM	48.6	43.4	01:25 PM - 01:30 PM	45.4	42.9
08:10 AM - 08:15 AM	58.0	45.3	10:50 AM - 10:55 AM	47.1	44.0	01:30 PM - 01:35 PM	48.4	43.2
08:15 AM - 08:20 AM	48.5	45.2	10:55 AM - 11:00 AM	44.4	41.2	01:35 PM - 01:40 PM	58.4	43.4
08:20 AM - 08:25 AM	47.2	44.2	11:00 AM - 11:05 AM	45.1	41.6	01:40 PM - 01:45 PM	45.3	43.0
08:25 AM - 08:30 AM	47.7	44.5	11:05 AM - 11:10 AM	56.4	42.5	01:45 PM - 01:50 PM	56.9	42.6
08:30 AM - 08:35 AM	51.2	47.5	11:10 AM - 11:15 AM	46.0	43.4	01:50 PM - 01:55 PM	45.9	42.7
08:35 AM - 08:40 AM	49.2	46.1	11:15 AM - 11:20 AM	46.8	43.1	01:55 PM - 02:00 PM	48.5	42.6
08:40 AM - 08:45 AM	48.4	44.8	11:20 AM - 11:25 AM	54.0	43.4	02:00 PM - 02:05 PM	44.9	41.8
08:45 AM - 08:50 AM	46.3	44.9	11:25 AM - 11:30 AM	51.1	42.8	02:05 PM - 02:10 PM	44.7	41.6
08:50 AM - 08:55 AM	54.8	43.9	11:30 AM - 11:35 AM	44.1	41.4	02:10 PM - 02:15 PM	46.7	41.8
08:55 AM - 09:00 AM	47.1	42.6	11:35 AM - 11:40 AM	54.0	43.0	02:15 PM - 02:20 PM	43.6	40.9
09:00 AM - 09:05 AM	53.8	43.4	11:40 AM - 11:45 AM	46.5	40.5	02:20 PM - 02:25 PM	44.2	42.2
09:05 AM - 09:10 AM	54.4	42.9	11:45 AM - 11:50 AM	47.3	43.4	02:25 PM - 02:30 PM	44.6	42.3
09:10 AM - 09:15 AM	52.4	43.6	11:50 AM - 11:55 AM	49.2	42.7	02:30 PM - 02:35 PM	48.2	41.9
09:15 AM - 09:20 AM	48.1	43.7	11:55 AM - 12:00 PM	46.9	42.4	02:35 PM - 02:40 PM	46.5	41.7
09:20 AM - 09:25 AM	55.3	46.7	12:00 PM - 12:05 PM	43.5	40.8	02:40 PM - 02:45 PM	44.1	41.4
09:25 AM - 09:30 AM	52.5	47.6	12:05 PM - 12:10 PM	45.4	41.7	02:45 PM - 02:50 PM	44.8	41.2
09:30 AM - 09:35 AM	52.4	44.9	12:10 PM - 12:15 PM	44.1	41.9	02:50 PM - 02:55 PM	46.0	41.5
09:35 AM - 09:40 AM	52.5	44.8	12:15 PM - 12:20 PM	45.6	41.8	02:55 PM - 03:00 PM	45.8	42.4
09:40 AM - 09:45 AM	51.8	46.5	12:20 PM - 12:25 PM	47.8	40.1	03:00 PM - 03:05 PM	45.0	42.7
09:45 AM - 09:50 AM	48.1	45.2	12:25 PM - 12:30 PM	47.7	42.7	03:05 PM - 03:10 PM	45.9	43.1
09:50 AM - 09:55 AM	50.8	46.4	12:30 PM - 12:35 PM	45.0	42.3	03:10 PM - 03:15 PM	44.4	42.4
09:55 AM - 10:00 AM	50.7	45.0	12:35 PM - 12:40 PM	45.8	43.6	03:15 PM - 03:20 PM	46.3	43.4
10:00 AM - 10:05 AM	49.5	44.5	12:40 PM - 12:45 PM	44.5	40.9	03:20 PM - 03:25 PM	45.6	42.9
10:05 AM - 10:10 AM	47.6	44.1	12:45 PM - 12:50 PM	44.5	40.9	03:25 PM - 03:30 PM	45.3	43.3
10:10 AM - 10:15 AM	45.3	42.9	12:50 PM - 12:55 PM	42.1	40.5	03:30 PM - 03:35 PM	45.8	43.4
10:15 AM - 10:20 AM	54.9	45.7	12:55 PM - 01:00 PM	47.4	40.8	03:35 PM - 03:40 PM	46.5	43.6
10:20 AM - 10:25 AM	50.4	44.2	01:00 PM - 01:05 PM	45.2	41.5	03:40 PM - 03:45 PM	47.1	43.1
10:25 AM - 10:30 AM	46.5	42.8	01:05 PM - 01:10 PM	44.6	41.5	03:45 PM - 03:50 PM	49.0	43.8
10:30 AM - 10:35 AM	46.4	43.1	01:10 PM - 01:15 PM	44.9	41.3	03:50 PM - 03:55 PM	43.9	42.1
10:35 AM - 10:40 AM	47.9	44.5	01:15 PM - 01:20 PM	45.1	41.3	03:55 PM - 04:00 PM	52.3	42.3

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421698-1

Page 2 of 3

Sample Number 2582812-24
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Sep 25 - Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623389

Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	47.1	44.2	06:40 PM - 06:45 PM	57.1	55.0	09:20 PM - 09:25 PM	46.4	45.4
04:05 PM - 04:10 PM	45.4	43.0	06:45 PM - 06:50 PM	56.9	54.4	09:25 PM - 09:30 PM	47.6	45.8
04:10 PM - 04:15 PM	53.9	45.1	06:50 PM - 06:55 PM	55.1	47.2	09:30 PM - 09:35 PM	46.4	45.8
04:15 PM - 04:20 PM	54.0	45.3	06:55 PM - 07:00 PM	50.2	46.6	09:35 PM - 09:40 PM	46.4	45.5
04:20 PM - 04:25 PM	49.0	45.3	07:00 PM - 07:05 PM	53.7	46.1	09:40 PM - 09:45 PM	46.2	45.5
04:25 PM - 04:30 PM	51.3	43.1	07:05 PM - 07:10 PM	55.6	46.3	09:45 PM - 09:50 PM	47.2	46.6
04:30 PM - 04:35 PM	47.9	42.5	07:10 PM - 07:15 PM	55.2	46.7	09:50 PM - 09:55 PM	46.7	46.1
04:35 PM - 04:40 PM	49.1	42.6	07:15 PM - 07:20 PM	56.3	51.6	09:55 PM - 10:00 PM	46.5	46.0
04:40 PM - 04:45 PM	45.1	41.7	07:20 PM - 07:25 PM	56.2	51.1	10:00 PM - 10:05 PM	46.8	46.0
04:45 PM - 04:50 PM	50.4	42.5	07:25 PM - 07:30 PM	56.1	47.6	10:05 PM - 10:10 PM	47.2	46.4
04:50 PM - 04:55 PM	45.6	42.6	07:30 PM - 07:35 PM	56.1	49.0	10:10 PM - 10:15 PM	47.5	46.9
04:55 PM - 05:00 PM	48.0	42.5	07:35 PM - 07:40 PM	56.5	54.6	10:15 PM - 10:20 PM	47.1	45.8
05:00 PM - 05:05 PM	46.1	42.6	07:40 PM - 07:45 PM	55.9	46.4	10:20 PM - 10:25 PM	47.1	46.4
05:05 PM - 05:10 PM	55.6	43.4	07:45 PM - 07:50 PM	55.9	46.8	10:25 PM - 10:30 PM	47.2	46.5
05:10 PM - 05:15 PM	48.7	42.7	07:50 PM - 07:55 PM	57.7	55.7	10:30 PM - 10:35 PM	46.7	46.3
05:15 PM - 05:20 PM	44.6	42.3	07:55 PM - 08:00 PM	57.3	50.2	10:35 PM - 10:40 PM	47.0	46.5
05:20 PM - 05:25 PM	48.3	42.8	08:00 PM - 08:05 PM	53.2	46.6	10:40 PM - 10:45 PM	47.0	46.3
05:25 PM - 05:30 PM	46.3	43.5	08:05 PM - 08:10 PM	51.3	46.1	10:45 PM - 10:50 PM	47.8	47.4
05:30 PM - 05:35 PM	47.4	43.5	08:10 PM - 08:15 PM	46.5	45.9	10:50 PM - 10:55 PM	48.2	47.8
05:35 PM - 05:40 PM	48.5	43.2	08:15 PM - 08:20 PM	47.7	46.6	10:55 PM - 11:00 PM	47.7	46.2
05:40 PM - 05:45 PM	46.3	42.3	08:20 PM - 08:25 PM	47.5	46.8	11:00 PM - 11:05 PM	47.3	46.4
05:45 PM - 05:50 PM	47.5	42.3	08:25 PM - 08:30 PM	47.1	46.4	11:05 PM - 11:10 PM	47.5	47.0
05:50 PM - 05:55 PM	44.3	42.0	08:30 PM - 08:35 PM	47.3	46.6	11:10 PM - 11:15 PM	47.1	46.8
05:55 PM - 06:00 PM	45.1	41.1	08:35 PM - 08:40 PM	47.1	46.2	11:15 PM - 11:20 PM	47.4	46.9
06:00 PM - 06:05 PM	48.0	42.8	08:40 PM - 08:45 PM	46.8	46.1	11:20 PM - 11:25 PM	47.1	46.4
06:05 PM - 06:10 PM	48.7	43.9	08:45 PM - 08:50 PM	45.5	44.9	11:25 PM - 11:30 PM	47.0	46.4
06:10 PM - 06:15 PM	45.8	44.3	08:50 PM - 08:55 PM	45.6	45.2	11:30 PM - 11:35 PM	47.3	46.2
06:15 PM - 06:20 PM	46.6	45.2	08:55 PM - 09:00 PM	46.7	45.9	11:35 PM - 11:40 PM	45.9	45.0
06:20 PM - 06:25 PM	52.3	47.0	09:00 PM - 09:05 PM	45.9	45.3	11:40 PM - 11:45 PM	46.8	45.9
06:25 PM - 06:30 PM	57.1	48.9	09:05 PM - 09:10 PM	45.7	44.8	11:45 PM - 11:50 PM	47.5	46.8
06:30 PM - 06:35 PM	57.8	55.1	09:10 PM - 09:15 PM	46.2	45.3	11:50 PM - 11:55 PM	48.0	47.3
06:35 PM - 06:40 PM	58.2	55.4	09:15 PM - 09:20 PM	46.0	45.1	11:55 PM - 12:00 AM	47.5	46.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421698-1

Page 3 of 3

Sample Number : 2582812-24
Parameter : Noise Level (Leq 5 min)
Location : ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date : Sep 25 - Sep 26, 2025
Measurement by : Anurak Tongkhajonsakda
Sound Level meter : Serial No. 623389

Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	47.4	46.9	02:40 AM - 02:45 AM	48.9	47.4	05:20 AM - 05:25 AM	53.5	49.3
12:05 AM - 12:10 AM	47.6	47.0	02:45 AM - 02:50 AM	49.3	48.3	05:25 AM - 05:30 AM	53.1	49.0
12:10 AM - 12:15 AM	47.6	47.2	02:50 AM - 02:55 AM	49.4	48.2	05:30 AM - 05:35 AM	54.4	49.4
12:15 AM - 12:20 AM	47.2	46.7	02:55 AM - 03:00 AM	49.4	47.4	05:35 AM - 05:40 AM	54.8	49.2
12:20 AM - 12:25 AM	47.1	46.4	03:00 AM - 03:05 AM	48.8	48.1	05:40 AM - 05:45 AM	55.4	50.4
12:25 AM - 12:30 AM	47.6	46.2	03:05 AM - 03:10 AM	49.2	48.4	05:45 AM - 05:50 AM	53.6	50.5
12:30 AM - 12:35 AM	47.2	46.3	03:10 AM - 03:15 AM	49.2	48.1	05:50 AM - 05:55 AM	53.6	49.6
12:35 AM - 12:40 AM	48.1	46.5	03:15 AM - 03:20 AM	51.3	48.8	05:55 AM - 06:00 AM	51.9	49.9
12:40 AM - 12:45 AM	47.3	46.6	03:20 AM - 03:25 AM	51.1	49.1	06:00 AM - 06:05 AM	51.3	49.5
12:45 AM - 12:50 AM	48.3	47.4	03:25 AM - 03:30 AM	50.7	49.3	06:05 AM - 06:10 AM	51.9	49.7
12:50 AM - 12:55 AM	48.6	47.6	03:30 AM - 03:35 AM	50.9	48.8	06:10 AM - 06:15 AM	52.7	51.1
12:55 AM - 01:00 AM	47.9	47.2	03:35 AM - 03:40 AM	50.1	47.9	06:15 AM - 06:20 AM	52.7	51.4
01:00 AM - 01:05 AM	48.5	47.3	03:40 AM - 03:45 AM	49.0	47.9	06:20 AM - 06:25 AM	54.8	51.7
01:05 AM - 01:10 AM	48.4	47.4	03:45 AM - 03:50 AM	48.9	47.5	06:25 AM - 06:30 AM	52.8	51.5
01:10 AM - 01:15 AM	48.3	47.4	03:50 AM - 03:55 AM	47.8	46.8	06:30 AM - 06:35 AM	53.3	52.0
01:15 AM - 01:20 AM	48.1	46.9	03:55 AM - 04:00 AM	48.6	47.3	06:35 AM - 06:40 AM	52.8	51.8
01:20 AM - 01:25 AM	48.2	47.2	04:00 AM - 04:05 AM	51.4	48.5	06:40 AM - 06:45 AM	58.2	51.3
01:25 AM - 01:30 AM	48.5	47.4	04:05 AM - 04:10 AM	52.9	48.7	06:45 AM - 06:50 AM	53.9	51.0
01:30 AM - 01:35 AM	48.5	47.7	04:10 AM - 04:15 AM	51.7	48.4	06:50 AM - 06:55 AM	54.3	51.2
01:35 AM - 01:40 AM	48.9	48.0	04:15 AM - 04:20 AM	49.6	47.8	06:55 AM - 07:00 AM	52.5	50.8
01:40 AM - 01:45 AM	49.0	48.3	04:20 AM - 04:25 AM	49.6	47.2	07:00 AM - 07:05 AM	53.6	50.8
01:45 AM - 01:50 AM	48.3	47.1	04:25 AM - 04:30 AM	52.1	48.8	07:05 AM - 07:10 AM	52.8	51.2
01:50 AM - 01:55 AM	48.8	47.7	04:30 AM - 04:35 AM	52.3	49.6	07:10 AM - 07:15 AM	51.5	50.3
01:55 AM - 02:00 AM	48.8	47.9	04:35 AM - 04:40 AM	52.3	49.6	07:15 AM - 07:20 AM	52.5	51.4
02:00 AM - 02:05 AM	49.6	48.5	04:40 AM - 04:45 AM	51.6	49.2	07:20 AM - 07:25 AM	52.4	51.2
02:05 AM - 02:10 AM	49.5	48.5	04:45 AM - 04:50 AM	53.4	47.9	07:25 AM - 07:30 AM	55.2	50.8
02:10 AM - 02:15 AM	49.4	48.4	04:50 AM - 04:55 AM	52.9	47.9	07:30 AM - 07:35 AM	55.7	50.6
02:15 AM - 02:20 AM	49.6	48.5	04:55 AM - 05:00 AM	53.0	48.1	07:35 AM - 07:40 AM	55.0	50.9
02:20 AM - 02:25 AM	49.5	48.2	05:00 AM - 05:05 AM	53.1	48.3	07:40 AM - 07:45 AM	54.9	49.9
02:25 AM - 02:30 AM	49.8	48.9	05:05 AM - 05:10 AM	52.9	48.9	07:45 AM - 07:50 AM	53.6	50.6
02:30 AM - 02:35 AM	48.5	47.4	05:10 AM - 05:15 AM	53.8	49.0	07:50 AM - 07:55 AM	55.3	50.6
02:35 AM - 02:40 AM	47.9	46.8	05:15 AM - 05:20 AM	54.1	49.1	07:55 AM - 08:00 AM	51.0	50.0

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421699-1

Page 1 of 3

Sample Number 2582812-25
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Sep 26 - Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623389

Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	50.8	49.6	10:40 AM - 10:45 AM	45.8	42.6	01:20 PM - 01:25 PM	46.5	43.3
08:05 AM - 08:10 AM	51.4	49.7	10:45 AM - 10:50 AM	50.6	43.0	01:25 PM - 01:30 PM	49.0	42.7
08:10 AM - 08:15 AM	51.5	49.9	10:50 AM - 10:55 AM	47.0	42.9	01:30 PM - 01:35 PM	46.2	42.4
08:15 AM - 08:20 AM	52.1	49.6	10:55 AM - 11:00 AM	49.5	42.9	01:35 PM - 01:40 PM	44.3	42.3
08:20 AM - 08:25 AM	53.0	49.9	11:00 AM - 11:05 AM	43.4	41.8	01:40 PM - 01:45 PM	46.1	42.3
08:25 AM - 08:30 AM	51.6	48.3	11:05 AM - 11:10 AM	44.8	42.1	01:45 PM - 01:50 PM	47.3	41.4
08:30 AM - 08:35 AM	54.2	46.7	11:10 AM - 11:15 AM	48.9	42.4	01:50 PM - 01:55 PM	43.2	41.2
08:35 AM - 08:40 AM	50.6	45.1	11:15 AM - 11:20 AM	52.5	43.7	01:55 PM - 02:00 PM	49.1	42.1
08:40 AM - 08:45 AM	58.6	43.9	11:20 AM - 11:25 AM	44.6	41.9	02:00 PM - 02:05 PM	44.1	42.1
08:45 AM - 08:50 AM	48.8	43.5	11:25 AM - 11:30 AM	43.8	41.8	02:05 PM - 02:10 PM	46.0	43.6
08:50 AM - 08:55 AM	60.0	45.3	11:30 AM - 11:35 AM	48.2	41.8	02:10 PM - 02:15 PM	45.8	43.8
08:55 AM - 09:00 AM	63.1	62.8	11:35 AM - 11:40 AM	45.7	42.9	02:15 PM - 02:20 PM	45.9	42.8
09:00 AM - 09:05 AM	63.6	63.2	11:40 AM - 11:45 AM	45.3	41.0	02:20 PM - 02:25 PM	43.9	42.5
09:05 AM - 09:10 AM	63.2	50.4	11:45 AM - 11:50 AM	47.4	42.6	02:25 PM - 02:30 PM	44.3	42.2
09:10 AM - 09:15 AM	46.9	43.4	11:50 AM - 11:55 AM	44.1	41.9	02:30 PM - 02:35 PM	45.4	42.8
09:15 AM - 09:20 AM	49.3	43.7	11:55 AM - 12:00 PM	50.7	42.2	02:35 PM - 02:40 PM	45.0	42.5
09:20 AM - 09:25 AM	52.2	43.8	12:00 PM - 12:05 PM	44.6	41.5	02:40 PM - 02:45 PM	44.7	42.0
09:25 AM - 09:30 AM	46.2	44.0	12:05 PM - 12:10 PM	46.0	42.7	02:45 PM - 02:50 PM	44.6	42.2
09:30 AM - 09:35 AM	47.9	44.7	12:10 PM - 12:15 PM	44.2	41.0	02:50 PM - 02:55 PM	43.8	41.8
09:35 AM - 09:40 AM	46.4	43.3	12:15 PM - 12:20 PM	46.8	41.1	02:55 PM - 03:00 PM	42.7	41.5
09:40 AM - 09:45 AM	58.9	44.1	12:20 PM - 12:25 PM	50.0	41.1	03:00 PM - 03:05 PM	43.5	41.7
09:45 AM - 09:50 AM	47.4	42.7	12:25 PM - 12:30 PM	45.0	41.5	03:05 PM - 03:10 PM	45.1	42.8
09:50 AM - 09:55 AM	52.6	43.7	12:30 PM - 12:35 PM	46.9	42.1	03:10 PM - 03:15 PM	47.5	43.0
09:55 AM - 10:00 AM	48.3	42.7	12:35 PM - 12:40 PM	49.8	41.6	03:15 PM - 03:20 PM	45.7	43.0
10:00 AM - 10:05 AM	44.5	42.9	12:40 PM - 12:45 PM	46.4	41.5	03:20 PM - 03:25 PM	45.8	42.9
10:05 AM - 10:10 AM	45.1	42.6	12:45 PM - 12:50 PM	48.4	42.0	03:25 PM - 03:30 PM	45.6	42.2
10:10 AM - 10:15 AM	44.5	42.5	12:50 PM - 12:55 PM	44.3	42.0	03:30 PM - 03:35 PM	47.5	43.2
10:15 AM - 10:20 AM	45.1	43.2	12:55 PM - 01:00 PM	49.8	42.4	03:35 PM - 03:40 PM	48.8	42.8
10:20 AM - 10:25 AM	48.1	42.4	01:00 PM - 01:05 PM	45.1	42.9	03:40 PM - 03:45 PM	43.9	42.2
10:25 AM - 10:30 AM	49.6	42.9	01:05 PM - 01:10 PM	46.3	43.3	03:45 PM - 03:50 PM	44.4	42.0
10:30 AM - 10:35 AM	44.5	43.3	01:10 PM - 01:15 PM	49.4	43.4	03:50 PM - 03:55 PM	46.1	41.9
10:35 AM - 10:40 AM	45.6	43.2	01:15 PM - 01:20 PM	46.2	43.2	03:55 PM - 04:00 PM	47.4	41.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421699-1

Page 2 of 3

Sample Number 2582812-25
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Sep 26 - Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623389

Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	46.6	41.0	06:40 PM - 06:45 PM	56.9	54.2	09:20 PM - 09:25 PM	52.8	47.4
04:05 PM - 04:10 PM	44.6	42.0	06:45 PM - 06:50 PM	55.9	46.5	09:25 PM - 09:30 PM	52.1	47.0
04:10 PM - 04:15 PM	48.5	42.6	06:50 PM - 06:55 PM	55.4	45.9	09:30 PM - 09:35 PM	50.4	46.3
04:15 PM - 04:20 PM	45.9	41.5	06:55 PM - 07:00 PM	58.3	52.0	09:35 PM - 09:40 PM	48.9	45.0
04:20 PM - 04:25 PM	46.1	41.9	07:00 PM - 07:05 PM	55.0	45.5	09:40 PM - 09:45 PM	54.7	47.0
04:25 PM - 04:30 PM	45.4	42.5	07:05 PM - 07:10 PM	46.2	45.3	09:45 PM - 09:50 PM	56.6	48.5
04:30 PM - 04:35 PM	46.8	42.5	07:10 PM - 07:15 PM	45.8	45.1	09:50 PM - 09:55 PM	55.2	47.8
04:35 PM - 04:40 PM	44.8	42.6	07:15 PM - 07:20 PM	45.8	44.6	09:55 PM - 10:00 PM	53.7	48.0
04:40 PM - 04:45 PM	48.4	43.1	07:20 PM - 07:25 PM	46.5	45.4	10:00 PM - 10:05 PM	51.2	47.2
04:45 PM - 04:50 PM	46.2	43.2	07:25 PM - 07:30 PM	46.4	45.5	10:05 PM - 10:10 PM	51.9	46.5
04:50 PM - 04:55 PM	47.7	43.2	07:30 PM - 07:35 PM	45.8	44.8	10:10 PM - 10:15 PM	49.6	46.4
04:55 PM - 05:00 PM	52.9	44.9	07:35 PM - 07:40 PM	52.1	45.4	10:15 PM - 10:20 PM	51.4	47.1
05:00 PM - 05:05 PM	43.9	42.1	07:40 PM - 07:45 PM	57.4	49.6	10:20 PM - 10:25 PM	48.6	47.2
05:05 PM - 05:10 PM	47.3	41.9	07:45 PM - 07:50 PM	57.8	55.8	10:25 PM - 10:30 PM	49.2	47.0
05:10 PM - 05:15 PM	45.1	42.0	07:50 PM - 07:55 PM	57.2	47.5	10:30 PM - 10:35 PM	48.8	47.0
05:15 PM - 05:20 PM	45.3	42.3	07:55 PM - 08:00 PM	57.0	47.4	10:35 PM - 10:40 PM	48.4	47.2
05:20 PM - 05:25 PM	49.6	42.8	08:00 PM - 08:05 PM	57.8	55.6	10:40 PM - 10:45 PM	48.0	47.3
05:25 PM - 05:30 PM	47.8	42.9	08:05 PM - 08:10 PM	57.7	55.8	10:45 PM - 10:50 PM	48.7	47.7
05:30 PM - 05:35 PM	50.5	44.7	08:10 PM - 08:15 PM	57.6	55.0	10:50 PM - 10:55 PM	48.5	47.5
05:35 PM - 05:40 PM	46.7	42.9	08:15 PM - 08:20 PM	57.2	48.3	10:55 PM - 11:00 PM	48.6	48.0
05:40 PM - 05:45 PM	47.3	43.8	08:20 PM - 08:25 PM	57.4	51.9	11:00 PM - 11:05 PM	48.6	47.9
05:45 PM - 05:50 PM	47.4	43.2	08:25 PM - 08:30 PM	52.1	47.5	11:05 PM - 11:10 PM	48.5	47.9
05:50 PM - 05:55 PM	47.3	42.6	08:30 PM - 08:35 PM	53.2	48.0	11:10 PM - 11:15 PM	48.6	47.9
05:55 PM - 06:00 PM	47.9	43.1	08:35 PM - 08:40 PM	53.8	49.1	11:15 PM - 11:20 PM	48.4	47.8
06:00 PM - 06:05 PM	47.4	42.2	08:40 PM - 08:45 PM	53.5	48.9	11:20 PM - 11:25 PM	47.8	47.0
06:05 PM - 06:10 PM	48.5	46.1	08:45 PM - 08:50 PM	53.4	48.9	11:25 PM - 11:30 PM	47.1	45.2
06:10 PM - 06:15 PM	48.6	46.3	08:50 PM - 08:55 PM	53.5	49.1	11:30 PM - 11:35 PM	47.2	44.8
06:15 PM - 06:20 PM	48.7	46.3	08:55 PM - 09:00 PM	53.6	49.9	11:35 PM - 11:40 PM	46.7	44.7
06:20 PM - 06:25 PM	47.4	43.2	09:00 PM - 09:05 PM	53.8	51.3	11:40 PM - 11:45 PM	45.7	44.6
06:25 PM - 06:30 PM	56.9	45.7	09:05 PM - 09:10 PM	52.8	47.9	11:45 PM - 11:50 PM	48.9	46.1
06:30 PM - 06:35 PM	57.7	55.6	09:10 PM - 09:15 PM	53.4	48.3	11:50 PM - 11:55 PM	46.7	45.4
06:35 PM - 06:40 PM	53.6	45.3	09:15 PM - 09:20 PM	53.0	47.5	11:55 PM - 12:00 AM	45.6	43.3

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421699-1

Page 3 of 3

Sample Number 2582812-25
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Sep 26 - Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623389

Sep 27, 2025	Leq	L90	Sep 27, 2025	Leq	L90	Sep 27, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	43.8	42.6	02:40 AM - 02:45 AM	53.6	52.4	05:20 AM - 05:25 AM	55.3	52.7
12:05 AM - 12:10 AM	44.0	42.4	02:45 AM - 02:50 AM	54.6	53.9	05:25 AM - 05:30 AM	56.4	54.2
12:10 AM - 12:15 AM	46.4	41.9	02:50 AM - 02:55 AM	55.3	54.4	05:30 AM - 05:35 AM	56.7	54.9
12:15 AM - 12:20 AM	44.3	43.1	02:55 AM - 03:00 AM	53.5	52.6	05:35 AM - 05:40 AM	56.2	53.9
12:20 AM - 12:25 AM	45.1	44.5	03:00 AM - 03:05 AM	52.4	51.8	05:40 AM - 05:45 AM	56.8	53.8
12:25 AM - 12:30 AM	45.8	44.6	03:05 AM - 03:10 AM	52.1	51.0	05:45 AM - 05:50 AM	56.8	54.0
12:30 AM - 12:35 AM	46.0	45.2	03:10 AM - 03:15 AM	51.3	50.8	05:50 AM - 05:55 AM	55.7	51.9
12:35 AM - 12:40 AM	46.4	45.6	03:15 AM - 03:20 AM	51.8	51.1	05:55 AM - 06:00 AM	55.2	52.6
12:40 AM - 12:45 AM	46.0	45.3	03:20 AM - 03:25 AM	53.7	52.1	06:00 AM - 06:05 AM	54.8	52.6
12:45 AM - 12:50 AM	45.6	44.9	03:25 AM - 03:30 AM	54.9	53.5	06:05 AM - 06:10 AM	55.1	52.8
12:50 AM - 12:55 AM	47.4	45.8	03:30 AM - 03:35 AM	55.3	54.3	06:10 AM - 06:15 AM	54.3	52.6
12:55 AM - 01:00 AM	47.0	45.8	03:35 AM - 03:40 AM	55.1	54.2	06:15 AM - 06:20 AM	54.5	52.1
01:00 AM - 01:05 AM	47.2	45.5	03:40 AM - 03:45 AM	54.7	53.6	06:20 AM - 06:25 AM	55.2	52.9
01:05 AM - 01:10 AM	47.5	45.3	03:45 AM - 03:50 AM	58.6	56.7	06:25 AM - 06:30 AM	54.7	52.9
01:10 AM - 01:15 AM	46.2	43.6	03:50 AM - 03:55 AM	56.4	55.0	06:30 AM - 06:35 AM	54.8	52.7
01:15 AM - 01:20 AM	44.0	43.4	03:55 AM - 04:00 AM	58.5	57.2	06:35 AM - 06:40 AM	55.3	53.3
01:20 AM - 01:25 AM	44.9	43.7	04:00 AM - 04:05 AM	58.1	56.4	06:40 AM - 06:45 AM	54.9	53.0
01:25 AM - 01:30 AM	45.1	44.0	04:05 AM - 04:10 AM	60.1	59.2	06:45 AM - 06:50 AM	55.5	53.0
01:30 AM - 01:35 AM	46.1	45.5	04:10 AM - 04:15 AM	59.5	58.7	06:50 AM - 06:55 AM	57.3	53.6
01:35 AM - 01:40 AM	47.6	46.9	04:15 AM - 04:20 AM	58.4	56.7	06:55 AM - 07:00 AM	55.5	53.0
01:40 AM - 01:45 AM	47.3	46.4	04:20 AM - 04:25 AM	56.8	55.9	07:00 AM - 07:05 AM	55.2	53.4
01:45 AM - 01:50 AM	50.0	46.6	04:25 AM - 04:30 AM	56.8	55.9	07:05 AM - 07:10 AM	54.7	52.4
01:50 AM - 01:55 AM	52.4	50.3	04:30 AM - 04:35 AM	56.5	55.2	07:10 AM - 07:15 AM	53.9	51.5
01:55 AM - 02:00 AM	54.7	53.7	04:35 AM - 04:40 AM	56.6	55.4	07:15 AM - 07:20 AM	53.4	51.3
02:00 AM - 02:05 AM	53.4	51.9	04:40 AM - 04:45 AM	55.1	53.4	07:20 AM - 07:25 AM	54.8	51.5
02:05 AM - 02:10 AM	54.6	53.0	04:45 AM - 04:50 AM	52.6	51.8	07:25 AM - 07:30 AM	52.7	51.4
02:10 AM - 02:15 AM	66.7	55.3	04:50 AM - 04:55 AM	50.7	49.6	07:30 AM - 07:35 AM	52.2	50.7
02:15 AM - 02:20 AM	58.7	55.3	04:55 AM - 05:00 AM	53.3	51.5	07:35 AM - 07:40 AM	51.6	49.9
02:20 AM - 02:25 AM	55.0	53.4	05:00 AM - 05:05 AM	55.1	52.9	07:40 AM - 07:45 AM	51.7	50.5
02:25 AM - 02:30 AM	56.3	54.5	05:05 AM - 05:10 AM	55.1	52.7	07:45 AM - 07:50 AM	52.8	50.6
02:30 AM - 02:35 AM	58.1	57.3	05:10 AM - 05:15 AM	54.5	52.9	07:50 AM - 07:55 AM	51.5	50.5
02:35 AM - 02:40 AM	54.9	53.2	05:15 AM - 05:20 AM	54.3	53.0	07:55 AM - 08:00 AM	52.2	50.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421700-1

Page 1 of 3

Sample Number 2582812-26
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Sep 27 - Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623389

Sep 27, 2025	Leq	L90	Sep 27, 2025	Leq	L90	Sep 27, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	53.8	51.2	10:40 AM - 10:45 AM	55.5	43.8	01:20 PM - 01:25 PM	54.8	43.2
08:05 AM - 08:10 AM	52.8	50.8	10:45 AM - 10:50 AM	46.4	42.3	01:25 PM - 01:30 PM	47.7	43.3
08:10 AM - 08:15 AM	54.5	50.4	10:50 AM - 10:55 AM	46.5	42.6	01:30 PM - 01:35 PM	52.9	44.0
08:15 AM - 08:20 AM	51.1	49.7	10:55 AM - 11:00 AM	50.9	42.3	01:35 PM - 01:40 PM	45.2	43.1
08:20 AM - 08:25 AM	51.8	49.6	11:00 AM - 11:05 AM	46.4	42.1	01:40 PM - 01:45 PM	47.8	43.2
08:25 AM - 08:30 AM	49.8	48.8	11:05 AM - 11:10 AM	44.2	41.9	01:45 PM - 01:50 PM	45.4	43.5
08:30 AM - 08:35 AM	51.4	48.7	11:10 AM - 11:15 AM	46.2	41.9	01:50 PM - 01:55 PM	55.8	44.7
08:35 AM - 08:40 AM	51.9	50.8	11:15 AM - 11:20 AM	48.1	43.2	01:55 PM - 02:00 PM	50.6	44.1
08:40 AM - 08:45 AM	52.3	50.8	11:20 AM - 11:25 AM	51.7	43.1	02:00 PM - 02:05 PM	45.2	43.0
08:45 AM - 08:50 AM	53.7	50.1	11:25 AM - 11:30 AM	52.2	42.2	02:05 PM - 02:10 PM	48.7	42.0
08:50 AM - 08:55 AM	51.5	50.1	11:30 AM - 11:35 AM	48.0	43.1	02:10 PM - 02:15 PM	47.4	42.5
08:55 AM - 09:00 AM	51.0	49.4	11:35 AM - 11:40 AM	51.0	43.5	02:15 PM - 02:20 PM	46.7	42.9
09:00 AM - 09:05 AM	50.7	49.0	11:40 AM - 11:45 AM	45.4	42.6	02:20 PM - 02:25 PM	48.8	43.3
09:05 AM - 09:10 AM	51.5	48.5	11:45 AM - 11:50 AM	46.7	42.0	02:25 PM - 02:30 PM	47.1	42.6
09:10 AM - 09:15 AM	51.3	48.6	11:50 AM - 11:55 AM	44.4	40.8	02:30 PM - 02:35 PM	48.9	43.3
09:15 AM - 09:20 AM	56.6	50.3	11:55 AM - 12:00 PM	44.2	41.2	02:35 PM - 02:40 PM	51.4	44.0
09:20 AM - 09:25 AM	57.5	48.6	12:00 PM - 12:05 PM	44.5	41.5	02:40 PM - 02:45 PM	54.2	43.2
09:25 AM - 09:30 AM	56.5	46.5	12:05 PM - 12:10 PM	44.5	42.2	02:45 PM - 02:50 PM	49.1	42.6
09:30 AM - 09:35 AM	50.5	46.8	12:10 PM - 12:15 PM	46.2	42.9	02:50 PM - 02:55 PM	49.7	42.9
09:35 AM - 09:40 AM	54.6	45.8	12:15 PM - 12:20 PM	45.9	42.9	02:55 PM - 03:00 PM	51.0	42.9
09:40 AM - 09:45 AM	48.5	43.8	12:20 PM - 12:25 PM	48.1	42.7	03:00 PM - 03:05 PM	45.6	42.3
09:45 AM - 09:50 AM	46.9	43.3	12:25 PM - 12:30 PM	49.3	42.2	03:05 PM - 03:10 PM	44.9	42.4
09:50 AM - 09:55 AM	48.5	43.0	12:30 PM - 12:35 PM	47.7	41.6	03:10 PM - 03:15 PM	48.3	42.6
09:55 AM - 10:00 AM	47.8	43.3	12:35 PM - 12:40 PM	43.8	40.5	03:15 PM - 03:20 PM	45.6	42.1
10:00 AM - 10:05 AM	46.5	43.5	12:40 PM - 12:45 PM	45.8	40.8	03:20 PM - 03:25 PM	44.0	42.5
10:05 AM - 10:10 AM	52.3	44.0	12:45 PM - 12:50 PM	47.0	41.3	03:25 PM - 03:30 PM	46.0	41.9
10:10 AM - 10:15 AM	48.7	44.1	12:50 PM - 12:55 PM	49.2	41.4	03:30 PM - 03:35 PM	44.2	42.2
10:15 AM - 10:20 AM	46.1	44.0	12:55 PM - 01:00 PM	42.8	41.3	03:35 PM - 03:40 PM	50.0	43.6
10:20 AM - 10:25 AM	51.1	44.5	01:00 PM - 01:05 PM	42.3	40.6	03:40 PM - 03:45 PM	44.5	41.8
10:25 AM - 10:30 AM	53.4	43.8	01:05 PM - 01:10 PM	47.4	42.9	03:45 PM - 03:50 PM	45.9	42.2
10:30 AM - 10:35 AM	51.8	43.6	01:10 PM - 01:15 PM	46.6	43.0	03:50 PM - 03:55 PM	47.4	42.2
10:35 AM - 10:40 AM	47.4	44.4	01:15 PM - 01:20 PM	45.9	43.1	03:55 PM - 04:00 PM	45.3	42.4

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421700-1

Page 2 of 3

Sample Number 2582812-26
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Sep 27 - Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623389

Sep 27, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 27, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 27, 2025 Time	Leq dB(A)	L90 dB(A)
04:00 PM - 04:05 PM	50.7	42.5	06:40 PM - 06:45 PM	51.2	49.5	09:20 PM - 09:25 PM	49.4	48.4
04:05 PM - 04:10 PM	44.8	42.2	06:45 PM - 06:50 PM	50.6	49.8	09:25 PM - 09:30 PM	48.9	48.3
04:10 PM - 04:15 PM	50.7	42.0	06:50 PM - 06:55 PM	50.5	49.6	09:30 PM - 09:35 PM	48.9	48.4
04:15 PM - 04:20 PM	48.5	42.6	06:55 PM - 07:00 PM	50.3	49.3	09:35 PM - 09:40 PM	48.5	48.0
04:20 PM - 04:25 PM	44.9	41.9	07:00 PM - 07:05 PM	50.3	49.2	09:40 PM - 09:45 PM	48.9	48.2
04:25 PM - 04:30 PM	45.7	41.4	07:05 PM - 07:10 PM	50.5	49.5	09:45 PM - 09:50 PM	49.0	47.9
04:30 PM - 04:35 PM	48.7	42.5	07:10 PM - 07:15 PM	50.3	49.4	09:50 PM - 09:55 PM	49.1	48.4
04:35 PM - 04:40 PM	47.0	42.9	07:15 PM - 07:20 PM	50.5	49.3	09:55 PM - 10:00 PM	49.6	49.0
04:40 PM - 04:45 PM	47.3	43.2	07:20 PM - 07:25 PM	49.8	49.2	10:00 PM - 10:05 PM	49.6	48.9
04:45 PM - 04:50 PM	49.5	42.9	07:25 PM - 07:30 PM	50.5	48.9	10:05 PM - 10:10 PM	49.9	49.2
04:50 PM - 04:55 PM	47.0	42.5	07:30 PM - 07:35 PM	50.7	49.2	10:10 PM - 10:15 PM	50.3	48.9
04:55 PM - 05:00 PM	49.2	43.8	07:35 PM - 07:40 PM	50.3	49.3	10:15 PM - 10:20 PM	49.5	49.1
05:00 PM - 05:05 PM	48.5	42.6	07:40 PM - 07:45 PM	50.5	49.5	10:20 PM - 10:25 PM	49.9	49.0
05:05 PM - 05:10 PM	49.4	44.5	07:45 PM - 07:50 PM	50.4	48.9	10:25 PM - 10:30 PM	50.4	49.3
05:10 PM - 05:15 PM	49.9	42.3	07:50 PM - 07:55 PM	49.5	48.4	10:30 PM - 10:35 PM	50.6	50.1
05:15 PM - 05:20 PM	47.8	43.5	07:55 PM - 08:00 PM	50.4	49.0	10:35 PM - 10:40 PM	50.6	50.0
05:20 PM - 05:25 PM	47.7	43.7	08:00 PM - 08:05 PM	50.9	48.5	10:40 PM - 10:45 PM	50.6	50.1
05:25 PM - 05:30 PM	50.2	43.2	08:05 PM - 08:10 PM	50.3	49.4	10:45 PM - 10:50 PM	50.4	49.9
05:30 PM - 05:35 PM	49.0	43.9	08:10 PM - 08:15 PM	51.2	49.4	10:50 PM - 10:55 PM	50.7	49.9
05:35 PM - 05:40 PM	49.2	44.0	08:15 PM - 08:20 PM	50.0	49.2	10:55 PM - 11:00 PM	51.3	50.1
05:40 PM - 05:45 PM	46.3	44.7	08:20 PM - 08:25 PM	49.0	47.6	11:00 PM - 11:05 PM	50.4	49.8
05:45 PM - 05:50 PM	50.9	45.7	08:25 PM - 08:30 PM	48.9	48.0	11:05 PM - 11:10 PM	49.9	49.5
05:50 PM - 05:55 PM	49.7	44.1	08:30 PM - 08:35 PM	49.8	48.5	11:10 PM - 11:15 PM	49.5	48.0
05:55 PM - 06:00 PM	48.9	44.1	08:35 PM - 08:40 PM	50.0	49.1	11:15 PM - 11:20 PM	48.1	47.5
06:00 PM - 06:05 PM	46.5	44.3	08:40 PM - 08:45 PM	49.7	48.7	11:20 PM - 11:25 PM	48.2	47.6
06:05 PM - 06:10 PM	48.2	44.6	08:45 PM - 08:50 PM	48.8	47.9	11:25 PM - 11:30 PM	48.1	47.6
06:10 PM - 06:15 PM	49.3	47.3	08:50 PM - 08:55 PM	47.9	47.1	11:30 PM - 11:35 PM	47.9	47.4
06:15 PM - 06:20 PM	49.1	47.7	08:55 PM - 09:00 PM	47.9	47.1	11:35 PM - 11:40 PM	47.8	47.2
06:20 PM - 06:25 PM	49.7	48.5	09:00 PM - 09:05 PM	49.3	47.6	11:40 PM - 11:45 PM	48.7	48.1
06:25 PM - 06:30 PM	50.0	49.1	09:05 PM - 09:10 PM	49.7	48.3	11:45 PM - 11:50 PM	49.2	48.7
06:30 PM - 06:35 PM	50.4	49.6	09:10 PM - 09:15 PM	48.6	47.8	11:50 PM - 11:55 PM	49.2	48.0
06:35 PM - 06:40 PM	51.4	49.7	09:15 PM - 09:20 PM	48.3	47.7	11:55 PM - 12:00 AM	49.5	49.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421700-1

Page 3 of 3

Sample Number 2582812-26
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Sep 27 - Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623389

Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	49.0	48.5	02:40 AM - 02:45 AM	50.2	48.6	05:20 AM - 05:25 AM	53.1	49.7
12:05 AM - 12:10 AM	48.8	48.2	02:45 AM - 02:50 AM	49.6	48.0	05:25 AM - 05:30 AM	53.8	50.0
12:10 AM - 12:15 AM	49.0	48.4	02:50 AM - 02:55 AM	49.9	49.2	05:30 AM - 05:35 AM	53.3	50.1
12:15 AM - 12:20 AM	49.1	48.5	02:55 AM - 03:00 AM	49.8	49.1	05:35 AM - 05:40 AM	52.8	49.8
12:20 AM - 12:25 AM	49.3	48.6	03:00 AM - 03:05 AM	49.5	48.9	05:40 AM - 05:45 AM	52.1	49.7
12:25 AM - 12:30 AM	48.5	47.7	03:05 AM - 03:10 AM	50.2	49.5	05:45 AM - 05:50 AM	52.0	49.8
12:30 AM - 12:35 AM	48.1	47.5	03:10 AM - 03:15 AM	52.1	49.3	05:50 AM - 05:55 AM	52.7	49.8
12:35 AM - 12:40 AM	48.2	47.1	03:15 AM - 03:20 AM	51.7	50.0	05:55 AM - 06:00 AM	51.7	50.0
12:40 AM - 12:45 AM	49.6	49.1	03:20 AM - 03:25 AM	50.2	49.6	06:00 AM - 06:05 AM	51.0	49.7
12:45 AM - 12:50 AM	49.7	48.4	03:25 AM - 03:30 AM	49.8	49.2	06:05 AM - 06:10 AM	51.7	49.8
12:50 AM - 12:55 AM	48.3	47.8	03:30 AM - 03:35 AM	50.0	49.3	06:10 AM - 06:15 AM	52.8	49.9
12:55 AM - 01:00 AM	48.7	48.0	03:35 AM - 03:40 AM	50.5	49.7	06:15 AM - 06:20 AM	51.6	50.3
01:00 AM - 01:05 AM	48.5	48.0	03:40 AM - 03:45 AM	50.7	49.9	06:20 AM - 06:25 AM	51.5	50.5
01:05 AM - 01:10 AM	48.4	47.9	03:45 AM - 03:50 AM	51.1	50.5	06:25 AM - 06:30 AM	54.9	50.4
01:10 AM - 01:15 AM	48.3	47.9	03:50 AM - 03:55 AM	52.3	50.9	06:30 AM - 06:35 AM	52.5	50.3
01:15 AM - 01:20 AM	48.2	47.7	03:55 AM - 04:00 AM	52.0	51.0	06:35 AM - 06:40 AM	52.0	50.3
01:20 AM - 01:25 AM	48.7	48.2	04:00 AM - 04:05 AM	51.4	50.7	06:40 AM - 06:45 AM	50.9	49.7
01:25 AM - 01:30 AM	48.8	48.2	04:05 AM - 04:10 AM	51.2	50.5	06:45 AM - 06:50 AM	52.0	49.6
01:30 AM - 01:35 AM	47.9	47.5	04:10 AM - 04:15 AM	50.8	49.4	06:50 AM - 06:55 AM	50.1	49.4
01:35 AM - 01:40 AM	48.0	46.5	04:15 AM - 04:20 AM	49.7	49.3	06:55 AM - 07:00 AM	50.3	49.1
01:40 AM - 01:45 AM	47.3	46.7	04:20 AM - 04:25 AM	49.2	48.5	07:00 AM - 07:05 AM	49.9	49.1
01:45 AM - 01:50 AM	47.9	47.4	04:25 AM - 04:30 AM	49.9	49.1	07:05 AM - 07:10 AM	50.5	49.3
01:50 AM - 01:55 AM	48.3	47.7	04:30 AM - 04:35 AM	49.7	49.0	07:10 AM - 07:15 AM	50.2	49.3
01:55 AM - 02:00 AM	48.2	47.8	04:35 AM - 04:40 AM	50.3	49.3	07:15 AM - 07:20 AM	51.4	49.1
02:00 AM - 02:05 AM	48.1	47.4	04:40 AM - 04:45 AM	52.8	49.8	07:20 AM - 07:25 AM	51.2	49.5
02:05 AM - 02:10 AM	48.1	47.6	04:45 AM - 04:50 AM	52.4	49.4	07:25 AM - 07:30 AM	52.7	49.8
02:10 AM - 02:15 AM	48.1	47.5	04:50 AM - 04:55 AM	50.5	48.7	07:30 AM - 07:35 AM	52.7	49.6
02:15 AM - 02:20 AM	47.7	47.1	04:55 AM - 05:00 AM	51.4	49.6	07:35 AM - 07:40 AM	53.2	49.4
02:20 AM - 02:25 AM	48.2	47.5	05:00 AM - 05:05 AM	51.7	49.4	07:40 AM - 07:45 AM	53.6	49.9
02:25 AM - 02:30 AM	47.8	47.3	05:05 AM - 05:10 AM	53.2	49.8	07:45 AM - 07:50 AM	52.8	49.8
02:30 AM - 02:35 AM	48.8	47.8	05:10 AM - 05:15 AM	52.8	49.5	07:50 AM - 07:55 AM	51.3	48.9
02:35 AM - 02:40 AM	49.7	48.1	05:15 AM - 05:20 AM	53.5	49.3	07:55 AM - 08:00 AM	50.1	47.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok

Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421701-1

Page 1 of 3

Sample Number 2582812-27
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Sep 28 - Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623389

Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	48.2	46.9	10:40 AM - 10:45 AM	45.8	40.6	01:20 PM - 01:25 PM	53.2	42.3
08:05 AM - 08:10 AM	49.1	46.9	10:45 AM - 10:50 AM	43.4	40.2	01:25 PM - 01:30 PM	42.9	40.9
08:10 AM - 08:15 AM	48.2	46.5	10:50 AM - 10:55 AM	44.5	41.4	01:30 PM - 01:35 PM	56.4	42.6
08:15 AM - 08:20 AM	47.4	45.4	10:55 AM - 11:00 AM	49.2	42.5	01:35 PM - 01:40 PM	46.4	41.9
08:20 AM - 08:25 AM	47.7	45.6	11:00 AM - 11:05 AM	43.8	41.7	01:40 PM - 01:45 PM	45.2	42.0
08:25 AM - 08:30 AM	47.2	45.3	11:05 AM - 11:10 AM	43.7	41.8	01:45 PM - 01:50 PM	46.1	41.8
08:30 AM - 08:35 AM	47.2	45.2	11:10 AM - 11:15 AM	51.8	42.4	01:50 PM - 01:55 PM	47.6	41.0
08:35 AM - 08:40 AM	51.2	45.6	11:15 AM - 11:20 AM	47.2	41.6	01:55 PM - 02:00 PM	45.8	41.5
08:40 AM - 08:45 AM	46.9	44.3	11:20 AM - 11:25 AM	47.2	41.8	02:00 PM - 02:05 PM	44.0	41.6
08:45 AM - 08:50 AM	46.8	43.5	11:25 AM - 11:30 AM	46.3	41.6	02:05 PM - 02:10 PM	43.3	41.2
08:50 AM - 08:55 AM	44.9	42.3	11:30 AM - 11:35 AM	46.8	41.7	02:10 PM - 02:15 PM	43.7	41.5
08:55 AM - 09:00 AM	45.2	42.7	11:35 AM - 11:40 AM	42.9	41.0	02:15 PM - 02:20 PM	45.2	41.8
09:00 AM - 09:05 AM	47.7	42.1	11:40 AM - 11:45 AM	49.0	41.7	02:20 PM - 02:25 PM	44.9	41.4
09:05 AM - 09:10 AM	44.3	41.9	11:45 AM - 11:50 AM	49.9	41.8	02:25 PM - 02:30 PM	54.7	42.5
09:10 AM - 09:15 AM	47.9	42.7	11:50 AM - 11:55 AM	56.0	41.5	02:30 PM - 02:35 PM	44.4	42.3
09:15 AM - 09:20 AM	52.7	45.8	11:55 AM - 12:00 PM	46.2	40.8	02:35 PM - 02:40 PM	45.9	42.2
09:20 AM - 09:25 AM	46.2	42.4	12:00 PM - 12:05 PM	49.9	42.0	02:40 PM - 02:45 PM	47.7	41.9
09:25 AM - 09:30 AM	47.9	42.2	12:05 PM - 12:10 PM	49.2	41.7	02:45 PM - 02:50 PM	45.2	41.9
09:30 AM - 09:35 AM	48.2	42.4	12:10 PM - 12:15 PM	42.5	40.5	02:50 PM - 02:55 PM	50.8	44.3
09:35 AM - 09:40 AM	51.7	42.5	12:15 PM - 12:20 PM	48.4	41.4	02:55 PM - 03:00 PM	48.5	43.2
09:40 AM - 09:45 AM	45.3	41.8	12:20 PM - 12:25 PM	43.6	41.4	03:00 PM - 03:05 PM	48.1	42.9
09:45 AM - 09:50 AM	45.0	42.8	12:25 PM - 12:30 PM	43.4	40.7	03:05 PM - 03:10 PM	51.0	43.1
09:50 AM - 09:55 AM	44.5	43.1	12:30 PM - 12:35 PM	47.9	41.6	03:10 PM - 03:15 PM	45.9	42.1
09:55 AM - 10:00 AM	46.9	43.5	12:35 PM - 12:40 PM	48.0	41.8	03:15 PM - 03:20 PM	45.2	42.6
10:00 AM - 10:05 AM	46.3	43.1	12:40 PM - 12:45 PM	43.3	41.0	03:20 PM - 03:25 PM	48.6	42.3
10:05 AM - 10:10 AM	44.7	42.4	12:45 PM - 12:50 PM	45.3	41.1	03:25 PM - 03:30 PM	47.0	42.6
10:10 AM - 10:15 AM	45.0	43.1	12:50 PM - 12:55 PM	47.5	41.8	03:30 PM - 03:35 PM	45.8	42.9
10:15 AM - 10:20 AM	43.3	41.6	12:55 PM - 01:00 PM	45.0	41.9	03:35 PM - 03:40 PM	44.9	42.0
10:20 AM - 10:25 AM	44.1	41.3	01:00 PM - 01:05 PM	46.1	42.0	03:40 PM - 03:45 PM	44.0	42.3
10:25 AM - 10:30 AM	45.2	41.6	01:05 PM - 01:10 PM	44.4	41.9	03:45 PM - 03:50 PM	46.2	43.0
10:30 AM - 10:35 AM	49.5	41.8	01:10 PM - 01:15 PM	52.4	42.1	03:50 PM - 03:55 PM	44.6	42.2
10:35 AM - 10:40 AM	46.3	41.2	01:15 PM - 01:20 PM	50.4	42.7	03:55 PM - 04:00 PM	53.3	42.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421701-1

Page 2 of 3

Sample Number 2582812-27
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Sep 28 - Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623389

Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	44.7	42.7	06:40 PM - 06:45 PM	49.5	48.3	09:20 PM - 09:25 PM	50.0	48.9
04:05 PM - 04:10 PM	44.3	42.6	06:45 PM - 06:50 PM	49.1	48.1	09:25 PM - 09:30 PM	50.4	49.5
04:10 PM - 04:15 PM	47.3	42.6	06:50 PM - 06:55 PM	52.7	47.5	09:30 PM - 09:35 PM	50.3	49.8
04:15 PM - 04:20 PM	46.8	43.1	06:55 PM - 07:00 PM	47.8	46.8	09:35 PM - 09:40 PM	50.3	49.5
04:20 PM - 04:25 PM	45.7	42.7	07:00 PM - 07:05 PM	50.2	48.0	09:40 PM - 09:45 PM	49.8	49.0
04:25 PM - 04:30 PM	45.1	42.4	07:05 PM - 07:10 PM	49.5	48.7	09:45 PM - 09:50 PM	50.3	49.4
04:30 PM - 04:35 PM	47.0	42.6	07:10 PM - 07:15 PM	50.5	48.9	09:50 PM - 09:55 PM	49.7	48.2
04:35 PM - 04:40 PM	51.7	42.5	07:15 PM - 07:20 PM	49.1	48.6	09:55 PM - 10:00 PM	48.9	48.4
04:40 PM - 04:45 PM	44.7	42.1	07:20 PM - 07:25 PM	49.4	48.2	10:00 PM - 10:05 PM	49.6	48.9
04:45 PM - 04:50 PM	44.9	42.6	07:25 PM - 07:30 PM	49.4	48.6	10:05 PM - 10:10 PM	50.0	49.5
04:50 PM - 04:55 PM	48.0	42.8	07:30 PM - 07:35 PM	48.9	48.0	10:10 PM - 10:15 PM	50.6	50.0
04:55 PM - 05:00 PM	48.1	44.2	07:35 PM - 07:40 PM	48.8	47.8	10:15 PM - 10:20 PM	50.7	49.7
05:00 PM - 05:05 PM	47.8	44.7	07:40 PM - 07:45 PM	49.0	48.3	10:20 PM - 10:25 PM	51.2	49.5
05:05 PM - 05:10 PM	49.2	44.4	07:45 PM - 07:50 PM	48.9	48.0	10:25 PM - 10:30 PM	52.3	51.2
05:10 PM - 05:15 PM	47.3	44.9	07:50 PM - 07:55 PM	49.2	48.2	10:30 PM - 10:35 PM	51.8	51.2
05:15 PM - 05:20 PM	46.6	44.2	07:55 PM - 08:00 PM	50.8	49.2	10:35 PM - 10:40 PM	51.9	51.0
05:20 PM - 05:25 PM	46.0	44.3	08:00 PM - 08:05 PM	50.6	49.8	10:40 PM - 10:45 PM	52.0	51.3
05:25 PM - 05:30 PM	49.0	45.5	08:05 PM - 08:10 PM	50.7	49.8	10:45 PM - 10:50 PM	52.2	51.5
05:30 PM - 05:35 PM	48.5	45.8	08:10 PM - 08:15 PM	50.2	49.7	10:50 PM - 10:55 PM	51.9	50.9
05:35 PM - 05:40 PM	51.1	46.3	08:15 PM - 08:20 PM	50.9	49.8	10:55 PM - 11:00 PM	51.8	51.1
05:40 PM - 05:45 PM	47.8	46.0	08:20 PM - 08:25 PM	50.1	49.4	11:00 PM - 11:05 PM	51.8	51.2
05:45 PM - 05:50 PM	48.2	46.0	08:25 PM - 08:30 PM	50.2	49.7	11:05 PM - 11:10 PM	51.3	49.9
05:50 PM - 05:55 PM	49.0	46.0	08:30 PM - 08:35 PM	50.7	49.7	11:10 PM - 11:15 PM	51.3	50.3
05:55 PM - 06:00 PM	47.5	44.7	08:35 PM - 08:40 PM	50.4	49.8	11:15 PM - 11:20 PM	51.7	50.7
06:00 PM - 06:05 PM	47.4	43.9	08:40 PM - 08:45 PM	50.1	49.5	11:20 PM - 11:25 PM	50.9	49.9
06:05 PM - 06:10 PM	52.1	44.5	08:45 PM - 08:50 PM	49.9	49.2	11:25 PM - 11:30 PM	52.7	50.1
06:10 PM - 06:15 PM	50.0	45.1	08:50 PM - 08:55 PM	50.4	49.1	11:30 PM - 11:35 PM	50.5	49.8
06:15 PM - 06:20 PM	49.0	46.1	08:55 PM - 09:00 PM	50.2	49.1	11:35 PM - 11:40 PM	51.1	50.3
06:20 PM - 06:25 PM	49.9	47.4	09:00 PM - 09:05 PM	49.6	48.5	11:40 PM - 11:45 PM	50.2	49.4
06:25 PM - 06:30 PM	48.2	47.0	09:05 PM - 09:10 PM	49.4	48.5	11:45 PM - 11:50 PM	49.5	48.6
06:30 PM - 06:35 PM	49.1	48.0	09:10 PM - 09:15 PM	50.2	49.0	11:50 PM - 11:55 PM	48.9	47.8
06:35 PM - 06:40 PM	50.0	48.1	09:15 PM - 09:20 PM	49.8	48.7	11:55 PM - 12:00 AM	49.1	48.4

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421701-1

Page 3 of 3

Sample Number 2582812-27
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Sep 28 - Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623389

Sep 29, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 29, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 29, 2025 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	49.4	48.5	02:40 AM - 02:45 AM	50.9	50.3	05:20 AM - 05:25 AM	54.9	50.5
12:05 AM - 12:10 AM	49.0	48.0	02:45 AM - 02:50 AM	51.1	50.6	05:25 AM - 05:30 AM	54.4	51.3
12:10 AM - 12:15 AM	49.6	48.4	02:50 AM - 02:55 AM	51.2	50.7	05:30 AM - 05:35 AM	54.4	51.1
12:15 AM - 12:20 AM	49.7	48.6	02:55 AM - 03:00 AM	51.2	50.7	05:35 AM - 05:40 AM	54.6	51.1
12:20 AM - 12:25 AM	49.8	49.0	03:00 AM - 03:05 AM	51.3	50.6	05:40 AM - 05:45 AM	53.0	51.3
12:25 AM - 12:30 AM	49.0	48.1	03:05 AM - 03:10 AM	52.3	50.7	05:45 AM - 05:50 AM	52.1	50.9
12:30 AM - 12:35 AM	49.4	48.4	03:10 AM - 03:15 AM	52.0	49.1	05:50 AM - 05:55 AM	52.0	50.7
12:35 AM - 12:40 AM	49.7	48.7	03:15 AM - 03:20 AM	51.9	49.5	05:55 AM - 06:00 AM	52.2	51.2
12:40 AM - 12:45 AM	50.9	50.2	03:20 AM - 03:25 AM	52.6	52.0	06:00 AM - 06:05 AM	52.3	51.0
12:45 AM - 12:50 AM	49.8	48.6	03:25 AM - 03:30 AM	52.7	52.0	06:05 AM - 06:10 AM	52.7	51.5
12:50 AM - 12:55 AM	49.2	48.7	03:30 AM - 03:35 AM	52.8	52.0	06:10 AM - 06:15 AM	52.2	50.9
12:55 AM - 01:00 AM	49.0	48.5	03:35 AM - 03:40 AM	52.5	51.1	06:15 AM - 06:20 AM	51.2	50.0
01:00 AM - 01:05 AM	49.5	48.6	03:40 AM - 03:45 AM	51.0	50.3	06:20 AM - 06:25 AM	51.7	49.9
01:05 AM - 01:10 AM	49.5	48.6	03:45 AM - 03:50 AM	51.1	50.5	06:25 AM - 06:30 AM	53.4	49.5
01:10 AM - 01:15 AM	50.4	49.9	03:50 AM - 03:55 AM	50.9	50.2	06:30 AM - 06:35 AM	52.3	50.8
01:15 AM - 01:20 AM	50.3	49.6	03:55 AM - 04:00 AM	51.3	49.9	06:35 AM - 06:40 AM	53.0	51.7
01:20 AM - 01:25 AM	50.3	49.8	04:00 AM - 04:05 AM	52.2	50.6	06:40 AM - 06:45 AM	52.3	50.8
01:25 AM - 01:30 AM	50.4	49.9	04:05 AM - 04:10 AM	51.4	50.9	06:45 AM - 06:50 AM	51.9	50.6
01:30 AM - 01:35 AM	50.2	49.5	04:10 AM - 04:15 AM	51.4	50.6	06:50 AM - 06:55 AM	52.5	51.1
01:35 AM - 01:40 AM	49.8	49.2	04:15 AM - 04:20 AM	51.9	51.2	06:55 AM - 07:00 AM	52.9	51.0
01:40 AM - 01:45 AM	50.8	49.6	04:20 AM - 04:25 AM	51.8	51.2	07:00 AM - 07:05 AM	51.2	49.9
01:45 AM - 01:50 AM	51.3	49.7	04:25 AM - 04:30 AM	53.0	51.2	07:05 AM - 07:10 AM	51.9	50.7
01:50 AM - 01:55 AM	50.0	49.4	04:30 AM - 04:35 AM	52.4	49.6	07:10 AM - 07:15 AM	51.4	50.2
01:55 AM - 02:00 AM	50.3	49.8	04:35 AM - 04:40 AM	50.5	49.7	07:15 AM - 07:20 AM	51.2	49.9
02:00 AM - 02:05 AM	49.8	49.1	04:40 AM - 04:45 AM	52.4	50.7	07:20 AM - 07:25 AM	54.0	50.1
02:05 AM - 02:10 AM	50.5	50.0	04:45 AM - 04:50 AM	53.0	50.8	07:25 AM - 07:30 AM	52.4	50.3
02:10 AM - 02:15 AM	50.6	50.1	04:50 AM - 04:55 AM	52.1	50.3	07:30 AM - 07:35 AM	51.6	50.3
02:15 AM - 02:20 AM	50.6	49.9	04:55 AM - 05:00 AM	52.0	50.6	07:35 AM - 07:40 AM	51.6	50.0
02:20 AM - 02:25 AM	50.3	49.8	05:00 AM - 05:05 AM	51.9	50.0	07:40 AM - 07:45 AM	50.1	48.9
02:25 AM - 02:30 AM	49.9	49.4	05:05 AM - 05:10 AM	51.7	50.1	07:45 AM - 07:50 AM	49.9	48.5
02:30 AM - 02:35 AM	50.6	48.8	05:10 AM - 05:15 AM	51.7	50.1	07:50 AM - 07:55 AM	49.3	47.7
02:35 AM - 02:40 AM	50.7	50.1	05:15 AM - 05:20 AM	52.8	50.2	07:55 AM - 08:00 AM	48.7	46.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok

Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421702-1

Page 1 of 3

Sample Number 2582812-28
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Sep 29 - Sep 30, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623389

Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	50.3	47.0	10:40 AM - 10:45 AM	48.5	42.0	01:20 PM - 01:25 PM	46.3	42.0
08:05 AM - 08:10 AM	47.8	46.8	10:45 AM - 10:50 AM	54.6	42.5	01:25 PM - 01:30 PM	52.8	43.6
08:10 AM - 08:15 AM	49.7	46.4	10:50 AM - 10:55 AM	46.5	42.4	01:30 PM - 01:35 PM	50.1	45.1
08:15 AM - 08:20 AM	52.7	46.3	10:55 AM - 11:00 AM	54.7	43.7	01:35 PM - 01:40 PM	44.8	42.6
08:20 AM - 08:25 AM	50.5	46.0	11:00 AM - 11:05 AM	54.5	41.8	01:40 PM - 01:45 PM	44.8	42.0
08:25 AM - 08:30 AM	56.8	47.5	11:05 AM - 11:10 AM	48.8	42.4	01:45 PM - 01:50 PM	51.2	42.6
08:30 AM - 08:35 AM	50.0	43.8	11:10 AM - 11:15 AM	46.9	43.0	01:50 PM - 01:55 PM	48.3	42.1
08:35 AM - 08:40 AM	47.9	43.7	11:15 AM - 11:20 AM	48.7	42.1	01:55 PM - 02:00 PM	44.1	41.7
08:40 AM - 08:45 AM	48.6	42.8	11:20 AM - 11:25 AM	52.3	43.6	02:00 PM - 02:05 PM	43.8	41.7
08:45 AM - 08:50 AM	45.7	43.0	11:25 AM - 11:30 AM	49.2	41.5	02:05 PM - 02:10 PM	47.5	42.7
08:50 AM - 08:55 AM	51.7	42.9	11:30 AM - 11:35 AM	48.9	41.5	02:10 PM - 02:15 PM	45.3	42.5
08:55 AM - 09:00 AM	45.7	42.3	11:35 AM - 11:40 AM	46.9	41.9	02:15 PM - 02:20 PM	47.6	43.7
09:00 AM - 09:05 AM	52.2	43.2	11:40 AM - 11:45 AM	49.8	41.3	02:20 PM - 02:25 PM	46.8	42.6
09:05 AM - 09:10 AM	47.1	42.5	11:45 AM - 11:50 AM	44.2	40.7	02:25 PM - 02:30 PM	51.4	42.3
09:10 AM - 09:15 AM	51.5	42.7	11:50 AM - 11:55 AM	46.1	41.9	02:30 PM - 02:35 PM	49.2	42.8
09:15 AM - 09:20 AM	46.3	43.3	11:55 AM - 12:00 PM	42.7	41.0	02:35 PM - 02:40 PM	50.6	43.9
09:20 AM - 09:25 AM	49.8	44.8	12:00 PM - 12:05 PM	48.3	42.0	02:40 PM - 02:45 PM	47.9	43.6
09:25 AM - 09:30 AM	48.8	46.2	12:05 PM - 12:10 PM	58.2	42.2	02:45 PM - 02:50 PM	50.3	46.0
09:30 AM - 09:35 AM	54.2	46.1	12:10 PM - 12:15 PM	64.0	42.1	02:50 PM - 02:55 PM	49.0	45.5
09:35 AM - 09:40 AM	48.3	45.2	12:15 PM - 12:20 PM	48.7	42.7	02:55 PM - 03:00 PM	49.9	45.7
09:40 AM - 09:45 AM	48.2	45.4	12:20 PM - 12:25 PM	50.6	42.1	03:00 PM - 03:05 PM	46.6	44.3
09:45 AM - 09:50 AM	46.0	42.1	12:25 PM - 12:30 PM	47.1	41.6	03:05 PM - 03:10 PM	49.0	45.0
09:50 AM - 09:55 AM	50.1	42.3	12:30 PM - 12:35 PM	43.9	41.1	03:10 PM - 03:15 PM	49.1	45.9
09:55 AM - 10:00 AM	43.6	41.5	12:35 PM - 12:40 PM	44.7	42.2	03:15 PM - 03:20 PM	50.8	45.3
10:00 AM - 10:05 AM	46.6	42.9	12:40 PM - 12:45 PM	46.6	42.0	03:20 PM - 03:25 PM	48.4	44.9
10:05 AM - 10:10 AM	46.0	42.5	12:45 PM - 12:50 PM	46.6	41.5	03:25 PM - 03:30 PM	45.8	43.0
10:10 AM - 10:15 AM	47.5	43.3	12:50 PM - 12:55 PM	48.2	42.2	03:30 PM - 03:35 PM	49.7	45.0
10:15 AM - 10:20 AM	44.2	41.8	12:55 PM - 01:00 PM	43.8	41.3	03:35 PM - 03:40 PM	46.4	43.9
10:20 AM - 10:25 AM	48.4	41.9	01:00 PM - 01:05 PM	46.7	41.5	03:40 PM - 03:45 PM	47.8	44.7
10:25 AM - 10:30 AM	46.7	41.6	01:05 PM - 01:10 PM	45.2	42.6	03:45 PM - 03:50 PM	49.6	45.1
10:30 AM - 10:35 AM	43.5	41.3	01:10 PM - 01:15 PM	43.1	41.5	03:50 PM - 03:55 PM	50.9	47.0
10:35 AM - 10:40 AM	46.7	41.8	01:15 PM - 01:20 PM	46.2	41.8	03:55 PM - 04:00 PM	48.3	44.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421702-1

Page 2 of 3

Sample Number 2582812-28
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Sep 29 - Sep 30, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623389

Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	48.8	45.3	06:40 PM - 06:45 PM	50.0	47.8	09:20 PM - 09:25 PM	51.0	50.2
04:05 PM - 04:10 PM	54.5	47.4	06:45 PM - 06:50 PM	48.5	47.0	09:25 PM - 09:30 PM	50.4	49.6
04:10 PM - 04:15 PM	51.2	45.7	06:50 PM - 06:55 PM	49.0	48.0	09:30 PM - 09:35 PM	50.7	49.8
04:15 PM - 04:20 PM	53.6	46.5	06:55 PM - 07:00 PM	48.5	47.5	09:35 PM - 09:40 PM	50.3	49.8
04:20 PM - 04:25 PM	51.1	46.4	07:00 PM - 07:05 PM	48.8	47.8	09:40 PM - 09:45 PM	50.6	49.8
04:25 PM - 04:30 PM	48.8	45.5	07:05 PM - 07:10 PM	49.0	48.1	09:45 PM - 09:50 PM	51.2	50.6
04:30 PM - 04:35 PM	48.1	45.4	07:10 PM - 07:15 PM	51.4	50.3	09:50 PM - 09:55 PM	50.9	50.1
04:35 PM - 04:40 PM	47.5	43.9	07:15 PM - 07:20 PM	48.8	46.5	09:55 PM - 10:00 PM	51.0	50.4
04:40 PM - 04:45 PM	50.4	45.5	07:20 PM - 07:25 PM	48.7	47.2	10:00 PM - 10:05 PM	51.7	51.0
04:45 PM - 04:50 PM	51.2	45.9	07:25 PM - 07:30 PM	53.6	47.9	10:05 PM - 10:10 PM	52.1	51.5
04:50 PM - 04:55 PM	53.8	45.0	07:30 PM - 07:35 PM	50.7	48.0	10:10 PM - 10:15 PM	51.7	51.0
04:55 PM - 05:00 PM	51.1	47.2	07:35 PM - 07:40 PM	49.0	47.6	10:15 PM - 10:20 PM	51.7	51.1
05:00 PM - 05:05 PM	48.5	45.4	07:40 PM - 07:45 PM	50.0	48.9	10:20 PM - 10:25 PM	51.3	50.3
05:05 PM - 05:10 PM	50.5	46.1	07:45 PM - 07:50 PM	49.7	48.5	10:25 PM - 10:30 PM	51.0	50.2
05:10 PM - 05:15 PM	51.1	46.7	07:50 PM - 07:55 PM	49.9	48.8	10:30 PM - 10:35 PM	51.9	51.0
05:15 PM - 05:20 PM	48.5	46.0	07:55 PM - 08:00 PM	49.7	48.9	10:35 PM - 10:40 PM	52.6	51.8
05:20 PM - 05:25 PM	49.7	46.3	08:00 PM - 08:05 PM	49.6	48.6	10:40 PM - 10:45 PM	52.2	51.6
05:25 PM - 05:30 PM	49.3	45.1	08:05 PM - 08:10 PM	49.7	48.9	10:45 PM - 10:50 PM	52.1	51.5
05:30 PM - 05:35 PM	48.0	43.5	08:10 PM - 08:15 PM	49.5	48.2	10:50 PM - 10:55 PM	51.9	51.2
05:35 PM - 05:40 PM	47.3	43.8	08:15 PM - 08:20 PM	51.3	49.1	10:55 PM - 11:00 PM	52.2	51.6
05:40 PM - 05:45 PM	47.3	44.0	08:20 PM - 08:25 PM	49.5	48.2	11:00 PM - 11:05 PM	51.9	51.1
05:45 PM - 05:50 PM	47.3	43.0	08:25 PM - 08:30 PM	56.9	47.9	11:05 PM - 11:10 PM	52.3	51.8
05:50 PM - 05:55 PM	45.6	43.0	08:30 PM - 08:35 PM	52.3	47.8	11:10 PM - 11:15 PM	51.8	51.2
05:55 PM - 06:00 PM	47.3	42.3	08:35 PM - 08:40 PM	49.2	48.1	11:15 PM - 11:20 PM	51.7	51.0
06:00 PM - 06:05 PM	50.5	42.3	08:40 PM - 08:45 PM	49.9	49.2	11:20 PM - 11:25 PM	51.1	50.5
06:05 PM - 06:10 PM	46.3	42.5	08:45 PM - 08:50 PM	49.2	48.3	11:25 PM - 11:30 PM	51.2	50.4
06:10 PM - 06:15 PM	45.5	42.5	08:50 PM - 08:55 PM	50.1	49.5	11:30 PM - 11:35 PM	50.9	50.0
06:15 PM - 06:20 PM	47.6	45.5	08:55 PM - 09:00 PM	50.4	49.9	11:35 PM - 11:40 PM	50.2	49.6
06:20 PM - 06:25 PM	49.0	47.2	09:00 PM - 09:05 PM	51.1	49.7	11:40 PM - 11:45 PM	51.0	49.7
06:25 PM - 06:30 PM	48.6	47.6	09:05 PM - 09:10 PM	50.2	49.5	11:45 PM - 11:50 PM	52.0	51.2
06:30 PM - 06:35 PM	49.2	47.7	09:10 PM - 09:15 PM	50.7	50.1	11:50 PM - 11:55 PM	51.6	50.7
06:35 PM - 06:40 PM	48.8	47.8	09:15 PM - 09:20 PM	50.8	50.3	11:55 PM - 12:00 AM	50.7	49.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok

Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421702-1

Page 3 of 3

Sample Number 2582812-28
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Sep 29 - Sep 30, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623389

Sep 30, 2025	Leq	L90	Sep 30, 2025	Leq	L90	Sep 30, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	50.6	49.8	02:40 AM - 02:45 AM	52.9	51.0	05:20 AM - 05:25 AM	53.4	49.7
12:05 AM - 12:10 AM	50.8	50.0	02:45 AM - 02:50 AM	51.7	51.0	05:25 AM - 05:30 AM	54.1	51.0
12:10 AM - 12:15 AM	51.3	50.6	02:50 AM - 02:55 AM	51.9	51.3	05:30 AM - 05:35 AM	54.8	50.9
12:15 AM - 12:20 AM	51.1	50.2	02:55 AM - 03:00 AM	52.1	51.4	05:35 AM - 05:40 AM	54.1	50.8
12:20 AM - 12:25 AM	51.0	50.0	03:00 AM - 03:05 AM	51.9	51.2	05:40 AM - 05:45 AM	53.7	51.3
12:25 AM - 12:30 AM	51.7	51.1	03:05 AM - 03:10 AM	52.2	51.6	05:45 AM - 05:50 AM	55.6	51.9
12:30 AM - 12:35 AM	52.0	51.2	03:10 AM - 03:15 AM	52.2	51.3	05:50 AM - 05:55 AM	53.3	51.8
12:35 AM - 12:40 AM	51.5	50.8	03:15 AM - 03:20 AM	51.6	50.2	05:55 AM - 06:00 AM	52.4	51.4
12:40 AM - 12:45 AM	50.4	48.9	03:20 AM - 03:25 AM	52.9	51.9	06:00 AM - 06:05 AM	52.2	50.8
12:45 AM - 12:50 AM	50.0	49.2	03:25 AM - 03:30 AM	52.5	51.1	06:05 AM - 06:10 AM	51.8	50.8
12:50 AM - 12:55 AM	51.6	50.0	03:30 AM - 03:35 AM	51.8	50.4	06:10 AM - 06:15 AM	52.3	50.7
12:55 AM - 01:00 AM	52.5	51.6	03:35 AM - 03:40 AM	50.9	50.3	06:15 AM - 06:20 AM	52.9	51.1
01:00 AM - 01:05 AM	50.5	49.8	03:40 AM - 03:45 AM	50.6	49.2	06:20 AM - 06:25 AM	53.5	50.7
01:05 AM - 01:10 AM	50.7	50.0	03:45 AM - 03:50 AM	51.4	48.7	06:25 AM - 06:30 AM	53.0	51.1
01:10 AM - 01:15 AM	51.2	50.5	03:50 AM - 03:55 AM	49.4	48.6	06:30 AM - 06:35 AM	53.0	50.7
01:15 AM - 01:20 AM	50.5	49.6	03:55 AM - 04:00 AM	49.2	48.6	06:35 AM - 06:40 AM	51.9	50.3
01:20 AM - 01:25 AM	49.8	48.4	04:00 AM - 04:05 AM	49.1	48.5	06:40 AM - 06:45 AM	52.1	49.9
01:25 AM - 01:30 AM	50.9	48.6	04:05 AM - 04:10 AM	49.3	48.7	06:45 AM - 06:50 AM	50.8	48.7
01:30 AM - 01:35 AM	51.7	48.3	04:10 AM - 04:15 AM	49.9	49.1	06:50 AM - 06:55 AM	53.7	51.0
01:35 AM - 01:40 AM	49.3	48.3	04:15 AM - 04:20 AM	50.3	49.8	06:55 AM - 07:00 AM	53.6	51.3
01:40 AM - 01:45 AM	50.5	49.5	04:20 AM - 04:25 AM	50.0	49.3	07:00 AM - 07:05 AM	51.0	49.6
01:45 AM - 01:50 AM	51.2	49.9	04:25 AM - 04:30 AM	49.9	49.3	07:05 AM - 07:10 AM	50.6	48.8
01:50 AM - 01:55 AM	51.7	51.2	04:30 AM - 04:35 AM	51.9	49.0	07:10 AM - 07:15 AM	50.1	48.5
01:55 AM - 02:00 AM	52.3	51.5	04:35 AM - 04:40 AM	50.9	49.2	07:15 AM - 07:20 AM	51.7	48.6
02:00 AM - 02:05 AM	52.5	51.7	04:40 AM - 04:45 AM	49.9	49.3	07:20 AM - 07:25 AM	50.7	48.6
02:05 AM - 02:10 AM	52.2	51.5	04:45 AM - 04:50 AM	50.3	49.2	07:25 AM - 07:30 AM	53.6	50.9
02:10 AM - 02:15 AM	52.7	52.1	04:50 AM - 04:55 AM	50.7	49.5	07:30 AM - 07:35 AM	52.3	50.1
02:15 AM - 02:20 AM	53.0	52.1	04:55 AM - 05:00 AM	50.4	49.6	07:35 AM - 07:40 AM	52.9	47.8
02:20 AM - 02:25 AM	53.2	52.5	05:00 AM - 05:05 AM	52.4	49.9	07:40 AM - 07:45 AM	49.7	47.5
02:25 AM - 02:30 AM	53.2	51.7	05:05 AM - 05:10 AM	52.1	49.9	07:45 AM - 07:50 AM	49.2	46.4
02:30 AM - 02:35 AM	53.5	52.9	05:10 AM - 05:15 AM	54.1	50.4	07:50 AM - 07:55 AM	50.4	46.7
02:35 AM - 02:40 AM	53.5	52.9	05:15 AM - 05:20 AM	53.4	49.8	07:55 AM - 08:00 AM	51.6	48.2

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421703-1

Page 1 of 3

Sample Number : 2582812-29
Parameter : Noise Level (Leq 5 min)
Location : ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date : Sep 23 - Sep 24, 2025
Measurement by : Anurak Tongkhajonsakda
Sound Level meter : Serial No. 623388

Sep 23, 2025	Leq	L90	Sep 23, 2025	Leq	L90	Sep 23, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	62.3	52.6	10:40 AM - 10:45 AM	49.7	46.5	01:20 PM - 01:25 PM	51.2	45.6
08:05 AM - 08:10 AM	57.3	49.5	10:45 AM - 10:50 AM	50.2	44.5	01:25 PM - 01:30 PM	53.5	45.0
08:10 AM - 08:15 AM	59.7	51.0	10:50 AM - 10:55 AM	50.0	43.7	01:30 PM - 01:35 PM	48.8	43.0
08:15 AM - 08:20 AM	57.5	46.8	10:55 AM - 11:00 AM	49.7	45.3	01:35 PM - 01:40 PM	49.1	42.2
08:20 AM - 08:25 AM	57.3	48.6	11:00 AM - 11:05 AM	52.4	45.1	01:40 PM - 01:45 PM	50.1	43.1
08:25 AM - 08:30 AM	52.8	48.7	11:05 AM - 11:10 AM	52.3	45.5	01:45 PM - 01:50 PM	48.3	42.6
08:30 AM - 08:35 AM	50.5	46.2	11:10 AM - 11:15 AM	49.2	44.7	01:50 PM - 01:55 PM	52.0	42.7
08:35 AM - 08:40 AM	57.6	46.9	11:15 AM - 11:20 AM	48.5	42.5	01:55 PM - 02:00 PM	50.2	40.9
08:40 AM - 08:45 AM	56.6	48.2	11:20 AM - 11:25 AM	49.2	42.8	02:00 PM - 02:05 PM	48.2	41.9
08:45 AM - 08:50 AM	54.9	48.3	11:25 AM - 11:30 AM	48.0	43.5	02:05 PM - 02:10 PM	49.3	42.2
08:50 AM - 08:55 AM	53.1	47.9	11:30 AM - 11:35 AM	50.1	43.6	02:10 PM - 02:15 PM	49.1	42.9
08:55 AM - 09:00 AM	57.8	48.6	11:35 AM - 11:40 AM	49.2	43.8	02:15 PM - 02:20 PM	50.8	42.6
09:00 AM - 09:05 AM	53.3	48.6	11:40 AM - 11:45 AM	50.5	44.0	02:20 PM - 02:25 PM	52.7	43.3
09:05 AM - 09:10 AM	51.9	47.8	11:45 AM - 11:50 AM	48.4	43.7	02:25 PM - 02:30 PM	53.1	44.1
09:10 AM - 09:15 AM	49.6	48.2	11:50 AM - 11:55 AM	48.5	40.1	02:30 PM - 02:35 PM	49.4	42.4
09:15 AM - 09:20 AM	50.5	47.5	11:55 AM - 12:00 PM	47.5	41.8	02:35 PM - 02:40 PM	49.7	42.5
09:20 AM - 09:25 AM	54.8	47.4	12:00 PM - 12:05 PM	51.8	44.1	02:40 PM - 02:45 PM	49.2	43.3
09:25 AM - 09:30 AM	49.8	45.0	12:05 PM - 12:10 PM	47.9	42.7	02:45 PM - 02:50 PM	51.7	42.3
09:30 AM - 09:35 AM	48.8	43.1	12:10 PM - 12:15 PM	48.8	43.6	02:50 PM - 02:55 PM	51.8	42.6
09:35 AM - 09:40 AM	49.2	43.8	12:15 PM - 12:20 PM	49.6	43.5	02:55 PM - 03:00 PM	49.4	40.9
09:40 AM - 09:45 AM	52.5	44.0	12:20 PM - 12:25 PM	48.1	41.7	03:00 PM - 03:05 PM	52.3	45.7
09:45 AM - 09:50 AM	48.4	43.2	12:25 PM - 12:30 PM	48.0	42.1	03:05 PM - 03:10 PM	52.8	43.5
09:50 AM - 09:55 AM	49.5	44.5	12:30 PM - 12:35 PM	50.2	43.9	03:10 PM - 03:15 PM	52.6	45.9
09:55 AM - 10:00 AM	49.2	44.0	12:35 PM - 12:40 PM	47.9	41.0	03:15 PM - 03:20 PM	49.3	42.9
10:00 AM - 10:05 AM	56.4	48.4	12:40 PM - 12:45 PM	48.3	42.8	03:20 PM - 03:25 PM	51.8	45.4
10:05 AM - 10:10 AM	50.6	46.4	12:45 PM - 12:50 PM	48.7	41.7	03:25 PM - 03:30 PM	50.5	44.4
10:10 AM - 10:15 AM	56.7	49.8	12:50 PM - 12:55 PM	49.1	42.8	03:30 PM - 03:35 PM	51.6	43.8
10:15 AM - 10:20 AM	57.5	47.9	12:55 PM - 01:00 PM	50.3	44.3	03:35 PM - 03:40 PM	50.9	44.5
10:20 AM - 10:25 AM	48.1	45.4	01:00 PM - 01:05 PM	49.4	41.1	03:40 PM - 03:45 PM	53.0	42.7
10:25 AM - 10:30 AM	48.4	45.9	01:05 PM - 01:10 PM	51.6	42.5	03:45 PM - 03:50 PM	53.0	44.4
10:30 AM - 10:35 AM	48.6	45.1	01:10 PM - 01:15 PM	51.4	43.2	03:50 PM - 03:55 PM	50.8	43.3
10:35 AM - 10:40 AM	51.9	46.7	01:15 PM - 01:20 PM	48.9	41.9	03:55 PM - 04:00 PM	52.1	44.4

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421703-1

Page 2 of 3

Sample Number 2582812-29
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Sep 23 - Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623388

Sep 23, 2025	Leq	L90	Sep 23, 2025	Leq	L90	Sep 23, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	53.1	44.4	06:40 PM - 06:45 PM	57.6	51.8	09:20 PM - 09:25 PM	53.6	46.5
04:05 PM - 04:10 PM	54.9	49.0	06:45 PM - 06:50 PM	57.2	50.1	09:25 PM - 09:30 PM	53.8	46.1
04:10 PM - 04:15 PM	60.3	52.3	06:50 PM - 06:55 PM	56.6	48.1	09:30 PM - 09:35 PM	54.3	45.3
04:15 PM - 04:20 PM	56.0	49.0	06:55 PM - 07:00 PM	61.9	49.0	09:35 PM - 09:40 PM	53.9	48.6
04:20 PM - 04:25 PM	56.8	51.6	07:00 PM - 07:05 PM	57.1	50.6	09:40 PM - 09:45 PM	58.7	50.0
04:25 PM - 04:30 PM	56.0	51.2	07:05 PM - 07:10 PM	58.0	52.0	09:45 PM - 09:50 PM	60.3	48.7
04:30 PM - 04:35 PM	55.0	47.1	07:10 PM - 07:15 PM	58.5	54.7	09:50 PM - 09:55 PM	54.8	46.9
04:35 PM - 04:40 PM	54.9	49.9	07:15 PM - 07:20 PM	59.3	53.9	09:55 PM - 10:00 PM	56.3	46.6
04:40 PM - 04:45 PM	57.0	49.7	07:20 PM - 07:25 PM	57.8	52.5	10:00 PM - 10:05 PM	53.7	45.1
04:45 PM - 04:50 PM	56.7	49.0	07:25 PM - 07:30 PM	57.2	49.9	10:05 PM - 10:10 PM	55.7	51.2
04:50 PM - 04:55 PM	56.6	50.5	07:30 PM - 07:35 PM	56.2	49.6	10:10 PM - 10:15 PM	54.4	47.8
04:55 PM - 05:00 PM	55.2	49.4	07:35 PM - 07:40 PM	57.6	50.7	10:15 PM - 10:20 PM	54.3	45.7
05:00 PM - 05:05 PM	57.6	49.9	07:40 PM - 07:45 PM	58.6	51.7	10:20 PM - 10:25 PM	55.7	44.5
05:05 PM - 05:10 PM	55.7	47.2	07:45 PM - 07:50 PM	60.6	51.4	10:25 PM - 10:30 PM	56.5	47.4
05:10 PM - 05:15 PM	61.1	51.7	07:50 PM - 07:55 PM	57.1	49.3	10:30 PM - 10:35 PM	53.5	44.8
05:15 PM - 05:20 PM	56.9	49.5	07:55 PM - 08:00 PM	56.4	50.2	10:35 PM - 10:40 PM	54.0	44.8
05:20 PM - 05:25 PM	55.5	47.4	08:00 PM - 08:05 PM	56.9	48.6	10:40 PM - 10:45 PM	54.1	44.3
05:25 PM - 05:30 PM	57.3	50.1	08:05 PM - 08:10 PM	56.9	50.8	10:45 PM - 10:50 PM	52.4	44.1
05:30 PM - 05:35 PM	59.3	52.2	08:10 PM - 08:15 PM	58.1	51.5	10:50 PM - 10:55 PM	49.9	43.0
05:35 PM - 05:40 PM	56.2	50.6	08:15 PM - 08:20 PM	59.8	50.0	10:55 PM - 11:00 PM	54.0	44.3
05:40 PM - 05:45 PM	57.4	52.4	08:20 PM - 08:25 PM	55.9	50.0	11:00 PM - 11:05 PM	53.6	44.7
05:45 PM - 05:50 PM	58.8	50.9	08:25 PM - 08:30 PM	58.5	47.9	11:05 PM - 11:10 PM	55.1	46.3
05:50 PM - 05:55 PM	60.6	51.5	08:30 PM - 08:35 PM	60.5	47.9	11:10 PM - 11:15 PM	58.1	48.8
05:55 PM - 06:00 PM	57.2	50.1	08:35 PM - 08:40 PM	57.2	46.1	11:15 PM - 11:20 PM	58.7	50.1
06:00 PM - 06:05 PM	57.2	51.8	08:40 PM - 08:45 PM	56.1	48.5	11:20 PM - 11:25 PM	56.0	48.3
06:05 PM - 06:10 PM	58.5	50.9	08:45 PM - 08:50 PM	57.0	48.2	11:25 PM - 11:30 PM	56.2	49.0
06:10 PM - 06:15 PM	60.7	53.2	08:50 PM - 08:55 PM	53.0	46.2	11:30 PM - 11:35 PM	60.7	46.1
06:15 PM - 06:20 PM	59.0	55.1	08:55 PM - 09:00 PM	56.9	48.4	11:35 PM - 11:40 PM	54.4	45.1
06:20 PM - 06:25 PM	58.8	52.9	09:00 PM - 09:05 PM	55.5	47.6	11:40 PM - 11:45 PM	51.9	45.9
06:25 PM - 06:30 PM	56.7	50.0	09:05 PM - 09:10 PM	55.3	48.0	11:45 PM - 11:50 PM	52.1	46.0
06:30 PM - 06:35 PM	57.8	51.9	09:10 PM - 09:15 PM	55.0	48.5	11:50 PM - 11:55 PM	52.4	45.3
06:35 PM - 06:40 PM	55.5	49.4	09:15 PM - 09:20 PM	54.0	46.2	11:55 PM - 12:00 AM	55.0	45.0

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421703-1

Page 3 of 3

Sample Number 2582812-29
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Sep 23 - Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623388

Sep 24, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 24, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 24, 2025 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	51.7	45.1	02:40 AM - 02:45 AM	43.5	41.9	05:20 AM - 05:25 AM	55.6	47.6
12:05 AM - 12:10 AM	56.7	45.1	02:45 AM - 02:50 AM	50.0	42.1	05:25 AM - 05:30 AM	55.8	49.2
12:10 AM - 12:15 AM	54.8	44.9	02:50 AM - 02:55 AM	47.5	41.7	05:30 AM - 05:35 AM	56.1	47.8
12:15 AM - 12:20 AM	51.3	44.8	02:55 AM - 03:00 AM	53.3	43.0	05:35 AM - 05:40 AM	56.4	50.8
12:20 AM - 12:25 AM	50.9	44.1	03:00 AM - 03:05 AM	48.7	41.5	05:40 AM - 05:45 AM	57.2	50.0
12:25 AM - 12:30 AM	47.8	43.8	03:05 AM - 03:10 AM	45.5	40.9	05:45 AM - 05:50 AM	57.6	49.1
12:30 AM - 12:35 AM	52.7	44.6	03:10 AM - 03:15 AM	48.0	40.6	05:50 AM - 05:55 AM	59.2	49.2
12:35 AM - 12:40 AM	56.5	44.4	03:15 AM - 03:20 AM	49.3	41.6	05:55 AM - 06:00 AM	55.2	47.7
12:40 AM - 12:45 AM	49.9	44.0	03:20 AM - 03:25 AM	46.4	41.3	06:00 AM - 06:05 AM	56.7	50.1
12:45 AM - 12:50 AM	52.7	44.0	03:25 AM - 03:30 AM	49.9	42.0	06:05 AM - 06:10 AM	58.6	50.4
12:50 AM - 12:55 AM	47.5	42.9	03:30 AM - 03:35 AM	50.3	42.1	06:10 AM - 06:15 AM	58.4	52.3
12:55 AM - 01:00 AM	49.5	42.9	03:35 AM - 03:40 AM	51.0	41.6	06:15 AM - 06:20 AM	58.0	53.4
01:00 AM - 01:05 AM	50.0	43.4	03:40 AM - 03:45 AM	46.6	42.1	06:20 AM - 06:25 AM	58.4	52.7
01:05 AM - 01:10 AM	48.4	42.9	03:45 AM - 03:50 AM	48.9	42.5	06:25 AM - 06:30 AM	58.2	53.1
01:10 AM - 01:15 AM	53.1	42.7	03:50 AM - 03:55 AM	49.2	43.0	06:30 AM - 06:35 AM	58.5	52.3
01:15 AM - 01:20 AM	50.0	43.0	03:55 AM - 04:00 AM	49.1	42.8	06:35 AM - 06:40 AM	63.0	49.4
01:20 AM - 01:25 AM	51.2	43.4	04:00 AM - 04:05 AM	53.5	42.5	06:40 AM - 06:45 AM	57.6	51.0
01:25 AM - 01:30 AM	49.5	43.4	04:05 AM - 04:10 AM	49.1	42.9	06:45 AM - 06:50 AM	56.0	49.4
01:30 AM - 01:35 AM	49.4	43.4	04:10 AM - 04:15 AM	52.8	44.6	06:50 AM - 06:55 AM	62.8	50.4
01:35 AM - 01:40 AM	45.0	43.3	04:15 AM - 04:20 AM	51.5	43.0	06:55 AM - 07:00 AM	56.4	48.8
01:40 AM - 01:45 AM	51.1	44.0	04:20 AM - 04:25 AM	53.1	43.5	07:00 AM - 07:05 AM	54.5	48.7
01:45 AM - 01:50 AM	52.5	43.8	04:25 AM - 04:30 AM	52.5	43.9	07:05 AM - 07:10 AM	53.0	47.8
01:50 AM - 01:55 AM	47.5	42.9	04:30 AM - 04:35 AM	52.7	44.7	07:10 AM - 07:15 AM	54.4	50.1
01:55 AM - 02:00 AM	49.4	43.1	04:35 AM - 04:40 AM	55.7	46.1	07:15 AM - 07:20 AM	54.1	49.7
02:00 AM - 02:05 AM	46.2	42.8	04:40 AM - 04:45 AM	56.5	45.5	07:20 AM - 07:25 AM	52.7	47.1
02:05 AM - 02:10 AM	48.2	42.6	04:45 AM - 04:50 AM	56.0	45.9	07:25 AM - 07:30 AM	51.9	46.3
02:10 AM - 02:15 AM	47.3	42.5	04:50 AM - 04:55 AM	54.6	45.9	07:30 AM - 07:35 AM	51.3	46.1
02:15 AM - 02:20 AM	46.1	42.0	04:55 AM - 05:00 AM	54.1	44.5	07:35 AM - 07:40 AM	52.5	46.9
02:20 AM - 02:25 AM	53.2	42.9	05:00 AM - 05:05 AM	52.2	44.5	07:40 AM - 07:45 AM	51.4	44.9
02:25 AM - 02:30 AM	49.7	42.5	05:05 AM - 05:10 AM	52.4	46.6	07:45 AM - 07:50 AM	52.7	47.9
02:30 AM - 02:35 AM	52.9	42.9	05:10 AM - 05:15 AM	54.4	45.1	07:50 AM - 07:55 AM	50.3	46.3
02:35 AM - 02:40 AM	46.1	42.0	05:15 AM - 05:20 AM	55.2	48.4	07:55 AM - 08:00 AM	53.1	45.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421704-1

Page 1 of 3

Sample Number 2582812-30
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Sep 24 - Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623388

Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	49.7	46.1	10:40 AM - 10:45 AM	49.3	43.7	01:20 PM - 01:25 PM	48.2	43.6
08:05 AM - 08:10 AM	49.1	45.2	10:45 AM - 10:50 AM	48.9	44.7	01:25 PM - 01:30 PM	49.6	44.3
08:10 AM - 08:15 AM	51.7	45.3	10:50 AM - 10:55 AM	49.4	45.5	01:30 PM - 01:35 PM	50.8	43.4
08:15 AM - 08:20 AM	49.6	44.3	10:55 AM - 11:00 AM	48.5	43.6	01:35 PM - 01:40 PM	48.2	43.3
08:20 AM - 08:25 AM	49.5	44.1	11:00 AM - 11:05 AM	51.2	46.4	01:40 PM - 01:45 PM	49.1	43.3
08:25 AM - 08:30 AM	51.4	44.8	11:05 AM - 11:10 AM	49.4	45.3	01:45 PM - 01:50 PM	51.2	44.8
08:30 AM - 08:35 AM	49.0	44.8	11:10 AM - 11:15 AM	49.1	44.6	01:50 PM - 01:55 PM	48.7	42.6
08:35 AM - 08:40 AM	50.1	43.4	11:15 AM - 11:20 AM	48.7	42.5	01:55 PM - 02:00 PM	51.4	45.4
08:40 AM - 08:45 AM	51.4	43.6	11:20 AM - 11:25 AM	50.3	44.9	02:00 PM - 02:05 PM	49.0	42.7
08:45 AM - 08:50 AM	50.1	42.4	11:25 AM - 11:30 AM	50.1	43.8	02:05 PM - 02:10 PM	48.3	43.3
08:50 AM - 08:55 AM	49.3	44.1	11:30 AM - 11:35 AM	48.1	41.5	02:10 PM - 02:15 PM	50.5	43.9
08:55 AM - 09:00 AM	50.2	44.2	11:35 AM - 11:40 AM	49.9	44.1	02:15 PM - 02:20 PM	49.0	44.1
09:00 AM - 09:05 AM	51.9	43.9	11:40 AM - 11:45 AM	49.1	43.7	02:20 PM - 02:25 PM	48.9	43.7
09:05 AM - 09:10 AM	51.9	45.2	11:45 AM - 11:50 AM	53.1	42.3	02:25 PM - 02:30 PM	52.6	46.3
09:10 AM - 09:15 AM	49.6	43.1	11:50 AM - 11:55 AM	48.4	43.2	02:30 PM - 02:35 PM	50.3	43.7
09:15 AM - 09:20 AM	50.1	44.5	11:55 AM - 12:00 PM	49.4	43.2	02:35 PM - 02:40 PM	52.4	43.9
09:20 AM - 09:25 AM	51.4	44.4	12:00 PM - 12:05 PM	48.8	43.6	02:40 PM - 02:45 PM	51.8	44.4
09:25 AM - 09:30 AM	50.0	46.6	12:05 PM - 12:10 PM	50.6	42.5	02:45 PM - 02:50 PM	48.6	44.0
09:30 AM - 09:35 AM	49.7	45.1	12:10 PM - 12:15 PM	50.1	44.4	02:50 PM - 02:55 PM	49.3	43.1
09:35 AM - 09:40 AM	49.3	45.4	12:15 PM - 12:20 PM	50.0	43.3	02:55 PM - 03:00 PM	49.1	45.5
09:40 AM - 09:45 AM	49.2	44.2	12:20 PM - 12:25 PM	51.5	44.2	03:00 PM - 03:05 PM	49.3	44.0
09:45 AM - 09:50 AM	50.6	44.3	12:25 PM - 12:30 PM	51.0	46.7	03:05 PM - 03:10 PM	51.5	46.8
09:50 AM - 09:55 AM	48.9	45.2	12:30 PM - 12:35 PM	49.2	42.8	03:10 PM - 03:15 PM	54.9	47.2
09:55 AM - 10:00 AM	51.1	45.1	12:35 PM - 12:40 PM	49.3	44.1	03:15 PM - 03:20 PM	50.8	46.9
10:00 AM - 10:05 AM	48.6	44.2	12:40 PM - 12:45 PM	48.3	43.2	03:20 PM - 03:25 PM	51.7	46.9
10:05 AM - 10:10 AM	48.4	44.5	12:45 PM - 12:50 PM	55.0	44.2	03:25 PM - 03:30 PM	52.9	46.5
10:10 AM - 10:15 AM	48.8	43.8	12:50 PM - 12:55 PM	49.7	43.4	03:30 PM - 03:35 PM	49.5	43.8
10:15 AM - 10:20 AM	49.1	44.6	12:55 PM - 01:00 PM	48.9	43.5	03:35 PM - 03:40 PM	51.4	46.1
10:20 AM - 10:25 AM	48.8	42.6	01:00 PM - 01:05 PM	50.1	45.2	03:40 PM - 03:45 PM	51.0	46.5
10:25 AM - 10:30 AM	49.3	42.7	01:05 PM - 01:10 PM	48.5	44.0	03:45 PM - 03:50 PM	51.6	46.6
10:30 AM - 10:35 AM	48.8	43.2	01:10 PM - 01:15 PM	48.7	45.0	03:50 PM - 03:55 PM	52.6	46.2
10:35 AM - 10:40 AM	47.1	44.1	01:15 PM - 01:20 PM	50.0	44.1	03:55 PM - 04:00 PM	52.4	46.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421704-1

Page 2 of 3

Sample Number 2582812-30
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Sep 24 - Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623388

Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	50.2	45.6	06:40 PM - 06:45 PM	59.1	48.0	09:20 PM - 09:25 PM	54.5	47.5
04:05 PM - 04:10 PM	54.4	48.0	06:45 PM - 06:50 PM	55.4	50.3	09:25 PM - 09:30 PM	52.8	45.4
04:10 PM - 04:15 PM	53.2	49.1	06:50 PM - 06:55 PM	53.9	48.9	09:30 PM - 09:35 PM	55.6	45.7
04:15 PM - 04:20 PM	51.9	48.8	06:55 PM - 07:00 PM	55.0	49.3	09:35 PM - 09:40 PM	51.9	46.3
04:20 PM - 04:25 PM	53.2	48.7	07:00 PM - 07:05 PM	56.5	48.5	09:40 PM - 09:45 PM	53.9	45.4
04:25 PM - 04:30 PM	52.4	47.6	07:05 PM - 07:10 PM	58.8	52.5	09:45 PM - 09:50 PM	52.9	45.9
04:30 PM - 04:35 PM	54.1	47.8	07:10 PM - 07:15 PM	58.7	53.9	09:50 PM - 09:55 PM	54.0	45.6
04:35 PM - 04:40 PM	52.9	47.0	07:15 PM - 07:20 PM	58.3	51.4	09:55 PM - 10:00 PM	54.6	45.4
04:40 PM - 04:45 PM	53.5	49.0	07:20 PM - 07:25 PM	61.1	53.2	10:00 PM - 10:05 PM	55.8	45.9
04:45 PM - 04:50 PM	56.2	49.5	07:25 PM - 07:30 PM	58.2	51.8	10:05 PM - 10:10 PM	50.8	45.4
04:50 PM - 04:55 PM	55.8	48.8	07:30 PM - 07:35 PM	55.6	50.6	10:10 PM - 10:15 PM	49.1	44.5
04:55 PM - 05:00 PM	54.0	49.1	07:35 PM - 07:40 PM	57.7	49.7	10:15 PM - 10:20 PM	53.3	45.2
05:00 PM - 05:05 PM	54.7	47.9	07:40 PM - 07:45 PM	57.7	50.6	10:20 PM - 10:25 PM	48.5	44.3
05:05 PM - 05:10 PM	56.5	47.3	07:45 PM - 07:50 PM	55.9	50.4	10:25 PM - 10:30 PM	48.5	44.4
05:10 PM - 05:15 PM	54.6	47.7	07:50 PM - 07:55 PM	54.8	48.5	10:30 PM - 10:35 PM	52.3	45.1
05:15 PM - 05:20 PM	56.5	46.8	07:55 PM - 08:00 PM	55.7	49.3	10:35 PM - 10:40 PM	50.1	45.2
05:20 PM - 05:25 PM	55.6	48.4	08:00 PM - 08:05 PM	55.9	49.1	10:40 PM - 10:45 PM	50.4	44.6
05:25 PM - 05:30 PM	56.8	50.0	08:05 PM - 08:10 PM	54.4	50.0	10:45 PM - 10:50 PM	55.0	44.4
05:30 PM - 05:35 PM	58.3	52.0	08:10 PM - 08:15 PM	56.0	49.6	10:50 PM - 10:55 PM	56.4	45.0
05:35 PM - 05:40 PM	55.2	49.9	08:15 PM - 08:20 PM	55.3	49.2	10:55 PM - 11:00 PM	48.7	44.5
05:40 PM - 05:45 PM	58.1	51.9	08:20 PM - 08:25 PM	58.6	49.4	11:00 PM - 11:05 PM	49.2	44.7
05:45 PM - 05:50 PM	59.3	52.5	08:25 PM - 08:30 PM	56.2	47.2	11:05 PM - 11:10 PM	51.1	44.2
05:50 PM - 05:55 PM	58.6	51.5	08:30 PM - 08:35 PM	58.3	47.3	11:10 PM - 11:15 PM	54.2	44.5
05:55 PM - 06:00 PM	61.0	59.2	08:35 PM - 08:40 PM	53.0	46.6	11:15 PM - 11:20 PM	51.9	44.5
06:00 PM - 06:05 PM	61.5	59.1	08:40 PM - 08:45 PM	51.0	45.5	11:20 PM - 11:25 PM	50.5	44.2
06:05 PM - 06:10 PM	58.2	50.1	08:45 PM - 08:50 PM	51.2	45.1	11:25 PM - 11:30 PM	49.9	43.8
06:10 PM - 06:15 PM	57.8	52.2	08:50 PM - 08:55 PM	53.5	45.8	11:30 PM - 11:35 PM	56.2	44.5
06:15 PM - 06:20 PM	58.0	52.3	08:55 PM - 09:00 PM	56.2	47.1	11:35 PM - 11:40 PM	50.2	43.8
06:20 PM - 06:25 PM	57.2	49.4	09:00 PM - 09:05 PM	56.9	48.6	11:40 PM - 11:45 PM	50.1	44.0
06:25 PM - 06:30 PM	56.6	50.1	09:05 PM - 09:10 PM	53.7	47.2	11:45 PM - 11:50 PM	54.0	44.2
06:30 PM - 06:35 PM	58.3	48.2	09:10 PM - 09:15 PM	54.8	46.7	11:50 PM - 11:55 PM	48.6	43.0
06:35 PM - 06:40 PM	56.4	48.0	09:15 PM - 09:20 PM	55.0	46.4	11:55 PM - 12:00 AM	52.0	43.0

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421704-1

Page 3 of 3

Sample Number 2582812-30
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Sep 24 - Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623388

Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	47.8	43.0	02:40 AM - 02:45 AM	46.9	41.8	05:20 AM - 05:25 AM	52.3	44.9
12:05 AM - 12:10 AM	46.9	43.5	02:45 AM - 02:50 AM	45.5	41.1	05:25 AM - 05:30 AM	51.7	46.4
12:10 AM - 12:15 AM	46.6	43.8	02:50 AM - 02:55 AM	47.3	41.6	05:30 AM - 05:35 AM	51.2	45.2
12:15 AM - 12:20 AM	44.9	43.3	02:55 AM - 03:00 AM	44.2	41.9	05:35 AM - 05:40 AM	53.2	46.0
12:20 AM - 12:25 AM	56.2	44.0	03:00 AM - 03:05 AM	47.0	41.9	05:40 AM - 05:45 AM	53.7	47.7
12:25 AM - 12:30 AM	46.8	43.7	03:05 AM - 03:10 AM	46.9	41.6	05:45 AM - 05:50 AM	52.0	46.7
12:30 AM - 12:35 AM	45.6	43.7	03:10 AM - 03:15 AM	46.0	41.4	05:50 AM - 05:55 AM	53.3	47.7
12:35 AM - 12:40 AM	45.4	43.6	03:15 AM - 03:20 AM	51.8	42.5	05:55 AM - 06:00 AM	52.2	45.5
12:40 AM - 12:45 AM	47.3	43.8	03:20 AM - 03:25 AM	46.2	42.0	06:00 AM - 06:05 AM	53.2	47.0
12:45 AM - 12:50 AM	48.6	43.4	03:25 AM - 03:30 AM	46.9	42.3	06:05 AM - 06:10 AM	53.7	48.3
12:50 AM - 12:55 AM	46.0	43.4	03:30 AM - 03:35 AM	54.2	42.3	06:10 AM - 06:15 AM	53.1	48.4
12:55 AM - 01:00 AM	46.7	43.7	03:35 AM - 03:40 AM	45.6	41.7	06:15 AM - 06:20 AM	54.2	49.6
01:00 AM - 01:05 AM	49.7	43.5	03:40 AM - 03:45 AM	45.7	41.9	06:20 AM - 06:25 AM	54.1	49.1
01:05 AM - 01:10 AM	49.7	43.4	03:45 AM - 03:50 AM	46.3	42.7	06:25 AM - 06:30 AM	54.9	49.7
01:10 AM - 01:15 AM	49.3	43.4	03:50 AM - 03:55 AM	46.4	42.5	06:30 AM - 06:35 AM	57.7	50.0
01:15 AM - 01:20 AM	46.5	43.6	03:55 AM - 04:00 AM	45.7	42.0	06:35 AM - 06:40 AM	54.9	49.2
01:20 AM - 01:25 AM	48.7	43.4	04:00 AM - 04:05 AM	44.5	41.8	06:40 AM - 06:45 AM	53.9	49.0
01:25 AM - 01:30 AM	47.8	43.2	04:05 AM - 04:10 AM	48.2	42.4	06:45 AM - 06:50 AM	56.0	50.6
01:30 AM - 01:35 AM	46.9	42.9	04:10 AM - 04:15 AM	47.6	45.0	06:50 AM - 06:55 AM	55.5	48.2
01:35 AM - 01:40 AM	46.7	43.4	04:15 AM - 04:20 AM	49.6	45.9	06:55 AM - 07:00 AM	56.4	50.5
01:40 AM - 01:45 AM	48.0	42.4	04:20 AM - 04:25 AM	49.0	43.7	07:00 AM - 07:05 AM	56.6	48.1
01:45 AM - 01:50 AM	52.5	42.4	04:25 AM - 04:30 AM	48.3	42.6	07:05 AM - 07:10 AM	53.3	46.9
01:50 AM - 01:55 AM	44.4	42.6	04:30 AM - 04:35 AM	48.2	42.9	07:10 AM - 07:15 AM	53.8	48.7
01:55 AM - 02:00 AM	47.3	42.8	04:35 AM - 04:40 AM	49.7	42.5	07:15 AM - 07:20 AM	53.6	48.9
02:00 AM - 02:05 AM	43.5	42.3	04:40 AM - 04:45 AM	50.9	42.7	07:20 AM - 07:25 AM	52.0	47.0
02:05 AM - 02:10 AM	46.8	42.3	04:45 AM - 04:50 AM	50.3	44.5	07:25 AM - 07:30 AM	54.0	46.2
02:10 AM - 02:15 AM	49.7	42.0	04:50 AM - 04:55 AM	48.8	43.1	07:30 AM - 07:35 AM	54.5	48.5
02:15 AM - 02:20 AM	50.6	41.4	04:55 AM - 05:00 AM	48.5	42.2	07:35 AM - 07:40 AM	50.2	46.9
02:20 AM - 02:25 AM	47.4	41.2	05:00 AM - 05:05 AM	47.7	43.4	07:40 AM - 07:45 AM	52.4	47.1
02:25 AM - 02:30 AM	48.7	41.7	05:05 AM - 05:10 AM	49.7	44.1	07:45 AM - 07:50 AM	54.6	48.1
02:30 AM - 02:35 AM	47.2	41.6	05:10 AM - 05:15 AM	50.5	44.2	07:50 AM - 07:55 AM	52.4	47.4
02:35 AM - 02:40 AM	51.5	42.3	05:15 AM - 05:20 AM	50.3	45.6	07:55 AM - 08:00 AM	52.1	46.3

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421705-1

Page 1 of 3

Sample Number 2582812-31
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Sep 25 - Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623388

Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	51.0	45.2	10:40 AM - 10:45 AM	49.7	44.5	01:20 PM - 01:25 PM	49.4	44.6
08:05 AM - 08:10 AM	49.6	44.9	10:45 AM - 10:50 AM	50.7	44.0	01:25 PM - 01:30 PM	51.2	43.7
08:10 AM - 08:15 AM	50.3	44.6	10:50 AM - 10:55 AM	48.8	44.9	01:30 PM - 01:35 PM	50.6	44.5
08:15 AM - 08:20 AM	49.6	43.9	10:55 AM - 11:00 AM	49.4	42.5	01:35 PM - 01:40 PM	51.1	44.8
08:20 AM - 08:25 AM	50.7	44.9	11:00 AM - 11:05 AM	48.7	44.1	01:40 PM - 01:45 PM	49.2	44.5
08:25 AM - 08:30 AM	52.3	45.0	11:05 AM - 11:10 AM	49.5	43.9	01:45 PM - 01:50 PM	49.6	44.8
08:30 AM - 08:35 AM	49.2	42.2	11:10 AM - 11:15 AM	49.3	44.0	01:50 PM - 01:55 PM	51.4	41.8
08:35 AM - 08:40 AM	49.8	45.4	11:15 AM - 11:20 AM	50.0	43.8	01:55 PM - 02:00 PM	50.4	43.5
08:40 AM - 08:45 AM	54.0	44.0	11:20 AM - 11:25 AM	49.9	42.7	02:00 PM - 02:05 PM	52.5	41.0
08:45 AM - 08:50 AM	52.5	43.8	11:25 AM - 11:30 AM	48.5	42.3	02:05 PM - 02:10 PM	50.2	42.1
08:50 AM - 08:55 AM	52.7	45.0	11:30 AM - 11:35 AM	51.3	44.4	02:10 PM - 02:15 PM	58.4	44.5
08:55 AM - 09:00 AM	53.5	46.5	11:35 AM - 11:40 AM	48.8	43.0	02:15 PM - 02:20 PM	53.5	43.8
09:00 AM - 09:05 AM	49.1	43.9	11:40 AM - 11:45 AM	49.8	44.2	02:20 PM - 02:25 PM	49.1	43.5
09:05 AM - 09:10 AM	50.5	44.1	11:45 AM - 11:50 AM	50.6	43.7	02:25 PM - 02:30 PM	52.7	44.2
09:10 AM - 09:15 AM	48.8	44.9	11:50 AM - 11:55 AM	49.0	43.4	02:30 PM - 02:35 PM	49.0	44.5
09:15 AM - 09:20 AM	49.4	45.3	11:55 AM - 12:00 PM	49.4	44.4	02:35 PM - 02:40 PM	51.5	46.0
09:20 AM - 09:25 AM	49.8	43.7	12:00 PM - 12:05 PM	50.8	44.9	02:40 PM - 02:45 PM	50.9	44.3
09:25 AM - 09:30 AM	49.1	45.2	12:05 PM - 12:10 PM	51.7	45.5	02:45 PM - 02:50 PM	52.5	45.4
09:30 AM - 09:35 AM	48.9	43.7	12:10 PM - 12:15 PM	50.9	45.2	02:50 PM - 02:55 PM	56.9	45.3
09:35 AM - 09:40 AM	51.6	43.8	12:15 PM - 12:20 PM	50.3	46.4	02:55 PM - 03:00 PM	51.1	45.0
09:40 AM - 09:45 AM	53.3	45.7	12:20 PM - 12:25 PM	49.6	43.9	03:00 PM - 03:05 PM	53.3	45.5
09:45 AM - 09:50 AM	48.7	43.1	12:25 PM - 12:30 PM	50.4	45.5	03:05 PM - 03:10 PM	52.0	48.7
09:50 AM - 09:55 AM	48.8	45.1	12:30 PM - 12:35 PM	48.9	44.7	03:10 PM - 03:15 PM	53.6	49.3
09:55 AM - 10:00 AM	50.4	44.6	12:35 PM - 12:40 PM	49.9	45.1	03:15 PM - 03:20 PM	55.1	49.6
10:00 AM - 10:05 AM	48.9	45.4	12:40 PM - 12:45 PM	51.0	45.9	03:20 PM - 03:25 PM	52.5	49.1
10:05 AM - 10:10 AM	48.7	44.6	12:45 PM - 12:50 PM	49.8	45.0	03:25 PM - 03:30 PM	54.4	48.1
10:10 AM - 10:15 AM	50.4	46.0	12:50 PM - 12:55 PM	53.4	45.6	03:30 PM - 03:35 PM	53.7	48.2
10:15 AM - 10:20 AM	49.0	45.0	12:55 PM - 01:00 PM	48.9	43.7	03:35 PM - 03:40 PM	54.2	46.7
10:20 AM - 10:25 AM	48.9	44.1	01:00 PM - 01:05 PM	48.4	43.6	03:40 PM - 03:45 PM	55.9	50.0
10:25 AM - 10:30 AM	52.0	45.1	01:05 PM - 01:10 PM	50.9	42.2	03:45 PM - 03:50 PM	54.3	50.1
10:30 AM - 10:35 AM	49.2	43.9	01:10 PM - 01:15 PM	51.2	46.3	03:50 PM - 03:55 PM	54.4	49.9
10:35 AM - 10:40 AM	49.5	44.1	01:15 PM - 01:20 PM	50.8	45.6	03:55 PM - 04:00 PM	55.8	48.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421705-1

Page 2 of 3

Sample Number 2582812-31
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Sep 25 - Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623388

Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	56.0	50.9	06:40 PM - 06:45 PM	54.3	49.9	09:20 PM - 09:25 PM	49.7	44.8
04:05 PM - 04:10 PM	57.2	49.1	06:45 PM - 06:50 PM	56.3	49.9	09:25 PM - 09:30 PM	49.9	44.5
04:10 PM - 04:15 PM	54.8	46.9	06:50 PM - 06:55 PM	52.4	47.9	09:30 PM - 09:35 PM	51.0	45.1
04:15 PM - 04:20 PM	53.0	47.8	06:55 PM - 07:00 PM	55.6	48.4	09:35 PM - 09:40 PM	51.9	45.7
04:20 PM - 04:25 PM	53.0	47.3	07:00 PM - 07:05 PM	51.8	48.7	09:40 PM - 09:45 PM	53.0	43.7
04:25 PM - 04:30 PM	53.1	49.1	07:05 PM - 07:10 PM	54.4	48.5	09:45 PM - 09:50 PM	47.3	43.0
04:30 PM - 04:35 PM	54.0	50.7	07:10 PM - 07:15 PM	53.6	50.3	09:50 PM - 09:55 PM	47.7	42.9
04:35 PM - 04:40 PM	54.2	49.5	07:15 PM - 07:20 PM	54.4	50.8	09:55 PM - 10:00 PM	47.0	42.5
04:40 PM - 04:45 PM	59.2	49.8	07:20 PM - 07:25 PM	53.6	51.3	10:00 PM - 10:05 PM	49.0	42.5
04:45 PM - 04:50 PM	53.0	49.0	07:25 PM - 07:30 PM	55.8	50.4	10:05 PM - 10:10 PM	45.9	42.2
04:50 PM - 04:55 PM	53.0	49.2	07:30 PM - 07:35 PM	51.6	47.4	10:10 PM - 10:15 PM	48.5	42.6
04:55 PM - 05:00 PM	53.4	48.8	07:35 PM - 07:40 PM	53.1	48.4	10:15 PM - 10:20 PM	48.7	42.7
05:00 PM - 05:05 PM	54.7	50.0	07:40 PM - 07:45 PM	52.7	46.9	10:20 PM - 10:25 PM	51.5	42.5
05:05 PM - 05:10 PM	54.3	51.3	07:45 PM - 07:50 PM	50.8	46.0	10:25 PM - 10:30 PM	51.0	42.5
05:10 PM - 05:15 PM	54.5	51.4	07:50 PM - 07:55 PM	52.8	46.5	10:30 PM - 10:35 PM	49.9	45.9
05:15 PM - 05:20 PM	54.5	52.7	07:55 PM - 08:00 PM	52.0	45.5	10:35 PM - 10:40 PM	50.0	45.9
05:20 PM - 05:25 PM	54.8	48.5	08:00 PM - 08:05 PM	53.3	45.7	10:40 PM - 10:45 PM	46.6	45.9
05:25 PM - 05:30 PM	53.1	48.0	08:05 PM - 08:10 PM	54.9	47.0	10:45 PM - 10:50 PM	52.0	46.1
05:30 PM - 05:35 PM	55.7	51.4	08:10 PM - 08:15 PM	53.5	47.5	10:50 PM - 10:55 PM	48.5	46.1
05:35 PM - 05:40 PM	55.0	49.9	08:15 PM - 08:20 PM	51.0	46.3	10:55 PM - 11:00 PM	50.7	45.9
05:40 PM - 05:45 PM	57.3	54.8	08:20 PM - 08:25 PM	50.0	45.9	11:00 PM - 11:05 PM	49.8	46.1
05:45 PM - 05:50 PM	56.5	55.2	08:25 PM - 08:30 PM	52.6	46.4	11:05 PM - 11:10 PM	47.0	44.6
05:50 PM - 05:55 PM	56.5	55.1	08:30 PM - 08:35 PM	51.7	46.3	11:10 PM - 11:15 PM	48.5	44.1
05:55 PM - 06:00 PM	57.2	54.6	08:35 PM - 08:40 PM	52.0	46.7	11:15 PM - 11:20 PM	49.9	45.2
06:00 PM - 06:05 PM	52.0	47.8	08:40 PM - 08:45 PM	51.1	46.7	11:20 PM - 11:25 PM	49.7	45.4
06:05 PM - 06:10 PM	54.9	50.4	08:45 PM - 08:50 PM	50.4	46.1	11:25 PM - 11:30 PM	49.2	48.4
06:10 PM - 06:15 PM	55.3	50.9	08:50 PM - 08:55 PM	51.2	46.3	11:30 PM - 11:35 PM	53.8	49.1
06:15 PM - 06:20 PM	53.8	50.7	08:55 PM - 09:00 PM	52.3	45.9	11:35 PM - 11:40 PM	56.2	51.8
06:20 PM - 06:25 PM	55.3	50.8	09:00 PM - 09:05 PM	51.1	44.6	11:40 PM - 11:45 PM	52.6	51.7
06:25 PM - 06:30 PM	54.2	50.3	09:05 PM - 09:10 PM	53.7	48.5	11:45 PM - 11:50 PM	53.1	51.5
06:30 PM - 06:35 PM	52.6	49.0	09:10 PM - 09:15 PM	52.3	46.9	11:50 PM - 11:55 PM	52.8	51.7
06:35 PM - 06:40 PM	53.5	47.2	09:15 PM - 09:20 PM	50.7	46.9	11:55 PM - 12:00 AM	52.7	51.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421705-1

Page 3 of 3

Sample Number 2582812-31
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Sep 25 - Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623388

Sep 26, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 26, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 26, 2025 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	50.6	41.9	02:40 AM - 02:45 AM	52.1	41.5	05:20 AM - 05:25 AM	57.3	51.6
12:05 AM - 12:10 AM	52.0	41.9	02:45 AM - 02:50 AM	47.8	41.6	05:25 AM - 05:30 AM	56.5	50.6
12:10 AM - 12:15 AM	50.1	41.8	02:50 AM - 02:55 AM	47.7	42.0	05:30 AM - 05:35 AM	59.3	50.8
12:15 AM - 12:20 AM	50.4	41.4	02:55 AM - 03:00 AM	47.2	41.6	05:35 AM - 05:40 AM	58.0	51.6
12:20 AM - 12:25 AM	49.8	41.2	03:00 AM - 03:05 AM	47.3	41.6	05:40 AM - 05:45 AM	57.5	50.2
12:25 AM - 12:30 AM	47.5	40.7	03:05 AM - 03:10 AM	48.4	41.5	05:45 AM - 05:50 AM	55.9	49.5
12:30 AM - 12:35 AM	47.3	40.7	03:10 AM - 03:15 AM	50.3	43.2	05:50 AM - 05:55 AM	56.3	50.3
12:35 AM - 12:40 AM	46.3	41.4	03:15 AM - 03:20 AM	49.4	42.7	05:55 AM - 06:00 AM	57.3	49.6
12:40 AM - 12:45 AM	44.7	41.1	03:20 AM - 03:25 AM	52.0	45.3	06:00 AM - 06:05 AM	54.9	49.2
12:45 AM - 12:50 AM	45.7	41.4	03:25 AM - 03:30 AM	52.5	46.4	06:05 AM - 06:10 AM	56.6	48.8
12:50 AM - 12:55 AM	50.5	41.8	03:30 AM - 03:35 AM	50.9	43.6	06:10 AM - 06:15 AM	54.4	49.0
12:55 AM - 01:00 AM	51.8	41.4	03:35 AM - 03:40 AM	51.0	43.5	06:15 AM - 06:20 AM	52.3	47.8
01:00 AM - 01:05 AM	49.1	41.7	03:40 AM - 03:45 AM	55.2	45.0	06:20 AM - 06:25 AM	52.6	48.8
01:05 AM - 01:10 AM	43.8	41.9	03:45 AM - 03:50 AM	54.8	44.8	06:25 AM - 06:30 AM	51.8	45.9
01:10 AM - 01:15 AM	48.3	42.0	03:50 AM - 03:55 AM	53.7	44.8	06:30 AM - 06:35 AM	52.4	47.2
01:15 AM - 01:20 AM	50.6	41.8	03:55 AM - 04:00 AM	53.9	45.2	06:35 AM - 06:40 AM	51.9	46.9
01:20 AM - 01:25 AM	47.6	41.9	04:00 AM - 04:05 AM	52.0	46.7	06:40 AM - 06:45 AM	50.6	46.4
01:25 AM - 01:30 AM	46.7	41.4	04:05 AM - 04:10 AM	54.0	46.9	06:45 AM - 06:50 AM	51.3	46.8
01:30 AM - 01:35 AM	42.7	40.8	04:10 AM - 04:15 AM	55.1	48.0	06:50 AM - 06:55 AM	53.1	45.7
01:35 AM - 01:40 AM	47.2	40.8	04:15 AM - 04:20 AM	55.6	47.1	06:55 AM - 07:00 AM	50.9	44.6
01:40 AM - 01:45 AM	51.1	41.2	04:20 AM - 04:25 AM	57.6	47.7	07:00 AM - 07:05 AM	48.3	44.1
01:45 AM - 01:50 AM	44.0	40.6	04:25 AM - 04:30 AM	55.7	47.0	07:05 AM - 07:10 AM	52.2	45.8
01:50 AM - 01:55 AM	51.4	41.1	04:30 AM - 04:35 AM	55.6	47.2	07:10 AM - 07:15 AM	50.7	46.6
01:55 AM - 02:00 AM	51.4	41.6	04:35 AM - 04:40 AM	56.6	47.8	07:15 AM - 07:20 AM	52.6	45.0
02:00 AM - 02:05 AM	49.4	41.3	04:40 AM - 04:45 AM	57.5	50.1	07:20 AM - 07:25 AM	52.3	44.5
02:05 AM - 02:10 AM	48.8	41.8	04:45 AM - 04:50 AM	55.4	46.1	07:25 AM - 07:30 AM	52.0	44.6
02:10 AM - 02:15 AM	46.7	42.1	04:50 AM - 04:55 AM	58.0	49.8	07:30 AM - 07:35 AM	50.3	45.5
02:15 AM - 02:20 AM	47.1	41.9	04:55 AM - 05:00 AM	56.1	49.6	07:35 AM - 07:40 AM	51.7	45.5
02:20 AM - 02:25 AM	47.2	40.9	05:00 AM - 05:05 AM	58.3	51.0	07:40 AM - 07:45 AM	50.9	43.0
02:25 AM - 02:30 AM	48.3	41.5	05:05 AM - 05:10 AM	57.5	50.5	07:45 AM - 07:50 AM	49.7	46.0
02:30 AM - 02:35 AM	44.7	40.9	05:10 AM - 05:15 AM	56.2	49.4	07:50 AM - 07:55 AM	48.1	44.0
02:35 AM - 02:40 AM	46.7	41.7	05:15 AM - 05:20 AM	56.1	50.5	07:55 AM - 08:00 AM	50.6	44.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421706-1

Page 1 of 3

Sample Number 2582812-32
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Sep 26 - Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623388

Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	48.5	45.2	10:40 AM - 10:45 AM	49.0	46.5	01:20 PM - 01:25 PM	50.2	46.1
08:05 AM - 08:10 AM	49.1	44.9	10:45 AM - 10:50 AM	47.4	45.8	01:25 PM - 01:30 PM	50.1	45.5
08:10 AM - 08:15 AM	47.6	44.0	10:50 AM - 10:55 AM	52.9	45.9	01:30 PM - 01:35 PM	53.8	46.4
08:15 AM - 08:20 AM	47.7	42.8	10:55 AM - 11:00 AM	51.2	45.8	01:35 PM - 01:40 PM	51.1	47.8
08:20 AM - 08:25 AM	51.5	45.5	11:00 AM - 11:05 AM	48.0	46.3	01:40 PM - 01:45 PM	51.4	47.7
08:25 AM - 08:30 AM	47.9	43.7	11:05 AM - 11:10 AM	52.2	46.3	01:45 PM - 01:50 PM	51.9	47.5
08:30 AM - 08:35 AM	48.9	44.4	11:10 AM - 11:15 AM	49.3	45.8	01:50 PM - 01:55 PM	52.5	46.8
08:35 AM - 08:40 AM	49.9	45.6	11:15 AM - 11:20 AM	50.6	46.7	01:55 PM - 02:00 PM	54.3	46.5
08:40 AM - 08:45 AM	53.6	43.3	11:20 AM - 11:25 AM	54.7	49.1	02:00 PM - 02:05 PM	52.7	46.0
08:45 AM - 08:50 AM	51.2	44.2	11:25 AM - 11:30 AM	53.1	50.0	02:05 PM - 02:10 PM	51.1	45.3
08:50 AM - 08:55 AM	49.3	43.1	11:30 AM - 11:35 AM	55.7	50.8	02:10 PM - 02:15 PM	55.2	46.7
08:55 AM - 09:00 AM	50.0	43.1	11:35 AM - 11:40 AM	50.4	47.6	02:15 PM - 02:20 PM	51.4	46.7
09:00 AM - 09:05 AM	47.7	43.3	11:40 AM - 11:45 AM	56.1	53.1	02:20 PM - 02:25 PM	49.8	46.1
09:05 AM - 09:10 AM	49.9	42.8	11:45 AM - 11:50 AM	55.1	47.2	02:25 PM - 02:30 PM	52.1	48.2
09:10 AM - 09:15 AM	50.3	42.6	11:50 AM - 11:55 AM	56.7	46.3	02:30 PM - 02:35 PM	50.5	48.7
09:15 AM - 09:20 AM	51.0	43.1	11:55 AM - 12:00 PM	49.3	45.5	02:35 PM - 02:40 PM	52.2	47.8
09:20 AM - 09:25 AM	48.8	42.8	12:00 PM - 12:05 PM	61.9	44.2	02:40 PM - 02:45 PM	54.2	47.2
09:25 AM - 09:30 AM	49.5	42.8	12:05 PM - 12:10 PM	52.2	44.2	02:45 PM - 02:50 PM	47.8	46.2
09:30 AM - 09:35 AM	50.9	43.0	12:10 PM - 12:15 PM	52.9	43.8	02:50 PM - 02:55 PM	50.2	46.6
09:35 AM - 09:40 AM	48.8	43.5	12:15 PM - 12:20 PM	51.8	45.0	02:55 PM - 03:00 PM	48.7	47.6
09:40 AM - 09:45 AM	49.9	44.3	12:20 PM - 12:25 PM	48.9	45.2	03:00 PM - 03:05 PM	51.6	48.6
09:45 AM - 09:50 AM	51.3	44.7	12:25 PM - 12:30 PM	48.8	43.6	03:05 PM - 03:10 PM	51.4	48.5
09:50 AM - 09:55 AM	50.8	44.5	12:30 PM - 12:35 PM	51.5	45.0	03:10 PM - 03:15 PM	56.7	47.0
09:55 AM - 10:00 AM	52.6	44.0	12:35 PM - 12:40 PM	47.1	45.3	03:15 PM - 03:20 PM	58.8	47.3
10:00 AM - 10:05 AM	51.9	49.1	12:40 PM - 12:45 PM	48.4	45.4	03:20 PM - 03:25 PM	49.4	46.2
10:05 AM - 10:10 AM	50.2	48.0	12:45 PM - 12:50 PM	50.4	45.6	03:25 PM - 03:30 PM	51.4	46.8
10:10 AM - 10:15 AM	52.7	47.7	12:50 PM - 12:55 PM	50.9	46.1	03:30 PM - 03:35 PM	50.1	46.8
10:15 AM - 10:20 AM	49.9	47.1	12:55 PM - 01:00 PM	50.5	46.9	03:35 PM - 03:40 PM	49.2	46.4
10:20 AM - 10:25 AM	51.1	47.6	01:00 PM - 01:05 PM	51.3	46.8	03:40 PM - 03:45 PM	51.0	46.9
10:25 AM - 10:30 AM	49.7	47.3	01:05 PM - 01:10 PM	48.4	46.6	03:45 PM - 03:50 PM	49.2	47.1
10:30 AM - 10:35 AM	49.2	46.9	01:10 PM - 01:15 PM	47.8	46.5	03:50 PM - 03:55 PM	50.2	47.5
10:35 AM - 10:40 AM	49.8	46.7	01:15 PM - 01:20 PM	56.2	49.5	03:55 PM - 04:00 PM	53.0	48.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421706-1

Page 2 of 3

Sample Number 2582812-32
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Sep 26 - Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623388

Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	51.2	48.8	06:40 PM - 06:45 PM	52.8	47.4	09:20 PM - 09:25 PM	50.0	47.5
04:05 PM - 04:10 PM	50.1	48.8	06:45 PM - 06:50 PM	53.5	49.0	09:25 PM - 09:30 PM	47.9	46.8
04:10 PM - 04:15 PM	49.8	48.6	06:50 PM - 06:55 PM	50.9	49.4	09:30 PM - 09:35 PM	47.6	46.7
04:15 PM - 04:20 PM	53.1	48.3	06:55 PM - 07:00 PM	49.9	49.0	09:35 PM - 09:40 PM	47.3	46.5
04:20 PM - 04:25 PM	51.2	49.0	07:00 PM - 07:05 PM	50.2	49.5	09:40 PM - 09:45 PM	47.6	46.6
04:25 PM - 04:30 PM	54.5	47.7	07:05 PM - 07:10 PM	53.0	49.4	09:45 PM - 09:50 PM	49.5	46.8
04:30 PM - 04:35 PM	50.6	48.2	07:10 PM - 07:15 PM	52.5	48.8	09:50 PM - 09:55 PM	49.4	46.5
04:35 PM - 04:40 PM	52.2	49.6	07:15 PM - 07:20 PM	49.9	48.7	09:55 PM - 10:00 PM	46.9	46.3
04:40 PM - 04:45 PM	51.4	48.0	07:20 PM - 07:25 PM	52.8	49.3	10:00 PM - 10:05 PM	47.1	46.5
04:45 PM - 04:50 PM	51.7	46.8	07:25 PM - 07:30 PM	51.6	49.0	10:05 PM - 10:10 PM	48.1	46.8
04:50 PM - 04:55 PM	49.2	45.9	07:30 PM - 07:35 PM	50.4	48.7	10:10 PM - 10:15 PM	47.5	46.7
04:55 PM - 05:00 PM	59.8	48.0	07:35 PM - 07:40 PM	52.0	47.7	10:15 PM - 10:20 PM	48.8	47.4
05:00 PM - 05:05 PM	56.0	48.8	07:40 PM - 07:45 PM	48.1	47.3	10:20 PM - 10:25 PM	51.7	46.6
05:05 PM - 05:10 PM	51.9	47.0	07:45 PM - 07:50 PM	48.9	47.7	10:25 PM - 10:30 PM	47.9	47.0
05:10 PM - 05:15 PM	51.3	46.1	07:50 PM - 07:55 PM	48.8	47.4	10:30 PM - 10:35 PM	49.0	47.7
05:15 PM - 05:20 PM	50.8	45.6	07:55 PM - 08:00 PM	51.8	48.0	10:35 PM - 10:40 PM	47.3	46.5
05:20 PM - 05:25 PM	56.1	45.8	08:00 PM - 08:05 PM	48.8	47.1	10:40 PM - 10:45 PM	49.2	46.4
05:25 PM - 05:30 PM	54.0	46.0	08:05 PM - 08:10 PM	51.6	46.4	10:45 PM - 10:50 PM	47.4	45.9
05:30 PM - 05:35 PM	52.9	45.1	08:10 PM - 08:15 PM	47.4	46.4	10:50 PM - 10:55 PM	46.2	45.5
05:35 PM - 05:40 PM	56.9	44.7	08:15 PM - 08:20 PM	47.7	46.1	10:55 PM - 11:00 PM	46.1	45.5
05:40 PM - 05:45 PM	61.8	53.9	08:20 PM - 08:25 PM	51.3	46.2	11:00 PM - 11:05 PM	46.4	45.6
05:45 PM - 05:50 PM	56.6	47.3	08:25 PM - 08:30 PM	48.2	46.5	11:05 PM - 11:10 PM	46.6	45.7
05:50 PM - 05:55 PM	61.0	49.5	08:30 PM - 08:35 PM	53.8	46.9	11:10 PM - 11:15 PM	46.4	44.8
05:55 PM - 06:00 PM	63.2	51.2	08:35 PM - 08:40 PM	48.5	46.8	11:15 PM - 11:20 PM	46.4	44.9
06:00 PM - 06:05 PM	61.7	49.2	08:40 PM - 08:45 PM	49.7	46.6	11:20 PM - 11:25 PM	46.7	45.0
06:05 PM - 06:10 PM	63.2	52.2	08:45 PM - 08:50 PM	59.0	47.2	11:25 PM - 11:30 PM	46.1	44.9
06:10 PM - 06:15 PM	58.1	47.9	08:50 PM - 08:55 PM	52.0	47.3	11:30 PM - 11:35 PM	46.5	45.2
06:15 PM - 06:20 PM	51.0	45.6	08:55 PM - 09:00 PM	49.2	48.0	11:35 PM - 11:40 PM	45.4	44.8
06:20 PM - 06:25 PM	47.1	43.4	09:00 PM - 09:05 PM	47.9	46.9	11:40 PM - 11:45 PM	45.5	44.9
06:25 PM - 06:30 PM	47.9	44.1	09:05 PM - 09:10 PM	51.5	47.2	11:45 PM - 11:50 PM	45.5	45.0
06:30 PM - 06:35 PM	48.2	46.4	09:10 PM - 09:15 PM	49.0	47.6	11:50 PM - 11:55 PM	45.4	44.9
06:35 PM - 06:40 PM	49.7	46.5	09:15 PM - 09:20 PM	48.8	47.1	11:55 PM - 12:00 AM	46.2	45.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421706-1

Page 3 of 3

Sample Number 2582812-32
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Sep 26 - Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623388

Sep 27, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 27, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 27, 2025 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	47.6	46.4	02:40 AM - 02:45 AM	45.3	42.2	05:20 AM - 05:25 AM	47.2	42.2
12:05 AM - 12:10 AM	47.4	46.3	02:45 AM - 02:50 AM	48.6	42.2	05:25 AM - 05:30 AM	49.2	43.3
12:10 AM - 12:15 AM	48.0	46.7	02:50 AM - 02:55 AM	45.0	42.6	05:30 AM - 05:35 AM	49.4	43.2
12:15 AM - 12:20 AM	57.5	47.2	02:55 AM - 03:00 AM	44.7	42.0	05:35 AM - 05:40 AM	49.7	44.0
12:20 AM - 12:25 AM	55.4	47.2	03:00 AM - 03:05 AM	48.8	42.6	05:40 AM - 05:45 AM	56.1	45.4
12:25 AM - 12:30 AM	47.7	46.4	03:05 AM - 03:10 AM	44.6	42.1	05:45 AM - 05:50 AM	50.2	43.2
12:30 AM - 12:35 AM	47.0	45.7	03:10 AM - 03:15 AM	45.2	42.4	05:50 AM - 05:55 AM	51.1	43.8
12:35 AM - 12:40 AM	46.7	45.6	03:15 AM - 03:20 AM	44.9	42.6	05:55 AM - 06:00 AM	51.2	43.1
12:40 AM - 12:45 AM	46.7	45.5	03:20 AM - 03:25 AM	44.6	42.1	06:00 AM - 06:05 AM	51.3	47.4
12:45 AM - 12:50 AM	54.3	44.6	03:25 AM - 03:30 AM	46.4	42.5	06:05 AM - 06:10 AM	54.5	49.6
12:50 AM - 12:55 AM	47.5	45.4	03:30 AM - 03:35 AM	44.8	41.9	06:10 AM - 06:15 AM	53.2	47.9
12:55 AM - 01:00 AM	46.8	45.7	03:35 AM - 03:40 AM	44.2	41.3	06:15 AM - 06:20 AM	53.2	44.3
01:00 AM - 01:05 AM	47.1	45.4	03:40 AM - 03:45 AM	44.0	41.4	06:20 AM - 06:25 AM	50.8	45.5
01:05 AM - 01:10 AM	46.1	45.3	03:45 AM - 03:50 AM	45.9	41.4	06:25 AM - 06:30 AM	51.1	47.0
01:10 AM - 01:15 AM	46.4	45.5	03:50 AM - 03:55 AM	44.1	40.5	06:30 AM - 06:35 AM	53.5	49.1
01:15 AM - 01:20 AM	45.9	45.2	03:55 AM - 04:00 AM	46.3	42.0	06:35 AM - 06:40 AM	53.0	48.7
01:20 AM - 01:25 AM	47.2	45.3	04:00 AM - 04:05 AM	43.6	41.1	06:40 AM - 06:45 AM	54.1	50.7
01:25 AM - 01:30 AM	47.0	45.4	04:05 AM - 04:10 AM	44.2	40.9	06:45 AM - 06:50 AM	54.7	47.4
01:30 AM - 01:35 AM	52.0	46.4	04:10 AM - 04:15 AM	44.0	40.4	06:50 AM - 06:55 AM	54.0	50.3
01:35 AM - 01:40 AM	48.6	47.1	04:15 AM - 04:20 AM	47.0	41.1	06:55 AM - 07:00 AM	53.6	46.4
01:40 AM - 01:45 AM	47.3	45.5	04:20 AM - 04:25 AM	45.6	40.4	07:00 AM - 07:05 AM	57.1	50.3
01:45 AM - 01:50 AM	47.7	45.8	04:25 AM - 04:30 AM	45.5	41.3	07:05 AM - 07:10 AM	54.1	48.3
01:50 AM - 01:55 AM	46.2	45.3	04:30 AM - 04:35 AM	49.9	41.1	07:10 AM - 07:15 AM	54.5	49.3
01:55 AM - 02:00 AM	46.7	45.5	04:35 AM - 04:40 AM	46.6	41.5	07:15 AM - 07:20 AM	56.8	49.5
02:00 AM - 02:05 AM	46.1	45.0	04:40 AM - 04:45 AM	46.8	40.0	07:20 AM - 07:25 AM	58.1	49.7
02:05 AM - 02:10 AM	46.4	45.1	04:45 AM - 04:50 AM	46.8	41.2	07:25 AM - 07:30 AM	53.9	48.7
02:10 AM - 02:15 AM	55.0	45.1	04:50 AM - 04:55 AM	46.4	42.6	07:30 AM - 07:35 AM	52.8	48.3
02:15 AM - 02:20 AM	47.9	45.5	04:55 AM - 05:00 AM	47.1	42.7	07:35 AM - 07:40 AM	53.2	49.0
02:20 AM - 02:25 AM	53.8	51.1	05:00 AM - 05:05 AM	48.2	42.9	07:40 AM - 07:45 AM	53.2	47.4
02:25 AM - 02:30 AM	57.2	56.2	05:05 AM - 05:10 AM	50.6	41.7	07:45 AM - 07:50 AM	53.0	48.0
02:30 AM - 02:35 AM	57.0	55.5	05:10 AM - 05:15 AM	48.8	44.2	07:50 AM - 07:55 AM	51.8	45.8
02:35 AM - 02:40 AM	49.2	43.1	05:15 AM - 05:20 AM	53.4	43.6	07:55 AM - 08:00 AM	50.3	45.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421707-1

Page 1 of 3

Sample Number 2582812-33
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Sep 27 - Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623388

Sep 27, 2025	Leq	L90	Sep 27, 2025	Leq	L90	Sep 27, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	51.0	47.2	10:40 AM - 10:45 AM	53.3	50.7	01:20 PM - 01:25 PM	54.3	53.4
08:05 AM - 08:10 AM	51.4	47.6	10:45 AM - 10:50 AM	52.0	50.5	01:25 PM - 01:30 PM	56.1	53.8
08:10 AM - 08:15 AM	52.1	46.6	10:50 AM - 10:55 AM	52.0	50.0	01:30 PM - 01:35 PM	57.3	53.3
08:15 AM - 08:20 AM	51.6	47.7	10:55 AM - 11:00 AM	51.2	48.6	01:35 PM - 01:40 PM	54.3	52.9
08:20 AM - 08:25 AM	51.4	46.1	11:00 AM - 11:05 AM	52.3	48.7	01:40 PM - 01:45 PM	56.5	53.7
08:25 AM - 08:30 AM	48.9	45.2	11:05 AM - 11:10 AM	50.3	48.5	01:45 PM - 01:50 PM	56.8	53.5
08:30 AM - 08:35 AM	49.6	46.1	11:10 AM - 11:15 AM	49.7	48.2	01:50 PM - 01:55 PM	54.5	53.3
08:35 AM - 08:40 AM	49.8	44.4	11:15 AM - 11:20 AM	51.7	48.8	01:55 PM - 02:00 PM	55.5	53.6
08:40 AM - 08:45 AM	49.7	45.2	11:20 AM - 11:25 AM	51.8	48.6	02:00 PM - 02:05 PM	55.5	53.1
08:45 AM - 08:50 AM	51.9	44.6	11:25 AM - 11:30 AM	51.7	47.8	02:05 PM - 02:10 PM	53.6	52.7
08:50 AM - 08:55 AM	50.5	46.0	11:30 AM - 11:35 AM	61.8	48.0	02:10 PM - 02:15 PM	54.4	52.9
08:55 AM - 09:00 AM	50.4	45.2	11:35 AM - 11:40 AM	56.0	52.7	02:15 PM - 02:20 PM	53.3	52.3
09:00 AM - 09:05 AM	54.5	46.4	11:40 AM - 11:45 AM	54.8	52.7	02:20 PM - 02:25 PM	53.7	52.4
09:05 AM - 09:10 AM	49.7	44.9	11:45 AM - 11:50 AM	53.9	52.8	02:25 PM - 02:30 PM	57.0	53.1
09:10 AM - 09:15 AM	52.6	45.6	11:50 AM - 11:55 AM	53.5	52.8	02:30 PM - 02:35 PM	53.3	52.5
09:15 AM - 09:20 AM	51.1	43.8	11:55 AM - 12:00 PM	58.7	53.9	02:35 PM - 02:40 PM	53.4	52.4
09:20 AM - 09:25 AM	50.2	45.2	12:00 PM - 12:05 PM	54.1	53.0	02:40 PM - 02:45 PM	54.0	52.9
09:25 AM - 09:30 AM	50.6	44.7	12:05 PM - 12:10 PM	57.4	53.6	02:45 PM - 02:50 PM	53.1	52.3
09:30 AM - 09:35 AM	49.6	45.2	12:10 PM - 12:15 PM	56.5	54.0	02:50 PM - 02:55 PM	53.2	52.4
09:35 AM - 09:40 AM	50.6	43.9	12:15 PM - 12:20 PM	56.3	53.9	02:55 PM - 03:00 PM	54.8	53.1
09:40 AM - 09:45 AM	50.4	45.4	12:20 PM - 12:25 PM	53.6	52.7	03:00 PM - 03:05 PM	53.3	52.5
09:45 AM - 09:50 AM	57.7	53.1	12:25 PM - 12:30 PM	55.0	52.8	03:05 PM - 03:10 PM	53.8	52.4
09:50 AM - 09:55 AM	57.6	53.3	12:30 PM - 12:35 PM	54.8	53.6	03:10 PM - 03:15 PM	53.5	52.5
09:55 AM - 10:00 AM	55.6	51.0	12:35 PM - 12:40 PM	54.4	52.9	03:15 PM - 03:20 PM	53.3	52.2
10:00 AM - 10:05 AM	54.8	51.6	12:40 PM - 12:45 PM	53.4	52.7	03:20 PM - 03:25 PM	52.3	51.6
10:05 AM - 10:10 AM	56.8	52.6	12:45 PM - 12:50 PM	52.7	47.9	03:25 PM - 03:30 PM	53.3	52.0
10:10 AM - 10:15 AM	56.9	53.1	12:50 PM - 12:55 PM	49.1	47.8	03:30 PM - 03:35 PM	53.8	52.1
10:15 AM - 10:20 AM	54.9	51.9	12:55 PM - 01:00 PM	52.4	48.0	03:35 PM - 03:40 PM	52.6	51.7
10:20 AM - 10:25 AM	57.6	52.2	01:00 PM - 01:05 PM	47.9	46.3	03:40 PM - 03:45 PM	53.9	51.9
10:25 AM - 10:30 AM	58.7	52.9	01:05 PM - 01:10 PM	50.6	45.7	03:45 PM - 03:50 PM	54.1	52.1
10:30 AM - 10:35 AM	56.1	50.9	01:10 PM - 01:15 PM	48.7	45.3	03:50 PM - 03:55 PM	52.2	51.7
10:35 AM - 10:40 AM	56.1	51.4	01:15 PM - 01:20 PM	53.8	53.0	03:55 PM - 04:00 PM	54.5	51.9

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421707-1

Page 2 of 3

Sample Number 2582812-33
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Sep 27 - Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623388

Sep 27, 2025	Leq	L90	Sep 27, 2025	Leq	L90	Sep 27, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	54.2	52.0	06:40 PM - 06:45 PM	52.3	51.0	09:20 PM - 09:25 PM	50.4	49.8
04:05 PM - 04:10 PM	53.3	52.2	06:45 PM - 06:50 PM	53.6	51.4	09:25 PM - 09:30 PM	51.3	49.9
04:10 PM - 04:15 PM	52.8	52.3	06:50 PM - 06:55 PM	54.9	52.1	09:30 PM - 09:35 PM	52.2	50.0
04:15 PM - 04:20 PM	53.6	52.1	06:55 PM - 07:00 PM	55.1	52.4	09:35 PM - 09:40 PM	50.6	50.0
04:20 PM - 04:25 PM	54.4	52.6	07:00 PM - 07:05 PM	52.4	51.9	09:40 PM - 09:45 PM	61.9	50.3
04:25 PM - 04:30 PM	54.0	52.4	07:05 PM - 07:10 PM	53.5	52.3	09:45 PM - 09:50 PM	52.2	50.7
04:30 PM - 04:35 PM	55.3	52.1	07:10 PM - 07:15 PM	52.6	51.7	09:50 PM - 09:55 PM	51.0	50.5
04:35 PM - 04:40 PM	54.7	52.0	07:15 PM - 07:20 PM	52.6	51.7	09:55 PM - 10:00 PM	54.0	50.4
04:40 PM - 04:45 PM	57.5	52.2	07:20 PM - 07:25 PM	52.2	51.5	10:00 PM - 10:05 PM	59.2	50.9
04:45 PM - 04:50 PM	56.6	52.9	07:25 PM - 07:30 PM	52.7	51.5	10:05 PM - 10:10 PM	63.3	51.3
04:50 PM - 04:55 PM	55.1	52.2	07:30 PM - 07:35 PM	52.1	51.3	10:10 PM - 10:15 PM	52.0	51.3
04:55 PM - 05:00 PM	54.6	44.6	07:35 PM - 07:40 PM	53.2	51.0	10:15 PM - 10:20 PM	51.9	51.3
05:00 PM - 05:05 PM	52.3	44.3	07:40 PM - 07:45 PM	53.7	50.9	10:20 PM - 10:25 PM	52.0	51.4
05:05 PM - 05:10 PM	52.9	45.7	07:45 PM - 07:50 PM	50.8	50.1	10:25 PM - 10:30 PM	52.6	51.9
05:10 PM - 05:15 PM	54.7	52.0	07:50 PM - 07:55 PM	51.8	50.4	10:30 PM - 10:35 PM	53.0	52.4
05:15 PM - 05:20 PM	53.6	51.9	07:55 PM - 08:00 PM	50.6	49.6	10:35 PM - 10:40 PM	54.0	52.6
05:20 PM - 05:25 PM	62.5	47.8	08:00 PM - 08:05 PM	49.9	49.4	10:40 PM - 10:45 PM	53.0	52.2
05:25 PM - 05:30 PM	50.6	45.9	08:05 PM - 08:10 PM	50.6	49.3	10:45 PM - 10:50 PM	53.9	51.9
05:30 PM - 05:35 PM	52.4	46.0	08:10 PM - 08:15 PM	51.5	49.7	10:50 PM - 10:55 PM	52.6	52.0
05:35 PM - 05:40 PM	53.1	46.1	08:15 PM - 08:20 PM	51.9	49.9	10:55 PM - 11:00 PM	52.6	52.1
05:40 PM - 05:45 PM	51.0	46.5	08:20 PM - 08:25 PM	52.3	49.7	11:00 PM - 11:05 PM	53.0	51.8
05:45 PM - 05:50 PM	58.4	47.4	08:25 PM - 08:30 PM	51.3	50.1	11:05 PM - 11:10 PM	52.4	51.7
05:50 PM - 05:55 PM	49.3	46.9	08:30 PM - 08:35 PM	51.3	49.7	11:10 PM - 11:15 PM	52.4	51.9
05:55 PM - 06:00 PM	50.3	47.6	08:35 PM - 08:40 PM	50.8	48.0	11:15 PM - 11:20 PM	53.0	52.4
06:00 PM - 06:05 PM	52.1	48.1	08:40 PM - 08:45 PM	50.4	48.9	11:20 PM - 11:25 PM	53.1	52.4
06:05 PM - 06:10 PM	51.6	48.4	08:45 PM - 08:50 PM	49.0	48.1	11:25 PM - 11:30 PM	52.6	51.5
06:10 PM - 06:15 PM	52.6	49.0	08:50 PM - 08:55 PM	51.1	48.4	11:30 PM - 11:35 PM	53.4	52.6
06:15 PM - 06:20 PM	50.7	49.0	08:55 PM - 09:00 PM	50.4	48.7	11:35 PM - 11:40 PM	53.1	52.2
06:20 PM - 06:25 PM	53.9	49.5	09:00 PM - 09:05 PM	50.0	48.9	11:40 PM - 11:45 PM	53.4	52.9
06:25 PM - 06:30 PM	53.1	49.4	09:05 PM - 09:10 PM	51.5	49.1	11:45 PM - 11:50 PM	52.8	51.8
06:30 PM - 06:35 PM	55.1	50.8	09:10 PM - 09:15 PM	50.3	49.3	11:50 PM - 11:55 PM	52.3	51.5
06:35 PM - 06:40 PM	53.1	50.9	09:15 PM - 09:20 PM	51.4	49.6	11:55 PM - 12:00 AM	52.2	51.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421707-1

Page 3 of 3

Sample Number 2582812-33
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Sep 27 - Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623388

Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	52.4	51.6	02:40 AM - 02:45 AM	50.4	49.6	05:20 AM - 05:25 AM	58.4	57.1
12:05 AM - 12:10 AM	52.4	51.6	02:45 AM - 02:50 AM	48.6	47.4	05:25 AM - 05:30 AM	58.1	56.5
12:10 AM - 12:15 AM	51.7	49.1	02:50 AM - 02:55 AM	49.2	47.7	05:30 AM - 05:35 AM	61.0	56.4
12:15 AM - 12:20 AM	52.2	51.0	02:55 AM - 03:00 AM	50.7	49.8	05:35 AM - 05:40 AM	58.2	56.7
12:20 AM - 12:25 AM	52.2	51.3	03:00 AM - 03:05 AM	51.7	50.7	05:40 AM - 05:45 AM	58.1	56.8
12:25 AM - 12:30 AM	51.5	50.6	03:05 AM - 03:10 AM	51.6	51.0	05:45 AM - 05:50 AM	57.0	51.9
12:30 AM - 12:35 AM	53.2	51.7	03:10 AM - 03:15 AM	51.9	51.2	05:50 AM - 05:55 AM	57.1	54.2
12:35 AM - 12:40 AM	51.3	50.6	03:15 AM - 03:20 AM	52.0	51.0	05:55 AM - 06:00 AM	58.4	57.3
12:40 AM - 12:45 AM	50.4	49.9	03:20 AM - 03:25 AM	52.4	51.0	06:00 AM - 06:05 AM	58.4	57.2
12:45 AM - 12:50 AM	50.8	49.7	03:25 AM - 03:30 AM	53.0	51.6	06:05 AM - 06:10 AM	57.9	56.4
12:50 AM - 12:55 AM	51.0	50.1	03:30 AM - 03:35 AM	52.6	51.4	06:10 AM - 06:15 AM	56.4	54.1
12:55 AM - 01:00 AM	50.6	49.7	03:35 AM - 03:40 AM	53.0	51.6	06:15 AM - 06:20 AM	52.1	49.5
01:00 AM - 01:05 AM	49.7	48.7	03:40 AM - 03:45 AM	52.1	51.3	06:20 AM - 06:25 AM	52.6	49.1
01:05 AM - 01:10 AM	64.1	49.0	03:45 AM - 03:50 AM	55.4	51.7	06:25 AM - 06:30 AM	51.1	49.1
01:10 AM - 01:15 AM	49.3	48.6	03:50 AM - 03:55 AM	56.5	51.7	06:30 AM - 06:35 AM	53.4	49.5
01:15 AM - 01:20 AM	54.5	48.5	03:55 AM - 04:00 AM	55.4	52.0	06:35 AM - 06:40 AM	54.3	48.9
01:20 AM - 01:25 AM	49.5	48.2	04:00 AM - 04:05 AM	53.0	51.4	06:40 AM - 06:45 AM	52.1	49.2
01:25 AM - 01:30 AM	49.7	49.2	04:05 AM - 04:10 AM	53.8	52.0	06:45 AM - 06:50 AM	52.2	49.5
01:30 AM - 01:35 AM	63.2	49.0	04:10 AM - 04:15 AM	52.6	51.6	06:50 AM - 06:55 AM	52.6	49.2
01:35 AM - 01:40 AM	55.1	48.9	04:15 AM - 04:20 AM	54.4	52.1	06:55 AM - 07:00 AM	50.4	48.0
01:40 AM - 01:45 AM	49.6	48.7	04:20 AM - 04:25 AM	55.8	53.8	07:00 AM - 07:05 AM	50.6	48.0
01:45 AM - 01:50 AM	50.8	48.2	04:25 AM - 04:30 AM	56.6	54.7	07:05 AM - 07:10 AM	50.3	47.9
01:50 AM - 01:55 AM	49.3	48.2	04:30 AM - 04:35 AM	52.9	51.9	07:10 AM - 07:15 AM	49.0	47.1
01:55 AM - 02:00 AM	49.3	48.1	04:35 AM - 04:40 AM	56.0	54.5	07:15 AM - 07:20 AM	51.1	47.8
02:00 AM - 02:05 AM	50.2	48.4	04:40 AM - 04:45 AM	60.3	52.2	07:20 AM - 07:25 AM	50.9	48.1
02:05 AM - 02:10 AM	49.6	48.5	04:45 AM - 04:50 AM	56.6	54.0	07:25 AM - 07:30 AM	50.1	47.5
02:10 AM - 02:15 AM	49.8	49.0	04:50 AM - 04:55 AM	56.9	55.3	07:30 AM - 07:35 AM	48.9	47.5
02:15 AM - 02:20 AM	49.7	48.5	04:55 AM - 05:00 AM	56.8	55.1	07:35 AM - 07:40 AM	49.7	47.9
02:20 AM - 02:25 AM	50.4	49.0	05:00 AM - 05:05 AM	57.5	56.5	07:40 AM - 07:45 AM	50.1	48.2
02:25 AM - 02:30 AM	49.9	49.1	05:05 AM - 05:10 AM	57.2	55.9	07:45 AM - 07:50 AM	51.7	48.3
02:30 AM - 02:35 AM	53.6	49.6	05:10 AM - 05:15 AM	57.5	56.1	07:50 AM - 07:55 AM	51.5	48.1
02:35 AM - 02:40 AM	50.6	49.8	05:15 AM - 05:20 AM	58.2	55.9	07:55 AM - 08:00 AM	51.6	47.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421708-1

Page 1 of 3

Sample Number 2582812-34
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Sep 28 - Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623388

Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	49.8	47.2	10:40 AM - 10:45 AM	49.2	46.5	01:20 PM - 01:25 PM	57.4	47.3
08:05 AM - 08:10 AM	49.5	46.9	10:45 AM - 10:50 AM	48.7	46.5	01:25 PM - 01:30 PM	52.8	45.6
08:10 AM - 08:15 AM	47.8	46.2	10:50 AM - 10:55 AM	51.1	46.9	01:30 PM - 01:35 PM	51.3	45.1
08:15 AM - 08:20 AM	59.7	48.1	10:55 AM - 11:00 AM	52.6	46.9	01:35 PM - 01:40 PM	51.2	44.3
08:20 AM - 08:25 AM	54.0	48.2	11:00 AM - 11:05 AM	55.4	50.0	01:40 PM - 01:45 PM	52.1	46.7
08:25 AM - 08:30 AM	54.8	47.9	11:05 AM - 11:10 AM	57.7	48.9	01:45 PM - 01:50 PM	52.4	45.0
08:30 AM - 08:35 AM	47.2	46.0	11:10 AM - 11:15 AM	51.3	47.4	01:50 PM - 01:55 PM	56.2	43.7
08:35 AM - 08:40 AM	50.3	45.7	11:15 AM - 11:20 AM	53.4	45.2	01:55 PM - 02:00 PM	50.2	44.0
08:40 AM - 08:45 AM	49.0	46.8	11:20 AM - 11:25 AM	47.1	44.1	02:00 PM - 02:05 PM	52.7	45.7
08:45 AM - 08:50 AM	49.7	45.5	11:25 AM - 11:30 AM	49.0	43.5	02:05 PM - 02:10 PM	54.3	49.0
08:50 AM - 08:55 AM	53.5	45.3	11:30 AM - 11:35 AM	46.6	43.3	02:10 PM - 02:15 PM	55.6	49.2
08:55 AM - 09:00 AM	53.6	44.1	11:35 AM - 11:40 AM	44.7	42.6	02:15 PM - 02:20 PM	54.5	49.2
09:00 AM - 09:05 AM	52.4	45.4	11:40 AM - 11:45 AM	44.6	42.5	02:20 PM - 02:25 PM	53.5	48.8
09:05 AM - 09:10 AM	47.3	44.9	11:45 AM - 11:50 AM	47.7	43.1	02:25 PM - 02:30 PM	61.3	45.9
09:10 AM - 09:15 AM	66.5	45.8	11:50 AM - 11:55 AM	48.0	44.9	02:30 PM - 02:35 PM	60.6	48.0
09:15 AM - 09:20 AM	59.0	46.4	11:55 AM - 12:00 PM	56.0	46.9	02:35 PM - 02:40 PM	54.6	45.8
09:20 AM - 09:25 AM	52.1	46.2	12:00 PM - 12:05 PM	49.7	46.7	02:40 PM - 02:45 PM	46.3	44.1
09:25 AM - 09:30 AM	56.6	46.6	12:05 PM - 12:10 PM	48.3	44.6	02:45 PM - 02:50 PM	48.7	44.2
09:30 AM - 09:35 AM	53.1	46.2	12:10 PM - 12:15 PM	52.3	43.8	02:50 PM - 02:55 PM	49.6	44.4
09:35 AM - 09:40 AM	53.3	44.8	12:15 PM - 12:20 PM	54.2	45.1	02:55 PM - 03:00 PM	46.0	43.4
09:40 AM - 09:45 AM	55.3	43.6	12:20 PM - 12:25 PM	46.8	43.2	03:00 PM - 03:05 PM	50.0	44.7
09:45 AM - 09:50 AM	52.5	46.6	12:25 PM - 12:30 PM	47.0	43.0	03:05 PM - 03:10 PM	50.8	44.8
09:50 AM - 09:55 AM	49.8	46.4	12:30 PM - 12:35 PM	48.8	44.0	03:10 PM - 03:15 PM	51.4	44.3
09:55 AM - 10:00 AM	50.8	47.0	12:35 PM - 12:40 PM	45.3	44.3	03:15 PM - 03:20 PM	50.9	44.4
10:00 AM - 10:05 AM	56.6	48.1	12:40 PM - 12:45 PM	47.2	44.5	03:20 PM - 03:25 PM	47.0	43.7
10:05 AM - 10:10 AM	58.5	48.1	12:45 PM - 12:50 PM	49.4	45.0	03:25 PM - 03:30 PM	46.5	43.7
10:10 AM - 10:15 AM	54.9	48.2	12:50 PM - 12:55 PM	49.5	45.1	03:30 PM - 03:35 PM	51.0	44.0
10:15 AM - 10:20 AM	55.8	50.0	12:55 PM - 01:00 PM	51.4	45.1	03:35 PM - 03:40 PM	48.2	45.1
10:20 AM - 10:25 AM	54.6	46.6	01:00 PM - 01:05 PM	46.2	44.0	03:40 PM - 03:45 PM	50.5	45.6
10:25 AM - 10:30 AM	52.1	46.5	01:05 PM - 01:10 PM	53.2	44.4	03:45 PM - 03:50 PM	47.1	45.4
10:30 AM - 10:35 AM	54.7	46.3	01:10 PM - 01:15 PM	50.6	44.5	03:50 PM - 03:55 PM	47.1	45.5
10:35 AM - 10:40 AM	50.3	46.0	01:15 PM - 01:20 PM	51.7	45.2	03:55 PM - 04:00 PM	49.3	44.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421708-1

Page 2 of 3

Sample Number 2582812-34
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Sep 28 - Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623388

Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	51.6	46.8	06:40 PM - 06:45 PM	51.5	47.1	09:20 PM - 09:25 PM	48.0	46.3
04:05 PM - 04:10 PM	49.6	45.0	06:45 PM - 06:50 PM	52.7	48.2	09:25 PM - 09:30 PM	47.0	46.2
04:10 PM - 04:15 PM	54.8	45.0	06:50 PM - 06:55 PM	53.0	48.4	09:30 PM - 09:35 PM	47.2	46.3
04:15 PM - 04:20 PM	51.1	46.0	06:55 PM - 07:00 PM	50.4	48.8	09:35 PM - 09:40 PM	46.9	45.9
04:20 PM - 04:25 PM	50.3	45.6	07:00 PM - 07:05 PM	50.6	49.4	09:40 PM - 09:45 PM	62.2	45.8
04:25 PM - 04:30 PM	56.6	47.4	07:05 PM - 07:10 PM	51.3	49.5	09:45 PM - 09:50 PM	54.4	45.9
04:30 PM - 04:35 PM	48.4	45.5	07:10 PM - 07:15 PM	55.5	49.4	09:50 PM - 09:55 PM	46.7	45.6
04:35 PM - 04:40 PM	47.5	45.2	07:15 PM - 07:20 PM	50.3	49.2	09:55 PM - 10:00 PM	46.4	45.4
04:40 PM - 04:45 PM	49.8	45.4	07:20 PM - 07:25 PM	52.5	49.4	10:00 PM - 10:05 PM	59.2	45.6
04:45 PM - 04:50 PM	46.6	44.6	07:25 PM - 07:30 PM	49.9	48.9	10:05 PM - 10:10 PM	61.4	45.6
04:50 PM - 04:55 PM	48.4	44.8	07:30 PM - 07:35 PM	52.8	49.2	10:10 PM - 10:15 PM	47.2	45.3
04:55 PM - 05:00 PM	49.3	45.7	07:35 PM - 07:40 PM	50.4	48.8	10:15 PM - 10:20 PM	46.2	45.3
05:00 PM - 05:05 PM	51.0	46.5	07:40 PM - 07:45 PM	51.4	49.8	10:20 PM - 10:25 PM	47.0	45.4
05:05 PM - 05:10 PM	54.7	46.8	07:45 PM - 07:50 PM	58.6	49.8	10:25 PM - 10:30 PM	46.0	44.9
05:10 PM - 05:15 PM	50.1	44.9	07:50 PM - 07:55 PM	51.3	48.6	10:30 PM - 10:35 PM	47.1	46.2
05:15 PM - 05:20 PM	49.2	45.3	07:55 PM - 08:00 PM	49.9	49.1	10:35 PM - 10:40 PM	46.8	45.5
05:20 PM - 05:25 PM	53.6	46.3	08:00 PM - 08:05 PM	49.8	48.8	10:40 PM - 10:45 PM	47.6	46.6
05:25 PM - 05:30 PM	49.6	45.8	08:05 PM - 08:10 PM	50.1	48.7	10:45 PM - 10:50 PM	48.0	46.9
05:30 PM - 05:35 PM	48.8	45.4	08:10 PM - 08:15 PM	49.9	48.8	10:50 PM - 10:55 PM	48.1	46.9
05:35 PM - 05:40 PM	48.4	45.2	08:15 PM - 08:20 PM	49.5	48.2	10:55 PM - 11:00 PM	47.9	46.6
05:40 PM - 05:45 PM	47.1	45.3	08:20 PM - 08:25 PM	52.9	48.5	11:00 PM - 11:05 PM	46.9	46.3
05:45 PM - 05:50 PM	48.4	45.5	08:25 PM - 08:30 PM	49.4	47.7	11:05 PM - 11:10 PM	49.5	46.4
05:50 PM - 05:55 PM	50.8	45.9	08:30 PM - 08:35 PM	49.1	47.7	11:10 PM - 11:15 PM	47.8	46.5
05:55 PM - 06:00 PM	48.3	46.1	08:35 PM - 08:40 PM	49.0	47.3	11:15 PM - 11:20 PM	47.9	46.9
06:00 PM - 06:05 PM	48.6	46.3	08:40 PM - 08:45 PM	50.5	47.8	11:20 PM - 11:25 PM	47.6	46.8
06:05 PM - 06:10 PM	52.7	46.5	08:45 PM - 08:50 PM	48.9	47.7	11:25 PM - 11:30 PM	47.4	46.4
06:10 PM - 06:15 PM	55.2	46.4	08:50 PM - 08:55 PM	48.9	47.8	11:30 PM - 11:35 PM	49.9	46.1
06:15 PM - 06:20 PM	47.6	45.6	08:55 PM - 09:00 PM	48.4	47.3	11:35 PM - 11:40 PM	48.0	47.2
06:20 PM - 06:25 PM	53.4	45.7	09:00 PM - 09:05 PM	50.2	47.8	11:40 PM - 11:45 PM	47.9	46.4
06:25 PM - 06:30 PM	50.5	46.8	09:05 PM - 09:10 PM	48.4	47.1	11:45 PM - 11:50 PM	47.4	45.6
06:30 PM - 06:35 PM	50.9	46.8	09:10 PM - 09:15 PM	47.4	46.2	11:50 PM - 11:55 PM	47.5	45.7
06:35 PM - 06:40 PM	50.9	47.3	09:15 PM - 09:20 PM	47.3	46.5	11:55 PM - 12:00 AM	47.5	45.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421708-1

Page 3 of 3

Sample Number 2582812-34
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Sep 28 - Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623388

Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	47.3	46.1	02:40 AM - 02:45 AM	46.9	46.4	05:20 AM - 05:25 AM	50.9	49.1
12:05 AM - 12:10 AM	47.5	46.3	02:45 AM - 02:50 AM	46.9	46.3	05:25 AM - 05:30 AM	50.0	48.4
12:10 AM - 12:15 AM	47.3	46.0	02:50 AM - 02:55 AM	47.4	46.9	05:30 AM - 05:35 AM	49.0	47.9
12:15 AM - 12:20 AM	47.5	46.2	02:55 AM - 03:00 AM	47.1	46.6	05:35 AM - 05:40 AM	48.4	47.5
12:20 AM - 12:25 AM	46.6	45.4	03:00 AM - 03:05 AM	47.3	46.7	05:40 AM - 05:45 AM	49.0	48.1
12:25 AM - 12:30 AM	46.7	45.3	03:05 AM - 03:10 AM	47.3	46.7	05:45 AM - 05:50 AM	58.5	48.0
12:30 AM - 12:35 AM	47.5	46.0	03:10 AM - 03:15 AM	46.9	46.3	05:50 AM - 05:55 AM	49.1	48.1
12:35 AM - 12:40 AM	48.1	46.8	03:15 AM - 03:20 AM	46.2	45.6	05:55 AM - 06:00 AM	59.4	48.3
12:40 AM - 12:45 AM	46.7	45.8	03:20 AM - 03:25 AM	46.5	45.8	06:00 AM - 06:05 AM	52.6	48.2
12:45 AM - 12:50 AM	46.3	45.1	03:25 AM - 03:30 AM	47.0	46.0	06:05 AM - 06:10 AM	51.4	48.1
12:50 AM - 12:55 AM	46.6	45.6	03:30 AM - 03:35 AM	46.7	46.1	06:10 AM - 06:15 AM	48.7	47.9
12:55 AM - 01:00 AM	46.2	45.6	03:35 AM - 03:40 AM	46.8	46.1	06:15 AM - 06:20 AM	49.4	48.0
01:00 AM - 01:05 AM	46.2	45.5	03:40 AM - 03:45 AM	47.0	46.3	06:20 AM - 06:25 AM	51.0	47.6
01:05 AM - 01:10 AM	46.8	46.3	03:45 AM - 03:50 AM	47.4	46.4	06:25 AM - 06:30 AM	49.6	48.0
01:10 AM - 01:15 AM	50.5	46.4	03:50 AM - 03:55 AM	47.3	46.4	06:30 AM - 06:35 AM	48.9	47.7
01:15 AM - 01:20 AM	46.8	46.3	03:55 AM - 04:00 AM	47.1	46.1	06:35 AM - 06:40 AM	48.6	47.6
01:20 AM - 01:25 AM	46.6	46.2	04:00 AM - 04:05 AM	46.2	45.1	06:40 AM - 06:45 AM	49.3	47.9
01:25 AM - 01:30 AM	47.0	46.4	04:05 AM - 04:10 AM	47.4	46.0	06:45 AM - 06:50 AM	48.5	47.6
01:30 AM - 01:35 AM	47.1	46.0	04:10 AM - 04:15 AM	47.8	46.2	06:50 AM - 06:55 AM	51.3	47.3
01:35 AM - 01:40 AM	46.8	45.9	04:15 AM - 04:20 AM	47.7	46.0	06:55 AM - 07:00 AM	51.1	48.3
01:40 AM - 01:45 AM	46.7	45.8	04:20 AM - 04:25 AM	47.8	46.1	07:00 AM - 07:05 AM	52.1	48.5
01:45 AM - 01:50 AM	46.9	46.0	04:25 AM - 04:30 AM	47.8	46.2	07:05 AM - 07:10 AM	49.5	47.4
01:50 AM - 01:55 AM	46.6	45.9	04:30 AM - 04:35 AM	48.3	46.8	07:10 AM - 07:15 AM	49.1	47.4
01:55 AM - 02:00 AM	46.7	45.9	04:35 AM - 04:40 AM	48.6	47.1	07:15 AM - 07:20 AM	49.4	46.9
02:00 AM - 02:05 AM	46.1	45.6	04:40 AM - 04:45 AM	48.6	47.3	07:20 AM - 07:25 AM	50.3	46.6
02:05 AM - 02:10 AM	46.1	45.4	04:45 AM - 04:50 AM	48.8	47.5	07:25 AM - 07:30 AM	49.8	46.7
02:10 AM - 02:15 AM	46.9	46.1	04:50 AM - 04:55 AM	49.6	47.8	07:30 AM - 07:35 AM	55.6	49.2
02:15 AM - 02:20 AM	47.0	46.3	04:55 AM - 05:00 AM	49.7	48.0	07:35 AM - 07:40 AM	54.6	48.9
02:20 AM - 02:25 AM	47.5	46.7	05:00 AM - 05:05 AM	49.7	48.2	07:40 AM - 07:45 AM	56.1	47.0
02:25 AM - 02:30 AM	47.2	46.6	05:05 AM - 05:10 AM	49.6	48.2	07:45 AM - 07:50 AM	53.5	48.1
02:30 AM - 02:35 AM	47.1	46.4	05:10 AM - 05:15 AM	49.9	48.3	07:50 AM - 07:55 AM	54.9	48.4
02:35 AM - 02:40 AM	51.8	47.0	05:15 AM - 05:20 AM	50.6	48.9	07:55 AM - 08:00 AM	67.3	56.2

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421709-1

Page 1 of 3

Sample Number : 2582812-35
Parameter : Noise Level (Leq 5 min)
Location : ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date : Sep 29 - Sep 30, 2025
Measurement by : Anurak Tongkhajonsakda
Sound Level meter : Serial No. 623388

Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	61.3	50.2	10:40 AM - 10:45 AM	55.5	46.8	01:20 PM - 01:25 PM	55.3	52.2
08:05 AM - 08:10 AM	62.5	52.1	10:45 AM - 10:50 AM	53.9	47.4	01:25 PM - 01:30 PM	53.9	48.6
08:10 AM - 08:15 AM	62.5	54.3	10:50 AM - 10:55 AM	56.9	48.1	01:30 PM - 01:35 PM	55.6	48.3
08:15 AM - 08:20 AM	65.0	54.1	10:55 AM - 11:00 AM	58.2	50.3	01:35 PM - 01:40 PM	52.7	47.4
08:20 AM - 08:25 AM	59.8	53.5	11:00 AM - 11:05 AM	52.6	47.6	01:40 PM - 01:45 PM	52.3	47.1
08:25 AM - 08:30 AM	55.5	52.2	11:05 AM - 11:10 AM	51.4	47.9	01:45 PM - 01:50 PM	50.3	47.4
08:30 AM - 08:35 AM	58.2	52.5	11:10 AM - 11:15 AM	50.4	46.5	01:50 PM - 01:55 PM	55.0	48.6
08:35 AM - 08:40 AM	55.0	48.8	11:15 AM - 11:20 AM	55.0	48.5	01:55 PM - 02:00 PM	51.7	47.2
08:40 AM - 08:45 AM	58.3	48.8	11:20 AM - 11:25 AM	51.9	47.4	02:00 PM - 02:05 PM	56.7	49.5
08:45 AM - 08:50 AM	60.7	47.4	11:25 AM - 11:30 AM	56.6	53.2	02:05 PM - 02:10 PM	53.2	49.4
08:50 AM - 08:55 AM	61.8	48.4	11:30 AM - 11:35 AM	56.6	48.8	02:10 PM - 02:15 PM	51.2	46.5
08:55 AM - 09:00 AM	59.7	49.1	11:35 AM - 11:40 AM	58.7	49.3	02:15 PM - 02:20 PM	51.6	47.9
09:00 AM - 09:05 AM	61.9	50.0	11:40 AM - 11:45 AM	61.3	46.2	02:20 PM - 02:25 PM	54.0	49.0
09:05 AM - 09:10 AM	59.2	47.9	11:45 AM - 11:50 AM	53.3	47.5	02:25 PM - 02:30 PM	53.6	48.8
09:10 AM - 09:15 AM	54.8	48.8	11:50 AM - 11:55 AM	54.2	47.9	02:30 PM - 02:35 PM	51.0	48.2
09:15 AM - 09:20 AM	58.2	48.0	11:55 AM - 12:00 PM	54.4	46.5	02:35 PM - 02:40 PM	55.0	49.6
09:20 AM - 09:25 AM	52.3	48.1	12:00 PM - 12:05 PM	54.7	48.5	02:40 PM - 02:45 PM	53.5	48.8
09:25 AM - 09:30 AM	55.6	47.0	12:05 PM - 12:10 PM	55.4	48.8	02:45 PM - 02:50 PM	54.7	50.0
09:30 AM - 09:35 AM	57.3	47.9	12:10 PM - 12:15 PM	51.2	45.2	02:50 PM - 02:55 PM	54.9	48.7
09:35 AM - 09:40 AM	53.9	47.4	12:15 PM - 12:20 PM	54.2	45.6	02:55 PM - 03:00 PM	56.1	48.8
09:40 AM - 09:45 AM	62.1	46.7	12:20 PM - 12:25 PM	54.1	44.6	03:00 PM - 03:05 PM	52.8	49.2
09:45 AM - 09:50 AM	50.5	44.1	12:25 PM - 12:30 PM	48.8	44.4	03:05 PM - 03:10 PM	53.2	49.3
09:50 AM - 09:55 AM	53.2	45.7	12:30 PM - 12:35 PM	51.5	45.0	03:10 PM - 03:15 PM	53.0	49.1
09:55 AM - 10:00 AM	54.5	51.2	12:35 PM - 12:40 PM	54.5	48.8	03:15 PM - 03:20 PM	53.0	48.8
10:00 AM - 10:05 AM	54.4	50.9	12:40 PM - 12:45 PM	54.0	45.6	03:20 PM - 03:25 PM	51.6	48.6
10:05 AM - 10:10 AM	52.0	50.3	12:45 PM - 12:50 PM	48.6	44.7	03:25 PM - 03:30 PM	53.3	48.4
10:10 AM - 10:15 AM	55.0	48.1	12:50 PM - 12:55 PM	47.2	44.9	03:30 PM - 03:35 PM	55.2	50.8
10:15 AM - 10:20 AM	56.3	47.7	12:55 PM - 01:00 PM	48.7	45.8	03:35 PM - 03:40 PM	53.8	48.5
10:20 AM - 10:25 AM	51.6	48.1	01:00 PM - 01:05 PM	47.4	45.6	03:40 PM - 03:45 PM	52.9	48.2
10:25 AM - 10:30 AM	53.9	47.5	01:05 PM - 01:10 PM	52.6	46.2	03:45 PM - 03:50 PM	50.4	47.5
10:30 AM - 10:35 AM	55.4	47.9	01:10 PM - 01:15 PM	54.5	46.2	03:50 PM - 03:55 PM	56.5	49.1
10:35 AM - 10:40 AM	50.7	47.5	01:15 PM - 01:20 PM	53.1	52.1	03:55 PM - 04:00 PM	52.5	48.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421709-1

Page 2 of 3

Sample Number 2582812-35
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Sep 29 - Sep 30, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623388

Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	51.1	48.2	06:40 PM - 06:45 PM	50.1	46.7	09:20 PM - 09:25 PM	47.8	46.1
04:05 PM - 04:10 PM	54.0	49.8	06:45 PM - 06:50 PM	52.7	48.5	09:25 PM - 09:30 PM	48.0	46.5
04:10 PM - 04:15 PM	54.1	50.5	06:50 PM - 06:55 PM	50.7	49.1	09:30 PM - 09:35 PM	51.5	49.9
04:15 PM - 04:20 PM	54.1	49.3	06:55 PM - 07:00 PM	51.2	49.6	09:35 PM - 09:40 PM	51.9	50.4
04:20 PM - 04:25 PM	55.8	49.5	07:00 PM - 07:05 PM	51.6	50.0	09:40 PM - 09:45 PM	51.9	50.4
04:25 PM - 04:30 PM	52.2	48.8	07:05 PM - 07:10 PM	52.0	50.0	09:45 PM - 09:50 PM	46.5	45.4
04:30 PM - 04:35 PM	54.6	49.7	07:10 PM - 07:15 PM	53.7	52.3	09:50 PM - 09:55 PM	46.5	45.4
04:35 PM - 04:40 PM	52.5	49.7	07:15 PM - 07:20 PM	54.7	52.5	09:55 PM - 10:00 PM	46.1	44.9
04:40 PM - 04:45 PM	54.5	50.2	07:20 PM - 07:25 PM	54.1	52.3	10:00 PM - 10:05 PM	46.9	45.8
04:45 PM - 04:50 PM	61.4	51.4	07:25 PM - 07:30 PM	53.8	52.1	10:05 PM - 10:10 PM	46.5	45.3
04:50 PM - 04:55 PM	55.5	50.8	07:30 PM - 07:35 PM	54.2	51.8	10:10 PM - 10:15 PM	46.2	45.4
04:55 PM - 05:00 PM	56.5	50.8	07:35 PM - 07:40 PM	54.3	52.0	10:15 PM - 10:20 PM	46.5	45.8
05:00 PM - 05:05 PM	52.3	49.7	07:40 PM - 07:45 PM	54.6	51.6	10:20 PM - 10:25 PM	46.4	45.5
05:05 PM - 05:10 PM	57.9	50.4	07:45 PM - 07:50 PM	53.0	51.5	10:25 PM - 10:30 PM	47.3	46.1
05:10 PM - 05:15 PM	55.1	50.2	07:50 PM - 07:55 PM	52.9	51.6	10:30 PM - 10:35 PM	49.1	47.4
05:15 PM - 05:20 PM	60.8	50.2	07:55 PM - 08:00 PM	52.9	51.2	10:35 PM - 10:40 PM	47.6	46.8
05:20 PM - 05:25 PM	54.3	49.4	08:00 PM - 08:05 PM	53.0	51.4	10:40 PM - 10:45 PM	46.9	46.0
05:25 PM - 05:30 PM	52.1	49.6	08:05 PM - 08:10 PM	53.3	51.8	10:45 PM - 10:50 PM	48.5	46.4
05:30 PM - 05:35 PM	52.1	48.2	08:10 PM - 08:15 PM	52.9	51.5	10:50 PM - 10:55 PM	47.6	46.9
05:35 PM - 05:40 PM	52.8	48.9	08:15 PM - 08:20 PM	53.0	51.0	10:55 PM - 11:00 PM	47.7	46.9
05:40 PM - 05:45 PM	52.0	49.2	08:20 PM - 08:25 PM	55.0	51.6	11:00 PM - 11:05 PM	48.2	46.5
05:45 PM - 05:50 PM	60.7	51.1	08:25 PM - 08:30 PM	55.5	51.8	11:05 PM - 11:10 PM	47.8	46.6
05:50 PM - 05:55 PM	64.5	57.1	08:30 PM - 08:35 PM	55.0	51.8	11:10 PM - 11:15 PM	47.4	46.7
05:55 PM - 06:00 PM	64.7	52.4	08:35 PM - 08:40 PM	52.9	50.7	11:15 PM - 11:20 PM	48.4	47.1
06:00 PM - 06:05 PM	61.9	51.9	08:40 PM - 08:45 PM	52.0	48.1	11:20 PM - 11:25 PM	48.3	47.5
06:05 PM - 06:10 PM	63.9	56.1	08:45 PM - 08:50 PM	52.6	51.1	11:25 PM - 11:30 PM	47.4	46.4
06:10 PM - 06:15 PM	65.4	55.1	08:50 PM - 08:55 PM	55.9	51.0	11:30 PM - 11:35 PM	48.1	46.4
06:15 PM - 06:20 PM	63.6	49.0	08:55 PM - 09:00 PM	52.1	50.2	11:35 PM - 11:40 PM	48.5	47.1
06:20 PM - 06:25 PM	52.0	47.2	09:00 PM - 09:05 PM	52.2	50.7	11:40 PM - 11:45 PM	49.0	47.6
06:25 PM - 06:30 PM	51.7	47.2	09:05 PM - 09:10 PM	52.6	50.9	11:45 PM - 11:50 PM	48.8	47.7
06:30 PM - 06:35 PM	52.0	46.4	09:10 PM - 09:15 PM	52.1	50.5	11:50 PM - 11:55 PM	54.0	47.1
06:35 PM - 06:40 PM	53.1	47.2	09:15 PM - 09:20 PM	53.9	46.4	11:55 PM - 12:00 AM	51.8	47.2

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421709-1

Page 3 of 3

Sample Number 2582812-35
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Sep 29 - Sep 30, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623388

Sep 30, 2025	Leq	L90	Sep 30, 2025	Leq	L90	Sep 30, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	47.4	46.7	02:40 AM - 02:45 AM	50.7	48.9	05:20 AM - 05:25 AM	47.5	46.8
12:05 AM - 12:10 AM	47.6	46.3	02:45 AM - 02:50 AM	50.6	49.1	05:25 AM - 05:30 AM	47.8	47.0
12:10 AM - 12:15 AM	59.4	48.0	02:50 AM - 02:55 AM	49.9	47.0	05:30 AM - 05:35 AM	47.7	46.9
12:15 AM - 12:20 AM	63.8	47.0	02:55 AM - 03:00 AM	49.9	47.0	05:35 AM - 05:40 AM	48.3	47.6
12:20 AM - 12:25 AM	57.2	46.8	03:00 AM - 03:05 AM	50.9	49.3	05:40 AM - 05:45 AM	48.5	47.6
12:25 AM - 12:30 AM	50.0	46.8	03:05 AM - 03:10 AM	50.5	48.7	05:45 AM - 05:50 AM	48.6	47.8
12:30 AM - 12:35 AM	51.5	46.3	03:10 AM - 03:15 AM	50.6	48.9	05:50 AM - 05:55 AM	49.2	48.1
12:35 AM - 12:40 AM	47.3	46.4	03:15 AM - 03:20 AM	50.0	47.4	05:55 AM - 06:00 AM	48.1	47.4
12:40 AM - 12:45 AM	54.4	46.5	03:20 AM - 03:25 AM	47.4	46.9	06:00 AM - 06:05 AM	48.1	47.4
12:45 AM - 12:50 AM	47.7	46.9	03:25 AM - 03:30 AM	47.3	46.4	06:05 AM - 06:10 AM	49.4	48.1
12:50 AM - 12:55 AM	48.0	47.1	03:30 AM - 03:35 AM	47.6	46.8	06:10 AM - 06:15 AM	48.7	47.7
12:55 AM - 01:00 AM	48.7	47.2	03:35 AM - 03:40 AM	47.2	46.6	06:15 AM - 06:20 AM	50.1	47.1
01:00 AM - 01:05 AM	47.9	47.1	03:40 AM - 03:45 AM	46.9	46.1	06:20 AM - 06:25 AM	48.0	47.2
01:05 AM - 01:10 AM	48.0	47.2	03:45 AM - 03:50 AM	46.4	45.6	06:25 AM - 06:30 AM	53.6	47.2
01:10 AM - 01:15 AM	50.7	47.4	03:50 AM - 03:55 AM	46.4	45.4	06:30 AM - 06:35 AM	54.5	47.5
01:15 AM - 01:20 AM	47.9	47.3	03:55 AM - 04:00 AM	46.5	45.6	06:35 AM - 06:40 AM	54.4	47.4
01:20 AM - 01:25 AM	47.8	47.1	04:00 AM - 04:05 AM	46.9	45.8	06:40 AM - 06:45 AM	52.7	47.4
01:25 AM - 01:30 AM	47.9	46.9	04:05 AM - 04:10 AM	47.1	46.2	06:45 AM - 06:50 AM	54.5	47.5
01:30 AM - 01:35 AM	53.1	46.4	04:10 AM - 04:15 AM	46.9	46.1	06:50 AM - 06:55 AM	51.1	47.1
01:35 AM - 01:40 AM	47.2	46.4	04:15 AM - 04:20 AM	46.9	46.0	06:55 AM - 07:00 AM	53.0	47.2
01:40 AM - 01:45 AM	47.3	46.7	04:20 AM - 04:25 AM	47.0	46.0	07:00 AM - 07:05 AM	52.1	47.2
01:45 AM - 01:50 AM	47.7	47.0	04:25 AM - 04:30 AM	47.2	46.1	07:05 AM - 07:10 AM	64.6	48.4
01:50 AM - 01:55 AM	47.4	46.7	04:30 AM - 04:35 AM	48.7	46.3	07:10 AM - 07:15 AM	57.4	46.3
01:55 AM - 02:00 AM	46.9	46.2	04:35 AM - 04:40 AM	47.0	46.0	07:15 AM - 07:20 AM	48.6	46.0
02:00 AM - 02:05 AM	54.4	46.9	04:40 AM - 04:45 AM	47.0	46.0	07:20 AM - 07:25 AM	49.9	46.1
02:05 AM - 02:10 AM	49.5	46.8	04:45 AM - 04:50 AM	47.4	45.8	07:25 AM - 07:30 AM	56.7	46.8
02:10 AM - 02:15 AM	47.3	46.5	04:50 AM - 04:55 AM	47.0	45.9	07:30 AM - 07:35 AM	52.7	47.8
02:15 AM - 02:20 AM	59.7	47.1	04:55 AM - 05:00 AM	47.0	46.0	07:35 AM - 07:40 AM	49.2	46.7
02:20 AM - 02:25 AM	54.0	47.3	05:00 AM - 05:05 AM	47.8	46.3	07:40 AM - 07:45 AM	50.8	48.7
02:25 AM - 02:30 AM	60.1	49.3	05:05 AM - 05:10 AM	48.6	46.7	07:45 AM - 07:50 AM	56.4	49.1
02:30 AM - 02:35 AM	51.1	46.4	05:10 AM - 05:15 AM	47.5	46.8	07:50 AM - 07:55 AM	62.5	54.7
02:35 AM - 02:40 AM	50.7	47.0	05:15 AM - 05:20 AM	47.6	46.7	07:55 AM - 08:00 AM	62.8	54.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421710-1

Page 1 of 3

Sample Number 2582812-36
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณถนนน้ำทิ้งของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Sep 23 - Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623393

Sep 23, 2025	Leq	L90	Sep 23, 2025	Leq	L90	Sep 23, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	56.1	45.3	10:40 AM - 10:45 AM	56.1	43.3	01:20 PM - 01:25 PM	51.6	42.0
08:05 AM - 08:10 AM	56.5	47.1	10:45 AM - 10:50 AM	61.1	44.1	01:25 PM - 01:30 PM	53.7	42.9
08:10 AM - 08:15 AM	53.3	45.9	10:50 AM - 10:55 AM	54.1	43.5	01:30 PM - 01:35 PM	50.3	42.2
08:15 AM - 08:20 AM	57.7	46.6	10:55 AM - 11:00 AM	54.0	42.8	01:35 PM - 01:40 PM	61.8	41.6
08:20 AM - 08:25 AM	58.6	45.1	11:00 AM - 11:05 AM	58.4	44.1	01:40 PM - 01:45 PM	52.3	41.3
08:25 AM - 08:30 AM	60.3	47.3	11:05 AM - 11:10 AM	54.6	42.3	01:45 PM - 01:50 PM	56.4	43.1
08:30 AM - 08:35 AM	52.7	45.5	11:10 AM - 11:15 AM	51.8	42.4	01:50 PM - 01:55 PM	54.9	43.2
08:35 AM - 08:40 AM	53.4	45.9	11:15 AM - 11:20 AM	53.0	42.2	01:55 PM - 02:00 PM	58.4	44.1
08:40 AM - 08:45 AM	56.5	45.6	11:20 AM - 11:25 AM	54.0	43.4	02:00 PM - 02:05 PM	57.2	43.3
08:45 AM - 08:50 AM	50.5	44.0	11:25 AM - 11:30 AM	52.4	44.1	02:05 PM - 02:10 PM	55.2	43.8
08:50 AM - 08:55 AM	58.0	45.3	11:30 AM - 11:35 AM	52.9	45.1	02:10 PM - 02:15 PM	53.7	43.6
08:55 AM - 09:00 AM	56.4	45.8	11:35 AM - 11:40 AM	53.3	44.2	02:15 PM - 02:20 PM	60.4	42.2
09:00 AM - 09:05 AM	58.1	46.0	11:40 AM - 11:45 AM	53.7	44.4	02:20 PM - 02:25 PM	55.0	43.1
09:05 AM - 09:10 AM	52.3	44.3	11:45 AM - 11:50 AM	52.4	43.1	02:25 PM - 02:30 PM	51.2	42.4
09:10 AM - 09:15 AM	55.8	43.8	11:50 AM - 11:55 AM	56.4	44.5	02:30 PM - 02:35 PM	55.3	43.2
09:15 AM - 09:20 AM	53.0	43.4	11:55 AM - 12:00 PM	54.8	44.0	02:35 PM - 02:40 PM	52.2	44.1
09:20 AM - 09:25 AM	59.6	44.4	12:00 PM - 12:05 PM	56.9	45.6	02:40 PM - 02:45 PM	53.9	45.0
09:25 AM - 09:30 AM	56.6	44.1	12:05 PM - 12:10 PM	49.9	43.6	02:45 PM - 02:50 PM	54.1	43.0
09:30 AM - 09:35 AM	58.6	43.9	12:10 PM - 12:15 PM	51.7	45.5	02:50 PM - 02:55 PM	54.3	44.0
09:35 AM - 09:40 AM	53.6	43.7	12:15 PM - 12:20 PM	55.4	44.4	02:55 PM - 03:00 PM	51.5	43.7
09:40 AM - 09:45 AM	50.8	43.1	12:20 PM - 12:25 PM	55.4	43.6	03:00 PM - 03:05 PM	50.9	42.3
09:45 AM - 09:50 AM	54.9	44.2	12:25 PM - 12:30 PM	55.3	45.5	03:05 PM - 03:10 PM	54.4	42.7
09:50 AM - 09:55 AM	53.8	44.4	12:30 PM - 12:35 PM	57.4	46.3	03:10 PM - 03:15 PM	55.1	44.9
09:55 AM - 10:00 AM	59.9	45.9	12:35 PM - 12:40 PM	59.0	44.3	03:15 PM - 03:20 PM	54.2	44.5
10:00 AM - 10:05 AM	54.3	46.3	12:40 PM - 12:45 PM	55.4	44.6	03:20 PM - 03:25 PM	54.3	45.0
10:05 AM - 10:10 AM	59.0	46.9	12:45 PM - 12:50 PM	53.4	43.6	03:25 PM - 03:30 PM	53.5	43.1
10:10 AM - 10:15 AM	55.1	43.5	12:50 PM - 12:55 PM	52.2	43.9	03:30 PM - 03:35 PM	53.7	44.2
10:15 AM - 10:20 AM	59.6	43.1	12:55 PM - 01:00 PM	59.4	45.0	03:35 PM - 03:40 PM	56.1	44.6
10:20 AM - 10:25 AM	52.3	42.3	01:00 PM - 01:05 PM	53.4	43.6	03:40 PM - 03:45 PM	59.6	44.3
10:25 AM - 10:30 AM	55.0	43.3	01:05 PM - 01:10 PM	55.5	44.6	03:45 PM - 03:50 PM	57.2	46.3
10:30 AM - 10:35 AM	54.0	43.2	01:10 PM - 01:15 PM	57.0	43.4	03:50 PM - 03:55 PM	58.6	46.3
10:35 AM - 10:40 AM	54.4	43.0	01:15 PM - 01:20 PM	61.8	42.8	03:55 PM - 04:00 PM	59.5	44.4

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421710-1

Page 2 of 3

Sample Number 2582812-36
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Sep 23 - Sep 24, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623393

Sep 23, 2025	Leq	L90	Sep 23, 2025	Leq	L90	Sep 23, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	59.2	43.8	06:40 PM - 06:45 PM	56.6	49.7	09:20 PM - 09:25 PM	52.9	48.9
04:05 PM - 04:10 PM	54.6	43.4	06:45 PM - 06:50 PM	57.4	51.3	09:25 PM - 09:30 PM	56.5	49.0
04:10 PM - 04:15 PM	59.3	42.9	06:50 PM - 06:55 PM	54.3	49.1	09:30 PM - 09:35 PM	53.1	48.7
04:15 PM - 04:20 PM	59.3	42.7	06:55 PM - 07:00 PM	54.9	50.0	09:35 PM - 09:40 PM	57.6	48.8
04:20 PM - 04:25 PM	53.9	43.7	07:00 PM - 07:05 PM	63.1	50.8	09:40 PM - 09:45 PM	51.0	48.6
04:25 PM - 04:30 PM	58.7	45.7	07:05 PM - 07:10 PM	54.5	50.1	09:45 PM - 09:50 PM	56.9	48.4
04:30 PM - 04:35 PM	55.8	43.8	07:10 PM - 07:15 PM	55.8	49.8	09:50 PM - 09:55 PM	56.6	48.5
04:35 PM - 04:40 PM	57.4	45.2	07:15 PM - 07:20 PM	57.3	50.1	09:55 PM - 10:00 PM	57.6	48.5
04:40 PM - 04:45 PM	55.6	45.4	07:20 PM - 07:25 PM	57.2	49.5	10:00 PM - 10:05 PM	54.6	49.1
04:45 PM - 04:50 PM	57.9	46.1	07:25 PM - 07:30 PM	56.4	49.6	10:05 PM - 10:10 PM	53.3	48.8
04:50 PM - 04:55 PM	56.1	47.1	07:30 PM - 07:35 PM	52.9	49.1	10:10 PM - 10:15 PM	52.3	49.2
04:55 PM - 05:00 PM	55.5	48.1	07:35 PM - 07:40 PM	55.0	49.5	10:15 PM - 10:20 PM	52.5	49.2
05:00 PM - 05:05 PM	57.6	47.6	07:40 PM - 07:45 PM	58.9	49.2	10:20 PM - 10:25 PM	52.2	49.0
05:05 PM - 05:10 PM	60.6	47.9	07:45 PM - 07:50 PM	54.8	49.2	10:25 PM - 10:30 PM	52.7	49.1
05:10 PM - 05:15 PM	57.2	47.4	07:50 PM - 07:55 PM	54.3	48.7	10:30 PM - 10:35 PM	51.9	49.0
05:15 PM - 05:20 PM	60.1	48.2	07:55 PM - 08:00 PM	55.5	48.9	10:35 PM - 10:40 PM	53.3	48.0
05:20 PM - 05:25 PM	58.7	49.5	08:00 PM - 08:05 PM	58.8	46.9	10:40 PM - 10:45 PM	59.6	47.8
05:25 PM - 05:30 PM	57.3	49.4	08:05 PM - 08:10 PM	51.9	46.9	10:45 PM - 10:50 PM	50.9	47.8
05:30 PM - 05:35 PM	57.7	47.6	08:10 PM - 08:15 PM	53.8	47.2	10:50 PM - 10:55 PM	56.4	47.6
05:35 PM - 05:40 PM	57.2	48.7	08:15 PM - 08:20 PM	51.7	47.3	10:55 PM - 11:00 PM	51.3	46.5
05:40 PM - 05:45 PM	57.6	47.8	08:20 PM - 08:25 PM	55.4	47.3	11:00 PM - 11:05 PM	49.4	45.3
05:45 PM - 05:50 PM	58.4	48.6	08:25 PM - 08:30 PM	53.8	47.1	11:05 PM - 11:10 PM	48.5	47.1
05:50 PM - 05:55 PM	59.4	47.3	08:30 PM - 08:35 PM	55.4	47.2	11:10 PM - 11:15 PM	48.5	45.5
05:55 PM - 06:00 PM	58.9	49.3	08:35 PM - 08:40 PM	55.3	47.4	11:15 PM - 11:20 PM	49.5	46.9
06:00 PM - 06:05 PM	60.9	46.4	08:40 PM - 08:45 PM	55.8	47.2	11:20 PM - 11:25 PM	54.4	47.5
06:05 PM - 06:10 PM	55.2	47.1	08:45 PM - 08:50 PM	54.0	47.5	11:25 PM - 11:30 PM	54.7	47.5
06:10 PM - 06:15 PM	61.1	48.5	08:50 PM - 08:55 PM	54.4	47.1	11:30 PM - 11:35 PM	49.6	47.4
06:15 PM - 06:20 PM	56.7	50.6	08:55 PM - 09:00 PM	53.3	46.9	11:35 PM - 11:40 PM	47.9	46.8
06:20 PM - 06:25 PM	59.1	51.1	09:00 PM - 09:05 PM	51.0	47.4	11:40 PM - 11:45 PM	49.8	46.0
06:25 PM - 06:30 PM	56.8	50.9	09:05 PM - 09:10 PM	56.3	47.7	11:45 PM - 11:50 PM	52.5	46.0
06:30 PM - 06:35 PM	57.4	49.2	09:10 PM - 09:15 PM	53.3	48.0	11:50 PM - 11:55 PM	50.4	46.0
06:35 PM - 06:40 PM	61.3	48.6	09:15 PM - 09:20 PM	50.8	48.1	11:55 PM - 12:00 AM	56.0	44.9

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421710-1

Page 3 of 3

Sample Number : 2582812-36
Parameter : Noise Level (Leq 5 min)
Location : ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date : Sep 23 - Sep 24, 2025
Measurement by : Anurak Tongkhajonsakda
Sound Level meter : Serial No. 623393

Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	50.6	44.6	02:40 AM - 02:45 AM	47.5	45.7	05:20 AM - 05:25 AM	54.1	51.4
12:05 AM - 12:10 AM	46.7	44.6	02:45 AM - 02:50 AM	49.8	45.5	05:25 AM - 05:30 AM	54.2	51.6
12:10 AM - 12:15 AM	50.9	44.8	02:50 AM - 02:55 AM	48.4	45.7	05:30 AM - 05:35 AM	55.0	52.1
12:15 AM - 12:20 AM	45.7	44.5	02:55 AM - 03:00 AM	48.3	46.0	05:35 AM - 05:40 AM	55.0	51.4
12:20 AM - 12:25 AM	46.1	44.2	03:00 AM - 03:05 AM	49.9	47.6	05:40 AM - 05:45 AM	54.3	49.2
12:25 AM - 12:30 AM	44.9	44.2	03:05 AM - 03:10 AM	49.7	47.6	05:45 AM - 05:50 AM	54.4	48.8
12:30 AM - 12:35 AM	45.0	44.2	03:10 AM - 03:15 AM	49.3	47.0	05:50 AM - 05:55 AM	53.2	47.9
12:35 AM - 12:40 AM	46.3	44.4	03:15 AM - 03:20 AM	60.8	46.6	05:55 AM - 06:00 AM	58.5	47.8
12:40 AM - 12:45 AM	46.3	44.0	03:20 AM - 03:25 AM	47.9	45.9	06:00 AM - 06:05 AM	51.8	48.1
12:45 AM - 12:50 AM	49.0	44.3	03:25 AM - 03:30 AM	49.6	48.0	06:05 AM - 06:10 AM	54.5	47.2
12:50 AM - 12:55 AM	46.7	44.2	03:30 AM - 03:35 AM	49.6	48.0	06:10 AM - 06:15 AM	53.9	47.5
12:55 AM - 01:00 AM	46.1	45.1	03:35 AM - 03:40 AM	49.4	48.0	06:15 AM - 06:20 AM	55.3	48.4
01:00 AM - 01:05 AM	46.6	45.4	03:40 AM - 03:45 AM	49.2	47.6	06:20 AM - 06:25 AM	55.0	48.9
01:05 AM - 01:10 AM	49.0	45.4	03:45 AM - 03:50 AM	49.2	47.2	06:25 AM - 06:30 AM	57.7	48.3
01:10 AM - 01:15 AM	46.0	45.1	03:50 AM - 03:55 AM	55.0	47.7	06:30 AM - 06:35 AM	58.2	47.6
01:15 AM - 01:20 AM	46.4	45.7	03:55 AM - 04:00 AM	49.2	47.7	06:35 AM - 06:40 AM	54.2	46.9
01:20 AM - 01:25 AM	46.1	45.2	04:00 AM - 04:05 AM	50.0	47.9	06:40 AM - 06:45 AM	56.3	47.5
01:25 AM - 01:30 AM	45.8	44.9	04:05 AM - 04:10 AM	52.5	49.1	06:45 AM - 06:50 AM	58.5	48.2
01:30 AM - 01:35 AM	46.6	45.2	04:10 AM - 04:15 AM	51.2	48.8	06:50 AM - 06:55 AM	58.3	49.0
01:35 AM - 01:40 AM	47.6	45.5	04:15 AM - 04:20 AM	50.7	48.5	06:55 AM - 07:00 AM	58.4	48.5
01:40 AM - 01:45 AM	46.3	45.3	04:20 AM - 04:25 AM	49.4	45.2	07:00 AM - 07:05 AM	59.4	49.2
01:45 AM - 01:50 AM	46.4	45.2	04:25 AM - 04:30 AM	48.3	45.8	07:05 AM - 07:10 AM	59.8	50.7
01:50 AM - 01:55 AM	46.3	45.4	04:30 AM - 04:35 AM	49.3	46.3	07:10 AM - 07:15 AM	57.6	49.0
01:55 AM - 02:00 AM	46.6	45.7	04:35 AM - 04:40 AM	51.2	46.5	07:15 AM - 07:20 AM	57.2	47.0
02:00 AM - 02:05 AM	49.4	45.9	04:40 AM - 04:45 AM	49.3	46.9	07:20 AM - 07:25 AM	55.6	48.2
02:05 AM - 02:10 AM	46.8	45.9	04:45 AM - 04:50 AM	50.9	47.2	07:25 AM - 07:30 AM	59.3	48.1
02:10 AM - 02:15 AM	47.1	46.2	04:50 AM - 04:55 AM	50.5	48.3	07:30 AM - 07:35 AM	54.6	47.8
02:15 AM - 02:20 AM	48.9	46.3	04:55 AM - 05:00 AM	52.2	48.6	07:35 AM - 07:40 AM	55.5	47.6
02:20 AM - 02:25 AM	47.3	46.3	05:00 AM - 05:05 AM	53.3	49.3	07:40 AM - 07:45 AM	55.3	47.7
02:25 AM - 02:30 AM	47.4	45.8	05:05 AM - 05:10 AM	53.4	49.4	07:45 AM - 07:50 AM	52.5	45.0
02:30 AM - 02:35 AM	50.4	46.1	05:10 AM - 05:15 AM	51.9	49.4	07:50 AM - 07:55 AM	57.3	45.4
02:35 AM - 02:40 AM	47.6	45.8	05:15 AM - 05:20 AM	53.8	50.6	07:55 AM - 08:00 AM	52.8	44.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421711-1

Page 1 of 3

Sample Number 2582812-37
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณถนนน้ำทิ้งของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Sep 24 - Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623393

Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	54.5	43.0	10:40 AM - 10:45 AM	50.2	40.4	01:20 PM - 01:25 PM	57.3	46.1
08:05 AM - 08:10 AM	58.6	45.9	10:45 AM - 10:50 AM	52.6	42.9	01:25 PM - 01:30 PM	53.1	44.0
08:10 AM - 08:15 AM	59.7	44.7	10:50 AM - 10:55 AM	54.0	43.4	01:30 PM - 01:35 PM	49.1	44.0
08:15 AM - 08:20 AM	52.6	45.9	10:55 AM - 11:00 AM	52.3	41.8	01:35 PM - 01:40 PM	49.8	44.0
08:20 AM - 08:25 AM	52.3	45.0	11:00 AM - 11:05 AM	51.1	41.7	01:40 PM - 01:45 PM	58.0	45.1
08:25 AM - 08:30 AM	56.4	43.6	11:05 AM - 11:10 AM	51.9	41.5	01:45 PM - 01:50 PM	55.6	42.3
08:30 AM - 08:35 AM	54.4	44.1	11:10 AM - 11:15 AM	51.7	42.4	01:50 PM - 01:55 PM	54.5	44.0
08:35 AM - 08:40 AM	52.9	43.0	11:15 AM - 11:20 AM	54.2	42.7	01:55 PM - 02:00 PM	59.4	45.1
08:40 AM - 08:45 AM	52.7	43.9	11:20 AM - 11:25 AM	58.4	42.3	02:00 PM - 02:05 PM	56.3	44.3
08:45 AM - 08:50 AM	59.1	44.3	11:25 AM - 11:30 AM	58.7	43.2	02:05 PM - 02:10 PM	50.1	44.3
08:50 AM - 08:55 AM	48.7	43.6	11:30 AM - 11:35 AM	54.2	42.8	02:10 PM - 02:15 PM	54.7	46.2
08:55 AM - 09:00 AM	52.2	43.9	11:35 AM - 11:40 AM	57.8	43.9	02:15 PM - 02:20 PM	55.3	47.0
09:00 AM - 09:05 AM	52.4	43.6	11:40 AM - 11:45 AM	52.7	43.8	02:20 PM - 02:25 PM	56.2	46.2
09:05 AM - 09:10 AM	52.7	44.0	11:45 AM - 11:50 AM	51.5	42.3	02:25 PM - 02:30 PM	56.8	48.0
09:10 AM - 09:15 AM	54.0	43.1	11:50 AM - 11:55 AM	52.6	42.5	02:30 PM - 02:35 PM	54.7	47.3
09:15 AM - 09:20 AM	51.7	42.3	11:55 AM - 12:00 PM	51.0	42.3	02:35 PM - 02:40 PM	60.5	46.8
09:20 AM - 09:25 AM	57.6	43.1	12:00 PM - 12:05 PM	54.7	42.4	02:40 PM - 02:45 PM	59.5	46.2
09:25 AM - 09:30 AM	55.4	43.1	12:05 PM - 12:10 PM	53.3	43.7	02:45 PM - 02:50 PM	58.4	46.4
09:30 AM - 09:35 AM	57.8	41.1	12:10 PM - 12:15 PM	50.1	43.2	02:50 PM - 02:55 PM	54.6	44.6
09:35 AM - 09:40 AM	54.8	42.5	12:15 PM - 12:20 PM	52.6	43.9	02:55 PM - 03:00 PM	61.6	46.5
09:40 AM - 09:45 AM	53.4	42.5	12:20 PM - 12:25 PM	53.0	42.7	03:00 PM - 03:05 PM	60.3	46.8
09:45 AM - 09:50 AM	47.1	42.1	12:25 PM - 12:30 PM	48.9	42.7	03:05 PM - 03:10 PM	55.6	46.4
09:50 AM - 09:55 AM	50.9	41.8	12:30 PM - 12:35 PM	57.4	44.5	03:10 PM - 03:15 PM	57.2	45.7
09:55 AM - 10:00 AM	50.6	43.2	12:35 PM - 12:40 PM	59.3	45.0	03:15 PM - 03:20 PM	55.6	47.4
10:00 AM - 10:05 AM	51.5	42.6	12:40 PM - 12:45 PM	65.1	45.1	03:20 PM - 03:25 PM	54.8	45.3
10:05 AM - 10:10 AM	51.6	42.4	12:45 PM - 12:50 PM	54.0	43.6	03:25 PM - 03:30 PM	53.2	46.1
10:10 AM - 10:15 AM	55.6	42.9	12:50 PM - 12:55 PM	57.6	43.5	03:30 PM - 03:35 PM	56.7	47.4
10:15 AM - 10:20 AM	56.0	41.6	12:55 PM - 01:00 PM	55.6	44.4	03:35 PM - 03:40 PM	55.4	45.9
10:20 AM - 10:25 AM	52.2	42.8	01:00 PM - 01:05 PM	56.6	44.5	03:40 PM - 03:45 PM	56.7	47.9
10:25 AM - 10:30 AM	52.7	43.3	01:05 PM - 01:10 PM	63.1	45.5	03:45 PM - 03:50 PM	56.5	48.1
10:30 AM - 10:35 AM	55.6	42.1	01:10 PM - 01:15 PM	56.9	44.4	03:50 PM - 03:55 PM	56.2	47.1
10:35 AM - 10:40 AM	51.9	41.9	01:15 PM - 01:20 PM	58.6	43.0	03:55 PM - 04:00 PM	55.0	45.2

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421711-1

Page 2 of 3

Sample Number 2582812-37
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Sep 24 - Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623393

Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90	Sep 24, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	57.1	47.1	06:40 PM - 06:45 PM	57.0	52.0	09:20 PM - 09:25 PM	52.5	47.1
04:05 PM - 04:10 PM	55.7	44.8	06:45 PM - 06:50 PM	55.9	51.1	09:25 PM - 09:30 PM	54.5	48.5
04:10 PM - 04:15 PM	55.1	44.1	06:50 PM - 06:55 PM	58.0	54.8	09:30 PM - 09:35 PM	52.1	47.2
04:15 PM - 04:20 PM	55.4	43.7	06:55 PM - 07:00 PM	58.7	53.4	09:35 PM - 09:40 PM	50.1	46.4
04:20 PM - 04:25 PM	55.2	46.2	07:00 PM - 07:05 PM	58.3	53.7	09:40 PM - 09:45 PM	54.9	46.7
04:25 PM - 04:30 PM	56.9	46.3	07:05 PM - 07:10 PM	58.8	55.0	09:45 PM - 09:50 PM	56.4	47.0
04:30 PM - 04:35 PM	58.4	47.4	07:10 PM - 07:15 PM	60.5	56.0	09:50 PM - 09:55 PM	49.2	46.5
04:35 PM - 04:40 PM	54.8	46.8	07:15 PM - 07:20 PM	63.3	56.8	09:55 PM - 10:00 PM	51.4	46.6
04:40 PM - 04:45 PM	56.5	46.5	07:20 PM - 07:25 PM	64.0	56.5	10:00 PM - 10:05 PM	53.2	46.2
04:45 PM - 04:50 PM	55.8	48.2	07:25 PM - 07:30 PM	57.0	51.4	10:05 PM - 10:10 PM	56.9	46.4
04:50 PM - 04:55 PM	60.4	49.0	07:30 PM - 07:35 PM	65.2	50.9	10:10 PM - 10:15 PM	50.6	46.4
04:55 PM - 05:00 PM	56.7	50.0	07:35 PM - 07:40 PM	54.4	51.0	10:15 PM - 10:20 PM	56.2	46.7
05:00 PM - 05:05 PM	59.4	49.0	07:40 PM - 07:45 PM	56.2	51.5	10:20 PM - 10:25 PM	52.8	47.3
05:05 PM - 05:10 PM	59.8	49.1	07:45 PM - 07:50 PM	58.1	51.9	10:25 PM - 10:30 PM	61.3	47.5
05:10 PM - 05:15 PM	56.7	48.4	07:50 PM - 07:55 PM	57.8	51.9	10:30 PM - 10:35 PM	53.0	47.5
05:15 PM - 05:20 PM	58.8	49.9	07:55 PM - 08:00 PM	60.8	52.7	10:35 PM - 10:40 PM	57.5	46.9
05:20 PM - 05:25 PM	58.1	52.4	08:00 PM - 08:05 PM	58.7	54.0	10:40 PM - 10:45 PM	48.9	46.5
05:25 PM - 05:30 PM	57.6	50.6	08:05 PM - 08:10 PM	58.5	54.1	10:45 PM - 10:50 PM	53.6	46.8
05:30 PM - 05:35 PM	61.0	51.3	08:10 PM - 08:15 PM	56.2	53.2	10:50 PM - 10:55 PM	56.7	47.9
05:35 PM - 05:40 PM	61.1	50.6	08:15 PM - 08:20 PM	57.3	53.4	10:55 PM - 11:00 PM	57.8	51.4
05:40 PM - 05:45 PM	59.5	51.3	08:20 PM - 08:25 PM	56.6	52.9	11:00 PM - 11:05 PM	55.6	50.6
05:45 PM - 05:50 PM	57.9	49.6	08:25 PM - 08:30 PM	56.0	53.5	11:05 PM - 11:10 PM	54.9	49.8
05:50 PM - 05:55 PM	56.8	47.0	08:30 PM - 08:35 PM	57.3	52.2	11:10 PM - 11:15 PM	52.5	47.4
05:55 PM - 06:00 PM	59.3	47.6	08:35 PM - 08:40 PM	55.9	49.8	11:15 PM - 11:20 PM	55.9	46.1
06:00 PM - 06:05 PM	58.2	49.1	08:40 PM - 08:45 PM	56.7	52.2	11:20 PM - 11:25 PM	51.8	46.8
06:05 PM - 06:10 PM	56.1	47.5	08:45 PM - 08:50 PM	57.2	52.6	11:25 PM - 11:30 PM	48.6	46.7
06:10 PM - 06:15 PM	55.4	47.1	08:50 PM - 08:55 PM	56.8	52.4	11:30 PM - 11:35 PM	48.4	46.6
06:15 PM - 06:20 PM	55.8	48.0	08:55 PM - 09:00 PM	55.8	52.6	11:35 PM - 11:40 PM	49.7	46.9
06:20 PM - 06:25 PM	57.0	49.4	09:00 PM - 09:05 PM	57.0	51.7	11:40 PM - 11:45 PM	52.6	46.9
06:25 PM - 06:30 PM	60.9	48.5	09:05 PM - 09:10 PM	54.4	47.7	11:45 PM - 11:50 PM	51.6	47.6
06:30 PM - 06:35 PM	57.3	53.4	09:10 PM - 09:15 PM	55.8	47.4	11:50 PM - 11:55 PM	56.4	47.7
06:35 PM - 06:40 PM	60.1	53.7	09:15 PM - 09:20 PM	52.8	47.1	11:55 PM - 12:00 AM	50.7	48.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421711-1

Page 3 of 3

Sample Number 2582812-37
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณเหนือทางของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Sep 24 - Sep 25, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623393

Sep 25, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 25, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 25, 2025 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	54.4	48.5	02:40 AM - 02:45 AM	52.2	45.0	05:20 AM - 05:25 AM	51.8	47.6
12:05 AM - 12:10 AM	54.5	47.5	02:45 AM - 02:50 AM	49.2	43.4	05:25 AM - 05:30 AM	53.9	49.2
12:10 AM - 12:15 AM	50.8	46.7	02:50 AM - 02:55 AM	45.8	42.6	05:30 AM - 05:35 AM	57.0	51.6
12:15 AM - 12:20 AM	50.2	47.0	02:55 AM - 03:00 AM	47.5	43.3	05:35 AM - 05:40 AM	56.0	49.9
12:20 AM - 12:25 AM	53.3	47.9	03:00 AM - 03:05 AM	47.3	44.9	05:40 AM - 05:45 AM	55.5	49.6
12:25 AM - 12:30 AM	54.0	46.3	03:05 AM - 03:10 AM	58.1	44.9	05:45 AM - 05:50 AM	54.9	50.0
12:30 AM - 12:35 AM	49.0	47.2	03:10 AM - 03:15 AM	61.7	44.5	05:50 AM - 05:55 AM	53.3	48.6
12:35 AM - 12:40 AM	59.8	47.1	03:15 AM - 03:20 AM	44.4	42.7	05:55 AM - 06:00 AM	57.2	47.5
12:40 AM - 12:45 AM	48.7	45.9	03:20 AM - 03:25 AM	46.1	42.5	06:00 AM - 06:05 AM	54.3	47.7
12:45 AM - 12:50 AM	49.7	45.8	03:25 AM - 03:30 AM	45.9	42.7	06:05 AM - 06:10 AM	53.6	47.9
12:50 AM - 12:55 AM	52.0	46.3	03:30 AM - 03:35 AM	43.5	42.3	06:10 AM - 06:15 AM	56.8	47.4
12:55 AM - 01:00 AM	46.9	45.4	03:35 AM - 03:40 AM	45.6	42.9	06:15 AM - 06:20 AM	54.8	47.9
01:00 AM - 01:05 AM	48.1	45.0	03:40 AM - 03:45 AM	46.2	44.9	06:20 AM - 06:25 AM	57.6	49.4
01:05 AM - 01:10 AM	48.1	46.4	03:45 AM - 03:50 AM	46.1	45.3	06:25 AM - 06:30 AM	56.1	48.7
01:10 AM - 01:15 AM	49.6	46.3	03:50 AM - 03:55 AM	46.7	45.5	06:30 AM - 06:35 AM	57.9	48.6
01:15 AM - 01:20 AM	47.2	46.0	03:55 AM - 04:00 AM	47.4	45.6	06:35 AM - 06:40 AM	60.4	47.9
01:20 AM - 01:25 AM	47.9	45.5	04:00 AM - 04:05 AM	46.2	44.5	06:40 AM - 06:45 AM	56.5	48.0
01:25 AM - 01:30 AM	46.1	45.0	04:05 AM - 04:10 AM	46.6	43.1	06:45 AM - 06:50 AM	55.7	48.1
01:30 AM - 01:35 AM	47.5	45.3	04:10 AM - 04:15 AM	46.4	44.9	06:50 AM - 06:55 AM	59.3	49.7
01:35 AM - 01:40 AM	46.4	45.3	04:15 AM - 04:20 AM	46.6	45.1	06:55 AM - 07:00 AM	58.2	48.6
01:40 AM - 01:45 AM	46.3	45.1	04:20 AM - 04:25 AM	47.1	44.7	07:00 AM - 07:05 AM	59.7	48.3
01:45 AM - 01:50 AM	46.0	43.9	04:25 AM - 04:30 AM	50.7	47.5	07:05 AM - 07:10 AM	63.5	49.8
01:50 AM - 01:55 AM	45.9	44.6	04:30 AM - 04:35 AM	50.3	47.4	07:10 AM - 07:15 AM	57.7	49.9
01:55 AM - 02:00 AM	46.9	44.5	04:35 AM - 04:40 AM	49.0	47.0	07:15 AM - 07:20 AM	55.9	50.2
02:00 AM - 02:05 AM	46.0	44.4	04:40 AM - 04:45 AM	50.2	45.9	07:20 AM - 07:25 AM	55.6	48.3
02:05 AM - 02:10 AM	48.3	44.1	04:45 AM - 04:50 AM	48.3	45.6	07:25 AM - 07:30 AM	54.3	47.4
02:10 AM - 02:15 AM	48.9	44.4	04:50 AM - 04:55 AM	51.2	45.3	07:30 AM - 07:35 AM	59.7	47.8
02:15 AM - 02:20 AM	46.5	44.3	04:55 AM - 05:00 AM	48.2	46.0	07:35 AM - 07:40 AM	56.0	48.5
02:20 AM - 02:25 AM	46.2	44.2	05:00 AM - 05:05 AM	49.0	45.0	07:40 AM - 07:45 AM	57.6	45.9
02:25 AM - 02:30 AM	45.2	42.6	05:05 AM - 05:10 AM	48.2	45.8	07:45 AM - 07:50 AM	53.5	44.3
02:30 AM - 02:35 AM	50.9	43.8	05:10 AM - 05:15 AM	48.9	46.1	07:50 AM - 07:55 AM	53.3	42.2
02:35 AM - 02:40 AM	46.1	44.4	05:15 AM - 05:20 AM	54.5	47.9	07:55 AM - 08:00 AM	57.2	43.9

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421712-1

Page 1 of 3

Sample Number 2582812-38
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณถนนทางโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Sep 25 - Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623393

Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	52.4	44.2	10:40 AM - 10:45 AM	53.1	42.6	01:20 PM - 01:25 PM	56.1	41.7
08:05 AM - 08:10 AM	58.0	44.8	10:45 AM - 10:50 AM	54.6	43.2	01:25 PM - 01:30 PM	52.1	42.9
08:10 AM - 08:15 AM	54.5	42.7	10:50 AM - 10:55 AM	54.8	44.0	01:30 PM - 01:35 PM	50.6	43.0
08:15 AM - 08:20 AM	52.3	42.3	10:55 AM - 11:00 AM	55.7	43.7	01:35 PM - 01:40 PM	54.1	42.9
08:20 AM - 08:25 AM	54.0	43.1	11:00 AM - 11:05 AM	55.1	43.2	01:40 PM - 01:45 PM	49.1	41.9
08:25 AM - 08:30 AM	56.2	42.8	11:05 AM - 11:10 AM	54.0	44.3	01:45 PM - 01:50 PM	55.5	42.4
08:30 AM - 08:35 AM	54.3	43.3	11:10 AM - 11:15 AM	55.4	43.4	01:50 PM - 01:55 PM	51.7	42.5
08:35 AM - 08:40 AM	56.8	44.6	11:15 AM - 11:20 AM	53.8	41.5	01:55 PM - 02:00 PM	54.6	42.6
08:40 AM - 08:45 AM	55.6	46.2	11:20 AM - 11:25 AM	55.5	42.3	02:00 PM - 02:05 PM	55.8	42.4
08:45 AM - 08:50 AM	52.3	44.1	11:25 AM - 11:30 AM	51.9	43.6	02:05 PM - 02:10 PM	55.9	42.0
08:50 AM - 08:55 AM	55.6	44.4	11:30 AM - 11:35 AM	53.4	43.3	02:10 PM - 02:15 PM	54.8	43.4
08:55 AM - 09:00 AM	54.0	44.6	11:35 AM - 11:40 AM	52.5	42.5	02:15 PM - 02:20 PM	53.0	43.6
09:00 AM - 09:05 AM	53.2	43.9	11:40 AM - 11:45 AM	51.8	44.6	02:20 PM - 02:25 PM	56.6	43.3
09:05 AM - 09:10 AM	52.2	44.1	11:45 AM - 11:50 AM	56.1	44.6	02:25 PM - 02:30 PM	53.0	43.0
09:10 AM - 09:15 AM	54.7	43.3	11:50 AM - 11:55 AM	53.4	43.1	02:30 PM - 02:35 PM	54.8	44.7
09:15 AM - 09:20 AM	51.1	42.6	11:55 AM - 12:00 PM	56.7	43.9	02:35 PM - 02:40 PM	52.5	43.2
09:20 AM - 09:25 AM	53.8	41.4	12:00 PM - 12:05 PM	61.6	44.8	02:40 PM - 02:45 PM	51.9	42.5
09:25 AM - 09:30 AM	50.8	41.9	12:05 PM - 12:10 PM	52.2	43.3	02:45 PM - 02:50 PM	53.2	43.2
09:30 AM - 09:35 AM	53.5	44.8	12:10 PM - 12:15 PM	47.5	41.8	02:50 PM - 02:55 PM	52.1	44.3
09:35 AM - 09:40 AM	55.5	44.4	12:15 PM - 12:20 PM	51.8	43.1	02:55 PM - 03:00 PM	59.9	41.8
09:40 AM - 09:45 AM	57.5	42.9	12:20 PM - 12:25 PM	52.9	42.3	03:00 PM - 03:05 PM	53.4	42.8
09:45 AM - 09:50 AM	51.7	42.4	12:25 PM - 12:30 PM	52.6	41.6	03:05 PM - 03:10 PM	53.8	42.5
09:50 AM - 09:55 AM	58.0	42.6	12:30 PM - 12:35 PM	54.4	44.5	03:10 PM - 03:15 PM	62.2	44.7
09:55 AM - 10:00 AM	53.3	44.3	12:35 PM - 12:40 PM	55.3	42.9	03:15 PM - 03:20 PM	54.2	45.9
10:00 AM - 10:05 AM	53.7	45.0	12:40 PM - 12:45 PM	54.4	42.7	03:20 PM - 03:25 PM	54.7	46.2
10:05 AM - 10:10 AM	55.6	43.6	12:45 PM - 12:50 PM	53.9	43.3	03:25 PM - 03:30 PM	52.8	45.2
10:10 AM - 10:15 AM	53.3	45.0	12:50 PM - 12:55 PM	58.8	45.0	03:30 PM - 03:35 PM	55.4	45.1
10:15 AM - 10:20 AM	52.3	43.7	12:55 PM - 01:00 PM	56.5	44.7	03:35 PM - 03:40 PM	56.1	45.5
10:20 AM - 10:25 AM	52.4	43.0	01:00 PM - 01:05 PM	58.0	44.4	03:40 PM - 03:45 PM	56.7	45.6
10:25 AM - 10:30 AM	51.1	42.6	01:05 PM - 01:10 PM	54.3	44.7	03:45 PM - 03:50 PM	62.5	46.0
10:30 AM - 10:35 AM	50.9	43.6	01:10 PM - 01:15 PM	59.1	45.9	03:50 PM - 03:55 PM	59.2	44.2
10:35 AM - 10:40 AM	50.0	43.5	01:15 PM - 01:20 PM	52.7	41.3	03:55 PM - 04:00 PM	61.4	45.4

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421712-1

Page 2 of 3

Sample Number 2582812-38
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณเหนือทางของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Sep 25 - Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623393

Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90	Sep 25, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	52.7	46.5	06:40 PM - 06:45 PM	60.8	54.6	09:20 PM - 09:25 PM	56.2	53.0
04:05 PM - 04:10 PM	61.5	47.5	06:45 PM - 06:50 PM	59.6	55.2	09:25 PM - 09:30 PM	55.2	53.7
04:10 PM - 04:15 PM	57.2	48.0	06:50 PM - 06:55 PM	60.0	55.5	09:30 PM - 09:35 PM	56.7	51.4
04:15 PM - 04:20 PM	55.7	47.0	06:55 PM - 07:00 PM	60.1	54.8	09:35 PM - 09:40 PM	52.5	50.4
04:20 PM - 04:25 PM	56.2	46.9	07:00 PM - 07:05 PM	56.6	53.5	09:40 PM - 09:45 PM	54.9	50.6
04:25 PM - 04:30 PM	57.2	46.4	07:05 PM - 07:10 PM	57.5	52.2	09:45 PM - 09:50 PM	53.8	51.0
04:30 PM - 04:35 PM	55.1	45.7	07:10 PM - 07:15 PM	58.6	52.4	09:50 PM - 09:55 PM	56.5	51.4
04:35 PM - 04:40 PM	61.6	46.7	07:15 PM - 07:20 PM	56.5	51.6	09:55 PM - 10:00 PM	53.5	50.9
04:40 PM - 04:45 PM	54.1	44.1	07:20 PM - 07:25 PM	55.5	50.7	10:00 PM - 10:05 PM	55.9	49.9
04:45 PM - 04:50 PM	56.2	45.7	07:25 PM - 07:30 PM	57.8	51.6	10:05 PM - 10:10 PM	52.8	50.9
04:50 PM - 04:55 PM	58.9	47.6	07:30 PM - 07:35 PM	59.8	53.4	10:10 PM - 10:15 PM	59.1	50.8
04:55 PM - 05:00 PM	58.6	47.6	07:35 PM - 07:40 PM	56.3	53.1	10:15 PM - 10:20 PM	53.4	50.7
05:00 PM - 05:05 PM	60.1	50.5	07:40 PM - 07:45 PM	58.6	54.1	10:20 PM - 10:25 PM	56.4	49.9
05:05 PM - 05:10 PM	56.2	49.0	07:45 PM - 07:50 PM	59.4	54.2	10:25 PM - 10:30 PM	56.3	50.5
05:10 PM - 05:15 PM	59.0	48.5	07:50 PM - 07:55 PM	57.3	53.7	10:30 PM - 10:35 PM	59.2	50.0
05:15 PM - 05:20 PM	57.8	49.0	07:55 PM - 08:00 PM	59.1	53.4	10:35 PM - 10:40 PM	52.0	49.8
05:20 PM - 05:25 PM	58.5	49.1	08:00 PM - 08:05 PM	55.6	52.7	10:40 PM - 10:45 PM	63.0	51.2
05:25 PM - 05:30 PM	58.6	48.8	08:05 PM - 08:10 PM	57.6	51.8	10:45 PM - 10:50 PM	54.3	50.5
05:30 PM - 05:35 PM	55.7	49.3	08:10 PM - 08:15 PM	55.0	51.6	10:50 PM - 10:55 PM	53.9	50.7
05:35 PM - 05:40 PM	56.8	48.6	08:15 PM - 08:20 PM	54.6	50.7	10:55 PM - 11:00 PM	52.0	50.3
05:40 PM - 05:45 PM	57.9	48.5	08:20 PM - 08:25 PM	60.1	51.2	11:00 PM - 11:05 PM	51.1	49.3
05:45 PM - 05:50 PM	60.0	49.8	08:25 PM - 08:30 PM	56.4	50.4	11:05 PM - 11:10 PM	54.8	49.3
05:50 PM - 05:55 PM	56.5	47.7	08:30 PM - 08:35 PM	53.7	50.5	11:10 PM - 11:15 PM	56.1	49.9
05:55 PM - 06:00 PM	57.5	48.1	08:35 PM - 08:40 PM	61.1	50.5	11:15 PM - 11:20 PM	54.6	50.2
06:00 PM - 06:05 PM	56.0	48.9	08:40 PM - 08:45 PM	52.9	50.3	11:20 PM - 11:25 PM	51.8	50.2
06:05 PM - 06:10 PM	55.3	47.8	08:45 PM - 08:50 PM	54.1	50.4	11:25 PM - 11:30 PM	54.1	49.8
06:10 PM - 06:15 PM	57.5	47.9	08:50 PM - 08:55 PM	54.4	50.8	11:30 PM - 11:35 PM	53.4	49.7
06:15 PM - 06:20 PM	58.7	49.3	08:55 PM - 09:00 PM	54.7	52.4	11:35 PM - 11:40 PM	51.4	49.2
06:20 PM - 06:25 PM	54.1	49.4	09:00 PM - 09:05 PM	60.5	53.2	11:40 PM - 11:45 PM	51.1	47.5
06:25 PM - 06:30 PM	55.7	50.9	09:05 PM - 09:10 PM	55.6	53.4	11:45 PM - 11:50 PM	48.9	47.4
06:30 PM - 06:35 PM	61.0	53.6	09:10 PM - 09:15 PM	54.8	53.0	11:50 PM - 11:55 PM	49.7	47.6
06:35 PM - 06:40 PM	57.2	53.7	09:15 PM - 09:20 PM	55.2	52.6	11:55 PM - 12:00 AM	52.6	47.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421712-1

Page 3 of 3

Sample Number 2582812-38
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณเหนือทางของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Sep 25 - Sep 26, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623393

Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	53.3	51.2	02:40 AM - 02:45 AM	53.6	51.2	05:20 AM - 05:25 AM	56.4	53.1
12:05 AM - 12:10 AM	52.4	50.6	02:45 AM - 02:50 AM	52.2	47.8	05:25 AM - 05:30 AM	56.7	54.0
12:10 AM - 12:15 AM	52.5	50.9	02:50 AM - 02:55 AM	52.8	48.4	05:30 AM - 05:35 AM	55.2	53.2
12:15 AM - 12:20 AM	51.1	46.6	02:55 AM - 03:00 AM	53.0	50.7	05:35 AM - 05:40 AM	64.5	52.2
12:20 AM - 12:25 AM	50.7	45.9	03:00 AM - 03:05 AM	49.7	45.8	05:40 AM - 05:45 AM	53.7	50.0
12:25 AM - 12:30 AM	49.9	47.0	03:05 AM - 03:10 AM	48.8	45.5	05:45 AM - 05:50 AM	53.7	49.8
12:30 AM - 12:35 AM	51.6	48.0	03:10 AM - 03:15 AM	61.1	43.3	05:50 AM - 05:55 AM	52.8	49.3
12:35 AM - 12:40 AM	48.5	44.5	03:15 AM - 03:20 AM	45.6	43.1	05:55 AM - 06:00 AM	56.3	49.7
12:40 AM - 12:45 AM	47.0	43.9	03:20 AM - 03:25 AM	45.9	43.1	06:00 AM - 06:05 AM	53.3	50.0
12:45 AM - 12:50 AM	46.3	43.5	03:25 AM - 03:30 AM	47.9	43.3	06:05 AM - 06:10 AM	55.4	50.1
12:50 AM - 12:55 AM	45.3	43.3	03:30 AM - 03:35 AM	55.0	52.8	06:10 AM - 06:15 AM	60.4	50.0
12:55 AM - 01:00 AM	44.2	42.2	03:35 AM - 03:40 AM	55.4	53.4	06:15 AM - 06:20 AM	56.4	50.2
01:00 AM - 01:05 AM	46.9	42.2	03:40 AM - 03:45 AM	55.5	53.5	06:20 AM - 06:25 AM	55.7	51.0
01:05 AM - 01:10 AM	45.1	42.4	03:45 AM - 03:50 AM	55.4	53.5	06:25 AM - 06:30 AM	56.1	49.7
01:10 AM - 01:15 AM	47.4	42.3	03:50 AM - 03:55 AM	56.2	54.3	06:30 AM - 06:35 AM	54.3	48.6
01:15 AM - 01:20 AM	44.6	41.3	03:55 AM - 04:00 AM	56.3	54.6	06:35 AM - 06:40 AM	57.8	48.7
01:20 AM - 01:25 AM	50.1	42.0	04:00 AM - 04:05 AM	56.5	54.7	06:40 AM - 06:45 AM	59.0	49.6
01:25 AM - 01:30 AM	46.0	42.7	04:05 AM - 04:10 AM	56.3	54.6	06:45 AM - 06:50 AM	58.6	47.2
01:30 AM - 01:35 AM	52.2	45.8	04:10 AM - 04:15 AM	54.5	50.5	06:50 AM - 06:55 AM	60.0	49.3
01:35 AM - 01:40 AM	55.8	54.2	04:15 AM - 04:20 AM	53.1	50.8	06:55 AM - 07:00 AM	57.2	48.5
01:40 AM - 01:45 AM	56.0	54.5	04:20 AM - 04:25 AM	53.1	51.3	07:00 AM - 07:05 AM	57.3	47.9
01:45 AM - 01:50 AM	56.0	54.4	04:25 AM - 04:30 AM	52.8	50.7	07:05 AM - 07:10 AM	60.1	49.9
01:50 AM - 01:55 AM	56.1	54.8	04:30 AM - 04:35 AM	52.2	50.5	07:10 AM - 07:15 AM	63.5	49.2
01:55 AM - 02:00 AM	55.8	54.2	04:35 AM - 04:40 AM	52.4	50.3	07:15 AM - 07:20 AM	56.9	48.6
02:00 AM - 02:05 AM	55.8	54.4	04:40 AM - 04:45 AM	53.4	52.0	07:20 AM - 07:25 AM	59.7	49.6
02:05 AM - 02:10 AM	56.6	54.5	04:45 AM - 04:50 AM	54.0	52.7	07:25 AM - 07:30 AM	60.4	52.2
02:10 AM - 02:15 AM	55.8	54.2	04:50 AM - 04:55 AM	54.5	53.2	07:30 AM - 07:35 AM	58.0	49.9
02:15 AM - 02:20 AM	55.7	54.2	04:55 AM - 05:00 AM	54.8	53.3	07:35 AM - 07:40 AM	59.3	51.8
02:20 AM - 02:25 AM	55.6	54.0	05:00 AM - 05:05 AM	54.0	51.7	07:40 AM - 07:45 AM	60.6	49.9
02:25 AM - 02:30 AM	55.7	54.2	05:05 AM - 05:10 AM	53.9	51.8	07:45 AM - 07:50 AM	58.6	47.3
02:30 AM - 02:35 AM	55.6	54.1	05:10 AM - 05:15 AM	54.9	52.3	07:50 AM - 07:55 AM	56.6	44.4
02:35 AM - 02:40 AM	53.4	51.2	05:15 AM - 05:20 AM	55.2	52.7	07:55 AM - 08:00 AM	56.0	42.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421713-1

Page 1 of 3

Sample Number 2582812-39
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณถนนน้ำทิ้งของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Sep 26 - Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623393

Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	54.5	43.4	10:40 AM - 10:45 AM	51.3	43.5	01:20 PM - 01:25 PM	51.7	43.2
08:05 AM - 08:10 AM	57.4	42.5	10:45 AM - 10:50 AM	55.8	44.5	01:25 PM - 01:30 PM	59.9	44.7
08:10 AM - 08:15 AM	52.1	42.8	10:50 AM - 10:55 AM	51.4	42.2	01:30 PM - 01:35 PM	51.1	43.6
08:15 AM - 08:20 AM	53.7	42.8	10:55 AM - 11:00 AM	53.7	41.3	01:35 PM - 01:40 PM	53.0	42.8
08:20 AM - 08:25 AM	53.2	44.2	11:00 AM - 11:05 AM	57.6	41.9	01:40 PM - 01:45 PM	51.0	43.6
08:25 AM - 08:30 AM	55.2	44.1	11:05 AM - 11:10 AM	51.7	41.8	01:45 PM - 01:50 PM	54.3	45.3
08:30 AM - 08:35 AM	56.9	41.6	11:10 AM - 11:15 AM	53.1	42.0	01:50 PM - 01:55 PM	55.2	45.4
08:35 AM - 08:40 AM	53.0	43.3	11:15 AM - 11:20 AM	49.4	42.5	01:55 PM - 02:00 PM	51.4	45.5
08:40 AM - 08:45 AM	52.6	41.7	11:20 AM - 11:25 AM	53.4	43.0	02:00 PM - 02:05 PM	53.3	45.9
08:45 AM - 08:50 AM	56.4	45.0	11:25 AM - 11:30 AM	55.0	44.6	02:05 PM - 02:10 PM	53.6	45.8
08:50 AM - 08:55 AM	51.6	42.0	11:30 AM - 11:35 AM	53.8	44.7	02:10 PM - 02:15 PM	49.6	44.3
08:55 AM - 09:00 AM	54.0	45.2	11:35 AM - 11:40 AM	56.8	44.8	02:15 PM - 02:20 PM	55.3	45.7
09:00 AM - 09:05 AM	50.6	41.1	11:40 AM - 11:45 AM	53.7	44.3	02:20 PM - 02:25 PM	51.6	45.7
09:05 AM - 09:10 AM	53.0	41.4	11:45 AM - 11:50 AM	55.2	43.8	02:25 PM - 02:30 PM	56.7	44.0
09:10 AM - 09:15 AM	53.8	42.2	11:50 AM - 11:55 AM	55.3	45.3	02:30 PM - 02:35 PM	56.8	42.7
09:15 AM - 09:20 AM	60.7	42.8	11:55 AM - 12:00 PM	53.1	43.9	02:35 PM - 02:40 PM	56.9	42.2
09:20 AM - 09:25 AM	53.3	42.8	12:00 PM - 12:05 PM	53.8	43.3	02:40 PM - 02:45 PM	56.4	43.6
09:25 AM - 09:30 AM	61.6	44.1	12:05 PM - 12:10 PM	52.7	43.1	02:45 PM - 02:50 PM	53.5	43.8
09:30 AM - 09:35 AM	56.2	42.8	12:10 PM - 12:15 PM	50.5	43.6	02:50 PM - 02:55 PM	51.1	42.9
09:35 AM - 09:40 AM	50.6	43.1	12:15 PM - 12:20 PM	53.0	44.0	02:55 PM - 03:00 PM	56.7	45.4
09:40 AM - 09:45 AM	49.9	42.0	12:20 PM - 12:25 PM	53.7	43.2	03:00 PM - 03:05 PM	56.1	43.9
09:45 AM - 09:50 AM	50.8	41.6	12:25 PM - 12:30 PM	51.8	44.1	03:05 PM - 03:10 PM	57.4	44.9
09:50 AM - 09:55 AM	56.8	43.0	12:30 PM - 12:35 PM	52.9	43.3	03:10 PM - 03:15 PM	58.0	45.8
09:55 AM - 10:00 AM	51.0	43.4	12:35 PM - 12:40 PM	58.6	43.1	03:15 PM - 03:20 PM	54.3	45.3
10:00 AM - 10:05 AM	52.0	42.6	12:40 PM - 12:45 PM	52.3	42.8	03:20 PM - 03:25 PM	60.4	46.4
10:05 AM - 10:10 AM	52.6	42.6	12:45 PM - 12:50 PM	54.6	41.7	03:25 PM - 03:30 PM	55.9	45.6
10:10 AM - 10:15 AM	51.2	42.6	12:50 PM - 12:55 PM	54.0	41.4	03:30 PM - 03:35 PM	52.9	45.1
10:15 AM - 10:20 AM	56.0	44.0	12:55 PM - 01:00 PM	58.5	42.2	03:35 PM - 03:40 PM	55.4	45.5
10:20 AM - 10:25 AM	53.7	42.7	01:00 PM - 01:05 PM	53.9	41.8	03:40 PM - 03:45 PM	53.4	44.7
10:25 AM - 10:30 AM	50.6	41.6	01:05 PM - 01:10 PM	51.5	42.5	03:45 PM - 03:50 PM	59.1	44.8
10:30 AM - 10:35 AM	55.2	42.9	01:10 PM - 01:15 PM	54.3	43.2	03:50 PM - 03:55 PM	54.2	44.9
10:35 AM - 10:40 AM	52.7	42.6	01:15 PM - 01:20 PM	56.5	43.6	03:55 PM - 04:00 PM	52.3	43.3

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421713-1

Page 2 of 3

Sample Number 2582812-39
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณเพื่อนำทั้งของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Sep 26 - Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623393

Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90	Sep 26, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	56.5	45.2	06:40 PM - 06:45 PM	58.4	53.2	09:20 PM - 09:25 PM	56.5	52.6
04:05 PM - 04:10 PM	55.7	45.9	06:45 PM - 06:50 PM	61.3	53.4	09:25 PM - 09:30 PM	53.6	51.7
04:10 PM - 04:15 PM	54.9	44.7	06:50 PM - 06:55 PM	63.1	54.4	09:30 PM - 09:35 PM	57.3	52.0
04:15 PM - 04:20 PM	55.8	46.0	06:55 PM - 07:00 PM	65.2	53.5	09:35 PM - 09:40 PM	56.2	52.3
04:20 PM - 04:25 PM	59.8	46.9	07:00 PM - 07:05 PM	57.3	52.3	09:40 PM - 09:45 PM	57.2	51.5
04:25 PM - 04:30 PM	57.6	47.3	07:05 PM - 07:10 PM	57.7	51.3	09:45 PM - 09:50 PM	62.0	51.5
04:30 PM - 04:35 PM	56.8	47.0	07:10 PM - 07:15 PM	57.4	53.4	09:50 PM - 09:55 PM	53.9	51.8
04:35 PM - 04:40 PM	56.1	47.3	07:15 PM - 07:20 PM	57.9	53.1	09:55 PM - 10:00 PM	57.5	51.1
04:40 PM - 04:45 PM	56.6	45.7	07:20 PM - 07:25 PM	60.0	53.6	10:00 PM - 10:05 PM	54.8	51.6
04:45 PM - 04:50 PM	55.3	46.3	07:25 PM - 07:30 PM	58.5	52.7	10:05 PM - 10:10 PM	53.0	50.7
04:50 PM - 04:55 PM	59.4	47.8	07:30 PM - 07:35 PM	62.2	50.6	10:10 PM - 10:15 PM	53.4	50.9
04:55 PM - 05:00 PM	59.6	50.6	07:35 PM - 07:40 PM	54.8	50.6	10:15 PM - 10:20 PM	60.2	51.2
05:00 PM - 05:05 PM	56.5	47.1	07:40 PM - 07:45 PM	59.5	52.4	10:20 PM - 10:25 PM	53.4	50.9
05:05 PM - 05:10 PM	56.4	46.5	07:45 PM - 07:50 PM	59.1	52.1	10:25 PM - 10:30 PM	57.2	47.8
05:10 PM - 05:15 PM	58.9	49.2	07:50 PM - 07:55 PM	59.4	52.2	10:30 PM - 10:35 PM	58.6	47.3
05:15 PM - 05:20 PM	60.2	50.6	07:55 PM - 08:00 PM	58.2	52.2	10:35 PM - 10:40 PM	50.7	46.7
05:20 PM - 05:25 PM	59.2	47.8	08:00 PM - 08:05 PM	54.7	51.9	10:40 PM - 10:45 PM	49.8	46.4
05:25 PM - 05:30 PM	59.0	48.7	08:05 PM - 08:10 PM	56.6	52.1	10:45 PM - 10:50 PM	57.7	47.8
05:30 PM - 05:35 PM	57.0	50.5	08:10 PM - 08:15 PM	56.7	51.6	10:50 PM - 10:55 PM	60.1	57.6
05:35 PM - 05:40 PM	58.1	49.7	08:15 PM - 08:20 PM	56.3	51.9	10:55 PM - 11:00 PM	59.3	57.6
05:40 PM - 05:45 PM	56.3	48.3	08:20 PM - 08:25 PM	56.1	52.1	11:00 PM - 11:05 PM	59.7	57.8
05:45 PM - 05:50 PM	63.2	45.7	08:25 PM - 08:30 PM	54.7	51.4	11:05 PM - 11:10 PM	59.4	57.7
05:50 PM - 05:55 PM	58.4	48.4	08:30 PM - 08:35 PM	58.1	51.5	11:10 PM - 11:15 PM	59.2	57.2
05:55 PM - 06:00 PM	61.3	46.7	08:35 PM - 08:40 PM	53.2	49.1	11:15 PM - 11:20 PM	59.4	57.2
06:00 PM - 06:05 PM	59.6	47.2	08:40 PM - 08:45 PM	54.9	50.6	11:20 PM - 11:25 PM	63.1	57.3
06:05 PM - 06:10 PM	56.8	47.4	08:45 PM - 08:50 PM	56.2	51.6	11:25 PM - 11:30 PM	58.7	56.4
06:10 PM - 06:15 PM	57.1	45.9	08:50 PM - 08:55 PM	54.7	52.2	11:30 PM - 11:35 PM	53.1	50.1
06:15 PM - 06:20 PM	53.7	46.1	08:55 PM - 09:00 PM	54.0	50.9	11:35 PM - 11:40 PM	51.4	41.9
06:20 PM - 06:25 PM	56.1	50.7	09:00 PM - 09:05 PM	53.0	48.3	11:40 PM - 11:45 PM	41.5	40.8
06:25 PM - 06:30 PM	58.1	53.9	09:05 PM - 09:10 PM	52.1	48.6	11:45 PM - 11:50 PM	47.2	41.4
06:30 PM - 06:35 PM	56.3	52.9	09:10 PM - 09:15 PM	51.7	48.0	11:50 PM - 11:55 PM	63.9	42.0
06:35 PM - 06:40 PM	57.6	52.4	09:15 PM - 09:20 PM	55.6	52.4	11:55 PM - 12:00 AM	46.1	41.3

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421713-1

Page 3 of 3

Sample Number 2582812-39
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณเพื่อนำทั้งของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Sep 26 - Sep 27, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623393

Sep 27, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 27, 2025 Time	Leq dB(A)	L90 dB(A)	Sep 27, 2025 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	50.8	44.5	02:40 AM - 02:45 AM	48.1	47.5	05:20 AM - 05:25 AM	56.4	52.9
12:05 AM - 12:10 AM	51.3	40.7	02:45 AM - 02:50 AM	50.8	45.2	05:25 AM - 05:30 AM	55.6	53.1
12:10 AM - 12:15 AM	56.7	41.4	02:50 AM - 02:55 AM	46.8	45.1	05:30 AM - 05:35 AM	55.6	52.9
12:15 AM - 12:20 AM	54.0	41.6	02:55 AM - 03:00 AM	49.5	47.3	05:35 AM - 05:40 AM	56.4	53.1
12:20 AM - 12:25 AM	53.2	41.0	03:00 AM - 03:05 AM	51.6	49.3	05:40 AM - 05:45 AM	56.5	53.3
12:25 AM - 12:30 AM	49.0	40.4	03:05 AM - 03:10 AM	51.4	50.5	05:45 AM - 05:50 AM	56.6	52.5
12:30 AM - 12:35 AM	51.7	49.0	03:10 AM - 03:15 AM	54.2	51.7	05:50 AM - 05:55 AM	56.1	51.1
12:35 AM - 12:40 AM	56.7	50.2	03:15 AM - 03:20 AM	54.7	53.8	05:55 AM - 06:00 AM	56.7	52.4
12:40 AM - 12:45 AM	54.9	50.0	03:20 AM - 03:25 AM	61.7	51.7	06:00 AM - 06:05 AM	56.7	54.1
12:45 AM - 12:50 AM	51.8	49.7	03:25 AM - 03:30 AM	50.9	49.9	06:05 AM - 06:10 AM	56.4	53.0
12:50 AM - 12:55 AM	62.1	50.2	03:30 AM - 03:35 AM	50.7	49.4	06:10 AM - 06:15 AM	57.0	51.8
12:55 AM - 01:00 AM	51.1	48.8	03:35 AM - 03:40 AM	50.9	50.1	06:15 AM - 06:20 AM	55.7	51.6
01:00 AM - 01:05 AM	50.0	38.9	03:40 AM - 03:45 AM	51.4	50.6	06:20 AM - 06:25 AM	56.8	51.5
01:05 AM - 01:10 AM	39.3	38.5	03:45 AM - 03:50 AM	52.8	51.5	06:25 AM - 06:30 AM	57.2	51.4
01:10 AM - 01:15 AM	45.3	39.5	03:50 AM - 03:55 AM	54.1	53.5	06:30 AM - 06:35 AM	57.5	51.8
01:15 AM - 01:20 AM	43.0	39.0	03:55 AM - 04:00 AM	55.6	54.2	06:35 AM - 06:40 AM	57.3	51.8
01:20 AM - 01:25 AM	47.1	42.0	04:00 AM - 04:05 AM	53.1	51.8	06:40 AM - 06:45 AM	58.2	52.8
01:25 AM - 01:30 AM	46.3	44.0	04:05 AM - 04:10 AM	54.9	53.8	06:45 AM - 06:50 AM	56.7	50.8
01:30 AM - 01:35 AM	46.4	38.7	04:10 AM - 04:15 AM	55.3	53.3	06:50 AM - 06:55 AM	57.6	52.1
01:35 AM - 01:40 AM	48.7	39.1	04:15 AM - 04:20 AM	52.9	51.8	06:55 AM - 07:00 AM	59.9	53.3
01:40 AM - 01:45 AM	48.6	39.2	04:20 AM - 04:25 AM	50.5	49.6	07:00 AM - 07:05 AM	58.9	55.2
01:45 AM - 01:50 AM	46.4	39.7	04:25 AM - 04:30 AM	52.0	50.1	07:05 AM - 07:10 AM	63.3	55.7
01:50 AM - 01:55 AM	45.2	39.4	04:30 AM - 04:35 AM	55.1	50.9	07:10 AM - 07:15 AM	60.5	55.2
01:55 AM - 02:00 AM	53.7	39.8	04:35 AM - 04:40 AM	51.8	49.8	07:15 AM - 07:20 AM	58.9	55.4
02:00 AM - 02:05 AM	45.2	42.9	04:40 AM - 04:45 AM	53.7	49.7	07:20 AM - 07:25 AM	60.1	54.9
02:05 AM - 02:10 AM	57.2	46.5	04:45 AM - 04:50 AM	53.7	51.2	07:25 AM - 07:30 AM	59.2	54.3
02:10 AM - 02:15 AM	63.0	57.0	04:50 AM - 04:55 AM	54.9	53.6	07:30 AM - 07:35 AM	59.9	52.7
02:15 AM - 02:20 AM	61.5	51.0	04:55 AM - 05:00 AM	55.4	52.3	07:35 AM - 07:40 AM	61.8	53.4
02:20 AM - 02:25 AM	51.1	49.7	05:00 AM - 05:05 AM	54.2	52.4	07:40 AM - 07:45 AM	57.5	52.9
02:25 AM - 02:30 AM	50.3	48.0	05:05 AM - 05:10 AM	53.3	51.5	07:45 AM - 07:50 AM	60.2	52.5
02:30 AM - 02:35 AM	51.8	47.6	05:10 AM - 05:15 AM	53.6	52.0	07:50 AM - 07:55 AM	60.3	54.0
02:35 AM - 02:40 AM	49.0	48.4	05:15 AM - 05:20 AM	54.8	51.5	07:55 AM - 08:00 AM	54.9	51.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421714-1

Page 1 of 3

Sample Number 2582812-40
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Sep 27 - Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623393

Sep 27, 2025	Leq	L90	Sep 27, 2025	Leq	L90	Sep 27, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	56.9	51.7	10:40 AM - 10:45 AM	53.3	45.5	01:20 PM - 01:25 PM	59.8	45.3
08:05 AM - 08:10 AM	60.7	51.6	10:45 AM - 10:50 AM	53.7	44.6	01:25 PM - 01:30 PM	57.6	43.6
08:10 AM - 08:15 AM	56.5	51.2	10:50 AM - 10:55 AM	54.1	44.8	01:30 PM - 01:35 PM	56.5	44.0
08:15 AM - 08:20 AM	60.5	50.5	10:55 AM - 11:00 AM	52.8	43.5	01:35 PM - 01:40 PM	52.0	43.9
08:20 AM - 08:25 AM	55.7	50.0	11:00 AM - 11:05 AM	56.8	44.9	01:40 PM - 01:45 PM	53.6	43.8
08:25 AM - 08:30 AM	58.5	50.9	11:05 AM - 11:10 AM	55.2	44.4	01:45 PM - 01:50 PM	53.5	43.3
08:30 AM - 08:35 AM	61.1	50.6	11:10 AM - 11:15 AM	53.4	43.5	01:50 PM - 01:55 PM	51.7	42.0
08:35 AM - 08:40 AM	53.9	49.6	11:15 AM - 11:20 AM	53.5	44.8	01:55 PM - 02:00 PM	58.7	43.8
08:40 AM - 08:45 AM	55.2	49.6	11:20 AM - 11:25 AM	55.1	43.2	02:00 PM - 02:05 PM	58.2	44.2
08:45 AM - 08:50 AM	55.3	50.0	11:25 AM - 11:30 AM	54.8	44.9	02:05 PM - 02:10 PM	53.3	42.4
08:50 AM - 08:55 AM	59.4	49.2	11:30 AM - 11:35 AM	51.5	44.3	02:10 PM - 02:15 PM	57.7	43.4
08:55 AM - 09:00 AM	55.6	49.0	11:35 AM - 11:40 AM	54.7	44.5	02:15 PM - 02:20 PM	50.5	42.6
09:00 AM - 09:05 AM	56.6	48.8	11:40 AM - 11:45 AM	54.0	43.2	02:20 PM - 02:25 PM	55.4	43.0
09:05 AM - 09:10 AM	55.6	47.5	11:45 AM - 11:50 AM	55.6	44.4	02:25 PM - 02:30 PM	57.7	43.5
09:10 AM - 09:15 AM	54.7	49.0	11:50 AM - 11:55 AM	56.9	44.2	02:30 PM - 02:35 PM	50.0	41.5
09:15 AM - 09:20 AM	57.0	49.4	11:55 AM - 12:00 PM	54.2	43.0	02:35 PM - 02:40 PM	55.4	41.9
09:20 AM - 09:25 AM	53.0	48.6	12:00 PM - 12:05 PM	56.5	42.0	02:40 PM - 02:45 PM	60.0	42.5
09:25 AM - 09:30 AM	60.6	48.4	12:05 PM - 12:10 PM	52.6	45.2	02:45 PM - 02:50 PM	50.1	43.0
09:30 AM - 09:35 AM	53.1	45.0	12:10 PM - 12:15 PM	54.7	44.0	02:50 PM - 02:55 PM	58.8	45.4
09:35 AM - 09:40 AM	53.1	46.3	12:15 PM - 12:20 PM	53.9	42.7	02:55 PM - 03:00 PM	56.9	45.4
09:40 AM - 09:45 AM	53.7	44.4	12:20 PM - 12:25 PM	56.6	44.0	03:00 PM - 03:05 PM	53.3	41.7
09:45 AM - 09:50 AM	56.8	45.4	12:25 PM - 12:30 PM	52.5	43.9	03:05 PM - 03:10 PM	56.0	43.4
09:50 AM - 09:55 AM	59.6	45.2	12:30 PM - 12:35 PM	50.6	44.1	03:10 PM - 03:15 PM	58.8	45.2
09:55 AM - 10:00 AM	55.3	44.2	12:35 PM - 12:40 PM	55.6	42.7	03:15 PM - 03:20 PM	56.2	42.7
10:00 AM - 10:05 AM	54.5	43.9	12:40 PM - 12:45 PM	53.4	44.6	03:20 PM - 03:25 PM	58.0	45.8
10:05 AM - 10:10 AM	54.4	43.2	12:45 PM - 12:50 PM	55.3	43.7	03:25 PM - 03:30 PM	60.3	46.2
10:10 AM - 10:15 AM	58.8	44.5	12:50 PM - 12:55 PM	56.5	42.5	03:30 PM - 03:35 PM	53.0	43.7
10:15 AM - 10:20 AM	55.0	42.7	12:55 PM - 01:00 PM	52.4	42.4	03:35 PM - 03:40 PM	55.5	44.5
10:20 AM - 10:25 AM	52.2	42.8	01:00 PM - 01:05 PM	57.0	44.3	03:40 PM - 03:45 PM	58.0	46.4
10:25 AM - 10:30 AM	53.4	42.6	01:05 PM - 01:10 PM	54.6	45.9	03:45 PM - 03:50 PM	51.5	44.2
10:30 AM - 10:35 AM	54.4	43.8	01:10 PM - 01:15 PM	52.0	43.5	03:50 PM - 03:55 PM	52.9	42.9
10:35 AM - 10:40 AM	52.8	44.5	01:15 PM - 01:20 PM	61.9	44.7	03:55 PM - 04:00 PM	67.7	47.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421714-1

Page 2 of 3

Sample Number 2582812-40
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณเหนือทางขึ้นของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Sep 27 - Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623393

Sep 27, 2025	Leq	L90	Sep 27, 2025	Leq	L90	Sep 27, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	55.2	43.5	06:40 PM - 06:45 PM	61.7	59.5	09:20 PM - 09:25 PM	58.4	57.2
04:05 PM - 04:10 PM	53.9	46.0	06:45 PM - 06:50 PM	61.9	60.2	09:25 PM - 09:30 PM	58.0	57.4
04:10 PM - 04:15 PM	55.7	45.0	06:50 PM - 06:55 PM	61.5	60.2	09:30 PM - 09:35 PM	58.8	57.8
04:15 PM - 04:20 PM	57.7	46.7	06:55 PM - 07:00 PM	62.3	60.2	09:35 PM - 09:40 PM	60.1	58.0
04:20 PM - 04:25 PM	54.4	46.1	07:00 PM - 07:05 PM	61.3	60.0	09:40 PM - 09:45 PM	63.1	58.1
04:25 PM - 04:30 PM	56.1	45.2	07:05 PM - 07:10 PM	63.6	60.1	09:45 PM - 09:50 PM	60.2	58.3
04:30 PM - 04:35 PM	56.6	43.7	07:10 PM - 07:15 PM	61.0	59.2	09:50 PM - 09:55 PM	62.2	58.3
04:35 PM - 04:40 PM	56.1	44.6	07:15 PM - 07:20 PM	61.0	59.3	09:55 PM - 10:00 PM	61.0	58.3
04:40 PM - 04:45 PM	54.8	45.3	07:20 PM - 07:25 PM	61.3	59.2	10:00 PM - 10:05 PM	60.9	59.2
04:45 PM - 04:50 PM	58.7	49.4	07:25 PM - 07:30 PM	60.9	59.6	10:05 PM - 10:10 PM	59.8	58.6
04:50 PM - 04:55 PM	59.4	49.9	07:30 PM - 07:35 PM	61.3	59.6	10:10 PM - 10:15 PM	61.3	59.0
04:55 PM - 05:00 PM	63.0	50.9	07:35 PM - 07:40 PM	62.2	59.4	10:15 PM - 10:20 PM	60.5	59.4
05:00 PM - 05:05 PM	60.6	50.0	07:40 PM - 07:45 PM	60.8	59.4	10:20 PM - 10:25 PM	63.5	60.5
05:05 PM - 05:10 PM	57.2	49.8	07:45 PM - 07:50 PM	62.1	59.3	10:25 PM - 10:30 PM	62.2	61.1
05:10 PM - 05:15 PM	60.5	49.4	07:50 PM - 07:55 PM	61.8	59.4	10:30 PM - 10:35 PM	61.9	60.9
05:15 PM - 05:20 PM	56.1	48.2	07:55 PM - 08:00 PM	61.2	58.4	10:35 PM - 10:40 PM	62.0	60.9
05:20 PM - 05:25 PM	57.5	49.2	08:00 PM - 08:05 PM	61.0	59.2	10:40 PM - 10:45 PM	61.5	60.8
05:25 PM - 05:30 PM	59.6	49.6	08:05 PM - 08:10 PM	61.3	59.2	10:45 PM - 10:50 PM	62.1	60.8
05:30 PM - 05:35 PM	61.1	50.4	08:10 PM - 08:15 PM	60.1	58.2	10:50 PM - 10:55 PM	61.8	60.9
05:35 PM - 05:40 PM	56.0	47.9	08:15 PM - 08:20 PM	62.0	59.0	10:55 PM - 11:00 PM	62.4	61.2
05:40 PM - 05:45 PM	59.0	49.3	08:20 PM - 08:25 PM	63.6	56.3	11:00 PM - 11:05 PM	62.2	61.3
05:45 PM - 05:50 PM	58.5	48.4	08:25 PM - 08:30 PM	60.5	59.1	11:05 PM - 11:10 PM	62.8	61.6
05:50 PM - 05:55 PM	58.4	48.9	08:30 PM - 08:35 PM	62.9	59.3	11:10 PM - 11:15 PM	62.6	61.4
05:55 PM - 06:00 PM	65.0	49.2	08:35 PM - 08:40 PM	60.7	59.3	11:15 PM - 11:20 PM	63.5	61.5
06:00 PM - 06:05 PM	56.0	48.5	08:40 PM - 08:45 PM	62.4	60.2	11:20 PM - 11:25 PM	62.2	61.4
06:05 PM - 06:10 PM	59.8	51.7	08:45 PM - 08:50 PM	61.1	60.0	11:25 PM - 11:30 PM	61.9	61.1
06:10 PM - 06:15 PM	57.2	48.5	08:50 PM - 08:55 PM	61.7	60.0	11:30 PM - 11:35 PM	62.6	61.8
06:15 PM - 06:20 PM	56.6	50.4	08:55 PM - 09:00 PM	61.5	60.0	11:35 PM - 11:40 PM	61.9	61.1
06:20 PM - 06:25 PM	60.5	54.6	09:00 PM - 09:05 PM	61.6	60.4	11:40 PM - 11:45 PM	62.0	61.1
06:25 PM - 06:30 PM	60.8	58.2	09:05 PM - 09:10 PM	60.7	59.5	11:45 PM - 11:50 PM	61.5	60.5
06:30 PM - 06:35 PM	61.2	59.6	09:10 PM - 09:15 PM	59.1	57.2	11:50 PM - 11:55 PM	62.1	60.5
06:35 PM - 06:40 PM	61.7	59.7	09:15 PM - 09:20 PM	62.2	57.1	11:55 PM - 12:00 AM	61.4	60.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421714-1

Page 3 of 3

Sample Number 2582812-40
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณเหนือทางของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Sep 27 - Sep 28, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623393

Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	61.1	60.3	02:40 AM - 02:45 AM	51.7	50.2	05:20 AM - 05:25 AM	61.3	58.9
12:05 AM - 12:10 AM	61.0	60.2	02:45 AM - 02:50 AM	50.4	46.9	05:25 AM - 05:30 AM	60.6	56.5
12:10 AM - 12:15 AM	61.6	59.9	02:50 AM - 02:55 AM	50.3	47.8	05:30 AM - 05:35 AM	54.9	51.6
12:15 AM - 12:20 AM	59.4	57.0	02:55 AM - 03:00 AM	55.7	51.2	05:35 AM - 05:40 AM	54.9	52.4
12:20 AM - 12:25 AM	60.6	59.5	03:00 AM - 03:05 AM	61.3	51.2	05:40 AM - 05:45 AM	55.0	53.0
12:25 AM - 12:30 AM	60.3	59.5	03:05 AM - 03:10 AM	57.7	55.9	05:45 AM - 05:50 AM	57.3	52.3
12:30 AM - 12:35 AM	62.0	56.6	03:10 AM - 03:15 AM	59.7	57.4	05:50 AM - 05:55 AM	54.8	51.8
12:35 AM - 12:40 AM	58.7	57.5	03:15 AM - 03:20 AM	61.1	59.2	05:55 AM - 06:00 AM	54.5	51.3
12:40 AM - 12:45 AM	59.3	57.4	03:20 AM - 03:25 AM	61.6	60.0	06:00 AM - 06:05 AM	54.5	51.1
12:45 AM - 12:50 AM	59.5	57.2	03:25 AM - 03:30 AM	61.3	59.4	06:05 AM - 06:10 AM	57.6	51.7
12:50 AM - 12:55 AM	58.1	56.6	03:30 AM - 03:35 AM	61.2	59.7	06:10 AM - 06:15 AM	56.6	51.0
12:55 AM - 01:00 AM	58.2	56.8	03:35 AM - 03:40 AM	61.0	59.6	06:15 AM - 06:20 AM	55.7	51.1
01:00 AM - 01:05 AM	58.1	56.8	03:40 AM - 03:45 AM	61.2	59.8	06:20 AM - 06:25 AM	53.8	50.1
01:05 AM - 01:10 AM	58.4	56.7	03:45 AM - 03:50 AM	61.3	59.8	06:25 AM - 06:30 AM	61.1	50.6
01:10 AM - 01:15 AM	58.1	56.5	03:50 AM - 03:55 AM	61.2	59.6	06:30 AM - 06:35 AM	57.0	50.5
01:15 AM - 01:20 AM	57.8	56.4	03:55 AM - 04:00 AM	61.4	60.0	06:35 AM - 06:40 AM	58.3	49.7
01:20 AM - 01:25 AM	57.7	56.3	04:00 AM - 04:05 AM	61.8	60.2	06:40 AM - 06:45 AM	59.7	49.2
01:25 AM - 01:30 AM	57.9	56.3	04:05 AM - 04:10 AM	61.6	60.2	06:45 AM - 06:50 AM	56.3	48.8
01:30 AM - 01:35 AM	59.6	58.1	04:10 AM - 04:15 AM	60.8	58.1	06:50 AM - 06:55 AM	56.5	49.0
01:35 AM - 01:40 AM	59.9	57.9	04:15 AM - 04:20 AM	57.1	54.3	06:55 AM - 07:00 AM	57.7	48.6
01:40 AM - 01:45 AM	57.2	55.5	04:20 AM - 04:25 AM	59.0	57.8	07:00 AM - 07:05 AM	58.7	48.3
01:45 AM - 01:50 AM	57.4	55.5	04:25 AM - 04:30 AM	58.9	57.5	07:05 AM - 07:10 AM	60.9	49.2
01:50 AM - 01:55 AM	57.7	55.5	04:30 AM - 04:35 AM	58.9	57.4	07:10 AM - 07:15 AM	60.1	47.5
01:55 AM - 02:00 AM	57.3	55.3	04:35 AM - 04:40 AM	57.5	55.9	07:15 AM - 07:20 AM	57.4	48.4
02:00 AM - 02:05 AM	57.2	55.4	04:40 AM - 04:45 AM	59.2	56.4	07:20 AM - 07:25 AM	61.6	45.5
02:05 AM - 02:10 AM	57.1	55.1	04:45 AM - 04:50 AM	58.1	56.3	07:25 AM - 07:30 AM	53.9	45.9
02:10 AM - 02:15 AM	57.3	55.4	04:50 AM - 04:55 AM	59.2	57.2	07:30 AM - 07:35 AM	53.3	45.4
02:15 AM - 02:20 AM	55.5	48.5	04:55 AM - 05:00 AM	58.8	57.1	07:35 AM - 07:40 AM	56.3	49.1
02:20 AM - 02:25 AM	50.0	48.7	05:00 AM - 05:05 AM	59.2	57.3	07:40 AM - 07:45 AM	58.6	49.1
02:25 AM - 02:30 AM	49.3	47.7	05:05 AM - 05:10 AM	59.3	56.8	07:45 AM - 07:50 AM	55.0	46.6
02:30 AM - 02:35 AM	49.6	47.5	05:10 AM - 05:15 AM	62.0	60.2	07:50 AM - 07:55 AM	59.5	47.0
02:35 AM - 02:40 AM	50.4	48.7	05:15 AM - 05:20 AM	62.1	60.2	07:55 AM - 08:00 AM	55.0	45.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421715-1

Page 1 of 3

Sample Number 2582812-41
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณถนนน้ำทิ้งของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Sep 28 - Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623393

Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	53.6	46.0	10:40 AM - 10:45 AM	55.4	42.3	01:20 PM - 01:25 PM	61.0	43.7
08:05 AM - 08:10 AM	53.2	45.1	10:45 AM - 10:50 AM	50.8	43.6	01:25 PM - 01:30 PM	52.9	41.2
08:10 AM - 08:15 AM	58.4	45.5	10:50 AM - 10:55 AM	59.7	42.8	01:30 PM - 01:35 PM	55.8	44.0
08:15 AM - 08:20 AM	56.3	45.0	10:55 AM - 11:00 AM	54.6	42.5	01:35 PM - 01:40 PM	56.3	43.4
08:20 AM - 08:25 AM	56.0	42.5	11:00 AM - 11:05 AM	61.6	41.6	01:40 PM - 01:45 PM	56.4	42.2
08:25 AM - 08:30 AM	56.9	43.9	11:05 AM - 11:10 AM	55.7	41.0	01:45 PM - 01:50 PM	59.5	41.4
08:30 AM - 08:35 AM	55.4	43.7	11:10 AM - 11:15 AM	53.1	41.8	01:50 PM - 01:55 PM	53.2	43.7
08:35 AM - 08:40 AM	60.2	42.1	11:15 AM - 11:20 AM	53.4	40.9	01:55 PM - 02:00 PM	54.9	42.6
08:40 AM - 08:45 AM	52.7	43.7	11:20 AM - 11:25 AM	52.6	40.4	02:00 PM - 02:05 PM	54.9	41.2
08:45 AM - 08:50 AM	54.1	42.5	11:25 AM - 11:30 AM	56.4	43.2	02:05 PM - 02:10 PM	57.2	40.0
08:50 AM - 08:55 AM	56.8	42.0	11:30 AM - 11:35 AM	53.6	43.0	02:10 PM - 02:15 PM	50.2	40.4
08:55 AM - 09:00 AM	57.3	45.6	11:35 AM - 11:40 AM	54.1	41.4	02:15 PM - 02:20 PM	51.1	40.0
09:00 AM - 09:05 AM	52.9	43.5	11:40 AM - 11:45 AM	56.3	41.1	02:20 PM - 02:25 PM	51.8	40.8
09:05 AM - 09:10 AM	55.3	43.1	11:45 AM - 11:50 AM	52.1	43.3	02:25 PM - 02:30 PM	50.1	42.2
09:10 AM - 09:15 AM	53.8	46.6	11:50 AM - 11:55 AM	53.6	42.8	02:30 PM - 02:35 PM	55.1	43.1
09:15 AM - 09:20 AM	55.6	46.4	11:55 AM - 12:00 PM	59.7	43.2	02:35 PM - 02:40 PM	52.9	42.7
09:20 AM - 09:25 AM	53.5	42.3	12:00 PM - 12:05 PM	56.1	44.2	02:40 PM - 02:45 PM	51.2	43.4
09:25 AM - 09:30 AM	59.8	43.5	12:05 PM - 12:10 PM	56.3	44.9	02:45 PM - 02:50 PM	55.4	43.6
09:30 AM - 09:35 AM	50.6	42.2	12:10 PM - 12:15 PM	61.2	43.9	02:50 PM - 02:55 PM	56.3	43.4
09:35 AM - 09:40 AM	52.6	41.5	12:15 PM - 12:20 PM	58.8	42.3	02:55 PM - 03:00 PM	52.9	41.6
09:40 AM - 09:45 AM	56.4	43.0	12:20 PM - 12:25 PM	51.6	41.9	03:00 PM - 03:05 PM	53.2	41.8
09:45 AM - 09:50 AM	60.3	43.4	12:25 PM - 12:30 PM	51.2	41.2	03:05 PM - 03:10 PM	55.7	43.5
09:50 AM - 09:55 AM	56.7	42.6	12:30 PM - 12:35 PM	57.6	44.0	03:10 PM - 03:15 PM	55.0	44.1
09:55 AM - 10:00 AM	56.0	42.3	12:35 PM - 12:40 PM	50.2	40.2	03:15 PM - 03:20 PM	54.2	42.9
10:00 AM - 10:05 AM	58.1	44.4	12:40 PM - 12:45 PM	53.7	40.5	03:20 PM - 03:25 PM	57.0	45.0
10:05 AM - 10:10 AM	54.6	41.7	12:45 PM - 12:50 PM	50.2	39.1	03:25 PM - 03:30 PM	56.3	46.6
10:10 AM - 10:15 AM	55.1	42.6	12:50 PM - 12:55 PM	57.4	43.3	03:30 PM - 03:35 PM	57.7	46.0
10:15 AM - 10:20 AM	53.4	43.2	12:55 PM - 01:00 PM	56.9	40.6	03:35 PM - 03:40 PM	58.2	46.7
10:20 AM - 10:25 AM	54.7	43.7	01:00 PM - 01:05 PM	62.2	43.0	03:40 PM - 03:45 PM	58.8	47.3
10:25 AM - 10:30 AM	51.2	42.2	01:05 PM - 01:10 PM	52.2	43.5	03:45 PM - 03:50 PM	57.2	46.4
10:30 AM - 10:35 AM	55.7	43.1	01:10 PM - 01:15 PM	53.8	40.7	03:50 PM - 03:55 PM	53.8	45.4
10:35 AM - 10:40 AM	57.4	45.3	01:15 PM - 01:20 PM	52.4	42.5	03:55 PM - 04:00 PM	56.9	46.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421715-1

Page 2 of 3

Sample Number : 2582812-41
Parameter : Noise Level (Leq 5 min)
Location : ที่พักอาศัยบริเวณเพื่อนำทั้งของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date : Sep 28 - Sep 29, 2025
Measurement by : Anurak Tongkhajonsakda
Sound Level meter : Serial No. 623393

Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90	Sep 28, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	54.8	44.6	06:40 PM - 06:45 PM	59.8	56.4	09:20 PM - 09:25 PM	53.1	50.6
04:05 PM - 04:10 PM	54.5	44.6	06:45 PM - 06:50 PM	63.4	57.1	09:25 PM - 09:30 PM	55.1	50.8
04:10 PM - 04:15 PM	55.8	46.7	06:50 PM - 06:55 PM	60.1	56.4	09:30 PM - 09:35 PM	51.6	50.5
04:15 PM - 04:20 PM	55.6	47.6	06:55 PM - 07:00 PM	58.0	53.8	09:35 PM - 09:40 PM	56.8	50.1
04:20 PM - 04:25 PM	59.0	47.5	07:00 PM - 07:05 PM	60.1	56.3	09:40 PM - 09:45 PM	57.3	50.0
04:25 PM - 04:30 PM	56.6	47.8	07:05 PM - 07:10 PM	60.0	57.4	09:45 PM - 09:50 PM	55.0	49.8
04:30 PM - 04:35 PM	57.5	47.3	07:10 PM - 07:15 PM	61.2	57.6	09:50 PM - 09:55 PM	51.5	50.5
04:35 PM - 04:40 PM	55.7	47.0	07:15 PM - 07:20 PM	61.0	57.2	09:55 PM - 10:00 PM	53.4	50.6
04:40 PM - 04:45 PM	60.6	46.5	07:20 PM - 07:25 PM	59.1	57.1	10:00 PM - 10:05 PM	52.3	50.2
04:45 PM - 04:50 PM	58.3	50.9	07:25 PM - 07:30 PM	61.2	56.6	10:05 PM - 10:10 PM	52.7	50.4
04:50 PM - 04:55 PM	57.2	46.0	07:30 PM - 07:35 PM	60.8	56.8	10:10 PM - 10:15 PM	52.1	50.3
04:55 PM - 05:00 PM	59.4	49.1	07:35 PM - 07:40 PM	59.6	54.6	10:15 PM - 10:20 PM	51.9	49.8
05:00 PM - 05:05 PM	56.4	48.0	07:40 PM - 07:45 PM	61.5	51.7	10:20 PM - 10:25 PM	59.4	50.8
05:05 PM - 05:10 PM	56.3	48.9	07:45 PM - 07:50 PM	56.9	50.0	10:25 PM - 10:30 PM	59.1	51.3
05:10 PM - 05:15 PM	57.8	48.3	07:50 PM - 07:55 PM	56.8	49.7	10:30 PM - 10:35 PM	52.4	50.6
05:15 PM - 05:20 PM	56.7	50.1	07:55 PM - 08:00 PM	53.4	49.2	10:35 PM - 10:40 PM	57.0	50.8
05:20 PM - 05:25 PM	54.8	47.4	08:00 PM - 08:05 PM	56.1	49.8	10:40 PM - 10:45 PM	55.5	50.8
05:25 PM - 05:30 PM	58.9	46.9	08:05 PM - 08:10 PM	52.9	49.5	10:45 PM - 10:50 PM	54.7	50.0
05:30 PM - 05:35 PM	64.0	49.1	08:10 PM - 08:15 PM	60.5	50.0	10:50 PM - 10:55 PM	56.8	49.4
05:35 PM - 05:40 PM	56.0	48.0	08:15 PM - 08:20 PM	54.8	49.6	10:55 PM - 11:00 PM	50.9	49.7
05:40 PM - 05:45 PM	63.6	47.1	08:20 PM - 08:25 PM	55.2	49.4	11:00 PM - 11:05 PM	51.1	49.3
05:45 PM - 05:50 PM	59.3	50.4	08:25 PM - 08:30 PM	61.7	49.8	11:05 PM - 11:10 PM	51.5	50.8
05:50 PM - 05:55 PM	59.0	50.7	08:30 PM - 08:35 PM	53.6	49.5	11:10 PM - 11:15 PM	52.2	49.5
05:55 PM - 06:00 PM	61.4	51.1	08:35 PM - 08:40 PM	53.4	49.3	11:15 PM - 11:20 PM	50.1	48.1
06:00 PM - 06:05 PM	57.6	50.3	08:40 PM - 08:45 PM	53.4	49.1	11:20 PM - 11:25 PM	52.9	48.2
06:05 PM - 06:10 PM	59.7	50.3	08:45 PM - 08:50 PM	52.9	49.5	11:25 PM - 11:30 PM	53.7	48.8
06:10 PM - 06:15 PM	60.6	50.8	08:50 PM - 08:55 PM	52.7	49.5	11:30 PM - 11:35 PM	52.2	48.4
06:15 PM - 06:20 PM	58.1	50.4	08:55 PM - 09:00 PM	54.4	50.0	11:35 PM - 11:40 PM	53.5	48.3
06:20 PM - 06:25 PM	56.0	50.5	09:00 PM - 09:05 PM	53.6	49.9	11:40 PM - 11:45 PM	51.7	48.6
06:25 PM - 06:30 PM	61.4	50.5	09:05 PM - 09:10 PM	52.7	49.8	11:45 PM - 11:50 PM	56.3	47.2
06:30 PM - 06:35 PM	57.9	54.5	09:10 PM - 09:15 PM	55.6	50.4	11:50 PM - 11:55 PM	53.1	46.9
06:35 PM - 06:40 PM	60.6	58.1	09:15 PM - 09:20 PM	53.9	50.1	11:55 PM - 12:00 AM	48.5	46.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421715-1

Page 3 of 3

Sample Number 2582812-41
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณเพื่อนำทั้งของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Sep 28 - Sep 29, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623393

Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	50.8	46.5	02:40 AM - 02:45 AM	49.3	47.1	05:20 AM - 05:25 AM	54.0	50.7
12:05 AM - 12:10 AM	49.5	46.2	02:45 AM - 02:50 AM	48.8	46.6	05:25 AM - 05:30 AM	54.3	51.1
12:10 AM - 12:15 AM	55.2	48.1	02:50 AM - 02:55 AM	51.8	48.3	05:30 AM - 05:35 AM	54.8	53.1
12:15 AM - 12:20 AM	52.8	49.0	02:55 AM - 03:00 AM	49.5	46.5	05:35 AM - 05:40 AM	55.0	53.4
12:20 AM - 12:25 AM	57.3	50.7	03:00 AM - 03:05 AM	52.5	47.0	05:40 AM - 05:45 AM	57.6	50.9
12:25 AM - 12:30 AM	49.3	45.9	03:05 AM - 03:10 AM	59.1	47.3	05:45 AM - 05:50 AM	55.9	51.6
12:30 AM - 12:35 AM	49.8	45.5	03:10 AM - 03:15 AM	49.7	46.1	05:50 AM - 05:55 AM	57.4	51.3
12:35 AM - 12:40 AM	54.9	46.2	03:15 AM - 03:20 AM	48.7	45.0	05:55 AM - 06:00 AM	57.1	50.0
12:40 AM - 12:45 AM	50.7	45.8	03:20 AM - 03:25 AM	48.4	44.8	06:00 AM - 06:05 AM	57.6	51.4
12:45 AM - 12:50 AM	53.8	46.8	03:25 AM - 03:30 AM	49.5	45.9	06:05 AM - 06:10 AM	54.8	50.0
12:50 AM - 12:55 AM	51.5	47.6	03:30 AM - 03:35 AM	51.6	47.7	06:10 AM - 06:15 AM	54.0	50.2
12:55 AM - 01:00 AM	50.3	46.3	03:35 AM - 03:40 AM	52.9	47.3	06:15 AM - 06:20 AM	55.1	50.1
01:00 AM - 01:05 AM	48.4	43.7	03:40 AM - 03:45 AM	57.7	52.3	06:20 AM - 06:25 AM	56.3	49.8
01:05 AM - 01:10 AM	48.8	44.7	03:45 AM - 03:50 AM	53.9	51.5	06:25 AM - 06:30 AM	57.8	49.9
01:10 AM - 01:15 AM	53.6	45.8	03:50 AM - 03:55 AM	53.2	50.1	06:30 AM - 06:35 AM	56.3	49.8
01:15 AM - 01:20 AM	57.9	46.4	03:55 AM - 04:00 AM	52.1	48.8	06:35 AM - 06:40 AM	58.5	50.0
01:20 AM - 01:25 AM	47.8	45.9	04:00 AM - 04:05 AM	53.2	50.6	06:40 AM - 06:45 AM	57.1	50.7
01:25 AM - 01:30 AM	54.5	45.8	04:05 AM - 04:10 AM	54.3	51.5	06:45 AM - 06:50 AM	56.6	48.6
01:30 AM - 01:35 AM	52.5	45.1	04:10 AM - 04:15 AM	56.5	51.4	06:50 AM - 06:55 AM	57.3	49.6
01:35 AM - 01:40 AM	49.9	45.5	04:15 AM - 04:20 AM	52.6	45.5	06:55 AM - 07:00 AM	60.2	50.9
01:40 AM - 01:45 AM	53.5	45.8	04:20 AM - 04:25 AM	53.9	50.7	07:00 AM - 07:05 AM	62.3	50.6
01:45 AM - 01:50 AM	56.7	46.0	04:25 AM - 04:30 AM	53.8	50.5	07:05 AM - 07:10 AM	60.7	49.7
01:50 AM - 01:55 AM	53.1	45.1	04:30 AM - 04:35 AM	54.3	51.3	07:10 AM - 07:15 AM	64.3	49.6
01:55 AM - 02:00 AM	47.8	44.1	04:35 AM - 04:40 AM	57.2	52.2	07:15 AM - 07:20 AM	58.4	49.8
02:00 AM - 02:05 AM	48.5	46.6	04:40 AM - 04:45 AM	57.5	53.7	07:20 AM - 07:25 AM	60.9	48.9
02:05 AM - 02:10 AM	48.4	46.4	04:45 AM - 04:50 AM	56.4	54.3	07:25 AM - 07:30 AM	59.2	50.9
02:10 AM - 02:15 AM	49.0	46.7	04:50 AM - 04:55 AM	55.7	53.7	07:30 AM - 07:35 AM	56.1	48.2
02:15 AM - 02:20 AM	51.0	48.1	04:55 AM - 05:00 AM	57.9	54.1	07:35 AM - 07:40 AM	61.4	51.1
02:20 AM - 02:25 AM	51.8	47.6	05:00 AM - 05:05 AM	59.4	57.3	07:40 AM - 07:45 AM	57.9	49.4
02:25 AM - 02:30 AM	49.6	47.3	05:05 AM - 05:10 AM	59.1	53.1	07:45 AM - 07:50 AM	55.4	50.9
02:30 AM - 02:35 AM	50.3	46.9	05:10 AM - 05:15 AM	54.5	50.1	07:50 AM - 07:55 AM	57.8	47.8
02:35 AM - 02:40 AM	48.6	45.5	05:15 AM - 05:20 AM	56.9	49.8	07:55 AM - 08:00 AM	56.9	47.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421716-1

Page 1 of 3

Sample Number 2582812-42
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณถนนน้ำทิ้งของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Sep 29 - Sep 30, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623393

Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	56.0	46.0	10:40 AM - 10:45 AM	55.0	43.7	01:20 PM - 01:25 PM	54.1	42.5
08:05 AM - 08:10 AM	53.5	45.3	10:45 AM - 10:50 AM	54.6	42.7	01:25 PM - 01:30 PM	52.9	41.7
08:10 AM - 08:15 AM	60.8	44.7	10:50 AM - 10:55 AM	54.6	42.4	01:30 PM - 01:35 PM	54.8	43.7
08:15 AM - 08:20 AM	55.3	44.0	10:55 AM - 11:00 AM	52.2	41.7	01:35 PM - 01:40 PM	49.4	41.6
08:20 AM - 08:25 AM	57.9	46.7	11:00 AM - 11:05 AM	59.9	43.3	01:40 PM - 01:45 PM	59.5	42.0
08:25 AM - 08:30 AM	57.2	43.7	11:05 AM - 11:10 AM	54.1	42.2	01:45 PM - 01:50 PM	53.1	40.8
08:30 AM - 08:35 AM	55.6	45.5	11:10 AM - 11:15 AM	61.2	43.5	01:50 PM - 01:55 PM	53.5	40.3
08:35 AM - 08:40 AM	60.1	46.8	11:15 AM - 11:20 AM	59.9	41.2	01:55 PM - 02:00 PM	53.3	41.8
08:40 AM - 08:45 AM	53.7	46.3	11:20 AM - 11:25 AM	52.8	41.5	02:00 PM - 02:05 PM	56.9	41.8
08:45 AM - 08:50 AM	52.2	45.3	11:25 AM - 11:30 AM	56.9	40.9	02:05 PM - 02:10 PM	50.2	41.4
08:50 AM - 08:55 AM	52.1	44.6	11:30 AM - 11:35 AM	55.5	40.0	02:10 PM - 02:15 PM	57.7	43.1
08:55 AM - 09:00 AM	50.9	44.5	11:35 AM - 11:40 AM	52.7	39.0	02:15 PM - 02:20 PM	55.3	42.7
09:00 AM - 09:05 AM	54.1	44.2	11:40 AM - 11:45 AM	55.2	40.7	02:20 PM - 02:25 PM	53.9	43.1
09:05 AM - 09:10 AM	50.8	43.3	11:45 AM - 11:50 AM	56.3	44.7	02:25 PM - 02:30 PM	59.4	43.8
09:10 AM - 09:15 AM	49.0	41.5	11:50 AM - 11:55 AM	56.3	43.4	02:30 PM - 02:35 PM	50.1	42.6
09:15 AM - 09:20 AM	53.4	41.6	11:55 AM - 12:00 PM	52.9	41.1	02:35 PM - 02:40 PM	53.9	43.7
09:20 AM - 09:25 AM	54.9	44.1	12:00 PM - 12:05 PM	51.6	41.3	02:40 PM - 02:45 PM	50.9	44.3
09:25 AM - 09:30 AM	52.4	43.1	12:05 PM - 12:10 PM	55.1	43.1	02:45 PM - 02:50 PM	56.0	44.1
09:30 AM - 09:35 AM	54.5	39.9	12:10 PM - 12:15 PM	55.7	42.2	02:50 PM - 02:55 PM	50.7	44.3
09:35 AM - 09:40 AM	54.6	41.6	12:15 PM - 12:20 PM	54.3	42.0	02:55 PM - 03:00 PM	55.0	45.1
09:40 AM - 09:45 AM	56.6	41.5	12:20 PM - 12:25 PM	54.6	40.8	03:00 PM - 03:05 PM	53.6	44.8
09:45 AM - 09:50 AM	54.7	40.6	12:25 PM - 12:30 PM	54.1	42.5	03:05 PM - 03:10 PM	58.2	45.4
09:50 AM - 09:55 AM	52.5	42.0	12:30 PM - 12:35 PM	55.3	41.0	03:10 PM - 03:15 PM	56.3	46.4
09:55 AM - 10:00 AM	51.7	41.9	12:35 PM - 12:40 PM	51.4	42.8	03:15 PM - 03:20 PM	52.7	44.7
10:00 AM - 10:05 AM	58.1	43.9	12:40 PM - 12:45 PM	53.8	41.2	03:20 PM - 03:25 PM	53.0	43.9
10:05 AM - 10:10 AM	57.1	42.1	12:45 PM - 12:50 PM	61.2	40.3	03:25 PM - 03:30 PM	56.6	43.8
10:10 AM - 10:15 AM	55.9	43.1	12:50 PM - 12:55 PM	52.5	40.8	03:30 PM - 03:35 PM	58.9	46.2
10:15 AM - 10:20 AM	57.4	42.9	12:55 PM - 01:00 PM	55.9	40.7	03:35 PM - 03:40 PM	59.3	45.1
10:20 AM - 10:25 AM	57.5	43.0	01:00 PM - 01:05 PM	58.4	41.7	03:40 PM - 03:45 PM	53.7	44.8
10:25 AM - 10:30 AM	61.1	42.7	01:05 PM - 01:10 PM	54.1	42.9	03:45 PM - 03:50 PM	56.9	44.8
10:30 AM - 10:35 AM	56.5	43.5	01:10 PM - 01:15 PM	54.7	43.6	03:50 PM - 03:55 PM	55.4	46.5
10:35 AM - 10:40 AM	51.8	43.4	01:15 PM - 01:20 PM	55.1	41.9	03:55 PM - 04:00 PM	59.5	48.3

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421716-1

Page 2 of 3

Sample Number 2582812-42
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณเหนือทางของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Sep 29 - Sep 30, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623393

Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90	Sep 29, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	54.5	46.6	06:40 PM - 06:45 PM	61.2	55.0	09:20 PM - 09:25 PM	51.9	49.6
04:05 PM - 04:10 PM	52.9	45.6	06:45 PM - 06:50 PM	59.9	55.1	09:25 PM - 09:30 PM	54.2	49.9
04:10 PM - 04:15 PM	55.3	46.9	06:50 PM - 06:55 PM	58.4	53.9	09:30 PM - 09:35 PM	53.1	50.3
04:15 PM - 04:20 PM	54.2	47.2	06:55 PM - 07:00 PM	57.5	53.6	09:35 PM - 09:40 PM	57.5	50.0
04:20 PM - 04:25 PM	57.4	48.2	07:00 PM - 07:05 PM	55.7	49.9	09:40 PM - 09:45 PM	53.6	50.1
04:25 PM - 04:30 PM	58.7	46.8	07:05 PM - 07:10 PM	56.2	49.7	09:45 PM - 09:50 PM	54.1	50.0
04:30 PM - 04:35 PM	55.6	47.6	07:10 PM - 07:15 PM	56.8	49.9	09:50 PM - 09:55 PM	51.8	49.8
04:35 PM - 04:40 PM	61.9	47.6	07:15 PM - 07:20 PM	56.0	49.5	09:55 PM - 10:00 PM	52.3	49.8
04:40 PM - 04:45 PM	56.6	47.9	07:20 PM - 07:25 PM	55.6	48.6	10:00 PM - 10:05 PM	52.4	49.6
04:45 PM - 04:50 PM	64.4	48.2	07:25 PM - 07:30 PM	57.2	48.3	10:05 PM - 10:10 PM	53.1	49.9
04:50 PM - 04:55 PM	58.3	49.6	07:30 PM - 07:35 PM	56.6	48.9	10:10 PM - 10:15 PM	55.6	50.6
04:55 PM - 05:00 PM	56.8	48.5	07:35 PM - 07:40 PM	59.6	47.9	10:15 PM - 10:20 PM	55.0	50.3
05:00 PM - 05:05 PM	61.1	50.2	07:40 PM - 07:45 PM	54.6	47.9	10:20 PM - 10:25 PM	52.6	49.5
05:05 PM - 05:10 PM	58.9	50.1	07:45 PM - 07:50 PM	52.9	47.1	10:25 PM - 10:30 PM	53.2	49.6
05:10 PM - 05:15 PM	60.7	49.2	07:50 PM - 07:55 PM	54.5	47.2	10:30 PM - 10:35 PM	58.1	49.0
05:15 PM - 05:20 PM	55.9	50.7	07:55 PM - 08:00 PM	56.4	47.5	10:35 PM - 10:40 PM	55.7	49.7
05:20 PM - 05:25 PM	58.5	50.7	08:00 PM - 08:05 PM	55.3	46.6	10:40 PM - 10:45 PM	52.3	48.9
05:25 PM - 05:30 PM	56.9	49.4	08:05 PM - 08:10 PM	53.5	46.9	10:45 PM - 10:50 PM	49.9	47.7
05:30 PM - 05:35 PM	58.6	49.2	08:10 PM - 08:15 PM	53.8	47.7	10:50 PM - 10:55 PM	50.2	47.4
05:35 PM - 05:40 PM	57.6	50.3	08:15 PM - 08:20 PM	58.2	46.8	10:55 PM - 11:00 PM	51.5	48.0
05:40 PM - 05:45 PM	57.7	50.1	08:20 PM - 08:25 PM	53.2	48.1	11:00 PM - 11:05 PM	51.5	47.0
05:45 PM - 05:50 PM	58.4	48.9	08:25 PM - 08:30 PM	54.3	48.9	11:05 PM - 11:10 PM	49.9	47.3
05:50 PM - 05:55 PM	60.0	48.7	08:30 PM - 08:35 PM	56.3	48.5	11:10 PM - 11:15 PM	49.5	48.1
05:55 PM - 06:00 PM	60.3	49.2	08:35 PM - 08:40 PM	53.1	48.6	11:15 PM - 11:20 PM	52.1	47.1
06:00 PM - 06:05 PM	55.0	47.5	08:40 PM - 08:45 PM	54.6	48.0	11:20 PM - 11:25 PM	48.7	46.8
06:05 PM - 06:10 PM	60.0	48.0	08:45 PM - 08:50 PM	53.7	48.1	11:25 PM - 11:30 PM	48.3	46.9
06:10 PM - 06:15 PM	56.9	48.4	08:50 PM - 08:55 PM	57.8	48.7	11:30 PM - 11:35 PM	49.5	47.3
06:15 PM - 06:20 PM	55.1	48.6	08:55 PM - 09:00 PM	55.4	47.9	11:35 PM - 11:40 PM	50.1	46.4
06:20 PM - 06:25 PM	57.3	49.0	09:00 PM - 09:05 PM	53.2	49.6	11:40 PM - 11:45 PM	50.5	46.4
06:25 PM - 06:30 PM	58.3	51.5	09:05 PM - 09:10 PM	52.6	49.4	11:45 PM - 11:50 PM	47.2	45.8
06:30 PM - 06:35 PM	60.5	52.6	09:10 PM - 09:15 PM	51.8	49.3	11:50 PM - 11:55 PM	49.2	46.0
06:35 PM - 06:40 PM	60.2	54.7	09:15 PM - 09:20 PM	51.5	49.9	11:55 PM - 12:00 AM	56.1	52.3

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582812

Date Received : Oct 03, 2025

Date Reported : Oct 07, 2025

Report Number : 3421716-1

Page 3 of 3

Sample Number 2582812-42
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณเหนือทางของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Sep 29 - Sep 30, 2025
Measurement by Anurak Tongkhajonsakda
Sound Level meter Serial No. 623393

Sep 30, 2025	Leq	L90	Sep 30, 2025	Leq	L90	Sep 30, 2025	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	56.2	54.5	02:40 AM - 02:45 AM	55.9	53.8	05:20 AM - 05:25 AM	55.7	53.1
12:05 AM - 12:10 AM	56.3	54.5	02:45 AM - 02:50 AM	55.7	53.4	05:25 AM - 05:30 AM	54.2	49.8
12:10 AM - 12:15 AM	56.2	54.4	02:50 AM - 02:55 AM	48.7	44.6	05:30 AM - 05:35 AM	53.1	49.9
12:15 AM - 12:20 AM	56.1	54.2	02:55 AM - 03:00 AM	49.0	45.4	05:35 AM - 05:40 AM	56.3	50.5
12:20 AM - 12:25 AM	56.0	54.4	03:00 AM - 03:05 AM	51.1	46.2	05:40 AM - 05:45 AM	55.7	51.8
12:25 AM - 12:30 AM	55.9	54.2	03:05 AM - 03:10 AM	51.5	49.2	05:45 AM - 05:50 AM	55.8	49.2
12:30 AM - 12:35 AM	56.6	54.2	03:10 AM - 03:15 AM	58.1	42.2	05:50 AM - 05:55 AM	52.9	47.4
12:35 AM - 12:40 AM	55.9	54.1	03:15 AM - 03:20 AM	43.7	41.3	05:55 AM - 06:00 AM	55.4	47.9
12:40 AM - 12:45 AM	55.8	53.9	03:20 AM - 03:25 AM	43.4	41.5	06:00 AM - 06:05 AM	56.6	48.7
12:45 AM - 12:50 AM	54.8	47.9	03:25 AM - 03:30 AM	45.2	42.0	06:05 AM - 06:10 AM	54.7	47.9
12:50 AM - 12:55 AM	57.0	50.9	03:30 AM - 03:35 AM	46.4	41.9	06:10 AM - 06:15 AM	54.3	48.1
12:55 AM - 01:00 AM	56.7	53.6	03:35 AM - 03:40 AM	43.3	41.8	06:15 AM - 06:20 AM	57.2	49.9
01:00 AM - 01:05 AM	55.8	52.0	03:40 AM - 03:45 AM	44.2	41.6	06:20 AM - 06:25 AM	54.7	48.7
01:05 AM - 01:10 AM	55.5	53.0	03:45 AM - 03:50 AM	47.3	42.0	06:25 AM - 06:30 AM	56.2	48.4
01:10 AM - 01:15 AM	55.6	52.2	03:50 AM - 03:55 AM	44.9	41.7	06:30 AM - 06:35 AM	57.9	49.9
01:15 AM - 01:20 AM	54.0	52.1	03:55 AM - 04:00 AM	43.9	41.0	06:35 AM - 06:40 AM	59.9	49.4
01:20 AM - 01:25 AM	54.4	52.4	04:00 AM - 04:05 AM	51.0	41.7	06:40 AM - 06:45 AM	56.2	49.1
01:25 AM - 01:30 AM	54.7	53.0	04:05 AM - 04:10 AM	45.0	42.2	06:45 AM - 06:50 AM	60.1	49.3
01:30 AM - 01:35 AM	56.3	54.2	04:10 AM - 04:15 AM	45.4	42.8	06:50 AM - 06:55 AM	57.2	49.6
01:35 AM - 01:40 AM	56.8	54.7	04:15 AM - 04:20 AM	49.7	43.5	06:55 AM - 07:00 AM	57.5	48.8
01:40 AM - 01:45 AM	56.6	54.6	04:20 AM - 04:25 AM	49.5	44.2	07:00 AM - 07:05 AM	57.6	48.7
01:45 AM - 01:50 AM	56.5	54.4	04:25 AM - 04:30 AM	49.3	45.2	07:05 AM - 07:10 AM	61.7	49.6
01:50 AM - 01:55 AM	56.5	54.5	04:30 AM - 04:35 AM	55.3	50.2	07:10 AM - 07:15 AM	56.3	47.5
01:55 AM - 02:00 AM	56.6	54.6	04:35 AM - 04:40 AM	52.9	50.1	07:15 AM - 07:20 AM	58.7	49.1
02:00 AM - 02:05 AM	56.0	53.3	04:40 AM - 04:45 AM	53.2	49.8	07:20 AM - 07:25 AM	58.0	49.5
02:05 AM - 02:10 AM	56.5	54.5	04:45 AM - 04:50 AM	52.5	50.1	07:25 AM - 07:30 AM	56.4	50.6
02:10 AM - 02:15 AM	55.8	51.7	04:50 AM - 04:55 AM	52.4	49.8	07:30 AM - 07:35 AM	56.3	48.9
02:15 AM - 02:20 AM	57.6	54.2	04:55 AM - 05:00 AM	53.3	50.2	07:35 AM - 07:40 AM	53.7	46.0
02:20 AM - 02:25 AM	56.5	54.5	05:00 AM - 05:05 AM	53.6	50.7	07:40 AM - 07:45 AM	55.1	47.3
02:25 AM - 02:30 AM	56.3	54.3	05:05 AM - 05:10 AM	53.6	51.0	07:45 AM - 07:50 AM	59.5	46.3
02:30 AM - 02:35 AM	56.4	54.3	05:10 AM - 05:15 AM	54.5	50.5	07:50 AM - 07:55 AM	58.0	47.4
02:35 AM - 02:40 AM	56.0	53.0	05:15 AM - 05:20 AM	55.5	52.6	07:55 AM - 08:00 AM	57.3	47.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582815

Date Received : Sep 25, 2025

Date Reported : Oct 01, 2025

Report Number: 3418161-1

Page 1 of 1

Sample Number 2582815-1
Parameter Noise (Leq 15 min.)
Location เครื่องมือ เครื่องจักร ซึ่งเป็นแหล่งกำเนิดเสียงในการก่อสร้างจุดที่ 1
Measurement Date Sep 24, 2025
Measurement by Anurak Tongkhajonsakda

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
01:21 PM - 01:22 PM	65.2	72.9	51.1
01:22 PM - 01:23 PM	69.4	70.5	69.0
01:23 PM - 01:24 PM	72.0	75.7	69.8
01:24 PM - 01:25 PM	74.2	83.7	73.1
01:25 PM - 01:26 PM	73.4	74.2	73.2
01:26 PM - 01:27 PM	82.6	99.3	68.9
01:27 PM - 01:28 PM	87.9	97.7	71.5
01:28 PM - 01:29 PM	84.5	97.0	71.7
01:29 PM - 01:30 PM	78.2	92.8	70.1
01:30 PM - 01:31 PM	82.1	96.5	73.4
01:31 PM - 01:32 PM	85.3	100.1	73.9
01:32 PM - 01:33 PM	82.0	96.5	72.0
01:33 PM - 01:34 PM	81.3	96.0	72.2
01:34 PM - 01:35 PM	88.3	99.9	76.7
01:35 PM - 01:36 PM	78.8	93.4	70.7
Leq Average 15 min. (dB(A))	82.7		
Lmax (dB(A))		100.1	
Standard (dB(A))	115	140	
Reference Method : ISO 1996-1 : 2016			
Standard : ประกาศกระทรวงอุตสาหกรรม เรื่อง มาตรการคุ้มครองความปลอดภัย ในการประกอบกิจการโรงงานเกี่ยวกับสภาวะแวดล้อมในการทำงาน พ.ศ.๒๕๔๖			

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582815

Date Received : Sep 25, 2025

Date Reported : Oct 01, 2025

Report Number: 3418162-1

Page 1 of 1

Sample Number 2582815-2
Parameter Noise (Leq 15 min.)
Location เครื่องมือ เครื่องจักร ซึ่งเป็นแหล่งกำเนิดเสียงในการก่อสร้างจุดที่ 2
Measurement Date Sep 24, 2025
Measurement by Anurak Tongkhajonsakda

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:04 AM - 11:05 AM	64.0	80.2	56.8
11:05 AM - 11:06 AM	69.3	89.1	59.5
11:06 AM - 11:07 AM	62.9	73.8	55.4
11:07 AM - 11:08 AM	61.6	76.9	57.2
11:08 AM - 11:09 AM	65.6	82.2	57.9
11:09 AM - 11:10 AM	63.2	82.9	55.3
11:10 AM - 11:11 AM	58.4	68.6	53.6
11:11 AM - 11:12 AM	63.2	75.2	57.3
11:12 AM - 11:13 AM	62.3	73.0	57.9
11:13 AM - 11:14 AM	59.6	68.9	56.9
11:14 AM - 11:15 AM	61.5	72.3	57.6
11:15 AM - 11:16 AM	68.8	83.8	62.4
11:16 AM - 11:17 AM	70.2	85.7	63.5
11:17 AM - 11:18 AM	68.5	85.6	62.6
11:18 AM - 11:19 AM	70.0	85.0	63.9

Leq Average 15 min. (dB(A))

66.2

Lmax (dB(A))

89.1

Standard (dB(A))

115

140

Reference Method : ISO 1996-1 : 2016

Standard : ประกาศกระทรวงอุตสาหกรรม เรื่อง มาตรการคุ้มครองความปลอดภัย
ในการประกอบกิจการโรงงานเกี่ยวกับสภาวะแวดล้อมในการทำงาน พ.ศ. ๒๕๔๖

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582815

Date Received : Sep 25, 2025

Date Reported : Oct 01, 2025

Report Number: 3418163-1

Page 1 of 1

Sample Number 2582815-3
Parameter Noise (Leq 15 min.)
Location เครื่องมือ เครื่องจักร ซึ่งเป็นแหล่งกำเนิดเสียงในการก่อสร้างจุดที่ 3
Measurement Date Sep 24, 2025
Measurement by Anurak Tongkhajonsakda

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
11:29 AM - 11:30 AM	71.2	77.8	67.9
11:30 AM - 11:31 AM	69.1	75.0	66.0
11:31 AM - 11:32 AM	70.3	76.7	67.1
11:32 AM - 11:33 AM	69.3	75.6	67.0
11:33 AM - 11:34 AM	75.2	85.7	68.6
11:34 AM - 11:35 AM	67.3	73.8	64.2
11:35 AM - 11:36 AM	63.6	69.7	60.2
11:36 AM - 11:37 AM	60.8	68.9	55.8
11:37 AM - 11:38 AM	59.9	67.0	55.5
11:38 AM - 11:39 AM	59.7	68.8	57.5
11:39 AM - 11:40 AM	63.0	73.0	57.1
11:40 AM - 11:41 AM	58.7	65.3	53.6
11:41 AM - 11:42 AM	62.7	68.1	58.4
11:42 AM - 11:43 AM	62.2	68.5	56.4
11:43 AM - 11:44 AM	61.4	68.6	58.2

Leq Average 15 min. (dB(A))

67.9

Lmax (dB(A))

85.7

Standard (dB(A))

115

140

Reference Method : ISO 1996-1 : 2016

Standard : ประกาศกระทรวงอุตสาหกรรม เรื่อง มาตรการคุ้มครองความปลอดภัย

ในการประกอบกิจการโรงงานเกี่ยวกับสภาวะแวดล้อมในการทำงาน พ.ศ. ๒๕๔๖

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582815

Date Received : Sep 25, 2025

Date Reported : Oct 01, 2025

Report Number: 3418164-1

Page 1 of 1

Sample Number 2582815-4
Parameter Noise (Leq 15 min.)
Location เครื่องมือ เครื่องจักร ซึ่งเป็นแหล่งกำเนิดเสียงในการก่อสร้างจุดที่ 4
Measurement Date Sep 24, 2025
Measurement by Anurak Tongkhajonsakda

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
02:00 PM - 02:01 PM	68.6	79.0	65.4
02:01 PM - 02:02 PM	73.1	82.1	67.2
02:02 PM - 02:03 PM	71.7	83.2	60.5
02:03 PM - 02:04 PM	58.7	68.1	54.0
02:04 PM - 02:05 PM	58.2	65.8	54.4
02:05 PM - 02:06 PM	52.9	60.0	49.8
02:06 PM - 02:07 PM	50.2	58.9	47.8
02:07 PM - 02:08 PM	49.8	61.4	46.1
02:08 PM - 02:09 PM	48.1	55.8	45.6
02:09 PM - 02:10 PM	51.9	59.5	46.4
02:10 PM - 02:11 PM	51.6	57.7	47.5
02:11 PM - 02:12 PM	45.1	51.3	41.4
02:12 PM - 02:13 PM	48.9	58.1	44.8
02:13 PM - 02:14 PM	51.8	65.2	45.5
02:14 PM - 02:15 PM	49.4	65.8	43.1

Leq Average 15 min. (dB(A))

64.8

Lmax (dB(A))

83.2

Standard (dB(A))

115

140

Reference Method : ISO 1996-1 : 2016

Standard : ประกาศกระทรวงอุตสาหกรรม เรื่อง มาตรการคุ้มครองความปลอดภัย

ในการประกอบกิจการโรงงานเกี่ยวกับสภาวะแวดล้อมในการทำงาน พ.ศ.๒๕๔๖

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2582815

Date Received : Sep 25, 2025

Date Reported : Oct 01, 2025

Report Number: 3418165-1

Page 1 of 1

Sample Number 2582815-5
Parameter Noise (Leq 15 min.)
Location เครื่องมือ เครื่องจักร ซึ่งเป็นแหล่งกำเนิดเสียงในการก่อสร้างจุดที่ 5
Measurement Date Sep 24, 2025
Measurement by Anurak Tongkhajonsakda

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
02:25 PM - 02:26 PM	68.9	82.1	61.6
02:26 PM - 02:27 PM	72.9	80.4	62.2
02:27 PM - 02:28 PM	66.5	74.5	62.0
02:28 PM - 02:29 PM	62.2	63.3	61.6
02:29 PM - 02:30 PM	58.4	74.3	52.0
02:30 PM - 02:31 PM	57.2	72.3	51.7
02:31 PM - 02:32 PM	63.1	74.1	59.1
02:32 PM - 02:33 PM	67.5	82.6	62.1
02:33 PM - 02:34 PM	70.6	85.3	66.0
02:34 PM - 02:35 PM	69.8	84.6	62.4
02:35 PM - 02:36 PM	69.4	84.4	60.5
02:36 PM - 02:37 PM	67.0	81.4	59.6
02:37 PM - 02:38 PM	68.1	84.4	59.8
02:38 PM - 02:39 PM	71.3	86.3	62.8
02:39 PM - 02:40 PM	63.1	80.4	56.5

Leq Average 15 min. (dB(A))

68.2

Lmax (dB(A))

86.3

Standard (dB(A))

115

140

Reference Method : ISO 1996-1 : 2016

Standard : ประกาศกระทรวงอุตสาหกรรม เรื่อง มาตรการคุ้มครองความปลอดภัย

ในการประกอบกิจการโรงงานเกี่ยวกับสภาวะแวดล้อมในการทำงาน พ.ศ. ๒๕๔๖

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

คุณภาพน้ำผิวดิน



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 1 of 54

Sample Number	2569885-1
Sampled Date	Aug 21, 2025 10:00 AM
Sample Description	Surface Water
Location	คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (SW1) (GPS 47P 0748613, 1460976)
Date Analysis Commenced	Aug 21, 2025
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
^[A] Arsenic	mg/L	0.0003	0.0005	0.003	≤0.01	≤0.01	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Barium	mg/L	0.0003	0.0005	0.07	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Cadmium	mg/L	0.0003	0.0005	Not Detected	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Copper	mg/L	0.0003	0.0005	0.006	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Hexavalent Chromium	mg/L	0.003	0.01	Not Detected	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3500-Cr B	Bangkok
^[A] Iron	mg/L	0.003	0.005	6.88	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Lead	mg/L	0.0003	0.0005	0.004	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 2 of 54

Sample Number	2569885-1
Sampled Date	Aug 21, 2025 10:00 AM
Sample Description	Surface Water
Location	คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (SW1) (GPS 47P 0748613, 1460976)
Date Analysis Commenced	Aug 21, 2025
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
^[A] Manganese	mg/L	0.0003	0.0005	0.22	≤1	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Mercury	mg/L	0.0001	0.0005	Not Detected	≤0.002	≤0.002	In-house method : STM 05-007 based on United States Environmental Protection Agency, 2002, EPA Method 1631, Revision E	Bangkok
^[A] Nickel	mg/L	0.0003	0.0005	0.004	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Selenium	mg/L	0.0003	0.0005	Not Detected	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Silver	mg/L	0.0003	0.0005	Not Detected	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
Trivalent Chromium *	mg/L	-	0.01	<0.01	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Zinc	mg/L	0.003	0.005	0.01	≤1	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok

Microbiological Testing

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 3 of 54

Sample Number	2569885-1							
Sampled Date	Aug 21, 2025 10:00 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (SW1) (GPS 47P 0748613, 1460976)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Microbiological Testing								
^[A] Fecal Coliform	MPN/100mL	-	-	1100.0	≤4000	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B, E	Bangkok
^[A] Total Coliform	MPN/100mL	-	-	7900.0	≤20000	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Pesticides - Organochlorine Group								
^[A] 2,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 2,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 2,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 4,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 4,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 4 of 54

Sample Number	2569885-1							
Sampled Date	Aug 21, 2025 10:00 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (SW1) (GPS 47P 0748613, 1460976)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] 4,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Aldrin	ug/L	0.01	0.02	Not Detected	≤0.10	≤0.10	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] alpha-BHC	ug/L	0.01	0.02	Not Detected	≤0.02	≤0.02	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] alpha-Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] beta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Chlordane	ug/L	0.02	0.04	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Photchana S

Photchana Seeda
Scientist (4)

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 5 of 54

Sample Number	2569885-1
Sampled Date	Aug 21, 2025 10:00 AM
Sample Description	Surface Water
Location	คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (SW1) (GPS 47P 0748613, 1460976)
Date Analysis Commenced	Aug 21, 2025
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] DDT	ug/L	0.06	0.12	Not Detected	≤1	≤1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] delta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Dieldrin	ug/L	0.01	0.02	Not Detected	≤0.1	≤0.1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan I	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan II	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan sulfate	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 6 of 54

Sample Number	2569885-1							
Sampled Date	Aug 21, 2025 10:00 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (SW1) (GPS 47P 0748613, 1460976)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] Endrin	ug/L	0.01	0.02	Not Detected	Not Detected	Not Detected	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endrin aldehyde	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endrin ketone	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] gamma-Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Heptachlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Heptachlor and Heptachlor epoxide *	ug/L	0.01	0.02	Not Detected	≤0.2	≤0.2	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 7 of 54

Sample Number	2569885-1							
Sampled Date	Aug 21, 2025 10:00 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (SW1) (GPS 47P 0748613, 1460976)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] Heptachlor-Epoxyde	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Lindane (gamma-BHC)	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Methoxychlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Water Testing								
Ammonia Nitrogen *	mg/L	0.02	0.05	0.06	≤0.5	≤0.5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NH3 (F)	Rayong
BOD (5 days at 20 Degree C) *	mg/L	-	2.0	2.0	≤2	≤4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Rayong
COD *	mg/L	1.5	25	25	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5220 D	Rayong
Color *	Color unit	-	5	40	(a)	(a)	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 B	Rayong

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 8 of 54

Sample Number	2569885-1
Sampled Date	Aug 21, 2025 10:00 AM
Sample Description	Surface Water
Location	คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (SW1) (GPS 47P 0748613, 1460976)
Date Analysis Commenced	Aug 21, 2025
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
Cyanide as CN	mg/L	0.001	0.005	<0.005	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-CN (C, E)	Rayong
Dissolved Oxygen *	mg/L	-	0.1	6.6	≥4	≥2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-O (C)	Rayong
Fluoride	mg/L	-	0.2	0.3	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-F (C)	Rayong
Formaldehyde *	mg/L	0.03	0.1	Not Detected	No Standard	No Standard	Wastewater analysis manual, Environmental Engineering Association of Thailand, 4th ed., 2004	Rayong
Nitrate as N *	mg/L	0.015	0.05	0.19	≤5	≤5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NO3 (E)	Rayong
Odour *		-	-	Odourless	(a)	(a)	TIS, 257-2549	Rayong
Oil & Grease *	mg/L	-	3	<3	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Rayong
pH at 25 degree C		-	-	7.5	5.0-9.0	5.0-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Rayong
Phenol *	mg/L	0.0005	0.001	Not Detected	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5530 B, D	Rayong

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 9 of 54

Sample Number	2569885-1
Sampled Date	Aug 21, 2025 10:00 AM
Sample Description	Surface Water
Location	คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (SW1) (GPS 47P 0748613, 1460976)
Date Analysis Commenced	Aug 21, 2025
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
Sulfide *	mg/L	-	0.5	<0.5	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Rayong
Temperature *	Degree C	-	-	29.6	(c)	(c)	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2550 B	Rayong
Total Dissolved Solids Dried at 180 degree C	mg/L	-	5	266	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Rayong
Total Kjeldahl Nitrogen as N *	mg/L	-	1.0	<1.0	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C), part NH3 (D)	Rayong
Total Suspended Solids Dried at 103-105 degree C *	mg/L	-	5	53	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Rayong

Guideline : (1) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 3)
(2) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 4)
(a) Not Change from natural condition
(b) Non Objectionable
(c) Change from Natural condition not more than 3 degree C

Sampling By : Surawit Narapong

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
-
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 10 of 54

Sample Number	2569885-2							
Sampled Date	Aug 21, 2025 10:30 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วบริเวณพื้นที่โครงการ (SW2) (GPS 47P 0748059, 1461306)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
^[A] Arsenic	mg/L	0.0003	0.0005	0.003	≤0.01	≤0.01	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Barium	mg/L	0.0003	0.0005	0.19	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Cadmium	mg/L	0.0003	0.0005	Not Detected	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Copper	mg/L	0.0003	0.0005	0.02	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Hexavalent Chromium	mg/L	0.003	0.01	Not Detected	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3500-Cr B	Bangkok
^[A] Iron	mg/L	0.003	0.005	22.3	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Lead	mg/L	0.0003	0.0005	0.010	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 11 of 54

Sample Number	2569885-2
Sampled Date	Aug 21, 2025 10:30 AM
Sample Description	Surface Water
Location	คลองอ้อมแก้วบริเวณพื้นที่โครงการ (SW2) (GPS 47P 0748059, 1461306)
Date Analysis Commenced	Aug 21, 2025
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
^[A] Manganese	mg/L	0.0003	0.0005	1.12	≤1	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Mercury	mg/L	0.0001	0.0005	Not Detected	≤0.002	≤0.002	In-house method : STM 05-007 based on United States Environmental Protection Agency, 2002, EPA Method 1631, Revision E	Bangkok
^[A] Nickel	mg/L	0.0003	0.0005	0.02	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Selenium	mg/L	0.0003	0.0005	0.0005	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Silver	mg/L	0.0003	0.0005	Not Detected	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
Trivalent Chromium *	mg/L	-	0.01	0.02	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Zinc	mg/L	0.003	0.005	0.04	≤1	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok

Microbiological Testing

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 12 of 54

Sample Number	2569885-2							
Sampled Date	Aug 21, 2025 10:30 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วบริเวณพื้นที่โครงการ (SW2) (GPS 47P 0748059, 1461306)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Microbiological Testing								
^[A] Fecal Coliform	MPN/100mL	-	-	3300.0	≤4000	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B, E	Bangkok
^[A] Total Coliform	MPN/100mL	-	-	7900.0	≤20000	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Pesticides - Organochlorine Group								
^[A] 2,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 2,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 2,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 4,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 4,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 13 of 54

Sample Number	2569885-2							
Sampled Date	Aug 21, 2025 10:30 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วบริเวณพื้นที่โครงการ (SW2) (GPS 47P 0748059, 1461306)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] 4,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Aldrin	ug/L	0.01	0.02	Not Detected	≤0.10	≤0.10	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] alpha-BHC	ug/L	0.01	0.02	Not Detected	≤0.02	≤0.02	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] alpha-Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] beta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Chlordane	ug/L	0.02	0.04	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 14 of 54

Sample Number	2569885-2							
Sampled Date	Aug 21, 2025 10:30 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วบริเวณพื้นที่โครงการ (SW2) (GPS 47P 0748059, 1461306)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] DDT	ug/L	0.06	0.12	Not Detected	≤1	≤1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] delta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Dieldrin	ug/L	0.01	0.02	Not Detected	≤0.1	≤0.1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan I	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan II	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan sulfate	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 15 of 54

Sample Number	2569885-2
Sampled Date	Aug 21, 2025 10:30 AM
Sample Description	Surface Water
Location	คลองอ้อมแก้วบริเวณพื้นที่โครงการ (SW2) (GPS 47P 0748059, 1461306)
Date Analysis Commenced	Aug 21, 2025
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] Endrin	ug/L	0.01	0.02	Not Detected	Not Detected	Not Detected	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endrin aldehyde	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endrin ketone	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] gamma-Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Heptachlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Heptachlor and Heptachlor epoxide *	ug/L	0.01	0.02	Not Detected	≤0.2	≤0.2	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 16 of 54

Sample Number	2569885-2							
Sampled Date	Aug 21, 2025 10:30 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วบริเวณพื้นที่โครงการ (SW2) (GPS 47P 0748059, 1461306)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] Heptachlor-Epoxide	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Lindane (gamma-BHC)	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Methoxychlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Water Testing								
Ammonia Nitrogen *	mg/L	0.02	0.05	0.32	≤0.5	≤0.5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NH3 (F)	Rayong
BOD (5 days at 20 Degree C) *	mg/L	-	2.0	4.4	≤2	≤4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Rayong
COD *	mg/L	1.5	25	<25	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5220 D	Rayong
Color *	Color unit	-	5	10	(a)	(a)	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 B	Rayong

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 17 of 54

Sample Number	2569885-2
Sampled Date	Aug 21, 2025 10:30 AM
Sample Description	Surface Water
Location	คลองอ้อมแก้วบริเวณพื้นที่โครงการ (SW2) (GPS 47P 0748059, 1461306)
Date Analysis Commenced	Aug 21, 2025
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
Cyanide as CN	mg/L	0.001	0.005	<0.005	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-CN (C, E)	Rayong
Dissolved Oxygen *	mg/L	-	0.1	4.4	≥4	≥2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-O (C)	Rayong
Fluoride	mg/L	-	0.2	0.4	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-F (C)	Rayong
Formaldehyde *	mg/L	0.03	0.1	Not Detected	No Standard	No Standard	Wastewater analysis manual, Environmental Engineering Association of Thailand, 4th ed., 2004	Rayong
Nitrate as N *	mg/L	0.015	0.05	0.24	≤5	≤5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NO3 (E)	Rayong
Odour *		-	-	Odourless	(a)	(a)	TIS, 257-2549	Rayong
Oil & Grease *	mg/L	-	3	<3	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Rayong
pH at 25 degree C		-	-	7.3	5.0-9.0	5.0-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Rayong
Phenol *	mg/L	0.0005	0.001	0.004	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5530 B, D	Rayong

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 18 of 54

Sample Number	2569885-2							
Sampled Date	Aug 21, 2025 10:30 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วบริเวณพื้นที่โครงการ (SW2) (GPS 47P 0748059, 1461306)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
Sulfide *	mg/L	-	0.5	<0.5	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Rayong
Temperature *	Degree C	-	-	29.6	(c)	(c)	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2550 B	Rayong
Total Dissolved Solids Dried at 180 degree C *	mg/L	-	5	328	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Rayong
Total Kjeldahl Nitrogen as N *	mg/L	-	1.0	4.4	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C), part NH3 (D)	Rayong
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	695	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Rayong

Guideline : (1) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 3)
(2) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 4)
(a) Not Change from natural condition
(b) Non Objectionable
(c) Change from Natural condition not more than 3 degree C

Sampling By : Surawit Narapong

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
-
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 19 of 54

Sample Number	2569885-3							
Sampled Date	Aug 21, 2025 10:50 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (SW3) (GPS 47P 0746958, 1460758)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
^[A] Arsenic	mg/L	0.0003	0.0005	0.003	≤0.01	≤0.01	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Barium	mg/L	0.0003	0.0005	0.38	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Cadmium	mg/L	0.0003	0.0005	Not Detected	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Copper	mg/L	0.0003	0.0005	0.07	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Hexavalent Chromium	mg/L	0.003	0.01	Not Detected	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3500-Cr B	Bangkok
^[A] Iron	mg/L	0.003	0.005	70.4	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Lead	mg/L	0.0003	0.0005	0.03	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Photchana S

Photchana Seeda
Scientist (4)

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 20 of 54

Sample Number	2569885-3
Sampled Date	Aug 21, 2025 10:50 AM
Sample Description	Surface Water
Location	คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (SW3) (GPS 47P 0746958, 1460758)
Date Analysis Commenced	Aug 21, 2025
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
^[A] Manganese	mg/L	0.0003	0.0005	0.66	≤1	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Mercury	mg/L	0.0001	0.0005	Not Detected	≤0.002	≤0.002	In-house method : STM 05-007 based on United States Environmental Protection Agency, 2002, EPA Method 1631, Revision E	Bangkok
^[A] Nickel	mg/L	0.0003	0.0005	0.04	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Selenium	mg/L	0.0003	0.0005	0.002	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Silver	mg/L	0.0003	0.0005	Not Detected	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
Trivalent Chromium *	mg/L	-	0.01	0.07	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Zinc	mg/L	0.003	0.005	0.12	≤1	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok

Microbiological Testing

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 21 of 54

Sample Number	2569885-3							
Sampled Date	Aug 21, 2025 10:50 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (SW3) (GPS 47P 0746958, 1460758)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Microbiological Testing								
^[A] Fecal Coliform	MPN/100mL	-	-	11000.0	≤4000	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B, E	Bangkok
^[A] Total Coliform	MPN/100mL	-	-	49000.0	≤20000	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Pesticides - Organochlorine Group								
^[A] 2,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 2,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 2,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 4,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 4,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 22 of 54

Sample Number	2569885-3							
Sampled Date	Aug 21, 2025 10:50 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (SW3) (GPS 47P 0746958, 1460758)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] 4,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Aldrin	ug/L	0.01	0.02	Not Detected	≤0.10	≤0.10	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] alpha-BHC	ug/L	0.01	0.02	Not Detected	≤0.02	≤0.02	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] alpha-Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] beta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Chlordane	ug/L	0.02	0.04	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 23 of 54

Sample Number	2569885-3							
Sampled Date	Aug 21, 2025 10:50 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (SW3) (GPS 47P 0746958, 1460758)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] DDT	ug/L	0.06	0.12	Not Detected	≤1	≤1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] delta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Dieldrin	ug/L	0.01	0.02	Not Detected	≤0.1	≤0.1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan I	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan II	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan sulfate	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 24 of 54

Sample Number	2569885-3
Sampled Date	Aug 21, 2025 10:50 AM
Sample Description	Surface Water
Location	คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (SW3) (GPS 47P 0746958, 1460758)
Date Analysis Commenced	Aug 21, 2025
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] Endrin	ug/L	0.01	0.02	Not Detected	Not Detected	Not Detected	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endrin aldehyde	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endrin ketone	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] gamma-Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Heptachlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Heptachlor and Heptachlor epoxide *	ug/L	0.01	0.02	Not Detected	≤0.2	≤0.2	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 25 of 54

Sample Number	2569885-3							
Sampled Date	Aug 21, 2025 10:50 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (SW3) (GPS 47P 0746958, 1460758)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] Heptachlor-Epoxide	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Lindane (gamma-BHC)	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Methoxychlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Water Testing								
Ammonia Nitrogen *	mg/L	0.02	0.05	<0.05	≤0.5	≤0.5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NH3 (F)	Rayong
BOD (5 days at 20 Degree C) *	mg/L	-	2.0	5.5	≤2	≤4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Rayong
COD *	mg/L	1.5	25	<25	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5220 D	Rayong
Color *	Color unit	-	5	10	(a)	(a)	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 B	Rayong

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 26 of 54

Sample Number	2569885-3
Sampled Date	Aug 21, 2025 10:50 AM
Sample Description	Surface Water
Location	คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (SW3) (GPS 47P 0746958, 1460758)
Date Analysis Commenced	Aug 21, 2025
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
Cyanide as CN	mg/L	0.001	0.005	Not Detected	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-CN (C, E)	Rayong
Dissolved Oxygen *	mg/L	-	0.1	4.8	≥4	≥2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-O (C)	Rayong
Fluoride	mg/L	-	0.2	0.2	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-F (C)	Rayong
Formaldehyde *	mg/L	0.03	0.1	<0.1	No Standard	No Standard	Wastewater analysis manual, Environmental Engineering Association of Thailand, 4th ed., 2004	Rayong
Nitrate as N *	mg/L	0.015	0.05	0.36	≤5	≤5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NO3 (E)	Rayong
Odour *		-	-	Odourless	(a)	(a)	TIS, 257-2549	Rayong
Oil & Grease *	mg/L	-	3	<3	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Rayong
pH at 25 degree C		-	-	7.3	5.0-9.0	5.0-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Rayong
Phenol *	mg/L	0.0005	0.001	Not Detected	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5530 B, D	Rayong

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 27 of 54

Sample Number	2569885-3							
Sampled Date	Aug 21, 2025 10:50 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (SW3) (GPS 47P 0746958, 1460758)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
Sulfide *	mg/L	-	0.5	<0.5	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Rayong
Temperature *	Degree C	-	-	29.8	(c)	(c)	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2550 B	Rayong
Total Dissolved Solids Dried at 180 degree C	mg/L	-	5	392	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Rayong
Total Kjeldahl Nitrogen as N *	mg/L	-	1.0	1.3	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C), part NH3 (D)	Rayong
Total Suspended Solids Dried at 103-105 degree C *	mg/L	-	5	1900	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Rayong

Guideline : (1) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 3)
(2) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 4)
(a) Not Change from natural condition
(b) Non Objectionable
(c) Change from Natural condition not more than 3 degree C

Sampling By : Surawit Narapong

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
-
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 28 of 54

Sample Number	2569885-4
Sampled Date	Aug 21, 2025 11:15 AM
Sample Description	Surface Water
Location	คลองหนองโศกสกก่อนจตุรบานน้ำทั้ง (SW4) (GPS 47P 0744051, 1460947)
Date Analysis Commenced	Aug 21, 2025
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
^[A] Arsenic	mg/L	0.0003	0.0005	0.005	≤0.01	≤0.01	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Barium	mg/L	0.0003	0.0005	0.12	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Cadmium	mg/L	0.0003	0.0005	Not Detected	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Copper	mg/L	0.0003	0.0005	0.002	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Hexavalent Chromium	mg/L	0.003	0.01	Not Detected	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3500-Cr B	Bangkok
^[A] Iron	mg/L	0.003	0.005	1.65	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Lead	mg/L	0.0003	0.0005	0.003	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 29 of 54

Sample Number	2569885-4							
Sampled Date	Aug 21, 2025 11:15 AM							
Sample Description	Surface Water							
Location	คลองหนองโศกสกก่อนจตุรบานน้ำทั้ง (SW4) (GPS 47P 0744051, 1460947)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
^[A] Manganese	mg/L	0.0003	0.0005	0.66	≤1	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Mercury	mg/L	0.0001	0.0005	Not Detected	≤0.002	≤0.002	In-house method : STM 05-007 based on United States Environmental Protection Agency, 2002, EPA Method 1631, Revision E	Bangkok
^[A] Nickel	mg/L	0.0003	0.0005	0.003	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Selenium	mg/L	0.0003	0.0005	Not Detected	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Silver	mg/L	0.0003	0.0005	Not Detected	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
Trivalent Chromium *	mg/L	-	0.01	<0.01	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Zinc	mg/L	0.003	0.005	0.03	≤1	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok

Microbiological Testing

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 30 of 54

Sample Number	2569885-4							
Sampled Date	Aug 21, 2025 11:15 AM							
Sample Description	Surface Water							
Location	คลองหนองโศกสกก่อนจระเข้น้ำทิ้ง (SW4) (GPS 47P 0744051, 1460947)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Microbiological Testing								
^[A] Fecal Coliform	MPN/100mL	-	-	79000.0	≤4000	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B, E	Bangkok
^[A] Total Coliform	MPN/100mL	-	-	79000.0	≤20000	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Pesticides - Organochlorine Group								
^[A] 2,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 2,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 2,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 4,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 4,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Photchana S

Photchana Seeda
Scientist (4)

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 31 of 54

Sample Number	2569885-4
Sampled Date	Aug 21, 2025 11:15 AM
Sample Description	Surface Water
Location	คลองหนองโศกก่อนจุดระบายน้ำทิ้ง (SW4) (GPS 47P 0744051, 1460947)
Date Analysis Commenced	Aug 21, 2025
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] 4,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Aldrin	ug/L	0.01	0.02	Not Detected	≤0.10	≤0.10	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] alpha-BHC	ug/L	0.01	0.02	Not Detected	≤0.02	≤0.02	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] alpha-Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] beta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Chlordane	ug/L	0.02	0.04	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 32 of 54

Sample Number	2569885-4							
Sampled Date	Aug 21, 2025 11:15 AM							
Sample Description	Surface Water							
Location	คลองหนองโศกสกก่อนจระเข้น้ำทั้ง (SW4) (GPS 47P 0744051, 1460947)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] DDT	ug/L	0.06	0.12	Not Detected	≤1	≤1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] delta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Dieldrin	ug/L	0.01	0.02	Not Detected	≤0.1	≤0.1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan I	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan II	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan sulfate	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 33 of 54

Sample Number	2569885-4							
Sampled Date	Aug 21, 2025 11:15 AM							
Sample Description	Surface Water							
Location	คลองหนองโศกสกก่อนจระเข้น้ำทั้ง (SW4) (GPS 47P 0744051, 1460947)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] Endrin	ug/L	0.01	0.02	Not Detected	Not Detected	Not Detected	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endrin aldehyde	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endrin ketone	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] gamma-Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Heptachlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Heptachlor and Heptachlor epoxide *	ug/L	0.01	0.02	Not Detected	≤0.2	≤0.2	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 34 of 54

Sample Number	2569885-4							
Sampled Date	Aug 21, 2025 11:15 AM							
Sample Description	Surface Water							
Location	คลองหนองโศกคลองจั่นระบายน้ำทั้ง (SW4) (GPS 47P 0744051, 1460947)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] Heptachlor-Epoxyde	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Lindane (gamma-BHC)	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Methoxychlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Water Testing								
Ammonia Nitrogen *	mg/L	0.02	0.05	7.85	≤0.5	≤0.5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NH3 (F)	Rayong
BOD (5 days at 20 Degree C) *	mg/L	-	2.0	39.3	≤2	≤4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Rayong
COD *	mg/L	1.5	25	35	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5220 D	Rayong
Color *	Color unit	-	5	50	(a)	(a)	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 B	Rayong

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 35 of 54

Sample Number	2569885-4
Sampled Date	Aug 21, 2025 11:15 AM
Sample Description	Surface Water
Location	คลองหนองโศกสกก่อนจตุรนาถน้ำทั้ง (SW4) (GPS 47P 0744051, 1460947)
Date Analysis Commenced	Aug 21, 2025
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
Cyanide as CN	mg/L	0.001	0.005	<0.005	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-CN (C, E)	Rayong
Dissolved Oxygen *	mg/L	-	0.1	4.0	≥4	≥2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-O (C)	Rayong
Fluoride	mg/L	-	0.2	0.2	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-F (C)	Rayong
Formaldehyde *	mg/L	0.03	0.1	<0.1	No Standard	No Standard	Wastewater analysis manual, Environmental Engineering Association of Thailand, 4th ed., 2004	Rayong
Nitrate as N *	mg/L	0.015	0.05	4.81	≤5	≤5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NO3 (E)	Rayong
Odour *		-	-	Odourless	(a)	(a)	TIS, 257-2549	Rayong
Oil & Grease *	mg/L	-	3	<3	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Rayong
pH at 25 degree C		-	-	7.9	5.0-9.0	5.0-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Rayong
Phenol *	mg/L	0.0005	0.001	0.002	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5530 B, D	Rayong

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 36 of 54

Sample Number	2569885-4							
Sampled Date	Aug 21, 2025 11:15 AM							
Sample Description	Surface Water							
Location	คลองหนองโกศลก่อนจตุรบานน้ำทั้ง (SW4) (GPS 47P 0744051, 1460947)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
Sulfide *	mg/L	-	0.5	<0.5	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Rayong
Temperature *	Degree C	-	-	30.1	(c)	(c)	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2550 B	Rayong
Total Dissolved Solids Dried at 180 degree C	mg/L	-	5	424	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Rayong
Total Kjeldahl Nitrogen as N *	mg/L	-	1.0	10.3	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C), part NH3 (D)	Rayong
Total Suspended Solids Dried at 103-105 degree C *	mg/L	-	5	128	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Rayong

Guideline : (1) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 3)
(2) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 4)
(a) Not Change from natural condition
(b) Non Objectionable
(c) Change from Natural condition not more than 3 degree C

Sampling By : Surawit Narapong

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
-
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 37 of 54

Sample Number	2569885-5							
Sampled Date	Aug 21, 2025 11:35 AM							
Sample Description	Surface Water							
Location	คลองหนองโศกชลประทานน้ำหัง (SW5) (GPS 47P 0744045, 1460971)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
^[A] Arsenic	mg/L	0.0003	0.0005	0.005	≤0.01	≤0.01	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Barium	mg/L	0.0003	0.0005	0.13	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Cadmium	mg/L	0.0003	0.0005	Not Detected	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Copper	mg/L	0.0003	0.0005	0.002	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Hexavalent Chromium	mg/L	0.003	0.01	Not Detected	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3500-Cr B	Bangkok
^[A] Iron	mg/L	0.003	0.005	2.03	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Lead	mg/L	0.0003	0.0005	0.003	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 38 of 54

Sample Number	2569885-5							
Sampled Date	Aug 21, 2025 11:35 AM							
Sample Description	Surface Water							
Location	คลองหนองโกศลจตุรบานน้ำทั้ง (SW5) (GPS 47P 0744045, 1460971)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
^[A] Manganese	mg/L	0.0003	0.0005	0.60	≤1	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Mercury	mg/L	0.0001	0.0005	Not Detected	≤0.002	≤0.002	In-house method : STM 05-007 based on United States Environmental Protection Agency, 2002, EPA Method 1631, Revision E	Bangkok
^[A] Nickel	mg/L	0.0003	0.0005	0.003	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Selenium	mg/L	0.0003	0.0005	Not Detected	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Silver	mg/L	0.0003	0.0005	Not Detected	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
Trivalent Chromium *	mg/L	-	0.01	<0.01	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Zinc	mg/L	0.003	0.005	0.02	≤1	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok

Microbiological Testing

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 39 of 54

Sample Number	2569885-5							
Sampled Date	Aug 21, 2025 11:35 AM							
Sample Description	Surface Water							
Location	คลองหนองโกศลจตุรบานน้ำทั้ง (SW5) (GPS 47P 0744045, 1460971)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Microbiological Testing								
^[A] Fecal Coliform	MPN/100mL	-	-	240000.0	≤4000	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B, E	Bangkok
^[A] Total Coliform	MPN/100mL	-	-	240000.0	≤20000	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Pesticides - Organochlorine Group								
^[A] 2,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 2,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 2,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 4,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 4,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 40 of 54

Sample Number	2569885-5
Sampled Date	Aug 21, 2025 11:35 AM
Sample Description	Surface Water
Location	คลองหนองโกศลจตุรบานน้ำทั้ง (SW5) (GPS 47P 0744045, 1460971)
Date Analysis Commenced	Aug 21, 2025
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] 4,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Aldrin	ug/L	0.01	0.02	Not Detected	≤0.10	≤0.10	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] alpha-BHC	ug/L	0.01	0.02	Not Detected	≤0.02	≤0.02	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] alpha-Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] beta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Chlordane	ug/L	0.02	0.04	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 41 of 54

Sample Number	2569885-5							
Sampled Date	Aug 21, 2025 11:35 AM							
Sample Description	Surface Water							
Location	คลองหนองโกศลจตุรบานน้ำทั้ง (SW5) (GPS 47P 0744045, 1460971)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] DDT	ug/L	0.06	0.12	Not Detected	≤1	≤1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] delta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Dieldrin	ug/L	0.01	0.02	Not Detected	≤0.1	≤0.1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan I	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan II	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan sulfate	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 42 of 54

Sample Number	2569885-5							
Sampled Date	Aug 21, 2025 11:35 AM							
Sample Description	Surface Water							
Location	คลองหนองโกศลจตุรบานน้ำทั้ง (SW5) (GPS 47P 0744045, 1460971)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] Endrin	ug/L	0.01	0.02	Not Detected	Not Detected	Not Detected	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endrin aldehyde	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endrin ketone	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] gamma-Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Heptachlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Heptachlor and Heptachlor epoxide *	ug/L	0.01	0.02	Not Detected	≤0.2	≤0.2	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 43 of 54

Sample Number	2569885-5							
Sampled Date	Aug 21, 2025 11:35 AM							
Sample Description	Surface Water							
Location	คลองหนองโกศลจตุรบานน้ำทั้ง (SW5) (GPS 47P 0744045, 1460971)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] Heptachlor-Epoxide	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Lindane (gamma-BHC)	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Methoxychlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Water Testing								
Ammonia Nitrogen *	mg/L	0.02	0.05	6.58	≤0.5	≤0.5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NH3 (F)	Rayong
BOD (5 days at 20 Degree C) *	mg/L	-	2.0	16.0	≤2	≤4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Rayong
COD *	mg/L	1.5	25	36	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5220 D	Rayong
Color *	Color unit	-	5	50	(a)	(a)	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 B	Rayong

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 44 of 54

Sample Number	2569885-5
Sampled Date	Aug 21, 2025 11:35 AM
Sample Description	Surface Water
Location	คลองหนองโกศลจตุรบานน้ำทั้ง (SW5) (GPS 47P 0744045, 1460971)
Date Analysis Commenced	Aug 21, 2025
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
Cyanide as CN	mg/L	0.001	0.005	Not Detected	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-CN (C, E)	Rayong
Dissolved Oxygen *	mg/L	-	0.1	4.4	≥4	≥2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-O (C)	Rayong
Fluoride	mg/L	-	0.2	0.2	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-F (C)	Rayong
Formaldehyde *	mg/L	0.03	0.1	<0.1	No Standard	No Standard	Wastewater analysis manual, Environmental Engineering Association of Thailand, 4th ed., 2004	Rayong
Nitrate as N *	mg/L	0.015	0.05	4.11	≤5	≤5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NO3 (E)	Rayong
Odour *		-	-	Odourless	(a)	(a)	TIS, 257-2549	Rayong
Oil & Grease *	mg/L	-	3	<3	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Rayong
pH at 25 degree C		-	-	7.9	5.0-9.0	5.0-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Rayong
Phenol *	mg/L	0.0005	0.001	Not Detected	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5530 B, D	Rayong

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 45 of 54

Sample Number	2569885-5
Sampled Date	Aug 21, 2025 11:35 AM
Sample Description	Surface Water
Location	คลองหนองโกศลจตุรบานน้ำทั้ง (SW5) (GPS 47P 0744045, 1460971)
Date Analysis Commenced	Aug 21, 2025
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
Sulfide *	mg/L	-	0.5	<0.5	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Rayong
Temperature *	Degree C	-	-	30.4	(c)	(c)	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2550 B	Rayong
Total Dissolved Solids Dried at 180 degree C	mg/L	-	5	432	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Rayong
Total Kjeldahl Nitrogen as N *	mg/L	-	1.0	10.6	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C), part NH3 (D)	Rayong
Total Suspended Solids Dried at 103-105 degree C *	mg/L	-	5	133	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Rayong

Guideline : (1) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 3)
(2) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 4)
(a) Not Change from natural condition
(b) Non Objectionable
(c) Change from Natural condition not more than 3 degree C

Sampling By : Surawit Narapong

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
-
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 46 of 54

Sample Number	2569885-6							
Sampled Date	Aug 21, 2025 12:00 PM							
Sample Description	Surface Water							
Location	คลองหนองโกศลหลังจตุรบานน้ำทั้ง (SW6) (GPS 47P 0742727, 1464720)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
^[A] Arsenic	mg/L	0.0003	0.0005	0.005	≤0.01	≤0.01	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Barium	mg/L	0.0003	0.0005	0.09	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Cadmium	mg/L	0.0003	0.0005	Not Detected	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Copper	mg/L	0.0003	0.0005	0.010	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Hexavalent Chromium	mg/L	0.003	0.01	Not Detected	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3500-Cr B	Bangkok
^[A] Iron	mg/L	0.003	0.005	1.55	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Lead	mg/L	0.0003	0.0005	0.003	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 47 of 54

Sample Number	2569885-6							
Sampled Date	Aug 21, 2025 12:00 PM							
Sample Description	Surface Water							
Location	คลองหนองโกศลหลังจตุรเข้าน้ำทิ้ง (SW6) (GPS 47P 0742727, 1464720)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
^[A] Manganese	mg/L	0.0003	0.0005	0.55	≤1	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Mercury	mg/L	0.0001	0.0005	Not Detected	≤0.002	≤0.002	In-house method : STM 05-007 based on United States Environmental Protection Agency, 2002, EPA Method 1631, Revision E	Bangkok
^[A] Nickel	mg/L	0.0003	0.0005	0.003	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Selenium	mg/L	0.0003	0.0005	Not Detected	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Silver	mg/L	0.0003	0.0005	Not Detected	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
Trivalent Chromium *	mg/L	-	0.01	<0.01	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
^[A] Zinc	mg/L	0.003	0.005	0.04	≤1	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok

Microbiological Testing

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 48 of 54

Sample Number	2569885-6							
Sampled Date	Aug 21, 2025 12:00 PM							
Sample Description	Surface Water							
Location	คลองหนองโกศลหลังจตุรเขษน้ำทั้ง (SW6) (GPS 47P 0742727, 1464720)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Microbiological Testing								
^[A] Fecal Coliform	MPN/100mL	-	-	220000.0	≤4000	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B, E	Bangkok
^[A] Total Coliform	MPN/100mL	-	-	490000.0	≤20000	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Pesticides - Organochlorine Group								
^[A] 2,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 2,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 2,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 4,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 4,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 49 of 54

Sample Number	2569885-6							
Sampled Date	Aug 21, 2025 12:00 PM							
Sample Description	Surface Water							
Location	คลองหนองโกศลหลังจตุรเขษน้ำทั้ง (SW6) (GPS 47P 0742727, 1464720)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] 4,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Aldrin	ug/L	0.01	0.02	Not Detected	≤0.10	≤0.10	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] alpha-BHC	ug/L	0.01	0.02	Not Detected	≤0.02	≤0.02	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] alpha-Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] beta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Chlordane	ug/L	0.02	0.04	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 50 of 54

Sample Number	2569885-6							
Sampled Date	Aug 21, 2025 12:00 PM							
Sample Description	Surface Water							
Location	คลองหนองโกศลหลังจตุรเขษน้ำทั้ง (SW6) (GPS 47P 0742727, 1464720)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] DDT	ug/L	0.06	0.12	Not Detected	≤1	≤1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] delta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Dieldrin	ug/L	0.01	0.02	Not Detected	≤0.1	≤0.1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan I	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan II	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan sulfate	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 51 of 54

Sample Number	2569885-6							
Sampled Date	Aug 21, 2025 12:00 PM							
Sample Description	Surface Water							
Location	คลองหนองโกศลหลังจตุรเขษน้ำทั้ง (SW6) (GPS 47P 0742727, 1464720)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] Endrin	ug/L	0.01	0.02	Not Detected	Not Detected	Not Detected	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endrin aldehyde	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endrin ketone	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] gamma-Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Heptachlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Heptachlor and Heptachlor epoxide *	ug/L	0.01	0.02	Not Detected	≤0.2	≤0.2	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 52 of 54

Sample Number	2569885-6							
Sampled Date	Aug 21, 2025 12:00 PM							
Sample Description	Surface Water							
Location	คลองหนองโกศลหลังจตุรเขษน้ำทั้ง (SW6) (GPS 47P 0742727, 1464720)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] Heptachlor-Epoxyde	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Lindane (gamma-BHC)	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Methoxychlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Water Testing								
Ammonia Nitrogen *	mg/L	0.02	0.05	10.6	≤0.5	≤0.5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NH3 (F)	Rayong
BOD (5 days at 20 Degree C) *	mg/L	-	2.0	18.9	≤2	≤4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Rayong
COD *	mg/L	1.5	25	53	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5220 D	Rayong
Color *	Color unit	-	5	50	(a)	(a)	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 B	Rayong

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 53 of 54

Sample Number	2569885-6
Sampled Date	Aug 21, 2025 12:00 PM
Sample Description	Surface Water
Location	คลองหนองโกศลหลังจตุรบานน้ำทั้ง (SW6) (GPS 47P 0742727, 1464720)
Date Analysis Commenced	Aug 21, 2025
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
Cyanide as CN	mg/L	0.001	0.005	<0.005	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-CN (C, E)	Rayong
Dissolved Oxygen *	mg/L	-	0.1	2.6	≥4	≥2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-O (C)	Rayong
Fluoride	mg/L	-	0.2	0.2	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-F (C)	Rayong
Formaldehyde *	mg/L	0.03	0.1	<0.1	No Standard	No Standard	Wastewater analysis manual, Environmental Engineering Association of Thailand, 4th ed., 2004	Rayong
Nitrate as N *	mg/L	0.015	0.05	3.96	≤5	≤5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NO3 (E)	Rayong
Odour *		-	-	Odourless	(a)	(a)	TIS, 257-2549	Rayong
Oil & Grease *	mg/L	-	3	<3	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Rayong
pH at 25 degree C		-	-	7.8	5.0-9.0	5.0-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Rayong
Phenol *	mg/L	0.0005	0.001	Not Detected	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5530 B, D	Rayong

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2569885
Date Received : Aug 21, 2025
Date Reported : Sep 18, 2025
Report Number : 3366672-1

Page 54 of 54

Sample Number	2569885-6							
Sampled Date	Aug 21, 2025 12:00 PM							
Sample Description	Surface Water							
Location	คลองหนองโกศหลังจตุรเขษน้ำทั้ง (SW6) (GPS 47P 0742727, 1464720)							
Date Analysis Commenced	Aug 21, 2025							
Condition of Sample	Contained in two BOD bottles, two glass vials, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
Sulfide *	mg/L	-	0.5	<0.5	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Rayong
Temperature *	Degree C	-	-	30.4	(c)	(c)	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2550 B	Rayong
Total Dissolved Solids Dried at 180 degree C	mg/L	-	5	412	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Rayong
Total Kjeldahl Nitrogen as N *	mg/L	-	1.0	15.1	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C), part NH3 (D)	Rayong
Total Suspended Solids Dried at 103-105 degree C *	mg/L	-	5	69	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Rayong

Guideline : (1) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 3)
(2) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 4)
(a) Not Change from natural condition
(b) Non Objectionable
(c) Change from Natural condition not more than 3 degree C

Sampling By : Surawit Narapong

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
-
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

คุณภาพตะกอนดิน



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2594463

Date Received : Nov 17, 2025

Date Reported : Nov 27, 2025

Report Number : 3424408-1

Page 1 of 12

Sample Number 2594463-1
Sampled Date Nov 17, 2025 9:40 AM
Sample Description Soil
Location คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (SD1)
Date Analysis Commenced Nov 19, 2025
Condition of Sample Packed in one plastic bag and two amber glass bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Arsenic	mg/kg	-	0.50	5.03	≤10	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Cadmium	mg/kg	-	0.50	<0.50	≤1	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Copper	mg/kg	-	1.00	13.4	≤31.5	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Hexavalent Chromium	mg/kg	-	0.25	<0.25	No Standard	United States Environmental Protection Agency, EPA Method 3060 A and 7196 A	Bangkok
Lead	mg/kg	-	1.00	11.9	≤36	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Mercury	mg/kg	-	0.10	<0.10	≤0.2	United States Environmental Protection Agency, EPA Method 7473	Bangkok
Nickel	mg/kg	-	1.00	11.1	≤23	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Zinc	mg/kg	-	1.00	19.7	≤120	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Physical Parameters							
Moisture	%	-	0.1	15.6	No Standard	In-house method based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 G	Bangkok

Guideline : Notification of The National Environmental Board B.E.2565, for protect benthic animals

Note : Analysis Results expressed on dry basis.

Sampling By : Samart Khumphlee

Remark :

Approved by

Sawitree N.

Sawitree Noisangiam
Manager

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

15562-61/ EMAIL

S:\Reports\All_GL.rpt (6:01PM)



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2594463

Date Received : Nov 17, 2025

Date Reported : Nov 27, 2025

Report Number : 3424408-1

Page 2 of 12

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Approved by

Sawitree Noisangiam
Manager

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2594463

Date Received : Nov 17, 2025

Date Reported : Nov 27, 2025

Report Number : 3424408-1

Page 3 of 12

Sample Number 2594463-2
Sampled Date Nov 17, 2025 10:10 AM
Sample Description Soil
Location คลองอ้อมแก้วบริเวณพื้นที่โครงการ (SD2)
Date Analysis Commenced Nov 19, 2025
Condition of Sample Packed in one plastic bag and two amber glass bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Arsenic	mg/kg	-	0.50	3.52	≤10	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Cadmium	mg/kg	-	0.50	<0.50	≤1	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Copper	mg/kg	-	1.00	7.93	≤31.5	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Hexavalent Chromium	mg/kg	-	0.25	<0.25	No Standard	United States Environmental Protection Agency, EPA Method 3060 A and 7196 A	Bangkok
Lead	mg/kg	-	1.00	6.72	≤36	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Mercury	mg/kg	-	0.10	<0.10	≤0.2	United States Environmental Protection Agency, EPA Method 7473	Bangkok
Nickel	mg/kg	-	1.00	6.32	≤23	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Zinc	mg/kg	-	1.00	8.52	≤120	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Physical Parameters							
Moisture	%	-	0.1	12.1	No Standard	In-house method based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 G	Bangkok

Guideline : Notification of The National Environmental Board B.E.2565, for protect benthic animals

Note : Analysis Results expressed on dry basis.

Sampling By : Samart Khumphlee

Remark :

Approved by

Sawitree N.

Sawitree Noisangiam
Manager

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2594463

Date Received : Nov 17, 2025

Date Reported : Nov 27, 2025

Report Number : 3424408-1

Page 4 of 12

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Sawitree Noisangiam
Manager

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2594463

Date Received : Nov 17, 2025

Date Reported : Nov 27, 2025

Report Number : 3424408-1

Page 5 of 12

Sample Number 2594463-3
Sampled Date Nov 17, 2025 10:25 AM
Sample Description Soil
Location คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (SD3)
Date Analysis Commenced Nov 19, 2025
Condition of Sample Packed in one plastic bag and two amber glass bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Arsenic	mg/kg	-	0.50	5.17	≤10	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Cadmium	mg/kg	-	0.50	<0.50	≤1	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Copper	mg/kg	-	1.00	16.7	≤31.5	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Hexavalent Chromium	mg/kg	-	0.25	<0.25	No Standard	United States Environmental Protection Agency, EPA Method 3060 A and 7196 A	Bangkok
Lead	mg/kg	-	1.00	12.8	≤36	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Mercury	mg/kg	-	0.10	<0.10	≤0.2	United States Environmental Protection Agency, EPA Method 7473	Bangkok
Nickel	mg/kg	-	1.00	12.9	≤23	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Zinc	mg/kg	-	1.00	31.2	≤120	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Physical Parameters							
Moisture	%	-	0.1	15.0	No Standard	In-house method based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 G	Bangkok

Guideline : Notification of The National Environmental Board B.E.2565, for protect benthic animals

Note : Analysis Results expressed on dry basis.

Sampling By : Samart Khumphlee

Remark :

Approved by

Sawitree N.

Sawitree Noisangiam
Manager

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2594463

Date Received : Nov 17, 2025

Date Reported : Nov 27, 2025

Report Number : 3424408-1

Page 6 of 12

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Approved by

Sawitree Noisangiam
Manager

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2594463

Date Received : Nov 17, 2025

Date Reported : Nov 27, 2025

Report Number : 3424408-1

Page 7 of 12

Sample Number 2594463-4
Sampled Date Nov 17, 2025 10:40 AM
Sample Description Soil
Location คลองหนองโศกสกก่อนจตุรนาถน้ำทิ้ง (SD4)
Date Analysis Commenced Nov 19, 2025
Condition of Sample Packed in one plastic bag and two amber glass bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Arsenic	mg/kg	-	0.50	2.29	≤10	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Cadmium	mg/kg	-	0.50	<0.50	≤1	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Copper	mg/kg	-	1.00	11.1	≤31.5	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Hexavalent Chromium	mg/kg	-	0.25	<0.25	No Standard	United States Environmental Protection Agency, EPA Method 3060 A and 7196 A	Bangkok
Lead	mg/kg	-	1.00	13.2	≤36	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Mercury	mg/kg	-	0.10	<0.10	≤0.2	United States Environmental Protection Agency, EPA Method 7473	Bangkok
Nickel	mg/kg	-	1.00	9.36	≤23	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Zinc	mg/kg	-	1.00	14.1	≤120	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Physical Parameters							
Moisture	%	-	0.1	19.6	No Standard	In-house method based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 G	Bangkok

Guideline : Notification of The National Environmental Board B.E.2565, for protect benthic animals

Note : Analysis Results expressed on dry basis.

Sampling By : Samart Khumphlee

Remark :

Approved by

Sawitree N.

Sawitree Noisangiam
Manager

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2594463

Date Received : Nov 17, 2025

Date Reported : Nov 27, 2025

Report Number : 3424408-1

Page 8 of 12

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Sawitree Noisangiam
Manager

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2594463

Date Received : Nov 17, 2025

Date Reported : Nov 27, 2025

Report Number : 3424408-1

Page 9 of 12

Sample Number 2594463-5
Sampled Date Nov 17, 2025 10:50 AM
Sample Description Soil
Location คลองหนองโศกสลดระบายน้ำทั้ง (SD5)
Date Analysis Commenced Nov 19, 2025
Condition of Sample Packed in one plastic bag and two amber glass bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Arsenic	mg/kg	-	0.50	2.53	≤10	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Cadmium	mg/kg	-	0.50	<0.50	≤1	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Copper	mg/kg	-	1.00	5.06	≤31.5	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Hexavalent Chromium	mg/kg	-	0.25	<0.25	No Standard	United States Environmental Protection Agency, EPA Method 3060 A and 7196 A	Bangkok
Lead	mg/kg	-	1.00	11.1	≤36	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Mercury	mg/kg	-	0.10	<0.10	≤0.2	United States Environmental Protection Agency, EPA Method 7473	Bangkok
Nickel	mg/kg	-	1.00	3.09	≤23	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Zinc	mg/kg	-	1.00	11.4	≤120	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Physical Parameters							
Moisture	%	-	0.1	18.1	No Standard	In-house method based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 G	Bangkok

Guideline : Notification of The National Environmental Board B.E.2565, for protect benthic animals

Note : Analysis Results expressed on dry basis.

Sampling By : Samart Khumphlee

Remark :

Approved by

Sawitree N.

Sawitree Noisangiam
Manager

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2594463

Date Received : Nov 17, 2025

Date Reported : Nov 27, 2025

Report Number : 3424408-1

Page 10 of 12

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Sawitree Noisangiam
Manager

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2594463

Date Received : Nov 17, 2025

Date Reported : Nov 27, 2025

Report Number : 3424408-1

Page 11 of 12

Sample Number 2594463-6
Sampled Date Nov 17, 2025 11:05 AM
Sample Description Soil
Location คลองหนองโศกหลังจตุรนาถน้ำทิ้ง (SD6)
Date Analysis Commenced Nov 19, 2025
Condition of Sample Packed in one plastic bag and two amber glass bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Arsenic	mg/kg	-	0.50	4.36	≤10	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Cadmium	mg/kg	-	0.50	<0.50	≤1	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Copper	mg/kg	-	1.00	9.13	≤31.5	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Hexavalent Chromium	mg/kg	-	0.25	<0.25	No Standard	United States Environmental Protection Agency, EPA Method 3060 A and 7196 A	Bangkok
Lead	mg/kg	-	1.00	10.1	≤36	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Mercury	mg/kg	-	0.10	<0.10	≤0.2	United States Environmental Protection Agency, EPA Method 7473	Bangkok
Nickel	mg/kg	-	1.00	5.38	≤23	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Zinc	mg/kg	-	1.00	19.6	≤120	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Physical Parameters							
Moisture	%	-	0.1	12.6	No Standard	In-house method based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 G	Bangkok

Guideline : Notification of The National Environmental Board B.E.2565, for protect benthic animals

Note : Analysis Results expressed on dry basis.

Sampling By : Samart Khumphlee

Remark :

Approved by

Sawitree N.

Sawitree Noisangiam
Manager

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2594463

Date Received : Nov 17, 2025

Date Reported : Nov 27, 2025

Report Number : 3424408-1

Page 12 of 12

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Sawitree Noisangiam
Manager

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

คุณภาพดิน



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2569894

Date Received : Aug 20, 2025

Date Reported : Sep 18, 2025

Report Number : 3393644-1

Page 1 of 2

Sample Number	2569894-1
Sampled Date	Aug 20, 2025 10:45 AM
Sample Description	Soil
Location	พื้นที่สีเขียวและแนวกันชนของโครงการด้านทิศเหนือ (S1) ระดับความลึก 5 cm (GPS 47P 0748170, 1462947)
Date Analysis Commenced	Aug 21, 2025
Condition of Sample	Packed in one plastic bag and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Arsenic	mg/kg	-	0.50	3.25	≤25	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Cadmium	mg/kg	-	0.50	<0.50	≤762	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Copper	mg/kg	-	1.00	26.3	≤35040	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Hexavalent Chromium	mg/kg	-	0.25	<0.25	≤212	United States Environmental Protection Agency, EPA Method 3060 A and 7196 A	Bangkok
Lead	mg/kg	-	1.00	12.6	≤800	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Manganese	mg/kg	-	1.00	155	≤19640	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Mercury	mg/kg	-	0.10	<0.10	≤263	United States Environmental Protection Agency, EPA Method 7473	Bangkok
Nickel	mg/kg	-	1.00	22.7	≤5205	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Selenium	mg/kg	-	0.50	<0.50	≤4380	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Soil Testing							
pH aqueous phase 50% (w/v)		-	-	4.8	No Standard	United States Environmental Protection Agency, EPA Method 9045 D	Bangkok

Guideline : Notification of National Environmental Board B.E. 2564 (2021), published in the Royal Government Gazette No. 138 Special Part 54 D dated March 11, B.E.2564

Class 2: Soil usage for commercial, agricultural and others.

Sampling By : Pattarapol Sawangjaitam ทะเบียนเลขที่ ว-204-จ-0002

Technical Management

Sawitree N.

Sawitree Noisangiam

Manager

ทะเบียนเลขที่ ว-204-จ-0007

Approved by

Kanokkorn Anek

Kanokkorn Anek

Assistant General Manager

ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2569894

Date Received : Aug 20, 2025

Date Reported : Sep 18, 2025

Report Number : 3393644-1

Page 2 of 2

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Technical Management

Sawitree N.

Sawitree Noisangiam
Manager

ทะเบียนเลขที่ ว-204-จ-0007

Approved by

Kanokkorn Anek

Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2569894

Date Received : Aug 20, 2025

Date Reported : Sep 18, 2025

Report Number : 3393644-2

Page 1 of 1

Sample Number	2569894-1
Sampled Date	Aug 20, 2025 10:45 AM
Sample Description	Soil
Location	พื้นที่สีเขียวและแนวกันชนของโครงการด้านทิศเหนือ (S1) ระดับความลึก 5 cm (GPS 47P 0748170, 1462947)
Date Analysis Commenced	Aug 22, 2025
Condition of Sample	Packed in one plastic bag and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Physical Parameters							
Moisture	%	-	0.1	10.3	No Standard	In-house method based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 G	Bangkok

Guideline : Notification of National Environmental Board B.E. 2564 (2021), published in the Royal Government Gazette No. 138 Special Part 54 D dated March 11, B.E.2564

Class 2: Soil usage for commercial, agricultural and others.

Sampling By : Pattarapol Sawangjaitam

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Approved by

Siriluk P.

Siriluk Bunnak
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2569894

Date Received : Aug 20, 2025

Date Reported : Sep 18, 2025

Report Number : 3393645-1

Page 1 of 2

Sample Number	2569894-2
Sampled Date	Aug 20, 2025 11:00 AM
Sample Description	Soil
Location	พื้นที่สีเขียวและแนวกันชนของโครงการด้านทิศเหนือ (S1) ระดับความลึก 30 cm
Date Analysis Commenced	Aug 21, 2025
Condition of Sample	Packed in one plastic bag and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Arsenic	mg/kg	-	0.50	3.89	≤25	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Cadmium	mg/kg	-	0.50	<0.50	≤762	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Copper	mg/kg	-	1.00	33.8	≤35040	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Hexavalent Chromium	mg/kg	-	0.25	<0.25	≤212	United States Environmental Protection Agency, EPA Method 3060 A and 7196 A	Bangkok
Lead	mg/kg	-	1.00	13.2	≤800	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Manganese	mg/kg	-	1.00	126	≤19640	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Mercury	mg/kg	-	0.10	<0.10	≤263	United States Environmental Protection Agency, EPA Method 7473	Bangkok
Nickel	mg/kg	-	1.00	21.7	≤5205	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Selenium	mg/kg	-	0.50	<0.50	≤4380	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Soil Testing							
pH aqueous phase 50% (w/v)		-	-	5.3	No Standard	United States Environmental Protection Agency, EPA Method 9045 D	Bangkok

Guideline : Notification of National Environmental Board B.E. 2564 (2021), published in the Royal Government Gazette No. 138 Special Part 54 D dated March 11, B.E.2564

Class 2: Soil usage for commercial, agricultural and others.

Sampling By : Pattarapol Sawangjaitam ทะเบียนเลขที่ ว-204-จ-0002

Technical Management

Sawitree N.

Sawitree Noisangiam

Manager

ทะเบียนเลขที่ ว-204-จ-0007

Approved by

Kanokkorn Anek

Kanokkorn Anek

Assistant General Manager

ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2569894

Date Received : Aug 20, 2025

Date Reported : Sep 18, 2025

Report Number : 3393645-1

Page 2 of 2

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Technical Management

Savitree N.

Savitree Noisangiam
Manager

ทะเบียนเลขที่ ว-204-จ-0007

Approved by

Kanokkorn Anek

Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2569894

Date Received : Aug 20, 2025

Date Reported : Sep 18, 2025

Report Number : 3393645-2

Page 1 of 1

Sample Number	2569894-2
Sampled Date	Aug 20, 2025 11:00 AM
Sample Description	Soil
Location	พื้นที่สีเขียวและแนวกันชนของโครงการด้านทิศเหนือ (S1) ระดับความลึก 30 cm
Date Analysis Commenced	Aug 22, 2025
Condition of Sample	Packed in one plastic bag and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Physical Parameters							
Moisture	%	-	0.1	8.5	No Standard	In-house method based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 G	Bangkok

Guideline : Notification of National Environmental Board B.E. 2564 (2021), published in the Royal Government Gazette No. 138 Special Part 54 D dated March 11, B.E.2564

Class 2: Soil usage for commercial, agricultural and others.

Sampling By : Pattarapol Sawangjaitam

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Approved by

Siriluk P.

Siriluk Bunnak
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2569894

Date Received : Aug 20, 2025

Date Reported : Sep 18, 2025

Report Number : 3393646-1

Page 1 of 2

Sample Number 2569894-3
Sampled Date Aug 20, 2025 10:15 AM
Sample Description Soil
Location พื้นที่สีเขียวและแนวกันชนของโครงการด้านทิศตะวันออก (S2) ระดับความลึก 5 cm (GPS 47P 0748680, 1461330)
Date Analysis Commenced Aug 21, 2025
Condition of Sample Packed in one plastic bag and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Arsenic	mg/kg	-	0.50	26.3	≤25	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Cadmium	mg/kg	-	0.50	<0.50	≤762	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Copper	mg/kg	-	1.00	32.7	≤35040	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Hexavalent Chromium	mg/kg	-	0.25	<0.25	≤212	United States Environmental Protection Agency, EPA Method 3060 A and 7196 A	Bangkok
Lead	mg/kg	-	1.00	32.9	≤800	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Manganese	mg/kg	-	1.00	125	≤19640	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Mercury	mg/kg	-	0.10	<0.10	≤263	United States Environmental Protection Agency, EPA Method 7473	Bangkok
Nickel	mg/kg	-	1.00	11.7	≤5205	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Selenium	mg/kg	-	0.50	2.15	≤4380	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Soil Testing							
pH aqueous phase 50% (w/v)		-	-	5.9	No Standard	United States Environmental Protection Agency, EPA Method 9045 D	Bangkok

Guideline : Notification of National Environmental Board B.E. 2564 (2021), published in the Royal Government Gazette No. 138 Special Part 54 D dated March 11, B.E.2564

Class 2: Soil usage for commercial, agricultural and others.

Sampling By : Pattarapol Sawangjaitam ทะเบียนเลขที่ ว-204-จ-0002

Technical Management

Savitree N.

Savitree Noisangiam

Manager

ทะเบียนเลขที่ ว-204-จ-0007

Approved by

Kanokkorn Anek

Kanokkorn Anek

Assistant General Manager

ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2569894

Date Received : Aug 20, 2025

Date Reported : Sep 18, 2025

Report Number : 3393646-1

Page 2 of 2

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Technical Management

Sawitree N.

Sawitree Noisangiam
Manager

ทะเบียนเลขที่ ว-204-จ-0007

Approved by

Kanokkorn Anek

Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2569894

Date Received : Aug 20, 2025

Date Reported : Sep 18, 2025

Report Number : 3393646-2

Page 1 of 1

Sample Number	2569894-3
Sampled Date	Aug 20, 2025 10:15 AM
Sample Description	Soil
Location	พื้นที่สีเขียวและแนวกันชนของโครงการด้านทิศตะวันออก (S2) ระดับความลึก 5 cm (GPS 47P 0748680, 1461330)
Date Analysis Commenced	Aug 22, 2025
Condition of Sample	Packed in one plastic bag and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Physical Parameters							
Moisture	%	-	0.1	4.9	No Standard	In-house method based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 G	Bangkok

Guideline : Notification of National Environmental Board B.E. 2564 (2021), published in the Royal Government Gazette No. 138 Special Part 54 D dated March 11, B.E.2564

Class 2: Soil usage for commercial, agricultural and others.

Sampling By : Pattarapol Sawangjaitam

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Approved by

Siriluk P.

Siriluk Bunnak
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2569894

Date Received : Aug 20, 2025

Date Reported : Sep 18, 2025

Report Number : 3393647-1

Page 1 of 2

Sample Number	2569894-4
Sampled Date	Aug 20, 2025 10:25 AM
Sample Description	Soil
Location	พื้นที่สีเขียวและแนวกันชนของโครงการด้านทิศตะวันออก (S2) ระดับความลึก 30 cm
Date Analysis Commenced	Aug 21, 2025
Condition of Sample	Packed in one plastic bag and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Arsenic	mg/kg	-	0.50	20.0	≤25	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Cadmium	mg/kg	-	0.50	<0.50	≤762	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Copper	mg/kg	-	1.00	26.3	≤35040	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Hexavalent Chromium	mg/kg	-	0.25	<0.25	≤212	United States Environmental Protection Agency, EPA Method 3060 A and 7196 A	Bangkok
Lead	mg/kg	-	1.00	32.1	≤800	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Manganese	mg/kg	-	1.00	73.9	≤19640	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Mercury	mg/kg	-	0.10	<0.10	≤263	United States Environmental Protection Agency, EPA Method 7473	Bangkok
Nickel	mg/kg	-	1.00	16.5	≤5205	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Selenium	mg/kg	-	0.50	2.22	≤4380	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Soil Testing							
pH aqueous phase 50% (w/v)		-	-	6.2	No Standard	United States Environmental Protection Agency, EPA Method 9045 D	Bangkok

Guideline : Notification of National Environmental Board B.E. 2564 (2021), published in the Royal Government Gazette No. 138 Special Part 54 D dated March 11, B.E.2564

Class 2: Soil usage for commercial, agricultural and others.

Sampling By : Pattarapol Sawangjaitam ทะเบียนเลขที่ ว-204-จ-0002

Technical Management

Savitree N.

Savitree Noisangiam

Manager

ทะเบียนเลขที่ ว-204-จ-0007

Approved by

Kanokkorn Anek

Kanokkorn Anek

Assistant General Manager

ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2569894

Date Received : Aug 20, 2025

Date Reported : Sep 18, 2025

Report Number : 3393647-1

Page 2 of 2

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Technical Management

Savitree N.

Savitree Noisangiam
Manager

ทะเบียนเลขที่ ว-204-จ-0007

Approved by

Kanokkorn Anek

Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2569894

Date Received : Aug 20, 2025

Date Reported : Sep 18, 2025

Report Number : 3393647-2

Page 1 of 1

Sample Number : 2569894-4
Sampled Date : Aug 20, 2025 10:25 AM
Sample Description : Soil
Location : พื้นที่สีเขียวและแนวกันชนของโครงการด้านทิศตะวันออก (S2) ระดับความลึก 30 cm
Date Analysis Commenced : Aug 22, 2025
Condition of Sample : Packed in one plastic bag and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Physical Parameters							
Moisture	%	-	0.1	4.4	No Standard	In-house method based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 G	Bangkok

Guideline : Notification of National Environmental Board B.E. 2564 (2021), published in the Royal Government Gazette No. 138 Special Part 54 D dated March 11, B.E.2564

Class 2: Soil usage for commercial, agricultural and others.

Sampling By : Pattarapol Sawangjaitam

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Approved by

Siriluk P.

Siriluk Bunnak
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2569894

Date Received : Aug 20, 2025

Date Reported : Sep 18, 2025

Report Number : 3393648-1

Page 1 of 2

Sample Number 2569894-5
Sampled Date Aug 20, 2025 9:50 AM
Sample Description Soil
Location พื้นที่สีเขียวและแนวกันชนของโครงการด้านทิศใต้ (S3) ระดับความลึก 5 cm (GPS 47P 0748313, 1459868)
Date Analysis Commenced Aug 21, 2025
Condition of Sample Packed in one plastic bag and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Arsenic	mg/kg	-	0.50	2.54	≤25	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Cadmium	mg/kg	-	0.50	<0.50	≤762	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Copper	mg/kg	-	1.00	16.2	≤35040	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Hexavalent Chromium	mg/kg	-	0.25	<0.25	≤212	United States Environmental Protection Agency, EPA Method 3060 A and 7196 A	Bangkok
Lead	mg/kg	-	1.00	41.4	≤800	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Manganese	mg/kg	-	1.00	1109	≤19640	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Mercury	mg/kg	-	0.10	<0.10	≤263	United States Environmental Protection Agency, EPA Method 7473	Bangkok
Nickel	mg/kg	-	1.00	4.76	≤5205	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Selenium	mg/kg	-	0.50	0.57	≤4380	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Soil Testing							
pH aqueous phase 50% (w/v)		-	-	5.1	No Standard	United States Environmental Protection Agency, EPA Method 9045 D	Bangkok

Guideline : Notification of National Environmental Board B.E. 2564 (2021), published in the Royal Government Gazette No. 138 Special Part 54 D dated March 11, B.E.2564

Class 2: Soil usage for commercial, agricultural and others.

Sampling By : Pattarapol Sawangjaitam ทะเบียนเลขที่ ว-204-จ-0002

Technical Management

Sawitree N.

Sawitree Noisangiam

Manager

ทะเบียนเลขที่ ว-204-จ-0007

Approved by

Kanokkorn Anek

Kanokkorn Anek

Assistant General Manager

ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2569894

Date Received : Aug 20, 2025

Date Reported : Sep 18, 2025

Report Number : 3393648-1

Page 2 of 2

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Technical Management

Sawitree N.

Sawitree Noisangiam
Manager

ทะเบียนเลขที่ ว-204-จ-0007

Approved by

Kanokkorn Anek

Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2569894

Date Received : Aug 20, 2025

Date Reported : Sep 18, 2025

Report Number : 3393648-2

Page 1 of 1

Sample Number	2569894-5
Sampled Date	Aug 20, 2025 9:50 AM
Sample Description	Soil
Location	พื้นที่สีเขียวและแนวกันชนของโครงการด้านทิศใต้ (S3) ระดับความลึก 5 cm (GPS 47P 0748313, 1459868)
Date Analysis Commenced	Aug 22, 2025
Condition of Sample	Packed in one plastic bag and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Physical Parameters							
Moisture	%	-	0.1	15.7	No Standard	In-house method based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 G	Bangkok

Guideline : Notification of National Environmental Board B.E. 2564 (2021), published in the Royal Government Gazette No. 138 Special Part 54 D dated March 11, B.E.2564

Class 2: Soil usage for commercial, agricultural and others.

Sampling By : Pattarapol Sawangjaitam

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Approved by

Siriluk P.

Siriluk Bunnak
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2569894

Date Received : Aug 20, 2025

Date Reported : Sep 18, 2025

Report Number : 3393649-1

Page 1 of 2

Sample Number 2569894-6
Sampled Date Aug 20, 2025 10:00 AM
Sample Description Soil
Location พื้นที่สีเขียวและแนวกันชนของโครงการด้านทิศใต้ (S3) ระดับความลึก 30 cm
Date Analysis Commenced Aug 21, 2025
Condition of Sample Packed in one plastic bag and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Arsenic	mg/kg	-	0.50	3.36	≤25	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Cadmium	mg/kg	-	0.50	<0.50	≤762	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Copper	mg/kg	-	1.00	15.0	≤35040	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Hexavalent Chromium	mg/kg	-	0.25	<0.25	≤212	United States Environmental Protection Agency, EPA Method 3060 A and 7196 A	Bangkok
Lead	mg/kg	-	1.00	68.4	≤800	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Manganese	mg/kg	-	1.00	382	≤19640	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Mercury	mg/kg	-	0.10	<0.10	≤263	United States Environmental Protection Agency, EPA Method 7473	Bangkok
Nickel	mg/kg	-	1.00	7.52	≤5205	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Selenium	mg/kg	-	0.50	<0.50	≤4380	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Soil Testing							
pH aqueous phase 50% (w/v)		-	-	5.0	No Standard	United States Environmental Protection Agency, EPA Method 9045 D	Bangkok

Guideline : Notification of National Environmental Board B.E. 2564 (2021), published in the Royal Government Gazette No. 138 Special Part 54 D dated March 11, B.E.2564

Class 2: Soil usage for commercial, agricultural and others.

Sampling By : Pattarapol Sawangjaitam ทะเบียนเลขที่ ว-204-จ-0002

Technical Management

Sawitree N.

Sawitree Noisangiam

Manager

ทะเบียนเลขที่ ว-204-จ-0007

Approved by

Kanokkorn Anek

Kanokkorn Anek

Assistant General Manager

ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2569894

Date Received : Aug 20, 2025

Date Reported : Sep 18, 2025

Report Number : 3393649-1

Page 2 of 2

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Technical Management

Sawitree N.

Sawitree Noisangiam
Manager

ทะเบียนเลขที่ ว-204-จ-0007

Approved by

Kanokkorn Anek

Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2569894

Date Received : Aug 20, 2025

Date Reported : Sep 18, 2025

Report Number : 3393649-2

Page 1 of 1

Sample Number	2569894-6
Sampled Date	Aug 20, 2025 10:00 AM
Sample Description	Soil
Location	พื้นที่สีเขียวและแนวกันชนของโครงการด้านทิศใต้ (S3) ระดับความลึก 30 cm
Date Analysis Commenced	Aug 22, 2025
Condition of Sample	Packed in one plastic bag and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Physical Parameters							
Moisture	%	-	0.1	13.8	No Standard	In-house method based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 G	Bangkok

Guideline : Notification of National Environmental Board B.E. 2564 (2021), published in the Royal Government Gazette No. 138 Special Part 54 D dated March 11, B.E.2564

Class 2: Soil usage for commercial, agricultural and others.

Sampling By : Pattarapol Sawangjaitam

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Approved by

Siriluk P.

Siriluk Bunnak
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2569894

Date Received : Aug 20, 2025

Date Reported : Sep 18, 2025

Report Number : 3393650-1

Page 1 of 2

Sample Number 2569894-7
Sampled Date Aug 20, 2025 11:15 AM
Sample Description Soil
Location พื้นที่สีเขียวและแนวกันชนของโครงการด้านทิศตะวันตก (S4) ระดับความลึก 5 cm (GPS 47P 0747202, 1461243)
Date Analysis Commenced Aug 21, 2025
Condition of Sample Packed in one plastic bag and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Arsenic	mg/kg	-	0.50	2.12	≤25	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Cadmium	mg/kg	-	0.50	<0.50	≤762	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Copper	mg/kg	-	1.00	5.31	≤35040	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Hexavalent Chromium	mg/kg	-	0.25	<0.25	≤212	United States Environmental Protection Agency, EPA Method 3060 A and 7196 A	Bangkok
Lead	mg/kg	-	1.00	11.0	≤800	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Manganese	mg/kg	-	1.00	222	≤19640	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Mercury	mg/kg	-	0.10	<0.10	≤263	United States Environmental Protection Agency, EPA Method 7473	Bangkok
Nickel	mg/kg	-	1.00	1.67	≤5205	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Selenium	mg/kg	-	0.50	<0.50	≤4380	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Soil Testing							
pH aqueous phase 50% (w/v)		-	-	5.9	No Standard	United States Environmental Protection Agency, EPA Method 9045 D	Bangkok

Guideline : Notification of National Environmental Board B.E. 2564 (2021), published in the Royal Government Gazette No. 138 Special Part 54 D dated March 11, B.E.2564

Class 2: Soil usage for commercial, agricultural and others.

Sampling By : Pattarapol Sawangjaitam ทะเบียนเลขที่ ว-204-จ-0002

Technical Management

Sawitree N.

Sawitree Noisangiam

Manager

ทะเบียนเลขที่ ว-204-จ-0007

Approved by

Kanokkorn Anek

Kanokkorn Anek

Assistant General Manager

ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2569894

Date Received : Aug 20, 2025

Date Reported : Sep 18, 2025

Report Number : 3393650-1

Page 2 of 2

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Technical Management

Sawitree N.

Sawitree Noisangiam
Manager

ทะเบียนเลขที่ ว-204-จ-0007

Approved by

Kanokkorn Anek

Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2569894

Date Received : Aug 20, 2025

Date Reported : Sep 18, 2025

Report Number : 3393650-2

Page 1 of 1

Sample Number	2569894-7
Sampled Date	Aug 20, 2025 11:15 AM
Sample Description	Soil
Location	พื้นที่สีเขียวและแนวกันชนของโครงการด้านทิศตะวันตก (S4) ระดับความลึก 5 cm (GPS 47P 0747202, 1461243)
Date Analysis Commenced	Aug 22, 2025
Condition of Sample	Packed in one plastic bag and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Physical Parameters							
Moisture	%	-	0.1	10.1	No Standard	In-house method based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 G	Bangkok

Guideline : Notification of National Environmental Board B.E. 2564 (2021), published in the Royal Government Gazette No. 138 Special Part 54 D dated March 11, B.E.2564

Class 2: Soil usage for commercial, agricultural and others.

Sampling By : Pattarapol Sawangjaitam

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Approved by

Siriluk P.

Siriluk Bunnak
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2569894

Date Received : Aug 20, 2025

Date Reported : Sep 18, 2025

Report Number : 3393651-1

Page 1 of 2

Sample Number : 2569894-8
Sampled Date : Aug 20, 2025 11:25 AM
Sample Description : Soil
Location : พื้นที่สีเขียวและแนวกันชนของโครงการด้านทิศตะวันตก (S4) ระดับความลึก 30 cm
Date Analysis Commenced : Aug 21, 2025
Condition of Sample : Packed in one plastic bag and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Arsenic	mg/kg	-	0.50	1.91	≤25	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Cadmium	mg/kg	-	0.50	<0.50	≤762	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Copper	mg/kg	-	1.00	5.97	≤35040	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Hexavalent Chromium	mg/kg	-	0.25	<0.25	≤212	United States Environmental Protection Agency, EPA Method 3060 A and 7196 A	Bangkok
Lead	mg/kg	-	1.00	7.09	≤800	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Manganese	mg/kg	-	1.00	191	≤19640	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Mercury	mg/kg	-	0.10	<0.10	≤263	United States Environmental Protection Agency, EPA Method 7473	Bangkok
Nickel	mg/kg	-	1.00	2.17	≤5205	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Selenium	mg/kg	-	0.50	<0.50	≤4380	United States Environmental Protection Agency, EPA Method 3050 B and 6010 D	Bangkok
Soil Testing							
pH aqueous phase 50% (w/v)		-	-	6.1	No Standard	United States Environmental Protection Agency, EPA Method 9045 D	Bangkok

Guideline : Notification of National Environmental Board B.E. 2564 (2021), published in the Royal Government Gazette No. 138 Special Part 54 D dated March 11, B.E.2564

Class 2: Soil usage for commercial, agricultural and others.

Sampling By : Pattarapol Sawangjaitam ทะเบียนเลขที่ ว-204-จ-0002

Technical Management

Sawitree N.

Sawitree Noisangiam

Manager

ทะเบียนเลขที่ ว-204-จ-0007

Approved by

Kanokkorn Anek

Kanokkorn Anek

Assistant General Manager

ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

15562-61/ EMAIL

S:\Reports\All_GL-rpt (9:22AM)



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII25/07-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2569894

Date Received : Aug 20, 2025

Date Reported : Sep 18, 2025

Report Number : 3393651-1

Page 2 of 2

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Technical Management

Savitree N.

Savitree Noisangiam
Manager

ทะเบียนเลขที่ ว-204-จ-0007

Approved by

Kanokkorn Anek

Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII25/07-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2569894

Date Received : Aug 20, 2025

Date Reported : Sep 18, 2025

Report Number : 3393651-2

Page 1 of 1

Sample Number	2569894-8
Sampled Date	Aug 20, 2025 11:25 AM
Sample Description	Soil
Location	พื้นที่สีเขียวและแนวกันชนของโครงการด้านทิศตะวันตก (S4) ระดับความลึก 30 cm
Date Analysis Commenced	Aug 22, 2025
Condition of Sample	Packed in one plastic bag and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Physical Parameters							
Moisture	%	-	0.1	10.2	No Standard	In-house method based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 G	Bangkok

Guideline : Notification of National Environmental Board B.E. 2564 (2021), published in the Royal Government Gazette No. 138 Special Part 54 D dated March 11, B.E.2564

Class 2: Soil usage for commercial, agricultural and others.

Sampling By : Pattarapol Sawangjaitam

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Approved by

Siriluk P.

Siriluk Bunnak
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ทรัพยากรชีวภาพทางน้ำ



สถานีวิจัยประมงศรีราชา
101/12 หมู่ 9 ต. บางพระ
อ. ศรีราชา จ. ชลบุรี 20110
โทร./โทรสาร. (038) 311379

Client : Rojana Industrial Park Public Co., Ltd.

Address : 2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok, Thailand,
10310

Project Name : Nongyai 2

Project Location : EIA

รายงานผลการวิเคราะห์แหล่งกักต่อน้ำ

ตาราง ผลการวิเคราะห์แหล่งกักต่อน้ำ (เก็บตัวอย่างวันที่ 21 สิงหาคม 2568)

ชนิดแหล่งกักต่อน้ำ	ปริมาณแหล่งกักต่อน้ำ (หน่วยต่อลูกบาศก์เมตร)					
	2569944-1	2569944-2	2569944-3	2569944-4	2569944-5	2569944-6
Division Cyanophyta						
Class Cyanophyceae						
Order Chroococcales						
Family Chroococcaceae						
1. <i>Merismopedia convoluta</i>	-	181,000	-	-	-	-
2. <i>Microcystis aeruginosa</i>	-	-	-	100,000	29,000	41,000
3. <i>Oscillatoria brevis</i>	61,000	-	9,000	-	20,000	21,000
Order Nostocales						
Family Oscillatoriaceae						
4. <i>Oscillatoria limnetica</i>	9,000	1,014,000	-	737,000	882,000	3,090,000
5. <i>Oscillatoria limosa</i>	-	2,172,000	-	2,093,000	1,274,000	62,000
6. <i>Oscillatoria princep</i>	-	208,000	-	-	10,000	-
7. <i>Oscillatoria</i> sp.	87,000	543,000	-	-	-	-

ตาราง ผลการวิเคราะห์แพลงก์ตอนพืช (เก็บตัวอย่างวันที่ 21 สิงหาคม 2568)

(ต่อ)

ชนิดแพลงก์ตอนพืช	ปริมาณแพลงก์ตอนพืช (หน่วยต่อลูกบาศก์เมตร)					
	2569944-1	2569944-2	2569944-3	2569944-4	2569944-5	2569944-6
8. <i>Oscillatoria splendida</i>	-	-	-	9,000	-	-
9. <i>Oscillatoria tenuis</i>	26,000	833,000	9,000	27,000	461,000	103,000
10. <i>Spirulina platensis</i>	-	-	-	17,654,000	14,504,000	1,854,000
Family Nostocaceae						
11. <i>Anabaena</i> sp.	-	18,000	-	-	-	-
Division Chlorophyta						
Class Chlorophyceae						
Order Volvocales						
Family Volvocaceae						
12. <i>Eudorina elegans</i>	-	-	18,000	-	20,000	-
13. <i>Gonium sociale</i>	-	-	-	9,000	10,000	-
14. <i>Pandorina morum</i>	9,000	-	-	-	-	21,000
Order Chlorococcales						
Family Hydrodictyaceae						
15. <i>Pediastrum duplex</i>	-	-	-	147,966,000	235,200,000	29,870,000
Family Coelastraceae						
16. <i>Coelastrum microporum</i>	-	-	-	137,000	20,000	-
Family Oocystaceae						
17. <i>Ankistrodesmus falcatus</i>	-	-	-	9,000	-	-
18. <i>Chlorella vulgaris</i>	-	-	-	155,000	10,000	-
19. <i>Oocystis elliptica</i>	-	-	-	18,000	-	-
20. <i>Oocystis</i> sp.	-	-	-	91,000	-	-
21. <i>Tetraedron</i> sp.	113,000	-	-	18,000	-	-
22. <i>Tetraedron trigonum</i>	122,000	-	-	-	-	-
Family Scenedesmaceae						
23. <i>Actinastrum gracillimum</i>	-	-	-	-	10,000	-
24. <i>Actinastrum hantzschii</i>	-	-	-	-	-	155,000

ตาราง ผลการวิเคราะห์แพลงก์ตอนพืช (เก็บตัวอย่างวันที่ 21 สิงหาคม 2568)

(ต่อ)

ชนิดแพลงก์ตอนพืช	ปริมาณแพลงก์ตอนพืช (หน่วยต่อลูกบาศก์เมตร)					
	2569944-1	2569944-2	2569944-3	2569944-4	2569944-5	2569944-6
25. <i>Crucigenia apiculata</i>	-	-	-	218,000	-	-
26. <i>Micractinium pusillum</i>	-	-	-	455,000	-	-
27. <i>Scenedesmus arcuatus</i>	-	-	-	-	-	21,000
28. <i>Scenedesmus dimorphus</i>	-	-	-	100,000	-	10,000
29. <i>Scenedesmus opoliensis</i>	-	-	-	18,000	20,000	-
30. <i>Scenedesmus quadricauda</i>	-	-	-	564,000	29,000	-
Order Ulotrichales						
Family Ulotrichaceae						
31. <i>Ulothrix</i> sp.	-	18,000	-	-	-	-
Order Zygomatales						
Family Zygnemataceae						
32. <i>Spirogyra</i> sp.	-	-	-	-	39,000	-
Family Desmidiaceae						
33. <i>Closterium acerosum</i>	-	9,000	-	-	10,000	21,000
34. <i>Closterium ehrenbergii</i>	-	-	-	9,000	10,000	10,000
35. <i>Closterium ralfsii</i>	9,000	-	-	-	-	-
36. <i>Closterium</i> sp.	-	9,000	-	-	-	-
Class Euglenophyceae						
Order Euglenales						
Family Euglenaceae						
37. <i>Euglena acus</i>	1,566,000	2,733,000	653,000	164,000	118,000	515,000
38. <i>Euglena oxyuris</i>	183,000	453,000	-	18,000	29,000	41,000
39. <i>Euglena</i> sp.	148,000	136,000	18,000	91,000	10,000	-
40. <i>Euglena splendens</i>	-	181,000	-	-	-	-
41. <i>Euglena viridis</i>	-	634,000	45,000	-	20,000	-
42. <i>Lepocinclis ovum</i>	6,534,000	4,616,000	143,000	2,002,000	4,116,000	3,152,000
43. <i>Phacus angulatus</i>	17,000	543,000	9,000	137,000	10,000	-

ตาราง ผลการวิเคราะห์แพลงก์ตอนพืช (เก็บตัวอย่างวันที่ 21 สิงหาคม 2568)

(ต่อ)

ชนิดแพลงก์ตอนพืช	ปริมาณแพลงก์ตอนพืช (หน่วยต่อลูกบาศก์เมตร)					
	2569944-1	2569944-2	2569944-3	2569944-4	2569944-5	2569944-6
44. <i>Phacus hamatus</i>	574,000	1,448,000	98,000	564,000	490,000	144,000
45. <i>Phacus horridus</i>	-	-	-	18,000	-	-
46. <i>Phacus longicauda</i>	-	127,000	-	910,000	882,000	371,000
47. <i>Phacus myersi</i>	-	-	-	-	-	10,000
48. <i>Phacus platalea</i>	-	9,000	-	-	-	10,000
49. <i>Phacus pleuronectes</i>	287,000	145,000	-	-	-	-
50. <i>Phacus ramula</i>	783,000	471,000	9,000	9,000	-	124,000
51. <i>Phacus</i> sp.	609,000	244,000	45,000	9,000	98,000	31,000
52. <i>Phacus stokesii</i>	-	9,000	27,000	-	-	-
53. <i>Phacus tortus</i>	174,000	1,104,000	27,000	18,000	29,000	124,000
54. <i>Strombomonas acuminata</i>	-	145,000	644,000	-	-	-
55. <i>Strombomonas australica</i>	-	-	170,000	-	-	-
56. <i>Strombomonas fluviatilis</i>	-	172,000	9,000	-	-	-
57. <i>Strombomonas gibberosa</i>	35,000	18,000	179,000	-	-	10,000
58. <i>Strombomonas girardiana</i>	9,000	-	-	-	10,000	-
59. <i>Strombomonas</i> sp.	-	9,000	-	-	-	-
60. <i>Trachelomonas crebea</i>	-	534,000	134,000	9,000	-	-
61. <i>Trachelomonas daugerdiana</i>	17,000	-	-	164,000	39,000	-
62. <i>Trachelomonas hispida</i>	418,000	425,000	716,000	9,000	-	10,000
63. <i>Trachelomonas lacustris</i>	9,000	-	-	-	-	-
64. <i>Trachelomonas mirabilis</i>	-	-	-	9,000	-	-
65. <i>Trachelomonas scabra</i>	-	18,000	9,000	-	-	-
66. <i>Trachelomonas similis</i>	-	-	27,000	-	-	-
67. <i>Trachelomonas volzii</i>	-	-	-	9,000	-	-

ตาราง ผลการวิเคราะห์แพลงก์ตอนพืช (เก็บตัวอย่างวันที่ 21 สิงหาคม 2568)
(ต่อ)

ชนิดแพลงก์ตอนพืช	ปริมาณแพลงก์ตอนพืช (หน่วยต่อลูกบาศก์เมตร)					
	2569944-1	2569944-2	2569944-3	2569944-4	2569944-5	2569944-6
Division Chromophyta						
Class Bacillariophyceae						
Order Biddulphiales						
Suborder Coscinodiscineae						
Family Thalassiosiraceae						
68. <i>Cyclotella meneghiniana</i>	-	-	-	1,729,000	2,548,000	165,000
Order Bacillariales						
Suborder Fragilariineae						
Family Fragilariaceae						
69. <i>Synedra ulna</i>	-	-	-	18,000	-	-
Suborder Bacillariineae						
Family Eunotiaceae						
70. <i>Eunotia pectinalis</i>	35,000	36,000	-	9,000	-	-
Family Achnantheaceae						
71. <i>Achnantheidium lanceolatum</i>	-	-	-	9,000	-	-
Family Cymbellaceae						
72. <i>Gomphonema parvulum</i>	104,000	9,000	-	18,000	20,000	21,000
Family Naviculaceae						
73. <i>Amphora</i> sp.	17,000	-	-	-	-	-
74. <i>Gyrosigma acuminatum</i>	-	27,000	9,000	27,000	-	-
75. <i>Navicula cuspidata</i>	-	217,000	-	64,000	804,000	-
76. <i>Navicula</i> sp.	17,000	-	-	-	-	-
77. <i>Pinnularia gibba</i>	139,000	18,000	-	9,000	69,000	-
78. <i>Pinnularia latarea</i>	9,000	9,000	-	9,000	-	-
Family Bacillariaceae						
79. <i>Nitzschia lorenziana</i>	-	-	-	18,000	-	-
80. <i>Nitzschia sigmaidea</i>	-	9,000	36,000	-	-	-

ตาราง ผลการวิเคราะห์แพลงก์ตอนพืช (เก็บตัวอย่างวันที่ 21 สิงหาคม 2568)

(ต่อ)

ชนิดแพลงก์ตอนพืช	ปริมาณแพลงก์ตอนพืช (หน่วยต่อลูกบาศก์เมตร)					
	2569944-1	2569944-2	2569944-3	2569944-4	2569944-5	2569944-6
81. <i>Nitzschia</i> sp. Family Rhopalodiaceae	165,000	-	-	-	29,000	-
82. <i>Epithemia argus</i> Family Surirellaceae	9,000	-	-	27,000	-	-
83. <i>Surirella elegans</i>	9,000	18,000	-	-	-	-
84. <i>Surirella robusta</i>	-	18,000	-	-	-	-
Class Dinophyceae Order Peridinales Family Peridiniaceae						
85. <i>Peridinium</i> sp.	-	-	-	36,000	-	-
ชนิดแพลงก์ตอนพืช	32	41	23	48	35	27
ปริมาณแพลงก์ตอนพืช	12,303,000	19,540,000	3,043,000	176,500,000	261,879,000	40,007,000
ดัชนีความหลากหลายแพลงก์ตอนพืช	1.8681	2.6881	2.2032	0.7079	0.4961	1.0355
ดัชนีความสม่ำเสมอแพลงก์ตอนพืช	0.5390	0.7239	0.7027	0.1829	0.1395	0.3142

- Sample Location :**
1. สถานี 2569944-1 : คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (Bio1)
 2. สถานี 2569944-2 : คลองอ้อมแก้วบริเวณพื้นที่โครงการ (Bio2)
 3. สถานี 2569944-3 : คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (Bio3)
 4. สถานี 2569944-4 : คลองหนองโกสลดก่อนจุระบายน้ำทิ้ง (Bio4)
 5. สถานี 2569944-5 : คลองหนองโกสลดจุระบายน้ำทิ้ง (Bio5)
 6. สถานี 2569944-6 : คลองหนองโกสลดหลังจุระบายน้ำทิ้ง (Bio6)

Condition of Sample : contained in one plastic bottle, sample containers comply to pretreatment- preservation standards (APHA, USEPA)



(นางสาวกนกวรรณ ขาวดอน)

ผู้วิเคราะห์



(นายอลงกต อินทรชาติ)

หัวหน้าสถานีวิจัยประมงศรีราชา



สถานีวิจัยประมงศรีราชา

101/12 หมู่ 9 ต. บางพระ

อ. ศรีราชา จ. ชลบุรี 20110

โทร./โทรสาร. (038) 311379

Client : Rojana Industrial Park Public Co., Ltd.

Address : 2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Thailand, 10310

Project Name : Nongyai 2

Project Location : EIA

รายงานผลการวิเคราะห์แพลงก์ตอนสัตว์

ตาราง ผลการวิเคราะห์แพลงก์ตอนสัตว์ (เก็บตัวอย่างวันที่ 21 สิงหาคม 2568)

ชนิดแพลงก์ตอนสัตว์	ปริมาณแพลงก์ตอนสัตว์ (หน่วยต่อลูกบาศก์เมตร)					
	2569944-1	2569944-2	2569944-3	2569944-4	2569944-5	2569944-6
Phylum Protozoa						
Subphylum Plasmodroma						
Class Sarcodina						
Order Testacida						
Family Arcellidae						
1. <i>Arcella</i> sp.	26,000	-	-	9,000	-	82,000
2. <i>Arcella vulgaris</i>	-	45,000	18,000	18,000	10,000	41,000
Family Diffugiidae						
3. <i>Diffugia acuminata</i>	-	9,000	-	27,000	10,000	10,000
4. <i>Diffugia</i> sp.	-	-	-	-	10,000	-
Family Euglyphidae						
5. <i>Euglypha acanthophora</i>	-	-	-	-	10,000	-
6. <i>Euglypha rotunda</i>	-	9,000	-	18,000	20,000	-

ตาราง ผลการวิเคราะห์แพลงก์ตอนสัตว์ (เก็บตัวอย่างวันที่ 21 สิงหาคม 2568)

(ต่อ)

ชนิดแพลงก์ตอนสัตว์	ปริมาณแพลงก์ตอนสัตว์ (หน่วยต่อลูกบาศก์เมตร)					
	2569944-1	2569944-2	2569944-3	2569944-4	2569944-5	2569944-6
Subphylum Ciliophora						
Class Ciliata						
Subclass Holotricha						
Order Gymnostomatida						
7. <i>Coleps</i> sp.	35,000	-	-	9,000	10,000	10,000
8. <i>Didinium</i> sp.	-	-	-	18,000	29,000	10,000
Order Hymenostomatida						
9. <i>Paramecium</i> sp.	-	-	-	-	-	72,000
Order Hypotrichida						
10. <i>Euplotes</i> sp.	-	-	-	9,000	10,000	10,000
Subclass Peritricha						
Order Peritrichida						
11. <i>Pyxicola</i> sp.	-	9,000	-	-	-	-
12. <i>Zoothamnium</i> sp.	-	-	-	27,000	59,000	1,236,000
Phylum Rotifera						
Class Monogononta						
Order Ploima						
Family Brachionidae						
13. <i>Anuraeopsis coelata</i>	-	9,000	-	-	-	10,000
14. <i>Brachionus angularis</i>	-	9,000	9,000	18,000	-	-
15. <i>Brachionus calyciflorus</i>	-	-	-	9,000	-	-
16. <i>Keratella valga</i>	-	-	-	-	10,000	21,000
17. <i>Lepadella acuminata</i>	-	18,000	-	-	-	-
Family Lecanidae						
18. <i>Lecane bulla</i>	-	-	-	-	-	10,000
19. <i>Lecane closterocerca</i>	-	-	-	-	10,000	-
20. <i>Lecane papuana</i>	-	9,000	-	-	-	-

ตาราง ผลการวิเคราะห์แพลงก์ตอนสัตว์ (เก็บตัวอย่างวันที่ 21 สิงหาคม 2568)

(ต่อ)

ชนิดแพลงก์ตอนสัตว์	ปริมาณแพลงก์ตอนสัตว์ (หน่วยต่อลูกบาศก์เมตร)					
	2569944-1	2569944-2	2569944-3	2569944-4	2569944-5	2569944-6
Family Notommatidae						
21. <i>Cephalodella forficula</i>	-	-	-	-	-	21,000
22. <i>Cephalodella gibba</i>	-	63,000	27,000	9,000	-	10,000
23. <i>Monommata</i> sp.	-	-	-	-	-	10,000
Family Tricocercidae						
24. <i>Trichocerca pusilla</i>	-	-	-	9,000	-	21,000
25. <i>Trichocerca similis</i>	-	-	-	-	-	10,000
Family Gastropodidae						
26. <i>Ascomorpha</i> sp.	9,000	-	-	-	10,000	-
Family Synchaetidae						
27. <i>Asplanchna priodonta</i>	-	18,000	-	-	-	10,000
Family Synchaetidae						
28. <i>Polyarthra dolichoptera</i>	9,000	-	-	-	-	-
29. <i>Polyarthra vulgaris</i>	-	9,000	9,000	18,000	20,000	-
Order Flosculariaceae						
Family Testudinellidae						
30. <i>Testudinella patina</i>	-	9,000	-	-	-	-
Class Digononta						
Family Philodinidae						
31. <i>Rotaria neptunia</i>	-	18,000	-	-	-	-
32. <i>Rotaria rotatoria</i>	-	-	-	-	-	21,000

ตาราง ผลการวิเคราะห์แพลงก์ตอนสัตว์ (เก็บตัวอย่างวันที่ 21 สิงหาคม 2568)

(ต่อ)

ชนิดแพลงก์ตอนสัตว์	ปริมาณแพลงก์ตอนสัตว์ (หน่วยต่อลูกบาศก์เมตร)					
	2569944-1	2569944-2	2569944-3	2569944-4	2569944-5	2569944-6
Phylum Arthropoda						
Class Crustacea						
Subclass Branchiopoda						
Order Diplostraca						
Suborder Cladocera						
Family Chydoridae						
33. <i>Alonella</i> sp.	-	18,000	-	-	-	-
Subclass Ostracoda						
Order Podocopa						
Family Cypridae						
34. <i>Cypridopsis</i> sp.	-	9,000	-	-	-	-
Subclass Copepoda						
35. Copepod nauplius	283,000	118,000	18,000	18,000	29,000	52,000
Order Cyclopoida						
36. Cyclopoid copepod	26,000	-	-	-	-	-
ชนิดแพลงก์ตอนสัตว์	6	16	5	14	14	19
ปริมาณแพลงก์ตอนสัตว์	388,000	379,000	81,000	216,000	247,000	1,667,000
ดัชนีความหลากหลายแพลงก์ตอนสัตว์	0.9840	2.2928	1.5230	2.5568	2.4206	1.2323
ดัชนีความสม่ำเสมอแพลงก์ตอนสัตว์	0.5492	0.8270	0.9463	0.9688	0.9174	0.4185

Sample Location :


1. สถานี 2569944-1 : คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (Bio1)
2. สถานี 2569944-2 : คลองอ้อมแก้วบริเวณพื้นที่โครงการ (Bio2)
3. สถานี 2569944-3 : คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (Bio3)
4. สถานี 2569944-4 : คลองหนองโกสลดก่อนจุระบายน้ำทิ้ง (Bio4)
5. สถานี 2569944-5 : คลองหนองโกสลดจุระบายน้ำทิ้ง (Bio5)
6. สถานี 2569944-6 : คลองหนองโกสลดหลังจุระบายน้ำทิ้ง (Bio6)

Condition of Sample : contained in one plastic bottle, sample containers comply to pretreatment -preservation standards (APHA, USEPA)



(นางสาวกนกวรรณ ขาวดอน)

ผู้วิเคราะห์



(นายอสงกต อินทรชาติ)

หัวหน้าสถานีวิจัยประมงศรีราชา



สถานีวิจัยประมงศรีราชา
101/12 หมู่ 9 ต. บางพระ
อ. ศรีราชา จ. ชลบุรี 20110
โทร./โทรสาร. (038) 311379

Client : Rojana Industrial Park Public Co., Ltd.

Address : 2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok, Thailand,
10310

Project Name : Nongyai 2

Project Location : EIA

รายงานผลการวิเคราะห์สัตว์หน้าดิน

ตาราง ผลการวิเคราะห์สัตว์หน้าดิน (เก็บตัวอย่างวันที่ 21 สิงหาคม 2568)

สกุลสัตว์หน้าดิน	ปริมาณสัตว์หน้าดิน (ตัวต่อตารางเมตร)					
	2569946-1	2569946-2	2569946-3	2569946-4	2569946-5	2569946-6
Phylum Annelida Class Clitellata Order Lumbriculida Family Lumbriculidae <i>Lumbriculus</i> sp. (ไส้เดือนน้ำ)	104	208	104	519	1,082	17,052
Phylum Arthropoda Class Insecta Order Diptera Family Chironomidae <i>Chironomus</i> sp. (หนอนแดง)	134	104	15	-	75	30
Order Ephemeroptera Family Ephemeridae <i>Ephemera</i> sp. (ตัวอ่อนแมลงชีปะขาว)	-	-	-	-	15	-

ตาราง ผลการวิเคราะห์สัตว์หน้าดิน (เก็บตัวอย่างวันที่ 21 สิงหาคม 2568) (ต่อ)

สกุลสัตว์หน้าดิน	ปริมาณสัตว์หน้าดิน (ตัวต่อตารางเมตร)					
	2569946-1	2569946-2	2569946-3	2569946-4	2569946-5	2569946-6
Order Odonata Family Gomphidae <i>Gomphus</i> sp. (แมลงปอเสื้อ)	-	-	-	-	15	-
สกุลสัตว์หน้าดิน	2	2	2	1	4	2
ปริมาณสัตว์หน้าดิน	238	312	119	519	1,187	17,082
ค่าดัชนีความหลากหลายสัตว์หน้าดิน	0.6852	0.6365	0.3788	0.0000	0.3694	0.0129

Sample Location :

1. สถานี 2569946-1 : คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (Bio1)
2. สถานี 2569946-2 : คลองอ้อมแก้วบริเวณพื้นที่โครงการ (Bio2)
3. สถานี 2569946-3 : คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (Bio3)
4. สถานี 2569946-4 : คลองหนองโกศลก่อนจู่ระบายน้ำทิ้ง (Bio4)
5. สถานี 2569946-5 : คลองหนองโกศลจู่ระบายน้ำทิ้ง (Bio5)
6. สถานี 2569946-6 : คลองหนองโกศลหลังจู่ระบายน้ำทิ้ง (Bio6)

Condition of Sample : contained in one plastic zip bag

.....


(นายอรธฤติ กันทะวงศ์)
 ผู้วิเคราะห์

.....


(นายอลงกต อินทรชาติ)
 หัวหน้าสถานีวิจัยประมงศรีราชา



สถานีวิจัยประมงศรีราชา

101/12 หมู่ 9 ต. บางพระ อ. ศรีราชา จ. ชลบุรี 20110

โทร./โทรสาร. (038) 311379

Client : Rojana Industrial Park Public Co., Ltd.

Address : 2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok, Thailand, 10310

Project Name : Nongyai 2

Project Location : EIA

รายงานผลการวิเคราะห์สัตว์น้ำ

ตาราง ผลการวิเคราะห์สัตว์น้ำ (Aquatic animal) (เก็บตัวอย่างเมื่อวันที่ 21 สิงหาคม 2568)

ชนิดสัตว์น้ำ	ปริมาณสัตว์น้ำ (ตัว)						ช่วงขนาด	น้ำหนักรวม
	2569898-1	2569898-2	2569898-3	2569898-4	2569898-5	2569898-6	(ซม.)	(กรัม)
Phylum Chordata								
Class Actinopterygii								
Order Anabantiformes								
Family Channidae								
<i>Channa striata</i> (ปลาช่อน)	1	-	-	-	-	-	12.30	14.90

ตาราง ผลการวิเคราะห์สัตว์น้ำ (Aquatic animal) (เก็บตัวอย่างเมื่อวันที่ 21 สิงหาคม 2568) (ต่อ)

ชนิดสัตว์น้ำ	ปริมาณสัตว์น้ำ (ตัว)						ช่วงขนาด (ซม.)	น้ำหนักรวม (กรัม)
	2569898-1	2569898-2	2569898-3	2569898-4	2569898-5	2569898-6		
Family Osphronemidae								
Trichopodus microlepis (ปลากะดี่นาง)	-	-	-	-	-	2	5.20-7.20	7.30
Trichopodus trichopterus (ปลากะดี่หม้อ)	1	1	-	1	1	4	4.70-9.70	49.90
Order Cichliformes								
Family Cichlidae								
Oreochromis niloticus (ปลานิล)	-	-	-	1	1	-	5.20-7.50	10.40
Order Cypriniformes								
Family Cyprinidae								
Amblypharyngodon chulabhornae (ปลาจิ๋วเจ้าฟ้า)	1	-	-	-	-	-	4.30	1.10
Cyclocheilichthys apogon (ปลาไส้ตันตาแดง)	-	2	-	-	-	-	6.80-7.00	7.80
Esomus metallicus (ปลาจิ๋วหนวดยาว)	9	1	2	-	-	-	4.00-5.30	13.30
Labiobarbus leptocheilus (ปลาชะ)	-	1	-	-	-	-	15.40	39.70
Puntius brevis (ปลาตะเพียนทราย)	1	2	-	1	1	-	5.70-6.80	16.90
Rasbora paviana (ปลาจิ๋วควายแถบดำ)	-	3	1	-	-	-	7.20-8.40	19.80
Systomus rubripinnus (ปลาแก้มช้ำ)	-	-	-	-	-	3	6.40-6.80	12.30


ตาราง ผลการวิเคราะห์สัตว์น้ำ (Aquatic animal) (เก็บตัวอย่างเมื่อวันที่ 21 สิงหาคม 2568) (ต่อ)

ชนิดสัตว์น้ำ	ปริมาณสัตว์น้ำ (ตัว)						ช่วงขนาด (ซม.)	น้ำหนักรวม (กรัม)
	2569898-1	2569898-2	2569898-3	2569898-4	2569898-5	2569898-6		
Order Osteoglossiformes								
Family Notopteridae								
<i>Notopterus notopterus</i> (ปลาสลาด)	-	-	-	-	-	2	13.00-15.20	34.20
Order Siluriformes								
Family Bagridae								
<i>Hemibagrus filamentus</i> (ปลากดเหลือง)	-	-	-	1	-	-	14.60	20.60
ชนิดสัตว์น้ำ	5	6	2	4	3	4	4.00-15.40	248.20
ปริมาณสัตว์น้ำ	13	10	3	4	3	11		
ดัชนีความหลากหลายสัตว์น้ำ	1.0438	1.6957	0.6365	1.3863	1.0986	1.3421		


Sample Location :

1. สถานี 2569898-1 : คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (Bio1)
2. สถานี 2569898-2 : คลองอ้อมแก้วบริเวณพื้นที่โครงการ (Bio2)
3. สถานี 2569898-3 : คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (Bio3)
4. สถานี 2569898-4 : คลองหนองโกสลดก่อนจู่ระบายน้ำทิ้ง (Bio4)
5. สถานี 2569898-5 : คลองหนองโกสลดจู่ระบายน้ำทิ้ง (Bio5)
6. สถานี 2569898-6 : คลองหนองโกสลดหลังจู่ระบายน้ำทิ้ง (Bio6)

Condition of Sample : fishing gear



(นายสาโรจน์ เร่มดำริห์)
ผู้วิเคราะห์



(นายอลงกต อินทรชาติ)
หัวหน้าสถานีวิจัยประมงศรีราชา



สถานีวิจัยประมงศรีราชา

101/12 หมู่ 9 ต. บางพระ อ. ศรีราชา จ. ชลบุรี 20110

โทร./โทรสาร. (038) 311379

Client : Rojana Industrial Park Public Co., Ltd.

Address : 2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok, Thailand, 10310

Project Name : Nongyai 2

Project Location : EIA

รายงานผลการวิเคราะห์พืชน้ำ

ตาราง ผลการวิเคราะห์พืชน้ำ (เก็บตัวอย่างวันที่ 21 สิงหาคม 2568)

วงศ์	ชื่อวิทยาศาสตร์	ชื่อภาษาไทย	บริเวณที่ทำการสำรวจ					
			2569900-1	2569900-2	2569900-3	2569900-4	2569900-5	2569900-6
<u>พืชลอยน้ำ</u> Convolvulaceae	<i>Ipomoea aquatica</i>	ผักบุ้ง	+	+	+	-	-	-
<u>พืชชายน้ำ</u> 2. Amaranthaceae	<i>Alternanthera sessilis</i>	ผักเบ็ดไทย	+	-	-	-	-	-

ตาราง ผลการวิเคราะห์พืชน้ำ (เก็บตัวอย่างวันที่ 21 สิงหาคม 2568)

วงศ์	ชื่อวิทยาศาสตร์	ชื่อภาษาไทย	บริเวณที่ทำการสำรวจ					
			2569900-1	2569900-2	2569900-3	2569900-4	2569900-5	2569900-6
Araceae	<i>Colocasia esculenta</i>	บอน	-	-	-	-	+	-
Asteraceae	<i>Eclipta prostrata</i>	กะเม็ง	+	-	+	-	+	+
	<i>Synedrella nodiflora</i>	ผักแครด	-	-	+	-	-	-
Butomaceae	<i>Limnocharis flava</i>	ตาลปัตรฤาษี	+	-	-	-	-	-
Commelinaceae	<i>Commelina diffusa</i>	ผักปลานใบแคบ	+	-	+	+	+	+
Cyperaceae	<i>Cyperus iria</i>	กกทราย	+	-	-	-	-	+
	<i>Cyperus pilosus</i>	กกสามเหลี่ยม	+	-	-	-	-	-
	<i>Cyperus rotundus</i>	หญ้าخنหมู	-	-	-	-	-	+
Mimosaceae	<i>Mimosa pigra</i>	ไมขราบยักษ์	-	-	-	-	+	+
Onagraceae	<i>Jussiaea linifolia</i>	เทียนนา	+	-	+	-	+	+
Poaceae	<i>Brachiaria mutica</i>	หญ้าขน	++	++	+++	++	+++	+++
	<i>Brachiaria reptans</i>	หญ้าต้นติด	+	+	++	+	++	++
	<i>Leptochloa chinensis</i>	หญ้าดอกขาว	++	++	+++	+++	+++	+++
	<i>Phragmites karka</i>	แขม	+	+	++	+	+	+
Polygonaceae	<i>Polygonum glabrum</i>	ผักไผ่น้ำ	+	++	+	++	++	++
	<i>Polygonum tomentosum</i>	เอื้องเผือกม้า	-	+	-	+	+	+

ตาราง ผลการวิเคราะห์พืชน้ำ (เก็บตัวอย่างวันที่ 21 สิงหาคม 2568) (ต่อ)

วงศ์	ชื่อวิทยาศาสตร์	ชื่อภาษาไทย	บริเวณที่ทำการสำรวจ					
			2569900-1	2569900-2	2569900-3	2569900-4	2569900-5	2569900-6
Potederiaceae	<i>Monochoria vaginalis</i>	นิลubl	-	-	-	+	-	-
Typhaceae	<i>Typha angustifolia</i>	ธูปฤาษี	+	-	-	-	-	-
รวมจำนวนชนิดพืชที่พบทั้งหมด			14	7	10	8	11	12

Sample Location : - ไม่พบ + น้อย ++ ปานกลาง +++ มาก

1. สถานี 2569900-1 : คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (Bio1)
2. สถานี 2569900-2 : คลองอ้อมแก้วบริเวณพื้นที่โครงการ (Bio2)
3. สถานี 2569900-3 : คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (Bio3)
4. สถานี 2569900-4 : คลองหนองโกศลก่อนจุระบายน้ำทิ้ง (Bio4)
5. สถานี 2569900-5 : คลองหนองโกศลจุระบายน้ำทิ้ง (Bio5)
6. สถานี 2569900-6 : คลองหนองโกศลหลังจุระบายน้ำทิ้ง (Bio6)

Condition of Sample : Data sheet

.....

(นายอรรถวุฒิ กันทะวงศ์)

ผู้วิเคราะห์

.....

(นายอลงกต อินทรชาติ)

หัวหน้าสถานีวิจัยประมงศรีราชา