

ภาคผนวก ค

เอกสารประกอบมาตรการติดตามตรวจสอบ
ผลกระทบสิ่งแวดล้อม

ภาคผนวก ค-1
ผลการตรวจวัดคุณภาพน้ำใช้

ANALYSIS REPORT

CUSTOMER NAME : ARTEMIS BANGKOK JURISTIC PERSON
ADDRESS : 418 SUKHUMVIT 77 (ON NUT) SUAN LUANG SUAN LUANG BANGKOK 10250
CONTACT INFORMATION : TEL : 0 2130 5750,08 1710 5929 e-mail : amb@th.knightfrank.com
SAMPLING SOURCE : ARTEMIS BANGKOK JURISTIC PERSON
SAMPLE TYPE : WATER SUPPLY
MEASURING DATE : JULY 15, 2025
MEASURING TIME : 11:30 HOUR
SAMPLING METHOD : GRAB
MEASURED BY :
RECEIVED DATE : -
ANALYTICAL DATE : -
ISSUE DATE : JULY 30, 2025
REPORT NO. : 2025-U068611
WORK NO. : 2024-010246
ANALYSIS NO. : T25AP549-0003

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			ถังเก็บน้ำใต้ดิน T25AP549-0003		
FREE CHLORINE	mg/L Cl ₂	MODIFIED DPD COLOURIMETRIC METHOD (AT SITE)	0.2	0.2-2.0	0.1
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -		

REGULATORY STANDARD : CRITERIA OF WATER SUPPLY QUALITY, NOTIFICATION OF THE METROPOLITAN WATERWORKS AUTHORITY, B.E. 2565 (2022).

LABORATORY SUPERVISOR



ANALYSIS REPORT

CUSTOMER NAME : ARTEMIS BANGKOK JURISTIC PERSON
ADDRESS : 418 SUKHUMVIT 77 (ON NUT) SUAN LUANG SUAN LUANG BANGKOK 10250
CONTACT INFORMATION : TEL : 0 2130 5750,08 1710 5929 e-mail : amb@th.knightfrank.com
SAMPLING SOURCE : ARTEMIS BANGKOK JURISTIC PERSON
SAMPLE TYPE : WATER SUPPLY
MEASURING DATE : JULY 15, 2025
MEASURING TIME : 11:35 HOUR
SAMPLING METHOD : GRAB
MEASURED BY :
RECEIVED DATE : -
ANALYTICAL DATE : -
ISSUE DATE : JULY 30, 2025
REPORT NO. : 2025-U068612
WORK NO. : 2024-010246
ANALYSIS NO. : T25AP549-0004

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT
			ถังเก็บน้ำตลาดฟ้า T25AP549-0004		
FREE CHLORINE	mg/L Cl ₂	MODIFIED DPD COLOURIMETRIC METHOD (AT SITE)	0.2	0.2-2.0	0.1
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR		

REGULATORY STANDARD : CRITERIA OF WATER SUPPLY QUALITY, NOTIFICATION OF THE METROPOLITAN WATERWORKS AUTHORITY, B.E. 2565 (2022).

LABORATORY SUPERVISOR



ภาคผนวก ค-2
ผลการตรวจวัดคุณภาพน้ำทิ้ง

ANALYSIS REPORT

CUSTOMER NAME : ARTEMIS BANGKOK JURISTIC PERSON
ADDRESS : 418 SUKHUMIVIT 77 (ON NUT) SUAN LUANG SUAN LUANG BANGKOK 10250
CONTACT INFORMATION : TEL : 0 2130 5750,08 1710 5929 e-mail : amb@th.knightfrank.com
SAMPLING SOURCE : ARTEMIS BANGKOK JURISTIC PERSON
SAMPLE TYPE : EFFLUENT
SAMPLING DATE : JULY 15, 2025
SAMPLING TIME : 11:00 HOUR
SAMPLING METHOD : GRAB, GRAB AND STERILE TECHNIQUE
SAMPLING BY :
ANALYZED BY :
RECEIVED DATE : JULY 15, 2025
ANALYTICAL DATE : JULY 15-22, 2025
ISSUE DATE : JULY 30, 2025
REPORT NO. : 2025-U068608
WORK NO. : 2024-010246
ANALYSIS NO. : T25AP549-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			น้ำทิ้งหลังผ่านระบบบำบัดน้ำเสีย T25AP549-0001			
pH ^a	-	ELECTROMETRIC METHOD (AT SITE) SM: PART 4500-H* B AND 1060 B	6.8 (31.7°C)	5.5-9.0	-	-
BIOCHEMICAL OXYGEN DEMAND ^a	mg/L	MEMBRANE ELECTRODE METHOD (SM: PART 5210 B AND PART 4500-O G)	68.2	≤ 20	-	2.0
TOTAL SUSPENDED SOLIDS ^a	mg/L	TOTAL SUSPENDED SOLIDS DRIED FROM 103 TO 105 °C (SM: PART 2540 D)	36.0	≤ 30	-	5.0
TOTAL DISSOLVED SOLIDS ^b	mg/L	TOTAL DISSOLVED SOLIDS DRIED AT 180 °C (SM: PART 2540 C)	374	≤ 1,000	-	25
SETTLABLE SOLIDS ^c	mL/L	IMHOFF CONE (SM: PART 2540 F)	< 0.1	-	0.1	-
SULPHIDE ^b	mg/L	IODOMETRIC METHOD (SM: PART 4500 -S ² - F)	0.57	≤ 1.0	-	0.50
TOTAL KJELDAHL NITROGEN ^d	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: PART 4500-Norg C	76.2	≤ 35	1.5	5.0
OIL AND GREASE ^a	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: PART 5520 B)	3	≤ 20	-	3



PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			น้ำทิ้งหลังผ่านระบบบำบัดน้ำเสีย T25AP549-0001			
MICROBIOLOGY						
FAECAL COLIFORMS ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B, C AND E)	>160,000	-	1.8	-
SAMPLE CONDITION						
WATER'S COLOUR/TURBID			YELLOW/TURBID			
SEDIMENT			BROWN			

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT NOT IN SCOPE OF ACCREDITATION

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24th EDITION, 2023.

REGULATORY STANDARD : RANGE OR MAXIMUM PERMITTED VALUE FOR BUILDING EFFLUENT STANDARDS CLASS A, NOTIFICATION OF THE MINISTRY OF RESOURCES AND ENVIRONMENT, PUBLISHED IN THE ROYAL GOVERNMENT GAZETTE, VOL 141, PART 233 D, DATED AUGUST 27, 2024.

.....

LABORATORY SUPERVISOR
จ-145-ค-0008

ANALYSIS REPORT

CUSTOMER NAME : ARTEMIS BANGKOK JURISTIC PERSON
ADDRESS : 418 SUKHUMIVIT 77 (ON NUT) SUAN LUANG SUAN LUANG BANGKOK 10250
CONTACT INFORMATION : TEL : 0 2130 5750,08 1710 5929 e-mail : amb@th.knightfrank.com
SAMPLING SOURCE : ARTEMIS BANGKOK JURISTIC PERSON
SAMPLE TYPE : EFFLUENT
SAMPLING DATE : AUGUST 20, 2025
SAMPLING TIME : 11:10 HOUR
SAMPLING METHOD : GRAB, GRAB AND STERILE TECHNIQUE
SAMPLING BY :
ANALYZED BY :
RECEIVED DATE : AUGUST 20, 2025
ANALYTICAL DATE : AUGUST 20-26, 2025
ISSUE DATE : SEPTEMBER 3, 2025
REPORT NO. : 2025-U078722
WORK NO. : 2024-010246
ANALYSIS NO. : T25AS190-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			น้ำทิ้งหลังผ่านระบบ บำบัดน้ำเสีย T25AS190-0001			
pH ^a	-	ELECTROMETRIC METHOD (AT SITE) SM: PART 4500-H* B AND 1060 B	7.1 (30.5°C)	5.5-9.0	-	-
BIOCHEMICAL OXYGEN DEMAND ^a	mg/L	MEMBRANE ELECTRODE METHOD (SM: PART 5210 B AND PART 4500-O G)	103	≤ 20	-	2.0
TOTAL SUSPENDED SOLIDS ^a	mg/L	TOTAL SUSPENDED SOLIDS DRIED FROM 103 TO 105 °C (SM: PART 2540 D)	41.9	≤ 30	-	5.0
TOTAL DISSOLVED SOLIDS ^b	mg/L	TOTAL DISSOLVED SOLIDS DRIED AT 180 °C (SM: PART 2540 C)	274	≤ 1,000	-	25
SETTLEABLE SOLIDS ^c	mL/L	IMHOFF CONE (SM: PART 2540 F)	< 0.1	-	0.1	-
SULPHIDE ^b	mg/L	IODOMETRIC METHOD (SM: PART 4500 -S ² - F)	2.8	≤ 1.0	-	0.50
TOTAL KJELDAHL NITROGEN ^b	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: PART 4500-Norg C	89.2	≤ 35	1.5	5.0
OIL AND GREASE ^a	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: PART 5520 B)	12	≤ 20	-	3



PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			น้ำทิ้งหลังผ่านระบบ บำบัดน้ำเสีย T25AS190-0001			
MICROBIOLOGY						
FAECAL COLIFORMS ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B, C AND E)	>160,000	-	1.8	-
SAMPLE CONDITION						
WATER'S COLOUR/TURBID			YELLOW/TURBID			
SEDIMENT			BROWN			

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT NOT IN SCOPE OF ACCREDITATION

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24th EDITION, 2023.

REGULATORY STANDARD : RANGE OR MAXIMUM PERMITTED VALUE FOR BUILDING EFFLUENT STANDARDS CLASS A, NOTIFICATION OF THE MINISTRY OF RESOURCES AND ENVIRONMENT, PUBLISHED IN THE ROYAL GOVERNMENT GAZETTE, VOL 141, PART 233 D, DATED AUGUST 27, 2024.

.....
[Signature]
LABORATORY SUPERVISOR

ANALYSIS REPORT

CUSTOMER NAME : ARTEMIS BANGKOK JURISTIC PERSON
ADDRESS : 418 SUKHUMVIT 77 (ON NUT) SUAN LUANG SUAN LUANG BANGKOK 10250
CONTACT INFORMATION : TEL : 0 2130 5750,08 1710 5929 e-mail : amb@th.knightfrank.com
SAMPLING SOURCE : ARTEMIS BANGKOK JURISTIC PERSON
SAMPLE TYPE : EFFLUENT
SAMPLING DATE : SEPTEMBER 16, 2025
SAMPLING TIME : 14:32 HOUR
SAMPLING METHOD : GRAB, GRAB AND STERILE TECHNIQUE
SAMPLING BY :
ANALYZED BY :
RECEIVED DATE : SEPTEMBER 16, 2025
ANALYTICAL DATE : SEPTEMBER 16-23, 2025
ISSUE DATE : SEPTEMBER 26, 2025
REPORT NO. : 2025-U087279
WORK NO. : 2024-010246
ANALYSIS NO. : T25AU686-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			น้ำทิ้งหลังผ่านระบบ บำบัดน้ำเสีย T25AU686-0001			
pH ^a	-	ELECTROMETRIC METHOD (AT SITE) SM: PART 4500-H ⁺ B AND 1060 B	6.6 (31.1°C)	5.5-9.0	-	-
BIOCHEMICAL OXYGEN DEMAND ^a	mg/L	MEMBRANE ELECTRODE METHOD (SM: PART 5210 B AND PART 4500-O G)	59.9	≤ 20	-	2.0
TOTAL SUSPENDED SOLIDS ^a	mg/L	TOTAL SUSPENDED SOLIDS DRIED FROM 103 TO 105 °C (SM: PART 2540 D)	35.9	≤ 30	-	5.0
TOTAL DISSOLVED SOLIDS ^b	mg/L	TOTAL DISSOLVED SOLIDS DRIED AT 180 °C (SM: PART 2540 C)	345	≤ 1,000	-	25
SETTLEABLE SOLIDS ^c	mL/L	IMHOFF CONE (SM: PART 2540 F)	< 0.1	-	0.1	-
SULPHIDE ^b	mg/L	IODOMETRIC METHOD (SM: PART 4500 -S ₂ F)	0.62	≤ 1.0	-	0.50
TOTAL KJELDAHL NITROGEN ^b	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: PART 4500-Norg C	78.4	≤ 35	1.5	5.0
OIL AND GREASE ^a	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: PART 5520 B)	4	≤ 20	-	3



PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			น้ำทิ้งหลังผ่านระบบบำบัดน้ำเสีย T25AU686-0001			
MICROBIOLOGY						
FAECAL COLIFORMS ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B, C AND E)	>160,000	-	1.8	-
SAMPLE CONDITION						
WATER'S COLOUR/TURBID			YELLOW/TURBID			
SEDIMENT			BROWN			

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT NOT IN SCOPE OF ACCREDITATION

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24th EDITION, 2023.

REGULATORY STANDARD : RANGE OR MAXIMUM PERMITTED VALUE FOR BUILDING EFFLUENT STANDARDS CLASS A, NOTIFICATION OF THE
MINISTRY OF RESOURCES AND ENVIRONMENT, PUBLISHED IN THE ROYAL GOVERNMENT GAZETTE, VOL 141,
PART 233 D, DATED AUGUST 27, 2024.

.....
[Signature Box]
.....
LABORATORY SUPERVISOR

ANALYSIS REPORT

CUSTOMER NAME : ARTEMIS BANGKOK JURISTIC PERSON
ADDRESS : 418 SUKHUMIVIT 77 (ON NUT) SUAN LUANG SUAN LUANG BANGKOK 10250
CONTACT INFORMATION : TEL : 0 2130 5750,08 1710 5929 e-mail : amb@th.knightfrank.com
SAMPLING SOURCE : ARTEMIS BANGKOK JURISTIC PERSON
SAMPLE TYPE : EFFLUENT
SAMPLING DATE : OCTOBER 7, 2025
SAMPLING TIME : 16:05 HOUR
SAMPLING METHOD : GRAB, GRAB AND STERILE TECHNIQUE
SAMPLING BY :
ANALYZED BY :
RECEIVED DATE : OCTOBER 8, 2025
ANALYTICAL DATE : OCTOBER 8-17, 2025
ISSUE DATE : OCTOBER 23, 2025
REPORT NO. : 2025-U096542
WORK NO. : 2024-010246
ANALYSIS NO. : T25AW747-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			น้ำทิ้งหลังผ่านระบบบำบัดน้ำเสีย T25AW747-0001			
pH ^a	-	ELECTROMETRIC METHOD (AT SITE) SM: PART 4500-H* B AND 1060 B	6.9 (31.3°C)	5.5-9.0	-	-
BIOCHEMICAL OXYGEN DEMAND ^a	mg/L	MEMBRANE ELECTRODE METHOD (SM: PART 5210 B AND PART 4500-O G)	69.4	≤ 20	-	2.0
TOTAL SUSPENDED SOLIDS ^a	mg/L	TOTAL SUSPENDED SOLIDS DRIED FROM 103 TO 105 °C (SM: PART 2540 D)	43.0	≤ 30	-	5.0
TOTAL DISSOLVED SOLIDS ^b	mg/L	TOTAL DISSOLVED SOLIDS DRIED AT 180 °C (SM: PART 2540 C)	334	≤ 1,000	-	25
SETTLEABLE SOLIDS ^c	mL/L	IMHOFF CONE (SM: PART 2540 F)	< 0.1	-	0.1	-
SULPHIDE ^b	mg/L	IODOMETRIC METHOD (SM: PART 4500 -S ²⁻ F)	< 0.50	≤ 1.0	-	0.50
TOTAL KJELDAHL NITROGEN ^b	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: PART 4500-Norg C	79.1	≤ 35	1.5	5.0
OIL AND GREASE ^a	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: PART 5520 B)	4	≤ 20	-	3



PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			น้ำทิ้งหลังผ่านระบบบำบัดน้ำเสีย T25AW747-0001			
MICROBIOLOGY						
FAECAL COLIFORMS ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B, C AND E)	>160,000	-	1.8	-
SAMPLE CONDITION						
WATER'S COLOUR/TURBID			YELLOW/TURBID			
SEDIMENT			BROWN			

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT NOT IN SCOPE OF ACCREDITATION

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24th EDITION, 2023.

REGULATORY STANDARD : RANGE OR MAXIMUM PERMITTED VALUE FOR BUILDING EFFLUENT STANDARDS CLASS A, NOTIFICATION OF THE MINISTRY OF RESOURCES AND ENVIRONMENT, PUBLISHED IN THE ROYAL GOVERNMENT GAZETTE, VOL 141, PART 233 D, DATED AUGUST 27, 2024.

.....
[Signature Box]
.....
LABORATORY SUPERVISOR

ANALYSIS REPORT

CUSTOMER NAME : ARTEMIS BANGKOK JURISTIC PERSON
ADDRESS : 418 SUKHUMVIT 77 (ON NUT) SUAN LUANG SUAN LUANG BANGKOK 10250
CONTACT INFORMATION : TEL : 0 2130 5750, 08 1710 5929 e-mail : amb@th.knightfrank.com
SAMPLING SOURCE : ARTEMIS BANGKOK JURISTIC PERSON
SAMPLE TYPE : EFFLUENT
SAMPLING DATE : NOVEMBER 25, 2025
SAMPLING TIME : 13:10 HOUR
SAMPLING METHOD : GRAB, GRAB AND STERILE TECHNIQUE
SAMPLING BY :
ANALYZED BY :
RECEIVED DATE : NOVEMBER 25, 2025
ANALYTICAL DATE : NOVEMBER 25 - DECEMBER 1, 2025
ISSUE DATE : DECEMBER 4, 2025
REPORT NO. : 2025-U110690
WORK NO. : 2024-010246
ANALYSIS NO. : T25BA647-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			น้ำทิ้งหลังผ่านระบบ บำบัดน้ำเสีย T25BA647-0001			
pH ^a	-	ELECTROMETRIC METHOD (AT SITE) SM: PART 4500-H ⁺ B AND 1060 B	7.0 (28.9°C)	5.5-9.0	-	-
BIOCHEMICAL OXYGEN DEMAND ^a	mg/L	MEMBRANE ELECTRODE METHOD (SM: PART 5210 B AND PART 4500-O G)	79.2	≤ 20	-	2.0
TOTAL SUSPENDED SOLIDS ^a	mg/L	TOTAL SUSPENDED SOLIDS DRIED FROM 103 TO 105 °C (SM: PART 2540 D)	54.0	≤ 30	-	5.0
TOTAL DISSOLVED SOLIDS ^b	mg/L	TOTAL DISSOLVED SOLIDS DRIED AT 180 °C (SM: PART 2540 C)	342	≤ 1,000	-	25
SETTLEABLE SOLIDS ^c	mL/L	IMHOFF CONE (SM: PART 2540 F)	< 0.1	-	0.1	-
SULPHIDE ^b	mg/L	IODOMETRIC METHOD (SM: PART 4500 -S ²⁻ F)	< 0.50	≤ 1.0	-	0.50
TOTAL KJELDAHL NITROGEN ^b	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: PART 4500-Norg C	73.5	≤ 35	1.5	5.0
OIL AND GREASE ^a	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: PART 5520 B)	4	≤ 20	-	3



PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			น้ำทิ้งหลังผ่านระบบ บำบัดน้ำเสีย T25BA647-0001			
MICROBIOLOGY						
FAECAL COLIFORMS ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B, C AND E)	>160,000	-	1.8	-
SAMPLE CONDITION						
WATER'S COLOUR/TURBID			YELLOW/TURBID			
SEDIMENT			BROWN			

^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT NOT IN SCOPE OF ACCREDITATION

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24th EDITION, 2023.

REGULATORY STANDARD : RANGE OR MAXIMUM PERMITTED VALUE FOR BUILDING EFFLUENT STANDARDS CLASS A, NOTIFICATION OF THE
MINISTRY OF RESOURCES AND ENVIRONMENT, PUBLISHED IN THE ROYAL GOVERNMENT GAZETTE, VOL 141,
PART 233 D, DATED AUGUST 27, 2024.

.....
[Signature]
LABORATORY SUPERVISOR

ANALYSIS REPORT

CUSTOMER NAME : ARTEMIS BANGKOK JURISTIC PERSON
ADDRESS : 418 SUKHUMIVIT 77 (ON NUT) SUAN LUANG SUAN LUANG BANGKOK 10250
CONTACT INFORMATION : TEL : 0 2130 5750,08 1710 5929 e-mail : amb@th.knightfrank.com
SAMPLING SOURCE : ARTEMIS BANGKOK JURISTIC PERSON
SAMPLE TYPE : EFFLUENT
SAMPLING DATE : DECEMBER 17, 2025
SAMPLING TIME : 11:15 HOUR
SAMPLING METHOD : GRAB, GRAB AND STERILE TECHNIQUE
SAMPLING BY :
ANALYZED BY :
RECEIVED DATE : DECEMBER 17, 2025
ANALYTICAL DATE : DECEMBER 17-25, 2025
ISSUE DATE : DECEMBER 26, 2025
REPORT NO. : 2025-U117806
WORK NO. : 2024-010246
ANALYSIS NO. : T25BC485-0001

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			น้ำทิ้งหลังผ่านระบบ บำบัดน้ำเสีย T25BC485-0001			
pH ^a	-	ELECTROMETRIC METHOD (AT SITE) SM: PART 4500-H* B AND 1060 B	7.1 (30.1°C)	5.5-9.0	-	-
BIOCHEMICAL OXYGEN DEMAND ^a	mg/L	MEMBRANE ELECTRODE METHOD (SM: PART 5210 B AND PART 4500-O G)	61.5	≤ 20	-	2.0
TOTAL SUSPENDED SOLIDS ^a	mg/L	TOTAL SUSPENDED SOLIDS DRIED FROM 103 TO 105 °C (SM: PART 2540 D)	35.8	≤ 30	-	5.0
TOTAL DISSOLVED SOLIDS ^b	mg/L	TOTAL DISSOLVED SOLIDS DRIED AT 180 °C (SM: PART 2540 C)	330	≤ 1,000	-	25
SETTLABLE SOLIDS ^c	mL/L	IMHOFF CONE (SM: PART 2540 F)	< 0.1	-	0.1	-
SULPHIDE ^b	mg/L	IODOMETRIC METHOD (SM: PART 4500 -S ² F)	< 0.50	≤ 1.0	-	0.50
TOTAL KJELDAHL NITROGEN ^b	mg/L	IN-HOUSE METHOD: UAE.TP.WAS.001 (KJELDAHL METHOD); SM: PART 4500-Norg C	75.3	≤ 35	1.5	5.0
OIL AND GREASE ^a	mg/L	LIQUID-LIQUID, PARTITION-GRAVIMETRIC METHOD (SM: PART 5520 B)	7	≤ 20	-	3

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			น้ำทิ้งหลังผ่านระบบ บำบัดน้ำเสีย T25BC485-0001			
MICROBIOLOGY						
FAECAL COLIFORMS ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B, C AND E)	>160,000	-	1.8	-
SAMPLE CONDITION						
WATER'S COLOUR/TURBID			YELLOW/TURBID			
SEDIMENT			BROWN			


^a : ISO/IEC 17025 ACCREDITED BY THAI INDUSTRIAL STANDARDS INSTITUTE (TISI)

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT NOT IN SCOPE OF ACCREDITATION

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24th EDITION, 2023.

REGULATORY STANDARD : RANGE OR MAXIMUM PERMITTED VALUE FOR BUILDING EFFLUENT STANDARDS CLASS A, NOTIFICATION OF THE MINISTRY OF RESOURCES AND ENVIRONMENT, PUBLISHED IN THE ROYAL GOVERNMENT GAZETTE, VOL 141, PART 233 D, DATED AUGUST 27, 2024.

.....


 LABORATORY SUPERVISOR

ภาคผนวก ค-3
ผลการตรวจวัดคุณภาพน้ำในสระว่ายนํ้า

ANALYSIS REPORT

CUSTOMER NAME : ARTEMIS BANGKOK JURISTIC PERSON
ADDRESS : 418 SUKHUMIVIT 77 (ON NUT) SUAN LUANG SUAN LUANG BANGKOK 10250
CONTACT INFORMATION : TEL : 0 2130 5750,08 1710 5929 e-mail : amb@th.knightfrank.com
SAMPLING SOURCE : ARTEMIS BANGKOK JURISTIC PERSON
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : JULY 15, 2025
SAMPLING TIME : 11:20 HOUR
SAMPLING METHOD ° : GRAB, GRAB AND STERILE TECHNIQUE
SAMPLING BY ° :
ANALYZED BY :
RECEIVED DATE : JULY 15, 2025
ANALYTICAL DATE : JULY 15-22, 2025
ISSUE DATE : JULY 30, 2025
REPORT NO. : 2025-U068609
WORK NO. : 2024-010246
ANALYSIS NO. : T25AP549-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			SWIMMING POOL T25AP549-0002			
AMMONIA ^c	mg/L NH ₃	PHENATE METHOD (SM: PART 4500-NH ₃ F)	< 0.15	≤ 20	0.04	0.15
CALCIUM HARDNESS ^c	mg/L as CaCO ₃	EDTA TITRIMETRIC METHOD (SM: PART 3500-Ca B)	63.4	250-600	1.0	4.0
COMBINED CHLORINE ^c	mg/L Cl ₂	MODIFIED DPD COLOURIMETRIC METHOD (AT SITE)	0.6	0.5-1.0	0.1	-
CYANURIC ACID ^c	mg/L	TURBIDIMETRIC METHOD	< 5	30-60	1	5
FREE CHLORINE ^c	mg/L Cl ₂	MODIFIED DPD COLOURIMETRIC METHOD (AT SITE)	1.0	0.6-1.0	0.1	-
NITRATE ^c	mg/L NO ₃ ⁻	CADMIUM REDUCTION METHOD (SM: PART 4500-NO ₃ ⁻ E)	4.43	≤ 50	0.09	0.50
TOTAL ALKALINITY ^c	mg/L as CaCO ₃	TITRATION METHOD (SM: PART 2320 B)	63.0	80-100	-	-
MICROBIOLOGY						
TOTAL COLIFORMS ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B AND C)	< 1.1	< 10	1.1	-
FAECAL COLIFORMS ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B, C AND E)	< 1.1	NOT DETECTED	1.1	-
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	NOT DETECTED	-	-



PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			SWIMMING POOL T25AP549-0002			
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE FOR PSEUDOMONAS AERUGINOSA (SM: PART 9213 E)	NOT DETECTED	NOT DETECTED	-	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -			

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT NOT IN SCOPE OF ACCREDITATION

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24th EDITION, 2023.

REGULATORY STANDARD : RECOMMENDATIONS OF PUBLIC HEALTH COMMITTEE NO. 1/2550; CONTROL OF SWIMMING POOLS BUSINESSES OR OTHER SIMILAR BUSINESSES.

.....
[Signature]
LABORATORY SUPERVISOR

ANALYSIS REPORT


CUSTOMER NAME	: ARTEMIS BANGKOK JURISTIC PERSON	RECEIVED DATE	: JULY 15, 2025
ADDRESS	: 418 SUKHUMIVIT 77 (ON NUT) SUAN LUANG SUAN LUANG BANGKOK 10250	ANALYTICAL DATE	: JULY 15-18, 2025
CONTACT INFORMATION	: TEL : 0 2130 5750,08 1710 5929 e-mail : amb@th.knightfrank.com	ISSUE DATE	: JULY 30, 2025
SAMPLING SOURCE	: ARTEMIS BANGKOK JURISTIC PERSON	REPORT NO.	: 2025-U068610
SAMPLE TYPE	: WATER SAMPLE FROM SWIMMING POOL	WORK NO.	: 2024-010246
SAMPLING DATE	: JULY 15, 2025	ANALYSIS NO.	: T25AP549-0002
SAMPLING TIME	: 11:20 HOUR		
SAMPLING METHOD *	: GRAB AND STERILE TECHNIQUE		
SAMPLING BY *	:		
ANALYZED BY	:		

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD
			SWIMMING POOL T25AP549-0002	
MICROBIOLOGY				
<i>Staphylococcus aureus</i>	/100 mL	STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER. APHA, AWWA, WEF. 24th EDITION, 2023. PART 9213 B.	NOT DETECTED	NOT DETECTED
SAMPLE CONDITION				
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR	
SEDIMENT				

THE LABORATORY HAS BEEN ACCEPTED AS AN ACCREDITED LABORATORY COMPLYING WITH THE ISO/IEC 17025.

* : TEST METHOD ARE NOT COVERED COMPLYING WITH THE ISO/IEC 17025, VERIFIED BY OWN LABORATORY QUALITY SYSTEM.

REGULATORY STANDARD : RECOMMENDATIONS OF PUBLIC HEALTH COMMITTEE NO. 1/2550; CONTROL OF SWIMMING POOLS BUSINESSES OR OTHER SIMILAR BUSINESSES.

.....


 LABORATORY SUPERVISOR

ANALYSIS REPORT

CUSTOMER NAME : ARTEMIS BANGKOK JURISTIC PERSON
ADDRESS : 418 SUKHUMVIT 77 (ON NUT) SUAN LUANG SUAN LUANG BANGKOK 10250
CONTACT INFORMATION : TEL : 0 2130 5750,08 1710 5929 e-mail : amb@th.knightfrank.com
SAMPLING SOURCE : ARTEMIS BANGKOK JURISTIC PERSON
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : AUGUST 20, 2025
SAMPLING TIME : 11:15 HOUR
SAMPLING METHOD ° : GRAB, GRAB AND STERILE TECHNIQUE
SAMPLING BY ° :
ANALYZED BY :
RECEIVED DATE : AUGUST 20, 2025
ANALYTICAL DATE : AUGUST 20-27, 2025
ISSUE DATE : SEPTEMBER 3, 2025
REPORT NO. : 2025-U078723
WORK NO. : 2024-010246
ANALYSIS NO. : T25AS190-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			SWIMMING POOL T25AS190-0002			
AMMONIA ^c	mg/L NH ₃	PHENATE METHOD (SM: PART 4500-NH ₃ F)	< 0.15	≤ 20	0.04	0.15
CALCIUM HARDNESS ^c	mg/L as CaCO ₃	EDTA TITRIMETRIC METHOD (SM: PART 3500-Ca B)	63.1	250-600	1.0	4.0
COMBINED CHLORINE ^c	mg/L Cl ₂	MODIFIED DPD COLOURIMETRIC METHOD (AT SITE)	0.1	0.5-1.0	0.1	-
CYANURIC ACID ^c	mg/L	TURBIDIMETRIC METHOD	11	30-60	1	5
FREE CHLORINE ^c	mg/L Cl ₂	MODIFIED DPD COLOURIMETRIC METHOD (AT SITE)	0.5	0.6-1.0	0.1	-
NITRATE ^c	mg/L NO ₃ ⁻	CADMIUM REDUCTION METHOD (SM: PART 4500-NO ₃ ⁻ E)	3.50	≤ 50	0.09	0.50
TOTAL ALKALINITY ^c	mg/L as CaCO ₃	TITRATION METHOD (SM: PART 2320 B)	54.8	80-100	-	-
MICROBIOLOGY						
TOTAL COLIFORMS ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B AND C)	< 1.1	< 10	1.1	-
FAECAL COLIFORMS ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B, C AND E)	< 1.1	NOT DETECTED	1.1	-
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	NOT DETECTED	-	-



PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			SWIMMING POOL T25AS190-0002			
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE FOR PSEUDOMONAS AERUGINOSA (SM: PART 9213 E)	NOT DETECTED	NOT DETECTED	-	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -			

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT NOT IN SCOPE OF ACCREDITATION

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24th EDITION, 2023.

REGULATORY STANDARD : RECOMMENDATIONS OF PUBLIC HEALTH COMMITTEE NO. 1/2550; CONTROL OF SWIMMING POOLS BUSINESSES OR OTHER SIMILAR BUSINESSES.

< 1.1 : LESS THAN 1.1 MPN/100 mL MEANS NOT DETECTED.

.....
[Signature Box]
.....
LABORATORY SUPERVISOR

ANALYSIS REPORT

CUSTOMER NAME : ARTEMIS BANGKOK JURISTIC PERSON
ADDRESS : 418 SUKHUMVIT 77 (ON NUT) SUAN LUANG SUAN LUANG BANGKOK 10250
CONTACT INFORMATION : TEL : 0 2130 5750,08 1710 5929 e-mail : amb@th.knightfrank.com
SAMPLING SOURCE : ARTEMIS BANGKOK JURISTIC PERSON
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : AUGUST 20, 2025
SAMPLING TIME : 11:15 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * :
ANALYZED BY :
RECEIVED DATE : AUGUST 20, 2025
ANALYTICAL DATE : AUGUST 20-24, 2025
ISSUE DATE : SEPTEMBER 3, 2025
REPORT NO. : 2025-U078724
WORK NO. : 2024-010246
ANALYSIS NO. : T25AS190-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD
			SWIMMING POOL T25AS190-0002	
MICROBIOLOGY				
<i>Staphylococcus aureus</i>	/100 mL	STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER. APHA, AWWA, WEF. 24th EDITION, 2023. PART 9213 B.	NOT DETECTED	NOT DETECTED
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -	

THE LABORATORY HAS BEEN ACCEPTED AS AN ACCREDITED LABORATORY COMPLYING WITH THE ISO/IEC 17025.

* : TEST METHOD ARE NOT COVERED COMPLYING WITH THE ISO/IEC 17025, VERIFIED BY OWN LABORATORY QUALITY SYSTEM.

REGULATORY STANDARD : RECOMMENDATIONS OF PUBLIC HEALTH COMMITTEE NO. 1/2550; CONTROL OF SWIMMING POOLS BUSINESSES OR OTHER SIMILAR BUSINESSES.


.....
(MISS CHAWEEWAN BOONLA)
LABORATORY SUPERVISOR

ANALYSIS REPORT

CUSTOMER NAME	: ARTEMIS BANGKOK JURISTIC PERSON	RECEIVED DATE	: SEPTEMBER 16, 2025
ADDRESS	: 418 SUKHUMIVIT 77 (ON NUT) SUAN LUANG SUAN LUANG BANGKOK 10250	ANALYTICAL DATE	: SEPTEMBER 16-22, 2025
CONTACT INFORMATION	: TEL : 0 2130 5750,08 1710 5929 e-mail : amb@th.knightfrank.com	ISSUE DATE	: SEPTEMBER 26, 2025
SAMPLING SOURCE	: ARTEMIS BANGKOK JURISTIC PERSON	REPORT NO.	: 2025-U087280
SAMPLE TYPE	: WATER SAMPLE FROM SWIMMING POOL	WORK NO.	: 2024-010246
SAMPLING DATE	: SEPTEMBER 16, 2025	ANALYSIS NO.	: T25AU686-0002
SAMPLING TIME	: 14:27 HOUR		
SAMPLING METHOD °	: GRAB, GRAB AND STERILE TECHNIQUE		
SAMPLING BY °	:		
ANALYZED BY	:		

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			SWIMMING POOL T25AU686-0002			
AMMONIA ^c	mg/L NH ₃	PHENATE METHOD (SM: PART 4500-NH ₃ F)	< 0.15	≤ 20	0.04	0.15
CALCIUM HARDNESS ^c	mg/L as CaCO ₃	EDTA TITRIMETRIC METHOD (SM: PART 3500-Ca B)	47.7	250-600	1.0	4.0
COMBINED CHLORINE ^c	mg/L Cl ₂	MODIFIED DPD COLOURIMETRIC METHOD (AT SITE)	1.0	0.5-1.0	0.1	-
CYANURIC ACID ^c	mg/L	TURBIDIMETRIC METHOD	13	30-60	1	5
FREE CHLORINE ^c	mg/L Cl ₂	MODIFIED DPD COLOURIMETRIC METHOD (AT SITE)	1.0	0.6-1.0	0.1	-
NITRATE ^c	mg/L NO ₃ ⁻	CADMIUM REDUCTION METHOD (SM: PART 4500-NO ₃ ⁻ E)	1.95	≤ 50	0.09	0.50
TOTAL ALKALINITY ^c	mg/L as CaCO ₃	TITRATION METHOD (SM: PART 2320 B)	44.9	80-100	-	-
MICROBIOLOGY						
TOTAL COLIFORMS ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B AND C)	< 1.1	< 10	1.1	-
FAECAL COLIFORMS ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B, C AND E)	< 1.1	NOT DETECTED	1.1	-
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	NOT DETECTED	-	-

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			SWIMMING POOL T25AU686-0002			
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE FOR PSEUDOMONAS AERUGINOSA (SM: PART 9213 E)	NOT DETECTED	NOT DETECTED	-	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -			

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT NOT IN SCOPE OF ACCREDITATION

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24th EDITION, 2023.

REGULATORY STANDARD : RECOMMENDATIONS OF PUBLIC HEALTH COMMITTEE NO. 1/2550; CONTROL OF SWIMMING POOLS BUSINESSES OR OTHER SIMILAR BUSINESSES.

< 1.1 : LESS THAN 1.1 MPN/100 mL MEANS NOT DETECTED.

.....
[Signature]
LABORATORY SUPERVISOR

ANALYSIS REPORT

CUSTOMER NAME : ARTEMIS BANGKOK JURISTIC PERSON
ADDRESS : 418 SUKHUMIVIT 77 (ON NUT) SUAN LUANG SUAN LUANG BANGKOK 10250
CONTACT INFORMATION : TEL : 0 2130 5750,08 1710 5929 e-mail : amb@th.knightfrank.com
SAMPLING SOURCE : ARTEMIS BANGKOK JURISTIC PERSON
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : SEPTEMBER 16, 2025
SAMPLING TIME : 14:27 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * :
ANALYZED BY :
RECEIVED DATE : SEPTEMBER 16, 2025
ANALYTICAL DATE : SEPTEMBER 16-19, 2025
ISSUE DATE : SEPTEMBER 26, 2025
REPORT NO. : 2025-U087281
WORK NO. : 2024-010246
ANALYSIS NO. : T25AU686-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD
			SWIMMING POOL T25AU686-0002	
MICROBIOLOGY				
<i>Staphylococcus aureus</i>	/100 mL	STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER. APHA, AWWA, WEF. 24th EDITION, 2023. PART 9213 B.	NOT DETECTED	NOT DETECTED
SAMPLE CONDITION				
WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR	

THE LABORATORY HAS BEEN ACCEPTED AS AN ACCREDITED LABORATORY COMPLYING WITH THE ISO/IEC 17025.

* : TEST METHOD ARE NOT COVERED COMPLYING WITH THE ISO/IEC 17025, VERIFIED BY OWN LABORATORY QUALITY SYSTEM.

REGULATORY STANDARD : RECOMMENDATIONS OF PUBLIC HEALTH COMMITTEE NO. 1/2550; CONTROL OF SWIMMING POOLS BUSINESSES OR OTHER SIMILAR BUSINESSES.

.....
LABORATORY SUPERVISOR

ANALYSIS REPORT

CUSTOMER NAME : ARTEMIS BANGKOK JURISTIC PERSON
ADDRESS : 418 SUKHUMVIT 77 (ON NUT) SUAN LUANG SUAN LUANG BANGKOK 10250
CONTACT INFORMATION : TEL : 0 2130 5750,08 1710 5929 e-mail : amb@th.knightfrank.com
SAMPLING SOURCE : ARTEMIS BANGKOK JURISTIC PERSON
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : OCTOBER 7, 2025
SAMPLING TIME : 16:00 HOUR
SAMPLING METHOD ° : GRAB, GRAB AND STERILE TECHNIQUE
SAMPLING BY ° :
ANALYZED BY :
RECEIVED DATE : OCTOBER 8, 2025
ANALYTICAL DATE : OCTOBER 8-19, 2025
ISSUE DATE : OCTOBER 23, 2025
REPORT NO. : 2025-U096544
WORK NO. : 2024-010246
ANALYSIS NO. : T25AW747-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			SWIMMING POOL T25AW747-0002			
AMMONIA ^c	mg/L NH ₃	PHENATE METHOD (SM: PART 4500-NH ₃ F)	ND	≤ 20	0.04	0.15
CALCIUM HARDNESS ^c	mg/L as CaCO ₃	EDTA TITRIMETRIC METHOD (SM: PART 3500-Ca B)	47.2	250-600	1.0	4.0
COMBINED CHLORINE ^c	mg/L Cl ₂	MODIFIED DPD COLOURIMETRIC METHOD (AT SITE)	2.5	0.5-1.0	0.1	-
CYANURIC ACID ^c	mg/L	TURBIDIMETRIC METHOD	< 5	30-60	1	5
FREE CHLORINE ^c	mg/L Cl ₂	MODIFIED DPD COLOURIMETRIC METHOD (AT SITE)	1.0	0.6-1.0	0.1	-
NITRATE ^c	mg/L NO ₃ ⁻	CADMIUM REDUCTION METHOD (SM: PART 4500-NO ₃ ⁻ E)	1.73	≤ 50	0.09	0.50
TOTAL ALKALINITY ^c	mg/L as CaCO ₃	TITRATION METHOD (SM: PART 2320 B)	63.1	80-100	-	-
MICROBIOLOGY						
TOTAL COLIFORMS ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B AND C)	1.1	< 10	1.1	-
FAECAL COLIFORMS ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B, C AND E)	1.1	NOT DETECTED	1.1	-
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	DETECTED	NOT DETECTED	-	-

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			SWIMMING POOL T25AW747-0002			
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE FOR PSEUDOMONAS AERUGINOSA (SM: PART 9213 E)	NOT DETECTED	NOT DETECTED	-	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -			

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT NOT IN SCOPE OF ACCREDITATION

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24th EDITION, 2023.

REGULATORY STANDARD : RECOMMENDATIONS OF PUBLIC HEALTH COMMITTEE NO. 1/2550; CONTROL OF SWIMMING POOLS BUSINESSES OR OTHER SIMILAR BUSINESSES.

.....
[Signature Box]
.....
LABORATORY SUPERVISOR

ANALYSIS REPORT

CUSTOMER NAME : ARTEMIS BANGKOK JURISTIC PERSON
ADDRESS : 418 SUKHUMIVIT 77 (ON NUT) SUAN LUANG SUAN LUANG BANGKOK 10250
CONTACT INFORMATION : TEL : 0 2130 5750,08 1710 5929 e-mail : amb@th.knightfrank.com
SAMPLING SOURCE : ARTEMIS BANGKOK JURISTIC PERSON
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : OCTOBER 7, 2025
SAMPLING TIME : 16:00 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * :
ANALYZED BY :
RECEIVED DATE : OCTOBER 8, 2025
ANALYTICAL DATE : OCTOBER 8-15, 2025
ISSUE DATE : OCTOBER 23, 2025
REPORT NO. : 2025-U096547
WORK NO. : 2024-010246
ANALYSIS NO. : T25AW747-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD
			SWIMMING POOL T25AW747-0002	
MICROBIOLOGY				
<i>Staphylococcus aureus</i>	/100 mL	STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER. APHA, AWWA, WEF. 24th EDITION, 2023. PART 9213 B.	NOT DETECTED	NOT DETECTED
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -	

THE LABORATORY HAS BEEN ACCEPTED AS AN ACCREDITED LABORATORY COMPLYING WITH THE ISO/IEC 17025.

* : TEST METHOD ARE NOT COVERED COMPLYING WITH THE ISO/IEC 17025, VERIFIED BY OWN LABORATORY QUALITY SYSTEM.

REGULATORY STANDARD : RECOMMENDATIONS OF PUBLIC HEALTH COMMITTEE NO. 1/2550; CONTROL OF SWIMMING POOLS BUSINESSES OR OTHER SIMILAR BUSINESSES.

.....
LABORATORY SUPERVISOR

ANALYSIS REPORT

CUSTOMER NAME : ARTEMIS BANGKOK JURISTIC PERSON
ADDRESS : 418 SUKHUMIVIT 77 (ON NUT) SUAN LUANG SUAN LUANG BANGKOK 10250
CONTACT INFORMATION : TEL : 0 2130 5750,08 1710 5929 e-mail : amb@th.knightfrank.com
SAMPLING SOURCE : ARTEMIS BANGKOK JURISTIC PERSON
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : NOVEMBER 25, 2025
SAMPLING TIME : 13:20 HOUR
SAMPLING METHOD ° : GRAB, GRAB AND STERILE TECHNIQUE
SAMPLING BY ° :
ANALYZED BY :
RECEIVED DATE : NOVEMBER 25, 2025
ANALYTICAL DATE : NOVEMBER 25 - DECEMBER 1, 2025
ISSUE DATE : DECEMBER 4, 2025
REPORT NO. : 2025-U110692
WORK NO. : 2024-010246
ANALYSIS NO. : T25BA647-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			SWIMMING POOL T25BA647-0002			
AMMONIA [°]	mg/L NH ₃	PHENATE METHOD (SM: PART 4500-NH ₃ F)	ND	≤ 20	0.04	0.15
CALCIUM HARDNESS [°]	mg/L as CaCO ₃	EDTA TITRIMETRIC METHOD (SM: PART 3500-Ca B)	56.3	250-600	1.0	4.0
COMBINED CHLORINE [°]	mg/L Cl ₂	MODIFIED DPD COLOURIMETRIC METHOD (AT SITE)	0.6	0.5-1.0	0.1	-
CYANURIC ACID [°]	mg/L	TURBIDIMETRIC METHOD	8	30-60	1	5
FREE CHLORINE [°]	mg/L Cl ₂	MODIFIED DPD COLOURIMETRIC METHOD (AT SITE)	0.6	0.6-1.0	0.1	-
NITRATE [°]	mg/L NO ₃ ⁻	CADMIUM REDUCTION METHOD (SM: PART 4500-NO ₃ ⁻ E)	1.51	≤ 50	0.09	0.50
TOTAL ALKALINITY [°]	mg/L as CaCO ₃	TITRATION METHOD (SM: PART 2320 B)	54.1	80-100	-	-
MICROBIOLOGY						
TOTAL COLIFORMS ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B AND C)	1.1	< 10	1.1	-
FAECAL COLIFORMS ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B, C AND E)	1.1	NOT DETECTED	1.1	-
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	DETECTED	NOT DETECTED	-	-



PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			SWIMMING POOL T25BA647-0002			
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE FOR PSEUDOMONAS AERUGINOSA (SM: PART 9213 E)	NOT DETECTED	NOT DETECTED	-	-
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR			

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT NOT IN SCOPE OF ACCREDITATION

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24th EDITION, 2023.

REGULATORY STANDARD : RECOMMENDATIONS OF PUBLIC HEALTH COMMITTEE NO. 1/2550; CONTROL OF SWIMMING POOLS BUSINESSES OR OTHER SIMILAR BUSINESSES.

ND : NOT DETECTED.

.....
[Signature]
LABORATORY SUPERVISOR

ANALYSIS REPORT

CUSTOMER NAME : ARTEMIS BANGKOK JURISTIC PERSON
ADDRESS : 418 SUKHUMVIT 77 (ON NUT) SUAN LUANG SUAN LUANG BANGKOK 10250
CONTACT INFORMATION : TEL : 0 2130 5750,08 1710 5929 e-mail : amb@th.knightfrank.com
SAMPLING SOURCE : ARTEMIS BANGKOK JURISTIC PERSON
SAMPLE TYPE : WATER SAMPLE FROM SWIMMING POOL
SAMPLING DATE : NOVEMBER 25, 2025
SAMPLING TIME : 13:20 HOUR
SAMPLING METHOD * : GRAB AND STERILE TECHNIQUE
SAMPLING BY * :
ANALYZED BY :
RECEIVED DATE : NOVEMBER 25, 2025
ANALYTICAL DATE : NOVEMBER 25-27, 2025
ISSUE DATE : DECEMBER 4, 2025
REPORT NO. : 2025-U110694
WORK NO. : 2024-010246
ANALYSIS NO. : T25BA647-0002

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD
			SWIMMING POOL T25BA647-0002	
MICROBIOLOGY				
<i>Staphylococcus aureus</i>	/100 mL	STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER. APHA, AWWA, WEF. 24th EDITION, 2023. PART 9213 B.	NOT DETECTED	NOT DETECTED
SAMPLE CONDITION WATER'S COLOUR/TURBID SEDIMENT			COLOURLESS/CLEAR -	

THE LABORATORY HAS BEEN ACCEPTED AS AN ACCREDITED LABORATORY COMPLYING WITH THE ISO/IEC 17025.

* : TEST METHOD ARE NOT COVERED COMPLYING WITH THE ISO/IEC 17025, VERIFIED BY OWN LABORATORY QUALITY SYSTEM.

REGULATORY STANDARD : RECOMMENDATIONS OF PUBLIC HEALTH COMMITTEE NO. 1/2550; CONTROL OF SWIMMING POOLS BUSINESSES OR OTHER SIMILAR BUSINESSES.

LABORATORY SUPERVISOR

ANALYSIS REPORT

CUSTOMER NAME	: ARTEMIS BANGKOK JURISTIC PERSON	RECEIVED DATE	: DECEMBER 17, 2025
ADDRESS	: 418 SUKHUMIVIT 77 (ON NUT) SUAN LUANG SUAN LUANG BANGKOK 10250	ANALYTICAL DATE	: DECEMBER 17-23, 2025
CONTACT INFORMATION	: TEL : 0 2130 5750,08 1710 5929 e-mail : amb@th.knightfrank.com	ISSUE DATE	: DECEMBER 26, 2025
SAMPLING SOURCE	: ARTEMIS BANGKOK JURISTIC PERSON	REPORT NO.	: 2025-U117808
SAMPLE TYPE	: WATER SAMPLE FROM SWIMMING POOL	WORK NO.	: 2024-010246
SAMPLING DATE	: DECEMBER 17, 2025	ANALYSIS NO.	: T25BC485-0002
SAMPLING TIME	: 11:22 HOUR		
SAMPLING METHOD °	: GRAB, GRAB AND STERILE TECHNIQUE		
SAMPLING BY °	: [REDACTED]		
ANALYZED BY	: [REDACTED]		

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			SWIMMING POOL T25BC485-0002			
AMMONIA ^c	mg/L NH ₃	PHENATE METHOD (SM: PART 4500-NH ₃ F)	ND	≤ 20	0.04	0.15
CALCIUM HARDNESS ^c	mg/L as CaCO ₃	EDTA TITRIMETRIC METHOD (SM: PART 3500-Ca B)	59.5	250-600	1.0	4.0
COMBINED CHLORINE ^c	mg/L Cl ₂	MODIFIED DPD COLOURIMETRIC METHOD (AT SITE)	0.3	0.5-1.0	0.1	-
CYANURIC ACID ^c	mg/L	TURBIDIMETRIC METHOD	11	30-60	1	5
FREE CHLORINE ^c	mg/L Cl ₂	MODIFIED DPD COLOURIMETRIC METHOD (AT SITE)	0.3	0.6-1.0	0.1	-
NITRATE ^c	mg/L NO ₃ ⁻	CADMIUM REDUCTION METHOD (SM: PART 4500-NO ₃ E)	2.26	≤ 50	0.09	0.50
TOTAL ALKALINITY ^c	mg/L as CaCO ₃	TITRATION METHOD (SM: PART 2320 B)	66.2	80-100	-	-
MICROBIOLOGY						
TOTAL COLIFORMS ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B AND C)	< 1.1	< 10	1.1	-
FAECAL COLIFORMS ^b	MPN/100 mL	MULTIPLE-TUBE FERMENTATION TECHNIQUE (SM: PART 9221 B, C AND E)	< 1.1	NOT DETECTED	1.1	-
<i>E. coli</i> ^b	/100 mL	FLUOROGENIC SUBSTRATE TEST (SM: PART 9221 D AND F)	NOT DETECTED	NOT DETECTED	-	-



PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD	DETECTION LIMIT	LIMIT OF QUANTITATION (LOQ)
			SWIMMING POOL T25BC485-0002			
<i>Pseudomonas aeruginosa</i> ^c	/100 mL	MEMBRANE FILTER TECHNIQUE FOR PSEUDOMONAS AERUGINOSA (SM: PART 9213 E)	NOT DETECTED	NOT DETECTED	-	-
SAMPLE CONDITION						
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR			
SEDIMENT			-			

^b : ISO/IEC 17025 ACCREDITED BY DEPARTMENT OF SCIENCE SERVICE (DSS)

^c : VERIFIED BY OWN LABORATORY QUALITY SYSTEM, BUT NOT IN SCOPE OF ACCREDITATION

SM : STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER, APHA, AWWA, WEF, 24th EDITION, 2023.

REGULATORY STANDARD : RECOMMENDATIONS OF PUBLIC HEALTH COMMITTEE NO. 1/2550; CONTROL OF SWIMMING POOLS BUSINESSES OR OTHER SIMILAR BUSINESSES.

ND : NOT DETECTED.

.....
[Signature]
LABORATORY SUPERVISOR

ANALYSIS REPORT

CUSTOMER NAME	: ARTEMIS BANGKOK JURISTIC PERSON	RECEIVED DATE	: DECEMBER 17, 2025
ADDRESS	: 418 SUKHUMIVIT 77 (ON NUT) SUAN LUANG SUAN LUANG BANGKOK 10250	ANALYTICAL DATE	: DECEMBER 17-21, 2025
CONTACT INFORMATION	: TEL : 0 2130 5750,08 1710 5929 e-mail : amb@th.knightfrank.com	ISSUE DATE	: DECEMBER 26, 2025
SAMPLING SOURCE	: ARTEMIS BANGKOK JURISTIC PERSON	REPORT NO.	: 2025-U117810
SAMPLE TYPE	: WATER SAMPLE FROM SWIMMING POOL	WORK NO.	: 2024-010246
SAMPLING DATE	: DECEMBER 17, 2025	ANALYSIS NO.	: T25BC485-0002
SAMPLING TIME	: 11:22 HOUR		
SAMPLING METHOD *	: GRAB AND STERILE TECHNIQUE		
SAMPLING BY *	:		
ANALYZED BY	:		

PARAMETER	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD
			SWIMMING POOL T25BC485-0002	
MICROBIOLOGY				
<i>Staphylococcus aureus</i>	/100 mL	STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER. APHA, AWWA, WEF. 24th EDITION, 2023. PART 9213 B.	NOT DETECTED	NOT DETECTED
SAMPLE CONDITION				
WATER'S COLOUR/TURBID			COLOURLESS/CLEAR	
SEDIMENT			-	

THE LABORATORY HAS BEEN ACCEPTED AS AN ACCREDITED LABORATORY COMPLYING WITH THE ISO/IEC 17025.

* : TEST METHOD ARE NOT COVERED COMPLYING WITH THE ISO/IEC 17025, VERIFIED BY OWN LABORATORY QUALITY SYSTEM.

REGULATORY STANDARD : RECOMMENDATIONS OF PUBLIC HEALTH COMMITTEE NO. 1/2550; CONTROL OF SWIMMING POOLS BUSINESSES OR OTHER SIMILAR BUSINESSES.

LABORATORY SUPERVISOR

ภาคผนวก ค-4

ผลการตรวจวัดคุณภาพน้ำในสระว่ายนํ้าประจำวัน

Swimming Pool Daily Checklist

ใบรายงานการตรวจสอบสระว่ายน้ำ

Sheet No. / แผ่นที่.1..

Month / ประจำเดือน : กรกฎาคม 2568

Date วันที่	Time เวลา	Status Record บันทึกค่า		Adding / การเติม			Condition of Equipment / สภาพอุปกรณ์						Records		Checked By ตรวจสอบโดย หัวหน้าช่าง
		CL. (1-15)	PH (7.2-7.6)	Chlorine คลอรีน (kg.)	Soda Ash (kg.)	Powder สารกรอง (kg./lit)	Pump Set ชุดปั๊ม แรงดันของถัง(30 PSI)		Pressure Tank ชุดไส้กรองน้ำ		Filter Set		By บันทึก โดย		
							No.1	No.2	No.1	No.2	No.1	No.2			
1	8:25 น.	3.00	7.6	-	N/A	-	✓	✓	✓	✓	✓	✓	✓		
2	08:35 น.	3.00	7.6	-	N/A	-	✓	✓	✓	✓	✓	✓	✓		
3	08:30 น.	3.00	7.6	-	N/A	-	✓	✓	✓	✓	✓	✓	✓		
4	09:40 น.	1.50	7.5	3.0	N/A	-	✓	✓	✓	✓	✓	✓	✓		
5	08:40 น.	3.00	7.6	-	N/A	-	✓	✓	✓	✓	✓	✓	✓		
6	07:40 น.	3.00	7.6	-	N/A	3.0	✓	✓	✓	✓	✓	✓	✓		
7	07:40 น.	1.50	7.6	-	N/A	-	✓	✓	✓	✓	✓	✓	✓		
8	07:10 น.	1.50	7.6	-	N/A	-	✓	✓	✓	✓	✓	✓	✓		
9	8:14 น.	3.00	7.6	-	N/A	-	✓	✓	✓	✓	✓	✓	✓		
10	7:49 น.	3.00	7.6	-	N/A	-	✓	✓	✓	✓	✓	✓	✓		
11	7:57 น.	3.00	7.6	-	N/A	-	✓	✓	✓	✓	✓	✓	✓		
12	7:50 น.	1.00	7.6	3.0	N/A	-	✓	✓	✓	✓	✓	✓	✓		
13	8:57 น.	3.00	7.2	-	N/A	3.0	✓	✓	✓	✓	✓	✓	✓		
14	08:43 น.	< 1.0	7.2	-	N/A	-	✓	✓	✓	✓	✓	✓	✓		
15	07:33 น.	3.00	7.6	-	N/A	-	✓	✓	✓	✓	✓	✓	✓		
16	08:09 น.	< 1.5	7.6	-	N/A	-	✓	✓	✓	✓	✓	✓	✓		
17	08:24 น.	3.00	7.6	3.0	N/A	-	✓	✓	✓	✓	✓	✓	✓		
18	08:45 น.	3.00	7.6	-	N/A	-	✓	✓	✓	✓	✓	✓	✓		
19	09:05 น.	3.00	7.6	-	N/A	-	✓	✓	✓	✓	✓	✓	✓		
20	9:30 น.	3.00	7.6	-	N/A	-	✓	✓	✓	✓	✓	✓	✓		
21	9:36 น.	3.00	7.6	-	N/A	3.0	✓	✓	✓	✓	✓	✓	✓		
22	8:35 น.	1.50	7.6	3.0	N/A	-	✓	✓	✓	✓	✓	✓	✓		
23	08:50 น.	3.00	7.6	-	N/A	-	✓	✓	✓	✓	✓	✓	✓		
24	08:50 น.	3.00	7.6	-	N/A	-	✓	✓	✓	✓	✓	✓	✓		
25	08:45 น.	3.00	7.6	-	N/A	-	✓	✓	✓	✓	✓	✓	✓		
26	08:20 น.	3.00	7.6	-	N/A	-	✓	✓	✓	✓	✓	✓	✓		
27	08:15 น.	3.00	7.6	-	N/A	3.0	✓	✓	✓	✓	✓	✓	✓		
28	9:26 น.	3.00	7.2	-	N/A	-	✓	✓	✓	✓	✓	✓	✓		
29	8:35 น.	< 1.5	7.2	-	N/A	-	✓	✓	✓	✓	✓	✓	✓		
30	7:26 น.	3.00	7.6	-	N/A	-	✓	✓	✓	✓	✓	✓	✓		
31	8:20 น.	3.00	7.6	-	N/A	-	✓	✓	✓	✓	✓	✓	✓		
รวม		รวม		12.00	-	12.00	รวม						รวม		

Used within month / Remain (ปริมาณที่ใช้ในหนึ่งเดือน / ของที่เหลือ)

Chlorine (คลอรีน)	12.00	Kg water (สารกรอง)	12.00	Kg / Liter	Hydrochloric Acid (กรดเกลือ)	Kg
Soda Ash (โซดา แอช)	-	Kg	Sodium Bicarbonate (โซเดียมไบคาร์บอเนต)	-	Kg	-

Note : Please Mark N/A if not applicable. ✓ Normal ✗ Abnormal / กรุณาใส่ N/A ถ้าไม่มีข้อมูล. ✓ ปกติ ✗ ไม่ปกติ

Verified By / หมายเหตุตรวจสอบโดย

Signature / ชื่อ

Date / วันที่ 1/8/68

F-ENG-PSW-001

Swimming Pool Daily Checklist

ใบรายงานการตรวจสอบสระว่ายน้ำ

Sheet No. / แผ่นที่.1..

Month / ประจำเดือน : สิงหาคม 2568

Date วันที่	Time เวลา	Status Record		Adding / การเติม			Condition of Equipment / สภาพอุปกรณ์						Recorded By บันทึก โดย	Checked By ตรวจสอบโดย หัวหน้าช่าง
		บันทึกค่า		Chlorine คลอรีน (kg.)	Soda Ash (kg.)	Powder สารกรอง (kg./lit)	Pump Set		Pressure Tank		Filter Set			
		CL (1-15)	PH (7.2-7.6)				No.1	No.2	ชุดปั๊มน้ำ	ถังแรงดัน(30 PSI) ชุดไส้กรองน้ำ				
1	7:51 น.	3.00	7.6	-	N/A	-	✓	✓	✓	14	-	✓	✓	
2	7:53 น.	1.50	7.6	1.0	N/A	-	✓	✓	✓	14	-	✓	✓	
3	9:21 น.	3.00	7.2	-	N/A	3.0	✓	✓	✓	14	-	✓	✓	
4	8:37 น.	1.00	7.6	-	N/A	-	✓	✓	✓	14	-	✓	✓	
5	8:24 น.	3.00	7.6	1.0	N/A	-	✓	✓	✓	14	-	✓	✓	
6	8:29 น.	<1.5	7.6	-	N/A	-	✓	✓	✓	16	-	✓	✓	
7	9:03 น.	3.00	7.6	1.0	N/A	-	✓	✓	✓	16	-	✓	✓	
8	8:33 น.	3.00	7.6	-	N/A	-	✓	✓	✓	18	-	✓	✓	
9	8:51 น.	3.00	7.6	-	N/A	-	✓	✓	✓	16	-	✓	✓	
10	8:10 น.	3.00	7.6	-	N/A	3.0	✓	✓	✓	16	12	✓	✓	
11	8:30 น.	3.00	7.6	-	N/A	-	✓	✓	✓	14	10	✓	✓	
12	8:35 น.	3.00	7.6	-	N/A	-	✓	✓	✓	14	10	✓	✓	
13	8:25 น.	1.00	7.6	1.0	N/A	-	✓	✓	✓	14	12	✓	✓	
14	8:30 น.	3.00	7.6	-	N/A	-	✓	✓	✓	16	12	✓	✓	
15	10:48 น.	3.00	7.6	-	N/A	-	✓	✓	✓	16	13	✓	✓	
16	8:00 น.	3.00	7.6	-	N/A	-	✓	✓	✓	14	13	✓	✓	
17	08:20 น.	3.00	7.6	-	N/A	3.0	✓	✓	✓	13	12	✓	✓	
18	7:54 น.	3.00	7.6	-	N/A	-	✓	✓	✓	16	18	✓	✓	
19	8:09 น.	3.00	7.6	-	N/A	-	✓	✓	✓	15	16	✓	✓	
20	8:03 น.	1.00	7.6	-	N/A	-	✓	✓	✓	15	17	✓	✓	
21	7:58 น.	3.00	7.6	1.0	N/A	-	✓	✓	✓	16	18	✓	✓	
22	8:00 น.	3.00	7.6	-	N/A	-	✓	✓	✓	14	17	✓	✓	
23	7:54 น.	3.00	7.6	-	N/A	-	✓	✓	✓	15	17	✓	✓	
24	7:55 น.	3.00	7.6	-	N/A	3.0	✓	✓	✓	14	16	✓	✓	
25	8:43 น.	1.50	7.6	-	N/A	-	✓	✓	✓	10	12	✓	✓	
26	7:57 น.	3.00	7.6	-	N/A	-	✓	✓	✓	10	12	✓	✓	
27	8:00 น.	3.00	7.6	-	N/A	-	✓	✓	✓	10	14	✓	✓	
28	8:19 น.	<1.5	7.6	-	N/A	-	✓	✓	✓	12	14	✓	✓	
29	8:30 น.	3.00	7.6	1.0	N/A	-	✓	✓	✓	10	12	✓	✓	
30	8:32 น.	3.00	7.6	-	N/A	-	✓	✓	✓	10	12	✓	✓	
31	8:45 น.	3.00	7.6	-	N/A	3.0	✓	✓	✓	10	10	✓	✓	
รวม		รวม		6.00	-	15.00								

Used within month / Remain (ปริมาณที่ใช้ในหนึ่งเดือน / ของที่เหลือ)

Chlorine (คลอรีน)	6.00	Kg water (สารกรอง)	15.00	Kg / Liter	Hydrochloric Acid (กรดเกลือ)	Kg
Soda Ash (โซดา แอช)	-	Kg	Sodium Bicarbonate (โซเดียมไบคาร์บอเนต)	-	Kg	-

Note : Please Mark N/A if not applicable. ✓ Normal ✗ Abnormal / กรุณาใส่ N/A ถ้าไม่มีข้อมูล. ✓ ปกติ ✗ ไม่ปกติ

Verified By / หมายเหตุตรวจสอบโดย

Signature / ชื่อ (ลงชื่อ) 2.19.68

Date / วันที่ 2.19.68

F-ENG-PSW-001

Swimming Pool Daily Checklist

ใบรายงานการตรวจสอบสระว่ายน้ำ

Sheet No. / แผ่นที่. 1..

Month / ประจำเดือน : กันยายน 2568

Date วันที่	Time เวลา	Status Record		Adding / การเติม			Condition of Equipment / สภาพของอุปกรณ์						Recorded		Checked By ตรวจสอบโดย หัวหน้าช่าง	
		CL (1-1.5)	PH (7.2-7.6)	Chlorine คลอรีน (kg.)	Soda Ash สารกรอง (kg.)	Powder สารกรอง (kg./lit)	Pump Set ชุดปั๊มน้ำ		Pressure Tank แรงดันถัง(30 PSI)		Filter Set ชุดไส้กรองน้ำ		By บันทึก โดย			
							No.1	No.2	No.1	No.2	No.1	No.2		No.1		No.2
1	8:50 น.	1.50	7.6	-	N/A	-	✓	✓	10	10	✓	✓				
2	8:30 น.	3.00	7.6	1.0	N/A	-	✓	✓	12	10	✓	✓				
3	8:30 น.	3.00	7.6	-	N/A	-	✓	✓	12	12	✓	✓				
4	8:50 น.	1.00	7.6	1.0	N/A	-	✓	✓	12	14	✓	✓				
5	8:45 น.	3.00	7.6	-	N/A	-	✓	✓	12	14	✓	✓				
6	08:41 น.	3.00	7.6	-	N/A	-	✓	✓	12	14	✓	✓				
7	9:18 น.	3.00	7.2	-	N/A	3.0	✓	✓	8	12	✓	✓				
8	09:09 น.	3.00	7.2	-	N/A	-	✓	✓	10	14	✓	✓				
9	08:50 น.	1.00	7.2	1.0	N/A	-	✓	✓	10	13	✓	✓				
10	08:37 น.	3.00	7.6	-	N/A	-	✓	✓	10	12	✓	✓				
11	08:17 น.	3.00	7.6	-	N/A	-	✓	✓	12	10	✓	✓				
12	08:07 น.	3.00	7.6	-	N/A	-	✓	✓	12	12	✓	✓				
13	08:17 น.	3.00	7.6	-	N/A	-	✓	✓	10	13	✓	✓				
14	08:27 น.	3.00	7.6	-	N/A	3.0	✓	✓	10	12	✓	✓				
15	08:22 น.	1.50	7.2	1.0	N/A	-	✓	✓	11	12	✓	✓				
16	08:25 น.	3.00	7.6	-	N/A	-	✓	✓	10	12	✓	✓				
17	8:19 น.	3.00	7.6	-	N/A	-	✓	✓	16	16	✓	✓				
18	8:15 น.	3.00	7.6	-	N/A	-	✓	✓	15	17	✓	✓				
19	8:20 น.	3.00	7.6	-	N/A	-	✓	✓	16	13	✓	✓				
20	8:03 น.	3.00	7.6	-	N/A	-	✓	✓	15	16	✓	✓				
21	8:35 น.	3.00	7.6	-	N/A	3.0	✓	✓	15	15	✓	✓				
22	8:40 น.	3.00	7.6	-	N/A	-	✓	✓	12	14	✓	✓				
23	8:04 น.	3.00	7.6	-	N/A	-	✓	✓	12	14	✓	✓				
24	07:47 น.	3.00	7.6	-	N/A	-	✓	✓	12	14	✓	✓				
25	08:29 น.	< 1.5	7.6	1.0	N/A	-	✓	✓	12	14	✓	✓				
26	08:17 น.	3.00	7.6	-	N/A	-	✓	✓	12	14	✓	✓				
27	08:32 น.	3.00	7.6	-	N/A	-	✓	✓	12	14	✓	✓				
28	08:32 น.	3.00	7.6	1.0	N/A	3.0	✓	✓	12	14	✓	✓				
29	08:20 น.	3.00	7.6	-	N/A	-	✓	✓	10	13	✓	✓				
30	8:08 น.	3.00	7.2	-	N/A	-	✓	✓	10	12	✓	✓				
		รวม		6.00	-	12.00										

Remark / หมายเหตุ

รวม 5.00 - 12.00

Used within month / Remain ปริมาณที่ใช้จนหมดสิ้น / (หมดเหลือ)

Chlorine (คลอรีน)	6.00	Kg. water (สารกรอง)	12.00	Kg. / Litre	Hydrochloric Acid (กรดเกลือ)	Kg
Soda Ash (โซดาแอส)	-	Kg.	Sodium Bicarbonate (โซเดียมไบคาร์บอเนต)	-	Kg.	-

Note : Please Mark N/A if not applicable. ✓ Normal, ✗ Abnormal / กรุณาใส่ N/A ถ้าไม่ใช้ได้. ✓ ปกติ, ✗ ไม่ปกติ

Verified By / ควบคุมตรวจสอบโดย

Signature /ลายเซ็น (ลง) / (ผู้จัดการอาคาร)

Date / วันที่ 2 / 10 68

F-ENG-PSW-001

Swimming Pool Daily Checklist

ใบรายงานการตรวจสอบสระว่ายน้ำ

Sheet No. / แผ่นที่. 1..

Month / ประจำเดือน : ตุลาคม 2568

Date วันที่	Time เวลา	Status Record บันทึกค่า		Adding / การเติม			Condition of Equipment / สภาพเครื่องจักร						Recorded		Checked By ตรวจสอบโดย ตรวจสอบโดย T Sup ตรวจสอบโดย หัวหน้าช่าง	
		CL (1-1.5)	PH (7.2-7.6)	Chlorine คลอรีน (kg.)	Soda Ash (kg.)	Powder สารกรอง (kg./L)	Pump Set ชุดปั๊มน้ำ		Pressure Tank ถังแรงดัน(30 PSI)		Filter Set ชุดไส้กรองน้ำ	By บันทึก โดย				
							No.1	No.2	No.1	No.2				No.1		No.2
1	8:37 น.	1.50	7.2	1.0	N/A	-	✓	✓	10	12	✓	✓				
2	8:30 น.	3.00	7.6	-	N/A	-	✓	✓	10	12	✓	✓				
3	9:30 น.	3.00	7.6	-	N/A	-	✓	✓	10	10	✓	✓				
4	9:30 น.	3.00	7.6	-	N/A	-	✓	✓	10	12	✓	✓				
5	10:30 น.	3.00	7.6	-	N/A	3.0	✓	✓	11	13	✓	✓				
6	8:25 น.	3.00	7.6	-	N/A	-	✓	✓	16	15	✓	✓				
7	8:01 น.	3.00	7.6	-	N/A	-	✓	✓	14	12	✓	✓				
8	8:16 น.	3.00	7.6	-	N/A	-	✓	✓	15	15	✓	✓				
9	7:54 น.	3.00	7.6	-	N/A	-	✓	✓	15	14	✓	✓				
10	8:01 น.	3.00	7.6	-	N/A	-	✓	✓	14	16	✓	✓				
11	08:23 น.	1.50	7.6	-	N/A	-	✓	✓	-	-	✓	✓				
12	8:40 น.	3.00	7.6	1.0	N/A	3.0	✓	✓	14	16	✓	✓				
13	8:35 น.	3.00	7.6	-	N/A	-	✓	✓	10	12	✓	✓				
14	8:10 น.	3.00	7.6	-	N/A	-	✓	✓	10	12	✓	✓				
15	8:45 น.	3.00	7.6	-	N/A	-	✓	✓	12	12	✓	✓				
16	8:40 น.	3.00	7.6	-	N/A	-	✓	✓	12	14	✓	✓				
17	8:25 น.	3.00	7.6	1.0	N/A	-	✓	✓	13	16	✓	✓				
18	8:39 น.	3.00	7.6	-	N/A	-	✓	✓	12	14	✓	✓				
19	8:42 น.	3.00	7.6	-	N/A	3.0	✓	✓	11	13	✓	✓				
20	8:07 น.	3.00	7.6	-	N/A	-	✓	✓	10	10	✓	✓				
21	9:29 น.	1.50	7.6	-	N/A	-	✓	✓	7	8	✓	✓				
22	8:29 น.	3.00	7.6	1.0	N/A	-	✓	✓	7	8	✓	✓				
23	8:28 น.	3.00	7.6	-	N/A	-	✓	✓	8	10	✓	✓				
24	8:23 น.	3.00	7.6	-	N/A	-	✓	✓	10	12	✓	✓				
25	8:16 น.	3.00	7.6	-	N/A	-	✓	✓	12	14	✓	✓				
26	8:50 น.	3.00	7.6	-	N/A	3.0	✓	✓	10	12	✓	✓				
27	8:00 น.	3.00	7.6	-	N/A	-	✓	✓	14	16	✓	✓				
28	5:02 น.	3.00	7.6	-	N/A	-	✓	✓	15	15	✓	✓				
29	8:29 น.	3.00	7.6	-	N/A	-	✓	✓	16	15	✓	✓				
30	8:00 น.	3.00	7.6	1.0	N/A	-	✓	✓	14	16	✓	✓				
31	8:01 น.	3.00	7.6	-	N/A	-	✓	✓	14	15	✓	✓				
		รวม		5.00	-	12.00										

Remark / หมายเหตุ

รวม 5.00 - 12.00

Used within month / Remain ปริมาณที่ใช้จนหมดสิ้น / (หมดเหลือ)

Chlorine (คลอรีน)	5.00	Kg. water (สารกรอง)	12.00	Kg. / Litre	Hydrochloric Acid (กรดเกลือ)	Kg
Soda Ash (โซดาแอส)	-	Kg.	Sodium Bicarbonate (โซเดียมไบคาร์บอเนต)	-	Kg.	-

Note : Please Mark N/A if not applicable. ✓ Normal, ✗ Abnormal / กรุณาใส่ N/A ถ้าไม่ใช้ได้. ✓ ปกติ, ✗ ไม่ปกติ

Verified By / ควบคุมตรวจสอบโดย

Signature /ลายเซ็น (ลง) / (ผู้จัดการอาคาร)

Date / วันที่ 1 / 10 68

F-ENG-PSW-001

Swimming Pool Daily Checklist

ใบรายงานการตรวจสอบสระว่ายน้ำ

Sheet No. / แผ่นที่. 1..

Month / ประจำเดือน : พฤษภาคม 2568

Date วันที่	Time เวลา	Status Record		Adding / การเติม			Condition of Equipment / สภาพของอุปกรณ์						Recorded		Checked By ตรวจสอบโดย ตัวประกอบ หัวหน้าช่าง
		บันทึกค่า		Chlorine คลอรีน (kg.)	Soda Ash (kg.)	Powder สารกรอง (kg./l.)	Pump Set ชุดปั๊ม		Pressure Tank ถังแรงดัน(ถัง PSI)		Filter Set ชุดไส้กรอง		By บันทึก โดย		
		CL (1-1.5)	PH (7.2-7.6)				No.1	No.2	No.1	No.2	No.1	No.2			
1	7:48 น.	3.00	7.6	-	N/A	-	✓	✓	15	14	✓	✓			
2	8:25 น.	3.00	7.6	-	N/A	3.0	✓	✓	10	12	✓	✓			
3	9:21 น.	3.00	7.6	-	N/A	-	✓	✓	5	8	✓	✓			
4	9:23 น.	< 1.5	7.6	-	N/A	-	✓	✓	5	8	✓	✓			
5	8:29 น.	< 1.5	7.6	-	N/A	-	✓	✓	12	14	✓	✓			
6	8:33 น.	3.00	7.6	2.0	N/A	-	✓	✓	12	14	✓	✓			
7	8:24 น.	3.00	7.6	-	N/A	-	✓	✓	12	14	✓	✓			
8	8:52 น.	3.00	7.6	-	N/A	-	✓	✓	4	8	✓	✓			
9	7:25 น.	3.00	7.6	-	N/A	3.0	✓	✓	12	14	✓	✓			
10	8:25 น.	3.00	7.6	-	N/A	-	✓	✓	12	14	✓	✓			
11	8:20 น.	1.50	7.6	-	N/A	-	✓	✓	10	12	✓	✓			
12	8:05 น.	3.00	7.6	2.0	N/A	-	✓	✓	10	12	✓	✓			
13	8:20 น.	3.00	7.6	-	N/A	-	✓	✓	10	12	✓	✓			
14	8:15 น.	3.00	7.6	-	N/A	-	✓	✓	12	14	✓	✓			
15	8:30 น.	3.00	7.6	-	N/A	-	✓	✓	12	14	✓	✓			
16	8:30 น.	3.00	7.6	-	N/A	3.0	✓	✓	12	14	✓	✓			
17	8:25 น.	3.00	7.6	-	N/A	-	✓	✓	15	14	✓	✓			
18	8:16 น.	3.00	7.6	-	N/A	-	✓	✓	14	15	✓	✓			
19	8:06 น.	3.00	7.6	-	N/A	-	✓	✓	13	15	✓	✓			
20	8:04 น.	3.00	7.6	-	N/A	-	✓	✓	14	14	✓	✓			
21	8:06 น.	1.00	7.6	-	N/A	-	✓	✓	15	16	✓	✓			
22	7:56 น.	3.00	7.6	2.0	N/A	-	✓	✓	14	14	✓	✓			
23	8:30 น.	3.00	7.6	-	N/A	3.0	✓	✓	12	10	✓	✓			
24	8:45 น.	1.50	7.6	-	N/A	-	✓	✓	12	12	✓	✓			
25	8:25 น.	3.00	7.6	2.0	N/A	-	✓	✓	12	14	✓	✓			
26	8:10 น.	3.00	7.6	-	N/A	-	✓	✓	12	14	✓	✓			
27	8:20 น.	3.00	7.6	-	N/A	-	✓	✓	13	16	✓	✓			
28	8:19 น.	3.00	7.6	-	N/A	-	✓	✓	16	15	✓	✓			
29	7:44 น.	3.00	7.6	-	N/A	-	✓	✓	15	15	✓	✓			
30	8:44 น.	3.00	7.6	-	N/A	3.0	✓	✓	15	15	✓	✓			
31				-	N/A	-	✓	✓			✓	✓			
				รวม	-	15.00									

Remark / หมายเหตุ

Used within month / Remain (ปริมาณที่ใช้/ปริมาณที่เหลือ / ระยะเวลาที่เหลือ)							
Chlorine (คลอรีน)	8.00	Kg wder (สารกรอง)	15.00	Kg / Lite	Hydrochloric Acid (กรดเกลือ)		Kg
Soda Ash (โซดาแอส)	-	Kg	Sodium Bicarbonate (โซเดียมไบคาร์บอเนต)				

Note : Please Mark N/A if not applicable. ✓ Normal ✗ Abnormal / กรุณา ไม่ N/A ถ้าไม่ใช้. ✓ ปกติ ✗ ไม่ปกติ

Verified By / หมดตรวจสอบโดย

Signature / ลงชื่อ / ผู้จัดการอาคาร

Date / วันที่ 2/12/68

Swimming Pool Daily Checklist

ใบรายงานการตรวจสอบสระว่ายน้ำ

Sheet No. / แผ่นที่. 1..

Month / ประจำเดือน : มีนาคม 2568

Date วันที่ เวลา		Status Record บันทึกค่า		Adding / การเติม			Condition of Equipment / สภาพของอุปกรณ์						Recorded		Checked By
เวลา	วันที่	บันทึกค่า		Chlorine คลอรีน (kg.)	Soda Ash (kg.)	Powder สารกรอง (kg./l.)	Pump Set ชุดปั๊ม		Pressure Tank แรงดันถัง(30 PSI) ชุดกรองน้ำ		Filter Set ชุดกรองน้ำ		By บันทึก โดย	Checked By ตรวจสอบโดย หัวหน้าช่าง	
		CL (1-1.5)	PH (7.2-7.6)				No.1	No.2	No.1	No.2	No.1	No.2			
1	9:10 น.	3.00	7.6	-	N/A	-	✓	✓	10	12	✓	✓			
2	10:19 น.	1.50	7.6	2.0	N/A	-	✓	✓	10	12	✓	✓			
3	8:36 น.	3.00	7.6	-	N/A	-	✓	✓	10	12	✓	✓			
4	8:40 น.	3.00	7.6	-	N/A	-	✓	✓	10	12	✓	✓			
5	9:10 น.	1.50	7.6	-	N/A	-	✓	✓	10	14	✓	✓			
6	7:56 น.	3.00	7.6	2.0	N/A	-	✓	✓	10	12	✓	✓			
7	7:25 น.	3.00	7.6	-	N/A	3.0	✓	✓	10	12	✓	✓			
8	8:42 น.	3.00	7.6	-	N/A	-	✓	✓	8	10	✓	✓			
9	8:25 น.	1.00	7.6	-	N/A	-	✓	✓	8	10	✓	✓			
10	8:55 น.	<1.0	7.6	-	N/A	-	✓	✓	6	8	✓	✓			
11	8:19 น.	3.00	7.6	2.0	N/A	-	✓	✓	12	14	✓	✓			
12	8:28 น.	3.00	7.6	-	N/A	-	✓	✓	6	8	✓	✓			
13	8:53 น.	3.00	7.6	-	N/A	-	✓	✓	6	8	✓	✓			
14	09:25 น.	3.00	7.6	-	N/A	3.0	✓	✓	10	12	✓	✓			
15	7:58 น.	3.00	7.6	-	N/A	-	✓	✓	13	15	✓	✓			
16	8:15 น.	3.00	7.6	-	N/A	-	✓	✓	14	14	✓	✓			
17	8:00 น.	3.00	7.6	-	N/A	-	✓	✓	13	15	✓	✓			
18	8:02 น.	3.00	7.6	-	N/A	-	✓	✓	14	15	✓	✓			
19	8:18 น.	3.00	7.6	-	N/A	-	✓	✓	13	14	✓	✓			
20	8:28 น.	3.00	7.6	-	N/A	-	✓	✓	15	14	✓	✓			
21	8:30 น.	1.00	7.6	-	N/A	3.0	✓	✓	10	10	✓	✓			
22	8:45 น.	3.00	7.6	2.0	N/A	-	✓	✓	10	12	✓	✓			
23	8:30 น.	3.00	7.6	-	N/A	-	✓	✓	12	12	✓	✓			
24	8:35 น.	3.00	7.6	-	N/A	-	✓	✓	12	13	✓	✓			
25	8:40 น.	3.00	7.6	-	N/A	-	✓	✓	12	13	✓	✓			
26	8:35 น.	3.00	7.6	-	N/A	-	✓	✓	13	14	✓	✓			
27	8:35 น.	3.00	7.6	-	N/A	-	✓	✓	13	14	✓	✓			
28	8:40 น.	3.00	7.6	-	N/A	3.0	✓	✓	10	12	✓	✓			
29	8:40 น.	3.00	7.6	-	N/A	-	✓	✓	10	12	✓	✓			
30	8:20 น.	3.00	7.6	-	N/A	-	✓	✓	10	12	✓	✓			
31	8:45 น.	1.50	7.6	2.0	N/A	-	✓	✓	10	12	✓	✓			
		รวม		10.00	-	12.00									

Remark / หมายเหตุ

Used within month / Remain (ปริมาณที่ใช้/ปริมาณที่เหลือ / ระยะเวลาที่เหลือ)							
Chlorine (คลอรีน)	10.00	Kg wder (สารกรอง)	12.00	Kg / Lite	Hydrochloric Acid (กรดเกลือ)		Kg
Soda Ash (โซดาแอส)	-	Kg	Sodium Bicarbonate (โซเดียมไบคาร์บอเนต)				

Note : Please Mark N/A if not applicable. ✓ Normal ✗ Abnormal / กรุณา ไม่ N/A ถ้าไม่ใช้. ✓ ปกติ ✗ ไม่ปกติ

Verified By / หมดตรวจสอบโดย

Signature / ลงชื่อ / ผู้จัดการอาคาร

Date / วันที่ 3/1/68