

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : บริเวณบ่อกักน้ำก่อนระบายออกจากโครงการ
ลงสู่ท่อระบายน้ำสาธารณะริมถนนรามคำแหง
GPS. Coordinate : 47 P 673346 E 151930 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W68036
Sample No. : W68036/1
Sample Type : Wastewater
Sampling Date : 24 July 2025
Sampling Time : 11.48 a.m.
Received Date : 25 July 2025
Analytical : 25 July – 06 August 2025
Report Date : 07 August 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 23.3 °C	-	Electrometric Method (4500-H ⁺ B)	7.4	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	29.4	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	262	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	23.8	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Total Kjeldahl Nitrogen * ^{2/}	mg/L	APHA:4500-Norg (B) ^{3/}	51	≤ 35
Sample Appearance		Yellow/Turbid/Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.

* This Item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : บริเวณบ่อกักน้ำก่อนระบายออกจากโครงการ
ลงสู่ท่อระบายน้ำสาธารณะริมถนนรามคำแหง
GPS. Coordinate : 47 P 673317 E 151935 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W68036
Sample No. : W68036/1
Sample Type : Wastewater
Sampling Date : 15 August 2025
Sampling Time : 11.40 a.m.
Received Date : 16 August 2025
Analytical : 16 - 29 August 2025
Report Date : 01 September 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.2 °C	-	Electrometric Method (4500-H ⁺ B)	7.6	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	20.8	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	276	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	24.8	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Total Kjeldahl Nitrogen * ^{2/}	mg/L	APHA:4500-Norg (B) ^{3/}	53	≤ 35
Sample Appearance		Yellow/Turbid/Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.





เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273

E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่

NSC-TISI-TIS 17025

Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : ภายในพื้นที่โครงการ
GPS. Coordinate : 47 P 673362 E 1519888 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling


Data Provided by Laboratory

Customer Code : W68036
Sample No : W68036/2
Sample Type : Water Supply
Sampling Date : 15 August 2025
Sampling Time : 11.35 a.m.
Received Date : 16 August 2025
Analytical Date : 16 - 29 August 2025
Report Date : 01 September 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	146	≤ 500
Sample Appearance		Clear/Odorless		

Standard : The Department of Health, Criterias of Supplied Drinkable Water Quality, B.E. 2563

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
 Project Name : โครงการ อาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
 Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
 เขตสวนหลวง กรุงเทพมหานคร 10250
 Sampling Point : สระว่ายน้ำส่วนลึก
 GPS. Coordinate : 47 P 673333 E 1519918 N
 Sampling By : TNP ENVIRONMENT CO.,LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68036
 Sample No : W68036/3
 Sample Type : Swimming pool Water
 Sampling Date : 15 August 2025
 Sampling Time : 11.33 a.m.
 Received Date : 16 August 2025
 Analytical Date : 16 - 29 August 2025
 Report Date : 01 September 2025


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> * ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> * ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Company Limited registration number Wo-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
 Project Name : โครงการ อาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
 Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
 เขตสวนหลวง กรุงเทพมหานคร 10250
 Sampling Point : สระว่ายน้ำส่วนต้น
 GPS. Coordinate : 47 P 673325 E 1519912 N
 Sampling By : TNP ENVIRONMENT CO.,LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68036
 Sample No : W68036/4
 Sample Type : Swimming pool Water
 Sampling Date : 15 August 2025
 Sampling Time : 11.34 a.m.
 Received Date : 16 August 2025
 Analytical Date : 16 - 29 August 2025
 Report Date : 01 September 2025


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> * ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> * ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF. 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Company Limited registration number Wo -313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : บริเวณบ่อกักน้ำก่อนระบายออกจากโครงการ
ลงสู่ท่อระบายน้ำสาธารณะริมถนนรามคำแหง
GPS. Coordinate : 47 P 673315 E 1519948 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W68036
Sample No. : W68036/1
Sample Type : Wastewater
Sampling Date : 30 September 2025
Sampling Time : 12.00 p.m.
Received Date : 01 October 2025
Analytical : 01 – 14 October 2025
Report Date : 15 October 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 25.6 °C	-	Electrometric Method (4500-H ⁺ B)	7.4	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	6.5	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	286	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	19.7	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Total Kjeldahl Nitrogen ^{2/}	mg/L	APHA:4500-Norg (B) ^{3/}	39	≤ 35
Sample Appearance		Yellow/Clear/Little Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : ภายในพื้นที่โครงการ
GPS. Coordinate : 47 P 673349 E 1519890 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling


Data Provided by Laboratory

Customer Code : W68036
Sample No : W68036/2
Sample Type : Water Supply
Sampling Date : 30 September 2025
Sampling Time : 12.16 p.m.
Received Date : 01 October 2025
Analytical Date : 01 – 14 October 2025
Report Date : 15 October 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	120	≤ 500
Sample Appearance		Clear/Odorless		

Standard : The Department of Health, Criterias of Supplied Drinkable Water Quality, B.E. 2563

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : สระว่ายน้ำส่วนลึก
GPS. Coordinate : 47 P 673351 E 1519891 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68036
Sample No : W68036/3
Sample Type : Swimming pool Water
Sampling Date : 30 September 2025
Sampling Time : 12.15 p.m.
Received Date : 01 October 2025
Analytical Date : 01 – 14 October 2025
Report Date : 15 October 2025


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> * ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> * ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Company Limited registration number Wo-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : สระว่ายน้ำส่วนต้น
GPS. Coordinate : 47 P 673353 E 1519876 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68036
Sample No : W68036/4
Sample Type : Swimming pool Water
Sampling Date : 30 September 2025
Sampling Time : 12.14 p.m.
Received Date : 01 October 2025
Analytical Date : 01 – 14 October 2025
Report Date : 15 October 2025


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> * ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> * ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF. 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Company Limited registration number Wo -313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : บริเวณบ่อกักน้ำหน้าโครงการก่อนระบายออก
GPS. Coordinate : 47 P 673286 E 1520012 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W68092
Sample No. : W68092/1
Sample Type : Wastewater
Sampling Date : 30 September 2025
Sampling Time : 12.08 p.m.
Received Date : 01 October 2025
Analytical : 01 – 14 October 2025
Report Date : 15 October 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 25.7 °C	-	Electrometric Method (4500-H ⁺ B)	7.4	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	12.5	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	277	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	13.2	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Total Kjeldahl Nitrogen * ^{2/}	mg/L	APHA:4500-Norg (B) ^{3/}	33	≤ 35
Sample Appearance		Yellow/Clear/Little Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
 เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : บริเวณบ่อบำบัดน้ำก่อนระบายออกจากโครงการ
 ลงสู่ท่อระบายน้ำสาธารณะริมถนนรามคำแหง
GPS. Coordinate : 47 P 673328 E 1519943 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W68036
Sample No. : W68036/1
Sample Type : Wastewater
Sampling Date : 21 October 2025
Sampling Time : 12.58 p.m.
Received Date : 22 October 2025
Analytical : 22 October – 10 November 2025
Report Date : 11 November 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 26.2 °C	-	Electrometric Method (4500-H ⁺ B)	7.4	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	29.9	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	262	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	18.3	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Total Kjeldahl Nitrogen *, 2/	mg/L	APHA:4500-Norg (B) ^{3/}	46	≤ 35
Sample Appearance		Yellow/Turbid/Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : ภายในพื้นที่โครงการ
GPS. Coordinate : 47 P 673342 E 1519918 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling


Data Provided by Laboratory

Customer Code : W68036
Sample No : W68036/2
Sample Type : Water Supply
Sampling Date : 21 October 2025
Sampling Time : 01.02 p.m.
Received Date : 22 October 2025
Analytical Date : 22 October – 10 November 2025
Report Date : 11 November 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	122	≤ 500
Sample Appearance		Clear/Odorless		

Standard : The Department of Health, Criterias of Supplied Drinkable Water Quality, B.E. 2563

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิตบุศคลอการชุด พลัม คอนโด รามคำแหง สเตชั่น
 Project Name : โครงการ อาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
 Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
 เขตสวนหลวง กรุงเทพมหานคร 10250
 Sampling Point : สระว่ายน้ำส่วนลึก
 GPS. Coordinate : 47 P 673348 E 1519911 N
 Sampling By : TNP ENVIRONMENT CO.,LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68036
 Sample No : W68036/3
 Sample Type : Swimming pool Water
 Sampling Date : 21 October 2025
 Sampling Time : 01.07 p.m.
 Received Date : 22 October 2025
 Analytical Date : 22 October – 10 November 2025
 Report Date : 11 November 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Combine Chlorine *	mg/L	Amperometric Titration Method (4500-Cl D)	< 0.5	0.5-1.0
Alkalinity *	mg/L as CaCO ₃	Titration Method (2320 B)	48.9	80-100
Calcium Hardness *	mg/L as CaCO ₃	EDTA Titration Method (3500-Ca B)	57.7	250-600
Cyanuric acid *, ^{2/}	mg/L	Colorimetric ^{4/}	< 1.0	30-60
Chloride *	mg/L	Argentometric Method (4500-Cl ⁻ B)	847	≤ 600
N-Ammonia *, ^{2/}	mg/L	APHA : 4500-NH ₃ (C) ^{4/}	< 0.14	≤ 20
Nitrate *, ^{2/}	mg/L	APHA : 4500-NO ₃ (D) ^{4/}	0.6	≤ 50
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{3/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{3/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Environment & Laboratory Co., Ltd. registration number Wo-029.

^{3/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

^{4/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.

* This it

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : สระว่ายน้ำส่วนต้น
GPS. Coordinate : 47 P 673343 E 1519890 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68036
Sample No : W68036/4
Sample Type : Swimming pool Water
Sampling Date : 21 October 2025
Sampling Time : 01.05 p.m.
Received Date : 22 October 2025
Analytical Date : 22 October – 10 November 2025
Report Date : 11 November 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Combine Chlorine *	mg/L	Amperometric Titration Method (4500-Cl D)	< 0.5	0.5-1.0
Alkalinity *	mg/L as CaCO ₃	Titration Method (2320 B)	51.8	80-100
Calcium Hardness *	mg/L as CaCO ₃	EDTA Titration Method (3500-Ca B)	55.2	250-600
Cyanuric acid ^{*, 2/}	mg/L	Colorimetric ^{4/}	< 1.0	30-60
Chloride *	mg/L	Argentometric Method (4500-Cl ⁻ B)	805	≤ 600
N-Ammonia ^{*, 2/}	mg/L	APHA : 4500-NH ₃ (C) ^{4/}	< 0.14	≤ 20
Nitrate ^{*, 2/}	mg/L	APHA : 4500-NO ₃ (D) ^{4/}	0.6	≤ 50
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> ^{*, 3/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> ^{*, 3/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.


Remark ^{1/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Environment & Laboratory Co., Ltd. registration number Wo-029.

^{3/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

^{4/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



tajorn

nger

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : บริเวณบ่อกักน้ำก่อนระบายออกจากโครงการ
ลงสู่ท่อระบายน้ำสาธารณะริมถนนรามคำแหง
GPS. Coordinate : 47 P 673328 E 1519943 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W68036
Sample No. : W68036/1
Sample Type : Wastewater
Sampling Date : 18 November 2025
Sampling Time : 03.38 p.m.
Received Date : 19 November 2025
Analytical : 19 November - 03 December 2025
Report Date : 04 December 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 23.2 °C	-	Electrometric Method (4500-H ⁺ B)	7.4	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	26.2	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	348	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	14.3	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Total Kjeldahl Nitrogen *, 2/	mg/L	APHA:4500-Norg (B) ^{3/}	48	≤ 35
Sample Appearance		Yellow/Turbid/Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : ภายในพื้นที่โครงการ
GPS. Coordinate : 47 P 673342 E 1519918 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling


Data Provided by Laboratory

Customer Code : W68036
Sample No : W68036/2
Sample Type : Water Supply
Sampling Date : 18 November 2025
Sampling Time : 03.47 p.m.
Received Date : 19 November 2025
Analytical Date : 19 November - 03 December 2025
Report Date : 04 December 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	108	≤ 500
Sample Appearance		Clear/Odorless		

Standard : The Department of Health, Criterias of Supplied Drinkable Water Quality, B.E. 2563

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : สระว่ายน้ำส่วนลึก
GPS. Coordinate : 47 P 673351 E 1519891 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68036
Sample No : W68036/3
Sample Type : Swimming pool Water
Sampling Date : 18 November 2025
Sampling Time : 03.45 p.m.
Received Date : 19 November 2025
Analytical Date : 19 November - 03 December 2025
Report Date : 04 December 2025


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *. ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *. ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Company Limited registration number Wo-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิตบุศคลอการชุด พล้ม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พล้ม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : สระว่ายน้ำส่วนต้น
GPS. Coordinate : 47 P 673353 E 1519876 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68036
Sample No : W68036/4
Sample Type : Swimming pool Water
Sampling Date : 18 November 2025
Sampling Time : 03.44 p.m.
Received Date : 19 November 2025
Analytical Date : 19 November - 03 December 2025
Report Date : 04 December 2025


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF. 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Company Limited registration number Wo -313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
 เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : บริเวณบ่อกักน้ำก่อนระบายออกจากโครงการ
 ลงสู่ท่อระบายน้ำสาธารณะริมถนนรามคำแหง
GPS. Coordinate : 47 P 673323 E 1519935 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W68036
Sample No. : W68036/1
Sample Type : Wastewater
Sampling Date : 19 December 2025
Sampling Time : 12.55 p.m.
Received Date : 20 December 2025
Analytical : 20 December 2025 - 08 January 2026
Report Date : 09 January 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.9 °C	-	Electrometric Method (4500-H ⁺ B)	7.5	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	20.1	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	187	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	27.1	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 2.0	≤ 1.0
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 0.60	≤ 20
Total Kjeldahl Nitrogen ^{*, 2/}	mg/L	APHA:4500-Norg (B) ^{3/}	53	≤ 35
Sample Appearance		Yellow/Turbid/Little Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : ภายในพื้นที่โครงการ
GPS. Coordinate : 47 P 673348 E 1519885 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling


Data Provided by Laboratory

Customer Code : W68036
Sample No : W68036/2
Sample Type : Water Supply
Sampling Date : 19 December 2025
Sampling Time : 01.01 p.m.
Received Date : 20 December 2025
Analytical Date : 20 December 2025 - 08 January 2026
Report Date : 09 January 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	162	≤ 500
Sample Appearance		Clear/Odorless		

Standard : The Department of Health, Criterias of Supplied Drinkable Water Quality, B.E. 2563

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ฟลัม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด ฟลัม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : สระว่ายน้ำส่วนลึก
GPS. Coordinate : 47 P 673316 E 1519914 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68036
Sample No : W68036/3
Sample Type : Swimming pool Water
Sampling Date : 19 December 2025
Sampling Time : 12.59 p.m.
Received Date : 20 December 2025
Analytical Date : 20 December 2025 - 08 January 2026
Report Date : 09 January 2026


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *. ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *. ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ฟลัม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด ฟลัม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
 เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : สระว่ายน้ำส่วนต้น
GPS. Coordinate : 47 P 673345 E 1519907 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68036
Sample No : W68036/4
Sample Type : Swimming pool Water
Sampling Date : 19 December 2025
Sampling Time : 01.00 p.m.
Received Date : 20 December 2025
Analytical Date : 20 December 2025 - 08 January 2026
Report Date : 09 January 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

