



Analysis/Test Report

Private Laboratory Registration ๗-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 07/07/2025

Sampling Method : Grab

Report Date : 14/07/2025

Sampling Date : 05/07/2025

Report No. : WT3860768001

Receive Date : 07/07/2025

Parameter	Unit	Method**	1925/07/25	Standard ***
			Influent	
*pH	-	Electrometric Method	6.9	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	146	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	102	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	493	<1,000
Oil & Grease	mg/L	Partition Gravimetric	7.14	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	2	<1.0
TKN	mg/L	Kjeldahl	50	<35
Sample Condition		Observation	Turbid gray odour sediment	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567



Analysis/Test Report

Private Laboratory Registration ๖-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 07/07/2025

Sampling Method : Grab

Report Date : 14/07/2025

Sampling Date : 05/07/2025

Report No. : WT3860768002

Receive Date : 07/07/2025

Parameter	Unit	Method**	1926/07/25	Standard ***
			Effluent	
*pH	-	Electrometric Method	7.3	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	16	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	<5	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	351	<1,000
Oil & Grease	mg/L	Partition Gravimetric	ND	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	<1.0	<1.0
TKN	mg/L	Kjeldahl	8	<35
Sample Condition		Observation	Light gray	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567



Analysis/Test Report

Private Laboratory Registration ๗-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 16/08/2025

Sampling Method : Grab

Report Date : 22/08/2025

Sampling Date : 15/08/2025

Report No. : WT3860868001

Receive Date : 16/08/2025

Parameter	Unit	Method**	2320/08/25	Standard ***
			Influent	
*pH	-	Electrometric Method	6.8	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	97	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	158	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	480	<1,000
Oil & Grease	mg/L	Partition Gravimetric	7.10	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	2	<1.0
TKN	mg/L	Kjeldahl	46	<35
Sample Condition		Observation	Turbid gray odour sediment	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567



Analysis/Test Report

Private Laboratory Registration ๗-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 16/08/2025

Sampling Method : Grab

Report Date : 22/08/2025

Sampling Date : 15/08/2025

Report No. : WT3860868002

Receive Date : 16/08/2025

Parameter	Unit	Method**	2321/08/25	Standard ***
			Effluent	
*pH	-	Electrometric Method	7.2	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	2	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	<5	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	271	<1,000
Oil & Grease	mg/L	Partition Gravimetric	ND	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	<1.0	<1.0
TKN	mg/L	Kjeldahl	7	<35
Sample Condition		Observation	Light gray	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567

Do not copy some scuffing Do not modify this report.



Analysis/Test Report

Private Laboratory Registration ๖-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 19/09/2025

Sampling Method : Grab

Report Date : 26/09/2025

Sampling Date : 18/09/2025

Report No. : WT3860968001

Receive Date : 19/09/2025

Parameter	Unit	Method**	2592/09/25	Standard ***
			Influent	
*pH	-	Electrometric Method	6.9	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	118	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	157	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	308	<1,000
Oil & Grease	mg/L	Partition Gravimetric	4.00	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	<1.0	<1.0
TKN	mg/L	Kjeldahl	39	<35
Sample Condition		Observation	Turbid gray odour sediment	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567

Do not copy some scuffing Do not modify this report.



Analysis/Test Report

Private Laboratory Registration ๖-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 19/09/2025

Sampling Method : Grab

Report Date : 26/09/2025

Sampling Date : 18/09/2025

Report No. : WT3860968002

Receive Date : 19/09/2025

Parameter	Unit	Method**	2594/09/25	Standard ***
			Effluent	
*pH	-	Electrometric Method	7.4	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	4	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	<5	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	256	<1,000
Oil & Grease	mg/L	Partition Gravimetric	ND	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	<1.0	<1.0
TKN	mg/L	Kjeldahl	10	<35
Sample Condition		Observation	Light gray	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567



Analysis/Test Report

Private Laboratory Registration ๗-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 18/10/2025

Sampling Method : Grab

Report Date : 24/10/2025

Sampling Date : 17/10/2025

Report No. : WT3861068001

Receive Date : 18/10/2025

Parameter	Unit	Method**	2877/10/25	Standard ***
			Influent	
*pH	-	Electrometric Method	6.4	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	106	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	300	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	483	<1,000
Oil & Grease	mg/L	Partition Gravimetric	8.00	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	3	<1.0
TKN	mg/L	Kjeldahl	44	<35
Sample Condition		Observation	Turbid gray odour sediment	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567



Analysis/Test Report

Private Laboratory Registration ๖-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 18/10/2025

Sampling Method : Grab

Report Date : 24/10/2025

Sampling Date : 17/10/2025

Report No. : WT3861068002

Receive Date : 18/10/2025

Parameter	Unit	Method**	2878/10/25	Standard ***
			Effluent	
*pH	-	Electrometric Method	6.9	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	1	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	<5	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	260	<1,000
Oil & Grease	mg/L	Partition Gravimetric	ND	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	<1.0	<1.0
TKN	mg/L	Kjeldahl	7	<35
Sample Condition		Observation	Light gray	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567

Do not copy some scanning Do not modify this report.



Analysis/Test Report

Private Laboratory Registration ๗-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 14/11/2025

Sampling Method : Grab

Report Date : 21/11/2025

Sampling Date : 13/11/2025

Report No. : WT3861168001

Receive Date : 14/11/2025

Parameter	Unit	Method**	3134/11/25	Standard ***
			Influent	
*pH	-	Electrometric Method	7.6	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	118	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	150	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	417	<1,000
Oil & Grease	mg/L	Partition Gravimetric	3.00	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	2	<1.0
TKN	mg/L	Kjeldahl	49	<35
Sample Condition		Observation	Turbid gray odour sediment	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567

Do not copy some scuffing Do not modify this report.



Analysis/Test Report

Private Laboratory Registration ๗-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 14/11/2025

Sampling Method : Grab

Report Date : 21/11/2025

Sampling Date : 13/11/2025

Report No. : WT3861168002

Receive Date : 14/11/2025

Parameter	Unit	Method**	3135/11/25	Standard ***
			Effluent	
*pH	-	Electrometric Method	7.2	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	3	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	<5	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	355	<1,000
Oil & Grease	mg/L	Partition Gravimetric	ND	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	<1.0	<1.0
TKN	mg/L	Kjeldahl	6	<35
Sample Condition		Observation	Light gray	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567

Do not copy some scuffing Do not modify this report.



Analysis/Test Report

Private Laboratory Registration ๗-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 17/12/2025

Sampling Method : Grab

Report Date : 25/12/2025

Sampling Date : 16/12/2025

Report No. : WT3861268001

Receive Date : 17/12/2025

Parameter	Unit	Method**	3372/12/25	Standard ***
			Influent	
*pH	-	Electrometric Method	7.3	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	129	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	185	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	550	<1,000
Oil & Grease	mg/L	Partition Gravimetric	5.00	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	1	<1.0
TKN	mg/L	Kjeldahl	50	<35
Sample Condition		Observation	Turbid gray odour sediment	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567

Do not copy some scuffing Do not modify this report.



Analysis/Test Report

Private Laboratory Registration ๗-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 17/12/2025

Sampling Method : Grab

Report Date : 25/12/2025

Sampling Date : 16/12/2025

Report No. : WT3861268002

Receive Date : 17/12/2025

Parameter	Unit	Method**	3373/12/25	Standard ***
			Effluent	
*pH	-	Electrometric Method	6.7	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	4	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	<5	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	267	<1,000
Oil & Grease	mg/L	Partition Gravimetric	ND	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	<1.0	<1.0
TKN	mg/L	Kjeldahl	10	<35
Sample Condition		Observation	Light gray	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567

Do not copy some scuffing Do not modify this report.



ที่ สธ ๐๖๓๐/ร ๔๑๗๘

ศูนย์วิทยาศาสตร์การแพทย์ที่ ๑๑/๑ ภูเก็ต
๑๔๑ หมู่ ๔ ตำบลศรีสุนทร อำเภอถลาง
จังหวัดภูเก็ต ๘๓๑๑๐

๒๔ กันยายน ๒๕๖๘

เรื่อง รายงานผลการทดสอบ

เรียน ผู้จัดการบริษัท ดีแอนด์จี คอร์ปอเรชั่น จำกัด

อ้างถึง หนังสือที่ - ลงวันที่ ๑๕ กันยายน ๒๕๖๘

สิ่งที่ส่งมาด้วย รายงานผลการทดสอบ ๖๘๑๖๐๙๗๐๐๑-๖๘๑๖๐๙๗๐๐๔ จำนวน ๑ ฉบับ

ตามหนังสือที่อ้างถึง ท่าน ได้ส่งตัวอย่างเพื่อทำการทดสอบ ซึ่งศูนย์วิทยาศาสตร์การแพทย์ที่ ๑๑/๑ ภูเก็ต ได้รับเมื่อวันที่ ๑๕ กันยายน ๒๕๖๘ นั้น

ศูนย์วิทยาศาสตร์การแพทย์ที่ ๑๑/๑ ภูเก็ต ได้ดำเนินการทดสอบตัวอย่าง ดังกล่าวเสร็จเรียบร้อยแล้ว ตามรายงานผลการทดสอบที่ส่งมาพร้อมนี้ หากท่านมีข้อสงสัยผลการทดสอบสามารถสอบถามได้ตามหมายเลขโทรศัพท์ที่ปรากฏอยู่ด้านล่างนี้

จึงเรียนมาเพื่อโปรดทราบ

ขอแสดงความนับถือ

(นางทรงศนีย์ นุ่นประดับ)

ผู้อำนวยการศูนย์วิทยาศาสตร์การแพทย์ที่ ๑๑/๑ ภูเก็ต
ปฏิบัติราชการแทนอธิบดีกรมวิทยาศาสตร์การแพทย์

ฝ่ายบริหารทั่วไป

โทรศัพท์ ๐๗๖-๖๐๐๑๑๙-๒๑

โทรสาร ๐๗๖-๖๐๐๑๒๒

ไปรษณีย์อิเล็กทรอนิกส์ Phuket@dmso.mail.go.th



กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ต้นฉบับ

ศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต
141 หมู่ 4 ตำบลศรีสุนทร อำเภอถลาง จังหวัดภูเก็ต 83110
โทรศัพท์ 076-600119-21 โทรสาร 076-600122
<http://rmsc11-1.dmsc.moph.go.th/>



ISO/IEC 17025

หมายเลขทะเบียน 4022/49

รายงานผลการทดสอบ

เลขที่รายงาน R68092300664

หน้า 1 ของ 1 หน้า

หนังสืออ้างอิงที่	-	ผู้ส่งตัวอย่าง	บริษัท ดีแอนด์จี คอร์ปอเรชั่น จำกัด
ลงวันที่	15/09/2568	ที่อยู่	307/223
วันที่รับตัวอย่าง	15/09/2568		ถนนจรัญสนิทวงศ์
			แขวงบางขุนศรี เขตบางกอกน้อย
			กรุงเทพมหานคร 10700

หมายเลขตัวอย่าง	68116097001	วันที่เก็บตัวอย่าง	12/09/2568
-----------------	-------------	--------------------	------------

ชนิดตัวอย่าง	น้ำ	ปริมาณที่รับ	1 ขวด ขวดละ 1,000 มิลลิลิตร
--------------	-----	--------------	-----------------------------

ชื่อตัวอย่าง	Storage Tank
--------------	--------------

ลักษณะตัวอย่าง	ของเหลวใส ไม่มีสี ไม่มีตะกอน สถานที่เก็บตัวอย่าง: OZO Chaweng Samui
----------------	---

รายการทดสอบ	ผลการทดสอบ	วิธีทดสอบ
การตรวจหาเชื้อ <i>Legionella</i> ในตัวอย่างน้ำด้วยเทคนิคการเพาะเชื้อ และนับจำนวน	Not detected	Procedure for the Recovery of <i>Legionella</i> from the Environment, CDC, January 2005

หมายเหตุ 1.ห้องปฏิบัติการได้รับการรับรองความสามารถตามมาตรฐาน ISO/IEC 17025

กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ผู้ทดสอบ	นางสาววัชร ทองขาว	 (นางอริยะพร กองทัพบ) นักวิทยาศาสตร์การแพทย์ชำนาญการพิเศษ รักษาราชการแทน ผู้อำนวยการศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต ปฏิบัติราชการแทนอธิบดีกรมวิทยาศาสตร์การแพทย์
ผู้ตรวจสอบ	นางอริยะพร กองทัพบ	
วันที่ทดสอบ	15/09/2568	
วันที่ออกรายงาน	23/09/2568	

รายงานนี้รับรองเฉพาะตัวอย่างที่ได้รับเท่านั้น

ห้ามนำรายงานไปคัดลอกหรือทำสำเนาบางส่วนโดยไม่ได้รับอนุญาตเป็นลายลักษณ์อักษร





กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ต้นฉบับ

ศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต
141 หมู่ 4 ตำบลศรีสุนทร อำเภอถลาง จังหวัดภูเก็ต 83110
โทรศัพท์ 076-600119-21 โทรสาร 076-600122
<http://rmsc11-1.dmsc.moph.go.th/>



ISO/IEC 17025

หมายเลขทะเบียน 4022/49

รายงานผลการทดสอบ

เลขที่รายงาน R68092300663

หน้า 1 ของ 1 หน้า

หนังสือส่งที่	-	ผู้ส่งตัวอย่าง	บริษัท ดีแอนด์จี คอร์ปอเรชั่น จำกัด
ลงวันที่	15/09/2568	ที่อยู่	307/223
วันที่รับตัวอย่าง	15/09/2568		ถนนจรัญสนิทวงศ์
			แขวงบางขุนศรี เขตบางกอกน้อย
			กรุงเทพมหานคร 10700
หมายเลขตัวอย่าง	68116097002	วันที่เก็บตัวอย่าง	12/09/2568
ชนิดตัวอย่าง	น้ำ	ปริมาณที่รับ	1 ขวด ขวดละ 1,000 มิลลิลิตร

ชื่อตัวอย่าง Cold water at the wash basin in guest room 5104

ลักษณะตัวอย่าง ของเหลวใส ไม่มีสี ไม่มีตะกอน สถานที่เก็บตัวอย่าง: OZO Chaweng Samui

รายการทดสอบ	ผลการทดสอบ	วิธีทดสอบ
การตรวจหาเชื้อ <i>Legionella</i> ในตัวอย่างน้ำด้วยเทคนิคการเพาะเชื้อ และนับจำนวน	Not detected	Procedure for the Recovery of <i>Legionella</i> from the Environment, CDC, January 2005

หมายเหตุ 1.ห้องปฏิบัติการได้รับการรับรองความสามารถตามมาตรฐาน ISO/IEC 17025

กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ผู้ทดสอบ	นางสาววัชร ทองขาว	 (นางอริยะพร กองทัพบ) นักวิทยาศาสตร์การแพทย์ชำนาญการพิเศษ รักษาราชการแทน ผู้อำนวยการศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต ปฏิบัติราชการแทนอธิบดีกรมวิทยาศาสตร์การแพทย์
ผู้ตรวจสอบ	นางอริยะพร กองทัพบ	
วันที่ทดสอบ	15/09/2568	
วันที่ออกรายงาน	23/09/2568	

รายงานนี้รับรองเฉพาะตัวอย่างที่ได้รับเท่านั้น

ห้ามนำรายงานไปคัดลอกหรือทำสำเนาบางส่วนโดยไม่ได้รับอนุญาตเป็นลายลักษณ์อักษร





กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ต้นฉบับ

ศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต
141 หมู่ 4 ตำบลศรีสุนทร อำเภอถลาง จังหวัดภูเก็ต 83110
โทรศัพท์ 076-600119-21 โทรสาร 076-600122
<http://rmsc11-1.dmsc.moph.go.th/>



ISO/IEC 17025

หมายเลขทะเบียน 4022/49

รายงานผลการทดสอบ

เลขที่รายงาน R68092300662

หน้า 1 ของ 1 หน้า

หนังสือส่งที่	-	ผู้ส่งตัวอย่าง	บริษัท ดีแอนด์จี คอร์ปอเรชั่น จำกัด
ลงวันที่	15/09/2568	ที่อยู่	307/223
วันที่รับตัวอย่าง	15/09/2568		ถนนจรัญสนิทวงศ์
			แขวงบางขุนศรี เขตบางกอกน้อย
			กรุงเทพมหานคร 10700
หมายเลขตัวอย่าง	68116097003	วันที่เก็บตัวอย่าง	12/09/2568
ชนิดตัวอย่าง	น้ำ	ปริมาณที่รับ	1 ขวด ขวดละ 1,000 มิลลิลิตร

ชื่อตัวอย่าง Hot water at the wash basin in guest room 5104

ลักษณะตัวอย่าง ของเหลวใส ไม่มีสี ไม่มีตะกอน สถานที่เก็บตัวอย่าง: OZO Chaweng Samui

รายการทดสอบ	ผลการทดสอบ	วิธีทดสอบ
การตรวจหาเชื้อ <i>Legionella</i> ในตัวอย่างน้ำด้วยเทคนิคการเพาะเชื้อ และนับจำนวน	Not detected	Procedure for the Recovery of <i>Legionella</i> from the Environment, CDC, January 2005

หมายเหตุ 1.ห้องปฏิบัติการได้รับการรับรองความสามารถตามมาตรฐาน ISO/IEC 17025

กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ผู้ทดสอบ	นางสาววัชร ทองขาว	 (นางอริยะพร กองทัพบ) นักวิทยาศาสตร์การแพทย์ชำนาญการพิเศษ รักษาราชการแทน ผู้อำนวยการศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต ปฏิบัติราชการแทนอธิบดีกรมวิทยาศาสตร์การแพทย์
ผู้ตรวจสอบ	นางอริยะพร กองทัพบ	
วันที่ทดสอบ	15/09/2568	
วันที่ออกรายงาน	23/09/2568	

รายงานนี้รับรองเฉพาะตัวอย่างที่ได้รับเท่านั้น

ห้ามนำรายงานไปคัดลอกหรือทำสำเนาบางส่วนโดยไม่ได้รับอนุญาตเป็นลายลักษณ์อักษร





กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ต้นฉบับ

ศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต
141 หมู่ 4 ตำบลศรีสุนทร อำเภอถลาง จังหวัดภูเก็ต 83110
โทรศัพท์ 076-600119-21 โทรสาร 076-600122
<http://rmsc11-1.dmsc.moph.go.th/>



ISO/IEC 17025

หมายเลขทะเบียน 4022/49

รายงานผลการทดสอบ

เลขที่รายงาน R68092300661

หน้า 1 ของ 1 หน้า

หนังสือส่งที่	-	ผู้ส่งตัวอย่าง	บริษัท ดีแอนด์จี คอร์ปอเรชั่น จำกัด
ลงวันที่	15/09/2568	ที่อยู่	307/223
วันที่รับตัวอย่าง	15/09/2568		ถนนจรัญสนิทวงศ์
			แขวงบางขุนศรี เขตบางกอกน้อย
			กรุงเทพมหานคร 10700
หมายเลขตัวอย่าง	68116097004	วันที่เก็บตัวอย่าง	12/09/2568
ชนิดตัวอย่าง	น้ำ	ปริมาณที่รับ	1 ขวด ขวดละ 1,000 มิลลิลิตร

ชื่อตัวอย่าง AC drip tray in the guest room 6203

ลักษณะตัวอย่าง ของเหลวใส ไม่มีสี มีตะกอนสีขาว สถานที่เก็บตัวอย่าง: OZO Chaweng Samui

รายการทดสอบ	ผลการทดสอบ	วิธีทดสอบ
การตรวจหาเชื้อ <i>Legionella</i> ในตัวอย่างน้ำด้วยเทคนิคการเพาะเชื้อ และนับจำนวน	Not detected	Procedure for the Recovery of <i>Legionella</i> from the Environment, CDC, January 2005

หมายเหตุ 1.ห้องปฏิบัติการได้รับการรับรองความสามารถตามมาตรฐาน ISO/IEC 17025

กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ผู้ทดสอบ	นางสาววัชร ทองขาว	 (นางอริยะพร กองทัพบ) นักวิทยาศาสตร์การแพทย์ชำนาญการพิเศษ รักษาราชการแทน ผู้อำนวยการศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต ปฏิบัติราชการแทนอธิบดีกรมวิทยาศาสตร์การแพทย์
ผู้ตรวจสอบ	นางอริยะพร กองทัพบ	
วันที่ทดสอบ	15/09/2568	
วันที่ออกรายงาน	23/09/2568	

รายงานนี้รับรองเฉพาะตัวอย่างที่ได้รับเท่านั้น

ห้ามนำรายงานไปคัดลอกหรือทำสำเนาบางส่วนโดยไม่ได้รับอนุญาตเป็นลายลักษณ์อักษร

