
ภาคผนวกที่ 7

สำเนา บันทึกการตรวจสอบระบบสัญญาณเตือนอัคคีภัย

Baan Rajprasong Building
Engineering Department
Fire Alarm Control Panel

Date 07.07.2568

☒ Monthly

DESCRIPTION					Remark
<u>Fire Alarm Detection System</u>					
<input checked="" type="checkbox"/> Alarm	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Test	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Transmission Device Activated	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Bypassed	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Transmission Device Bypassed	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Signals Bypasses	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Power	<input checked="" type="checkbox"/> On		Off		ปกติ
<input checked="" type="checkbox"/> Fault	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Fault System	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Fault Transmission Device	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Fault Signals	On	<input checked="" type="checkbox"/>	Off		ปกติ

Comment

Baan Rajprasong Building
Engineering Department
Fire Alarm Control Panel

Date 11.08.2568

☐ Monthly

DESCRIPTION					Remark
<i>Fire Alarm Detection System</i>					
<input checked="" type="checkbox"/> Alarm	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Test	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Transmission Device Activated	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Bypassed	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Transmission Device Bypassed	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Signals Bypasses	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Power	<input checked="" type="checkbox"/> On		Off		ปกติ
<input checked="" type="checkbox"/> Fault	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Fault System	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Fault Transmission Device	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Fault Signals	On	<input checked="" type="checkbox"/>	Off		ปกติ

Comment

Baan Rajprasong Building
Engineering Department
Fire Alarm Control Panel

Date 08.09.2568

☒ Monthly

DESCRIPTION					Remark
<u>Fire Alarm Detection System</u>					
<input checked="" type="checkbox"/> Alarm	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Test	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Transmission Device Activated	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Bypassed	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Transmission Device Bypassed	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Signals Bypasses	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Power	<input checked="" type="checkbox"/>	On	Off	ปกติ	
<input checked="" type="checkbox"/> Fault	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Fault System	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Fault Transmission Device	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Fault Signals	On	<input checked="" type="checkbox"/>	Off	ปกติ	

Comment

Baan Rajprasong Building
Engineering Department
Fire Alarm Control Panel

Date 13.10.2568

☒ Monthly

DESCRIPTION					Remark
<i>Fire Alarm Detection System</i>					
<input checked="" type="checkbox"/> Alarm	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Test	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Transmission Device Activated	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Bypassed	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Transmission Device Bypassed	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Signals Bypasses	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Power	<input checked="" type="checkbox"/> On		Off		ปกติ
<input checked="" type="checkbox"/> Fault	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Fault System	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Fault Transmission Device	On	<input checked="" type="checkbox"/>	Off		ปกติ
<input checked="" type="checkbox"/> Fault Signals	On	<input checked="" type="checkbox"/>	Off		ปกติ

Comment

Baan Rajprasong Building
Engineering Department
Fire Alarm Control Panel

Date 10.11.2568

☒ Monthly

DESCRIPTION					Remark
<u>Fire Alarm Detection System</u>					
<input checked="" type="checkbox"/> Alarm	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Test	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Transmission Device Activated	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Bypassed	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Transmission Device Bypassed	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Signals Bypasses	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Power	<input checked="" type="checkbox"/> On		Off	ปกติ	
<input checked="" type="checkbox"/> Fault	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Fault System	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Fault Transmission Device	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Fault Signals	On	<input checked="" type="checkbox"/>	Off	ปกติ	

Comment

Baan Rajprasong Building
Engineering Department
Fire Alarm Control Panel

Date 08.12.2568

☐ Monthly

DESCRIPTION					Remark
<u>Fire Alarm Detection System</u>					
<input checked="" type="checkbox"/> Alarm	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Test	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Transmission Device Activated	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Bypassed	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Transmission Device Bypassed	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Signals Bypasses	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Power	<input checked="" type="checkbox"/> On		Off	ปกติ	
<input checked="" type="checkbox"/> Fault	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Fault System	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Fault Transmission Device	On	<input checked="" type="checkbox"/>	Off	ปกติ	
<input checked="" type="checkbox"/> Fault Signals	On	<input checked="" type="checkbox"/>	Off	ปกติ	

Comment

Fire Alarm System Devices					
Level R5					
Level R4					
Level R3			DZR2#1	<input checked="" type="checkbox"/> Normal	Abnormal
Level R2					
Level R1			DZR1#1	<input checked="" type="checkbox"/> Normal	Abnormal
Level 34			DZ34#2 DZ34#1	<input checked="" type="checkbox"/> Normal	Abnormal
Level 33	DZ33#3	DZ33#2 FS33#4 SS33#5 DZ33#1		<input checked="" type="checkbox"/> Normal	Abnormal
Level 32		DZ32#2 FS32#4 SS32#3 DZ32#1		<input checked="" type="checkbox"/> Normal	Abnormal
Level 31		DZ31#2 FS31#4 SS31#5 DZ31#1 DZ31#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 30		DZ30#2 FS30#4 SS30#5 DZ30#1 DZ30#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 29		DZ29#2 FS29#4 SS29#5 DZ29#1 DZ29#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 28		DZ28#2 FS28#4 SS28#5 DZ28#1 DZ28#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 27		DZ27#2 FS27#4 SS27#5 DZ27#1 DZ27#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 26		DZ26#2 FS26#4 SS26#5 DZ26#1 DZ26#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 25		DZ25#2 FS25#4 SS25#5 DZ25#1 DZ25#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 24		DZ24#2 FS24#4 SS24#5 DZ24#1 DZ24#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 23		DZ23#2 FS23#4 SS23#5 DZ23#1 DZ23#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 22		DZ22#2 FS22#4 SS22#5 DZ22#1 DZ22#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 21		DZ21#2 FS21#4 SS21#5 DZ21#1 DZ21#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 20		DZ20#2 FS20#4 SS20#5 DZ20#1 DZ20#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 19		DZ19#2 FS19#4 SS19#5 DZ19#1 DZ19#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 18		DZ18#2 FS18#4 SS18#5 DZ18#1 DZ18#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 17		DZ17#2 FS17#4 SS17#5 DZ17#1 DZ17#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 16	DZ16#4	DZ16#2 FS16#4 SS16#5 DZ16#1 DZ16#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 15		DZ15#2 FS15#4 SS15#5 DZ15#1 DZ15#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 14		DZ14#2 FS14#4 SS14#5 DZ14#1 DZ14#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 12		DZ12#2 FS12#4 SS12#5 DZ12#1 DZ12#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 11		DZ11#2 FS11#4 SS11#5 DZ11#1 DZ11#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 10		DZ10#2 FS10#4 SS10#5 DZ10#1 DZ10#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 9		DZ9#2 FS9#4 SS9#5 DZ9#1 DZ9#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 8		DZ8#2 FS8#4 SS8#5 DZ8#1 DZ8#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 7		DZ7#2 FS7#4 SS7#5 DZ7#1 DZ7#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 6		DZ6#2 FS6#4 SS6#5 DZ6#1 DZ6#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 5		DZ5#2 FS5#4 SS5#5 DZ5#1 DZ5#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 4		DZ4#2 FS4#4 SS4#5 DZ4#1 DZ4#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 3		DZ3#2 FS3#4 SS3#5 DZ3#1 DZ3#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 2A		DZ2A#2 FS2A#4 SS2A#5 DZ2A#1 DZ2A#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 2	DZ2#1	DZ2#2 FS2#5 SS2#6 DZ2#3 DZ2#4		<input checked="" type="checkbox"/> Normal	Abnormal
Level P3,P3A		DZMA#1 DZMA#2		<input checked="" type="checkbox"/> Normal	Abnormal
Level M,P2,P2A		DZM#1 FSM#4 SSM#5 DZM#3 DZM#2		<input checked="" type="checkbox"/> Normal	Abnormal
Level L,P1,P1A		DZL#1 FSL#4 SSL#6 DZL#3 DZL#2 DZL#4		<input checked="" type="checkbox"/> Normal	Abnormal
Level B1,PB		DZB1#1 FSB1#5 SSB1#4 DZB1#3 DZB1#2		<input checked="" type="checkbox"/> Normal	Abnormal
PBA		DZSF#02 DZSF#01 DZSF#03		<input checked="" type="checkbox"/> Normal	Abnormal
B2		DZB2#1 SSB2#2		<input checked="" type="checkbox"/> Normal	Abnormal

Comment

Fire Alarm System Devices					
Level R5					
Level R4					
Level R3			DZR2#1	<input checked="" type="checkbox"/> Normal	Abnormal
Level R2					
Level R1			DZR1#1	<input checked="" type="checkbox"/> Normal	Abnormal
Level 34			DZ34#2 DZ34#1	<input checked="" type="checkbox"/> Normal	Abnormal
Level 33	DZ33#3	DZ33#2 FS33#4 SS33#5 DZ33#1		<input checked="" type="checkbox"/> Normal	Abnormal
Level 32		DZ32#2 FS32#4 SS32#3 DZ32#1		<input checked="" type="checkbox"/> Normal	Abnormal
Level 31		DZ31#2 FS31#4 SS31#5 DZ31#1 DZ31#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 30		DZ30#2 FS30#4 SS30#5 DZ30#1 DZ30#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 29		DZ29#2 FS29#4 SS29#5 DZ29#1 DZ29#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 28		DZ28#2 FS28#4 SS28#5 DZ28#1 DZ28#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 27		DZ27#2 FS27#4 SS27#5 DZ27#1 DZ27#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 26		DZ26#2 FS26#4 SS26#5 DZ26#1 DZ26#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 25		DZ25#2 FS25#4 SS25#5 DZ25#1 DZ25#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 24		DZ24#2 FS24#4 SS24#5 DZ24#1 DZ24#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 23		DZ23#2 FS23#4 SS23#5 DZ23#1 DZ23#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 22		DZ22#2 FS22#4 SS22#5 DZ22#1 DZ22#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 21		DZ21#2 FS21#4 SS21#5 DZ21#1 DZ21#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 20		DZ20#2 FS20#4 SS20#5 DZ20#1 DZ20#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 19		DZ19#2 FS19#4 SS19#5 DZ19#1 DZ19#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 18		DZ18#2 FS18#4 SS18#5 DZ18#1 DZ18#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 17		DZ17#2 FS17#4 SS17#5 DZ17#1 DZ17#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 16	DZ16#4	DZ16#2 FS16#4 SS16#5 DZ16#1 DZ16#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 15		DZ15#2 FS15#4 SS15#5 DZ15#1 DZ15#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 14		DZ14#2 FS14#4 SS14#5 DZ14#1 DZ14#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 12		DZ12#2 FS12#4 SS12#5 DZ12#1 DZ12#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 11		DZ11#2 FS11#4 SS11#5 DZ11#1 DZ11#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 10		DZ10#2 FS10#4 SS10#5 DZ10#1 DZ10#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 9		DZ9#2 FS9#4 SS9#5 DZ9#1 DZ9#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 8		DZ8#2 FS8#4 SS8#5 DZ8#1 DZ8#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 7		DZ7#2 FS7#4 SS7#5 DZ7#1 DZ7#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 6		DZ6#2 FS6#4 SS6#5 DZ6#1 DZ6#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 5		DZ5#2 FS5#4 SS5#5 DZ5#1 DZ5#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 4		DZ4#2 FS4#4 SS4#5 DZ4#1 DZ4#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 3		DZ3#2 FS3#4 SS3#5 DZ3#1 DZ3#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 2A		DZ2A#2 FS2A#4 SS2A#5 DZ2A#1 DZ2A#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 2	DZ2#1	DZ2#2 FS2#5 SS2#6 DZ2#3 DZ2#4		<input checked="" type="checkbox"/> Normal	Abnormal
Level P3,P3A		DZMA#1 DZMA#2		<input checked="" type="checkbox"/> Normal	Abnormal
Level M,P2,P2A		DZM#1 FSM#4 SSM#5 DZM#3 DZM#2		<input checked="" type="checkbox"/> Normal	Abnormal
Level L,P1,P1A		DZL#1 FSL#4 SSL#6 DZL#3 DZL#2 DZL#4		<input checked="" type="checkbox"/> Normal	Abnormal
Level B1,PB		DZB1#1 FSB1#5 SSB1#4 DZB1#3 DZB1#2		<input checked="" type="checkbox"/> Normal	Abnormal
PBA		DZSF#02 DZSF#01 DZSF#03		<input checked="" type="checkbox"/> Normal	Abnormal
B2		DZB2#1 SSB2#2		<input checked="" type="checkbox"/> Normal	Abnormal

Comment

Fire Alarm System Devices						
Level R5						
Level R4						
Level R3			DZR2#1		<input checked="" type="checkbox"/> Normal	Abnormal
Level R2						
Level R1			DZR1#1		<input checked="" type="checkbox"/> Normal	Abnormal
Level 34			DZ34#2 DZ34#1		<input checked="" type="checkbox"/> Normal	Abnormal
Level 33	DZ33#3	DZ33#2 FS33#4 SS33#5 DZ33#1			<input checked="" type="checkbox"/> Normal	Abnormal
Level 32		DZ32#2 FS32#4 SS32#3 DZ32#1			<input checked="" type="checkbox"/> Normal	Abnormal
Level 31		DZ31#2 FS31#4 SS31#5 DZ31#1 DZ31#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 30		DZ30#2 FS30#4 SS30#5 DZ30#1 DZ30#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 29		DZ29#2 FS29#4 SS29#5 DZ29#1 DZ29#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 28		DZ28#2 FS28#4 SS28#5 DZ28#1 DZ28#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 27		DZ27#2 FS27#4 SS27#5 DZ27#1 DZ27#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 26		DZ26#2 FS26#4 SS26#5 DZ26#1 DZ26#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 25		DZ25#2 FS25#4 SS25#5 DZ25#1 DZ25#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 24		DZ24#2 FS24#4 SS24#5 DZ24#1 DZ24#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 23		DZ23#2 FS23#4 SS23#5 DZ23#1 DZ23#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 22		DZ22#2 FS22#4 SS22#5 DZ22#1 DZ22#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 21		DZ21#2 FS21#4 SS21#5 DZ21#1 DZ21#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 20		DZ20#2 FS20#4 SS20#5 DZ20#1 DZ20#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 19		DZ19#2 FS19#4 SS19#5 DZ19#1 DZ19#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 18		DZ18#2 FS18#4 SS18#5 DZ18#1 DZ18#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 17		DZ17#2 FS17#4 SS17#5 DZ17#1 DZ17#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 16	DZ16#4	DZ16#2 FS16#4 SS16#5 DZ16#1 DZ16#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 15		DZ15#2 FS15#4 SS15#5 DZ15#1 DZ15#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 14		DZ14#2 FS14#4 SS14#5 DZ14#1 DZ14#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 12		DZ12#2 FS12#4 SS12#5 DZ12#1 DZ12#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 11		DZ11#2 FS11#4 SS11#5 DZ11#1 DZ11#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 10		DZ10#2 FS10#4 SS10#5 DZ10#1 DZ10#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 9		DZ9#2 FS9#4 SS9#5 DZ9#1 DZ9#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 8		DZ8#2 FS8#4 SS8#5 DZ8#1 DZ8#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 7		DZ7#2 FS7#4 SS7#5 DZ7#1 DZ7#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 6		DZ6#2 FS6#4 SS6#5 DZ6#1 DZ6#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 5		DZ5#2 FS5#4 SS5#5 DZ5#1 DZ5#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 4		DZ4#2 FS4#4 SS4#5 DZ4#1 DZ4#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 3		DZ3#2 FS3#4 SS3#5 DZ3#1 DZ3#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 2A		DZ2A#2 FS2A#4 SS2A#5 DZ2A#1 DZ2A#3			<input checked="" type="checkbox"/> Normal	Abnormal
Level 2	DZ2#1	DZ2#2 FS2#5 SS2#6 DZ2#3 DZ2#4			<input checked="" type="checkbox"/> Normal	Abnormal
Level P3,P3A		DZMA#1 DZMA#2			<input checked="" type="checkbox"/> Normal	Abnormal
Level M,P2,P2A		DZM#1 FSM#4 SSM#5 DZM#3 DZM#2			<input checked="" type="checkbox"/> Normal	Abnormal
Level L,P1,P1A		DZL#1 FSL#4 SSL#6 DZL#3 DZL#2 DZL#4			<input checked="" type="checkbox"/> Normal	Abnormal
Level B1,PB		DZB1#1 FSB1#5 SSB1#4 DZB1#3 DZB1#2			<input checked="" type="checkbox"/> Normal	Abnormal
PBA		DZSF#02 DZSF#01 DZSF#03			<input checked="" type="checkbox"/> Normal	Abnormal
B2		DZB2#1 SSB2#2			<input checked="" type="checkbox"/> Normal	Abnormal

Comment

Fire Alarm System Devices					
Level R5					
Level R4					
Level R3		DZR2#1		<input checked="" type="checkbox"/> Normal	Abnormal
Level R2					
Level R1		DZR1#1		<input checked="" type="checkbox"/> Normal	Abnormal
Level 34		DZ34#2 DZ34#1		<input checked="" type="checkbox"/> Normal	Abnormal
Level 33	DZ33#3	DZ33#2 FS33#4 SS33#5 DZ33#1		<input checked="" type="checkbox"/> Normal	Abnormal
Level 32		DZ32#2 FS32#4 SS32#3 DZ32#1		<input checked="" type="checkbox"/> Normal	Abnormal
Level 31		DZ31#2 FS31#4 SS31#5 DZ31#1 DZ31#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 30		DZ30#2 FS30#4 SS30#5 DZ30#1 DZ30#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 29		DZ29#2 FS29#4 SS29#5 DZ29#1 DZ29#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 28		DZ28#2 FS28#4 SS28#5 DZ28#1 DZ28#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 27		DZ27#2 FS27#4 SS27#5 DZ27#1 DZ27#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 26		DZ26#2 FS26#4 SS26#5 DZ26#1 DZ26#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 25		DZ25#2 FS25#4 SS25#5 DZ25#1 DZ25#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 24		DZ24#2 FS24#4 SS24#5 DZ24#1 DZ24#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 23		DZ23#2 FS23#4 SS23#5 DZ23#1 DZ23#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 22		DZ22#2 FS22#4 SS22#5 DZ22#1 DZ22#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 21		DZ21#2 FS21#4 SS21#5 DZ21#1 DZ21#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 20		DZ20#2 FS20#4 SS20#5 DZ20#1 DZ20#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 19		DZ19#2 FS19#4 SS19#5 DZ19#1 DZ19#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 18		DZ18#2 FS18#4 SS18#5 DZ18#1 DZ18#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 17		DZ17#2 FS17#4 SS17#5 DZ17#1 DZ17#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 16	DZ16#4	DZ16#2 FS16#4 SS16#5 DZ16#1 DZ16#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 15		DZ15#2 FS15#4 SS15#5 DZ15#1 DZ15#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 14		DZ14#2 FS14#4 SS14#5 DZ14#1 DZ14#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 12		DZ12#2 FS12#4 SS12#5 DZ12#1 DZ12#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 11		DZ11#2 FS11#4 SS11#5 DZ11#1 DZ11#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 10		DZ10#2 FS10#4 SS10#5 DZ10#1 DZ10#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 9		DZ9#2 FS9#4 SS9#5 DZ9#1 DZ9#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 8		DZ8#2 FS8#4 SS8#5 DZ8#1 DZ8#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 7		DZ7#2 FS7#4 SS7#5 DZ7#1 DZ7#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 6		DZ6#2 FS6#4 SS6#5 DZ6#1 DZ6#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 5		DZ5#2 FS5#4 SS5#5 DZ5#1 DZ5#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 4		DZ4#2 FS4#4 SS4#5 DZ4#1 DZ4#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 3		DZ3#2 FS3#4 SS3#5 DZ3#1 DZ3#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 2A		DZ2A#2 FS2A#4 SS2A#5 DZ2A#1 DZ2A#3		<input checked="" type="checkbox"/> Normal	Abnormal
Level 2	DZ2#1	DZ2#2 FS2#5 SS2#6 DZ2#3 DZ2#4		<input checked="" type="checkbox"/> Normal	Abnormal
Level P3,P3A		DZMA#1 DZMA#2		<input checked="" type="checkbox"/> Normal	Abnormal
Level M,P2,P2A		DZM#1 FSM#4 SSM#5 DZM#3 DZM#2		<input checked="" type="checkbox"/> Normal	Abnormal
Level L,P1,P1A		DZL#1 FSL#4 SSL#6 DZL#3 DZL#2 DZL#4		<input checked="" type="checkbox"/> Normal	Abnormal
Level B1,PB		DZB1#1 FSB1#5 SSB1#4 DZB1#3 DZB1#2		<input checked="" type="checkbox"/> Normal	Abnormal
PBA		DZSF#02 DZSF#01 DZSF#03		<input checked="" type="checkbox"/> Normal	Abnormal
B2		DZB2#1 SSB2#2		<input checked="" type="checkbox"/> Normal	Abnormal

Comment

Fire Alarm System Devices										
Level	R5									
Level	R4									
Level	R3	DZR2#1					<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	R2									
Level	R1	DZR1#1					<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	34	DZ34#2 DZ34#1					<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	33	DZ33#3	DZ33#2	FS33#4	SS33#5	DZ33#1	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	32		DZ32#2	FS32#4	SS32#3	DZ32#1	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	31		DZ31#2	FS31#4	SS31#5	DZ31#1 DZ31#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	30		DZ30#2	FS30#4	SS30#5	DZ30#1 DZ30#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	29		DZ29#2	FS29#4	SS29#5	DZ29#1 DZ29#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	28		DZ28#2	FS28#4	SS28#5	DZ28#1 DZ28#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	27		DZ27#2	FS27#4	SS27#5	DZ27#1 DZ27#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	26		DZ26#2	FS26#4	SS26#5	DZ26#1 DZ26#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	25		DZ25#2	FS25#4	SS25#5	DZ25#1 DZ25#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	24		DZ24#2	FS24#4	SS24#5	DZ24#1 DZ24#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	23		DZ23#2	FS23#4	SS23#5	DZ23#1 DZ23#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	22		DZ22#2	FS22#4	SS22#5	DZ22#1 DZ22#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	21		DZ21#2	FS21#4	SS21#5	DZ21#1 DZ21#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	20		DZ20#2	FS20#4	SS20#5	DZ20#1 DZ20#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	19		DZ19#2	FS19#4	SS19#5	DZ19#1 DZ19#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	18		DZ18#2	FS18#4	SS18#5	DZ18#1 DZ18#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	17		DZ17#2	FS17#4	SS17#5	DZ17#1 DZ17#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	16	DZ16#4	DZ16#2	FS16#4	SS16#5	DZ16#1 DZ16#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	15		DZ15#2	FS15#4	SS15#5	DZ15#1 DZ15#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	14		DZ14#2	FS14#4	SS14#5	DZ14#1 DZ14#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	12		DZ12#2	FS12#4	SS12#5	DZ12#1 DZ12#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	11		DZ11#2	FS11#4	SS11#5	DZ11#1 DZ11#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	10		DZ10#2	FS10#4	SS10#5	DZ10#1 DZ10#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	9		DZ9#2	FS9#4	SS9#5	DZ9#1 DZ9#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	8		DZ8#2	FS8#4	SS8#5	DZ8#1 DZ8#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	7		DZ7#2	FS7#4	SS7#5	DZ7#1 DZ7#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	6		DZ6#2	FS6#4	SS6#5	DZ6#1 DZ6#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	5		DZ5#2	FS5#4	SS5#5	DZ5#1 DZ5#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	4		DZ4#2	FS4#4	SS4#5	DZ4#1 DZ4#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	3		DZ3#2	FS3#4	SS3#5	DZ3#1 DZ3#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	2A		DZ2A#2	FS2A#4	SS2A#5	DZ2A#1 DZ2A#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	2	DZ2#1	DZ2#2	FS2#5	SS2#6	DZ2#3 DZ2#4	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	P3,P3A		DZMA#1				DZMA#2	<input checked="" type="checkbox"/>	Normal	Abnormal
Level	M,P2,P2A		DZM#1	FSM#4	SSM#5	DZM#3 DZM#2	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	L,P1,P1A		DZL#1	FSL#4	SSL#6	DZL#3 DZL#2 DZL#4	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	B1,PB		DZB1#1	FSB1#5	SSB1#4	DZB1#3 DZB1#2	<input checked="" type="checkbox"/>	Normal	Abnormal	
	PBA		DZSF#02		DZSF#01	DZSF#03	<input checked="" type="checkbox"/>	Normal	Abnormal	
	B2				DZB2#1	SSB2#2	<input checked="" type="checkbox"/>	Normal	Abnormal	

Comment

Fire Alarm System Devices										
Level	R5									
Level	R4									
Level	R3	DZR2#1					<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	R2									
Level	R1	DZR1#1					<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	34	DZ34#2 DZ34#1					<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	33	DZ33#3	DZ33#2	FS33#4	SS33#5	DZ33#1	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	32		DZ32#2	FS32#4	SS32#3	DZ32#1	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	31		DZ31#2	FS31#4	SS31#5	DZ31#1 DZ31#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	30		DZ30#2	FS30#4	SS30#5	DZ30#1 DZ30#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	29		DZ29#2	FS29#4	SS29#5	DZ29#1 DZ29#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	28		DZ28#2	FS28#4	SS28#5	DZ28#1 DZ28#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	27		DZ27#2	FS27#4	SS27#5	DZ27#1 DZ27#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	26		DZ26#2	FS26#4	SS26#5	DZ26#1 DZ26#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	25		DZ25#2	FS25#4	SS25#5	DZ25#1 DZ25#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	24		DZ24#2	FS24#4	SS24#5	DZ24#1 DZ24#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	23		DZ23#2	FS23#4	SS23#5	DZ23#1 DZ23#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	22		DZ22#2	FS22#4	SS22#5	DZ22#1 DZ22#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	21		DZ21#2	FS21#4	SS21#5	DZ21#1 DZ21#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	20		DZ20#2	FS20#4	SS20#5	DZ20#1 DZ20#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	19		DZ19#2	FS19#4	SS19#5	DZ19#1 DZ19#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	18		DZ18#2	FS18#4	SS18#5	DZ18#1 DZ18#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	17		DZ17#2	FS17#4	SS17#5	DZ17#1 DZ17#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	16	DZ16#4	DZ16#2	FS16#4	SS16#5	DZ16#1 DZ16#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	15		DZ15#2	FS15#4	SS15#5	DZ15#1 DZ15#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	14		DZ14#2	FS14#4	SS14#5	DZ14#1 DZ14#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	12		DZ12#2	FS12#4	SS12#5	DZ12#1 DZ12#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	11		DZ11#2	FS11#4	SS11#5	DZ11#1 DZ11#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	10		DZ10#2	FS10#4	SS10#5	DZ10#1 DZ10#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	9		DZ9#2	FS9#4	SS9#5	DZ9#1 DZ9#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	8		DZ8#2	FS8#4	SS8#5	DZ8#1 DZ8#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	7		DZ7#2	FS7#4	SS7#5	DZ7#1 DZ7#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	6		DZ6#2	FS6#4	SS6#5	DZ6#1 DZ6#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	5		DZ5#2	FS5#4	SS5#5	DZ5#1 DZ5#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	4		DZ4#2	FS4#4	SS4#5	DZ4#1 DZ4#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	3		DZ3#2	FS3#4	SS3#5	DZ3#1 DZ3#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	2A		DZ2A#2	FS2A#4	SS2A#5	DZ2A#1 DZ2A#3	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	2	DZ2#1	DZ2#2	FS2#5	SS2#6	DZ2#3 DZ2#4	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	P3,P3A		DZMA#1				DZMA#2	<input checked="" type="checkbox"/>	Normal	Abnormal
Level	M,P2,P2A		DZM#1	FSM#4	SSM#5	DZM#3 DZM#2	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	L,P1,P1A		DZL#1	FSL#4	SSL#6	DZL#3 DZL#2 DZL#4	<input checked="" type="checkbox"/>	Normal	Abnormal	
Level	B1,PB		DZB1#1	FSB1#5	SSB1#4	DZB1#3 DZB1#2	<input checked="" type="checkbox"/>	Normal	Abnormal	
	PBA		DZSF#02		DZSF#01	DZSF#03	<input checked="" type="checkbox"/>	Normal	Abnormal	
	B2				DZB2#1	SSB2#2	<input checked="" type="checkbox"/>	Normal	Abnormal	

Comment