

ภาคผนวก ง

ผลการติดตามตรวจสอบคุณภาพสิ่งแวดล้อม

- ง1 คุณภาพน้ำทิ้ง
- ง2 คุณภาพน้ำระเหยน้ำ



ภาคผนวก ง1

คุณภาพน้ำทิ้ง



ANALYSIS REPORT

Data Provided by Customer


Customer Name : นิติบุคคลอาคารชุด ณ รีวา เจริญนคร
Project Name : โครงการ ณ รีวา เจริญนคร
Address Project : เลขที่ 366 ชั้นที่ 1 ถนนเจริญนคร แขวงสำเหร่
เขตธนบุรี กรุงเทพมหานคร 10600
Sampling Point : ถังเกรอะ (น้ำเสียก่อนการบำบัด)
GPS. Coordinate : 47 P 661219 E 1515824 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W68057
Sample No. : W68057/1
Sample Type : Wastewater
Sampling Date : 02 July 2025
Sampling Time : 12.11 p.m.
Received Date : 03 July 2025
Analytical Date : 03 – 15 July 2025
Report Date : 16 July 2025

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 22.9 °C	-	Electrometric Method (4500-H ⁺ B)	8.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	5.4
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	318
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	47.6
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	1.20
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	< 0.1
Total Kjeldahl Nitrogen * ^{2/}	mg/L N	APHA:4500-Norg (B) ^{3/}	70
Sample Appearance		Yellow/Turbid/Sediment/Smelly	

- Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.
^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.
* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ณ รีวา เจริญนคร
Project Name : โครงการ ณ รีวา เจริญนคร
Address Project : เลขที่ 366 ชั้นที่ 1 ถนนเจริญนคร แขวงสำเหร่
 เขตธนบุรี กรุงเทพมหานคร 10600
Sampling Point : บ่อตรวจคุณภาพน้ำ (หลังการบำบัด) บริเวณบ่อกักน้ำ
 สุดท้ายก่อนปล่อยออกถนนสาธารณะหน้าโครงการ
GPS. Coordinate : 47 P 661233 E 1515819 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W68057
Sample No. : W68057/2
Sample Type : Wastewater
Sampling Date : 02 July 2025
Sampling Time : 12.06 p.m.
Received Date : 03 July 2025
Analytical Date : 03 – 15 July 2025
Report Date : 16 July 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 23.0 °C	-	Electrometric Method (4500-H ⁺ B)	8.1	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	< 5.0	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	338	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	14.2	≤ 20
Oil and Grease	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	-
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	< 0.1	≤ 1.0
Total Kjeldahl Nitrogen * ^{2/}	mg/L N	APHA:4500-Norg (B) ^{3/}	65	≤ 35
Sample Appearance		Yellow/Clear/Little Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer


Customer Name : นิตบุศคลออาคารชุด ณ รีวา เจริญนคร
 Project Name : โครงการ ณ รีวา เจริญนคร
 Address Project : เลขที่ 366 ชั้นที่ 1 ถนนเจริญนคร แขวงสำเหร่
 เขตธนบุรี กรุงเทพมหานคร 10600
 Sampling Point : ถังเกราะ (น้ำเสียก่อนการบำบัด)
 GPS. Coordinate : 47 P 661232 E 1515810 N
 Sampling By : TNP ENVIRONMENT CO., LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W68057
 Sample No. : W68057/1
 Sample Type : Wastewater
 Sampling Date : 06 August 2025
 Sampling Time : 01.43 p.m.
 Received Date : 07 August 2025
 Analytical Date : 07 – 15 August 2025
 Report Date : 18 August 2025

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 23.5 °C	-	Electrometric Method (4500-H ⁺ B)	7.4
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	38.3
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	236
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	60.8
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	2.1
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	0.81
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	0.1
Total Kjeldahl Nitrogen * ^{2/}	mg/L N	APHA:4500-Norg (B) ^{3/}	70
Sample Appearance		Yellow/Turbid/Sediment/Smelly	

- Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.
^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.
 * This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ณ ริ้วา เจริญนคร
Project Name : โครงการ ณ ริ้วา เจริญนคร
Address Project : เลขที่ 366 ชั้นที่ 1 ถนนเจริญนคร แขวงสำเหร่
 เขตธนบุรี กรุงเทพมหานคร 10600
Sampling Point : บ่อตรวจคุณภาพน้ำ (หลังการบำบัด)
 บริเวณบ่อกักน้ำสุดท้ายก่อนปล่อยออกถนนสาธารณะหน้าโครงการ
GPS. Coordinate : 47 P 661230 E 1515817 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W68057
Sample No. : W68057/2
Sample Type : Wastewater
Sampling Date : 06 August 2025
Sampling Time : 01.40 p.m.
Received Date : 07 August 2025
Analytical Date : 07 – 15 August 2025
Report Date : 18 August 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 23.4 °C	-	Electrometric Method (4500-H ⁺ B)	7.9	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	24.4	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	372	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	18.3	≤ 20
Oil and Grease	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	2.1	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	-
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	< 0.1	≤ 1.0
Total Kjeldahl Nitrogen * ^{2/}	mg/L N	APHA:4500-Norg (B) ^{3/}	65	≤ 35
Sample Appearance		Yellow/Turbid/Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer


Customer Name : นิติบุคคลอาคารชุด ณ รีวา เจริญนคร
Project Name : โครงการ ณ รีวา เจริญนคร
Address Project : เลขที่ 366 ชั้นที่ 1 ถนนเจริญนคร แขวงสำเหร่
เขตธนบุรี กรุงเทพมหานคร 10600
Sampling Point : ถังเก็บอะ (น้ำเสียก่อนการบำบัด)
GPS. Coordinate : 47 P 661203 E 1515821 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W68057
Sample No. : W68057/1
Sample Type : Wastewater
Sampling Date : 03 September 2025
Sampling Time : 10.58 a.m.
Received Date : 04 September 2025
Analytical Date : 04 – 19 September 2025
Report Date : 22 September 2025

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 24.7 °C	-	Electrometric Method (4500-H ⁺ B)	7.8
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	12.5
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	330
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	38.6
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	1.48
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	< 0.1
Total Kjeldahl Nitrogen ^{2/}	mg/L N	APHA:4500-Norg (B) ^{3/}	57
Sample Appearance		Yellow/Turbid/Little Sediment/ Odorless	

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th edition 2023.
^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.
^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.
* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ณ รีวา เจริญนคร
Project Name : โครงการ ณ รีวา เจริญนคร
Address Project : เลขที่ 366 ชั้นที่ 1 ถนนเจริญนคร แขวงสำเหร่
เขตธนบุรี กรุงเทพมหานคร 10600
Sampling Point : บ่อตรวจคุณภาพน้ำ (หลังการบำบัด)
บริเวณบ่อกักน้ำสุดท้ายก่อนปล่อยออกถนนสาธารณะหน้าโครงการ
GPS. Coordinate : 47 P 661220 E 1515799 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W68057
Sample No. : W68057/2
Sample Type : Wastewater
Sampling Date : 03 September 2025
Sampling Time : 11.03 a.m.
Received Date : 04 September 2025
Analytical Date : 04 – 19 September 2025
Report Date : 22 September 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.8 °C	-	Electrometric Method (4500-H ⁺ B)	8.0	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	13.0	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	349	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	17.9	≤ 20
Oil and Grease	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	-
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	< 0.1	≤ 1.0
Total Kjeldahl Nitrogen ^{2/}	mg/L N	APHA:4500-Norg (B) ^{3/}	56	≤ 35
Sample Appearance		Yellow/Turbid/Little Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ณ รีวา เจริญนคร
Project Name : โครงการ ณ รีวา เจริญนคร
Address Project : เลขที่ 366 ชั้นที่ 1 ถนนเจริญนคร แขวงลำโพง
เขตธนบุรี กรุงเทพมหานคร 10600
Sampling Point : ถังเกราะ (น้ำเสียก่อนการบำบัด)
GPS. Coordinate : 47 P 661222 E 1515822 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W68057
Sample No. : W68057/1
Sample Type : Wastewater
Sampling Date : 07 October 2025
Sampling Time : 09.52 a.m.
Received Date : 08 October 2025
Analytical Date : 08 – 22 October 2025
Report Date : 24 October 2025


Parameter	Unit	Analytical Method ^{1/}	Result
pH at 23.5 °C	-	Electrometric Method (4500-H ⁺ B)	7.8
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	25.1
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	328
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	41.0
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	2.1
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	1.47
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	0.1
Total Kjeldahl Nitrogen *, ^{2/}	mg/L N	APHA:4500-Norg (B) ^{3/}	60
Sample Appearance		Yellow/Turbid/Sediment/Smelly	

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ณ รีวา เจริญนคร
Project Name : โครงการ ณ รีวา เจริญนคร
Address Project : เลขที่ 366 ชั้นที่ 1 ถนนเจริญนคร แขวงลำเเพร์
เขตธนบุรี กรุงเทพมหานคร 10600
Sampling Point : บ่อตรวจคุณภาพน้ำ (หลังการบำบัด)
บริเวณบ่อกักน้ำสุดท้ายก่อนปล่อยออกถนนสาธารณะหน้าโครงการ
GPS. Coordinate : 47 P 661234 E 1515815 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W68057
Sample No. : W68057/2
Sample Type : Wastewater
Sampling Date : 07 October 2025
Sampling Time : 09.56 a.m.
Received Date : 08 October 2025
Analytical Date : 08 – 22 October 2025
Report Date : 24 October 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 23.7 °C	-	Electrometric Method (4500-H ⁺ B)	7.9	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	14.0	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	373	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	14.5	≤ 20
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	< 0.1	-
Total Kjeldahl Nitrogen *, ^{2/}	mg/L N	APHA:4500-Norg (B) ^{3/}	< 0.28	≤ 35
Sample Appearance		Yellow/Turbid/Little Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer


Customer Name : นิตินุคคณาการชุด ณ วีรา เจริญนคร
Project Name : โครงการ ณ วีรา เจริญนคร
Address Project : เลขที่ 366 ชั้นที่ 1 ถนนเจริญนคร แขวงสำเพ็ง
เขตธนบุรี กรุงเทพมหานคร 10600
Sampling Point : ถังเกราะ (น้ำเสียก่อนการบำบัด)
GPS. Coordinate : 47 P 661214 E 1515814 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W68057
Sample No. : W68057/1
Sample Type : Wastewater
Sampling Date : 08 November 2025
Sampling Time : 01.36 p.m.
Received Date : 09 November 2025
Analytical Date : 09 – 22 November 2025
Report Date : 24 November 2025

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 24.7 °C	-	Electrometric Method (4500-H ⁺ B)	7.5
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	19.2
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	446
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	77.8
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	1.11
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	0.1
Total Kjeldahl Nitrogen *, ^{2/}	mg/L N	APHA:4500-Norg (B) ^{3/}	57
Sample Appearance		Yellow/Turbid/Sediment/Smelly	

- Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.
^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.
* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ณ รีวา เจริญนคร
Project Name : โครงการ ณ รีวา เจริญนคร
Address Project : เลขที่ 366 ชั้นที่ 1 ถนนเจริญนคร แขวงสำเหร่
เขตธนบุรี กรุงเทพมหานคร 10600
Sampling Point : บ่อตรวจคุณภาพน้ำ (หลังการบำบัด)
บริเวณบ่อกักน้ำสุดท้ายก่อนปล่อยออกถนนสาธารณะหน้าโครงการ
GPS. Coordinate : 47 P 661224 E 1515812 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling


Data Provided by Laboratory

Report No. : W68057
Sample No. : W68057/2
Sample Type : Wastewater
Sampling Date : 08 November 2025
Sampling Time : 01.40 p.m.
Received Date : 09 November 2025
Analytical Date : 09 – 22 November 2025
Report Date : 24 November 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.4 °C	-	Electrometric Method (4500-H ⁺ B)	7.8	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	< 5.0	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	412	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	10.8	≤ 20
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	0.1	-
Total Kjeldahl Nitrogen *, ^{2/}	mg/L N	APHA:4500-Norg (B) ^{3/}	26	≤ 35
Sample Appearance		Yellow/Clear/Little Sediment/Odorless		

Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th edition 2023.
^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.
^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.
* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer


Customer Name : นิติบุคคลอาคารชุด ณ รีวา เจริญนคร
Project Name : โครงการ ณ รีวา เจริญนคร
Address Project : เลขที่ 366 ชั้นที่ 1 ถนนเจริญนคร แขวงลำโพง
เขตธนบุรี กรุงเทพมหานคร 10600
Sampling Point : ถังเก็บน้ำเสียก่อนการบำบัด
GPS. Coordinate : 47 P 661233 E 1515815 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W68057
Sample No. : W68057/1
Sample Type : Wastewater
Sampling Date : 09 December 2025
Sampling Time : 11.15 a.m.
Received Date : 10 December 2025
Analytical Date : 10 – 24 December 2025
Report Date : 25 December 2025

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 23.8 °C	-	Electrometric Method (4500-H ⁺ B)	7.7
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	30.3
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	302
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	89.7
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	2.1
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	0.2
Total Kjeldahl Nitrogen *, ^{2/}	mg/L	APHA:4500-Norg (B) ^{3/}	75
Sample Appearance		Yellow/Turbid/Sediment/Smelly	

- Remark**
- ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
 - ^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.
 - ^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.
 - * This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ณ รีวา เจริญนคร
Project Name : โครงการ ณ รีวา เจริญนคร
Address Project : เลขที่ 366 ชั้นที่ 1 ถนนเจริญนคร แขวงสำเหร่
เขตธนบุรี กรุงเทพมหานคร 10600
Sampling Point : บ่อตรวจคุณภาพน้ำ (หลังการบำบัด)
บริเวณบ่อกักน้ำสุดท้ายก่อนปล่อยออกถนนสาธารณะหน้าโครงการ
GPS. Coordinate : 47 P 661232 E 1515814 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W68057
Sample No. : W68057/2
Sample Type : Wastewater
Sampling Date : 09 December 2025
Sampling Time : 11.20 a.m.
Received Date : 10 December 2025
Analytical Date : 10 – 24 December 2025
Report Date : 25 December 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.3 °C	-	Electrometric Method (4500-H ⁺ B)	7.0	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	24.3	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	338	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	19.6	≤ 20
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	0.1	-
Total Kjeldahl Nitrogen *, ^{2/}	mg/L	APHA:4500-Norg (B) ^{3/}	25	≤ 35
Sample Appearance		Yellow/Turbid/Little Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024), Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

^{3/} Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 23rd edition 2017.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ภาคผนวก ง2
คุณภาพน้ำสระว่ายน้ำ



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ณ รีวา เจริญนคร
Project Name : โครงการ ณ รีวา เจริญนคร
Address Project : เลขที่ 366 ชั้นที่ 1 ถนนเจริญนคร แขวงสำเหร่
เขตธนบุรี กรุงเทพมหานคร 10600
Sampling Point : สระว่ายน้ำ
GPS. Coordinate : 47 P 661185 E 1515814 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68057
Sample No : W68057/3
Sample Type : Swimming pool Water
Sampling Date : 02 July 2025
Sampling Time : 12.19 p.m.
Received Date : 03 July 2025
Analytical Date : 03 – 15 July 2025
Report Date : 16 July 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ณ รีวา เจริญนคร
Project Name : โครงการ ณ รีวา เจริญนคร
Address Project : เลขที่ 366 ชั้นที่ 1 ถนนเจริญนคร แขวงสำเหร่
เขตธนบุรี กรุงเทพมหานคร 10600
Sampling Point : สระว่ายน้ำ
GPS. Coordinate : 47 P 661200 E 1515823 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68057
Sample No : W68057/3
Sample Type : Swimming pool Water
Sampling Date : 06 August 2025
Sampling Time : 01.48 p.m.
Received Date : 07 August 2025
Analytical Date : 07 – 15 August 2025
Report Date : 18 August 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคณาการชุด ณ รีวา เจริญนคร
Project Name : โครงการ ณ รีวา เจริญนคร
Address Project : เลขที่ 366 ชั้นที่ 1 ถนนเจริญนคร แขวงสำเหร่
เขตธนบุรี กรุงเทพมหานคร 10600
Sampling Point : สระว่ายน้ำ
GPS. Coordinate : 47 P 661197 E 1515807 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68057
Sample No : W68057/3
Sample Type : Swimming pool Water
Sampling Date : 03 September 2025
Sampling Time : 10.52 a.m.
Received Date : 04 September 2025
Analytical Date : 04 – 19 September 2025
Report Date : 22 September 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิตยบุคคลอาคารชุด ณ รีวา เจริญนคร
 Project Name : โครงการ ณ รีวา เจริญนคร
 Address Project : เลขที่ 366 ชั้นที่ 1 ถนนเจริญนคร แขวงสำเหร่
 เขตธนบุรี กรุงเทพมหานคร 10600
 Sampling Point : สระว่ายน้ำ
 GPS. Coordinate : 47 P 661201 E 1515816 N
 Sampling By : TNP ENVIRONMENT CO., LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68057
 Sample No : W68057/3
 Sample Type : Swimming pool Water
 Sampling Date : 07 October 2025
 Sampling Time : 09.45 a.m.
 Received Date : 08 October 2025
 Analytical Date : 08 – 21 October 2025
 Report Date : 22 October 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิตติบุคคลอาคารชุด ณ รีวา เจริญนคร
Project Name : โครงการ ณ รีวา เจริญนคร
Address Project : เลขที่ 366 ชั้นที่ 1 ถนนเจริญนคร แขวงสำเหร่
เขตธนบุรี กรุงเทพมหานคร 10600
Sampling Point : สระว่ายน้ำ
GPS. Coordinate : 47 P 661188 E 1515729 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W68057
Sample No : W68057/3
Sample Type : Swimming pool Water
Sampling Date : 08 November 2025
Sampling Time : 01.45 p.m.
Received Date : 09 November 2025
Analytical Date : 09 – 22 November 2025
Report Date : 24 November 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบুদ্ধอาคารชุด ณ รีวา เจริญนคร
 Project Name : โครงการ ณ รีวา เจริญนคร
 Address Project : เลขที่ 366 ชั้นที่ 1 ถนนเจริญนคร แขวงสำเหร่
 เขตธนบุรี กรุงเทพมหานคร 10600
 Sampling Point : สระว่ายน้ำ
 GPS. Coordinate : 47 P 661172 E 1515748 N
 Sampling By : TNP ENVIRONMENT CO., LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W68057
 Sample No : W68057/3
 Sample Type : Swimming pool Water
 Sampling Date : 09 December 2025
 Sampling Time : 11.10 a.m.
 Received Date : 10 December 2025
 Analytical Date : 10 – 23 December 2025
 Report Date : 24 December 2025

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

