

เอกสารแนบ 16
ผลการสำรวจความคิดเห็นปี 2568

การสำรวจทัศนคติของประชาชนที่มีต่อโครงการ

MM-S21

ข้อมูล	ตำบลทุ่งใหญ่										ตำบลทุ่งสัง				ตำบลตำพรอมรา				รวมทั้งหมด					
	ม.2 บ้านหนองใหญ่		ม.3 บ้านนาใหญ่		ม.4 บ้านตาราง		ม.5 บ้านหัวรีบน		ม.7 บ้านทับควาย		ม.9 บ้านไร่ยาว		ม.10 บ้านชนบทใหญ่		ม.5 บ้านภูเขาหลัก		ม.6 บ้านทุ่งสมอ				ม.6 บ้านคดอรา		ม.7 บ้านโพธิ์ประสิทธิ์	
	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ			จำนวน	ร้อยละ	จำนวน	ร้อยละ
1.สถานภาพในหมู่บ้าน - ผู้ใหญ่บ้าน - สมาชิก อบต. - ผู้ช่วยผู้ใหญ่บ้าน - กรรมการหมู่บ้าน - เจ้าหน้าที่ราชการ - เจ้าหน้าที่สาธารณสุข - ผู้นำศาสนา - อาจารย์/ครู ประจำโรงเรียน - ประชาชน - อื่นๆ	1	6.7	1	16.7	1	0.9	1	1.2	1	2.2	1	2.3	1	3.2	1	50.0	1	25.0	1	33.3	1	25.0	11	3.2
	1	6.7	1	16.7	1	0.9	1	1.2	1	2.2	1	2.3	2	6.5	0	0.0	1	25.0	1	33.3	1	25.0	11	3.2
	1	6.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3
	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	4.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	0.6
	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	0	0.0	0	0.0	1	0.9	1	1.2	1	2.2	2	4.7	1	3.2	1	50.0	0	0.0	1	33.3	0	0.0	8	2.3
	0	0.0	1	16.7	2	1.8	0	0.0	1	2.2	0	0.0	1	3.2	0	0.0	0	0.0	0	0.0	0	0.0	5	1.4
	0	0.0	1	16.7	2	1.8	3	3.6	1	2.2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	7	2.0
	12	80.0	2	33.3	103	93.6	78	92.9	41	89.1	37	86.0	26	83.9	0	0.0	2	50.0	0	0.0	2	50.0	303	87.1
	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
รวม	15	100	6	100.0	110	100	84	100	46	100	43	100	31	100	2	100	4	100	3	100	4	100	348	100.0
2 เขต																								
- ชาย	10	66.7	3	50.0	42	38.2	32	38.1	22	47.8	3	7.0	6	19.4	1	50.0	1	25.0	0	0.0	3	75.0	123	35.3
- หญิง	5	33.3	3	50.0	68	61.8	52	61.9	24	52.2	40	93.0	25	80.6	1	50.0	3	75.0	3	100.0	1	25.0	225	64.7
รวม	15	100.0	6	100.0	110	100.0	84	100.0	66	100.0	43	100.0	31	100.0	2	100.0	4	100.0	3	100.0	4	100.0	348	100.0
3 อายุ																								
- ช่วงอายุน้อยกว่า 20 ปี	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
- ช่วงอายุ 20-30 ปี	0	0.0	0	0.0	0	0.0	0	0.0	4	8.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4	1.1
- ช่วงอายุ 31-40 ปี	3	20.0	1	16.7	5	4.5	10	11.9	8	17.4	0	0.0	7	22.6	0	0.0	0	0.0	1	33.3	2	50.0	37	10.6
- ช่วงอายุ 41-50 ปี	7	46.7	0	0.0	13	11.8	7	8.3	6	13.0	4	9.3	15	48.4	0	0.0	2	50.0	0	0.0	2	50.0	56	16.1
- ช่วงอายุ 51-60 ปี	4	26.7	3	50.0	38	34.5	42	50.0	23	50.0	19	44.2	6	19.4	1	50.0	1	25.0	1	33.3	0	0.0	138	39.7
- ช่วงอายุ 61 ปีขึ้นไป	1	6.7	2	33.3	54	49.1	25	29.8	5	10.9	20	46.5	3	9.7	1	50.0	1	25.0	1	33.3	0	0.0	113	32.5
รวม	15	100.0	6	100.0	110	100.0	84	100.0	46	100.0	43	100.0	31	100.0	2	100.0	4	100.0	3	100.0	4	100.0	348	100.0

การสำรวจทัศนคติของประชาชนที่มีต่อโครงการ (ต่อ)

ข้อมูล	ตำบลทุ่งใหญ่												ตำบลทุ่งสัง				ตำบลลำพรดรา				รวมทั้งหมด	
	ม.2 บ้านหนองใหญ่		ม.3 บ้านนาใหญ่		ม.4 บ้านดารา		ม.5 บ้านห้วยรีน		ม.7 บ้านทับควาย		ม.9 บ้านไผ่ขาว		ม.10 บ้านชนบทใหญ่		ม.5 บ้านภูเขาหลัก		ม.6 บ้านทุ่งเสมอ		ม.6 บ้านเตอร่า		ม.7 บ้านโพธิ์ประสิทธิ์	
	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ
4 อชีพหลักของหมู่บ้านปัจจุบัน																						
- การเกษตร	0	0.0	0	0.0	83	75.5	58	69.0	26	56.5	28	65.1	21	67.7	0	0.0	4	100.0	2	66.7	2	50.0
- ค้าขาย	0	0.0	0	0.0	2	1.8	0	0.0	0	0.0	0	0.0	1	3.2	0	0.0	0	0.0	1	33.3	1	25.0
- ประกอบธุรกิจส่วนตัว	0	0.0	0	0.0	0	0.0	0	0.0	2	4.3	0	0.0	1	3.2	0	0.0	0	0.0	0	0.0	0	0.0
- รับจ้างทั่วไป	10	66.7	5	83.3	21	19.1	22	26.2	12	26.1	11	25.6	8	25.8	0	0.0	0	0.0	0	0.0	1	25.0
- พนักงานเอกชน	3	20.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
- รับราชการ/รัฐวิสาหกิจ	0	0.0	1	16.7	2	1.8	2	2.4	2	4.3	1	2.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
- ไม่ได้ประกอบอาชีพ/แม่บ้าน	2	13.3	0	0.0	2	1.8	2	2.4	4	8.7	3	7.0	0	0.0	2	100.0	0	0.0	0	0.0	0	0.0
- อื่นๆ	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
รวม	15	100.0	6	100.0	110	100.0	84	100.0	46	100.0	43	100.0	31	100.0	2	100.0	4	100.0	3	100.0	4	100.0
5. ท่านหรือสมาชิกในครัวเรือนของท่านเป็นพนักงานทำงานภายในเมืองหรือไม่																						
- เป็นพนักงาน	0	0.0	0	0.0	2	1.8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
- ไม่เป็นพนักงาน	15	100.0	6	100.0	108	98.2	84	100.0	46	100.0	43	100.0	31	100.0	2	100.0	4	100.0	3	100.0	4	100.0
รวม	15	100.0	6	100.0	110	100.0	84	100.0	46	100.0	43	100.0	31	100.0	2	100.0	4	100.0	3	100.0	4	100.0
6.ท่านมีความวิตกกังวลในการทำเหมืองแร่ ของบริษัท บี.เอส.ไนน์ (2003) จำกัด หรือไม่																						
- ไม่วิตกกังวล	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
- วิตกกังวล	15	100.0	6	100.0	110	100.0	84	100.0	46	100.0	43	100.0	31	100.0	2	100.0	4	100.0	3	100.0	4	100.0
รวม	15.0	100.0	6.0	100.0	110.0	100.0	84.0	100.0	46.0	100.0	43.0	100.0	31.0	100.0	2.0	100.0	4.0	100.0	3.0	100.0	4.0	100.0
7. ท่านเคยได้รับผลกระทบจากกิจกรรมการทำเหมืองแร่ ของบริษัท บี.เอส.ไนน์ (2003) จำกัด หรือไม่																						
- เคย	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
- ไม่เคย	15	100.0	6	100.0	110	100.0	84	100.0	46	100.0	43	100.0	31	100.0	2	100.0	4	100.0	3	100.0	4	100.0
รวม	15	100.0	6	100.0	110	100.0	84	100.0	46	100.0	43	100.0	31	100.0	2	100.0	4	100.0	3	100.0	4	100.0
8. ผลกระทบ																						
1. แรงสั่นสะเทือน																						
น้อยที่สุด	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
น้อย	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
ปานกลาง	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
มาก	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
มากที่สุด	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

การสำรวจทัศนคติของประชาชนที่มีต่อโครงการ (ต่อ)

ข้อมูล	ตำบลทุ่งใหญ่										ตำบลทุ่งสัง				ตำบลถ้ำพรหมรา				รวมทั้งหมด					
	ม.2 บ้านหนองใหญ่		ม.3 บ้านนาใหญ่		ม.4 บ้านตาราง		ม.5 บ้านหัวรีน		ม.7 บ้านทับควาย		ม.9 บ้านไผ่ขาว		ม.10 บ้านชนบทใหญ่		ม.6 บ้านทุ่งเสมอ		ม.5 บ้านภูเขาหลัก				ม.6 บ้านคลองรา		ม.7 บ้านโพธิ์ประสิทธิ์	
	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ
2. ผู้เฒ่าของ	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	น้อยที่สุด																							
	น้อย																							
	ปานกลาง																							
	มาก																							
3. คนหนุ่ม	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	น้อยที่สุด																							
	น้อย																							
	ปานกลาง																							
	มาก																							
4. เสียงรบกวน	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	น้อยที่สุด																							
	น้อย																							
	ปานกลาง																							
	มาก																							
5. แหล่งน้ำ	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	น้อยที่สุด																							
	น้อย																							
	ปานกลาง																							
	มาก																							
6. อื่นๆ	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	น้อยที่สุด																							
	น้อย																							
	ปานกลาง																							
	มาก																							

การสำรวจทัศนคติของประชาชนที่มีต่อโครงการ (ต่อ)

MM-S21

ข้อมูล	ตำบลทุ่งใหญ่												ตำบลทุ่งสัง						ตำบลตำพรณรา				รวมทั้งหมด	
	ม.2 บ้านหนองใหญ่		ม.3 บ้านนาใหญ่		ม.4 บ้านตาราง		ม.5 บ้านหัวรีม		ม.7 บ้านทับควาย		ม.9 บ้านไร่ขาว		ม.10 บ้านชนนาใหญ่		ม.5 บ้านภูเขาหลัก		ม.6 บ้านทุ่งเสมอ		ม.6 บ้านเตอร่า		ม.7 บ้านโพธิ์ประสิทธิ์			
	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ		
มากที่สุด	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
ท่านได้แจ้งเรื่องนี้ให้ทางโครงการทราบหรือไม่																								
- ไม่แจ้ง	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00		
- แจ้ง	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00		
รวม	0	0	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9.ท่านคิดว่าการทำงานนี้เองแต่ที่ผ่านมาของบริษัท บี.เอส.ไนนิ่ง (2003) จำกัด ก่อให้เกิดผลดี/ผลเสียอย่างไร																								
ผลดี	13	86.7	6	100.0	110	100.0	1	1.2	40	87.0	36	83.7	31	100.0	2	100.0	4	100.0	3	100.0	2	50.0	248	71.3
	0	0.0	2	33.3	52	47.3	2	2.4	0	0.0	8	18.6	6	19.4	2	100.0	3	75.0	3	100.0	2	50.0	80	23.0
	13	86.7	0	0.0	0	0.0	0	0.0	16	34.8	16	37.2	0	0.0	2	100.0	2	50.0	0	0.0	0	0.0	49	14.1
	2	13.3	3	50.0	2	1.8	12	14.3	19	41.3	2	4.7	15	48.4	0	0.0	0	0.0	0	0.0	4	100.0	59	17.0
	2	13.3	3	50.0	8	7.3	1	1.2	0	0.0	0	0.0	6	19.4	0	0.0	1	25.0	0	0.0	4	100.0	25	7.2
	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
ผลเสีย																								
	1.	ปัญหาน้ำเสีย	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0
	2.	ปัญหามลพิษลอย	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0
	3.	ปัญหาน้ำท่วม	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0
	4.	ปัญหาล้างคัง	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0
	5.	ปัญหามูละของ	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0
	6.	ปัญหามรณะเชื้อบน/แผ่นดินไหว	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0
	7.	ปัญหาคาใจไม้/บหลังน้ำ	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0
	8.	เกิดอุบัติเหตุด้านคมนาคมได้ง่าย	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0
9.	อื่นๆ	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0	
การดำเนินงานที่ผ่านมาของบริษัท บี.เอส.ไนนิ่ง (2003) จำกัด มีการดำเนินการดังต่อไปนี้หรือไม่																								
1.1 การดำเนินงานตามมาตรฐานด้านสังคม																								
(1) มีกล่อมเสียดความคิดเห็นและจุดรับเรื่องร้องทุกข์ความเดือดร้อนของประชาชนบริเวณสำนักงาน และหมู่ที่ 4 บ้านตาราง																								
- มี	15	100.0	6	100.0	110	100.0	84	100.0	46	100.0	43	100.0	31	100.0	2	100.0	4	100.0	3	100.0	4	100.0	348	100.0
-ไม่มี	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

การสำรวจทัศนคติของประชาชนที่มีต่อโครงการ (ต่อ)

MM-S21

ข้อมูล	ตำบลทุ่งใหญ่										ตำบลทุ่งสัง				ตำบลถ้ำพรณรา				รวมทั้งหมด				
	ม.2 บ้านหนองใหญ่		ม.3 บ้านนาใหญ่		ม.4 บ้านตาราง		ม.5 บ้านหัวรีน		ม.7 บ้านทับควาย		ม.9 บ้านไผ่ขาว		ม.10 บ้านชนนาใหญ่		ม.5 บ้านภูเขาหลัก		ม.6 บ้านคลองรา				ม.7 บ้านโพธิ์ประสิทธิ์		
	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	จำนวน	ร้อยละ	
(2) การสนับสนุนกิจกรรมต่างๆของชุมชน เช่น สนับสนุนงบประมาณให้วัด โรงเรียน หมู่บ้าน เป็นต้น	มี	15	100.0	6	100.0	110	100.0	84	100.0	46	100.0	43	100.0	31	100.0	2	100.0	4	100.0	3	100.0	348	100.0
	ไม่มี	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	(3) พิจารณาจ้างแรงงานในท้องถิ่นเป็นหลัก	มี	15	100.0	6	100.0	110	100.0	84	100.0	46	100.0	43	100.0	31	100.0	2	100.0	4	100.0	3	100.0	348
(4) การประชาสัมพันธ์การทำเหมืองโครงการ	มี	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	ไม่มี	15	100.0	6	100.0	110	100.0	84	100.0	46	100.0	43	100.0	31	100.0	2	100.0	4	100.0	3	100.0	348	100.0
	(5) จัดทำป้ายเตือนเวลาระเบิดและเปิดสัญญาณเตือนก่อนการเปิดทุกครั้ง	มี	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
(3) ควบคุมรถทุกให้ระมัดระวังบริเวณทางแยกสี่ทางเข้า-ออกโครงการและจัดทำป้ายเตือนเส้นทางให้ระมัดระวังรถทุก	มี	15	100.0	6	100.0	110	100.0	84	100.0	46	100.0	43	100.0	31	100.0	2	100.0	4	100.0	3	100.0	348	100.0
	ไม่มี	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	(4) ปรับปรุงรักษาสภาพเส้นทางทางขนส่งแร่ให้อยู่ในสภาพดีเสมอ	มี	15	100.0	6	100.0	110	100.0	84	100.0	46	100.0	43	100.0	31	100.0	2	100.0	4	100.0	3	100.0	348
(5) จัดทำป้ายเตือนเวลาระเบิดและเปิดสัญญาณเตือนก่อนการเปิดทุกครั้ง	มี	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	ไม่มี	15	100.0	6	100.0	110	100.0	84	100.0	46	100.0	43	100.0	31	100.0	2	100.0	4	100.0	3	100.0	348	100.0
	(6) ปฏิบัติไม่ตามเส้นทางขนส่งแร่เพื่อเป็นแนวกันการฟุ้งกระจายของฝุ่น	มี	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
(6) ปฏิบัติไม่ตามเส้นทางขนส่งแร่เพื่อเป็นแนวกันการฟุ้งกระจายของฝุ่น	มี	15	100.0	6	100.0	110	100.0	84	100.0	46	100.0	43	100.0	31	100.0	2	100.0	4	100.0	3	100.0	348	100.0
	ไม่มี	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	(7) ยึดหมอนบริเวณเส้นทางภายในพื้นที่หน้าเหมืองและเส้นทางขนส่งแร่ของโครงการ	มี	15	100.0	6	100.0	110	100.0	84	100.0	46	100.0	43	100.0	31	100.0	2	100.0	4	100.0	3	100.0	348
(7) ยึดหมอนบริเวณเส้นทางภายในพื้นที่หน้าเหมืองและเส้นทางขนส่งแร่ของโครงการ	ไม่มี	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	มี	15	100.0	6	100.0	110	100.0	84	100.0	46	100.0	43	100.0	31	100.0	2	100.0	4	100.0	3	100.0	348	100.0
(7) ยึดหมอนบริเวณเส้นทางภายในพื้นที่หน้าเหมืองและเส้นทางขนส่งแร่ของโครงการ	ไม่มี	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

4-S21

16

เอกสารแบบ 17
หนังสือรับรองผลการตรวจวัดคุณภาพสิ่งแวดล้อม



บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านกลางกรุง บิซทาวน์ ซอยศรีนครินทร์ 46/1 (ปรางโหม่) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507

5/45 Baan Klang Krung Blz Town, Sol Srlnagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT

ชื่อลูกค้า : โครงการท่าเหมืองชนิดแร่ปิซัมและแอนไฮไดรต์ของ บริษัท บี.เอส.ไมนิ่ง (2003) จำกัด ประทานบัตรที่ 33155/16497 ร่วม
โครงการท่าเหมืองเดียวกันกับบริษัท สูดมิน จำกัด ประทานบัตรที่ 33154/16452, บริษัท แอล.เอส.ไมนิ่ง จำกัด ประทานบัตรที่
33119/16127 และบริษัท ยูนิโสม จำกัด ประทานบัตรที่ 33121/16128

ที่อยู่ : หมู่ที่ 4 ตำบลทุ่งใหญ่ อำเภอทุ่งใหญ่ จังหวัดนครศรีธรรมราช

จุดเก็บตัวอย่าง : บ้านตารางทางทิศเหนือ

เครื่องมือที่ใช้ตรวจวัด : TSP-02, PM10-05

วันเดือนปีที่เก็บตัวอย่าง : 18-21/10/2568

ประเภทตัวอย่าง : อากาศ

รุ่นของเครื่องมือตรวจวิเคราะห์ : High Volume

วันที่ตรวจรับรอง : 18/10/2568

ตำแหน่งพิกัด : UTM 47 N 543490 E, 925740 N

วันเดือนปีที่วิเคราะห์ : 24-29/10/2568

วันเดือนปีที่รายงานผล : 30/10/2568

รุ่นของอุปกรณ์สอบเทียบ : G25A

วันหมดอายุการสอบเทียบ : 30/06/2569

รหัสลูกค้า : JM-099-00

ดัชนีที่วิเคราะห์	วันที่ทำการเก็บตัวอย่าง	วิธีวิเคราะห์	หน่วย	ผลการวิเคราะห์	ค่ามาตรฐาน ¹⁾
TSP	18-19/10/2568	US.EPA 40 CFR 50, Appendix B	mg/m ³	0.039	0.330
	19-20/10/2568	US.EPA 40 CFR 50, Appendix B	mg/m ³	0.029	
	20-21/10/2568	US.EPA 40 CFR 50, Appendix B	mg/m ³	0.019	
PM10	18-19/10/2568	US.EPA 40 CFR 50, Appendix J	mg/m ³	0.013	0.120
	19-20/10/2568	US.EPA 40 CFR 50, Appendix J	mg/m ³	0.005	
	20-21/10/2568	US.EPA 40 CFR 50, Appendix J	mg/m ³	0.006	

หมายเหตุ :¹⁾ ค่ามาตรฐาน ตามประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 24 (พ.ศ. 2547) เรื่องกำหนดมาตรฐานคุณภาพอากาศในบรรยากาศโดยทั่วไป

TSP: ฝุ่นละอองรวม เฉลี่ย 24 ชั่วโมง

PM-10: ฝุ่นละอองขนาดเล็กกว่า 10 ไมครอน เฉลี่ย 24 ชั่วโมง

Analyst

ว-301-จ-0005

Laboratory Supervisor

ว-301-ค-0003





บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านกลางกรุง ปิซทาวน์ ซอยศรีนครินทร์ 46/1 (ปราโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507

5/45 Baan Klang Krung Blz Town, Sol Srlnagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT

ชื่อลูกค้า : โครงการท่าเหมืองชนิดแร่ยิปซัมและแอนไฮไดรต์ของ บริษัท บี.เอส.ไมนิ่ง (2003) จำกัด ประทานบัตรที่ 33155/16497 ร่วม
โครงการท่าเหมืองเดียวกันกับบริษัท สูดมิน จำกัด ประทานบัตรที่ 33154/16452, บริษัท แอล.เอส.ไมนิ่ง จำกัด ประทานบัตรที่
33119/16127 และบริษัท ยูนิโสม จำกัด ประทานบัตรที่ 33121/16128

ที่อยู่ : หมู่ที่ 4 ตำบลทุ่งใหญ่ อำเภอทุ่งใหญ่ จังหวัดนครศรีธรรมราช

จุดเก็บตัวอย่าง : โรงเรียนวัดขนาน

เครื่องมือที่ใช้ตรวจวัด : TSP-03, PM10-02

วันเดือนปีที่เก็บตัวอย่าง : 18-21/10/2568

ประเภทตัวอย่าง : อากาศ

รุ่นของเครื่องมือตรวจวิเคราะห์ : High Volume

วันที่ตรวจรับรอง : 18/10/2568

ตำแหน่งพิกัด : UTM 47 N 545262 E, 926040 N

วันเดือนปีที่วิเคราะห์ : 24-29/10/2568

วันเดือนปีที่รายงานผล : 30/10/2568

รุ่นของอุปกรณ์สอบเทียบ : G25A

วันหมดอายุการสอบเทียบ : 30/06/2569

รหัสลูกค้า : JM-099-00

ดัชนีที่วิเคราะห์	วันที่ทำการเก็บตัวอย่าง	วิธีวิเคราะห์	หน่วย	ผลการวิเคราะห์	ค่ามาตรฐาน ¹⁾
TSP	18-19/10/2568	US.EPA 40 CFR 50, Appendix B	mg/m ³	0.023	0.330
	19-20/10/2568	US.EPA 40 CFR 50, Appendix B	mg/m ³	0.023	
	20-21/10/2568	US.EPA 40 CFR 50, Appendix B	mg/m ³	0.022	
PM10	18-19/10/2568	US.EPA 40 CFR 50, Appendix J	mg/m ³	0.011	0.120
	19-20/10/2568	US.EPA 40 CFR 50, Appendix J	mg/m ³	0.014	
	20-21/10/2568	US.EPA 40 CFR 50, Appendix J	mg/m ³	0.010	

หมายเหตุ :¹⁾ ค่ามาตรฐาน ตามประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 24 (พ.ศ. 2547) เรื่องกำหนดมาตรฐานคุณภาพอากาศในบรรยากาศโดยทั่วไป

TSP: ฝุ่นละอองรวม เฉลี่ย 24 ชั่วโมง

PM-10: ฝุ่นละอองขนาดเล็กกว่า 10 ไมครอน เฉลี่ย 24 ชั่วโมง

Analyst

ว-301-จ-0005

Laboratory Supervisor

ว-301-ค-0003





บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านกลางกรุง บิซทาวน์ ซอยศรีนครินทร์ 46/1 (ปราโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507

5/45 Baan Klang Krung Blz Town, Sol Srinagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT

ชื่อลูกค้า : โครงการทำเหมืองชนิดแร่บิซซึ่มและแอนไฮไดรต์ของ บริษัท บี.เอส.ไมนิ่ง (2003) จำกัด ประทานบัตรที่ 33155/16497 ร่วม
โครงการทำเหมืองเดียวกันกับบริษัท สูดมิน จำกัด ประทานบัตรที่ 33154/16452, บริษัท แอล.เอส.ไมนิ่ง จำกัด ประทานบัตรที่
33119/16127 และบริษัท ยูนิโสม จำกัด ประทานบัตรที่ 33121/16128

ที่อยู่ : หมู่ที่ 4 ตำบลทุ่งใหญ่ อำเภอทุ่งใหญ่ จังหวัดนครศรีธรรมราช

จุดเก็บตัวอย่าง : รพ.สต. บ้านทุ่งใหญ่ (ทุ่งแค)

เครื่องมือที่ใช้ตรวจวัด : TSP-05, PM10-03

วันเดือนปีที่เก็บตัวอย่าง : 18-21/10/2568

ประเภทตัวอย่าง : อากาศ

รุ่นของเครื่องมือตรวจวิเคราะห์ : High Volume

วันที่ตรวจรับรอง : 18/10/2568

ตำแหน่งพิกัด : UTM 47 N 543855 E, 924469 N

วันเดือนปีที่วิเคราะห์ : 24-29/10/2568

วันเดือนปีที่รายงานผล : 30/10/2568

รุ่นของอุปกรณ์สอบเทียบ : G25A

วันหมดอายุการสอบเทียบ : 30/06/2569

รหัสลูกค้า : JM-099-00

ดัชนีที่วิเคราะห์	วันที่ทำการเก็บตัวอย่าง	วิธีวิเคราะห์	หน่วย	ผลการวิเคราะห์	ค่ามาตรฐาน ¹⁾
TSP	18-19/10/2568	US.EPA 40 CFR 50, Appendix B	mg/m ³	0.019	0.330
	19-20/10/2568	US.EPA 40 CFR 50, Appendix B	mg/m ³	0.016	
	20-21/10/2568	US.EPA 40 CFR 50, Appendix B	mg/m ³	0.020	
PM10	18-19/10/2568	US.EPA 40 CFR 50, Appendix J	mg/m ³	0.015	0.120
	19-20/10/2568	US.EPA 40 CFR 50, Appendix J	mg/m ³	0.011	
	20-21/10/2568	US.EPA 40 CFR 50, Appendix J	mg/m ³	0.018	

หมายเหตุ : ¹⁾ ค่ามาตรฐาน ตามประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 24 (พ.ศ. 2547) เรื่องกำหนดมาตรฐานคุณภาพอากาศในบรรยากาศโดยทั่วไป

TSP: ผุ่นละของรวมเฉลี่ย 24 ชั่วโมง

PM-10: ผุ่นละของขนาดเล็กกว่า 10 ไมครอน เฉลี่ย 24 ชั่วโมง

Analyst

ว-301-จ-0005

Laboratory Supervisor

ว-301-ค-0003





บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านกลางกรุง ปิชาทวน ซอยศรีนครินทร์ 46/1 (ปราโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507

5/45 Baan Klang Krung Blz Town, Sol Srnagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT

ชื่อลูกค้า : โครงการท่าเรือขมิ้นและแอมไฮโดรค็อกซ์ บริษัท บี.เอส.ไมนิ่ง (2003) จำกัด ประทานบัตรที่ 33155/16497
 ร่วมแผนผังโครงการท่าเรือเดียวกันกับบริษัท สูดมิน จำกัด ประทานบัตรที่ 33154/16452, บริษัท แอล.เอส.ไมนิ่ง จำกัด
 ประทานบัตรที่ 33119/16127 และบริษัท ยูนิโอม จำกัด ประทานบัตรที่ 33121/16128

ที่อยู่ : หมู่ที่ 4 ตำบลทุ่งใหญ่ อำเภอทุ่งใหญ่ จังหวัดนครศรีธรรมราช

จุดเก็บตัวอย่าง : โรงเรียนวัดขนาน

เครื่องมือที่ใช้ตรวจวัด : Symphonie S/N: 309013229

วันเดือนปีที่เก็บตัวอย่าง : 18-21/10/2568

ประเภทตัวอย่าง : ความเร็วลมและทิศทางลม

ตำแหน่งพิกัด : UTM 47 P 545262 E, 926040 N

วันเดือนปีที่วิเคราะห์ : 28/10/2568

วันเดือนปีที่รายงานผล : 28/10/2568

รหัสลูกค้า : JM-099-00

เวลา	ผลการตรวจวัดทิศทางลมและความเร็วลมเฉลี่ยรายชั่วโมง					
	18 - 19 ตุลาคม 2568		19 - 20 ตุลาคม 2568		20 - 21 ตุลาคม 2568	
	ความเร็วลม (m/s)	ทิศทางลม	ความเร็วลม (m/s)	ทิศทางลม	ความเร็วลม (m/s)	ทิศทางลม
10:00-11:00 น.	0.7	SW	0.6	SSW	0.5	SW
11:00-12:00 น.	0.7	SSE	0.6	SSW	1.2	S
12:00-13:00 น.	0.5	SE	0.6	NW	2.8	S
13:00-14:00 น.	0.5	ESE	0.6	SSE	0.5	S
14:00-15:00 น.	0.5	ESE	N/A	N/A	0.5	S
15:00-16:00 น.	0.5	SE	0.5	S	N/A	N/A
16:00-17:00 น.	0.5	WNW	0.7	S	N/A	N/A
17:00-18:00 น.	N/A	N/A	0.8	SSW	N/A	N/A
18:00-19:00 น.	N/A	N/A	N/A	N/A	N/A	N/A
19:00-20:00 น.	N/A	N/A	N/A	N/A	N/A	N/A
20:00-21:00 น.	N/A	N/A	N/A	N/A	N/A	N/A
21:00-22:00 น.	N/A	N/A	N/A	N/A	N/A	N/A
22:00-23:00 น.	N/A	N/A	N/A	N/A	N/A	N/A
23:00-00:00 น.	N/A	N/A	N/A	N/A	N/A	N/A
00:00-01:00 น.	N/A	N/A	N/A	N/A	N/A	N/A
01:00-02:00 น.	N/A	N/A	N/A	N/A	N/A	N/A
02:00-03:00 น.	N/A	N/A	N/A	N/A	N/A	N/A
03:00-04:00 น.	N/A	N/A	N/A	N/A	N/A	N/A
04:00-05:00 น.	N/A	N/A	N/A	N/A	N/A	N/A
05:00-06:00 น.	N/A	N/A	N/A	N/A	N/A	N/A
06:00-07:00 น.	N/A	N/A	N/A	N/A	N/A	N/A
07:00-08:00 น.	N/A	N/A	N/A	N/A	N/A	N/A
08:00-09:00 น.	0.7	SW	N/A	N/A	0.5	SSW
09:00-10:00 น.	1.0	W	N/A	N/A	0.8	S
Wind Rose						

หมายเหตุ : N/A หมายถึง ลมสงบ

Field Environmental Scientist Leader

Manager





บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านกลางกรุง ปิฆทาวน์ ซอยศรีนครินทร์ 46/1 (ปรางโหมย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507

5/45 Baan Klang Krung Blz Town, Sol Srirangarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT

ชื่อลูกค้า : โครงการท่าเรือเมืองชนิดเรือข้ามและแวนไฮโดรตอร์ของ บริษัท บี.เอส.โมบิลิตี้ (2003) จำกัด ประทานบัตรที่ 33155/16497
รวมแผนผังโครงการท่าเรือเมืองเดียวกันกับบริษัท สูดมิน จำกัด ประทานบัตรที่ 33154/16452, บริษัท แอล.เอส.โมบิลิตี้ จำกัด
ประทานบัตรที่ 33119/16127 และบริษัท ยูนิโอม จำกัด ประทานบัตรที่ 33121/16128

ที่อยู่ : หมู่ที่ 4 ตำบลทุ่งใหญ่ อำเภอทุ่งใหญ่ จังหวัดนครศรีธรรมราช

จุดเก็บตัวอย่าง : โรงเรียนวัดขนาน

เครื่องมือที่ใช้ตรวจวัด : Symphonie S/N: 309013229

วันเดือนปีที่เก็บตัวอย่าง : 18-21/10/2568


ประเภทตัวอย่าง : ความเร็วลมและทิศทางลม

ตำแหน่งที่วัด : UTM 47 P 545262 E, 926040 N

วันเดือนปีที่วิเคราะห์ : 28/10/2568

วันเดือนปีที่รายงานผล : 28/10/2568

รหัสลูกค้า : JM-099-00



ข้อสรุปผลการตรวจวัด : ลมส่วนใหญ่เป็นลมพัดมาจากทิศใต้ โดยมีความเร็วลมเฉลี่ยส่วนใหญ่อยู่ในช่วงระหว่าง 0.50 - 1.00 เมตรต่อวินาที

Field Environmental Scientist Leader

Manager



บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านบางกลางท่ง บิซทาวน์ ซอยศรีนครินทร์ 46/1 (ปรางโหม) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507

5/45 Baan Klang Krung Blz Town, Sol Srinagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT

ชื่อลูกค้า : โครงการท่าเรือขนส่งสินค้าและแอมโคโนดอร์ของ บริษัท บี.เอส.เอ็ม. (2003) จำกัด ประทานบัตรที่ 33155/16497
ร่วมแผนผังโครงการท่าเรือขนส่งสินค้าและแอมโคโนดอร์ของ บริษัท สูดมิน จำกัด ประทานบัตรที่ 33154/16452, บริษัท แอล.เอส.เอ็ม. จำกัด
ประทานบัตรที่ 33119/16127 และบริษัท ยูนิโสม จำกัด ประทานบัตรที่ 33121/16128
ที่อยู่ : หมู่ที่ 4 ตำบลทุ่งใหญ่ อำเภอทุ่งใหญ่ จังหวัดนครศรีธรรมราช
จุดเก็บตัวอย่าง : โรงเรียนวัดขนาน
เครื่องมือที่ใช้ตรวจวัด : Sound Level Meter
วันเดือนปีที่เก็บตัวอย่าง : 18-21/10/2568
ประเภทตัวอย่าง : ระดับเสียง
รุ่นของเครื่องมือตรวจวัด : BSWA 309 S/N: 590113
วันที่ตรวจรับรอง : 18/10/2568
ค่าที่อ่านได้จากเครื่องวัดเสียง : 94.0 dB/1,000 Hz
ตำแหน่งที่วัด : UTM 47 P 545251 E, 926052 N
วันเดือนปีที่วิเคราะห์ : 28/10/2568
วันเดือนปีที่รายงานผล : 28/10/2568
รุ่นของอุปกรณ์สอบเทียบ : CA111
เลขที่เอกสารสอบเทียบ : C2409-0836
ระดับเสียงในการสอบเทียบ : 94.0 dB/1,000 Hz
รหัสลูกค้า : JM-099-00

เวลา	ค่าระดับเสียงเฉลี่ย (Equivalent Sound Pressure Level) (dBA)					
	18 - 19 ตุลาคม 2568		19 - 20 ตุลาคม 2568		20 - 21 ตุลาคม 2568	
	L _{eq 1 hr.}	L _{max}	L _{eq 1 hr.}	L _{max}	L _{eq 1 hr.}	L _{max}
09:30-10:30 น.	50.6	84.6	48.8	78.7	38.5	69.8
10:30-11:30 น.	49.3	68.0	48.1	69.1	45.4	68.7
11:30-12:30 น.	48.4	69.5	48.0	68.7	48.1	66.3
12:30-13:30 น.	48.4	72.0	49.0	68.8	48.6	68.7
13:30-14:30 น.	51.1	73.6	52.6	74.1	51.9	77.0
14:30-15:30 น.	57.8	77.4	48.5	65.4	59.3	74.9
15:30-16:30 น.	50.0	71.5	50.8	73.6	56.4	76.7
16:30-17:30 น.	50.9	69.8	50.6	67.1	49.9	70.4
17:30-18:30 น.	52.6	81.9	59.6	81.1	51.2	82.4
18:30-19:30 น.	53.4	60.6	52.4	64.9	53.7	63.0
19:30-20:30 น.	51.7	58.6	53.9	70.1	52.9	62.9
20:30-21:30 น.	49.0	56.8	50.7	61.7	55.3	64.9
21:30-22:30 น.	49.5	56.3	50.3	56.9	58.2	81.4
22:30-23:30 น.	49.5	59.7	51.0	57.4	58.9	83.1
23:30-00:30 น.	49.6	56.0	49.7	56.6	56.2	82.4
00:30-01:30 น.	49.0	58.0	49.4	60.4	58.4	81.5
01:30-02:30 น.	48.9	58.1	50.6	58.3	57.3	64.6
02:30-03:30 น.	50.1	69.8	50.6	60.7	53.8	64.7
03:30-04:30 น.	51.3	70.8	50.5	64.8	48.4	66.7
04:30-05:30 น.	52.4	74.7	49.5	56.3	49.9	62.3
05:30-06:30 น.	53.2	76.0	50.5	77.1	52.5	70.4
06:30-07:30 น.	50.5	70.4	49.8	85.1	55.1	85.5
07:30-08:30 น.	46.1	73.9	53.8	80.0	50.6	72.3
08:30-09:30 น.	46.3	67.3	48.0	68.7	52.1	73.2
L _{eq 24 hrs.}	51.2		51.7		54.6	
L _{dn}	57.3		57.0		61.9	
L _{max}	84.6		85.1		85.5	
Std. L _{eq 24 hrs.}	70.0 dBA					
Std. L _{max}	115.0 dBA					

หมายเหตุ: 1) มาตรฐานตามประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ เรื่อง กำหนดมาตรฐานระดับเสียงโดยทั่วไป พ.ศ. 2540

Field Environmental Scientist Leader

Manager





บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านบ้านกลางกรุง บิซทาวน์ ซอยศรีนครินทร์ 46/1 (ปรางโหมย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507

5/45 Baan Klang Krung Blz Town, Soi Srinagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT

ชื่อลูกค้า : โครงการทำเหมืองชนิดแร่ยิปซัมและแอนไฮไดรต์ของ บริษัท บี.เอส.ไมนิ่ง (2003) จำกัด ประทานบัตรที่ 33155/16497
 รวมแผนผังโครงการทำเหมืองเดียวกันกับบริษัท สูดมิน จำกัด ประทานบัตรที่ 33154/16452, บริษัท แอล.เอส.ไมนิ่ง จำกัด
 ประทานบัตรที่ 33119/16127 และบริษัท ยูนิโสม จำกัด ประทานบัตรที่ 33121/16128
 ที่อยู่ : หมู่ที่ 4 ตำบลทุ่งใหญ่ อำเภอบึงใหญ่ จังหวัดนครราชสีมา
 จุดเก็บตัวอย่าง : บ้านตาขวางทางทิศเหนือ
 เครื่องมือที่ใช้ตรวจวัด : Sound Level Meter
 วันที่เก็บตัวอย่าง : 18-21/10/2568
 ประเภทตัวอย่าง : ระดับเสียง
 รุ่นของเครื่องมือตรวจวัด : BSWA 309 S/N: 590114
 วันที่ตรวจรับรอง : 18/10/2568
 ค่าที่อ่านได้จากเครื่องวัดเสียง : 94.0 dB/1,000 Hz
 ตำแหน่งพิกัด : UTM 47 P 543481 E, 925741 N
 วันที่วิเคราะห์ : 28/10/2568
 วันที่รายงานผล : 28/10/2568
 รุ่นของอุปกรณ์สอบเทียบ : CA111
 เลขที่เอกสารสอบเทียบ : C2409-0836
 ระดับเสียงในการสอบเทียบ : 94.0 dB/1,000 Hz
 รหัสลูกค้า : JM-099-00

เวลา	ค่าระดับเสียงเฉลี่ย (Equivalent Sound Pressure Level) (dBA)					
	18 - 19 ตุลาคม 2568		19 - 20 ตุลาคม 2568		20 - 21 ตุลาคม 2568	
	L _{eq 1 hr.}	L _{max}	L _{eq 1 hr.}	L _{max}	L _{eq 1 hr.}	L _{max}
10:00-11:00 น.	52.2	82.7	51.4	76.8	52.8	76.8
11:00-12:00 น.	53.4	84.5	49.5	72.1	61.8	74.6
12:00-13:00 น.	58.2	80.4	47.0	65.3	60.0	93.5
13:00-14:00 น.	49.4	77.9	49.2	74.3	52.5	79.4
14:00-15:00 น.	50.4	87.9	52.3	76.3	58.2	77.9
15:00-16:00 น.	55.2	72.9	52.2	84.2	61.4	91.5
16:00-17:00 น.	56.8	80.3	51.8	72.2	54.9	79.2
17:00-18:00 น.	56.6	84.2	56.1	83.6	56.1	88.0
18:00-19:00 น.	50.8	72.1	52.5	74.1	51.0	70.5
19:00-20:00 น.	49.8	73.1	51.1	76.9	49.7	71.7
20:00-21:00 น.	51.7	82.4	49.3	71.1	48.9	74.5
21:00-22:00 น.	52.2	80.3	50.0	73.1	56.8	92.0
22:00-23:00 น.	49.3	76.4	49.4	68.8	47.5	61.8
23:00-00:00 น.	47.7	71.5	48.1	61.8	47.9	69.4
00:00-01:00 น.	48.8	72.8	48.1	70.0	47.5	69.0
01:00-02:00 น.	47.9	71.6	50.0	75.2	50.3	75.7
02:00-03:00 น.	50.0	75.9	54.0	80.0	48.2	67.5
03:00-04:00 น.	47.4	70.0	47.4	59.5	48.9	65.8
04:00-05:00 น.	47.4	63.4	48.6	61.6	49.8	61.9
05:00-06:00 น.	53.6	77.2	55.1	80.6	51.0	68.3
06:00-07:00 น.	52.2	75.4	52.8	87.0	57.1	88.0
07:00-08:00 น.	53.4	78.2	53.9	79.6	56.8	93.9
08:00-09:00 น.	53.2	72.6	55.5	79.7	54.2	79.0
09:00-10:00 น.	53.0	77.4	51.0	73.1	54.7	83.6
L _{eq 24 hrs.}	52.8		51.9		55.5	
L _{dn}	57.2		57.8		59.0	
L _{max}	87.9		87.0		93.9	
Std. L _{eq 24 hrs.}	70.0 dBA					
Std. L _{max}	115.0 dBA					

หมายเหตุ: 1) มาตรฐานตามประกาศกรมอุตุนิยมวิทยาฉบับที่ 15 (พ.ศ. 2540) เรื่อง กำหนดมาตรฐานระดับเสียงโดยทั่วไป

Field Environmental Scientist Leader

Manager





บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านบ้านกลางกรุง บิซทาวน์ ซอยศรีนครินทร์ 46/1 (ปราโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507

5/45 Baan Klang Krung Biz Town, Sol Srinagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT

ชื่อลูกค้า : โครงการทำเหมืองชนิดแร่ปิซัมและแอนไฮไดรต์ของ บริษัท บี.เอส.ไมนิ่ง (2003) จำกัด ประทานบัตรที่ 33155/16497
รวมแผนผังโครงการทำเหมืองเดียวกันกับบริษัท สูดมิน จำกัด ประทานบัตรที่ 33154/16452, บริษัท แอล.เอส.ไมนิ่ง จำกัด
ประทานบัตรที่ 33119/16127 และบริษัท ยูนิโสม จำกัด ประทานบัตรที่ 33121/16128
ที่อยู่ : หมู่ที่ 4 ตำบลทุ่งใหญ่ อำเภอกงใหญ่ จังหวัดนครศรีธรรมราช
จุดเก็บตัวอย่าง : รพ.สต. บ้านทุ่งใหญ่ (ทุ่งแค)
เครื่องมือที่ใช้ตรวจวัด : Sound Level Meter
วันเดือนปีที่เก็บตัวอย่าง : 18-21/10/2568
ประเภทตัวอย่าง : ระดับเสียง
รุ่นของเครื่องมือตรวจวัด : BSWA 308 S/N: 570177
วันที่ตรวจรับรอง : 18/10/2568
ค่าที่อ่านได้จากเครื่องวัดเสียง : 94.0 dB/1,000 Hz
ตำแหน่งพิกัด : UTM 47 P 543853 E, 924479 N
วันเดือนปีที่วิเคราะห์ : 28/10/2568
วันเดือนปีที่รายงานผล : 28/10/2568
รุ่นของอุปกรณ์สอบเทียบ : CA111
เลขที่เอกสารสอบเทียบ : C2409-0836
ระดับเสียงในการสอบเทียบ : 94.0 dB/1,000 Hz
รหัสลูกค้า : JM-099-00

เวลา	ค่าระดับเสียงเฉลี่ย (Equivalent Sound Pressure Level) (dBA)					
	18 - 19 ตุลาคม 2568		19 - 20 ตุลาคม 2568		20 - 21 ตุลาคม 2568	
	L _{eq 1 hr.}	L _{max}	L _{eq 1 hr.}	L _{max}	L _{eq 1 hr.}	L _{max}
10:30-11:30 น.	55.2	70.7	53.9	83.2	65.9	99.0
11:30-12:30 น.	53.2	64.5	57.6	58.2	58.0	84.3
12:30-13:30 น.	56.7	66.8	54.0	55.1	49.7	82.8
13:30-14:30 น.	57.4	92.9	46.5	47.1	53.9	80.9
14:30-15:30 น.	64.6	98.4	48.2	49.0	58.1	82.8
15:30-16:30 น.	48.5	76.5	59.5	59.9	59.6	84.6
16:30-17:30 น.	47.3	73.3	52.6	53.2	56.7	77.4
17:30-18:30 น.	50.8	83.5	46.3	47.6	53.5	67.8
18:30-19:30 น.	51.0	85.4	59.4	61.2	57.4	75.6
19:30-20:30 น.	56.5	94.8	65.7	66.3	61.7	67.0
20:30-21:30 น.	61.1	95.2	48.7	77.2	59.6	66.9
21:30-22:30 น.	48.7	60.9	47.2	66.1	55.3	67.7
22:30-23:30 น.	65.0	100.3	55.3	80.3	52.0	66.1
23:30-00:30 น.	48.8	62.3	49.2	61.2	49.4	65.0
00:30-01:30 น.	47.7	67.1	50.1	65.5	49.8	69.3
01:30-02:30 น.	47.7	62.0	55.8	93.4	49.1	61.8
02:30-03:30 น.	48.1	66.4	58.9	93.8	49.5	63.3
03:30-04:30 น.	48.0	62.4	57.9	88.1	49.6	62.5
04:30-05:30 น.	47.7	61.5	56.7	89.9	49.0	62.1
05:30-06:30 น.	48.7	63.9	62.3	94.1	50.8	74.6
06:30-07:30 น.	57.4	82.8	58.4	82.4	51.6	66.7
07:30-08:30 น.	55.7	82.6	56.7	73.7	51.5	64.7
08:30-09:30 น.	56.3	71.4	54.2	76.0	56.3	72.7
09:30-10:30 น.	55.5	84.8	56.9	79.4	52.1	71.6
L _{eq 24 hrs.}	57.0		57.5		57.0	
L _{dn}	63.1		64.0		59.3	
L _{max}	100.3		94.1		99.0	
Std. L _{eq 24 hrs.}	70.0 dBA					
Std. L _{max}	115.0 dBA					

หมายเหตุ: 1) มาตรฐานตามประกาศกรม 2) เรื่อง กำหนดมาตรฐานระดับเสียงโดยทั่วไป

Field Environmental Scientist Leader

Manager





บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านบ้านกลางกรุง ปิยะทาวน์ ซอยศรีนครินทร์ 46/1 (ปรางค์มัย) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507

5/45 Baan Klang Krung Blz Town, Sol Srinagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

Tel: 0 2716 3506 7 Fax: 0 2716 3507

ANALYSIS REPORT

ชื่อลูกค้า : โครงการท่าเหมืองชนิดแร่ใยหินและแอนโธราไซต์ของ บริษัท พี.เอส.ไมนิ่ง (2003) จำกัด ประทานบัตรที่ 33155/16497
รวมแผนผังโครงการท่าเหมืองเดียวกันกับบริษัท สูดมิน จำกัด ประทานบัตรที่ 33154/16452, บริษัท แอล.เอส.ไมนิ่ง จำกัด
ประทานบัตรที่ 33119/16127 และบริษัท ยูนิโฮม จำกัด ประทานบัตรที่ 33121/16128

ที่อยู่ : หมู่ที่ 4 ตำบลทุ่งใหญ่ อำเภอกงใหญ่ จังหวัดนครศรีธรรมราช

จุดเก็บตัวอย่าง : บริเวณขอบแปลงประทานบัตรทางด้านทิศเหนือ

เครื่องมือที่ใช้ตรวจวัด : Vibration Meter

วันเดือนปีที่เก็บตัวอย่าง : 19/10/2568

ประเภทตัวอย่าง : ความสั่นสะเทือน

ตำแหน่งพิกัด : UTM 47 P 543618 E, 925690 N

วันเดือนปีที่วิเคราะห์ : 28/10/2568

วันเดือนปีที่รายงานผล : 28/10/2568

รหัสลูกค้า : JM-099-00

Parameter	Transverse	Vertical	Longitudinal
Result			
Frequency; Hz	19	46	16
Peak Particle Velocity; mm/sec	0.700	0.375	0.500
Peak Displacement; mm	0.0060	<0.0001	0.0060
Air Overpressure; dB	113		
Standard ^{1/}			
Peak Particle Velocity; mm/sec	23.9	50.8	20.1
Peak Displacement; mm	0.20	0.20	0.20
Measured Instrument	Brand		Model
	Vibrocheck		V9000

หมายเหตุ :^{1/} มาตรฐานตามกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่องกำหนดมาตรฐานการควบคุมระดับเสียงและแรงสั่นสะเทือนจากการทำเหมืองหิน (พ.ศ. 2548)

: N/A = ตรวจไม่พบ, Frequency < 1 Hz, Velocity < 0.100 mm/sec และ Displacement < 0.0001 mm

: เวลาเริ่มวัด 16.28 น.

Field Environmental Scientist Leader

Laboratory Manager





บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านบ้านกลางกรุง บิซทาวน์ ซอยศรีนครินทร์ 46/1 (ปรางโหม่ง) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507

5/45 Baan Klang Krung Blz Town, Soi Srlnagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT

ชื่อลูกค้า : โครงการทำเหมืองชนิดแร่ใยหินและแอนไฮไดรต์ของ บริษัท บี.เอส.ไมนิ่ง (2003) จำกัด ประทานบัตรที่ 33155/16497
รวมแผนผังโครงการทำเหมืองเดียวกันกับบริษัท สูดมิน จำกัด ประทานบัตรที่ 33154/16452, บริษัท แอล.เอส.ไมนิ่ง จำกัด
ประทานบัตรที่ 33119/16127 และบริษัท ยูนิโอม จำกัด ประทานบัตรที่ 33121/16128
ที่อยู่ : หมู่ที่ 4 ตำบลทุ่งใหญ่ อำเภอกงใหญ่ จังหวัดนครศรีธรรมราช
จุดเก็บตัวอย่าง : บ้านราษฎรทางทิศเหนือ
เครื่องมือที่ใช้ตรวจวัด : Vibration Meter
วันเดือนปีที่เก็บตัวอย่าง : 19/10/2568
ประเภทตัวอย่าง : ความสั่นสะเทือน
ตำแหน่งพิกัด : UTM 47 P 543499 E, 925755 N

วันเดือนปีที่วิเคราะห์ : 28/10/2568
วันเดือนปีที่รายงานผล : 28/10/2568
รหัสลูกค้า : JM-099-00

Parameter	Transverse	Vertical	Longitudinal
Result			
Frequency; Hz	<1	<1	<1
Peak Particle Velocity; mm/sec	<0.254	<0.254	<0.254
Peak Displacement; mm	<0.0001	<0.0001	<0.0001
Air Overpressure; dB	-		
Standard ^{1/}			
Peak Particle Velocity; mm/sec	-	-	-
Peak Displacement; mm	-	-	-
Measured Instrument	Brand	Model	
	Instantel	3657 V 2.61 MiniMate	

หมายเหตุ : ^{1/} มาตรฐานตามกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่องกำหนดมาตรฐานการควบคุมระดับเสียงและแรงสั่นสะเทือนจากการทำเหมืองหิน (พ.ศ. 2548)

: N/A = ตรวจไม่พบ, Frequency < 1 Hz, Velocity < 0.254 mm/sec และ Displacement < 0.0001 mm

: เวลาเริ่มวัด 16.28 น.

Field Environmental Scientist Leader

Laboratory Manager



บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านบ้านกลางกรุง บิซทาวน์ ซอยศรีนครินทร์ 46/1 (ปราโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507

5/45 Baan Klang Krung Bfz Town, Sol Srinagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT

ชื่อลูกค้า : โครงการทำเหมืองชนิดแร่ยิปซัมและแอนไฮไดรต์ของ บริษัท บี.เอส.ไมนิ่ง (2003) จำกัด ประทานบัตรที่ 33155/16497 ร่วมแผนผังโครงการทำเหมืองเดียวกันกับบริษัท สูดมิน จำกัด ประทานบัตรที่ 33154/16452, บริษัท แอล.เอส.ไมนิ่ง จำกัด ประทานบัตรที่ 33119/16127 และบริษัท ยูนิโสม จำกัด ประทานบัตรที่ 33121/16128

ที่อยู่ : หมู่ที่ 4 ตำบลทุ่งใหญ่ อำเภอทุ่งใหญ่ จังหวัดนครศรีธรรมราช

จุดเก็บตัวอย่าง : น้ำขุมเหมือง

ประเภทตัวอย่าง : น้ำผิวดิน

เลขปฏิบัติการ : WW 2460

ลักษณะตัวอย่าง : สี ไม่มีตะกอน ไม่มีกลิ่น

ตำแหน่งพิกัด : UTM 47 N 543260 E, 926161 N

ผู้เก็บตัวอย่าง : [REDACTED]

วันเดือนปีที่เก็บตัวอย่าง : 18/10/2568

เวลาที่เก็บตัวอย่าง : 11:20 น.

วันเดือนปีที่วิเคราะห์ : 20-28/10/2568

วันเดือนปีที่รายงานผล : 29/10/2568

รหัสลูกค้า : JM-099-00

ดัชนีที่วิเคราะห์	หน่วย	วิธีวิเคราะห์	ค่าต่ำสุด ที่วิเคราะห์ได้	ผลการวิเคราะห์	ค่ามาตรฐาน ¹⁾
pH	-	Electrometric Method	-	6.6	5-9
Total Suspended Solids	mg/L	Dried at 103-105 °C	2.5	3.4	-
Total Dissolved Solids	mg/L	Dried at 180 °C	2.5	2,020	-
Total Hardness	mg/L	EDTA Titrimetric Method	1.0	1,470	-
Turbidity	NTU	Nephelometric Method	0.01	1.8	-
Sulfate ²⁾	mg/L	Turbidimetric Method	1.0	1,130	-
Iron (Fe) ²⁾	mg/L	Nitric Acid Digestion, Direct Air-Acetylene Flame Method	0.005	0.419	-

หมายเหตุ : ¹⁾ ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 8 (พ.ศ. 2537)

: วิธีวิเคราะห์อ้างอิงตาม Standard Method for Examination of Water and Wastewater, 24th Edition, 2023

: ²⁾ วิเคราะห์โดย บริษัท ยูนิโสม แคนาดา แคนาดา แคนาดา แคนาดา จำกัด เลขทะเบียน ว-145

Analyst

ว-301-จ-0005

Laboratory Supervisor

ว-301-ค-0003





บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านกลางกรุง บิซทาวน์ ซอยศรีนครินทร์ 46/1 (ปราโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507

5/45 Baan Klang Krung Blz Town, Sol Srinagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT

ชื่อลูกค้า : โครงการทำเหมืองชนิดแร่ยิปซัมและแอนไฮไดรต์ของ บริษัท บี.เอส.ไมนิ่ง (2003) จำกัด ประทานบัตรที่ 33155/16497 รวมแผนผังโครงการทำเหมืองเดียวกันกับบริษัท สุดมิน จำกัด ประทานบัตรที่ 33154/16452, บริษัท แอล.เอส.ไมนิ่ง จำกัด ประทานบัตรที่ 33119/16127 และบริษัท ยูนิโสม จำกัด ประทานบัตรที่ 33121/16128

ที่อยู่ : หมู่ที่ 4 ตำบลทุ่งใหญ่ อำเภอบึงใหญ่ จังหวัดนครราชสีมา

จุดเก็บตัวอย่าง : คลองห้วยลุ่ม

ประเภทตัวอย่าง : น้ำผิวดิน

เลขปฏิบัติการ : WW 0000

ลักษณะตัวอย่าง : -

ตำแหน่งพิกัด : UTM 47 N 542415 E, 925468 N

ผู้เก็บตัวอย่าง : [REDACTED]

วันเดือนปีที่เก็บตัวอย่าง : 18/10/2568

เวลาที่เก็บตัวอย่าง : -

วันเดือนปีที่วิเคราะห์ : -

วันเดือนปีที่รายงานผล : 21/10/2568

รหัสลูกค้า : JM-099-00

ดัชนีที่วิเคราะห์	หน่วย	วิธีวิเคราะห์	ค่าต่ำสุดที่วิเคราะห์ได้	ผลการวิเคราะห์	ค่ามาตรฐาน ¹⁾
pH	-	Electrometric Method	-	-	5-9
Total Suspended Solids	mg/L	Dried at 103-105 °C	2.5	-	-
Total Dissolved Solids	mg/L	Dried at 180 °C	2.5	-	-
Total Hardness	mg/L	EDTA Titrimetric Method	1.0	-	-
Turbidity	NTU	Nephelometric Method	0.01	-	-
Sulfate ²⁾	mg/L	Turbidimetric Method	1.0	-	-
Iron (Fe) ²⁾	mg/L	Nitric Acid Digestion, Direct Air-Acetylene Flame Method	0.005	-	-

หมายเหตุ : ¹⁾ ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 8 (พ.ศ. 2537)

: วิธีวิเคราะห์อ้างอิงตาม Standard Method for Examination of Water and Wastewater, 24th Edition, 2023


: ²⁾ วิเคราะห์โดย บริษัท ยูนิโสม แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด เลขทะเบียน ว-145

*น้ำแห่งนี้ไม่สามารถเก็บตัวอย่างน้ำได้




Analyst

ว-301-จ-0005



Laboratory Supervisor

ว-301-ค-0003





บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านบ้านกลางกรุง บิซทาวน์ ซอยศรีนครินทร์ 46/1 (ปรางโหม) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250
5/45 Baan Klang Krung Biz Town, Soi Srinagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507
Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT

ชื่อลูกค้า : โครงการทำเหมืองชนิดแร่ใยหินและแอนโธไครต์ของ บริษัท บี.เอส.ไมนิ่ง (2003) จำกัด ประทานบัตรที่ 33155/16497 รวมแผนผัง
โครงการทำเหมืองเดียวกันกับบริษัท สูดมิน จำกัด ประทานบัตรที่ 33154/16452, บริษัท แอล.เอส.ไมนิ่ง จำกัด ประทานบัตรที่ 33119/16127
และบริษัท ยูนิโสม จำกัด ประทานบัตรที่ 33121/16128

ที่อยู่ : หมู่ที่ 4 ตำบลทุ่งใหญ่ อำเภอทุ่งใหญ่ จังหวัดนครศรีธรรมราช

จุดเก็บตัวอย่าง : คลองปรก

ประเภทตัวอย่าง : น้ำผิวดิน

เลขปฏิบัติการ : WW 2461

ลักษณะตัวอย่าง : ชุ่น เหลือง ตะกอนมาก ไม่มีกลิ่น

ตำแหน่งพิกัด : UTM 47 N 544519 E, 925515 N

ผู้เก็บตัวอย่าง : [REDACTED]

วันเดือนปีที่เก็บตัวอย่าง : 18/10/2568

เวลาที่เก็บตัวอย่าง : 11:40 น.

วันเดือนปีที่วิเคราะห์ : 20-28/10/2568

วันเดือนปีที่รายงานผล : 29/10/2568

รหัสลูกค้า : JM-099-00

ดัชนีที่วิเคราะห์	หน่วย	วิธีวิเคราะห์	ค่าต่ำสุด ที่วิเคราะห์ได้	ผลการวิเคราะห์	ค่ามาตรฐาน ¹⁾
pH	-	Electrometric Method	-	7.2	5-9
Total Suspended Solids	mg/L	Dried at 103-105 °C	2.5	30	-
Total Dissolved Solids	mg/L	Dried at 180 °C	2.5	151	-
Total Hardness	mg/L	EDTA Titrimetric Method	1.0	118	-
Turbidity	NTU	Nephelometric Method	0.01	41	-
Sulfate ²⁾	mg/L	Turbidimetric Method	1.0	39	-
Iron (Fe) ²⁾	mg/L	Nitric Acid Digestion, Direct Air-Acetylene Flame Method	0.005	2.1	-


หมายเหตุ : ¹⁾ ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 8 (พ.ศ. 2537)

: วิธีวิเคราะห์อ้างอิงตาม Standard Method for Examination of Water and Wastewater, 24th Edition, 2023

: ²⁾ วิเคราะห์โดย บริษัท ยูนิเค็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด เลขทะเบียน ว-145



Analyst
ว-301-จ-0005



Laboratory Supervisor
ว-301-ค-0003





บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด

ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 หมู่บ้านกลางกรุง บิซทาวน์ ซอยศรีนครินทร์ 46/1 (ปราโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร 10250

โทรศัพท์ 0-2716-3506-7 โทรสาร 0-2716-3507

5/45 Baan Klang Krung Biz Town, Sol Srinagarindra 46/1 (Pramote), NONG BON Sub-district, PRAWET District, BANGKOK 10250

Tel: 0-2716-3506-7 Fax: 0-2716-3507

ANALYSIS REPORT

ชื่อลูกค้า : โครงการทำเหมืองชนิดแร่โอปซิมและแอนไฮไดรต์ของ บริษัท พี.เอส.ไอนิ่ง (2003) จำกัด ประทานบัตรที่ 33155/16497 ร่วมแผนผัง
โครงการทำเหมืองเดียวกันกับบริษัท สุดมิน จำกัด ประทานบัตรที่ 33154/16452, บริษัท แอล.เอส.ไอนิ่ง จำกัด ประทานบัตรที่ 33119/16127
และบริษัท ยูนิโสม จำกัด ประทานบัตรที่ 33121/16128

ที่อยู่ : หมู่ที่ 4 ตำบลทุ่งใหญ่ อำเภอทุ่งใหญ่ จังหวัดนครศรีธรรมราช

จุดเก็บตัวอย่าง : บ่อบาดาล รพ.สต. ทุ่งใหญ่ (บ้านทุ่งแค)

ประเภทตัวอย่าง : น้ำใต้ดิน

เลขปฏิบัติการ : WW 2462

ลักษณะตัวอย่าง : สี ไม่มีตะกอน ไม่มีกลิ่น

ตำแหน่งพิกัด : UTM 47 N 543861 E, 924446 N

ผู้เก็บตัวอย่าง : [REDACTED]

วันเดือนปีที่เก็บตัวอย่าง : 18/10/2568

เวลาที่เก็บตัวอย่าง : 10:55 น.

วันเดือนปีที่วิเคราะห์ : 20-28/10/2568

วันเดือนปีที่รายงานผล : 29/10/2568

รหัสลูกค้า : JM-099-00

ดัชนีที่วิเคราะห์	หน่วย	วิธีวิเคราะห์	ค่าต่ำสุด ที่วิเคราะห์ได้	ผลการวิเคราะห์	ค่ามาตรฐาน ¹⁾	
					เกณฑ์กำหนด ที่เหมาะสม	เกณฑ์อนุโลม สูงสุด
pH	-	Electrometric Method	-	6.8	7.0-8.5	6.5-9.2
Total Suspended Solids (TSS)	mg/L	Dried at 103-105 °C	2.5	4.4	-	-
Total Dissolved Solids (TDS)	mg/L	Dried at 180 °C	2.5	560	ไม่เกิน 600	1,200
Total Hardness	mg/L as CaCO ₃	EDTA Titrimetric Method	1.0	376	ไม่เกิน 300	500
Turbidity	NTU	Nephelometric Method	0.01	0.73	5.0	20
Sulfate ²⁾	mg/L as SO ₄ ²⁻	Turbidimetric Method	0.3	102	ไม่เกิน 200	250
Iron (Fe) ³⁾	mg/L	Nitric Acid-Hydrochloric Acid Digestion, ICP Method	0.002	0.095	ไม่เกิน 0.5	1.0

หมายเหตุ : ¹⁾ ประกาศกระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม เรื่อง กำหนดหลักเกณฑ์และมาตรฐานการในทางวิชาการสำหรับการป้องกัน ด้านสาธารณสุขและการป้องกันใน
เรื่องสิ่งแวดล้อมเป็นพิษ พ.ศ. 2551

: ²⁾ วิธีวิเคราะห์อ้างอิงตาม Standard Method for Examination of Water and Wastewater, 24th Edition, 2023

: ³⁾ วิเคราะห์โดย บริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด เลขทะเบียน ว-145

Analyst

ว-301-จ-0005

Laboratory Supervisor

ว-301-ค-0003

เอกสารแบบ 18
เอกสารอนุญาตห้องปฏิบัติการ

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด
ที่ อภ ๐๓๑๐(๑)/ ๒ ๒๔ ๓๓
ลงวันที่ ๓๑ มกราคม ๒๕๖๖


ขอขยายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๔ รายการ
นี้เสีย จำนวน 4 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Biochemical Oxygen Demand	5-Day BOD Test, Membrane Electrode Method
2	pH	Electrometric Method
3	Total Dissolved Solids	Dried at 180 °C
4	Total Suspended Solids	Dried at 103-105 °C

เอกสารอ้างอิง

APHA, AWWA, WEF. Standard Methods for the Examination of Water and Wastewater.

23rd ed. Washington, DC: APHA, 2017.



ที่ อภ ๐๓๑๐(๑)/ ๒ ๒๔ ๓๓

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

๓๑ มกราคม ๒๕๖๖

เรื่อง ต่ออายุหนังสือขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
เรียน กรรมการผู้จัดการ บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด
อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และขีดความสามารถของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๘ ธันวาคม ๒๕๖๕

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด จำนวน ๑ แผ่น

ตามหนังสือที่อ้างถึง บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด ขอต่ออายุหนังสือขึ้นทะเบียน
ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ๖-๓๐๑๑ สถานที่ตั้งเลขที่ ๕/๔๕ หมู่บ้าน บ้านกลางกรุง ปิษทาวน์
ซอยศรีนครินทร์ ๔๖/๑ (ปราโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร ตอกมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท ตรวจวัดสิ่งแวดล้อม จำกัด ต่ออายุหนังสือขึ้น
ทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์

ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์

ค. ขอขยายสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำเสีย ตามสิ่งที่ส่งมาด้วย

หนังสือฉบับนี้จะหมดอายุในวันที่ ๓ มกราคม ๒๕๖๙ หากประสงค์ต่ออายุหนังสือ
รับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอต่อ
กรมโรงงานอุตสาหกรรม ภายใน ๓๐ วัน ก่อนวันสิ้นสุดของหนังสือขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
ทั้งนี้ สามารถยื่นคำขอผ่านระบบอิเล็กทรอนิกส์ได้ทั้งนำเว็บไซต์กรมโรงงานอุตสาหกรรม ตาม QR Code
ท้ายหนังสือฉบับนี้

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน
ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๕๓๐ ๖๓๑๒ ต่อ ๒๐๓๕-๕
โทรสาร ๐ ๒๕๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@dlw.mail.go.th

"อุตสาหกรรมก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว"



ที่ อก ๐๓๑๐(๑)/ ๖ ๐ ๙ ๒



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒.๒ กรกฎาคม ๒๕๖๕

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์
เรียน กรรมการผู้จัดการ บริษัท ดรรจดีสิ่งแวดล้อม จำกัด
อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารเคมีของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๑๕ กรกฎาคม ๒๕๖๕

ตามคำขอที่อ้างถึง บริษัท ดรรจดีสิ่งแวดล้อม จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ๖-๓๐๑ สภามที่ดั่งเลขที่ ๕/๕๕ หมู่บ้าน บ้านกลางกรุง บิขทาวน์ ซอยศรีนครินทร์ ๕๖/๑(ปราโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากร ความละเอียดแล้วแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๒ ราย

๒. ให้เพิ่มผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒ ราย

๓. ให้เพิ่มเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๑ ราย

อนึ่ง หนังสือฉบับนี้จะสิ้นสุดอายุพร้อมหนังสืออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
ในวันที่ ๓ มกราคม ๒๕๖๕

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

ผู้อำนวยการกองวิจัยและทดสอบผลิตภัณฑ์
ปฏิบัติงานแผนงานโรงงานอุตสาหกรรม


กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบผลิตภัณฑ์และทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๕๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๕๓๐ ๖๓๑๒ ต่อ ๒๑๕๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



“อุตสาหกรรมก้าวหน้า ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว”



ที่ อก ๐๓๑๐(๑)/๑๐๔๘ ๖



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๑๗ ตุลาคม ๒๕๖๗

เรื่อง ยกเลิกบุคลากรของห้องปฏิบัติการวิเคราะห์
เรียน กรรมการผู้จัดการ บริษัท ดรรจดีสิ่งแวดล้อม จำกัด
อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารเคมีของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๑ ตุลาคม ๒๕๖๗

ตามคำขอที่อ้างถึง บริษัท ดรรจดีสิ่งแวดล้อม จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ๖-๓๐๑ สภามที่ดั่งเลขที่ ๕/๕๕ หมู่บ้าน บ้านกลางกรุง บิขทาวน์ ซอยศรีนครินทร์ ๕๖/๑(ปราโมทย์) แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร ขอยกเลิกบุคลากร ความละเอียดแล้วแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์
จำนวน ๑ ราย ได้แก่

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ



รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบผลิตภัณฑ์และทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๕๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๕๓๐ ๖๓๑๒ ต่อ ๒๑๕๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



“อุตสาหกรรมก้าวหน้า ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว”



CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE : BALANCE
MANUFACTURER : METTLER TOLEDO
MODEL / TYPE : MS204TS/00
SERIAL NO. : B935191252[LA-002]
CLID. NO. : 362200356
JOB CONTROL NO. : 250215018254
CALIBRATION SERVICE : ☐ IN-LABORATORY ☒ ON-SITE
CUSTOMER : ENVIRONMENTAL MEASUREMENTS CO., LTD.
5/45 BAAN KLANG KRUNG BIZ TOWN, SOI SRINAGARINDRA 46/1 (PRAMOTE),
NONG BON SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250

DATE OF RECEIVED : 15 February 2025

DATE OF ISSUED : 04 March 2025

The report of calibration shall not be reproduced except in full without approval of the Calibration Laboratory Co., Ltd.

Calibrated By :

Calibration Engineer

Approved By :

Authorized Signatory

04 March 2025

This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q25018254

F3-011-05/12-23

page 1 of 3



@clcalibration



ที่ อก ๐๓๑๐(๑)/ ๒๓ ๓ ๓

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๑๕ สิงหาคม ๒๕๖๕

เรื่อง ยกเลิกบุคลากรของห้องปฏิบัติการวิเคราะห์
เรียน กรรมการผู้จัดการ บริษัท ดรรจดีสิ่งแวดล้อม จำกัด
อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารเคมีของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๑ สิงหาคม ๒๕๖๕

ตามคำขอที่อ้างถึง บริษัท ดรรจดีสิ่งแวดล้อม จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน
เลขทะเบียน ว-๓๐๑ สถานที่ตั้งเลขที่ ๕/๔๕ หมู่บ้าน บ้านกลางกรุง บิดทวนน์ ซอยศรีนครินทร์ ๔๖/๑(ปราโมทย์)
แขวงหนองบอน เขตประเวศ กรุงเทพมหานคร ขอยกเลิกบุคลากร ความละเอียดแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้ยกเลิกผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์
จำนวน ๑ ราย ได้แก่ [REDACTED]

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

ผู้อำนวยการวิจัยและเตือนภัยมลพิษโรงงาน
ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๕๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๕๓๐ ๖๓๑๒ ต่อ ๒๑๕๕
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



CONDITION OF CALIBRATION ITEM : RECEIVED IN GOOD OPERATIONAL CONDITION

MEASUREMENT RESULTS : (X) without adjustment () adjustment

CALIBRATION DATA

1. Error of indications

Nominal Test Value (g)	Conventional mass (g)	Display Value (g)	Error of Balance (g)	Uncertainty $\pm$ (mg)	Coverage factor <i>k</i>
Unload	0.0000	0.0000	0.0000	0.06	2.00
0.1000	0.1000	0.1000	0.0000	0.14	2.00
0.5000	0.5000	0.5000	0.0000	0.15	2.00
1.0000	1.0000	1.0001	+0.0001	0.15	2.00
2.0000	2.0000	2.0001	+0.0001	0.15	2.00
5.0000	5.0000	5.0000	0.0000	0.15	2.00
10.0000	10.0000	10.0001	+0.0001	0.15	2.00

2. Repeatability of indications

Nominal Test Value (g)	Standard Deviation of Reading (g)
200.0000	0.00004

3. Effect of eccentric application of a load on the indication

Nominal Test Value (g)	Display Value (g)					Maximum Difference of Center Value (g)
	Position 1	Position 2	Position 3	Position 4	Position 5	
100.0000	99.9999	100.0001	99.9999	99.9998	99.9998	0.0002

Note. The Scope of Accredited TISI Certificate No. 23-LB0092 Issue 02 Page 116 of 138

This report is valid for the above stated instrument/s only.

End of Certificate

Certificate No. Q25018254

F3-011-05/12-23

Certificate No. Q25018254

F3-011-05/12-23



REPORT OF CALIBRATION

FOR

NOMENCLATURE : BALANCE
MANUFACTURER : METTLER TOLEDO
MODEL / TYPE : MS204TS/00
SERIAL NO. : B935191252[LA-002]
LOCATION SITE : LABORATORY - BALANCE ROOM
DATE OF CALIBRATION : 27 February 2025

ENVIRONMENT CONDITIONS :

Temperature : 23 °C to 24 °C

Relative Humidity : 49 % to 51 %

PROCEDURE USED :

This instrument was calibrated under procedure No. W1-305-46 based on EURAMET cg-18 Version 4.0 (11/2015).

The calibration was performed by Comparison with Weight Set which maintained by the Calibration Laboratory Co., Ltd.

REFERENCE STANDARD USED :

Weight Set, Mettler Toledo Class E2 S/N. 158850.

TRACEABILITY :

The measurements are traceable to International System of Units (SI), through National Institute of Metrology (Thailand).

Certificate No. MM-0165-23, Due Date 21 December 2025.

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor complies with the table which for a normal distribution corresponds to a coverage probability of approximately 95%. It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2022)"





CALIBRATION LABORATORY CO., LTD.

2/10-11, 14, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail: sale@cal-laboratory.com



REPORT OF CALIBRATION

FOR

NOMENCLATURE : BALANCE
MANUFACTURER : SHIMADZU
MODEL / TYPE : AP225WD
SERIAL NO. : D316300692[L/A-001]
LOCATION SITE : LABORATORY-BALANCE ROOM
DATE OF CALIBRATION : 27 February 2025

ENVIRONMENT CONDITIONS :

Temperature : 23 °C to 24 °C Relative Humidity : 49 % to 51 %

PROCEDURE USED :

This instrument was calibrated under procedure No. WI-305-46 based on EURAMET/cg-18/Version 4.0 (11/2015).
The calibration was performed by Comparison with Weight Set which maintained by the Calibration Laboratory Co., Ltd.

REFERENCE STANDARD USED :

Weight Set, Mettler Toledo Class E2 S/N. 158850.

TRACEABILITY :

The measurements are traceable to International System of Units (SI), through National Institute of Metrology (Thailand).
Certificate No. MM-0165-23, Due Date 21 December 2025.

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty multiplied by the coverage factor complies with the table which for a normal distribution corresponds to a coverage probability of approximately 95%. It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2022)"

Certificate No. Q25018253

F3-011-05/12-23

page 2 of 3



@clcalibration



CALIBRATION LABORATORY CO., LTD.

2/10-11, 14, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail: sale@cal-laboratory.com



CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE : BALANCE
MANUFACTURER : SHIMADZU
MODEL / TYPE : AP225WD
SERIAL NO. : D316300692[L/A-001]
CLID. NO. : 362100172
JOB CONTROL NO. : 250215018253
CALIBRATION SERVICE : ☐ IN-LABORATORY ☒ ON-SITE

CUSTOMER :

ENVIRONMENTAL MEASUREMENTS CO., LTD.
5/45 BAAN KLANG KRUNG BIZ TOWN, SOI SRINAGARINDRA 46/1 (PRAMOTE),
NONG BON SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250

DATE OF RECEIVED : 15 February 2025

DATE OF ISSUED : 04 March 2025

The report of calibration shall not be reproduced except in full without approval of the Calibration Laboratory Co., Ltd.

Calibrated By :

Calibration Engineer



Approved By :

Authorized Signatory

04 March 2025

This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)


Certificate No. Q25018253

F3-011-05/12-23

page 1 of 3



@clcalibration



CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE : HOT AIR OVEN
MANUFACTURER : MEMMERT
MODEL / TYPE : UF110
SERIAL NO. : B422.0026[LA-0012]
CLID. NO. : 332202464
JOB CONTROL NO. : 250306027140
CALIBRATION SERVICE : ☐ IN-LABORATORY ☒ ON-SITE

CUSTOMER : ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 BAAN KLANG KRUNG BIZ TOWN, SOI SRINAGARINDRA 46/1 (PRAMOTE),
NONG BON SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250

DATE OF RECEIVED : 06 March 2025

DATE OF ISSUED : 25 March 2025

The report of calibration shall not be reproduced except in full without approval of the Calibration Laboratory Co., Ltd.

Calibrated By :

Calibration Engineer



Approved By :

Authorized Signatory

25 March 2025



This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the

International System of Units (SI)

Certificate No. Q25027140

F3-011-05/12-23

page 1 of 4



@clcalibration



CONDITION OF CALIBRATION ITEM : RECEIVED IN GOOD OPERATIONAL CONDITION

MEASUREMENT RESULTS : (X) without adjustment () adjustment

CALIBRATION DATA

1. Error of indications

Nominal Test Value (g)	Conventional mass (g)	Display Value (g)	Error of Balance (g)	Uncertainty $\pm$ (mg)	Coverage factor k
Unload	0.0000	0.0000	0.0000	0.07	2.00
5.0000	5.0000	5.0001	+0.0001	0.11	2.00
10.0000	10.0000	10.0000	0.0000	0.11	2.00
20.0000	20.0000	20.0000	0.0000	0.12	2.00
40.0000	40.0000	39.9999	-0.0001	0.14	2.00
60.0000	59.9999	59.9999	0.0000	0.15	2.00
80.0000	79.9999	80.0000	+0.0001	0.19	2.00
100.0000	99.9999	100.0000	+0.0001	0.17	2.00
120.0000	119.9999	120.0000	+0.0001	0.21	2.00
140.0000	139.9999	139.9999	0.0000	0.25	2.00
160.0000	159.9998	159.9998	0.0000	0.26	2.00
180.0000	179.9998	179.9998	0.0000	0.30	2.00
200.0000	199.9997	199.9996	-0.0001	0.26	2.00

2. Repeatability of indications

Nominal Test Value (g)	Standard Deviation of Reading (g)
200.0000	0.00006

3. Effect of eccentric application of a load on the indication

Nominal Test Value (g)	Display Value (g)					Maximum Difference of Center Value (g)
	Position 1	Position 2	Position 3	Position 4	Position 5	
100.0000	100.0000	99.9999	100.0000	100.0001	100.0000	0.0001

Note. The Scope of Accredited TISI Certificate No. 23-LB0092 Issue 02 Page 116, 117 of 138

This report is valid for the above stated instrument/s only.

End of Certificate

Certificate No. Q25018253

F3-011-05/12-23

page 3 of 3



@clcalibration



CALIBRATION LABORATORY CO., LTD.
2/10-11,14, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail:sale@cal-laboratory.com



CONDITION OF CALIBRATION ITEM : RECEIVED IN GOOD OPERATIONAL CONDITION

MEASUREMENT RESULTS : (X) without adjustment () adjustment

The table in the following gives the calibration results and associated measurement uncertainties of the measuring hot air oven.

CALIBRATION DATA

1. HOT AIR OVEN PERFORMANCE

Setting (°C)	DUC		Measured Stability (°C)	Measured Uniformity (°C)	Measured Overall Variation (°C)
	Indicating (°C)				
104.0	104.0	0.29	0.11	0.22	0.68
180.0	180.0	0.83	0.22	0.22	1.40

Certificate No. Q25027140

F3-011-05/12-23

page 3 of 4



@clcalibration

REPORT OF CALIBRATION

FOR

NOMENCLATURE : HOT AIR OVEN
MANUFACTURER : MEMMERT
MODEL / TYPE : UF110
SERIAL NO. : B422.0026[LA-0012]
LOCATION SITE : LABORATORY-HOT ZONE
DATE OF CALIBRATION : 19 March 2025

ENVIRONMENT CONDITIONS :

Temperature : 24 °C to 25 °C

Relative Humidity : 49% to 51 %

PROCEDURE USED :

This instrument was calibrated under procedure No. CLC-CPFH-07 based on TLAS G-20 as calibration guidelines.

The calibration was performed by using Hydra Data Logger which maintained by the Calibration Laboratory Co., Ltd.

REFERENCE STANDARD USED :

Hydra Data Logger, Fluke Model 2620 S/N. 5592550.

TRACEABILITY :

The measurements are traceable to International System of Units (SI) , through Calibration Laboratory Co., Ltd.

Certificate No. Q24052150, Due Date 27 May 2025.

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty multiplied by the coverage factor complies with the table which for a normal distribution corresponds to a coverage probability of approximately 95 %.

It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2022)"

Certificate No. Q25027140

F3-011-05/12-23

page 2 of 4



@clcalibration



CALIBRATION LABORATORY CO., LTD.
2/10-11,14, 55 Soi Prasert Manukit 29 Yaek 4, Praset Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail:sale@cal-laboratory.com



CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE : INCUBATOR
MANUFACTURER : ACCUPLUS
MODEL / TYPE : SMART i250
SERIAL NO. : 2059-0718-0010[LA-002]
CLID. NO. : 332100155
JOB CONTROL NO. : 250215018255
CALIBRATION SERVICE : ☐ IN-LABORATORY ☒ ON-SITE
CUSTOMER : ENVIRONMENTAL MEASUREMENTS CO., LTD.
5/45 BAAN KLANG KRUNG BIZ TOWN, SOI SRINAGARINDRA 46/1 (PRAMOTE),
NONG BON SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250

DATE OF RECEIVED : 15 February 2025

DATE OF ISSUED : 04 March 2025

The report of calibration shall not be reproduced except in full without approval of the Calibration Laboratory Co., Ltd.

Calibrated By :

Calibration Engineer

Approved By :

Authorized Signatory

04 March 2025

This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q25018255

F3-011-05/12-23

page 1 of 4



@clcalibration



CALIBRATION LABORATORY CO., LTD.
2/10-11,14, 55 Soi Prasert Manukit 29 Yaek 4, Praset Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail:sale@cal-laboratory.com




CALIBRATION DATA

2. TEMPERATURE DISTRIBUTION

DUC	Setting (° C)	Indicating (° C)	Measured Temperature (° C) @Probe No.9 is Ref.							Uncertainty ± (° C)	Coverage factor k
			1	2	3	4	5	6	7		
104.0	104.0	104.0	103.64	103.91	103.49	103.54	103.67	103.61	103.47	103.96	2.00
180.0	180.0	180.0	179.19	179.91	178.87	179.17	179.38	179.38	178.90	179.22	2.00

Technical Note : W = 56 cm, D = 40 cm, H = 48 cm.

Note. The Scope of Accredited ANAB Certificate No. ACDM-2814 Version 015 Page 59 of 68



This report is valid for the above stated instrument/s only.

End of Certificate

Certificate No. Q25027140

F3-011-05/12-23

page 4 of 4



@clcalibration

REPORT OF CALIBRATION

FOR

NOMENCLATURE : INCUBATOR
 MANUFACTURER : ACCUPLUS
 MODEL / TYPE : SMART i250
 SERIAL NO. : 2059-0718-0010[LA-002]
 LOCATION SITE : LABORATORY
 DATE OF CALIBRATION : 27 February 2025

ENVIRONMENT CONDITIONS :
 Temperature : 24 °C to 25 °C
 Relative Humidity : 49 % to 51 %

PROCEDURE USED :
 This instrument was calibrated under procedure No. WI-305-165 based on TLAS G-20-1/02-08 as calibration guidelines.
 The calibration was performed by using Hydra Series II which maintained by the Calibration Laboratory Co., Ltd.

REFERENCE STANDARD USED :
 Hydra Series II, Fluke Model 2635A S/N. 82090003.

TRACEABILITY :
 The measurements are traceable to International System of Units (SI), through Calibration Laboratory Co., Ltd.
 Certificate No. Q24052151, Due Date 27 May 2025.

UNCERTAINTY :
 The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor complies with the table which for a normal distribution corresponds to a coverage probability of approximately 95 %.
 It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2022)"

CONDITION OF CALIBRATION ITEM : RECEIVED IN GOOD OPERATIONAL CONDITION
 MEASUREMENT RESULTS : (X) without adjustment () adjustment
 The table in the following gives the calibration results and associated measurement uncertainties of the measuring incubator.

CALIBRATION DATA

1. INCUBATOR PERFORMANCE

DUC		Measured Uniformity (°C)	Measured Stability (°C)	Measured Overall Variation (°C)
Setting (°C)	Indicating (°C)			
20.0	20.0	0.43	0.34	0.98



CALIBRATION LABORATORY CO., LTD.
2/10-11, 4, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail:sale@cal-laboratory.com




CALIBRATION DATA

2. TEMPERATURE DISTRIBUTION

DUC		Measured Temperature (°C) @Probe No.9 is Ref.								Uncertainty ± (°C)	Coverage factor k
Setting (°C)	Indicating (°C)	1	2	3	4	5	6	7	8	9	
20.0	20.0	20.55	20.53	20.57	20.51	20.59	20.52	20.40	20.47	20.27	0.58
											2.00

Technical Note : W = 50 cm, D = 48 cm, H = 110 cm.

The Scope of Accredited TISI Certificate No. 23-LB0092 Issue 02 Page 129 of 138



This report is valid for the above stated instrument/s only.

End of Certificate

Certificate No. Q25018255
F3-011-05/12-23

page 4 of 4



@clcalibration



CALIBRATION LABORATORY CO., LTD.
2/10-11, 4, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com E-mail:sale@cal-laboratory.com



CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE : pH METER
MANUFACTURER : APERA
MODEL / TYPE : PH700/201T-F
SERIAL NO. : PH700X1019061009/N/A [LA-008/PH-02]
CLID. NO. : 272401000
JOB CONTROL NO. : 250410042961
CALIBRATION SERVICE : ☒ IN-LABORATORY ☐ ON-SITE

CUSTOMER : ENVIRONMENTAL MEASUREMENTS CO., LTD.
545 BAAN KLANG KRUNG BIZ TOWN, SOI SRNAGARINDRA 46/1 (PRAMOTE),
NONG BON SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250


DATE OF RECEIVED : 10 April 2025 DATE OF ISSUED : 18 April 2025

The report of calibration shall not be reproduced except in full without approval of the Calibration Laboratory Co., Ltd.

Calibrated By :



Calibration Engineer



Approved By :

Authorized Signatory

18 April 2025

This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q25042961
F3-011-05/12-23

page 1 of 4



@clcalibration



CALIBRATION LABORATORY CO., LTD.

2/10-11,14,55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com Email:sale@cal-laboratory.com



TRACEABILITY :

1. The measurements are traceable to International System of Units (SI), through National Institute of Metrology (Thailand).
Lot Number. 080124, 120124. Due Date 23 January 2026.
2. The measurements are traceable to International System of Units (SI), through Control Company.
Certificate No. 4281-14495731, Due Date 27 September 2025.
3. The measurements are traceable to International System of Units (SI), through Calibration Laboratory Co., Ltd.
Certificate No. Q24120999, Due Date 26 November 2025.
4. The measurements are traceable to International System of Units (SI), through Thailand Institute of Scientific and Technological Research (TISTR). Certificate No. PSL-T 1042/67, Due Date 16 October 2025.
5. The measurements are traceable to International System of Units (SI), through National Institute of Metrology (Thailand).
Certificate No. TT-0146-24, Due Date 28 October 2025.

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor complies with the table which for a normal distribution corresponds to a coverage probability of approximately 95 %.
It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2022)"

Certificate No. Q25042961
F3-011-05/12-23



page 3 of 4

Certificate No. Q25042961
F3-011-05/12-23

page 2 of 4



CALIBRATION LABORATORY CO., LTD.

2/10-11,14,55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-laboratory.com Email:sale@cal-laboratory.com



REPORT OF CALIBRATION

FOR

NOMENCLATURE : pH METER
MANUFACTURER : APERA
MODEL / TYPE : PH700/201T-F
SERIAL NO. : PH700X1019061009/N/A [LA-008/PH-02]
DATE OF CALIBRATION : 11 April 2025

ENVIRONMENT CONDITIONS :

Temperature : $(25 \pm 2.5) ^\circ\text{C}$ Relative Humidity : $(50 \pm 15) \% \text{ RH}$

PROCEDURE USED :

This instrument was calibrated under procedure No. WI-305-128, 238. The calibration was performed by direct measurement with Certified Reference Material (CRM) and comparison with Calibration Bath, Precision Thermometer and IPRT which maintained by the Calibration Laboratory Co., Ltd.

REFERENCE STANDARD USED :

1. pH Standard Solution, NIMT TRM CODE TRM-S-2003, TRM CODE TRM-S-2007.
2. pH Standard Solution, Control Company Catalog Number 06664260,11754256, Lot Number CC787362.
3. Calibration Bath, Kambic Model OB-22/2 ULT S/N. 17115653.
4. Precision Thermometer, ASL Model F250 S/N. 1334023800.
5. IPRT, Wika Model CTP5000-250-D S/N. PO00043543-1-10-1.

Certificate of Calibration

Certificate Number : SPR25050011-3 Page : 1 of 3
Customer : ENVIRONMENTAL MEASUREMENTS CO., LTD.
5/45 Baan Klang Krung Biz Town, Soi Srinagarindra 46/1 (Pramote),
Nongbon Sub-district, Prawet District, Bangkok 10250

Equipment Name : Refrigerator
Manufacturer : Medicoool
Model : BB-117
Serial Number : BB117-190725001
ID. Number : LA-003
Environmental Conditions
Ambient Temperature : 25 °C ± 10 °C Received Date : 02 May 2025
Relative Humidity : 60 % ± 20 % Calibration Date : 06 May 2025
Location of Calibration : On-Site Recommend Due Date : N/A
Calibration Procedure : SP-CPT-04-01 Date of Issue : 07 May 2025

Method of Calibration

This certifies that the above instrument was calibrated in compliance with the calibration system requirement of ISO/IEC 17025:2017 in accordance with reference procedure. Standards used to perform this calibration are certified by NIST or equivalent, National metrology institute, Natural physical constants, consensus standards. The result reported herein apply only to the calibration of the item described above as received. Our decision rule is to contact the customer if the item pass and fail calibration when the results include the uncertainties and the customer must determine if the results meets their needs.

The calibration certificate shall not be reproduced except System (Thailand).

Calibrated by :
Calibration Officer

CONDITION OF CALIBRATION ITEM : RECEIVED IN GOOD OPERATIONAL CONDITION

MEASUREMENT RESULTS : (X) without adjustment () adjustment

The table in the following gives the calibration results and associated measurement uncertainties of pH meter.

CALIBRATION DATA

1. pH METER RESULT @ 25 °C

Standard pH Buffer Solution (pH)	pH Meter Reading (pH)	pH Meter Reading (mV)	Correction (pH)	Uncertainty of Measurement (± pH)	k Factor
4.003	4.01	134	-0.007	0.014	2.00
7.005	7.00	-43	+0.005	0.014	2.00
10.015	10.01	-208	+0.005	0.100	2.05

Technical Note. Setting function CAL 3 point (4,7,10).

Note. The Scope of Accredited TISI Certificate No. 23-LB0092 Issue 02 Page 91 of 138

*2. TEMPERATURE RESULT

Immersion depth (mm)	Actual Temperature (°C)	DUC Reading (°C)	Correction (°C)	Uncertainty ± (°C)
100	25.01	24.9	+0.11	0.07

Technical Note. Type of sensor : pH Probe

Probe Ø 12 mm

The reported uncertainty is based on a standard uncertainty multiplied by coverage factor of $k = 2.00$.

Note. * means Calibrations marked " Not TISI Accredited " in this Certificate have been included for completeness.

This report is valid for the above stated instrument/s only.

End of Certificate

Certificate No. Q25042961
F3-011-05/12-23



Calibration Report

Certificate Number : SPR25050011-3

Reference Standards


Equipment Name	Model	Serial No.	Certificate No.	Due. Date
Data Acquisition/Switch Unit	34970A	MY44074688	SPR24080102-24	07 Sep 2025

Traceability

This certification is traceable to the International System of Unit maintained at :
SP Metrology - SP Metrology system (Thailand) Co.Ltd.

Result of Calibration

Certificate Number : SPR25050011-3



Temperature Accuracy in the Measurement Zone.

Unit : °C

UUC Setting	Measured Temperature (°C) @ Probe No. 9 is REF.)									Uncertainty (±)
	# 1	# 2	# 3	# 4	# 5	# 6	# 7	# 8	# 9	
4.0	3.37	4.12	4.25	4.13	3.93	3.98	3.95	4.23	4.16	0.60

Temperature Uniformity, Stability, Overall Variation

Unit : °C

UUC Setting	UUC Reading	Temperature Stability	Temperature Uniformity	Overall Variation
4.0	4.0	0.09	0.94	1.07

Note :
The result of calibration was found accurate as show on date and place of calibration only.
This Certificate is not certified for any commercial transaction.

Measurement Uncertainty

The reported uncertainty of measurement is the expanded uncertainty obtained by multiplying the standard uncertainty with the coverage factor k = 2, providing a level of confidence approximately 95 %
– End of Certificate –



Certificate of Calibration

Certificate Number : SPR25050011-1 Page : 1 of 3
 Customer : ENVIRONMENTAL MEASUREMENTS CO., LTD.
 5/45 Baan Klang Krung Biz Town, Soi Srinagarindra 46/1 (Pramote),
 Nongbon Sub-district, Prawet District, Bangkok 10250

Equipment Name : Soil Hydrometer
 Manufacturer : Precision
 Model : ASTM 152H
 Serial Number : 061
 ID. Number : N/A
 Environmental Conditions
 Ambient Temperature : 23 °C ± 2 °C Received Date : 02 May 2025
 Relative Humidity : 50 % ± 15 % Calibration Date : 10 May 2025
 Location of Calibration : In-Lab Recommend Due Date : N/A
 Calibration Procedure : SP-CPM-04-14 Date of Issue : 11 May 2025

Method of Calibration

This certifies that the above instrument was calibrated in compliance with the calibration system requirement of ISO/IEC 17025:2017 in accordance with reference procedure. Standards used to perform this calibration are certified by to NIST or equivalent. National metrology institute, Natural physical constants, consensus standards. The result reported herein apply only to the calibration of the item described above as received. Our decision rule is to contact the customer if the item pass and fail calibration when the results include the uncertainties and the customer must determine if the results meets their needs.

The calibration certificate shall not be reproduced except by the customer for their internal use only. (System (Thailand)).

Calibrated by :

Calibration Officer



Calibration Report

Certificate Number : SPR25050011-1 Page : 2 of 3

Reference Standards

Equipment Name	Model	Serial No.	Certificate No.	Due. Date
Digital Micrometer	293-821-30	45121126	SPR25020035-6	22 Feb 2026
Electronic Balance	N/A	14246789	SPR24090254-10	02 Oct 2025
Barometer	MHB-382SD	AJ52188	SPR25020035-8	26 Feb 2026
Standard Weight Ring	N/A	N/A	SPR24110445-33	26 Dec 2025
Digital Thermometer With PRT	GT11/3850-40-392	08000098/100288	SPR24060233-5	27 Jun 2025

Traceability

This certification is traceable to the International System of Unit maintained at :
 SP Metrology - SP Metrology system (Thailand) Co.Ltd.



Result of Calibration

Certificate Number : SPR25050011-1Page : 3 of 3

Range : -5 to 60 g/mlResolution : 1 g/mlAccuracy (±) : 1 g/ml

Hydrometer Measurement @ 20 °CUnit : g/ml

Standard Value	UUC Reading	Error	Uncertainty (±)
0.3380	0	-0.3380	0.23
30.1943	30	-0.1943	0.23
60.1249	60	-0.1249	0.23

Note:

The result of calibration was found accurate as show on date and place of calibration only.
This Certificate is not certified for any commercial transaction.

Measurement Uncertainty

The reported uncertainty of measurement is the expanded uncertainty obtained by multiplying the standard uncertainty with the coverage factor k = 2, providing a level of confidence approximately 95%.
- End of Certificate -



Certificate of Calibration

Certificate Number : SPR25050011-2Page : 1 of 3

Customer : ENVIRONMENTAL MEASUREMENTS CO., LTD.
5/45 Baan Klang Krung Biz Town, Soi Srinagarindra 46/1 (Pranote),
Nongbon Sub-district, Prawet District, Bangkok 10250

Equipment Name	: Soil Hydrometer
Manufacturer	: Precision
Model	: ASTM 152H-62
Serial Number	: 2201967
ID. Number	: N/A
Environmental Conditions	
Ambient Temperature	: 23 °C ± 2 °CReceived Date : 02 May 2025
Relative Humidity	: 50 % ± 15 %Calibration Date : 10 May 2025
Location of Calibration	: In-LabRecommend Due Date : N/A
Calibration Procedure	: SP-CPM-04-14Date of Issue : 11 May 2025

Method of Calibration

This certifies that the above instrument was calibrated in compliance with the calibration system requirement of ISO/IEC 17025:2017 in accordance with reference procedure. Standards used to perform this calibration are certified by to NIST or equivalent, National metrology institute, Natural physical constants, consensus standards. The result reported herein apply only to the calibration of the item described above as received.Our decision rule is to contact the customer if the item pass and 'fail calibration when the results include the uncertainties and the customer must determine if the results meets their needs.

The calibration certificate shall not be reproduced except in full without written approval of SP Metrology System (Thailand).



Calibrated by :
Calibration Officer





Result of Calibration

Certificate Number : SPR25050011-2

Page : 3 of 3

Range : -5 to 60 g/ml Resolution : 1 g/ml Accuracy (±) : 1 g/ml

Hydrometer Measurement @ 20 °C				Unit : g/ml
Standard Value	UUC Reading	Error	Uncertainty (±)	
0.2482	0	-0.2482	0.23	
30.3154	30	-0.3154	0.23	
60.3463	60	-0.3463	0.23	

Note:
The result of calibration was found accurate as show on date and place of calibration only.
This Certificate is not certified for any commercial transaction.

Measurement Uncertainty
The reported uncertainty of measurement is the expanded uncertainty obtained by multiplying the standard uncertainty with the coverage factor k = 2, providing a level of confidence approximately 95%.
- End of Certificate -



Calibration Report

Certificate Number : SPR25050011-2

Page : 2 of 3

Reference Standards

Equipment Name	Model	Serial No.	Certificate No.	Due. Date
Digimatic Micrometer	293-821-30	45121126	SPR25020035-6	22 Feb 2026
Electronic Balance	N/A	14246789	SPR24090254-10	02 Oct 2025
Barometer	MHB-382SD	AJ.52188	SPR25020035-8	26 Feb 2026
Standard Weight Ring	N/A	N/A	SPR24110445-33	26 Dec 2025
Digital Thermometer With PRT	GT11/3850-40-392	08000098/100288	SPR24060233-5	27 Jun 2025

Traceability
This certification is traceable to the International System of Unit maintained at :
SP Metrology - SP Metrology system (Thailand) Co.Ltd.



REPORT OF CALIBRATION

FOR

NOMENCLATURE : DIGITAL THERMOMETER WITH PROBE
MANUFACTURER : LUTRON
MODEL / TYPE : MTM-380SD
SERIAL NO. : I.570147/N/A[LA-0013/LA-0013/A]
DATE OF CALIBRATION : 10 April 2025

ENVIRONMENT CONDITIONS :

Temperature : $(23 \pm 2) ^\circ\text{C}$ Relative Humidity : $(55 \pm 10) \% \text{ RH}$

PROCEDURE USED :

This instrument was calibrated under procedure No. CLC-CPTH-06 based on ASTM E 220-86 as calibration guidelines.

The calibration was performed by using Calibration Bath, Precision Thermometer and IPRT

which maintained by the Calibration Laboratory Co., Ltd.

REFERENCE STANDARD USED :

1. Calibration Bath, Kambic Model OB-22/2 ULT, OB-22/2 S/N. 17115653, 17115654.
2. Precision Thermometer, ASL Model F250 S/N. 1334023800.
3. IPRT, Wika, ASL Model CTP5000-450-D, T100-250-1D S/N. PO00036374-1-10-12, PO106346-1-18.

TRACEABILITY :

1. The measurements are traceable to International System of Units (SI), through Calibration Laboratory Co., Ltd. Certificate No. Q24120999, Q24112862. Due Date 26 November 2025, 12 November 2025.
2. The measurements are traceable to International System of Units (SI), through Thailand Institute of Scientific and Technological Research (TISTR). Certificate No. PSL-T 1042/67, Due Date 16 October 2025.
3. The measurements are traceable to International System of Units (SI), through National Institute of Metrology (Thailand). Certificate No. TT-0147-24, TT-0110-24. Due Date 28 October 2025, 06 August 2025.

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k = 2.00$ which for a normal distribution corresponds to a coverage probability of approximately 95 %. It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2022)"

Certificate No. Q25041416

F3-011-05/12-23

page 2 of 3



@ckcalibration



CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE : DIGITAL THERMOMETER WITH PROBE
MANUFACTURER : LUTRON
MODEL / TYPE : MTM-380SD
SERIAL NO. : I.570147/N/A[LA-0013/LA-0013/A]
CLID. NO. : 232204019
JOB CONTROL NO. : 250408041416
CALIBRATION SERVICE : ☒ IN-LABORATORY ☐ ON-SITE

CUSTOMER : ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 BAAN KLANG KRUNG BIZ TOWN, SOI SRINAGARINDRA 46/1 (PRAMOTE),
NONG BON SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250

DATE OF RECEIVED : 08 April 2025

DATE OF ISSUED : 11 April 2025

The report of calibration shall not be reproduced except in full without approval of the Calibration Laboratory Co., Ltd.

Calibrated By :

Calibration Engineer



Approved By :

Authorized Signatory

11 April 2025

This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q25041416

F3-011-05/12-23

page 1 of 3



@ckcalibration



CERTIFICATE OF CALIBRATION


FOR

NOMENCLATURE : DIGITAL THERMOHYGRO METER
MANUFACTURER : DIGICON
MODEL / TYPE : TH-02A
SERIAL NO. : 1919E0284991[DTH-01]
CLID. NO. : 232100200
JOB CONTROL NO. : 250408041414
CALIBRATION SERVICE : ☒ IN-LABORATORY ☐ ON-SITE

CUSTOMER : ENVIRONMENTAL MEASUREMENTS CO., LTD.
5/45 BAAN KLANG KRUNG BIZ TOWN, SOI SRINAGARINDRA 46/1 (PRAMOTE),
NONG BON SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250

DATE OF RECEIVED : 08 April 2025 DATE OF ISSUED : 11 April 2025

The report of calibration shall not be reproduced except in full without approval of the Calibration Laboratory Co., Ltd.

Calibrated By : 
Calibration Engineer

Authorized Signatory
11 April 2025

This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q25041414
F3-011-05/12-23



Certificate No. Q25041416
F3-011-05/12-23



CONDITION OF CALIBRATION ITEM : RECEIVED IN GOOD OPERATIONAL CONDITION
MEASUREMENT RESULTS : (X) without adjustment () adjustment

The DUC Reading were recorded and the means value were reported of five times measurement in the table below.

CALIBRATION DATA

CORRECTION OF TEMPERATURE : T1

Immersion depth (mm)	Actual Temperature (°C)	DUC Reading (°C)	Correction (°C)	Uncertainty ± (°C)
200	4.00	4.0	0.00	0.52
	20.02	20.1	-0.08	
	95.02	96.1	-1.08	
	104.02	105.1	-1.08	
	180.00	181.6	-1.60	

Technical Note. Type of sensor : Thermocouple Type K

Note. The Scope of Accredited ANAB Certificate No. ACDM-2814 Version 015 Page 57 of 68

This report is valid for the above stated instrument/s only.



CONDITION OF CALIBRATION ITEM : RECEIVED IN GOOD OPERATIONAL CONDITION
MEASUREMENT RESULTS : (X) without adjustment () adjustment

The table in the following gives the calibration results and associated measurement uncertainties of the measuring digital thermohygrometer.

CALIBRATION DATA

1. CORRECTION OF TEMPERATURE

Test point (°C)	Actual Temperature (°C)	DUC Reading (°C)	Correction (°C)	Uncertainty ± (°C)
20.0	20.00	19.6	+0.40	0.27
25.0	25.00	24.5	+0.50	
30.0	30.00	29.5	+0.50	

2. CORRECTION OF HUMIDITY

STD Temperature (°C)	STD Reading (%RH)	DUC Reading (%RH)	Correction (%RH)	Uncertainty ± (%RH)
25	40.0	30	+10.0	0.8
25	60.0	50	+10.0	0.8

Note: The Scope of Accredited ANAB Certificate No. ACDM-2814 Version 015 Page 60 of 68

This report is valid for the above stated instrument/s only.

End of Certificate



REPORT OF CALIBRATION

FOR

NOMENCLATURE : DIGITAL THERMOHYGROMETER
MANUFACTURER : DIGICON
MODEL / TYPE : TH-02A
SERIAL NO. : 1919E0284991[DTH-01]
DATE OF CALIBRATION : 10 April 2025

ENVIRONMENT CONDITIONS :

Temperature : $(23 \pm 2) ^\circ\text{C}$ Relative Humidity : $(55 \pm 10) \% \text{RH}$

PROCEDURE USED :

This instrument was calibrated under procedure No. CLC-CPTH-11. The calibration was performed by using Chilled Mirror Hygrometer which maintained by the Calibration Laboratory Co., Ltd.

REFERENCE STANDARD USED :

Chilled Mirror Hygrometer, Edgetech Model Dew Master S/N. 44602.
Temperature & Humidity Chamber, PGC Model 9141-5116 S/N. 1304261.

TRACEABILITY :

The measurements are traceable to International System of Units (SI), through Thunder Scientific Corporation.
Certificate No. 22724, Due Date 03 October 2025.

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k = 2.00$ which for a normal distribution corresponds to a coverage probability of approximately 95 %.
It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2022)"





REPORT OF CALIBRATION

FOR

NOMENCLATURE : DIGITAL THERMOHYGRO METER
MANUFACTURER : DIGICON
MODEL / TYPE : TH-02A
SERIAL NO. : 1919E0284980[DTH-02]
DATE OF CALIBRATION : 10 April 2025

ENVIRONMENT CONDITIONS :

Temperature : $(23 \pm 2) ^\circ\text{C}$ Relative Humidity : $(55 \pm 10) \% \text{RH}$

PROCEDURE USED :

This instrument was calibrated under procedure No. CLC-CPTH-11. The calibration was performed by using Chilled Mirror Hygrometer which maintained by the Calibration Laboratory Co., Ltd.

REFERENCE STANDARD USED :

Chilled Mirror Hygrometer, Edgetech Model Dew Master S/N. 44602.
Temperature & Humidity Chamber, PGC Model 9141-5116 S/N. 1304261.

TRACEABILITY :

The measurements are traceable to International System of Units (SI), through Thunder Scientific Corporation.
Certificate No. 22724, Due Date 03 October 2025.

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k = 2.00$ which for a normal distribution corresponds to a coverage probability of approximately 95 %.
It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2022)"

Certificate No. Q25041415

F3-011-05/12-23

page 2 of 3



@clcalibration



CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE : DIGITAL THERMOHYGRO METER
MANUFACTURER : DIGICON
MODEL / TYPE : TH-02A
SERIAL NO. : 1919E0284980[DTH-02]
CLID. NO. : 232100201
JOB CONTROL NO. : 250408041415
CALIBRATION SERVICE : ☒ IN-LABORATORY ☐ ON-SITE

CUSTOMER : ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 BAAN KLANG KRUNG BIZ TOWN, SOI SRINAGARINDRA 46/1 (PRAMOTE),
NONG BON SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250

DATE OF RECEIVED : 08 April 2025

DATE OF ISSUED : 11 April 2025

The report of calibration shall not be reproduced except in full without approval of the Calibration Laboratory Co., Ltd.

Calibrated By :

Calibration Engineer

Approved By :

Authorized Signatory

11 April 2025

This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q25041415

F3-011-05/12-23

page 1 of 3



@clcalibration



CALIBRATION LABORATORY CO., LTD.
2/10-11, 14, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-lab.com E-mail: sale@cal-lab.com



CALIBRATION LABORATORY CO., LTD.
2/10-11, 14, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladphrao, Bangkok 10230
Tel. 02-578-0353-4 Fax: 02-578-2672 www.cal-lab.com E-mail: sale@cal-lab.com



CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE : WATER BATH
MANUFACTURER : M-LAB
MODEL / TYPE : WBN 15
SERIAL NO. : 0335[LA-007]
CLID. NO. : 332300657
JOB CONTROL NO. : 250215018258
CALIBRATION SERVICE : ☐ IN-LABORATORY ☒ ON-SITE

CUSTOMER : ENVIRONMENTAL MEASUREMENTS CO., LTD.

5/45 BAAN KLANG KRUNG BIZ TOWN, SOI SRINAGARINDRA 46/1 (PRAMOTE),
NONG BON SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250

DATE OF RECEIVED : 15 February 2025

DATE OF ISSUED : 04 March 2025

The report of calibration shall not be reproduced except in full without approval of the Calibration Laboratory Co., Ltd.

Calibrated By :

Calibration Engineer



Approved By :

Authorized Signatory

04 March 2025



This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q25018258
F3-011-05/12-23

page 1 of 4



@clcalibration

CONDITION OF CALIBRATION ITEM : RECEIVED IN GOOD OPERATIONAL CONDITION
MEASUREMENT RESULTS : (X) without adjustment () adjustment

The table in the following gives the calibration results and associated measurement uncertainties of the measuring digital thermohygro meter.

CALIBRATION DATA

1. CORRECTION OF TEMPERATURE

Test point (° C)	Actual Temperature (° C)	DUC Reading (° C)	Correction (° C)	Uncertainty ± (° C)
20.0	20.00	19.7	+0.30	0.27
25.0	25.00	24.6	+0.40	
30.0	30.00	29.5	+0.50	

2. CORRECTION OF HUMIDITY

STD Temperature (° C)	STD Reading (%RH)	DUC Reading (%RH)	Correction (%RH)	Uncertainty ± (%RH)
25	40.0	33	+7.0	0.8
25	60.0	53	+7.0	0.8

Note. The Scope of Accredited ANAB Certificate No. ACDM-2814 Version 015 Page 60 of 68

This report is valid for the above stated instrument/s only.

End of Certificate

Certificate No. Q25041415
F3-011-05/12-23

page 3 of 3



@clcalibration



CONDITION OF CALIBRATION ITEM : RECEIVED IN GOOD OPERATIONAL CONDITION

MEASUREMENT RESULTS : (X) without adjustment () adjustment

The table in the following gives the calibration results and associated measurement uncertainties of the measuring water bath.

CALIBRATION DATA

1. WATER BATH PERFORMANCE

Test Point (°C)	DUC Reading (°C)	Uniformity (°C)	Stability (°C)
85.0	85.0	0.40	0.28



REPORT OF CALIBRATION

FOR

NOMENCLATURE : WATER BATH
MANUFACTURER : M-LAB
MODEL / TYPE : WBN 15
SERIAL NO. : 0335[LA-007]
LOCATION SITE : LABORATORY - HOT ZONE
DATE OF CALIBRATION : 27 February 2025

ENVIRONMENT CONDITIONS :

Temperature : 24 °C to 25 °C

Relative Humidity : 49% to 51%

PROCEDURE USED :

This instrument was calibrated under procedure No. WI-305-135 based on ASTM E 715-80:2016 as calibration guidelines.
The calibration was performed by using Hydra Data Logger which maintained by the Calibration Laboratory Co., Ltd.

REFERENCE STANDARD USED :

Hydra Data Logger, Fluke Model 2620 S/N. 5592550.

TRACEABILITY :

The measurements are traceable to International System of Units (SI) , through Calibration Laboratory Co., Ltd.
Certificate No. Q24120965, Due Date 13 May 2025.

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k = 2.00$ which for a normal distribution corresponds to a coverage probability of approximately 95 %.
It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2022)"



CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE : WATER BATH
MANUFACTURER : MEMMERT
MODEL / TYPE : WNB14
SERIAL NO. : L418.0758[LA-004]
CLID. NO. : 332100157
JOB CONTROL NO. : 250215018257
CALIBRATION SERVICE : ☐ IN-LABORATORY ☒ ON-SITE
CUSTOMER : ENVIRONMENTAL MEASUREMENTS CO., LTD.
5/45 BAAN KLANG KRUNG BIZ TOWN, SOI SRINAGARINDRA 46/1 (PRAMOTE),
NONG BON SUB-DISTRICT, PRAWET DISTRICT, BANGKOK 10250

DATE OF RECEIVED : 15 February 2025 DATE OF ISSUED : 04 March 2025
The report of calibration shall not be reproduced except in full without approval of the Calibration Laboratory Co., Ltd.

Calibrated By :  Calibration Engineer

Approved By :  Authorized Signatory
04 March 2025

This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q25018257
F3-011-05/12-23




CALIBRATION DATA

2. TEMPERATURE DISTRIBUTION

Test Point (° C)	DUC Reading (° C)	STD Reading (° C)					Uncertainty ± (° C)
		Probe No. 1	Probe No. 2	Probe No. 3	Probe No. 4	Probe No. 5	
85.0	85.0	85.15	84.79	84.96	84.89	85.06	0.58

Technical Note : W = 35 cm, D = 30 cm, H = 15 cm.

The Scope of Accredited TISI Certificate No. 23-LB0092 Issue 02 Page 128 of 138



This report is valid for the above stated instrument/s only.

End of Certificate

Certificate No. Q25018258
F3-011-05/12-23





CONDITION OF CALIBRATION ITEM : RECEIVED IN GOOD OPERATIONAL CONDITION

MEASUREMENT RESULTS : (X) without adjustment () adjustment

The table in the following gives the calibration results and associated measurement uncertainties of the measuring water bath.

CALIBRATION DATA

1. WATER BATH PERFORMANCE

Test Point (°C)	DUC Reading (°C)	Uniformity (°C)	Stability (°C)
95.0	95.0	0.39	0.17

Certificate No. Q25018257

F3-011-05/12-23

page 3 of 4



@clcalibration



REPORT OF CALIBRATION

FOR

NOMENCLATURE : WATER BATH
MANUFACTURER : MEMMERT
MODEL / TYPE : WNB14
SERIAL NO. : L418.0758[LA-004]
LOCATION SITE : LABORATORY - HOT ZONE
DATE OF CALIBRATION : 27 February 2025

ENVIRONMENT CONDITIONS :

Temperature : 24 °C to 25 °C

Relative Humidity : 49% to 51%

PROCEDURE USED :

This instrument was calibrated under procedure No. W1-305-135 based on ASTM E 715-80:2016 as calibration guidelines.
The calibration was performed by using Hydra Data Logger which maintained by the Calibration Laboratory Co., Ltd.

REFERENCE STANDARD USED :

Hydra Data Logger, Fluke Model 2620 S/N. 5592550.

TRACEABILITY :

The measurements are traceable to International System of Units (SI), through Calibration Laboratory Co., Ltd.
Certificate No. Q24120965, Due Date 13 May 2025.

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k = 2.00$ which for a normal distribution corresponds to a coverage probability of approximately 95 %.
It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2022)"

Certificate No. Q25018257

F3-011-05/12-23

page 2 of 4



@clcalibration




CALIBRATION DATA

2. TEMPERATURE DISTRIBUTION

Test Point (° C)	DUC Reading (° C)	STD Reading (° C)					Uncertainty ± (° C)
		Probe No. 1	Probe No. 2	Probe No. 3	Probe No. 4	Probe No. 5	
95.0	95.0	96.45	96.30	96.22	96.04	96.26	0.51

Technical Note : W = 35 cm, D = 29 cm, H = 14 cm.

The Scope of Accredited TISI Certificate No. 23-LB0092 Issue 02 Page 128 of 138



This report is valid for the above stated instrument/s only.


End of Certificate

Certificate No. Q25018257

F3-011-05/12-23



ที่ อก ๐๓๑๐(๑)/ ๑ ๐ ๘ ๙



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๐ ๗ กุมภาพันธ์ ๒๕๖๕

เรื่อง ดออายุหนึ่งสื้อรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารเคมีของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๓ ธันวาคม ๒๕๖๗

- สิ่งที่ส่งมาด้วย ๑. รายชื่อผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๔๐ ราย
๒. รายชื่อเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๑๔๑ ราย
๓. ขอบข่ายสารเคมีที่ได้รับความเห็นชอบจากกรมโรงงานอุตสาหกรรม

ตามคำขอที่อ้างถึง บริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด ขอต่ออายุ
หนังสือขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ๖-๑๔๕ สถานที่ตั้งเลขที่ ๓ ซอยอุดมสุข ๔๑
ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริง
คอนซัลแตนท์ จำกัด ต่ออายุหนังสือขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

- ก. ผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๔๐ ราย ตามสิ่งที่ส่งมาด้วย ๑
ข. เจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๑๔๑ ราย ตามสิ่งที่ส่งมาด้วย ๒
ค. ขอบข่ายสารเคมีที่ได้รับขึ้นทะเบียนไว้วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน อากาศเสีย
สิ่งปฏิกูลหรือวัสดุที่ไม่ใช่แล้ว และดิน ตามสิ่งที่ส่งมาด้วย ๓

หนังสือฉบับนี้จะหมดอายุในวันที่ ๒ กุมภาพันธ์ ๒๕๗๒ หากประสงค์ต่ออายุหนังสือ
รับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอต่อกรมโรงงาน
อุตสาหกรรมภายใน ๖๐ วัน ก่อนวันสิ้นอายุของหนังสือขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ



รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม
UNITED ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบแลพิษและทะเบียนห้องปฏิบัติการ


โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๔๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@dlw.mail.go.th

Green Industry

“อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว”



ที่ อก ๐๓๑๐(๑)/ ๑ ๔ ๙ ๑



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒ ๔ กุมภาพันธ์ ๒๕๖๕

เรื่อง ยกเลิกบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารเคมีของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๑๘ กุมภาพันธ์ ๒๕๖๘

ตามคำขอที่อ้างถึง บริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด
ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ๖-๑๔๕ สถานที่ตั้งเลขที่ ๓ ซอยอุดมสุข ๔๑ ถนนสุขุมวิท
แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร ขอยกเลิกบุคลากร ความละเอียดแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้ยกเลิกเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน
จำนวน ๓ ราย ได้แก่



จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ



รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบแลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๔๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@dlw.mail.go.th

UNITED ANALYST AND ENGINEERING
CONSULTANT COMPANY LIMITED





“อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว”




เอกสารแนบท้ายหนังสือขออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด เลขทะเบียน ว-๑๔๕
ที่อก ๐๓๑๐(๑)/ ๑ ๐ ๘ ๙ ลงวันที่ ๐๗ กุมภาพันธ์ ๒๕๖๕

ก. ผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๔๐ ราย




เอกสารแบบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท ยูไนเต็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด เลขทะเบียน ว-๑๔๕
ที่ อก ๐๓๑๐(๑) / ๑ ๐ ๘ ๙ ลงวันที่ ๐๗ กุมภาพันธ์ ๒๕๖๕


ข. เจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๑๔๑ ราย



5



8



เอกสารแนบท้ายหนังสืออนุญาตให้ขุดเจาะเป็นพื้นที่ปฏิบัติการวิเคราะห์
บริษัท ยูนิค แอนนาลิสต์ แอนด์ เอ็นจิเนียริ่ง คอนซัลแตนท์ จำกัด เลขทะเบียน ๖-๑๔๕
ที่ อก ๐๓๑๐(๑) ๑ ๐ ๘ ๙ ลงวันที่ ๐๗ กุมภาพันธ์ ๒๕๖๕

ขอขายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๕๗ รายการ

แนบท้าย จำนวน 46 รายการ

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
2	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ⁽⁴⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
3	Barium	Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
4	α-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
5	β-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
6	δ-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
7	γ-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
8	Biochemical Oxygen Demand	1) 5-Day BOD Test, Azide Modification Method ⁽⁴⁾ 2) 5-Day BOD Test, Membrane Electrode Method ⁽⁴⁾
9	Cadmium	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
10	Chemical Oxygen Demand	1) Closed Reflux, Titrimetric Method ⁽⁴⁾ 2) Closed Reflux, Colorimetric Method ⁽⁴⁾ 3) Open Reflux, Titrimetric Method ⁽⁴⁾
11	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
12	Chromium	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
13	Color	ADMI Weighted-Ordinate Spectrophotometric Method ⁽⁴⁾
14	Copper	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
15	Cyanide	1) Distillation, Colorimetric Method ⁽⁴⁾ 2) Total Cyanide after Distillation, by Flow Injection Analysis Method ⁽⁴⁾
16	o,p'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
17	4,4'-DDD	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
18	4,4'-DDE	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
19	4,4'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
20	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
21	Endosulfan I	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
22	Endosulfan II	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
23	Endosulfan sulfate	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
24	Endrin	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾

25 Endrin aldehyde...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
25	Endrin aldehyde	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
26	Formaldehyde	Distillation, Colorimetric Method ⁽²⁾
27	Free Chlorine	1) Iodometric Method ⁽⁴⁾ 2) DPD Ferrous Titrimetric Method ⁽⁴⁾
28	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
29	Heptachlor Epoxide	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
30	Hexavalent Chromium	Colorimetric Method ⁽⁴⁾
31	Lead	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
32	Manganese	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
33	Mercury	1) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾ Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ⁽⁴⁾
34	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
35	Nickel	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
36	Oil & Grease	1) Liquid-Liquid, Partition-Gravimetric Method ⁽⁴⁾ 2) Soxhlet Extraction Method ⁽⁴⁾
37	pH	Electrometric Method ⁽⁴⁾
38	Phenols	1) Distillation, Chloroform Extraction Method ⁽⁴⁾ 2) Distillation, Direct Photometric Method ⁽⁴⁾
39	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ⁽⁴⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
40	Sulfide	1) Iodometric Method ⁽⁴⁾ 2) Methylene Blue Method ⁽⁴⁾
41	Temperature	Laboratory and Field Methods ⁽⁴⁾
42	Total Dissolved Solids	Dried at 180 °C ⁽⁴⁾
43	Total Kjeldahl Nitrogen	Semi-Micro-Kjeldahl Method ⁽⁴⁾
44	Total Suspended Solids	Dried from 103 to 105 °C ⁽⁴⁾
45	Trivalent Chromium	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ Colorimetric Method, Calculated from Total Chromium ⁽⁴⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾ Colorimetric Method, Calculated from Total Chromium ⁽⁴⁾
46	Zinc	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾

น้ำใต้ดิน...

- ๔ -

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
14	Benzo(a)pyrene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
15	Benzo(g,h,i)perylene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
16	Beryllium	Spectrometric Method ⁽⁴⁾
17	Bis(2-chloroethyl)ether	Digestion, Inductively Coupled Plasma Method ⁽⁴⁾ Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
18	Bis(2-ethylhexyl)phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
19	Bromodichloromethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
20	Bromoform	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
21	Butanol	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
22	Butyl benzyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
23	Cadmium	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽⁴⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
24	Carbazole	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
25	Carbon disulfide	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
26	Carbon tetrachloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
27	Chlordane	1) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
28	p-Chloroaniline	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾

29 Chlorobenzene...

- ๓ -

น้ำดิบ จำนวน 126 รายการ

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾ Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
2	Acetone	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
3	Aldrin	2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
4	Anthracene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾ Digestion, Inductively Coupled Plasma Method ⁽⁴⁾ 1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ⁽⁴⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
5	Antimony	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
6	Arsenic	Digestion, Inductively Coupled Plasma Method ⁽⁴⁾ 1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ⁽⁴⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
7	Atrazine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
8	Barium	Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
9	Benz(a)anthracene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾ Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
10	Benzene	1) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
11	Benzo(b)fluoranthene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
12	Benzo(k)fluoranthene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
13	Benzoic acid	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾

14 Benzo(a)pyrene...

- บ -

ลำดับ	สารเคมี	วิธีวิเคราะห์
43	Di-n-butyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
44	1,2-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
45	1,3-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
46	1,4-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
47	3,3'-Dichlorobenzidine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
48	1,1-Dichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
49	1,2-Dichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
50	1,1-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
51	cis-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
52	trans-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
53	2,4-Dichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
54	1,2-Dichloropropane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
55	1,3-Dichloropropane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
56	1,3-Dichloropropene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
57	Dieldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
58	Diethyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
59	2,4-Dimethylphenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
60	2,4-Dinitrophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾

61 2,4-Dinitrotoluene...

- ค -

ลำดับ	สารเคมี	วิธีวิเคราะห์
29	Chlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
30	Chlorodibromomethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
31	Chloroform	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
32	2-Chlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
33	Chromium	1) Digestion, Direct Air-Acetylene Flame Method ⁽⁴⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
34	Chromium (III)	1) Digestion, Direct Air-Acetylene Flame Method; Colorimetric Method; Calculation ⁽⁴⁾ 2) Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ⁽⁴⁾
35	Chromium (VI)	Colorimetric Method ⁽⁴⁾
36	Chrysene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
37	Cyanide	Distillation, Colorimetric Method ⁽⁴⁾
38	2,4-D	Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾
39	DDD	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
40	DDE	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
41	DDT	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
42	Dibenz(a,h)anthracene	1) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾

43 Di-n-butyl phthalate...

- ๘ -

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
74	α -HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
75	β -HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
76	γ -HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
77	Hexachlorocyclopentadiene	1) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
78	Hexachloroethane	1) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
79	Indeno(1,2,3-cd)pyrene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
80	Isophorone	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
81	Lead	1) Digestion, Direct Air-Acetylene Flame Method ^(a) 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^(a)
82	Manganese	3) Digestion, Inductively Coupled Plasma Method ^(a) 1) Digestion, Direct Air-Acetylene Flame Method ^(a) 2) Digestion, Inductively Coupled Plasma Method ^(a)
83	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^(a)
84	Methanol	Purge and Trap Gas Chromatographic Method ^(a)
85	Methoxychlor	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
86	Methyl bromide	Purge and Trap Gas Chromatographic Method ^(a)

87 Methylene chloride...

- ๗ -

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
61	2,4-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
62	2,6-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
63	Di-n-Octyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
64	Endosulfan	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
65	Endrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
66	Ethylbenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
67	Fluoranthene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
68	Fluorene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
69	Heptachlor	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
70	Heptachlor epoxide	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
71	Hexachlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
72	Hexachloro-1,3-butadiene	Purge and Trap Gas Chromatographic Method ^(a)
73	n-Hexane	Purge and Trap Gas Chromatographic Method ^(a)

74 α -HCH...

ลำดับ	สารเคมี	วิธีวิเคราะห์
100	Phenol	1) Distillation, Chloroform Extraction Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
101	Pyrene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
102	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^(a) 2) Digestion, Inductively Coupled Plasma Method ^(a)
103	Silver	Digestion, Inductively Coupled Plasma Method ^(a)
104	Styrene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
105	1,1,2,2-Tetrachloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
106	Tetrachloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
107	Toluene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
108	Toxaphene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
109	TPH (C ₅ - C ₆)	1) Purge and Trap, Gas Chromatographic Method ^(12,22) 2) Purge and Trap, Gas Chromatographic/Mass spectrometric Method ^(12,27)
110	TPH (C ₈ - C ₁₆)	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(9,22)
111	TPH (C ₁₆ - C ₃₅)	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(9,22)
112	1,2,4-Trichlorobenzene	Purge and Trap Gas Chromatographic Method ^(a)
113	1,1,1-Trichloroethane	Purge and Trap Gas Chromatographic Method ^(a)
114	1,1,2-Trichloroethane	Purge and Trap Gas Chromatographic Method ^(a)
115	Trichloroethylene	Purge and Trap Gas Chromatographic Method ^(a)

ลำดับ	สารเคมี	วิธีวิเคราะห์
87	Methylene chloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
88	2-Methylphenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
89	2-Methylnaphthalene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
90	Methyl tert-butyl ether	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^(a)
91	Naphthalene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
92	Nickel	1) Digestion, Direct Air-Acetylene Flame Method ^(a) 2) Digestion, Inductively Coupled Plasma Method ^(a)
93	Nitrobenzene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
94	N-Nitrosodiphenylamine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
95	N-Nitrosodi-n-propylamine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
96	Polychlorinated Biphenyls - PCB 1016 - PCB 1221 - PCB 1232 - PCB-1242 - PCB-1248 - PCB-1254 - PCB-1260	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)
97	Pentachlorophenol	Liquid-Liquid Extraction, Gas Chromatographic Method ^(a)
98	pH	Electrometric Method ^(a)
99	Phenanthrene	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^(a) 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^(a)

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
6	Chromium (๓๖)	2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
7	Cobalt	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
8	Copper	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
9	Cresol	Absorption Sampling, Gas Chromatographic Method ^[5]
10	Dioxins/Furans	Isokinetic Sampling ^[5]
11	Hydrogen Chloride	Isokinetic Sampling, Ion Chromatographic Method ^[5]
12	Hydrogen Fluoride	Isokinetic Sampling, Ion Chromatographic Method ^[5]
13	Hydrogen Sulfide	Absorption Sampling, Iodometric Method ^[5]
14	Lead	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
15	Manganese	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
16	Mercury	Isokinetic Sampling, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[5]
17	Nickel	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
18	Opacity	Ringelmann's Method ^[1]
19	Oxides of Nitrogen	1) Absorption Sampling, Phenoldisulfonic acid Method ^[5] 2) Instrumental Analyzer Method ^[5]
20	Selenium	1) Isokinetic Sampling, Digestion, Inductively Coupled Atomic Absorption Spectrometric Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
21	Sulfur Dioxide	1) Absorption Sampling, Barium Method ^[5] 2) Instrumental Analyzer Method ^[5]
22	Sulfuric Acid	Isokinetic Sampling, Barium Method ^[5]

23 Total Suspended Particulate...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
116	2,4,5-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
117	2,4,6-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
118	1,3,5-Trimethylbenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
119	Vanadium	Digestion, Inductively Coupled Plasma Method ^[4]
120	Vinyl acetate	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
121	Vinyl chloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
122	m-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
123	o-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
124	p-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
125	Xylene (Total)	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
126	Zinc	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]

อากาศเสีย (ปล่อยระบาย) จำนวน 25 รายการ

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
2	Arsenic	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
3	Cadmium	1) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
4	Carbon Monoxide	Isokinetic Sampling, Ion Chromatographic Method ^[5]
5	Chlorine	Isokinetic Sampling, Ion Chromatographic Method ^[5]
6	Chromium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]

Chromium (๓๖)...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
22	Mercury (ต่อ)	5) Thermal Decomposition Amalgamation and Atomic Absorption Spectrometric Method ⁽²⁰⁾
23	Methoxychlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(3,9,23) 2) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23)
24	Molybdenum	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(3,6,14) 2) Digestion, Inductively Coupled Plasma Method ^(7,14)
25	Nickel	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^(3,6,15) 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(3,6,14) 3) Digestion, Flame Atomic Absorption Spectrometric Method ^(7,15) 4) Digestion, Inductively Coupled Plasma Method ^(7,14)
26	Polychlorinated Biphenyls - Aroclor 1016 - Aroclor 1221 - Aroclor 1232 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260 - 2-Chlorobiphenyl - 2,3-Dichlorobiphenyl - 2,2',5'-Trichlorobiphenyl - 2,4',5'-Trichlorobiphenyl - 2,2',3,5'-Tetrachlorobiphenyl - 2,2',5,5'-Tetrachlorobiphenyl - 2,3',4,4'-Tetrachlorobiphenyl - 2,2',3,4,5'-Pentachlorobiphenyl - 2,2',4,5,5'-Pentachlorobiphenyl - 2,3',3',4',6'-Pentachlorobiphenyl	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(3,9,24) 2) Ultrasonic Extraction, Gas Chromatographic Method ^(10,24)



Polychlorinated Biphenyls(ต่อ)...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
15	DDE	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(3,9,23) 2) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23)
16	DDT	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(3,9,23) 2) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23)
17	Dieldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(3,9,23) 2) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23)
18	Endrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(3,9,23) 2) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23)
19	Heptachlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(3,9,23) 2) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23)
20	Lead	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^(3,6,15) 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(3,6,14) 3) Digestion, Flame Atomic Absorption Spectrometric Method ^(7,15) 4) Digestion, Inductively Coupled Plasma Method ^(7,14)
21	Lindane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^(3,9,23) 2) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23)
22	Mercury	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(3,6,14) 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^(3,6,14) 3) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ⁽¹⁹⁾ 4) Digestion, Inductively Coupled Plasma Method ^(3,6,14)

Mercury (ต่อ)...

- ๑๘ -

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
32	Toxaphene	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[3.9.23] 2) Ultrasonic Extraction, Gas Chromatographic Method ^[10.23]
33	Trichloroethylene	1) Waste Extraction, Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[3.12.27] 2) Waste Extraction, Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^[3.11.27] 3) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[3.3.27] 4) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^[1.1.27]
34	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3.6.14] 2) Digestion, Inductively Coupled Plasma Method ^[7.14]
35	Zinc	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[3.6.15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3.6.14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7.15] 4) Digestion, Inductively Coupled Plasma Method ^[7.14]

ดิน จำนวน 125 รายการ

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	1) Ultrasonic Extraction, Gas Chromatographic Method ^[10.25] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10.28]
2	Acetone	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13.27]
3	Aldrin	1) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10.28] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10.28]
4	Anthracene	1) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10.25]

Anthracene (ต่อ)...

- ๑๙ -

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
	Polychlorinated Biphenyls (ต่อ) - 2,2',3,4,4',5'- Hexachlorobiphenyl - 2,2',3,4,5,5'- Hexachlorobiphenyl - 2,2',3,5,5',6'- Hexachlorobiphenyl - 2,2',4,4',5,5'- Hexachlorobiphenyl - 2,2',3,3',4,4',5'- Heptachlorobiphenyl - 2,2',3,4,4',5,5'- Heptachlorobiphenyl - 2,2',3,4,4',5,6'- Heptachlorobiphenyl - 2,2',3,4',5,5',6'- Heptachlorobiphenyl - 2,2',3,3',4,4',5,5',6'- Heptachlorobiphenyl Nonachlorobiphenyl Pentachlorophenol	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[3.9.28] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10.28] Electrometric Method ^[3.1.32] 1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[3.6.21] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3.6.14] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7.21] 4) Digestion, Inductively Coupled Plasma Method ^[3.6.14] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3.6.14] 2) Digestion, Inductively Coupled Plasma Method ^[3.6.14] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3.6.14] 2) Digestion, Inductively Coupled Plasma Method ^[3.6.14]
27		
28	pH	
29	Selenium	
30	Silver	
31	Thallium	

32 Toxaphene...

ลำดับ	สารเคมี	วิธีวิเคราะห์
17	Bis(2-chloroethyl)ether	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
18	Bis(2-ethylhexyl)phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
19	Bromodichloromethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27)
20	Bromoform	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27)
21	Butanol	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27)
22	Butyl benzyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
23	Cadmium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^(7,15) 2) Digestion, Inductively Coupled Plasma Method ^(7,14)
24	Carbazole	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
25	Carbon disulfide	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27)
26	Carbon tetrachloride	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27) 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^(11,27)
27	Chlordane	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
28	p-Chloroaniline	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
29	Chlorobenzene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
30	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27)
31	Chloroform	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27)
32	2-Chlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)

33 Chromium...

ลำดับ	สารเคมี	วิธีวิเคราะห์
4	Anthracene (คอ)	2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
5	Antimony	Digestion, Inductively Coupled Plasma Method ^(7,14)
6	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^(7,16) 2) Digestion, Inductively Coupled Plasma Method ^(7,14)
7	Atrazine	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
8	Barium	Digestion, Inductively Coupled Plasma Method ^(7,14)
9	Benz(a)anthracene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
10	Benzene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27) 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^(11,27)
11	Benzo(b)fluoranthene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
12	Benzo(k)fluoranthene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
13	Benzoic acid	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
14	Benzo(a)pyrene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
15	Benzo(g,h,i)perylene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
16	Beryllium	Digestion, Inductively Coupled Plasma Method ^(7,14)

17 Bis(2-chloroethyl)ether...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
45	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27)
46	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27)
47	3,3'-Dichlorobenzidine	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
48	1,1-Dichloroethane	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27) 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^(11,27)
49	1,2-Dichloroethane	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27) 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^(11,27)
50	1,1-Dichloroethylene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27) 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^(11,27)
51	cis-1,2-Dichloroethylene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27) 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^(11,27)
52	trans-1,2-Dichloroethylene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27) 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^(11,27)
53	2,4-Dichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
54	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27)
55	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27)
56	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27)
57	Dieldrin	1) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,23) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)

58 Diethyl phthalate...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
33	Chromium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^(7,15) 2) Digestion, Inductively Coupled Plasma Method ^(7,16)
34	Chromium (III)	1) Digestion, Flame Atomic Absorption Spectrometric Method; Alkaline Digestion, Colorimetric Method; Calculation ^(7,8,15,17) 2) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation ^(7,8,14,17)
35	Chromium (VI)	Alkaline Digestion, Colorimetric Method ^(8,17)
36	Chrysene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
37	Cyanide	Extraction, Distillation, Colorimetric Method ^(29,30)
38	2,4-D	Ultrasonic Extraction, Gas Chromatographic Method ⁽²⁶⁾
39	DDD	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
40	DDE	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
41	DDT	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
42	Dibenz(a,h)anthracene	1) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28) 2) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23)
43	Di-n-butyl phthalate	2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
44	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27)

45 1,3-Dichlorobenzene...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
70	Heptachlor epoxide (ต่อ)	2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
71	Hexachlorobenzene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
72	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27)
73	n-Hexane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27)
74	α-HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
75	β-HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
76	γ-HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
77	Hexachlorocyclopentadiene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
78	Hexachloroethane	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
79	Indeno(1,2,3-cd)pyrene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
80	Isophorone	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
81	Lead	1) Digestion, Flame Atomic Method ^(7,15) 2) Digestion, Inductively Coupled Plasma Atomic Absorption Spectrometry Method ^(10,28)
82	Manganese	1) Digestion, Flame Atomic Method ^(7,15) 2) Digestion, Inductively Coupled Plasma Atomic Absorption Spectrometry Method ^(10,28)

83 Mercury...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
58	Diethyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
59	2,4-Dimethylphenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
60	2,4-Dinitrophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
61	2,4-Dinitrotoluene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
62	2,6-Dinitrotoluene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
63	Di-n-Octyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
64	Endosulfan	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
65	Endrin	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
66	Ethylbenzene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27) 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^(11,27)
67	Fluoranthene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
68	Fluorene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
69	Heptachlor	1) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
70	Heptachlor epoxide	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)

Heptachlor epoxide (ต่อ)...

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
96	Polychlorinated Biphenyls(๓๑) - Aroclor 1221 - Aroclor 1232 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260 Polychlorinated Biphenyls - 2-Chlorobiphenyl - 2,3-Dichlorobiphenyl - 2,2',5-Trichlorobiphenyl - 2,4',5-Trichlorobiphenyl - 2,2',3,5'-Tetrachlorobiphenyl - 2,2',5,5'-Tetrachlorobiphenyl - 2,3',4,4'-Tetrachlorobiphenyl - 2,2',3,4,5'- Pentachlorobiphenyl - 2,2',4,5,5'- Pentachlorobiphenyl - 2,3,3',4',6- Pentachlorobiphenyl - 2,2',3,4,4',5'- Hexachlorobiphenyl - 2,2',3,4,5,5'- Hexachlorobiphenyl - 2,2',3,5,5',6- Hexachlorobiphenyl - 2,2',4,4',5,5'- Hexachlorobiphenyl - 2,2',3,3',4,4',5- Heptachlorobiphenyl - 2,2',3,4,4',5,5'- Heptachlorobiphenyl - 2,2',3,4,4',5',6- Heptachlorobiphenyl - 2,2',3,4',5,5',6- Heptachlorobiphenyl - 2,2',3,3',4,4',5,5',6- Nonachlorobiphenyl	2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28) Ultrasonic Extraction, Gas Chromatographic Method ^(10,24)

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
83	Mercury	1) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ⁽¹⁹⁾ 2) Thermal Decomposition Amalgamation and Atomic Absorption Spectrometric Method ⁽²⁰⁾ Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27)
84	Methanol	Spectrometric Method ^(13,27)
85	Methoxychlor	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
86	Methyl bromide	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27)
87	Methylene chloride	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27) 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^(11,27)
88	2-Methylphenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
89	2-Methylnaphthalene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
90	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13,27)
91	Naphthalene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,23) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
92	Nickel	1) Digestion, Flame Atomic Absorption Spectrometric Method ^(7,15) 2) Digestion, Inductively Coupled Plasma Method ^(7,14)
93	Nitrobenzene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
94	N-Nitrosodiphenylamine	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
95	N-Nitrosodi-n-propylamine	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10,28)
96	Polychlorinated Biphenyls - Aroclor 1016	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10,24)

- ๒๘ -

ลำดับ	สารเคมี	วิธีวิเคราะห์
111	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13.27)
112	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13.27)
113	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13.27)
114	Trichloroethylene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13.27) 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^(11.27)
115	2,4,5-Trichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10.28)
116	2,4,6-Trichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10.28)
117	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13.27)
118	Vanadium	Digestion, Inductively Coupled Plasma Method ^(7.14)
119	Vinyl acetate	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13.27)
120	Vinyl chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13.27)
121	m-Xylene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13.27) 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^(11.27)
122	o-Xylene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13.27) 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^(11.27)
123	p-Xylene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13.27) 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^(11.27)
124	Xylene (Total)	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13.27) 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^(11.27)

125 Zinc...

- ๒๗ -

ลำดับ	สารเคมี	วิธีวิเคราะห์
97	Pentachlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10.28)
98	Phenanthrene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10.25) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10.28)
99	Phenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10.28)
100	Pyrene	1) Ultrasonic Extraction, Gas Chromatographic Method ^(10.25) 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(10.28)
101	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^(7.21) 2) Digestion, Inductively Coupled Plasma Method ^(7.14)
102	Silver	Digestion, Inductively Coupled Plasma Method ^(7.14)
103	Styrene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13.27) 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^(11.27)
104	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13.27)
105	Tetrachloroethylene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13.27) 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^(11.27)
106	Toluene	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13.27) 2) Equilibrium Headspace, Gas Chromatographic/Mass Spectrometric Method ^(11.27)
107	Toxaphene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(11.27)
108	TPH (C ₅ -C ₈)	1) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13.27) 2) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^(13.27)
109	TPH (C ₉ -C ₁₆)	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13.27)
110	TPH (C ₁₅ -C ₃₃)	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(13.27)

111 1,2,4-Trichlorobenzene...

26. United States Environmental Protection Agency. Test Method Evaluation Solid Waste Physical/Chemical Methods. Chlorinated Herbicide Methylation or Pentafluorobenzylation Derivatization. SW-846 Method

ลำดับ	สารมลพิษ	วิธีวิเคราะห์
125	Zinc	1) Digestion, Flame Atomic Absorption Spectrometric Method ^(7,15) 2) Digestion, Inductively Coupled Plasma Atomic Absorption Spectrometric Method ⁽¹⁶⁾

1. กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. ๒๕๕๖. นิตยสาร

2. สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย, คู่มือวิเคราะห์น้ำเสีย, พิมพ์ครั้งที่ 4, กรุงเทพฯ: เรือนแก้วกราฟิฟ, 2547.

3. กระทรวงอุตสาหกรรม, ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2566. เรื่อง การจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่^{ที่}แล้ว. ราชกิจจานุเบกษา. 31 พฤษภาคม 2566. เล่มที่ 140 ตอนพิเศษ 126 ง.

4. APHA, AWWA, WEF. Standard Methods for the Examination of Water and Wastewater. 24th ed. Washington, DC: APHA, 2023.

5. United States Environmental Protection Agency. Standards of Performance for New Stationary Sources. 40 CFR 60. Appendix A, 2020.

6. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. SW-846, 2014.

7. United States Environmental Protection Agency. Test Methods for Evaluation of Solid Waste Physical/Chemical Methods: Acid Digestion of Sediments, Sludges, and Soils.

8 | United States Environmental Protection Agency Test Methods for Evaluation

Solid Waste Physical/Chemical Methods. Alkaline Digestion for Hexavalent Chromium. EPA 846-M-94-002. 1992.

9. United States Environmental Protection Agency. Test Methods for Evaluation of Solid Wastes 2. Physical/Chemical Methods. Conference: Federal Interagency Conference on Solid Wastes, 1970.

10. United States Environmental Protection Agency. Test Methods for Evaluating Solid Waste 3. Physical/Chemical Methods, Laboratory Tannin-Liquid-Liquid Extraction, SW-846 Method 3510C, 1996.

10. United States Environmental Protection Agency. Test methods for evaluation Solid Waste Physical/Chemical Methods. Ultrasonic Extraction. SW-846 Method

11. United States Environmental Protection Agency. Test Methods for

12. United States Environmental Protection Agency, Test Methods for the determination of metals in environmental samples by oxidation, reduction, cupric reduction, hydride generation, and cathodic stripping voltammetry, EPA-821-R-90-010, Office of Water, U.S. Environmental Protection Agency, Washington, D.C., 1990.

Solid Waste Physical/Chemical Methods, ^{IN}Purge and Trap^{ER} for Aqueous Method 5030C, 2003
CONSULTANT COMPANY LIMITED

13. United States Environmental Protection Agency. Test Methods for Evaluating Solid Waste Physical/Chemical Methods. Closed System Burge and Tran and Extraction for

Volatile Organics in Soil and Waste Sample. SW-846 Method 5035A. 2000.

14. United States...

27. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Volatile Organic Compounds by Gas Chromatography/ Mass Spectrometry. SW-846 Method 8260D, 2018.
28. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Semivolatile Organic Compounds by Gas Chromatography/Mass Spectrometry. SW-846 Method 8270E, 2018.
29. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Cyanide Extraction Procedure for Solids and Oils. SW-846 Method 9013A, 2014.
30. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Cyanide in Waters and Extracts using Titrimetric and Manual Spectrophotometric Procedures. SW-846 Method 9014, 2014.
31. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. pH Electrometric Measurement. SW-846 Method 9040C, 2004.
32. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Soil and Waste pH. SW-846 Method 9045D, 2004.