

ภาคผนวก ค

ใบรับรองผลการตรวจวิเคราะห์



Analysis / Test Report

TESTING
No.0009

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

Lot ID: 2561852

Date Received : Jul 10, 2025

Date Reported : Jul 18, 2025

Report Number : 3345719-1

P/O :

Project Name :

Project Location :

Page 1 of 1

Sample Number 2561852-1
Sampled Date Jul 07, 2025
Sample Description Air Quality
Location บริเวณพื้นที่โครงการ (GPS 47Q 0501745, 2079022)
Date Analysis Commenced Jul 11, 2025
Condition of Sample Drawn into one glass filter paper (8x10 inch) placed in plastic bag, one quartz filter paper (8x10 inch) placed in plastic bag and one 10-L air sampling bag
Barometric Pressure 727 mmHg
Atmospheric Temperature 30.9 °C

Analyte	Sampled Date/time	Unit	LOD	LOQ (LOR)	Result	Guideline Limit	Method	Guideline	Testing Location
Air Testing									
Carbon Monoxide *	10:00 AM - 11:00 AM	ppm	-	0.10	0.10	30	U.S. Environmental Protection Agency 40 CFR Part 50, Appendix C	NEB No.10 Bangkok	
Particulate matter as PM 10	07/07/25 - 08/07/25	mg/m3	-	0.005	0.014	0.12	In - house method : STM 04-052 based on U.S. Environmental Protection Agency 40 CFR, method 50, Appendix J, revised as of July 1, 2008 (Include sampling)	NEB No.24 Bangkok	
Total Suspended Particulate	07/07/25 - 08/07/25	mg/m3	-	0.005	0.035	0.33	In - house method : STM 04-051 based on U.S. Environmental Protection Agency 40 CFR, method 50, Appendix B, revised as of July 1, 2008 (Include sampling)	NEB No.24 Bangkok	

Guideline :

NEB No.10 : Notification of the National Environmental Board. No.10, 1995 (B.E.2538); (1) Guideline for 1 month Average value.

NEB No.24 : Notification of the National Environmental Board. No.24, 2004 (B.E.2547) dated September 22, 2004

Sampled By : Chaloamkiat Amornsriserm

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.

Approved by

Orawan R.

Orawan Rakyong
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No. 0009

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :

Lot ID: 2557739
Date Received : Jul 02, 2025
Date Reported : Jul 08, 2025
Report Number : 3355759-1

Page 1 of 1

Sample Number	2557739-2
Sampled Date	Jul 01, 2025 10:35 AM
Sample Description	น้ำดื่ม
Location	พื้นที่ภายในอาคารสำนักงาน
Date Analysis Commenced	Jul 03, 2025
Condition of Sample	Contained in two plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	79.7	≤30	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	79	≤40	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Size of Buildings, Type B.
Sampling By : Nattapong Sopa

- Remark :
- LOD : Limit of Detection
 - <C : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
 - Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
 - Sampling is not included in scope of accreditation ISO/IEC 17025



Approved by
Suwimon Chaiuangwut
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



S:\Reports_JM_Graph (5.3699)



Analysis / Test Report

TESTING
No. 0009

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :

Lot ID: 2557739
Date Received : Jul 02, 2025
Date Reported : Jul 08, 2025
Report Number : 3355759-1

Page 1 of 2

Sample Number	2557739-3
Sampled Date	Jul 01, 2025 10:40 AM
Sample Description	น้ำดื่ม
Location	พื้นที่ภายในอาคารสำนักงาน
Date Analysis Commenced	Jul 02, 2025
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Total Coliform	MPN/100mL	-	-	7900.0	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	6.2	≤30	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Oil & Grease	mg/L	-	3	<3	≤20	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Bangkok
pH at 25 degree C		-	-	6.4	5.5-9.0	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Settleable Solid *	mL/L/hr	-	0.1	<0.1	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 F	Bangkok
Sulfide *	mg/L	-	0.5	<0.5	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-52 (C, F)	Bangkok
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	416	≤1000	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	<1.0	≤35	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C)	Bangkok



Approved by
Suwimon Chaiuangwut
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



S:\Reports_JM_Graph (5.3699)



Analysis / Test Report

TESTING
No.0009

Lot ID: 2557739

Date Received : Jul 02, 2025
Date Reported : Jul 08, 2025
Report Number : 3355799-1

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Navarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Project Name :

Project Location :

Page 2 of 2

Sample Number	2557739-3
Sampled Date	Jul 01, 2025 10:40 AM
Sample Description	น้ำดื่ม
Location	บริเวณอาคารศูนย์รวมข้อมูล
Date Analysis Commenced	Jul 02, 2025
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	17	≤40	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Sized of Buildings, Type B.

Sampling By : Nattapong Sopa

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025



Approved by

Swimon Chaiuangwut
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

237962317 EMAIL

S:Reporten_Als_Guest (5.5899)

Analysis / Test Report

TESTING
No.0009

Lot ID: 2557740

Date Received : Aug 06, 2025
Date Reported : Aug 13, 2025
Report Number : 3381479-1

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Navarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Project Name :

Project Location :

Page 1 of 1

Sample Number	2557740-2
Sampled Date	Aug 05, 2025 10:30 AM
Sample Description	น้ำดื่ม
Location	บริเวณอาคารศูนย์รวมข้อมูล
Date Analysis Commenced	Aug 07, 2025
Condition of Sample	Contained in two plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	83.7	≤30	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	72	≤40	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Sized of Buildings, Type B.

Sampling By : Nattapong Sopa

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025



Approved by

Swimon Chaiuangwut
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

237962317 EMAIL

S:Reporten_Als_Guest (5.5899)



Analysis / Test Report

TESTING
No.0009
Lot ID: 2557740

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :

Page 1 of 2

Sample Number	2557740-3						
Sampled Date	Aug 05, 2025 10:35 AM						
Sample Description	น้ำดื่ม						
Location	พื้นที่อาคารกระทรวงมหาดไทย						
Date Analysis Commenced	Aug 06, 2025						
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)						
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Total Coliform	MPN/100mL	-	-	11000.0	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	6.4	≤30	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Oil & Grease	mg/L	-	3	<3	≤20	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Bangkok
pH at 25 degree C		-	-	6.6	5.5-9.0	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Settleable Solid *	mL/L/hr	-	0.1	<0.1	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 F	Bangkok
Sulfide *	mg/L	-	0.5	<0.5	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Bangkok
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	388	≤1000	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	4.9	≤35	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C)	Bangkok

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Approved by
Swimon C.
Swimon Chiruangwut
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



S:0aporn_JM_Grapt (4-5899)



Analysis / Test Report

TESTING
No.0009
Lot ID: 2557740

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :

Page 2 of 2

Sample Number	2557740-3						
Sampled Date	Aug 05, 2025 10:35 AM						
Sample Description	น้ำดื่ม						
Location	พื้นที่อาคารรวมศูนย์ข้อมูล						
Date Analysis Commenced	Aug 06, 2025						
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)						
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	26	≤40	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Size of Buildings, Type B.

Sampling By : Nattapong Sopa

- Remark :
- LOD : Unit of Detection
 - "<" : Lower than LOQ (Limit of Quantization) / LOR (Limit of Reporting)
 - Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
 - Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Approved by
Swimon C.
Swimon Chiruangwut
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



S:0aporn_JM_Grapt (4-5899)



Analysis / Test Report

TESTING
No.0009

Lot ID: 2557741

Date Received : Sep 03, 2025
Date Reported : Sep 09, 2025
Report Number : 3402404-1

Client : The Base Height-Chiangmai Juristic Person Condominium

333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Project Name :

Project Location :

Page 1 of 1

Sample Number	2557741-2
Sampled Date	Sep 02, 2025 11:45 AM
Sample Description	น้ำดื่ม
Location	บริเวณตู้จำหน่ายน้ำดื่ม
Date Analysis Commenced	Sep 04, 2025
Condition of Sample	Contained in two plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	18.8	≤30	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	63	≤40	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Size of Buildings, Type B.

Sampling By : Chaiakmat Amornrisem

Remark :

- LOD : Limit of Detection
- <C : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyst's marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Approved by

Siriluk P.

Siriluk Bunrak
Section Head

2379621/ EMAIL

S:090901_01_Graph (4-5090)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

2379621/ EMAIL

S:090901_01_Graph (4-5090)



Analysis / Test Report

TESTING
No.0009

Lot ID: 2557741

Date Received : Sep 03, 2025
Date Reported : Sep 09, 2025
Report Number : 3402405-1

Client : The Base Height-Chiangmai Juristic Person Condominium

333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Project Name :

Project Location :

Page 1 of 2

Sample Number	2557741-3
Sampled Date	Sep 02, 2025 11:50 AM
Sample Description	น้ำดื่ม
Location	บริเวณตู้จำหน่ายน้ำดื่ม
Date Analysis Commenced	Sep 03, 2025
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Total Coliform	MPN/100mL	-	-	33000.0	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	4.3	≤30	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Oil & Grease	mg/L	-	3	<3	≤20	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Bangkok
pH at 25 degree C		-	-	6.0	5.5-9.0	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Settleable Solid *	mL/L/hr	-	0.1	<0.1	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 F	Bangkok
Sulfide *	mg/L	-	0.5	0.6	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-52 (C, F)	Bangkok
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	416	≤1000	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	4.7	≤35	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C)	Bangkok

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Approved by

Sithichok T.

Sithichok Thongtuen
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

2379621/ EMAIL

S:090901_01_Graph (6-2290)



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Navarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Project Name :

Project Location :

TESTING
No.0009

Lot ID: 2557741

Date Received : Sep 03, 2025

Date Reported : Sep 09, 2025

Report Number : 3402405-1

Page 2 of 2

Sample Number	2557741-3
Sampled Date	Sep 02, 2025 11:50 AM
Sample Description	น้ำดื่ม
Location	บริเวณอาคารศูนย์รวมข้อมูล
Date Analysis Commenced	Sep 03, 2025
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	8	≤40	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Sized of Buildings, Type B.

Sampling By : Chalornkiat Anomsrisern

Remark :

- LOD : Unit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the Laboratory.

Approved by

Sithichok T.

Sithichok Thongnuean
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

2379621/ EMAIL

S:\Reports_JM_Guest (6.2299)



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Navarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Project Name :

Project Location :

TESTING
No.0009

Lot ID: 2557742

Date Received : Oct 08, 2025

Date Reported : Oct 15, 2025

Report Number : 3427796-1

Page 1 of 1

Sample Number	2557742-2
Sampled Date	Oct 07, 2025 3:35 PM
Sample Description	น้ำดื่ม
Location	บริเวณทางเชื่อมอาคารศูนย์รวมข้อมูล
Date Analysis Commenced	Oct 09, 2025
Condition of Sample	Contained in two plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	55.2	≤30	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	30	≤40	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Sized of Buildings, Type B.

Sampling By : Nattapong Sopa

Remark :

- LOD : Unit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the Laboratory.

Approved by

Sinluk P.

Sinluk Bumak
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

2379621/ EMAIL

S:\Reports_JM_Guest (6.2299)



Analysis / Test Report

TESTING
No.0009
Lot ID: 2557742

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :

Page 1 of 2

Sample Number	2557742-3						
Sampled Date	Oct 07, 2025 3:40 PM						
Sample Description	น้ำดื่ม						
Location	พื้นที่อาคารประชุมหมู่บ้าน						
Date Analysis Commenced	Oct 08, 2025						
Condition of Sample	Contained in five plastic bottles and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)						
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Total Coliform	MPN/100mL	-	-	3300.0	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	3.6	≤30	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Oil & Grease	mg/L	-	3	<3	≤20	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Bangkok
pH at 25 degree C		-	-	6.5	5.5-9.0	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Settleable Solid *	mL/L/hr	-	0.1	<0.1	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 F	Bangkok
Sulfide *	mg/L	-	0.5	<0.5	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Bangkok
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	376	≤1000	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	3.3	≤35	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C)	Bangkok

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Sinluk P.
Sinluk Bunmak
Section Head

Approved by

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



Analysis / Test Report

TESTING
No.0009
Lot ID: 2557742

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :

Page 2 of 2

Sample Number	2557742-3						
Sampled Date	Oct 07, 2025 3:40 PM						
Sample Description	น้ำดื่ม						
Location	บ้านคลองจากกรมชลประทานบ้านไทรน้อย						
Date Analysis Commenced	Oct 08, 2025						
Condition of Sample	Contained in five plastic bottles and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)						
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	10	≤40	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Size of Buildings, Type B.

Sampling By : Nattapong Sopa

Remark :
- LOD : Unit of Detection
- "<" : Lower than LOQ (Limit of Quantization) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Sinluk P.
Sinluk Bunmak
Section Head

Approved by

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



Analysis / Test Report

TESTING
No.0009

Lot ID: 2557743

Date Received : Nov 06, 2025
Date Reported : Nov 12, 2025
Report Number : 3448591-1

Analysis / Test Report

TESTING
No.0009

Lot ID: 2557743

Date Received : Nov 06, 2025
Date Reported : Nov 12, 2025
Report Number : 3448592-1

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :

Page 1 of 1

Sample Number	2557743-2
Sampled Date	Nov 05, 2025 9:40 AM
Sample Description	น้ำดื่ม
Location	บริเวณทางขึ้นหน้าหมู่บ้าน
Date Analysis Commenced	Nov 07, 2025
Condition of Sample	Contained in two plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	76.8	≤30	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	61	≤40	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Size of Buildings, Type B.
Sampling By : Phannudeth Petchaut

- Remark :
- LOD : Limit of Detection
 - <C : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
 - Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
 - Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Approved by

Sinluk P.

Sinluk Bunmak
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

237962-1/ EMAIL

S:\Reports_JM_Graph (3-4899)



Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :

Page 1 of 2

Sample Number	2557743-3
Sampled Date	Nov 05, 2025 10:10 AM
Sample Description	น้ำดื่ม
Location	บริเวณทางขึ้นหน้าหมู่บ้าน
Date Analysis Commenced	Nov 06, 2025
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Total Coliform	MPN/100mL	-	-	7900.0	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	7.0	≤30	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Oil & Grease	mg/L	-	3	<3	≤20	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Bangkok
pH at 25 degree C		-	-	6.1	5.5-9.0	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Settleable Solid *	mL/L/hr	-	0.1	<0.1	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 F	Bangkok
Sulfide *	mg/L	-	0.5	<0.5	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-52 (C, F)	Bangkok
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	480	≤1000	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	3.5	≤35	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C)	Bangkok

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Approved by

Sinluk P.

Sinluk Bunmak
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

237962-1/ EMAIL

S:\Reports_JM_Graph (3-4899)



Analysis / Test Report

TESTING No. 00009

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Lot ID: 2557744

Date Received : Dec 02, 2025

Date Reported : Dec 09, 2025

Report Number : 3467795-1

Page 1 of 1

Sample Number	2557/44-2					
Sample Date	Dec 01, 2025 9:30 AM					
Sample Description	น้ำดื่ม					
Location	บ้านเลขที่ 44 หมู่บ้านวัดใหม่					
Date Analysis Commenced	Dec 03, 2025					
Condition of Sample	Contained in two plastic bottles; sample containers comply to pretreatment - preservation standards (APHA, USEPA)					
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method
Water Testing						
BOD (5 days at 20 degree C)	mg/L	-	2.0	82.2	≤30	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed, 2023, part 5210 B, part 4300 - O G
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	34	≤40	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed, 2023, part 2540 D
						Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment
Sampling By : Nattapong Sopa

Remark :

- LOD : Limit of Detection
- " $\leq$ " : lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyticals marked "is/are not included in scope of Accreditation ISO/IEC 17025, 17026, 17027" is/are not included in scope of accreditation ISO/IEC 17025
- Sampling is not included in scope of accreditation ISO/IEC 17025

Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed. 2023, part 2540 D	mg/L	-	5	34	≤40	Bangkok
Total Suspended Solids Dried at 103-105 degree C						

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Sized of Buildings, Type B, Sampling By : Nattapong Soga

Guideline : Notification of Ministry of Natural Resources and Environment
Sampling By : Natatpong Sopa
Remark :
 - LOD : Limit of Detection
 - "c" : Lower than LOQ (Limit of Quantitation) / IQR (Limit of Reporting)
 - Analytes marked * is/are not included in scope of Accreditation ISO/IEC 17025.
 - Sampling is not included in scope of accreditation ISO/IEC 17025.

Approved by

Swimon C

Results apply to the sample(s) as submitted, unless the sampling was conducted by A.L.S. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

21760-21 / EMAIL

$\text{C}_{10}\text{H}_8\text{O}_2$ $\Delta_{\text{f}} H^\circ = -76.9 \text{ kJ/mol}$

RIGHT SOLUTIONS RIGHT PARTNER

www.alsglobal.com



Analysis / Test Report

TESTING
No.0009
Lot ID: 2557744

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :

TESTING
No.0009
Lot ID: 2557744

Date Received : Dec 02, 2025
Date Reported : Dec 09, 2025
Report Number : 3467796-1

Page 1 of 2

Sample Number		2557744-3		Page 1 of 1			
Sampled Date		Dec 01, 2025 10:05 AM					
Sample Description		น้ำดื่ม					
Location		ตัวอาคารงานประชุมหน้าอาคาร					
Date Analysis Commenced		Dec 02, 2025					
Condition of Sample		Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)					
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
	Total Coliform	MPN/100mL	-	<1.8	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Water Testing							
	BOD (5 days at 20 degree C)	mg/L	-	2.0	6.3	≤30	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G
Oil & Grease							
	Oil & Grease	mg/L	-	3	<3	≤20	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 5520 B
pH at 25 degree C *							
	pH at 25 degree C *		-	-	3.4	5.5-9.0	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)
Settleable Solid *							
	Settleable Solid *	mL/L/hr	-	0.1	<0.1	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 F
Sulfide *							
	Sulfide *	mg/L	-	0.5	<0.5	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)
Total Dissolved solids Dried at 180 degree C							
	Total Dissolved solids Dried at 180 degree C	mg/L	-	5	360	≤1000	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 C
Total Kjeldahl Nitrogen as N *							
	Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	8.4	≤35	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Approved by
Sithichok T.
Sithichok Thongnguen
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



RIGHT SOLUTIONS RIGHT PARTNER

237962317 EMAIL

S:\Reports_JM_Guest (6-2899)



Analysis / Test Report

TESTING
No.0009
Lot ID: 2557744

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :

Date Received : Dec 02, 2025
Date Reported : Dec 09, 2025
Report Number : 3467796-1

Page 2 of 2

Sample Number	2557744-3						
Sampled Date	Dec 01, 2025 10:05 AM						
Sample Description	น้ำดื่ม						
Location	ตัวอาคารงานประชุมหน้าอาคาร						
Date Analysis Commenced	Dec 02, 2025						
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)						
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	20	≤40	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 2540 D.	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Size of Buildings, Type B.

Sampling By : Nattapong Sopa

- Remark :
- LOD : Unit of Detection
 - "<" : Lower than LOQ (Limit of Quantization) / LOR (Limit of Reporting)
 - Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
 - Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Approved by
Sithichok T.
Sithichok Thongnguen
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



RIGHT SOLUTIONS RIGHT PARTNER

237962317 EMAIL

S:\Reports_JM_Guest (6-2899)



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Project Name :

Project Location :

Page 1 of 1

Sample Number	2557739-1
Sampled Date	Jul 01, 2025 10:50 AM
Sample Description	น้ำดื่ม
Date Analysis Commenced	Jul 02, 2025
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	MPN/100mL	-	-	<1.1	Not Detected	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : ค่ามาตรฐานของกรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการปนเปื้อนในน้ำดื่ม น้ำกิน น้ำใช้

Sampling By : Nattapong Sopa

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Suwannee Chuankeaw

Approved by

Suwannee Chuankeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



2179621/ EMAIL: S.Vijayapalan@als.com (S.2299)



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Project Name :

Project Location :

Page 1 of 1

Sample Number	2557740-1
Sampled Date	Aug 05, 2025 10:40 AM
Sample Description	น้ำดื่ม
Date Analysis Commenced	Aug 06, 2025
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	MPN/100mL	-	-	<1.1	Not Detected	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : ค่ามาตรฐานของกรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการปนเปื้อนในน้ำดื่ม น้ำกิน น้ำใช้

Sampling By : Nattapong Sopa

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Suwannee Chuankeaw

Approved by

Suwannee Chuankeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



2179621/ EMAIL: S.Vijayapalan@als.com (S.1899)



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :
TESTING
No.0009
Lot ID: 2557741
Date Received : Sep 03, 2025
Date Reported : Sep 09, 2025
Report Number : 3402403-1

Page 1 of 1

Sample Number	2557741-1
Sampled Date	Sep 02, 2025 12:00 PM
Sample Description	น้ำดื่ม
Date Analysis Commenced	Sep 03, 2025
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	MPN/100mL	-	-	<1.1	Not Detected	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B, E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : ค่ามาตรฐานการปนเปื้อนในน้ำดื่มตามมาตรฐานของกรมอนามัย กระทรวงสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการปนเปื้อนในน้ำดื่มสาธารณะ น้ำดื่มบรรจุขวด น้ำดื่มบรรจุภาชนะ

Sampling By : Chalornkiat Anornrisem

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Approved by

Sithichok T.
Sithichok Thongtuen
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



217962-1/ EMAIL: S.Vijayapalan@als.com (6.2299)



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :
TESTING
No.0009
Lot ID: 2557742
Date Received : Oct 08, 2025
Date Reported : Oct 15, 2025
Report Number : 3427795-1

Page 1 of 1

Sample Number	2557742-1
Sampled Date	Oct 07, 2025 3:30 PM
Sample Description	น้ำดื่ม
Date Analysis Commenced	Oct 08, 2025
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	MPN/100mL	-	-	<1.1	Not Detected	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : ค่ามาตรฐานการปนเปื้อนในน้ำดื่มตามมาตรฐานของกรมอนามัย กระทรวงสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการปนเปื้อนในน้ำดื่มสาธารณะ น้ำดื่มบรรจุขวด น้ำดื่มบรรจุภาชนะ

Sampling By : Nattapong Sopa

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Approved by

Suwannee C.
Suwannee Chuankeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



217962-1/ EMAIL: S.Vijayapalan@als.com (6.2299)



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :
TESTING
No.0009
Lot ID: 2557743
Date Received : Nov 06, 2025
Date Reported : Nov 12, 2025
Report Number : 3448590-1

Page 1 of 1

Sample Number	2557743-1
Sampled Date	Nov 05, 2025 10:00 AM
Sample Description	น้ำดื่ม
Date Analysis Commenced	Nov 06, 2025
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform *	MPN/100mL	-	-	<1.1	Not Detected	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : ค่ามาตรฐานของกรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการปนเปื้อนในน้ำดื่ม น้ำกิน น้ำใช้

Sampling By : Phanudeth Petchaut

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Approved by


Suwannee Chuankeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



217962-1/ EMAIL: S.Vijayapalan@als.com (2-4899)



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000
P/O :
Project Name :
Project Location :
TESTING
No.0009
Lot ID: 2557744
Date Received : Dec 02, 2025
Date Reported : Dec 09, 2025
Report Number : 3467794-1

Page 1 of 1

Sample Number	2557744-1
Sampled Date	Dec 01, 2025 10:00 AM
Sample Description	น้ำดื่ม
Date Analysis Commenced	Dec 02, 2025
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	MPN/100mL	-	-	<1.1	Not Detected	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : ค่ามาตรฐานของกรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการปนเปื้อนในน้ำดื่ม น้ำกิน น้ำใช้

Sampling By : Nattapong Sopa

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced or used without the written approval of the laboratory.

Approved by


Sithichok Thongtuen
Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



217962-1/ EMAIL: S.Vijayapalan@als.com (2-4899)