ภาคผนวกที่ 1

สำเนาหนังสือเห็นชอบในรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม
โครงการอาคารชุด แอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
ของบริษัท เอพี เอ็มอี 18 จำกัด

ภาคผนวกที่ 2

ใบอนุญาตโครงการ

2.1 หนังสือแจ้งการก่อสร้าง ดัดแปลง หรือ รื้อถอนอาคาร โดยไม่ยื่นคำขอรับใบอนุญาตจากเจ้าพนักงานท้องถิ่น ตามมาตรา 39 ทวิ

แบบ ยผ.1

เลขรับที่ 28/66
ลว. 3 ม.ค. 66

ด่วนมาก

โดยไม่ยื่นคำขอรับใบอนุญาตตาม มาตรา ๓๙ ทวิ

แบบ ยผ. ๑

เลขรับที่ 2
วันที่ 4 ม.ค. ๒๕๖๖

[redacted]

หนังสือแจ้งการก่อสร้าง ดัดแปลง หรือ รื้อถอนอาคาร
โดยไม่ยื่นคำขอรับใบอนุญาตจากเจ้าพนักงานท้องถิ่น ตามมาตรา ๓๙ ทวิ

เขียนที่ บริษัท เอพี เอ็มอี 18 จำกัด

วันที่ 4 เดือน มกราคม พ.ศ. 2566

[redacted]

ข้อ ๒ เป็นอาคาร อาคารชุดอยู่อาศัย 696 ห้อง อาคารชุดพาณิชย์ 1 ห้อง จอดรถยนต์อัตโนมัติ 84 คัน

(๑) ชนิด ตึก 37 ชั้น ชั้นใต้ดิน 1 ชั้น (อาคารA) จำนวน 1 หลัง เพื่อใช้เป็น จอดรถยนต์ 2 คัน และสระว่ายน้ำ

โดยมีที่จอดรถ ที่กลับรถ และทางเข้าออกของรถ จำนวน - คัน

(๒) ชนิด ตึก 8 ชั้น ชั้นใต้ดิน 1 ชั้น (อาคารB) จำนวน 1 หลัง เพื่อใช้เป็น จอดรถยนต์ 196 คัน

โดยมีที่จอดรถ ที่กลับรถ และทางเข้าออกของรถ จำนวน - คัน

(๓) ชนิด รั้วโครงการ จำนวน 1 แห่ง เพื่อใช้เป็น กั้นแนวเขตที่ดิน

(๔) ชนิด ท่อระบายน้ำ จำนวน 1 แห่ง เพื่อใช้เป็น ระบายน้ำโครงการ

โดยมีที่จอดรถ ที่กลับรถ และทางเข้าออกของรถ จำนวน - คัน

ตามแผนผังบริเวณ แบบแปลน รายการประกอบแบบแปลน และรายการคำนวณที่แนบมาพร้อมนี้

ข้อ ๓ โดยมี

1 .เป็นสถาปนิกผู้ออกแบบ

2 .เป็นสถาปนิกผู้ควบคุมงาน

3 .เป็นวิศวกรผู้ออกแบบและคำนวณโครงสร้าง

4 .เป็นวิศวกรผู้ควบคุมงานโครงสร้าง

5 .เป็นวิศวกรผู้ออกแบบระบบปรับภาวะอากาศ และระบบระบายอากาศ และระบบป้องกันเพลิงไหม้

6 .เป็นวิศวกรผู้ควบคุมงานระบบปรับภาวะอากาศ และระบายอากาศ และระบบป้องกันเพลิงไหม้

7 .เป็นวิศวกรผู้ออกแบบระบบบำบัดน้ำเสีย และการระบายน้ำทิ้ง

8 .เป็นวิศวกรผู้ควบคุมงานระบบบำบัดน้ำเสีย และการระบายน้ำทิ้ง

9 .เป็นวิศวกรผู้ออกแบบระบบประปา

10 .เป็นวิศวกรผู้ควบคุมงานระบบประปา

11 .เป็นวิศวกรผู้ออกแบบระบบลิฟต์

12 .เป็นวิศวกรผู้ควบคุมงานระบบลิฟต์

13 .เป็นวิศวกรผู้ออกแบบระบบไฟฟ้า

14 .เป็นวิศวกรผู้ควบคุมงานระบบไฟฟ้า

15 .เป็นวิศวกรผู้ดำเนินการตรวจสอบงานออกแบบ และคำนวณส่วนต่างๆ ของโครงสร้างอาคาร

ตามสำเนาใบอนุญาตและหนังสือรับรองของบุคคลดังกล่าว ที่แนบมาพร้อมนี้

ข้อ ๔ กำหนดแล้วเสร็จใน 730 วัน โดยจะเริ่มก่อสร้างอาคาร/ดัดแปลงอาคาร/รื้อถอนอาคาร วันที่.....และจะแล้วเสร็จวันที่.....

ข้อ ๕ ข้าพเจ้าขอชำระค่าธรรมเนียมการตรวจแบบแปลนก่อสร้างหรือดัดแปลงอาคาร จำนวน 161,711.00 บาท (หนึ่งแสนหกหมื่นหนึ่งพันเจ็ดร้อยสิบเอ็ดบาทถ้วน)

ข้อ ๖ พร้อมหนังสือฉบับนี้ ข้าพเจ้าได้แนบเอกสารหลักฐานต่าง ๆ มาด้วยแล้ว คือ

☐ (๑) แผนผังบริเวณ แบบแปลน รายการประกอบแบบแปลน ที่จะก่อสร้าง ดัดแปลง หรือรื้อถอน ที่ถูกต้องตามหลักเกณฑ์และเงื่อนไขที่กำหนดในกฎกระทรวง ฉบับที่ ๑๐ (พ.ศ. ๒๕๒๘)ฯ ซึ่งลงลายมือชื่อพร้อมกับระบุชื่อของผู้รับผิดชอบงานออกแบบอาคาร และชื่อของผู้รับผิดชอบงานออกแบบและคำนวณอาคาร จำนวน ๕ ชุด ชุดละ.....แผ่น

☐ (๒) รายการคำนวณโครงสร้างของอาคารที่จะก่อสร้าง ดัดแปลง หรือรื้อถอน ที่ถูกต้องตามหลักเกณฑ์และเงื่อนไขที่กำหนดในกฎกระทรวง ฉบับที่ ๖ (พ.ศ. ๒๕๒๘)ฯ ซึ่งลงลายมือชื่อพร้อมกับระบุชื่อของผู้รับผิดชอบงานออกแบบและคำนวณอาคาร จำนวน ๑ ชุด ชุดละ.....แผ่น

☐ (๓) แบบและรายการคำนวณระบบระบายอากาศ ระบบไฟฟ้าและระบบป้องกันเพลิงไหม้ในอาคารสูงหรืออาคารขนาดใหญ่พิเศษ ตามกฎกระทรวง ฉบับที่ ๓๓ (พ.ศ. ๒๕๓๕)ฯ ซึ่งลงลายมือชื่อพร้อมกับระบุชื่อของผู้รับผิดชอบงานออกแบบและคำนวณระบบระบายอากาศ ระบบไฟฟ้าและระบบป้องกันเพลิงไหม้ จำนวน.....ชุด ชุดละ.....แผ่น

☐ (๔) แบบและรายการคำนวณระบบบำบัดน้ำเสียและการระบายน้ำทิ้งในอาคารสูงหรืออาคารขนาดใหญ่พิเศษ ตามกฎกระทรวง ฉบับที่ ๓๓ (พ.ศ. ๒๕๓๕)ฯ ซึ่งลงลายมือชื่อพร้อมกับระบุชื่อของผู้รับผิดชอบงานออกแบบและคำนวณระบบบำบัดน้ำเสียและการระบายน้ำทิ้ง จำนวน.....ชุด ชุดละ.....แผ่น

☐ (๕) แบบและรายการคำนวณระบบประปาในอาคารสูงหรืออาคารขนาดใหญ่พิเศษ ตามกฎกระทรวง ฉบับที่ ๓๓ (พ.ศ.๒๕๓๕)ฯ ซึ่งลงลายมือชื่อพร้อมกับระบุชื่อของผู้รับผิดชอบงานออกแบบและคำนวณระบบประปา จำนวน.....ชุด ชุดละ.....แผ่น

☐ (๖) แบบและรายการคำนวณระบบลิฟต์ในอาคารสูงหรืออาคารขนาดใหญ่พิเศษ ตามกฎกระทรวง ฉบับที่ ๓๓ (พ.ศ. ๒๕๓๕)ฯ ซึ่งลงลายมือชื่อพร้อมกับระบุชื่อของผู้รับผิดชอบงานออกแบบและคำนวณระบบลิฟต์ จำนวน.....ชุด ชุดละ.....แผ่น

☐ (๗) สำเนาใบอนุญาตของผู้ออกแบบอาคาร ผู้ออกแบบและคำนวณอาคาร หรือผู้ควบคุมงานซึ่งรับรองสำเนาถูกต้องแล้ว จำนวน.....ฉบับ

☐ (๘) หนังสือรับรองการได้รับอนุญาตให้เป็นผู้ประกอบวิชาชีพสถาปัตยกรรมควบคุมหรือผู้ประกอบวิชาชีพวิศวกรรมควบคุม ที่ออกโดยสภาสถาปนิกหรือสภาวิศวกร แล้วแต่กรณี จำนวน.....ฉบับ

☐ (๙) หนังสือรับรองของผู้ออกแบบอาคาร และผู้ออกแบบและคำนวณอาคาร ซึ่งรับรองว่าตนเป็นผู้รับผิดชอบงานออกแบบอาคาร หรือเป็นผู้รับผิดชอบงานออกแบบและคำนวณอาคาร แล้วแต่กรณี พร้อมทั้งรับรองว่าการออกแบบอาคาร และการออกแบบและคำนวณอาคารดังกล่าว ถูกต้องตามบทบัญญัติแห่งพระราชบัญญัติควบคุมอาคาร พ.ศ. ๒๕๒๒ กฎกระทรวงและข้อบัญญัติท้องถิ่นที่ออกตามพระราชบัญญัตินี้ และกฎหมายอื่นที่เกี่ยวข้อง ทั้งนี้ สำหรับอาคารที่ต้องจัดให้มีสิ่งอำนวยความสะดวกสำหรับผู้พิการ ผู้ทุพพลภาพ คนชรา หรือผู้สูงอายุตามที่กฎหมายกำหนดให้รับรองการเข้าถึงและใช้ประโยชน์ได้จากอาคารและสิ่งอำนวยความสะดวกนั้นด้วย ตามมาตรา ๓๙ ทวิ (๖) จำนวน.....ฉบับ

☐ (๑๐) หนังสือรับรองของผู้ควบคุมงาน ซึ่งรับรองว่าจะควบคุมการก่อสร้าง ดัดแปลง หรือรื้อถอนอาคารนั้น ให้ถูกต้องตามแบบแปลน รายการประกอบแบบแปลน และรายการคำนวณตามที่ได้แจ้งไว้และที่ได้มีการแก้ไขตามข้อทักท้วง หรือดำเนินการให้เป็นไปตามบทบัญญัติแห่งพระราชบัญญัติควบคุมอาคาร พ.ศ. ๒๕๒๒ กฎกระทรวงและข้อบัญญัติท้องถิ่นที่ออกตามพระราชบัญญัตินี้ และกฎหมายอื่นที่เกี่ยวข้อง ตามมาตรา ๓๙ ทวิ (๗) จำนวน.....ฉบับ

☐ (๑๑) หนังสือรับรองการตรวจสอบงานออกแบบและคำนวณส่วนต่าง ๆ ของโครงสร้างอาคาร ในกรณีอาคารที่จะก่อสร้างหรือดัดแปลงนั้น เป็นอาคารชนิดหรือประเภทที่กำหนดให้ต้องมีการตรวจสอบงานออกแบบและคำนวณส่วนต่าง ๆ ของโครงสร้างอาคารตามมาตรา ๒๑ ทวิ จำนวน.....ฉบับ

☐ (๑๒) หนังสือแสดงการให้ความเห็นชอบรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม หรือรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อมเบื้องต้น ในกรณีที่เป็นอาคารในโครงการหรือกิจการซึ่งต้องจัดทำรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อมหรือรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อมเบื้องต้นตามกฎหมายว่าด้วยการส่งเสริมและรักษาคุณภาพสิ่งแวดล้อมแห่งชาติ แล้วแต่กรณี จำนวน.....ฉบับ

☐ (๑๓) หนังสือรับรองจากผู้แจ้ง พร้อมเอกสารและหลักฐานแสดงการให้ข้อมูลและการแจ้งสิทธิในการแสดงความคิดเห็นต่อเจ้าพนักงานท้องถิ่นแก่บุคคลที่อยู่บริเวณข้างเคียง เกี่ยวกับการก่อสร้าง ดัดแปลง หรือการดำเนินโครงการหรือกิจการ ในกรณีที่อาคารที่จะก่อสร้าง ดัดแปลง หรือดำเนินโครงการหรือกิจการเป็นอาคารที่ไม่ต้องจัดทำรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อมหรือรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อมเบื้องต้นตามกฎหมายว่าด้วยการส่งเสริมและรักษาคุณภาพสิ่งแวดล้อมแห่งชาติ แต่อาคารดังกล่าวเป็นอาคารประเภทควบคุมการใช้ตามมาตรา ๓๒ ทั้งนี้ ตามหลักเกณฑ์ วิธีการ และเงื่อนไขที่คณะกรรมการควบคุมอาคารกำหนด จำนวน.....ฉบับ

☐ (๑๔) สำเนาบัตรประจำตัวประชาชน สำเนาทะเบียนบ้านของผู้แจ้งซึ่งรับรองสำเนาถูกต้องแล้ว จำนวน.....ฉบับ

☐ (๑๕) สำเนาหนังสือรับรองการจดทะเบียนนิติบุคคล ซึ่งแสดงวัตถุประสงค์และผู้มีอำนาจลงชื่อแทนนิติบุคคลผู้แจ้งที่หน่วยงานซึ่งมีอำนาจรับรองออกให้ไม่เกิน ๖ เดือน (กรณีที่นิติบุคคลเป็นผู้แจ้ง) จำนวน.....ฉบับ

☐ (๑๖) สำเนาบัตรประจำตัวประชาชน สำเนาทะเบียนบ้านของผู้มีอำนาจลงนามหรือผู้แทนนิติบุคคลผู้แจ้งซึ่งรับรองสำเนาถูกต้องแล้ว (กรณีนิติบุคคลเป็นผู้แจ้ง) จำนวน.....ฉบับ

☐ (๑๗) หนังสือแสดงความเป็นตัวแทนของผู้แจ้ง สำเนาบัตรประจำตัวประชาชน และสำเนาทะเบียนบ้านของตัวแทนผู้แจ้ง ซึ่งรับรองสำเนาถูกต้องแล้ว (กรณีการมอบอำนาจให้ผู้อื่นแจ้งแทน) จำนวน.....ฉบับ

☐ (๑๘) สำเนาโฉนดที่ดิน/น.ส.๓/ส.ค.๑ เลขที่.....
ที่จะทำการก่อสร้างอาคาร/ดัดแปลงอาคาร/รื้อถอนอาคาร ขนาดเท่าต้นฉบับจริงซึ่งรับรองสำเนาถูกต้องแล้ว จำนวน.....ชุด

☐ (๑๙) สำเนาโฉนดที่ดิน/น.ส.๓/ส.ค.๑ เลขที่.....
ที่จะใช้เป็นที่จอดรถ ที่กลับรถ และทางเข้าออกของรถ ขนาดเท่าต้นฉบับจริงซึ่งรับรองสำเนาถูกต้องแล้ว จำนวน.....ชุด

☐ (๒๐) หนังสือยินยอมของเจ้าของที่ดินตาม (๑๘) และหรือ (๑๙) สำเนาบัตรประจำตัวประชาชนและสำเนาทะเบียนบ้านของเจ้าของที่ดินทุกคน หรือสำเนาหนังสือรับรองการจดทะเบียนนิติบุคคล ซึ่งแสดงวัตถุประสงค์และผู้มีอำนาจลงชื่อแทนนิติบุคคลเจ้าของที่ดินที่หน่วยงานซึ่งมีการรับรองออกให้ไม่เกิน ๖ เดือน สำเนาบัตรประจำตัวประชาชนและสำเนาทะเบียนบ้านของผู้จัดการหรือผู้แทนนิติบุคคลเจ้าของที่ดิน ซึ่งรับรองสำเนาถูกต้องแล้ว (กรณีเป็นที่ดินของบุคคลอื่น) จำนวน.....ฉบับ

☐ (๒๑) หนังสือยืนยันที่จะทำการรื้อถอนอาคารเดิม หรือสำเนาคำขออนุญาตหรือหนังสือแจ้งจะรื้อถอนอาคาร สำเนาใบอนุญาตหรือใบรับหนังสือแจ้งจะรื้อถอนอาคารเดิม (กรณีมีอาคารเดิมจะต้องรื้อถอนอยู่ในบริเวณที่จะก่อสร้างอาคาร/ดัดแปลงอาคาร) จำนวน.....ฉบับ

☐ (๒๒) หลักฐานการขออนุญาตเกี่ยวกับอาคารที่จะทำการก่อสร้าง/ดัดแปลง/รื้อถอนตามกฎหมายอื่นในส่วนที่เกี่ยวข้อง จำนวน.....ฉบับ (ถ้ามีโปรดระบุ.....)

☐ (๒๓) เอกสารอื่น ๆ (ถ้ามี)

.....

.....

ผู้แจ้ง

หมายเหตุ (๑) ข้อความใดที่ไม่ใช้ให้ขีดฆ่า

(๒) ใส่เครื่องหมาย ✓ ในช่อง ☐ หน้าข้อความที่ต้องการ

2.2 ใบรับแจ้งการก่อสร้าง ดัดแปลง รื้อถอนอาคาร ตามมาตรา 39 ตรี แบบ ยผ.4

ด่วนมาก

โดยไม่ยื่นคำขอรับใบอนุญาตตามมาตรา 39 ทวิ
อาคารประเภทควบคุมการใช้ ตามมาตรา ๓๒

แบบ ยผ. ๔

ตามแบบ ยผ. ๑ เลขรับที่ ๑
ลงวันที่ ๔ มกราคม ๒๕๖๖

ใบรับแจ้งการก่อสร้าง ดัดแปลง รื้อถอนอาคาร ตามมาตรา ๓๙ ตรี

เลขที่ ๑/๒๕๖๖

ด่วนมาก

โดยไม่ยื่นคำขอรับใบอนุญาตตามมาตรา 39 ทวิ
อาคารประเภทควบคุมการใช้ ตามมาตรา ๓๒



แบบ ยผ. ๔

ตามแบบ ยผ. ๑ เลขรับที่ ๑
ลงวันที่ ๔ มกราคม ๒๕๖๖

ใบรับแจ้งการก่อสร้าง ดัดแปลง รื้อถอนอาคาร ตามมาตรา ๓๙ ตรี

เลขที่ ๑/๒๕๖๖

ข้อ ๓ โดยมี

☑ เป็นสถาปนิกผู้ออกแบบ
☑ เป็นสถาปนิกผู้ควบคุมงาน
☑ เป็นวิศวกรผู้ออกแบบและคำนวณโครงสร้าง
☑ เป็นวิศวกรผู้ควบคุมงานโครงสร้าง
☑ เป็นวิศวกรผู้ออกแบบระบบปรับภาวะอากาศและระบบระบายอากาศและระบบป้องกันเพลิงไหม้
☑ เป็นวิศวกรผู้ควบคุมงานระบบปรับภาวะอากาศและระบบระบายอากาศและระบบป้องกันเพลิงไหม้
☑ เป็นวิศวกรผู้ออกแบบระบบบำบัดน้ำเสียและการระบายน้ำทิ้ง
☑ เป็นวิศวกรผู้ควบคุมงานระบบบำบัดน้ำเสียและการระบายน้ำทิ้ง
☑ เป็นวิศวกรผู้ออกแบบระบบประปา
☑ เป็นวิศวกรผู้ควบคุมงานระบบประปา
☑ เป็นวิศวกรผู้ออกแบบระบบลิฟต์
☑ เป็นวิศวกรผู้ควบคุมงานระบบลิฟต์
☑ เป็นวิศวกรผู้ออกแบบระบบไฟฟ้า
☑ เป็นวิศวกรผู้ควบคุมงานระบบไฟฟ้า
☑ เป็นวิศวกรผู้รับรองการตรวจสอบงานออกแบบและคำนวณส่วนต่างๆ ของโครงสร้างอาคาร

ข้อ ๔ กำหนดแล้วเสร็จใน ๗๓๐ วัน โดยจะเริ่มต้นก่อสร้างอาคาร/ดัดแปลงอาคาร/รื้อถอนอาคาร วันที่ ๔ มกราคม ๒๕๖๖ และจะแล้วเสร็จวันที่ ๓ มกราคม ๒๕๖๘

ข้อ ๕ ค่าธรรมเนียมในการตรวจแบบก่อสร้าง / ดัดแปลง

(๑) อาคาร จำนวนเงิน ๑๖๐,๓๘๘.๐๐ บาท
(๒) ท่อระบายน้ำ รั้ว เขื่อน กำแพงหรืออื่นๆ จำนวนเงิน ๔๑๓.๐๐ บาท
(๓) ทางวิ่งหรือที่จอดรถยนต์ภายนอกอาคาร จำนวนเงิน ๗๑๐.๐๐ บาท
(๔) ป้าย จำนวนเงิน - บาท
(๕) ค่าธรรมเนียมใบรับแจ้งก่อสร้าง จำนวนเงิน ๒๐๐.๐๐ บาท
รวมทั้งสิ้น จำนวนเงิน ๑๖๑,๗๑๑.๐๐ บาท

ข้อ ๖ ผู้แจ้งต้องปฏิบัติตามหลักเกณฑ์ วิธีการ และเงื่อนไขตามที่กำหนดในกฎกระทรวง ข้อบัญญัติท้องถิ่น ซึ่งออกตามความในมาตรา ๘ (๑๑) มาตรา ๙ หรือมาตรา ๑๐ แห่งพระราชบัญญัติควบคุมอาคาร พ.ศ.๒๕๒๒ และกฎหมายอื่นที่เกี่ยวข้อง

ข้อ ๗ ในกรณีที่ผู้แจ้งไม่ก่อสร้าง ดัดแปลง หรือรื้อถอนอาคารตามที่ได้แจ้งไว้ภายในหนึ่งร้อยยี่สิบวัน นับแต่วันที่ได้ออกใบรับแจ้ง ให้ถือว่าผู้แจ้งไม่ประสงค์จะก่อสร้าง ดัดแปลง หรือรื้อถอนอาคารตามใบรับแจ้งอีกต่อไป และให้ใบรับแจ้งเป็นอันยกเลิก

ข้อ ๘ ภายในหนึ่งร้อยยี่สิบวันนับแต่วันที่ได้ออกใบรับแจ้งตามมาตรา ๓๙ ทวิ หรือนับแต่วันที่เริ่มการก่อสร้าง ดัดแปลง หรือรื้อถอนอาคาร แล้วแต่กรณี หากเจ้าพนักงานท้องถิ่นตรวจพบเหตุไม่ถูกต้อง เจ้าพนักงานท้องถิ่นยังคงมีอำนาจสั่งให้ผู้แจ้งดำเนินการ ดังต่อไปนี้

(๑) กรณีที่ผู้แจ้งได้แจ้งข้อมูลหรือยื่นเอกสารและหลักฐานตามมาตรา ๓๙ ทวิ ไว้ไม่ถูกต้อง เจ้าพนักงานท้องถิ่นจะมีหนังสือแจ้งข้อทักท้วงให้ผู้แจ้งดำเนินการแก้ไขข้อมูล เอกสารและหลักฐานให้ถูกต้องครบถ้วน ทั้งนี้ ภายในสิบห้าวันนับแต่วันที่ได้รับแจ้ง ในกรณีที่ผู้แจ้งไม่ดำเนินการแก้ไขให้แล้วเสร็จภายในระยะเวลาที่กำหนด และมีการก่อสร้าง ดัดแปลง หรือรื้อถอนอาคารแล้ว เจ้าพนักงานท้องถิ่นจะดำเนินการตามมาตรา ๔๐ (๑) และหากอาคารได้ก่อสร้าง หรือดัดแปลง จนแล้วเสร็จตามที่ได้แจ้งไว้ เจ้าพนักงานท้องถิ่นจะดำเนินการตามมาตรา ๔๐ (๒) จนกว่าจะดำเนินการแก้ไขให้ถูกต้อง

(๒) กรณีที่แผนผังบริเวณ แบบแปลน รายการประกอบแบบแปลน หรือรายการคำนวณของอาคารที่ผู้แจ้งได้ยื่นไว้ตามมาตรา ๓๙ ทวิ ไม่ถูกต้องตามบทบัญญัติแห่งพระราชบัญญัตินี้ กฎกระทรวง หรือข้อบัญญัติท้องถิ่นที่ออกตามพระราชบัญญัตินี้ หรือกฎหมายอื่นที่เกี่ยวข้อง เจ้าพนักงานท้องถิ่นจะมีหนังสือแจ้งข้อทักท้วงให้ผู้แจ้งแก้ไขแผนผังบริเวณ แบบแปลน รายการประกอบแบบแปลน หรือรายการคำนวณให้ถูกต้องตามบทบัญญัติแห่งพระราชบัญญัตินี้ กฎกระทรวงหรือข้อบัญญัติท้องถิ่นที่ออกตามพระราชบัญญัตินี้ หรือกฎหมายอื่นที่เกี่ยวข้อง ภายในระยะเวลาที่เจ้าพนักงานท้องถิ่นกำหนดแต่ต้องไม่น้อยกว่าสามสิบวัน

(๓) กรณีการก่อสร้าง ดัดแปลง หรือรื้อถอนอาคารที่ได้แจ้งไว้ไม่ถูกต้องตามบทบัญญัติแห่งพระราชบัญญัตินี้ กฎกระทรวงหรือข้อบัญญัติท้องถิ่นที่ออกตามพระราชบัญญัตินี้ หรือกฎหมายอื่นที่เกี่ยวข้อง เจ้าพนักงานท้องถิ่นจะมีหนังสือแจ้งข้อทักท้วงให้ผู้แจ้งดำเนินการก่อสร้าง ดัดแปลง หรือรื้อถอนอาคารดังกล่าวให้ถูกต้องตามบทบัญญัติแห่งพระราชบัญญัตินี้ กฎกระทรวงหรือข้อบัญญัติท้องถิ่นที่ออกตามพระราชบัญญัตินี้ หรือกฎหมายอื่นที่เกี่ยวข้องภายในระยะเวลาที่เจ้าพนักงานท้องถิ่นกำหนดแต่ต้องไม่น้อยกว่าสามสิบวัน และในระหว่างระยะเวลาที่ผู้แจ้งดำเนินการแก้ไขตามหนังสือแจ้งข้อทักท้วง ให้ผู้แจ้งระงับการก่อสร้าง ดัดแปลง หรือรื้อถอนอาคารในส่วนที่ไม่ถูกต้องนั้นจนกว่าจะได้ปฏิบัติให้ถูกต้อง เว้นแต่เป็นการกระทำเพื่อแก้ไขให้เป็นไปตามข้อทักท้วงของเจ้าพนักงานท้องถิ่น ในกรณีที่ผู้แจ้งไม่ดำเนินการแก้ไขให้แล้วเสร็จภายในระยะเวลาที่เจ้าพนักงานท้องถิ่นได้กำหนดไว้ในหนังสือแจ้งข้อทักท้วง ให้ถือว่าผู้แจ้งไม่ประสงค์จะก่อสร้าง ดัดแปลง หรือรื้อถอนอาคารตามที่ได้แจ้งไว้นั้นอีกต่อไป และให้เจ้าพนักงานท้องถิ่นมีคำสั่งยกเลิกใบรับแจ้งที่ได้ออกไว้และมีอำนาจดำเนินการตามมาตรา ๔๐ (๑) และ (๒) และมาตรา ๔๒ แล้วแต่กรณี

(๔) ถ้าเจ้าพนักงานท้องถิ่นมิได้มีหนังสือแจ้งข้อทักท้วงให้ผู้แจ้งตามมาตรา ๓๙ ทวิ ทราบภายในหนึ่งร้อยยี่สิบวันนับแต่วันที่ได้ออกใบรับแจ้งตามมาตรา ๓๙ ทวิ หรือนับแต่วันที่เริ่มการก่อสร้าง ดัดแปลง รื้อถอนอาคาร แล้วแต่กรณี ให้ถือว่าการก่อสร้าง ดัดแปลง หรือรื้อถอนอาคารดังกล่าว ได้รับอนุญาตจากเจ้าพนักงานท้องถิ่นแล้ว เว้นแต่กรณีดังต่อไปนี้ เจ้าพนักงานท้องถิ่นมีอำนาจแจ้งข้อทักท้วง ได้ตลอดเวลา

(๔.๑) กรณีเกี่ยวกับการรุกล้ำที่สาธารณะ

(๔.๒) กรณีเกี่ยวกับระยะ หรือระดับระหว่างอาคารกับถนน ตรอก ซอย ทางเท้า หรือที่สาธารณะ ที่เป็นการฝ่าฝืนกฎกระทรวง ประกาศ หรือข้อบัญญัติท้องถิ่นที่ออกตามพระราชบัญญัตินี้ หรือกฎหมายอื่นที่เกี่ยวข้องที่ใช้บังคับอยู่ในขณะที่ผู้แจ้งได้ยื่นแจ้ง หรือ

(๔.๓) กรณีเกี่ยวกับข้อกำหนดในการห้ามก่อสร้าง ดัดแปลง รื้อถอน ใช้ หรือเปลี่ยนการใช้อาคารชนิดใดหรือประเภทใดที่เป็นการฝ่าฝืนกฎกระทรวง ประกาศ หรือข้อบัญญัติท้องถิ่นที่ออกตามพระราชบัญญัตินี้ หรือกฎหมายอื่นที่เกี่ยวข้องที่ใช้บังคับอยู่ในขณะที่ผู้แจ้งได้ยื่นแจ้ง

ข้อ ๙ ผู้แจ้งยังคงมีหน้าที่ต้องขออนุญาตเกี่ยวกับอาคารนั้น ตามกฎหมายอื่นในส่วนที่เกี่ยวข้องต่อไปด้วย

ข้อ ๑๐ แจ้งต้องปฏิบัติตามวิธีการและเงื่อนไขในการก่อสร้างตามกฎกระทรวง ฉบับที่ ๔ (พ.ศ. ๒๕๒๖) และกฎกระทรวง ฉบับที่ ๖๗ (พ.ศ. ๒๕๖๓) ออกตามความในพระราชบัญญัติควบคุมอาคาร พ.ศ. ๒๕๒๒ และจะต้องไม่กระทำการใด ๆ อันอาจเป็นภยันตรายต่อสุขภาพ ชีวิต ร่างกายหรือทรัพย์สิน โดยผู้ได้รับใบอนุญาตต้องดำเนินการฉีดพ่นละอองน้ำบนอาคารและบริเวณรอบสถานที่ก่อสร้างอย่างสม่ำเสมอ เพื่อลดปัญหาฝุ่นละอองในอากาศ

ข้อ ๑๑ ห้ามทำการก่อสร้าง ดัดแปลง รื้อถอน เคลื่อนย้ายอาคาร หรือใช้อาคารให้ผิดไปจากที่ได้แจ้งไว้

ข้อ ๑๒ ก่อนเริ่มลงมือก่อสร้างอาคาร ผู้ดำเนินการต้องสำรวจรายละเอียด ตำแหน่ง ความลึก และขนาดของโครงสร้างใต้ดิน ฐานรากอาคารข้างเคียง หรือสิ่งก่อสร้างอื่นๆ เช่น ท่อประปา สายเคเบิล เป็นต้น และวางมาตรการอย่างหนึ่งอย่างใดเพื่อป้องกันมิให้เกิดภยันตรายต่อสุขภาพ ชีวิต ร่างกาย หรือทรัพย์สิน

ข้อ ๑๓ เมื่อมีการขุดดินในบริเวณที่ใกล้หรือชิดอาคาร ถนนหรือกำแพง ลึกจนอาจเป็นอันตรายแก่อาคาร ถนน หรือกำแพงนั้น ผู้ดำเนินการต้องจัดให้มีค้ำยัน เข็มพืด หรือฐานรากเสริมตามความจำเป็น เพื่อความปลอดภัยและต้องตรวจสอบแก้ไขค้ำยัน เข็มพืดและฐานรากดังกล่าวให้มีสภาพมั่นคงและปลอดภัยอยู่เสมอ

ข้อ ๑๔ ผู้แจ้งต้องปฏิบัติตามมาตรการป้องกันแก้ไขผลกระทบสิ่งแวดล้อมและแผนการติดตามตรวจสอบคุณภาพสิ่งแวดล้อมตามรายงานการประเมินผลกระทบสิ่งแวดล้อมที่ได้รับความเห็นชอบจากสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม ตามหนังสือ ที่ ทส ๑๐๐๙.๕/๒๑๑๗๓ ลงวันที่ ๑๙ ธันวาคม ๒๕๖๕

ข้อ ๑๕ หากการปฏิบัติตามเงื่อนไข มีผลทำให้แบบแปลนหรือรายละเอียดผิดไปจากที่ได้แจ้งตามมาตรา ๓๙ ทวิ และเข้าข่ายเป็นการดัดแปลงอาคาร ผู้แจ้งยังคงมีหน้าที่ที่จะต้องยื่นแจ้งตามมาตรา ๓๙ ทวิ ให้ถูกต้องก่อน

ออกให้ ณ วันที่ - ๔ ม.ค. ๒๕๖๖

[redacted]

คำเตือน

๑. ถ้าผู้แจ้งจะบอกเลิกตัวผู้ควบคุมงานที่ระบุชื่อไว้ในใบแจ้ง หรือผู้ควบคุมงานจะบอกเลิกการเป็นผู้ควบคุมงาน ให้มีหนังสือให้เจ้าพนักงานท้องถิ่นทราบ ทั้งนี้ ไม่เป็นการกระทบถึงสิทธิและหน้าที่ทางแพ่งระหว่างผู้แจ้งกับผู้ควบคุมงานนั้น ในการบอกเลิกตัวผู้ควบคุมงานนี้ผู้แจ้งจะต้องระงับการดำเนินการก่อสร้าง ดัดแปลง รื้อถอน หรือเคลื่อนย้ายอาคารไว้ก่อนจนกว่าจะมีผู้ควบคุมงานคนใหม่และมีหนังสือแจ้งพร้อมกับส่งมอบหนังสือแสดงความยินยอมของผู้ควบคุมงานคนใหม่ให้แก่เจ้าพนักงานท้องถิ่นแล้ว

๒. เมื่อผู้แจ้งก่อสร้างหรือดัดแปลงอาคารประเภทควบคุมการใช้ได้ทำการตามที่ได้แจ้งเสร็จแล้ว ต้องแจ้งเป็นหนังสือให้เจ้าพนักงานท้องถิ่นทราบ ตามแบบที่เจ้าพนักงานท้องถิ่นกำหนด เพื่อทำการตรวจสอบการก่อสร้างหรือดัดแปลงอาคารนั้น และห้ามมิให้ใช้อาคารนั้น เพื่อกิจการดังที่ได้แจ้งไว้ ภายในกำหนด ๓๐ วัน นับตั้งแต่วันที่เจ้าพนักงานท้องถิ่นได้รับแจ้ง เว้นแต่จะได้ใบรับรองการก่อสร้างหรือดัดแปลงจากเจ้าพนักงานท้องถิ่นแล้ว

2.3 ใบรับรองการก่อสร้าง การดัดแปลง
หรือการเคลื่อนย้ายอาคารประเภทควบคุมการใช้ แบบ อ.5

อาคารประเภทควบคุมการใช้ ตามมาตรา ๓๒
อาคารชุด

คำเตือน

ต้องจัดให้มีการตรวจสอบอาคารและอุปกรณ์ประกอบของอาคาร ประเภทการตรวจสอบใหญ่ ตามข้อ ๑๓ (๑) นับตั้งแต่อาคาร ได้ก่อสร้างแล้วเสร็จหรือได้ใบรับรอง ตามมาตรา ๓๒ มาแล้ว ไม่น้อยกว่า ๑ ปี

แบบ อ.๕

ใบรับรองการก่อสร้าง การดัดแปลง หรือการเคลื่อนย้ายอาคารประเภทควบคุมการใช้

(๓) ผู้ได้รับใบรับรองจะต้องรับผิดต่อความเสียหายที่เกิดขึ้นในทุกกรณี ทั้งต่อตนเองและผู้เกี่ยวข้องทั้งหมด หากมีเหตุอื่นใดที่ทำให้อาคารจะต้องดำเนินการแก้ไข หรือจะต้องยื่นขออนุญาตตามกฎหมายว่าด้วยการควบคุมอาคาร หรือกฎหมายอื่นใด อันเป็นเหตุเกิดจากการรับรองในครั้งนี้ ผู้ได้รับใบรับรองมีหน้าที่ต้องดำเนินการแก้ไขอาคารให้ถูกต้องตามกฎหมายว่าด้วยการควบคุมอาคาร กฎกระทรวง ข้อบัญญัติท้องถิ่น และกฎหมายอื่นที่เกี่ยวข้องต่อไป

(๔) หลังจากได้รับใบรับรอง หากพบว่ามีการก่อสร้าง ดัดแปลง เพิ่มพื้นที่ในห้องชุดหรือในอาคารให้ผิดไปจากที่ได้ใบรับรองไว้ ผู้ได้รับใบรับรองจะต้องรับผิดทางกฎหมาย และต่อความเสียหายที่เกิดขึ้นในทุกกรณี ทั้งต่อตนเองและผู้เกี่ยวข้องทั้งหมด และยังคงมีหน้าที่ต้องดำเนินการแก้ไขอาคารให้ถูกต้องตามกฎหมายว่าด้วยการควบคุมอาคาร กฎกระทรวง ข้อบัญญัติท้องถิ่น และกฎหมายอื่นที่เกี่ยวข้องต่อไป

คำเตือน

๑. ห้ามเจ้าของหรือผู้ครอบครองอาคารใช้หรือยินยอมให้บุคคลใดใช้อาคารเพื่อกิจการอื่น นอกจากที่ระบุไว้ในใบรับรองฉบับนี้

๒. ห้ามเจ้าของหรือผู้ครอบครองอาคารเปลี่ยนการใช้อาคารประเภทควบคุมการใช้สำหรับกิจการหนึ่งไปใช้เป็นอาคารประเภทควบคุมการใช้สำหรับอีกกิจการหนึ่ง เว้นแต่จะได้รับอนุญาตจากเจ้าพนักงานท้องถิ่น

๓. ห้ามเจ้าของหรือผู้ครอบครองอาคารที่ต้องมีพื้นที่หรือสิ่งที่สร้างขึ้นเพื่อใช้เป็นที่จอดรถ ที่กลับรถ และทางเข้าออกของรถตามที่กำหนดไว้ในกฎกระทรวง ดัดแปลงหรือใช้ที่จอดรถ ที่กลับรถ และทางเข้าออกของรถนั้นเพื่อการอื่นไม่ว่าทั้งหมดหรือบางส่วน เว้นแต่จะได้รับใบอนุญาตจากเจ้าพนักงานท้องถิ่น

๔. ผู้ได้รับใบรับรองต้องแสดงใบรับรองฉบับนี้ไว้ในที่เปิดเผยและเห็นได้ง่าย ณ อาคารนั้น

2.4 หนังสือสำคัญการจดทะเบียนอาคารชุด อ.ช.10



อ.ช.๑๐

หนังสือสำคัญการจดทะเบียนอาคารชุด

สำนักงานที่ดินกรุงเทพมหานคร สาขาพระโขนง

วันที่ ๔ เดือน เมษายน พ.ศ. ๒๕๖๘

หนังสือนี้ออกให้เพื่อแสดงว่าพนักงานเจ้าหน้าที่ได้จดทะเบียนอาคารชุดตามพระราชบัญญัติอาคารชุด พ.ศ. ๒๕๒๒ ตามคำขอของผู้มีกรรมสิทธิ์ในที่ดินและอาคาร ชื่อ บริษัท เอพี เอ็มอี ๑๘ จำกัด ทะเบียนเลขที่ ๓/๒๕๖๘ วันที่ ๔ เดือน เมษายน พ.ศ. ๒๕๖๘ โดยมีรายการ ดังนี้

๑. ชื่ออาคารชุด "แอสปาย อ่อนนุช สเตชั่น"

๒. โฉนดที่ดินเลขที่ ๓๗๑๐ และ ๓๗๑๒

ตำบล/แขวง พระโขนง

อำเภอ/เขต คลองเตย จังหวัด กรุงเทพมหานคร

๓. จำนวนอาคาร ๒ หลัง

๔. จำนวนห้องชุด ๖๙๗ ห้องชุด

๕. บันทึกรายละเอียด(รายการทรัพย์ส่วนกลาง เฉพาะทรัพย์ส่วนกลางตามมาตรา ๑๕(๕),(๖),(๗))
ทรัพย์ส่วนกลางปรากฏตามรายละเอียดแนบท้าย (อ.ช.๑๐)

๖. ทรัพย์ส่วนบุคคล

ห้องชุดเพื่ออยู่อาศัย จำนวน ๖๙๖ ห้องชุด

ห้องชุดเพื่อประกอบการค้า จำนวน ๑ ห้องชุด

ที่จอดรถส่วนบุคคล จำนวน ..... คัน

อื่น ๆ .....

[redacted]

เจ้าพนักงานที่ดินกรุงเทพมหานคร สาขาพระโขนง

ทรัพย์ส่วนกลางของอาคารชุด แอสปาย อ่อนนุช สเตชั่น ได้แก่

1. ที่ดินที่ตั้งอาคารชุด

1.1 โฉนดที่ดินเลขที่ 3710 และ 3712 ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร เนื้อที่รวม 2-3-79.5 ไร่

2. โครงสร้างและสิ่งก่อสร้าง เพื่อความมั่นคงและเพื่อป้องกันความเสียหายต่ออาคารชุดมีดังต่อไปนี้

2.1 เสาเข็มคอนกรีต ประเภทเข็มเจาะ

2.2 ฐานราก เสา คอนกรีตเสริมเหล็ก

2.3 ผนังภายนอกอาคารเป็นผนังคอนกรีตสำเร็จรูป,ผนังก่ออิฐมวลเบา

2.4 ผนังภายในอาคาร เป็นผนังก่ออิฐมอญ, อิฐมวลเบา, ผนังเบาสำเร็จรูป, ผนังคอนกรีตหรือผนังคอนกรีตมวลเบาสำเร็จรูป

2.5 ผนังชั้นใต้ดิน (ถังเก็บน้ำ, บ่อบำบัดน้ำเสีย, บ่อหน่วงน้ำ) และ ถังเก็บน้ำชั้น 37 เป็นผนังคอนกรีตเสริมเหล็ก

2.6 พื้นชั้น1, พื้นสระว่ายน้ำ เป็นพื้นคอนกรีตเสริมเหล็ก

2.7 พื้นอาคาร เอ และพื้นอาคาร บี เป็นพื้นคอนกรีตเสริมเหล็กหล่อในที่และพื้นระบบคอนกรีตอัดแรงแบบ Post-Tension

2.8 บันไดอาคาร เอ และอาคาร บี เป็นคอนกรีตเสริมเหล็ก ชิ้นส่วนสำเร็จรูป, คอนกรีตเสริมเหล็กหล่อในที่

2.9 ทางลาดรถวิ่งขึ้น-ลง อาคารบี

2.10 ถังเก็บน้ำชั้นใต้ดิน และ ถังเก็บน้ำชั้น 37

2.11 ระบบ Access Control

2.12 ระบบป้องกันอันตรายจากฟ้าผ่า

2.13 ช่องท่อสำหรับระบบสายไฟฟ้า น้ำประปา น้ำโสโครก น้ำทิ้ง น้ำดับเพลิง ระบายน้ำฝน

2.14 ระบบกล้องวงจรปิด

2.15 ระบบไฟฟ้าฉุกเฉิน EMERGENCY LIGHT

2.16 ระบบควบคุมไฟฟ้าและแสงสว่างภายในอาคาร

2.17 ป้อมรปภ. ทางเข้า – ออก 1 แห่ง

2.18 ถนนภายในโครงการ

2.19 รั้วโครงการ และ ป้ายโครงการ

2.20 ป้ายชื่อโครงการ และ ป้ายสัญลักษณ์ต่างๆภายในอาคารชุด

2.21 เสาอากาศทีวีดิจิตอล

2.22 ระบบโทรศัพท์ PABX ภายในห้องนิติบุคคล , ห้องควบคุม , ป้อมรปภ.

2.23 ระบบดับเพลิง พร้อมอุปกรณ์ FIRE HOSE CABINET

2.24 ระบบเตือนอัคคีภัย SMOKE AND HEAT DETECTOR , FIRE ALARM

2.25 ระบบสุขาภิบาลภายในอาคาร พร้อมอุปกรณ์

2.26 ระบบระบายน้ำอาคารชุด

2.27 ระบบประปาของอาคารชุด

2.28 ระบบบำบัดน้ำเสียของอาคารชุด

2.29 หัวรับน้ำดับเพลิง บริเวณ ชั้น 1

2.30 ระบบไฟฟ้า พร้อมอุปกรณ์ และระบบเครื่องกำเนิดไฟฟ้าที่ ชั้น 1

3. **ทรัพย์สินส่วนกลางที่มีไว้เพื่อประโยชน์ร่วมกันในอาคารชุด มีดังต่อไปนี้**

สำนักงานนิติบุคคล (The Juristic) ตั้งอยู่เลขที่ 1568 ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร ชั้น 1 อาคาร เอ

อาคาร เอ

3.1 ป้อม รปภ.

3.2 จุดจอดรถรับ-ส่ง (The Drop Off) ชั้น 1

3.3 จุดรับ-ส่งของ (The Pick Up) ชั้น 1

3.4 โถงต้อนรับ (The Aspire Common) ชั้น 1

3.5 ห้องพักคอย (Lobby Lounge) ชั้น 1

3.6 ห้องทำงาน 1,2 (The Parlour,The Co-Op Society) ชั้น 1

3.7 ห้องควบคุม (Control Room) ชั้น 1

3.8 ห้องจดหมาย (The Mail Room) ชั้น 1

3.9 ห้องงานระบบ (MDB) ชั้น 1

3.10 ห้องเครื่องกำเนิดไฟฟ้า (Generator) ชั้น 1

3.11 ห้องน้ำชาย, ห้องน้ำหญิง , ห้องน้ำผู้พิการ (WC,WC,WC) ชั้น 1

3.12 ห้องปั๊มน้ำชั้นใต้ดิน, ห้องปั๊มสระว่ายน้ำ, ห้องปั๊มน้ำ ชั้น 37 (Underground Tank, Pool Pump Room, Pump Room)

3.13 โถงทางเดิน (Corridor) ชั้น 1

3.14 จุดพักคอยที่จอดรถยนต์อัตโนมัติ (Waiting Lounge) ชั้น 1

3.15 ที่จอดรถยนต์ระบบเครื่องกล 1,2 (AP1, AP2 จำนวน 84 คัน)

3.16 ที่จอดรถผู้พิการ จำนวน 2 คัน ชั้น 1

3.17 จุดจอดรถรับส่งและจุดจอดรถพยาบาลฉุกเฉิน

3.18 ห้องขยะเปียก, ห้องขยะทั่วไป,ห้องขยะอันตราย,ห้องขยะรีไซเคิล (Wet Garbage , Dry Garbage , Hazardous Garbage , Recycle Garbage) ชั้น 1

3.19 โถงลิฟต์โดยสาร (Lift Lobby) ชั้น 1-37

3.20 โถงลิฟต์ดับเพลิง (Fire Lift Lobby) ชั้น 1-37

3.21 ลิฟต์โดยสาร L1-L3 และ ลิฟต์ดับเพลิง SL/FL

3.22 ห้องไฟฟ้า ประจำชั้นพักอาศัย (Electrical Room) ชั้น 2-36

3.23 ห้องประปา ประจำชั้นพักอาศัย (Sanitary Room) ชั้น 2-35

3.24 ห้องพักขยะ (Garbage Room) ชั้น 2-35

3.25 บันไดหนีไฟ ST-1, ST-2

3.26 ทางเปลี่ยนถ่ายบันได ชั้นโอนย้ายบันได

3.27 กันสาด (Slab) ชั้น 36

3.28 พื้นที่ส่วนกลาง (ห้องสันทนาการ 1,2) (Sky Lounge , The Productive Hub) ชั้น 36

3.29 ห้องเก็บของ (Storage) ชั้น 36

3.30 ห้องออกกำลังกาย (The Gym) ชั้น 37

3.31 สระว่ายน้ำ (The Aqua) ชั้น 37

3.32 ห้องน้ำชาย, ห้องน้ำหญิง, ห้องน้ำผู้พิการ (Male WC, Female WC, WC.) ชั้น 37

3.33 ห้อง Sauna ชาย, ห้องSteam หญิง ชั้น 37

3.34 ห้องเก็บของ 1,2 (Storage 1,2) ชั้น 37

3.35 ห้องเครื่องลิฟต์ ชั้นดาดฟ้า (Elevator Machine Room)

3.36 พื้นที่หนีไฟทางอากาศ ชั้นดาดฟ้า (Air Fire escape)

3.37 กันสาด ชั้นดาดฟ้า

3.38 ดาดฟ้าอาคารชุด

3.39 พื้นที่จัดสวนภายในโครงการ (สวนชั้น1,36,37,ดาดฟ้า)

3.40 ถังเก็บน้ำ,บ่อบำบัดน้ำเสีย,บ่อหน่วงน้ำ ชั้นใต้ดิน

3.41 ถนนภายในโครงการ

อาคาร บี

3.42 ที่จอดรถยนต์ จำนวน 196 คัน (ที่จอดรถผู้พิการ จำนวน 5 คัน) ชั้น 1-8

3.43 ลิฟต์โดยสาร CP1, CP2

3.44 โถงลิฟต์โดยสาร (Lift Lobby) ชั้น 1-8

3.45 ที่จอดรถ EV Charger จำนวน 4 คัน

3.46 ห้องแม่บ้าน (Maid Room)

3.47 ห้องน้ำชาย , ห้องน้ำหญิง (Male WC , Female WC) ชั้น 1

3.48 บันไดหนีไฟ ST-1, ST-2

3.49 ช่องท่อสำหรับระบบไฟฟ้า ชั้น 1-8

3.50 ช่องท่อสำหรับระบบประปา ชั้น 1-8

3.51 ห้องเครื่องลิฟต์ ชั้นดาดฟ้า (Elevator Machine Room)

3.52 ดาดฟ้าอาคารชุด

3.53 พื้นที่จัดสวนชั้น1, ดาดฟ้า

4. ทรัพย์สินอื่นที่เป็นกรรมสิทธิ์หรือสิทธิของนิติบุคคลอาคารชุดที่มีไว้เพื่อให้ใช้ประโยชน์ร่วมกันของเจ้าของร่วมทรัพย์ส่วนกลางอื่นๆของอาคารชุด

2.5 หนังสือสำนักงานที่ดินกรุงเทพมหานคร สาขาพระโขนง เรื่องการจดทะเบียนอาคารชุด อ.ช.11

อ.ช.๑๑

ประกาศ

สำนักงานที่ดินกรุงเทพมหานคร

สาขาพระโขนง

เรื่อง การจดทะเบียนอาคารชุด

ด้วย บริษัท เอพี เอ็มอี ๑๘ จำกัด ซึ่งเป็นผู้ถือกรรมสิทธิ์ที่ดินและอาคาร โฉนดที่ดินเลขที่ ๓๗๑๐ และ ๓๗๑๒ ตำบล/แขวง พระโขนง อำเภอ/เขต คลองเตย จังหวัด กรุงเทพมหานคร ประกอบด้วยอาคารจำนวน ๒ หลัง ได้ยื่นคำขอจดทะเบียนที่ดินและอาคารดังกล่าวต่อพนักงานเจ้าหน้าที่ ณ สำนักงานที่ดินจังหวัด กรุงเทพมหานคร สาขา พระโขนง ให้เป็นอาคารชุดตามพระราชบัญญัติอาคารชุด พ.ศ. ๒๕๒๒

พนักงานเจ้าหน้าที่ได้พิจารณาแล้วเห็นว่าที่ดินและอาคารดังกล่าวอยู่ในหลักเกณฑ์และเงื่อนไขสมควรเป็นอาคารชุดได้ จึงรับจดทะเบียนเป็นอาคารชุด ชื่อ “ แอสปาย อ่อนนุช สเตชั่น ” ทะเบียนเลขที่ ๓/๒๕๖๘ เมื่อวันที่ ๔ เดือน เมษายน พ.ศ. ๒๕๖๘

จึงประกาศให้ทราบทั่วกัน

เจ้าพนักงานที่ดินกรุงเทพมหานคร สาขาพระโขนง

พนักงานเจ้าหน้าที่

2.6 หนังสือสำคัญการจดทะเบียนนิติบุคคลอาคารชุด อ.ช.13

(อ.ช.๑๓)



หนังสือสำคัญการจดทะเบียนนิติบุคคลอาคารชุด

สำนักงานที่ดินกรุงเทพมหานคร สาขาพระโขนง
วันที่...๑๐.....เดือน...มิถุนายน.....พ.ศ...๒๕๖๘.....

หนังสือสำคัญฉบับนี้ออกให้เพื่อแสดงว่า พนักงานเจ้าหน้าที่ได้รับจดทะเบียนนิติบุคคลอาคารชุด ตามพระราชบัญญัติอาคารชุด พ.ศ. ๒๕๒๒ ทะเบียนเลขที่.....๔/๒๕๖๘.....
เมื่อวันที่.....๑๐.....เดือน.....มิถุนายน.....พ.ศ.....๒๕๖๘..... โดยมีรายการ ดังนี้

๑.ชื่อนิติบุคคลอาคารชุด.....“แอสปาย อ่อนนุช สเตชั่น”.....

๒.มีวัตถุประสงค์นิติบุคคลอาคารชุดเป็นไปตามมาตรา ๓๓ แห่งพระราชบัญญัติอาคารชุด พ.ศ.๒๕๒๒ ซึ่งบัญญัติว่า เพื่อจัดการและดูแลรักษาทรัพย์ส่วนกลางและให้มีอำนาจกระทำการใดๆเพื่อประโยชน์ตามวัตถุประสงค์ดังกล่าว ทั้งนี้ตามมติของเจ้าของร่วมภายใต้บังคับแห่งพระราชบัญญัตินี้.....
.....

[redacted]

ตำแหน่ง.....เจ้าพนักงานที่ดินกรุงเทพมหานคร สาขาพระโขนง.....

(อ.ช.๑๓)



หนังสือสำคัญการจดทะเบียนนิติบุคคลอาคารชุด

สำนักงานที่ดินกรุงเทพมหานคร สาขาพระโขนง
วันที่ ๑๐ เดือน มิถุนายน พ.ศ. ๒๕๖๘

หนังสือสำคัญฉบับนี้ออกให้เพื่อแสดงว่า พนักงานเจ้าหน้าที่ได้รับจดทะเบียนนิติบุคคลอาคารชุด ตามพระราชบัญญัติอาคารชุด พ.ศ. ๒๕๒๒ ทะเบียนเลขที่ ๔/๒๕๖๘ เมื่อวันที่ ๑๐ เดือน มิถุนายน พ.ศ ๒๕๖๘ โดยมีรายการ ดังนี้

๑.ชื่อนิติบุคคลอาคารชุด "แอสปาย อ่อนุช สเตชั่น"

๒.มีวัตถุประสงค์นิติบุคคลอาคารชุดเป็นไปตามมาตรา ๓๓ แห่งพระราชบัญญัติอาคารชุด พ.ศ.๒๕๒๒ ซึ่งบัญญัติว่า เพื่อจัดการและดูแลรักษาทรัพย์ส่วนกลางและให้มีอำนาจกระทำการใดๆเพื่อประโยชน์ตามวัตถุประสงค์ดังกล่าว ทั้งนี้ตามมติของเจ้าของร่วมภายใต้บังคับแห่งพระราชบัญญัตินี้

[redacted]

ตำแหน่ง เจ้าพนักงานที่ดินกรุงเทพมหานคร สาขาพระโขนง

(อ.ช.๑๓)



หนังสือสำคัญการจดทะเบียนนิติบุคคลอาคารชุด

สำนักงานที่ดินกรุงเทพมหานคร สาขาพระโขนง
วันที่...๑๐.....เดือน...มิถุนายน.....พ.ศ...๒๕๖๘.....

หนังสือสำคัญฉบับนี้ออกให้เพื่อแสดงว่า พนักงานเจ้าหน้าที่ได้รับจดทะเบียนนิติบุคคลอาคารชุด ตามพระราชบัญญัติอาคารชุด พ.ศ. ๒๕๒๒ ทะเบียนเลขที่.....๔/๒๕๖๘.....
เมื่อวันที่.....๑๐.....เดือน.....มิถุนายน.....พ.ศ...๒๕๖๘..... โดยมีรายการ ดังนี้

๑.ชื่อนิติบุคคลอาคารชุด.....“แอสปาย อ่อนุช สเตชั่น”.....

๒.มีวัตถุประสงค์นิติบุคคลอาคารชุดเป็นไปตามมาตรา ๓๓ แห่งพระราชบัญญัติอาคารชุด พ.ศ.๒๕๒๒ ซึ่งบัญญัติว่า เพื่อจัดการและดูแลรักษาทรัพย์ส่วนกลางและให้มีอำนาจกระทำการใดๆเพื่อประโยชน์ตามวัตถุประสงค์ดังกล่าว ทั้งนี้ตามมติของเจ้าของร่วมภายใต้บังคับแห่งพระราชบัญญัตินี้.....

ตำแหน่ง.....เจ้าพนักงานที่ดินกรุงเทพมหานคร สาขาพระโขนง.....

(อ.ช.๑๓)



หนังสือสำคัญการจดทะเบียนนิติบุคคลอาคารชุด

สำนักงานที่ดินกรุงเทพมหานคร สาขาพระโขนง
วันที่ ๑๐ เดือน มิถุนายน พ.ศ. ๒๕๖๘

หนังสือสำคัญฉบับนี้ออกให้เพื่อแสดงว่า พนักงานเจ้าหน้าที่ได้รับจดทะเบียนนิติบุคคลอาคารชุด ตามพระราชบัญญัติอาคารชุด พ.ศ. ๒๕๒๒ ทะเบียนเลขที่ ๔/๒๕๖๘ เมื่อวันที่ ๑๐ เดือน มิถุนายน พ.ศ. ๒๕๖๘ โดยมีรายการ ดังนี้

๑.ชื่อนิติบุคคลอาคารชุด "แอสปาย อ่อนนุช สเตชั่น"

๒.มีวัตถุประสงค์นิติบุคคลอาคารชุดเป็นไปตามมาตรา ๓๓ แห่งพระราชบัญญัติอาคารชุด พ.ศ.๒๕๒๒ ซึ่งบัญญัติว่า เพื่อจัดการและดูแลรักษาทรัพย์ส่วนกลางและให้มีอำนาจกระทำการใดๆเพื่อประโยชน์ตามวัตถุประสงค์ดังกล่าว ทั้งนี้ตามมติของเจ้าของร่วมภายใต้บังคับแห่งพระราชบัญญัตินี้

[redacted]

ตำแหน่ง เจ้าพนักงานที่ดินกรุงเทพมหานคร สาขาพระโขนง

(อ.ช.๑๓)



หนังสือสำคัญการจดทะเบียนนิติบุคคลอาคารชุด

สำนักงานที่ดินกรุงเทพมหานคร สาขาพระโขนง
วันที่ ๑๐ เดือน มิถุนายน พ.ศ. ๒๕๖๘

หนังสือสำคัญฉบับนี้ออกให้เพื่อแสดงว่า พนักงานเจ้าหน้าที่ได้รับจดทะเบียนนิติบุคคลอาคารชุด ตามพระราชบัญญัติอาคารชุด พ.ศ. ๒๕๒๒ ทะเบียนเลขที่ ๔/๒๕๖๘ เมื่อวันที่ ๑๐ เดือน มิถุนายน พ.ศ. ๒๕๖๘ โดยมีรายการ ดังนี้

๑.ชื่อนิติบุคคลอาคารชุด "แอสปาย อ่อนนุช สเตชั่น"

๒.มีวัตถุประสงค์นิติบุคคลอาคารชุดเป็นไปตามมาตรา ๓๓ แห่งพระราชบัญญัติอาคารชุด พ.ศ.๒๕๒๒ ซึ่งบัญญัติว่า เพื่อจัดการและดูแลรักษาทรัพย์ส่วนกลางและให้มีอำนาจกระทำการใดๆเพื่อประโยชน์ตามวัตถุประสงค์ดังกล่าว ทั้งนี้ตามมติของเจ้าของร่วมภายใต้บังคับแห่งพระราชบัญญัตินี้

ตำแหน่ง เจ้าพนักงานที่ดินกรุงเทพมหานคร สาขาพระโขนง

2.7 หนังสือสำนักงานที่ดินกรุงเทพมหานคร สาขาพระโขนง
เรื่องการจดทะเบียนนิติบุคคลอาคารชุด อ.ช.14

(อ.ช.๑๔)



ประกาศ
สำนักงานที่ดินกรุงเทพมหานคร สาขาพระโขนง
เรื่อง การจดทะเบียนนิติบุคคลอาคารชุด

ด้วย ผู้ขอจดทะเบียนอาคารชุด ชื่อ บริษัท เอพี เอ็มอี ๑๘ จำกัด
และผู้ซื้อห้องชุดรายแรก ชื่อ นางกรัณฑรัตน์ โชติระวีหิรัญกุล
ได้ยื่นขอจดทะเบียนนิติบุคคลอาคารชุด โดยมีวัตถุประสงค์เพื่อจัดการและดูแลรักษาทรัพย์ส่วนกลางและให้มีอำนาจกระทำการใดๆ ทั้งนี้ตามมติของเจ้าของร่วมภายใต้บังคับแห่งพระราชบัญญัตินี้ เพื่อประโยชน์ตามวัตถุประสงค์ดังกล่าว ของอาคารชุด ชื่อ "แอสปาย อ่อนนุช สเตชั่น"

พนักงานเจ้าหน้าที่ได้พิจารณาแล้วเห็นว่าถูกต้อง จึงจดทะเบียนนิติบุคคลอาคารชุด ชื่อ "**แอสปาย อ่อนนุช สเตชั่น**" ทะเบียนเลขที่ ๔/๒๕๖๘ เมื่อวันที่ ๑๐ เดือน มิถุนายน พ.ศ. ๒๕๖๘ โดยให้มีอำนาจกระทำการใดๆ เพื่อประโยชน์ตามวัตถุประสงค์ตามวรรคแรก

จึงประกาศให้ทราบทั่วกัน

[redacted]

เจ้าพนักงานที่ดินกรุงเทพมหานคร สาขาพระโขนง
พนักงานเจ้าหน้าที่

(อ.ช.๑๔)



ประกาศ
สำนักงานที่ดินกรุงเทพมหานคร สาขาพระโขนง
เรื่อง การจดทะเบียนนิติบุคคลอาคารชุด

ด้วย ผู้ขอจดทะเบียนอาคารชุด ชื่อ บริษัท เอพี เอ็มอี ๑๘ จำกัด
และผู้ซื้อห้องชุดรายแรก ชื่อ นางกรัณฑรัตน์ โชติระวีหิรัญกุล
ได้ยื่นขอจดทะเบียนนิติบุคคลอาคารชุด โดยมีวัตถุประสงค์เพื่อจัดการและดูแลรักษาทรัพย์ส่วนกลางและให้มีอำนาจกระทำการใดๆ ทั้งนี้ตามมติของเจ้าของร่วมภายใต้บังคับแห่งพระราชบัญญัตินี้ เพื่อประโยชน์ตามวัตถุประสงค์ดังกล่าว ของอาคารชุด ชื่อ "แอสปาย อ่อนนุช สเตชั่น"

พนักงานเจ้าหน้าที่ได้พิจารณาแล้วเห็นว่าถูกต้อง จึงจดทะเบียนนิติบุคคลอาคารชุด ชื่อ "แอสปาย อ่อนนุช สเตชั่น" ทะเบียนเลขที่ ๙/๒๕๖๘ เมื่อวันที่ ๑๐ เดือน มิถุนายน พ.ศ. ๒๕๖๘ โดยให้มีอำนาจกระทำการใดๆ เพื่อประโยชน์ตามวัตถุประสงค์ตามวรรคแรก

จึงประกาศให้ทราบทั่วกัน

[redacted]

เจ้าพนักงานที่ดินกรุงเทพมหานคร สาขาพระโขนง
พนักงานเจ้าหน้าที่

(อ.ช.๑๔)



ประกาศ
สำนักงานที่ดินกรุงเทพมหานคร สาขาพระโขนง
เรื่อง การจดทะเบียนนิติบุคคลอาคารชุด

ด้วย ผู้ขอจดทะเบียนอาคารชุด ชื่อ บริษัท เอพี เอ็มอี ๑๘ จำกัด
และผู้ซื้อห้องชุดรายแรก ชื่อ นางกรัณฑรัตน์ โชติระวีหิรัญกุล
ได้ยื่นขอจดทะเบียนนิติบุคคลอาคารชุด โดยมีวัตถุประสงค์เพื่อจัดการและดูแลรักษาทรัพย์ส่วนกลางและให้มีอำนาจกระทำการใดๆ ทั้งนี้ตามมติของเจ้าของร่วมภายใต้บังคับแห่งพระราชบัญญัตินี้ เพื่อประโยชน์ตามวัตถุประสงค์ดังกล่าว ของอาคารชุด ชื่อ "แอสปาย อ่อนนุช สเตชั่น"

พนักงานเจ้าหน้าที่ได้พิจารณาแล้วเห็นว่าถูกต้อง จึงจดทะเบียนนิติบุคคลอาคารชุด ชื่อ "แอสปาย อ่อนนุช สเตชั่น" ทะเบียนเลขที่ ๙/๒๕๖๘ เมื่อวันที่ ๑๐ เดือน มิถุนายน พ.ศ. ๒๕๖๘ โดยให้มีอำนาจกระทำการใดๆ เพื่อประโยชน์ตามวัตถุประสงค์ตามวรรคแรก

จึงประกาศให้ทราบทั่วกัน

[redacted]

เจ้าพนักงานที่ดินกรุงเทพมหานคร สาขาพระโขนง
พนักงานเจ้าหน้าที่

ภาคผนวกที่ 3

ใบรายงานผลการวิเคราะห์จากห้องปฏิบัติการ

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Water Supply Sampling
Sampling Point : **ถังเก็บน้ำใต้ดิน ถังที่ 1**
GPS. Coordinate : -
Sampling Date : July 24, 2025
Sampling Time : 15:01
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01364
Analysis No. : 2025-AD845-007
Received Date : July 25, 2025
Analytical Date : July 25-31, 2025
Report No. : 2025-RAAS942
Report Date : August 19, 2025

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	ไม่พบ
Apparent Color	Pt-Co	Visible Absorption Spectrophotometry	<5.0	15
Turbidity	NTU	Nephelometric	0.87	1.0
Odor	-	Sensory Test	Odorless	ไม่เป็นที่น่ารังเกียจ

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2'] Water Supply Standards, Notification of the Metropolitan Waterworks Authority B.E. 2565 (2022).

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Water Supply Sampling
Sampling Point : **ถังเก็บน้ำใต้ดิน ถังที่ 2**
GPS. Coordinate : -
Sampling Date : July 24, 2025
Sampling Time : 15:03
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01364
Analysis No. : 2025-AD845-008
Received Date : July 25, 2025
Analytical Date : July 25-31, 2025
Report No. : 2025-RAAS943
Report Date : August 19, 2025

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	ไม่พบ
Apparent Color	Pt-Co	Visible Absorption Spectrophotometry	<5.0	15
Turbidity	NTU	Nephelometric	0.66	1.0
Odor	-	Sensory Test	Odorless	ไม่เป็นที่น่ารังเกียจ

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2'] Water Supply Standards, Notification of the Metropolitan Waterworks Authority B.E. 2565 (2022).

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Water Supply Sampling
Sampling Point : **ถังเก็บน้ำชั้นหลังคา ถังที่ 1**
GPS. Coordinate : -

Sampling Date : July 24, 2025
Sampling Time : 14:42
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01364
Analysis No. : 2025-AD845-009
Received Date : July 25, 2025
Analytical Date : July 25-31, 2025
Report No. : 2025-RAAS944
Report Date : August 19, 2025

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	ไม่พบ
Apparent Color	Pt-Co	Visible Absorption Spectrophotometry	<5.0	15
Turbidity	NTU	Nephelometric	0.78	1.0
Odor	-	Sensory Test	Odorless	ไม่เป็นที่น่ารังเกียจ

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2'] Water Supply Standards, Notification of the Metropolitan Waterworks Authority B.E. 2565 (2022).

envi research
ENVIRONMENT RESEARCH&TECHNOLOGY CO.,LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Water Supply Sampling
Sampling Point : ถังเก็บน้ำชั้นหลังคา ถังที่ 2
GPS. Coordinate : -

Sampling Date : July 24, 2025
Sampling Time : 14:44
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01364
Analysis No. : 2025-AD845-010
Received Date : July 25, 2025
Analytical Date : July 25-31, 2025
Report No. : 2025-RAAS945
Report Date : August 19, 2025

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	ไม่พบ
Apparent Color	Pt-Co	Visible Absorption Spectrophotometry	<5.0	15
Turbidity	NTU	Nephelometric	0.46	1.0
Odor	-	Sensory Test	Odorless	ไม่เป็นที่น่ารังเกียจ

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2'] Water Supply Standards, Notification of the Metropolitan Waterworks Authority B.E. 2565 (2022).

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Water Supply Sampling
Sampling Point : ถังเก็บน้ำดับเพลิงใต้ดิน
GPS. Coordinate : -
Sampling Date : July 24, 2025
Sampling Time : 15:04
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01364
Analysis No. : 2025-AD845-011
Received Date : July 25, 2025
Analytical Date : July 25-31, 2025
Report No. : 2025-RAAS946
Report Date : August 19, 2025

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	ไม่พบ
Apparent Color	Pt-Co	Visible Absorption Spectrophotometry	<5.0	15
Turbidity	NTU	Nephelometric	0.79	1.0
Odor	-	Sensory Test	Odorless	ไม่เป็นที่น่ารังเกียจ

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Water Supply Standards, Notification of the Metropolitan Waterworks Authority B.E. 2565 (2022).

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Pool Water Sampling
Sampling Point : **สระว่ายน้ำชั้น 37**
GPS. Coordinate : -
Sampling Date : July 24, 2025
Sampling Time : 14:30
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01364
Analysis No. : 2025-AD845-012
Received Date : July 25, 2025
Analytical Date : July 25-August 15, 2025
Report No. : 2025-RAAS947
Report Date : August 19, 2025

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]
Free Chlorine	ppm	DPD Colorimetric	<0.02	0.6-1.0
Combined Chlorine	ppm	Iodometric, DPD Colorimetric	<0.3	0.5-1.0
Alkalinity	ppm	Titration	67	80-100
Calcium Hardness	ppm	Titration	100	250-600
Cyanuric Acid	ppm	Turbidimetric	24	30-60
Chloride	ppm	Mercuric Nitrate	64	600
Ammonia	ppm	Distillation, Titrimetric	<0.4	20
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	10
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	None
Escherichia Coli	MPN/100 mL	Most Probable Number	Not Detected	None
Staphylococcus aureus[3]	/100 mL	Membrane Filter Technique	Not Detected	None
Pseudomonas aeruginosa[3]	/100 mL	Membrane Filter Technique	Detected	None

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Recommendation of the Public Health Committee No. 1/2007 on the Control of Swimming Pool Operations. or other Businesses In the Same Way.
[3] Analyzed by Subcontractor Laboratory.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Pool Water Sampling
Sampling Point : **สระว่ายน้ำชั้น 37**
GPS. Coordinate : -
Sampling Date : August 22, 2025
Sampling Time : 14:36
Sampling Method : Grab
Sampling By : Mr.Arnon Kuanhanghong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01364
Analysis No. : 2025-AE347-006
Received Date : August 23, 2025
Analytical Date : August 23-26, 2025
Report No. : 2025-RAAU987
Report Date : September 3, 2025

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	10
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	None

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Recommendation of the Public Health Committee No. 1/2007 on the Control of Swimming Pool Operations. or other Businesses In the Same Way.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Pool Water Sampling
Sampling Point : **สระว่ายน้ำชั้น 37**
GPS. Coordinate : -

Sampling Date : September 25, 2025
Sampling Time : 11:03
Sampling Method : Grab
Sampling By : Mr.Assada Chaiyawong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01364
Analysis No. : 2025-AF045-006
Received Date : September 26, 2025
Analytical Date : September 26-29, 2025
Report No. : 2025-RAAX815
Report Date : October 7, 2025

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	10
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	None

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2'] Recommendation of the Public Health Committee No. 1/2007 on the Control of Swimming Pool Operations. or other Businesses In the Same Way.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Pool Water Sampling
Sampling Point : **สระว่ายน้ำชั้น 37**
GPS. Coordinate : -

Sampling Date : October 22, 2025
Sampling Time : 11:12
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01364
Analysis No. : 2025-AF627-006
Received Date : October 24, 2025
Analytical Date : October 24-27, 2025
Report No. : 2025-RABA577
Report Date : November 10, 2025

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	10
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	None

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Recommendation of the Public Health Committee No. 1/2007 on the Control of Swimming Pool Operations. or other Businesses In the Same Way.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO. LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Pool Water Sampling
Sampling Point : **สระว่ายน้ำชั้น 37**
GPS. Coordinate : -

Sampling Date : November 20, 2025
Sampling Time : 15:29
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01364
Analysis No. : 2025-AG323-006
Received Date : November 21, 2025
Analytical Date : November 21-24, 2025
Report No. : 2025-RABC717
Report Date : December 2, 2025

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	10
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	None

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2'] Recommendation of the Public Health Committee No. 1/2007 on the Control of Swimming Pool Operations. or other Businesses In the Same Way.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Pool Water Sampling
Sampling Point : **สระว่ายน้ำชั้น 37**
GPS. Coordinate : -

Sampling Date : December 23, 2025
Sampling Time : 10:03
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01364
Analysis No. : 2025-AH142-001
Received Date : December 24, 2025
Analytical Date : December 24-26, 2025
Report No. : 2026-RAAA126
Report Date : January 6, 2026

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	10
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	None

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2'] Recommendation of the Public Health Committee No. 1/2007 on the Control of Swimming Pool Operations. or other Businesses In the Same Way.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าระบบบำบัดน้ำเสียรวม
GPS. Coordinate : UTM (WGS84) 47P 0672971 E, 1515959 N
Sampling Date : July 24, 2025
Sampling Time : 13:20
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AD845-001
Received Date : July 25, 2025
Analytical Date : July 25-August 5, 2025
Report No. : 2025-RAAS936
Report Date : August 19, 2025

Parameter	Unit	Method of Analysis[1']	Result
pH	-	Electrometric	9.6
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	390
Total Suspended Solids	mg/L	Dried at 103-105°C	732
Total Dissolved Solids	mg/L	Dried at 180°C	593
Sulfide	mg/L	ZnS Precipitation, Iodometric	6.6
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	169
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	41
Settleable Solids	mL/L	Volumetric	9.0

Remark : 1' Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : หลังออกจากระบบบำบัดน้ำเสียรวม
GPS. Coordinate : UTM (WGS84) 47P 0672986 E, 1515965 N
Sampling Date : July 24, 2025
Sampling Time : 13:38
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AD845-002
Received Date : July 25, 2025
Analytical Date : July 25-August 5, 2025
Report No. : 2025-RAAS937
Report Date : August 19, 2025

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
pH	-	Electrometric	6.1	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	2.4	20
Total Suspended Solids	mg/L	Dried at 103-105°C	13	30
Total Dissolved Solids	mg/L	Dried at 180°C	561	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	3.3	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	1.0	20
Settleable Solids	mL/L	Volumetric	0.1	-

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2'] Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าระบบบำบัดน้ำเสียรวม
GPS. Coordinate : UTM (WGS84) 47P 0672971 E, 1515959 N
Sampling Date : August 22, 2025
Sampling Time : 14:04
Sampling Method : Grab
Sampling By : Mr.Arnon Kuanhanghong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AE347-001
Received Date : August 23, 2025
Analytical Date : August 23-September 1, 2025
Report No. : 2025-RAAU981
Report Date : September 3, 2025

Parameter	Unit	Method of Analysis[1']	Result
pH	-	Electrometric	6.8
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	193
Total Suspended Solids	mg/L	Dried at 103-105°C	84
Total Dissolved Solids	mg/L	Dried at 180°C	402
Sulfide	mg/L	ZnS Precipitation, Iodometric	11
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	149
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	6.5
Settleable Solids	mL/L	Volumetric	0.1

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO.,LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : หลังออกจากระบบบำบัดน้ำเสียรวม
GPS. Coordinate : UTM (WGS84) 47P 0672986 E, 1515965 N

Sampling Date : August 22, 2025
Sampling Time : 13:54
Sampling Method : Grab
Sampling By : Mr.Arnon Kuanhanghong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AE347-002
Received Date : August 23, 2025
Analytical Date : August 23-September 1, 2025
Report No. : 2025-RAAU982
Report Date : September 3, 2025

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]
pH	-	Electrometric	6.4	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	5.0	20
Total Suspended Solids	mg/L	Dried at 103-105°C	5.1	30
Total Dissolved Solids	mg/L	Dried at 180°C	496	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	10	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	2.2	20
Settleable Solids	mL/L	Volumetric	<0.1	-

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO. LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าระบบบำบัดน้ำเสียรวม
GPS. Coordinate : UTM (WGS84) 47P 0672971 E, 1515959 N
Sampling Date : September 25, 2025
Sampling Time : 10:23
Sampling Method : Grab
Sampling By : Mr.Assada Chaiyawong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AF045-001
Received Date : September 26, 2025
Analytical Date : September 26-October 3, 2025
Report No. : 2025-RAAX810
Report Date : October 7, 2025

Parameter	Unit	Method of Analysis[1']	Result
pH	-	Electrometric	7.9
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	216
Total Suspended Solids	mg/L	Dried at 103-105°C	114
Total Dissolved Solids	mg/L	Dried at 180°C	485
Sulfide	mg/L	ZnS Precipitation, Iodometric	7.3
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	174
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	19
Settleable Solids	mL/L	Volumetric	0.3

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : **หลังออกจากระบบบำบัดน้ำเสียรวม**
GPS. Coordinate : UTM (WGS84) 47P 0672986 E, 1515965 N
Sampling Date : September 25, 2025
Sampling Time : 10:14
Sampling Method : Grab
Sampling By : Mr.Assada Chaiyawong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AF045-002
Received Date : September 26, 2025
Analytical Date : September 26-October 3, 2025
Report No. : 2025-RAAX811
Report Date : October 7, 2025

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
pH	-	Electrometric	5.9	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	2.4	20
Total Suspended Solids	mg/L	Dried at 103-105°C	11	30
Total Dissolved Solids	mg/L	Dried at 180°C	557	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.5	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	9.8	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	2.0	20
Settleable Solids	mL/L	Volumetric	0.1	-

Remark : 1' Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
2' Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : **ก่อนเข้าระบบบำบัดน้ำเสียรวม**
GPS. Coordinate : UTM (WGS84) 47P 0672971 E, 1515959 N
Sampling Date : October 22, 2025
Sampling Time : 10:39
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Green, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AF627-001
Received Date : October 24, 2025
Analytical Date : October 24-November 3, 2025
Report No. : 2025-RABA572
Report Date : November 10, 2025

Parameter	Unit	Method of Analysis[1']	Result
pH	-	Electrometric	7.9
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	184
Total Suspended Solids	mg/L	Dried at 103-105°C	73
Total Dissolved Solids	mg/L	Dried at 180°C	541
Sulfide	mg/L	ZnS Precipitation, Iodometric	14
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	209
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	20
Settleable Solids	mL/L	Volumetric	0.4

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : **หลังออกจากระบบบำบัดน้ำเสียรวม**
GPS. Coordinate : UTM (WGS84) 47P 0672986 E, 1515965 N
Sampling Date : October 22, 2025
Sampling Time : 10:12
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AF627-002
Received Date : October 24, 2025
Analytical Date : October 24-November 3, 2025
Report No. : 2025-RABA573
Report Date : November 10, 2025

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]
pH	-	Electrometric	7.6	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	3.2	20
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0	30
Total Dissolved Solids	mg/L	Dried at 180°C	457	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.9	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	12	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO. LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : **ก่อนเข้าระบบบำบัดน้ำเสียรวม**
GPS. Coordinate : UTM (WGS84) 47P 0672971 E, 1515959 N
Sampling Date : November 20, 2025
Sampling Time : 14:41
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AG323-001
Received Date : November 21, 2025
Analytical Date : November 21-December 1, 2025
Report No. : 2025-RABC712
Report Date : December 2, 2025

Parameter	Unit	Method of Analysis[1']	Result
pH	-	Electrometric	7.8
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	220
Total Suspended Solids	mg/L	Dried at 103-105°C	83
Total Dissolved Solids	mg/L	Dried at 180°C	554
Sulfide	mg/L	ZnS Precipitation, Iodometric	14
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	192
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	9.0
Settleable Solids	mL/L	Volumetric	0.8

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : หลังออกจากระบบบำบัดน้ำเสียรวม
GPS. Coordinate : UTM (WGS84) 47P 0672986 E, 1515965 N
Sampling Date : November 20, 2025
Sampling Time : 14:34
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, No Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AG323-002
Received Date : November 21, 2025
Analytical Date : November 21-December 1, 2025
Report No. : 2025-RABC713
Report Date : December 2, 2025

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]
pH	-	Electrometric	6.4	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	3.2	20
Total Suspended Solids	mg/L	Dried at 103-105°C	8.2	30
Total Dissolved Solids	mg/L	Dried at 180°C	459	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.9	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	10	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	1.5	20
Settleable Solids	mL/L	Volumetric	<0.1	-

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2]

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าระบบบำบัดน้ำเสียรวม
GPS. Coordinate : UTM (WGS84) 47P 0672971 E, 1515959 N
Sampling Date : December 9, 2025
Sampling Time : 10:25
Sampling Method : Grab
Sampling By : Mr.Teerapong Khamnet
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AG781-001
Received Date : December 10, 2025
Analytical Date : December 10-17, 2025
Report No. : 2025-RABE478
Report Date : December 18, 2025

Parameter	Unit	Method of Analysis[1']	Result
pH	-	Electrometric	7.8
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	366
Total Suspended Solids	mg/L	Dried at 103-105°C	644
Total Dissolved Solids	mg/L	Dried at 180°C	600
Sulfide	mg/L	ZnS Precipitation, Iodometric	14
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	235
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	25
Settleable Solids	mL/L	Volumetric	5.3

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : หลังออกจากระบบบำบัดน้ำเสียรวม
GPS. Coordinate : UTM (WGS84) 47P 0672986 E, 1515965 N
Sampling Date : December 9, 2025
Sampling Time : 10:38
Sampling Method : Grab
Sampling By : Mr.Teerapong Khamnet
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AG781-002
Received Date : December 10, 2025
Analytical Date : December 10-17, 2025
Report No. : 2025-RABE479
Report Date : December 18, 2025

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
pH	-	Electrometric	7.1	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	16	20
Total Suspended Solids	mg/L	Dried at 103-105°C	6.8	30
Total Dissolved Solids	mg/L	Dried at 180°C	467	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	26	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	2.6	20
Settleable Solids	mL/L	Volumetric	<0.1	-

Remark : 1' Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
2' Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO.,LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าถังปาปัดน้ำเสียสำเร็จรูป
GPS. Coordinate : -
Sampling Date : July 24, 2025
Sampling Time : 14:12
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AD845-003
Received Date : July 25, 2025
Analytical Date : July 25-August 5, 2025
Report No. : 2025-RAAS938
Report Date : August 19, 2025

Parameter	Unit	Method of Analysis[1/]	Result
pH	-	Electrometric	8.7
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	120
Total Suspended Solids	mg/L	Dried at 103-105°C	119
Total Dissolved Solids	mg/L	Dried at 180°C	348
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.9
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	1.0
Settleable Solids	mL/L	Volumetric	9.0

Remark : [1/] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : หลังออกจากถังบำบัดน้ำเสียสำเร็จรูป
GPS. Coordinate : UTM (WGS84) 47P 0672905 E, 1515923 N
Sampling Date : July 24, 2025
Sampling Time : 15:16
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AD845-004
Received Date : July 25, 2025
Analytical Date : July 25-August 5, 2025
Report No. : 2025-RAAS939
Report Date : August 19, 2025

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]
pH	-	Electrometric	8.3	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	156	20
Total Suspended Solids	mg/L	Dried at 103-105°C	72	30
Total Dissolved Solids	mg/L	Dried at 180°C	424	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.7	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	119	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	4.0	20
Settleable Solids	mL/L	Volumetric	0.4	-

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO. LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าถังบำบัดน้ำเสียสำเร็จรูป
GPS. Coordinate : -
Sampling Date : August 22, 2025
Sampling Time : 14:14
Sampling Method : Grab
Sampling By : Mr.Arnon Kuanhanghong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AE347-003
Received Date : August 23, 2025
Analytical Date : August 23-September 1, 2025
Report No. : 2025-RAAU983
Report Date : September 3, 2025

Parameter	Unit	Method of Analysis[1']	Result
pH	-	Electrometric	6.7
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	72
Total Suspended Solids	mg/L	Dried at 103-105°C	122
Total Dissolved Solids	mg/L	Dried at 180°C	300
Sulfide	mg/L	ZnS Precipitation, Iodometric	7.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	69
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	4.9
Settleable Solids	mL/L	Volumetric	5.5

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : หลังออกจากถังบำบัดน้ำเสียสำเร็จรูป
GPS. Coordinate : UTM (WGS84) 47P 0672905 E, 1515923 N
Sampling Date : August 22, 2025
Sampling Time : 14:22
Sampling Method : Grab
Sampling By : Mr.Arnon Kuanhanghong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AE347-004
Received Date : August 23, 2025
Analytical Date : August 23-September 1, 2025
Report No. : 2025-RAAU985
Report Date : September 3, 2025

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
pH	-	Electrometric	6.8	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	10	20
Total Suspended Solids	mg/L	Dried at 103-105°C	51	30
Total Dissolved Solids	mg/L	Dried at 180°C	182	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	6.0	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	2.4	20
Settleable Solids	mL/L	Volumetric	0.6	-

Remark : 1' Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
2' Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าถังบำบัดน้ำเสียสำเร็จรูป
GPS. Coordinate : -
Sampling Date : September 25, 2025
Sampling Time : 10:36
Sampling Method : Grab
Sampling By : Mr.Assada Chaiyawong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AF045-003
Received Date : September 26, 2025
Analytical Date : September 26-October 3, 2025
Report No. : 2025-RAAX812
Report Date : October 7, 2025

Parameter	Unit	Method of Analysis[1']	Result
pH	-	Electrometric	7.6
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	48
Total Suspended Solids	mg/L	Dried at 103-105°C	145
Total Dissolved Solids	mg/L	Dried at 180°C	300
Sulfide	mg/L	ZnS Precipitation, Iodometric	3.1
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	38
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	14
Settleable Solids	mL/L	Volumetric	11

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : หลังออกจากถังบำบัดน้ำเสียสำเร็จรูป
GPS. Coordinate : UTM (WGS84) 47P 0672905 E, 1515923 N
Sampling Date : September 25, 2025
Sampling Time : 10:30
Sampling Method : Grab
Sampling By : Mr.Assada Chaiyawong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AF045-004
Received Date : September 26, 2025
Analytical Date : September 26-October 3, 2025
Report No. : 2025-RAAX813
Report Date : October 7, 2025

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
pH	-	Electrometric	7.7	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	32	20
Total Suspended Solids	mg/L	Dried at 103-105°C	185	30
Total Dissolved Solids	mg/L	Dried at 180°C	164	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	2.3	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	6.4	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	6.4	20
Settleable Solids	mL/L	Volumetric	3.5	-

Remark : 1' Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
2' Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO. LTD

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าถังบำบัดน้ำเสียสำเร็จรูป
GPS. Coordinate : -
Sampling Date : October 22, 2025
Sampling Time : 10:51
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AF627-003
Received Date : October 24, 2025
Analytical Date : October 24-November 3, 2025
Report No. : 2025-RABA574
Report Date : November 10, 2025

Parameter	Unit	Method of Analysis[1']	Result
pH	-	Electrometric	8.2
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	212
Total Suspended Solids	mg/L	Dried at 103-105°C	730
Total Dissolved Solids	mg/L	Dried at 180°C	500
Sulfide	mg/L	ZnS Precipitation, Iodometric	8.2
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	340
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	19
Settleable Solids	mL/L	Volumetric	52

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : หลังออกจากถังบำบัดน้ำเสียสำเร็จรูป
GPS. Coordinate : UTM (WGS84) 47P 0672905 E, 1515923 N
Sampling Date : October 22, 2025
Sampling Time : 10:59
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AF627-004
Received Date : October 24, 2025
Analytical Date : October 24-November 3, 2025
Report No. : 2025-RABA575
Report Date : November 10, 2025

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
pH	-	Electrometric	7.8	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	7.9	20
Total Suspended Solids	mg/L	Dried at 103-105°C	32	30
Total Dissolved Solids	mg/L	Dried at 180°C	183	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.6	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	1.5	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-

Remark : 1' Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
2' Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO. LTD

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าถังบำบัดน้ำเสียสำเร็จรูป
GPS. Coordinate : -
Sampling Date : November 20, 2025
Sampling Time : 14:52
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AG323-003
Received Date : November 21, 2025
Analytical Date : November 21-December 1, 2025
Report No. : 2025-RABC714
Report Date : December 2, 2025

Parameter	Unit	Method of Analysis[1']	Result
pH	-	Electrometric	7.6
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	104
Total Suspended Solids	mg/L	Dried at 103-105°C	496
Total Dissolved Solids	mg/L	Dried at 180°C	554
Sulfide	mg/L	ZnS Precipitation, Iodometric	7.4
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	98
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	11
Settleable Solids	mL/L	Volumetric	46

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : **หลังออกจากถังปาบัดน้ำเสียสาเร็จรูป**
GPS. Coordinate : UTM (WGS84) 47P 0672905 E, 1515923 N
Sampling Date : November 20, 2025
Sampling Time : 15:18
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AG323-004
Received Date : November 21, 2025
Analytical Date : November 21-December 1, 2025
Report No. : 2025-RABC715
Report Date : December 2, 2025

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]
pH	-	Electrometric	7.9	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	7.6	20
Total Suspended Solids	mg/L	Dried at 103-105°C	8.8	30
Total Dissolved Solids	mg/L	Dried at 180°C	462	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.5	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	18	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	1.8	20
Settleable Solids	mL/L	Volumetric	<0.1	-

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO. LTD

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าถังบำบัดน้ำเสียสำเร็จรูป
GPS. Coordinate : -
Sampling Date : December 9, 2025
Sampling Time : 11:33
Sampling Method : Grab
Sampling By : Mr.Teerapong Khamnet
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AG781-003
Received Date : December 10, 2025
Analytical Date : December 10-17, 2025
Report No. : 2025-RABE480
Report Date : December 18, 2025

Parameter	Unit	Method of Analysis[1']	Result
pH	-	Electrometric	7.6
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	78
Total Suspended Solids	mg/L	Dried at 103-105°C	211
Total Dissolved Solids	mg/L	Dried at 180°C	652
Sulfide	mg/L	ZnS Precipitation, Iodometric	1.5
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	96
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	2.8
Settleable Solids	mL/L	Volumetric	16

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : **หลังออกจากถังปาบัดน้ำเสียสำเร็จรูป**
GPS. Coordinate : UTM (WGS84) 47P 0672905 E, 1515923 N
Sampling Date : December 9, 2025
Sampling Time : 11:07
Sampling Method : Grab
Sampling By : Mr.Teerapong Khamnet
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AG781-004
Received Date : December 10, 2025
Analytical Date : December 10-17, 2025
Report No. : 2025-RABE481
Report Date : December 18, 2025

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]
pH	-	Electrometric	8.1	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	32	20
Total Suspended Solids	mg/L	Dried at 103-105°C	412	30
Total Dissolved Solids	mg/L	Dried at 180°C	235	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	5.8	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	3.2	20
Settleable Solids	mL/L	Volumetric	2.0	-

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : **บ่อตรวจคุณภาพน้ำ**
GPS. Coordinate : UTM (WGS84) 47P 0672990 E, 1515990 N
Sampling Date : July 24, 2025
Sampling Time : 13:48
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AD845-005
Received Date : July 25, 2025
Analytical Date : July 25-August 5, 2025
Report No. : 2025-RAAS940
Report Date : August 19, 2025

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
pH	-	Electrometric	8.3	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	<2.0	20
Total Suspended Solids	mg/L	Dried at 103-105°C	16	30
Total Dissolved Solids	mg/L	Dried at 180°C	276	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	10	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	3.8	20
Settleable Solids	mL/L	Volumetric	<0.1	-

Remark : 1' Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
2' Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.



(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : **บ่อตรวจคุณภาพน้ำ**
GPS. Coordinate : UTM (WGS84) 47P 0672990 E, 1515990 N
Sampling Date : August 22, 2025
Sampling Time : 13:44
Sampling Method : Grab
Sampling By : Mr.Arnon Kuanhanghong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AE347-005
Received Date : August 23, 2025
Analytical Date : August 23-September 1, 2025
Report No. : 2025-RAAU986
Report Date : September 3, 2025

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
pH	-	Electrometric	6.9	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	2.8	20
Total Suspended Solids	mg/L	Dried at 103-105°C	5.5	30
Total Dissolved Solids	mg/L	Dried at 180°C	428	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	11	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	1.6	20
Settleable Solids	mL/L	Volumetric	0.1	-

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2'] Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO. LTD

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : **บ่อตรวจคุณภาพน้ำ**
GPS. Coordinate : UTM (WGS84) 47P 0672990 E, 1515990 N

Sampling Date : September 25, 2025
Sampling Time : 10:43
Sampling Method : Grab
Sampling By : Mr.Assada Chaiyawong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, White, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AF045-005
Received Date : September 26, 2025
Analytical Date : September 26-October 3, 2025
Report No. : 2025-RAAX814
Report Date : October 7, 2025

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
pH	-	Electrometric	8.0	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	24	20
Total Suspended Solids	mg/L	Dried at 103-105°C	56	30
Total Dissolved Solids	mg/L	Dried at 180°C	412	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	15	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	2.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2'] Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : **บ่อตรวจคุณภาพน้ำ**
GPS. Coordinate : UTM (WGS84) 47P 0672990 E, 1515990 N
Sampling Date : October 22, 2025
Sampling Time : 10:24
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AF627-005
Received Date : October 24, 2025
Analytical Date : October 24-November 3, 2025
Report No. : 2025-RABA576
Report Date : November 10, 2025

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]
pH	-	Electrometric	8.1	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	7.1	20
Total Suspended Solids	mg/L	Dried at 103-105°C	12	30
Total Dissolved Solids	mg/L	Dried at 180°C	475	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.5	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	18	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	0.1	-

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : **บ่อตรวจคุณภาพน้ำ**
GPS. Coordinate : UTM (WGS84) 47P 0672990 E, 1515990 N
Sampling Date : November 20, 2025
Sampling Time : 14:25
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, No Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AG323-005
Received Date : November 21, 2025
Analytical Date : November 21-December 1, 2025
Report No. : 2025-RABC716
Report Date : December 2, 2025

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]
pH	-	Electrometric	7.5	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	11	20
Total Suspended Solids	mg/L	Dried at 103-105°C	6.7	30
Total Dissolved Solids	mg/L	Dried at 180°C	279	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	11	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	1.5	20
Settleable Solids	mL/L	Volumetric	<0.1	-

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO.,LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : AP ME 18 Co., Ltd.
Address : 170/57, Ocean Tower 1, 18th Floor, Ratchadaphisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุดแอสปาย อ่อนนุช สเตชั่น (Aspire Onnut Station)
Project Location : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : **ปอดรวจคุณภาพน้ำ**
GPS. Coordinate : UTM (WGS84) 47P 0672990 E, 1515990 N
Sampling Date : December 9, 2025
Sampling Time : 10:49
Sampling Method : Grab
Sampling By : Mr.Teerapong Khamnet
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01364
Analysis No. : 2025-AG781-005
Received Date : December 10, 2025
Analytical Date : December 10-17, 2025
Report No. : 2025-RABE482
Report Date : December 18, 2025

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
pH	-	Electrometric	7.6	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	8.6	20
Total Suspended Solids	mg/L	Dried at 103-105°C	11	30
Total Dissolved Solids	mg/L	Dried at 180°C	362	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	13	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	2.4	20
Settleable Solids	mL/L	Volumetric	<0.1	-

Remark : 1' Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
2' Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.



(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

ภาคผนวกที่ 4

สำเนาเอกสารขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี

ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๐๓ กรกฎาคม ๒๕๖๗

เรื่อง ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๒๔ เมษายน ๒๕๖๗

สิ่งที่ส่งมาด้วย ๑. รายชื่อผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๑ แผ่น
๒. รายชื่อเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒ แผ่น
๓. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑๔ แผ่น

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด ขอต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง เขตหลักสี่ กรุงเทพมหานคร ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

ก. ผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒๐ ราย ตามสิ่งที่ส่งมาด้วย ๑

ข. เจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน ๖๑ ราย ตามสิ่งที่ส่งมาด้วย ๒

ค. ขอบข่ายชนิดสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน อากาศเสีย สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว และดิน ตามสิ่งที่ส่งมาด้วย ๓

หนังสือฉบับนี้จะหมดอายุในวันที่ ๑๘ พฤษภาคม ๒๕๗๑ หากประสงค์จะต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอต่อกรมโรงงานอุตสาหกรรม ภายใน ๖๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายพรยศ กลั่นกรอง)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด เลขทะเบียน ว-๐๙๙
ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖ ลงวันที่ ๐๓ กรกฎาคม ๒๕๖๗

ก. ผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒๐ ราย

๑) นางสาวสุดารัตน์ เขจรรักษ์	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๑
๒) นางสาวพิชาดา เขียวนรภัย	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๒
๓) นางสาววลิตา โพธิ์เจริญ	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๓
๔) ว่าที่ร้อยตรีวันชนะ สีหามาตร	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๔
๕) นางสาวรัชนีวรรณ ภูประเสริฐ	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๕
๖) นางสาวปณิชา พรมชัย	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๖
๗) นางณัฐรดา เลี้ยงรักษา	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๗
๘) นายมงคล บูรภักดิ์	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๘
๙) นางสาวธนิดา บุญรุ่งเรือง	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๙
๑๐) นางสาวรมิตา แตงไทย	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๐
๑๑) นางสาวไรวินทร์ โพธิ์สิทธิ์	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๑
๑๒) นางสาวณัฐณิชา เสริมมติวงศ์	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๒
๑๓) นายนพสิทธิ์ ทวีพรประดิษฐ์	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๓
๑๔) นางสาวธิดารัตน์ ปุกคะ	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๔
๑๕) นายอภิชาติ พูลพล	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๕
๑๖) นายนิทัศน์ ศิริชาติ	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๖
๑๗) นายสุทธิชาญ สังข์ทอง	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๗
๑๘) นางสาวยุวดี ณ ระนอง	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๘
๑๙) นางสาวสุภาวรรณ สุวรรณภา	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๙
๒๐) นางสาวนภาจรัส หมื่นวงษ์	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๒๐

เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด เลขทะเบียน ว-๐๙๙
ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖ ลงวันที่ ๐๓ กรกฎาคม ๒๕๖๗

ข. เจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๖๑ ราย

๑) นางสาวณัฏฐณิชา ขาวสุทธิ์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๒
๒) นางสาวสุธิดา ทองประภา ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๕
๓) นายจิรยุทธ์ สามารถ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๗
๔) นายอัษฎา ไชยวงค์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๘
๕) นางสาวณัฐริสา บุญหนัก ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๙
๖) นายนฤดม โชติกาญจน์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๒
๗) นางสาวพรทิพย์ อัมภรัตน์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๓
๘) นายอัครวัฒน์ คชบก ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๕
๙) นางสาวธัญพิชชา สุดเขียน ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๖
๑๐) นางสาวพาขวัญ นนพละ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๗
๑๑) นางสาววิมลรัตน์ แปรงทอง ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๘
๑๒) นางสาวจรรยาวดี ขำแป้ง ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๙
๑๓) นางสาวธาราภรณ์ สมัยใหม่ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๐
๑๔) นางสาวรัตน์ชนก ชนะค้า ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๑
๑๕) นางสาวกมลทิพย์ พุ่มตาก้อง ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๒
๑๖) นางสาวสุพัดตรา ผาสุขพักตร์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๓
๑๗) นางสาวฉัตรยาลักษณ์ บรรดิษฐ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๔
๑๘) นางสาวอาภัสรา หล่าสูงเนิน ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๕
๑๙) นางสาวพิมพิศา ทับพันธ์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๖
๒๐) นางสาวอัจฉรี แก้วเพ็ชรวงค์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๗
๒๑) นางสาวชลธิชา กันยานุช ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๘
๒๒) นางสาวพิชามญชุ์ ยังผ่อง ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๙
๒๓) นางสาวณิชารีย์ ปริญญานุวัตร ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๐
๒๔) นายวัชรพล บุตรดีขันธ์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๑
๒๕) นางสาวณัฐติมา ปัดชา ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๒
๒๖) นายวัชรพงษ์ พูลเขตกิจ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๓
๒๗) นายศิวกร วงสุตาล ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๔
๒๘) นางสาวรวิภา จาระณะ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๕
๒๙) นางสาวธัญญาภรณ์ คณะศรี ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๖
๓๐) นางสาวพัชรพร อนุสร ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๗
๓๑) นายธนากร อริยพงษ์โสภณ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๘
๓๒) นางสาวบุษกร สมรักษ์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๙
๓๓) นางสาววิลาวัณย์ แก้วยม ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๐
๓๔) นางสาวธัญญาลักษณ์ แสงโยธา ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๑
๓๕) นายสุชาพงศ์ รุ่งเรือง ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๒

๓๖) นายสิทธิพร...

๓๖) นายสิทธิพร วงษ์คำ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๓
๓๗) นางเตชินี สืบเสระ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๔
๓๘) นางสาวธนัชพร คนแรง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๕
๓๙) นายภาณุพล โพธิ์แดง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๖
๔๐) นายวัชรางกูร กองแสง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๗
๔๑) นางสาวสุธาทิพย์ อิ่มน้อย	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๘
๔๒) นางสาวชมพูนุท กสิชีวิน	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๙
๔๓) นางสาวรวีวรรณ สุขารมย์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๐
๔๔) นางสาวกัญญาลักษณ์ กระทาง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๑
๔๕) นางสาวปิยธิดา ประแดงโค	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๒
๔๖) นางสาวปวิตรา นาเหล็ก	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๓
๔๗) นางสาวทักษพร ไกรสิงห์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๔
๔๘) นางสาวเบญจวรรณ คำหงษา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๕
๔๙) นางสาวพัชชา แก้วย้อย	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๖
๕๐) นางสาวณัฐชา สัมฤทธิ์ดี	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๗
๕๑) นายรอมซี กาเต๊ะ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๘
๕๒) นางสาวอังคนา อุ่นตา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๙
๕๓) นายสุริยะ ชูทอง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๐
๕๔) นายฉันทวิชญ์ เหลวกูล	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๑
๕๕) นายศิวาวุธ ธรรมนิทา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๒
๕๖) นายอนุวัฒน์ เรืองอ่อน	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๓
๕๗) นายฉัตรชัย โยวะผุย	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๔
๕๘) นายกลยุทธ์ อินทร์คำ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๕
๕๙) นางสาวนันทชา เนื้อนวล	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๖
๖๐) นางสาวจิตตวรรณ ลิ้มสมบูรณ์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๗
๖๑) ว่าที่ร้อยตรีนัฐพล สุทธิมล	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๘

เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด เลขทะเบียน ว-๐๙๙
ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖ ลงวันที่ ๐๓ กรกฎาคม ๒๕๖๗

ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑๙๓ รายการ

น้ำ/น้ำเสีย จำนวน 27 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
2	Barium	Digestion, Inductively Coupled Plasma Method[4]
3	Biochemical Oxygen Demand	1) 5-Day BOD Test, Azide Modification Method[4] 2) 5-Day BOD Test, Membrane Electrode Method[4]
4	Cadmium	Digestion, Inductively Coupled Plasma Method[4]
5	Chemical Oxygen Demand	Closed Reflux, Titrimetric Method[4]
6	Chromium	Digestion, Inductively Coupled Plasma Method[4]
7	Color	ADMI Weighted-Ordinate Spectrophotometric Method[4]
8	Copper	Digestion, Inductively Coupled Plasma Method[4]
9	Cyanide	Distillation, Colorimetric Method[4]
10	Formaldehyde	Distillation, Colorimetric Method[3]
11	Free Chlorine	1) Iodometric Method[4] 2) DPD Colorimetric Method[4]
12	Hexavalent Chromium	Colorimetric Method[4]
13	Lead	1) Digestion, Electrothermal Atomic Absorption Spectrometric Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
14	Manganese	Digestion, Inductively Coupled Plasma Method[4]
15	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[4]
16	Nickel	Digestion, Inductively Coupled Plasma Method[4]
17	Oil & Grease	Liquid-Liquid, Partition-Gravimetric Method[4]
18	pH	Electrometric Method[4]
19	Phenols	Distillation, Direct Photometric Method[4]
20	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]

21 Sulfide...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
21	Sulfide	Iodometric Method[4]
22	Temperature	Laboratory and Field Methods[4]
23	Total Dissolved Solids	Dried at 180 °C[4]
24	Total Kjeldahl Nitrogen	1) Macro-Kjeldahl Method[4] 2) Semi-Micro-Kjeldahl Method[4]
25	Total Suspended Solids	Dried from 103 to 105 °C[4]
26	Trivalent Chromium	Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation[4]
27	Zinc	Digestion, Inductively Coupled Plasma Method[4]

น้ำใต้ดิน จำนวน 61 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acetone	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
2	Antimony	Digestion, Inductively Coupled Plasma Method[4]
3	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
4	Barium	Digestion, Inductively Coupled Plasma Method[4]
5	Benzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
6	Beryllium	Digestion, Inductively Coupled Plasma Method[4]
7	Bromodichloromethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
8	Bromoform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
9	Cadmium	Digestion, Inductively Coupled Plasma Method[4]
10	Carbon disulfide	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
11	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
12	Chlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]

13 Chlorodibromomethane...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
13	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
14	Chloroform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
15	Chromium	Digestion, Inductively Coupled Plasma Method[4]
16	Chromium (III)	Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation[4]
17	Chromium (VI)	Colorimetric Method[4]
18	Cyanide	Distillation, Colorimetric Method[4]
19	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
20	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
21	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
22	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
23	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
24	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
25	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
26	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
27	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
28	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
29	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
30	Ethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]

31 Hexachloro-1,3-butadiene...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
31	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
32	Lead	1) Digestion, Electrothermal Atomic Absorption Spectrometric Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
33	Manganese	Digestion, Inductively Coupled Plasma Method[4]
34	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[4]
35	Methyl bromide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
36	Methylene chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
37	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
38	Naphthalene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
39	Nickel	Digestion, Inductively Coupled Plasma Method[4]
40	pH	Electrometric Method[4]
41	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
42	Silver	Digestion, Inductively Coupled Plasma Method[4]
43	Styrene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
44	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
45	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
46	Toluene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
47	TPH (C_5-C_8)	Purge and Trap, Gas Chromatographic Method[11,19]
48	TPH ($C_{>8}$-C_{16})	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[9,19]

49 TPH ($C_{>16}$-C_{35})...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
49	TPH ($C_{>16}$-C_{35})	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[9,19]
50	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
51	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
52	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
53	Trichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
54	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
55	Vanadium	Digestion, Inductively Coupled Plasma Method[4]
56	Vinyl chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
57	m-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
59	o-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
59	p-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
60	Xylene (Total)	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
61	Zinc	Digestion, Inductively Coupled Plasma Method[4]

<u>อากาศเสีย (ปล่องระบาย) จำนวน 26 รายการ</u>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
2	Arsenic	1) Isokinetic Sampling, Digestion, Hydride Generation/ Atomic Absorption Spectrometric Method[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]

3 Beryllium...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
3	Beryllium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
4	Cadmium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
5	Carbon Monoxide	Instrumental Analyzer Method[5]
6	Chlorine	1) Absorption Sampling, Ion Chromatographic Method[5] 2) Isokinetic Sampling, Ion Chromatographic Method[5]
7	Chromium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
8	Cobalt	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
9	Copper	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
10	Dioxins/Furans	Isokinetic Sampling[5]
11	Hydrogen Chloride	1) Absorption Sampling, Ion Chromatographic Method[5] 2) Isokinetic Sampling, Ion Chromatographic Method[5]
12	Hydrogen Fluoride	1) Absorption Sampling, Ion Chromatographic Method[5] 2) Isokinetic Sampling, Ion Chromatographic Method[5]
13	Hydrogen Sulfide	Absorption Sampling, Iodometric Method[5]
14	Lead	1) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5] 2) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method[5]
15	Manganese	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
16	Mercury	Isokinetic Sampling, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[5]
17	Nickel	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
18	Opacity	Ringelmann's Method[2]
19	Oxides of Nitrogen	1) Absorption Sampling, Alkaline Permanganate/ Colorimetric Method[5] 2) Instrumental Analyzer Method[5]
20	Selenium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]

21 Sulfur Dioxide...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
21	Sulfur Dioxide	1) Isokinetic Sampling, Barium-Thorin Titrimetric Method[5] 2) Absorption Sampling, Barium-Thorin Titrimetric Method[5] 3) Instrumental Analyzer Method[5]
22	Sulfuric Acid	Isokinetic Sampling, Barium-Thorin Titrimetric Method[5]
23	Tin	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
24	Total Suspended Particulate	Isokinetic Sampling, Gravimetric Method[5]
25	Vanadium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
26	Xylene	Adsorption Sampling, Gas Chromatographic Method[5]

<u>สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน 20 รายการ</u>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
2	Arsenic	1) Waste Extraction, Digestion, Hydride Generation/ Atomic Absorption Spectrometric Method[1,6,14] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[7,14] 4) Digestion, Inductively Coupled Plasma Method[7,13]
3	Barium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
4	Beryllium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
5	Cadmium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]

6 Chromium...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
6	Chromium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
7	Chromium (III)	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method; Waste Extraction, Colorimetric Method; Calculation[1,6,13,15] 2) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation[7,8,13,15]
8	Chromium (VI)	1) Waste Extraction, Colorimetric Method[1,15] 2) Alkaline Digestion, Colorimetric Method[8,15]
9	Cobalt	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
10	Copper	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
11	Lead	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
12	Mercury	1) Waste Extraction, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[1,6,16] 2) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[17]
13	Molybdenum	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
14	Nickel	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
15	pH	Electrometric Method[21,22]
16	Selenium	1) Waste Extraction, Digestion, Hydride Generation/ Atomic Absorption Spectrometric Method[1,6,18] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13]

3) Digestion...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
		3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[7,18]
		4) Digestion, Inductively Coupled Plasma Method[7,13]
17	Silver	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13]
		2) Digestion, Inductively Coupled Plasma Method[7,13]
18	Thallium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13]
		2) Digestion, Inductively Coupled Plasma Method[7,13]
19	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13]
		2) Digestion, Inductively Coupled Plasma Method[7,13]
20	Zinc	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13]
		2) Digestion, Inductively Coupled Plasma Method[7,13]

<u>ดิน จำนวน 59 รายการ</u>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acetone	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
2	Antimony	Digestion, Inductively Coupled Plasma Method[7,13]
3	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[7,14]
		2) Digestion, Inductively Coupled Plasma Method[7,13]
4	Barium	Digestion, Inductively Coupled Plasma Method[7,13]
5	Benzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
6	Beryllium	Digestion, Inductively Coupled Plasma Method[7,13]
7	Bromodichloromethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
8	Bromoform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
9	Cadmium	Digestion, Inductively Coupled Plasma Method[7,13]

10 Carbon disulfide...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
10	Carbon disulfide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
11	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
12	Chlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
13	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
14	Chloroform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
15	Chromium	Digestion, Inductively Coupled Plasma Method[7,13]
16	Chromium (III)	Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation [7,8,13,15]
17	Chromium (VI)	Alkaline Digestion, Colorimetric Method[8,15]
18	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
19	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
20	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
21	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
22	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
23	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
24	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
25	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
26	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
27	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]

1,3-Dichloropropene...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
28	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
29	Ethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
30	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
31	Lead	Digestion, Inductively Coupled Plasma Method[7,13]
32	Manganese	Digestion, Inductively Coupled Plasma Method[7,13]
33	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[17]
34	Methyl bromide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
35	Methylene chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
36	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
37	Naphthalene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
38	Nickel	Digestion, Inductively Coupled Plasma Method[7,13]
39	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[7,18] 2) Digestion, Inductively Coupled Plasma Method[7,13]
40	Silver	Digestion, Inductively Coupled Plasma Method[7,13]
41	Styrene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
42	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
43	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
44	Toluene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
45	TPH (C_5-C_8)	Purge and Trap, Gas Chromatographic Method[12,19]
46	TPH ($C_{>8}$-C_{16})	Ultrasonic Extraction, Gas Chromatographic Method[10,19]

47 TPH ($C_{>16}$-C_{35})...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
47	TPH ($C_{>16}$-C_{35})	Ultrasonic Extraction, Gas Chromatographic Method[10,19]
48	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
49	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
50	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
51	Trichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
52	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
53	Vanadium	Digestion, Inductively Coupled Plasma Method[7,13]
54	Vinyl chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
55	m-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
56	o-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
57	p-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
58	Xylene (Total)	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
59	Zinc	Digestion, Inductively Coupled Plasma Method[7,13]

เอกสารอ้างอิง

1. กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2566. เรื่อง การจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว. **ราชกิจจานุเบกษา.** 31 พฤษภาคม 2566. เล่มที่ 140 ตอนพิเศษ 126 ง.

2. กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณเขม่าควันที่เจือปนในอากาศที่ระบายออกจากปล่องของหม้อน้ำโรงสีข้าวที่ใช้แกลบเป็นเชื้อเพลิง. **ราชกิจจานุเบกษา.** 4 ธันวาคม 2549. เล่มที่ 123 ตอนพิเศษ 125ง.

3. สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย. **คู่มือวิเคราะห์น้ำเสีย.** พิมพ์ครั้งที่ 4. กรุงเทพฯ: เรือนแก้วการพิมพ์, 2547.

4. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater.** 24th ed. Washington, DC: APHA, 2023.

5. United States...

5. United States Environmental Protection Agency. **Standards of Performance for New Stationary Sources.** 40 CFR 60. Appendix A, 2023.

6. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. SW-846,** 1997.

7. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Acid Digestion of Sludges and Sediments and Soils. SW-846 Method 3050B,** 1996.

8. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Alkaline Digestion for Hexavalent Chromium. SW-846 Method 3060A,** 1996.

9. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Separatory Funnel Liquid-Liquid Extraction. SW-846 Method 3510C,** 1996.

10. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Ultrasonic Extraction. SW-846 Method 3550C,** 2007.

11. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/ Chemical Methods. **Purge-and-Trap for Aqueous Samples. SW-846 Method 5030C,** 2003.

12. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Closed-System Purge-and-Trap and Extraction for Volatile Organics in Soil and Waste Samples. SW-846 Method 5035A,** 2002.

13. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Inductively Coupled Plasma - Atomic Emission Spectrometry. SW-846 Method 6010D,** 2018.

14. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Antimony and Arsenic (Atomic Absorption, Borohydride Reduction). SW-846 Method 7062,** 1994.

15. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chromium, Hexavalent (Colorimetric). SW-846 Method 7196A,** 1992.

16. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/ Chemical Methods. **Mercury in Liquid Waste (Manual Cold-Vapor Technique). SW-846 Method 7470A,** 1994.

17. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/ Chemical Methods. **Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique). SW-846 Method 7471B,** 2007.

18. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/ Chemical Methods. **Selenium (Atomic Absorption, Borohydride Reduction). SW-846 Method 7742,** 1994.

19. United States

19. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Nonhalogenated Organics Using GC/FID. SW-846 Method 8015D,** 2003.

20. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/ Chemical Methods. **Volatile Organic Compounds by Gas Chromatography/ Mass Spectrometry (GC/MS). SW-846 Method 8260C,** 1996.

21. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **pH Electrometric Measurement. SW-846 Method 9040C,** 2004.

22. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Soil and Waste pH. SW-846 Method 9045D,** 2004.

ที่ อก ๐๓๑๐(๑)/ ๑๑๕๒๓

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๑ พฤศจิกายน ๒๕๖๗

เรื่อง เปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๒๓ กันยายน ๒๕๖๗

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์ บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด จำนวน ๒ แผ่น

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง เขตหลักสี่ กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์ ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๒ ราย

๑) นางสาวกมลทิพย์ พุ่มตาก้อง ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๒

๒) นายศิวาวุธ ธรรมนิทา ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๒

๒. ให้เพิ่มขอบข่ายชนิดสารมลพิษที่วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน และดิน ตามสิ่งที่ส่งมาด้วย

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ในวันที่ ๑๘ พฤษภาคม ๒๕๗๑

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายธีรทัศน์ อิศรางกูร ณ อยุธยา)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์
บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด เลขทะเบียน ว-๐๙๙
ที่ อก ๐๓๑๐(๑)/ ๑๑๕๒๓ ลงวันที่ ๒๑ พฤศจิกายน ๒๕๖๗

ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๔๗ รายการ

น้ำ/น้ำเสีย จำนวน 19 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
2	α-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
3	β-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
4	δ-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
5	γ-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
6	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
7	o,p'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
8	4,4'-DDD	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
9	4,4'-DDE	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
10	4,4'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
11	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
12	Endosulfan I	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
13	Endosulfan II	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
14	Endosulfan sulfate	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
15	Endrin	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
16	Endrin aldehyde	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
17	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
18	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
19	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method[1]

น้ำใต้ดิน จำนวน 14 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
2	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
3	DDD	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
4	DDE	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
5	DDT	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
6	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic Method[1]

ศุภฤกษ์

7 Endosulfan...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
7	Endosulfan	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
8	Endrin	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
9	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
10	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
11	α-HCH	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
12	β-HCH	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
13	γ-HCH	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
14	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method[1]

<u>ดิน จำนวน 14 รายการ</u>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
2	Chlordane	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
3	DDD	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
4	DDE	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
5	DDT	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
6	Dieldrin	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
7	Endosulfan	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
8	Endrin	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
9	Heptachlor	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
10	Heptachlor epoxide	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
11	α-HCH	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
12	β-HCH	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
13	γ-HCH	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
14	Methoxychlor	Ultrasonic Extraction, Gas Chromatographic Method[2,3]

<u>เอกสารอ้างอิง</u>

1. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater.** 24th ed. Washington, DC: APHA, 2023.

2. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Ultrasonic Extraction. SW-846 Method 3550C,** 2007.

3. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organochlorine Pesticides by Gas Chromatography. SW-846 Method 8081B,** 2007.

ที่ อก ๐๓๑๐(๑)/ ๑๖๐๘

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๘ กุมภาพันธ์ ๒๕๖๘

เรื่อง เปลี่ยนแปลงสารมลพิษที่วิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๒๗ มกราคม ๒๕๖๘

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือเปลี่ยนแปลงสารมลพิษที่วิเคราะห์ บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด จำนวน ๑ แผ่น

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง เขตหลักสี่ กรุงเทพมหานคร ขอเปลี่ยนแปลงสารมลพิษที่วิเคราะห์ ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด เพิ่มขอบข่ายชนิดสารมลพิษที่วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน อากาศเสีย และดิน ตามสิ่งที่ส่งมาด้วย

อนึ่ง หนังสือฉบับนี้จะสิ้นอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ในวันที่ ๑๘ พฤษภาคม ๒๕๗๑

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายธีรทัศน์ อิศรางกูร ณ อยุธยา)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

เอกสารแนบท้ายหนังสือเปลี่ยนแปลงสารมลพิษที่วิเคราะห์
บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด เลขทะเบียน ว-๐๙๙
ที่ อก ๐๓๑๐(๑)/ ๑๖๐๘ ลงวันที่ ๒๘ กุมภาพันธ์ ๒๕๖๘

ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๔ รายการ

น้ำ/น้ำเสีย จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Toxaphene	Liquid-Liquid Extraction, Gas Chromatographic Method[1]

น้ำใต้ดิน จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Toxaphene	Liquid-Liquid Extraction, Gas Chromatographic Method[1]

อากาศเสีย (ปล่องระบาย) จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Cresol	Adsorption Sampling, Gas Chromatographic Method[2]

ดิน จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Toxaphene	Ultrasonic Extraction, Gas Chromatographic Method[3,4]

เอกสารอ้างอิง

1. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater.** 24th ed. Washington, DC: APHA, 2017.

2. United States Environmental Protection Agency. **Standards of Performance for New Stationary Sources.** 40 CFR 60. Appendix A, 2023.

3. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Ultrasonic Extraction. SW-846 Method 3550C**, 2007.

4. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organochlorine Pesticides by Gas Chromatography. SW-846 Method 8081B,** 2007.



ที่ อก ๐๓๑๐(๑)/ ๕๗๖๓

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๐๘ กรกฎาคม ๒๕๖๘

เรื่อง ยกเลิกบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๑ กรกฎาคม ๒๕๖๘

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง เขตหลักสี่ กรุงเทพมหานคร ขอยกเลิกบุคลากร ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้ยกเลิกเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๑๐ ราย ได้แก่

๑) นางสาวสุพัดตรา ผาสุขพักตร์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๓
๒) นางสาวฉัตรยาลักษณ์ บรรดิษฐ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๔
๓) นางสาวณัฐติมา ปัดชา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๒
๔) นายวัชรพงษ์ พูลเขตกิจ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๓
๕) นางสาวรวิภา จาระณะ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๕
๖) นางสาวธัญญาภรณ์ คณะศรี	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๖
๗) นางสาวบุษกร สมรักษ์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๙
๘) นางสาววิลาวัณย์ แก้วยม	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๐
๙) นางสาวธัญญาลักษณ์ แสงโยธา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๑
๑๐) นางสาวชมพูนุท กสิชีวิน	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๙

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายประสม ดำรงพงษ์)
ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน
ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

ภาคผนวกที่ 5

เอกสารสอบเทียบเครื่องมือตรวจวัด

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

Calibration Report

Customer Name : บริษัท เอพี เอ็มอี 18 จำกัด
Address : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Project Name : โครงการอาคารชุด แอสปาย อ่อนนุช สเตชั่น
Sampling Date : กรกฎาคม - ธันวาคม 2568

Water

Item	Equipment	Manufacturer	Model	Serial Number	Calibration Date
1	Incubator	Memmert	IF 160	D522.0070	January 6-7, 2025
2	UV-VIS Spectrophotometer	Perkin Elmer	Lambda 365+	365PK2207260	January 7, 2025
3	Turbidity Meter	Extech	TB400	A.123264	December 26, 2024
4	Incubator	Ehret	BK 4106	22162	January 7-8, 2025
5	pH Meter	Eutech	pHTestr 30	3195381	January 15, 2025
6	DO Meter	YSI	5000-115V	03C1280 AC	September 6, 2024
			5000-115	17H104220	September 6, 2025
7	Incubator	Hotpack	352601	78633	November 29, 2024
		Accuplus	SMART i250	2059-0218-0002	October 3, 2025

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

Calibration Report

Customer Name : บริษัท เอพี เอ็มอี 18 จำกัด
Address : ถนนสุขุมวิท แขวงพระโขนง เขตคลองเตย กรุงเทพมหานคร
Project Name : โครงการอาคารชุด แอสปาย อ่อนนุช สเตชั่น
Sampling Date : กรกฎาคม - ธันวาคม 2568

Water

Item	Equipment	Manufacturer	Model	Serial Number	Calibration Date
8	Electronic Balance	Mettler Toledo	MS204S/01	B334691537	January 15, 2025
9	Hot Air Oven	Binder	FED 115 E2	11-22823	January 6, 2025
10	Hot Air Oven	Memmert	UF 110	B414.0652	January 6, 2025
11	KjelDigester Standard	Buchi	K-449	1000299283	June 6, 2025
12	Electronic Balance	Mettler Toledo	MS204TS/00	B547728937	January 15, 2025

(Ms.Supawan Suwannapa)
Environmental Scientist

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Panicha Promchai)
Laboratory Supervisor