ภาคผนวกที่ 1

สำเนาหนังสือเห็นชอบในรายงานการประเมินผลกระทบสิ่งแวดล้อม
โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล

ภาคผนวกที่ 2

ใบรับรองการก่อสร้างอาคาร ดัดแปลงอาคาร
หรือเคลื่อนย้ายอาคาร (อ.6) และใบอนุญาตประกอบกิจการ
โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล

ITALIAN THAI DEVELOPMENT PUBLIC COMPANY LIMITED

MEMORANDUM			
		NO.	ITD / MTC / PPS / M0128-63
		TO	คุณวีรยุทธ์ วรรณสุข
			บมจ. โปรเจค แพลนนิ่ง เซอร์วิส
SUBJECT	ส่งใบรับรองการก่อสร้างอาคาร ดัดแปลงอาคาร	DATE	7 พฤษภาคม 2563
	หรือเคลื่อนย้ายอาคาร (แบบ อ.6)	PROJECT	Muangthai Capital Headquarter
		OWNER	Muangthai Capital Public Company Limited

สิ่งที่ส่งมาด้วย

1. ใบรับรองการก่อสร้างอาคาร ดัดแปลงอาคาร หรือเคลื่อนย้ายอาคาร (แบบ อ.6) จำนวน 2 แผ่น
   เลขที่ 100/2563 ลงวันที่ 30 เม.ย. 2563 (ต้นฉบับ)
2. ใบรับรองการก่อสร้างอาคาร ดัดแปลงอาคาร หรือเคลื่อนย้ายอาคาร (แบบ อ.6) จำนวน 2 แผ่น
   เลขที่ 100/2563 ลงวันที่ 30 เม.ย. 2563 (สำเนา) (ใบเหลือง)

บมจ.อิตาเลียนไทย ดีเวล๊อปเมนต์ ขอนำส่งใบรับรองการก่อสร้างอาคาร ดัดแปลงอาคาร หรือเคลื่อนย้ายอาคาร (แบบ อ.6) โครงการ Muangthai Capital Headquarter

จึงเรียนมาเพื่อโปรดดำเนินการ

ขอแสดงความนับถือ

(ณรงค์ศักดิ์ ตั้งสวัสดิ์)

ผู้จัดการโครงการ

อาคารประเภทควบคุมการใช้ ตามมาตรา ๓๒
อาคารสำนักงานหรือที่ทำการ

แบบ อ.๖

000373



คำเตือน
ให้จัดส่งรายงานผลการตรวจสอบใหญ่ของอาคาร ตามกฎกระทรวงฯ ว่าด้วยหลักเกณฑ์การตรวจสอบอาคาร พ.ศ. ๒๕๔๘ ภายใน ๓๐ วัน ก่อนใบรับรองการก่อสร้างอาคารจะมีระยะเวลาครบ ๑ ปี

ใบรับรองการก่อสร้างอาคาร ดัดแปลงอาคาร หรือเคลื่อนย้ายอาคาร

เลขที่ ๒๐๐/๒๕๖๓ นายคมสิริ ภิญโญภานุวัฒน์ (ผู้รับมอบอำนาจ)
บริษัท เมืองไทย แคปปิตอล จำกัด (มหาชน) โดย
ใบรับรองฉบับนี้แสดงว่า ..... เจ้าของอาคาร/ผู้ครอบครองอาคาร

อยู่บ้านเลขที่ ๓๒/๑ ตรอก/ซอย - ถนน จรัญสนิทวงศ์ หมู่ที่ -

ตำบล/แขวง บางอ้อ อำเภอ/เขต บางพลัด จังหวัด กรุงเทพมหานคร

ได้ทำการ ก่อสร้างและดัดแปลง อาคาร เป็นไปโดยถูกต้องตามที่ได้รับอนุญาตในใบอนุญาต แบบ ยผ.๔

เลขที่ (ก่อสร้าง) ๑๑๐/๒๕๖๑ (ดัดแปลง) ๔๒/๒๕๖๓ ลงวันที่ ๔ เดือน กรกฎาคม พ.ศ. ๒๕๖๑
๒๔ กุมภาพันธ์ ๒๕๖๓

ซึ่งอาคารดังกล่าวเป็นอาคารประเภทควบคุมการใช้ เจ้าพนักงานท้องถิ่นจึงออกใบรับรองให้ดังต่อไปนี้

ข้อ ๑ เป็นอาคาร

(๑) ชนิด ค.ส.ล. ๑๔ ชั้น จำนวน ๑ หลัง เพื่อใช้เป็น สำนักงานและจอดรถยนต์
โดยมีที่จอดรถ ที่กลับรถ และทางเข้าออกของรถ จำนวน ๑๐๑ คัน

(๒) ชนิด - จำนวน - เพื่อใช้เป็น -
โดยมีที่จอดรถ ที่กลับรถ และทางเข้าออกของรถ จำนวน - คัน

(๓) ชนิด - จำนวน - เพื่อใช้เป็น -
โดยมีที่จอดรถ ที่กลับรถ และทางเข้าออกของรถ จำนวน - คัน

ที่บ้านเลขที่ - ตรอก/ซอย - ถนน จรัญสนิทวงศ์
หมู่ที่ - ตำบล/แขวง บางพลัด อำเภอ/เขต บางพลัด จังหวัด กรุงเทพมหานคร
โดย บริษัท เมืองไทย แคปปิตอล จำกัด (มหาชน) เป็นเจ้าของอาคาร และ บริษัท เมืองไทย แคปปิตอล จำกัด (มหาชน)
เป็นผู้ครอบครองอาคาร อยู่ในที่ดิน โฉนดที่ดิน เลขที่ น.ส.๓/น.ส.๓ก/เลขที่ส.ป.ก. ๑ เลขที่ ๕๘๘๒
เป็นที่ดินของ บริษัท เมืองไทย แคปปิตอล จำกัด (มหาชน)

ค่าธรรมเนียมใบรับรองการก่อสร้างอาคาร ฉบับละ ๑๐.๐๐ บาท

ข้อ ๒ ผู้ได้รับใบรับรองต้องปฏิบัติตามเงื่อนไข ดังต่อไปนี้

(๑) ผู้ได้รับใบรับรองต้องปฏิบัติตามหลักเกณฑ์ วิธีการ และเงื่อนไขตามที่กำหนดในกฎกระทรวง และหรือข้อบัญญัติท้องถิ่น ซึ่งออกตามความในมาตรา ๘ (๑๑) มาตรา ๙ หรือมาตรา ๑๐ แห่งพระราชบัญญัติควบคุมอาคาร พ.ศ. ๒๕๒๒ แก้ไขเพิ่มเติมโดยพระราชบัญญัติควบคุมอาคาร (ฉบับที่ ๒) พ.ศ.๒๕๓๕ และ (ฉบับที่ ๓) พ.ศ.๒๕๔๓

(๒) ต้องปฏิบัติตามเงื่อนไขแนบท้ายใบรับรองฯ นี้

ออกให้ ณ วันที่ ๓๐ เม.ย. ๒๕๖๓ เดือน ..... พ.ศ. .....

EIA = โครงการอาคารสำนักงานใหญ่เมืองไทยลิสซิ่ง

(ลายมือชื่อ) .....
(นายไทวุฒิ ขันแก้ว)
(ผู้อำนวยการสำนักการโยธา)
ตำแหน่ง ปฏิบัติราชการแทนผู้ว่าราชการกรุงเทพมหานคร

เจ้าพนักงานท้องถิ่นผู้อนุญาต

คำเตือน

๑. ห้ามเจ้าของหรือผู้ครอบครองอาคารใช้หรือยินยอมให้บุคคลใดใช้อาคารเพื่อกิจการอื่น นอกจากที่ระบุไว้ในใบรับรองฉบับนี้

๒. ห้ามเจ้าของหรือผู้ครอบครองอาคาร เปลี่ยนการใช้อาคารบางประเภท ควบคุมการใช้สำหรับกิจการหนึ่งไปใช้เป็นอาคารประเภทควบคุมการใช้สำหรับอีกกิจการหนึ่ง เว้นแต่จะได้รับอนุญาตจากเจ้าพนักงานท้องถิ่น

๓. ห้ามเจ้าของหรือผู้ครอบครองอาคารที่ต้องมีพื้นที่หรือสิ่งที่สร้างขึ้นเพื่อใช้เป็นที่จอดรถ ที่กลับรถและทางเข้าออกของรถตามที่กำหนดไว้ในกฎกระทรวง ดัดแปลง หรือใช้ที่จอดรถ ที่กลับรถ และทางเข้าออกของรถนั้นเพื่อการอื่นไม่ว่าทั้งหมดหรือบางส่วน เว้นแต่จะได้รับใบอนุญาตจากเจ้าพนักงานท้องถิ่น

๔. ผู้ได้รับใบรับรองต้องแสดงใบรับรองฉบับนี้ไว้ในที่เปิดเผยและเห็นได้ง่าย ณ อาคารนั้น

เงื่อนไขท้ายใบรับรองการก่อสร้างและดัดแปลงอาคาร เลขที่ ๑๐๐/๒๕๖๑

ราย บริษัท เมืองไทย แคปปิตอล จำกัด (มหาชน)

- ผู้แจ้งต้องปฏิบัติตามมาตรการป้องกันแก้ไขผลกระทบสิ่งแวดล้อมและมาตรการติดตามตรวจสอบคุณภาพสิ่งแวดล้อม ตามรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม ที่ได้รับความเห็นชอบจากสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม ตามหนังสือที่ ทส ๑๐๑๐.๕/๘๐๙๖ ลงวันที่ ๒๖ มิถุนายน ๒๕๖๑

อาคารประเภทควบคุมการใช้ ตามมาตรา ๓๒
อาคารสำนักงานหรือที่ทำการ

แบบ อ.๖

000373

คำเตือน
ให้จัดส่งรายงานผลการตรวจสอบใหญ่ของอาคาร ตามกฎกระทรวงฯ ว่าด้วยหลักเกณฑ์การตรวจสอบอาคาร พ.ศ. ๒๕๔๘ ภายใน ๓๐ วัน ก่อนใบรับรองการก่อสร้างอาคารจะมีระยะเวลาครบ ๑ ปี

ใบรับรองการก่อสร้างอาคาร ดัดแปลงอาคาร หรือเคลื่อนย้ายอาคาร

เลขที่ ๑๐๐ / ๒๕๖๓ นายคมสิริ ภิญโญภานุวัฒน์ (ผู้รับมอบอำนาจ)
บริษัท เมืองไทย แคปปิตอล จำกัด (มหาชน) โดย
ใบรับรองฉบับนี้แสดงว่า.....เจ้าของอาคาร/ผู้ครอบครองอาคาร
อยู่บ้านเลขที่ ๓๒/๑ ตรอก/ซอย - ถนน จรัญสนิทวงศ์ หมู่ที่ -
ตำบล/แขวง บางอ้อ อำเภอ/เขต บางพลัด จังหวัด กรุงเทพมหานคร
ได้ทำการ ก่อสร้างและดัดแปลง อาคาร เป็นไปโดยถูกต้องตามที่ได้รับอนุญาตในใบอนุญาต แบบ ยผ.๔
เลขที่ (ก่อสร้าง) ๑๑๐ ๒๕๖๑ (ดัดแปลง) ๔๒/๒๕๖๓ ลงวันที่ ๔ ๒๔ เดือน กรกฎาคม กุมภาพันธ์ พ.ศ. ๒๕๖๑ ๒๕๖๓
ซึ่งอาคารดังกล่าวเป็นอาคารประเภทควบคุมการใช้ เจ้าพนักงานท้องถิ่นจึงออกใบรับรองให้ดังต่อไปนี้

ข้อ ๑ เป็นอาคาร

(๑) ชนิด ค.ส.ล. ๑๔ ชั้น จำนวน ๑ หลัง เพื่อใช้เป็น สำนักงานและจอดรถยนต์
โดยมีที่จอดรถ ที่กลับรถ และทางเข้าออกของรถ จำนวน ๑๐๑ คัน

(๒) ชนิด - จำนวน - เพื่อใช้เป็น -
โดยมีที่จอดรถ ที่กลับรถ และทางเข้าออกของรถ จำนวน - คัน

(๓) ชนิด - จำนวน - เพื่อใช้เป็น -
โดยมีที่จอดรถ ที่กลับรถ และทางเข้าออกของรถ จำนวน - คัน

ที่บ้านเลขที่ - ตรอก/ซอย - ถนน จรัญสนิทวงศ์
หมู่ที่ - ตำบล/แขวง บางพลัด อำเภอ/เขต บางพลัด จังหวัด กรุงเทพมหานคร
โดย บริษัท เมืองไทย แคปปิตอล จำกัด (มหาชน) เป็นเจ้าของอาคาร และ บริษัท เมืองไทย แคปปิตอล จำกัด (มหาชน)
เป็นผู้ครอบครองอาคาร อยู่ในที่ดิน โฉนดที่ดิน เลขที่ น.ส. ๓ เลขที่ ส.ค. ๑ เลขที่ ๕๘๘๒
เป็นที่ดินของ บริษัท เมืองไทย แคปปิตอล จำกัด (มหาชน)
ค่าธรรมเนียมใบรับรองการก่อสร้างอาคาร ฉบับละ ๑๐.๐๐ บาท

ข้อ ๒ ผู้ได้รับใบรับรองต้องปฏิบัติตามเงื่อนไข ดังต่อไปนี้

(๑) ผู้ได้รับใบรับรองต้องปฏิบัติตามหลักเกณฑ์ วิธีการ และเงื่อนไขตามที่กำหนดในกฎกระทรวง และหรือข้อบัญญัติท้องถิ่น ซึ่งออกตามความในมาตรา ๘ (๑๑) มาตรา ๙ หรือมาตรา ๑๐ แห่งพระราชบัญญัติควบคุมอาคาร พ.ศ. ๒๕๒๒ แก้ไขเพิ่มเติมโดยพระราชบัญญัติควบคุมอาคาร (ฉบับที่ ๒) พ.ศ.๒๕๓๕ และ (ฉบับที่ ๓) พ.ศ.๒๕๔๓

(๒) ต้องปฏิบัติตามเงื่อนไขแนบท้ายใบรับรองฯ นี้

ออกให้ ณ วันที่ ๓๐ เม.ย. ๒๕๖๓ เดือน พ.ศ.

EIA = โครงการอาคารสำนักงานใหญ่เมืองไทยลิสซิ่ง

(ลายมือชื่อ) (นายไทวุฒิ ชินแก้ว)
ผู้อำนวยการสำนักการโยธา
ปฏิบัติราชการแทนผู้ว่าราชการกรุงเทพมหานคร
ตำแหน่ง

เจ้าพนักงานท้องถิ่นผู้อนุญาต

คำเตือน

๑. ห้ามเจ้าของหรือผู้ครอบครองอาคารใช้หรือยินยอมให้บุคคลใดใช้อาคารเพื่อกิจการอื่น นอกจากที่ระบุไว้ในใบรับรองฉบับนี้

๒. ห้ามเจ้าของหรือผู้ครอบครองอาคาร เปลี่ยนการใช้อาคารบางประเภท ควบคุมการใช้สำหรับกิจการหนึ่งไปใช้เป็นอาคารประเภทควบคุมการใช้สำหรับอีกกิจการหนึ่ง เว้นแต่จะได้รับอนุญาตจากเจ้าพนักงานท้องถิ่น

๓. ห้ามเจ้าของหรือผู้ครอบครองอาคารที่ต้องมีพื้นที่หรือสิ่งที่สร้างขึ้นเพื่อใช้เป็นที่จอดรถ ที่กลับรถและทางเข้าออกของรถตามที่กำหนดไว้ในกฎกระทรวง ดัดแปลง หรือใช้ที่จอดรถ ที่กลับรถ และทางเข้าออกของรถนั้นเพื่อการอื่นไม่ว่าทั้งหมดหรือบางส่วน เว้นแต่จะได้รับใบอนุญาตจากเจ้าพนักงานท้องถิ่น

๔. ผู้ได้รับใบรับรองต้องแสดงใบรับรองฉบับนี้ไว้ในที่เปิดเผยและเห็นได้ง่าย ณ อาคารนั้น

เงื่อนไขท้ายใบรับรองการก่อสร้างและดัดแปลงอาคาร เลขที่.....๑๐๐/๒๕๖๓.....
ราย บริษัท เมืองไทย แคปปิตอล จำกัด (มหาชน)

- ผู้แจ้งต้องปฏิบัติตามมาตรการป้องกันแก้ไขผลกระทบสิ่งแวดล้อมและมาตรการติดตามตรวจสอบคุณภาพสิ่งแวดล้อม ตามรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม ที่ได้รับความเห็นชอบจากสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม ตามหนังสือที่ ทส ๑๐๑๐.๕/๘๐๙๖ ลงวันที่ ๒๖ มิถุนายน ๒๕๖๑



เลขที่หนังสืออนุญาต ๖ /2549

กระทรวงการคลัง

หนังสืออนุญาตให้ประกอบธุรกิจสินเชื่อส่วนบุคคลภายใต้การกำกับ

โดยหนังสือนี้ รัฐมนตรีว่าการกระทรวงการคลังอาศัยอำนาจตามข้อ 3 วรรคหนึ่ง แห่งประกาศกระทรวงการคลัง เรื่อง กิจการที่ต้องขออนุญาตตามข้อ 5 แห่งประกาศของคณะปฏิวัติ ฉบับที่ 58 (เรื่อง สินเชื่อส่วนบุคคลภายใต้การกำกับ) ลงวันที่ 9 มิถุนายน 2548 อนุญาตให้ **บริษัท เมืองไทย ลิสซิ่ง จำกัด** ประกอบธุรกิจสินเชื่อส่วนบุคคลภายใต้การกำกับได้ โดยมีเงื่อนไข ดังนี้

1. ผู้ประกอบธุรกิจสินเชื่อส่วนบุคคลภายใต้การกำกับต้องปฏิบัติตามหลักเกณฑ์และเงื่อนไขตามประกาศกระทรวงการคลัง เรื่อง กิจการที่ต้องขออนุญาตตามข้อ 5 แห่งประกาศของคณะปฏิวัติ ฉบับที่ 58 (เรื่อง สินเชื่อส่วนบุคคลภายใต้การกำกับ) ลงวันที่ 9 มิถุนายน 2548 และประกาศธนาคารแห่งประเทศไทย เรื่อง การกำหนด หลักเกณฑ์ วิธีการ และเงื่อนไขในการประกอบธุรกิจสินเชื่อส่วนบุคคลภายใต้การกำกับสำหรับผู้ประกอบธุรกิจที่มิใช่สถาบันการเงิน ลงวันที่ 20 มิถุนายน 2548 รวมทั้งเงื่อนไขที่กำหนดตามหนังสืออนุญาตนี้และที่จะแก้ไขเปลี่ยนแปลงหรือเพิ่มเติมในภายหลัง มิฉะนั้น จักต้องระวางโทษตามข้อ 17 แห่งประกาศของคณะปฏิวัติ ฉบับที่ 58

2. ผู้ประกอบธุรกิจสินเชื่อส่วนบุคคลภายใต้การกำกับต้องจัดส่งประกาศรายละเอียดเกี่ยวกับอัตราดอกเบี้ย ค่าปรับ ค่าบริการ ค่าธรรมเนียมใดๆ และค่าใช้จ่ายตามที่ได้จ่ายไปจริงและพอสมควรแก่เหตุเกี่ยวกับสินเชื่อส่วนบุคคลภายใต้การกำกับ ตามแบบที่ธนาคารแห่งประเทศไทยกำหนด ให้ธนาคารแห่งประเทศไทยทราบนับแต่วันที่ออกประกาศครั้งแรกและทุกๆ ครั้งที่มีการเปลี่ยนแปลง ภายใน 3 วัน นับแต่วันที่ออกประกาศเปลี่ยนแปลง

3. ผู้ประกอบธุรกิจสินเชื่อส่วนบุคคลภายใต้การกำกับจะต้องประกอบธุรกิจสินเชื่อส่วนบุคคลภายใต้การกำกับ ภายใน 1 ปีนับแต่วันที่ออกหนังสืออนุญาต และแจ้งวันเริ่มประกอบธุรกิจดังกล่าวเป็นหนังสือให้ธนาคารแห่งประเทศไทยทราบล่วงหน้าก่อนด้วย

ออกให้ ณ วันที่ 31 สิงหาคม พ.ศ. 2549



(นายทนง พิทยะ)
รัฐมนตรีว่าการกระทรวงการคลัง

เลขที่หนังสืออนุญาต ๖/๒๕๕๘

กระทรวงการคลัง

หนังสืออนุญาตให้ประกอบธุรกิจสินเชื่อรายย่อยเพื่อการประกอบอาชีพภายใต้การกำกับ

โดยหนังสือนี้ รัฐมนตรีว่าการกระทรวงการคลังอาศัยอำนาจตามข้อ ๓ วรรคหนึ่ง แห่งประกาศกระทรวงการคลัง เรื่อง กิจการที่ต้องขออนุญาตตามข้อ ๕ แห่งประกาศของคณะปฏิวัติ ฉบับที่ ๕๘ (เรื่อง สินเชื่อรายย่อยเพื่อการประกอบอาชีพภายใต้การกำกับ) ลงวันที่ ๒๖ ธันวาคม ๒๕๕๗ อนุญาตให้ **บริษัท เมืองไทย ลิสซิ่ง จำกัด (มหาชน)** ประกอบธุรกิจสินเชื่อรายย่อยเพื่อการประกอบอาชีพภายใต้การกำกับได้ และอาศัยอำนาจตามข้อ ๗ แห่งประกาศของคณะปฏิวัติ ฉบับที่ ๕๘ ลงวันที่ ๒๖ มกราคม ๒๕๑๕ กำหนดเงื่อนไขประกอบการอนุญาต ดังนี้

๑. ผู้ประกอบธุรกิจสินเชื่อรายย่อยเพื่อการประกอบอาชีพภายใต้การกำกับต้องปฏิบัติตามหลักเกณฑ์และเงื่อนไข ตามประกาศกระทรวงการคลัง เรื่อง กิจการที่ต้องขออนุญาตตามข้อ ๕ แห่งประกาศของคณะปฏิวัติ ฉบับที่ ๕๘ (เรื่อง สินเชื่อรายย่อยเพื่อการประกอบอาชีพภายใต้การกำกับ) ลงวันที่ ๒๖ ธันวาคม ๒๕๕๗ และประกาศธนาคารแห่งประเทศไทย ที่ สนส. ๑/๒๕๕๘ เรื่อง การกำหนดหลักเกณฑ์ วิธีการ และเงื่อนไขในการประกอบธุรกิจสินเชื่อรายย่อยเพื่อการประกอบอาชีพภายใต้การกำกับสำหรับผู้ประกอบธุรกิจที่มิใช่สถาบันการเงิน ลงวันที่ ๒๒ มกราคม ๒๕๕๘ รวมทั้งเงื่อนไขที่กำหนดตามหนังสืออนุญาตฉบับนี้ และที่จะแก้ไขเปลี่ยนแปลงหรือเพิ่มเติมในภายหลัง มิฉะนั้นจักต้องระวางโทษตามข้อ ๑๗ แห่งประกาศของคณะปฏิวัติ ฉบับที่ ๕๘

๒. ผู้ประกอบธุรกิจสินเชื่อรายย่อยเพื่อการประกอบอาชีพภายใต้การกำกับจะต้องเริ่มประกอบธุรกิจภายใน ๑ ปี นับแต่วันที่ในหนังสืออนุญาตฉบับนี้ และแจ้งวันเริ่มประกอบธุรกิจดังกล่าวเป็นหนังสือให้ธนาคารแห่งประเทศไทยทราบล่วงหน้าก่อนด้วย

๓. ผู้ประกอบธุรกิจสินเชื่อรายย่อยเพื่อการประกอบอาชีพภายใต้การกำกับต้องจัดส่งเอกสารให้แก่ธนาคารแห่งประเทศไทย ดังนี้

๓.๑ ประกาศรายละเอียดเกี่ยวกับอัตราดอกเบี้ย ค่าปรับ ค่าบริการ ค่าธรรมเนียมใด ๆ ตามแบบที่ธนาคารแห่งประเทศไทยกำหนด ให้ธนาคารแห่งประเทศไทยทราบ นับแต่วันที่ออกประกาศครั้งแรกและทุก ๆ ครั้งที่มีการเปลี่ยนแปลงภายใน ๓ วัน นับแต่วันที่ออกประกาศเปลี่ยนแปลง

๓.๒ รายงานการให้สินเชื่อตามแบบที่ธนาคารแห่งประเทศไทยกำหนด ภายใน ๒๑ วัน นับจากวันสิ้นเดือน เว้นแต่ธนาคารแห่งประเทศไทยจะผ่อนผันเป็นประการอื่น รวมทั้งจัดส่งเอกสารสำเนารายงานดังกล่าวให้แก่กระทรวงการคลังภายในกำหนดเวลาเดียวกัน

๓.๓ งบการเงินประจำปีของบริษัทที่ผ่านการรับรองจากผู้สอบบัญชีรับอนุญาตภายใน ๑๘๐ วัน นับตั้งแต่วันสิ้นงวดบัญชี โดยเริ่มตั้งแต่งวดแรกที่ได้รับอนุญาตให้ประกอบธุรกิจสินเชื่อรายย่อยเพื่อการประกอบอาชีพภายใต้การกำกับเป็นต้นไป

๔. ผู้ประกอบธุรกิจสินเชื่อรายย่อยเพื่อการประกอบอาชีพภายใต้การกำกับต้องดำเนินธุรกิจอย่างเป็นธรรม และมีกระบวนการดำเนินการเมื่อมีข้อร้องเรียนที่เหมาะสม ตลอดจนให้ถือปฏิบัติในเรื่องการติดตามทวงถามหนี้ตามพระราชบัญญัติการทวงถามหนี้ พ.ศ. ๒๕๕๘

ออกให้ ณ วันที่ ๒๖ พฤษภาคม พ.ศ. ๒๕๕๘

(นายสมหมาย ภาษี)
รัฐมนตรีว่าการกระทรวงการคลัง

MUANGTHAI CAPITAL PUBLIC COMPANY LIMITED
บริษัท เมืองไทย แคปปิตอล จำกัด (มหาชน)

ภาคผนวกที่ 3

เอกสารเปลี่ยนชื่อโครงการ

เลขที่ : MTC/HO-002/2561

บริษัท เมืองไทย แคปปิตอล จำกัด(มหาชน)
เลขที่ 32/1 ถนนจรัญสนิทวงศ์ แขวงบางอ้อ
เขตบางพลัด กรุงเทพมหานคร 10700

16 สิงหาคม 2561

เรื่อง แจ้งเปลี่ยนชื่อโครงการและชื่อบริษัทเจ้าของโครงการ โครงการอาคารสำนักงานใหญ่เมืองไทยลิสซิ่ง

เรียน เลขาธิการสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม

อ้างถึง 1. หนังสือบริษัท เมืองไทยลิสซิ่ง จำกัด (มหาชน) ลงวันที่ 17 มกราคม 2561

2. หนังสือแจ้งผลการพิจารณารายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม ที่ ทส 1009.5/8096 ลงวันที่ 26 มิถุนายน 2561

สิ่งที่ส่งมาด้วย สำเนาหนังสือรับรองบริษัท ที่ปรากฏการเปลี่ยนชื่อบริษัท เป็น บริษัท เมืองไทย แคปปิตอล จำกัด (มหาชน) จำนวน 1 ชุด

ตามที่ บริษัท เมืองไทย ลิสซิ่ง จำกัด (มหาชน) ได้ยื่นรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม โครงการอาคารสำนักงานใหญ่เมืองไทยลิสซิ่ง ตั้งอยู่ที่ ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร และโครงการได้ผ่านความเห็นชอบจากคณะกรรมการผู้ชำนาญการพิจารณารายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม ตามหนังสือสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม ที่ ทส 1009.5/8096 ลงวันที่ 26 มิถุนายน2560 ตามอ้างถึง 1 และ 2. แล้วนั้น

ขณะนี้ บริษัท เมืองไทยลิสซิ่ง จำกัด (มหาชน) ได้ทำการเปลี่ยนชื่อเป็นบริษัท เมืองไทยแคปปิตอล จำกัด (มหาชน) แล้ว ดังนั้น บริษัทฯ จึงขอแจ้งเปลี่ยนชื่อโครงการและชื่อบริษัท ดังนี้

เดิม โครงการอาคารสำนักงานใหญ่เมืองไทยลิสซิ่ง บริษัท เมืองไทยลิสซิ่ง จำกัด (มหาชน)

ขอเปลี่ยนเป็น โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล บริษัท เมืองไทยแคปปิตอล จำกัด (มหาชน)

โดยในการขอเปลี่ยนแปลงนี้ ยังคงเป็นผู้ประกอบการรายเดิม ตามที่ได้มีการจดทะเบียนหนังสือรับรองบริษัท กับกรมพัฒนาธุรกิจการค้า กระทรวงพาณิชย์ ตามเอกสารสิ่งที่ส่งมาด้วย ทั้งนี้ ในการขอเปลี่ยนชื่อโครงการและชื่อบริษัทฯ ดังกล่าวนี้ ยังคงมีรายละเอียดโครงการ แบบแปลนต่าง ๆ เหมือนเดิม รวมถึงเงื่อนไขการดำเนินการตามมาตรการป้องกันและลดผลกระทบสิ่งแวดล้อมของโครงการ บริษัทฯ ยังคงปฏิบัติตามเหมือนเดิมไม่มีการเปลี่ยนแปลง

(ไพเดิศ เชียวกำ)
เจ้าหน้าที่ตรวจ-รับเอกสารงานสารบรรณ
สำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม
วันที่...../...../.....

หมายเหตุ หากต้องการข้อมูลเพิ่มเติมกรุณาติดต่อกลับ คุณคมสิริ ภิญโญกานุวัฒน์ โทร. (081) 839-5506

จึงเรียนมาเพื่อโปรดทราบ จักขอบพระคุณยิ่ง

ขอแสดงความนับถือ

(.....)

นายชูชาติ เพ็ชรอำไพ และ นางดาวนภา เพชรอำไพ
กรรมการผู้มีอำนาจ



หมายเหตุ หากต้องการข้อมูลเพิ่มเติมกรุณาติดต่อกลับ คุณ..... โทร .....

เลขที่ : MTC/HO-003/2561

บริษัท เมืองไทย แคปปิตอล จำกัด(มหาชน)
เลขที่ 32/1 ถนนจรัญสนิทวงศ์ แขวงบางอ้อ
เขตบางพลัด กรุงเทพมหานคร 10700

กจอ. สสล.
รับที่ 4057
วันที่ ๒๐ ส.ค. ๒๕๖๑
เวลา 11.30น.

16 สิงหาคม 2561

เรื่อง แจ้งเปลี่ยนชื่อโครงการและชื่อบริษัทเจ้าของโครงการ โครงการอาคารสำนักงานใหญ่เมืองไทยลิสซิ่ง

เรียน ผู้อำนวยการกองจัดการคุณภาพอากาศและเสียง

อ้างถึง 1. หนังสือบริษัท เมืองไทยลิสซิ่ง จำกัด (มหาชน) ลงวันที่ 17 มกราคม 2561
2. หนังสือบริษัท เมืองไทยลิสซิ่ง จำกัด (มหาชน) ลงวันที่ 15 พฤษภาคม 2561
3. หนังสือบริษัท เมืองไทยลิสซิ่ง จำกัด (มหาชน) ลงวันที่ 11 มิถุนายน 2561
4. หนังสือแจ้งผลการพิจารณารายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม ที่ ทส 1009.5/8096 ลงวันที่ 26 มิถุนายน 2561

<u>สิ่งที่ส่งมาด้วย</u> สำเนาหนังสือรับรองบริษัท ที่ปรากฏการเปลี่ยนชื่อบริษัท เป็น บริษัท เมืองไทย แคปปิตอล จำกัด (มหาชน) จำนวน 1 ชุด

ตามที่ บริษัท เมืองไทย ลิสซิ่ง จำกัด (มหาชน) ได้ยื่นรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม โครงการอาคารสำนักงานใหญ่เมืองไทยลิสซิ่ง ตั้งอยู่ที่ ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร และโครงการได้ผ่านความเห็นชอบจากคณะกรรมการผู้ชำนาญการพิจารณารายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม ตามหนังสือสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม ที่ ทส 1009.5/8096 ลงวันที่ 26 มิถุนายน2560 ตามอ้างถึง 1. - 4. แล้วนั้น

ขณะนี้ บริษัท เมืองไทยลิสซิ่ง จำกัด (มหาชน) ได้ทำการเปลี่ยนชื่อเป็นบริษัท เมืองไทยแคปปิตอล จำกัด (มหาชน) แล้ว ดังนั้น บริษัทฯ จึงขอแจ้งเปลี่ยนชื่อโครงการและชื่อบริษัท ดังนี้

<u>เดิม</u> โครงการอาคารสำนักงานใหญ่เมืองไทยลิสซิ่ง บริษัท เมืองไทยลิสซิ่ง จำกัด (มหาชน)

<u>ขอเปลี่ยนเป็น</u> โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล บริษัท เมืองไทยแคปปิตอล จำกัด (มหาชน)

โดยในการขอเปลี่ยนแปลงนี้ ยังคงเป็นผู้ประกอบการรายเดิม ตามที่ได้มีการจดทะเบียนหนังสือรับรองบริษัท กับกรมพัฒนาธุรกิจการค้า กระทรวงพาณิชย์ ตามเอกสารสิ่งที่ส่งมาด้วย ทั้งนี้ ในการขอเปลี่ยนชื่อโครงการและชื่อบริษัทฯ ดังกล่าวนี้ ยังคงมีรายละเอียดโครงการ แบบแปลนต่าง ๆ เหมือนเดิม รวมถึงเงื่อนไขการดำเนินการตามมาตรการป้องกันและลดผลกระทบสิ่งแวดล้อมของโครงการ บริษัทฯ ยังคงปฏิบัติตามเหมือนเดิมไม่มีการเปลี่ยนแปลง

<u>หมายเหตุ</u> หากต้องการข้อมูลเพิ่มเติมกรุณาติดต่อกลับ คุณคมสิริ ภิญโญภานุวัฒน์ โทร. (081) 839-5506

จึงเรียนมาเพื่อโปรดทราบ จักขอบพระคุณยิ่ง

ขอแสดงความนับถือ

(.....)

นายชูชาติ เพ็ชรอำไพ และ นางดาวนภา เพชรอำไพ

กรรมการผู้มีอำนาจ



ได้รับเรื่องแล้ว

.....

20/8/61

หมายเหตุ หากต้องการข้อมูลเพิ่มเติมกรุณาติดต่อกลับ คุณคมสิริ ภิญโญภานุวัฒน์ โทร. (081) 839-5506

ภาคผนวกที่ 4

ใบรายงานผลการวิเคราะห์จากห้องปฏิบัติการ

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : **ปล่อยออกจากตะกอน 1**
GPS. Coordinate : UTM (WGS84) 47P 0662581 E, 1525037 N
Sampling Date : July 17, 2025
Sampling Time : 13:40
Sampling Method : Grab
Sampling By : Mr.Nitad Sirichad
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2022-01760
Analysis No. : 2025-AD675-001
Received Date : July 18, 2025
Analytical Date : July 18-24, 2025
Report No. : 2025-RAAS379
Report Date : July 29, 2025

Parameter	Unit	Method of Analysis[1']	Result
pH	-	Electrometric	6.9
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	58
Total Suspended Solids	mg/L	Dried at 103-105°C	22
Total Dissolved Solids	mg/L	Dried at 180°C	262
Sulfide	mg/L	ZnS Precipitation, Iodometric	5.9
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	7.9
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	5.2
Settleable Solids	mL/L	Volumetric	0.1

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : **ปล่องก๊าซจากตะกอน 1**
GPS. Coordinate : UTM (WGS84) 47P 0662581 E, 1525037 N
Sampling Date : August 21, 2025
Sampling Time : 15:02
Sampling Method : Grab
Sampling By : Mr.Assada Chaiyawong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2022-01760
Analysis No. : 2025-AE321-001
Received Date : August 22, 2025
Analytical Date : August 22-29, 2025
Report No. : 2025-RAAU787
Report Date : September 1, 2025

Parameter	Unit	Method of Analysis[1']	Result
pH	-	Electrometric	6.6
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	65
Total Suspended Solids	mg/L	Dried at 103-105°C	32
Total Dissolved Solids	mg/L	Dried at 180°C	257
Sulfide	mg/L	ZnS Precipitation, Iodometric	4.3
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	6.5
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	2.6
Settleable Solids	mL/L	Volumetric	0.2

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH&TECHNOLOGY CO.,LTD

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : **บ่อแยกกากตะกอน 1**
GPS. Coordinate : UTM (WGS84) 47P 0662581 E, 1525037 N
Sampling Date : September 22, 2025
Sampling Time : 14:10
Sampling Method : Grab
Sampling By : Mr.Kunakorn Ratanawongsa
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2022-01760
Analysis No. : 2025-AE963-001
Received Date : September 23, 2025
Analytical Date : September 23-30, 2025
Report No. : 2025-RAAX402
Report Date : October 2, 2025

Parameter	Unit	Method of Analysis[1']	Result
pH	-	Electrometric	6.5
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	92
Total Suspended Solids	mg/L	Dried at 103-105°C	42
Total Dissolved Solids	mg/L	Dried at 180°C	255
Sulfide	mg/L	ZnS Precipitation, Iodometric	3.3
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	15
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	2.6
Settleable Solids	mL/L	Volumetric	0.1

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : **บ่อแยกกากตะกอน 1**
GPS. Coordinate : UTM (WGS84) 47P 0662581 E, 1525037 N
Sampling Date : October 20, 2025
Sampling Time : 13:19
Sampling Method : Grab
Sampling By : Mr.Assada Chaiyawong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2022-01760
Analysis No. : 2025-AF549-001
Received Date : October 21, 2025
Analytical Date : October 21-29, 2025
Report No. : 2025-RAAZ740
Report Date : October 31, 2025

Parameter	Unit	Method of Analysis[1']	Result
pH	-	Electrometric	7.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	82
Total Suspended Solids	mg/L	Dried at 103-105°C	46
Total Dissolved Solids	mg/L	Dried at 180°C	242
Sulfide	mg/L	ZnS Precipitation, Iodometric	3.1
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	10
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	3.4
Settleable Solids	mL/L	Volumetric	0.3

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : **ปอแยกกากตะกอน 1**
GPS. Coordinate : UTM (WGS84) 47P 0662581 E, 1525037 N
Sampling Date : November 19, 2025
Sampling Time : 14:26
Sampling Method : Grab
Sampling By : Mr.Chanthawit Leawkool
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, No Sediment, Odor

Quotation No. : MR2022-01760
Analysis No. : 2025-AG309-001
Received Date : November 20, 2025
Analytical Date : November 20-December 1, 2025
Report No. : 2025-RABC586
Report Date : December 2, 2025

Parameter	Unit	Method of Analysis[1']	Result
pH	-	Electrometric	6.4
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	21
Total Suspended Solids	mg/L	Dried at 103-105°C	22
Total Dissolved Solids	mg/L	Dried at 180°C	185
Sulfide	mg/L	ZnS Precipitation, Iodometric	3.2
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	8.4
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	1.2
Settleable Solids	mL/L	Volumetric	<0.1

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : **บ่อแยกกากตะกอน 1**
GPS. Coordinate : UTM (WGS84) 47P 0662581 E, 1525037 N
Sampling Date : December 17, 2025
Sampling Time : 13:43
Sampling Method : Grab
Sampling By : Ms.Asmah Hayimali
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2022-01760
Analysis No. : 2025-AG982-001
Received Date : December 18, 2025
Analytical Date : December 18-23, 2025
Report No. : 2025-RABF611
Report Date : December 30, 2025

Parameter	Unit	Method of Analysis[1']	Result
pH	-	Electrometric	6.9
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	40
Total Suspended Solids	mg/L	Dried at 103-105°C	15
Total Dissolved Solids	mg/L	Dried at 180°C	222
Sulfide	mg/L	ZnS Precipitation, Iodometric	2.7
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	6.6
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	2.4
Settleable Solids	mL/L	Volumetric	0.1

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : **บ่อพักน้ำใส**
GPS. Coordinate : UTM (WGS84) 47P 0662574 E, 1525042 N
Sampling Date : July 17, 2025
Sampling Time : 13:30
Sampling Method : Grab
Sampling By : Mr.Nitad Sirichad
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2022-01760
Analysis No. : 2025-AD675-002
Received Date : July 18, 2025
Analytical Date : July 18-24, 2025
Report No. : 2025-RAAS380
Report Date : July 29, 2025

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
pH	-	Electrometric	7.5	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	26	30
Total Suspended Solids	mg/L	Dried at 103-105°C	15	40
Total Dissolved Solids	mg/L	Dried at 180°C	458	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	7.3	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	0.1	-

Remark : 1' Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
2' Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Water Supply Sampling
Sampling Point : คุณภาพน้ำใช้
GPS. Coordinate : UTM (WGS84) 47P 0662587 E, 1525038 N
Sampling Date : July 17, 2025
Sampling Time : 13:49
Sampling Method : Grab
Sampling By : Mr.Nitad Sirichad
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2022-01760
Analysis No. : 2025-AD675-003
Received Date : July 18, 2025
Analytical Date : July 18-23, 2025
Report No. : 2025-RAAS381
Report Date : July 29, 2025

Parameter	Unit	Method of Analysis[1']	Result
Total Dissolved Solids	mg/L	Dried at 180°C	160

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : บ่อพักน้ำใส
GPS. Coordinate : UTM (WGS84) 47P 0662574 E, 1525042 N
Sampling Date : August 21, 2025
Sampling Time : 15:08
Sampling Method : Grab
Sampling By : Mr.Assada Chaiyawong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2022-01760
Analysis No. : 2025-AE321-002
Received Date : August 22, 2025
Analytical Date : August 22-29, 2025
Report No. : 2025-RAAU788
Report Date : September 1, 2025

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
pH	-	Electrometric	7.0	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	32	30
Total Suspended Solids	mg/L	Dried at 103-105°C	106	40
Total Dissolved Solids	mg/L	Dried at 180°C	533	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	1.8	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	13	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	9.0	-

Remark : 1' Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
2' Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO. LTD

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Water Supply Sampling
Sampling Point : คุณภาพน้ำใช้
GPS. Coordinate : UTM (WGS84) 47P 0662587 E, 1525038 N
Sampling Date : August 21, 2025
Sampling Time : 15:20
Sampling Method : Grab
Sampling By : Mr.Assada Chaiyawong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2022-01760
Analysis No. : 2025-AE321-003
Received Date : August 22, 2025
Analytical Date : August 22-29, 2025
Report No. : 2025-RAAU790
Report Date : September 1, 2025

Parameter	Unit	Method of Analysis[1']	Result
Total Dissolved Solids	mg/L	Dried at 180°C	134

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : **บ่อพักน้ำใส**
GPS. Coordinate : UTM (WGS84) 47P 0662574 E, 1525042 N
Sampling Date : September 22, 2025
Sampling Time : 14:01
Sampling Method : Grab
Sampling By : Mr.Kunakorn Ratanawongsa
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2022-01760
Analysis No. : 2025-AE963-002
Received Date : September 23, 2025
Analytical Date : September 23-30, 2025
Report No. : 2025-RAAX403
Report Date : October 2, 2025

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
pH	-	Electrometric	6.8	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	46	30
Total Suspended Solids	mg/L	Dried at 103-105°C	32	40
Total Dissolved Solids	mg/L	Dried at 180°C	476	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	1.1	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	16	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	1.0	20
Settleable Solids	mL/L	Volumetric	0.4	-

Remark : 1' Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
2' Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Water Supply Sampling
Sampling Point : **คุณภาพน้ำใช้**
GPS. Coordinate : UTM (WGS84) 47P 0662587 E, 1525038 N
Sampling Date : September 22, 2025
Sampling Time : 14:15
Sampling Method : Grab
Sampling By : Mr.Kunakorn Ratanawongsa
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2022-01760
Analysis No. : 2025-AE963-003
Received Date : September 23, 2025
Analytical Date : September 23-29, 2025
Report No. : 2025-RAAX404
Report Date : October 2, 2025

Parameter	Unit	Method of Analysis[1']	Result
Total Dissolved Solids	mg/L	Dried at 180°C	139

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : บ่อพักน้ำใส
GPS. Coordinate : UTM (WGS84) 47P 0662574 E, 1525042 N
Sampling Date : October 20, 2025
Sampling Time : 13:25
Sampling Method : Grab
Sampling By : Mr.Assada Chaiyawong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2022-01760
Analysis No. : 2025-AF549-002
Received Date : October 21, 2025
Analytical Date : October 21-29, 2025
Report No. : 2025-RAAZ741
Report Date : October 31, 2025

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
pH	-	Electrometric	6.7	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	23	30
Total Suspended Solids	mg/L	Dried at 103-105°C	9.6	40
Total Dissolved Solids	mg/L	Dried at 180°C	420	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	1.2	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	16	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	0.1	-

Remark : 1' Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
2' Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Water Supply Sampling
Sampling Point : คุณภาพน้ำใช้
GPS. Coordinate : UTM (WGS84) 47P 0662587 E, 1525038 N
Sampling Date : October 20, 2025
Sampling Time : 13:30
Sampling Method : Grab
Sampling By : Mr.Assada Chaiyawong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2022-01760
Analysis No. : 2025-AF549-003
Received Date : October 21, 2025
Analytical Date : October 21-28, 2025
Report No. : 2025-RAAZ742
Report Date : October 31, 2025

Parameter	Unit	Method of Analysis[1/]	Result
Total Dissolved Solids	mg/L	Dried at 180°C	136

Remark : [1/] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : บ่อพักน้ำใส
GPS. Coordinate : UTM (WGS84) 47P 0662574 E, 1525042 N
Sampling Date : November 19, 2025
Sampling Time : 14:31
Sampling Method : Grab
Sampling By : Mr.Chanthawit Leawkool
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2022-01760
Analysis No. : 2025-AG309-002
Received Date : November 20, 2025
Analytical Date : November 20-December 1, 2025
Report No. : 2025-RABC587
Report Date : December 2, 2025

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
pH	-	Electrometric	6.4	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	21	30
Total Suspended Solids	mg/L	Dried at 103-105°C	9.2	40
Total Dissolved Solids	mg/L	Dried at 180°C	345	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.5	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	11	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-

Remark : 1' Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
2' Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Water Supply Sampling
Sampling Point : คุณภาพน้ำใช้
GPS. Coordinate : UTM (WGS84) 47P 0662587 E, 1525038 N
Sampling Date : November 19, 2025
Sampling Time : 14:37
Sampling Method : Grab
Sampling By : Mr.Chanthawit Leawkool
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2022-01760
Analysis No. : 2025-AG309-003
Received Date : November 20, 2025
Analytical Date : November 20-25, 2025
Report No. : 2025-RABC588
Report Date : December 2, 2025

Parameter	Unit	Method of Analysis[1']	Result
Total Dissolved Solids	mg/L	Dried at 180°C	139

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : บ่อพักน้ำใส
GPS. Coordinate : UTM (WGS84) 47P 0662574 E, 1525042 N
Sampling Date : December 17, 2025
Sampling Time : 13:50
Sampling Method : Grab
Sampling By : Ms.Asmah Hayimali
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2022-01760
Analysis No. : 2025-AG982-002
Received Date : December 18, 2025
Analytical Date : December 18-23, 2025
Report No. : 2025-RABF612
Report Date : December 30, 2025

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
pH	-	Electrometric	7.2	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	22	30
Total Suspended Solids	mg/L	Dried at 103-105°C	24	40
Total Dissolved Solids	mg/L	Dried at 180°C	454	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	1.0	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	20	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	0.1	-

Remark : 1' Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
2' Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Water Supply Sampling
Sampling Point : **คุณภาพน้ำใช้**
GPS. Coordinate : UTM (WGS84) 47P 0662587 E, 1525038 N
Sampling Date : December 17, 2025
Sampling Time : 14:27
Sampling Method : Grab
Sampling By : Ms.Asmah Hayimali
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2022-01760
Analysis No. : 2025-AG982-003
Received Date : December 18, 2025
Analytical Date : December 18-23, 2025
Report No. : 2025-RABF613
Report Date : December 30, 2025

Parameter	Unit	Method of Analysis[1']	Result
Total Dissolved Solids	mg/L	Dried at 180°C	144

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Drinking Water Sampling
Sampling Point : **ถังเก็บน้ำชั้นใต้ดิน จุดที่ 1**
GPS. Coordinate : -
Sampling Date : September 22, 2025
Sampling Time : 14:24
Sampling Method : Grab
Sampling By : Mr.Kunakorn Ratanawongsa
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2022-01760
Analysis No. : 2025-AE963-004
Received Date : September 23, 2025
Analytical Date : September 23-29, 2025
Report No. : 2025-RAAX405
Report Date : October 2, 2025

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']	Standard[3']
Color	Pt-Co	Visible Absorption Spectrophotometry	<5.0	20	-
Odor	-	Sensory Test	Odorless	None	-
Turbidity	Silica Scale Unit	Nephelometric	0.1651	5.0	-
Escherichia Coli	MPN/100 mL	Most Probable Number	Not Detected	None	-

Remark :
1' Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
2' Notification of the Ministry of Public Health No.61, B.E.2524 (1981), published in the Royal Government Gazette, Vol.98, Part 157 (Special Issue), dated September 24, B.E.2524 (1981).
3' Notification of the Ministry of Public Health No.135, B.E.2534 (1991), published in the Royal Government Gazette, Vol.107, Part 61, dated April 2, B.E.2534 (1991).

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Drinking Water Sampling
Sampling Point : ถังเก็บน้ำชั้นใต้ดิน จุดที่ 2
GPS. Coordinate : -
Sampling Date : September 22, 2025
Sampling Time : 14:30
Sampling Method : Grab
Sampling By : Mr.Kunakorn Ratanawongsa
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2022-01760
Analysis No. : 2025-AE963-005
Received Date : September 23, 2025
Analytical Date : September 23-29, 2025
Report No. : 2025-RAAX406
Report Date : October 2, 2025

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]	Standard[3]
Color	Pt-Co	Visible Absorption Spectrophotometry	<5.0	20	-
Odor	-	Sensory Test	Odorless	None	-
Turbidity	Silica Scale Unit	Nephelometric	0.2483	5.0	-
Escherichia Coli	MPN/100 mL	Most Probable Number	Not Detected	None	-

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Notification of the Ministry of Public Health No.61, B.E.2524 (1981), published in the Royal Government Gazette, Vol.98, Part 157 (Special Issue), dated September 24, B.E.2524 (1981).
[3] Notification of the Ministry of Public Health No.135, B.E.2534 (1991), published in the Royal Government Gazette, Vol.107, Part 61, dated April 2, B.E.2534 (1991).

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Drinking Water Sampling
Sampling Point : **ถังเก็บน้ำชั้นดาดฟ้า จุดที่ 1**
GPS. Coordinate : -

Sampling Date : September 22, 2025
Sampling Time : 14:39
Sampling Method : Grab
Sampling By : Mr.Kunakorn Ratanawongsa
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2022-01760
Analysis No. : 2025-AE963-006
Received Date : September 23, 2025
Analytical Date : September 23-29, 2025
Report No. : 2025-RAAX407
Report Date : October 2, 2025

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]	Standard[3]
Color	Pt-Co	Visible Absorption Spectrophotometry	<5.0	20	-
Odor	-	Sensory Test	Odorless	None	-
Turbidity	Silica Scale Unit	Nephelometric	0.1235	5.0	-
Escherichia Coli	MPN/100 mL	Most Probable Number	Not Detected	None	-

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Notification of the Ministry of Public Health No.61, B.E.2524 (1981), published in the Royal Government Gazette, Vol.98, Part 157 (Special Issue), dated September 24, B.E.2524 (1981).
[3] Notification of the Ministry of Public Health No.135, B.E.2534 (1991), published in the Royal Government Gazette, Vol.107, Part 61, dated April 2, B.E.2534 (1991).

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Drinking Water Sampling
Sampling Point : **ถังเก็บน้ำชั้นดาดฟ้า จุดที่ 2**
GPS. Coordinate : -
Sampling Date : September 22, 2025
Sampling Time : 14:42
Sampling Method : Grab
Sampling By : Mr.Kunakorn Ratanawongsa
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2022-01760
Analysis No. : 2025-AE963-007
Received Date : September 23, 2025
Analytical Date : September 23-29, 2025
Report No. : 2025-RAAX408
Report Date : October 2, 2025

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]	Standard[3]
Color	Pt-Co	Visible Absorption Spectrophotometry	<5.0	20	-
Odor	-	Sensory Test	Odorless	None	-
Turbidity	Silica Scale Unit	Nephelometric	0.1092	5.0	-
Escherichia Coli	MPN/100 mL	Most Probable Number	Not Detected	None	-

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Notification of the Ministry of Public Health No.61, B.E.2524 (1981), published in the Royal Government Gazette, Vol.98, Part 157 (Special Issue), dated September 24, B.E.2524 (1981).
[3] Notification of the Ministry of Public Health No.135, B.E.2534 (1991), published in the Royal Government Gazette, Vol.107, Part 61, dated April 2, B.E.2534 (1991).

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Drinking Water Sampling
Sampling Point : **ถังเก็บน้ำชั้นใต้ดิน จุดที่ 1**
GPS. Coordinate : -
Sampling Date : December 17, 2025
Sampling Time : 14:00
Sampling Method : Grab
Sampling By : Ms.Asmah Hayimali
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2022-01760
Analysis No. : 2025-AG982-004
Received Date : December 18, 2025
Analytical Date : December 18-26, 2025
Report No. : 2025-RABF614
Report Date : December 30, 2025

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]	Standard[3]
Color	Pt-Co	Visible Absorption Spectrophotometry	<5.0	20	-
Odor	-	Sensory Test	Odorless	None	-
Turbidity	Silica Scale Unit	Nephelometric	0.1547	5.0	-
Escherichia Coli	MPN/100 mL	Most Probable Number	Not Detected	None	-

Remark :
1. Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
2. Notification of the Ministry of Public Health No.61, B.E.2524 (1981), published in the Royal Government Gazette, Vol.98, Part 157 (Special Issue), dated September 24, B.E.2524 (1981).
3. Notification of the Ministry of Public Health No.135, B.E.2534 (1991), published in the Royal Government Gazette, Vol.107, Part 61, dated April 2, B.E.2534 (1991).

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Drinking Water Sampling
Sampling Point : **ถังเก็บน้ำชั้นใต้ดิน จุดที่ 2**
GPS. Coordinate : -
Sampling Date : December 17, 2025
Sampling Time : 14:06
Sampling Method : Grab
Sampling By : Ms.Asmah Hayimali
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2022-01760
Analysis No. : 2025-AG982-005
Received Date : December 18, 2025
Analytical Date : December 18-26, 2025
Report No. : 2025-RABF615
Report Date : December 30, 2025

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]	Standard[3]
Color	Pt-Co	Visible Absorption Spectrophotometry	<5.0	20	-
Odor	-	Sensory Test	Odorless	None	-
Turbidity	Silica Scale Unit	Nephelometric	0.1508	5.0	-
Escherichia Coli	MPN/100 mL	Most Probable Number	Not Detected	None	-

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Notification of the Ministry of Public Health No.61, B.E.2524 (1981), published in the Royal Government Gazette, Vol.98, Part 157 (Special Issue), dated September 24, B.E.2524 (1981).
[3] Notification of the Ministry of Public Health No.135, B.E.2534 (1991), published in the Royal Government Gazette, Vol.107, Part 61, dated April 2, B.E.2534 (1991).

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research ENVIRONMENT RESEARCH & TECHNOLOGY CO. LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Drinking Water Sampling
Sampling Point : **ถังเก็บน้ำชั้นดาดฟ้า จุดที่ 1**
GPS. Coordinate : -
Sampling Date : December 17, 2025
Sampling Time : 14:15
Sampling Method : Grab
Sampling By : Ms.Asmah Hayimali
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2022-01760
Analysis No. : 2025-AG982-006
Received Date : December 18, 2025
Analytical Date : December 18-26, 2025
Report No. : 2025-RABF616
Report Date : December 30, 2025

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']	Standard[3']
Color	Pt-Co	Visible Absorption Spectrophotometry	<5.0	20	-
Odor	-	Sensory Test	Odorless	None	-
Turbidity	Silica Scale Unit	Nephelometric	0.1248	5.0	-
Escherichia Coli	MPN/100 mL	Most Probable Number	Not Detected	None	-

Remark : 1' Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
2' Notification of the Ministry of Public Health No.61, B.E.2524 (1981), published in the Royal Government Gazette, Vol.98, Part 157 (Special Issue), dated September 24, B.E.2524 (1981).
3' Notification of the Ministry of Public Health No.135, B.E.2534 (1991), published in the Royal Government Gazette, Vol.107, Part 61, dated April 2, B.E.2534 (1991).

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Drinking Water Sampling
Sampling Point : **ถังเก็บน้ำชั้นดาดฟ้า จุดที่ 2**
GPS. Coordinate : -
Sampling Date : December 17, 2025
Sampling Time : 14:19
Sampling Method : Grab
Sampling By : Ms.Asmah Hayimali
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2022-01760
Analysis No. : 2025-AG982-007
Received Date : December 18, 2025
Analytical Date : December 18-26, 2025
Report No. : 2025-RABF617
Report Date : December 30, 2025

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]	Standard[3]
Color	Pt-Co	Visible Absorption Spectrophotometry	<5.0	20	-
Odor	-	Sensory Test	Odorless	None	-
Turbidity	Silica Scale Unit	Nephelometric	0.1300	5.0	-
Escherichia Coli	MPN/100 mL	Most Probable Number	Not Detected	None	-

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Notification of the Ministry of Public Health No.61, B.E.2524 (1981), published in the Royal Government Gazette, Vol.98, Part 157 (Special Issue), dated September 24, B.E.2524 (1981).
[3] Notification of the Ministry of Public Health No.135, B.E.2534 (1991), published in the Royal Government Gazette, Vol.107, Part 61, dated April 2, B.E.2534 (1991).

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

ภาคผนวกที่ 5

สำเนาเอกสารขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี



ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๐๓ กรกฎาคม ๒๕๖๗

เรื่อง ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๒๔ เมษายน ๒๕๖๗

สิ่งที่ส่งมาด้วย ๑. รายชื่อผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๑ แผ่น
๒. รายชื่อเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒ แผ่น
๓. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑๔ แผ่น

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด ขอต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง เขตหลักสี่ กรุงเทพมหานคร ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

ก. ผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒๐ ราย ตามสิ่งที่ส่งมาด้วย ๑
ข. เจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน ๖๑ ราย ตามสิ่งที่ส่งมาด้วย ๒
ค. ขอบข่ายชนิดสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน อากาศเสีย สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว และดิน ตามสิ่งที่ส่งมาด้วย ๓

หนังสือฉบับนี้จะหมดอายุในวันที่ ๑๘ พฤษภาคม ๒๕๗๑ หากประสงค์จะต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอต่อกรมโรงงานอุตสาหกรรม ภายใน ๖๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายพรยศ กลั่นกรอง)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด เลขทะเบียน ว-๐๙๙

ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖ ลงวันที่ ๐๓ กรกฎาคม ๒๕๖๗

ก. ผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒๐ ราย

๑) นางสาวสุดารัตน์ เขจรรักษ์	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๑
๒) นางสาวพิชาดา เขียวนรภัย	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๒
๓) นางสาววลิตา โพธิ์เจริญ	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๓
๔) ว่าที่ร้อยตรีวันชนะ สีหามาตร	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๔
๕) นางสาวรัชนีวรรณ ภูประเสริฐ	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๕
๖) นางสาวปณิชา พรมชัย	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๖
๗) นางณัฐรดา เลี้ยงรักษา	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๗
๘) นายมงคล บูรภักดิ์	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๘
๙) นางสาวธนิดา บุญรุ่งเรือง	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๙
๑๐) นางสาวรมิตา แตงไทย	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๐
๑๑) นางสาวไรวินทร์ โพธิ์สิทธิ์	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๑
๑๒) นางสาวณัฐณิชา เสริมมติวงศ์	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๒
๑๓) นายนพสิทธิ์ ทวีพรประดิษฐ์	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๓
๑๔) นางสาวธิดารัตน์ ปุกคะ	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๔
๑๕) นายอภิชาติ พูลพล	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๕
๑๖) นายนิทัศน์ ศิริชาติ	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๖
๑๗) นายสุทธิชาญ สังข์ทอง	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๗
๑๘) นางสาวยุวดี ณ ระนอง	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๘
๑๙) นางสาวสุภาวรรณ สุวรรณภา	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๙
๒๐) นางสาวนภาจรัส หมื่นวงษ์	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๒๐

เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด เลขทะเบียน ว-๐๙๙
ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖ ลงวันที่ ๐๓ กรกฎาคม ๒๕๖๗

ข. เจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๖๑ ราย

๑) นางสาวณัฏฐณิชา ขาวสุทธิ์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๒
๒) นางสาวสุธิดา ทองประภา ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๕
๓) นายจิรยุทธ์ สามารถ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๗
๔) นายอัษฎา ไชยวงค์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๘
๕) นางสาวณัฐริสา บุญหนัก ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๙
๖) นายนฤดม โชติกาญจน์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๒
๗) นางสาวพรทิพย์ อัมภรัตน์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๓
๘) นายอัครวัฒน์ คชบก ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๕
๙) นางสาวธัญพิชชา สุดเขียน ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๖
๑๐) นางสาวพาขวัญ นนพละ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๗
๑๑) นางสาววิมลรัตน์ แปรงทอง ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๘
๑๒) นางสาวจรรยาวดี ขำแป้ง ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๙
๑๓) นางสาวธาราภรณ์ สมัยใหม่ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๐
๑๔) นางสาวรัตน์ชนก ชนะค้า ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๑
๑๕) นางสาวกมลทิพย์ พุ่มตาก้อง ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๒
๑๖) นางสาวสุพัดตรา ผาสุขพักตร์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๓
๑๗) นางสาวฉัตรยาลักษณ์ บรรดิษฐ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๔
๑๘) นางสาวอาภัสรา หล่าสูงเนิน ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๕
๑๙) นางสาวพิมพิศา ทับพันธ์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๖
๒๐) นางสาวอัจฉรี แก้วเพ็ชรวงค์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๗
๒๑) นางสาวชลธิชา กันยานุช ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๘
๒๒) นางสาวพิชามญชุ์ ยังผ่อง ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๙
๒๓) นางสาวณิชารีย์ ปริญญานุวัตร ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๐
๒๔) นายวัชรพล บุตรดีขันธ์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๑
๒๕) นางสาวณัฐติมา ปัดชา ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๒
๒๖) นายวัชรพงษ์ พูลเขตกิจ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๓
๒๗) นายศิวกร วงสุตาล ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๔
๒๘) นางสาวรวิภา จาระณะ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๕
๒๙) นางสาวธัญญาภรณ์ คณะศรี ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๖
๓๐) นางสาวพัชรพร อนุสร ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๗
๓๑) นายธนากร อริยพงษ์โสภณ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๘
๓๒) นางสาวบุษกร สมรักษ์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๙
๓๓) นางสาววิลาวัณย์ แก้วยม ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๐
๓๔) นางสาวธัญญาลักษณ์ แสงโยธา ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๑
๓๕) นายสุชาพงศ์ รุ่งเรือง ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๒

๓๖) นายสิทธิพร...

๓๖) นายสิทธิพร วงษ์คำ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๓
๓๗) นางเตชินี สืบเสระ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๔
๓๘) นางสาวธนัชพร คนแรง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๕
๓๙) นายภาณุพล โพธิ์แดง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๖
๔๐) นายวัชรางกูร กองแสง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๗
๔๑) นางสาวสุธาทิพย์ อิ่มน้อย	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๘
๔๒) นางสาวชมพูนุท กสิชีวิน	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๙
๔๓) นางสาวรวีวรรณ สุขารมย์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๐
๔๔) นางสาวกัญญาลักษณ์ กระทาง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๑
๔๕) นางสาวปิยธิดา ประแดงโค	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๒
๔๖) นางสาวปวิตรา นาเหล็ก	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๓
๔๗) นางสาวทักษพร ไกรสิงห์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๔
๔๘) นางสาวเบญจวรรณ คำหงษา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๕
๔๙) นางสาวพัชชา แก้วย้อย	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๖
๕๐) นางสาวณัฐชา สัมฤทธิ์ดี	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๗
๕๑) นายรอมซี กาเต๊ะ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๘
๕๒) นางสาวอังคนา อุ่นตา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๙
๕๓) นายสุริยะ ชูทอง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๐
๕๔) นายฉันทวิชญ์ เหลวกูล	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๑
๕๕) นายศิวาวุธ ธรรมนิทา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๒
๕๖) นายอนุวัฒน์ เรืองอ่อน	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๓
๕๗) นายฉัตรชัย โยวะผุย	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๔
๕๘) นายกลยุทธ์ อินทร์คำ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๕
๕๙) นางสาวนันทชา เนื้อนวล	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๖
๖๐) นางสาวจิตตวรรณ ลิ้มสมบูรณ์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๗
๖๑) ว่าที่ร้อยตรีนัฐพล สุทธิมล	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๘

เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด เลขทะเบียน ว-๐๙๙
ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖ ลงวันที่ ๐๓ กรกฎาคม ๒๕๖๗

ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑๙๓ รายการ

น้ำ/น้ำเสีย จำนวน 27 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
2	Barium	Digestion, Inductively Coupled Plasma Method[4]
3	Biochemical Oxygen Demand	1) 5-Day BOD Test, Azide Modification Method[4] 2) 5-Day BOD Test, Membrane Electrode Method[4]
4	Cadmium	Digestion, Inductively Coupled Plasma Method[4]
5	Chemical Oxygen Demand	Closed Reflux, Titrimetric Method[4]
6	Chromium	Digestion, Inductively Coupled Plasma Method[4]
7	Color	ADMI Weighted-Ordinate Spectrophotometric Method[4]
8	Copper	Digestion, Inductively Coupled Plasma Method[4]
9	Cyanide	Distillation, Colorimetric Method[4]
10	Formaldehyde	Distillation, Colorimetric Method[3]
11	Free Chlorine	1) Iodometric Method[4] 2) DPD Colorimetric Method[4]
12	Hexavalent Chromium	Colorimetric Method[4]
13	Lead	1) Digestion, Electrothermal Atomic Absorption Spectrometric Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
14	Manganese	Digestion, Inductively Coupled Plasma Method[4]
15	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[4]
16	Nickel	Digestion, Inductively Coupled Plasma Method[4]
17	Oil & Grease	Liquid-Liquid, Partition-Gravimetric Method[4]
18	pH	Electrometric Method[4]
19	Phenols	Distillation, Direct Photometric Method[4]
20	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]

21 Sulfide...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
21	Sulfide	Iodometric Method[4]
22	Temperature	Laboratory and Field Methods[4]
23	Total Dissolved Solids	Dried at 180 °C[4]
24	Total Kjeldahl Nitrogen	1) Macro-Kjeldahl Method[4] 2) Semi-Micro-Kjeldahl Method[4]
25	Total Suspended Solids	Dried from 103 to 105 °C[4]
26	Trivalent Chromium	Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation[4]
27	Zinc	Digestion, Inductively Coupled Plasma Method[4]

น้ำใต้ดิน จำนวน 61 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acetone	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
2	Antimony	Digestion, Inductively Coupled Plasma Method[4]
3	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
4	Barium	Digestion, Inductively Coupled Plasma Method[4]
5	Benzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
6	Beryllium	Digestion, Inductively Coupled Plasma Method[4]
7	Bromodichloromethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
8	Bromoform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
9	Cadmium	Digestion, Inductively Coupled Plasma Method[4]
10	Carbon disulfide	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
11	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
12	Chlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]

13 Chlorodibromomethane...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
13	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
14	Chloroform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
15	Chromium	Digestion, Inductively Coupled Plasma Method[4]
16	Chromium (III)	Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation[4]
17	Chromium (VI)	Colorimetric Method[4]
18	Cyanide	Distillation, Colorimetric Method[4]
19	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
20	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
21	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
22	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
23	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
24	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
25	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
26	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
27	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
28	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
29	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
30	Ethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]

31 Hexachloro-1,3-butadiene...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
31	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
32	Lead	1) Digestion, Electrothermal Atomic Absorption Spectrometric Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
33	Manganese	Digestion, Inductively Coupled Plasma Method[4]
34	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[4]
35	Methyl bromide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
36	Methylene chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
37	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
38	Naphthalene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
39	Nickel	Digestion, Inductively Coupled Plasma Method[4]
40	pH	Electrometric Method[4]
41	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
42	Silver	Digestion, Inductively Coupled Plasma Method[4]
43	Styrene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
44	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
45	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
46	Toluene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
47	TPH (C_5-C_8)	Purge and Trap, Gas Chromatographic Method[11,19]
48	TPH ($C_{>8}$-C_{16})	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[9,19]

49 TPH ($C_{>16}$-C_{35})...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
49	TPH ($C_{>16}$-C_{35})	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[9,19]
50	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
51	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
52	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
53	Trichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
54	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
55	Vanadium	Digestion, Inductively Coupled Plasma Method[4]
56	Vinyl chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
57	m-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
59	o-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
59	p-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
60	Xylene (Total)	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
61	Zinc	Digestion, Inductively Coupled Plasma Method[4]

<u>อากาศเสีย (ปล่องระบาย) จำนวน 26 รายการ</u>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
2	Arsenic	1) Isokinetic Sampling, Digestion, Hydride Generation/ Atomic Absorption Spectrometric Method[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]

3 Beryllium...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
3	Beryllium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
4	Cadmium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
5	Carbon Monoxide	Instrumental Analyzer Method[5]
6	Chlorine	1) Absorption Sampling, Ion Chromatographic Method[5] 2) Isokinetic Sampling, Ion Chromatographic Method[5]
7	Chromium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
8	Cobalt	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
9	Copper	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
10	Dioxins/Furans	Isokinetic Sampling[5]
11	Hydrogen Chloride	1) Absorption Sampling, Ion Chromatographic Method[5] 2) Isokinetic Sampling, Ion Chromatographic Method[5]
12	Hydrogen Fluoride	1) Absorption Sampling, Ion Chromatographic Method[5] 2) Isokinetic Sampling, Ion Chromatographic Method[5]
13	Hydrogen Sulfide	Absorption Sampling, Iodometric Method[5]
14	Lead	1) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5] 2) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method[5]
15	Manganese	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
16	Mercury	Isokinetic Sampling, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[5]
17	Nickel	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
18	Opacity	Ringelmann's Method[2]
19	Oxides of Nitrogen	1) Absorption Sampling, Alkaline Permanganate/ Colorimetric Method[5] 2) Instrumental Analyzer Method[5]
20	Selenium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]

21 Sulfur Dioxide...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
21	Sulfur Dioxide	1) Isokinetic Sampling, Barium-Thorin Titrimetric Method[5] 2) Absorption Sampling, Barium-Thorin Titrimetric Method[5] 3) Instrumental Analyzer Method[5]
22	Sulfuric Acid	Isokinetic Sampling, Barium-Thorin Titrimetric Method[5]
23	Tin	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
24	Total Suspended Particulate	Isokinetic Sampling, Gravimetric Method[5]
25	Vanadium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
26	Xylene	Adsorption Sampling, Gas Chromatographic Method[5]

<u>สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน 20 รายการ</u>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
2	Arsenic	1) Waste Extraction, Digestion, Hydride Generation/ Atomic Absorption Spectrometric Method[1,6,14] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[7,14] 4) Digestion, Inductively Coupled Plasma Method[7,13]
3	Barium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
4	Beryllium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
5	Cadmium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]

6 Chromium...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
6	Chromium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
7	Chromium (III)	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method; Waste Extraction, Colorimetric Method; Calculation[1,6,13,15] 2) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation[7,8,13,15]
8	Chromium (VI)	1) Waste Extraction, Colorimetric Method[1,15] 2) Alkaline Digestion, Colorimetric Method[8,15]
9	Cobalt	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
10	Copper	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
11	Lead	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
12	Mercury	1) Waste Extraction, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[1,6,16] 2) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[17]
13	Molybdenum	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
14	Nickel	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
15	pH	Electrometric Method[21,22]
16	Selenium	1) Waste Extraction, Digestion, Hydride Generation/ Atomic Absorption Spectrometric Method[1,6,18] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13]

3) Digestion...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
		3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[7,18]
		4) Digestion, Inductively Coupled Plasma Method[7,13]
17	Silver	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13]
		2) Digestion, Inductively Coupled Plasma Method[7,13]
18	Thallium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13]
		2) Digestion, Inductively Coupled Plasma Method[7,13]
19	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13]
		2) Digestion, Inductively Coupled Plasma Method[7,13]
20	Zinc	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13]
		2) Digestion, Inductively Coupled Plasma Method[7,13]

<u>ดิน จำนวน 59 รายการ</u>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acetone	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
2	Antimony	Digestion, Inductively Coupled Plasma Method[7,13]
3	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[7,14]
		2) Digestion, Inductively Coupled Plasma Method[7,13]
4	Barium	Digestion, Inductively Coupled Plasma Method[7,13]
5	Benzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
6	Beryllium	Digestion, Inductively Coupled Plasma Method[7,13]
7	Bromodichloromethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
8	Bromoform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
9	Cadmium	Digestion, Inductively Coupled Plasma Method[7,13]

10 Carbon disulfide...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
10	Carbon disulfide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
11	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
12	Chlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
13	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
14	Chloroform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
15	Chromium	Digestion, Inductively Coupled Plasma Method[7,13]
16	Chromium (III)	Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation [7,8,13,15]
17	Chromium (VI)	Alkaline Digestion, Colorimetric Method[8,15]
18	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
19	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
20	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
21	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
22	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
23	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
24	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
25	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
26	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
27	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]

1,3-Dichloropropene...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
28	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
29	Ethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
30	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
31	Lead	Digestion, Inductively Coupled Plasma Method[7,13]
32	Manganese	Digestion, Inductively Coupled Plasma Method[7,13]
33	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[17]
34	Methyl bromide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
35	Methylene chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
36	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
37	Naphthalene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
38	Nickel	Digestion, Inductively Coupled Plasma Method[7,13]
39	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[7,18] 2) Digestion, Inductively Coupled Plasma Method[7,13]
40	Silver	Digestion, Inductively Coupled Plasma Method[7,13]
41	Styrene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
42	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
43	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
44	Toluene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
45	TPH (C_5-C_8)	Purge and Trap, Gas Chromatographic Method[12,19]
46	TPH ($C_{>8}$-C_{16})	Ultrasonic Extraction, Gas Chromatographic Method[10,19]

47 TPH ($C_{>16}$-C_{35})...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
47	TPH ($C_{>16}$-C_{35})	Ultrasonic Extraction, Gas Chromatographic Method[10,19]
48	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
49	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
50	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
51	Trichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
52	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
53	Vanadium	Digestion, Inductively Coupled Plasma Method[7,13]
54	Vinyl chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
55	m-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
56	o-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
57	p-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
58	Xylene (Total)	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
59	Zinc	Digestion, Inductively Coupled Plasma Method[7,13]

เอกสารอ้างอิง

1. กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2566. เรื่อง การจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว. **ราชกิจจานุเบกษา.** 31 พฤษภาคม 2566. เล่มที่ 140 ตอนพิเศษ 126 ง.

2. กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณเขม่าควันที่เจือปนในอากาศที่ระบายออกจากปล่องของหม้อน้ำโรงสีข้าวที่ใช้แกลบเป็นเชื้อเพลิง. **ราชกิจจานุเบกษา.** 4 ธันวาคม 2549. เล่มที่ 123 ตอนพิเศษ 125ง.

3. สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย. **คู่มือวิเคราะห์น้ำเสีย.** พิมพ์ครั้งที่ 4. กรุงเทพฯ: เรือนแก้วการพิมพ์, 2547.

4. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater.** 24th ed. Washington, DC: APHA, 2023.

5. United States...

5. United States Environmental Protection Agency. **Standards of Performance for New Stationary Sources.** 40 CFR 60. Appendix A, 2023.

6. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. SW-846,** 1997.

7. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Acid Digestion of Sludges and Sediments and Soils. SW-846 Method 3050B,** 1996.

8. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Alkaline Digestion for Hexavalent Chromium. SW-846 Method 3060A,** 1996.

9. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Separatory Funnel Liquid-Liquid Extraction. SW-846 Method 3510C,** 1996.

10. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Ultrasonic Extraction. SW-846 Method 3550C,** 2007.

11. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/ Chemical Methods. **Purge-and-Trap for Aqueous Samples. SW-846 Method 5030C,** 2003.

12. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Closed-System Purge-and-Trap and Extraction for Volatile Organics in Soil and Waste Samples. SW-846 Method 5035A,** 2002.

13. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Inductively Coupled Plasma - Atomic Emission Spectrometry. SW-846 Method 6010D,** 2018.

14. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Antimony and Arsenic (Atomic Absorption, Borohydride Reduction). SW-846 Method 7062,** 1994.

15. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chromium, Hexavalent (Colorimetric). SW-846 Method 7196A,** 1992.

16. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/ Chemical Methods. **Mercury in Liquid Waste (Manual Cold-Vapor Technique). SW-846 Method 7470A,** 1994.

17. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/ Chemical Methods. **Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique). SW-846 Method 7471B,** 2007.

18. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/ Chemical Methods. **Selenium (Atomic Absorption, Borohydride Reduction). SW-846 Method 7742,** 1994.

19. United States

19. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Nonhalogenated Organics Using GC/FID. SW-846 Method 8015D,** 2003.

20. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/ Chemical Methods. **Volatile Organic Compounds by Gas Chromatography/ Mass Spectrometry (GC/MS). SW-846 Method 8260C,** 1996.

21. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **pH Electrometric Measurement. SW-846 Method 9040C,** 2004.

22. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Soil and Waste pH. SW-846 Method 9045D,** 2004.



ที่ อก ๐๓๑๐(๑)/ ๑๑๕๒๓

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๑ พฤศจิกายน ๒๕๖๗

เรื่อง เปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๒๓ กันยายน ๒๕๖๗

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์ บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด จำนวน ๒ แผ่น

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง เขตหลักสี่ กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์ ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๒ ราย

๑) นางสาวกมลทิพย์ พุ่มตาก้อง ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๒

๒) นายศิวาวุธ ธรรมนิทา ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๒

๒. ให้เพิ่มขอบข่ายชนิดสารมลพิษที่วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน และดิน ตามสิ่งที่ส่งมาด้วย

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ในวันที่ ๑๘ พฤษภาคม ๒๕๗๑

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายธีรทัศน์ อิศรางกูร ณ อยุธยา)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์
บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด เลขทะเบียน ว-๐๙๙
ที่ อก ๐๓๑๐(๑)/ ๑๑๕๒๓ ลงวันที่ ๒๑ พฤศจิกายน ๒๕๖๗

ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๔๗ รายการ

น้ำ/น้ำเสีย จำนวน 19 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
2	α-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
3	β-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
4	δ-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
5	γ-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
6	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
7	o,p'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
8	4,4'-DDD	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
9	4,4'-DDE	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
10	4,4'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
11	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
12	Endosulfan I	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
13	Endosulfan II	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
14	Endosulfan sulfate	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
15	Endrin	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
16	Endrin aldehyde	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
17	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
18	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
19	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method[1]

น้ำใต้ดิน จำนวน 14 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
2	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
3	DDD	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
4	DDE	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
5	DDT	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
6	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic Method[1]

คุณ

7 Endosulfan...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
7	Endosulfan	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
8	Endrin	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
9	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
10	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
11	α-HCH	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
12	β-HCH	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
13	γ-HCH	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
14	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method[1]

<u>ดิน จำนวน 14 รายการ</u>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
2	Chlordane	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
3	DDD	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
4	DDE	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
5	DDT	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
6	Dieldrin	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
7	Endosulfan	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
8	Endrin	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
9	Heptachlor	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
10	Heptachlor epoxide	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
11	α-HCH	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
12	β-HCH	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
13	γ-HCH	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
14	Methoxychlor	Ultrasonic Extraction, Gas Chromatographic Method[2,3]

<u>เอกสารอ้างอิง</u>

1. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater.** 24th ed. Washington, DC: APHA, 2023.

2. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Ultrasonic Extraction. SW-846 Method 3550C**, 2007.

3. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organochlorine Pesticides by Gas Chromatography. SW-846 Method 8081B,** 2007.

ที่ อก ๐๓๑๐(๑)/ ๑๖๐๘

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๘ กุมภาพันธ์ ๒๕๖๘

เรื่อง เปลี่ยนแปลงสารมลพิษที่วิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๒๗ มกราคม ๒๕๖๘

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือเปลี่ยนแปลงสารมลพิษที่วิเคราะห์ บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด จำนวน ๑ แผ่น

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง เขตหลักสี่ กรุงเทพมหานคร ขอเปลี่ยนแปลงสารมลพิษที่วิเคราะห์ ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด เพิ่มขอบข่ายชนิดสารมลพิษที่วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน อากาศเสีย และดิน ตามสิ่งที่ส่งมาด้วย

อนึ่ง หนังสือฉบับนี้จะสิ้นอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ในวันที่ ๑๘ พฤษภาคม ๒๕๗๑

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายธีรทัศน์ อิศรางกูร ณ อยุธยา)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

เอกสารแนบท้ายหนังสือเปลี่ยนแปลงสารมลพิษที่วิเคราะห์
บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด เลขทะเบียน ว-๐๙๙
ที่ อก ๐๓๑๐(๑)/ ๑๖๐๘ ลงวันที่ ๒๘ กุมภาพันธ์ ๒๕๖๘

ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๔ รายการ

น้ำ/น้ำเสีย จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Toxaphene	Liquid-Liquid Extraction, Gas Chromatographic Method[1]

น้ำใต้ดิน จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Toxaphene	Liquid-Liquid Extraction, Gas Chromatographic Method[1]

อากาศเสีย (ปล่องระบาย) จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Cresol	Adsorption Sampling, Gas Chromatographic Method[2]

ดิน จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Toxaphene	Ultrasonic Extraction, Gas Chromatographic Method[3,4]

เอกสารอ้างอิง

1. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater.** 24th ed. Washington, DC: APHA, 2017.

2. United States Environmental Protection Agency. **Standards of Performance for New Stationary Sources.** 40 CFR 60. Appendix A, 2023.

3. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Ultrasonic Extraction. SW-846 Method 3550C**, 2007.

4. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organochlorine Pesticides by Gas Chromatography. SW-846 Method 8081B,** 2007.

ที่ อก ๐๓๑๐(๑)/ ๕๗๖๓

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๐๘ กรกฎาคม ๒๕๖๘

เรื่อง ยกเลิกบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๑ กรกฎาคม ๒๕๖๘

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง เขตหลักสี่ กรุงเทพมหานคร ขอยกเลิกบุคลากร ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้ยกเลิกเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๑๐ ราย ได้แก่

๑) นางสาวสุพัดตรา ผาสุขพักตร์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๓
๒) นางสาวฉัตรยาลักษณ์ บรรดิษฐ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๔
๓) นางสาวณัฐติมา ปัดชา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๒
๔) นายวัชรพงษ์ พูลเขตกิจ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๓
๕) นางสาวรวิภา จาระณะ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๕
๖) นางสาวธัญญาภรณ์ คณะศรี	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๖
๗) นางสาวบุษกร สมรักษ์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๙
๘) นางสาววิลาวัณย์ แก้วยม	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๐
๙) นางสาวธัญญาลักษณ์ แสงโยธา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๑
๑๐) นางสาวชมพูนุท กสิชีวิน	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๙

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายประสม ดำรงพงษ์)
ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน
ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

ภาคผนวกที่ 6

เอกสารสอบเทียบเครื่องมือตรวจวัด

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

Calibration Report

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Date : กรกฎาคม – ธันวาคม 2568

Water

Item	Equipment	Manufacturer	Model	Serial Number	Calibration Date
1	pH Meter	Eutech	pHTestr 30	3195381	January 15, 2025
2	Incubator	Hotpack	352601	78633	November 29, 2024
3	Incubator	Accuplus	SMART i250	2059-0218-0002	October 9, 2025
4	DO Meter	YSI	5000-115V	03C1280 AC	September 6, 2024
5	DO Meter	YSI	5000-115V	17H104220	September 26, 2025
6	Electronic Balance	Mettler Toledo	MS204S/01	B334691537	January 15, 2025
7	Hot Air Oven	Binder	FED 115 E2	11-22823	January 6, 2025
8	Hot Air Oven	Memmert	UF 110	B414.0652	January 6, 2025

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

Calibration Report

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Date : กรกฎาคม – ธันวาคม 2568

Water (Cont.)

Item	Equipment	Manufacturer	Model	Serial Number	Calibration Date
9	KjelDigester Standard	Buchi	K-449	1000299283	July 4, 2024
	Distillation Unit	Buchi	K-355	100142231	July 4, 2024
10	KjelDigester Standard	Buchi	K-449	1000299283	Jun 6, 2025
	Distillation Unit	Buchi	K-355	100142231	Jun 6, 2025
11	Electronic Balance	Mettler Toledo	MS204TS/00	B547728937	January 15, 2025
12	UV-VIS Spectrophotometer	Perkin Elmer	Lambda 365+	365PK22072603	January 7, 2025
13	Incubator	Memmert	IF 160	D522.0070	January 6-7, 2025

(Ms.Napajarut Muenwong)
Environmental Scientist

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Panicha Promchai)
Laboratory Supervisor