

ภาคผนวกที่ 3

ใบรายงานผลการวิเคราะห์จากห้องปฏิบัติการ

ANALYSIS REPORT


Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Sampling Source : Ambient Air Quality
Sampling Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674703 E, 1515273 N
Sampling Date : July 18-21, 2025
Sampling Time : 10:40
Sampling Method : U.S. EPA 40 CFR Part 50
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Analysis No. : 2025-AD786
Received Date : July 22, 2025
Analytical Date : July 22-31, 2025
Report No. : 2025-RAAS747
Report Date : August 1, 2025

Parameter	Unit	Method of Analysis	Result			Standard ^{1'}
			Jul 18-19, 25	Jul 19-20, 25	Jul 20-21, 25	
Total Suspended Particulate (TSP) 24 Hours Average	mg/m ³	High-Volume, Gravimetric	0.094	0.108	0.067	0.330
Particulate Size Less Than 10 Micron (PM10) 24 Hours Average	mg/m ³	PM10 Size Selective, High-Volume, Gravimetric	0.043	0.055	0.034	0.120
Sulfur Dioxide (SO ₂) 24 Hours Average	ppm	Absorption, Pararosaniline	<0.003	<0.003	<0.003	0.120

Remark : ^{1'} Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995) and Notification No.24, B.E.2547 (2004), published in the Royal Government Gazette No.121 Special Part 104D dated September 22, B.E.2547 (2004), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).

Ncl. Q
(Ms.Natnicha Sermmatiwong)
Laboratory Reviewer



(Ms.Ramita Taengthai)
Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กุดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Sampling Source : Ambient Air Quality
Sampling Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674706 E, 1515273 N
Sampling Date : August 22-25, 2025
Sampling Time : 10:00
Sampling Method : U.S. EPA 40 CFR Part 50
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Analysis No. : 2025-AE383
Received Date : August 26, 2025
Analytical Date : August 26-September 1, 2025
Report No. : 2025-RAAV035
Report Date : September 1, 2025

Parameter	Unit	Method of Analysis	Result			Standard ^{1'}
			Aug 22-23, 25	Aug 23-24, 25	Aug 24-25, 25	
Total Suspended Particulate (TSP) 24 Hours Average	mg/m ³	High-Volume, Gravimetric	0.040	0.064	0.065	0.330
Particulate Size Less Than 10 Micron (PM10) 24 Hours Average	mg/m ³	PM10 Size Selective, High-Volume, Gravimetric	0.021	0.032	0.031	0.120
Sulfur Dioxide (SO ₂) 24 Hours Average	ppm	Absorption, Pararosaniline	<0.003	<0.003	<0.003	0.120

Remark : ^{1'} Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995) and Notification No.24, B.E.2547 (2004), published in the Royal Government Gazette No.121 Special Part 104D dated September 22, B.E.2547 (2004), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).

Nct.
(Ms.Natnicha Sermmatiwong)
Laboratory Reviewer



(Ms.Ramita Taengthai)
Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Sampling Source : Ambient Air Quality
Sampling Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674686 E, 1515294 N
Sampling Date : September 19-22, 2025
Sampling Time : 10:35
Sampling Method : U.S. EPA 40 CFR Part 50
Sampling By : Mr.Arnon Kuanhanghong
Analyzed By : Environment Research & Technology Co., Ltd.


Quotation No. : MR2024-02126
Analysis No. : 2025-AF028
Received Date : September 24, 2025
Analytical Date : September 24-October 6, 2025
Report No. : 2025-RAAX648
Report Date : October 7, 2025

Parameter	Unit	Method of Analysis	Result			Standard ^{1'}
			Sep 19-20, 25	Sep 20-21, 25	Sep 21-22, 25	
Total Suspended Particulate (TSP) 24 Hours Average	mg/m ³	High-Volume, Gravimetric	0.060	0.066	0.098	0.330
Particulate Size Less Than 10 Micron (PM10) 24 Hours Average	mg/m ³	PM10 Size Selective, High-Volume, Gravimetric	0.032	0.036	0.053	0.120
Sulfur Dioxide (SO ₂) 24 Hours Average	ppm	Absorption, Pararosaniline	<0.003	<0.003	<0.003	0.120

Remark : ^{1'} Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995) and Notification No.24, B.E.2547 (2004), published in the Royal Government Gazette No.121 Special Part 104D dated September 22, B.E.2547 (2004), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).

Ncl. 
 (Ms.Natnicha Sermmatiwong)
 Laboratory Reviewer




 (Ms.Ramita Taengthai)
 Laboratory Supervisor

ANALYSIS REPORT



Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Sampling Source : Ambient Air Quality
Sampling Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674702 E, 1515273 N
Sampling Date : October 24-27, 2025
Sampling Time : 09:25
Sampling Method : U.S. EPA 40 CFR Part 50
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Analysis No. : 2025-AF702
Received Date : October 28, 2025
Analytical Date : October 28-November 4, 2025
Report No. : 2025-RABA259
Report Date : November 5, 2025

Parameter	Unit	Method of Analysis	Result			Standard ^{1'}
			Oct 24-25, 25	Oct 25-26, 25	Oct 26-27, 25	
Total Suspended Particulate (TSP) 24 Hours Average	mg/m ³	High-Volume, Gravimetric	0.160	0.141	0.153	0.330
Particulate Size Less Than 10 Micron (PM10) 24 Hours Average	mg/m ³	PM10 Size Selective, High-Volume, Gravimetric	0.087	0.079	0.085	0.120
Sulfur Dioxide (SO ₂) 24 Hours Average	ppm	Absorption, Pararosaniline	<0.003	<0.003	<0.003	0.120

Remark : ^{1'} Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995) and Notification No.24, B.E.2547 (2004), published in the Royal Government Gazette No.121 Special Part 104D dated September 22, B.E.2547 (2004), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).

Not. 
 (Ms.Natnicha Sermmatiwong)
 Laboratory Reviewer

 
 (Ms.Ramita Taengthai)
 Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Sampling Source : Ambient Air Quality
Sampling Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674702 E, 1515276 N
Sampling Date : November 15-18, 2025
Sampling Time : 11:10
Sampling Method : U.S. EPA 40 CFR Part 50
Sampling By : Mr.Chanthawit Leawkool
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Analysis No. : 2025-AG308
Received Date : November 20, 2025
Analytical Date : November 20-28, 2025
Report No. : 2025-RABC691
Report Date : December 1, 2025

Parameter	Unit	Method of Analysis	Result			Standard ^{1'}
			Nov 15-16, 25	Nov 16-17, 25	Nov 17-18, 25	
Total Suspended Particulate (TSP) 24 Hours Average	mg/m ³	High-Volume, Gravimetric	0.164	0.142	0.169	0.330
Particulate Size Less Than 10 Micron (PM10) 24 Hours Average	mg/m ³	PM10 Size Selective, High-Volume, Gravimetric	0.087	0.074	0.091	0.120
Sulfur Dioxide (SO ₂) 24 Hours Average	ppm	Absorption, Pararosaniline	<0.003	<0.003	<0.003	0.120

Remark : ^{1'} Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995) and Notification No.24, B.E.2547 (2004), published in the Royal Government Gazette No.121 Special Part 104D dated September 22, B.E.2547 (2004), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).

Not.
(Ms.Natnicha Sermmatiwong)
Laboratory Reviewer



(Ms.Ramita Taengthai)
Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Sampling Source : Ambient Air Quality
Sampling Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674688 E, 1515284 N
Sampling Date : December 6-9, 2025
Sampling Time : 11:20
Sampling Method : U.S. EPA 40 CFR Part 50
Sampling By : Mr.Arnon Kuanhanghong
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Analysis No. : 2025-AG894
Received Date : December 11, 2025
Analytical Date : December 11-25, 2025
Report No. : 2025-RABF365
Report Date : December 25, 2025

Parameter	Unit	Method of Analysis	Result			Standard ^{1'}
			Dec 6-7, 25	Dec 7-8, 25	Dec 8-9, 25	
Total Suspended Particulate (TSP) 24 Hours Average	mg/m ³	High-Volume, Gravimetric	0.129	0.115	0.104	0.330
Particulate Size Less Than 10 Micron (PM10) 24 Hours Average	mg/m ³	PM10 Size Selective, High-Volume, Gravimetric	0.066	0.060	0.055	0.120
Sulfur Dioxide (SO ₂) 24 Hours Average	ppm	Absorption, Pararosaniline	<0.003	<0.003	<0.003	0.120

Remark : ^{1'} Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995) and Notification No.24, B.E.2547 (2004), published in the Royal Government Gazette No.121 Special Part 104D dated September 22, B.E.2547 (2004), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).

(Ms.Natnicha Sermmatiwong)
Laboratory Reviewer

(Ms.Ramita Taengthai)
Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กุดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Sampling Source : Ambient Air Quality
Sampling Point : ภายในโครงการด้านทิศใต้
GPS. Coordinate : UTM (WGS84) 47P 0674771 E, 1515305 N
Sampling Date : July 18-21, 2025
Sampling Time : 11:40
Sampling Method : U.S. EPA 40 CFR Part 50
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Analysis No. : 2025-AD786
Received Date : July 22, 2025
Analytical Date : July 22-31, 2025
Report No. : 2025-RAAS748
Report Date : August 1, 2025

Parameter	Unit	Method of Analysis	Result			Standard ^{1'}
			Jul 18-19, 25	Jul 19-20, 25	Jul 20-21, 25	
Total Suspended Particulate (TSP) 24 Hours Average	mg/m ³	High-Volume, Gravimetric	0.208	0.186	0.102	0.330
Particulate Size Less Than 10 Micron (PM10) 24 Hours Average	mg/m ³	PM10 Size Selective, High-Volume, Gravimetric	0.082	0.078	0.046	0.120

Remark : ^{1'} Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995) and Notification No.24, B.E.2547 (2004), published in the Royal Government Gazette No.121 Special Part 104D dated September 22, B.E.2547 (2004), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).

Not. S
(Ms.Natnicha Sermmatiwong)
Laboratory Reviewer



(Ms.Ramita Taengthai)
Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Sampling Source : Ambient Air Quality
Sampling Point : ภายในโครงการด้านทิศใต้
GPS. Coordinate : UTM (WGS84) 47P 0674775 E, 1515302 N
Sampling Date : August 22-25, 2025
Sampling Time : 11:00
Sampling Method : U.S. EPA 40 CFR Part 50
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Analysis No. : 2025-AE383
Received Date : August 26, 2025
Analytical Date : August 26-September 1, 2025
Report No. : 2025-RAAV040
Report Date : September 1, 2025

Parameter	Unit	Method of Analysis	Result			Standard ¹
			Aug 22-23, 25	Aug 23-24, 25	Aug 24-25, 25	
Total Suspended Particulate (TSP) 24 Hours Average	mg/m ³	High-Volume, Gravimetric	0.163	0.146	0.183	0.330
Particulate Size Less Than 10 Micron (PM10) 24 Hours Average	mg/m ³	PM10 Size Selective, High-Volume, Gravimetric	0.080	0.077	0.092	0.120

Remark : ¹ Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995) and Notification No.24, B.E.2547 (2004), published in the Royal Government Gazette No.121 Special Part 104D dated September 22, B.E.2547 (2004), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).

Nct.
(Ms.Natnicha Sermmatiwong)
Laboratory Reviewer



(Ms.Ramita Taengthai)
Laboratory Supervisor

ANALYSIS REPORT


Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Sampling Source : Ambient Air Quality
Sampling Point : ภายในโครงการด้านทิศใต้
GPS. Coordinate : UTM (WGS84) 47P 0674770 E, 1515313 N
Sampling Date : September 19-22, 2025
Sampling Time : 09:50
Sampling Method : U.S. EPA 40 CFR Part 50
Sampling By : Mr.Arnon Kuanhanghong
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Analysis No. : 2025-AF028
Received Date : September 24, 2025
Analytical Date : September 24-October 2, 2025
Report No. : 2025-RAAX652
Report Date : October 7, 2025

Parameter	Unit	Method of Analysis	Result			Standard ^{1'}
			Sep 19-20, 25	Sep 20-21, 25	Sep 21-22, 25	
Total Suspended Particulate (TSP) 24 Hours Average	mg/m ³	High-Volume, Gravimetric	0.136	0.140	0.169	0.330
Particulate Size Less Than 10 Micron (PM10) 24 Hours Average	mg/m ³	PM10 Size Selective, High-Volume, Gravimetric	0.074	0.077	0.092	0.120

Remark : ^{1'} Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995) and Notification No.24, B.E.2547 (2004), published in the Royal Government Gazette No.121 Special Part 104D dated September 22, B.E.2547 (2004), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).

Net. S.
(Ms.Natnicha Sermmatiwong)
Laboratory Reviewer



envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Ramita Taengthai)
Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Sampling Source : Ambient Air Quality
Sampling Point : ภายในโครงการด้านทิศใต้
GPS. Coordinate : UTM (WGS84) 47P 0674775 E, 1515300 N
Sampling Date : October 24-27, 2025
Sampling Time : 10:25
Sampling Method : U.S. EPA 40 CFR Part 50
Sampling By : Mr.Suchapong Rungruueang
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Analysis No. : 2025-AF702
Received Date : October 28, 2025
Analytical Date : October 28-November 4, 2025
Report No. : 2025-RABA263
Report Date : November 5, 2025

Parameter	Unit	Method of Analysis	Result			Standard ¹
			Oct 24-25, 25	Oct 25-26, 25	Oct 26-27, 25	
Total Suspended Particulate (TSP) 24 Hours Average	mg/m ³	High-Volume, Gravimetric	0.083	0.139	0.130	0.330
Particulate Size Less Than 10 Micron (PM10) 24 Hours Average	mg/m ³	PM10 Size Selective, High-Volume, Gravimetric	0.040	0.068	0.058	0.120

Remark : ¹ Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995) and Notification No.24, B.E.2547 (2004), published in the Royal Government Gazette No.121 Special Part 104D dated September 22, B.E.2547 (2004), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).

Nat. S.
(Ms.Natnicha Sermmatiwong)
Laboratory Reviewer


(Ms.Ramita Taengthai)
Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู๊ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Sampling Source : Ambient Air Quality
Sampling Point : ภายในโครงการด้านทิศใต้
GPS. Coordinate : UTM (WGS84) 47P 0674776 E, 1515299 N
Sampling Date : November 15-18, 2025
Sampling Time : 10:15
Sampling Method : U.S. EPA 40 CFR Part 50
Sampling By : Mr.Chanthawit Leawkool
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Analysis No. : 2025-AG308
Received Date : November 20, 2025
Analytical Date : November 20-28, 2025
Report No. : 2025-RABC692
Report Date : December 1, 2025

Parameter	Unit	Method of Analysis	Result			Standard ^{1'}
			Nov 15-16, 25	Nov 16-17, 25	Nov 17-18, 25	
Total Suspended Particulate (TSP) 24 Hours Average	mg/m ³	High-Volume, Gravimetric	0.097	0.090	0.122	0.330
Particulate Size Less Than 10 Micron (PM10) 24 Hours Average	mg/m ³	PM10 Size Selective, High-Volume, Gravimetric	0.051	0.046	0.065	0.120

Remark : ^{1'} Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995) and Notification No.24, B.E.2547 (2004), published in the Royal Government Gazette No.121 Special Part 104D dated September 22, B.E.2547 (2004), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).

Nct-
(Ms.Natnicha Sermmatiwong)
Laboratory Reviewer



(Ms.Ramita Taengthai)
Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด หาดใหญ่ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Sampling Source : Ambient Air Quality
Sampling Point : ภายในโครงการด้านทิศใต้
GPS. Coordinate : UTM (WGS84) 47P 0674769 E, 1515310 N
Sampling Date : December 6-9, 2025
Sampling Time : 11:55
Sampling Method : U.S. EPA 40 CFR Part 50
Sampling By : Mr.Arnon Kuanhanghong
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Analysis No. : 2025-AG894
Received Date : December 11, 2025
Analytical Date : December 11-25, 2025
Report No. : 2025-RABF366
Report Date : December 25, 2025

Parameter	Unit	Method of Analysis	Result			Standard ^{1'}
			Dec 6-7, 25	Dec 7-8, 25	Dec 8-9, 25	
Total Suspended Particulate (TSP) 24 Hours Average	mg/m ³	High-Volume, Gravimetric	0.140	0.127	0.102	0.330
Particulate Size Less Than 10 Micron (PM10) 24 Hours Average	mg/m ³	PM10 Size Selective, High-Volume, Gravimetric	0.073	0.065	0.055	0.120

Remark : ^{1'} Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995) and Notification No.24, B.E.2547 (2004), published in the Royal Government Gazette No.121 Special Part 104D dated September 22, B.E.2547 (2004), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).

(Ms.Natnicha Sermmatiwong)
Laboratory Reviewer


(Ms.Ramita Taengthai)
Laboratory Supervisor

ANALYSIS REPORT


Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Sampling Source : Ambient Air Quality
Sampling Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674703 E, 1515273 N
Sampling Date : July 19-21, 2025
Sampling Time : 09:39
Sampling Method : APHA 108
Sampling By : Mr.Suchapong Rungruang
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Folder No. : 2025-AD786
Received Date : July 22, 2025
Analytical Date : July 22, 2025
Report No. : 2025-RAAS245
Report Date : August 1, 2025

Parameter	Unit	Method of Analysis	Result		
			Jul 19, 25	Jul 20, 25	Jul 21, 25
Total Hydrocarbon	ppm	Flame Ionization Detection Method	2.42	2.67	2.65
Methane Hydrocarbon	ppm	Flame Ionization Detection Method	1.83	1.99	1.98
Non-Methane Hydrocarbon	ppm	Flame Ionization Detection Method	0.59	0.68	0.67


(Ms.Piyatida Pradangkho)
Laboratory Reviewer




(Ms.Panicha Promchai)
Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Sampling Source : Ambient Air Quality
Sampling Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674706 E, 1515273 N
Sampling Date : August 23-25, 2025
Sampling Time : 09:15
Sampling Method : APHA 108
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Folder No. : 2025-AE383
Received Date : August 26, 2025
Analytical Date : August 26, 2025
Report No. : 2025-RAAU921
Report Date : September 1, 2025

Parameter	Unit	Method of Analysis	Result		
			Aug 23, 25	Aug 24, 25	Aug 25, 25
Total Hydrocarbon	ppm	Flame Ionization Detection Method	2.86	2.75	2.63
Methane Hydrocarbon	ppm	Flame Ionization Detection Method	2.08	2.03	1.95
Non-Methane Hydrocarbon	ppm	Flame Ionization Detection Method	0.78	0.72	0.68

(Ms.Piyatida Pradangkho)
Laboratory Reviewer


(Ms.Panicha Promchai)
Laboratory Supervisor


ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Sampling Source : Ambient Air Quality
Sampling Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674686 E, 1515294 N
Sampling Date : September 20-22, 2025
Sampling Time : 08:35
Sampling Method : APHA 108
Sampling By : Mr.Arnon Kuanhanghong
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Folder No. : 2025-AF028
Received Date : September 25, 2025
Analytical Date : September 25, 2025
Report No. : 2025-RAAX540
Report Date : October 3, 2025

Parameter	Unit	Method of Analysis	Result		
			Sep 20, 25	Sep 21, 25	Sep 22, 25
Total Hydrocarbon	ppm	Flame Ionization Detection Method	2.54	2.45	2.61
Methane Hydrocarbon	ppm	Flame Ionization Detection Method	1.94	1.89	1.98
Non-Methane Hydrocarbon	ppm	Flame Ionization Detection Method	0.60	0.56	0.63


 (Ms.Piyatida Pradangkho)
 Laboratory Reviewer




 (Ms.Panicha Promchai)
 Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Sampling Source : Ambient Air Quality
Sampling Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674702 E, 1515273 N
Sampling Date : October 25-27, 2025
Sampling Time : 09:00
Sampling Method : APHA 108
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Folder No. : 2025-AF702
Received Date : October 28, 2025
Analytical Date : October 28-30, 2025
Report No. : 2025-RABA306
Report Date : November 6, 2025

Parameter	Unit	Method of Analysis	Result		
			Oct 25, 25	Oct 26, 25	Oct 27, 25
Total Hydrocarbon	ppm	Flame Ionization Detection Method	2.76	2.83	2.60
Methane Hydrocarbon	ppm	Flame Ionization Detection Method	2.02	2.07	1.89
Non-Methane Hydrocarbon	ppm	Flame Ionization Detection Method	0.74	0.76	0.71

(Ms.Piyatida Pradangkho)
Laboratory Reviewer


(Ms.Panicha Promchai)
Laboratory Supervisor


ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Sampling Source : Ambient Air Quality
Sampling Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674702 E, 1515276 N
Sampling Date : November 16-18, 2025
Sampling Time : 08:05
Sampling Method : APHA 108
Sampling By : Mr.Chanthawit Leawkool
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Folder No. : 2025-AG308
Received Date : November 20, 2025
Analytical Date : November 20-24, 2025
Report No. : 2025-RABC491
Report Date : December 1, 2025

Parameter	Unit	Method of Analysis	Result		
			Nov 16, 25	Nov 17, 25	Nov 18, 25
Total Hydrocarbon	ppm	Flame Ionization Detection Method	2.62	2.45	2.67
Methane Hydrocarbon	ppm	Flame Ionization Detection Method	1.92	1.83	1.95
Non-Methane Hydrocarbon	ppm	Flame Ionization Detection Method	0.70	0.62	0.72


 (Ms. Piyatida Pradangkho)
 Laboratory Reviewer



 (Ms. Panicha Promchai)
 Laboratory Supervisor


ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Sampling Source : Ambient Air Quality
Sampling Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674688 E, 1515284 N
Sampling Date : December 7-9, 2025
Sampling Time : 08:10
Sampling Method : APHA 108
Sampling By : Mr.Arnon Kuanhanghong
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Folder No. : 2025-AG894
Received Date : December 15, 2025
Analytical Date : December 15, 2025
Report No. : 2025-RAB618
Report Date : December 22, 2025

Parameter	Unit	Method of Analysis	Result		
			Dec 7, 25	Dec 8, 25	Dec 9, 25
Total Hydrocarbon	ppm	Flame Ionization Detection Method	2.66	2.76	2.53
Methane Hydrocarbon	ppm	Flame Ionization Detection Method	1.97	2.03	1.92
Non-Methane Hydrocarbon	ppm	Flame Ionization Detection Method	0.69	0.73	0.61


 (Ms.Piyatida Pradangkho)
 Laboratory Reviewer


 (Ms.Panicha Promchai)
 Laboratory Supervisor


ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Measured Source : Ambient Air Quality
Measured Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674703 E, 1515273 N
Measured Date : July 18-21, 2025
Measured By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Measured Instrument : NOx Chemiluminescence Analyzer Horiba Model APNA-370 Serial Number M4286P23

Quotation No. : MR2024-02126
Analysis No. : 2025-AD786-001
Report No. : 2025-RAAS627
Report Date : August 1, 2025

Interval Time	Result NO ₂ (ppm)			Standard ^{1'}
	Jul 18-19, 25	Jul 19-20, 25	Jul 20-21, 25	
11:00-12:00	0.0099	0.0132	0.0112	
12:00-13:00	0.0116	0.0131	0.0107	
13:00-14:00	0.0115	0.0115	0.0106	
14:00-15:00	0.0134	0.0143	0.0102	
15:00-16:00	0.0134	0.0134	0.0096	
16:00-17:00	0.0139	0.0131	0.0086	
17:00-18:00	0.0126	0.0175	0.0086	
18:00-19:00	0.0164	0.0189	0.0088	
19:00-20:00	0.0130	0.0199	0.0100	
20:00-21:00	0.0141	0.0176	0.0121	
21:00-22:00	0.0150	0.0168	0.0123	
22:00-23:00	0.0138	0.0149	0.0104	
23:00-00:00	0.0149	0.0145	0.0119	
00:00-01:00	0.0138	0.0138	0.0084	
01:00-02:00	0.0155	0.0132	0.0094	
02:00-03:00	0.0150	0.0118	0.0102	
03:00-04:00	0.0147	0.0104	0.0092	
04:00-05:00	0.0146	0.0117	0.0129	
05:00-06:00	0.0139	0.0117	0.0143	
06:00-07:00	0.0150	0.0103	0.0162	
07:00-08:00	0.0158	0.0137	0.0171	
08:00-09:00	0.0160	0.0134	0.0201	
09:00-10:00	0.0130	0.0130	0.0158	
10:00-11:00	0.0126	0.0118	0.0159	
24 Hours Average	0.0139	0.0139	0.0119	-
1 Hour Maximum	0.0164	0.0199	0.0201	0.17

Remark : ^{1'} Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995), Notification No.28, B.E.2550 (2007), published in the Royal Government Gazette No.124 Special Part 58D dated May 14, B.E.2550 (2007) and Notification No.33, B.E.2552 (2009), published in the Royal Government Gazette No.126 Special Part 114D dated August 14, B.E.2552 (2009), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).


 (Ms.Piyatida Pradangkho)
 Laboratory Reviewer




 (Ms.Panicha Promchai)
 Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Measured Source : Ambient Air Quality
Measured Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674703 E, 1515273 N
Measured Date : July 18-21, 2025
Measured By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Measured Instrument : CO NDIR Analyzer Horiba Model APMA-370 Serial Number C06YT0NC

Quotation No. : MR2024-02126
Analysis No. : 2025-AD786-001
Report No. : 2025-RAAS628
Report Date : August 1, 2025

Interval Time	Result CO (ppm)						Standard ^{1'}
	Jul 18-19, 25		Jul 19-20, 25		Jul 20-21, 25		
	1 hr Avg	8 hr Avg	1 hr Avg	8 hr Avg	1 hr Avg	8 hr Avg	
11:00-12:00	0.7	-	0.4	0.8	0.5	0.6	
12:00-13:00	0.6	-	0.5	0.8	0.5	0.7	
13:00-14:00	0.4	-	0.5	0.8	0.4	0.7	
14:00-15:00	0.5	-	0.5	0.7	0.5	0.7	
15:00-16:00	0.6	-	0.6	0.6	0.6	0.6	
16:00-17:00	0.7	-	0.6	0.6	0.6	0.6	
17:00-18:00	0.7	-	0.9	0.6	0.6	0.5	
18:00-19:00	1.0	0.6	1.3	0.7	0.7	0.6	
19:00-20:00	0.8	0.7	1.3	0.8	0.6	0.6	
20:00-21:00	0.8	0.7	1.2	0.9	0.7	0.6	
21:00-22:00	0.8	0.7	1.3	1.0	0.8	0.6	
22:00-23:00	0.7	0.8	1.1	1.0	0.6	0.6	
23:00-00:00	0.7	0.8	0.7	1.0	0.5	0.6	
00:00-01:00	0.7	0.8	0.8	1.1	0.5	0.6	
01:00-02:00	0.6	0.8	0.6	1.0	0.4	0.6	
02:00-03:00	0.6	0.7	0.4	0.9	0.4	0.6	
03:00-04:00	0.7	0.7	0.4	0.8	0.5	0.6	
04:00-05:00	0.6	0.7	0.4	0.7	0.5	0.5	
05:00-06:00	0.7	0.7	0.4	0.6	0.6	0.5	
06:00-07:00	1.0	0.7	0.5	0.5	0.8	0.5	
07:00-08:00	1.2	0.8	1.0	0.6	1.2	0.6	
08:00-09:00	1.1	0.8	1.0	0.6	1.6	0.8	
09:00-10:00	0.8	0.8	0.8	0.6	1.1	0.8	
10:00-11:00	0.5	0.8	0.6	0.6	0.9	0.9	
24 Hours Average	0.7	-	0.7	-	0.7	-	-
1 Hour Maximum	1.2	-	1.3	-	1.6	-	30
8 Hours Maximum	-	0.8	-	1.1	-	0.9	9

Remark : ^{1'} Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).


 (Ms.Piyatida Pradangkho)
 Laboratory Reviewer


 (Ms.Panicha Promchai)
 Laboratory Supervisor

ANALYSIS REPORT


Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Measured Source : Ambient Air Quality
Measured Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674706 E, 1515273 N
Measured Date : August 22-25, 2025
Measured By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Measured Instrument : NOx Chemiluminescence Analyzer Horiba Model APNA-370 Serial Number TNTLC359

Quotation No. : MR2024-02126
Analysis No. : 2025-AE383-001
Report No. : 2025-RAAU919
Report Date : September 1, 2025

Interval Time	Result NO ₂ (ppm)			Standard ^{1'}
	Aug 22-23, 25	Aug 23-24, 25	Aug 24-25, 25	
10:00-11:00	0.0145	0.0144	0.0108	
11:00-12:00	0.0132	0.0137	0.0087	
12:00-13:00	0.0106	0.0141	0.0096	
13:00-14:00	0.0097	0.0163	0.0069	
14:00-15:00	0.0093	0.0117	0.0125	
15:00-16:00	0.0093	0.0134	0.0128	
16:00-17:00	0.0084	0.0118	0.0105	
17:00-18:00	0.0086	0.0109	0.0109	
18:00-19:00	0.0092	0.0138	0.0106	
19:00-20:00	0.0134	0.0201	0.0119	
20:00-21:00	0.0143	0.0182	0.0131	
21:00-22:00	0.0187	0.0139	0.0168	
22:00-23:00	0.0184	0.0146	0.0151	
23:00-00:00	0.0193	0.0144	0.0133	
00:00-01:00	0.0196	0.0137	0.0105	
01:00-02:00	0.0176	0.0132	0.0083	
02:00-03:00	0.0139	0.0125	0.0103	
03:00-04:00	0.0130	0.0119	0.0103	
04:00-05:00	0.0130	0.0122	0.0091	
05:00-06:00	0.0131	0.0123	0.0116	
06:00-07:00	0.0122	0.0129	0.0119	
07:00-08:00	0.0122	0.0124	0.0116	
08:00-09:00	0.0135	0.0128	0.0108	
09:00-10:00	0.0143	0.0120	0.0108	
24 Hours Average	0.0133	0.0136	0.0112	-
1 Hour Maximum	0.0196	0.0201	0.0168	0.17

Remark : ^{1'} Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995), Notification No.28, B.E.2550 (2007), published in the Royal Government Gazette No.124 Special Part 58D dated May 14, B.E.2550 (2007) and Notification No.33, B.E.2552 (2009), published in the Royal Government Gazette No.126 Special Part 114D dated August 14, B.E.2552 (2009), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).


 (Ms.Piyatida Pradangkho)
 Laboratory Reviewer


 (Ms.Panicha Promchai)
 Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Measured Source : Ambient Air Quality
Measured Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674706 E, 1515273 N
Measured Date : August 22-25, 2025
Measured By : Mr.Suchapong Rungruang
Analyzed By : Environment Research & Technology Co., Ltd.
Measured Instrument : CO NDIR Analyzer Horiba Model APMA-370 Serial Number 3VJ73T6X


Quotation No. : MR2024-02126
Analysis No. : 2025-AE383-001
Report No. : 2025-RAAU920
Report Date : September 1, 2025

Interval Time	Result CO (ppm)						Standard ^{1/}
	Aug 22-23, 25		Aug 23-24, 25		Aug 24-25, 25		
	1 hr Avg	8 hr Avg	1 hr Avg	8 hr Avg	1 hr Avg	8 hr Avg	
10:00-11:00	0.9	-	1.0	0.9	0.8	0.8	
11:00-12:00	0.8	-	1.0	1.0	0.8	0.8	
12:00-13:00	0.7	-	1.1	1.0	0.8	0.8	
13:00-14:00	0.6	-	1.0	1.1	0.8	0.8	
14:00-15:00	0.5	-	0.9	1.1	0.7	0.8	
15:00-16:00	0.3	-	0.9	1.0	0.8	0.8	
16:00-17:00	0.3	-	0.8	1.0	0.7	0.8	
17:00-18:00	0.4	0.6	0.7	0.9	0.7	0.8	
18:00-19:00	0.4	0.5	1.0	0.9	0.8	0.8	
19:00-20:00	0.5	0.5	0.9	0.9	0.7	0.8	
20:00-21:00	0.5	0.4	1.0	0.9	0.8	0.8	
21:00-22:00	0.7	0.4	0.9	0.9	0.9	0.8	
22:00-23:00	0.7	0.5	0.8	0.9	0.7	0.8	
23:00-00:00	0.8	0.5	0.8	0.9	0.7	0.8	
00:00-01:00	0.7	0.6	0.8	0.9	0.8	0.8	
01:00-02:00	0.7	0.6	0.7	0.9	0.7	0.8	
02:00-03:00	0.6	0.6	0.7	0.8	0.7	0.8	
03:00-04:00	0.6	0.7	0.7	0.8	0.8	0.8	
04:00-05:00	0.7	0.7	0.7	0.8	0.7	0.8	
05:00-06:00	0.8	0.7	0.8	0.8	0.8	0.7	
06:00-07:00	0.9	0.7	0.8	0.8	0.8	0.8	
07:00-08:00	1.1	0.8	0.9	0.8	0.9	0.8	
08:00-09:00	1.3	0.8	0.9	0.8	1.0	0.8	
09:00-10:00	1.1	0.9	0.9	0.8	0.9	0.8	
24 Hours Average	0.7	-	0.9	-	0.8	-	-
1 Hour Maximum	1.3	-	1.1	-	1.0	-	30
8 Hours Maximum	-	0.9	-	1.1	-	0.8	9

Remark : ^{1/} Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).


 (Ms.Piyatida Pradangkho)
 Laboratory Reviewer




 (Ms.Panicha Promchai)
 Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Measured Source : Ambient Air Quality
Measured Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674686 E, 1515294 N
Measured Date : September 19-22, 2025
Measured By : Mr.Arnon Kuanhanghong
Analyzed By : Environment Research & Technology Co., Ltd.
Measured Instrument : CO NDIR Analyzer Horiba Model APMA-360CE Serial Number 576876075

Quotation No. : MR2024-02126
Analysis No. : 2025-AF028-001
Report No. : 2025-RAAX764
Report Date : October 7, 2025

Interval Time	Result CO (ppm)						Standard ^{1'}
	Sep 19-20, 25		Sep 20-21, 25		Sep 21-22, 25		
	1 hr Avg	8 hr Avg	1 hr Avg	8 hr Avg	1 hr Avg	8 hr Avg	
11:00-12:00	0.7	-	0.9	0.7	0.9	0.8	
12:00-13:00	0.7	-	0.9	0.8	0.9	0.8	
13:00-14:00	0.7	-	0.9	0.8	1.0	0.9	
14:00-15:00	0.7	-	1.0	0.8	0.9	0.9	
15:00-16:00	0.6	-	1.2	0.9	0.9	0.9	
16:00-17:00	0.6	-	1.1	0.9	0.9	0.9	
17:00-18:00	0.6	-	1.0	1.0	0.8	0.9	
18:00-19:00	0.6	0.6	1.0	1.0	0.9	0.9	
19:00-20:00	0.6	0.6	0.9	1.0	0.8	0.9	
20:00-21:00	0.6	0.6	0.8	1.0	0.7	0.9	
21:00-22:00	0.6	0.6	0.9	1.0	0.7	0.8	
22:00-23:00	0.6	0.6	0.8	1.0	0.6	0.8	
23:00-00:00	0.7	0.6	0.8	0.9	0.6	0.8	
00:00-01:00	0.6	0.6	0.8	0.9	0.7	0.7	
01:00-02:00	0.6	0.6	0.8	0.8	0.7	0.7	
02:00-03:00	0.6	0.6	0.7	0.8	0.7	0.7	
03:00-04:00	0.6	0.6	0.8	0.8	0.7	0.7	
04:00-05:00	0.6	0.6	0.8	0.8	0.7	0.7	
05:00-06:00	0.6	0.6	0.7	0.8	0.8	0.7	
06:00-07:00	0.6	0.6	0.7	0.8	0.9	0.7	
07:00-08:00	0.8	0.6	0.9	0.8	1.0	0.8	
08:00-09:00	0.8	0.6	0.9	0.8	1.0	0.8	
09:00-10:00	0.8	0.7	0.9	0.8	1.0	0.8	
10:00-11:00	0.7	0.7	0.7	0.8	0.8	0.9	
24 Hours Average	0.7	-	0.9	-	0.8	-	-
1 Hour Maximum	0.8	-	1.2	-	1.0	-	30
8 Hours Maximum	-	0.7	-	1.0	-	0.9	9

Remark : ^{1'} Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).

(Ms.Piyatida Pradangkho)
Laboratory Reviewer

(Ms.Panicha Promchai)
Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Measured Source : Ambient Air Quality
Measured Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674686 E, 1515294 N
Measured Date : September 19-22, 2025
Measured By : Mr.Arnon Kuanhanghong
Analyzed By : Environment Research & Technology Co., Ltd.
Measured Instrument : NOx Chemiluminescence Analyzer Horiba Model APNA-370 Serial Number VLR55LT4


Quotation No. : MR2024-02126
Analysis No. : 2025-AF028-001
Report No. : 2025-RAAX765
Report Date : October 7, 2025

Interval Time	Result NO _x (ppm)			Standard ^{1'}
	Sep 19-20, 25	Sep 20-21, 25	Sep 21-22, 25	
11:00-12:00	0.0123	0.0165	0.0091	
12:00-13:00	0.0130	0.0142	0.0097	
13:00-14:00	0.0105	0.0145	0.0097	
14:00-15:00	0.0101	0.0244	0.0099	
15:00-16:00	0.0109	0.0208	0.0122	
16:00-17:00	0.0108	0.0259	0.0126	
17:00-18:00	0.0103	0.0252	0.0118	
18:00-19:00	0.0106	0.0126	0.0102	
19:00-20:00	0.0105	0.0128	0.0121	
20:00-21:00	0.0093	0.0123	0.0110	
21:00-22:00	0.0118	0.0106	0.0111	
22:00-23:00	0.0158	0.0093	0.0121	
23:00-00:00	0.0166	0.0101	0.0137	
00:00-01:00	0.0182	0.0126	0.0140	
01:00-02:00	0.0148	0.0119	0.0135	
02:00-03:00	0.0118	0.0104	0.0124	
03:00-04:00	0.0102	0.0083	0.0114	
04:00-05:00	0.0082	0.0078	0.0101	
05:00-06:00	0.0093	0.0088	0.0094	
06:00-07:00	0.0125	0.0113	0.0102	
07:00-08:00	0.0155	0.0162	0.0128	
08:00-09:00	0.0159	0.0134	0.0148	
09:00-10:00	0.0193	0.0105	0.0184	
10:00-11:00	0.0176	0.0098	0.0237	
24 Hours Average	0.0127	0.0138	0.0123	-
1 Hour Maximum	0.0193	0.0259	0.0237	0.17

Remark : ^{1'} Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995), Notification No.28, B.E.2550 (2007), published in the Royal Government Gazette No.124 Special Part 58D dated May 14, B.E.2550 (2007) and Notification No.33, B.E.2552 (2009), published in the Royal Government Gazette No.126 Special Part 114D dated August 14, B.E.2552 (2009), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).


(Ms.Piyatida Pradangkho)
Laboratory Reviewer




(Ms.Panicha Promchai)
Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Measured Source : Ambient Air Quality
Measured Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674702 E, 1515273 N
Measured Date : October 24-27, 2025
Measured By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Measured Instrument : NOx Chemiluminescence Analyzer Horiba Model APNA-370 Serial Number KCDVY226

Quotation No. : MR2024-02126
Analysis No. : 2025-AF702-001
Report No. : 2025-RABA307
Report Date : November 6, 2025

Interval Time	Result NO ₂ (ppm)			Standard ^{1'}
	Oct 24-25, 25	Oct 25-26, 25	Oct 26-27, 25	
09:00-10:00	0.0123	0.0129	0.0103	
10:00-11:00	0.0134	0.0121	0.0098	
11:00-12:00	0.0214	0.0119	0.0087	
12:00-13:00	0.0126	0.0102	0.0074	
13:00-14:00	0.0134	0.0095	0.0098	
14:00-15:00	0.0132	0.0096	0.0123	
15:00-16:00	0.0135	0.0098	0.0124	
16:00-17:00	0.0156	0.0095	0.0164	
17:00-18:00	0.0167	0.0101	0.0154	
18:00-19:00	0.0167	0.0113	0.0146	
19:00-20:00	0.0216	0.0124	0.0156	
20:00-21:00	0.0213	0.0126	0.0165	
21:00-22:00	0.0226	0.0165	0.0168	
22:00-23:00	0.0234	0.0164	0.0169	
23:00-00:00	0.0224	0.0179	0.0182	
00:00-01:00	0.0209	0.0164	0.0189	
01:00-02:00	0.0168	0.0146	0.0192	
02:00-03:00	0.0169	0.0142	0.0184	
03:00-04:00	0.0126	0.0136	0.0158	
04:00-05:00	0.0121	0.0132	0.0148	
05:00-06:00	0.0120	0.0128	0.0124	
06:00-07:00	0.0123	0.0124	0.0121	
07:00-08:00	0.0134	0.0116	0.0119	
08:00-09:00	0.0136	0.0124	0.0111	
24 Hours Average	0.0163	0.0127	0.0140	-
1 Hour Maximum	0.0234	0.0179	0.0192	0.17

Remark : ^{1'} Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995), Notification No.28, B.E.2550 (2007), published in the Royal Government Gazette No.124 Special Part 58D dated May 14, B.E.2550 (2007) and Notification No.33, B.E.2552 (2009), published in the Royal Government Gazette No.126 Special Part 114D dated August 14, B.E.2552 (2009), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).

(Ms.Piyatida Pradangkho) (Ms.Panicha Promchai)
 Laboratory Reviewer Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Measured Source : Ambient Air Quality
Measured Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674702 E, 1515273 N
Measured Date : October 24-27, 2025
Measured By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Measured Instrument : CO NDIR Analyzer Horiba Model APMA-370 Serial Number Y05LRYAD

Quotation No. : MR2024-02126
Analysis No. : 2025-AF702-001
Report No. : 2025-RABA308
Report Date : November 6, 2025

Interval Time	Result CO (ppm)						Standard ^{1'}
	Oct 24-25, 25		Oct 25-26, 25		Oct 26-27, 25		
	1 hr Avg	8 hr Avg	1 hr Avg	8 hr Avg	1 hr Avg	8 hr Avg	
09:00-10:00	0.5	-	0.6	0.5	0.5	0.5	
10:00-11:00	0.4	-	0.6	0.5	0.6	0.5	
11:00-12:00	0.4	-	0.8	0.6	0.6	0.5	
12:00-13:00	0.3	-	0.7	0.6	0.4	0.5	
13:00-14:00	0.3	-	0.6	0.6	0.5	0.5	
14:00-15:00	0.3	-	0.5	0.6	0.5	0.5	
15:00-16:00	0.3	-	0.5	0.6	0.4	0.5	
16:00-17:00	0.3	0.4	0.5	0.6	0.6	0.5	
17:00-18:00	0.5	0.4	0.6	0.6	0.6	0.5	
18:00-19:00	0.4	0.4	0.5	0.6	0.4	0.5	
19:00-20:00	0.3	0.3	0.4	0.5	0.2	0.4	
20:00-21:00	0.3	0.3	0.6	0.5	0.4	0.4	
21:00-22:00	0.4	0.4	0.4	0.5	0.4	0.4	
22:00-23:00	0.4	0.4	0.5	0.5	0.5	0.4	
23:00-00:00	0.4	0.4	0.7	0.5	0.5	0.4	
00:00-01:00	0.4	0.4	0.7	0.6	0.4	0.4	
01:00-02:00	0.4	0.4	0.6	0.6	0.5	0.4	
02:00-03:00	0.5	0.4	0.6	0.6	0.4	0.4	
03:00-04:00	0.3	0.4	0.4	0.6	0.3	0.4	
04:00-05:00	0.4	0.4	0.4	0.5	0.4	0.4	
05:00-06:00	0.6	0.4	0.5	0.6	0.3	0.4	
06:00-07:00	0.5	0.4	0.6	0.6	0.6	0.4	
07:00-08:00	0.5	0.4	0.5	0.5	0.8	0.5	
08:00-09:00	0.7	0.5	0.4	0.5	0.4	0.5	
24 Hours Average	0.4	-	0.6	-	0.5	-	-
1 Hour Maximum	0.7	-	0.8	-	0.8	-	30
8 Hours Maximum	-	0.5	-	0.6	-	0.5	9

Remark : ^{1'} Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).

(Ms.Piyatida Pradangkho) (Ms.Panicha Promchai)
 Laboratory Reviewer Laboratory Supervisor


ANALYSIS REPORT


Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Measured Source : Ambient Air Quality
Measured Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674702 E, 1515276 N
Measured Date : November 15-18, 2025
Measured By : Mr.Chanthawit Leawkool
Analyzed By : Environment Research & Technology Co., Ltd.
Measured Instrument : NOx Chemiluminescence Analyzer API Model 200A Serial Number 1051

Quotation No. : MR2024-02126
Analysis No. : 2025-AG308-001
Report No. : 2025-RABC492
Report Date : December 1, 2025

Interval Time	Result NO ₂ (ppm)			Standard ^{1'}
	Nov 15-16, 25	Nov 16-17, 25	Nov 17-18, 25	
11:00-12:00	0.0154	0.0154	0.0160	
12:00-13:00	0.0171	0.0152	0.0159	
13:00-14:00	0.0195	0.0189	0.0134	
14:00-15:00	0.0153	0.0156	0.0138	
15:00-16:00	0.0139	0.0132	0.0123	
16:00-17:00	0.0119	0.0122	0.0137	
17:00-18:00	0.0114	0.0119	0.0136	
18:00-19:00	0.0106	0.0106	0.0159	
19:00-20:00	0.0103	0.0101	0.0153	
20:00-21:00	0.0099	0.0104	0.0123	
21:00-22:00	0.0093	0.0094	0.0115	
22:00-23:00	0.0093	0.0093	0.0099	
23:00-00:00	0.0101	0.0093	0.0097	
00:00-01:00	0.0102	0.0098	0.0097	
01:00-02:00	0.0094	0.0101	0.0094	
02:00-03:00	0.0096	0.0104	0.0093	
03:00-04:00	0.0100	0.0104	0.0087	
04:00-05:00	0.0101	0.0109	0.0085	
05:00-06:00	0.0102	0.0115	0.0086	
06:00-07:00	0.0109	0.0118	0.0090	
07:00-08:00	0.0118	0.0125	0.0090	
08:00-09:00	0.0122	0.0132	0.0099	
09:00-10:00	0.0134	0.0148	0.0117	
10:00-11:00	0.0146	0.0161	0.0102	
24 Hours Average	0.0119	0.0122	0.0116	-
1 Hour Maximum	0.0195	0.0189	0.0160	0.17

Remark : ^{1'} Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995), Notification No.28, B.E.2550 (2007), published in the Royal Government Gazette No.124 Special Part 58D dated May 14, B.E.2550 (2007) and Notification No.33, B.E.2552 (2009), published in the Royal Government Gazette No.126 Special Part 114D dated August 14, B.E.2552 (2009), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).


 (Ms.Piyatida Pradangkho)
 Laboratory Reviewer


 (Ms.Panicha Promchai)
 Laboratory Supervisor


ANALYSIS REPORT


Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Measured Source : Ambient Air Quality
Measured Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674702 E, 1515276 N
Measured Date : November 15-18, 2025
Measured By : Mr.Chanthawit Leawkool
Analyzed By : Environment Research & Technology Co., Ltd.
Measured Instrument : CO NDIR Analyzer Thermo Model 48C Serial Number 0415406564

Quotation No. : MR2024-02126
Analysis No. : 2025-AG308-001
Report No. : 2025-RABC493
Report Date : December 1, 2025

Interval Time	Result CO (ppm)						Standard ^{1'}
	Nov 15-16, 25		Nov 16-17, 25		Nov 17-18, 25		
	1 hr Avg	8 hr Avg	1 hr Avg	8 hr Avg	1 hr Avg	8 hr Avg	
11:00-12:00	0.7	-	0.6	0.7	0.6	0.5	
12:00-13:00	0.7	-	0.6	0.7	0.6	0.5	
13:00-14:00	0.8	-	0.5	0.7	0.5	0.5	
14:00-15:00	0.7	-	0.4	0.7	0.5	0.5	
15:00-16:00	0.7	-	0.4	0.6	0.5	0.5	
16:00-17:00	0.7	-	0.4	0.6	0.5	0.5	
17:00-18:00	0.7	-	0.4	0.5	1.0	0.6	
18:00-19:00	0.8	0.7	0.5	0.5	0.9	0.6	
19:00-20:00	0.8	0.7	0.5	0.5	0.8	0.7	
20:00-21:00	0.9	0.8	0.5	0.4	0.9	0.7	
21:00-22:00	0.8	0.8	0.5	0.4	0.9	0.8	
22:00-23:00	0.5	0.7	0.5	0.5	0.8	0.8	
23:00-00:00	0.5	0.7	0.5	0.5	0.6	0.8	
00:00-01:00	0.8	0.7	0.5	0.5	0.6	0.8	
01:00-02:00	1.0	0.8	0.5	0.5	0.5	0.8	
02:00-03:00	0.7	0.8	0.4	0.5	0.5	0.7	
03:00-04:00	0.5	0.7	0.4	0.5	0.5	0.7	
04:00-05:00	0.5	0.7	0.4	0.5	0.5	0.6	
05:00-06:00	0.5	0.6	0.4	0.4	0.4	0.6	
06:00-07:00	0.7	0.6	0.4	0.4	0.4	0.5	
07:00-08:00	0.9	0.7	0.4	0.4	0.4	0.5	
08:00-09:00	1.0	0.7	0.5	0.4	0.5	0.5	
09:00-10:00	0.8	0.7	0.5	0.4	0.6	0.5	
10:00-11:00	0.7	0.7	0.5	0.4	0.7	0.5	
24 Hours Average	0.7	-	0.5	-	0.6	-	-
1 Hour Maximum	1.0	-	0.6	-	1.0	-	30
8 Hours Maximum	-	0.8	-	0.7	-	0.8	9

Remark : ^{1/} Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).


 (Ms.Piyatida Pradangkho)
 Laboratory Reviewer


 (Ms.Panicha Promchai)
 Laboratory Supervisor


ANALYSIS REPORT


Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Measured Source : Ambient Air Quality
Measured Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674688 E, 1515284 N
Measured Date : December 6-9, 2025
Measured By : Mr.Arnon Kuanhanghong
Analyzed By : Environment Research & Technology Co., Ltd.
Measured Instrument : NOx Chemiluminescence Analyzer API Model 200A Serial Number 1051

Quotation No. : MR2024-02126
Analysis No. : 2025-AG894-001
Report No. : 2025-RABE616
Report Date : December 22, 2025

Interval Time	Result NO ₂ (ppm)			Standard ^{1'}
	Dec 6-7, 68	Dec 7-8, 68	Dec 8-9, 68	
11:00-12:00	0.0122	0.0491	0.0281	
12:00-13:00	0.0138	0.0476	0.0271	
13:00-14:00	0.0131	0.0433	0.0233	
14:00-15:00	0.0195	0.0367	0.0195	
15:00-16:00	0.0150	0.0312	0.0145	
16:00-17:00	0.0122	0.0278	0.0139	
17:00-18:00	0.0161	0.0256	0.0135	
18:00-19:00	0.0157	0.0214	0.0135	
19:00-20:00	0.0165	0.0122	0.0121	
20:00-21:00	0.0143	0.0115	0.0100	
21:00-22:00	0.0116	0.0116	0.0086	
22:00-23:00	0.0100	0.0139	0.0081	
23:00-00:00	0.0096	0.0094	0.0102	
00:00-01:00	0.0092	0.0086	0.0086	
01:00-02:00	0.0086	0.0076	0.0081	
02:00-03:00	0.0073	0.0062	0.0083	
03:00-04:00	0.0069	0.0063	0.0092	
04:00-05:00	0.0072	0.0084	0.0103	
05:00-06:00	0.0076	0.0091	0.0100	
06:00-07:00	0.0100	0.0112	0.0210	
07:00-08:00	0.0139	0.0212	0.0221	
08:00-09:00	0.0173	0.0363	0.0259	
09:00-10:00	0.0218	0.0120	0.0264	
10:00-11:00	0.0391	0.0240	0.0183	
24 Hours Average	0.0137	0.0205	0.0154	-
1 Hour Maximum	0.0391	0.0491	0.0281	0.17

Remark : ^{1'} Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995), Notification No.28, B.E.2550 (2007), published in the Royal Government Gazette No.124 Special Part 58D dated May 14, B.E.2550 (2007) and Notification No.33, B.E.2552 (2009), published in the Royal Government Gazette No.126 Special Part 114D dated August 14, B.E.2552 (2009), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).


 (Ms.Piyatida Pradangkho)
 Laboratory Reviewer


 (Ms.Panicha Promchai)
 Laboratory Supervisor


ANALYSIS REPORT


Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Measured Source : Ambient Air Quality
Measured Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674688 E, 1515284 N
Measured Date : December 6-9, 2025
Measured By : Mr.Arnon Kuanhanghong
Analyzed By : Environment Research & Technology Co., Ltd.
Measured Instrument : CO NDIR Analyzer Horiba Model APMA-370 Serial Number Y05LRYAD

Quotation No. : MR2024-02126
Analysis No. : 2025-AG894-001
Report No. : 2025-RABE617
Report Date : December 22, 2025

Interval Time	Result CO (ppm)						Standard ^{1'}
	Dec 6-7, 68		Dec 7-8, 68		Dec 8-9, 68		
	1 hr Avg	8 hr Avg	1 hr Avg	8 hr Avg	1 hr Avg	8 hr Avg	
11:00-12:00	0.6	-	1.0	0.7	0.8	0.6	
12:00-13:00	0.7	-	1.1	0.8	0.8	0.6	
13:00-14:00	0.7	-	1.2	0.9	0.7	0.6	
14:00-15:00	0.6	-	1.2	1.0	0.8	0.7	
15:00-16:00	0.7	-	1.0	1.0	0.8	0.7	
16:00-17:00	0.7	-	1.0	1.0	0.7	0.7	
17:00-18:00	0.8	-	0.9	1.0	0.8	0.8	
18:00-19:00	0.7	0.7	0.7	1.0	0.6	0.8	
19:00-20:00	0.6	0.7	0.8	1.0	0.6	0.7	
20:00-21:00	0.7	0.7	0.8	1.0	0.6	0.7	
21:00-22:00	0.6	0.7	0.8	0.9	0.6	0.7	
22:00-23:00	0.6	0.7	0.9	0.9	0.6	0.7	
23:00-00:00	0.6	0.7	0.7	0.8	0.5	0.6	
00:00-01:00	0.5	0.6	0.8	0.8	0.5	0.6	
01:00-02:00	0.5	0.6	0.7	0.8	0.5	0.6	
02:00-03:00	0.6	0.6	0.6	0.8	0.5	0.6	
03:00-04:00	0.5	0.6	0.5	0.7	0.5	0.5	
04:00-05:00	0.5	0.6	0.4	0.7	0.6	0.5	
05:00-06:00	0.6	0.6	0.5	0.6	0.8	0.6	
06:00-07:00	0.7	0.6	0.6	0.6	0.8	0.6	
07:00-08:00	0.8	0.6	0.5	0.6	0.7	0.6	
08:00-09:00	0.8	0.6	0.5	0.5	0.8	0.6	
09:00-10:00	0.7	0.6	0.6	0.5	0.9	0.7	
10:00-11:00	0.8	0.7	0.6	0.5	0.8	0.7	
24 Hours Average	0.7	-	0.8	-	0.7	-	-
1 Hour Maximum	0.8	-	1.2	-	0.9	-	30
8 Hours Maximum	-	0.7	-	1.0	-	0.8	9

Remark : ^{1'} Notification of National Environmental Board, No.10, B.E.2538 (1995), published in the Royal Government Gazette No.112 Part 42D dated May 25, B.E.2538 (1995), under the Enhancement and Conservation of National Environmental Quality Act B.E.2535 (1992).


 (Ms.Piyatida Pradangkho)
 Laboratory Reviewer


 (Ms.Panicha Promchai)
 Laboratory Supervisor

ANALYSIS REPORT


Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Measured Source : Ambient Air Quality
Measured Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674703 E, 1515273 N
Measured Date : July 18-21, 2025
Measured By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Analysis No. : 2025-AD786-001
Report No. : 2025-RAAS246
Report Date : August 1, 2025

Date/Time	Jul 18-19, 25		Jul 19-20, 25		Jul 20-21, 25	
	WS	WD	WS	WD	WS	WD
11:00-12:00	0.4	ESE	0.4	SE	0.4	ESE
12:00-13:00	0.4	ESE	0.4	ESE	0.4	SE
13:00-14:00	0.4	ESE	0.4	ESE	0.4	ESE
14:00-15:00	0.4	ESE	0.4	ESE	0.4	ESE
15:00-16:00	0.4	ESE	0.4	ESE	0.4	ESE
16:00-17:00	0.4	SE	0.4	E	0.4	ESE
17:00-18:00	0.4	ESE	<0.4	Calm	0.9	ESE
18:00-19:00	0.4	ESE	<0.4	Calm	0.4	ESE
19:00-20:00	0.4	SE	<0.4	Calm	0.4	ESE
20:00-21:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
21:00-22:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
22:00-23:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
23:00-00:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
00:00-01:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
01:00-02:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
02:00-03:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
03:00-04:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
04:00-05:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
05:00-06:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
06:00-07:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
07:00-08:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
08:00-09:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
09:00-10:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
10:00-11:00	0.4	ESE	<0.4	Calm	<0.4	Calm

Remark : WS = Wind Speed (m/s)
WD = Wind Direction
Height of wind vane and anemometer above ground 10 meters.


(Ms. Piyatida Pradangkho)
Laboratory Reviewer


(Ms. Panicha Promchai)
Laboratory Supervisor

ANALYSIS REPORT


Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Measured Source : Ambient Air Quality
Measured Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674703 E, 1515273 N
Measured Date : July 18-21, 2025
Measured By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Analysis No. : 2025-AD786-001
Report No. : 2025-RAAS246
Report Date : August 1, 2025

Wind Direction	Percentage frequency of wind in each speed and direction					Total
	0.4-1.1	1.1-2.1	2.1-3.1	3.1-4.1	≥4.1	
N	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNE	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NE	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ENE	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
E	1.38889	0.00000	0.00000	0.00000	0.00000	1.38889
ESE	27.77780	0.00000	0.00000	0.00000	0.00000	27.77780
SE	5.55556	0.00000	0.00000	0.00000	0.00000	5.55556
SSE	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
S	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WSW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
W	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WNW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
Calm	65.27780					

ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Measured Point : ภายในโครงการด้านทิศตะวันตก
Measured Date : July 18-21, 2025
Report No. : 2025-RAAS246



ANALYSIS REPORT


Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Measured Source : Ambient Air Quality
Measured Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674689 E, 1515280 N
Measured Date : August 22-25, 2025
Measured By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Analysis No. : 2025-AE383-001
Report No. : 2025-RAAU922
Report Date : September 1, 2025

Date/Time	Aug 22-23, 25		Aug 23-24, 25		Aug 24-25, 25	
	WS	WD	WS	WD	WS	WD
10:00-11:00	0.4	ESE	<0.4	Calm	0.4	ESE
11:00-12:00	0.9	ESE	<0.4	Calm	0.4	ESE
12:00-13:00	1.3	ESE	<0.4	Calm	0.9	NNW
13:00-14:00	1.3	ESE	<0.4	Calm	0.4	ESE
14:00-15:00	1.3	E	<0.4	Calm	1.3	ESE
15:00-16:00	1.3	E	<0.4	Calm	1.3	E
16:00-17:00	1.3	E	1.3	ESE	1.3	ESE
17:00-18:00	1.3	E	0.4	ESE	1.3	ESE
18:00-19:00	1.3	E	0.4	ESE	0.9	ESE
19:00-20:00	<0.4	Calm	0.4	ESE	0.4	ESE
20:00-21:00	<0.4	Calm	0.4	ESE	0.4	ESE
21:00-22:00	<0.4	Calm	<0.4	Calm	0.4	E
22:00-23:00	<0.4	Calm	<0.4	Calm	0.4	E
23:00-00:00	<0.4	Calm	0.4	ESE	<0.4	Calm
00:00-01:00	<0.4	Calm	0.4	ESE	<0.4	Calm
01:00-02:00	<0.4	Calm	0.4	E	0.4	ESE
02:00-03:00	<0.4	Calm	0.4	ESE	0.4	ESE
03:00-04:00	<0.4	Calm	0.4	E	0.4	E
04:00-05:00	<0.4	Calm	<0.4	Calm	0.4	E
05:00-06:00	<0.4	Calm	<0.4	Calm	0.4	ESE
06:00-07:00	<0.4	Calm	<0.4	Calm	0.4	ESE
07:00-08:00	<0.4	Calm	0.4	ESE	0.4	ESE
08:00-09:00	<0.4	Calm	0.9	ESE	0.4	ESE
09:00-10:00	<0.4	Calm	0.9	ESE	0.4	E

Remark : WS = Wind Speed (m/s)
WD = Wind Direction
Height of wind vane and anemometer above ground 10 meters.


(Ms.Piyatida Pradangkho)
Laboratory Reviewer


(Ms.Panicha Promchai)
Laboratory Supervisor

ANALYSIS REPORT


Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Measured Source : Ambient Air Quality
Measured Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674689 E, 1515280 N
Measured Date : August 22-25, 2025
Measured By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Analysis No. : 2025-AE383-001
Report No. : 2025-RAAU922
Report Date : September 1, 2025

Wind Direction	Percentage frequency of wind in each speed and direction					Total
	0.4-1.1	1.1-2.1	2.1-3.1	3.1-4.1	≥4.1	
N	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNE	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NE	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ENE	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
E	9.72222	8.33333	0.00000	0.00000	0.00000	18.05555
ESE	33.33330	8.33333	0.00000	0.00000	0.00000	41.66663
SE	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSE	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
S	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WSW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
W	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WNW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNW	1.38889	0.00000	0.00000	0.00000	0.00000	1.38889
Calm	38.88890					

ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Project Name : โครงการอาคารชุด กู๊ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Measured Point : ภายในโครงการด้านทิศตะวันตก
Measured Date : August 22-25, 2025
Report No. : 2025-RAAU922




ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Measured Source : Ambient Air Quality
Measured Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674686 E, 1515294 N
Measured Date : September 19-22, 2025
Measured By : Mr.Arnon Kuanhanghong
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Analysis No. : 2025-AF028-001
Report No. : 2025-RAAX539
Report Date : October 3, 2025

Date/Time	Sep 19-20, 25		Sep 20-21, 25		Sep 21-22, 25	
	WS	WD	WS	WD	WS	WD
11:00-12:00	2.1	SSE	2.1	S	1.8	S
12:00-13:00	1.9	SSE	2.3	S	1.7	S
13:00-14:00	2.5	SSE	2.5	S	1.9	S
14:00-15:00	2.3	SSE	1.9	S	1.8	S
15:00-16:00	2.3	SSE	2.3	S	1.9	S
16:00-17:00	3.2	SSE	2.6	S	1.9	S
17:00-18:00	2.7	SSE	2.2	S	1.7	S
18:00-19:00	2.9	SSE	2.0	S	1.4	S
19:00-20:00	3.2	SSE	1.7	S	2.1	NW
20:00-21:00	2.2	SSE	1.7	S	1.5	NNW
21:00-22:00	2.1	SSE	1.9	S	1.0	N
22:00-23:00	2.1	SSE	1.6	S	0.8	S
23:00-00:00	1.3	SSE	1.7	S	0.6	SSW
00:00-01:00	1.3	SSE	1.1	S	0.6	S
01:00-02:00	1.4	SSE	0.9	SSE	0.6	N
02:00-03:00	1.3	SSE	1.3	S	0.6	S
03:00-04:00	1.6	SSE	1.5	S	0.4	SSE
04:00-05:00	1.5	SSE	1.4	S	<0.4	Calm
05:00-06:00	1.4	SSE	1.5	S	<0.4	Calm
06:00-07:00	1.4	SSE	0.9	S	<0.4	Calm
07:00-08:00	1.6	SSE	1.3	S	<0.4	Calm
08:00-09:00	2.4	SSE	1.8	S	1.0	S
09:00-10:00	2.4	SSE	1.8	S	1.4	S
10:00-11:00	2.0	S	1.8	S	1.4	S

Remark : WS = Wind Speed (m/s)
WD = Wind Direction
Height of wind vane and anemometer above ground 10 meters.


(Ms.Piyatida Pradangkho)
Laboratory Reviewer




(Ms.Panicha Promchai)
Laboratory Supervisor

ANALYSIS REPORT


Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Measured Source : Ambient Air Quality
Measured Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674686 E, 1515294 N
Measured Date : September 19-22, 2025
Measured By : Mr.Arnon Kuanhanghong
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Analysis No. : 2025-AF028-001
Report No. : 2025-RAAX539
Report Date : October 3, 2025

Wind Direction	Percentage frequency of wind in each speed and direction					Total
	0.4-1.1	1.1-2.1	2.1-3.1	3.1-4.1	≥4.1	
N	2.77778	0.00000	0.00000	0.00000	0.00000	2.77778
NNE	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NE	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ENE	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
E	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ESE	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SE	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSE	2.77778	13.88890	15.27780	2.77778	0.00000	34.72226
S	6.94444	37.50000	8.33333	0.00000	0.00000	52.77777
SSW	1.38889	0.00000	0.00000	0.00000	0.00000	1.38889
SW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WSW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
W	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WNW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NW	0.00000	0.00000	1.38889	0.00000	0.00000	1.38889
NNW	0.00000	1.38889	0.00000	0.00000	0.00000	1.38889
Calm	5.55556					

ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Measured Point : ภายในโครงการด้านทิศตะวันตก
Measured Date : September 19-22, 2025
Report No. : 2025-RAAX539



ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Measured Source : Ambient Air Quality
Measured Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674707 E, 1515274 N
Measured Date : October 24-27, 2025
Measured By : Mr.Suchapong Rungreang
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Analysis No. : 2025-AF702-001
Report No. : 2025-RABA309
Report Date : November 6, 2025

Date/Time	Oct 24-25, 25		Oct 25-26, 25		Oct 26-27, 25	
	WS	WD	WS	WD	WS	WD
10:00-11:00	0.4	SE	0.9	ESE	0.4	SE
11:00-12:00	0.4	SE	0.4	SE	0.4	E
12:00-13:00	0.4	SE	0.9	SE	0.4	SE
13:00-14:00	0.4	ESE	0.9	SE	0.9	ESE
14:00-15:00	0.4	SE	0.4	SE	0.4	SE
15:00-16:00	<0.4	Calm	<0.4	Calm	0.4	SE
16:00-17:00	<0.4	Calm	0.4	ESE	0.9	ESE
17:00-18:00	<0.4	Calm	0.9	E	1.3	ESE
18:00-19:00	<0.4	Calm	<0.4	Calm	1.3	ESE
19:00-20:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
20:00-21:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
21:00-22:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
22:00-23:00	<0.4	Calm	<0.4	Calm	0.9	E
23:00-00:00	<0.4	Calm	<0.4	Calm	0.9	E
00:00-01:00	<0.4	Calm	<0.4	Calm	0.4	E
01:00-02:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
02:00-03:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
03:00-04:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
04:00-05:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
05:00-06:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
06:00-07:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
07:00-08:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
08:00-09:00	<0.4	Calm	0.4	ESE	<0.4	Calm
09:00-10:00	0.4	SE	0.4	ESE	<0.4	Calm

Remark : WS = Wind Speed (m/s)
WD = Wind Direction
Height of wind vane and anemometer above ground 10 meters.


(Ms.Piyatida Pradangkho)
Laboratory Reviewer




(Ms.Panicha Promchai)
Laboratory Supervisor

ANALYSIS REPORT


Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Measured Source : Ambient Air Quality
Measured Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674707 E, 1515274 N
Measured Date : October 24-27, 2025
Measured By : Mr.Suchapong Rungreang
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Analysis No. : 2025-AF702-001
Report No. : 2025-RABA309
Report Date : November 6, 2025

Wind Direction	Percentage frequency of wind in each speed and direction					Total
	0.4-1.1	1.1-2.1	2.1-3.1	3.1-4.1	≥4.1	
N	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNE	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NE	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ENE	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
E	6.94444	0.00000	0.00000	0.00000	0.00000	6.94444
ESE	9.72222	2.77778	0.00000	0.00000	0.00000	12.50000
SE	18.05560	0.00000	0.00000	0.00000	0.00000	18.05560
SSE	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
S	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WSW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
W	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WNW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
Calm	62.50000					

ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Measured Point : ภายในโครงการด้านทิศตะวันตก
Measured Date : October 24-27, 2025
Report No. : 2025-RABA309




ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Measured Source : Ambient Air Quality
Measured Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674685 E, 1515292 N
Measured Date : November 15-18, 2025
Measured By : Mr.Chanthawit Leawkool
Analyzed By : Environment Research & Technology Co., Ltd.


Quotation No. : MR2024-02126
Analysis No. : 2025-AG308-001
Report No. : 2025-RABC494
Report Date : December 1, 2025

Date/Time	Nov 15-16, 25		Nov 16-17, 25		Nov 17-18, 25	
	WS	WD	WS	WD	WS	WD
11:00-12:00	0.6	E	1.2	NNE	1.5	ENE
12:00-13:00	1.2	ENE	1.4	NNE	1.7	ENE
13:00-14:00	1.6	ENE	1.6	E	1.5	ENE
14:00-15:00	1.3	NE	1.7	ENE	1.3	ENE
15:00-16:00	0.9	NE	1.5	ENE	1.1	ENE
16:00-17:00	0.8	NE	1.4	ENE	0.9	ENE
17:00-18:00	0.6	NE	1.4	ENE	0.8	NNE
18:00-19:00	0.4	NNE	1.5	ENE	0.9	N
19:00-20:00	<0.4	Calm	1.2	ENE	0.6	NNE
20:00-21:00	<0.4	Calm	1.3	ENE	0.4	NNE
21:00-22:00	<0.4	Calm	1.6	E	<0.4	Calm
22:00-23:00	<0.4	Calm	1.6	E	<0.4	Calm
23:00-00:00	<0.4	Calm	1.2	E	<0.4	Calm
00:00-01:00	0.5	NNE	1.1	E	<0.4	Calm
01:00-02:00	0.6	ENE	0.7	E	0.6	NE
02:00-03:00	0.8	ENE	0.4	ENE	0.9	NE
03:00-04:00	1.2	ENE	<0.4	Calm	1.3	NE
04:00-05:00	1.3	ENE	<0.4	Calm	1.5	ENE
05:00-06:00	1.5	NE	<0.4	Calm	1.7	ENE
06:00-07:00	1.7	NE	<0.4	Calm	1.2	ENE
07:00-08:00	1.5	E	0.5	NE	0.9	ENE
08:00-09:00	1.4	NE	0.8	ENE	0.8	ENE
09:00-10:00	1.2	NNE	1.1	NE	0.7	ENE
10:00-11:00	1.1	NNE	1.3	ENE	0.6	ENE

Remark : WS = Wind Speed (m/s)
WD = Wind Direction
Height of wind vane and anemometer above ground 10 meters.


(Ms.Piyatida Pradangkho)
Laboratory Reviewer




(Ms.Panicha Promchai)
Laboratory Supervisor

ANALYSIS REPORT


Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Measured Source : Ambient Air Quality
Measured Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674685 E, 1515292 N
Measured Date : November 15-18, 2025
Measured By : Mr.Chanthawit Leawkool
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Analysis No. : 2025-AG308-001
Report No. : 2025-RABC494
Report Date : December 1, 2025

Wind Direction	Percentage frequency of wind in each speed and direction					Total
	0.4-1.1	1.1-2.1	2.1-3.1	3.1-4.1	≥4.1	
N	1.38889	0.00000	0.00000	0.00000	0.00000	1.38889
NNE	6.94444	5.55556	0.00000	0.00000	0.00000	12.50000
NE	8.33333	8.33333	0.00000	0.00000	0.00000	16.66666
ENE	12.50000	27.77780	0.00000	0.00000	0.00000	40.27780
E	2.77778	8.33333	0.00000	0.00000	0.00000	11.11111
ESE	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SE	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSE	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
S	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WSW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
W	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WNW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
Calm	18.05560					

ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Measured Point : ภายในโครงการด้านทิศตะวันตก
Measured Date : November 15-18, 2025
Report No. : 2025-RABC494



ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Measured Source : Ambient Air Quality
Measured Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674689 E, 1515278 N
Measured Date : December 6-9, 2025
Measured By : Mr.Arnon Kuanhanghong
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Analysis No. : 2025-AG894-001
Report No. : 2025-RABE619
Report Date : December 22, 2025

Date/Time	Dec 6-7, 25		Dec 7-8, 25		Dec 8-9, 25	
	WS	WD	WS	WD	WS	WD
11:00-12:00	1.3	ENE	0.9	ENE	2.2	NE
12:00-13:00	1.3	ENE	0.4	ENE	2.2	NE
13:00-14:00	1.3	ENE	<0.4	Calm	1.8	NE
14:00-15:00	0.9	ENE	0.9	NNE	1.3	NE
15:00-16:00	0.4	ENE	0.9	NNE	1.8	NE
16:00-17:00	0.4	ENE	0.9	NE	1.3	NE
17:00-18:00	0.9	ENE	0.4	NE	1.3	NE
18:00-19:00	0.4	ENE	<0.4	Calm	0.9	NE
19:00-20:00	0.4	ENE	<0.4	Calm	0.9	NE
20:00-21:00	<0.4	Calm	<0.4	Calm	0.4	NE
21:00-22:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
22:00-23:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
23:00-00:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
00:00-01:00	<0.4	Calm	<0.4	Calm	<0.4	Calm
01:00-02:00	<0.4	Calm	0.4	NE	0.4	ENE
02:00-03:00	<0.4	Calm	0.4	NNE	<0.4	Calm
03:00-04:00	<0.4	Calm	0.4	NNE	<0.4	Calm
04:00-05:00	<0.4	Calm	0.4	NE	0.4	ENE
05:00-06:00	<0.4	Calm	0.4	NE	0.4	ENE
06:00-07:00	<0.4	Calm	0.4	NE	0.9	NE
07:00-08:00	<0.4	Calm	0.9	NE	0.4	NNE
08:00-09:00	0.4	ENE	0.9	NE	0.4	NE
09:00-10:00	0.9	ENE	1.3	NE	0.9	NE
10:00-11:00	0.9	ENE	2.2	NE	1.8	NE

Remark : WS = Wind Speed (m/s)
WD = Wind Direction
Height of wind vane and anemometer above ground 10 meters.

(Ms.Piyatida Pradangkho)
Laboratory Reviewer

(Ms.Panicha Promchai)
Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Address : 170/57 Ocean Tower 1, 18th Floor, New Ratchadapisek Tat Mai Road, Khlong Toei, Khlong Toei, Bangkok 10110
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Project Location : ซอยสุขุมวิท 93 ถนนสุขุมวิท แขวงบางจาก เขตพระโขนง กรุงเทพมหานคร
Measured Source : Ambient Air Quality
Measured Point : ภายในโครงการด้านทิศตะวันตก
GPS. Coordinate : UTM (WGS84) 47P 0674689 E, 1515278 N
Measured Date : December 6-9, 2025
Measured By : Mr.Arnon Kuanhanghong
Analyzed By : Environment Research & Technology Co., Ltd.

Quotation No. : MR2024-02126
Analysis No. : 2025-AG894-001
Report No. : 2025-RABE619
Report Date : December 22, 2025

Wind Direction	Percentage frequency of wind in each speed and direction					Total
	0.4-1.1	1.1-2.1	2.1-3.1	3.1-4.1	≥4.1	
N	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNE	6.94444	0.00000	0.00000	0.00000	0.00000	6.94444
NE	19.44440	9.72222	4.16667	0.00000	0.00000	33.33329
ENE	19.44440	4.16667	0.00000	0.00000	0.00000	23.61107
E	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ESE	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SE	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSE	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
S	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WSW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
W	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WNW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNW	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
Calm	36.11110					

ANALYSIS REPORT

Customer Name : Asian Property Co., Ltd.
Project Name : โครงการอาคารชุด กู้ดเดย์ สุขุมวิท 93 (GOOD DAY SUKHUMVIT 93) ของบริษัท เอเชียน พร็อพเพอร์ตี้ จำกัด
Measured Point : ภายในโครงการด้านทิศตะวันตก
Measured Date : December 6-9, 2025
Report No. : 2025-RABE619

