


ภาคผนวกที่ 6

สถิติและข้อมูลที่เก็บจากแหล่งกำเนิดมลพิษ

สถิติและข้อมูลที่เกิดขึ้นจากแหล่งกำเนิดมลพิษ

สถิติและข้อมูลที่เกิดขึ้นจากแหล่งกำเนิดมลพิษ																
วัน เดือน ปี	ปริมาณ การใช้ ไฟฟ้าของ ระบบ บำบัดน้ำ เสีย (หน่วย)	ปริมาณ น้ำใช้ ในทุกกิจกรรม ของ แหล่งกำเนิด มลพิษ (ลบ.ม.)	ปริมาณน้ำ เสียที่เข้า ระบบ บำบัดน้ำเสีย (ลบ.ม.)	การระบาย น้ำทิ้งจากระบบ บำบัดน้ำเสีย (ระบาย/ ไม่ระบาย)	ปริมาณ สารเคมีหรือ สารสกัด ชีวภาพที่ใช้ (ชื่อ/ปริมาณ) (ลิตรหรือ กิโลกรัม)	การทำงานของระบบบำบัดน้ำเสีย							ปริมาณ ตะกอน ส่วนเกิน ที่เกิดขึ้นจาก ระบบบำบัด น้ำเสียที่นำไป กำจัด (ลบ.ม.)	ปัญหา อุปสรรค และ แนวทาง แก้ไข	ลายมือชื่อ ผู้บันทึก	
						ระบบบำบัด น้ำเสีย (ปกติ/ผิดปกติ)	เครื่อง สูบน้ำ (ปกติ/ ผิดปกติ)	เครื่องเติม อากาศ (ปกติ/ ผิดปกติ)	เครื่องกลั่น ผสมน้ำเสีย (ปกติ/ ผิดปกติ)	เครื่องกลั่น ผสมสารเคมี (ปกติ/ ผิดปกติ)	เครื่องสูบ ตะกอน (ปกติ/ ผิดปกติ)	อื่นๆ (ระบุ) (ปกติ/ ผิดปกติ)				
1/1/68	30	29	23	0	0.230 kg	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ			22
2/1/68	30	33	26	0	0.260 kg											22
3/1/68	30	26	21		0.210 kg											22
4/1/68	30	30	24		0.240 kg											22
5/1/68	30	28	22		0.220 kg											22
6/1/68	30	25	20		0.200 kg											22
7/1/68	30	37	30		0.300 kg											22
8/1/68	30	34	27		0.270 kg	พ	พ	พ	พ	พ	พ	พ	พ			22
9/1/68	30	35	28		0.280 kg											22
10/1/68	30	30	24		0.240 kg											22
11/1/68	30	38	30		0.300 kg											22
12/1/68	30	35	28		0.280 kg											22
13/1/68	30	40	32		0.320 kg											22
14/1/68	30	32	26		0.260 kg											22
15/1/68	30	41	33		0.330 kg											22
16/1/68	30	30	24		0.240 kg											22

430. 971 777

สถิติและข้อมูลที่ได้จากแหล่งกำเนิดมลพิษ																
วัน เดือน ปี	ปริมาณ การใช้ ไฟฟ้าของ ระบบ บำบัดน้ำ เสีย (หน่วย)	ปริมาณ น้ำใช้ ในทุกกิจกรรม ของ แหล่งกำเนิด มลพิษ (ลบ.ม.)	ปริมาณน้ำ เสียที่เข้า ระบบ บำบัดน้ำเสีย (ลบ.ม.)	การระบาย น้ำทิ้งจากระบบ บำบัดน้ำเสีย (ระบาย/ ไม่ระบาย)	ปริมาณ สารเคมีหรือ สารสกัด ชีวภาพที่ใช้ (ชื่อ/ปริมาณ) (ลิตรหรือ กิโลกรัม)	การทำงานของระบบบำบัดน้ำเสีย							ปริมาณ ตะกอน ส่วนเกิน ที่เกิดขึ้นจาก ระบบบำบัด น้ำเสียที่นำไป กำจัด (ลบ.ม.)	ปัญหา อุปสรรค และ แนวทาง แก้ไข	ลายมือชื่อ ผู้บันทึก	
						ระบบบำบัด น้ำเสีย (ปกติ/ผิดปกติ)	เครื่อง สูบน้ำ (ปกติ/ ผิดปกติ)	เครื่องเติม อากาศ (ปกติ/ ผิดปกติ)	เครื่องกลั่น ผสมน้ำเสีย (ปกติ/ ผิดปกติ)	เครื่องกวน/ ผสมสารเคมี (ปกติ/ ผิดปกติ)	เครื่องสูบล ตะกอน (ปกติ/ ผิดปกติ)	อื่นๆ (ระบุ) (ปกติ/ ผิดปกติ) ผิดปกติ)				
19/1/68	30	34	27	ดี	ดี	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ			
18/1/68	30	35	28	ดี	ดี											
17/1/68	30	28	22	ดี	ดี											
16/1/68	30	28	22	ดี	ดี											
15/1/68	30	28	22	ดี	ดี											
14/1/68	30	34	27	ดี	ดี											
13/1/68	30	30	24	ดี	ดี	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ			
12/1/68	30	30	24	ดี	ดี	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ			
11/1/68	30	33	26	ดี	ดี											
10/1/68	30	32	30	ดี	ดี											
9/1/68	30	26	21	ดี	ดี											
8/1/68	30	34	27	ดี	ดี											
7/1/68	30	32	30	ดี	ดี											
6/1/68	30	29	22	ดี	ดี											
5/1/68	30	38	30	ดี	ดี											

สถิติและข้อมูลที่ได้รับจากแหล่งกำเนิดมลพิษ											
วัน เดือน ปี	ปริมาณ การใช้ ไฟฟ้าของ ระบบ บำบัดน้ำ เสีย (หน่วย)	ปริมาณ น้ำใช้ ในทุกระยะ ของ แหล่งกำเนิด มลพิษ (ลบ.ม.)	ปริมาณน้ำ เสียที่เข้า ระบบ บำบัดน้ำเสีย (ลบ.ม.)	การระบาย น้ำทิ้งจากระบบ บำบัดน้ำเสีย (ระบาย/ ไม่ระบาย)	ปริมาณ สารเคมีหรือ สารสกัด ชีวภาพที่ใช้ (ชื่อ/ปริมาณ) (ลิตรหรือ กิโลกรัม)	การทำงานของระบบบำบัดน้ำเสีย					
						ระบบบำบัด น้ำเสีย (ปกติ/ผิดปกติ)	เครื่อง สูบน้ำ (ปกติ/ ผิดปกติ)	เครื่องเติม อากาศ (ปกติ/ ผิดปกติ)	เครื่องกวน/ ผสมน้ำเสีย (ปกติ/ ผิดปกติ)	เครื่องสูบลบ ตะกอน (ปกติ/ ผิดปกติ)	อื่นๆ (ระบุ) (ปกติ/ ผิดปกติ/ ผิดปกติ)
1/8/68	30	34	27		ดี	ปกติ	ปกติ	ปกติ	ปกติ		
2/8/68	30	41	33		ดี						
3/8/68	30	38	30		ดี						
4/8/68	30	28	22		ดี						
5/8/68	30	36	29		ดี						
6/8/68	30	35	29		ดี						
7/8/68	30	35	28		ดี						
8/8/68	30	33	26		ดี	ปกติ	ปกติ	ปกติ	ปกติ		
9/8/68	30	42	34		ดี						
10/8/68	30	43	34		ดี						
11/8/68	30	45	36		ดี						
12/8/68	30	42	34		ดี						
13/8/68	30	42	34		ดี						
14/8/68	30	34	29		ดี						
15/8/68	30	35	28		ดี						
16/8/68	30	20	16		ดี						

ลายมือชื่อ
ผู้บันทึก

สถิติและข้อมูลที่ได้จากแหล่งกำเนิดมลพิษ															
วัน เดือน ปี	ปริมาณ การใช้ ไฟฟ้าของ ระบบ บำบัดน้ำ เสีย (หน่วย)	ปริมาณ น้ำใช้ ในทุกกิจกรรม ของ แหล่งกำเนิด มลพิษ (ลบ.ม.)	ปริมาณน้ำ เสียที่เข้า ระบบ บำบัดน้ำเสีย (ลบ.ม.)	การระบาย น้ำทิ้งจากระบบ บำบัดน้ำเสีย (ระบาย/ ไม่ระบาย)	ปริมาณ สารเคมีหรือ สารสกัด ชีวภาพที่ใช้ (ชื่อ/ปริมาณ) (ลิตรหรือ กิโลกรัม)	การทำงานของระบบบำบัดน้ำเสีย							ปริมาณ ตะกอน ส่วนเกิน ที่เกิดขึ้นจาก ระบบบำบัด น้ำเสียที่นำไป กำจัด (ลบ.ม.)	ปัญหา อุปสรรค และ แนวทาง แก้ไข	ลายมือชื่อ ผู้บันทึก
						เครื่อง สูบน้ำ (ปกติ/ ผิดปกติ)	เครื่องเติม อากาศ (ปกติ/ ผิดปกติ)	เครื่องทวง ผลน้ำเสีย (ปกติ/ ผิดปกติ)	เครื่องทวง ผลสารเคมี (ปกติ/ ผิดปกติ)	เครื่องสูบน้ำ (ปกติ/ ผิดปกติ)	อื่นๆ (ระบุ) (ปกติ/ ผิดปกติ)				
1/1/68	30	36	29	มี	มี	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ					
2/1/68	30	34	27	มี	มี										
3/1/68	30	21	17	มี	มี										
4/1/68	30	30	24	มี	มี										
5/1/68	30	36	29	มี	มี										
6/1/68	30	41	33	มี	มี										
7/1/68	30	27	22	มี	มี										
8/1/68	30	29	23	มี	มี										
9/1/68	30	35	28	มี	มี										
10/1/68	30	28	22	มี	มี										
11/1/68	30	29	23	มี	มี										
12/1/68	30	32	26	มี	มี										
13/1/68	30	33	26	มี	มี										
14/1/68	30	29	23	มี	มี										
15/1/68	30	13	10	มี	มี										
16/1/68	30	27	22	มี	มี										

สถิติและข้อมูลที่เกิดจากแหล่งกำเนิดมลพิษ											
วัน เดือน ปี	ปริมาณ การใช้ ไฟฟ้าของ ระบบ บำบัดน้ำ เสีย (หน่วย)	ปริมาณ น้ำใช้ ในทุกระยะ ของ แหล่งกำเนิด มลพิษ (ลบ.ม.)	ปริมาณน้ำ เสียที่เข้า ระบบ บำบัดน้ำเสีย (ลบ.ม.)	การระบาย น้ำทิ้งจากระบบ บำบัดน้ำเสีย (ระบาย/ ไม่ระบาย)	ปริมาณ สารเคมีหรือ สารสกัด ชีวภาพที่ใช้ (ชื่อ/ปริมาณ) (ลิตรหรือ กิโลกรัม)	การทำงานของระบบบำบัดน้ำเสีย					
						ระบบบำบัด น้ำเสีย (ปกติ/ผิดปกติ)	เครื่อง สูบน้ำ (ปกติ/ ผิดปกติ)	เครื่องเติม อากาศ (ปกติ/ ผิดปกติ)	เครื่องกลั่น ผสมน้ำเสีย (ปกติ/ ผิดปกติ)	เครื่องทวน/ ผสมสารเคมี (ปกติ/ ผิดปกติ)	เครื่องสูบ ตะกอน (ปกติ/ ผิดปกติ)
17/4/68	30	30	24	มี	มี	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ
18/4/68	30	27	22	มี	มี	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ
19/4/68	30	27	22	มี	มี	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ
20/4/68	30	33	26	มี	มี	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ
21/4/68	30	30	24	มี	มี	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ
22/4/68	30	32	26	มี	มี	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ
23/4/68	30	27	22	มี	มี	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ
24/4/68	30	29	23	มี	มี	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ
25/4/68	30	27	22	มี	มี	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ
26/4/68	30	33	26	มี	มี	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ
27/4/68	30	39	31	มี	มี	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ
28/4/68	30	26	21	มี	มี	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ
29/4/68	30	22	18	มี	มี	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ
30/4/68	30	33	26	มี	มี	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ
	900.	895.	716.								

ปัญหา
อุปสรรค
และ
แนวทาง
แก้ไข

ลายมือชื่อ
ผู้บันทึก

ลายมือชื่อ
ผู้บันทึก

สถิติและข้อมูลที่เกิดจากแหล่งกำเนิดมลพิษ															
วัน เดือน ปี	ปริมาณ การใช้ ไฟฟ้าของ ระบบ บำบัดน้ำ เสีย (หน่วย)	ปริมาณ น้ำใช้ ในทุกกิจกรรม ของ แหล่งกำเนิด มลพิษ (ลบ.ม.)	ปริมาณน้ำ เสียที่เข้า ระบบ บำบัดน้ำเสีย (ลบ.ม.)	การระบาย น้ำทิ้งจากระบบ บำบัดน้ำเสีย (ระบายน/ ไม่ระบายน)	ปริมาณ สารเคมีหรือ สารสกัด ชีวภาพที่ใช้ (ชื่อ/ปริมาณ) (ลิตรหรือ กิโลกรัม)	การทำงานของระบบบำบัดน้ำเสีย							ปริมาณ ตะกอน ส่วนเกิน ที่เกิดขึ้นจาก ระบบบำบัด น้ำเสียที่ไม่ได้ กำจัด (ลบ.ม.)	ปัญหา อุปสรรค และ แนวทาง แก้ไข	ลายมือชื่อ ผู้บันทึก
						ระบบบำบัด น้ำเสีย (ปกติ/ผิดปกติ)	เครื่อง สูบน้ำ (ปกติ/ ผิดปกติ)	เครื่องเติม อากาศ (ปกติ/ ผิดปกติ)	เครื่องทวน/ ผสมน้ำเสีย (ปกติ/ ผิดปกติ)	เครื่องทวน/ ผสมสารเคมี (ปกติ/ ผิดปกติ)	เครื่องสูบ ตะกอน (ปกติ/ ผิดปกติ)	อื่นๆ (ระบุ) (ปกติ/ ผิดปกติ)			
1/1/68	30	59	47.	ถ่ายน้ำทิ้งไป 10% จากปริมาณน้ำทิ้ง	ใช้สารเคมี 240 ลิตร / 60 กก. 2245.	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ			✓
2/1/68	30	55	44											✓	
3/1/68	30	60	48											✓	
4/1/68	30	63	50.											✓	
5/1/68	30	69	55.											✓	
6/1/68	30	51	41											✓	
7/1/68	30	53	42											✓	
8/1/68	30	91	57.											✓	
9/1/68	30	67	54											✓	
10/1/68	30	60	48											✓	
11/1/68	30	79	63											✓	
12/1/68	30	42	34.											✓	
13/1/68	30	36	29											✓	
14/1/68	30	35	28											✓	
15/1/68	30	33	26											✓	
16/1/68	30	32	26											✓	

สถิติและข้อมูลที่เกิดขึ้นจากแหล่งกำเนิดมลพิษ																
วัน เดือน ปี	ปริมาณ การใช้ไฟฟ้า ของระบบ บำบัด น้ำเสีย (หน่วย)	ปริมาณ น้ำใช้ ในทุกระยะ ของ แหล่งกำเนิด มลพิษ (ลบ.ม.)	ปริมาณ น้ำเสีย ที่เข้า ระบบ บำบัด น้ำเสีย (ลบ.ม.)	การระบาย น้ำทิ้งจาก ระบบบำบัด น้ำเสีย (ระบาย/ ไม่ระบาย)	ปริมาณ สารเคมีหรือ สารสกัด ชีวภาพที่ใช้ (ชื่อ/ปริมาณ) (ลิตรหรือ กิโลกรัม)	การทำงานของระบบบำบัดน้ำเสีย							ปริมาณ ตะกอน ส่วนเกิน ที่เกิดขึ้นจาก ระบบบำบัด น้ำเสียที่นำไป กำจัด (ลบ.ม.)	ปัญหา อุปสรรค และแนวทาง แก้ไข	ลายมือชื่อ ผู้บันทึก	
						ระบบบำบัด น้ำเสีย (ปกติ/ผิดปกติ)	เครื่องสูบน้ำ (ปกติ/ผิดปกติ)	เครื่องเติมอากาศ (ปกติ/ผิดปกติ)	เครื่องกวน/ ผสมน้ำเสีย (ปกติ/ผิดปกติ)	เครื่องกวน/ ผสมสารเคมี (ปกติ/ผิดปกติ)	เครื่องสูบลบ ตะกอน (ปกติ/ ผิดปกติ)	อื่น ๆ (ระบุ) (ปกติ/ ผิดปกติ/ ผิดปกติ)				
1/12/68	30	36	29	5%	0	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ						
2/12/68	30	40	32	5%	0											
3/12/68	30	35	28	3%	0											
4/12/68	30	41	33	3%	0											
5/12/68	30	37	30	2%	0											
6/12/68	30	36	29	3%	0											
7/12/68	30	39	30	4%	240 ลิตร/ชั่วโมง	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ						
8/12/68	30	44	35	4%	240 ลิตร/ชั่วโมง											
9/12/68	36	36	29	4%	240 ลิตร/ชั่วโมง											
10/12/68	30	38	30	4%	240 ลิตร/ชั่วโมง											
11/12/68	30	39	30	4%	240 ลิตร/ชั่วโมง											
12/12/68	30	56	45	3%	240 ลิตร/ชั่วโมง											
13/12/68	30	39	31	3%	240 ลิตร/ชั่วโมง											
14/12/68	30	38	30	3%	240 ลิตร/ชั่วโมง											
15/12/68	30	39	31	3%	240 ลิตร/ชั่วโมง											
16/12/68	30	48	38	3%	240 ลิตร/ชั่วโมง											

ลายมือชื่อ
ผู้บันทึก

สถิติและข้อมูลที่ได้จากแหล่งกำเนิดมลพิษ															
วัน เดือน ปี	ปริมาณ การใช้ไฟฟ้า ของระบบ บำบัด น้ำเสีย (หน่วย)	ปริมาณ น้ำทิ้ง ในทุกระยะ ของ แหล่งกำเนิด มลพิษ (ลบ.ม.)	ปริมาณ น้ำเสีย ที่เข้า ระบบ บำบัด น้ำเสีย (ลบ.ม.)	การระบาย น้ำทิ้งจาก ระบบบำบัด น้ำเสีย (ระบาย/ ไม่ระบาย)	ปริมาณ สารเคมีหรือ สารสกัด ชีวภาพที่ใช้ (ชื่อ/ปริมาณ) (ลิตรหรือ กิโลกรัม)	การทำงานของระบบบำบัดน้ำเสีย							ปริมาณ ตะกอน ส่วนเกิน ที่เกิดขึ้นจาก ระบบบำบัด น้ำเสียที่นำไป กำจัด (ลบ.ม.)	ปัญหา อุปสรรค และแนวทาง แก้ไข	ลายมือชื่อ ผู้บันทึก
						ระบบบำบัด น้ำเสีย (ปกติ/ผิดปกติ)	เครื่องสูบน้ำ (ปกติ/ผิดปกติ)	เครื่องเติมอากาศ (ปกติ/ผิดปกติ)	เครื่องกวน/ ผสมน้ำเสีย (ปกติ/ผิดปกติ)	เครื่องกวน/ ผสมสารเคมี (ปกติ/ผิดปกติ)	เครื่องสูบน้ำ ตะกอน (ปกติ/ ผิดปกติ)	อื่น ๆ (ระบุ) (ปกติ/ ผิดปกติ) ผิดปกติ)			

14/12/68	90	39	31.		ใช้ขี้เถ้า 10% 200 ลิตร/EM 40 12 kg.	ปกติ	ปกติ	ปกติ	ปกติ	ปกติ						
15/12/68	90	41	34													
16/12/68	90	37	30													
20/12/68	90	38	30													
21/12/68	90	41	27													
22/12/68	90	41	33													
23/12/68	90	41	33													
24/12/68	90	40	32													
25/12/68	90	60	48													
26/12/68	30	85	68													
28/12/68	90	46	39													
29/12/68	90	66	53													
30/12/68	90	88	70													
31/12/68	90	42	34													
31/12/68	90	98	30.													
รวม	940.	1360.	1019													

ภาคผนวกที่ 7

แบบบันทึกระบบป้องกันอัคคีภัย

FIRE ALARM

Date _____

Topics	List	Normal	Defective	Remark
1	Check the general condition of the control room.	/		
2	Check the work of the cabinet FACP.	/		
3	Check lamp of cabinet graphic	/		
4	Test buzzer of cabinet graphic	/		
5	Checks electrical system 220 V to pay for equipment.	110 VAC	A	
6	Measuring and recording voltage battery.	24 VDC	A	

Parts list highland, 15011481075

Check by 0, 41 03/07/68

FIRE ALARM

Date _____

Topics	List	Normal	Defective	Remark
1	Check the general condition of the control room.	/		
2	Check the work of the cabinet FACP.	/		
3	Check lamp of cabinet graphic	/		
4	Test buzzer of cabinet graphic	/		
5	Checks electrical system 220 V to pay for equipment.	220 VAC	A	
6	Measuring and recording voltage battery.	24 VDC	A	

Parts list นิคมอุตสาหกรรม, โรงงานปูนซีเมนต์

Check by น.ก., น.อ. 06/08/68

FIRE ALARM

Date _____

Topics	List	Normal	Defective	Remark
1	Check the general condition of the control room.	/		
2	Check the work of the cabinet FACP.	/		
3	Check lamp of cabinet graphic	/		
4	Test buzzer of cabinet graphic	/		
5	Checks electrical system 220 V to pay for equipment.	220 VAC	A	
6	Measuring and recording voltage battery.	24 VDC	A	

Parts list หม้อแปลงไฟฟ้า, แบตเตอรี่

Check by 44, 41 08/09/68

FIRE ALARM

Date _____

Topics	List	Normal	Defective	Remark
1	Check the general condition of the control room.	/		
2	Check the work of the cabinet FACP.	/		
3	Check lamp of cabinet graphic	/		
4	Test buzzer of cabinet graphic	/		
5	Checks electrical system 220 V to pay for equipment.	190 VAC	A	
6	Measuring and recording voltage battery.	29 VDC	A	

Parts list

91A11295210, 18A1106101055

Check by

17, 41

05/10/68

FIRE ALARM

Date _____

Topics	List	Normal	Defective	Remark
1	Check the general condition of the control room.	/		
2	Check the work of the cabinet FACP.	/		
3	Check lamp of cabinet graphic	/		
4	Test buzzer of cabinet graphic	/		
5	Checks electrical system 220 V to pay for equipment.	220 VAC	A	
6	Measuring and recording voltage battery.	24 VDC	A	

Parts list

410127-110, 190.110M10055

Check by

41, 117

02/11/08

FIRE ALARM

Date _____

Topics	List	Normal	Defective	Remark
1	Check the general condition of the control room.	/		
2	Check the work of the cabinet FACP.	/		
3	Check lamp of cabinet graphic	/		
4	Test buzzer of cabinet graphic	/		
5	Checks electrical system 220 V to pay for equipment.	290 VAC	A	
6	Measuring and recording voltage battery.	29 VDC	A	

Parts list 9110712 50210, 19011011055

Check by en, id 10/12/68

Fire extinguisher & FIRE HOSE CABINET

Date	Location (building)	Type.		Check the condition of the tank		pressure in the tank (Chemical)		Invert tank (Chemical)		Remark
		CO ₂	Chemical	Normal	Defective	195 Psi	Lower 195 Psi.	Treat	Not Treat	
	A F.1 Tank& Hose		/	/		/		/		
	A F.2 Tank& Hose			/		/		/		
	A F.3 Tank& Hose			/		/		/		
	A F.4 Tank& Hose			/		/		/		
	A F.5 Tank& Hose			/		/		/		
	A F.6 Tank& Hose			/		/		/		
	B F.1 Tank & Hose			/		/		/		
	B F.2 Tank & Hose			/		/		/		
	B F.3 Tank & Hose			/		/		/		
	B F.4 Tank & Hose			/		/		/		
	B F.5 Tank & Hose			/		/		/		
	B F.6 Tank & Hose			/		/		/		
	C Tank & Hose Parking			/		/		/		
	Gas Station Tank			/		/		/		
	Main Store Tank			/		/		/		
	Garbage Room Tank			/		/		/		
	C Tank & Hose Parking			/		/		/		
	C Tank& Hose Sale			/		/		/		
	C Tank& Hose F/O			/		/		/		
	C Tank& Hose Owner			/		/		/		
	C Tank& Hose Yai-Yai			/		/		/		
	C Tank& Hose Libra			/		/		/		
	Main Kitchen Tank 1	/		/		/		/		
	Main Kitchen Tank 2	/		/		/		/		
	Main Kitchen Tank 3	/		/		/		/		
	Aug-Gu Tank 1		/	/		/		/		
	Spa Tank		/	/		/		/		
	Canteen Tank		/	/		/		/		
	Meeting Room Tank		/	/		/		/		

Check by: 02/07/68

Fire extinguisher & FIRE HOSE CABINET

Date	Location (building)	Type.		Check the condition of the tank		pressure in the tank (Chemical)		Invert tank (Chemical)		Remark
		CO ₂	Chemical	Normal	Defective	195 Psi	Lower 195 Psi.	Treat	Not Treat	
	A F.1 Tank& Hose		/	/		/		/		
	A F.2 Tank& Hose			/		/		/		
	A F.3 Tank& Hose			/		/		/		
	A F.4 Tank& Hose			/		/		/		
	A F.5 Tank& Hose			/		/		/		
	A F.6 Tank& Hose			/		/		/		
	B F.1 Tank & Hose			/		/		/		
	B F.2 Tank & Hose			/		/		/		
	B F.3 Tank & Hose			/		/		/		
	B F.4 Tank & Hose			/		/		/		
	B F.5 Tank & Hose			/		/		/		
	B F.6 Tank & Hose			/		/		/		
	C Tank & Hose Parking			/		/		/		
	Gas Station Tank			/		/		/		
	Main Store Tank			/		/		/		
	Garbage Room Tank			/		/		/		
	C Tank & Hose Parking			/		/		/		
	C Tank& Hose Sale			/		/		/		
	C Tank& Hose F/O			/		/		/		
	C Tank& Hose Owner			/		/		/		
	C Tank& Hose Yai-Yai			/		/		/		
	C Tank& Hose Libra			/		/		/		
	Main Kitchen Tank 1	/		/		/		/		
	Main Kitchen Tank 2	/		/		/		/		
	Main Kitchen Tank 3	/		/		/		/		
	Aug-Gu Tank 1		/	/		/		/		
	Spa Tank		/	/		/		/		
	Canteen Tank		/	/		/		/		
	Meeting Room Tank		/	/		/		/		

Check by: NT 04/08/68

Fire extinguisher & FIRE HOSE CABINET

Date	Location (building)	Type.		Check the condition of the tank		pressure in the tank (Chemical)		Invert tank (Chemical)		Remark
		CO ₂	Chemical	Normal	Defective	195 Psi	Lower 195 Psi.	Treat	Not Treat	
	A F.1 Tank& Hose		/	/		/		/		
	A F.2 Tank& Hose			/		/		/		
	A F.3 Tank& Hose			/		/		/		
	A F.4 Tank& Hose			/		/		/		
	A F.5 Tank& Hose			/		/		/		
	A F.6 Tank& Hose			/		/		/		
	B F.1 Tank & Hose			/		/		/		
	B F.2 Tank & Hose			/		/		/		
	B F.3 Tank & Hose			/		/		/		
	B F.4 Tank & Hose			/		/		/		
	B F.5 Tank & Hose			/		/		/		
	B F.6 Tank & Hose			/		/		/		
	C Tank & Hose Parking			/		/		/		
	Gas Station Tank			/		/		/		
	Main Store Tank			/		/		/		
	Garbage Room Tank			/		/		/		
	C Tank & Hose Parking			/		/		/		
	C Tank& Hose Sale			/		/		/		
	C Tank& Hose F/O			/		/		/		
	C Tank& Hose Owner			/		/		/		
	C Tank& Hose Yai-Yai			/		/		/		
	C Tank& Hose Libra			/		/		/		
	Main Kitchen Tank 1	/		/		/		/		
	Main Kitchen Tank 2	/		/		/		/		
	Main Kitchen Tank 3	/		/		/		/		
	Aug-Gu Tank 1		/	/		/		/		
	Spa Tank		/	/		/		/		
	Canteen Tank		/	/		/		/		
	Meeting Room Tank		/	/		/		/		

Check by: WV 06/09/68
V

Fire extinguisher & FIRE HOSE CABINET

Date	Location (building)	Type.		Check the condition of the tank		pressure in the tank (Chemical)		Invert tank (Chemical)		Remark
		CO ₂	Chemical	Normal	Defective	195 Psi	Lower 195 Psi.	Treat	Not Treat	
	A F.1 Tank& Hose		/	/		/		/		
	A F.2 Tank& Hose			/		/		/		
	A F.3 Tank& Hose			/		/		/		
	A F.4 Tank& Hose			/		/		/		
	A F.5 Tank& Hose			/		/		/		
	A F.6 Tank& Hose			/		/		/		
	B F.1 Tank & Hose			/		/		/		
	B F.2 Tank & Hose			/		/		/		
	B F.3 Tank & Hose			/		/		/		
	B F.4 Tank & Hose			/		/		/		
	B F.5 Tank & Hose			/		/		/		
	B F.6 Tank & Hose			/		/		/		
	C Tank & Hose Parking			/		/		/		
	Gas Station Tank			/		/		/		
	Main Store Tank			/		/		/		
	Garbage Room Tank			/		/		/		
	C Tank & Hose Parking			/		/		/		
	C Tank& Hose Sale			/		/		/		
	C Tank& Hose F/O			/		/		/		
	C Tank& Hose Owner			/		/		/		
	C Tank& Hose Yai-Yai			/		/		/		
	C Tank& Hose Libra			/		/		/		
	Main Kitchen Tank 1	/		/		/		/		
	Main Kitchen Tank 2	/		/		/		/		
	Main Kitchen Tank 3	/		/		/		/		
	Aug-Gu Tank 1		/	/		/		/		
	Spa Tank		/	/		/		/		
	Canteen Tank		/	/		/		/		
	Meeting Room Tank		/	/		/		/		

Check by: YA 03/10/68

Fire extinguisher & FIRE HOSE CABINET

Date	Location (building)	Type.		Check the condition of the tank		pressure in the tank (Chemical)		Invert tank (Chemical)		Remark
		CO ₂	Chemical	Normal	Defective	195 Psi	Lower 195 Psi.	Treat	Not Treat	
	A F.1 Tank& Hose		/	/		/		/		
	A F.2 Tank& Hose			/		/		/		
	A F.3 Tank& Hose			/		/		/		
	A F.4 Tank& Hose			/		/		/		
	A F.5 Tank& Hose			/		/		/		
	A F.6 Tank& Hose			/		/		/		
	B F.1 Tank & Hose			/		/		/		
	B F.2 Tank & Hose			/		/		/		
	B F.3 Tank & Hose			/		/		/		
	B F.4 Tank & Hose			/		/		/		
	B F.5 Tank & Hose			/		/		/		
	B F.6 Tank & Hose			/		/		/		
	C Tank & Hose Parking			/		/		/		
	Gas Station Tank			/		/		/		
	Main Store Tank			/		/		/		
	Garbage Room Tank			/		/		/		
	C Tank & Hose Parking			/		/		/		
	C Tank& Hose Sale			/		/		/		
	C Tank& Hose F/O			/		/		/		
	C Tank& Hose Owner			/		/		/		
	C Tank& Hose Yai-Yai			/		/		/		
	C Tank& Hose Libra			/		/		/		
	Main Kitchen Tank 1	/		/		/		/		
	Main Kitchen Tank 2	/		/		/		/		
	Main Kitchen Tank 3	/		/		/		/		
	Aug-Gu Tank 1		/	/		/		/		
	Spa Tank		/	/		/		/		
	Canteen Tank		/	/		/		/		
	Meeting Room Tank		/	/		/		/		

Check by: 8 05/11/68

Fire extinguisher & FIRE HOSE CABINET

Date	Location (building)	Type.		Check the condition of the tank		pressure in the tank (Chemical)		Invert tank (Chemical)		Remark
		CO ₂	Chemical	Normal	Defective	195 Psi	Lower 195 Psi.	Treat	Not Treat	
	A F.1 Tank& Hose		/	/		/		/		
	A F.2 Tank& Hose			/		/		/		
	A F.3 Tank& Hose			/		/		/		
	A F.4 Tank& Hose			/		/		/		
	A F.5 Tank& Hose			/		/		/		
	A F.6 Tank& Hose			/		/		/		
	B F.1 Tank & Hose			/		/		/		
	B F.2 Tank & Hose			/		/		/		
	B F.3 Tank & Hose			/		/		/		
	B F.4 Tank & Hose			/		/		/		
	B F.5 Tank & Hose			/		/		/		
	B F.6 Tank & Hose			/		/		/		
	C Tank & Hose Parking			/		/		/		
	Gas Station Tank			/		/		/		
	Main Store Tank			/		/		/		
	Garbage Room Tank			/		/		/		
	C Tank & Hose Parking			/		/		/		
	C Tank& Hose Sale			/		/		/		
	C Tank& Hose F/O			/		/		/		
	C Tank& Hose Owner			/		/		/		
	C Tank& Hose Yai-Yai			/		/		/		
	C Tank& Hose Libra			/		/		/		
	Main Kitchen Tank 1	/		/		/		/		
	Main Kitchen Tank 2	/		/		/		/		
	Main Kitchen Tank 3	/		/		/		/		
	Aug-Gu Tank 1		/	/		/		/		
	Spa Tank		/	/		/		/		
	Canteen Tank		/	/		/		/		
	Meeting Room Tank		/	/		/		/		

Check by: NAH 08/12/08

EMERGENCY LIGHT

07/68

Date	Place.	Check the lamp		Check the lamp by		Testing at least 1		Remark
		normal	defective	normal	defective	normal	defective	
	A1/store hk	/				/		
	A1/office hk	/				/		
	A2/212	/				/		
	A2/216	/				/		
	A2/219	/				/		
	A3/312	/				/		
	A3/316	/				/		
	A3/320	/				/		
	A4/412	/				/		
	A4/416	/				/		
	A4/420	/				/		
	A5/512	/				/		
	A5/516	/				/		
	A5/520	/				/		
	A6/608	/				/		
	A6/610	/				/		
	A6/612	/				/		
	B1/102	/				/		
	B1/106	/				/		
	B1/107	/				/		
	B2/202	/				/		
	B2/206	/				/		
	B2/207	/				/		
	B3/302	/				/		
	B3/306	/				/		
	B3/307	/				/		
	B4/402	/				/		
	B4/406	/				/		
	B4/407	/				/		
	B5/502	/				/		
	B5/506	/				/		
	B5/507	/				/		
	B6/602	/				/		
	B6/604	/				/		
	B6/605	/				/		
	Fire escape stap A1	/				/		
	Fire escape stap A2	/				/		
	Fire escape stap A3	/				/		
	Fire escape stap A4	/				/		
	Fire escape stap A5	/				/		
	Fire escape stap A6	/				/		
	Fire escape stap B1	/				/		
	Fire escape stap B2	/				/		
	Fire escape stap B3	/				/		
	Fire escape stap B4	/				/		
	Fire escape stap B5	/				/		
	Fire escape stap B6	/				/		

EMERGENCY LIGHT

Date	Place.	Check the lamp		Check the lamp by		Testing at least 1		Remark
		normal	defective	normal	defective	normal	defective	
	Pantry AB1	/				/		
	Pantry AB2	/				/		
	Pantry AB3	/				/		
	Pantry AB4	/				/		
	Pantry AB5	/				/		
	Pantry AB6	/				/		
	Electric Room F1	/				/		
	Electric Room F2	/				/		
	Electric Room F3	/				/		
	Electric Room F4	/				/		
	Electric Room F5	/				/		
	Electric Room F6	/				/		
	Elevator F1	/				/		
	Elevator F2	/				/		
	Elevator F3	/				/		
	Elevator F4	/				/		
	Elevator F5	/				/		
	Elevator F6	/				/		
	purchaseing	/				/		
	Staff toilet	/				/		
	IT Office	/				/		
	Admin office	/				/		
	Uniform	/				/		
	Staff canteen	/				/		
	Canteen cooridoor	/				/		
	AC office	/				/		
	HR office	/				/		
	Parking	/				/		
	FB office	/				/		
	FB store	/				/		
	AC store	/				/		
	Sale office1	/				/		
	Sale office2	/				/		
	Sale office3	/				/		
	Morning brief room1	/				/		
	Morning brief room2	/				/		
	FO office 1	/				/		
	FO office 2	/				/		
	FO office 3	/				/		
	Owner office 1	/				/		
	Owner office 2	/				/		
	Owner office 3	/				/		
	Owner office 4	/				/		
	Owner office 5	/				/		
	Owner office 6	/				/		
	Toilet Male	/				/		
	Toilet Female	/				/		

EMERGENCY LIGHT

Date	Place.	Check the lamp		Check the lamp by		Testing at least 1		Remark
		normal	defective	normal	defective	normal	defective	
	Lobby Bar 1	/				/		
	Yai-Yai Rest	/				/		
	Aug-Gu Rest	/				/		
	Toilet Meeting M	/				/		
	Toilet Meeting W	/				/		
	Spa	/				/		
	Library	/				/		
	Meeting Roon 1,2,3,4,5	/				/		
	Store Meeting R.	/				/		
	Fire Escape F1	/				/		
	Fire Escape F2	/				/		
	Fire Escape F3	/				/		

Remark: _____

ไม่มีแสงฉุกเฉิน

Check by: _____

วษ, 27/6

03/07/68

EMERGENCY LIGHT

08/68

Date	Place.	Check the lamp		Check the lamp by		Testing at least 1		Remark
		normal	defective	normal	defective	normal	defective	
	A1/store hk	/				/		
	A1/office hk	/				/		
	A2/212	/				/		
	A2/216	/				/		
	A2/219	/				/		
	A3/312	/				/		
	A3/316	/				/		
	A3/320	/				/		
	A4/412	/				/		
	A4/416	/				/		
	A4/420	/				/		
	A5/512	/				/		
	A5/516	/				/		
	A5/520	/				/		
	A6/608	/				/		
	A6/610	/				/		
	A6/612	/				/		
	B1/102	/				/		
	B1/106	/				/		
	B1/107	/				/		
	B2/202	/				/		
	B2/206	/				/		
	B2/207	/				/		
	B3/302	/				/		
	B3/306	/				/		
	B3/307	/				/		
	B4/402	/				/		
	B4/406	/				/		
	B4/407	/				/		
	B5/502	/				/		
	B5/506	/				/		
	B5/507	/				/		
	B6/602	/				/		
	B6/604	/				/		
	B6/605	/				/		
	Fire escape stap A1	/				/		
	Fire escape stap A2	/				/		
	Fire escape stap A3	/				/		
	Fire escape stap A4	/				/		
	Fire escape stap A5	/				/		
	Fire escape stap A6	/				/		
	Fire escape stap B1	/				/		
	Fire escape stap B2	/				/		
	Fire escape stap B3	/				/		
	Fire escape stap B4	/				/		
	Fire escape stap B5	/				/		
	Fire escape stap B6	/				/		

EMERGENCY LIGHT

Date	Place.	Check the lamp		Check the lamp by		Testing at least 1		Remark
		normal	defective	normal	defective	normal	defective	
	Pantry AB1	/				/		
	Pantry AB2	/				/		
	Pantry AB3	/				/		
	Pantry AB4	/				/		
	Pantry AB5	/				/		
	Pantry AB6	/				/		
	Electric Room F1	/				/		
	Electric Room F2	/				/		
	Electric Room F3	/				/		
	Electric Room F4	/				/		
	Electric Room F5	/				/		
	Electric Room F6	/				/		
	Elevator F1	/				/		
	Elevator F2	/				/		
	Elevator F3	/				/		
	Elevator F4	/				/		
	Elevator F5	/				/		
	Elevator F6	/				/		
	purchaseing	/				/		
	Staff toilet	/				/		
	IT Office	/				/		
	Admin office	/				/		
	Uniform	/				/		
	Staff canteen	/				/		
	Canteen cooridoor	/				/		
	AC office	/				/		
	HR office	/				/		
	Parking	/				/		
	FB office	/				/		
	FB store	/				/		
	AC store	/				/		
	Sale office1	/				/		
	Sale office2	/				/		
	Sale office3	/				/		
	Morning brief room1	/				/		
	Morning brief room2	/				/		
	FO office 1	/				/		
	FO office 2	/				/		
	FO office 3	/				/		
	Owner office 1	/				/		
	Owner office 2	/				/		
	Owner office 3	/				/		
	Owner office 4	/				/		
	Owner office 5	/				/		
	Owner office 6	/				/		
	Toilet Male	/				/		
	Toilet Female	/				/		

EMERGENCY LIGHT

Date	Place.	Check the lamp		Check the lamp by		Testing at least 1		Remark
		normal	defective	normal	defective	normal	defective	
	Lobby Bar 1	/				/		
	Yai-Yai Rest	/				/		
	Aug-Gu Rest	/				/		
	Toilet Meeting M	/				/		
	Toilet Meeting W	/				/		
	Spa	/				/		
	Library	/				/		
	Meeting Room 1,2,3,4,5	/				/		
	Store Meeting R.	/				/		
	Fire Escape F1	/				/		
	Fire Escape F2	/				/		
	Fire Escape F3	/				/		

Remark:

normal, on order

Check by:

en, un, non

06/08/68

EMERGENCY LIGHT

09/08

Date	Place.	Check the lamp		Check the lamp by		Testing at least 1		Remark
		normal	defective	normal	defective	normal	defective	
	A1/store hk	/				/		
	A1/office hk	/				/		
	A2/212	/				/		
	A2/216	/				/		
	A2/219	/				/		
	A3/312	/				/		
	A3/316	/				/		
	A3/320	/				/		
	A4/412	/				/		
	A4/416	/				/		
	A4/420	/				/		
	A5/512	/				/		
	A5/516	/				/		
	A5/520	/				/		
	A6/608	/				/		
	A6/610	/				/		
	A6/612	/				/		
	B1/102	/				/		
	B1/106	/				/		
	B1/107	/				/		
	B2/202	/				/		
	B2/206	/				/		
	B2/207	/				/		
	B3/302	/				/		
	B3/306	/				/		
	B3/307	/				/		
	B4/402	/				/		
	B4/406	/				/		
	B4/407	/				/		
	B5/502	/				/		
	B5/506	/				/		
	B5/507	/				/		
	B6/602	/				/		
	B6/604	/				/		
	B6/605	/				/		
	Fire escape stap A1	/				/		
	Fire escape stap A2	/				/		
	Fire escape stap A3	/				/		
	Fire escape stap A4	/				/		
	Fire escape stap A5	/				/		
	Fire escape stap A6	/				/		
	Fire escape stap B1	/				/		
	Fire escape stap B2	/				/		
	Fire escape stap B3	/				/		
	Fire escape stap B4	/				/		
	Fire escape stap B5	/				/		
	Fire escape stap B6	/				/		

EMERGENCY LIGHT

Date	Place.	Check the lamp		Check the lamp by		Testing at least 1		Remark
		normal	defective	normal	defective	normal	defective	
	Pantry AB1	/				/		
	Pantry AB2	/				/		
	Pantry AB3	/				/		
	Pantry AB4	/				/		
	Pantry AB5	/				/		
	Pantry AB6	/				/		
	Electric Room F1	/				/		
	Electric Room F2	/				/		
	Electric Room F3	/				/		
	Electric Room F4	/				/		
	Electric Room F5	/				/		
	Electric Room F6	/				/		
	Elevator F1	/				/		
	Elevator F2	/				/		
	Elevator F3	/				/		
	Elevator F4	/				/		
	Elevator F5	/				/		
	Elevator F6	/				/		
	purchaseing	/				/		
	Staff toilet	/				/		
	IT Office	/				/		
	Admin office	/				/		
	Uniform	/				/		
	Staff canteen	/				/		
	Canteen cooridoor	/				/		
	AC office	/				/		
	HR office	/				/		
	Parking	/				/		
	FB office	/				/		
	FB store	/				/		
	AC store	/				/		
	Sale office1	/				/		
	Sale office2	/				/		
	Sale office3	/				/		
	Morning brief room1	/				/		
	Morning brief room2	/				/		
	FO office 1	/				/		
	FO office 2	/				/		
	FO office 3	/				/		
	Owner office 1	/				/		
	Owner office 2	/				/		
	Owner office 3	/				/		
	Owner office 4	/				/		
	Owner office 5	/				/		
	Owner office 6	/				/		
	Toilet Male	/				/		
	Toilet Female	/				/		

EMERGENCY LIGHT

Date	Place.	Check the lamp		Check the lamp by		Testing at least 1		Remark
		normal	defective	normal	defective	normal	defective	
	Lobby Bar 1	/				/		
	Yai-Yai Rest	/				/		
	Aug-Gu Rest	/				/		
	Toilet Meeting M	/				/		
	Toilet Meeting W	/				/		
	Spa	/				/		
	Library	/				/		
	Meeting Roon 1,2,3,4,5	/				/		
	Store Meeting R.	/				/		
	Fire Escape F1	/				/		
	Fire Escape F2	/				/		
	Fire Escape F3	/				/		

Remark:

ทั้งหมด 5, 060 ดวง

Check by:

เอนก, อ., 206 10/09/68

EMERGENCY LIGHT

10/68

Date	Place.	Check the lamp		Check the lamp by		Testing at least 1		Remark
		normal	defective	normal	defective	normal	defective	
	A1/store hk	/				/		
	A1/office hk	/				/		
	A2/212	/				/		
	A2/216	/				/		
	A2/219	/				/		
	A3/312	/				/		
	A3/316	/				/		
	A3/320	/				/		
	A4/412	/				/		
	A4/416	/				/		
	A4/420	/				/		
	A5/512	/				/		
	A5/516	/				/		
	A5/520	/				/		
	A6/608	/				/		
	A6/610	/				/		
	A6/612	/				/		
	B1/102	/				/		
	B1/106	/				/		
	B1/107	/				/		
	B2/202	/				/		
	B2/206	/				/		
	B2/207	/				/		
	B3/302	/				/		
	B3/306	/				/		
	B3/307	/				/		
	B4/402	/				/		
	B4/406	/				/		
	B4/407	/				/		
	B5/502	/				/		
	B5/506	/				/		
	B5/507	/				/		
	B6/602	/				/		
	B6/604	/				/		
	B6/605	/				/		
	Fire escape stap A1	/				/		
	Fire escape stap A2	/				/		
	Fire escape stap A3	/				/		
	Fire escape stap A4	/				/		
	Fire escape stap A5	/				/		
	Fire escape stap A6	/				/		
	Fire escape stap B1	/				/		
	Fire escape stap B2	/				/		
	Fire escape stap B3	/				/		
	Fire escape stap B4	/				/		
	Fire escape stap B5	/				/		
	Fire escape stap B6	/				/		

EMERGENCY LIGHT

Date	Place.	Check the lamp		Check the lamp by		Testing at least 1		Remark
		normal /	defective	normal	defective	normal /	defective	
	Pantry AB1	/				/		
	Pantry AB2	/				/		
	Pantry AB3	/				/		
	Pantry AB4	/				/		
	Pantry AB5	/				/		
	Pantry AB6	/				/		
	Electric Room F1	/				/		
	Electric Room F2	/				/		
	Electric Room F3	/				/		
	Electric Room F4	/				/		
	Electric Room F5	/				/		
	Electric Room F6	/				/		
	Elevator F1	/				/		
	Elevator F2	/				/		
	Elevator F3	/				/		
	Elevator F4	/				/		
	Elevator F5	/				/		
	Elevator F6	/				/		
	purchaseing	/				/		
	Staff toilet	/				/		
	IT Office	/				/		
	Admin office	/				/		
	Uniform	/				/		
	Staff canteen	/				/		
	Canteen cooridoor	/				/		
	AC office	/				/		
	HR office	/				/		
	Parking	/				/		
	FB office	/				/		
	FB store	/				/		
	AC store	/				/		
	Sale office1	/				/		
	Sale office2	/				/		
	Sale office3	/				/		
	Morning brief room1	/				/		
	Morning brief room2	/				/		
	FO office 1	/				/		
	FO office 2	/				/		
	FO office 3	/				/		
	Owner office 1	/				/		
	Owner office 2	/				/		
	Owner office 3	/				/		
	Owner office 4	/				/		
	Owner office 5	/				/		
	Owner office 6	/				/		
	Toilet Male	/				/		
	Toilet Female	/				/		

EMERGENCY LIGHT

Date	Place.	Check the lamp		Check the lamp by		Testing at least 1		Remark
		normal	defective	normal	defective	normal	defective	
	Lobby Bar 1	/				/		
	Yai-Yai Rest	/				/		
	Aug-Gu Rest	/				/		
	Toilet Meeting M	/				/		
	Toilet Meeting W	/				/		
	Spa	/				/		
	Library	/				/		
	Meeting Roon 1,2,3,4,5	/				/		
	Store Meeting R.	/				/		
	Fire Escape F1	/				/		
	Fire Escape F2	/				/		
	Fire Escape F3	/				/		

Remark: ไม่มีปัญหา

Check by: กวิ, วัจ 07/10/68

EMERGENCY LIGHT

11/68

Date	Place.	Check the lamp		Check the lamp by		Testing at least 1		Remark
		normal	defective	normal	defective	normal	defective	
	A1/store hk	/				/		
	A1/office hk	/				/		
	A2/212	/				/		
	A2/216	/				/		
	A2/219	/				/		
	A3/312	/				/		
	A3/316	/				/		
	A3/320	/				/		
	A4/412	/				/		
	A4/416	/				/		
	A4/420	/				/		
	A5/512	/				/		
	A5/516	/				/		
	A5/520	/				/		
	A6/608	/				/		
	A6/610	/				/		
	A6/612	/				/		
	B1/102	/				/		
	B1/106	/				/		
	B1/107	/				/		
	B2/202	/				/		
	B2/206	/				/		
	B2/207	/				/		
	B3/302	/				/		
	B3/306	/				/		
	B3/307	/				/		
	B4/402	/				/		
	B4/406	/				/		
	B4/407	/				/		
	B5/502	/				/		
	B5/506	/				/		
	B5/507	/				/		
	B6/602	/				/		
	B6/604	/				/		
	B6/605	/				/		
	Fire escape stap A1	/				/		
	Fire escape stap A2	/				/		
	Fire escape stap A3	/				/		
	Fire escape stap A4	/				/		
	Fire escape stap A5	/				/		
	Fire escape stap A6	/				/		
	Fire escape stap B1	/				/		
	Fire escape stap B2	/				/		
	Fire escape stap B3	/				/		
	Fire escape stap B4	/				/		
	Fire escape stap B5	/				/		
	Fire escape stap B6	/				/		

EMERGENCY LIGHT

Date	Place.	Check the lamp		Check the lamp by		Testing at least 1		Remark
		normal	defective	normal	defective	normal	defective	
	Pantry AB1	/				/		
	Pantry AB2	/				/		
	Pantry AB3	/				/		
	Pantry AB4	/				/		
	Pantry AB5	/				/		
	Pantry AB6	/				/		
	Electric Room F1	/				/		
	Electric Room F2	/				/		
	Electric Room F3	/				/		
	Electric Room F4	/				/		
	Electric Room F5	/				/		
	Electric Room F6	/				/		
	Elevator F1	/				/		
	Elevator F2	/				/		
	Elevator F3	/				/		
	Elevator F4	/				/		
	Elevator F5	/				/		
	Elevator F6	/				/		
	purchaseing	/				/		
	Staff toilet	/				/		
	IT Office	/				/		
	Admin office	/				/		
	Uniform	/				/		
	Staff canteen	/				/		
	Canteen cooridoor	/				/		
	AC office	/				/		
	HR office	/				/		
	Parking	/				/		
	FB office	/				/		
	FB store	/				/		
	AC store	/				/		
	Sale office1	/				/		
	Sale office2	/				/		
	Sale office3	/				/		
	Morning brief room1	/				/		
	Morning brief room2	/				/		
	FO office 1	/				/		
	FO office 2	/				/		
	FO office 3	/				/		
	Owner office 1	/				/		
	Owner office 2	/				/		
	Owner office 3	/				/		
	Owner office 4	/				/		
	Owner office 5	/				/		
	Owner office 6	/				/		
	Toilet Male	/				/		
	Toilet Female	/				/		

EMERGENCY LIGHT

Date	Place.	Check the lamp		Check the lamp by		Testing at least 1		Remark
		normal	defective	normal	defective	normal	defective	
	Lobby Bar 1	/				/		
	Yai-Yai Rest	/				/		
	Aug-Gu Rest	/				/		
	Toilet Meeting M	/				/		
	Toilet Meeting W	/				/		
	Spa	/				/		
	Library	/				/		
	Meeting Room 1,2,3,4,5	/				/		
	Store Meeting R.	/				/		
	Fire Escape F1	/				/		
	Fire Escape F2	/				/		
	Fire Escape F3	/				/		
		/				/		

Remark: 11/11/68 04/11/68

Check by: 11/11/68 04/11/68

EMERGENCY LIGHT

12/68

Date	Place.	Check the lamp		Check the lamp by		Testing at least 1		Remark
		normal	defective	normal	defective	normal	defective	
	A1/store hk	/				/		
	A1/office hk	/				/		
	A2/212	/				/		
	A2/216	/				/		
	A2/219	/				/		
	A3/312	/				/		
	A3/316	/				/		
	A3/320	/				/		
	A4/412	/				/		
	A4/416	/				/		
	A4/420	/				/		
	A5/512	/				/		
	A5/516	/				/		
	A5/520	/				/		
	A6/608	/				/		
	A6/610	/				/		
	A6/612	/				/		
	B1/102	/				/		
	B1/106	/				/		
	B1/107	/				/		
	B2/202	/				/		
	B2/206	/				/		
	B2/207	/				/		
	B3/302	/				/		
	B3/306	/				/		
	B3/307	/				/		
	B4/402	/				/		
	B4/406	/				/		
	B4/407	/				/		
	B5/502	/				/		
	B5/506	/				/		
	B5/507	/				/		
	B6/602	/				/		
	B6/604	/				/		
	B6/605	/				/		
	Fire escape stap A1	/				/		
	Fire escape stap A2	/				/		
	Fire escape stap A3	/				/		
	Fire escape stap A4	/				/		
	Fire escape stap A5	/				/		
	Fire escape stap A6	/				/		
	Fire escape stap B1	/				/		
	Fire escape stap B2	/				/		
	Fire escape stap B3	/				/		
	Fire escape stap B4	/				/		
	Fire escape stap B5	/				/		
	Fire escape stap B6	/				/		

EMERGENCY LIGHT

Date	Place.	Check the lamp		Check the lamp by		Testing at least 1		Remark
		normal	defective	normal	defective	normal	defective	
	Pantry AB1	/				/		
	Pantry AB2	/				/		
	Pantry AB3	/				/		
	Pantry AB4	/				/		
	Pantry AB5	/				/		
	Pantry AB6	/				/		
	Electric Room F1	/				/		
	Electric Room F2	/				/		
	Electric Room F3	/				/		
	Electric Room F4	/				/		
	Electric Room F5	/				/		
	Electric Room F6	/				/		
	Elevator F1	/				/		
	Elevator F2	/				/		
	Elevator F3	/				/		
	Elevator F4	/				/		
	Elevator F5	/				/		
	Elevator F6	/				/		
	purchaseing	/				/		
	Staff toilet	/				/		
	IT Office	/				/		
	Admin office	/				/		
	Uniform	/				/		
	Staff canteen	/				/		
	Canteen cooridoor	/				/		
	AC office	/				/		
	HR office	/				/		
	Parking	/				/		
	FB office	/				/		
	FB store	/				/		
	AC store	/				/		
	Sale office1	/				/		
	Sale office2	/				/		
	Sale office3	/				/		
	Morning brief room1	/				/		
	Morning brief room2	/				/		
	FO office 1	/				/		
	FO office 2	/				/		
	FO office 3	/				/		
	Owner office 1	/				/		
	Owner office 2	/				/		
	Owner office 3	/				/		
	Owner office 4	/				/		
	Owner office 5	/				/		
	Owner office 6	/				/		
	Toilet Male	/				/		
	Toilet Female	/				/		

EMERGENCY LIGHT

Date	Place.	Check the lamp		Check the lamp by		Testing at least 1		Remark
		normal	defective	normal	defective	normal	defective	
	Lobby Bar 1	/				/		
	Yai-Yai Rest	/				/		
	Aug-Gu Rest	/				/		
	Toilet Meeting M	/				/		
	Toilet Meeting W	/				/		
	Spa	/				/		
	Library	/				/		
	Meeting Room 1,2,3,4,5	/				/		
	Store Meeting R.	/				/		
	Fire Escape F1	/				/		
	Fire Escape F2	/				/		
	Fire Escape F3	/				/		

Remark: map 9:010 2095

Check by: 02/12/68