

ภาคผนวกที่ 3 รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม
(ตั้งแต่เดือน มกราคม - มิถุนายน 2569)

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ISO/IEC 17025
Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-011779-01.

Page No : 1/2



Report Date : 03-May-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No : 965-2026-00008220

Order No : EUTH01-00023723

Sample Name * : 1. บ่อน้ำดิบ

Arrival Temperature (°C) : 6.8

Sample Quantity : 3 bottles (3485 g)

Sample Packaging : Sample is contained in a plastic bottle.

Date of Sample Received : 26-Mar-2026

Start - End of Analysis : 27-Mar-2026 to 10-Apr-2026

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
	• Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
	• Coliforms	Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand


รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ANALYTICAL REPORT

Report No. AR-26-D7-031727-02.

Page No : 1/2



Report Date : 11-Jun-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No : 965-2026-00028559

Order No : EUTH01-00033257

Sample Name ¹ : ปอหน้าดิบ

Arrival Temperature (°C) : 6.8

Sample Quantity : 1 bottle (1100 g)

Sample Packaging : Sample is contained in a plastic bottle.

Date of Sample Received : 02-Jun-2026

Start - End of Analysis : 02-Jun-2026 to 08-Jun-2026

¹ : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
◆	Coliforms	Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen

Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ISO/IEC 17025
Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-011780-01.

Page No : 1/2



Report Date : 03-May-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00008221	Order No : EUTH01-00023723
Sample Name *	: 2. บ่อประปา 5 เหลี่ยม	
Arrival Temperature (°C)	: 6.8	
Sample Quantity	: 3 bottles (3255 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 26-Mar-2026	
Start - End of Analysis	: 27-Mar-2026 to 10-Apr-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS	RESULT	UNIT	SPEC.
D70J0 Escherichia coli Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G <i>Escherichia coli</i>	Not Detected	/100 ml	Not Detected
D710G Legionella spp. Method: ISO 11731:2017 ♦ <i>Legionella species</i>	Not Detected	/1000 ml	Not Detected
D70R5 Coliforms Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B ♦ Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ISO/IEC 17025
Accreditation No. 1347/65
Page No : 1/2

ANALYTICAL REPORT

Report No. AR-26-D7-011781-01.



Report Date : 03-May-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No : 965-2026-00008222

Order No : EUTH01-00023723

Sample Name * : 3. เครื่องทำน้ำแข็งจุด 1

Arrival Temperature (°C) : 6.8

Sample Quantity : 3 bottles (3375 g)

Sample Packaging : Sample is contained in a plastic bottle.

Date of Sample Received : 26-Mar-2026

Start - End of Analysis : 27-Mar-2026 to 10-Apr-2026

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS	RESULT	UNIT	SPEC.
D70J0 Escherichia coli Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G <i>Escherichia coli</i>	Not Detected	/100 ml	Not Detected
D710G Legionella spp. Method: ISO 11731:2017 ♦ <i>Legionella species</i>	Not Detected	/1000 ml	Not Detected
D70R5 Coliforms Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B ♦ Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ISO/IEC 17025
Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-011782-01.

Page No : 1/2



Report Date : 03-May-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00008223	Order No : EUTH01-00023723
Sample Name *	: 4. เครื่องทำน้ำแข็งจุด 2	
Arrival Temperature (°C)	: 6.8	
Sample Quantity	: 3 bottles (3375 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 26-Mar-2026	
Start - End of Analysis	: 27-Mar-2026 to 10-Apr-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
♦	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
♦	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ISO/IEC 17025
Accreditation No. 1347/65
Page No : 1/2

ANALYTICAL REPORT

Report No. AR-26-D7-011783-01.



Report Date : 03-May-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00008224	Order No : EUTH01-00023723
Sample Name *	: 5. เครื่องทำน้ำแข็งจุด 3	
Arrival Temperature (°C)	: 6.8	
Sample Quantity	: 3 bottles (3355 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 26-Mar-2026	
Start - End of Analysis	: 27-Mar-2026 to 10-Apr-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT
D70J0	Escherichia coli		
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G			
	Escherichia coli	Not Detected	/100 ml
D710G	Legionella spp.		
Method: ISO 11731:2017			
♦	Legionella species	Not Detected	/1000 ml
D70R5	Coliforms		
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B			
♦	Coliforms	Not Detected	/100 ml

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



Accreditation No. 1347/65
Page No : 1/2

ANALYTICAL REPORT

Report No. AR-26-D7-011784-01.



Report Date : 03-May-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00008225	Order No : EUTH01-00023723
Sample Name *	: 6. เครื่องทำน้ำแข็งจุด SFS	
Arrival Temperature (°C)	: 6.8	
Sample Quantity	: 3 bottles (3380 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 26-Mar-2026	
Start - End of Analysis	: 27-Mar-2026 to 10-Apr-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
♦	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
♦	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-011785-01.

Page No : 1/2



Report Date : 03-May-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No : 965-2026-00008226 Order No : EUTH01-00023723
 Sample Name * : 7.เครื่องทำน้ำแข็งจุด Lagoon Bar
 Arrival Temperature (°C) : 6.8
 Sample Quantity : 3 bottles (3295 g)
 Sample Packaging : Sample is contained in a plastic bottle.
 Date of Sample Received : 26-Mar-2026
 Start - End of Analysis : 27-Mar-2026 to 10-Apr-2026

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
♦	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
♦	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



Accreditation No. 1347/65
Page No : 1/2

ANALYTICAL REPORT

Report No. AR-26-D7-011786-01.



Report Date : 03-May-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00008227	Order No : EUTH01-00023723
Sample Name *	: 8. เครื่องทำน้ำแข็งจุด Loy Nam Bar	
Arrival Temperature (°C)	: 6.8	
Sample Quantity	: 3 bottles (3335 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 26-Mar-2026	
Start - End of Analysis	: 27-Mar-2026 to 10-Apr-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS	RESULT	UNIT	SPEC.
D70J0 Escherichia coli Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G <i>Escherichia coli</i>	Not Detected	/100 ml	Not Detected
D710G Legionella spp. Method: ISO 11731:2017 ♦ <i>Legionella species</i>	Not Detected	/1000 ml	Not Detected
D70R5 Coliforms Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B ♦ Coliforms	Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ANALYTICAL REPORT

Report No. AR-26-D7-031728-02.

Page No : 1/2



Report Date : 11-Jun-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No : 965-2026-00028560

Order No : EUTH01-00033257

Sample Name ¹ : เครื่องทำน้ำแข็งจุด Loy Nam Bar

Arrival Temperature (°C) : 6.8

Sample Quantity : 1 bottle (1150 g)

Sample Packaging : Sample is contained in a plastic bottle.

Date of Sample Received : 02-Jun-2026

Start - End of Analysis : 02-Jun-2026 to 05-Jun-2026

¹ : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
◆	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen

Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ISO/IEC 17025
Accreditation No. 1347/65
Page No : 1/2

ANALYTICAL REPORT

Report No. AR-26-D7-011787-01.



Report Date : 03-May-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00008228	Order No : EUTH01-00023723
Sample Name *	: 9. น้ำเย็นห้องพักแขก	
Arrival Temperature (°C)	: 6.8	
Sample Quantity	: 3 bottles (3405 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 26-Mar-2026	
Start - End of Analysis	: 27-Mar-2026 to 10-Apr-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
♦	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
♦	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ISO/IEC 17025
Accreditation No. 1347/65
Page No : 1/2

ANALYTICAL REPORT

Report No. AR-26-D7-011788-01.



Report Date : 03-May-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00008229	Order No : EUTH01-00023723
Sample Name *	: 10. น้ำร้อนห้องพักแขก	
Arrival Temperature (°C)	: 6.8	
Sample Quantity	: 3 bottles (3370 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 26-Mar-2026	
Start - End of Analysis	: 27-Mar-2026 to 10-Apr-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
♦	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
♦	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ISO/IEC 17025
Accreditation No. 1347/65
Page No : 1/2

ANALYTICAL REPORT

Report No. AR-26-D7-011789-01.

Report Date : 03-May-2026



Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00008230	Order No : EUTH01-00023723
Sample Name *	: 11.น้ำประปาครัวนอน	
Arrival Temperature (°C)	: 6.8	
Sample Quantity	: 3 bottles (3445 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 26-Mar-2026	
Start - End of Analysis	: 27-Mar-2026 to 10-Apr-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
♦	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
♦	Coliforms	Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ANALYTICAL REPORT

Report No. AR-26-D7-031729-02.

Page No : 1/2



Report Date : 11-Jun-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No : 965-2026-00028561

Order No : EUTH01-00033257

Sample Name * : น้ำประปาครัวเรือน

Arrival Temperature (°C) : 6.8

Sample Quantity : 1 bottle (1145 g)

Sample Packaging : Sample is contained in a plastic bottle.

Date of Sample Received : 02-Jun-2026

Start - End of Analysis : 02-Jun-2026 to 05-Jun-2026

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
◆	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ISO/IEC 17025
Accreditation No. 1347/65
Page No : 1/2

ANALYTICAL REPORT

Report No. AR-26-D7-011790-01.



Report Date : 03-May-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00008231	Order No : EUTH01-00023723
Sample Name *	: 12.น้ำประปาครัม SFS	
Arrival Temperature (°C)	: 6.8	
Sample Quantity	: 3 bottles (3440 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 26-Mar-2026	
Start - End of Analysis	: 27-Mar-2026 to 10-Apr-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
♦	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
♦	Coliforms	Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ANALYTICAL REPORT

Report No. AR-26-D7-031730-02.

Page No : 1/2



Report Date : 11-Jun-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No : 965-2026-00028562

Order No : EUTH01-00033257

Sample Name ¹ : น้ำประปาครัน SFS

Arrival Temperature (°C) : 6.8

Sample Quantity : 1 bottle (1155 g)

Sample Packaging : Sample is contained in a plastic bottle.

Date of Sample Received : 02-Jun-2026

Start - End of Analysis : 02-Jun-2026 to 05-Jun-2026

¹ : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
◆	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen

Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



Accreditation No. 1347/65
Page No : 1/2

ANALYTICAL REPORT

Report No. AR-26-D7-011791-01.



Report Date : 03-May-2026

Client:
Hua Hin Village Co., Ltd.
43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No : 965-2026-00008232 Order No : EUTH01-00023723
Sample Name * : 13.ระบบ Cooling Tower (Cooling Basin)
Arrival Temperature (°C) : 6.8
Sample Quantity : 3 bottles (3275 g)
Sample Packaging : Sample is contained in a plastic bottle.
Date of Sample Received : 26-Mar-2026
Start - End of Analysis : 27-Mar-2026 to 10-Apr-2026

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS	RESULT	UNIT	SPEC.
D70J0 Escherichia coli Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G <i>Escherichia coli</i>	Not Detected	/100 ml	Not Detected
D710G Legionella spp. Method: ISO 11731:2017 ◆ <i>Legionella species</i>	Not Detected	/1000 ml	Not Detected
D70R5 Coliforms Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B ◆ Coliforms	Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ANALYTICAL REPORT

Report No. AR-26-D7-031731-02.

Page No : 1/2



Report Date : 11-Jun-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No : 965-2026-00028563 Order No : EUTH01-00033257
Sample Name ¹ : Cooling Tower (Cooling Basin)
Arrival Temperature (°C) : 6.8
Sample Quantity : 1 bottle (1130 g)
Sample Packaging : Sample is contained in a plastic bottle.
Date of Sample Received : 02-Jun-2026
Start - End of Analysis : 02-Jun-2026 to 08-Jun-2026

¹ : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
◆	Coliforms	Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen

Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ISO/IEC 17025
Accreditation No. 1347/65
Page No : 1/2

ANALYTICAL REPORT

Report No. AR-26-D7-011792-01.

Report Date : 03-May-2026



Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00008233	Order No : EUTH01-00023723
Sample Name *	: 14.สระว่ายน้ำ Main Pool	
Arrival Temperature (°C)	: 6.8	
Sample Quantity	: 3 bottles (3370 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 26-Mar-2026	
Start - End of Analysis	: 27-Mar-2026 to 10-Apr-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
♦	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
♦	Coliforms	Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ANALYTICAL REPORT

Report No. AR-26-D7-031732-02.

Page No : 1/2



Report Date : 11-Jun-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No : 965-2026-00028564

Order No : EUTH01-00033257

Sample Name ¹ : สระว่ายน้ำ Main Pool

Arrival Temperature (°C) : 6.8

Sample Quantity : 1 bottle (1115 g)

Sample Packaging : Sample is contained in a plastic bottle.

Date of Sample Received : 02-Jun-2026

Start - End of Analysis : 02-Jun-2026 to 05-Jun-2026

¹ : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
◆	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen

Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ISO/IEC 17025
Accreditation No. 1347/65
Page No : 1/2

ANALYTICAL REPORT

Report No. AR-26-D7-011793-01.

Report Date : 03-May-2026



Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00008234	Order No : EUTH01-00023723
Sample Name *	: 15. สระว่ายนํ้า Lagoon Pool	
Arrival Temperature (°C)	: 6.8	
Sample Quantity	: 3 bottles (3380 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 26-Mar-2026	
Start - End of Analysis	: 27-Mar-2026 to 10-Apr-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
◆	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
◆	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ISO/IEC 17025
Accreditation No. 1347/65
Page No : 1/2

ANALYTICAL REPORT

Report No. AR-26-D7-011794-01.

Report Date : 03-May-2026



Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00008235	Order No : EUTH01-00023723
Sample Name *	: 16. สระว่ายน้ำ Access Pool ตึก4	
Arrival Temperature (°C)	: 6.8	
Sample Quantity	: 3 bottles (3445 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 26-Mar-2026	
Start - End of Analysis	: 27-Mar-2026 to 10-Apr-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
♦	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
♦	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ISO/IEC 17025
Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-011795-01.

Page No : 1/2



Report Date : 03-May-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00008236	Order No : EUTH01-00023723
Sample Name *	: 17.สระว่ายน้ำ Access Pool ตึก3	
Arrival Temperature (°C)	: 6.8	
Sample Quantity	: 3 bottles (3390 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 26-Mar-2026	
Start - End of Analysis	: 27-Mar-2026 to 10-Apr-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	<i>Escherichia coli</i>	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
◆	<i>Legionella species</i>	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
◆	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen

Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



Accreditation No. 1347/65
Page No : 1/2

ANALYTICAL REPORT

Report No. AR-26-D7-011796-01.



Report Date : 03-May-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00008237	Order No : EUTH01-00023723
Sample Name *	: 18.สระว่ายน้ำ Family pool access 606	
Arrival Temperature (°C)	: 6.8	
Sample Quantity	: 3 bottles (3275 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 26-Mar-2026	
Start - End of Analysis	: 27-Mar-2026 to 10-Apr-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
◆	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
◆	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ISO/IEC 17025
Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-011797-01.

Page No : 1/2



Report Date : 03-May-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00008238	Order No : EUTH01-00023723
Sample Name *	: 19.สระว่ายน้ำ Family pool access 206	
Arrival Temperature (°C)	: 6.8	
Sample Quantity	: 3 bottles (3365 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 26-Mar-2026	
Start - End of Analysis	: 27-Mar-2026 to 10-Apr-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS	RESULT	UNIT	SPEC.
D70J0 Escherichia coli Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G <i>Escherichia coli</i>	Not Detected	/100 ml	Not Detected
D710G Legionella spp. Method: ISO 11731:2017 ♦ <i>Legionella species</i>	Not Detected	/1000 ml	Not Detected
D70R5 Coliforms Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B ♦ Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



Accreditation No. 1347/65
Page No : 1/2

ANALYTICAL REPORT

Report No. AR-26-D7-011798-01.

Report Date : 03-May-2026



Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00008239	Order No : EUTH01-00023723
Sample Name *	: 20.สระรายน้ำ Family pool access 306	
Arrival Temperature (°C)	: 6.8	
Sample Quantity	: 3 bottles (3370 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 26-Mar-2026	
Start - End of Analysis	: 27-Mar-2026 to 10-Apr-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
♦	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
♦	Coliforms	Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ANALYTICAL REPORT

Report No. AR-26-D7-031733-02.

Page No : 1/2



Report Date : 11-Jun-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No : 965-2026-00028565 Order No : EUTH01-00033257
Sample Name ¹ : สระน้ำ Family pool access 306
Arrival Temperature (°C) : 6.8
Sample Quantity : 1 bottle (1170 g)
Sample Packaging : Sample is contained in a plastic bottle.
Date of Sample Received : 02-Jun-2026
Start - End of Analysis : 02-Jun-2026 to 05-Jun-2026

¹ : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
◆	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ISO/IEC 17025
Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-011799-01.

Page No : 1/2



Report Date : 03-May-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00008240	Order No : EUTH01-00023723
Sample Name *	: 21.น้ำเย็น SPA	
Arrival Temperature (°C)	: 6.8	
Sample Quantity	: 3 bottles (3410 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 26-Mar-2026	
Start - End of Analysis	: 27-Mar-2026 to 10-Apr-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
♦	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
♦	Coliforms	Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ANALYTICAL REPORT

Report No. AR-26-D7-031734-02.

Page No : 1/2



Report Date : 11-Jun-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No : 965-2026-00028566

Order No : EUTH01-00033257

Sample Name * : น้ำเย็น SPA

Arrival Temperature (°C) : 6.8

Sample Quantity : 1 bottle (1130 g)

Sample Packaging : Sample is contained in a plastic bottle.

Date of Sample Received : 02-Jun-2026

Start - End of Analysis : 02-Jun-2026 to 05-Jun-2026

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
◆	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ISO/IEC 17025
Accreditation No. 1347/65
Page No : 1/2

ANALYTICAL REPORT

Report No. AR-26-D7-011800-01.

Report Date : 03-May-2026



Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00008241	Order No : EUTH01-00023723
Sample Name *	: 22. น้ำร้อน SPA	
Arrival Temperature (°C)	: 6.8	
Sample Quantity	: 3 bottles (3400 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 26-Mar-2026	
Start - End of Analysis	: 27-Mar-2026 to 10-Apr-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
♦	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
♦	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน มกราคม ถึง มีนาคม 2569



ISO/IEC 17025
Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-011801-01.

Page No : 1/2



Report Date : 03-May-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00008242	Order No : EUTH01-00023723
Sample Name *	: 23. HOT water tank	
Arrival Temperature (°C)	: 6.8	
Sample Quantity	: 3 bottles (3440 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 26-Mar-2026	
Start - End of Analysis	: 27-Mar-2026 to 10-Apr-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
◆	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
◆	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน เมษายน ถึง มิถุนายน 2569



ISO/IEC 17025
Accreditation No. 1347/65
Page No : 1/2

ANALYTICAL REPORT

Report No. AR-26-D7-036363-01.



Report Date : 04-Jul-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00031115	Order No : EUTH01-00034322
Sample Name ¹	: 1. บ่อน้ำดื่ม	
Arrival Temperature (°C)	: 6.0	
Sample Quantity	: 3 bottles (3425 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 17-Jun-2026	
Start - End of Analysis	: 17-Jun-2026 to 30-Jun-2026	

¹ : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	<i>Escherichia coli</i>	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
	♦ <i>Legionella species</i>	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
	♦ Coliforms	Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน เมษายน ถึง มิถุนายน 2569



ISO/IEC 17025
Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-036364-01.

Page No : 1/2



Report Date : 04-Jul-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00031116	Order No : EUTH01-00034322
Sample Name *	: 2. บ่อประปา 5 เหลี่ยม	
Arrival Temperature (°C)	: 6.0	
Sample Quantity	: 2 bottles (2280 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 17-Jun-2026	
Start - End of Analysis	: 17-Jun-2026 to 03-Jul-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS	RESULT	UNIT	SPEC.
D70J0 Escherichia coli Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G <i>Escherichia coli</i>	Not Detected	/100 ml	Not Detected
D710G Legionella spp. Method: ISO 11731:2017 ♦ <i>Legionella species</i>	Not Detected	/1000 ml	Not Detected
D70R5 Coliforms Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B ♦ Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน เมษายน ถึง มิถุนายน 2569



ISO/IEC 17025
Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-036365-01.

Page No : 1/2



Report Date : 04-Jul-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No : 965-2026-00031117 Order No : EUTH01-00034322
Sample Name * : 3. เครื่องทำน้ำแข็งจุด 1
Arrival Temperature (°C) : 6.0
Sample Quantity : 3 bags (3580 g)
Sample Packaging : Sample is contained in a plastic bottle.
Date of Sample Received : 17-Jun-2026
Start - End of Analysis : 17-Jun-2026 to 30-Jun-2026

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS	RESULT	UNIT	SPEC.
D70J0 Escherichia coli Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G <i>Escherichia coli</i>	Not Detected	/100 ml	Not Detected
D710G Legionella spp. Method: ISO 11731:2017 ♦ <i>Legionella species</i>	Not Detected	/1000 ml	Not Detected
D70R5 Coliforms Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B ♦ Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน เมษายน ถึง มิถุนายน 2569



ISO/IEC 17025
Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-036366-01.

Page No : 1/2



Report Date : 04-Jul-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No : 965-2026-00031118

Order No : EUTH01-00034322

Sample Name ¹ : 4. เครื่องทำน้ำแข็งจุด 2

Arrival Temperature (°C) : 6.0

Sample Quantity : 2 bags (2030 g)

Sample Packaging : Sample is contained in a plastic bottle.

Date of Sample Received : 17-Jun-2026

Start - End of Analysis : 17-Jun-2026 to 30-Jun-2026

¹ : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS	RESULT	UNIT	SPEC.
D70J0 Escherichia coli Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G <i>Escherichia coli</i>	Not Detected	/100 ml	Not Detected
D710G Legionella spp. Method: ISO 11731:2017 ♦ <i>Legionella species</i>	Not Detected	/1000 ml	Not Detected
D70R5 Coliforms Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B ♦ Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen

Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน เมษายน ถึง มิถุนายน 2569



ISO/IEC 17025
Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-036367-01.

Page No : 1/2



Report Date : 04-Jul-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00031119	Order No : EUTH01-00034322
Sample Name *	: 5. เครื่องทำน้ำแข็งจุด 3	
Arrival Temperature (°C)	: 6.0	
Sample Quantity	: 3 bags (3055 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 17-Jun-2026	
Start - End of Analysis	: 17-Jun-2026 to 30-Jun-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
♦	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
♦	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen

Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน เมษายน ถึง มิถุนายน 2569



ISO/IEC 17025
Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-036368-01.

Page No : 1/2



Report Date : 04-Jul-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00031120	Order No : EUTH01-00034322
Sample Name ¹	: 6. เครื่องทำน้ำแข็งจุด SFS	
Arrival Temperature (°C)	: 6.0	
Sample Quantity	: 3 bags (3145 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 17-Jun-2026	
Start - End of Analysis	: 17-Jun-2026 to 30-Jun-2026	

¹ : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	<i>Escherichia coli</i>	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
♦	<i>Legionella species</i>	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
♦	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน เมษายน ถึง มิถุนายน 2569



ISO/IEC 17025
Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-036369-01.

Page No : 1/2



Report Date : 04-Jul-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00031121	Order No : EUTH01-00034322
Sample Name *	: 7.เครื่องทำน้ำแข็งจุด Lagoon Bar	
Arrival Temperature (°C)	: 6.0	
Sample Quantity	: 3 bags (4025 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 17-Jun-2026	
Start - End of Analysis	: 17-Jun-2026 to 30-Jun-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
◆	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
◆	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen

Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน เมษายน ถึง มิถุนายน 2569



Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-036370-01.

Page No : 1/2



Report Date : 04-Jul-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00031122	Order No : EUTH01-00034322
Sample Name *	: 8. เครื่องทำน้ำแข็งจุด Loy Nam Bar	
Arrival Temperature (°C)	: 6.0	
Sample Quantity	: 3 bags (3585 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 17-Jun-2026	
Start - End of Analysis	: 17-Jun-2026 to 30-Jun-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
◆	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
◆	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen

Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำภาพน้ำของโรงแรม ประจำเดือน เมษายน ถึง มิถุนายน 2569



ISO/IEC 17025
Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-036371-01.

Page No : 1/2



Report Date : 04-Jul-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00031123	Order No : EUTH01-00034322
Sample Name *	: 9. น้ำเย็นห้องพักแขก	
Arrival Temperature (°C)	: 6.0	
Sample Quantity	: 3 bottles (3355 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 17-Jun-2026	
Start - End of Analysis	: 17-Jun-2026 to 03-Jul-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
	◆ Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
	◆ Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน เมษายน ถึง มิถุนายน 2569



ISO/IEC 17025
Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-036372-01.

Page No : 1/2



Report Date : 04-Jul-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00031124	Order No : EUTH01-00034322
Sample Name *	: 10. น้ำร้อนห้องพักแขก	
Arrival Temperature (°C)	: 6.0	
Sample Quantity	: 3 bottles (3320 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 17-Jun-2026	
Start - End of Analysis	: 17-Jun-2026 to 03-Jul-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS	RESULT	UNIT	SPEC.
D70J0 Escherichia coli Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G <i>Escherichia coli</i>	Not Detected	/100 ml	Not Detected
D710G Legionella spp. Method: ISO 11731:2017 ♦ <i>Legionella species</i>	Not Detected	/1000 ml	Not Detected
D70R5 Coliforms Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B ♦ <i>Coliforms</i>	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน เมษายน ถึง มิถุนายน 2569



ISO/IEC 17025
Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-036373-01.

Page No : 1/2



Report Date : 04-Jul-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00031125	Order No : EUTH01-00034322
Sample Name *	: 11.น้ำประปาครัวนอน	
Arrival Temperature (°C)	: 6.0	
Sample Quantity	: 3 bottles (3420 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 17-Jun-2026	
Start - End of Analysis	: 17-Jun-2026 to 03-Jul-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
♦	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
♦	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen

Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน เมษายน ถึง มิถุนายน 2569



ISO/IEC 17025
Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-036374-01.

Page No : 1/2



Report Date : 04-Jul-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00031126	Order No : EUTH01-00034322
Sample Name *	: 12.น้ำประปาครัม SFS	
Arrival Temperature (*C)	: 6.0	
Sample Quantity	: 3 bottles (3440 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 17-Jun-2026	
Start - End of Analysis	: 17-Jun-2026 to 03-Jul-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
♦	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
♦	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen

Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน เมษายน ถึง มิถุนายน 2569



ISO/IEC 17025
Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-036375-01.

Page No : 1/2



Report Date : 04-Jul-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No : 965-2026-00031127

Order No : EUTH01-00034322

Sample Name * : 13.ระบบ Cooling Tower (Cooling Basin)

Arrival Temperature (°C) : 6.0

Sample Quantity : 3 bottles (3385 g)

Sample Packaging : Sample is contained in a plastic bottle.

Date of Sample Received : 17-Jun-2026

Start - End of Analysis : 17-Jun-2026 to 30-Jun-2026

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	<i>Escherichia coli</i>	Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
◆	<i>Legionella species</i>	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
◆	Coliforms	Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen

Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน เมษายน ถึง มิถุนายน 2569



ISO/IEC 17025
Accreditation No. 1347/65
Page No : 1/2

ANALYTICAL REPORT

Report No. AR-26-D7-036376-01.



Report Date : 04-Jul-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No : 965-2026-00031128 Order No : EUTH01-00034322
Sample Name * : 14.สระว่ายน้ำ Main Pool
Arrival Temperature (°C) : 6.0
Sample Quantity : 3 bottles (3345 g)
Sample Packaging : Sample is contained in a plastic bottle.
Date of Sample Received : 17-Jun-2026
Start - End of Analysis : 17-Jun-2026 to 30-Jun-2026

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
♦	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
♦	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน เมษายน ถึง มิถุนายน 2569



Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-036377-01.

Page No : 1/2



Report Date : 04-Jul-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00031129	Order No : EUTH01-00034322
Sample Name *	: 15. สระน้ำ Lagoon Pool	
Arrival Temperature (°C)	: 6.0	
Sample Quantity	: 3 bottles (3360 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 17-Jun-2026	
Start - End of Analysis	: 17-Jun-2026 to 03-Jul-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
♦	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
♦	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen

Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน เมษายน ถึง มิถุนายน 2569



ISO/IEC 17025

Accreditation No. 1347/65

Page No : 1/2

ANALYTICAL REPORT

Report No. AR-26-D7-036378-01.



Report Date : 04-Jul-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No : 965-2026-00031130 Order No : EUTH01-00034322
 Sample Name * : 16. สระว่ายน้ำ Access Pool ตึก4
 Arrival Temperature (°C) : 6.0
 Sample Quantity : 3 bottles (3410 g)
 Sample Packaging : Sample is contained in a plastic bottle.
 Date of Sample Received : 17-Jun-2026
 Start - End of Analysis : 17-Jun-2026 to 30-Jun-2026

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
	◆ Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
	◆ Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen

Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน เมษายน ถึง มิถุนายน 2569



ISO/IEC 17025
Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-036379-01.

Page No : 1/2



Report Date : 04-Jul-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00031131	Order No : EUTH01-00034322
Sample Name ¹	: 17.สระว่ายน้ำ Access Pool ตึก3	
Arrival Temperature (°C)	: 6.0	
Sample Quantity	: 3 bottles (3445 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 17-Jun-2026	
Start - End of Analysis	: 17-Jun-2026 to 30-Jun-2026	

¹ : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	<i>Escherichia coli</i>	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
◆	<i>Legionella species</i>	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
◆	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน เมษายน ถึง มิถุนายน 2569



ISO/IEC 17025
Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-036380-01.

Page No : 1/2



Report Date : 04-Jul-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00031132	Order No : EUTH01-00034322
Sample Name *	: 18.สระขายน้ำ Family pool access 606	
Arrival Temperature (°C)	: 6.0	
Sample Quantity	: 3 bottles (3420 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 17-Jun-2026	
Start - End of Analysis	: 17-Jun-2026 to 30-Jun-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
◆	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
◆	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen

Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน เมษายน ถึง มิถุนายน 2569



Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-036381-01.

Page No : 1/2



Report Date : 04-Jul-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No : 965-2026-00031133 Order No : EUTH01-00034322
 Sample Name ¹ : 19.สระรายน้ำ Family pool access 206
 Arrival Temperature (°C) : 6.0
 Sample Quantity : 3 bottles (3365 g)
 Sample Packaging : Sample is contained in a plastic bottle.
 Date of Sample Received : 17-Jun-2026
 Start - End of Analysis : 17-Jun-2026 to 30-Jun-2026

¹ : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS	RESULT	UNIT	SPEC.
D70J0 Escherichia coli Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G <i>Escherichia coli</i>	Detected	/100 ml	Not Detected
D710G Legionella spp. Method: ISO 11731:2017 ♦ <i>Legionella species</i>	Not Detected	/1000 ml	Not Detected
D70R5 Coliforms Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B ♦ Coliforms	Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen

Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน เมษายน ถึง มิถุนายน 2569



ISO/IEC 17025
Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-036382-01.

Page No : 1/2



Report Date : 04-Jul-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No : 965-2026-00031134 Order No : EUTH01-00034322
Sample Name * : 20.สระรายน้ำ Family pool access 306
Arrival Temperature (°C) : 6.0
Sample Quantity : 3 bottles (3485 g)
Sample Packaging : Sample is contained in a plastic bottle.
Date of Sample Received : 17-Jun-2026
Start - End of Analysis : 17-Jun-2026 to 03-Jul-2026

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS	RESULT	UNIT	SPEC.
D70J0 Escherichia coli Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G <i>Escherichia coli</i>	Not Detected	/100 ml	Not Detected
D710G Legionella spp. Method: ISO 11731:2017 ♦ <i>Legionella species</i>	Not Detected	/1000 ml	Not Detected
D70R5 Coliforms Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B ♦ Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen

Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน เมษายน ถึง มิถุนายน 2569



ISO/IEC 17025
Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-036383-01.

Page No : 1/2



Report Date : 04-Jul-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00031135	Order No : EUTH01-00034322
Sample Name *	: 21.น้ำเย็น SPA	
Arrival Temperature (°C)	: 6.0	
Sample Quantity	: 3 bottles (3425 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 17-Jun-2026	
Start - End of Analysis	: 17-Jun-2026 to 30-Jun-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
◆	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
◆	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen

Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน เมษายน ถึง มิถุนายน 2569



Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-036384-01.

Page No : 1/2



Report Date : 04-Jul-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00031136	Order No : EUTH01-00034322
Sample Name *	: 22. น้ำร้อน SPA	
Arrival Temperature (°C)	: 6.0	
Sample Quantity	: 3 bottles (3430 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 17-Jun-2026	
Start - End of Analysis	: 17-Jun-2026 to 30-Jun-2026	

* : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	<i>Escherichia coli</i>	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
♦	<i>Legionella species</i>	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
♦	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen

Chemical Laboratory Manager Food Testing Thailand

รายงานผลวิเคราะห์คุณภาพน้ำของโรงแรม ประจำเดือน เมษายน ถึง มิถุนายน 2569



ISO/IEC 17025
Accreditation No. 1347/65

ANALYTICAL REPORT

Report No. AR-26-D7-036385-01.

Page No : 1/2



Report Date : 04-Jul-2026

Client:

Hua Hin Village Co., Ltd.

43/1 Phetkasem Road, Hua Hin Sub-district, Hua Hin District, Prachuap Khiri Khan, 77110, Thailand

Eurofins Sample No	: 965-2026-00031137	Order No : EUTH01-00034322
Sample Name ¹	: 23. HOT water tank	
Arrival Temperature (°C)	: 6.0	
Sample Quantity	: 3 bottles (3420 g)	
Sample Packaging	: Sample is contained in a plastic bottle.	
Date of Sample Received	: 17-Jun-2026	
Start - End of Analysis	: 17-Jun-2026 to 30-Jun-2026	

¹ : This information was provided by the customer. Data provided by the customer may have an impact on the validity of the test results.

ANALYTICAL RESULT

MICROBIOLOGY ANALYSIS		RESULT	UNIT	SPEC.
D70J0	Escherichia coli			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, part 9221 A-C, G				
	Escherichia coli	Not Detected	/100 ml	Not Detected
D710G	Legionella spp.			
Method: ISO 11731:2017				
◆	Legionella species	Not Detected	/1000 ml	Not Detected
D70R5	Coliforms			
Method: Standard Method for the Examination of Water and Waste water. APHA, AWWA, WEF, 24th Edition. 2023, Part 9221B				
◆	Coliforms	Not Detected	/100 ml	Not Detected

The above test result(s), if relevant, has/have been validated by:

SIGNATURE

Kanjana Wongcharoen
Chemical Laboratory Manager Food Testing Thailand