ระดับความสั่นสะเทือน

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY226/04/69
94/2/69

รายงานผลการตรวจวัดระดับความสั่นสะเทือน

โครงการ : เพิ่มปริมาณน้ำในอ่างเก็บน้ำเขื่อนแม่กวงอุดมธาราเชียงใหม่
ชื่อ/ที่อยู่ลูกค้า : กรมชลประทาน
811 ถนนสามเสน แขวงถนนนครไชยศรี เขตดุสิต กรุงเทพมหานคร
ผู้ตรวจวัด : บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

วันที่ตรวจวัด : 24-29 เมษายน 2569
วันที่ออกรายงาน : 6 พฤษภาคม 2569

สถานีที่ 2 อาคารรับน้ำ จากเขื่อนแม่งัดสมบูรณ์ชล ไปยังอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา

Date	Time	Trigger	Transverse		Vertical		Longitudinal	
			PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)
24/04/69	13:06	Long	0.0788	288.00	0.0788	13.20	0.126	186.00
	14:00-15:00	-	<0.127	-	<0.127	-	<0.127	-
	15:00-16:00	-	<0.127	-	<0.127	-	<0.127	-
	16:00-17:00	-	<0.127	-	<0.127	-	<0.127	-
	17:00-18:00	-	<0.127	-	<0.127	-	<0.127	-
	18:00-19:00	-	<0.127	-	<0.127	-	<0.127	-
	19:00-20:00	-	<0.127	-	<0.127	-	<0.127	-
	20:00-21:00	-	<0.127	-	<0.127	-	<0.127	-
	21:00-22:00	-	<0.127	-	<0.127	-	<0.127	-
	22:00-23:00	-	<0.127	-	<0.127	-	<0.127	-
	23:00-00:00	-	<0.127	-	<0.127	-	<0.127	-
25/04/69	00:00-01:00	-	<0.127	-	<0.127	-	<0.127	-
	01:00-02:00	-	<0.127	-	<0.127	-	<0.127	-
	02:00-03:00	-	<0.127	-	<0.127	-	<0.127	-
	03:00-04:00	-	<0.127	-	<0.127	-	<0.127	-
	04:00-05:00	-	<0.127	-	<0.127	-	<0.127	-
	05:00-06:00	-	<0.127	-	<0.127	-	<0.127	-
	06:11	Long	0.0473	N/A	0.0473	171.00	0.378	293.00
	07:58	Long	0.0394	293.00	0.0394	>400.00	0.252	<1.00
	08:54	Long	0.0394	>400.00	0.0394	>400.00	0.221	<1.00

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY226/04/69

94/2/69

รายงานผลการตรวจวัดระดับความสั่นสะเทือน

สถานีที่ 2 อาคารรับน้ำ จากเขื่อนแม่งัดสมบูรณ์ชล ไปยังอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา

Date	Time	Trigger	Transverse		Vertical		Longitudinal	
			PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)
25/04/69	09:43	Long	0.0473	N/A	0.0473	137.00	0.906	171.00
	10:28	Vert	0.142	186.00	0.166	54.00	0.126	186.00
	11:01	Long	0.0473	228.00	0.0394	N/A	1.24	341.00
	12:20	Long	0.0394	N/A	0.0709	7.20	1.10	293.00
	13:00-14:00	-	<0.127	-	<0.127	-	<0.127	-
	14:00-15:00	-	<0.127	-	<0.127	-	<0.127	-
	15:00-16:00	-	<0.127	-	<0.127	-	<0.127	-
	16:00-17:00	-	<0.127	-	<0.127	-	<0.127	-
	17:00-18:00	-	<0.127	-	<0.127	-	<0.127	-
	18:00-19:00	-	<0.127	-	<0.127	-	<0.127	-
	19:00-20:00	-	<0.127	-	<0.127	-	<0.127	-
	20:00-21:00	-	<0.127	-	<0.127	-	<0.127	-
	21:00-22:00	-	<0.127	-	<0.127	-	<0.127	-
	22:00-23:00	-	<0.127	-	<0.127	-	<0.127	-
	23:00-00:00	-	<0.127	-	<0.127	-	<0.127	-
26/04/69	00:00-01:00	-	<0.127	-	<0.127	-	<0.127	-
	01:00-02:00	-	<0.127	-	<0.127	-	<0.127	-
	02:00-03:00	-	<0.127	-	<0.127	-	<0.127	-
	03:00-04:00	-	<0.127	-	<0.127	-	<0.127	-
	04:00-05:00	-	<0.127	-	<0.127	-	<0.127	-
	05:00-06:00	-	<0.127	-	<0.127	-	<0.127	-
	06:00-07:00	-	<0.127	-	<0.127	-	<0.127	-
	07:06	Long	0.0473	N/A	0.0394	158.00	0.189	256.00
	08:09	Long	0.0394	146.00	0.0394	N/A	0.339	256.00
	09:34	Long	0.0394	293.00	0.0394	228.00	0.166	<1.00

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY226/04/69

94/2/69

รายงานผลการตรวจวัดระดับความสั่นสะเทือน

สถานีที่ 2 อาคารรับน้ำ จากเขื่อนแม่งัดสมบูรณ์ชล ไปยังอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา

Date	Time	Trigger	Transverse		Vertical		Longitudinal	
			PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)
26/04/69	10:03	Long	0.0394	N/A	0.0394	256.00	0.158	293.00
	11:49	Long	0.0394	N/A	0.0552	171.00	0.126	>400.00
	12:34	-	<0.127	-	<0.127	-	<0.127	-
	13:48	Long	0.0394	>400.00	0.0394	N/A	0.181	341.00
	14:03	Long	0.0473	N/A	0.0473	N/A	0.158	228.00
	15:46	Long	0.0473	293.00	0.0394	>400.00	0.150	<1.00
	16:00-17:00	-	<0.127	-	<0.127	-	<0.127	-
	17:00-18:00	-	<0.127	-	<0.127	-	<0.127	-
	18:00-19:00	-	<0.127	-	<0.127	-	<0.127	-
	19:00-20:00	-	<0.127	-	<0.127	-	<0.127	-
	20:00-21:00	-	<0.127	-	<0.127	-	<0.127	-
	21:00-22:00	-	<0.127	-	<0.127	-	<0.127	-
	22:00-23:00	-	<0.127	-	<0.127	-	<0.127	-
	23:00-00:00	-	<0.127	-	<0.127	-	<0.127	-
27/04/69	00:00-01:00	-	<0.127	-	<0.127	-	<0.127	-
	01:00-02:00	-	<0.127	-	<0.127	-	<0.127	-
	02:00-03:00	-	<0.127	-	<0.127	-	<0.127	-
	03:00-04:00	-	<0.127	-	<0.127	-	<0.127	-
	04:00-05:00	-	<0.127	-	<0.127	-	<0.127	-
	05:00-06:00	-	<0.127	-	<0.127	-	<0.127	-
	06:00-07:00	-	<0.127	-	<0.127	-	<0.127	-
	07:00-08:00	-	<0.127	-	<0.127	-	<0.127	-
	08:00-09:00	-	<0.127	-	<0.127	-	<0.127	-
	09:00-10:00	-	<0.127	-	<0.127	-	<0.127	-
	10:41	Tran	0.134	228.00	0.0394	93.00	0.102	256.00

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY226/04/69

94/2/69

Draft Report

รายงานผลการตรวจวัดระดับความสั่นสะเทือน

สถานีที่ 2 อาคารรับน้ำ จากเขื่อนแม่งัดสมบูรณ์ชล ไปยังอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา								
Date	Time	Trigger	Transverse		Vertical		Longitudinal	
			PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)
27/04/69	11:00-12:00	-	<0.127	-	<0.127	-	<0.127	-
	12:32	Long	0.0473	341.00	0.0631	30.10	*1.98*	50.00
	13:32	Long	0.0394	N/A	0.0788	2.10	0.236	158.00
	14:40	Long	0.0473	186.00	0.0394	N/A	0.788	>400.00
	15:00-16:00	-	<0.127	-	<0.127	-	<0.127	-
	16:00-17:00	-	<0.127	-	<0.127	-	<0.127	-
	17:00-18:00	-	<0.127	-	<0.127	-	<0.127	-
	18:00-19:00	-	<0.127	-	<0.127	-	<0.127	-
	19:00-20:00	-	<0.127	-	<0.127	-	<0.127	-
	20:00-21:00	-	<0.127	-	<0.127	-	<0.127	-
	21:00-22:00	-	<0.127	-	<0.127	-	<0.127	-
	22:00-23:00	-	<0.127	-	<0.127	-	<0.127	-
	23:00-00:00	-	<0.127	-	<0.127	-	<0.127	-
28/04/69	00:00-01:00	-	<0.127	-	<0.127	-	<0.127	-
	01:00-02:00	-	<0.127	-	<0.127	-	<0.127	-
	02:00-03:00	-	<0.127	-	<0.127	-	<0.127	-
	03:00-04:00	-	<0.127	-	<0.127	-	<0.127	-
	04:00-05:00	-	<0.127	-	<0.127	-	<0.127	-
	05:00-06:00	-	<0.127	-	<0.127	-	<0.127	-
	06:00-07:00	-	<0.127	-	<0.127	-	<0.127	-
	07:00-08:00	-	<0.127	-	<0.127	-	<0.127	-
	08:00-09:00	-	<0.127	-	<0.127	-	<0.127	-
	09:00-10:00	-	<0.127	-	<0.127	-	<0.127	-
	10:00-11:00	-	<0.127	-	<0.127	-	<0.127	-
	11:00-12:00	-	<0.127	-	<0.127	-	<0.127	-

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY226/04/69

94/2/69

รายงานผลการตรวจวัดระดับความสั่นสะเทือน

สถานีที่ 2 อาคารรับน้ำ จากเขื่อนแม่งัดสมบูรณ์ชล ไปยังอ่างเก็บน้ำเขื่อนแม่กวงอุดมธารา

Date	Time	Trigger	Transverse		Vertical		Longitudinal	
			PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)
28/04/69	12:00-13:00	-	<0.127	-	<0.127	-	<0.127	-
	13:50	Vert	0.110	25.30	1.17	22.80	0.0552	120.00
	14:00-15:00	-	<0.127	-	<0.127	-	<0.127	-
	15:00-16:00	-	<0.127	-	<0.127	-	<0.127	-
	16:00-17:00	-	<0.127	-	<0.127	-	<0.127	-
	17:00-18:00	-	<0.127	-	<0.127	-	<0.127	-
	18:00-19:00	-	<0.127	-	<0.127	-	<0.127	-
	19:00-20:00	-	<0.127	-	<0.127	-	<0.127	-
	20:00-21:00	-	<0.127	-	<0.127	-	<0.127	-
	21:00-22:00	-	<0.127	-	<0.127	-	<0.127	-
	22:00-23:00	-	<0.127	-	<0.127	-	<0.127	-
	23:00-00:00	-	<0.127	-	<0.127	-	<0.127	-
29/04/69	00:00-01:00	-	<0.127	-	<0.127	-	<0.127	-
	01:00-02:00	-	<0.127	-	<0.127	-	<0.127	-
	02:00-03:00	-	<0.127	-	<0.127	-	<0.127	-
	03:00-04:00	-	<0.127	-	<0.127	-	<0.127	-
	04:00-05:00	-	<0.127	-	<0.127	-	<0.127	-
	05:00-06:00	-	<0.127	-	<0.127	-	<0.127	-
	06:00-07:00	-	<0.127	-	<0.127	-	<0.127	-
	07:00-08:00	-	<0.127	-	<0.127	-	<0.127	-
	08:00-09:00	-	<0.127	-	<0.127	-	<0.127	-
	09:00-10:00	-	<0.127	-	<0.127	-	<0.127	-
	10:00-11:00	-	<0.127	-	<0.127	-	<0.127	-
	11:00-12:00	-	<0.127	-	<0.127	-	<0.127	-
	12:00-13:00	-	<0.127	-	<0.127	-	<0.127	-

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY226/04/69

94/2/69

รายงานผลการตรวจวัดระดับความสั่นสะเทือน

หมายเหตุ:

N/A = Not Applicable

PPV = Peak Particle Velocity (mm/s)

Trigger Source, Geo : 0.127 mm/s (เริ่มทำการบันทึกค่าระดับความสั่นสะเทือนเมื่อความเร็วอนุภาค (Peak Particle Velocity, PPV) มีค่าตั้งแต่ 0.127 mm/s ขึ้นไป)

วิธีการตรวจวัด = เครื่องวัดระดับความสั่นสะเทือน

เริ่มทำการตรวจวัดตั้งแต่วันที่ 24 เมษายน 2569 เวลา 13:00 น. - วันที่ 29 เมษายน 2569 เวลา 13:00 น., เป็นเวลา 5 วันต่อเนื่อง

ผลการตรวจวัดนี้รับรองเฉพาะช่วงเวลาที่ได้ทำการตรวจวัดเท่านั้น

ห้ามคัดถ่ายรายงานผลตรวจวัดเพียงบางส่วนโดยไม่ได้รับอนุญาตจากบริษัทเป็นลายลักษณ์อักษร

[redacted]

(นางสาววรนุช พิมพ์ [redacted] ศิลานิเศษฐ์)

ผู้รับรองรายงานผลการวิเคราะห์

06 / 05 / 69

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY226/04/69
94/2/69

รายงานผลการตรวจวัดระดับความสั่นสะเทือน

โครงการ : เพิ่มปริมาณน้ำในอ่างเก็บน้ำเขื่อนแม่กวงอุดมธาราเชียงใหม่
ชื่อ/ที่อยู่ลูกค้า : กรมชลประทาน
811 ถนนสามเสน แขวงถนนนครไชยศรี เขตดุสิต กรุงเทพมหานคร
ผู้ตรวจวัด : บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

วันที่ตรวจวัด : 24-29 เมษายน 2569
วันที่ออกรายงาน : 6 พฤษภาคม 2569

สถานีที่ 3 บริเวณที่ทำการอุทยานแห่งชาติน้ำตกบัวตอง-น้ำพุเจ็ดสี								
Date	Time	Trigger	Transverse		Vertical		Longitudinal	
			PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)
24/04/69	15:33	Tran	1.95	66.00	0.835	71.00	1.01	68.00
	16:00	Long	0.441	71.00	0.244	76.00	0.678	66.00
	17:00	Tran	0.765	82.00	0.394	93.00	0.276	76.00
	18:00-19:00	-	<0.250	-	<0.250	-	<0.250	-
	19:57	Tran	0.244	85.00	0.0788	114.00	0.213	76.00
	20:06	Long	0.386	85.00	0.244	76.00	0.497	73.00
	21:00-22:00	-	<0.250	-	<0.250	-	<0.250	-
	22:00-23:00	-	<0.250	-	<0.250	-	<0.250	-
	23:00-00:00	-	<0.250	-	<0.250	-	<0.250	-
25/04/69	00:59	Long	0.110	98.00	0.0867	85.00	0.260	82.00
	01:00-02:00	-	<0.250	-	<0.250	-	<0.250	-
	02:00-03:00	-	<0.250	-	<0.250	-	<0.250	-
	03:00-04:00	-	<0.250	-	<0.250	-	<0.250	-
	04:00-05:00	-	<0.250	-	<0.250	-	<0.250	-
	05:00-06:00	-	<0.250	-	<0.250	-	<0.250	-
	06:00-07:00	-	<0.250	-	<0.250	-	<0.250	-
	07:00-08:00	-	<0.250	-	<0.250	-	<0.250	-
	08:00-09:00	-	<0.250	-	<0.250	-	<0.250	-
	09:36	Long	0.278	76.00	0.118	108.00	0.307	79.00
	10:28	Tran	0.276	64.00	0.118	85.00	0.205	71.00

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY226/04/69

94/2/69

รายงานผลการตรวจวัดระดับความสั่นสะเทือน

สถานีที่ 3 บริเวณที่ทำการอุทยานแห่งชาติน้ำตกบัวตอง-น้ำพุเจ็ดสี								
Date	Time	Trigger	Transverse		Vertical		Longitudinal	
			PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)
25/04/69	11:53	Long	0.363	60.00	0.394	85.00	0.441	76.00
	12:09	Vert	1.97	71.00	2.15	76.00	1.06	55.00
	13:08	Tran	1.88	82.00	0.418	85.00	1.13	73.00
	14:39	Long	0.607	89.00	0.292	93.00	1.01	82.00
	15:06	Long	0.749	85.00	0.512	79.00	1.31	82.00
	16:49	Tran	1.01	79.00	0.765	98.00	0.946	71.00
	17:22	Long	0.355	79.00	0.260	73.00	0.528	85.00
	18:12	Tran	0.292	85.00	0.173	98.00	0.252	79.00
	19:00-20:00	-	<0.250	-	<0.250	-	<0.250	-
	20:43	Vert	0.166	288.00	0.268	256.00	0.0867	108.00
	21:00-22:00	-	<0.250	-	<0.250	-	<0.250	-
	22:00-23:00	-	<0.250	-	<0.250	-	<0.250	-
	23:00-00:00	-	<0.250	-	<0.250	-	<0.250	-
26/04/69	00:00-01:00	-	<0.250	-	<0.250	-	<0.250	-
	01:00-02:00	-	<0.250	-	<0.250	-	<0.250	-
	02:00-03:00	-	<0.250	-	<0.250	-	<0.250	-
	03:00-04:00	-	<0.250	-	<0.250	-	<0.250	-
	04:00-05:00	-	<0.250	-	<0.250	-	<0.250	-
	05:00-06:00	-	<0.250	-	<0.250	-	<0.250	-
	06:18	Long	0.544	102.00	0.363	82.00	1.60	93.00
	07:00-08:00	-	<0.250	-	<0.250	-	<0.250	-
	08:00-09:00	-	<0.250	-	<0.250	-	<0.250	-
	09:42	Long	0.134	57.00	0.126	73.00	0.276	79.00
	10:00-11:00	-	<0.250	-	<0.250	-	<0.250	-
	11:48	Long	0.623	71.00	0.441	73.00	0.662	82.00

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY226/04/69

94/2/69

รายงานผลการตรวจวัดระดับความสั่นสะเทือน

สถานีที่ 3 บริเวณที่ทำการอุทยานแห่งชาติน้ำตกบัวตอง-น้ำพุเจ็ดสี								
Date	Time	Trigger	Transverse		Vertical		Longitudinal	
			PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)
26/04/69	12:30	Long	0.812	93.00	0.867	205.00	1.36	93.00
	13:04	Long	0.536	93.00	0.252	85.00	1.16	85.00
	14:31	Tran	0.662	82.00	0.394	93.00	0.583	76.00
	15:04	Tran	0.347	85.00	0.134	98.00	0.323	79.00
	16:45	Vert	1.23	98.00	1.40	114.00	1.17	93.00
	17:52	Tran	0.560	85.00	0.323	79.00	0.449	62.00
	18:18	Long	0.292	93.00	0.173	89.00	0.638	93.00
	19:00-20:00	-	<0.250	-	<0.250	-	<0.250	-
	20:00-21:00	-	<0.250	-	<0.250	-	<0.250	-
	21:00-22:00	-	<0.250	-	<0.250	-	<0.250	-
	22:00-23:00	-	<0.250	-	<0.250	-	<0.250	-
	23:00-00:00	-	<0.250	-	<0.250	-	<0.250	-
27/04/69	00:00-01:00	-	<0.250	-	<0.250	-	<0.250	-
	01:00-02:00	-	<0.250	-	<0.250	-	<0.250	-
	02:00-03:00	-	<0.250	-	<0.250	-	<0.250	-
	03:00-04:00	-	<0.250	-	<0.250	-	<0.250	-
	04:00-05:00	-	<0.250	-	<0.250	-	<0.250	-
	05:00-06:00	-	<0.250	-	<0.250	-	<0.250	-
	06:00-07:00	-	<0.250	-	<0.250	-	<0.250	-
	07:00-08:00	-	<0.250	-	<0.250	-	<0.250	-
	08:00-09:00	-	<0.250	-	<0.250	-	<0.250	-
	09:33	Tran	0.481	102.00	0.150	137.00	0.102	85.00
	10:34	Tran	0.489	85.00	0.300	71.00	0.276	93.00
	11:29	Long	0.158	89.00	0.126	98.00	0.268	93.00
	12:40	Tran	*2.56*	98.00	2.12	98.00	2.23	98.00

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com, www.spscon.com

BY226/04/69
94/2/69

รายงานผลการตรวจวัดระดับความสั่นสะเทือน

Draft Report

สถานีที่ 3 บริเวณที่ทำการอุทยานแห่งชาติน้ำตกบัวตอง-น้ำพุเจ็ดสี								
Date	Time	Trigger	Transverse		Vertical		Longitudinal	
			PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)
27/04/69	13:56	Long	0.599	98.00	0.307	120.00	0.962	85.00
	14:06	Long	0.765	68.00	0.205	62.00	0.835	60.00
	15:00	Tran	1.26	85.00	0.607	98.00	1.13	93.00
	16:25	Tran	1.43	108.00	1.02	108.00	0.985	108.00
	17:01	Tran	0.694	98.00	0.315	205.00	0.260	108.00
	18:08	Tran	0.307	79.00	0.134	114.00	0.173	79.00
	19:00-20:00	-	<0.250	-	<0.250	-	<0.250	-
	20:00-21:00	-	<0.250	-	<0.250	-	<0.250	-
	21:08	Long	0.110	98.00	0.0788	76.00	0.276	82.00
	22:00-23:00	-	<0.250	-	<0.250	-	<0.250	-
	23:00-00:00	-	<0.250	-	<0.250	-	<0.250	-
28/04/69	00:00-01:00	-	<0.250	-	<0.250	-	<0.250	-
	01:00-02:00	-	<0.250	-	<0.250	-	<0.250	-
	02:00-03:00	-	<0.250	-	<0.250	-	<0.250	-
	03:00-04:00	-	<0.250	-	<0.250	-	<0.250	-
	04:00-05:00	-	<0.250	-	<0.250	-	<0.250	-
	05:00-06:00	-	<0.250	-	<0.250	-	<0.250	-
	06:00-07:00	-	<0.250	-	<0.250	-	<0.250	-
	07:00-08:00	-	<0.250	-	<0.250	-	<0.250	-
	08:00-09:00	-	<0.250	-	<0.250	-	<0.250	-
	09:54	Tran	1.79	120.00	0.575	158.00	0.465	98.00
	10:44	Long	0.189	89.00	0.166	76.00	0.292	68.00
	11:14	Long	0.244	45.00	0.110	76.00	0.252	46.00
	12:01	Tran	2.32	146.00	1.79	205.00	1.59	108.00
	13:18	Tran	0.528	89.00	0.158	146.00	0.324	82.00

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY226/04/69

94/2/69

รายงานผลการตรวจวัดระดับความสั่นสะเทือน

สถานีที่ 3 บริเวณที่ทำการอุทยานแห่งชาติน้ำตกบัวตอง-น้ำพุเจ็ดสี

Date	Time	Trigger	Transverse		Vertical		Longitudinal	
			PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)	PPV (mm/s)	Frequency (Hz)
28/04/69	14:29	Long	0.394	79.00	0.394	76.00	1.02	85.00
	15:14	Tran	0.599	114.00	0.173	108.00	0.252	98.00
	16:27	Tran	2.03	120.00	0.772	120.00	1.40	114.00
	17:18	Long	0.244	108.00	0.102	108.00	0.370	102.00
	18:21	Long	0.260	85.00	0.276	93.00	0.300	82.00
	19:01	Tran	0.363	98.00	0.173	93.00	0.260	98.00
	20:00-21:00	-	<0.250	-	<0.250	-	<0.250	-
	21:00-22:00	-	<0.250	-	<0.250	-	<0.250	-
	22:00-23:00	-	<0.250	-	<0.250	-	<0.250	-
	23:00-00:00	-	<0.250	-	<0.250	-	<0.250	-
29/04/69	00:00-01:00	-	<0.250	-	<0.250	-	<0.250	-
	01:00-02:00	-	<0.250	-	<0.250	-	<0.250	-
	02:00-03:00	-	<0.250	-	<0.250	-	<0.250	-
	03:00-04:00	-	<0.250	-	<0.250	-	<0.250	-
	04:00-05:00	-	<0.250	-	<0.250	-	<0.250	-
	05:00-06:00	-	<0.250	-	<0.250	-	<0.250	-
	06:00-07:00	-	<0.250	-	<0.250	-	<0.250	-
	07:00-08:00	-	<0.250	-	<0.250	-	<0.250	-
	08:00-09:00	-	<0.250	-	<0.250	-	<0.250	-
	09:31	Tran	0.426	98.00	0.166	89.00	0.181	89.00
	10:00-11:00	-	<0.250	-	<0.250	-	<0.250	-
	11:41	Tran	0.244	102.00	0.0946	137.00	0.0946	108.00
	12:31	Tran	1.48	108.00	0.497	114.00	1.11	98.00
	13:00-14:00	-	<0.250	-	<0.250	-	<0.250	-
	14:00-15:00	-	<0.250	-	<0.250	-	<0.250	-

Draft Report

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด
S.P.S. CONSULTING SERVICE CO., LTD.
7 ซอยพหลโยธิน 24 ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพฯ 10900
7 Soi Phaholyothin 24, Phaholyothin Rd., Jompol, Chatuchak, Bangkok 10900
Tel : (662) 939-4370-72, Fax : (662) 513-4221, E-mail : sale@spscon.com., www.spscon.com

BY226/04/69

94/2/69

รายงานผลการตรวจวัดระดับความสั่นสะเทือน

หมายเหตุ:

N/A = Not Applicable

PPV = Peak Particle Velocity (mm/s)

Trigger Source, Geo : 0.250 mm/s (เริ่มทำการบันทึกค่าระดับความสั่นสะเทือนเมื่อความเร็วอนุภาค (Peak Particle Velocity, PPV) มีค่าตั้งแต่ 0.250 mm/s ขึ้นไป)

วิธีการตรวจวัด = เครื่องวัดระดับความสั่นสะเทือน

เริ่มทำการตรวจวัดตั้งแต่วันที่ 24 เมษายน 2569 เวลา 15:00 น. - วันที่ 29 เมษายน 2569 เวลา 15:00 น., เป็นเวลา 5 วันต่อเนื่อง

ผลการตรวจวัดนี้รับรองเฉพาะช่วงเวลาที่ได้ทำการตรวจวัดเท่านั้น

ห้ามคัดถ่ายรายงานผลตรวจวัดเพียงบางส่วนโดยไม่ได้รับอนุญาตจากบริษัทเป็นลายลักษณ์อักษร

[redacted]

(นางสาวธันยพัฒน์ หลานเศษฐา)

ผู้รับรองรายงานผลการวิเคราะห์

06 / 05 / 69

Draft Report

ภาคผนวกที่ 2

หนังสืออนุญาตขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

Draft Report

ที่ อก ๐๓๑๐(๑)/ ๑๔๓๒๑

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๑๑ ตุลาคม ๒๕๖๖

เรื่อง ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๒๒ มิถุนายน ๒๕๖๖

สิ่งที่ส่งมาด้วย ๑. รายชื่อผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๑ แผ่น
๒. รายชื่อเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๒ แผ่น
๓. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๔ แผ่น

ตามหนังสือที่อ้างถึง บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๑๑ สถานที่ตั้งเลขที่ ๗ ซอยพหลโยธิน ๒๔ ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๓๔ ราย ตามสิ่งที่ส่งมาด้วย ๑
ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๔๗ ราย ตามสิ่งที่ส่งมาด้วย ๒
ค. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำเสีย น้ำใต้ดิน อากาศเสีย สิ่งปฏิกูล หรือวัสดุที่ไม่ใช้แล้ว และดิน ตามสิ่งที่ส่งมาด้วย ๓

หนังสือฉบับนี้จะหมดอายุในวันที่ ๑๐ กรกฎาคม ๒๕๖๙ หากประสงค์จะต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอต่อกรมโรงงานอุตสาหกรรมภายใน ๓๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ทั้งนี้ สามารถยื่นคำขอผ่านระบบอิเล็กทรอนิกส์ได้ที่หน้าเว็บไซต์กรมโรงงานอุตสาหกรรม

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

[redacted]

(นายประสม ดำรงพงษ์)
ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน
ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

Green Industry กระทรวงอุตสาหกรรม
"อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว"

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด เลขทะเบียน ว-๐๑๑
ที่ อก ๐๓๑๐(๑)/ ๑๔๓๒๑ ลงวันที่ ๑๑ ตุลาคม ๒๕๖๖

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๓๔ ราย

๑) นายชลิต เขียวระยับ	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๐๒
๒) นางสาวโสภิดา ประสาทพร	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๐๓
๓) นางสาวพิมพ์นัดดา มะโรงศรี	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๐๔
๔) นางสาวเขมรินทร์ ถิรรัฐเศรษฐ์	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๐๕
๕) นางสาวกวิสรา วรรณชัย	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๐๖
๖) นางสาวเบญจภรณ์ หอมกลิ่น	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๐๘
๗) นางสาวชนนิกานต์ หอมรื่น	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๐๙
๘) นายยุทธนา ธาณาธะระนิต	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๐
๙) นางสาวนลินี สีมาก	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๑
๑๐) นายวิทยา โพนชัย	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๒
๑๑) นางสาวเพ็ญภา วิภาสธวัช	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๓
๑๒) นางสาวธันยพัฒน์ หลานเศษฐา	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๔
๑๓) นางสาวธนัฏพร นำตระกูลพัฒนา	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๕
๑๔) นางสาวอัจฉรา ไชยยาว	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๖
๑๕) นายวรวิทย์ เหล่าตระกูล	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๗
๑๖)นางสาวจินดาพร ภารกุล	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๘
๑๗) นายฮีซัน ลอแม	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๙
๑๘) นายเกษม สีมาพล	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๒๐
๑๙) นางสาววรรยารักษ์ เครือมังกร	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๒๑
๒๐) นางปรียานุช ทัศจรรย์	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๒๒
๒๑) นายอดุลย์ แดงกล่อม	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๒๓
๒๒) นายเฉลิมวุฒิ เพ็ชรนิคม	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๒๔
๒๓) นางสาวสุจินดา วิชาสวัสดิ์	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๒๕
๒๔) นางสาวสุภาวดี แสนทวีสุข	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๒๖
๒๕) นางสาวขวัญนภา ทองนพ	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๒๗
๒๖) นางสาวจารินี นันทวิสุทธิ์	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๒๘
๒๗) นายสมประสงค์ มั่งมี	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๒๙
๒๘) นางสาวฑิฆัมพร พูลพ่วง	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๓๐
๒๙) นางสาวดาริน ทองศรี	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๓๑
๓๐) นางสาวเบญจวรรณ สรรพวงศ์	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๓๒
๓๑) นางสาววราภรณ์ ชัยสิทธิ์	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๓๓
๓๒) นายนฤนาท โตภู่	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๓๔
๓๓) นายสมชาย ธนาวิบูลเศรษฐ	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๓๕
๓๔) นายพีระ เดชอุดม	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๓๖

[redacted]

Draft Report

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด เลขทะเบียน ว-๐๑๑

ที่ อก ๐๓๑๐(๑)/ ๑๔๓๒๑ ลงวันที่ ๑๑ ตุลาคม ๒๕๖๖

ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๔๗ ราย

๑) นางสาวณัชกมล มีระหาญ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๐๑
๒) นายสิทธิเมธา ศรีบุตรดา ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๐๕
๓) นางสาววรรษมน พรมพิมาย ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๐๘
๔) นางสาวอรพรรณ บุญตาน้อย ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๐๙
๕) นางสาวบุศยารัตน์ ศิลาชัย ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๐
๖) นายรัฐธนากรณ์ ยศเรืองศักดิ์ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๑
๗) นางสาวณิชา กรดเต็ม ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๒
๘) นายอุดมศักดิ์ จันทร์จิระวิทย์ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๓
๙) นางสาวสิรินารถ ชาวทะเล ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๔
๑๐) นางสาวบัวลม คืนดี ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๕
๑๑) นางสาวอุทุมพร มูลตรี ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๖
๑๒) นายเทพพิทักษ์ โสภณ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๗
๑๓) นายภาณุวิชญ์ ชูสิงห์ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๘
๑๔) นางสาวกมลชนก บุญไชยมิ่ง ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๙
๑๕) นางสาววราภรณ์ ภูวัด ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๐
๑๖) นางสาวนฤชา ช้างแก้ว ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๑
๑๗) นางสาวนภัสวรรณ แสงทับทิม ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๒
๑๘) นายปริญญา โพธิ์ขำ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๓
๑๙) นายฐิตินันท์ เรืองรัมย์ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๔
๒๐) นางสาวจิตสุภา สติคราม ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๕
๒๑) นายสราวุธ พรหมกระโทก ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๖
๒๒) ว่าที่ร้อยตรีพีระพงษ์ สุพรรณศรี ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๗
๒๓) นางสาวจิราพร ตาลจรัส ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๘
๒๔) นางสาวยุภรัตน์ สาแก้ว ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๙
๒๕) นางสาวสุวรรณา กรอนกลาง ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๐
๒๖) นางสาวศิริวรรณ เจริญทิม ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๑
๒๗) นางสาวธนิษฐา รักวงศ์ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๒
๒๘) นายยศธน คงแก้ว ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๓
๒๙) นายพิสิษฐ์ วรรณชัย ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๔
๓๐) นายวิษณุ อยู่สุข ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๕
๓๑) นายชาญชัย เกาวิจิตร ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๖
๓๒) นายกิตติ ช่วยวัน ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๗
๓๓) นายปิยวัฒน์ สิมมา ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๘
๓๔) นายณัฐพงษ์ เชื้อเล็ก ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๙
๓๕) นายสิทธิศักดิ์ คำวงษา ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๔[redacted]
๓๖) นายกิตติพงษ์ แสนวงศ์ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๔๑
๓๗) นางสาวอาทิตยา โสภณ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๔๒
๓๘) นางสาวโชติรส สัตย์ซื่อ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๔๓
๓๙) นางสาวปิยมน เนื้อทอง ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๔๔
๔๐) นางสาวญาดา ชุ่มสีดา ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๔๕
๔๑) นางสาวกรนภา เรืองศรี ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๔๖
๔๒) นางสาวนภาพรรณ สินโคกสูง ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๔๗
๔๓) นางสาวญาณี แก้วนก ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๔๘
๔๔) นางสาวชนิตา แสนทอง ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๔๙
๔๕) นายอัษฎาวุฒิ นิระผาย ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๐
๔๖) นายชญานนท์ ชาติสุวรรณ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๑
๔๗) นายอริยะ วงษ์เนตร ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๒

[redacted]

Draft Report

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด เลขทะเบียน ว-๐๑๑

ที่ อก ๐๓๑๐(๑)/ ๑๔๓๒๑ ลงวันที่ ๑๑ ตุลาคม ๒๕๖๖

ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๗๙ รายการ

น้ำเสีย จำนวน 62 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldicarb	High-Performance Liquid Chromatographic Method[4]
2	Aldicarb Sulfone	High-Performance Liquid Chromatographic Method[4]
3	Aldicarb Sulfoxide	High-Performance Liquid Chromatographic Method[4]
4	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
5	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
6	Barium	Digestion, Inductively Coupled Plasma Method[4]
7	α-BHC	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
8	β-BHC	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
9	δ-BHC	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
10	γ-BHC	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
11	Biochemical Oxygen Demand	1) 5-Day BOD Test, Azide Modification Method[4] 2) 5-Day BOD Test, Membrane Electrode Method[4]
12	Cadmium	1) Digestion, Direct Air-Acetylene Flame Method[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method[4] 3) Digestion, Inductively Coupled Plasma Method[4]

[redacted]

13 Carbaryl...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
13	Carbaryl	High-Performance Liquid Chromatographic Method[4]
14	Carbofuran	High-Performance Liquid Chromatographic Method[4]
15	Chemical Oxygen Demand	1) Open Reflux, Titrimetric method[4] 2) Closed Reflux, Colorimetric method[4] 3) Closed Reflux, Titrimetric Method[4]
16	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
17	Chromium	1) Digestion, Direct Air-Acetylene Flame Method[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method[4] 3) Digestion, Inductively Coupled Plasma Method[4]
18	Color	ADMI Weighted-Ordinate Spectrophotometric Method[4]
19	Copper	1) Digestion, Direct Air-Acetylene Flame Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
20	Cyanide	Distillation, Colorimetric method[4]
21	4,4′-DDD	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
22	4,4′-DDE	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
23	4,4′-DDT	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
24	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
25	Endosulfan I	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]

[redacted]

Endosulfan II...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
26	Endosulfan II	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
27	Endosulfan Sulfate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
28	Endrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
29	Endrin aldehyde	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
30	Formaldehyde	Distillation, Colorimetric Method[3]
31	Free Chlorine	1) Iodometric Method[4] 2) DPD Colorimetric Method[4]
32	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
33	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
34	Hexavalent Chromium	Colorimetric Method[4]
35	3-Hydroxycarbofuran	High-Performance Liquid Chromatographic Method[4]
36	Lead	1) Digestion, Direct Air-Acetylene Flame Method[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method[4] 3) Digestion, Inductively Coupled Plasma Method[4]
37	Malathion	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
38	Manganese	1) Digestion, Direct Air-Acetylene Flame Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
39	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[4]

[redacted]40 Methiocarb...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
40	Methiocarb	High-Performance Liquid Chromatographic Method[4]
41	Methomyl	High-Performance Liquid Chromatographic Method[4]
42	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
43	Methyl parathion	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
44	1-Naphthol	High-Performance Liquid Chromatographic Method[4]
45	Nickel	1) Digestion, Direct Air-Acetylene Flame Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
46	Oil & Grease	1) Liquid-Liquid, Partition-Gravimetric Method[4] 2) Soxhlet Extraction Method[4]
47	Oxamyl	High-Performance Liquid Chromatographic Method[4]
48	pH	Electrometric Method[4]
49	Phenols	1) Distillation, Chloroform Extraction Method[4] 2) Distillation, Direct Photometric Method[4]
50	Propoxur	High-Performance Liquid Chromatographic Method[4]
51	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
52	Settleable Solids	Settleable Solids Method[4]
53	Sulfide	1) Iodometric method[4] 2) Methylene blue method[4]
54	Temperature	Laboratory and Field Methods[4]
55	Total Dissolved Solids	Dried at 180 °C[4]

[redacted]eldahl Nitrogen...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
56	Total Kjeldahl Nitrogen	Macro-Kjeldahl Method[4]
57	Total Phosphorous	Digestion, Colorimetric Method[4]
58	Total Suspended Solids	Dried at 103-105 °C[4]
59	Toxaphene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
60	Trivalent Chromium	Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation[4]
61	Turbidity	Nephelometric Method[4]
62	Zinc	1) Digestion, Direct Air-Acetylene Flame Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]

น้ำใต้ดิน จำนวน 126 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
2	Acetone	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
3	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
4	Anthracene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
5	Antimony	Digestion, Inductively Coupled Plasma Spectrometric Method[4]
6	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
7	Atrazine	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]

8 Barium...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
8	Barium	Digestion, Inductively Coupled Plasma Spectrometric Method[4]
9	Benz(a)anthracene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
10	Benzene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
11	Benzo(b)fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
12	Benzo(k)fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
13	Benzoic acid	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
14	Benzo(a)pyrene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
15	Benzo(g,h,i)perylene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
16	Beryllium	Digestion, Inductively Coupled Plasma Spectrometric Method[4]
17	Bis(2-chloroethyl)ether	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
18	Bis(2-ethylhexyl)phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
19	Bromodichloromethane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
20	Bromoform	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
21	Butanol	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
22	Butyl benzyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
23	Cadmium	Digestion, Inductively Coupled Plasma Spectrometric Method[4]

4 Carbazole...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
24	Carbazole	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
25	Carbon disulfide	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
26	Carbon tetrachloride	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
27	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
28	p-Chloroaniline	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
29	Chlorobenzene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
30	Chlorodibromomethane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
31	Chloroform	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
32	2-Chlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
33	Chromium	1) Digestion, Direct Air-Acetylene Flame Method[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method[4]
34	Chromium (III)	Digestion, Inductively Coupled Plasma Spectrometric Method; Colorimetric Method; Calculation[4]
35	Chromium (VI)	Colorimetric Method[4]
36	Chrysene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
37	Cyanide	Distillation, Colorimetric Me[redacted]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
38	2,4-D	Liquid-Liquid Extraction, Gas Chromatographic Method[4]
39	DDD	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
40	DDE	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
41	DDT	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
42	Dibenz(a,h)anthracene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
43	Di-n-butyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
44	1,2-Dichlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
45	1,3-Dichlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
46	1,4-Dichlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
47	3,3′-Dichlorobenzidine	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
48	1,1-Dichloroethane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
49	1,2-Dichloroethane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
50	1,1-Dichloroethylene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
51	cis-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
52	trans-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
53	2,4-Dichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
54	1,2-Dichloropropane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
55	1,3-Dichloropropane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
56	1,3-Dichloropropene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
57	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
58	Diethyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
59	2,4-Dimethylphenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
60	2,4-Dinitrophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
61	2,4-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
62	2,6-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
63	Di-n-Octyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
64	Endosulfan	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
65	Endrin	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
66	Ethylbenzene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
67	Fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
68	Fluorene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
69	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]

70 [redacted]r epoxide...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
70	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
71	Hexachlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
72	Hexachloro-1,3-butadiene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
73	n-Hexane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
74	α-HCH	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
75	β-HCH	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
76	γ-HCH	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
77	Hexachlorocyclopentadiene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
78	Hexachloroethane	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
79	Indeno(1,2,3-cd)pyrene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
80	Isophorone	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
81	Lead	1) Digestion, Direct Air-Acetylene Flame Method[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method[4]
82	Manganese	1) Digestion, Direct Air-Acetylene Flame Method[4] 2) Digestion, Inductively Coupled Plasma Spectrometric Method [4]

[redacted]ercury...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
83	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[4]
84	Methanol	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
85	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
86	Methyl bromide	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
87	Methylene chloride	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
88	2-Methylphenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
89	2-Methylnaphthalene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
90	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
91	Naphthalene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
92	Nickel	1) Digestion, Direct Air-Acetylene Flame Method[4] 2) Digestion, Inductively Coupled Plasma Spectrometric Method [4]
93	Nitrobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
94	N-Nitrosodiphenylamine	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
95	N-Nitrosodi-n-propylamine	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
96	Polychlorinated Biphenyls - PCB-1016 - PCB-1221 - PCB-1232	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]

[redacted] - PCB-1242...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
	- PCB-1242 - PCB-1248 - PCB-1254 - PCB-1260	
97	Pentachlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
98	pH	Electrometric method[4]
99	Phenanthrene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
100	Phenol	1) Distillation, Chloroform Extraction Method[4] 2) Distillation, Direct Photometric Method[4]
101	Pyrene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
102	Selenium	Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[4]
103	Silver	Digestion, Inductively Coupled Plasma Method[4]
104	Styrene	Purge and Trap Gas Chromatographic/ Mass spectrometric Method[4]
105	1,1,2,2-Tetrachloroethane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
106	Tetrachloroethylene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
107	Toluene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
108	Toxaphene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
109	TPH (C_5-C_8)	Purge and Trap, Gas Chromatographic Method[13,22]
110	TPH ($C_{>8}$-C_{16})	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[9,22]
111	TPH ($C_{>16}$-C_{35})	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[redacted]

112 1,2,4-[redacted]benzene...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
112	1,2,4-Trichlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
113	1,1,1-Trichloroethane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
114	1,1,2-Trichloroethane	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
115	Trichloroethylene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
116	2,4,5-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
117	2,4,6-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[4]
118	1,3,5-Trimethylbenzene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
119	Vanadium	Digestion, Inductively Coupled Plasma Spectrometric Method[4]
120	Vinyl acetate	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
121	Vinyl chloride	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
122	m-Xylene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
123	o-Xylene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
124	p-Xylene	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
125	Xylene (Total)	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
126	Zinc	1) Digestion, Direct Air-Acetylene Flame Method[4] 2) Digestion, Inductively Coupled Plasma Spectrometric Method[4] [redacted]

อากาศเสีย...

อากาศเสีย (ปล่องระบาย) จำนวน 28 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
2	Arsenic	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
3	Beryllium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
4	Cadmium	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
5	Carbon Monoxide	Instrumental Analyzer Method[5]
6	Chlorine	1) Absorption Sampling, Ion Chromatographic Method[5] 2) Isokinetic Sampling, Ion Chromatographic Method[5]
7	Chromium	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
8	Cobalt	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
9	Copper	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method[5] 2) Isokinetic Sampling, Digesti[redacted]vely Coupled Plasma Method[5]

10 Cresol...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
10	Cresol	Adsorption Sampling, Gas Chromatographic Method[5]
11	Dioxins/Furans	Isokinetic Sampling[5]
12	Hydrogen Chloride	1) Absorption Sampling, Ion Chromatographic Method[5] 2) Isokinetic Sampling, Ion Chromatographic Method[5]
13	Hydrogen Fluoride	1) Absorption Sampling, Ion Chromatographic Method[5] 2) Isokinetic Sampling, Ion Chromatographic Method[5]
14	Hydrogen Sulfide	Absorption Sampling, Iodometric Method[5]
15	Lead	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
16	Manganese	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
17	Mercury	Isokinetic Sampling, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[5]
18	Nickel	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
19	Opacity	Ringelmann's Method[2]
20	Oxides of Nitrogen	1) Absorption Sampling, Phenoldisulfonic acid Method[5] 2) Instrumental Analyzer Method[5]
21	Selenium	Isokinetic Sampling, Digestion, Hydride Generation/Atomic Ab[redacted]pectrometric Method[5]

[redacted]22 Sulfur Dioxide...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
22	Sulfur Dioxide	1) Absorption Sampling, Barium-Thorin Titrimetric Method[5] 2) Isokinetic Sampling, Barium-Thorin Titrimetric Method[5] 3) Instrumental Analyzer Method[5]
23	Sulfuric acid	Isokinetic Sampling, Barium-Thorin Titrimetric Method[5]
24	Tellurium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
25	Tin	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
26	Total Suspended Particulate	Isokinetic Sampling, Gravimetric Method[5]
27	Vanadium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
28	Xylene	1) Adsorption Sampling, Gas Chromatographic Method[5] 2) Adsorption Sampling, Gas Chromatographic/ Mass Spectrometric Method[5]

<u>สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน 38 รายการ</u>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acrylonitrile	1) Waste Extraction, Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[1,13,27] 2) Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[14,27]
2	Aldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method [1,9,23] 2) Soxhlet Extraction, Gas Chromatographic Method[10,23] [redacted]

3 Antimony...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
3	Antimony	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 3) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 4) Digestion, Inductively Coupled Plasma Method[7,15]
4	Arsenic	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[1,6,17] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[7,17] 4) Digestion, Inductively Coupled Plasma Method [7,15]
5	Barium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 2) Digestion, Inductively Coupled Plasma Method [7,15]
6	Beryllium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 2) Digestion, Inductively Coupled Plasma Method [7,15]
7	Cadmium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 3) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 4) Digestion, Inducti[redacted]led Plasma Method [7,15]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
8	Chlordane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method [1,9,28] 2) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method [10,28]
9	Chromium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 3) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 4) Digestion, Inductively Coupled Plasma Method [7,15]
10	Chromium (VI)	1) Waste Extraction, Colorimetric Method [1,18] 2) Alkaline Digestion, Colorimetric Method [8,18]
11	Cobalt	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 3) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 4) Digestion, Inductively Coupled Plasma Method [7,15]
12	Copper	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 3) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 4) Digestion, Inductively [redacted] Plasma Method [7,15]

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
13	2,4-D	1) Waste Extraction, Gas Chromatographic/ Mass Spectrometric Method [1,26] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method [26]
14	DDD	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,9,23] 2) Soxhlet Extraction, Gas Chromatographic Method[10,23]
15	DDE	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,9,23] 2) Soxhlet Extraction, Gas Chromatographic Method[10,23]
16	DDT	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,9,23] 2) Soxhlet Extraction, Gas Chromatographic Method[10,23]
17	Dieldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,9,23] 2) Soxhlet Extraction, Gas Chromatographic Method[10,23]
18	Endrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,9,23] 2) Soxhlet Extraction, Gas Chromatographic Method[10,23]
19	Heptachlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,9,23]

[redacted]

2) Soxhlet Extraction...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
		2) Soxhlet Extraction, Gas Chromatographic Method[10,23]
20	Kepone	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method[1,9,28] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method[11,28]
21	Lead	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 3) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 4) Digestion, Inductively Coupled Plasma Method [7,15]
22	Lindane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method [1,9,28] 2) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method [10,28]
23	Mercury	1) Waste Extraction, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[1,19] 2) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[20]
24	Methoxychlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,9,23] 2) Soxhlet Extraction, Gas Chromatographic Method[10,23]
25	Mirex	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method 2) Soxhlet Extraction, [redacted]atographic Method[10,23]

[redacted]

26 Molybdenum...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
26	Molybdenum	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 3) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 4) Digestion, Inductively Coupled Plasma Method [7,15]
27	Nickel	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 3) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 4) Digestion, Inductively Coupled Plasma Method [7,15]
28	Polychlorinated Biphenyls - Aroclor 1016 - Aroclor 1221 - Aroclor 1232 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[1,9,28] 2) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method[10,28]
29	Pentachlorophenol	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method[1,9,28] 2) Soxhlet Extration, Gas Chroma[redacted]Mass Spectrometric Method[10,28]
30	pH	Electrometric Method[32,33]

31 Selenium...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
31	Selenium	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[1,6,21] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[7,21] 4) Digestion, Inductively Coupled Plasma Method [7,15]
32	Silver	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 3) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 4) Digestion, Inductively Coupled Plasma Method [7,15]
33	Silvex	1) Waste Extraction, Gas Chromatographic/ Mass Spectrometric Method[1,26] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method[26]
34	Thallium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 2) Digestion, Inductively Coupled Plasma Method [7,15]
35	Toxaphene	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/ Mass Spectrometric Method[1,9,28] 2) Soxhlet Extraction, Gas Chrom[redacted]Mass Spectrometric Method[10,28]

36 Trichloroethylene...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
36	Trichloroethylene	1) Waste Extraction, Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[1,13,27] 2) Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[14,27]
37	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 2) Digestion, Inductively Coupled Plasma Method [7,15]
38	Zinc	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,6,15] 3) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 4) Digestion, Inductively Coupled Plasma Method [7,15]

<u>ดิน จำนวน 125 รายการ</u>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
2	Acetone	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
3	Aldrin	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
4	Anthracene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
5	Antimony	1) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 2) Digestion, Inductively Coupled [redacted] Method[7,15]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
6	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[7,17] 2) Digestion, Inductively Coupled Plasma Method[7,15]
7	Atrazine	Soxhlet Extraction, Gas Chromatographic Method [10,25]
8	Barium	Digestion, Inductively Coupled Plasma Method[7,15]
9	Benz(a)anthracene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
10	Benzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
11	Benzo(b)fluoranthene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
12	Benzo(k)fluoranthene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
13	Benzoic acid	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
14	Benzo(a)pyrene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
15	Benzo(g,h,i)perylene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
16	Beryllium	Digestion, Inductively Coupled Plasma Method[7,15]
17	Bis(2-chloroethyl)ether	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
18	Bis(2-ethylhexyl)phthalate	Soxhlet Extraction, Gas Chromatographic Method[10,24]
19	Bromodichloromethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
20	Bromoform	Purge and Trap, Gas Chrom[redacted]/Mass Spectrometric Method[14,27]

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
21	Butanol	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
22	Butyl benzyl phthalate	Soxhlet Extraction, Gas Chromatographic Method[10,24]
23	Cadmium	1) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 2) Digestion, Inductively Coupled Plasma Method[7,15]
24	Carbazole	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
25	Carbon disulfide	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
26	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
27	Chlordane	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
28	p-Chloroaniline	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
29	Chlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
30	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
31	Chloroform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[14,27]
32	2-Chlorophenol	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
33	Chromium	1) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 2) Digestion, Inductively Coupled Plasma Method[7,15]
34	Chromium (III)	Digestion, Inductively Coupled Plasma Method; Alkaline Digestion Colorimetric Calculation[7,8,15,18]

[redacted] ium (VI)...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
35	Chromium (VI)	Alkaline Digestion, Colorimetric Method[8,18]
36	Chrysene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
37	Cyanide	Extraction, Distillation, Colorimetric Method[29,30,31]
38	2,4-D	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method[26]
39	DDD	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
40	DDE	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
41	DDT	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
42	Dibenz(a,h)anthracene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
43	Di-n-butyl phthalate	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
44	1,2-Dichlorobenzene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
45	1,3-Dichlorobenzene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
46	1,4-Dichlorobenzene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
47	3,3′-Dichlorobenzidine	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
48	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
49	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
50	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]

[redacted]

52 trans-1,2-Dichloroethylene...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
52	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
53	2,4-Dichlorophenol	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
54	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
55	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
56	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
57	Dieldrin	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
58	Diethyl phthalate	Soxhlet Extraction, Gas Chromatographic Method[10,24]
59	2,4-Dimethylphenol	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
60	2,4-Dinitrophenol	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
61	2,4-Dinitrotoluene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
62	2,6-Dinitrotoluene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
63	Di-n-Octyl phthalate	Soxhlet Extraction, Gas Chromatographic Method[10,24]
64	Endosulfan	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
65	Endrin	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
66	Ethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
67	Fluoranthene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]

[redacted] 68 Fluorene...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
68	Fluorene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
69	Heptachlor	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
70	Heptachlor epoxide	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
71	Hexachlorobenzene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
72	Hexachloro-1,3-butadiene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
73	n-Hexane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
74	α-HCH	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
75	β-HCH	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
76	γ-HCH	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
77	Hexachlorocyclopentadiene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
78	Hexachloroethane	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
79	Indeno(1,2,3-cd)pyrene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
80	Isophorone	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
81	Lead	1) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 2) Digestion, Inductively Coupled Plasma Method[7,15] [redacted]

82 Manganese...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
82	Manganese	1) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 2) Digestion, Inductively Coupled Plasma Method[7,15]
83	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[20]
84	Methanol	Equilibrium Headspace, Gas chromatographic Method [12,22]
85	Methoxychlor	Soxhlet Extraction, Gas Chromatographic Method[10,23]
86	Methyl bromide	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
87	Methylene chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
88	2-Methylphenol	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
89	2-Methylnaphthalene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
90	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
91	Naphthalene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[14,27]
92	Nickel	1) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 2) Digestion, Inductively Coupled Plasma Method[7,15]
93	Nitrobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
94	N-Nitrosodiphenylamine	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
95	N-Nitrosodi-n-propylamine	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]

[redacted]lorinated...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
96	Polychlorinated Biphenyls - Aroclor 1016 - Aroclor 1221 - Aroclor 1232 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
97	Pentachlorophenol	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
98	Phenanthrene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
99	Phenol	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
100	Pyrene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
101	Selenium	Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[7,21]
102	Silver	Digestion, Inductively Coupled Plasma Method[7,15]
103	Styrene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
104	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
105	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
106	Toluene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
107	Toxaphene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
108	TPH (C_5-C_8)	Purge and Trap, Gas Chromatographic Method[14,22]

[redacted]$_8$-C_{16})...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
109	TPH ($C_{>8}$-C_{16})	Soxhlet Extraction, Gas Chromatographic Method[10,22]
110	TPH ($C_{>16}$-C_{35})	Soxhlet Extraction, Gas Chromatographic Method[10,22]
111	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
112	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
113	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
114	Trichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
115	2,4,5-Trichlorophenol	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
116	2,4,6-Trichlorophenol	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method[10,28]
117	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[14,27]
118	Vanadium	Digestion, Inductively Coupled Plasma Method[7,15]
119	Vinyl acetate	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[14,27]
120	Vinyl chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[14,27]
121	m-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
122	o-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
123	p-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]
124	Xylene (Total)	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[14,27]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
125	Zinc	1) Digestion, Flame Atomic Absorption Spectrometric Method[7,16] 2) Digestion, Inductively Coupled Plasma Method[7,15]

เอกสารอ้างอิง

1. กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2548. เรื่อง การกำจัดสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว.**ราชกิจจานุเบกษา.** 25 มกราคม 2549. เล่มที่ 123 ตอนพิเศษ 11ง.

2. กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณเขม่าควันที่เจือปนในอากาศที่ระบายออกจากปล่องของหม้อน้ำโรงสีข้าวที่ใช้แกลบเป็นเชื้อเพลิง. **ราชกิจจานุเบกษา.** 4 ธันวาคม 2549. เล่มที่ 123 ตอนพิเศษ 125ง.

3. สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย. **คู่มือวิเคราะห์น้ำเสีย.** พิมพ์ครั้งที่ 4. กรุงเทพฯ: เรือนแก้วการพิมพ์, 2547.

4. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater.** 24th ed. Washington, DC: APHA, 2023.

5. United States Environmental Protection Agency. **Standards of Performance for New Stationary Sources.** 40 CFR 60. Appendix A, 2023.

6. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. SW-846,** 2014.

7. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Acid Digestion of Sediments, Sludges, and Soils. SW-846 Method 3050B,** 1996.

8. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Alkaline Digestion for Hexavalent Chromium. SW-846 Method 3060A,** 1996.

9. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Separatory Funnel Liquid-Liquid Extraction. SW-846 Method 3510C,** 1996.

10. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Soxhlet Extraction. SW-846 Method 3540C,** 1996.

11. United States Environmental Protection Agency. Test Methods for E[redacted] Waste Physical/Chemical Methods. **Ultrasonic Extraction. SW-846 Method 35**[redacted]

12. United States...

Draft Report

12. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Volatile Organic Compounds in Various Sample Matrices Using Equilibrium Headspace Analysis. SW-846 Method 5021A,** 2014.

13. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Purge-and-Trap for Aqueous Samples. SW-846 Method 5030C,** 2003.

14. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Closed-System **Purge-and-Trap And Extraction For Volatile Organics in Soil and Waste Samples. SW-846 Method 5035A,** 2002.

15. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Inductively Coupled Plasma-optical Emission Spectrometry. SW-846 Method 6010D,** 2018

16. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Flame Atomic Absorption Spectrophotometry. SW-846 Method 7000B,** 2007.

17. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Arsenic (Atomic Absorption, Gaseous Hydride). SW-846 Method 7061A,** 1992.

18. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chromium, Hexavalent (Colorimetric), SW-846 Method 7196A,** 1992.

19. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Liquid Waste (Manual Cold-Vapor Technique, SW-846 Method 7470A,** 1994.

20. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique, SW-846 Method 7471B,** 2007.

21. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Selenium (Atomic Absorption, Gaseous Hydride), SW-846 Method 7741A,** 1994.

22. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physi[redacted] **Nonhalogenated Organics Using GC/FID. SW-846 Method 8015D,** 200[redacted]

23. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organochlorine Pesticide by Gas Chromatography. SW-846 Method 8081B,** 2007.

24. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Phthalate Esters by Gas Chromatography with Electron Capture Detection (GC/ECD). SW-846 Method 8061A,** 1996.

25. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organophosphorus Compounds by Gas Chromatography. SW-846 Method 8141B,** 2007.

26. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chlorinated Herbicides By GC Using Methylation or Pentafluorobenzylation Derivatization. SW-846 Method 8151A,** 1996.

27. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Volatile Organic Compounds by Gas Chromatography/ Mass Spectrometry (GC/MS). SW-846 Method 8260D,** 2018.

28. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **SemiVolatile Organic Compounds by Gas Chromatography/Mass Spectrometry. SW-846 Method 8270E,** 2018.

29. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Total and Amenable Cyanide: Distillation. SW-846 Method 9010C,** 2004.

30. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Cyanide Extraction Procedure for Solids and Oils. SW-846 Method 9013A,** 2014.

31. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Cyanide in Waters and Extracts Using Titrimetric and Manual Spectrophotometric. SW-846 Method 9014,** 2014.

32. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **pH Electrometric Measurement. SW-846 Method 9040C,** 2004.

33. United States Environmental Protection Agency. Test Methods for Ev[redacted] Waste Physical/Chemical Methods. **Solid and Waste pH. SW-846 Method 9045**[redacted]

Draft Report



ที่ อก ๐๓๑๐(๑)/๑๑๑ กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๔ มกราคม ๒๕๖๗

เรื่อง เปลี่ยนแปลงบุคลากรและเอกสารอ้างอิงวิธีวิเคราะห์สารมลพิษ

เรียน กรรมการผู้จัดการ บริษัท เอส.พี.เอส คอนซัลติ้ง เซอร์วิส จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๒๖ ธันวาคม ๒๕๖๖

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและเอกสารอ้างอิงวิธีวิเคราะห์สารมลพิษ บริษัท เอส.พี.เอส คอนซัลติ้ง เซอร์วิส จำกัด จำนวน ๘ แผ่น

ตามหนังสือที่อ้างถึง บริษัท เอส.พี.เอส คอนซัลติ้ง เซอร์วิส จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๑๑ สถานที่ตั้งเลขที่ ๗ ซอยพหลโยธิน ๒๔ ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร แจ้งขอเปลี่ยนแปลงบุคลากรและเอกสารอ้างอิงวิธีวิเคราะห์สารมลพิษในสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้วของห้องปฏิบัติการวิเคราะห์ นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นให้เปลี่ยนแปลงดังนี้

๑. ให้ยกเลิกผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๑ ราย
นางสาวจินดาพร ภารกุล ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๘

๒. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๑ ราย
นางสาวณิชา กรดเต็ม ทะเบียนเลขที่ ว-๐๑๑-จ-๗๑๓๔

๓. ให้เพิ่มเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๖ ราย ได้แก่
๑) นางสาวอารยา เฮงประเสริฐ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๓
๒) นางสาวเขมณัฏฐ์ แสนทายก ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๔
๓) นางสาวไทยสิริ ปัญญากุล ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๕
๔) นายอนุชา สมใจ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๖
๕) นายพัชชานนท์ อินปริก ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๗
๖) นายสถาพร วิเศษหมื่น ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๘

๔. ให้ยกเลิกขอบข่ายรายการสารมลพิษในสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว ตามรายการเอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ที่ อก ๐๓๑๐(๑)/๑๔๓๒๑ ลงวันที่ ๑๑ ตุลาคม ๒๕๖๖

๕. ให้วิเคราะห์สารมลพิษตามขอบข่ายที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน ๓๘ รายการ ตามเอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและเอกสารอ้างอิงวิธีวิเคราะห์สารมลพิษ ดังสิ่งที่ส่งมาด้วย

อนึ่ง...

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน คือในวันที่ ๑๐ กรกฎาคม ๒๕๖๙ ทั้งนี้ สามารถยื่นคำขอผ่านระบบอิเล็กทรอนิกส์ได้ที่หน้าเว็บไซต์กรมโรงงานอุตสาหกรรม

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

[redacted]

นักวิทย[redacted]
ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน
ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

Draft Report

เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและเอกสารอ้างอิงวิธีวิเคราะห์สารมลพิษ
บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด เลขทะเบียน ว-๐๑๑
ที่ อก ๐๓๑๐(๑)/ ๖ ๖ ๖ ลงวันที่ ๒๔ มกราคม ๒๕๖๗

ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๘ รายการ

สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว 38 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acrylonitrile	1) Waste Extraction, Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[1,9,23] 2) Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[10,23]
2	Aldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,5,19] 2) Soxhlet Extraction, Gas Chromatographic Method[6,19]
3	Antimony	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method[3,11]
4	Arsenic	1) Waste Extraction, Digestion, Hydride Generation/ Atomic Absorption Spectrometric Method[1,2,13] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Hydride Generation/ Atomic Absorption Spectrometric Method[3,13] 4) Digestion, Inductively Coupled Plasma Method [3,11]
5	Barium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 2) Digestion, Inductively Coupled Plasma Method [3,11]
6	Beryllium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 2) Digestion, Inductively Coupled Plasma Method [3,11]
7	Cadmium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Meth[redacted]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
8	Chlordane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method [1,5,24] 2) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method [6,24]
9	Chromium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method [3,11]
10	Chromium (VI)	1) Waste Extraction, Colorimetric Method [1,14] 2) Alkaline Digestion, Colorimetric Method [4,14]
11	Cobalt	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method [3,11]
12	Copper	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method [3,11]
13	2,4-D	1) Waste Extraction, Gas Chromatographic/ Mass Spectrometric Method [1,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method [22]
14	DDD	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,5,19] 2) Soxhlet Extraction, Gas Chromatographic Meth[redacted]

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
15	DDE	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,5,19] 2) Soxhlet Extraction, Gas Chromatographic Method[6,19]
16	DDT	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,5,19] 2) Soxhlet Extraction, Gas Chromatographic Method[6,19]
17	Dieldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,5,19] 2) Soxhlet Extraction, Gas Chromatographic Method[6,19]
18	Endrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,5,19] 2) Soxhlet Extraction, Gas Chromatographic Method[6,19]
19	Heptachlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,5,19] 2) Soxhlet Extraction, Gas Chromatographic Method[6,19]
20	Kepone	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method[1,5,24] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method[7,24]
21	Lead	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method [3,11]
22	Lindane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method [1,5,24] 2) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method [6,24]
23	Mercury	1) Waste Extraction, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[1,15] 2) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[16]
24	Methoxychlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,5,19] 2) Soxhlet Extraction, Gas Chromatograph [redacted]

25 Mirex...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
25	Mirex	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method[1,5,24] 2) Soxhlet Extraction, Gas Chromatographic Method[6,19]
26	Molybdenum	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method [3,11]
27	Nickel	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method [3,11]
28	Polychlorinated Biphenyls - Aroclor 1016 - Aroclor 1221 - Aroclor 1232 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method[1,5,24] 2) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method[6,24]
29	Pentachlorophenol	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method[1,5,24] 2) Soxhlet Extration, Gas Chromatographic/ Mass Spectrometric Method[6,24]
30	pH	Electrometric Method[28,29]

31 Selenium...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
31	Selenium	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[1,2,17] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,2,11] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[3,17] 4) Digestion, Inductively Coupled Plasma Method [3,11]
32	Silver	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method [3,11]
33	Silvex	1) Waste Extraction, Gas Chromatographic/ Mass Spectrometric Method[1,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method[22]
34	Thallium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 2) Digestion, Inductively Coupled Plasma Method [3,11]
35	Toxaphene	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method[1,5,24] 2) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method[6,24]
36	Trichloroethylene	1) Waste Extraction, Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[1,9,23] 2) Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[10,23]
37	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,2,11] 2) Digestion, Inductively Coupled Plasma Me[redacted]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
38	Zinc	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasm[redacted]

เอกสารอ้างอิง

1. กระทรวงอุตสาหกรรม. **ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2566.** เรื่องการจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว. **ราชกิจจานุเบกษา.** 31 พฤษภาคม 2566. เล่ม 140 ตอนพิเศษ 126 ง.

2. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. SW-846,** 2014.

3. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Acid Digestion of Sediments, Sludges, and Soils. SW-846 Method 3050B,** 1996.

4. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Alkaline Digestion for Hexavalent Chromium. SW-846 Method 3060A,** 1996.

5. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Separatory Funnel Liquid-Liquid Extraction. SW-846 Method 3510C,** 1996.

6. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Soxhlet Extraction. SW-846 Method 3540C,** 1996.

7. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Ultrasonic Extraction. SW-846 Method 3550C,** 2007.

8. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Volatile Organic Compounds in Various Sample Matrices Using Equilibrium Headspace Analysis. SW-846 Method 5021A,** 2014.

9. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Purge-and-Trap for Aqueous Samples. SW-846 Method 5030C,** 2003.

10. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Closed-System **Purge-and-Trap And Extraction For Volatile Organics in Soil and Waste Samples. SW-846 Method 5035A,** 2002.

Draft Report

11. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Inductively Coupled Plasma-optical Emission Spectrometry. SW-846 Method 6010D,** 2018

12. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Flame Atomic Absorption Spectrophotometry. SW-846 Method 7000B,** 2007.

13. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Arsenic (Atomic Absorption, Gaseous Hydride). SW-846 Method 7061A,** 1992.

14. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chromium, Hexavalent (Colorimetric), SW-846 Method 7196A**, 1992.

15. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Liquid Waste (Manual Cold-Vapor Technique, SW-846 Method 7470A**, 1994.

16. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique, SW-846 Method 7471B,** 2007.

17. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Selenium (Atomic Absorption, Gaseous Hydride), SW-846 Method 7741A,** 1994.

18. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Nonhalogenated Organics Using GC/FID. SW-846 Method 8015D,** 2003.

19. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organochlorine Pesticide by Gas Chromatography. SW-846 Method 8081B,** 2007.

20. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Phthalate Esters by Gas Chromatography with Electron Capture Detection (GC/ECD). SW-846 Method 8061A,** 1996.

21. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organophosphorus Compounds by Gas Chromatography. SW-846 Method 8141B,** 2007.

22. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chlorinated Herbicides By GC Using Methylation or Pentafluorobenzylation Derivatization. SW-846 Method 8151A,** 1996.

23. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Volatile Organic Compounds by Gas Chromatography/ Mass Spectrometry (GC/MS). SW-846 Method 8260D,** 2018 [redacted]

24. United...

24. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **SemiVolatile Organic Compounds by Gas Chromatography/Mass Spectrometry. SW-846 Method 8270E,** 2018.

25. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Total and Amenable Cyanide: Distillation. SW-846 Method 9010C,** 2004.

26. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Cyanide Extraction Procedure for Solids and Oils. SW-846 Method 9013A,** 2014.

27. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Cyanide in Waters and Extracts Using Titrimetric and Manual Spectrophotometric. SW-846 Method 9014,** 2014.

28. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **pH Electrometric Measurement. SW-846 Method 9040C,** 2004.

29. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Solid and Waste pH. SW-846 Method 904** [redacted]

Draft Report

ที่ อก ๐๓๑๐(๑)/ ๒๐๗๒

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๐๕ มีนาคม ๒๕๖๗

เรื่อง เปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๘ กุมภาพันธ์ ๒๕๖๗

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์ บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด จำนวน ๑ แผ่น

ตามหนังสือที่อ้างถึง บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๑๑ สถานที่ตั้งเลขที่ ๗ ซอยพหลโยธิน ๒๔ ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์ ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้วมีความเห็นดังนี้

๑. ให้ยกเลิกผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๒ ราย
   ๑) นางสาวกวิสรา วรรณชัย ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๐๖
   ๒) นางสาวนลินี สีมาก ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๑
๒. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๑ ราย
   นายพิสิษฐ์ วรรณชัย ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๔
๓. ให้เพิ่มขอบข่ายสารมลพิษที่วิเคราะห์ในดิน ตามสิ่งที่ส่งมาด้วย

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน คือในวันที่ ๑๐ กรกฎาคม ๒๕๖๙ ทั้งนี้ สามารถยื่นคำขอผ่านระบบอิเล็กทรอนิกส์ได้ที่หน้าเว็บไซต์กรมโรงงานอุตสาหกรรม

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

[redacted]

อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑ รายการ

ดิน จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method [redacted]

เอกสารอ้างอิง

1. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Closed-System **Purge-and-Trap And Extraction For Volatile Organics in Soil and Waste Samples. SW-846 Method 5035A,** 2002.

2. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Volatile Organic Compounds by Gas Chromatography/ Mass Spectrometry (GC/MS). SW-846 Method 8260D,** 2018.

Draft Report

ที่ อก ๐๓๑๐(๑)/๑๑๑

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๔ มกราคม ๒๕๖๗

เรื่อง เปลี่ยนแปลงบุคลากรและเอกสารอ้างอิงวิธีวิเคราะห์สารมลพิษ

เรียน กรรมการผู้จัดการ บริษัท เอส.พี.เอส คอนซัลติ้ง เซอร์วิส จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๒๖ ธันวาคม ๒๕๖๖

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและเอกสารอ้างอิงวิธีวิเคราะห์สารมลพิษ บริษัท เอส.พี.เอส คอนซัลติ้ง เซอร์วิส จำกัด จำนวน ๘ แผ่น

ตามหนังสือที่อ้างถึง บริษัท เอส.พี.เอส คอนซัลติ้ง เซอร์วิส จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๑๑ สถานที่ตั้งเลขที่ ๗ ซอยพหลโยธิน ๒๔ ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร แจ้งขอเปลี่ยนแปลงบุคลากรและเอกสารอ้างอิงวิธีวิเคราะห์สารมลพิษในสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้วของห้องปฏิบัติการวิเคราะห์ นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นให้เปลี่ยนแปลงดังนี้

๑. ให้ยกเลิกผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๑ ราย
นางสาวจินดาพร ภารกุล ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๘

๒. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๑ ราย
นางสาวณิชา กรดเต็ม ทะเบียนเลขที่ ว-๐๑๑-จ-๗๑๓๔

๓. ให้เพิ่มเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๖ ราย ได้แก่
๑) นางสาวอารยา เฮงประเสริฐ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๓
๒) นางสาวเขมณัฏฐ์ แสนทายก ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๔
๓) นางสาวไทยสิริ ปัญญากุล ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๕
๔) นายอนุชา สมใจ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๖
๕) นายพัชชานนท์ อินปริก ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๗
๖) นายสถาพร วิเศษหมื่น ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๘

๔. ให้ยกเลิกขอบข่ายรายการสารมลพิษในสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว ตามรายการเอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ที่ อก ๐๓๑๐(๑)/๑๔๓๒๑ ลงวันที่ ๑๑ ตุลาคม ๒๕๖๖

๕. ให้วิเคราะห์สารมลพิษตามขอบข่ายที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน ๓๘ รายการ ตามเอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและเอกสารอ้างอิงวิธีวิเคราะห์สารมลพิษ ดังสิ่งที่ส่งมาด้วย

อนึ่ง...

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน คือในวันที่ ๑๐ กรกฎาคม ๒๕๖๙ ทั้งนี้ สามารถยื่นคำขอผ่านระบบอิเล็กทรอนิกส์ได้ที่หน้าเว็บไซต์กรมโรงงานอุตสาหกรรม

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

[redacted]

นักวิทยาศาสตร์เชี่ยวชาญ รักษาราชการแทน
ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน
ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

Draft Report

เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและเอกสารอ้างอิงวิธีวิเคราะห์สารมลพิษ
บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด เลขทะเบียน ว-๐๑๑
ที่ อก ๐๓๑๐(๑)/ ๖ ๖ ๖ ลงวันที่ ๒๔ มกราคม ๒๕๖๗

ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๘ รายการ

สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว 38 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acrylonitrile	1) Waste Extraction, Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[1,9,23] 2) Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[10,23]
2	Aldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,5,19] 2) Soxhlet Extraction, Gas Chromatographic Method[6,19]
3	Antimony	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method[3,11]
4	Arsenic	1) Waste Extraction, Digestion, Hydride Generation/ Atomic Absorption Spectrometric Method[1,2,13] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Hydride Generation/ Atomic Absorption Spectrometric Method[3,13] 4) Digestion, Inductively Coupled Plasma Method [3,11]
5	Barium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 2) Digestion, Inductively Coupled Plasma Method [3,11]
6	Beryllium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 2) Digestion, Inductively Coupled Plasma Method [3,11]
7	Cadmium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Meth[redacted]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
8	Chlordane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method [1,5,24] 2) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method [6,24]
9	Chromium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method [3,11]
10	Chromium (VI)	1) Waste Extraction, Colorimetric Method [1,14] 2) Alkaline Digestion, Colorimetric Method [4,14]
11	Cobalt	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method [3,11]
12	Copper	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method [3,11]
13	2,4-D	1) Waste Extraction, Gas Chromatographic/ Mass Spectrometric Method [1,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method [22]
14	DDD	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,5,19] 2) Soxhlet Extraction, Gas Chromatographic Me[redacted]

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
15	DDE	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,5,19] 2) Soxhlet Extraction, Gas Chromatographic Method[6,19]
16	DDT	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,5,19] 2) Soxhlet Extraction, Gas Chromatographic Method[6,19]
17	Dieldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,5,19] 2) Soxhlet Extraction, Gas Chromatographic Method[6,19]
18	Endrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,5,19] 2) Soxhlet Extraction, Gas Chromatographic Method[6,19]
19	Heptachlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,5,19] 2) Soxhlet Extraction, Gas Chromatographic Method[6,19]
20	Kepone	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method[1,5,24] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method[7,24]
21	Lead	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method [3,11]
22	Lindane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method [1,5,24] 2) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method [6,24]
23	Mercury	1) Waste Extraction, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[1,15] 2) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[16]
24	Methoxychlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[1,5,19] 2) Soxhlet Extraction, Gas Chromatographic Me[illegible][6,19]

25 Mirex...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
25	Mirex	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method[1,5,24] 2) Soxhlet Extraction, Gas Chromatographic Method[6,19]
26	Molybdenum	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method [3,11]
27	Nickel	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method [3,11]
28	Polychlorinated Biphenyls - Aroclor 1016 - Aroclor 1221 - Aroclor 1232 - Aroclor 1242 - Aroclor 1248 - Aroclor 1254 - Aroclor 1260	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method[1,5,24] 2) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method[6,24]
29	Pentachlorophenol	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method[1,5,24] 2) Soxhlet Extration, Gas Chromatographic/ Mass Spectrometric Method[6,24]
30	pH	Electrometric Method[28,29]

31 Selenium...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
31	Selenium	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[1,2,17] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,2,11] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[3,17] 4) Digestion, Inductively Coupled Plasma Method [3,11]
32	Silver	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method [3,11]
33	Silvex	1) Waste Extraction, Gas Chromatographic/ Mass Spectrometric Method[1,22] 2) Ultrasonic Extraction, Gas Chromatographic/ Mass Spectrometric Method[22]
34	Thallium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 2) Digestion, Inductively Coupled Plasma Method [3,11]
35	Toxaphene	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method[1,5,24] 2) Soxhlet Extraction, Gas Chromatographic/ Mass Spectrometric Method[6,24]
36	Trichloroethylene	1) Waste Extraction, Purge and Trap, Gas Chromatographic/Mass Spectrometric Method[1,9,23] 2) Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[10,23]
37	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,2,11] 2) Digestion, Inductively Coupled Plasma Method[3,11]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
38	Zinc	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method[1,2,12] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method [1,2,11] 3) Digestion, Flame Atomic Absorption Spectrometric Method[3,12] 4) Digestion, Inductively Coupled Plasma Method [3,11]

เอกสารอ้างอิง

1. กระทรวงอุตสาหกรรม. **ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2566.** เรื่องการจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว. **ราชกิจจานุเบกษา.** 31 พฤษภาคม 2566. เล่ม 140 ตอนพิเศษ 126 ง.

2. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. SW-846,** 2014.

3. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Acid Digestion of Sediments, Sludges, and Soils. SW-846 Method 3050B,** 1996.

4. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Alkaline Digestion for Hexavalent Chromium. SW-846 Method 3060A,** 1996.

5. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Separatory Funnel Liquid-Liquid Extraction. SW-846 Method 3510C,** 1996.

6. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Soxhlet Extraction. SW-846 Method 3540C,** 1996.

7. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Ultrasonic Extraction. SW-846 Method 3550C,** 2007.

8. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Volatile Organic Compounds in Various Sample Matrices Using Equilibrium Headspace Analysis. SW-846 Method 5021A,** 2014.

9. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Purge-and-Trap for Aqueous Samples. SW-846 Method 5030C,** 2003.

10. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Closed-System **Purge-and-Trap And Extraction For Volatile Organics in Soil and Waste Samples. SW-846 Method 5035A,** 2002.

Draft Report

11. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Inductively Coupled Plasma-optical Emission Spectrometry. SW-846 Method 6010D,** 2018

12. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Flame Atomic Absorption Spectrophotometry. SW-846 Method 7000B,** 2007.

13. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Arsenic (Atomic Absorption, Gaseous Hydride). SW-846 Method 7061A,** 1992.

14. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chromium, Hexavalent (Colorimetric), SW-846 Method 7196A**, 1992.

15. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Liquid Waste (Manual Cold-Vapor Technique, SW-846 Method 7470A**, 1994.

16. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique, SW-846 Method 7471B,** 2007.

17. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Selenium (Atomic Absorption, Gaseous Hydride), SW-846 Method 7741A,** 1994.

18. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Nonhalogenated Organics Using GC/FID. SW-846 Method 8015D,** 2003.

19. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organochlorine Pesticide by Gas Chromatography. SW-846 Method 8081B,** 2007.

20. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Phthalate Esters by Gas Chromatography with Electron Capture Detection (GC/ECD). SW-846 Method 8061A,** 1996.

21. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organophosphorus Compounds by Gas Chromatography. SW-846 Method 8141B,** 2007.

22. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chlorinated Herbicides By GC Using Methylation or Pentafluorobenzylation Derivatization. SW-846 Method 8151A,** 1996.

23. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Volatile Organic Comp[redacted]hromatography/ Mass Spectrometry (GC/MS). SW-846 Method 8260D,** 20[redacted]

24. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **SemiVolatile Organic Compounds by Gas Chromatography/Mass Spectrometry. SW-846 Method 8270E,** 2018.

25. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Total and Amenable Cyanide: Distillation. SW-846 Method 9010C,** 2004.

26. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Cyanide Extraction Procedure for Solids and Oils. SW-846 Method 9013A,** 2014.

27. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Cyanide in Waters and Extracts Using Titrimetric and Manual Spectrophotometric. SW-846 Method 9014,** 2014.

28. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **pH Electrometric Measurement. SW-846 Method 9040C,** 2004.

29. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Solid and Waste pH. SW-846 Method 9045D**, 2004.

Draft Report

ที่ อก ๐๓๑๐(๑)/ ๒๐๗๒

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๐๕ มีนาคม ๒๕๖๗

เรื่อง เปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๘ กุมภาพันธ์ ๒๕๖๗

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์ บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด จำนวน ๑ แผ่น

ตามหนังสือที่อ้างถึง บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๑๑ สถานที่ตั้งเลขที่ ๗ ซอยพหลโยธิน ๒๔ ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์ ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้วมีความเห็นดังนี้

๑. ให้ยกเลิกผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๒ ราย
   ๑) นางสาวกวิสรา วรรณชัย ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๐๖
   ๒) นางสาวนลินี สีมาก ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๑
๒. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๑ ราย
   นายพิสิษฐ์ วรรณชัย ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๔
๓. ให้เพิ่มขอบข่ายสารมลพิษที่วิเคราะห์ในดิน ตามสิ่งที่ส่งมาด้วย

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน คือในวันที่ ๑๐ กรกฎาคม ๒๕๖๙ ทั้งนี้ สามารถยื่นคำขอผ่านระบบอิเล็กทรอนิกส์ได้ที่หน้าเว็บไซต์กรมโรงงานอุตสาหกรรม

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

[redacted]

(นายพรยศ กลั่นกรอง)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑ รายการ

ดิน จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method [redacted]

เอกสารอ้างอิง

1. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Closed-System **Purge-and-Trap And Extraction For Volatile Organics in Soil and Waste Samples. SW-846 Method 5035A,** 2002.

2. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Volatile Organic Compounds by Gas Chromatography/ Mass Spectrometry (GC/MS). SW-846 Method 8260D,** 2018.

Draft Report

ที่ อก ๐๓๑๐(๑)/ ๓๘๕๖

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๑๘ เมษายน ๒๕๖๗

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอส.พี.เอส คอนซัลติ้ง เซอร์วิส จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๑๙ มีนาคม ๒๕๖๗

ตามคำขอที่อ้างถึง บริษัท เอส.พี.เอส คอนซัลติ้ง เซอร์วิส จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๑๑ สถานที่ตั้งเลขที่ ๗ ซอยพหลโยธิน ๒๔ ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากร ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๒ ราย ได้แก่

๑) นางสาวสิรินารถ ชาวทะเล ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๔
๒) นางสาวญาณี แก้วนก ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๔๘

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

[redacted]

(นายพรยศ กลันกรอง)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

ที่ อก ๐๓๑๐(๑)/ ๔๖๐๓

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๑๔ พฤษภาคม ๒๕๖๗

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๓ พฤษภาคม ๒๕๖๗

ตามคำขอที่อ้างถึง บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๑๑ สถานที่ตั้งเลขที่ ๗ ซอยพหลโยธิน ๒๔ ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากร ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๒ ราย

๑) นางสาวจิราพร ตาลจรัส ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๘
๒) นายกิตติพงษ์ แสนวงศ์ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๔๑

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

[redacted]

(นายพรยศ กลันกรอง)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

Green Industry
"อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว"

Draft Report

ที่ อก ๐๓๑๐(๑)/ ๘๖๑๐

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๖ สิงหาคม ๒๕๖๗

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอส.พี.เอส คอนซัลติ้ง เซอร์วิส จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๑ สิงหาคม ๒๕๖๗

ตามคำขอที่อ้างถึง บริษัท เอส.พี.เอส คอนซัลติ้ง เซอร์วิส จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๑๑ สถานที่ตั้งเลขที่ ๗ ซอยพหลโยธิน ๒๔ ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากร ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๓ ราย

๑) นางสาวกมลชนก บุญไชยมิ่ง	ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๙
๒) นางสาววราภรณ์ ภูวัด	ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๐
๓) นายพัชชานนท์ อินปริก	ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๗

๒. ให้เพิ่มผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒ ราย

๑) นางสาวกมลชนก บุญไชยมิ่ง	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๓๗
๒) นางสาววราภรณ์ ภูวัด	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๓๘

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ในวันที่ ๑๐ กรกฎาคม ๒๕๖๙

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

[redacted]

(นายพรยศ กลันกรอง)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

ที่ อก ๐๓๑๐(๑)/ ๒๖๗๖

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๕ มีนาคม ๒๕๖๘

เรื่อง เปลี่ยนแปลงบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๒๖ กุมภาพันธ์ ๒๕๖๘

ตามคำขอที่อ้างถึง บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๑๑ สถานที่ตั้งเลขที่ ๗ ซอยพหลโยธิน ๒๔ ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากร ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้ยกเลิกผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๑ ราย

นายวิทยา โพนชัย	ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๒

๒. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๔ ราย

๑) นายสิทธิเมธา ศรีบุตรดา	ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๐๕
๒) นายปิยวัฒน์ สิมมา	ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๘
๓) นายณัฐพงษ์ เชื้อเล็ก	ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๓๙
๔) นางสาวอารยา เฮงประเสริฐ	ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๓

๓. ให้เพิ่มเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๓ ราย

๑) นางสาวพัสวี จารุศิริวัฒนา	ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๕๙
๒) นายฤทธิเกียรติ โสภาณา	ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๖๐
๓) นายไชยสิทธิ์ คำเถาว์	ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๖๑

อนึ่ง หนังสือฉบับนี้จะสิ้นอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ในวันที่ ๑๐ กรกฎาคม ๒๕๖๙

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

[redacted]

(นายธีรทัศน์ อิศรางกูร ณ อยุธยา)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

Draft Report

ที่ อก ๐๓๑๐(๑)/ ๑๕๓๔

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๕ กุมภาพันธ์ ๒๕๖๙

เรื่อง เปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๒๖ ธันวาคม ๒๕๖๘

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์ บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด จำนวน ๒ แผ่น

ตามหนังสือที่อ้างถึง บริษัท เอส.พี.เอส. คอนซัลติ้ง เซอร์วิส จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๑๑ สถานที่ตั้งเลขที่ ๗ ซอยพหลโยธิน ๒๔ ถนนพหลโยธิน แขวงจอมพล เขตจตุจักร กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์ ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้ยกเลิกผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๑ ราย
นางสาวอัจฉรา ไชยยาว ทะเบียนเลขที่ ว-๐๑๑-ค-๐๐๑๖

๒. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๕ ราย
๑) นางสาววรรษมน พรมพิมาย ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๐๘
๒) นางสาวบุศยารัตน์ ศิลาชัย ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๐
๓) นายเทพพิทักษ์ โสภณ ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๑๗
๔) นางสาวจิตสุภา สติคราม ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๕
๕) นางสาวยุภรัตน์ สาแก้ว ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๒๙

๓. ให้เพิ่มเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๑ ราย
นางสาวพิมพ์พิมล ทองดวง ทะเบียนเลขที่ ว-๐๑๑-จ-๐๐๖๒

๔. ให้เพิ่มขอบข่ายสารมลพิษที่วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน และดิน ตามสิ่งที่ส่งมาด้วย

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ในวันที่ ๑๐ กรกฎาคม ๒๕๖๙

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

[redacted]

(นางสาวปัทมวรรณ คุณประเสริฐ)
ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน
ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑๖ รายการ

น้ำ/น้ำเสีย จำนวน 2 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Copper	Digestion, Electrothermal Atomic Absorption Spectrometric Method[1]
2	Nickel	Digestion, Electrothermal Atomic Absorption Spectrometric Method[1]

น้ำใต้ดิน จำนวน 7 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aluminum	Digestion, Inductively Coupled Plasma Method[1]
2	Cadmium	1) Digestion, Flame Atomic Absorption Spectrometric Method[1] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method[1]
3	Copper	1) Digestion, Inductively Coupled Plasma Method[1] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method[1] 3) Digestion, Flame Atomic Absorption Spectrometric Method[1]
4	Iron	1) Digestion, Inductively Coupled Plasma Method[1] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method[1] 3) Digestion, Flame Atomic Absorption Spectrometric Method[1]
5	Molybdenum	Digestion, Inductively Coupled Plasma Method[1]
6	Nickel	Digestion, Electrothermal Atomic Absorption Spectrometric Method[1]
7	Selenium	Digestion, Inductively Coupled Plasma Method[1]

ดิน จำนวน 7 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aluminum	Digestion, Inductively Coupled Plasma Method[2,3]
2	Cadmium	Digestion, Graphite Furnace Atomic Absorption Spectrometric Method[2,5] [redacted]

3 Copper...

Draft Report

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
3	Copper	1) Digestion, Flame Atomic Absorption Spectrometric Method[2,4] 2) Digestion, Inductively Coupled Plasma Method[2,3]
4	Iron	1) Digestion, Flame Atomic Absorption Spectrometric Method[2,4] 2) Digestion, Inductively Coupled Plasma Method[2,3]
5	Molybdenum	Digestion, Inductively Coupled Plasma Method[2,3]
6	pH	Electrometric Method[6,7]
7	Selenium	Digestion, Inductively Coupled Plasma Method[2,3]

<u>เอกสารอ้างอิง</u>

1. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater.** 24th ed. Washington, DC: APHA, 2023.

2. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Acid Digestion of Sediments, Sludges, and Soils. SW-846 Method 3050B,** 1996.

3. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Inductively Coupled Plasma-Optical Emission Spectrometry. SW-846 Method 6010D**, 2018.

4. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Flame Atomic Absorption Spectrophotometry. SW-846 Method 7000B**, 2007.

5. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Graphite Furnace Atomic Absorption Spectrophotometry. SW-846 Method 7010**, 2007.

6. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **pH Electrometric Measurement. SW-846 Method 9040C**, 2004.

7. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Soil and Waste pH. SW-846 Method 9045D**, 2004.

Draft Report