

ภาคผนวก ค

ใบรับรองผลการวิเคราะห์

คุณภาพอากาศในบรรยากาศ



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2620799

Date Received : Apr 02, 2026
Date Reported : Apr 07, 2026
Report Number: 3542413-1

Page 1 of 1

Sample Description Air Quality
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (A1) (GPS 47P 0748450, 1462476)
Date Analysis Commenced Apr 03, 2026
Condition of Sample Drawn into one glass filter paper (8x10 inch) placed in plastic bag, one quartz filter paper (8x10 inch) placed in plastic bag

Sample Number	Sampled Date	Sampling Condition		Total Suspended Particulate (ug/m3)	Particulate Matter (PM-10) (ug/m3)
		Pressure (mm Hg)	Temperature (°C)		
2620799-1	Mar 24 - Mar 25, 2026	755	30.2	72.9	39.2
2620799-2	Mar 25 - Mar 26, 2026	755	30.0	88.0	44.2
2620799-3	Mar 26 - Mar 27, 2026	755	31.0	97.1	47.4
2620799-4	Mar 27 - Mar 28, 2026	755	30.0	97.3	48.7
2620799-5	Mar 28 - Mar 29, 2026	755	29.5	100	48.0
2620799-6	Mar 29 - Mar 30, 2026	755	31.5	75.1	34.8
2620799-7	Mar 30 - Mar 31, 2026	755	29.5	83.7	37.3
Guideline		-	-	200	100

Reference Method

Total Suspended Particulate : United States Environmental Protection Agency 40 CFR, method 50, Appendix B, revised as of July 1, 2008
Particulate Matter (PM-10) : United States Environmental Protection Agency 40 CFR, method 50, Appendix J, revised as of July 1, 2008

Guideline : Notification of the National Environmental Board., 2026 (B.E.2569) dated January 21, 2026.

Sampled By : Adisak Tarisoorn

Approved by

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2620799

Date Received : Apr 02, 2026
Date Reported : Apr 07, 2026
Report Number: 3542413-2

Page 1 of 1

Sample Description Air Quality
Location ที่พักอาศัยด้านทิศเหนือของบ่อหนองน้ำฝน 3 (A2) (GPS 47P 0748581, 1461603)
Date Analysis Commenced Apr 03, 2026
Condition of Sample Drawn into one glass filter paper (8x10 inch) placed in plastic bag, one quartz filter paper (8x10 inch) placed in plastic bag

Sample Number	Sampled Date	Sampling Condition		Total Suspended Particulate (ug/m3)	Particulate Matter (PM-10) (ug/m3)
		Pressure (mm Hg)	Temperature (°C)		
2620799-8	Mar 24 - Mar 25, 2026	755	30.2	83.2	32.9
2620799-9	Mar 25 - Mar 26, 2026	755	30.0	74.7	44.0
2620799-10	Mar 26 - Mar 27, 2026	755	31.0	81.9	45.4
2620799-11	Mar 27 - Mar 28, 2026	755	30.0	74.1	41.6
2620799-12	Mar 28 - Mar 29, 2026	755	29.5	81.7	40.1
2620799-13	Mar 29 - Mar 30, 2026	755	31.5	63.5	32.2
2620799-14	Mar 30 - Mar 31, 2026	755	29.5	61.2	32.9
Guideline		-	-	200	100

Reference Method

Total Suspended Particulate : United States Environmental Protection Agency 40 CFR, method 50, Appendix B, revised as of July 1, 2008
Particulate Matter (PM-10) : United States Environmental Protection Agency 40 CFR, method 50, Appendix J, revised as of July 1, 2008

Guideline : Notification of the National Environmental Board., 2026 (B.E.2569) dated January 21, 2026.

Sampled By : Adisak Tarisoorn

Approved by

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2620799

Date Received : Apr 02, 2026
Date Reported : Apr 07, 2026
Report Number: 3542413-3

Page 1 of 1

Sample Description Air Quality
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (A3) (GPS 47P 0747525, 1460273)
Date Analysis Commenced Apr 03, 2026
Condition of Sample Drawn into one glass filter paper (8x10 inch) placed in plastic bag, one quartz filter paper (8x10 inch) placed in plastic bag

Sample Number	Sampled Date	Sampling Condition		Total Suspended Particulate (ug/m3)	Particulate Matter (PM-10) (ug/m3)
		Pressure (mm Hg)	Temperature (°C)		
2620799-15	Mar 24 - Mar 25, 2026	755	30.2	59.8	31.1
2620799-16	Mar 25 - Mar 26, 2026	755	30.0	74.7	44.8
2620799-17	Mar 26 - Mar 27, 2026	755	31.0	79.1	42.1
2620799-18	Mar 27 - Mar 28, 2026	755	30.0	97.6	50.9
2620799-19	Mar 28 - Mar 29, 2026	755	29.5	90.7	45.2
2620799-20	Mar 29 - Mar 30, 2026	755	31.5	84.8	46.4
2620799-21	Mar 30 - Mar 31, 2026	755	29.5	84.4	36.5
Guideline		-	-	200	100

Reference Method

Total Suspended Particulate : United States Environmental Protection Agency 40 CFR, method 50, Appendix B, revised as of July 1, 2008
Particulate Matter (PM-10) : United States Environmental Protection Agency 40 CFR, method 50, Appendix J, revised as of July 1, 2008

Guideline : Notification of the National Environmental Board., 2026 (B.E.2569) dated January 21, 2026.

Sampled By : Adisak Tarisoorn

Approved by

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2620799

Date Received : Apr 02, 2026
Date Reported : Apr 07, 2026
Report Number: 3542413-4

Page 1 of 1

Sample Description Air Quality
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (A4) (GPS 47P 0748113, 1461272)
Date Analysis Commenced Apr 03, 2026
Condition of Sample Drawn into one glass filter paper (8x10 inch) placed in plastic bag, one quartz filter paper (8x10 inch) placed in plastic bag

Sample Number	Sampled Date	Sampling Condition		Total Suspended Particulate (ug/m3)	Particulate Matter (PM-10) (ug/m3)
		Pressure (mm Hg)	Temperature (°C)		
2620799-22	Mar 24 - Mar 25, 2026	755	30.2	70.7	50.1
2620799-23	Mar 25 - Mar 26, 2026	755	30.0	80.4	44.6
2620799-24	Mar 26 - Mar 27, 2026	755	31.0	101	68.1
2620799-25	Mar 27 - Mar 28, 2026	755	30.0	115	71.5
2620799-26	Mar 28 - Mar 29, 2026	755	29.5	114	66.3
2620799-27	Mar 29 - Mar 30, 2026	755	31.5	110	66.4
2620799-28	Mar 30 - Mar 31, 2026	755	29.5	119	64.2
Guideline		-	-	200	100

Reference Method

Total Suspended Particulate : United States Environmental Protection Agency 40 CFR, method 50, Appendix B, revised as of July 1, 2008
Particulate Matter (PM-10) : United States Environmental Protection Agency 40 CFR, method 50, Appendix J, revised as of July 1, 2008

Guideline : Notification of the National Environmental Board., 2026 (B.E.2569) dated January 21, 2026.

Sampled By : Adisak Tarisoorn

Approved by

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620798

Date Received : Apr 02, 2026

Date Reported : Apr 08, 2026

Report Number: 3546897-1

Page 1 of 1

Sample Description Air Quality
Location ฟาร์มกรุงเทพ (สาขาเนินส) (A1) (GPS 47P 0748450, 1462476)
Parameter Sulfur Dioxide (ppb)
Measurement Date Mar 24, 2026 - Mar 31, 2026
Measurement by Adisak Tarisoon

	2620798-1	2620798-2	2620798-3	2620798-4	2620798-5	2620798-6	2620798-7
Time	Mar 24, 2026	Mar 25, 2026	Mar 26, 2026	Mar 27, 2026	Mar 28, 2026	Mar 29, 2026	Mar 30, 2026
11:00 AM - 12:00 PM	0.6	0.5	0.5	0.5	0.6	0.5	0.5
12:00 PM - 01:00 PM	0.6	0.5	0.6	0.6	0.6	0.6	0.6
01:00 PM - 02:00 PM	0.7	0.6	0.7	0.7	0.6	0.7	0.6
02:00 PM - 03:00 PM	0.7	0.6	0.7	0.7	0.7	0.7	0.7
03:00 PM - 04:00 PM	0.7	0.7	0.7	0.7	0.7	0.7	0.7
04:00 PM - 05:00 PM	0.7	0.7	0.7	0.7	0.7	0.7	0.7
05:00 PM - 06:00 PM	0.7	0.7	0.7	0.7	0.7	0.7	0.7
06:00 PM - 07:00 PM	0.6	0.7	0.6	0.6	0.6	0.6	0.6
07:00 PM - 08:00 PM	0.6	0.5	0.6	0.6	0.6	0.6	0.6
08:00 PM - 09:00 PM	0.6	0.6	0.6	0.6	0.5	0.6	0.6
09:00 PM - 10:00 PM	0.5	0.5	0.5	0.5	0.6	0.5	0.6
10:00 PM - 11:00 PM	0.5	0.5	0.5	0.5	0.5	0.5	0.6
11:00 PM - 12:00 AM	0.5	0.5	0.5	0.5	0.6	0.5	0.5
12:00 AM - 01:00 AM	0.5	0.5	0.4	0.5	0.5	0.5	0.5
01:00 AM - 02:00 AM	0.5	0.5	0.5	0.5	0.5	0.4	0.5
02:00 AM - 03:00 AM	0.4	0.4	0.5	0.5	0.5	0.4	0.5
03:00 AM - 04:00 AM	0.4	0.4	0.4	0.5	0.4	0.4	0.4
04:00 AM - 05:00 AM	0.4	0.4	0.3	0.4	0.4	0.3	0.4
05:00 AM - 06:00 AM	0.3	0.3	0.3	0.3	0.3	0.3	0.4
06:00 AM - 07:00 AM	0.2	0.3	0.3	0.3	0.3	0.3	0.2
07:00 AM - 08:00 AM	0.3	0.2	0.3	0.3	0.3	0.3	0.3
08:00 AM - 09:00 AM	0.3	0.2	0.3	0.3	0.3	0.3	0.3
09:00 AM - 10:00 AM	0.3	0.4	0.4	0.3	0.3	0.3	0.3
10:00 AM - 11:00 AM	0.5	0.5	0.4	0.4	0.5	0.4	0.4
Average	0.5	0.5	0.5	0.5	0.5	0.5	0.5
1hr - Maximum	0.7	0.7	0.7	0.7	0.7	0.7	0.7
Standard 1hr - Average	100	100	100	100	100	100	100
Standard 24 hrs - Average	50	50	50	50	50	50	50

Standard : Notification of the National Environment Board B.E. 2569.

Reference Method : U.S. Environmental Protection Agency, EPA Method Part 53 and 58

Approved by

Saranya C.

Saranya Chalermthamrong

Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620798

Date Received : Apr 02, 2026

Date Reported : Apr 08, 2026

Report Number: 3546899-1

Page 1 of 1

Sample Description Air Quality
Location ที่พักอาศัยด้านทิศเหนือของบ่อน้ำมัน 3 (A2) (GPS 47P 0748581, 1461603)
Parameter Sulfur Dioxide (ppb)
Measurement Date Mar 24, 2026 - Mar 31, 2026
Measurement by Adisak Tarisoon

	2620798-8	2620798-9	2620798-10	2620798-11	2620798-12	2620798-13	2620798-14
Time	Mar 24, 2026	Mar 25, 2026	Mar 26, 2026	Mar 27, 2026	Mar 28, 2026	Mar 29, 2026	Mar 30, 2026
09:00 AM - 10:00 AM	0.4	0.4	0.4	0.4	0.4	0.4	0.4
10:00 AM - 11:00 AM	0.5	0.5	0.5	0.5	0.5	0.4	0.5
11:00 AM - 12:00 PM	0.5	0.5	0.5	0.5	0.5	0.5	0.5
12:00 PM - 01:00 PM	0.5	0.6	0.5	0.6	0.5	0.6	0.5
01:00 PM - 02:00 PM	0.6	0.5	0.5	0.5	0.5	0.6	0.6
02:00 PM - 03:00 PM	0.5	0.6	0.6	0.6	0.5	0.5	0.6
03:00 PM - 04:00 PM	0.5	0.5	0.5	0.5	0.5	0.5	0.5
04:00 PM - 05:00 PM	0.5	0.5	0.5	0.5	0.5	0.5	0.5
05:00 PM - 06:00 PM	0.5	0.5	0.5	0.5	0.5	0.5	0.5
06:00 PM - 07:00 PM	0.4	0.4	0.5	0.5	0.4	0.4	0.4
07:00 PM - 08:00 PM	0.4	0.4	0.4	0.4	0.4	0.4	0.4
08:00 PM - 09:00 PM	0.4	0.4	0.4	0.4	0.4	0.4	0.4
09:00 PM - 10:00 PM	0.4	0.4	0.4	0.4	0.4	0.4	0.4
10:00 PM - 11:00 PM	0.4	0.4	0.4	0.4	0.4	0.4	0.4
11:00 PM - 12:00 AM	0.4	0.4	0.4	0.4	0.4	0.4	0.4
12:00 AM - 01:00 AM	0.4	0.4	0.4	0.4	0.4	0.4	0.3
01:00 AM - 02:00 AM	0.3	0.4	0.3	0.3	0.4	0.4	0.4
02:00 AM - 03:00 AM	0.3	0.3	0.3	0.3	0.3	0.3	0.3
03:00 AM - 04:00 AM	0.3	0.3	0.3	0.3	0.3	0.3	0.3
04:00 AM - 05:00 AM	0.2	0.2	0.2	0.3	0.3	0.3	0.3
05:00 AM - 06:00 AM	0.2	0.2	0.2	0.3	0.2	0.2	0.2
06:00 AM - 07:00 AM	0.2	0.3	0.3	0.3	0.3	0.2	0.2
07:00 AM - 08:00 AM	0.3	0.3	0.3	0.3	0.3	0.3	0.3
08:00 AM - 09:00 AM	0.4	0.4	0.4	0.4	0.3	0.3	0.3
Average	0.4	0.4	0.4	0.4	0.4	0.4	0.4
1hr - Maximum	0.6	0.6	0.6	0.6	0.5	0.6	0.6
Standard 1hr - Average	100	100	100	100	100	100	100
Standard 24 hrs - Average	50	50	50	50	50	50	50

Standard : Notification of the National Environment Board B.E. 2569.

Reference Method : U.S. Environmental Protection Agency, EPA Method Part 53 and 58

Approved by

Saranya C.

Saranya Chalermtamrong

Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620798

Date Received : Apr 02, 2026

Date Reported : Apr 08, 2026

Report Number: 3546901-1

Page 1 of 1

Sample Description	Air Quality
Location	ที่พักอาศัยด้านทิศเหนือของแปลง A06 (A3) (GPS 47P 0747525, 1460273)
Parameter	Sulfur Dioxide (ppb)
Measurement Date	Mar 24, 2026 - Mar 31, 2026
Measurement by	Adisak Tarisoon

Time	2620798-15 Mar 24, 2026	2620798-16 Mar 25, 2026	2620798-17 Mar 26, 2026	2620798-18 Mar 27, 2026	2620798-19 Mar 28, 2026	2620798-20 Mar 29, 2026	2620798-21 Mar 30, 2026
08:00 AM - 09:00 AM	0.6	0.6	0.6	0.6	0.6	0.6	0.6
09:00 AM - 10:00 AM	0.7	0.7	0.6	0.6	0.7	0.7	0.7
10:00 AM - 11:00 AM	0.7	0.7	0.7	0.7	0.7	0.7	0.7
11:00 AM - 12:00 PM	0.7	0.8	0.8	0.8	0.7	0.8	0.7
12:00 PM - 01:00 PM	0.8	0.8	0.8	0.8	0.8	0.8	0.8
01:00 PM - 02:00 PM	0.7	0.8	0.8	0.8	0.8	0.8	0.8
02:00 PM - 03:00 PM	0.7	0.8	0.7	0.8	0.7	0.7	0.7
03:00 PM - 04:00 PM	0.7	0.7	0.7	0.7	0.7	0.7	0.7
04:00 PM - 05:00 PM	0.7	0.7	0.7	0.7	0.7	0.7	0.7
05:00 PM - 06:00 PM	0.7	0.6	0.7	0.6	0.7	0.7	0.7
06:00 PM - 07:00 PM	0.6	0.6	0.6	0.6	0.6	0.6	0.6
07:00 PM - 08:00 PM	0.6	0.6	0.7	0.6	0.6	0.6	0.6
08:00 PM - 09:00 PM	0.6	0.6	0.6	0.6	0.6	0.6	0.6
09:00 PM - 10:00 PM	0.6	0.6	0.6	0.6	0.6	0.6	0.6
10:00 PM - 11:00 PM	0.6	0.6	0.6	0.6	0.5	0.6	0.6
11:00 PM - 12:00 AM	0.5	0.5	0.5	0.6	0.6	0.5	0.5
12:00 AM - 01:00 AM	0.5	0.5	0.5	0.5	0.5	0.6	0.5
01:00 AM - 02:00 AM	0.5	0.5	0.5	0.5	0.5	0.5	0.5
02:00 AM - 03:00 AM	0.4	0.4	0.4	0.4	0.5	0.4	0.4
03:00 AM - 04:00 AM	0.4	0.5	0.4	0.4	0.4	0.4	0.5
04:00 AM - 05:00 AM	0.4	0.4	0.5	0.4	0.4	0.4	0.4
05:00 AM - 06:00 AM	0.4	0.4	0.5	0.5	0.4	0.4	0.4
06:00 AM - 07:00 AM	0.5	0.5	0.5	0.5	0.5	0.5	0.5
07:00 AM - 08:00 AM	0.5	0.5	0.5	0.5	0.5	0.6	0.5
Average	0.6	0.6	0.6	0.6	0.6	0.6	0.6
1hr - Maximum	0.8	0.8	0.8	0.8	0.8	0.8	0.8
Standard 1hr - Average	100	100	100	100	100	100	100
Standard 24 hrs - Average	50	50	50	50	50	50	50

Standard : Notification of the National Environment Board B.E. 2569.

Reference Method : U.S. Environmental Protection Agency, EPA Method Part 53 and 58

Approved by

Saranya C.

Saranya Chalermthamrong

Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620798

Date Received : Apr 02, 2026

Date Reported : Apr 08, 2026

Report Number: 3546905-1

Page 1 of 1

Sample Description Air Quality
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (A4) (GPS 47P 0748118, 1461272)
Parameter Sulfur Dioxide (ppb)
Measurement Date Mar 24, 2026 - Mar 31, 2026
Measurement by Adisak Tarisoon

Time	2620798-22 Mar 24, 2026	2620798-23 Mar 25, 2026	2620798-24 Mar 26, 2026	2620798-25 Mar 27, 2026	2620798-26 Mar 28, 2026	2620798-27 Mar 29, 2026	2620798-28 Mar 30, 2026
10:00 AM - 11:00 AM	0.9	0.9	0.9	1.0	1.0	1.0	0.9
11:00 AM - 12:00 PM	1.0	1.0	1.1	1.1	1.1	1.1	1.0
12:00 PM - 01:00 PM	1.1	1.1	1.1	1.2	1.3	1.1	1.2
01:00 PM - 02:00 PM	1.2	1.2	1.1	1.1	1.2	1.2	1.2
02:00 PM - 03:00 PM	1.2	1.3	1.2	1.2	1.2	1.2	1.2
03:00 PM - 04:00 PM	1.2	1.2	1.2	1.2	1.2	1.3	1.2
04:00 PM - 05:00 PM	1.2	1.1	1.2	1.2	1.2	1.2	1.1
05:00 PM - 06:00 PM	1.2	1.1	1.2	1.2	1.2	1.2	1.1
06:00 PM - 07:00 PM	1.1	1.2	1.1	1.1	1.1	1.1	1.2
07:00 PM - 08:00 PM	1.1	1.0	1.1	1.0	1.1	1.1	1.0
08:00 PM - 09:00 PM	1.0	1.0	1.1	1.1	1.0	1.0	1.0
09:00 PM - 10:00 PM	0.9	1.0	0.9	0.9	0.9	1.0	1.0
10:00 PM - 11:00 PM	0.9	0.9	1.0	1.0	0.9	0.9	1.0
11:00 PM - 12:00 AM	1.0	0.9	0.9	0.9	1.0	0.9	0.9
12:00 AM - 01:00 AM	0.9	0.8	0.9	1.0	0.9	0.9	0.8
01:00 AM - 02:00 AM	0.8	0.9	0.7	0.8	0.8	0.9	0.9
02:00 AM - 03:00 AM	0.8	0.8	0.8	0.8	0.8	0.7	0.8
03:00 AM - 04:00 AM	0.8	0.8	0.8	0.8	0.7	0.8	0.7
04:00 AM - 05:00 AM	0.7	0.7	0.7	0.7	0.7	0.7	0.7
05:00 AM - 06:00 AM	0.7	0.6	0.7	0.7	0.7	0.7	0.7
06:00 AM - 07:00 AM	0.7	0.6	0.6	0.6	0.6	0.6	0.7
07:00 AM - 08:00 AM	0.7	0.7	0.7	0.7	0.7	0.6	0.7
08:00 AM - 09:00 AM	0.7	0.7	0.8	0.8	0.7	0.7	0.8
09:00 AM - 10:00 AM	0.9	0.8	0.8	0.9	0.8	0.8	0.9
Average	0.9	0.9	0.9	1.0	1.0	0.9	0.9
1hr - Maximum	1.2	1.3	1.2	1.2	1.3	1.3	1.2
Standard 1hr - Average	100	100	100	100	100	100	100
Standard 24 hrs - Average	50	50	50	50	50	50	50

Standard : Notification of the National Environment Board B.E. 2569.

Reference Method : U.S. Environmental Protection Agency, EPA Method Part 53 and 58

Approved by

Saranya C.

Saranya Chalermthamrong

Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang,
Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620792

Date Received : Apr 02, 2026

Date Reported : Apr 08, 2026

Report Number: 3522626-1

Page 1 of 1

Sample Description	Air Quality
Location	ฟาร์มกรุงเทพ (สาขาเนินสี) (A1) (GPS 47P 0748450, 1462476)
Parameter	Nitrogen dioxide (ppb)
Measurement Date	Mar 24, 2026 - Mar 31, 2026
Measurement by	Adisak Tarisoon

	2620792-1 Mar 24, 2026	2620792-2 Mar 25, 2026	2620792-3 Mar 26, 2026	2620792-4 Mar 27, 2026	2620792-5 Mar 28, 2026	2620792-6 Mar 29, 2026	2620792-7 Mar 30, 2026
Time							
11:00 AM - 12:00 PM	8.1	7.9	7.8	7.7	8.0	8.3	8.4
12:00 PM - 01:00 PM	8.3	8.2	8.1	9.0	8.3	8.2	9.1
01:00 PM - 02:00 PM	9.1	8.9	9.1	8.6	9.8	9.5	9.3
02:00 PM - 03:00 PM	9.7	9.8	9.5	10.1	9.0	9.0	9.2
03:00 PM - 04:00 PM	9.6	9.2	10.3	9.3	9.2	9.7	10.1
04:00 PM - 05:00 PM	9.7	9.6	9.2	9.5	9.6	10.6	9.6
05:00 PM - 06:00 PM	10.0	9.3	10.0	9.3	9.8	9.3	9.6
06:00 PM - 07:00 PM	9.6	9.2	8.8	8.3	8.4	8.7	9.2
07:00 PM - 08:00 PM	8.6	8.9	8.4	9.3	9.1	9.1	8.6
08:00 PM - 09:00 PM	9.1	8.4	8.8	8.7	8.6	8.4	8.7
09:00 PM - 10:00 PM	8.0	8.8	8.4	8.2	8.4	8.1	8.0
10:00 PM - 11:00 PM	8.9	8.1	8.0	8.3	8.3	8.3	8.6
11:00 PM - 12:00 AM	8.3	7.6	7.6	8.5	8.1	7.4	8.2
12:00 AM - 01:00 AM	7.1	7.0	8.1	8.1	7.7	7.8	7.6
01:00 AM - 02:00 AM	6.9	7.6	7.2	7.5	7.3	7.8	7.8
02:00 AM - 03:00 AM	7.6	7.8	7.3	7.5	7.4	8.2	8.0
03:00 AM - 04:00 AM	6.9	7.6	7.5	7.5	7.3	7.0	7.2
04:00 AM - 05:00 AM	7.2	8.3	7.0	6.8	7.8	6.8	7.3
05:00 AM - 06:00 AM	6.5	6.7	7.3	6.8	7.1	7.2	6.9
06:00 AM - 07:00 AM	6.2	6.7	6.8	6.9	6.0	6.0	5.9
07:00 AM - 08:00 AM	11.6	6.6	10.4	5.9	11.8	6.5	12.6
08:00 AM - 09:00 AM	11.0	6.5	11.1	6.3	10.3	6.7	12.3
09:00 AM - 10:00 AM	6.7	6.6	6.7	5.6	7.1	6.3	7.4
10:00 AM - 11:00 AM	7.3	7.9	8.1	6.6	7.8	7.8	7.8
Average	8.4	8.1	8.4	7.9	8.4	8.0	8.6
1hr - Maximum	11.6	9.8	11.1	10.1	11.8	10.6	12.6
Standard 1hr - Average	120	120	120	120	120	120	120

Standard : Notification of the National Environment Board B.E. 2569.

Reference Method : U.S. Environmental Protection Agency Method Part 50 App. F (Chemiluminescence)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Orawan R.

Orawan Rakyong

Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang,
Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620792

Date Received : Apr 02, 2026

Date Reported : Apr 08, 2026

Report Number: 3546915-1

Page 1 of 1

Sample Description	Air Quality
Location	ที่พักอาศัยด้านทิศเหนือของบ่อหนองน้ำฝน 3 (A2) (GPS 47P 0748581, 1461603)
Parameter	Nitrogen dioxide (ppb)
Measurement Date	Mar 24, 2026 - Mar 31, 2026
Measurement by	Adisak Tarisoon

	2620792-8 Mar 24, 2026	2620792-9 Mar 25, 2026	2620792-10 Mar 26, 2026	2620792-11 Mar 27, 2026	2620792-12 Mar 28, 2026	2620792-13 Mar 29, 2026	2620792-14 Mar 30, 2026
Time							
09:00 AM - 10:00 AM	3.8	3.9	4.5	4.6	3.7	4.8	3.6
10:00 AM - 11:00 AM	5.3	4.7	4.8	5.0	5.2	5.0	4.8
11:00 AM - 12:00 PM	6.0	5.9	5.7	5.8	5.8	5.7	5.3
12:00 PM - 01:00 PM	6.2	5.7	6.5	6.0	6.5	5.4	6.0
01:00 PM - 02:00 PM	6.1	5.8	6.4	6.4	6.4	6.4	6.4
02:00 PM - 03:00 PM	6.1	6.1	6.2	6.2	6.0	6.3	6.2
03:00 PM - 04:00 PM	6.0	5.9	6.4	6.1	5.9	5.9	5.5
04:00 PM - 05:00 PM	6.0	5.5	5.7	5.4	5.3	5.5	5.4
05:00 PM - 06:00 PM	5.4	5.9	5.8	4.9	5.0	5.3	5.3
06:00 PM - 07:00 PM	4.7	4.8	5.3	5.4	5.0	4.8	4.8
07:00 PM - 08:00 PM	4.6	4.8	4.8	4.9	4.1	4.5	4.2
08:00 PM - 09:00 PM	4.7	4.6	4.5	4.8	4.2	4.7	4.4
09:00 PM - 10:00 PM	4.5	4.1	4.3	4.8	4.6	4.4	4.3
10:00 PM - 11:00 PM	4.3	3.4	4.3	4.0	4.4	4.3	4.6
11:00 PM - 12:00 AM	4.1	3.9	4.2	3.7	3.9	4.2	3.7
12:00 AM - 01:00 AM	4.0	4.0	3.9	4.0	3.3	3.7	3.7
01:00 AM - 02:00 AM	3.4	3.4	2.9	3.2	3.0	3.0	3.4
02:00 AM - 03:00 AM	2.6	3.0	2.8	3.1	2.6	2.9	2.9
03:00 AM - 04:00 AM	2.7	2.7	2.3	2.7	2.1	2.4	2.4
04:00 AM - 05:00 AM	2.3	2.6	2.0	2.0	2.6	2.4	2.5
05:00 AM - 06:00 AM	2.8	3.0	2.3	2.4	2.4	2.4	2.3
06:00 AM - 07:00 AM	2.6	2.4	2.6	2.7	3.1	2.2	2.7
07:00 AM - 08:00 AM	3.3	3.3	3.1	2.8	3.2	3.0	3.0
08:00 AM - 09:00 AM	3.4	4.1	3.5	3.4	2.8	4.2	3.3
Average	4.4	4.3	4.4	4.3	4.2	4.3	4.2
1hr - Maximum	6.2	6.1	6.5	6.4	6.5	6.4	6.4
Standard 1hr - Average	120	120	120	120	120	120	120

Standard : Notification of the National Environment Board B.E. 2569.

Reference Method : U.S. Environmental Protection Agency Method Part 50 App. F (Chemiluminescence)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Orawan R.

Orawan Rakyong

Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang,
Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620792

Date Received : Apr 02, 2026

Date Reported : Apr 08, 2026

Report Number: 3546917-1

Page 1 of 1

Sample Description	Air Quality
Location	ที่พักอาศัยด้านทิศเหนือของแปลง A06 (A3) (GPS 47P 0747525, 1460273)
Parameter	Nitrogen dioxide (ppb)
Measurement Date	Mar 24, 2026 - Mar 31, 2026
Measurement by	Adisak Tarisoon

Time	2620792-15 Mar 24, 2026	2620792-16 Mar 25, 2026	2620792-17 Mar 26, 2026	2620792-18 Mar 27, 2026	2620792-19 Mar 28, 2026	2620792-20 Mar 29, 2026	2620792-21 Mar 30, 2026
08:00 AM - 09:00 AM	3.4	3.8	3.6	3.6	3.5	3.9	3.6
09:00 AM - 10:00 AM	3.7	4.1	4.3	4.3	4.0	3.8	4.0
10:00 AM - 11:00 AM	4.5	4.5	4.6	4.6	4.4	4.5	4.3
11:00 AM - 12:00 PM	5.3	4.7	4.5	4.9	5.0	4.6	4.6
12:00 PM - 01:00 PM	4.7	4.8	4.5	4.8	4.6	5.2	4.7
01:00 PM - 02:00 PM	4.5	5.1	4.7	4.5	4.6	4.1	5.2
02:00 PM - 03:00 PM	4.9	5.0	4.5	4.6	4.7	4.7	4.7
03:00 PM - 04:00 PM	4.5	4.7	4.6	4.8	4.2	4.9	4.5
04:00 PM - 05:00 PM	3.6	4.5	4.1	3.7	4.1	4.7	4.2
05:00 PM - 06:00 PM	3.6	3.9	4.8	3.8	4.3	4.3	4.1
06:00 PM - 07:00 PM	4.0	3.8	4.0	3.5	4.0	3.7	4.0
07:00 PM - 08:00 PM	4.0	3.6	3.9	3.7	3.5	3.8	4.0
08:00 PM - 09:00 PM	3.4	3.6	4.1	3.8	3.6	3.9	3.6
09:00 PM - 10:00 PM	4.0	3.4	3.7	3.5	3.8	3.8	3.1
10:00 PM - 11:00 PM	3.1	3.5	3.4	3.1	3.4	3.5	3.5
11:00 PM - 12:00 AM	3.2	3.2	3.1	2.9	3.3	3.3	3.1
12:00 AM - 01:00 AM	2.9	2.8	3.1	3.0	3.1	2.9	2.7
01:00 AM - 02:00 AM	2.7	3.0	2.8	2.9	3.0	2.8	2.6
02:00 AM - 03:00 AM	2.7	2.9	2.9	2.8	2.8	2.6	2.7
03:00 AM - 04:00 AM	2.2	2.4	2.7	2.3	2.8	2.2	2.3
04:00 AM - 05:00 AM	2.5	2.2	2.5	2.7	2.6	2.8	2.5
05:00 AM - 06:00 AM	2.5	2.0	2.4	2.7	2.6	2.7	2.7
06:00 AM - 07:00 AM	3.0	2.7	2.8	3.1	2.4	2.6	2.9
07:00 AM - 08:00 AM	3.1	3.2	3.3	3.2	3.0	3.0	3.5
Average	3.6	3.6	3.7	3.6	3.6	3.7	3.6
1hr - Maximum	5.3	5.1	4.8	4.9	5.0	5.2	5.2
Standard 1hr - Average	120	120	120	120	120	120	120

Standard : Notification of the National Environment Board B.E. 2569.

Reference Method : U.S. Environmental Protection Agency Method Part 50 App. F (Chemiluminescence)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Orawan R.

Orawan Rakyong

Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang,
Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620798

Date Received : Apr 02, 2026

Date Reported : Jun 30, 2026

Report Number: 3546905-1 Rev. No.1

Page 1 of 1

Sample Description	Air Quality
Location	ที่พักอาศัยด้านทิศใต้ของแปลง A17 (A4) (GPS 47P 0748113, 1461272)
Parameter	Sulfur Dioxide (ppb)
Measurement Date	Mar 24, 2026 - Mar 31, 2026
Measurement by	Adisak Tarisoon

Time	2620798-22 Mar 24, 2026	2620798-23 Mar 25, 2026	2620798-24 Mar 26, 2026	2620798-25 Mar 27, 2026	2620798-26 Mar 28, 2026	2620798-27 Mar 29, 2026	2620798-28 Mar 30, 2026
10:00 AM - 11:00 AM	0.9	0.9	0.9	1.0	1.0	1.0	0.9
11:00 AM - 12:00 PM	1.0	1.0	1.1	1.1	1.1	1.1	1.0
12:00 PM - 01:00 PM	1.1	1.1	1.1	1.2	1.3	1.1	1.2
01:00 PM - 02:00 PM	1.2	1.2	1.1	1.1	1.2	1.2	1.2
02:00 PM - 03:00 PM	1.2	1.3	1.2	1.2	1.2	1.2	1.2
03:00 PM - 04:00 PM	1.2	1.2	1.2	1.2	1.2	1.3	1.2
04:00 PM - 05:00 PM	1.2	1.1	1.2	1.2	1.2	1.2	1.1
05:00 PM - 06:00 PM	1.2	1.1	1.2	1.2	1.2	1.2	1.1
06:00 PM - 07:00 PM	1.1	1.2	1.1	1.1	1.1	1.1	1.2
07:00 PM - 08:00 PM	1.1	1.0	1.1	1.0	1.1	1.1	1.0
08:00 PM - 09:00 PM	1.0	1.0	1.1	1.1	1.0	1.0	1.0
09:00 PM - 10:00 PM	0.9	1.0	0.9	0.9	0.9	1.0	1.0
10:00 PM - 11:00 PM	0.9	0.9	1.0	1.0	0.9	0.9	1.0
11:00 PM - 12:00 AM	1.0	0.9	0.9	0.9	1.0	0.9	0.9
12:00 AM - 01:00 AM	0.9	0.8	0.9	1.0	0.9	0.9	0.8
01:00 AM - 02:00 AM	0.8	0.9	0.7	0.8	0.8	0.9	0.9
02:00 AM - 03:00 AM	0.8	0.8	0.8	0.8	0.8	0.7	0.8
03:00 AM - 04:00 AM	0.8	0.8	0.8	0.8	0.7	0.8	0.7
04:00 AM - 05:00 AM	0.7	0.7	0.7	0.7	0.7	0.7	0.7
05:00 AM - 06:00 AM	0.7	0.6	0.7	0.7	0.7	0.7	0.7
06:00 AM - 07:00 AM	0.7	0.6	0.6	0.6	0.6	0.6	0.7
07:00 AM - 08:00 AM	0.7	0.7	0.7	0.7	0.7	0.6	0.7
08:00 AM - 09:00 AM	0.7	0.7	0.8	0.8	0.7	0.7	0.8
09:00 AM - 10:00 AM	0.9	0.8	0.8	0.9	0.8	0.8	0.9
Average	0.9	0.9	0.9	1.0	1.0	0.9	0.9
1hr - Maximum	1.2	1.3	1.2	1.2	1.3	1.3	1.2
Standard 1hr - Average	100	100	100	100	100	100	100
Standard 24 hrs - Average	50	50	50	50	50	50	50

Standard : Notification of the National Environment Board B.E. 2569.

Reference Method : U.S. Environmental Protection Agency, EPA Method Part 53 and 58

Note : This Analysis test Report is reissued to supersede Report No. 3546905-1, Date Reported : Apr 08, 2026 due to the revision of sample information from location

Approved by

Saranya C.

Saranya Chalermthamrong
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italhai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620800

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3522623-1

Page 1 of 2

Sample Number : 2620800-1 to 7
Parameter : Wind Speed / Wind Direction
Location : ฟาร์มกรุงเทพ (สาขาเนินสี) (A1) (GPS 47P 0748450, 1462476)
Sampling Date : Mar 24 - Mar 31, 2026
Sampling by : Adisak Tarisoon

Time	Mar 24 - Mar 25, 2026			Mar 25 - Mar 26, 2026			Mar 26 - Mar 27, 2026			Mar 27 - Mar 28, 2026			Mar 28 - Mar 29, 2026			Mar 29 - Mar 30, 2026			Mar 30 - Mar 31, 2026		
	WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)	
11:00 AM - 12:00 PM	1.5	178.0	S	3.1	182.0	S	1.1	312.0	NW	2.3	214.0	SW	0.4	167.0	SSE	2.1	245.0	WSW	1.1	157.0	SSE
12:00 PM - 01:00 PM	2.5	208.0	SSW	1.3	248.0	WSW	0.2	-	-	1.4	240.0	WSW	1.5	197.0	SSW	2.0	227.0	SW	2.7	127.0	SE
01:00 PM - 02:00 PM	4.2	205.0	SSW	0.9	185.0	S	0.9	182.0	S	2.4	229.0	SW	4.0	183.0	S	0.0	-	-	0.9	164.0	SSE
02:00 PM - 03:00 PM	2.1	228.0	SW	0.7	232.0	SW	0.0	-	-	2.6	203.0	SSW	2.3	166.0	SSE	4.5	236.0	SW	2.4	193.0	SSW
03:00 PM - 04:00 PM	4.4	219.0	SW	5.3	193.0	SSW	1.7	196.0	SSW	3.0	205.0	SSW	2.0	216.0	SW	1.9	243.0	WSW	4.3	216.0	SW
04:00 PM - 05:00 PM	3.1	207.0	SSW	2.3	234.0	SW	3.9	211.0	SSW	1.9	183.0	S	3.6	185.0	S	5.4	219.0	SW	3.2	212.0	SSW
05:00 PM - 06:00 PM	1.6	152.0	SSE	3.0	174.0	S	2.0	154.0	SSE	2.9	198.0	SSW	4.5	198.0	SSW	2.1	233.0	SW	3.3	213.0	SSW
06:00 PM - 07:00 PM	1.8	190.0	S	2.0	194.0	SSW	1.3	171.0	S	1.5	222.0	SW	1.4	159.0	SSE	2.4	206.0	SSW	0.9	172.0	S
07:00 PM - 08:00 PM	1.2	217.0	SW	1.7	190.0	S	2.4	207.0	SSW	0.5	183.0	S	1.7	189.0	S	0.8	191.0	S	0.6	204.0	SSW
08:00 PM - 09:00 PM	0.5	208.0	SSW	2.1	144.0	SE	0.6	180.0	S	1.0	212.0	SSW	0.8	158.0	SSE	0.2	-	-	0.3	217.0	SW
09:00 PM - 10:00 PM	0.3	223.0	SW	2.2	174.0	S	1.8	181.0	S	0.2	-	-	0.3	175.0	S	0.0	-	-	0.9	209.0	SSW
10:00 PM - 11:00 PM	0.4	120.0	ESE	0.0	-	-	0.2	-	-	0.8	185.0	S	0.4	182.0	S	1.1	168.0	SSE	1.4	195.0	SSW
11:00 PM - 12:00 AM	0.3	136.0	SE	0.9	135.0	SE	0.2	-	-	0.4	164.0	SSE	1.0	171.0	S	0.3	150.0	SSE	1.1	205.0	SSW
12:00 AM - 01:00 AM	0.2	-	-	0.3	124.0	SE	0.4	166.0	SSE	0.3	164.0	SSE	1.1	117.0	ESE	0.4	149.0	SSE	0.9	178.0	S
01:00 AM - 02:00 AM	0.2	-	-	0.5	138.0	SE	0.3	203.0	SSW	0.3	164.0	SSE	0.0	-	-	0.6	148.0	SSE	0.3	149.0	SSE
02:00 AM - 03:00 AM	0.6	191.0	S	0.2	-	-	0.5	154.0	SSE	0.2	-	-	0.0	-	-	0.2	-	-	0.3	188.0	S
03:00 AM - 04:00 AM	0.5	158.0	SSE	0.2	-	-	0.6	189.0	S	0.1	-	-	0.6	155.0	SSE	0.2	-	-	0.2	-	-
04:00 AM - 05:00 AM	0.4	117.0	ESE	0.1	-	-	1.6	196.0	SSW	0.6	108.0	ESE	0.0	-	-	0.1	-	-	0.2	-	-
05:00 AM - 06:00 AM	0.3	115.0	ESE	0.4	170.0	S	0.2	-	-	0.4	108.0	ESE	0.7	143.0	SE	0.1	-	-	0.6	183.0	S
06:00 AM - 07:00 AM	0.1	-	-	0.3	154.0	SSE	0.2	-	-	0.5	143.0	SE	0.0	-	-	0.5	114.0	ESE	0.4	87.0	E
07:00 AM - 08:00 AM	0.2	-	-	0.5	191.0	S	3.0	202.0	SSW	0.3	190.0	S	0.9	200.0	SSW	0.8	165.0	SSE	0.4	180.0	S
08:00 AM - 09:00 AM	1.6	237.0	WSW	2.2	189.0	S	3.9	194.0	SSW	2.8	188.0	S	4.1	186.0	S	0.0	-	-	0.2	-	-
09:00 AM - 10:00 AM	0.9	261.0	W	3.3	211.0	SSW	0.0	-	-	2.6	200.0	SSW	0.8	184.0	S	2.3	207.0	SSW	0.2	-	-
10:00 AM - 11:00 AM	2.8	216.0	SW	0.1	-	-	4.0	212.0	SSW	1.3	175.0	S	3.1	219.0	SW	1.4	178.0	S	0.3	144.0	SE

Reference Method : Cup Anemometer & Anodized Aluminium Vane Method

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620800


Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026


Report Number : 3522623-1

Page 2 of 2


Wind Rose




Date : Mar 24-25, 2026




Date : Mar 25-26, 2026




Date : Mar 26-27, 2026




Date : Mar 27-28, 2026




Date : Mar 28-29, 2026



Date : Mar 29-30, 2026



Date : Mar 30-31, 2026



Date : Mar 24-31, 2026

WS (m/s)	%
≥ 10.0	0.00
8.0-10.0	0.00
5.5-8.0	0.00
3.3-5.5	8.93
1.7-3.3	23.21
0.3-1.7	47.02
Calms	20.83

Location : ฟาร์มกรงไทย (สาขาเนินสี) (A1) (GPS 47P 0748450, 1462476)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620800

Date Received :Apr 02, 2026

Date Reported :Apr 06, 2026

Report Number :3522623-1

Page 1 of 2

Sample Number 2620800-8 to 14
Parameter Wind Speed / Wind Direction
Location ที่พักอาศัยด้านทิศเหนือของบ่อน้ำมัน 3 (A2) (GPS 47P 0748581, 1461603)
Sampling Date Mar 24 - Mar 31, 2026
Sampling by Adisak Tarisoorn

Time	Mar 24 - Mar 25, 2026			Mar 25 - Mar 26, 2026			Mar 26 - Mar 27, 2026			Mar 27 - Mar 28, 2026			Mar 28 - Mar 29, 2026			Mar 29 - Mar 30, 2026			Mar 30 - Mar 31, 2026		
	WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)	
09:00 AM - 10:00 AM	1.2	155.0	SSE	1.2	170.0	S	0.6	232.0	SW	3.2	159.0	SSE	0.2	-	-	0.3	156.0	SSE	1.2	187.0	S
10:00 AM - 11:00 AM	1.0	213.0	SSW	0.0	-	-	0.3	213.0	SSW	0.0	-	-	1.3	146.0	SE	0.6	158.0	SSE	2.4	209.0	SSW
11:00 AM - 12:00 PM	0.8	209.0	SSW	0.6	261.0	W	0.5	226.0	SW	1.4	168.0	SSE	1.7	183.0	S	0.6	197.0	SSW	3.2	157.0	SSE
12:00 PM - 01:00 PM	2.2	166.0	SSE	0.0	-	-	0.2	-	-	3.4	107.0	ESE	1.0	210.0	SSW	0.0	-	-	2.0	225.0	SW
01:00 PM - 02:00 PM	0.0	-	-	1.3	211.0	SSW	0.8	280.0	W	2.1	177.0	S	1.0	244.0	WSW	0.8	300.0	WNW	0.5	197.0	SSW
02:00 PM - 03:00 PM	1.6	236.0	SW	4.1	163.0	SSE	0.4	204.0	SSW	2.4	248.0	WSW	2.4	184.0	S	1.2	282.0	WNW	6.4	214.0	SW
03:00 PM - 04:00 PM	1.6	231.0	SW	2.6	242.0	WSW	0.7	256.0	WSW	2.9	169.0	S	1.5	194.0	SSW	1.5	237.0	WSW	2.1	188.0	S
04:00 PM - 05:00 PM	3.6	172.0	S	1.9	203.0	SSW	1.8	178.0	S	3.3	212.0	SSW	5.2	211.0	SSW	0.9	207.0	SSW	2.7	117.0	ESE
05:00 PM - 06:00 PM	2.0	171.0	S	0.0	-	-	1.2	164.0	SSE	2.6	177.0	S	1.7	172.0	S	1.7	182.0	S	1.1	142.0	SE
06:00 PM - 07:00 PM	1.3	178.0	S	0.9	178.0	S	1.7	143.0	SE	3.4	188.0	S	1.2	153.0	SSE	0.9	170.0	S	2.1	194.0	SSW
07:00 PM - 08:00 PM	1.6	189.0	S	1.4	190.0	S	1.1	170.0	S	0.9	198.0	SSW	1.4	164.0	SSE	1.1	149.0	SSE	1.2	156.0	SSE
08:00 PM - 09:00 PM	1.3	154.0	SSE	1.3	118.0	ESE	2.0	166.0	SSE	1.1	129.0	SE	1.5	180.0	S	0.5	148.0	SSE	0.7	162.0	SSE
09:00 PM - 10:00 PM	1.1	135.0	SE	0.6	155.0	SSE	0.7	163.0	SSE	0.1	-	-	1.0	161.0	SSE	1.0	152.0	SSE	1.6	169.0	S
10:00 PM - 11:00 PM	0.3	144.0	SE	0.4	151.0	SSE	0.0	-	-	1.5	153.0	SSE	2.6	164.0	SSE	0.2	-	-	0.9	155.0	SSE
11:00 PM - 12:00 AM	0.0	-	-	0.3	145.0	SE	0.0	-	-	0.3	159.0	SSE	2.0	120.0	ESE	0.0	-	-	1.9	133.0	SE
12:00 AM - 01:00 AM	0.1	-	-	0.0	-	-	1.0	136.0	SE	0.4	144.0	SE	0.0	-	-	0.4	137.0	SE	0.5	149.0	SSE
01:00 AM - 02:00 AM	0.3	142.0	SE	0.5	137.0	SE	0.8	147.0	SSE	0.6	92.0	E	0.2	-	-	0.0	-	-	0.6	176.0	S
02:00 AM - 03:00 AM	0.4	144.0	SE	0.6	138.0	SE	1.2	162.0	SSE	0.3	111.0	ESE	0.0	-	-	0.0	-	-	0.3	148.0	SSE
03:00 AM - 04:00 AM	0.4	137.0	SE	0.3	140.0	SE	1.8	161.0	SSE	0.5	163.0	SSE	0.5	140.0	SE	0.7	150.0	SSE	1.3	185.0	S
04:00 AM - 05:00 AM	0.0	-	-	0.3	148.0	SSE	0.0	-	-	0.6	161.0	SSE	1.4	126.0	SE	0.2	-	-	0.0	-	-
05:00 AM - 06:00 AM	0.2	-	-	0.0	-	-	0.0	-	-	0.0	-	-	0.5	132.0	SE	0.3	119.0	ESE	0.0	-	-
06:00 AM - 07:00 AM	0.5	135.0	SE	1.2	112.0	ESE	1.7	176.0	S	0.6	190.0	S	0.9	175.0	S	0.5	146.0	SE	1.8	170.0	S
07:00 AM - 08:00 AM	0.3	211.0	SSW	1.4	148.0	SSE	1.7	179.0	S	2.9	162.0	SSE	2.6	225.0	SW	0.1	-	-	0.6	188.0	S
08:00 AM - 09:00 AM	0.7	229.0	SW	2.2	156.0	SSE	1.3	198.0	SSW	0.5	283.0	WNW	0.3	175.0	S	0.4	131.0	SE	0.5	149.0	SSE

Reference Method : Cup Anemometer & Anodized Aluminium Vane Method

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620800


Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026


Report Number : 3522623-1

Page 2 of 2


Wind Rose




Date : Mar 24-25, 2026




Date : Mar 25-26, 2026




Date : Mar 26-27, 2026




Date : Mar 27-28, 2026




Date : Mar 28-29, 2026



Date : Mar 29-30, 2026



Date : Mar 30-31, 2026



Date : Mar 24-31, 2026

WS (m/s)	%
≥ 10.0	0.00
8.0-10.0	0.00
5.5-8.0	0.60
3.3-5.5	3.57
1.7-3.3	19.05
0.3-1.7	58.33
Calms	18.45

Location : ที่พักอาศัยด้านทิศเหนือของบ่อน้ำมัน 3 (A2) (GPS 47P 0748581, 1461603)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620800

Date Received :Apr 02, 2026

Date Reported :Apr 06, 2026

Report Number :3522623-1

Page 1 of 2

Sample Number 2620800-15 to 21
Parameter Wind Speed / Wind Direction
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (A3) (GPS 47P 0747525, 1460273)
Sampling Date Mar 24 - Mar 31, 2026
Sampling by Adisak Tarisoorn

Time	Mar 24 - Mar 25, 2026			Mar 25 - Mar 26, 2026			Mar 26 - Mar 27, 2026			Mar 27 - Mar 28, 2026			Mar 28 - Mar 29, 2026			Mar 29 - Mar 30, 2026			Mar 30 - Mar 31, 2026		
	WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)	
08:00 AM - 09:00 AM	1.9	200.0	SSW	0.5	175.0	S	1.8	200.0	SSW	0.3	173.0	S	2.8	170.0	S	1.3	172.0	S	1.1	186.0	S
09:00 AM - 10:00 AM	2.6	226.0	SW	3.1	146.0	SE	1.5	191.0	S	0.2	-	-	1.9	161.0	SSE	2.4	189.0	S	2.0	125.0	SE
10:00 AM - 11:00 AM	2.2	206.0	SSW	1.8	204.0	SSW	1.5	175.0	S	2.4	162.0	SSE	3.7	164.0	SSE	2.7	238.0	WSW	2.5	158.0	SSE
11:00 AM - 12:00 PM	3.1	187.0	S	2.1	188.0	S	3.4	150.0	SSE	2.4	171.0	S	2.7	165.0	SSE	2.6	156.0	SSE	3.0	161.0	SSE
12:00 PM - 01:00 PM	3.4	185.0	S	2.1	150.0	SSE	2.9	195.0	SSW	2.5	153.0	SSE	3.1	172.0	S	1.9	186.0	S	4.1	136.0	SE
01:00 PM - 02:00 PM	2.1	175.0	S	2.8	145.0	SE	2.9	172.0	S	2.7	229.0	SW	3.8	174.0	S	0.2	-	-	3.5	247.0	WSW
02:00 PM - 03:00 PM	3.6	145.0	SE	1.8	177.0	S	3.7	177.0	S	2.7	164.0	SSE	2.5	176.0	S	0.3	178.0	S	3.5	172.0	S
03:00 PM - 04:00 PM	0.5	188.0	S	0.1	-	-	3.9	203.0	SSW	1.9	165.0	SSE	2.7	199.0	SSW	0.1	-	-	3.6	156.0	SSE
04:00 PM - 05:00 PM	0.2	-	-	0.1	-	-	4.0	133.0	SE	2.7	175.0	S	3.3	166.0	SSE	0.1	-	-	0.2	-	-
05:00 PM - 06:00 PM	0.3	192.0	SSW	2.1	193.0	SSW	3.1	173.0	S	3.0	171.0	S	3.2	150.0	SSE	1.1	193.0	SSW	0.2	-	-
06:00 PM - 07:00 PM	3.2	193.0	SSW	1.3	187.0	S	2.1	196.0	SSW	2.4	139.0	SE	1.9	195.0	SSW	2.2	217.0	SW	2.9	161.0	SSE
07:00 PM - 08:00 PM	3.4	148.0	SSE	2.2	152.0	SSE	3.4	195.0	SSW	1.6	177.0	S	3.0	179.0	S	0.3	143.0	SE	2.9	173.0	S
08:00 PM - 09:00 PM	1.8	171.0	S	1.3	190.0	S	1.8	148.0	SSE	1.8	138.0	SE	2.1	194.0	SSW	1.4	166.0	SSE	2.3	213.0	SSW
09:00 PM - 10:00 PM	1.5	201.0	SSW	1.1	197.0	SSW	0.1	-	-	0.5	181.0	S	2.3	156.0	SSE	0.3	168.0	SSE	2.2	200.0	SSW
10:00 PM - 11:00 PM	1.4	203.0	SSW	0.1	-	-	0.2	-	-	0.2	-	-	1.5	147.0	SSE	0.6	157.0	SSE	1.9	188.0	S
11:00 PM - 12:00 AM	2.5	153.0	SSE	0.3	180.0	S	1.9	237.0	WSW	0.3	196.0	SSW	2.3	160.0	SSE	0.2	-	-	2.1	193.0	SSW
12:00 AM - 01:00 AM	0.5	197.0	SSW	0.4	218.0	SW	3.0	204.0	SSW	0.5	189.0	S	0.8	196.0	SSW	0.2	-	-	1.3	189.0	S
01:00 AM - 02:00 AM	1.0	198.0	SSW	0.0	-	-	2.1	208.0	SSW	0.6	215.0	SW	0.6	164.0	SSE	0.3	154.0	SSE	2.4	131.0	SE
02:00 AM - 03:00 AM	1.0	157.0	SSE	0.1	-	-	1.3	201.0	SSW	0.2	-	-	0.0	-	-	0.5	161.0	SSE	1.7	209.0	SSW
03:00 AM - 04:00 AM	0.9	187.0	S	0.6	203.0	SSW	0.8	141.0	SE	0.2	-	-	1.0	202.0	SSW	0.1	-	-	0.9	171.0	S
04:00 AM - 05:00 AM	1.0	176.0	S	0.9	157.0	SSE	1.4	193.0	SSW	0.2	-	-	1.5	165.0	SSE	0.0	-	-	0.7	191.0	S
05:00 AM - 06:00 AM	0.8	159.0	SSE	0.6	206.0	SSW	1.1	187.0	S	1.1	239.0	WSW	2.1	171.0	S	0.9	186.0	S	1.6	176.0	S
06:00 AM - 07:00 AM	0.8	167.0	SSE	1.0	161.0	SSE	1.3	137.0	SE	0.9	192.0	SSW	1.3	192.0	SSW	0.3	211.0	SSW	2.9	194.0	SSW
07:00 AM - 08:00 AM	1.3	203.0	SSW	1.5	200.0	SSW	2.5	164.0	SSE	2.0	184.0	S	1.9	211.0	SSW	1.0	191.0	S	1.3	145.0	SE

Reference Method : Cup Anemometer & Anodized Aluminium Vane Method

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620800


Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026


Report Number : 3522623-1

Page 2 of 2


Wind Rose




Date : Mar 24-25, 2026




Date : Mar 25-26, 2026




Date : Mar 26-27, 2026




Date : Mar 27-28, 2026




Date : Mar 28-29, 2026



Date : Mar 29-30, 2026



Date : Mar 30-31, 2026



Date : Mar 24-31, 2026

WS (m/s)	%
≥ 10.0	0.00
8.0-10.0	0.00
5.5-8.0	0.00
3.3-5.5	8.93
1.7-3.3	40.48
0.3-1.7	36.91
Calms	13.69

Location : ที่พักอาศัยด้านทิศเหนือของแปลง A06 (A3) (GPS 47P 0747525, 1460273)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620800

Date Received :Apr 02, 2026

Date Reported :Apr 06, 2026

Report Number :3522623-1

Page 1 of 2

Sample Number 2620800-22 to 28
Parameter Wind Speed / Wind Direction
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (A4) (GPS 47P 0748113, 1461272)
Sampling Date Mar 24 - Mar 31, 2026
Sampling by Adisak Tarisoon

Time	Mar 24 - Mar 25, 2026			Mar 25 - Mar 26, 2026			Mar 26 - Mar 27, 2026			Mar 27 - Mar 28, 2026			Mar 28 - Mar 29, 2026			Mar 29 - Mar 30, 2026			Mar 30 - Mar 31, 2026		
	WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)		WS (m/s)	WD (deg)	
10:00 AM - 11:00 AM	1.5	178.0	S	3.1	182.0	S	0.6	312.0	NW	2.3	214.0	SW	0.4	167.0	SSE	2.1	245.0	WSW	1.1	157.0	SSE
11:00 AM - 12:00 PM	2.5	208.0	SSW	1.3	248.0	WSW	0.8	106.0	ESE	1.4	240.0	WSW	1.5	197.0	SSW	2.0	227.0	SW	2.7	127.0	SE
12:00 PM - 01:00 PM	4.2	205.0	SSW	0.9	185.0	S	0.9	182.0	S	2.4	229.0	SW	4.0	183.0	S	0.0	-	-	0.9	164.0	SSE
01:00 PM - 02:00 PM	2.1	228.0	SW	0.7	232.0	SW	0.0	-	-	2.6	203.0	SSW	2.3	166.0	SSE	4.5	236.0	SW	2.4	193.0	SSW
02:00 PM - 03:00 PM	4.4	219.0	SW	5.3	193.0	SSW	1.7	196.0	SSW	3.0	205.0	SSW	2.0	216.0	SW	1.9	243.0	WSW	4.3	216.0	SW
03:00 PM - 04:00 PM	3.1	207.0	SSW	2.3	234.0	SW	3.9	211.0	SSW	1.9	183.0	S	3.6	185.0	S	5.4	219.0	SW	3.2	212.0	SSW
04:00 PM - 05:00 PM	1.6	152.0	SSE	3.0	174.0	S	2.0	154.0	SSE	2.9	198.0	SSW	4.5	198.0	SSW	2.1	233.0	SW	3.3	213.0	SSW
05:00 PM - 06:00 PM	1.8	190.0	S	2.0	194.0	SSW	1.3	171.0	S	1.5	222.0	SW	1.4	159.0	SSE	2.4	206.0	SSW	0.9	172.0	S
06:00 PM - 07:00 PM	0.2	-	-	1.7	190.0	S	2.4	207.0	SSW	0.5	183.0	S	1.7	189.0	S	0.8	191.0	S	0.6	204.0	SSW
07:00 PM - 08:00 PM	0.5	208.0	SSW	2.1	144.0	SE	0.6	180.0	S	1.0	212.0	SSW	0.8	158.0	SSE	0.2	-	-	0.3	217.0	SW
08:00 PM - 09:00 PM	0.3	223.0	SW	2.2	174.0	S	1.8	181.0	S	0.2	-	-	0.3	175.0	S	0.0	-	-	0.9	209.0	SSW
09:00 PM - 10:00 PM	0.4	120.0	ESE	0.0	-	-	0.2	-	-	0.8	185.0	S	0.4	182.0	S	1.1	168.0	SSE	1.4	195.0	SSW
10:00 PM - 11:00 PM	0.3	136.0	SE	0.9	135.0	SE	0.2	-	-	0.4	164.0	SSE	1.0	171.0	S	0.3	150.0	SSE	1.1	205.0	SSW
11:00 PM - 12:00 AM	0.5	160.0	SSE	0.9	124.0	SE	0.4	166.0	SSE	0.3	164.0	SSE	1.1	117.0	ESE	0.2	-	-	0.9	178.0	S
12:00 AM - 01:00 AM	0.6	197.0	SSW	0.7	138.0	SE	0.2	-	-	0.5	164.0	SSE	0.0	-	-	0.5	148.0	SSE	0.3	149.0	SSE
01:00 AM - 02:00 AM	0.4	191.0	S	1.3	139.0	SE	0.3	154.0	SSE	0.6	158.0	SSE	0.0	-	-	0.6	163.0	SSE	0.2	-	-
02:00 AM - 03:00 AM	1.1	158.0	SSE	2.5	194.0	SSW	0.6	189.0	S	0.4	158.0	SSE	0.6	155.0	SSE	0.8	161.0	SSE	0.5	182.0	S
03:00 AM - 04:00 AM	0.6	117.0	ESE	0.7	170.0	S	1.6	196.0	SSW	0.3	108.0	ESE	0.0	-	-	0.4	161.0	SSE	0.6	210.0	SSW
04:00 AM - 05:00 AM	0.3	115.0	ESE	0.3	170.0	S	0.6	158.0	SSE	0.1	-	-	0.7	143.0	SE	0.2	-	-	0.3	183.0	S
05:00 AM - 06:00 AM	0.5	146.0	SE	0.5	154.0	SSE	0.7	155.0	SSE	0.1	-	-	0.0	-	-	0.3	114.0	ESE	0.4	147.0	SSE
06:00 AM - 07:00 AM	0.2	-	-	0.2	-	-	3.0	202.0	SSW	0.8	190.0	S	0.9	200.0	SSW	0.6	165.0	SSE	0.4	180.0	S
07:00 AM - 08:00 AM	1.6	237.0	WSW	2.2	189.0	S	3.9	194.0	SSW	2.8	188.0	S	4.1	186.0	S	0.3	152.0	SSE	0.2	-	-
08:00 AM - 09:00 AM	0.9	261.0	W	3.3	211.0	SSW	0.0	-	-	2.6	200.0	SSW	0.8	184.0	S	2.3	207.0	SSW	0.3	158.0	SSE
09:00 AM - 10:00 AM	2.8	216.0	SW	1.9	188.0	S	4.0	212.0	SSW	1.3	175.0	S	3.1	219.0	SW	1.4	178.0	S	0.2	-	-

Reference Method : Cup Anemometer & Anodized Aluminium Vane Method

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620800


Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026


Report Number : 3522623-1

Page 2 of 2


Wind Rose




Date : Mar 24-25, 2026




Date : Mar 25-26, 2026




Date : Mar 26-27, 2026




Date : Mar 27-28, 2026




Date : Mar 28-29, 2026



Date : Mar 29-30, 2026



Date : Mar 30-31, 2026



Date : Mar 24-31, 2026

WS (m/s)	%
≥ 10.0	0.00
8.0-10.0	0.00
5.5-8.0	0.00
3.3-5.5	8.93
1.7-3.3	24.41
0.3-1.7	52.38
Calms	14.29

Location : ที่พักอาศัยด้านทิศใต้ของแปลง A17 (A4) (GPS 47P 0748113, 1461272)

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager

คุณภาพระดับเสียง



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544297-1

Page 1 of 1

Sample Number	2620801-1
Parameter	Noise (Leq 24 hrs.)
Location	ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date	Mar 24 - Mar 25, 2026
Measurement by	Adisak Tarisoon
Sound Level meter	Serial No. 1122607

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	63.3	84.1	59.0
09:00 AM - 10:00 AM	49.8	73.9	43.0
10:00 AM - 11:00 AM	45.8	72.0	40.1
11:00 AM - 12:00 PM	49.4	81.3	39.9
12:00 PM - 01:00 PM	44.4	63.5	38.6
01:00 PM - 02:00 PM	46.6	67.1	39.8
02:00 PM - 03:00 PM	48.5	72.0	42.0
03:00 PM - 04:00 PM	47.7	66.7	42.5
04:00 PM - 05:00 PM	49.3	71.4	44.0
05:00 PM - 06:00 PM	50.2	69.6	44.1
06:00 PM - 07:00 PM	48.1	63.1	45.6
07:00 PM - 08:00 PM	47.8	64.3	45.7
08:00 PM - 09:00 PM	50.4	60.6	48.8
09:00 PM - 10:00 PM	51.5	66.9	48.9
10:00 PM - 11:00 PM	48.4	59.5	46.7
11:00 PM - 12:00 AM	48.9	53.4	47.0
12:00 AM - 01:00 AM	48.3	53.2	46.1
01:00 AM - 02:00 AM	49.5	60.2	46.6
02:00 AM - 03:00 AM	50.8	57.0	47.8
03:00 AM - 04:00 AM	50.2	61.7	46.8
04:00 AM - 05:00 AM	49.2	59.1	46.4
05:00 AM - 06:00 AM	50.6	66.5	47.2
06:00 AM - 07:00 AM	50.1	78.6	45.5
07:00 AM - 08:00 AM	49.8	71.0	45.5

Leq Average 24 hrs. (dB(A))	52.3		
Lmax (dB(A))		84.1	
L90 (dB(A))			45.6
Ldn (dB(A))	56.8		
Standard (dB(A))	70	115	

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544298-1

Page 1 of 1

Sample Number	2620801-2
Parameter	Noise (Leq 24 hrs.)
Location	ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date	Mar 25 - Mar 26, 2026
Measurement by	Adisak Tarisoon
Sound Level meter	Serial No. 1122607

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	48.7	74.8	42.7
09:00 AM - 10:00 AM	58.0	77.2	43.4
10:00 AM - 11:00 AM	49.5	74.5	43.1
11:00 AM - 12:00 PM	45.8	66.1	40.3
12:00 PM - 01:00 PM	47.4	71.7	37.7
01:00 PM - 02:00 PM	45.2	63.4	39.0
02:00 PM - 03:00 PM	48.3	76.0	40.6
03:00 PM - 04:00 PM	46.2	68.0	41.5
04:00 PM - 05:00 PM	49.2	67.4	43.8
05:00 PM - 06:00 PM	54.3	89.2	43.6
06:00 PM - 07:00 PM	46.7	72.9	43.0
07:00 PM - 08:00 PM	48.2	64.1	45.5
08:00 PM - 09:00 PM	46.3	58.9	44.3
09:00 PM - 10:00 PM	46.0	64.6	43.7
10:00 PM - 11:00 PM	46.3	54.3	44.6
11:00 PM - 12:00 AM	46.6	70.5	44.9
12:00 AM - 01:00 AM	45.8	60.8	44.1
01:00 AM - 02:00 AM	47.0	52.1	44.6
02:00 AM - 03:00 AM	47.8	57.1	44.6
03:00 AM - 04:00 AM	50.5	56.6	46.9
04:00 AM - 05:00 AM	48.8	55.8	45.4
05:00 AM - 06:00 AM	50.2	62.9	46.3
06:00 AM - 07:00 AM	47.2	63.1	43.7
07:00 AM - 08:00 AM	48.1	72.1	43.0

Leq Average 24 hrs. (dB(A))	49.7		
Lmax (dB(A))		89.2	
L90 (dB(A))			43.7
Ldn (dB(A))	54.9		
Standard (dB(A))	70	115	

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544299-1

Page 1 of 1

Sample Number 2620801-3
Parameter Noise (Leq 24 hrs.)
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 26 - Mar 27, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 1122607

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	49.7	74.8	42.9
09:00 AM - 10:00 AM	49.6	67.8	42.2
10:00 AM - 11:00 AM	57.4	79.0	48.1
11:00 AM - 12:00 PM	49.5	74.0	40.4
12:00 PM - 01:00 PM	53.9	75.5	41.6
01:00 PM - 02:00 PM	51.1	73.8	43.8
02:00 PM - 03:00 PM	47.6	70.7	41.1
03:00 PM - 04:00 PM	46.1	70.8	39.4
04:00 PM - 05:00 PM	49.1	64.5	44.3
05:00 PM - 06:00 PM	48.6	75.5	43.6
06:00 PM - 07:00 PM	53.4	77.8	45.0
07:00 PM - 08:00 PM	46.3	58.8	44.2
08:00 PM - 09:00 PM	43.6	57.1	42.1
09:00 PM - 10:00 PM	53.5	76.5	41.6
10:00 PM - 11:00 PM	45.5	59.5	43.8
11:00 PM - 12:00 AM	44.8	52.0	43.4
12:00 AM - 01:00 AM	45.6	57.7	43.1
01:00 AM - 02:00 AM	45.4	57.3	42.4
02:00 AM - 03:00 AM	45.1	53.6	42.0
03:00 AM - 04:00 AM	56.0	76.6	45.7
04:00 AM - 05:00 AM	48.9	64.1	45.0
05:00 AM - 06:00 AM	57.7	65.7	49.2
06:00 AM - 07:00 AM	50.4	72.1	45.2
07:00 AM - 08:00 AM	47.5	61.9	43.8

Leq Average 24 hrs. (dB(A)) 51.5
Lmax (dB(A)) 79.0
L90 (dB(A)) 43.4
Ldn (dB(A)) 58.1
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544300-1

Page 1 of 1

Sample Number 2620801-4
Parameter Noise (Leq 24 hrs.)
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 27 - Mar 28, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 1122607

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	48.4	65.6	44.1
09:00 AM - 10:00 AM	51.8	80.6	42.6
10:00 AM - 11:00 AM	58.5	77.8	47.8
11:00 AM - 12:00 PM	47.0	68.9	40.0
12:00 PM - 01:00 PM	45.4	70.4	38.9
01:00 PM - 02:00 PM	55.5	82.8	41.9
02:00 PM - 03:00 PM	48.3	69.2	40.9
03:00 PM - 04:00 PM	58.3	89.4	42.2
04:00 PM - 05:00 PM	50.7	71.6	44.4
05:00 PM - 06:00 PM	50.9	75.9	44.3
06:00 PM - 07:00 PM	48.2	68.7	43.7
07:00 PM - 08:00 PM	47.1	65.6	44.0
08:00 PM - 09:00 PM	45.0	65.3	42.7
09:00 PM - 10:00 PM	44.9	61.7	42.3
10:00 PM - 11:00 PM	45.9	57.5	44.2
11:00 PM - 12:00 AM	45.7	57.9	44.0
12:00 AM - 01:00 AM	48.4	57.3	44.5
01:00 AM - 02:00 AM	51.1	57.6	46.2
02:00 AM - 03:00 AM	49.3	61.7	44.4
03:00 AM - 04:00 AM	51.7	57.9	45.3
04:00 AM - 05:00 AM	51.0	59.9	45.1
05:00 AM - 06:00 AM	47.9	68.4	44.2
06:00 AM - 07:00 AM	47.6	76.6	42.7
07:00 AM - 08:00 AM	47.6	67.4	42.2

Leq Average 24 hrs. (dB(A)) 51.4
Lmax (dB(A)) 89.4
L90 (dB(A)) 44.0
Ldn (dB(A)) 56.2
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544301-1

Page 1 of 1

Sample Number 2620801-5
Parameter Noise (Leq 24 hrs.)
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 28 - Mar 29, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 1122607

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	49.7	74.2	42.4
09:00 AM - 10:00 AM	53.6	74.9	42.7
10:00 AM - 11:00 AM	50.2	68.4	43.1
11:00 AM - 12:00 PM	49.8	71.5	40.4
12:00 PM - 01:00 PM	45.5	72.0	38.9
01:00 PM - 02:00 PM	52.5	71.4	47.5
02:00 PM - 03:00 PM	53.3	85.3	43.1
03:00 PM - 04:00 PM	50.7	70.9	43.1
04:00 PM - 05:00 PM	49.4	69.6	43.4
05:00 PM - 06:00 PM	50.3	70.5	45.0
06:00 PM - 07:00 PM	49.2	66.7	44.9
07:00 PM - 08:00 PM	48.5	61.3	43.6
08:00 PM - 09:00 PM	59.6	68.8	47.1
09:00 PM - 10:00 PM	63.3	68.3	48.8
10:00 PM - 11:00 PM	59.6	67.6	43.2
11:00 PM - 12:00 AM	43.8	55.9	41.4
12:00 AM - 01:00 AM	43.5	58.8	41.5
01:00 AM - 02:00 AM	43.6	55.8	41.8
02:00 AM - 03:00 AM	50.3	58.1	45.3
03:00 AM - 04:00 AM	48.8	56.0	44.2
04:00 AM - 05:00 AM	49.6	56.8	44.7
05:00 AM - 06:00 AM	50.2	63.6	47.1
06:00 AM - 07:00 AM	48.2	62.5	43.5
07:00 AM - 08:00 AM	47.3	77.4	40.7

Leq Average 24 hrs. (dB(A)) 53.9
Lmax (dB(A)) 85.3
L90 (dB(A)) 43.2
Ldn (dB(A)) 58.9
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544302-1

Page 1 of 1

Sample Number 2620801-6
Parameter Noise (Leq 24 hrs.)
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 29 - Mar 30, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 1122607

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	44.9	64.0	40.6
09:00 AM - 10:00 AM	44.7	66.0	40.1
10:00 AM - 11:00 AM	46.2	71.3	40.0
11:00 AM - 12:00 PM	46.8	74.8	39.0
12:00 PM - 01:00 PM	42.8	69.6	37.3
01:00 PM - 02:00 PM	48.5	67.1	38.9
02:00 PM - 03:00 PM	59.3	69.3	56.6
03:00 PM - 04:00 PM	46.0	72.1	39.8
04:00 PM - 05:00 PM	51.9	72.8	44.1
05:00 PM - 06:00 PM	49.4	74.1	41.1
06:00 PM - 07:00 PM	46.5	65.0	42.2
07:00 PM - 08:00 PM	49.4	64.8	44.7
08:00 PM - 09:00 PM	47.5	66.9	41.9
09:00 PM - 10:00 PM	49.5	64.5	41.8
10:00 PM - 11:00 PM	49.0	72.5	41.2
11:00 PM - 12:00 AM	42.3	61.2	40.7
12:00 AM - 01:00 AM	43.6	58.2	42.2
01:00 AM - 02:00 AM	43.5	63.5	41.4
02:00 AM - 03:00 AM	43.5	51.7	42.2
03:00 AM - 04:00 AM	43.9	58.3	41.5
04:00 AM - 05:00 AM	47.2	60.6	43.1
05:00 AM - 06:00 AM	50.3	60.6	47.3
06:00 AM - 07:00 AM	48.2	64.7	43.7
07:00 AM - 08:00 AM	49.3	70.9	42.0

Leq Average 24 hrs. (dB(A)) 49.5
Lmax (dB(A)) 74.8
L90 (dB(A)) 41.5
Ldn (dB(A)) 53.9
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544303-1

Page 1 of 1

Sample Number 2620801-7
Parameter Noise (Leq 24 hrs.)
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 30 - Mar 31, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 1122607

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	56.4	65.5	53.2
09:00 AM - 10:00 AM	54.5	67.1	51.0
10:00 AM - 11:00 AM	45.9	66.9	40.0
11:00 AM - 12:00 PM	48.1	68.1	43.7
12:00 PM - 01:00 PM	45.9	64.5	39.0
01:00 PM - 02:00 PM	45.5	66.6	39.6
02:00 PM - 03:00 PM	60.3	77.6	56.7
03:00 PM - 04:00 PM	51.0	70.3	44.8
04:00 PM - 05:00 PM	50.5	67.0	44.7
05:00 PM - 06:00 PM	51.1	71.3	45.3
06:00 PM - 07:00 PM	48.7	67.8	44.2
07:00 PM - 08:00 PM	46.0	72.0	42.3
08:00 PM - 09:00 PM	45.0	68.3	41.7
09:00 PM - 10:00 PM	44.3	61.7	41.2
10:00 PM - 11:00 PM	43.9	58.4	41.5
11:00 PM - 12:00 AM	43.7	57.3	40.6
12:00 AM - 01:00 AM	42.9	53.3	40.2
01:00 AM - 02:00 AM	45.7	57.5	41.2
02:00 AM - 03:00 AM	43.9	60.8	40.0
03:00 AM - 04:00 AM	44.1	56.3	40.9
04:00 AM - 05:00 AM	44.8	53.7	40.8
05:00 AM - 06:00 AM	48.2	65.7	44.6
06:00 AM - 07:00 AM	48.9	70.0	43.8
07:00 AM - 08:00 AM	48.3	65.9	43.5

Leq Average 24 hrs. (dB(A)) 50.8
Lmax (dB(A)) 77.6
L90 (dB(A)) 41.7
Ldn (dB(A)) 53.9
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544304-1

Page 1 of 1

Sample Number	2620801-8
Parameter	Noise (Leq 24 hrs.)
Location	ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date	Mar 24 - Mar 25, 2026
Measurement by	Adisak Tarisoorn
Sound Level meter	Serial No. 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	59.9	81.0	49.1
09:00 AM - 10:00 AM	51.4	73.7	44.5
10:00 AM - 11:00 AM	58.0	75.9	44.7
11:00 AM - 12:00 PM	55.3	78.7	45.2
12:00 PM - 01:00 PM	52.0	73.7	43.9
01:00 PM - 02:00 PM	50.9	76.9	42.1
02:00 PM - 03:00 PM	56.6	86.7	44.1
03:00 PM - 04:00 PM	57.7	79.3	53.0
04:00 PM - 05:00 PM	57.7	81.1	44.5
05:00 PM - 06:00 PM	53.3	75.3	46.4
06:00 PM - 07:00 PM	58.2	79.3	50.4
07:00 PM - 08:00 PM	61.9	87.0	56.9
08:00 PM - 09:00 PM	59.2	79.6	52.1
09:00 PM - 10:00 PM	57.8	80.4	50.2
10:00 PM - 11:00 PM	57.5	77.5	49.1
11:00 PM - 12:00 AM	55.9	81.5	48.7
12:00 AM - 01:00 AM	48.0	69.1	45.5
01:00 AM - 02:00 AM	46.9	59.4	45.0
02:00 AM - 03:00 AM	47.5	56.1	44.9
03:00 AM - 04:00 AM	45.4	51.3	43.6
04:00 AM - 05:00 AM	45.1	51.5	43.3
05:00 AM - 06:00 AM	48.0	66.1	44.6
06:00 AM - 07:00 AM	54.3	74.6	45.9
07:00 AM - 08:00 AM	54.6	77.6	45.9
Leq Average 24 hrs. (dB(A))	56.1		
Lmax (dB(A))		87.0	
L90 (dB(A))			45.2
Ldn (dB(A))	59.9		
Standard (dB(A))	70	115	
Reference Method : ISO 1996-1 : 2016			
Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป			
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการ			
โรงงาน พ.ศ. 2548			
Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.			

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544305-1

Page 1 of 1

Sample Number 2620801-9
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 25 - Mar 26, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	54.0	79.3	42.7
09:00 AM - 10:00 AM	57.7	79.4	43.1
10:00 AM - 11:00 AM	50.5	80.1	42.1
11:00 AM - 12:00 PM	56.4	81.2	46.2
12:00 PM - 01:00 PM	51.9	78.2	43.6
01:00 PM - 02:00 PM	54.8	86.7	43.2
02:00 PM - 03:00 PM	57.7	90.6	45.3
03:00 PM - 04:00 PM	59.8	89.1	45.0
04:00 PM - 05:00 PM	56.7	80.3	46.1
05:00 PM - 06:00 PM	52.3	70.2	46.2
06:00 PM - 07:00 PM	51.0	69.4	44.3
07:00 PM - 08:00 PM	51.5	70.5	46.3
08:00 PM - 09:00 PM	48.5	68.0	45.3
09:00 PM - 10:00 PM	50.3	80.0	47.1
10:00 PM - 11:00 PM	47.7	69.4	45.4
11:00 PM - 12:00 AM	46.7	59.0	45.4
12:00 AM - 01:00 AM	46.3	56.7	45.2
01:00 AM - 02:00 AM	51.6	61.6	49.6
02:00 AM - 03:00 AM	54.5	57.7	53.4
03:00 AM - 04:00 AM	55.4	58.0	54.0
04:00 AM - 05:00 AM	52.7	60.2	51.3
05:00 AM - 06:00 AM	48.2	65.0	45.8
06:00 AM - 07:00 AM	55.3	75.0	47.8
07:00 AM - 08:00 AM	56.1	79.9	43.7

Leq Average 24 hrs. (dB(A)) 54.3
Lmax (dB(A)) 90.6
L90 (dB(A)) 45.4
Ldn (dB(A)) 59.2
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544306-1

Page 1 of 1

Sample Number 2620801-10
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 26 - Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	50.1	75.1	42.3
09:00 AM - 10:00 AM	50.9	72.7	43.4
10:00 AM - 11:00 AM	50.4	74.0	42.6
11:00 AM - 12:00 PM	60.9	91.9	41.6
12:00 PM - 01:00 PM	52.6	69.9	44.6
01:00 PM - 02:00 PM	49.8	71.2	41.9
02:00 PM - 03:00 PM	51.4	72.8	46.0
03:00 PM - 04:00 PM	54.6	71.2	46.8
04:00 PM - 05:00 PM	50.8	71.6	44.3
05:00 PM - 06:00 PM	58.2	82.6	46.9
06:00 PM - 07:00 PM	55.1	77.0	48.4
07:00 PM - 08:00 PM	53.7	72.8	49.4
08:00 PM - 09:00 PM	52.2	75.4	48.8
09:00 PM - 10:00 PM	50.8	70.9	46.2
10:00 PM - 11:00 PM	50.1	73.1	46.1
11:00 PM - 12:00 AM	55.8	76.8	48.6
12:00 AM - 01:00 AM	50.1	76.8	45.8
01:00 AM - 02:00 AM	51.4	77.1	43.7
02:00 AM - 03:00 AM	43.2	52.9	42.1
03:00 AM - 04:00 AM	45.5	68.5	42.7
04:00 AM - 05:00 AM	45.4	69.3	43.5
05:00 AM - 06:00 AM	48.6	71.8	45.1
06:00 AM - 07:00 AM	53.0	77.8	45.9
07:00 AM - 08:00 AM	55.6	79.5	44.9

Leq Average 24 hrs. (dB(A)) 53.5
Lmax (dB(A)) 91.9
L90 (dB(A)) 44.9
Ldn (dB(A)) 58.0
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544307-1

Page 1 of 1

Sample Number 2620801-11
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 27 - Mar 28, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	54.0	70.2	45.5
09:00 AM - 10:00 AM	55.8	82.2	44.9
10:00 AM - 11:00 AM	59.1	86.0	44.8
11:00 AM - 12:00 PM	66.7	90.9	43.2
12:00 PM - 01:00 PM	53.0	73.0	47.6
01:00 PM - 02:00 PM	54.5	76.9	45.5
02:00 PM - 03:00 PM	55.0	85.7	45.4
03:00 PM - 04:00 PM	52.9	76.9	44.6
04:00 PM - 05:00 PM	52.8	72.2	45.3
05:00 PM - 06:00 PM	55.2	73.6	49.2
06:00 PM - 07:00 PM	54.1	75.7	48.2
07:00 PM - 08:00 PM	54.6	75.6	47.9
08:00 PM - 09:00 PM	50.4	68.3	46.9
09:00 PM - 10:00 PM	50.7	72.9	45.6
10:00 PM - 11:00 PM	53.5	75.1	48.3
11:00 PM - 12:00 AM	50.2	67.4	45.7
12:00 AM - 01:00 AM	43.9	68.6	39.3
01:00 AM - 02:00 AM	42.1	67.1	38.8
02:00 AM - 03:00 AM	42.4	65.7	39.1
03:00 AM - 04:00 AM	43.4	66.2	39.1
04:00 AM - 05:00 AM	47.3	78.5	40.5
05:00 AM - 06:00 AM	46.4	65.9	43.1
06:00 AM - 07:00 AM	55.0	89.5	46.4
07:00 AM - 08:00 AM	55.1	73.7	49.0

Leq Average 24 hrs. (dB(A)) 56.0
Lmax (dB(A)) 90.9
L90 (dB(A)) 45.4
Ldn (dB(A)) 58.5
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544308-1

Page 1 of 1

Sample Number 2620801-12
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 28 - Mar 29, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	60.1	77.5	52.1
09:00 AM - 10:00 AM	61.3	81.5	51.3
10:00 AM - 11:00 AM	60.9	78.0	47.4
11:00 AM - 12:00 PM	63.7	82.9	61.6
12:00 PM - 01:00 PM	56.7	79.0	49.6
01:00 PM - 02:00 PM	61.0	84.7	49.7
02:00 PM - 03:00 PM	59.3	82.1	46.4
03:00 PM - 04:00 PM	60.7	86.4	46.9
04:00 PM - 05:00 PM	59.4	84.6	48.1
05:00 PM - 06:00 PM	56.0	79.2	50.2
06:00 PM - 07:00 PM	56.7	74.9	50.8
07:00 PM - 08:00 PM	54.5	71.9	49.7
08:00 PM - 09:00 PM	51.8	71.2	47.4
09:00 PM - 10:00 PM	52.6	70.4	46.6
10:00 PM - 11:00 PM	53.3	73.6	47.8
11:00 PM - 12:00 AM	53.7	75.3	45.5
12:00 AM - 01:00 AM	46.7	80.9	41.9
01:00 AM - 02:00 AM	44.3	65.9	41.2
02:00 AM - 03:00 AM	45.8	73.2	38.7
03:00 AM - 04:00 AM	48.7	72.4	40.9
04:00 AM - 05:00 AM	42.7	56.3	40.4
05:00 AM - 06:00 AM	46.9	65.0	42.6
06:00 AM - 07:00 AM	55.4	74.8	45.4
07:00 AM - 08:00 AM	53.6	77.8	40.8

Leq Average 24 hrs. (dB(A)) 57.4
Lmax (dB(A)) 86.4
L90 (dB(A)) 46.9
Ldn (dB(A)) 59.8
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544309-1

Page 1 of 1

Sample Number 2620801-13
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 29 - Mar 30, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	51.9	70.5	42.0
09:00 AM - 10:00 AM	49.6	70.4	42.0
10:00 AM - 11:00 AM	49.3	71.9	43.0
11:00 AM - 12:00 PM	51.9	71.8	44.3
12:00 PM - 01:00 PM	49.4	70.4	43.2
01:00 PM - 02:00 PM	49.9	69.4	42.7
02:00 PM - 03:00 PM	50.8	76.3	42.3
03:00 PM - 04:00 PM	50.7	80.1	42.6
04:00 PM - 05:00 PM	49.4	72.3	43.4
05:00 PM - 06:00 PM	55.9	74.1	49.7
06:00 PM - 07:00 PM	58.6	78.9	52.0
07:00 PM - 08:00 PM	53.7	69.6	47.7
08:00 PM - 09:00 PM	48.9	71.6	43.5
09:00 PM - 10:00 PM	50.1	75.4	41.5
10:00 PM - 11:00 PM	53.7	81.1	39.7
11:00 PM - 12:00 AM	42.6	66.6	39.3
12:00 AM - 01:00 AM	42.4	65.4	40.5
01:00 AM - 02:00 AM	44.6	67.1	41.0
02:00 AM - 03:00 AM	43.1	67.4	40.9
03:00 AM - 04:00 AM	42.9	70.1	40.6
04:00 AM - 05:00 AM	42.2	54.3	40.3
05:00 AM - 06:00 AM	49.0	72.7	41.7
06:00 AM - 07:00 AM	55.9	79.4	44.9
07:00 AM - 08:00 AM	52.4	75.3	42.6

Leq Average 24 hrs. (dB(A)) 51.7
Lmax (dB(A)) 81.1
L90 (dB(A)) 42.3
Ldn (dB(A)) 56.6
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการ
โรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544310-1

Page 1 of 1

Sample Number 2620801-14
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 30 - Mar 31, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	49.6	70.7	41.9
09:00 AM - 10:00 AM	55.1	76.9	44.5
10:00 AM - 11:00 AM	54.6	75.6	43.2
11:00 AM - 12:00 PM	48.6	68.0	39.8
12:00 PM - 01:00 PM	55.0	84.7	41.7
01:00 PM - 02:00 PM	52.8	78.4	45.1
02:00 PM - 03:00 PM	55.0	74.9	46.0
03:00 PM - 04:00 PM	53.5	77.1	45.1
04:00 PM - 05:00 PM	58.6	77.2	49.1
05:00 PM - 06:00 PM	59.8	77.4	53.6
06:00 PM - 07:00 PM	56.1	77.8	48.8
07:00 PM - 08:00 PM	53.4	70.8	47.8
08:00 PM - 09:00 PM	54.9	80.8	48.6
09:00 PM - 10:00 PM	59.0	84.6	49.0
10:00 PM - 11:00 PM	54.7	79.1	46.2
11:00 PM - 12:00 AM	51.2	74.6	41.9
12:00 AM - 01:00 AM	42.8	67.0	37.8
01:00 AM - 02:00 AM	38.8	55.1	37.4
02:00 AM - 03:00 AM	40.3	57.4	38.1
03:00 AM - 04:00 AM	40.2	63.9	37.8
04:00 AM - 05:00 AM	40.5	56.7	38.3
05:00 AM - 06:00 AM	47.0	71.9	40.9
06:00 AM - 07:00 AM	52.2	74.8	42.0
07:00 AM - 08:00 AM	50.0	72.5	43.3

Leq Average 24 hrs. (dB(A)) 54.0
Lmax (dB(A)) 84.7
L90 (dB(A)) 43.2
Ldn (dB(A)) 57.1
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544311-1

Page 1 of 1

Sample Number 2620801-15
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 24 - Mar 25, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	56.5	77.6	49.6
09:00 AM - 10:00 AM	55.6	77.0	49.0
10:00 AM - 11:00 AM	56.5	75.9	52.9
11:00 AM - 12:00 PM	56.9	74.2	53.2
12:00 PM - 01:00 PM	48.7	71.6	44.4
01:00 PM - 02:00 PM	52.1	74.4	47.9
02:00 PM - 03:00 PM	54.1	83.4	49.9
03:00 PM - 04:00 PM	53.5	74.7	49.7
04:00 PM - 05:00 PM	53.1	73.2	49.5
05:00 PM - 06:00 PM	53.5	77.0	48.9
06:00 PM - 07:00 PM	59.2	81.5	50.6
07:00 PM - 08:00 PM	52.8	76.1	50.5
08:00 PM - 09:00 PM	54.6	72.5	52.4
09:00 PM - 10:00 PM	53.3	68.0	52.3
10:00 PM - 11:00 PM	52.1	64.4	51.1
11:00 PM - 12:00 AM	51.1	65.3	49.9
12:00 AM - 01:00 AM	50.5	71.5	48.9
01:00 AM - 02:00 AM	49.4	65.0	48.4
02:00 AM - 03:00 AM	49.1	56.9	48.2
03:00 AM - 04:00 AM	52.4	80.1	47.4
04:00 AM - 05:00 AM	50.6	67.6	48.8
05:00 AM - 06:00 AM	49.9	59.9	49.1
06:00 AM - 07:00 AM	56.3	82.6	49.1
07:00 AM - 08:00 AM	51.9	85.1	47.6

Leq Average 24 hrs. (dB(A)) 53.9
Lmax (dB(A)) 85.1
L90 (dB(A)) 49.1
Ldn (dB(A)) 58.9
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544312-1

Page 1 of 1

Sample Number 2620801-16
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 25 - Mar 26, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	57.2	96.2	48.4
09:00 AM - 10:00 AM	48.7	66.9	45.2
10:00 AM - 11:00 AM	48.2	77.9	44.5
11:00 AM - 12:00 PM	47.7	64.3	44.6
12:00 PM - 01:00 PM	48.6	70.0	43.5
01:00 PM - 02:00 PM	51.3	73.4	45.9
02:00 PM - 03:00 PM	54.6	79.5	44.9
03:00 PM - 04:00 PM	54.3	77.4	45.4
04:00 PM - 05:00 PM	50.9	68.3	47.3
05:00 PM - 06:00 PM	50.9	71.7	46.8
06:00 PM - 07:00 PM	57.1	84.4	48.6
07:00 PM - 08:00 PM	51.4	74.3	49.5
08:00 PM - 09:00 PM	58.0	75.4	53.2
09:00 PM - 10:00 PM	61.6	81.7	53.0
10:00 PM - 11:00 PM	50.4	69.5	49.1
11:00 PM - 12:00 AM	49.5	66.5	48.0
12:00 AM - 01:00 AM	48.2	65.0	46.7
01:00 AM - 02:00 AM	48.3	74.2	47.0
02:00 AM - 03:00 AM	46.5	68.0	45.2
03:00 AM - 04:00 AM	45.5	57.3	44.3
04:00 AM - 05:00 AM	48.8	64.4	47.3
05:00 AM - 06:00 AM	54.7	83.2	47.3
06:00 AM - 07:00 AM	52.4	80.6	48.1
07:00 AM - 08:00 AM	51.5	76.9	47.8

Leq Average 24 hrs. (dB(A)) 53.6
Lmax (dB(A)) 96.2
L90 (dB(A)) 47.0
Ldn (dB(A)) 57.7
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544313-1

Page 1 of 1

Sample Number 2620801-17
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 26 - Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	51.8	69.6	48.7
09:00 AM - 10:00 AM	51.9	70.7	47.1
10:00 AM - 11:00 AM	51.1	78.5	46.6
11:00 AM - 12:00 PM	50.9	71.0	45.8
12:00 PM - 01:00 PM	51.8	74.3	47.1
01:00 PM - 02:00 PM	50.5	78.8	46.5
02:00 PM - 03:00 PM	49.1	70.9	45.5
03:00 PM - 04:00 PM	52.3	79.1	44.9
04:00 PM - 05:00 PM	49.7	76.7	46.2
05:00 PM - 06:00 PM	57.4	76.1	50.1
06:00 PM - 07:00 PM	59.1	83.3	52.1
07:00 PM - 08:00 PM	53.1	75.4	50.4
08:00 PM - 09:00 PM	54.9	81.1	51.3
09:00 PM - 10:00 PM	52.6	72.4	50.5
10:00 PM - 11:00 PM	52.4	79.5	50.5
11:00 PM - 12:00 AM	51.4	61.2	50.1
12:00 AM - 01:00 AM	50.4	75.5	48.8
01:00 AM - 02:00 AM	50.2	74.3	48.8
02:00 AM - 03:00 AM	49.7	68.3	48.4
03:00 AM - 04:00 AM	51.1	78.1	48.0
04:00 AM - 05:00 AM	48.8	77.5	46.2
05:00 AM - 06:00 AM	51.8	78.4	47.5
06:00 AM - 07:00 AM	50.3	72.4	47.6
07:00 AM - 08:00 AM	54.5	78.8	47.2

Leq Average 24 hrs. (dB(A)) 52.8
Lmax (dB(A)) 83.3
L90 (dB(A)) 47.6
Ldn (dB(A)) 57.8
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544314-1

Page 1 of 1

Sample Number 2620801-18
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 27 - Mar 28, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	52.9	78.8	48.0
09:00 AM - 10:00 AM	55.0	84.2	46.5
10:00 AM - 11:00 AM	53.0	75.8	48.2
11:00 AM - 12:00 PM	50.5	75.3	45.6
12:00 PM - 01:00 PM	48.2	70.8	43.9
01:00 PM - 02:00 PM	50.0	70.0	45.5
02:00 PM - 03:00 PM	62.2	91.8	55.6
03:00 PM - 04:00 PM	59.1	89.0	52.8
04:00 PM - 05:00 PM	61.8	78.7	52.8
05:00 PM - 06:00 PM	60.9	82.0	51.8
06:00 PM - 07:00 PM	62.9	84.2	51.2
07:00 PM - 08:00 PM	61.0	77.1	56.7
08:00 PM - 09:00 PM	54.8	79.7	50.5
09:00 PM - 10:00 PM	50.8	75.6	48.7
10:00 PM - 11:00 PM	49.0	73.9	47.5
11:00 PM - 12:00 AM	67.0	95.8	47.7
12:00 AM - 01:00 AM	48.6	63.7	47.1
01:00 AM - 02:00 AM	50.0	80.6	47.4
02:00 AM - 03:00 AM	50.4	72.1	48.6
03:00 AM - 04:00 AM	48.8	66.9	47.1
04:00 AM - 05:00 AM	48.0	61.1	46.4
05:00 AM - 06:00 AM	49.5	66.4	48.1
06:00 AM - 07:00 AM	50.7	78.1	47.2
07:00 AM - 08:00 AM	53.9	74.3	47.2

Leq Average 24 hrs. (dB(A)) 58.2
Lmax (dB(A)) 95.8
L90 (dB(A)) 47.7
Ldn (dB(A)) 64.5
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544315-1

Page 1 of 1

Sample Number 2620801-19
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 28 - Mar 29, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	55.7	79.9	47.6
09:00 AM - 10:00 AM	53.6	71.9	47.7
10:00 AM - 11:00 AM	49.8	73.1	41.6
11:00 AM - 12:00 PM	50.5	66.6	44.6
12:00 PM - 01:00 PM	49.7	68.2	43.9
01:00 PM - 02:00 PM	52.7	76.2	46.1
02:00 PM - 03:00 PM	51.2	71.6	49.4
03:00 PM - 04:00 PM	51.3	60.6	49.7
04:00 PM - 05:00 PM	53.0	73.9	49.8
05:00 PM - 06:00 PM	55.2	75.0	50.1
06:00 PM - 07:00 PM	59.1	77.4	55.4
07:00 PM - 08:00 PM	54.9	77.7	50.4
08:00 PM - 09:00 PM	53.7	67.5	49.8
09:00 PM - 10:00 PM	54.6	78.9	49.6
10:00 PM - 11:00 PM	51.1	67.3	47.7
11:00 PM - 12:00 AM	49.5	64.4	46.8
12:00 AM - 01:00 AM	50.4	73.2	47.1
01:00 AM - 02:00 AM	49.0	67.8	45.9
02:00 AM - 03:00 AM	49.3	74.9	44.7
03:00 AM - 04:00 AM	47.0	65.6	44.3
04:00 AM - 05:00 AM	48.1	69.8	44.4
05:00 AM - 06:00 AM	48.3	61.8	45.5
06:00 AM - 07:00 AM	51.1	70.8	47.7
07:00 AM - 08:00 AM	54.1	73.3	50.1

Leq Average 24 hrs. (dB(A)) 52.8
Lmax (dB(A)) 79.9
L90 (dB(A)) 47.6
Ldn (dB(A)) 56.9
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการ
โรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544316-1

Page 1 of 1

Sample Number 2620801-20
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 29 - Mar 30, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	57.6	75.7	51.2
09:00 AM - 10:00 AM	52.3	70.6	47.4
10:00 AM - 11:00 AM	51.5	72.7	47.1
11:00 AM - 12:00 PM	51.9	70.9	47.4
12:00 PM - 01:00 PM	53.4	86.2	47.4
01:00 PM - 02:00 PM	54.1	68.5	48.4
02:00 PM - 03:00 PM	49.2	69.4	41.5
03:00 PM - 04:00 PM	47.8	65.4	39.4
04:00 PM - 05:00 PM	49.9	67.0	42.8
05:00 PM - 06:00 PM	50.3	67.9	42.0
06:00 PM - 07:00 PM	50.9	75.6	44.3
07:00 PM - 08:00 PM	58.0	73.2	53.2
08:00 PM - 09:00 PM	47.2	62.9	44.5
09:00 PM - 10:00 PM	50.7	60.0	47.9
10:00 PM - 11:00 PM	48.5	60.5	45.9
11:00 PM - 12:00 AM	48.7	58.0	47.2
12:00 AM - 01:00 AM	48.2	65.1	47.0
01:00 AM - 02:00 AM	49.3	62.2	48.3
02:00 AM - 03:00 AM	52.0	58.3	50.3
03:00 AM - 04:00 AM	52.8	60.9	51.7
04:00 AM - 05:00 AM	50.3	63.9	49.1
05:00 AM - 06:00 AM	48.5	59.8	47.0
06:00 AM - 07:00 AM	50.1	66.4	45.5
07:00 AM - 08:00 AM	50.7	69.3	45.6

Leq Average 24 hrs. (dB(A)) 52.0
Lmax (dB(A)) 86.2
L90 (dB(A)) 47.1
Ldn (dB(A)) 57.1
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544317-1

Page 1 of 1

Sample Number 2620801-21
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 30 - Mar 31, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	49.6	65.6	43.9
09:00 AM - 10:00 AM	48.6	68.2	42.2
10:00 AM - 11:00 AM	56.6	80.5	46.9
11:00 AM - 12:00 PM	53.7	80.3	49.2
12:00 PM - 01:00 PM	53.9	75.9	50.3
01:00 PM - 02:00 PM	57.7	84.1	50.9
02:00 PM - 03:00 PM	56.5	77.0	50.2
03:00 PM - 04:00 PM	54.7	70.7	50.9
04:00 PM - 05:00 PM	55.1	75.3	50.7
05:00 PM - 06:00 PM	52.8	67.4	49.8
06:00 PM - 07:00 PM	53.3	76.8	49.6
07:00 PM - 08:00 PM	52.8	76.6	48.5
08:00 PM - 09:00 PM	52.3	79.8	47.1
09:00 PM - 10:00 PM	50.6	68.8	46.3
10:00 PM - 11:00 PM	50.3	76.1	46.4
11:00 PM - 12:00 AM	49.3	68.3	46.4
12:00 AM - 01:00 AM	49.9	68.3	46.2
01:00 AM - 02:00 AM	47.9	61.0	45.9
02:00 AM - 03:00 AM	48.5	67.3	46.3
03:00 AM - 04:00 AM	48.5	69.6	45.8
04:00 AM - 05:00 AM	48.1	58.8	46.2
05:00 AM - 06:00 AM	57.9	93.8	47.9
06:00 AM - 07:00 AM	51.4	74.4	49.2
07:00 AM - 08:00 AM	55.1	77.3	51.7

Leq Average 24 hrs. (dB(A)) 53.4
Lmax (dB(A)) 93.8
L90 (dB(A)) 47.1
Ldn (dB(A)) 58.5
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544318-1

Page 1 of 1

Sample Number 2620801-22
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 24 - Mar 25, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 1122567

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	56.9	86.1	52.1
09:00 AM - 10:00 AM	52.0	79.3	43.5
10:00 AM - 11:00 AM	52.3	77.7	41.6
11:00 AM - 12:00 PM	50.9	78.5	41.9
12:00 PM - 01:00 PM	49.3	81.5	40.4
01:00 PM - 02:00 PM	51.0	79.0	41.9
02:00 PM - 03:00 PM	50.2	72.8	43.2
03:00 PM - 04:00 PM	51.2	78.8	44.2
04:00 PM - 05:00 PM	50.3	68.7	45.2
05:00 PM - 06:00 PM	49.4	74.9	44.7
06:00 PM - 07:00 PM	54.7	76.8	45.2
07:00 PM - 08:00 PM	53.3	69.4	48.4
08:00 PM - 09:00 PM	49.5	67.5	45.0
09:00 PM - 10:00 PM	46.7	65.8	44.6
10:00 PM - 11:00 PM	47.8	77.6	44.5
11:00 PM - 12:00 AM	45.0	54.9	43.7
12:00 AM - 01:00 AM	45.4	66.4	42.9
01:00 AM - 02:00 AM	44.7	57.8	43.4
02:00 AM - 03:00 AM	46.0	65.4	43.0
03:00 AM - 04:00 AM	47.5	65.9	42.3
04:00 AM - 05:00 AM	48.4	66.4	43.1
05:00 AM - 06:00 AM	52.7	69.5	47.0
06:00 AM - 07:00 AM	52.7	67.9	50.5
07:00 AM - 08:00 AM	52.0	69.9	49.4

Leq Average 24 hrs. (dB(A)) 51.1
Lmax (dB(A)) 86.1
L90 (dB(A)) 43.7
Ldn (dB(A)) 55.9
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544319-1

Page 1 of 1

Sample Number 2620801-23
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 25 - Mar 26, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 1122567

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	50.7	78.3	45.7
09:00 AM - 10:00 AM	49.7	81.5	42.7
10:00 AM - 11:00 AM	48.3	76.1	41.3
11:00 AM - 12:00 PM	47.8	74.9	41.6
12:00 PM - 01:00 PM	46.8	67.1	39.5
01:00 PM - 02:00 PM	47.5	73.0	40.0
02:00 PM - 03:00 PM	45.9	64.1	40.1
03:00 PM - 04:00 PM	46.3	65.7	41.5
04:00 PM - 05:00 PM	50.0	69.2	44.2
05:00 PM - 06:00 PM	50.1	72.6	45.0
06:00 PM - 07:00 PM	53.1	73.4	45.4
07:00 PM - 08:00 PM	48.5	59.6	47.3
08:00 PM - 09:00 PM	49.8	70.0	45.8
09:00 PM - 10:00 PM	46.4	60.3	44.2
10:00 PM - 11:00 PM	44.7	51.6	43.7
11:00 PM - 12:00 AM	44.3	51.8	43.6
12:00 AM - 01:00 AM	47.9	73.6	42.6
01:00 AM - 02:00 AM	45.3	66.3	42.2
02:00 AM - 03:00 AM	47.6	73.2	42.7
03:00 AM - 04:00 AM	46.6	71.3	42.5
04:00 AM - 05:00 AM	48.0	66.9	42.9
05:00 AM - 06:00 AM	53.1	72.9	46.7
06:00 AM - 07:00 AM	53.0	82.9	48.5
07:00 AM - 08:00 AM	50.7	69.2	47.7

Leq Average 24 hrs. (dB(A)) 49.2
Lmax (dB(A)) 82.9
L90 (dB(A)) 42.9
Ldn (dB(A)) 55.5
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544320-1

Page 1 of 1

Sample Number 2620801-24
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 26 - Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 1122567

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	50.1	74.4	46.5
09:00 AM - 10:00 AM	51.1	75.8	45.8
10:00 AM - 11:00 AM	51.2	81.7	44.3
11:00 AM - 12:00 PM	49.2	71.7	42.9
12:00 PM - 01:00 PM	51.6	80.1	42.6
01:00 PM - 02:00 PM	49.8	75.3	44.1
02:00 PM - 03:00 PM	49.1	69.6	44.1
03:00 PM - 04:00 PM	49.6	75.9	40.2
04:00 PM - 05:00 PM	49.5	75.7	42.0
05:00 PM - 06:00 PM	51.4	83.6	45.3
06:00 PM - 07:00 PM	49.3	77.7	44.0
07:00 PM - 08:00 PM	47.2	65.6	45.7
08:00 PM - 09:00 PM	46.7	63.7	45.1
09:00 PM - 10:00 PM	45.8	61.5	43.6
10:00 PM - 11:00 PM	43.8	62.3	42.6
11:00 PM - 12:00 AM	44.9	64.9	43.9
12:00 AM - 01:00 AM	46.7	71.2	43.6
01:00 AM - 02:00 AM	45.5	62.9	43.1
02:00 AM - 03:00 AM	48.6	72.2	43.6
03:00 AM - 04:00 AM	46.3	64.3	44.0
04:00 AM - 05:00 AM	49.4	69.0	44.0
05:00 AM - 06:00 AM	54.1	72.9	47.2
06:00 AM - 07:00 AM	53.8	75.3	50.2
07:00 AM - 08:00 AM	52.3	68.6	48.8

Leq Average 24 hrs. (dB(A)) 49.8
Lmax (dB(A)) 83.6
L90 (dB(A)) 44.0
Ldn (dB(A)) 56.1
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544321-1

Page 1 of 1

Sample Number 2620801-25
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 27 - Mar 28, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 1122567

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	51.2	74.5	47.7
09:00 AM - 10:00 AM	63.5	94.7	44.0
10:00 AM - 11:00 AM	49.8	71.9	43.8
11:00 AM - 12:00 PM	53.5	77.1	44.8
12:00 PM - 01:00 PM	55.7	84.6	50.3
01:00 PM - 02:00 PM	49.6	69.3	44.7
02:00 PM - 03:00 PM	49.5	73.8	44.9
03:00 PM - 04:00 PM	50.6	75.7	45.9
04:00 PM - 05:00 PM	54.1	74.2	49.3
05:00 PM - 06:00 PM	53.2	78.6	48.4
06:00 PM - 07:00 PM	51.0	72.3	45.9
07:00 PM - 08:00 PM	47.9	66.7	45.7
08:00 PM - 09:00 PM	47.5	63.4	45.2
09:00 PM - 10:00 PM	48.1	74.3	44.0
10:00 PM - 11:00 PM	47.1	68.2	44.1
11:00 PM - 12:00 AM	46.6	67.3	43.4
12:00 AM - 01:00 AM	44.3	62.4	42.3
01:00 AM - 02:00 AM	45.0	66.8	41.6
02:00 AM - 03:00 AM	46.9	69.1	42.1
03:00 AM - 04:00 AM	43.6	65.4	41.8
04:00 AM - 05:00 AM	49.1	68.6	42.1
05:00 AM - 06:00 AM	52.8	70.6	46.7
06:00 AM - 07:00 AM	55.1	72.3	51.8
07:00 AM - 08:00 AM	50.8	72.2	47.4

Leq Average 24 hrs. (dB(A)) 53.3
Lmax (dB(A)) 94.7
L90 (dB(A)) 44.8
Ldn (dB(A)) 57.2
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544322-1

Page 1 of 1

Sample Number 2620801-26
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 28 - Mar 29, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 1122567

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	50.8	78.6	45.3
09:00 AM - 10:00 AM	50.0	78.5	44.4
10:00 AM - 11:00 AM	48.9	70.2	43.1
11:00 AM - 12:00 PM	47.2	69.7	41.5
12:00 PM - 01:00 PM	48.3	70.6	40.2
01:00 PM - 02:00 PM	51.0	77.0	43.5
02:00 PM - 03:00 PM	48.7	72.5	44.4
03:00 PM - 04:00 PM	50.5	80.8	45.2
04:00 PM - 05:00 PM	50.3	68.7	46.0
05:00 PM - 06:00 PM	50.7	73.7	46.1
06:00 PM - 07:00 PM	49.6	72.3	45.0
07:00 PM - 08:00 PM	48.5	71.8	44.8
08:00 PM - 09:00 PM	46.6	64.3	44.4
09:00 PM - 10:00 PM	45.0	66.0	43.1
10:00 PM - 11:00 PM	45.5	63.4	43.9
11:00 PM - 12:00 AM	45.9	60.2	43.2
12:00 AM - 01:00 AM	44.6	62.2	42.8
01:00 AM - 02:00 AM	43.4	65.2	41.9
02:00 AM - 03:00 AM	46.0	66.3	42.0
03:00 AM - 04:00 AM	45.9	66.4	42.0
04:00 AM - 05:00 AM	48.5	67.5	41.5
05:00 AM - 06:00 AM	51.5	68.8	45.5
06:00 AM - 07:00 AM	50.0	69.1	46.3
07:00 AM - 08:00 AM	49.7	71.3	44.9

Leq Average 24 hrs. (dB(A)) 48.8
Lmax (dB(A)) 80.8
L90 (dB(A)) 43.9
Ldn (dB(A)) 54.3
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544323-1

Page 1 of 1

Sample Number 2620801-27
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 29 - Mar 30, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 1122567

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	50.0	71.0	44.7
09:00 AM - 10:00 AM	50.0	79.4	44.3
10:00 AM - 11:00 AM	49.6	74.5	43.1
11:00 AM - 12:00 PM	48.7	66.4	41.7
12:00 PM - 01:00 PM	47.1	72.2	39.1
01:00 PM - 02:00 PM	48.2	74.4	41.8
02:00 PM - 03:00 PM	48.3	67.3	41.9
03:00 PM - 04:00 PM	46.7	64.1	41.7
04:00 PM - 05:00 PM	50.0	71.1	44.8
05:00 PM - 06:00 PM	49.7	65.5	44.8
06:00 PM - 07:00 PM	49.7	76.6	44.1
07:00 PM - 08:00 PM	46.6	62.8	44.1
08:00 PM - 09:00 PM	45.9	63.1	43.7
09:00 PM - 10:00 PM	44.4	55.6	42.9
10:00 PM - 11:00 PM	45.2	54.4	43.7
11:00 PM - 12:00 AM	44.1	62.7	42.2
12:00 AM - 01:00 AM	43.9	58.2	42.6
01:00 AM - 02:00 AM	43.6	61.1	42.4
02:00 AM - 03:00 AM	45.3	67.2	41.8
03:00 AM - 04:00 AM	43.1	57.6	41.9
04:00 AM - 05:00 AM	49.1	68.6	42.0
05:00 AM - 06:00 AM	52.9	75.7	44.2
06:00 AM - 07:00 AM	50.6	68.6	45.0
07:00 AM - 08:00 AM	51.2	75.6	45.7

Leq Average 24 hrs. (dB(A)) 48.4
Lmax (dB(A)) 79.4
L90 (dB(A)) 42.9
Ldn (dB(A)) 54.4
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544324-1

Page 1 of 1

Sample Number 2620801-28
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 30 - Mar 31, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 1122567

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	50.2	67.9	45.2
09:00 AM - 10:00 AM	48.7	72.2	42.2
10:00 AM - 11:00 AM	49.1	72.0	42.9
11:00 AM - 12:00 PM	48.9	71.6	41.9
12:00 PM - 01:00 PM	54.0	85.4	41.1
01:00 PM - 02:00 PM	47.5	70.2	40.6
02:00 PM - 03:00 PM	48.9	71.9	42.5
03:00 PM - 04:00 PM	48.9	75.6	44.4
04:00 PM - 05:00 PM	50.4	65.2	46.5
05:00 PM - 06:00 PM	52.8	77.9	47.9
06:00 PM - 07:00 PM	49.0	69.6	44.8
07:00 PM - 08:00 PM	46.9	66.8	43.4
08:00 PM - 09:00 PM	52.6	71.2	43.8
09:00 PM - 10:00 PM	43.9	71.0	41.8
10:00 PM - 11:00 PM	43.9	57.9	42.1
11:00 PM - 12:00 AM	43.6	59.0	42.0
12:00 AM - 01:00 AM	44.4	64.7	42.3
01:00 AM - 02:00 AM	45.2	67.4	41.9
02:00 AM - 03:00 AM	43.8	64.8	42.0
03:00 AM - 04:00 AM	46.0	65.9	41.9
04:00 AM - 05:00 AM	49.1	66.9	42.3
05:00 AM - 06:00 AM	52.6	69.2	45.4
06:00 AM - 07:00 AM	51.2	73.5	47.1
07:00 AM - 08:00 AM	52.9	74.7	47.3

Leq Average 24 hrs. (dB(A)) 49.6
Lmax (dB(A)) 85.4
L90 (dB(A)) 42.3
Ldn (dB(A)) 54.8
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544325-1

Page 1 of 1

Sample Number 2620801-29
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 24 - Mar 25, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	57.0	77.8	50.1
09:00 AM - 10:00 AM	53.8	79.1	48.2
10:00 AM - 11:00 AM	53.2	71.2	48.6
11:00 AM - 12:00 PM	55.6	79.6	48.4
12:00 PM - 01:00 PM	56.1	79.1	49.6
01:00 PM - 02:00 PM	54.6	81.5	48.2
02:00 PM - 03:00 PM	54.8	77.0	48.4
03:00 PM - 04:00 PM	52.6	77.9	47.7
04:00 PM - 05:00 PM	55.2	80.0	49.5
05:00 PM - 06:00 PM	63.3	81.7	56.9
06:00 PM - 07:00 PM	61.7	80.7	55.1
07:00 PM - 08:00 PM	58.7	76.8	54.4
08:00 PM - 09:00 PM	60.0	75.1	54.1
09:00 PM - 10:00 PM	61.5	83.2	56.4
10:00 PM - 11:00 PM	55.7	71.0	52.9
11:00 PM - 12:00 AM	50.3	68.7	48.5
12:00 AM - 01:00 AM	50.2	61.1	48.6
01:00 AM - 02:00 AM	50.7	71.1	48.2
02:00 AM - 03:00 AM	54.4	76.7	48.6
03:00 AM - 04:00 AM	52.7	73.1	47.9
04:00 AM - 05:00 AM	53.6	76.4	48.2
05:00 AM - 06:00 AM	52.9	75.0	47.3
06:00 AM - 07:00 AM	52.4	71.6	44.4
07:00 AM - 08:00 AM	55.0	76.6	43.3

Leq Average 24 hrs. (dB(A)) 56.9
Lmax (dB(A)) 83.2
L90 (dB(A)) 48.5
Ldn (dB(A)) 60.6
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544326-1

Page 1 of 1

Sample Number	2620801-30
Parameter	Noise (Leq 24 hrs.)
Location	ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date	Mar 25 - Mar 26, 2026
Measurement by	Adisak Tarisoorn
Sound Level meter	Serial No. 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	50.3	75.8	42.4
09:00 AM - 10:00 AM	52.7	76.3	41.4
10:00 AM - 11:00 AM	51.5	68.9	42.2
11:00 AM - 12:00 PM	47.4	67.3	41.4
12:00 PM - 01:00 PM	49.7	73.5	40.9
01:00 PM - 02:00 PM	48.5	72.2	41.5
02:00 PM - 03:00 PM	51.9	74.9	41.5
03:00 PM - 04:00 PM	50.3	70.2	42.7
04:00 PM - 05:00 PM	51.6	78.0	41.5
05:00 PM - 06:00 PM	51.1	75.8	42.0
06:00 PM - 07:00 PM	61.8	73.0	58.7
07:00 PM - 08:00 PM	49.1	70.2	47.5
08:00 PM - 09:00 PM	52.2	75.2	48.8
09:00 PM - 10:00 PM	47.0	69.1	42.4
10:00 PM - 11:00 PM	54.8	85.8	43.1
11:00 PM - 12:00 AM	61.0	74.0	58.6
12:00 AM - 01:00 AM	53.4	73.8	51.2
01:00 AM - 02:00 AM	54.0	73.7	50.8
02:00 AM - 03:00 AM	49.4	70.9	48.2
03:00 AM - 04:00 AM	50.6	69.4	49.5
04:00 AM - 05:00 AM	50.0	71.1	47.9
05:00 AM - 06:00 AM	52.9	74.7	48.0
06:00 AM - 07:00 AM	49.1	63.2	48.4
07:00 AM - 08:00 AM	49.1	76.6	47.3
Leq Average 24 hrs. (dB(A))	53.7		
Lmax (dB(A))		85.8	
L90 (dB(A))			43.1
Ldn (dB(A))	60.8		
Standard (dB(A))	70	115	
Reference Method : ISO 1996-1 : 2016			
Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป			
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการ			
โรงงาน พ.ศ. 2548			
Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.			

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544327-1

Page 1 of 1

Sample Number 2620801-31
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 26 - Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	49.2	70.3	48.2
09:00 AM - 10:00 AM	52.8	70.7	48.3
10:00 AM - 11:00 AM	57.2	72.1	54.3
11:00 AM - 12:00 PM	52.0	73.1	47.3
12:00 PM - 01:00 PM	53.5	77.6	48.0
01:00 PM - 02:00 PM	54.4	79.2	48.0
02:00 PM - 03:00 PM	52.6	72.4	46.6
03:00 PM - 04:00 PM	52.3	76.0	46.9
04:00 PM - 05:00 PM	53.6	81.0	48.6
05:00 PM - 06:00 PM	64.1	86.7	58.0
06:00 PM - 07:00 PM	62.3	77.9	58.5
07:00 PM - 08:00 PM	60.1	72.8	55.0
08:00 PM - 09:00 PM	58.6	80.2	51.2
09:00 PM - 10:00 PM	54.6	67.8	50.0
10:00 PM - 11:00 PM	48.6	62.4	47.5
11:00 PM - 12:00 AM	48.6	74.9	46.9
12:00 AM - 01:00 AM	50.7	75.1	46.7
01:00 AM - 02:00 AM	47.8	59.2	46.8
02:00 AM - 03:00 AM	50.7	80.1	46.7
03:00 AM - 04:00 AM	47.6	64.2	46.3
04:00 AM - 05:00 AM	47.2	63.9	46.3
05:00 AM - 06:00 AM	51.6	84.5	46.7
06:00 AM - 07:00 AM	55.8	81.3	47.8
07:00 AM - 08:00 AM	62.6	83.5	52.7

Leq Average 24 hrs. (dB(A)) 56.7
Lmax (dB(A)) 86.7
L90 (dB(A)) 47.8
Ldn (dB(A)) 59.4
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544328-1

Page 1 of 1

Sample Number 2620801-32
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 27 - Mar 28, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	56.7	78.5	49.0
09:00 AM - 10:00 AM	56.1	79.7	46.9
10:00 AM - 11:00 AM	51.8	73.6	46.9
11:00 AM - 12:00 PM	51.6	76.4	46.3
12:00 PM - 01:00 PM	52.5	71.9	45.3
01:00 PM - 02:00 PM	50.9	74.2	45.5
02:00 PM - 03:00 PM	51.7	72.4	46.0
03:00 PM - 04:00 PM	53.6	74.9	48.3
04:00 PM - 05:00 PM	56.6	87.1	49.1
05:00 PM - 06:00 PM	61.8	79.7	52.8
06:00 PM - 07:00 PM	57.7	81.3	51.6
07:00 PM - 08:00 PM	57.3	70.8	52.2
08:00 PM - 09:00 PM	58.0	70.2	53.3
09:00 PM - 10:00 PM	52.4	72.5	49.2
10:00 PM - 11:00 PM	51.4	77.4	47.6
11:00 PM - 12:00 AM	48.7	74.3	46.5
12:00 AM - 01:00 AM	47.9	67.2	46.1
01:00 AM - 02:00 AM	46.6	53.1	45.8
02:00 AM - 03:00 AM	46.4	61.2	45.6
03:00 AM - 04:00 AM	46.6	65.9	45.8
04:00 AM - 05:00 AM	47.0	68.4	45.9
05:00 AM - 06:00 AM	54.4	78.8	46.6
06:00 AM - 07:00 AM	53.7	76.2	47.6
07:00 AM - 08:00 AM	54.0	74.0	48.6

Leq Average 24 hrs. (dB(A)) 54.6
Lmax (dB(A)) 87.1
L90 (dB(A)) 46.9
Ldn (dB(A)) 58.2
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544329-1

Page 1 of 1

Sample Number 2620801-33
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 28 - Mar 29, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	53.2	73.3	47.2
09:00 AM - 10:00 AM	53.6	78.7	47.3
10:00 AM - 11:00 AM	53.0	74.4	47.5
11:00 AM - 12:00 PM	52.7	74.4	47.7
12:00 PM - 01:00 PM	51.9	69.7	47.5
01:00 PM - 02:00 PM	52.8	75.7	48.5
02:00 PM - 03:00 PM	53.4	74.6	48.4
03:00 PM - 04:00 PM	54.1	77.0	49.3
04:00 PM - 05:00 PM	54.4	71.7	50.9
05:00 PM - 06:00 PM	56.4	84.7	52.7
06:00 PM - 07:00 PM	58.3	85.8	54.2
07:00 PM - 08:00 PM	56.7	89.5	51.0
08:00 PM - 09:00 PM	54.6	69.3	50.5
09:00 PM - 10:00 PM	54.6	85.6	50.3
10:00 PM - 11:00 PM	55.0	85.7	49.3
11:00 PM - 12:00 AM	48.4	67.1	47.6
12:00 AM - 01:00 AM	50.1	72.7	46.5
01:00 AM - 02:00 AM	65.4	88.1	46.5
02:00 AM - 03:00 AM	49.7	72.8	46.0
03:00 AM - 04:00 AM	47.6	67.5	46.1
04:00 AM - 05:00 AM	46.8	60.5	46.0
05:00 AM - 06:00 AM	52.7	79.3	46.8
06:00 AM - 07:00 AM	53.2	74.2	47.8
07:00 AM - 08:00 AM	53.3	80.9	48.0

Leq Average 24 hrs. (dB(A)) 55.7
Lmax (dB(A)) 89.5
L90 (dB(A)) 47.7
Ldn (dB(A)) 63.1
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544330-1

Page 1 of 1

Sample Number 2620801-34
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 29 - Mar 30, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	54.2	79.3	47.3
09:00 AM - 10:00 AM	53.5	80.9	49.2
10:00 AM - 11:00 AM	52.7	73.3	49.5
11:00 AM - 12:00 PM	52.5	70.5	48.3
12:00 PM - 01:00 PM	54.6	76.0	48.8
01:00 PM - 02:00 PM	53.3	71.9	48.8
02:00 PM - 03:00 PM	53.3	73.0	49.2
03:00 PM - 04:00 PM	52.5	72.6	48.6
04:00 PM - 05:00 PM	53.3	78.2	47.9
05:00 PM - 06:00 PM	57.3	85.1	48.4
06:00 PM - 07:00 PM	57.4	82.3	52.2
07:00 PM - 08:00 PM	57.7	71.3	52.6
08:00 PM - 09:00 PM	55.7	71.7	51.1
09:00 PM - 10:00 PM	54.6	68.7	49.7
10:00 PM - 11:00 PM	50.9	69.7	48.0
11:00 PM - 12:00 AM	51.3	68.4	49.1
12:00 AM - 01:00 AM	56.0	78.3	50.1
01:00 AM - 02:00 AM	54.5	82.7	49.7
02:00 AM - 03:00 AM	51.4	73.1	49.6
03:00 AM - 04:00 AM	53.7	82.6	51.9
04:00 AM - 05:00 AM	54.7	60.3	54.0
05:00 AM - 06:00 AM	54.5	75.3	51.8
06:00 AM - 07:00 AM	54.8	76.4	50.8
07:00 AM - 08:00 AM	61.7	79.0	51.6

Leq Average 24 hrs. (dB(A)) 55.2
Lmax (dB(A)) 85.1
L90 (dB(A)) 49.5
Ldn (dB(A)) 60.6
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544331-1

Page 1 of 1

Sample Number 2620801-35
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 30 - Mar 31, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	52.3	69.0	46.9
09:00 AM - 10:00 AM	52.2	71.8	47.3
10:00 AM - 11:00 AM	53.4	74.6	47.2
11:00 AM - 12:00 PM	53.1	75.5	47.5
12:00 PM - 01:00 PM	55.4	84.7	48.6
01:00 PM - 02:00 PM	53.8	82.7	47.4
02:00 PM - 03:00 PM	54.5	74.1	47.3
03:00 PM - 04:00 PM	53.9	76.1	48.2
04:00 PM - 05:00 PM	59.0	92.4	48.3
05:00 PM - 06:00 PM	63.9	80.6	53.5
06:00 PM - 07:00 PM	57.1	78.4	51.4
07:00 PM - 08:00 PM	58.1	79.0	52.3
08:00 PM - 09:00 PM	58.2	75.3	52.9
09:00 PM - 10:00 PM	58.6	77.1	53.4
10:00 PM - 11:00 PM	52.9	67.4	50.1
11:00 PM - 12:00 AM	58.4	75.1	57.4
12:00 AM - 01:00 AM	59.1	64.1	58.7
01:00 AM - 02:00 AM	56.4	65.1	55.2
02:00 AM - 03:00 AM	55.5	64.6	55.0
03:00 AM - 04:00 AM	51.7	74.8	50.6
04:00 AM - 05:00 AM	53.7	59.4	53.2
05:00 AM - 06:00 AM	53.4	75.3	51.4
06:00 AM - 07:00 AM	55.3	79.2	51.4
07:00 AM - 08:00 AM	62.3	82.1	53.4

Leq Average 24 hrs. (dB(A)) 57.3
Lmax (dB(A)) 92.4
L90 (dB(A)) 51.4
Ldn (dB(A)) 62.6
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544332-1

Page 1 of 1

Sample Number 2620801-36
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 24 - Mar 25, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	54.6	79.3	43.6
09:00 AM - 10:00 AM	56.7	82.2	44.1
10:00 AM - 11:00 AM	52.9	75.2	41.3
11:00 AM - 12:00 PM	57.3	89.6	42.5
12:00 PM - 01:00 PM	57.3	80.1	42.5
01:00 PM - 02:00 PM	55.5	78.8	41.8
02:00 PM - 03:00 PM	55.9	78.6	46.8
03:00 PM - 04:00 PM	55.5	73.9	45.8
04:00 PM - 05:00 PM	55.8	76.2	46.8
05:00 PM - 06:00 PM	56.8	74.2	49.4
06:00 PM - 07:00 PM	58.0	80.6	49.6
07:00 PM - 08:00 PM	55.8	74.4	51.6
08:00 PM - 09:00 PM	56.2	79.5	51.6
09:00 PM - 10:00 PM	55.6	83.5	50.7
10:00 PM - 11:00 PM	56.3	87.4	50.3
11:00 PM - 12:00 AM	53.0	78.7	50.1
12:00 AM - 01:00 AM	51.3	72.4	48.7
01:00 AM - 02:00 AM	50.2	67.3	48.6
02:00 AM - 03:00 AM	50.5	72.4	48.2
03:00 AM - 04:00 AM	51.3	75.1	48.1
04:00 AM - 05:00 AM	55.4	73.3	47.6
05:00 AM - 06:00 AM	56.6	73.8	49.6
06:00 AM - 07:00 AM	58.6	75.3	49.7
07:00 AM - 08:00 AM	59.0	79.0	49.3

Leq Average 24 hrs. (dB(A)) 55.8
Lmax (dB(A)) 89.6
L90 (dB(A)) 48.2
Ldn (dB(A)) 61.4
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544333-1

Page 1 of 1

Sample Number 2620801-37
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 25 - Mar 26, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	56.2	78.8	44.4
09:00 AM - 10:00 AM	55.0	77.7	42.7
10:00 AM - 11:00 AM	58.4	83.3	42.7
11:00 AM - 12:00 PM	55.5	79.7	42.4
12:00 PM - 01:00 PM	54.7	82.5	40.0
01:00 PM - 02:00 PM	53.4	76.7	42.3
02:00 PM - 03:00 PM	53.5	75.7	39.8
03:00 PM - 04:00 PM	56.2	79.5	43.0
04:00 PM - 05:00 PM	55.6	78.3	46.6
05:00 PM - 06:00 PM	57.2	78.5	48.9
06:00 PM - 07:00 PM	56.8	78.3	50.5
07:00 PM - 08:00 PM	55.7	75.6	50.4
08:00 PM - 09:00 PM	56.4	77.3	50.5
09:00 PM - 10:00 PM	56.3	82.9	50.4
10:00 PM - 11:00 PM	53.3	75.8	50.3
11:00 PM - 12:00 AM	52.6	74.8	49.0
12:00 AM - 01:00 AM	53.7	83.3	48.0
01:00 AM - 02:00 AM	49.9	74.9	47.2
02:00 AM - 03:00 AM	48.9	70.4	46.7
03:00 AM - 04:00 AM	51.4	77.2	46.8
04:00 AM - 05:00 AM	56.1	73.1	47.2
05:00 AM - 06:00 AM	56.7	72.8	49.1
06:00 AM - 07:00 AM	55.6	73.0	47.3
07:00 AM - 08:00 AM	58.9	81.2	48.1

Leq Average 24 hrs. (dB(A)) 55.5
Lmax (dB(A)) 83.3
L90 (dB(A)) 47.2
Ldn (dB(A)) 60.7
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544334-1

Page 1 of 1

Sample Number 2620801-38
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยบริเวณหน้าห้องโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 26 - Mar 27, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	56.1	77.0	44.6
09:00 AM - 10:00 AM	59.5	87.7	45.0
10:00 AM - 11:00 AM	56.9	82.7	44.5
11:00 AM - 12:00 PM	57.6	75.3	41.4
12:00 PM - 01:00 PM	55.0	78.8	43.6
01:00 PM - 02:00 PM	54.9	78.4	39.8
02:00 PM - 03:00 PM	53.7	73.1	39.7
03:00 PM - 04:00 PM	53.6	77.9	39.3
04:00 PM - 05:00 PM	54.8	79.8	44.5
05:00 PM - 06:00 PM	57.3	76.9	48.4
06:00 PM - 07:00 PM	57.5	81.1	49.8
07:00 PM - 08:00 PM	57.7	85.6	49.9
08:00 PM - 09:00 PM	55.9	74.9	51.3
09:00 PM - 10:00 PM	54.9	72.4	50.9
10:00 PM - 11:00 PM	53.6	75.8	49.9
11:00 PM - 12:00 AM	51.8	72.2	49.5
12:00 AM - 01:00 AM	51.3	68.7	49.6
01:00 AM - 02:00 AM	50.5	70.0	48.7
02:00 AM - 03:00 AM	50.1	60.9	49.0
03:00 AM - 04:00 AM	52.2	75.6	47.6
04:00 AM - 05:00 AM	55.7	75.0	48.8
05:00 AM - 06:00 AM	56.9	70.4	51.4
06:00 AM - 07:00 AM	57.9	76.9	47.1
07:00 AM - 08:00 AM	58.4	78.5	47.0

Leq Average 24 hrs. (dB(A)) 55.8
Lmax (dB(A)) 87.7
L90 (dB(A)) 47.6
Ldn (dB(A)) 61.1
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการ
โรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544335-1

Page 1 of 1

Sample Number 2620801-39
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 27 - Mar 28, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	55.7	81.2	43.9
09:00 AM - 10:00 AM	53.7	75.5	42.2
10:00 AM - 11:00 AM	54.7	80.9	41.4
11:00 AM - 12:00 PM	56.0	80.3	41.9
12:00 PM - 01:00 PM	53.7	73.0	42.5
01:00 PM - 02:00 PM	53.0	74.8	42.6
02:00 PM - 03:00 PM	55.1	76.0	42.4
03:00 PM - 04:00 PM	55.5	82.2	43.3
04:00 PM - 05:00 PM	57.0	81.7	45.9
05:00 PM - 06:00 PM	57.4	80.5	48.4
06:00 PM - 07:00 PM	56.7	82.8	48.0
07:00 PM - 08:00 PM	56.4	76.5	51.7
08:00 PM - 09:00 PM	57.1	76.5	52.6
09:00 PM - 10:00 PM	54.5	74.8	52.3
10:00 PM - 11:00 PM	54.2	83.4	50.5
11:00 PM - 12:00 AM	51.7	68.7	49.6
12:00 AM - 01:00 AM	51.6	71.6	49.2
01:00 AM - 02:00 AM	51.2	70.0	48.5
02:00 AM - 03:00 AM	52.1	64.6	50.5
03:00 AM - 04:00 AM	49.7	68.2	47.7
04:00 AM - 05:00 AM	55.6	77.7	47.9
05:00 AM - 06:00 AM	56.9	73.6	49.2
06:00 AM - 07:00 AM	59.4	79.6	46.9
07:00 AM - 08:00 AM	58.5	83.5	46.9

Leq Average 24 hrs. (dB(A)) 55.5
Lmax (dB(A)) 83.5
L90 (dB(A)) 47.7
Ldn (dB(A)) 61.3
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544336-1

Page 1 of 1

Sample Number	2620801-40
Parameter	Noise (Leq 24 hrs.)
Location	ที่พักอาศัยบริเวณหน้าห้องโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date	Mar 28 - Mar 29, 2026
Measurement by	Adisak Tarisoorn
Sound Level meter	Serial No. 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	55.5	75.7	43.0
09:00 AM - 10:00 AM	54.1	73.8	44.1
10:00 AM - 11:00 AM	54.2	76.4	41.5
11:00 AM - 12:00 PM	55.4	89.8	42.1
12:00 PM - 01:00 PM	53.7	75.1	40.2
01:00 PM - 02:00 PM	54.6	82.4	40.3
02:00 PM - 03:00 PM	53.5	79.0	41.9
03:00 PM - 04:00 PM	54.0	75.6	44.2
04:00 PM - 05:00 PM	55.7	80.3	46.0
05:00 PM - 06:00 PM	57.0	77.5	49.0
06:00 PM - 07:00 PM	57.0	76.1	48.9
07:00 PM - 08:00 PM	57.5	80.7	50.2
08:00 PM - 09:00 PM	55.4	78.3	51.7
09:00 PM - 10:00 PM	54.5	74.5	51.0
10:00 PM - 11:00 PM	54.1	77.2	50.8
11:00 PM - 12:00 AM	53.1	76.4	50.3
12:00 AM - 01:00 AM	51.7	73.1	48.0
01:00 AM - 02:00 AM	48.1	71.8	46.0
02:00 AM - 03:00 AM	47.9	65.0	46.2
03:00 AM - 04:00 AM	48.6	67.7	46.7
04:00 AM - 05:00 AM	56.2	73.3	46.9
05:00 AM - 06:00 AM	57.4	81.5	47.9
06:00 AM - 07:00 AM	54.6	75.1	45.0
07:00 AM - 08:00 AM	53.8	74.2	43.7

Leq Average 24 hrs. (dB(A))	54.7		
Lmax (dB(A))		89.8	
L90 (dB(A))			46.0
Ldn (dB(A))	60.3		
Standard (dB(A))	70	115	

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544337-1

Page 1 of 1

Sample Number 2620801-41
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 29 - Mar 30, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	54.9	81.7	42.8
09:00 AM - 10:00 AM	52.3	74.7	42.8
10:00 AM - 11:00 AM	54.1	75.7	41.7
11:00 AM - 12:00 PM	54.6	82.4	40.9
12:00 PM - 01:00 PM	53.5	79.6	40.5
01:00 PM - 02:00 PM	52.6	76.4	40.8
02:00 PM - 03:00 PM	54.5	83.4	42.4
03:00 PM - 04:00 PM	53.9	77.1	43.8
04:00 PM - 05:00 PM	55.2	77.8	45.5
05:00 PM - 06:00 PM	55.4	72.9	47.4
06:00 PM - 07:00 PM	55.1	72.1	47.8
07:00 PM - 08:00 PM	54.8	75.6	50.6
08:00 PM - 09:00 PM	56.4	87.7	49.7
09:00 PM - 10:00 PM	53.2	72.2	49.2
10:00 PM - 11:00 PM	54.0	83.1	48.4
11:00 PM - 12:00 AM	52.7	74.7	49.7
12:00 AM - 01:00 AM	52.1	74.5	49.2
01:00 AM - 02:00 AM	50.6	72.3	48.6
02:00 AM - 03:00 AM	51.0	71.1	48.3
03:00 AM - 04:00 AM	49.9	65.9	47.8
04:00 AM - 05:00 AM	57.1	78.3	50.0
05:00 AM - 06:00 AM	58.0	78.7	49.4
06:00 AM - 07:00 AM	55.6	85.7	46.0
07:00 AM - 08:00 AM	56.5	75.3	46.9

Leq Average 24 hrs. (dB(A)) 54.5
Lmax (dB(A)) 87.7
L90 (dB(A)) 47.4
Ldn (dB(A)) 60.8
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

TESTING
No.0042

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italhai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620801

Date Received : Apr 02, 2026

Date Reported : Apr 04, 2026

Report Number: 3544338-1

Page 1 of 1

Sample Number 2620801-42
Parameter Noise (Leq 24 hrs.)
Location ที่พักอาศัยบริเวณหน้าห้องโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 30 - Mar 31, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	55.2	80.1	43.0
09:00 AM - 10:00 AM	55.2	80.3	42.7
10:00 AM - 11:00 AM	54.8	78.5	41.9
11:00 AM - 12:00 PM	55.7	79.9	42.4
12:00 PM - 01:00 PM	54.7	77.7	44.2
01:00 PM - 02:00 PM	53.1	77.1	40.5
02:00 PM - 03:00 PM	53.2	78.2	41.8
03:00 PM - 04:00 PM	53.6	79.0	44.1
04:00 PM - 05:00 PM	54.8	77.5	45.8
05:00 PM - 06:00 PM	57.3	82.5	48.4
06:00 PM - 07:00 PM	56.5	81.6	48.4
07:00 PM - 08:00 PM	55.9	76.1	50.2
08:00 PM - 09:00 PM	55.4	78.2	51.8
09:00 PM - 10:00 PM	55.0	81.0	52.1
10:00 PM - 11:00 PM	54.1	73.9	51.4
11:00 PM - 12:00 AM	54.2	72.0	51.7
12:00 AM - 01:00 AM	54.5	77.5	51.0
01:00 AM - 02:00 AM	52.7	72.6	50.2
02:00 AM - 03:00 AM	53.0	72.9	51.3
03:00 AM - 04:00 AM	54.1	77.4	50.1
04:00 AM - 05:00 AM	56.1	71.6	49.6
05:00 AM - 06:00 AM	58.1	79.9	50.7
06:00 AM - 07:00 AM	56.0	79.0	46.9
07:00 AM - 08:00 AM	57.3	76.6	46.7

Leq Average 24 hrs. (dB(A)) 55.3
Lmax (dB(A)) 82.5
L90 (dB(A)) 48.4
Ldn (dB(A)) 61.5
Standard (dB(A)) 70 115

Reference Method : ISO 1996-1 : 2016

Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Remark : The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

Technical Management

Thanita K.

Thanita Kulsuriwong
Scientist (4)

Approved by

Supot S.

Supot Salamteh
Section Head



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2620803
Date Received : Apr 02, 2026
Date Reported : Apr 09, 2026
Report Number : 3546343-1

Page 1 of 1

Sample No. 2620803-1
Parameter เสียงรบกวน
Location ฟาร์มกรงไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 24, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 01122607

ระดับเสียง (dB(A))						
เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีกิจกรรม	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	63.3	47.1	63.2	-	45.5	17.7
09:00 AM - 10:00 AM	49.8	47.1	46.5	-	45.5	1.0
10:00 AM - 11:00 AM	45.8	47.1	n/a	-	45.5	-
11:00 AM - 12:00 PM	49.4	47.1	45.5	-	45.5	0.0
12:00 PM - 01:00 PM	44.4	47.1	n/a	-	45.5	-
01:00 PM - 02:00 PM	46.6	47.1	n/a	-	45.5	-
02:00 PM - 03:00 PM	48.5	47.1	42.9	-	45.5	-2.6
03:00 PM - 04:00 PM	47.7	47.1	38.8	-	45.5	-6.7
04:00 PM - 05:00 PM	49.3	47.1	45.3	-	45.5	-0.2
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 24 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีกิจกรรม (Sample No.2620804-1 วันที่ตรวจวัด 24 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีกิจกรรม

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546344-1

Page 1 of 1

Sample No. 2620803-2
Parameter เสียงรบกวน
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 25, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 01122607

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	48.7	46.6	44.5	-	41.9	2.6
09:00 AM - 10:00 AM	58.0	46.6	57.7	-	41.9	15.8
10:00 AM - 11:00 AM	49.5	46.6	46.4	-	41.9	4.5
11:00 AM - 12:00 PM	45.8	46.6	n/a	-	41.9	-
12:00 PM - 01:00 PM	47.4	46.6	39.7	-	41.9	-2.2
01:00 PM - 02:00 PM	45.2	46.6	n/a	-	41.9	-
02:00 PM - 03:00 PM	48.3	46.6	43.4	-	41.9	1.5
03:00 PM - 04:00 PM	46.2	46.6	n/a	-	41.9	-
04:00 PM - 05:00 PM	49.2	46.6	45.7	-	41.9	3.8
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 25 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-2 วันที่ตรวจวัด 25 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546345-1

Page 1 of 1

Sample No. 2620803-3
Parameter เสียงรบกวน
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 26, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 01122607

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	49.7	53.2	n/a	-	44.7	-
09:00 AM - 10:00 AM	49.6	53.2	n/a	-	44.7	-
10:00 AM - 11:00 AM	57.4	53.2	55.3	-	44.7	10.6
11:00 AM - 12:00 PM	49.5	53.2	n/a	-	44.7	-
12:00 PM - 01:00 PM	53.9	53.2	45.6	-	44.7	0.9
01:00 PM - 02:00 PM	51.1	53.2	n/a	-	44.7	-
02:00 PM - 03:00 PM	47.6	53.2	n/a	-	44.7	-
03:00 PM - 04:00 PM	46.1	53.2	n/a	-	44.7	-
04:00 PM - 05:00 PM	49.1	53.2	n/a	-	44.7	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 26 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-3 วันที่ตรวจวัด 26 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546346-1

Page 1 of 1

Sample No. 2620803-4
Parameter เสียงรบกวน
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 27, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 01122607

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	48.4	50.6	n/a	-	43.1	-
09:00 AM - 10:00 AM	51.8	50.6	45.6	-	43.1	2.5
10:00 AM - 11:00 AM	58.5	50.6	57.7	-	43.1	14.6
11:00 AM - 12:00 PM	47.0	50.6	n/a	-	43.1	-
12:00 PM - 01:00 PM	45.4	50.6	n/a	-	43.1	-
01:00 PM - 02:00 PM	55.5	50.6	53.8	-	43.1	10.7
02:00 PM - 03:00 PM	48.3	50.6	n/a	-	43.1	-
03:00 PM - 04:00 PM	58.3	50.6	57.5	-	43.1	14.4
04:00 PM - 05:00 PM	50.7	50.6	34.3	-	43.1	-8.8
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 27 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-4 วันที่ตรวจวัด 27 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546347-1

Page 1 of 1

Sample No. 2620803-5
Parameter เสียงรบกวน
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 28, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 01122607

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	49.7	48.2	44.4	-	44.6	-0.2
09:00 AM - 10:00 AM	53.6	48.2	52.1	-	44.6	7.5
10:00 AM - 11:00 AM	50.2	48.2	45.9	-	44.6	1.3
11:00 AM - 12:00 PM	49.8	48.2	44.7	-	44.6	0.1
12:00 PM - 01:00 PM	45.5	48.2	n/a	-	44.6	-
01:00 PM - 02:00 PM	52.5	48.2	50.5	-	44.6	5.9
02:00 PM - 03:00 PM	53.3	48.2	51.7	-	44.6	7.1
03:00 PM - 04:00 PM	50.7	48.2	47.1	-	44.6	2.5
04:00 PM - 05:00 PM	49.4	48.2	43.2	-	44.6	-1.4
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 28 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-5 วันที่ตรวจวัด 28 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546348-1

Page 1 of 1

Sample No. 2620803-6
Parameter เสียงรบกวน
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 29, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 01122607

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	44.9	46.4	n/a	-	41.5	-
09:00 AM - 10:00 AM	44.7	46.4	n/a	-	41.5	-
10:00 AM - 11:00 AM	46.2	46.4	n/a	-	41.5	-
11:00 AM - 12:00 PM	46.8	46.4	36.2	-	41.5	-5.3
12:00 PM - 01:00 PM	42.8	46.4	n/a	-	41.5	-
01:00 PM - 02:00 PM	48.5	46.4	44.3	-	41.5	2.8
02:00 PM - 03:00 PM	59.3	46.4	59.1	-	41.5	17.6
03:00 PM - 04:00 PM	46.0	46.4	n/a	-	41.5	-
04:00 PM - 05:00 PM	51.9	46.4	50.5	-	41.5	9.0
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 29 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-6 วันที่ตรวจวัด 29 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546349-1

Page 1 of 1

Sample No. 2620803-7
Parameter เสียงรบกวน
Location ฟาร์มกรุงไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 30, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 01122607

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	56.4	49.7	55.4	-	43.9	11.5
09:00 AM - 10:00 AM	54.5	49.7	52.8	-	43.9	8.9
10:00 AM - 11:00 AM	45.9	49.7	n/a	-	43.9	-
11:00 AM - 12:00 PM	48.1	49.7	n/a	-	43.9	-
12:00 PM - 01:00 PM	45.9	49.7	n/a	-	43.9	-
01:00 PM - 02:00 PM	45.5	49.7	n/a	-	43.9	-
02:00 PM - 03:00 PM	60.3	49.7	59.9	-	43.9	16.0
03:00 PM - 04:00 PM	51.0	49.7	45.1	-	43.9	1.2
04:00 PM - 05:00 PM	50.5	49.7	42.8	-	43.9	-1.1
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 30 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-7 วันที่ตรวจวัด 30 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italhai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2620803
Date Received : Apr 02, 2026
Date Reported : Apr 09, 2026
Report Number : 3546350-1

Page 1 of 1

Sample No. 2620803-8
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 24, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623389

ระดับเสียง (dB(A))						
เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	59.9	56.4	57.3	-	49.1	8.2
09:00 AM - 10:00 AM	51.4	56.4	n/a	-	49.1	-
10:00 AM - 11:00 AM	58.0	56.4	52.9	-	49.1	3.8
11:00 AM - 12:00 PM	55.3	56.4	n/a	-	49.1	-
12:00 PM - 01:00 PM	52.0	56.4	n/a	-	49.1	-
01:00 PM - 02:00 PM	50.9	56.4	n/a	-	49.1	-
02:00 PM - 03:00 PM	56.6	56.4	43.1	-	49.1	-6.0
03:00 PM - 04:00 PM	57.7	56.4	51.8	-	49.1	2.7
04:00 PM - 05:00 PM	57.7	56.4	51.8	-	49.1	2.7
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 24 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-8 วันที่ตรวจวัด 24 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546351-1

Page 1 of 1

Sample No. 2620803-9
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 25, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623389

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	54.0	45.3	53.4	-	43.3	10.1
09:00 AM - 10:00 AM	57.7	45.3	57.4	-	43.3	14.1
10:00 AM - 11:00 AM	50.5	45.3	48.9	-	43.3	5.6
11:00 AM - 12:00 PM	56.4	45.3	56.0	-	43.3	12.7
12:00 PM - 01:00 PM	51.9	45.3	50.8	-	43.3	7.5
01:00 PM - 02:00 PM	54.8	45.3	54.3	-	43.3	11.0
02:00 PM - 03:00 PM	57.7	45.3	57.4	-	43.3	14.1
03:00 PM - 04:00 PM	59.8	45.3	59.6	-	43.3	16.3
04:00 PM - 05:00 PM	56.7	45.3	56.4	-	43.3	13.1
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 25 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-9 วันที่ตรวจวัด 25 มีนาคม 2569, 18:00 - 19:00 น.)
- ก/า: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546352-1

Page 1 of 1

Sample No. 2620803-10
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 26, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623389

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	50.1	54.9	n/a	-	47.8	-
09:00 AM - 10:00 AM	50.9	54.9	n/a	-	47.8	-
10:00 AM - 11:00 AM	50.4	54.9	n/a	-	47.8	-
11:00 AM - 12:00 PM	60.9	54.9	59.6	-	47.8	11.8
12:00 PM - 01:00 PM	52.6	54.9	n/a	-	47.8	-
01:00 PM - 02:00 PM	49.8	54.9	n/a	-	47.8	-
02:00 PM - 03:00 PM	51.4	54.9	n/a	-	47.8	-
03:00 PM - 04:00 PM	54.6	54.9	n/a	-	47.8	-
04:00 PM - 05:00 PM	50.8	54.9	n/a	-	47.8	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 26 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-10 วันที่ตรวจวัด 26 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546353-1

Page 1 of 1

Sample No. 2620803-11
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 27, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623389

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	54.0	54.5	n/a	-	47.8	-
09:00 AM - 10:00 AM	55.8	54.5	49.9	-	47.8	2.1
10:00 AM - 11:00 AM	59.1	54.5	57.3	-	47.8	9.5
11:00 AM - 12:00 PM	66.7	54.5	66.4	-	47.8	18.6
12:00 PM - 01:00 PM	53.0	54.5	n/a	-	47.8	-
01:00 PM - 02:00 PM	54.5	54.5	n/a	-	47.8	-
02:00 PM - 03:00 PM	55.0	54.5	45.4	-	47.8	-2.4
03:00 PM - 04:00 PM	52.9	54.5	n/a	-	47.8	-
04:00 PM - 05:00 PM	52.8	54.5	n/a	-	47.8	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 27 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-11 วันที่ตรวจวัด 27 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546354-1

Page 1 of 1

Sample No. 2620803-12
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 28, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623389

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	60.1	54.9	58.5	-	50.5	8.0
09:00 AM - 10:00 AM	61.3	54.9	60.2	-	50.5	9.7
10:00 AM - 11:00 AM	60.9	54.9	59.6	-	50.5	9.1
11:00 AM - 12:00 PM	63.7	54.9	63.1	-	50.5	12.6
12:00 PM - 01:00 PM	56.7	54.9	52.0	-	50.5	1.5
01:00 PM - 02:00 PM	61.0	54.9	59.8	-	50.5	9.3
02:00 PM - 03:00 PM	59.3	54.9	57.3	-	50.5	6.8
03:00 PM - 04:00 PM	60.7	54.9	59.4	-	50.5	8.9
04:00 PM - 05:00 PM	59.4	54.9	57.5	-	50.5	7.0
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 28 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-12 วันที่ตรวจวัด 28 มีนาคม 2569, 18:00 - 19:00 น.)
- ก/า: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546355-1

Page 1 of 1

Sample No. 2620803-13
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 29, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623389

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	51.9	57.4	n/a	-	52.4	-
09:00 AM - 10:00 AM	49.6	57.4	n/a	-	52.4	-
10:00 AM - 11:00 AM	49.3	57.4	n/a	-	52.4	-
11:00 AM - 12:00 PM	51.9	57.4	n/a	-	52.4	-
12:00 PM - 01:00 PM	49.4	57.4	n/a	-	52.4	-
01:00 PM - 02:00 PM	49.9	57.4	n/a	-	52.4	-
02:00 PM - 03:00 PM	50.8	57.4	n/a	-	52.4	-
03:00 PM - 04:00 PM	50.7	57.4	n/a	-	52.4	-
04:00 PM - 05:00 PM	49.4	57.4	n/a	-	52.4	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 29 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-13 วันที่ตรวจวัด 29 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546356-1

Page 1 of 1

Sample No. 2620803-14
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 30, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623389

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	49.6	53.9	n/a	-	46.9	-
09:00 AM - 10:00 AM	55.1	53.9	48.9	-	46.9	2.0
10:00 AM - 11:00 AM	54.6	53.9	46.3	-	46.9	-0.6
11:00 AM - 12:00 PM	48.6	53.9	n/a	-	46.9	-
12:00 PM - 01:00 PM	55.0	53.9	48.5	-	46.9	1.6
01:00 PM - 02:00 PM	52.8	53.9	n/a	-	46.9	-
02:00 PM - 03:00 PM	55.0	53.9	48.5	-	46.9	1.6
03:00 PM - 04:00 PM	53.5	53.9	n/a	-	46.9	-
04:00 PM - 05:00 PM	58.6	53.9	56.8	-	46.9	9.9
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 30 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-14 วันที่ตรวจวัด 30 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2620803
Date Received : Apr 02, 2026
Date Reported : Apr 09, 2026
Report Number : 3546357-1

Page 1 of 1

Sample No. 2620803-15
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261)
Measurement Date Mar 24, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623393

ระดับเสียง (dB(A))						
เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีกิจกรรม	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	56.5	59.6	n/a	-	50.0	-
09:00 AM - 10:00 AM	55.6	59.6	n/a	-	50.0	-
10:00 AM - 11:00 AM	56.5	59.6	n/a	-	50.0	-
11:00 AM - 12:00 PM	56.9	59.6	n/a	-	50.0	-
12:00 PM - 01:00 PM	48.7	59.6	n/a	-	50.0	-
01:00 PM - 02:00 PM	52.1	59.6	n/a	-	50.0	-
02:00 PM - 03:00 PM	54.1	59.6	n/a	-	50.0	-
03:00 PM - 04:00 PM	53.5	59.6	n/a	-	50.0	-
04:00 PM - 05:00 PM	53.1	59.6	n/a	-	50.0	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 24 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีกิจกรรม (Sample No.2620804-15 วันที่ตรวจวัด 24 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีกิจกรรม

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546358-1

Page 1 of 1

Sample No. 2620803-16
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261)
Measurement Date Mar 25, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623393

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	57.2	52.2	55.5	-	48.6	6.9
09:00 AM - 10:00 AM	48.7	52.2	n/a	-	48.6	-
10:00 AM - 11:00 AM	48.2	52.2	n/a	-	48.6	-
11:00 AM - 12:00 PM	47.7	52.2	n/a	-	48.6	-
12:00 PM - 01:00 PM	48.6	52.2	n/a	-	48.6	-
01:00 PM - 02:00 PM	51.3	52.2	n/a	-	48.6	-
02:00 PM - 03:00 PM	54.6	52.2	50.9	-	48.6	2.3
03:00 PM - 04:00 PM	54.3	52.2	50.1	-	48.6	1.5
04:00 PM - 05:00 PM	50.9	52.2	n/a	-	48.6	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 25 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-16 วันที่ตรวจวัด 25 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546359-1

Page 1 of 1

Sample No. 2620803-17
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261)
Measurement Date Mar 26, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623393

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	51.8	57.7	n/a	-	51.6	-
09:00 AM - 10:00 AM	51.9	57.7	n/a	-	51.6	-
10:00 AM - 11:00 AM	51.1	57.7	n/a	-	51.6	-
11:00 AM - 12:00 PM	50.9	57.7	n/a	-	51.6	-
12:00 PM - 01:00 PM	51.8	57.7	n/a	-	51.6	-
01:00 PM - 02:00 PM	50.5	57.7	n/a	-	51.6	-
02:00 PM - 03:00 PM	49.1	57.7	n/a	-	51.6	-
03:00 PM - 04:00 PM	52.3	57.7	n/a	-	51.6	-
04:00 PM - 05:00 PM	49.7	57.7	n/a	-	51.6	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 26 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-17 วันที่ตรวจวัด 26 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546360-1

Page 1 of 1

Sample No. 2620803-18
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261)
Measurement Date Mar 27, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623393

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	52.9	56.4	n/a	-	50.5	-
09:00 AM - 10:00 AM	55.0	56.4	n/a	-	50.5	-
10:00 AM - 11:00 AM	53.0	56.4	n/a	-	50.5	-
11:00 AM - 12:00 PM	50.5	56.4	n/a	-	50.5	-
12:00 PM - 01:00 PM	48.2	56.4	n/a	-	50.5	-
01:00 PM - 02:00 PM	50.0	56.4	n/a	-	50.5	-
02:00 PM - 03:00 PM	62.2	56.4	60.9	-	50.5	10.4
03:00 PM - 04:00 PM	59.1	56.4	55.8	-	50.5	5.3
04:00 PM - 05:00 PM	61.8	56.4	60.3	-	50.5	9.8
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 27 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-18 วันที่ตรวจวัด 27 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546361-1

Page 1 of 1

Sample No. 2620803-19
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261)
Measurement Date Mar 28, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623393

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	55.7	58.0	n/a	-	53.1	-
09:00 AM - 10:00 AM	53.6	58.0	n/a	-	53.1	-
10:00 AM - 11:00 AM	49.8	58.0	n/a	-	53.1	-
11:00 AM - 12:00 PM	50.5	58.0	n/a	-	53.1	-
12:00 PM - 01:00 PM	49.7	58.0	n/a	-	53.1	-
01:00 PM - 02:00 PM	52.7	58.0	n/a	-	53.1	-
02:00 PM - 03:00 PM	51.2	58.0	n/a	-	53.1	-
03:00 PM - 04:00 PM	51.3	58.0	n/a	-	53.1	-
04:00 PM - 05:00 PM	53.0	58.0	n/a	-	53.1	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 28 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-19 วันที่ตรวจวัด 28 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546362-1

Page 1 of 1

Sample No. 2620803-20
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261)
Measurement Date Mar 29, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623393

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	57.6	51.5	56.4	-	43.6	12.8
09:00 AM - 10:00 AM	52.3	51.5	44.6	-	43.6	1.0
10:00 AM - 11:00 AM	51.5	51.5	n/a	-	43.6	-
11:00 AM - 12:00 PM	51.9	51.5	41.3	-	43.6	-2.3
12:00 PM - 01:00 PM	53.4	51.5	48.9	-	43.6	5.3
01:00 PM - 02:00 PM	54.1	51.5	50.6	-	43.6	7.0
02:00 PM - 03:00 PM	49.2	51.5	n/a	-	43.6	-
03:00 PM - 04:00 PM	47.8	51.5	n/a	-	43.6	-
04:00 PM - 05:00 PM	49.9	51.5	n/a	-	43.6	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 29 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-20 วันที่ตรวจวัด 29 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546363-1

Page 1 of 1

Sample No. 2620803-21
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261)
Measurement Date Mar 30, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623393

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	49.6	51.6	n/a	-	49.2	-
09:00 AM - 10:00 AM	48.6	51.6	n/a	-	49.2	-
10:00 AM - 11:00 AM	56.6	51.6	54.9	-	49.2	5.7
11:00 AM - 12:00 PM	53.7	51.6	49.5	-	49.2	0.3
12:00 PM - 01:00 PM	53.9	51.6	50.0	-	49.2	0.8
01:00 PM - 02:00 PM	57.7	51.6	56.5	-	49.2	7.3
02:00 PM - 03:00 PM	56.5	51.6	54.8	-	49.2	5.6
03:00 PM - 04:00 PM	54.7	51.6	51.8	-	49.2	2.6
04:00 PM - 05:00 PM	55.1	51.6	52.5	-	49.2	3.3
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 30 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-21 วันที่ตรวจวัด 30 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546364-1

Page 1 of 1

Sample No. 2620803-22
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606)
Measurement Date Mar 24, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 01122567

ระดับเสียง (dB(A))						
เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีกิจกรรม	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	56.9	49.0	56.1	-	44.7	11.4
09:00 AM - 10:00 AM	52.0	49.0	49.0	-	44.7	4.3
10:00 AM - 11:00 AM	52.3	49.0	49.6	-	44.7	4.9
11:00 AM - 12:00 PM	50.9	49.0	46.4	-	44.7	1.7
12:00 PM - 01:00 PM	49.3	49.0	37.5	-	44.7	-7.2
01:00 PM - 02:00 PM	51.0	49.0	46.7	-	44.7	2.0
02:00 PM - 03:00 PM	50.2	49.0	44.0	-	44.7	-0.7
03:00 PM - 04:00 PM	51.2	49.0	47.2	-	44.7	2.5
04:00 PM - 05:00 PM	50.3	49.0	44.4	-	44.7	-0.3
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 24 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีกิจกรรม (Sample No.2620804-22 วันที่ตรวจวัด 24 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีกิจกรรม

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546365-1

Page 1 of 1

Sample No. 2620803-23
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606)
Measurement Date Mar 25, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 01122567

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	50.7	57.7	n/a	-	44.8	-
09:00 AM - 10:00 AM	49.7	57.7	n/a	-	44.8	-
10:00 AM - 11:00 AM	48.3	57.7	n/a	-	44.8	-
11:00 AM - 12:00 PM	47.8	57.7	n/a	-	44.8	-
12:00 PM - 01:00 PM	46.8	57.7	n/a	-	44.8	-
01:00 PM - 02:00 PM	47.5	57.7	n/a	-	44.8	-
02:00 PM - 03:00 PM	45.9	57.7	n/a	-	44.8	-
03:00 PM - 04:00 PM	46.3	57.7	n/a	-	44.8	-
04:00 PM - 05:00 PM	50.0	57.7	n/a	-	44.8	-

ค่ามาตรฐาน

≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 25 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-23 วันที่ตรวจวัด 25 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546366-1

Page 1 of 1

Sample No. 2620803-24
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606)
Measurement Date Mar 26, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 01122567

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	50.1	50.4	n/a	-	43.2	-
09:00 AM - 10:00 AM	51.1	50.4	42.8	-	43.2	-0.4
10:00 AM - 11:00 AM	51.2	50.4	43.5	-	43.2	0.3
11:00 AM - 12:00 PM	49.2	50.4	n/a	-	43.2	-
12:00 PM - 01:00 PM	51.6	50.4	45.4	-	43.2	2.2
01:00 PM - 02:00 PM	49.8	50.4	n/a	-	43.2	-
02:00 PM - 03:00 PM	49.1	50.4	n/a	-	43.2	-
03:00 PM - 04:00 PM	49.6	50.4	n/a	-	43.2	-
04:00 PM - 05:00 PM	49.5	50.4	n/a	-	43.2	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 26 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-24 วันที่ตรวจวัด 26 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546367-1

Page 1 of 1

Sample No. 2620803-25
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606)
Measurement Date Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 01122567

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	51.2	50.0	45.0	-	45.8	-0.8
09:00 AM - 10:00 AM	63.5	50.0	63.3	-	45.8	17.5
10:00 AM - 11:00 AM	49.8	50.0	n/a	-	45.8	-
11:00 AM - 12:00 PM	53.5	50.0	50.9	-	45.8	5.1
12:00 PM - 01:00 PM	55.7	50.0	54.3	-	45.8	8.5
01:00 PM - 02:00 PM	49.6	50.0	n/a	-	45.8	-
02:00 PM - 03:00 PM	49.5	50.0	n/a	-	45.8	-
03:00 PM - 04:00 PM	50.6	50.0	41.7	-	45.8	-4.1
04:00 PM - 05:00 PM	54.1	50.0	52.0	-	45.8	6.2
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 27 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-25 วันที่ตรวจวัด 27 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546368-1

Page 1 of 1

Sample No. 2620803-26
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606)
Measurement Date Mar 28, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 01122567

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	50.8	48.9	46.3	-	44.9	1.4
09:00 AM - 10:00 AM	50.0	48.9	43.5	-	44.9	-1.4
10:00 AM - 11:00 AM	48.9	48.9	n/a	-	44.9	-
11:00 AM - 12:00 PM	47.2	48.9	n/a	-	44.9	-
12:00 PM - 01:00 PM	48.3	48.9	n/a	-	44.9	-
01:00 PM - 02:00 PM	51.0	48.9	46.8	-	44.9	1.9
02:00 PM - 03:00 PM	48.7	48.9	n/a	-	44.9	-
03:00 PM - 04:00 PM	50.5	48.9	45.4	-	44.9	0.5
04:00 PM - 05:00 PM	50.3	48.9	44.7	-	44.9	-0.2
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 28 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-26 วันที่ตรวจวัด 28 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546369-1

Page 1 of 1

Sample No. 2620803-27
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606)
Measurement Date Mar 29, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 01122567

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	50.0	50.9	n/a	-	44.1	-
09:00 AM - 10:00 AM	50.0	50.9	n/a	-	44.1	-
10:00 AM - 11:00 AM	49.6	50.9	n/a	-	44.1	-
11:00 AM - 12:00 PM	48.7	50.9	n/a	-	44.1	-
12:00 PM - 01:00 PM	47.1	50.9	n/a	-	44.1	-
01:00 PM - 02:00 PM	48.2	50.9	n/a	-	44.1	-
02:00 PM - 03:00 PM	48.3	50.9	n/a	-	44.1	-
03:00 PM - 04:00 PM	46.7	50.9	n/a	-	44.1	-
04:00 PM - 05:00 PM	50.0	50.9	n/a	-	44.1	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 29 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-27 วันที่ตรวจวัด 29 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546370-1

Page 1 of 1

Sample No. 2620803-28
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606)
Measurement Date Mar 30, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 01122567

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	50.2	49.0	44.0	-	44.6	-0.6
09:00 AM - 10:00 AM	48.7	49.0	n/a	-	44.6	-
10:00 AM - 11:00 AM	49.1	49.0	32.7	-	44.6	-11.9
11:00 AM - 12:00 PM	48.9	49.0	n/a	-	44.6	-
12:00 PM - 01:00 PM	54.0	49.0	52.3	-	44.6	7.7
01:00 PM - 02:00 PM	47.5	49.0	n/a	-	44.6	-
02:00 PM - 03:00 PM	48.9	49.0	n/a	-	44.6	-
03:00 PM - 04:00 PM	48.9	49.0	n/a	-	44.6	-
04:00 PM - 05:00 PM	50.4	49.0	44.8	-	44.6	0.2
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 30 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-28 วันที่ตรวจวัด 30 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2620803
Date Received : Apr 02, 2026
Date Reported : Apr 09, 2026
Report Number : 3546371-1

Page 1 of 1

Sample No. 2620803-29
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261)
Measurement Date Mar 24, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623390

ระดับเสียง (dB(A))						
เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีกิจกรรมกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	57.0	57.8	n/a	-	54.2	-
09:00 AM - 10:00 AM	53.8	57.8	n/a	-	54.2	-
10:00 AM - 11:00 AM	53.2	57.8	n/a	-	54.2	-
11:00 AM - 12:00 PM	55.6	57.8	n/a	-	54.2	-
12:00 PM - 01:00 PM	56.1	57.8	n/a	-	54.2	-
01:00 PM - 02:00 PM	54.6	57.8	n/a	-	54.2	-
02:00 PM - 03:00 PM	54.8	57.8	n/a	-	54.2	-
03:00 PM - 04:00 PM	52.6	57.8	n/a	-	54.2	-
04:00 PM - 05:00 PM	55.2	57.8	n/a	-	54.2	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 24 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีกิจกรรมกวน (Sample No.2620804-29 วันที่ตรวจวัด 24 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีกิจกรรมกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546372-1

Page 1 of 1

Sample No. 2620803-30
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261)
Measurement Date Mar 25, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623390

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	50.3	45.5	48.6	-	42.5	6.1
09:00 AM - 10:00 AM	52.7	45.5	51.8	-	42.5	9.3
10:00 AM - 11:00 AM	51.5	45.5	50.2	-	42.5	7.7
11:00 AM - 12:00 PM	47.4	45.5	42.9	-	42.5	0.4
12:00 PM - 01:00 PM	49.7	45.5	47.6	-	42.5	5.1
01:00 PM - 02:00 PM	48.5	45.5	45.5	-	42.5	3.0
02:00 PM - 03:00 PM	51.9	45.5	50.8	-	42.5	8.3
03:00 PM - 04:00 PM	50.3	45.5	48.6	-	42.5	6.1
04:00 PM - 05:00 PM	51.6	45.5	50.4	-	42.5	7.9
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 25 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-30 วันที่ตรวจวัด 25 มีนาคม 2569, 18:00 - 19:00 น.)
- ก/า: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italhai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2620803
Date Received : Apr 02, 2026
Date Reported : Apr 09, 2026
Report Number : 3546373-1

Page 1 of 1

Sample No. 2620803-31
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261)
Measurement Date Mar 26, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623390

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	49.2	60.0	n/a	-	58.1	-
09:00 AM - 10:00 AM	52.8	60.0	n/a	-	58.1	-
10:00 AM - 11:00 AM	57.2	60.0	n/a	-	58.1	-
11:00 AM - 12:00 PM	52.0	60.0	n/a	-	58.1	-
12:00 PM - 01:00 PM	53.5	60.0	n/a	-	58.1	-
01:00 PM - 02:00 PM	54.4	60.0	n/a	-	58.1	-
02:00 PM - 03:00 PM	52.6	60.0	n/a	-	58.1	-
03:00 PM - 04:00 PM	52.3	60.0	n/a	-	58.1	-
04:00 PM - 05:00 PM	53.6	60.0	n/a	-	58.1	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 26 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-31 วันที่ตรวจวัด 26 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2620803
Date Received : Apr 02, 2026
Date Reported : Apr 09, 2026
Report Number : 3546374-1

Page 1 of 1

Sample No. 2620803-32
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261)
Measurement Date Mar 27, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623390

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	56.7	56.4	44.9	-	52.0	-7.1
09:00 AM - 10:00 AM	56.1	56.4	n/a	-	52.0	-
10:00 AM - 11:00 AM	51.8	56.4	n/a	-	52.0	-
11:00 AM - 12:00 PM	51.6	56.4	n/a	-	52.0	-
12:00 PM - 01:00 PM	52.5	56.4	n/a	-	52.0	-
01:00 PM - 02:00 PM	50.9	56.4	n/a	-	52.0	-
02:00 PM - 03:00 PM	51.7	56.4	n/a	-	52.0	-
03:00 PM - 04:00 PM	53.6	56.4	n/a	-	52.0	-
04:00 PM - 05:00 PM	56.6	56.4	43.1	-	52.0	-8.9
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 27 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-32 วันที่ตรวจวัด 27 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546375-1

Page 1 of 1

Sample No. 2620803-33
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261)
Measurement Date Mar 28, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623390

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	53.2	52.9	41.4	-	50.6	-9.2
09:00 AM - 10:00 AM	53.6	52.9	45.3	-	50.6	-5.3
10:00 AM - 11:00 AM	53.0	52.9	36.6	-	50.6	-14.0
11:00 AM - 12:00 PM	52.7	52.9	n/a	-	50.6	-
12:00 PM - 01:00 PM	51.9	52.9	n/a	-	50.6	-
01:00 PM - 02:00 PM	52.8	52.9	n/a	-	50.6	-
02:00 PM - 03:00 PM	53.4	52.9	43.8	-	50.6	-6.8
03:00 PM - 04:00 PM	54.1	52.9	47.9	-	50.6	-2.7
04:00 PM - 05:00 PM	54.4	52.9	49.1	-	50.6	-1.5
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 28 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-33 วันที่ตรวจวัด 28 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

Lot ID: 2620803
Date Received : Apr 02, 2026
Date Reported : Apr 09, 2026
Report Number : 3546376-1

Page 1 of 1

Sample No. 2620803-34
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261)
Measurement Date Mar 29, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623390

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	54.2	55.7	n/a	-	52.0	-
09:00 AM - 10:00 AM	53.5	55.7	n/a	-	52.0	-
10:00 AM - 11:00 AM	52.7	55.7	n/a	-	52.0	-
11:00 AM - 12:00 PM	52.5	55.7	n/a	-	52.0	-
12:00 PM - 01:00 PM	54.6	55.7	n/a	-	52.0	-
01:00 PM - 02:00 PM	53.3	55.7	n/a	-	52.0	-
02:00 PM - 03:00 PM	53.3	55.7	n/a	-	52.0	-
03:00 PM - 04:00 PM	52.5	55.7	n/a	-	52.0	-
04:00 PM - 05:00 PM	53.3	55.7	n/a	-	52.0	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 29 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-34 วันที่ตรวจวัด 29 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546377-1

Page 1 of 1

Sample No. 2620803-35
Parameter เสียงรบกวน
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261)
Measurement Date Mar 30, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623390

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	52.3	53.9	n/a	-	49.3	-
09:00 AM - 10:00 AM	52.2	53.9	n/a	-	49.3	-
10:00 AM - 11:00 AM	53.4	53.9	n/a	-	49.3	-
11:00 AM - 12:00 PM	53.1	53.9	n/a	-	49.3	-
12:00 PM - 01:00 PM	55.4	53.9	50.1	-	49.3	0.8
01:00 PM - 02:00 PM	53.8	53.9	n/a	-	49.3	-
02:00 PM - 03:00 PM	54.5	53.9	45.6	-	49.3	-3.7
03:00 PM - 04:00 PM	53.9	53.9	n/a	-	49.3	-
04:00 PM - 05:00 PM	59.0	53.9	57.4	-	49.3	8.1
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 30 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-35 วันที่ตรวจวัด 30 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546378-1

Page 1 of 1

Sample No. 2620803-36
Parameter เสียงรบกวน
Location ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105 1460956)
Measurement Date Mar 24, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623392

ระดับเสียง (dB(A))						
เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีกิจกรรม	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	54.6	54.3	42.8	-	48.9	-6.1
09:00 AM - 10:00 AM	56.7	54.3	53.0	-	48.9	4.1
10:00 AM - 11:00 AM	52.9	54.3	n/a	-	48.9	-
11:00 AM - 12:00 PM	57.3	54.3	54.3	-	48.9	5.4
12:00 PM - 01:00 PM	57.3	54.3	54.3	-	48.9	5.4
01:00 PM - 02:00 PM	55.5	54.3	49.3	-	48.9	0.4
02:00 PM - 03:00 PM	55.9	54.3	50.8	-	48.9	1.9
03:00 PM - 04:00 PM	55.5	54.3	49.3	-	48.9	0.4
04:00 PM - 05:00 PM	55.8	54.3	50.5	-	48.9	1.6
ค่ามาตรฐาน						≤ 10

Reference Method :

1. ISO 1996-1

2. ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

1. ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

2. ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

1. ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 24 มีนาคม 2569 (08:00 - 17:00 น.)

2. ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีกิจกรรม (Sample No.2620804-36 วันที่ตรวจวัด 24 มีนาคม 2569, 18:00 - 19:00 น.)

3. n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีกิจกรรม

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546379-1

Page 1 of 1

Sample No. 2620803-37
Parameter เสียงรบกวน
Location ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105 1460956)
Measurement Date Mar 25, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623392

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	56.2	54.5	51.3	-	48.6	2.7
09:00 AM - 10:00 AM	55.0	54.5	45.4	-	48.6	-3.2
10:00 AM - 11:00 AM	58.4	54.5	56.1	-	48.6	7.5
11:00 AM - 12:00 PM	55.5	54.5	48.6	-	48.6	0.0
12:00 PM - 01:00 PM	54.7	54.5	41.2	-	48.6	-7.4
01:00 PM - 02:00 PM	53.4	54.5	n/a	-	48.6	-
02:00 PM - 03:00 PM	53.5	54.5	n/a	-	48.6	-
03:00 PM - 04:00 PM	56.2	54.5	51.3	-	48.6	2.7
04:00 PM - 05:00 PM	55.6	54.5	49.1	-	48.6	0.5
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 25 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-37 วันที่ตรวจวัด 25 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546380-1

Page 1 of 1

Sample No. 2620803-38
Parameter เสียงรบกวน
Location ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105 1460956)
Measurement Date Mar 26, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623392

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	56.1	56.9	n/a	-	47.5	-
09:00 AM - 10:00 AM	59.5	56.9	56.0	-	47.5	8.5
10:00 AM - 11:00 AM	56.9	56.9	n/a	-	47.5	-
11:00 AM - 12:00 PM	57.6	56.9	49.3	-	47.5	1.8
12:00 PM - 01:00 PM	55.0	56.9	n/a	-	47.5	-
01:00 PM - 02:00 PM	54.9	56.9	n/a	-	47.5	-
02:00 PM - 03:00 PM	53.7	56.9	n/a	-	47.5	-
03:00 PM - 04:00 PM	53.6	56.9	n/a	-	47.5	-
04:00 PM - 05:00 PM	54.8	56.9	n/a	-	47.5	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 26 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-38 วันที่ตรวจวัด 26 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546381-1

Page 1 of 1

Sample No. 2620803-39
Parameter เสียงรบกวน
Location ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105 1460956)
Measurement Date Mar 27, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623392

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	55.7	60.4	n/a	-	47.5	-
09:00 AM - 10:00 AM	53.7	60.4	n/a	-	47.5	-
10:00 AM - 11:00 AM	54.7	60.4	n/a	-	47.5	-
11:00 AM - 12:00 PM	56.0	60.4	n/a	-	47.5	-
12:00 PM - 01:00 PM	53.7	60.4	n/a	-	47.5	-
01:00 PM - 02:00 PM	53.0	60.4	n/a	-	47.5	-
02:00 PM - 03:00 PM	55.1	60.4	n/a	-	47.5	-
03:00 PM - 04:00 PM	55.5	60.4	n/a	-	47.5	-
04:00 PM - 05:00 PM	57.0	60.4	n/a	-	47.5	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 27 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-39 วันที่ตรวจวัด 27 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546382-1

Page 1 of 1

Sample No. 2620803-40
Parameter เสียงรบกวน
Location ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105 1460956)
Measurement Date Mar 28, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623392

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	55.5	56.2	n/a	-	48.7	-
09:00 AM - 10:00 AM	54.1	56.2	n/a	-	48.7	-
10:00 AM - 11:00 AM	54.2	56.2	n/a	-	48.7	-
11:00 AM - 12:00 PM	55.4	56.2	n/a	-	48.7	-
12:00 PM - 01:00 PM	53.7	56.2	n/a	-	48.7	-
01:00 PM - 02:00 PM	54.6	56.2	n/a	-	48.7	-
02:00 PM - 03:00 PM	53.5	56.2	n/a	-	48.7	-
03:00 PM - 04:00 PM	54.0	56.2	n/a	-	48.7	-
04:00 PM - 05:00 PM	55.7	56.2	n/a	-	48.7	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 28 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-40 วันที่ตรวจวัด 28 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546383-1

Page 1 of 1

Sample No. 2620803-41
Parameter เสียงรบกวน
Location ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105 1460956)
Measurement Date Mar 29, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623392

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	54.9	56.0	n/a	-	46.9	-
09:00 AM - 10:00 AM	52.3	56.0	n/a	-	46.9	-
10:00 AM - 11:00 AM	54.1	56.0	n/a	-	46.9	-
11:00 AM - 12:00 PM	54.6	56.0	n/a	-	46.9	-
12:00 PM - 01:00 PM	53.5	56.0	n/a	-	46.9	-
01:00 PM - 02:00 PM	52.6	56.0	n/a	-	46.9	-
02:00 PM - 03:00 PM	54.5	56.0	n/a	-	46.9	-
03:00 PM - 04:00 PM	53.9	56.0	n/a	-	46.9	-
04:00 PM - 05:00 PM	55.2	56.0	n/a	-	46.9	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 29 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-41 วันที่ตรวจวัด 29 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620803

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report Number : 3546384-1

Page 1 of 1

Sample No. 2620803-42
Parameter เสียงรบกวน
Location ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105 1460956)
Measurement Date Mar 30, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623392

ระดับเสียง (dB(A))

เวลา	เสียงจากแหล่งกำเนิด	เสียงขณะไม่มีการรบกวน	เสียงขณะมีการรบกวน		เสียงพื้นฐาน	ค่าระดับการรบกวน
			กลางวัน	กลางคืน		
08:00 AM - 09:00 AM	55.2	54.8	44.6	-	47.2	-2.6
09:00 AM - 10:00 AM	55.2	54.8	44.6	-	47.2	-2.6
10:00 AM - 11:00 AM	54.8	54.8	n/a	-	47.2	-
11:00 AM - 12:00 PM	55.7	54.8	48.4	-	47.2	1.2
12:00 PM - 01:00 PM	54.7	54.8	n/a	-	47.2	-
01:00 PM - 02:00 PM	53.1	54.8	n/a	-	47.2	-
02:00 PM - 03:00 PM	53.2	54.8	n/a	-	47.2	-
03:00 PM - 04:00 PM	53.6	54.8	n/a	-	47.2	-
04:00 PM - 05:00 PM	54.8	54.8	n/a	-	47.2	-
ค่ามาตรฐาน						≤ 10

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

มาตรฐาน

- ประกาศกระทรวงอุตสาหกรรม เรื่อง กำหนดค่าระดับเสียงการรบกวนและระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548
- ประกาศกระทรวงสาธารณสุข เรื่อง กำหนดค่ามาตรฐานมลพิษทางเสียงอันเกิดจากการประกอบกิจการที่เป็นอันตรายต่อสุขภาพ พ.ศ. 2561

Remark:

- ระดับเสียงจากแหล่งกำเนิด ทำการตรวจวัด วันที่ 30 มีนาคม 2569 (08:00 - 17:00 น.)
- ระดับเสียงพื้นฐานและระดับเสียงขณะไม่มีการรบกวน (Sample No.2620804-42 วันที่ตรวจวัด 30 มีนาคม 2569, 18:00 - 19:00 น.)
- n/a: ไม่สามารถคำนวณระดับเสียงขณะมีการรบกวนเนื่องจากระดับเสียงจากแหล่งกำเนิดน้อยกว่าระดับเสียงขณะไม่มีการรบกวน

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546397-1

Page 1 of 1

Sample No. 2620804-1
Parameter Noise
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499) (Shut down)
Measurement Date Mar 24, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 01122607

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	47.7	56.8	44.6
06:05 PM - 06:10 PM	50.4	60.8	44.7
06:10 PM - 06:15 PM	48.3	59.4	44.8
06:15 PM - 06:20 PM	49.3	61.7	45.7
06:20 PM - 06:25 PM	47.1	55.5	45.7
06:25 PM - 06:30 PM	46.4	52.2	45.3
06:30 PM - 06:35 PM	47.6	53.7	46.4
06:35 PM - 06:40 PM	48.1	56.5	46.8
06:40 PM - 06:45 PM	47.2	58.0	45.0
06:45 PM - 06:50 PM	47.3	57.0	45.6
06:50 PM - 06:55 PM	47.1	60.9	45.5
06:55 PM - 07:00 PM	49.3	63.1	46.3

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546398-1

Page 1 of 1

Sample No. 2620804-2
Parameter Noise
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499) (Shut down)
Measurement Date Mar 25, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 01122607

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	46.6	58.5	41.9
06:05 PM - 06:10 PM	46.2	58.4	41.1
06:10 PM - 06:15 PM	50.1	72.9	40.8
06:15 PM - 06:20 PM	44.2	54.7	39.7
06:20 PM - 06:25 PM	43.7	50.9	40.6
06:25 PM - 06:30 PM	44.5	52.0	42.8
06:30 PM - 06:35 PM	44.8	57.4	43.1
06:35 PM - 06:40 PM	47.8	52.0	45.2
06:40 PM - 06:45 PM	48.0	60.0	44.9
06:45 PM - 06:50 PM	44.9	58.1	41.8
06:50 PM - 06:55 PM	46.7	54.0	43.5
06:55 PM - 07:00 PM	47.9	57.6	46.0

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546399-1

Page 1 of 1

Sample No. 2620804-3
Parameter Noise
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499) (Shut down)
Measurement Date Mar 26, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 01122607

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	53.1	77.8	40.7
06:05 PM - 06:10 PM	46.4	57.7	40.4
06:10 PM - 06:15 PM	59.1	77.2	41.0
06:15 PM - 06:20 PM	50.7	68.1	40.9
06:20 PM - 06:25 PM	50.5	59.3	45.1
06:25 PM - 06:30 PM	52.9	60.6	44.4
06:30 PM - 06:35 PM	53.2	67.8	44.7
06:35 PM - 06:40 PM	51.3	61.1	45.3
06:40 PM - 06:45 PM	53.7	59.2	47.7
06:45 PM - 06:50 PM	53.8	59.4	48.9
06:50 PM - 06:55 PM	53.6	60.8	45.8
06:55 PM - 07:00 PM	49.9	58.9	45.1

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546400-1

Page 1 of 1

Sample No. 2620804-4
Parameter Noise
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499) (Shut down)
Measurement Date Mar 27, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 01122607

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	46.6	60.0	42.5
06:05 PM - 06:10 PM	48.3	61.3	43.4
06:10 PM - 06:15 PM	48.7	62.3	43.7
06:15 PM - 06:20 PM	45.8	57.2	42.1
06:20 PM - 06:25 PM	50.6	68.7	43.1
06:25 PM - 06:30 PM	48.4	65.8	42.9
06:30 PM - 06:35 PM	46.8	62.2	42.2
06:35 PM - 06:40 PM	45.9	56.4	43.0
06:40 PM - 06:45 PM	48.2	56.0	45.5
06:45 PM - 06:50 PM	49.3	64.6	44.1
06:50 PM - 06:55 PM	50.2	67.0	45.1
06:55 PM - 07:00 PM	46.6	56.9	44.7

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546401-1

Page 1 of 1

Sample No. 2620804-5
Parameter Noise
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499) (Shut down)
Measurement Date Mar 28, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 01122607

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	48.7	61.1	44.2
06:05 PM - 06:10 PM	50.7	63.7	45.7
06:10 PM - 06:15 PM	47.6	55.9	43.8
06:15 PM - 06:20 PM	48.4	59.8	43.5
06:20 PM - 06:25 PM	48.5	66.7	43.9
06:25 PM - 06:30 PM	48.2	56.8	44.6
06:30 PM - 06:35 PM	49.8	63.7	45.2
06:35 PM - 06:40 PM	50.5	64.5	47.7
06:40 PM - 06:45 PM	46.3	56.2	43.2
06:45 PM - 06:50 PM	51.3	66.7	45.1
06:50 PM - 06:55 PM	50.0	64.9	45.2
06:55 PM - 07:00 PM	47.5	53.1	44.9

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546402-1

Page 1 of 1

Sample No. 2620804-6
Parameter Noise
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499) (Shut down)
Measurement Date Mar 29, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 01122607

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	46.5	57.6	41.5
06:05 PM - 06:10 PM	49.6	65.0	39.9
06:10 PM - 06:15 PM	44.0	53.7	39.8
06:15 PM - 06:20 PM	46.4	58.5	41.5
06:20 PM - 06:25 PM	43.4	55.2	39.4
06:25 PM - 06:30 PM	43.6	54.8	39.9
06:30 PM - 06:35 PM	46.5	54.0	44.6
06:35 PM - 06:40 PM	48.1	59.9	43.9
06:40 PM - 06:45 PM	45.3	53.0	42.2
06:45 PM - 06:50 PM	44.5	53.2	42.2
06:50 PM - 06:55 PM	46.2	54.5	43.6
06:55 PM - 07:00 PM	49.0	55.2	43.8

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546403-1

Page 1 of 1

Sample No. 2620804-7
Parameter Noise
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499) (Shut down)
Measurement Date Mar 30, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 01122607

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	49.2	60.3	43.0
06:05 PM - 06:10 PM	48.3	62.6	43.0
06:10 PM - 06:15 PM	49.7	62.7	43.9
06:15 PM - 06:20 PM	46.8	54.7	43.8
06:20 PM - 06:25 PM	47.8	54.6	44.2
06:25 PM - 06:30 PM	47.0	58.9	41.6
06:30 PM - 06:35 PM	51.7	67.8	44.1
06:35 PM - 06:40 PM	49.7	64.6	47.2
06:40 PM - 06:45 PM	47.5	65.9	43.7
06:45 PM - 06:50 PM	48.7	63.6	44.2
06:50 PM - 06:55 PM	47.3	63.9	44.6
06:55 PM - 07:00 PM	47.5	58.4	44.7

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546404-1

Page 1 of 1

Sample No. 2620804-8
Parameter Noise
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373) (Shut down)
Measurement Date Mar 24, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	55.8	69.6	48.6
06:05 PM - 06:10 PM	55.8	71.7	48.1
06:10 PM - 06:15 PM	57.8	76.4	48.8
06:15 PM - 06:20 PM	59.6	79.3	51.4
06:20 PM - 06:25 PM	62.7	76.6	53.5
06:25 PM - 06:30 PM	56.7	69.8	51.5
06:30 PM - 06:35 PM	53.9	68.0	49.4
06:35 PM - 06:40 PM	56.4	71.1	49.1
06:40 PM - 06:45 PM	54.9	73.0	49.0
06:45 PM - 06:50 PM	54.8	69.1	48.3
06:50 PM - 06:55 PM	58.9	78.6	51.0
06:55 PM - 07:00 PM	60.7	75.3	52.2

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546405-1

Page 1 of 1

Sample No. 2620804-9
Parameter Noise
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373) (Shut down)
Measurement Date Mar 25, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	52.2	69.3	44.1
06:05 PM - 06:10 PM	57.1	69.4	46.7
06:10 PM - 06:15 PM	52.5	66.0	47.3
06:15 PM - 06:20 PM	49.5	63.2	43.4
06:20 PM - 06:25 PM	49.2	63.2	43.2
06:25 PM - 06:30 PM	51.5	67.7	44.8
06:30 PM - 06:35 PM	48.8	65.7	43.4
06:35 PM - 06:40 PM	49.0	65.6	42.9
06:40 PM - 06:45 PM	46.6	63.4	42.5
06:45 PM - 06:50 PM	47.5	62.0	42.8
06:50 PM - 06:55 PM	46.5	60.1	43.3
06:55 PM - 07:00 PM	45.3	63.4	43.3

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546406-1

Page 1 of 1

Sample No. 2620804-10
Parameter Noise
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373) (Shut down)
Measurement Date Mar 26, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	54.3	72.3	46.6
06:05 PM - 06:10 PM	54.9	67.1	47.8
06:10 PM - 06:15 PM	53.4	65.4	47.9
06:15 PM - 06:20 PM	52.9	64.8	49.2
06:20 PM - 06:25 PM	55.4	71.2	48.3
06:25 PM - 06:30 PM	59.3	70.8	52.1
06:30 PM - 06:35 PM	55.3	69.9	48.4
06:35 PM - 06:40 PM	55.4	73.7	46.9
06:40 PM - 06:45 PM	56.2	77.0	46.9
06:45 PM - 06:50 PM	51.7	64.7	47.3
06:50 PM - 06:55 PM	52.0	63.3	47.1
06:55 PM - 07:00 PM	54.1	65.2	48.9

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546407-1

Page 1 of 1

Sample No. 2620804-11
Parameter Noise
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373) (Shut down)
Measurement Date Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	53.5	67.9	49.2
06:05 PM - 06:10 PM	52.5	62.9	47.3
06:10 PM - 06:15 PM	54.5	70.1	47.8
06:15 PM - 06:20 PM	52.7	67.5	47.2
06:20 PM - 06:25 PM	53.0	68.9	47.6
06:25 PM - 06:30 PM	53.4	70.5	48.0
06:30 PM - 06:35 PM	54.2	68.6	49.3
06:35 PM - 06:40 PM	51.0	63.4	46.3
06:40 PM - 06:45 PM	51.4	67.8	45.8
06:45 PM - 06:50 PM	55.0	75.7	48.4
06:50 PM - 06:55 PM	54.7	68.1	49.7
06:55 PM - 07:00 PM	58.2	72.0	50.0

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546408-1

Page 1 of 1

Sample No. 2620804-12
Parameter Noise
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373) (Shut down)
Measurement Date Mar 28, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	55.5	64.9	51.6
06:05 PM - 06:10 PM	56.6	70.4	51.7
06:10 PM - 06:15 PM	56.6	66.9	49.8
06:15 PM - 06:20 PM	55.1	63.8	49.5
06:20 PM - 06:25 PM	56.3	66.0	51.7
06:25 PM - 06:30 PM	59.3	74.9	51.6
06:30 PM - 06:35 PM	58.5	71.7	51.2
06:35 PM - 06:40 PM	54.9	63.7	50.5
06:40 PM - 06:45 PM	56.6	70.2	49.9
06:45 PM - 06:50 PM	56.4	65.6	50.0
06:50 PM - 06:55 PM	55.9	69.0	51.4
06:55 PM - 07:00 PM	56.1	68.6	49.2

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546409-1

Page 1 of 1

Sample No. 2620804-13
Parameter Noise
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373) (Shut down)
Measurement Date Mar 29, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	57.4	78.9	52.4
06:05 PM - 06:10 PM	59.7	75.5	52.8
06:10 PM - 06:15 PM	58.2	69.8	50.9
06:15 PM - 06:20 PM	59.7	69.2	53.3
06:20 PM - 06:25 PM	60.5	71.7	54.0
06:25 PM - 06:30 PM	62.1	72.5	52.9
06:30 PM - 06:35 PM	59.2	68.5	53.3
06:35 PM - 06:40 PM	58.8	68.3	54.0
06:40 PM - 06:45 PM	57.8	69.8	50.7
06:45 PM - 06:50 PM	53.4	65.3	48.7
06:50 PM - 06:55 PM	53.8	62.3	48.2
06:55 PM - 07:00 PM	52.3	62.9	46.9

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546410-1

Page 1 of 1

Sample No. 2620804-14
Parameter Noise
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373) (Shut down)
Measurement Date Mar 30, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623389

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	59.1	75.7	51.4
06:05 PM - 06:10 PM	58.9	76.5	52.7
06:10 PM - 06:15 PM	58.2	77.8	52.6
06:15 PM - 06:20 PM	53.9	68.9	46.9
06:20 PM - 06:25 PM	56.2	71.5	48.0
06:25 PM - 06:30 PM	58.6	76.5	48.0
06:30 PM - 06:35 PM	50.0	64.2	44.6
06:35 PM - 06:40 PM	50.1	63.8	43.8
06:40 PM - 06:45 PM	51.7	62.8	44.5
06:45 PM - 06:50 PM	57.6	75.2	48.6
06:50 PM - 06:55 PM	52.9	70.6	45.5
06:55 PM - 07:00 PM	50.3	65.5	45.7

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546411-1

Page 1 of 1

Sample No. 2620804-15
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261) (Shut down)
Measurement Date Mar 24, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	56.0	80.9	49.2
06:05 PM - 06:10 PM	59.6	77.0	50.0
06:10 PM - 06:15 PM	59.8	73.6	51.4
06:15 PM - 06:20 PM	60.7	79.1	52.0
06:20 PM - 06:25 PM	63.0	81.0	53.1
06:25 PM - 06:30 PM	62.4	81.5	52.0
06:30 PM - 06:35 PM	59.1	79.9	50.7
06:35 PM - 06:40 PM	58.9	78.4	50.1
06:40 PM - 06:45 PM	59.2	78.1	49.7
06:45 PM - 06:50 PM	53.6	71.8	48.8
06:50 PM - 06:55 PM	49.2	60.9	47.9
06:55 PM - 07:00 PM	51.4	63.4	48.9

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546412-1

Page 1 of 1

Sample No. 2620804-16
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261) (Shut down)
Measurement Date Mar 25, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	52.8	67.7	47.9
06:05 PM - 06:10 PM	52.2	66.8	47.4
06:10 PM - 06:15 PM	55.4	73.6	48.1
06:15 PM - 06:20 PM	58.4	82.2	48.6
06:20 PM - 06:25 PM	57.9	77.3	48.8
06:25 PM - 06:30 PM	60.5	77.3	49.6
06:30 PM - 06:35 PM	59.3	75.5	49.7
06:35 PM - 06:40 PM	58.6	76.9	49.1
06:40 PM - 06:45 PM	56.8	76.7	49.4
06:45 PM - 06:50 PM	58.0	84.4	47.9
06:50 PM - 06:55 PM	52.2	65.7	48.6
06:55 PM - 07:00 PM	50.5	61.9	47.9

Reference Method :

1. ISO 1996-1

2. ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546413-1

Page 1 of 1

Sample No. 2620804-17
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261) (Shut down)
Measurement Date Mar 26, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	59.0	76.7	49.9
06:05 PM - 06:10 PM	57.7	72.3	51.6
06:10 PM - 06:15 PM	58.4	75.3	52.2
06:15 PM - 06:20 PM	58.1	75.5	50.1
06:20 PM - 06:25 PM	57.4	73.3	51.0
06:25 PM - 06:30 PM	59.4	71.2	53.0
06:30 PM - 06:35 PM	62.4	83.3	54.7
06:35 PM - 06:40 PM	61.0	77.7	53.6
06:40 PM - 06:45 PM	59.3	76.3	52.3
06:45 PM - 06:50 PM	60.4	76.9	52.4
06:50 PM - 06:55 PM	56.5	71.9	51.2
06:55 PM - 07:00 PM	54.1	68.5	50.4

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546414-1

Page 1 of 1

Sample No. 2620804-18
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261) (Shut down)
Measurement Date Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	60.5	79.6	52.8
06:05 PM - 06:10 PM	61.0	77.4	51.0
06:10 PM - 06:15 PM	63.5	81.7	53.5
06:15 PM - 06:20 PM	62.6	79.2	49.4
06:20 PM - 06:25 PM	63.1	84.2	49.9
06:25 PM - 06:30 PM	65.8	83.8	50.9
06:30 PM - 06:35 PM	66.4	83.4	52.8
06:35 PM - 06:40 PM	63.8	83.6	50.9
06:40 PM - 06:45 PM	61.1	80.1	49.5
06:45 PM - 06:50 PM	63.5	83.0	50.4
06:50 PM - 06:55 PM	56.4	70.4	50.5
06:55 PM - 07:00 PM	55.2	68.2	49.6

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546415-1

Page 1 of 1

Sample No. 2620804-19
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261) (Shut down)
Measurement Date Mar 28, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	54.4	66.1	50.9
06:05 PM - 06:10 PM	53.6	71.6	49.1
06:10 PM - 06:15 PM	58.0	68.4	53.1
06:15 PM - 06:20 PM	61.9	77.4	56.4
06:20 PM - 06:25 PM	60.5	66.2	56.6
06:25 PM - 06:30 PM	56.9	64.5	51.9
06:30 PM - 06:35 PM	56.0	62.1	52.9
06:35 PM - 06:40 PM	59.8	65.2	56.4
06:40 PM - 06:45 PM	60.4	66.1	56.8
06:45 PM - 06:50 PM	61.0	67.6	58.6
06:50 PM - 06:55 PM	61.6	68.2	58.9
06:55 PM - 07:00 PM	54.9	61.5	51.4

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546416-1

Page 1 of 1

Sample No. 2620804-20
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261) (Shut down)
Measurement Date Mar 29, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	49.8	61.1	43.7
06:05 PM - 06:10 PM	50.0	71.1	42.6
06:10 PM - 06:15 PM	52.2	65.3	44.0
06:15 PM - 06:20 PM	50.4	62.0	43.0
06:20 PM - 06:25 PM	49.6	59.3	42.4
06:25 PM - 06:30 PM	51.1	58.2	47.7
06:30 PM - 06:35 PM	50.6	60.8	44.3
06:35 PM - 06:40 PM	51.5	61.0	43.6
06:40 PM - 06:45 PM	51.8	65.2	45.0
06:45 PM - 06:50 PM	51.4	61.2	45.1
06:50 PM - 06:55 PM	46.9	54.8	43.3
06:55 PM - 07:00 PM	53.0	75.6	43.4

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546417-1

Page 1 of 1

Sample No. 2620804-21
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131 1461261) (Shut down)
Measurement Date Mar 30, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623393

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	51.7	62.9	48.9
06:05 PM - 06:10 PM	51.2	62.7	48.8
06:10 PM - 06:15 PM	56.7	76.8	50.6
06:15 PM - 06:20 PM	54.3	67.2	50.2
06:20 PM - 06:25 PM	55.7	66.8	51.4
06:25 PM - 06:30 PM	53.2	68.2	49.6
06:30 PM - 06:35 PM	52.9	65.8	49.2
06:35 PM - 06:40 PM	52.2	62.2	49.1
06:40 PM - 06:45 PM	52.2	63.1	49.3
06:45 PM - 06:50 PM	52.5	62.7	49.2
06:50 PM - 06:55 PM	51.6	61.8	49.2
06:55 PM - 07:00 PM	50.7	56.1	48.2

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546418-1

Page 1 of 1

Sample No. 2620804-22
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606) (Shut down)
Measurement Date Mar 24, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 01122567

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	50.1	63.7	43.7
06:05 PM - 06:10 PM	49.7	63.9	44.9
06:10 PM - 06:15 PM	48.2	61.3	44.4
06:15 PM - 06:20 PM	49.6	61.2	44.5
06:20 PM - 06:25 PM	62.9	76.8	47.5
06:25 PM - 06:30 PM	53.7	71.0	45.0
06:30 PM - 06:35 PM	52.9	69.2	44.8
06:35 PM - 06:40 PM	56.7	69.9	45.6
06:40 PM - 06:45 PM	49.0	60.8	44.7
06:45 PM - 06:50 PM	47.6	63.4	44.2
06:50 PM - 06:55 PM	48.9	62.7	44.5
06:55 PM - 07:00 PM	51.6	69.8	46.5

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546419-1

Page 1 of 1

Sample No. 2620804-23
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606) (Shut down)
Measurement Date Mar 25, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 01122567

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	51.5	59.7	45.8
06:05 PM - 06:10 PM	52.2	70.2	44.1
06:10 PM - 06:15 PM	50.3	65.1	43.9
06:15 PM - 06:20 PM	51.6	68.4	44.3
06:20 PM - 06:25 PM	47.8	60.2	43.8
06:25 PM - 06:30 PM	57.7	72.9	44.8
06:30 PM - 06:35 PM	50.2	64.5	44.5
06:35 PM - 06:40 PM	52.4	69.2	45.6
06:40 PM - 06:45 PM	57.2	73.4	44.9
06:45 PM - 06:50 PM	53.6	69.8	46.4
06:50 PM - 06:55 PM	51.3	68.9	46.9
06:55 PM - 07:00 PM	48.5	53.8	47.6

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546420-1

Page 1 of 1

Sample No. 2620804-24
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606) (Shut down)
Measurement Date Mar 26, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 01122567

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	51.1	61.9	44.8
06:05 PM - 06:10 PM	48.4	70.1	42.8
06:10 PM - 06:15 PM	48.2	62.2	42.8
06:15 PM - 06:20 PM	45.4	55.9	42.2
06:20 PM - 06:25 PM	48.5	64.0	42.9
06:25 PM - 06:30 PM	50.6	77.7	43.2
06:30 PM - 06:35 PM	51.0	65.9	42.9
06:35 PM - 06:40 PM	50.4	65.2	43.2
06:40 PM - 06:45 PM	49.8	65.7	44.8
06:45 PM - 06:50 PM	50.6	67.9	45.5
06:50 PM - 06:55 PM	47.2	62.4	44.9
06:55 PM - 07:00 PM	46.8	51.4	45.9

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546421-1

Page 1 of 1

Sample No. 2620804-25
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606) (Shut down)
Measurement Date Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 01122567

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	51.4	68.1	46.9
06:05 PM - 06:10 PM	53.9	72.3	45.1
06:10 PM - 06:15 PM	47.0	58.7	44.5
06:15 PM - 06:20 PM	50.4	66.5	43.4
06:20 PM - 06:25 PM	49.8	63.2	46.3
06:25 PM - 06:30 PM	48.1	61.0	45.7
06:30 PM - 06:35 PM	50.7	63.1	46.2
06:35 PM - 06:40 PM	52.7	71.0	46.8
06:40 PM - 06:45 PM	52.0	63.4	45.9
06:45 PM - 06:50 PM	52.4	71.3	45.6
06:50 PM - 06:55 PM	50.0	67.1	45.8
06:55 PM - 07:00 PM	49.1	62.9	46.9

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546422-1

Page 1 of 1

Sample No. 2620804-26
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606) (Shut down)
Measurement Date Mar 28, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 01122567

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	48.9	62.3	44.9
06:05 PM - 06:10 PM	48.6	57.8	44.7
06:10 PM - 06:15 PM	48.8	60.8	45.8
06:15 PM - 06:20 PM	49.3	66.3	45.6
06:20 PM - 06:25 PM	49.3	61.4	45.7
06:25 PM - 06:30 PM	53.2	72.3	46.5
06:30 PM - 06:35 PM	50.1	64.0	44.2
06:35 PM - 06:40 PM	51.3	63.6	45.8
06:40 PM - 06:45 PM	48.7	63.3	44.4
06:45 PM - 06:50 PM	47.7	62.5	42.8
06:50 PM - 06:55 PM	46.2	58.8	43.3
06:55 PM - 07:00 PM	48.2	57.3	45.1

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546423-1

Page 1 of 1

Sample No. 2620804-27
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606) (Shut down)
Measurement Date Mar 29, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 01122567

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	47.5	59.3	44.6
06:05 PM - 06:10 PM	50.2	62.3	44.6
06:10 PM - 06:15 PM	46.9	65.4	43.6
06:15 PM - 06:20 PM	49.9	64.8	44.8
06:20 PM - 06:25 PM	50.0	64.2	43.8
06:25 PM - 06:30 PM	50.4	65.3	45.5
06:30 PM - 06:35 PM	50.9	76.6	44.4
06:35 PM - 06:40 PM	51.5	65.9	44.2
06:40 PM - 06:45 PM	50.9	65.9	44.1
06:45 PM - 06:50 PM	52.0	68.0	43.6
06:50 PM - 06:55 PM	45.6	57.8	42.6
06:55 PM - 07:00 PM	44.8	56.1	43.0

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546424-1

Page 1 of 1

Sample No. 2620804-28
Parameter Noise
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609 1461606) (Shut down)
Measurement Date Mar 30, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 01122567

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	49.5	58.6	46.4
06:05 PM - 06:10 PM	52.6	69.6	45.7
06:10 PM - 06:15 PM	51.3	61.5	45.7
06:15 PM - 06:20 PM	48.1	60.1	45.0
06:20 PM - 06:25 PM	49.6	66.7	44.8
06:25 PM - 06:30 PM	49.0	61.2	44.6
06:30 PM - 06:35 PM	46.9	53.0	43.8
06:35 PM - 06:40 PM	47.7	61.1	43.5
06:40 PM - 06:45 PM	49.2	63.4	44.2
06:45 PM - 06:50 PM	45.8	59.5	43.5
06:50 PM - 06:55 PM	45.4	50.2	43.9
06:55 PM - 07:00 PM	47.7	63.9	45.2

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546425-1

Page 1 of 1

Sample No. 2620804-29
Parameter Noise
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261) (Shut down)
Measurement Date Mar 24, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	70.2	80.7	60.2
06:05 PM - 06:10 PM	59.4	66.9	55.6
06:10 PM - 06:15 PM	59.0	67.4	54.6
06:15 PM - 06:20 PM	57.8	63.9	54.2
06:20 PM - 06:25 PM	53.7	62.2	50.7
06:25 PM - 06:30 PM	57.2	72.3	51.5
06:30 PM - 06:35 PM	57.2	66.0	54.1
06:35 PM - 06:40 PM	58.5	68.4	54.4
06:40 PM - 06:45 PM	59.1	67.3	56.0
06:45 PM - 06:50 PM	58.8	66.3	54.2
06:50 PM - 06:55 PM	56.6	66.5	52.5
06:55 PM - 07:00 PM	59.5	70.7	54.6

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546426-1

Page 1 of 1

Sample No. 2620804-30
Parameter Noise
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261) (Shut down)
Measurement Date Mar 25, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	45.3	63.7	41.1
06:05 PM - 06:10 PM	46.6	60.2	41.8
06:10 PM - 06:15 PM	47.2	58.1	42.8
06:15 PM - 06:20 PM	46.5	62.2	42.0
06:20 PM - 06:25 PM	45.5	53.3	42.5
06:25 PM - 06:30 PM	50.2	70.3	43.1
06:30 PM - 06:35 PM	51.1	68.9	43.2
06:35 PM - 06:40 PM	55.0	73.0	42.4
06:40 PM - 06:45 PM	64.2	72.1	42.1
06:45 PM - 06:50 PM	68.8	71.4	66.8
06:50 PM - 06:55 PM	67.1	72.8	65.9
06:55 PM - 07:00 PM	63.0	69.9	52.2

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546427-1

Page 1 of 1

Sample No. 2620804-31
Parameter Noise
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261) (Shut down)
Measurement Date Mar 26, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	64.3	77.5	55.4
06:05 PM - 06:10 PM	60.0	69.7	58.1
06:10 PM - 06:15 PM	61.3	67.9	58.3
06:15 PM - 06:20 PM	61.9	69.4	58.5
06:20 PM - 06:25 PM	60.2	64.8	57.6
06:25 PM - 06:30 PM	60.8	65.6	56.6
06:30 PM - 06:35 PM	58.9	64.6	55.8
06:35 PM - 06:40 PM	61.6	67.0	58.7
06:40 PM - 06:45 PM	60.1	66.3	55.3
06:45 PM - 06:50 PM	64.6	72.1	60.9
06:50 PM - 06:55 PM	64.1	72.5	61.2
06:55 PM - 07:00 PM	64.5	77.9	60.7

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546428-1

Page 1 of 1

Sample No. 2620804-32
Parameter Noise
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261) (Shut down)
Measurement Date Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	56.6	70.4	52.2
06:05 PM - 06:10 PM	57.1	67.6	52.9
06:10 PM - 06:15 PM	57.7	67.5	52.4
06:15 PM - 06:20 PM	56.4	67.5	52.0
06:20 PM - 06:25 PM	61.7	81.3	52.5
06:25 PM - 06:30 PM	60.8	79.4	50.6
06:30 PM - 06:35 PM	55.3	69.4	51.6
06:35 PM - 06:40 PM	55.3	64.2	50.8
06:40 PM - 06:45 PM	54.2	68.6	48.7
06:45 PM - 06:50 PM	58.0	70.1	47.9
06:50 PM - 06:55 PM	55.7	63.0	52.1
06:55 PM - 07:00 PM	57.2	65.7	52.9

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546429-1

Page 1 of 1

Sample No. 2620804-33
Parameter Noise
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261) (Shut down)
Measurement Date Mar 28, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	60.9	69.6	58.2
06:05 PM - 06:10 PM	60.6	74.1	57.3
06:10 PM - 06:15 PM	60.3	70.9	56.8
06:15 PM - 06:20 PM	60.2	72.6	56.6
06:20 PM - 06:25 PM	60.8	69.9	54.8
06:25 PM - 06:30 PM	57.2	63.0	48.5
06:30 PM - 06:35 PM	56.9	64.4	50.1
06:35 PM - 06:40 PM	55.1	67.8	50.6
06:40 PM - 06:45 PM	53.0	60.4	49.9
06:45 PM - 06:50 PM	53.3	65.0	50.2
06:50 PM - 06:55 PM	56.3	85.8	50.2
06:55 PM - 07:00 PM	52.9	59.4	50.6

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546430-1

Page 1 of 1

Sample No. 2620804-34
Parameter Noise
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261) (Shut down)
Measurement Date Mar 29, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	56.1	82.3	49.9
06:05 PM - 06:10 PM	55.7	66.0	51.7
06:10 PM - 06:15 PM	55.0	64.8	50.6
06:15 PM - 06:20 PM	56.5	66.7	52.7
06:20 PM - 06:25 PM	55.7	62.9	52.0
06:25 PM - 06:30 PM	56.5	71.6	51.8
06:30 PM - 06:35 PM	56.9	66.3	52.6
06:35 PM - 06:40 PM	56.2	64.8	49.7
06:40 PM - 06:45 PM	58.2	70.2	52.8
06:45 PM - 06:50 PM	59.6	71.6	53.4
06:50 PM - 06:55 PM	59.8	68.5	53.9
06:55 PM - 07:00 PM	58.9	68.2	52.8

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546431-1

Page 1 of 1

Sample No. 2620804-35
Parameter Noise
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514 1460261) (Shut down)
Measurement Date Mar 30, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623390

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	53.4	73.5	48.1
06:05 PM - 06:10 PM	58.0	78.4	48.6
06:10 PM - 06:15 PM	53.9	67.2	49.3
06:15 PM - 06:20 PM	56.9	71.2	49.1
06:20 PM - 06:25 PM	55.8	69.9	48.1
06:25 PM - 06:30 PM	54.1	68.9	47.9
06:30 PM - 06:35 PM	57.1	68.1	51.8
06:35 PM - 06:40 PM	58.9	74.2	54.2
06:40 PM - 06:45 PM	57.4	67.5	50.5
06:45 PM - 06:50 PM	57.8	72.6	51.8
06:50 PM - 06:55 PM	56.9	73.6	51.1
06:55 PM - 07:00 PM	60.3	71.6	56.2

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546432-1

Page 1 of 1

Sample No. 2620804-36
Parameter Noise
Location ที่พักอาศัยบริเวณเหนือทางของโครงการ (N6) (GPS 47P 0744105 1460956) (Shut down)
Measurement Date Mar 24, 2026
Measurement by Adisak Tarisoon
Sound Level Meter 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	60.8	76.0	49.4
06:05 PM - 06:10 PM	56.6	73.3	48.1
06:10 PM - 06:15 PM	57.8	70.7	47.7
06:15 PM - 06:20 PM	59.2	73.0	48.5
06:20 PM - 06:25 PM	58.1	72.2	49.7
06:25 PM - 06:30 PM	60.3	80.6	48.5
06:30 PM - 06:35 PM	58.9	73.1	48.8
06:35 PM - 06:40 PM	57.2	71.7	49.6
06:40 PM - 06:45 PM	57.7	71.8	53.4
06:45 PM - 06:50 PM	55.1	65.0	49.9
06:50 PM - 06:55 PM	54.3	71.3	48.9
06:55 PM - 07:00 PM	55.1	69.0	49.5

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546433-1

Page 1 of 1

Sample No. 2620804-37
Parameter Noise
Location ที่พักอาศัยบริเวณเหนือทางของโครงการ (N6) (GPS 47P 0744105 1460956) (Shut down)
Measurement Date Mar 25, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	55.5	67.9	49.2
06:05 PM - 06:10 PM	57.5	70.4	48.6
06:10 PM - 06:15 PM	59.9	78.3	48.8
06:15 PM - 06:20 PM	55.8	71.2	47.7
06:20 PM - 06:25 PM	55.8	68.7	47.9
06:25 PM - 06:30 PM	53.5	64.7	46.9
06:30 PM - 06:35 PM	56.8	69.2	47.8
06:35 PM - 06:40 PM	56.4	75.0	47.3
06:40 PM - 06:45 PM	59.2	68.5	56.5
06:45 PM - 06:50 PM	57.5	65.0	53.4
06:50 PM - 06:55 PM	54.0	64.5	49.9
06:55 PM - 07:00 PM	54.5	69.4	48.6

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546434-1

Page 1 of 1

Sample No. 2620804-38
Parameter Noise
Location ที่พักอาศัยบริเวณเหนือทางของโครงการ (N6) (GPS 47P 0744105 1460956) (Shut down)
Measurement Date Mar 26, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	58.4	73.3	47.9
06:05 PM - 06:10 PM	56.9	69.9	47.5
06:10 PM - 06:15 PM	59.6	81.1	46.6
06:15 PM - 06:20 PM	56.4	71.3	47.3
06:20 PM - 06:25 PM	57.0	71.6	47.7
06:25 PM - 06:30 PM	53.7	68.9	45.7
06:30 PM - 06:35 PM	57.5	72.4	46.8
06:35 PM - 06:40 PM	56.5	67.8	48.0
06:40 PM - 06:45 PM	57.1	65.4	53.6
06:45 PM - 06:50 PM	60.4	77.0	55.9
06:50 PM - 06:55 PM	56.1	71.8	46.8
06:55 PM - 07:00 PM	55.9	73.3	47.9

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546435-1

Page 1 of 1

Sample No. 2620804-39
Parameter Noise
Location ที่พักอาศัยบริเวณเหนือทางของโครงการ (N6) (GPS 47P 0744105 1460956) (Shut down)
Measurement Date Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	56.2	74.8	48.2
06:05 PM - 06:10 PM	56.5	70.5	47.1
06:10 PM - 06:15 PM	57.1	76.2	48.2
06:15 PM - 06:20 PM	57.0	75.1	46.8
06:20 PM - 06:25 PM	55.3	70.4	47.8
06:25 PM - 06:30 PM	54.8	69.5	46.0
06:30 PM - 06:35 PM	57.0	73.7	46.4
06:35 PM - 06:40 PM	55.7	68.5	48.2
06:40 PM - 06:45 PM	56.3	70.1	50.1
06:45 PM - 06:50 PM	55.6	67.5	50.5
06:50 PM - 06:55 PM	54.8	69.6	46.7
06:55 PM - 07:00 PM	60.4	82.8	47.5

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546436-1

Page 1 of 1

Sample No. 2620804-40
Parameter Noise
Location ที่พักอาศัยบริเวณเหนือทางของโครงการ (N6) (GPS 47P 0744105 1460956) (Shut down)
Measurement Date Mar 28, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	56.2	73.7	48.7
06:05 PM - 06:10 PM	57.3	71.9	48.1
06:10 PM - 06:15 PM	56.4	72.0	48.9
06:15 PM - 06:20 PM	57.3	74.0	47.6
06:20 PM - 06:25 PM	54.6	68.8	47.3
06:25 PM - 06:30 PM	57.9	76.1	47.9
06:30 PM - 06:35 PM	57.8	69.9	48.2
06:35 PM - 06:40 PM	57.5	72.8	50.4
06:40 PM - 06:45 PM	59.1	75.1	49.7
06:45 PM - 06:50 PM	57.2	73.6	49.4
06:50 PM - 06:55 PM	53.7	68.0	48.9
06:55 PM - 07:00 PM	56.1	69.8	50.0

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546437-1

Page 1 of 1

Sample No. 2620804-41
Parameter Noise
Location ที่พักอาศัยบริเวณเหนือทางของโครงการ (N6) (GPS 47P 0744105 1460956) (Shut down)
Measurement Date Mar 29, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	56.9	69.2	48.2
06:05 PM - 06:10 PM	57.1	71.0	47.0
06:10 PM - 06:15 PM	55.5	69.1	46.5
06:15 PM - 06:20 PM	54.1	68.4	46.2
06:20 PM - 06:25 PM	56.3	72.1	46.0
06:25 PM - 06:30 PM	53.3	67.3	46.4
06:30 PM - 06:35 PM	56.0	71.5	46.9
06:35 PM - 06:40 PM	54.9	68.5	50.8
06:40 PM - 06:45 PM	54.2	67.0	48.6
06:45 PM - 06:50 PM	52.6	63.7	46.6
06:50 PM - 06:55 PM	53.1	65.5	48.0
06:55 PM - 07:00 PM	53.7	70.1	49.1

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620804

Date Received : Apr 02, 2026

Date Reported : Apr 09, 2026

Report No. : 3546438-1

Page 1 of 1

Sample No. 2620804-42
Parameter Noise
Location ที่พักอาศัยบริเวณเหนือหน้าทั้งของโครงการ (N6) (GPS 47P 0744105 1460956) (Shut down)
Measurement Date Mar 30, 2026
Measurement by Adisak Tarisoorn
Sound Level Meter 623392

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
06:00 PM - 06:05 PM	57.2	73.4	47.4
06:05 PM - 06:10 PM	56.9	73.2	47.1
06:10 PM - 06:15 PM	53.6	63.9	45.9
06:15 PM - 06:20 PM	61.8	81.6	47.4
06:20 PM - 06:25 PM	53.9	64.3	45.5
06:25 PM - 06:30 PM	55.8	70.4	46.8
06:30 PM - 06:35 PM	53.3	64.2	45.4
06:35 PM - 06:40 PM	57.6	74.1	51.3
06:40 PM - 06:45 PM	55.4	62.9	51.9
06:45 PM - 06:50 PM	54.4	68.0	48.6
06:50 PM - 06:55 PM	54.8	71.4	47.2
06:55 PM - 07:00 PM	53.9	66.7	49.7

Reference Method :

- ISO 1996-1
- ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Wilawan Borirak
Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544252-1

Page 1 of 3

Sample Number 2620802-1
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 24 - Mar 25, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 01122607

Mar 24, 2026	Leq	L90	Mar 24, 2026	Leq	L90	Mar 24, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	48.8	43.7	10:40 AM - 10:45 AM	48.3	39.4	01:20 PM - 01:25 PM	42.4	39.8
08:05 AM - 08:10 AM	62.6	44.2	10:45 AM - 10:50 AM	46.0	39.9	01:25 PM - 01:30 PM	45.1	40.1
08:10 AM - 08:15 AM	68.5	63.2	10:50 AM - 10:55 AM	47.5	41.8	01:30 PM - 01:35 PM	48.3	40.2
08:15 AM - 08:20 AM	65.7	63.2	10:55 AM - 11:00 AM	45.3	40.3	01:35 PM - 01:40 PM	45.6	40.2
08:20 AM - 08:25 AM	61.2	54.4	11:00 AM - 11:05 AM	41.5	38.5	01:40 PM - 01:45 PM	48.0	39.8
08:25 AM - 08:30 AM	56.5	52.9	11:05 AM - 11:10 AM	49.6	40.4	01:45 PM - 01:50 PM	44.1	38.9
08:30 AM - 08:35 AM	63.5	56.6	11:10 AM - 11:15 AM	55.2	39.8	01:50 PM - 01:55 PM	51.3	40.4
08:35 AM - 08:40 AM	65.0	62.2	11:15 AM - 11:20 AM	49.5	40.6	01:55 PM - 02:00 PM	43.0	40.1
08:40 AM - 08:45 AM	61.7	59.0	11:20 AM - 11:25 AM	45.8	40.0	02:00 PM - 02:05 PM	49.6	40.3
08:45 AM - 08:50 AM	63.8	61.1	11:25 AM - 11:30 AM	54.8	40.2	02:05 PM - 02:10 PM	50.2	42.9
08:50 AM - 08:55 AM	60.9	57.3	11:30 AM - 11:35 AM	43.6	39.7	02:10 PM - 02:15 PM	48.2	40.8
08:55 AM - 09:00 AM	58.2	50.1	11:35 AM - 11:40 AM	46.0	40.6	02:15 PM - 02:20 PM	49.8	42.2
09:00 AM - 09:05 AM	52.3	46.6	11:40 AM - 11:45 AM	48.3	41.1	02:20 PM - 02:25 PM	46.4	40.7
09:05 AM - 09:10 AM	52.4	44.3	11:45 AM - 11:50 AM	43.0	39.4	02:25 PM - 02:30 PM	48.1	41.5
09:10 AM - 09:15 AM	46.5	42.5	11:50 AM - 11:55 AM	44.2	38.9	02:30 PM - 02:35 PM	50.2	42.7
09:15 AM - 09:20 AM	46.2	42.5	11:55 AM - 12:00 PM	40.4	38.0	02:35 PM - 02:40 PM	47.3	41.5
09:20 AM - 09:25 AM	51.5	43.4	12:00 PM - 12:05 PM	42.0	39.9	02:40 PM - 02:45 PM	47.7	41.8
09:25 AM - 09:30 AM	51.5	43.0	12:05 PM - 12:10 PM	40.7	38.0	02:45 PM - 02:50 PM	45.2	42.6
09:30 AM - 09:35 AM	52.1	42.2	12:10 PM - 12:15 PM	42.0	38.4	02:50 PM - 02:55 PM	47.3	42.5
09:35 AM - 09:40 AM	46.0	42.6	12:15 PM - 12:20 PM	41.3	38.6	02:55 PM - 03:00 PM	48.5	42.9
09:40 AM - 09:45 AM	47.5	42.8	12:20 PM - 12:25 PM	45.2	40.2	03:00 PM - 03:05 PM	50.4	43.7
09:45 AM - 09:50 AM	50.8	43.2	12:25 PM - 12:30 PM	42.7	39.3	03:05 PM - 03:10 PM	50.0	43.7
09:50 AM - 09:55 AM	46.9	39.2	12:30 PM - 12:35 PM	49.3	38.4	03:10 PM - 03:15 PM	44.0	41.6
09:55 AM - 10:00 AM	41.6	39.6	12:35 PM - 12:40 PM	41.7	37.4	03:15 PM - 03:20 PM	44.4	41.2
10:00 AM - 10:05 AM	43.3	39.4	12:40 PM - 12:45 PM	38.8	36.6	03:20 PM - 03:25 PM	44.9	41.2
10:05 AM - 10:10 AM	45.6	41.8	12:45 PM - 12:50 PM	48.7	38.4	03:25 PM - 03:30 PM	48.6	41.9
10:10 AM - 10:15 AM	43.1	39.7	12:50 PM - 12:55 PM	44.0	38.2	03:30 PM - 03:35 PM	45.1	41.7
10:15 AM - 10:20 AM	42.9	39.8	12:55 PM - 01:00 PM	42.6	38.5	03:35 PM - 03:40 PM	44.4	41.3
10:20 AM - 10:25 AM	49.3	39.7	01:00 PM - 01:05 PM	42.2	38.7	03:40 PM - 03:45 PM	47.6	41.8
10:25 AM - 10:30 AM	46.4	39.6	01:05 PM - 01:10 PM	43.0	38.2	03:45 PM - 03:50 PM	48.2	41.8
10:30 AM - 10:35 AM	42.6	40.2	01:10 PM - 01:15 PM	48.0	39.7	03:50 PM - 03:55 PM	47.6	42.6
10:35 AM - 10:40 AM	41.9	38.5	01:15 PM - 01:20 PM	47.5	41.0	03:55 PM - 04:00 PM	50.2	45.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544252-1

Page 2 of 3

Sample Number 2620802-1
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 24 - Mar 25, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122607

Mar 24, 2026	Leq	L90	Mar 24, 2026	Leq	L90	Mar 24, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	49.9	45.6	06:40 PM - 06:45 PM	47.2	45.0	09:20 PM - 09:25 PM	51.0	49.5
04:05 PM - 04:10 PM	49.8	44.0	06:45 PM - 06:50 PM	47.3	45.6	09:25 PM - 09:30 PM	52.4	49.7
04:10 PM - 04:15 PM	47.7	43.6	06:50 PM - 06:55 PM	47.1	45.5	09:30 PM - 09:35 PM	53.0	50.0
04:15 PM - 04:20 PM	52.3	43.6	06:55 PM - 07:00 PM	49.3	46.3	09:35 PM - 09:40 PM	53.8	48.0
04:20 PM - 04:25 PM	47.2	43.0	07:00 PM - 07:05 PM	47.8	46.3	09:40 PM - 09:45 PM	50.8	47.9
04:25 PM - 04:30 PM	49.2	44.3	07:05 PM - 07:10 PM	47.5	45.8	09:45 PM - 09:50 PM	49.7	47.0
04:30 PM - 04:35 PM	49.3	44.4	07:10 PM - 07:15 PM	47.2	45.7	09:50 PM - 09:55 PM	52.6	47.3
04:35 PM - 04:40 PM	47.6	44.2	07:15 PM - 07:20 PM	46.5	45.6	09:55 PM - 10:00 PM	48.1	46.1
04:40 PM - 04:45 PM	49.7	43.2	07:20 PM - 07:25 PM	47.7	45.7	10:00 PM - 10:05 PM	48.1	46.1
04:45 PM - 04:50 PM	46.4	42.4	07:25 PM - 07:30 PM	47.1	45.9	10:05 PM - 10:10 PM	48.8	47.0
04:50 PM - 04:55 PM	48.5	43.6	07:30 PM - 07:35 PM	47.2	45.4	10:10 PM - 10:15 PM	48.4	46.1
04:55 PM - 05:00 PM	50.7	45.1	07:35 PM - 07:40 PM	46.9	45.5	10:15 PM - 10:20 PM	47.9	46.6
05:00 PM - 05:05 PM	52.9	46.8	07:40 PM - 07:45 PM	46.5	45.2	10:20 PM - 10:25 PM	48.6	47.0
05:05 PM - 05:10 PM	47.8	43.8	07:45 PM - 07:50 PM	47.9	45.1	10:25 PM - 10:30 PM	49.0	47.3
05:10 PM - 05:15 PM	46.3	43.1	07:50 PM - 07:55 PM	50.7	45.9	10:30 PM - 10:35 PM	48.9	47.1
05:15 PM - 05:20 PM	47.1	41.8	07:55 PM - 08:00 PM	48.9	46.4	10:35 PM - 10:40 PM	48.2	46.3
05:20 PM - 05:25 PM	48.7	42.5	08:00 PM - 08:05 PM	49.8	47.3	10:40 PM - 10:45 PM	47.9	46.3
05:25 PM - 05:30 PM	51.3	45.2	08:05 PM - 08:10 PM	49.2	47.6	10:45 PM - 10:50 PM	49.0	47.3
05:30 PM - 05:35 PM	49.4	44.3	08:10 PM - 08:15 PM	49.3	47.7	10:50 PM - 10:55 PM	47.3	46.1
05:35 PM - 05:40 PM	47.5	43.2	08:15 PM - 08:20 PM	50.0	48.8	10:55 PM - 11:00 PM	48.7	46.7
05:40 PM - 05:45 PM	48.2	43.2	08:20 PM - 08:25 PM	50.5	48.8	11:00 PM - 11:05 PM	48.9	46.9
05:45 PM - 05:50 PM	52.1	43.3	08:25 PM - 08:30 PM	50.1	49.0	11:05 PM - 11:10 PM	48.5	46.5
05:50 PM - 05:55 PM	53.7	45.2	08:30 PM - 08:35 PM	50.7	49.4	11:10 PM - 11:15 PM	48.7	46.8
05:55 PM - 06:00 PM	50.0	44.2	08:35 PM - 08:40 PM	51.6	49.1	11:15 PM - 11:20 PM	48.7	46.2
06:00 PM - 06:05 PM	47.7	44.6	08:40 PM - 08:45 PM	50.7	49.4	11:20 PM - 11:25 PM	48.4	46.5
06:05 PM - 06:10 PM	50.4	44.7	08:45 PM - 08:50 PM	50.9	49.7	11:25 PM - 11:30 PM	49.2	47.6
06:10 PM - 06:15 PM	48.3	44.8	08:50 PM - 08:55 PM	50.6	49.2	11:30 PM - 11:35 PM	49.2	47.4
06:15 PM - 06:20 PM	49.3	45.7	08:55 PM - 09:00 PM	50.6	49.3	11:35 PM - 11:40 PM	49.1	47.5
06:20 PM - 06:25 PM	47.1	45.7	09:00 PM - 09:05 PM	50.9	49.7	11:40 PM - 11:45 PM	49.7	48.3
06:25 PM - 06:30 PM	46.4	45.3	09:05 PM - 09:10 PM	51.1	49.9	11:45 PM - 11:50 PM	48.8	46.7
06:30 PM - 06:35 PM	47.6	46.4	09:10 PM - 09:15 PM	51.0	49.6	11:50 PM - 11:55 PM	49.0	47.2
06:35 PM - 06:40 PM	48.1	46.8	09:15 PM - 09:20 PM	50.9	49.7	11:55 PM - 12:00 AM	48.1	45.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544252-1

Page 3 of 3

Sample Number 2620802-1
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกุ้งไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 24 - Mar 25, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122607

Mar 25, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 25, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 25, 2026 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	48.7	46.8	02:40 AM - 02:45 AM	50.9	47.9	05:20 AM - 05:25 AM	49.5	46.0
12:05 AM - 12:10 AM	49.4	47.5	02:45 AM - 02:50 AM	50.6	48.1	05:25 AM - 05:30 AM	49.9	46.8
12:10 AM - 12:15 AM	49.2	47.4	02:50 AM - 02:55 AM	48.6	44.4	05:30 AM - 05:35 AM	51.5	47.3
12:15 AM - 12:20 AM	48.5	46.0	02:55 AM - 03:00 AM	50.3	46.7	05:35 AM - 05:40 AM	50.9	47.9
12:20 AM - 12:25 AM	48.8	47.0	03:00 AM - 03:05 AM	51.7	47.5	05:40 AM - 05:45 AM	49.7	47.2
12:25 AM - 12:30 AM	48.6	46.4	03:05 AM - 03:10 AM	50.3	46.7	05:45 AM - 05:50 AM	49.1	47.5
12:30 AM - 12:35 AM	48.3	45.8	03:10 AM - 03:15 AM	50.3	46.6	05:50 AM - 05:55 AM	55.2	50.6
12:35 AM - 12:40 AM	48.4	45.9	03:15 AM - 03:20 AM	50.2	46.9	05:55 AM - 06:00 AM	51.5	47.7
12:40 AM - 12:45 AM	48.4	45.2	03:20 AM - 03:25 AM	50.2	47.1	06:00 AM - 06:05 AM	51.8	47.0
12:45 AM - 12:50 AM	47.3	44.3	03:25 AM - 03:30 AM	50.2	46.5	06:05 AM - 06:10 AM	53.1	46.0
12:50 AM - 12:55 AM	46.4	44.2	03:30 AM - 03:35 AM	49.9	45.9	06:10 AM - 06:15 AM	51.7	46.2
12:55 AM - 01:00 AM	47.3	45.1	03:35 AM - 03:40 AM	50.0	46.9	06:15 AM - 06:20 AM	48.5	44.9
01:00 AM - 01:05 AM	48.1	46.2	03:40 AM - 03:45 AM	50.1	46.9	06:20 AM - 06:25 AM	48.7	45.2
01:05 AM - 01:10 AM	47.4	44.9	03:45 AM - 03:50 AM	50.1	47.4	06:25 AM - 06:30 AM	47.6	44.6
01:10 AM - 01:15 AM	47.5	45.0	03:50 AM - 03:55 AM	49.7	46.5	06:30 AM - 06:35 AM	49.1	44.5
01:15 AM - 01:20 AM	48.3	46.2	03:55 AM - 04:00 AM	49.6	46.2	06:35 AM - 06:40 AM	47.4	45.0
01:20 AM - 01:25 AM	48.8	46.3	04:00 AM - 04:05 AM	49.5	46.2	06:40 AM - 06:45 AM	50.2	45.8
01:25 AM - 01:30 AM	49.7	46.6	04:05 AM - 04:10 AM	49.8	46.5	06:45 AM - 06:50 AM	51.2	46.0
01:30 AM - 01:35 AM	49.9	46.8	04:10 AM - 04:15 AM	49.2	45.1	06:50 AM - 06:55 AM	48.1	45.7
01:35 AM - 01:40 AM	49.9	46.0	04:15 AM - 04:20 AM	48.7	44.8	06:55 AM - 07:00 AM	48.9	44.5
01:40 AM - 01:45 AM	51.7	49.3	04:20 AM - 04:25 AM	50.0	47.1	07:00 AM - 07:05 AM	51.5	44.6
01:45 AM - 01:50 AM	49.9	47.1	04:25 AM - 04:30 AM	50.2	47.9	07:05 AM - 07:10 AM	50.8	47.5
01:50 AM - 01:55 AM	50.3	46.3	04:30 AM - 04:35 AM	50.6	48.8	07:10 AM - 07:15 AM	49.0	44.4
01:55 AM - 02:00 AM	49.9	46.7	04:35 AM - 04:40 AM	50.1	47.0	07:15 AM - 07:20 AM	52.1	45.0
02:00 AM - 02:05 AM	51.1	48.6	04:40 AM - 04:45 AM	48.2	45.2	07:20 AM - 07:25 AM	48.4	44.9
02:05 AM - 02:10 AM	50.8	47.2	04:45 AM - 04:50 AM	48.7	45.8	07:25 AM - 07:30 AM	47.8	44.0
02:10 AM - 02:15 AM	51.3	48.8	04:50 AM - 04:55 AM	46.5	45.1	07:30 AM - 07:35 AM	50.9	44.9
02:15 AM - 02:20 AM	51.5	49.4	04:55 AM - 05:00 AM	46.5	44.9	07:35 AM - 07:40 AM	47.6	45.4
02:20 AM - 02:25 AM	50.7	47.7	05:00 AM - 05:05 AM	47.5	45.6	07:40 AM - 07:45 AM	49.7	45.7
02:25 AM - 02:30 AM	50.9	47.5	05:05 AM - 05:10 AM	47.3	45.5	07:45 AM - 07:50 AM	49.2	46.9
02:30 AM - 02:35 AM	50.9	48.2	05:10 AM - 05:15 AM	49.2	46.0	07:50 AM - 07:55 AM	48.6	45.8
02:35 AM - 02:40 AM	50.8	47.8	05:15 AM - 05:20 AM	49.3	45.6	07:55 AM - 08:00 AM	49.0	45.9

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544253-1

Page 1 of 3

Sample Number 2620802-2
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 25 - Mar 26, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 01122607

Mar 25, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 25, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 25, 2026 Time	Leq dB(A)	L90 dB(A)
08:00 AM - 08:05 AM	49.4	44.2	10:40 AM - 10:45 AM	50.0	44.4	01:20 PM - 01:25 PM	45.3	41.1
08:05 AM - 08:10 AM	50.7	42.0	10:45 AM - 10:50 AM	47.1	43.9	01:25 PM - 01:30 PM	43.6	39.1
08:10 AM - 08:15 AM	45.1	42.2	10:50 AM - 10:55 AM	46.4	43.6	01:30 PM - 01:35 PM	45.8	39.2
08:15 AM - 08:20 AM	44.8	42.4	10:55 AM - 11:00 AM	49.9	43.6	01:35 PM - 01:40 PM	43.7	38.7
08:20 AM - 08:25 AM	47.5	43.0	11:00 AM - 11:05 AM	48.0	41.9	01:40 PM - 01:45 PM	41.1	37.8
08:25 AM - 08:30 AM	44.3	42.0	11:05 AM - 11:10 AM	48.2	41.4	01:45 PM - 01:50 PM	48.5	38.9
08:30 AM - 08:35 AM	46.3	41.3	11:10 AM - 11:15 AM	48.1	41.6	01:50 PM - 01:55 PM	47.2	40.2
08:35 AM - 08:40 AM	52.3	43.2	11:15 AM - 11:20 AM	45.2	41.0	01:55 PM - 02:00 PM	46.8	37.5
08:40 AM - 08:45 AM	47.0	41.4	11:20 AM - 11:25 AM	46.6	39.8	02:00 PM - 02:05 PM	45.1	40.3
08:45 AM - 08:50 AM	51.2	44.8	11:25 AM - 11:30 AM	42.9	39.3	02:05 PM - 02:10 PM	49.1	40.9
08:50 AM - 08:55 AM	46.5	41.7	11:30 AM - 11:35 AM	42.5	39.0	02:10 PM - 02:15 PM	47.7	41.0
08:55 AM - 09:00 AM	50.3	43.1	11:35 AM - 11:40 AM	43.0	38.2	02:15 PM - 02:20 PM	45.5	39.4
09:00 AM - 09:05 AM	54.1	42.9	11:40 AM - 11:45 AM	40.1	37.1	02:20 PM - 02:25 PM	45.0	40.0
09:05 AM - 09:10 AM	63.2	46.9	11:45 AM - 11:50 AM	46.4	43.4	02:25 PM - 02:30 PM	47.6	41.3
09:10 AM - 09:15 AM	57.3	44.1	11:50 AM - 11:55 AM	47.3	38.8	02:30 PM - 02:35 PM	48.0	40.5
09:15 AM - 09:20 AM	51.0	43.7	11:55 AM - 12:00 PM	41.8	37.0	02:35 PM - 02:40 PM	43.5	37.9
09:20 AM - 09:25 AM	47.4	43.0	12:00 PM - 12:05 PM	40.9	36.7	02:40 PM - 02:45 PM	44.9	39.8
09:25 AM - 09:30 AM	45.0	41.3	12:05 PM - 12:10 PM	46.1	38.4	02:45 PM - 02:50 PM	48.4	40.8
09:30 AM - 09:35 AM	62.3	42.3	12:10 PM - 12:15 PM	42.6	36.9	02:50 PM - 02:55 PM	49.6	41.1
09:35 AM - 09:40 AM	51.4	41.8	12:15 PM - 12:20 PM	49.4	37.7	02:55 PM - 03:00 PM	53.8	42.3
09:40 AM - 09:45 AM	51.3	41.7	12:20 PM - 12:25 PM	47.5	38.7	03:00 PM - 03:05 PM	46.0	40.8
09:45 AM - 09:50 AM	50.8	44.0	12:25 PM - 12:30 PM	40.1	37.0	03:05 PM - 03:10 PM	43.3	39.6
09:50 AM - 09:55 AM	61.9	42.9	12:30 PM - 12:35 PM	51.0	37.7	03:10 PM - 03:15 PM	45.6	39.0
09:55 AM - 10:00 AM	59.3	42.7	12:35 PM - 12:40 PM	43.9	37.6	03:15 PM - 03:20 PM	46.2	40.2
10:00 AM - 10:05 AM	45.4	40.8	12:40 PM - 12:45 PM	42.9	35.9	03:20 PM - 03:25 PM	41.8	37.9
10:05 AM - 10:10 AM	44.2	40.0	12:45 PM - 12:50 PM	46.4	36.8	03:25 PM - 03:30 PM	43.9	39.1
10:10 AM - 10:15 AM	53.8	42.6	12:50 PM - 12:55 PM	47.5	39.5	03:30 PM - 03:35 PM	43.0	37.6
10:15 AM - 10:20 AM	52.3	45.8	12:55 PM - 01:00 PM	52.1	37.8	03:35 PM - 03:40 PM	47.4	40.6
10:20 AM - 10:25 AM	46.4	41.4	01:00 PM - 01:05 PM	44.7	37.3	03:40 PM - 03:45 PM	49.5	44.7
10:25 AM - 10:30 AM	52.5	42.7	01:05 PM - 01:10 PM	42.5	38.0	03:45 PM - 03:50 PM	46.6	44.0
10:30 AM - 10:35 AM	47.1	42.6	01:10 PM - 01:15 PM	42.2	38.4	03:50 PM - 03:55 PM	46.2	42.0
10:35 AM - 10:40 AM	45.2	41.9	01:15 PM - 01:20 PM	44.3	40.0	03:55 PM - 04:00 PM	48.3	44.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544253-1

Page 2 of 3

Sample Number 2620802-2
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 25 - Mar 26, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122607

Mar 25, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 25, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 25, 2026 Time	Leq dB(A)	L90 dB(A)
04:00 PM - 04:05 PM	48.1	43.8	06:40 PM - 06:45 PM	48.0	44.9	09:20 PM - 09:25 PM	44.4	43.2
04:05 PM - 04:10 PM	49.9	43.3	06:45 PM - 06:50 PM	44.9	41.8	09:25 PM - 09:30 PM	45.3	43.1
04:10 PM - 04:15 PM	50.5	45.1	06:50 PM - 06:55 PM	46.7	43.5	09:30 PM - 09:35 PM	44.5	42.7
04:15 PM - 04:20 PM	49.5	45.2	06:55 PM - 07:00 PM	47.9	46.0	09:35 PM - 09:40 PM	44.7	42.8
04:20 PM - 04:25 PM	47.0	43.6	07:00 PM - 07:05 PM	49.7	46.7	09:40 PM - 09:45 PM	43.9	42.8
04:25 PM - 04:30 PM	48.9	44.0	07:05 PM - 07:10 PM	50.5	46.8	09:45 PM - 09:50 PM	46.7	43.3
04:30 PM - 04:35 PM	48.6	43.8	07:10 PM - 07:15 PM	47.9	46.8	09:50 PM - 09:55 PM	48.7	44.8
04:35 PM - 04:40 PM	47.0	42.4	07:15 PM - 07:20 PM	49.2	44.7	09:55 PM - 10:00 PM	46.0	44.0
04:40 PM - 04:45 PM	45.8	41.4	07:20 PM - 07:25 PM	46.9	43.9	10:00 PM - 10:05 PM	45.8	44.5
04:45 PM - 04:50 PM	50.6	43.5	07:25 PM - 07:30 PM	47.7	46.5	10:05 PM - 10:10 PM	45.4	44.1
04:50 PM - 04:55 PM	51.5	44.0	07:30 PM - 07:35 PM	49.4	46.4	10:10 PM - 10:15 PM	45.3	43.8
04:55 PM - 05:00 PM	49.6	44.5	07:35 PM - 07:40 PM	47.6	44.2	10:15 PM - 10:20 PM	46.2	44.8
05:00 PM - 05:05 PM	48.3	44.4	07:40 PM - 07:45 PM	47.0	44.8	10:20 PM - 10:25 PM	47.1	45.0
05:05 PM - 05:10 PM	55.6	44.9	07:45 PM - 07:50 PM	47.1	45.7	10:25 PM - 10:30 PM	47.0	45.2
05:10 PM - 05:15 PM	55.6	44.5	07:50 PM - 07:55 PM	46.8	44.0	10:30 PM - 10:35 PM	47.5	45.6
05:15 PM - 05:20 PM	48.1	42.8	07:55 PM - 08:00 PM	45.6	43.1	10:35 PM - 10:40 PM	46.7	45.6
05:20 PM - 05:25 PM	62.0	43.2	08:00 PM - 08:05 PM	46.8	44.2	10:40 PM - 10:45 PM	46.8	45.4
05:25 PM - 05:30 PM	54.2	45.1	08:05 PM - 08:10 PM	45.8	43.2	10:45 PM - 10:50 PM	45.3	42.0
05:30 PM - 05:35 PM	51.4	43.3	08:10 PM - 08:15 PM	46.9	45.6	10:50 PM - 10:55 PM	46.3	44.2
05:35 PM - 05:40 PM	48.9	42.7	08:15 PM - 08:20 PM	45.3	43.3	10:55 PM - 11:00 PM	45.3	44.3
05:40 PM - 05:45 PM	47.3	43.0	08:20 PM - 08:25 PM	44.4	43.1	11:00 PM - 11:05 PM	46.0	44.5
05:45 PM - 05:50 PM	46.5	42.5	08:25 PM - 08:30 PM	44.4	43.3	11:05 PM - 11:10 PM	47.3	45.0
05:50 PM - 05:55 PM	44.9	42.0	08:30 PM - 08:35 PM	46.7	43.6	11:10 PM - 11:15 PM	48.3	45.4
05:55 PM - 06:00 PM	52.4	43.0	08:35 PM - 08:40 PM	46.6	44.6	11:15 PM - 11:20 PM	45.9	44.3
06:00 PM - 06:05 PM	46.6	41.9	08:40 PM - 08:45 PM	45.3	43.5	11:20 PM - 11:25 PM	48.1	45.3
06:05 PM - 06:10 PM	46.2	41.1	08:45 PM - 08:50 PM	46.1	44.4	11:25 PM - 11:30 PM	46.0	44.6
06:10 PM - 06:15 PM	50.1	40.8	08:50 PM - 08:55 PM	47.2	45.5	11:30 PM - 11:35 PM	45.9	44.6
06:15 PM - 06:20 PM	44.2	39.7	08:55 PM - 09:00 PM	48.2	45.9	11:35 PM - 11:40 PM	46.0	44.9
06:20 PM - 06:25 PM	43.7	40.6	09:00 PM - 09:05 PM	46.7	44.6	11:40 PM - 11:45 PM	46.3	45.3
06:25 PM - 06:30 PM	44.5	42.8	09:05 PM - 09:10 PM	46.3	44.4	11:45 PM - 11:50 PM	46.3	45.3
06:30 PM - 06:35 PM	44.8	43.1	09:10 PM - 09:15 PM	46.8	44.9	11:50 PM - 11:55 PM	46.0	44.9
06:35 PM - 06:40 PM	47.8	45.2	09:15 PM - 09:20 PM	45.2	43.0	11:55 PM - 12:00 AM	46.2	44.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544253-1

Page 3 of 3

Sample Number 2620802-2
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 25 - Mar 26, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122607

Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	45.9	44.6	02:40 AM - 02:45 AM	45.6	42.4	05:20 AM - 05:25 AM	46.3	44.7
12:05 AM - 12:10 AM	45.8	44.4	02:45 AM - 02:50 AM	47.6	43.6	05:25 AM - 05:30 AM	46.5	44.9
12:10 AM - 12:15 AM	46.3	44.7	02:50 AM - 02:55 AM	46.8	44.0	05:30 AM - 05:35 AM	50.8	45.6
12:15 AM - 12:20 AM	46.4	44.5	02:55 AM - 03:00 AM	46.8	43.7	05:35 AM - 05:40 AM	51.1	45.8
12:20 AM - 12:25 AM	45.3	43.3	03:00 AM - 03:05 AM	48.6	44.7	05:40 AM - 05:45 AM	53.8	47.9
12:25 AM - 12:30 AM	45.5	43.6	03:05 AM - 03:10 AM	50.4	46.1	05:45 AM - 05:50 AM	54.5	49.5
12:30 AM - 12:35 AM	44.8	43.4	03:10 AM - 03:15 AM	50.8	47.2	05:50 AM - 05:55 AM	50.4	47.5
12:35 AM - 12:40 AM	45.4	43.6	03:15 AM - 03:20 AM	50.9	47.4	05:55 AM - 06:00 AM	49.1	45.9
12:40 AM - 12:45 AM	44.3	42.8	03:20 AM - 03:25 AM	50.5	46.6	06:00 AM - 06:05 AM	46.9	45.1
12:45 AM - 12:50 AM	45.7	44.0	03:25 AM - 03:30 AM	50.6	47.4	06:05 AM - 06:10 AM	48.9	45.7
12:50 AM - 12:55 AM	46.3	44.8	03:30 AM - 03:35 AM	50.8	47.0	06:10 AM - 06:15 AM	47.8	44.6
12:55 AM - 01:00 AM	47.3	44.9	03:35 AM - 03:40 AM	51.7	48.9	06:15 AM - 06:20 AM	47.7	44.3
01:00 AM - 01:05 AM	47.9	45.3	03:40 AM - 03:45 AM	51.3	47.9	06:20 AM - 06:25 AM	45.8	43.1
01:05 AM - 01:10 AM	47.7	45.0	03:45 AM - 03:50 AM	50.9	47.9	06:25 AM - 06:30 AM	46.4	43.2
01:10 AM - 01:15 AM	48.0	44.9	03:50 AM - 03:55 AM	49.4	44.6	06:30 AM - 06:35 AM	47.8	43.2
01:15 AM - 01:20 AM	46.7	44.7	03:55 AM - 04:00 AM	49.7	45.1	06:35 AM - 06:40 AM	48.6	43.4
01:20 AM - 01:25 AM	47.2	45.1	04:00 AM - 04:05 AM	50.3	46.2	06:40 AM - 06:45 AM	45.7	43.0
01:25 AM - 01:30 AM	47.3	45.1	04:05 AM - 04:10 AM	49.7	45.3	06:45 AM - 06:50 AM	46.4	42.5
01:30 AM - 01:35 AM	46.4	43.7	04:10 AM - 04:15 AM	49.8	45.5	06:50 AM - 06:55 AM	45.8	42.1
01:35 AM - 01:40 AM	46.2	43.5	04:15 AM - 04:20 AM	49.9	45.9	06:55 AM - 07:00 AM	47.6	42.7
01:40 AM - 01:45 AM	46.5	43.8	04:20 AM - 04:25 AM	49.7	45.3	07:00 AM - 07:05 AM	46.4	43.2
01:45 AM - 01:50 AM	46.7	44.5	04:25 AM - 04:30 AM	49.9	45.8	07:05 AM - 07:10 AM	51.1	42.6
01:50 AM - 01:55 AM	46.7	44.5	04:30 AM - 04:35 AM	44.9	43.7	07:10 AM - 07:15 AM	48.1	42.3
01:55 AM - 02:00 AM	46.7	44.3	04:35 AM - 04:40 AM	47.7	45.3	07:15 AM - 07:20 AM	46.4	43.4
02:00 AM - 02:05 AM	47.1	44.8	04:40 AM - 04:45 AM	47.9	45.3	07:20 AM - 07:25 AM	47.3	43.2
02:05 AM - 02:10 AM	48.2	45.9	04:45 AM - 04:50 AM	47.7	45.7	07:25 AM - 07:30 AM	49.1	44.0
02:10 AM - 02:15 AM	48.4	45.5	04:50 AM - 04:55 AM	47.7	45.5	07:30 AM - 07:35 AM	46.7	43.6
02:15 AM - 02:20 AM	49.0	46.3	04:55 AM - 05:00 AM	47.6	45.4	07:35 AM - 07:40 AM	47.1	43.1
02:20 AM - 02:25 AM	48.3	43.7	05:00 AM - 05:05 AM	47.8	45.2	07:40 AM - 07:45 AM	45.2	42.3
02:25 AM - 02:30 AM	48.5	44.3	05:05 AM - 05:10 AM	47.6	45.2	07:45 AM - 07:50 AM	49.6	42.9
02:30 AM - 02:35 AM	48.8	45.8	05:10 AM - 05:15 AM	47.4	45.5	07:50 AM - 07:55 AM	46.2	42.3
02:35 AM - 02:40 AM	47.3	43.5	05:15 AM - 05:20 AM	46.2	44.5	07:55 AM - 08:00 AM	50.0	43.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544254-1

Page 1 of 3

Sample Number 2620802-3
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 26 - Mar 27, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 01122607

Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	50.8	43.7	10:40 AM - 10:45 AM	56.9	41.4	01:20 PM - 01:25 PM	49.4	44.0
08:05 AM - 08:10 AM	47.2	42.9	10:45 AM - 10:50 AM	59.2	50.0	01:25 PM - 01:30 PM	57.6	44.6
08:10 AM - 08:15 AM	45.4	42.3	10:50 AM - 10:55 AM	62.8	54.8	01:30 PM - 01:35 PM	48.3	43.4
08:15 AM - 08:20 AM	45.7	43.0	10:55 AM - 11:00 AM	63.9	53.5	01:35 PM - 01:40 PM	46.6	40.7
08:20 AM - 08:25 AM	52.3	42.2	11:00 AM - 11:05 AM	55.3	40.6	01:40 PM - 01:45 PM	49.1	41.9
08:25 AM - 08:30 AM	52.8	45.2	11:05 AM - 11:10 AM	44.0	40.5	01:45 PM - 01:50 PM	50.3	43.0
08:30 AM - 08:35 AM	45.2	42.6	11:10 AM - 11:15 AM	49.8	41.5	01:50 PM - 01:55 PM	51.2	43.8
08:35 AM - 08:40 AM	53.3	42.5	11:15 AM - 11:20 AM	50.3	41.3	01:55 PM - 02:00 PM	45.5	42.5
08:40 AM - 08:45 AM	51.7	42.1	11:20 AM - 11:25 AM	52.7	41.4	02:00 PM - 02:05 PM	46.2	42.5
08:45 AM - 08:50 AM	46.7	43.3	11:25 AM - 11:30 AM	47.7	41.6	02:05 PM - 02:10 PM	44.6	42.0
08:50 AM - 08:55 AM	46.5	41.9	11:30 AM - 11:35 AM	49.1	40.4	02:10 PM - 02:15 PM	50.1	42.1
08:55 AM - 09:00 AM	44.7	41.8	11:35 AM - 11:40 AM	45.6	39.8	02:15 PM - 02:20 PM	48.9	42.5
09:00 AM - 09:05 AM	46.2	42.4	11:40 AM - 11:45 AM	47.8	40.7	02:20 PM - 02:25 PM	47.3	40.6
09:05 AM - 09:10 AM	44.7	42.0	11:45 AM - 11:50 AM	40.7	37.3	02:25 PM - 02:30 PM	43.1	40.4
09:10 AM - 09:15 AM	44.7	41.1	11:50 AM - 11:55 AM	47.7	40.1	02:30 PM - 02:35 PM	45.0	40.5
09:15 AM - 09:20 AM	44.8	41.3	11:55 AM - 12:00 PM	41.0	37.7	02:35 PM - 02:40 PM	44.0	39.6
09:20 AM - 09:25 AM	48.1	42.0	12:00 PM - 12:05 PM	43.7	38.4	02:40 PM - 02:45 PM	51.7	39.7
09:25 AM - 09:30 AM	48.2	42.3	12:05 PM - 12:10 PM	43.6	37.5	02:45 PM - 02:50 PM	44.5	39.1
09:30 AM - 09:35 AM	51.4	41.3	12:10 PM - 12:15 PM	45.3	37.9	02:50 PM - 02:55 PM	46.5	39.3
09:35 AM - 09:40 AM	50.0	43.8	12:15 PM - 12:20 PM	41.0	37.4	02:55 PM - 03:00 PM	49.4	42.2
09:40 AM - 09:45 AM	49.0	42.6	12:20 PM - 12:25 PM	41.1	37.1	03:00 PM - 03:05 PM	44.3	38.8
09:45 AM - 09:50 AM	52.9	42.8	12:25 PM - 12:30 PM	41.3	37.8	03:05 PM - 03:10 PM	41.5	36.2
09:50 AM - 09:55 AM	46.7	42.2	12:30 PM - 12:35 PM	46.1	38.4	03:10 PM - 03:15 PM	48.5	38.6
09:55 AM - 10:00 AM	54.2	41.8	12:35 PM - 12:40 PM	45.1	38.1	03:15 PM - 03:20 PM	41.3	37.8
10:00 AM - 10:05 AM	44.7	41.1	12:40 PM - 12:45 PM	60.5	38.6	03:20 PM - 03:25 PM	44.4	39.2
10:05 AM - 10:10 AM	54.6	42.8	12:45 PM - 12:50 PM	60.5	39.6	03:25 PM - 03:30 PM	44.4	38.9
10:10 AM - 10:15 AM	53.1	44.6	12:50 PM - 12:55 PM	54.3	48.1	03:30 PM - 03:35 PM	48.1	39.5
10:15 AM - 10:20 AM	49.8	41.2	12:55 PM - 01:00 PM	54.1	46.4	03:35 PM - 03:40 PM	41.3	39.1
10:20 AM - 10:25 AM	49.1	41.2	01:00 PM - 01:05 PM	51.2	45.5	03:40 PM - 03:45 PM	50.8	39.1
10:25 AM - 10:30 AM	43.8	41.0	01:05 PM - 01:10 PM	47.6	43.5	03:45 PM - 03:50 PM	45.8	38.5
10:30 AM - 10:35 AM	47.4	39.4	01:10 PM - 01:15 PM	51.6	45.5	03:50 PM - 03:55 PM	45.3	41.1
10:35 AM - 10:40 AM	48.4	42.8	01:15 PM - 01:20 PM	48.3	44.4	03:55 PM - 04:00 PM	45.9	42.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544254-1

Page 2 of 3

Sample Number 2620802-3
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 26 - Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122607

Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	46.1	43.2	06:40 PM - 06:45 PM	53.7	47.7	09:20 PM - 09:25 PM	44.6	41.8
04:05 PM - 04:10 PM	45.4	42.4	06:45 PM - 06:50 PM	53.8	48.9	09:25 PM - 09:30 PM	43.8	41.6
04:10 PM - 04:15 PM	50.1	44.3	06:50 PM - 06:55 PM	53.6	45.8	09:30 PM - 09:35 PM	43.6	41.5
04:15 PM - 04:20 PM	48.6	44.3	06:55 PM - 07:00 PM	49.9	45.1	09:35 PM - 09:40 PM	43.0	41.3
04:20 PM - 04:25 PM	47.6	44.6	07:00 PM - 07:05 PM	50.9	45.9	09:40 PM - 09:45 PM	42.2	40.7
04:25 PM - 04:30 PM	47.1	43.7	07:05 PM - 07:10 PM	47.3	45.4	09:45 PM - 09:50 PM	49.3	41.7
04:30 PM - 04:35 PM	50.7	43.3	07:10 PM - 07:15 PM	46.4	44.9	09:50 PM - 09:55 PM	44.0	42.7
04:35 PM - 04:40 PM	48.8	45.0	07:15 PM - 07:20 PM	45.3	44.4	09:55 PM - 10:00 PM	43.7	42.1
04:40 PM - 04:45 PM	49.3	44.5	07:20 PM - 07:25 PM	45.8	44.6	10:00 PM - 10:05 PM	44.4	43.1
04:45 PM - 04:50 PM	49.8	45.4	07:25 PM - 07:30 PM	46.9	45.3	10:05 PM - 10:10 PM	45.2	43.1
04:50 PM - 04:55 PM	50.2	44.6	07:30 PM - 07:35 PM	45.5	44.5	10:10 PM - 10:15 PM	45.9	43.9
04:55 PM - 05:00 PM	51.1	45.7	07:35 PM - 07:40 PM	44.9	43.8	10:15 PM - 10:20 PM	45.9	44.0
05:00 PM - 05:05 PM	51.4	47.1	07:40 PM - 07:45 PM	44.3	42.6	10:20 PM - 10:25 PM	46.0	44.5
05:05 PM - 05:10 PM	48.7	45.7	07:45 PM - 07:50 PM	43.2	41.8	10:25 PM - 10:30 PM	46.3	44.4
05:10 PM - 05:15 PM	48.9	45.2	07:50 PM - 07:55 PM	44.3	42.1	10:30 PM - 10:35 PM	46.6	45.0
05:15 PM - 05:20 PM	48.1	44.3	07:55 PM - 08:00 PM	44.3	42.2	10:35 PM - 10:40 PM	46.0	44.2
05:20 PM - 05:25 PM	49.7	44.0	08:00 PM - 08:05 PM	44.0	42.2	10:40 PM - 10:45 PM	44.9	43.4
05:25 PM - 05:30 PM	46.7	43.5	08:05 PM - 08:10 PM	43.8	42.8	10:45 PM - 10:50 PM	44.7	43.1
05:30 PM - 05:35 PM	44.3	41.8	08:10 PM - 08:15 PM	44.4	42.9	10:50 PM - 10:55 PM	45.0	43.5
05:35 PM - 05:40 PM	46.2	43.1	08:15 PM - 08:20 PM	43.2	42.2	10:55 PM - 11:00 PM	44.6	43.2
05:40 PM - 05:45 PM	52.4	40.7	08:20 PM - 08:25 PM	43.5	42.2	11:00 PM - 11:05 PM	44.2	42.7
05:45 PM - 05:50 PM	48.0	40.5	08:25 PM - 08:30 PM	43.2	42.0	11:05 PM - 11:10 PM	45.3	44.0
05:50 PM - 05:55 PM	42.4	40.2	08:30 PM - 08:35 PM	42.8	41.8	11:10 PM - 11:15 PM	45.1	44.1
05:55 PM - 06:00 PM	46.6	40.8	08:35 PM - 08:40 PM	43.5	41.8	11:15 PM - 11:20 PM	44.9	43.8
06:00 PM - 06:05 PM	53.1	40.7	08:40 PM - 08:45 PM	43.1	41.8	11:20 PM - 11:25 PM	44.6	43.7
06:05 PM - 06:10 PM	46.4	40.4	08:45 PM - 08:50 PM	43.2	41.9	11:25 PM - 11:30 PM	44.6	43.4
06:10 PM - 06:15 PM	59.1	41.0	08:50 PM - 08:55 PM	43.1	42.0	11:30 PM - 11:35 PM	44.9	43.9
06:15 PM - 06:20 PM	50.7	40.9	08:55 PM - 09:00 PM	44.6	41.9	11:35 PM - 11:40 PM	45.1	43.7
06:20 PM - 06:25 PM	50.5	45.1	09:00 PM - 09:05 PM	44.6	41.5	11:40 PM - 11:45 PM	45.1	43.6
06:25 PM - 06:30 PM	52.9	44.4	09:05 PM - 09:10 PM	43.0	40.7	11:45 PM - 11:50 PM	44.4	42.9
06:30 PM - 06:35 PM	53.2	44.7	09:10 PM - 09:15 PM	44.9	41.4	11:50 PM - 11:55 PM	44.0	42.2
06:35 PM - 06:40 PM	51.3	45.3	09:15 PM - 09:20 PM	63.7	41.5	11:55 PM - 12:00 AM	45.0	42.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544254-1

Page 3 of 3

Sample Number 2620802-3
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกุ้งไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 26 - Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122607

Mar 27, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 27, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 27, 2026 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	45.2	43.2	02:40 AM - 02:45 AM	45.4	42.3	05:20 AM - 05:25 AM	57.8	49.1
12:05 AM - 12:10 AM	45.3	42.9	02:45 AM - 02:50 AM	46.1	43.3	05:25 AM - 05:30 AM	58.1	49.7
12:10 AM - 12:15 AM	46.3	43.8	02:50 AM - 02:55 AM	45.6	43.1	05:30 AM - 05:35 AM	59.1	51.4
12:15 AM - 12:20 AM	46.2	43.6	02:55 AM - 03:00 AM	44.9	42.4	05:35 AM - 05:40 AM	58.8	50.2
12:20 AM - 12:25 AM	45.7	43.2	03:00 AM - 03:05 AM	45.0	41.6	05:40 AM - 05:45 AM	58.6	51.2
12:25 AM - 12:30 AM	44.7	41.8	03:05 AM - 03:10 AM	66.0	44.3	05:45 AM - 05:50 AM	59.8	51.3
12:30 AM - 12:35 AM	45.9	43.3	03:10 AM - 03:15 AM	44.8	41.4	05:50 AM - 05:55 AM	57.6	49.4
12:35 AM - 12:40 AM	45.9	43.5	03:15 AM - 03:20 AM	45.9	42.3	05:55 AM - 06:00 AM	56.7	47.8
12:40 AM - 12:45 AM	45.8	43.0	03:20 AM - 03:25 AM	47.3	43.1	06:00 AM - 06:05 AM	54.2	46.9
12:45 AM - 12:50 AM	43.6	42.2	03:25 AM - 03:30 AM	49.4	46.8	06:05 AM - 06:10 AM	50.0	46.8
12:50 AM - 12:55 AM	45.2	42.8	03:30 AM - 03:35 AM	49.4	46.4	06:10 AM - 06:15 AM	51.8	46.6
12:55 AM - 01:00 AM	46.4	43.7	03:35 AM - 03:40 AM	49.8	47.2	06:15 AM - 06:20 AM	49.1	44.9
01:00 AM - 01:05 AM	47.1	44.5	03:40 AM - 03:45 AM	50.1	47.5	06:20 AM - 06:25 AM	50.2	44.9
01:05 AM - 01:10 AM	46.3	43.3	03:45 AM - 03:50 AM	49.2	45.7	06:25 AM - 06:30 AM	48.3	44.8
01:10 AM - 01:15 AM	46.0	42.8	03:50 AM - 03:55 AM	49.2	46.4	06:30 AM - 06:35 AM	50.2	44.8
01:15 AM - 01:20 AM	45.8	42.5	03:55 AM - 04:00 AM	50.8	48.3	06:35 AM - 06:40 AM	49.7	44.6
01:20 AM - 01:25 AM	45.5	42.6	04:00 AM - 04:05 AM	50.9	48.5	06:40 AM - 06:45 AM	52.3	44.6
01:25 AM - 01:30 AM	43.9	41.4	04:05 AM - 04:10 AM	50.0	46.7	06:45 AM - 06:50 AM	48.8	44.2
01:30 AM - 01:35 AM	44.4	41.6	04:10 AM - 04:15 AM	48.0	43.8	06:50 AM - 06:55 AM	47.8	43.9
01:35 AM - 01:40 AM	45.4	42.2	04:15 AM - 04:20 AM	47.9	44.0	06:55 AM - 07:00 AM	46.6	43.6
01:40 AM - 01:45 AM	45.0	42.0	04:20 AM - 04:25 AM	47.2	42.3	07:00 AM - 07:05 AM	47.3	43.6
01:45 AM - 01:50 AM	45.4	41.7	04:25 AM - 04:30 AM	47.4	43.2	07:05 AM - 07:10 AM	50.9	45.3
01:50 AM - 01:55 AM	45.3	41.6	04:30 AM - 04:35 AM	46.3	40.6	07:10 AM - 07:15 AM	48.5	44.5
01:55 AM - 02:00 AM	44.1	40.8	04:35 AM - 04:40 AM	48.7	43.2	07:15 AM - 07:20 AM	47.7	43.9
02:00 AM - 02:05 AM	45.0	41.3	04:40 AM - 04:45 AM	49.0	44.8	07:20 AM - 07:25 AM	48.1	44.1
02:05 AM - 02:10 AM	45.2	40.6	04:45 AM - 04:50 AM	50.2	46.6	07:25 AM - 07:30 AM	46.0	43.4
02:10 AM - 02:15 AM	46.3	41.5	04:50 AM - 04:55 AM	48.8	45.3	07:30 AM - 07:35 AM	44.5	42.9
02:15 AM - 02:20 AM	42.9	41.0	04:55 AM - 05:00 AM	50.1	45.3	07:35 AM - 07:40 AM	47.3	43.8
02:20 AM - 02:25 AM	43.9	41.0	05:00 AM - 05:05 AM	47.8	43.4	07:40 AM - 07:45 AM	47.5	44.2
02:25 AM - 02:30 AM	45.1	42.0	05:05 AM - 05:10 AM	57.0	47.3	07:45 AM - 07:50 AM	47.0	43.6
02:30 AM - 02:35 AM	45.1	42.3	05:10 AM - 05:15 AM	56.7	44.9	07:50 AM - 07:55 AM	47.0	43.3
02:35 AM - 02:40 AM	45.2	42.6	05:15 AM - 05:20 AM	57.6	48.5	07:55 AM - 08:00 AM	44.4	41.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544255-1

Page 1 of 3

Sample Number 2620802-4
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 27 - Mar 28, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122607

Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	43.7	40.9	10:40 AM - 10:45 AM	48.1	40.0	01:20 PM - 01:25 PM	62.6	45.6
08:05 AM - 08:10 AM	45.8	42.8	10:45 AM - 10:50 AM	44.7	40.2	01:25 PM - 01:30 PM	61.7	40.7
08:10 AM - 08:15 AM	49.7	44.5	10:50 AM - 10:55 AM	50.7	40.9	01:30 PM - 01:35 PM	44.5	40.0
08:15 AM - 08:20 AM	50.8	45.3	10:55 AM - 11:00 AM	47.6	40.2	01:35 PM - 01:40 PM	53.2	43.0
08:20 AM - 08:25 AM	47.1	44.1	11:00 AM - 11:05 AM	43.3	39.7	01:40 PM - 01:45 PM	46.9	41.2
08:25 AM - 08:30 AM	46.0	42.5	11:05 AM - 11:10 AM	43.4	39.8	01:45 PM - 01:50 PM	46.7	41.5
08:30 AM - 08:35 AM	48.6	44.4	11:10 AM - 11:15 AM	49.8	42.1	01:50 PM - 01:55 PM	52.1	41.6
08:35 AM - 08:40 AM	51.8	46.7	11:15 AM - 11:20 AM	47.3	40.3	01:55 PM - 02:00 PM	47.7	40.4
08:40 AM - 08:45 AM	47.4	44.2	11:20 AM - 11:25 AM	52.6	41.8	02:00 PM - 02:05 PM	42.3	39.0
08:45 AM - 08:50 AM	46.0	43.4	11:25 AM - 11:30 AM	44.7	40.2	02:05 PM - 02:10 PM	47.4	39.2
08:50 AM - 08:55 AM	49.6	44.1	11:30 AM - 11:35 AM	45.8	37.9	02:10 PM - 02:15 PM	47.4	39.9
08:55 AM - 09:00 AM	47.8	43.7	11:35 AM - 11:40 AM	45.7	41.5	02:15 PM - 02:20 PM	50.4	42.3
09:00 AM - 09:05 AM	46.5	43.7	11:40 AM - 11:45 AM	44.2	37.8	02:20 PM - 02:25 PM	48.9	42.5
09:05 AM - 09:10 AM	48.1	43.5	11:45 AM - 11:50 AM	47.4	39.5	02:25 PM - 02:30 PM	45.8	41.3
09:10 AM - 09:15 AM	53.7	44.6	11:50 AM - 11:55 AM	43.1	38.1	02:30 PM - 02:35 PM	47.2	41.0
09:15 AM - 09:20 AM	46.2	43.2	11:55 AM - 12:00 PM	42.8	38.8	02:35 PM - 02:40 PM	46.8	40.9
09:20 AM - 09:25 AM	46.8	42.1	12:00 PM - 12:05 PM	45.7	40.1	02:40 PM - 02:45 PM	46.8	40.3
09:25 AM - 09:30 AM	53.0	42.1	12:05 PM - 12:10 PM	45.1	38.0	02:45 PM - 02:50 PM	51.7	41.1
09:30 AM - 09:35 AM	48.9	41.7	12:10 PM - 12:15 PM	42.4	37.9	02:50 PM - 02:55 PM	51.3	41.3
09:35 AM - 09:40 AM	59.0	42.9	12:15 PM - 12:20 PM	42.2	37.4	02:55 PM - 03:00 PM	45.7	40.8
09:40 AM - 09:45 AM	48.7	40.8	12:20 PM - 12:25 PM	43.9	38.6	03:00 PM - 03:05 PM	45.4	41.0
09:45 AM - 09:50 AM	46.0	40.9	12:25 PM - 12:30 PM	48.6	38.3	03:05 PM - 03:10 PM	67.4	42.8
09:50 AM - 09:55 AM	47.6	41.2	12:30 PM - 12:35 PM	45.4	41.8	03:10 PM - 03:15 PM	57.5	44.6
09:55 AM - 10:00 AM	51.3	42.9	12:35 PM - 12:40 PM	50.8	39.9	03:15 PM - 03:20 PM	58.2	43.5
10:00 AM - 10:05 AM	46.0	39.7	12:40 PM - 12:45 PM	40.9	38.0	03:20 PM - 03:25 PM	59.0	42.1
10:05 AM - 10:10 AM	61.5	41.7	12:45 PM - 12:50 PM	39.4	36.7	03:25 PM - 03:30 PM	44.5	39.9
10:10 AM - 10:15 AM	62.3	53.1	12:50 PM - 12:55 PM	42.7	37.0	03:30 PM - 03:35 PM	47.1	40.4
10:15 AM - 10:20 AM	64.0	54.0	12:55 PM - 01:00 PM	43.8	39.9	03:35 PM - 03:40 PM	49.4	40.7
10:20 AM - 10:25 AM	62.9	52.0	01:00 PM - 01:05 PM	53.5	40.6	03:40 PM - 03:45 PM	48.6	42.8
10:25 AM - 10:30 AM	47.2	40.4	01:05 PM - 01:10 PM	46.7	40.1	03:45 PM - 03:50 PM	49.1	42.3
10:30 AM - 10:35 AM	57.4	42.5	01:10 PM - 01:15 PM	49.0	42.8	03:50 PM - 03:55 PM	49.4	42.8
10:35 AM - 10:40 AM	50.3	42.1	01:15 PM - 01:20 PM	48.2	41.8	03:55 PM - 04:00 PM	49.7	41.3

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544255-1

Page 2 of 3

Sample Number 2620802-4
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกุ้งไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 27 - Mar 28, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122607

Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	45.2	42.0	06:40 PM - 06:45 PM	48.2	45.5	09:20 PM - 09:25 PM	43.7	41.7
04:05 PM - 04:10 PM	46.7	41.4	06:45 PM - 06:50 PM	49.3	44.1	09:25 PM - 09:30 PM	44.7	42.3
04:10 PM - 04:15 PM	47.6	42.5	06:50 PM - 06:55 PM	50.2	45.1	09:30 PM - 09:35 PM	44.1	42.7
04:15 PM - 04:20 PM	47.5	42.9	06:55 PM - 07:00 PM	46.6	44.7	09:35 PM - 09:40 PM	44.0	42.4
04:20 PM - 04:25 PM	47.0	43.0	07:00 PM - 07:05 PM	45.8	43.9	09:40 PM - 09:45 PM	44.5	42.4
04:25 PM - 04:30 PM	49.0	44.1	07:05 PM - 07:10 PM	47.2	44.8	09:45 PM - 09:50 PM	45.5	42.7
04:30 PM - 04:35 PM	55.5	47.9	07:10 PM - 07:15 PM	46.0	43.9	09:50 PM - 09:55 PM	48.6	42.8
04:35 PM - 04:40 PM	49.0	44.1	07:15 PM - 07:20 PM	49.9	45.2	09:55 PM - 10:00 PM	46.0	43.5
04:40 PM - 04:45 PM	49.1	44.0	07:20 PM - 07:25 PM	46.6	44.1	10:00 PM - 10:05 PM	45.3	42.8
04:45 PM - 04:50 PM	52.2	44.7	07:25 PM - 07:30 PM	46.4	43.6	10:05 PM - 10:10 PM	44.2	42.6
04:50 PM - 04:55 PM	54.0	46.5	07:30 PM - 07:35 PM	46.6	44.2	10:10 PM - 10:15 PM	45.8	43.8
04:55 PM - 05:00 PM	51.8	44.5	07:35 PM - 07:40 PM	45.3	43.4	10:15 PM - 10:20 PM	46.4	44.4
05:00 PM - 05:05 PM	53.4	47.4	07:40 PM - 07:45 PM	48.9	43.9	10:20 PM - 10:25 PM	46.6	44.3
05:05 PM - 05:10 PM	52.5	44.8	07:45 PM - 07:50 PM	45.5	43.3	10:25 PM - 10:30 PM	46.9	44.7
05:10 PM - 05:15 PM	50.4	44.9	07:50 PM - 07:55 PM	48.0	43.8	10:30 PM - 10:35 PM	45.8	43.6
05:15 PM - 05:20 PM	51.1	44.1	07:55 PM - 08:00 PM	46.0	43.8	10:35 PM - 10:40 PM	45.9	44.1
05:20 PM - 05:25 PM	49.0	43.3	08:00 PM - 08:05 PM	45.1	43.7	10:40 PM - 10:45 PM	45.7	44.5
05:25 PM - 05:30 PM	53.5	43.3	08:05 PM - 08:10 PM	44.9	43.6	10:45 PM - 10:50 PM	45.6	44.3
05:30 PM - 05:35 PM	51.1	43.9	08:10 PM - 08:15 PM	44.9	42.7	10:50 PM - 10:55 PM	46.1	44.8
05:35 PM - 05:40 PM	51.5	43.2	08:15 PM - 08:20 PM	44.9	42.9	10:55 PM - 11:00 PM	46.4	45.2
05:40 PM - 05:45 PM	48.6	43.8	08:20 PM - 08:25 PM	44.6	42.3	11:00 PM - 11:05 PM	45.9	44.4
05:45 PM - 05:50 PM	47.6	43.0	08:25 PM - 08:30 PM	44.0	42.2	11:05 PM - 11:10 PM	46.4	44.4
05:50 PM - 05:55 PM	48.2	44.0	08:30 PM - 08:35 PM	47.4	42.6	11:10 PM - 11:15 PM	46.2	44.8
05:55 PM - 06:00 PM	48.7	43.6	08:35 PM - 08:40 PM	45.8	43.0	11:15 PM - 11:20 PM	45.7	44.5
06:00 PM - 06:05 PM	46.6	42.5	08:40 PM - 08:45 PM	44.6	42.6	11:20 PM - 11:25 PM	46.3	44.7
06:05 PM - 06:10 PM	48.3	43.4	08:45 PM - 08:50 PM	44.5	42.5	11:25 PM - 11:30 PM	45.8	43.9
06:10 PM - 06:15 PM	48.7	43.7	08:50 PM - 08:55 PM	44.7	42.3	11:30 PM - 11:35 PM	44.9	43.0
06:15 PM - 06:20 PM	45.8	42.1	08:55 PM - 09:00 PM	43.6	41.7	11:35 PM - 11:40 PM	44.8	43.5
06:20 PM - 06:25 PM	50.6	43.1	09:00 PM - 09:05 PM	43.3	41.9	11:40 PM - 11:45 PM	46.3	43.7
06:25 PM - 06:30 PM	48.4	42.9	09:05 PM - 09:10 PM	43.1	41.7	11:45 PM - 11:50 PM	45.3	43.7
06:30 PM - 06:35 PM	46.8	42.2	09:10 PM - 09:15 PM	42.9	41.1	11:50 PM - 11:55 PM	45.3	43.7
06:35 PM - 06:40 PM	45.9	43.0	09:15 PM - 09:20 PM	44.6	41.2	11:55 PM - 12:00 AM	45.1	43.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544255-1

Page 3 of 3

Sample Number 2620802-4
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกุ้งไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 27 - Mar 28, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122607

Mar 28, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 28, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 28, 2026 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	45.9	43.6	02:40 AM - 02:45 AM	42.0	41.2	05:20 AM - 05:25 AM	49.0	44.4
12:05 AM - 12:10 AM	45.2	42.2	02:45 AM - 02:50 AM	45.9	41.6	05:25 AM - 05:30 AM	46.3	43.5
12:10 AM - 12:15 AM	44.7	42.2	02:50 AM - 02:55 AM	43.3	41.4	05:30 AM - 05:35 AM	46.5	43.9
12:15 AM - 12:20 AM	44.5	42.1	02:55 AM - 03:00 AM	44.8	42.2	05:35 AM - 05:40 AM	49.4	44.3
12:20 AM - 12:25 AM	45.7	43.2	03:00 AM - 03:05 AM	48.1	42.7	05:40 AM - 05:45 AM	46.2	44.9
12:25 AM - 12:30 AM	45.6	42.8	03:05 AM - 03:10 AM	45.2	42.3	05:45 AM - 05:50 AM	50.3	47.8
12:30 AM - 12:35 AM	46.6	42.2	03:10 AM - 03:15 AM	46.1	42.1	05:50 AM - 05:55 AM	49.8	44.9
12:35 AM - 12:40 AM	49.8	44.9	03:15 AM - 03:20 AM	50.9	43.7	05:55 AM - 06:00 AM	46.7	43.1
12:40 AM - 12:45 AM	51.1	47.0	03:20 AM - 03:25 AM	51.5	43.1	06:00 AM - 06:05 AM	46.8	43.1
12:45 AM - 12:50 AM	51.0	46.4	03:25 AM - 03:30 AM	52.3	43.4	06:05 AM - 06:10 AM	46.8	43.1
12:50 AM - 12:55 AM	51.1	46.8	03:30 AM - 03:35 AM	53.4	46.5	06:10 AM - 06:15 AM	46.0	42.9
12:55 AM - 01:00 AM	50.2	45.9	03:35 AM - 03:40 AM	51.3	46.8	06:15 AM - 06:20 AM	45.5	42.5
01:00 AM - 01:05 AM	50.7	46.9	03:40 AM - 03:45 AM	51.2	44.6	06:20 AM - 06:25 AM	52.0	42.8
01:05 AM - 01:10 AM	50.9	46.8	03:45 AM - 03:50 AM	52.2	45.1	06:25 AM - 06:30 AM	45.9	43.2
01:10 AM - 01:15 AM	50.7	45.7	03:50 AM - 03:55 AM	54.0	46.5	06:30 AM - 06:35 AM	45.5	42.5
01:15 AM - 01:20 AM	50.3	44.8	03:55 AM - 04:00 AM	54.5	49.4	06:35 AM - 06:40 AM	49.4	42.8
01:20 AM - 01:25 AM	51.3	46.9	04:00 AM - 04:05 AM	54.8	50.1	06:40 AM - 06:45 AM	47.0	43.1
01:25 AM - 01:30 AM	51.1	46.0	04:05 AM - 04:10 AM	53.5	43.7	06:45 AM - 06:50 AM	45.0	42.4
01:30 AM - 01:35 AM	51.2	45.7	04:10 AM - 04:15 AM	52.7	42.4	06:50 AM - 06:55 AM	47.9	42.4
01:35 AM - 01:40 AM	51.5	47.0	04:15 AM - 04:20 AM	50.0	42.3	06:55 AM - 07:00 AM	47.3	41.8
01:40 AM - 01:45 AM	51.0	44.8	04:20 AM - 04:25 AM	50.6	46.6	07:00 AM - 07:05 AM	51.2	42.6
01:45 AM - 01:50 AM	51.3	46.1	04:25 AM - 04:30 AM	49.2	43.0	07:05 AM - 07:10 AM	45.9	42.9
01:50 AM - 01:55 AM	51.6	46.9	04:30 AM - 04:35 AM	52.4	46.6	07:10 AM - 07:15 AM	48.0	41.9
01:55 AM - 02:00 AM	51.1	45.5	04:35 AM - 04:40 AM	50.0	45.9	07:15 AM - 07:20 AM	46.9	42.5
02:00 AM - 02:05 AM	50.9	45.1	04:40 AM - 04:45 AM	50.8	46.3	07:20 AM - 07:25 AM	47.3	42.4
02:05 AM - 02:10 AM	51.3	47.5	04:45 AM - 04:50 AM	45.1	40.7	07:25 AM - 07:30 AM	48.1	42.1
02:10 AM - 02:15 AM	51.7	47.2	04:50 AM - 04:55 AM	45.9	41.6	07:30 AM - 07:35 AM	44.3	42.2
02:15 AM - 02:20 AM	50.9	45.2	04:55 AM - 05:00 AM	42.6	41.2	07:35 AM - 07:40 AM	50.0	42.6
02:20 AM - 02:25 AM	50.2	44.6	05:00 AM - 05:05 AM	43.5	42.2	07:40 AM - 07:45 AM	47.1	41.6
02:25 AM - 02:30 AM	50.3	44.6	05:05 AM - 05:10 AM	45.7	42.3	07:45 AM - 07:50 AM	48.4	42.3
02:30 AM - 02:35 AM	50.6	44.4	05:10 AM - 05:15 AM	47.2	42.9	07:50 AM - 07:55 AM	43.3	41.4
02:35 AM - 02:40 AM	47.1	41.6	05:15 AM - 05:20 AM	48.8	43.0	07:55 AM - 08:00 AM	42.8	41.0

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544256-1

Page 1 of 3

Sample Number 2620802-5
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 28 - Mar 29, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 01122607

Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	46.1	40.9	10:40 AM - 10:45 AM	49.7	41.1	01:20 PM - 01:25 PM	43.6	40.2
08:05 AM - 08:10 AM	48.4	40.8	10:45 AM - 10:50 AM	49.1	40.5	01:25 PM - 01:30 PM	49.0	43.1
08:10 AM - 08:15 AM	44.1	40.1	10:50 AM - 10:55 AM	51.4	42.1	01:30 PM - 01:35 PM	48.7	42.1
08:15 AM - 08:20 AM	47.2	42.7	10:55 AM - 11:00 AM	50.6	44.8	01:35 PM - 01:40 PM	43.4	39.5
08:20 AM - 08:25 AM	51.3	43.2	11:00 AM - 11:05 AM	45.1	41.1	01:40 PM - 01:45 PM	50.7	41.8
08:25 AM - 08:30 AM	49.7	42.7	11:05 AM - 11:10 AM	52.4	41.7	01:45 PM - 01:50 PM	47.2	42.1
08:30 AM - 08:35 AM	48.6	42.5	11:10 AM - 11:15 AM	47.9	42.1	01:50 PM - 01:55 PM	57.0	44.1
08:35 AM - 08:40 AM	50.6	43.3	11:15 AM - 11:20 AM	50.9	42.4	01:55 PM - 02:00 PM	59.5	57.1
08:40 AM - 08:45 AM	53.7	42.1	11:20 AM - 11:25 AM	50.1	41.9	02:00 PM - 02:05 PM	61.7	44.7
08:45 AM - 08:50 AM	45.9	41.2	11:25 AM - 11:30 AM	42.5	38.5	02:05 PM - 02:10 PM	49.7	43.3
08:50 AM - 08:55 AM	51.2	43.9	11:30 AM - 11:35 AM	43.2	38.7	02:10 PM - 02:15 PM	49.8	43.4
08:55 AM - 09:00 AM	50.6	43.2	11:35 AM - 11:40 AM	45.2	38.2	02:15 PM - 02:20 PM	47.4	42.8
09:00 AM - 09:05 AM	46.1	41.9	11:40 AM - 11:45 AM	56.2	39.6	02:20 PM - 02:25 PM	45.0	40.4
09:05 AM - 09:10 AM	50.4	42.9	11:45 AM - 11:50 AM	51.6	38.9	02:25 PM - 02:30 PM	47.8	41.2
09:10 AM - 09:15 AM	49.7	42.4	11:50 AM - 11:55 AM	41.6	38.8	02:30 PM - 02:35 PM	48.8	41.3
09:15 AM - 09:20 AM	49.3	41.6	11:55 AM - 12:00 PM	42.0	39.0	02:35 PM - 02:40 PM	52.5	44.4
09:20 AM - 09:25 AM	47.0	42.3	12:00 PM - 12:05 PM	41.7	38.9	02:40 PM - 02:45 PM	53.0	44.0
09:25 AM - 09:30 AM	50.9	42.9	12:05 PM - 12:10 PM	43.4	39.3	02:45 PM - 02:50 PM	47.5	42.0
09:30 AM - 09:35 AM	48.9	41.8	12:10 PM - 12:15 PM	43.9	38.0	02:50 PM - 02:55 PM	51.4	43.9
09:35 AM - 09:40 AM	47.4	43.2	12:15 PM - 12:20 PM	48.1	37.3	02:55 PM - 03:00 PM	49.5	43.7
09:40 AM - 09:45 AM	51.4	42.9	12:20 PM - 12:25 PM	47.8	38.6	03:00 PM - 03:05 PM	50.0	42.9
09:45 AM - 09:50 AM	59.0	44.8	12:25 PM - 12:30 PM	43.8	37.8	03:05 PM - 03:10 PM	51.7	43.5
09:50 AM - 09:55 AM	60.4	43.5	12:30 PM - 12:35 PM	43.6	39.7	03:10 PM - 03:15 PM	48.7	42.2
09:55 AM - 10:00 AM	49.9	41.3	12:35 PM - 12:40 PM	42.8	37.8	03:15 PM - 03:20 PM	48.5	43.0
10:00 AM - 10:05 AM	49.0	42.7	12:40 PM - 12:45 PM	47.8	39.3	03:20 PM - 03:25 PM	53.9	45.6
10:05 AM - 10:10 AM	53.1	44.3	12:45 PM - 12:50 PM	47.5	38.7	03:25 PM - 03:30 PM	48.9	41.6
10:10 AM - 10:15 AM	49.2	43.2	12:50 PM - 12:55 PM	43.9	39.3	03:30 PM - 03:35 PM	49.1	43.1
10:15 AM - 10:20 AM	49.5	43.9	12:55 PM - 01:00 PM	44.9	40.6	03:35 PM - 03:40 PM	47.9	42.2
10:20 AM - 10:25 AM	51.2	43.6	01:00 PM - 01:05 PM	47.4	40.0	03:40 PM - 03:45 PM	54.3	43.1
10:25 AM - 10:30 AM	50.5	43.3	01:05 PM - 01:10 PM	51.0	41.1	03:45 PM - 03:50 PM	50.3	41.2
10:30 AM - 10:35 AM	47.2	42.1	01:10 PM - 01:15 PM	51.2	41.8	03:50 PM - 03:55 PM	47.1	41.4
10:35 AM - 10:40 AM	48.8	43.6	01:15 PM - 01:20 PM	47.6	40.3	03:55 PM - 04:00 PM	50.5	45.3

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544256-1

Page 2 of 3

Sample Number 2620802-5
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกุ้งไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 28 - Mar 29, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122607

Mar 28, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 28, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 28, 2026 Time	Leq dB(A)	L90 dB(A)
04:00 PM - 04:05 PM	48.4	43.1	06:40 PM - 06:45 PM	46.3	43.2	09:20 PM - 09:25 PM	62.7	43.3
04:05 PM - 04:10 PM	48.5	43.4	06:45 PM - 06:50 PM	51.3	45.1	09:25 PM - 09:30 PM	64.5	52.0
04:10 PM - 04:15 PM	51.0	43.5	06:50 PM - 06:55 PM	50.0	45.2	09:30 PM - 09:35 PM	64.5	51.7
04:15 PM - 04:20 PM	47.6	42.7	06:55 PM - 07:00 PM	47.5	44.9	09:35 PM - 09:40 PM	64.3	51.3
04:20 PM - 04:25 PM	46.9	42.8	07:00 PM - 07:05 PM	46.6	44.1	09:40 PM - 09:45 PM	63.3	48.5
04:25 PM - 04:30 PM	49.0	43.7	07:05 PM - 07:10 PM	47.8	44.0	09:45 PM - 09:50 PM	63.0	46.7
04:30 PM - 04:35 PM	49.5	42.8	07:10 PM - 07:15 PM	48.6	44.6	09:50 PM - 09:55 PM	62.6	45.4
04:35 PM - 04:40 PM	50.0	44.5	07:15 PM - 07:20 PM	50.2	44.1	09:55 PM - 10:00 PM	62.8	46.3
04:40 PM - 04:45 PM	49.2	43.9	07:20 PM - 07:25 PM	52.7	44.3	10:00 PM - 10:05 PM	61.4	42.6
04:45 PM - 04:50 PM	48.1	42.6	07:25 PM - 07:30 PM	52.5	44.3	10:05 PM - 10:10 PM	62.0	46.5
04:50 PM - 04:55 PM	51.3	44.3	07:30 PM - 07:35 PM	47.7	43.5	10:10 PM - 10:15 PM	61.8	44.5
04:55 PM - 05:00 PM	50.9	43.4	07:35 PM - 07:40 PM	46.7	44.3	10:15 PM - 10:20 PM	60.7	42.7
05:00 PM - 05:05 PM	47.9	43.6	07:40 PM - 07:45 PM	44.6	43.2	10:20 PM - 10:25 PM	62.1	44.3
05:05 PM - 05:10 PM	48.0	43.8	07:45 PM - 07:50 PM	43.7	41.3	10:25 PM - 10:30 PM	62.0	44.2
05:10 PM - 05:15 PM	50.4	42.7	07:50 PM - 07:55 PM	42.6	41.4	10:30 PM - 10:35 PM	60.5	42.3
05:15 PM - 05:20 PM	50.1	46.6	07:55 PM - 08:00 PM	43.2	41.9	10:35 PM - 10:40 PM	59.8	42.1
05:20 PM - 05:25 PM	51.1	46.3	08:00 PM - 08:05 PM	44.9	42.4	10:40 PM - 10:45 PM	44.7	41.4
05:25 PM - 05:30 PM	52.1	45.4	08:05 PM - 08:10 PM	43.2	41.6	10:45 PM - 10:50 PM	42.2	41.4
05:30 PM - 05:35 PM	48.4	43.9	08:10 PM - 08:15 PM	49.6	42.1	10:50 PM - 10:55 PM	42.3	41.4
05:35 PM - 05:40 PM	51.4	45.6	08:15 PM - 08:20 PM	47.3	42.2	10:55 PM - 11:00 PM	42.1	41.0
05:40 PM - 05:45 PM	49.0	43.3	08:20 PM - 08:25 PM	54.5	42.4	11:00 PM - 11:05 PM	42.5	41.0
05:45 PM - 05:50 PM	51.3	45.3	08:25 PM - 08:30 PM	60.5	43.6	11:05 PM - 11:10 PM	46.6	42.0
05:50 PM - 05:55 PM	51.0	45.9	08:30 PM - 08:35 PM	60.5	42.2	11:10 PM - 11:15 PM	47.7	42.8
05:55 PM - 06:00 PM	50.2	45.0	08:35 PM - 08:40 PM	58.9	42.3	11:15 PM - 11:20 PM	45.1	41.8
06:00 PM - 06:05 PM	48.7	44.2	08:40 PM - 08:45 PM	60.1	43.2	11:20 PM - 11:25 PM	42.3	41.2
06:05 PM - 06:10 PM	50.7	45.7	08:45 PM - 08:50 PM	63.3	51.6	11:25 PM - 11:30 PM	42.3	41.2
06:10 PM - 06:15 PM	47.6	43.8	08:50 PM - 08:55 PM	64.1	54.7	11:30 PM - 11:35 PM	42.0	41.0
06:15 PM - 06:20 PM	48.4	43.5	08:55 PM - 09:00 PM	62.1	43.1	11:35 PM - 11:40 PM	42.4	41.5
06:20 PM - 06:25 PM	48.5	43.9	09:00 PM - 09:05 PM	63.4	51.1	11:40 PM - 11:45 PM	42.3	41.3
06:25 PM - 06:30 PM	48.2	44.6	09:05 PM - 09:10 PM	62.2	46.2	11:45 PM - 11:50 PM	41.6	40.6
06:30 PM - 06:35 PM	49.8	45.2	09:10 PM - 09:15 PM	61.9	42.5	11:50 PM - 11:55 PM	42.6	41.2
06:35 PM - 06:40 PM	50.5	47.7	09:15 PM - 09:20 PM	63.4	48.6	11:55 PM - 12:00 AM	42.3	41.0

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544256-1

Page 3 of 3

Sample Number 2620802-5
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกุ้งไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 28 - Mar 29, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122607

Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	41.9	40.8	02:40 AM - 02:45 AM	51.7	46.5	05:20 AM - 05:25 AM	51.6	48.7
12:05 AM - 12:10 AM	41.5	40.6	02:45 AM - 02:50 AM	51.3	46.0	05:25 AM - 05:30 AM	51.3	48.1
12:10 AM - 12:15 AM	41.8	40.7	02:50 AM - 02:55 AM	51.4	45.5	05:30 AM - 05:35 AM	50.8	48.4
12:15 AM - 12:20 AM	42.0	40.7	02:55 AM - 03:00 AM	51.7	47.2	05:35 AM - 05:40 AM	51.2	48.0
12:20 AM - 12:25 AM	42.4	40.9	03:00 AM - 03:05 AM	51.3	46.2	05:40 AM - 05:45 AM	50.5	48.2
12:25 AM - 12:30 AM	43.6	41.7	03:05 AM - 03:10 AM	51.7	46.9	05:45 AM - 05:50 AM	49.2	46.9
12:30 AM - 12:35 AM	43.3	41.6	03:10 AM - 03:15 AM	49.8	43.5	05:50 AM - 05:55 AM	46.9	44.9
12:35 AM - 12:40 AM	43.3	42.0	03:15 AM - 03:20 AM	46.8	42.5	05:55 AM - 06:00 AM	49.5	45.2
12:40 AM - 12:45 AM	44.5	41.9	03:20 AM - 03:25 AM	46.0	42.3	06:00 AM - 06:05 AM	51.0	46.5
12:45 AM - 12:50 AM	46.1	42.5	03:25 AM - 03:30 AM	45.7	41.9	06:05 AM - 06:10 AM	50.2	45.6
12:50 AM - 12:55 AM	44.5	41.8	03:30 AM - 03:35 AM	44.3	41.4	06:10 AM - 06:15 AM	51.1	45.4
12:55 AM - 01:00 AM	44.9	41.7	03:35 AM - 03:40 AM	47.0	43.7	06:15 AM - 06:20 AM	47.3	42.8
01:00 AM - 01:05 AM	43.5	41.2	03:40 AM - 03:45 AM	47.5	42.8	06:20 AM - 06:25 AM	47.0	42.7
01:05 AM - 01:10 AM	43.2	41.7	03:45 AM - 03:50 AM	48.7	44.0	06:25 AM - 06:30 AM	46.8	42.0
01:10 AM - 01:15 AM	44.3	42.1	03:50 AM - 03:55 AM	49.3	44.4	06:30 AM - 06:35 AM	48.3	42.9
01:15 AM - 01:20 AM	43.8	41.6	03:55 AM - 04:00 AM	50.5	46.5	06:35 AM - 06:40 AM	45.6	42.1
01:20 AM - 01:25 AM	44.0	42.0	04:00 AM - 04:05 AM	50.2	44.4	06:40 AM - 06:45 AM	45.8	42.2
01:25 AM - 01:30 AM	43.6	41.9	04:05 AM - 04:10 AM	48.9	43.1	06:45 AM - 06:50 AM	47.4	42.8
01:30 AM - 01:35 AM	43.3	41.6	04:10 AM - 04:15 AM	50.7	45.7	06:50 AM - 06:55 AM	45.2	42.0
01:35 AM - 01:40 AM	42.8	41.1	04:15 AM - 04:20 AM	51.3	45.8	06:55 AM - 07:00 AM	47.2	41.2
01:40 AM - 01:45 AM	43.2	41.4	04:20 AM - 04:25 AM	50.6	43.6	07:00 AM - 07:05 AM	45.6	40.9
01:45 AM - 01:50 AM	43.3	41.5	04:25 AM - 04:30 AM	50.3	46.3	07:05 AM - 07:10 AM	43.5	40.9
01:50 AM - 01:55 AM	44.0	42.4	04:30 AM - 04:35 AM	48.6	42.4	07:10 AM - 07:15 AM	43.1	40.4
01:55 AM - 02:00 AM	44.3	42.8	04:35 AM - 04:40 AM	47.3	42.8	07:15 AM - 07:20 AM	44.5	40.5
02:00 AM - 02:05 AM	45.5	43.1	04:40 AM - 04:45 AM	48.9	44.8	07:20 AM - 07:25 AM	52.9	42.0
02:05 AM - 02:10 AM	45.8	43.7	04:45 AM - 04:50 AM	49.3	45.6	07:25 AM - 07:30 AM	46.4	41.5
02:10 AM - 02:15 AM	46.7	43.7	04:50 AM - 04:55 AM	48.7	45.1	07:30 AM - 07:35 AM	52.5	41.1
02:15 AM - 02:20 AM	49.0	44.9	04:55 AM - 05:00 AM	48.2	44.8	07:35 AM - 07:40 AM	42.9	40.8
02:20 AM - 02:25 AM	49.9	44.8	05:00 AM - 05:05 AM	48.2	44.8	07:40 AM - 07:45 AM	43.4	40.0
02:25 AM - 02:30 AM	50.5	45.0	05:05 AM - 05:10 AM	48.8	45.0	07:45 AM - 07:50 AM	43.8	39.9
02:30 AM - 02:35 AM	51.4	45.6	05:10 AM - 05:15 AM	50.6	46.9	07:50 AM - 07:55 AM	43.5	40.4
02:35 AM - 02:40 AM	51.9	45.6	05:15 AM - 05:20 AM	50.9	47.5	07:55 AM - 08:00 AM	45.8	40.0

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544257-1

Page 1 of 3

Sample Number 2620802-6
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 29 - Mar 30, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122607

Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	44.1	40.0	10:40 AM - 10:45 AM	41.1	38.5	01:20 PM - 01:25 PM	41.9	38.0
08:05 AM - 08:10 AM	45.3	39.6	10:45 AM - 10:50 AM	50.1	40.9	01:25 PM - 01:30 PM	40.7	37.6
08:10 AM - 08:15 AM	44.8	40.0	10:50 AM - 10:55 AM	47.5	41.0	01:30 PM - 01:35 PM	46.1	38.2
08:15 AM - 08:20 AM	43.9	41.3	10:55 AM - 11:00 AM	51.6	43.7	01:35 PM - 01:40 PM	48.2	39.6
08:20 AM - 08:25 AM	45.8	40.2	11:00 AM - 11:05 AM	43.0	38.9	01:40 PM - 01:45 PM	44.2	38.2
08:25 AM - 08:30 AM	44.5	40.7	11:05 AM - 11:10 AM	43.0	38.5	01:45 PM - 01:50 PM	42.9	38.6
08:30 AM - 08:35 AM	43.3	40.2	11:10 AM - 11:15 AM	48.9	39.0	01:50 PM - 01:55 PM	42.0	37.6
08:35 AM - 08:40 AM	45.2	40.0	11:15 AM - 11:20 AM	43.6	37.3	01:55 PM - 02:00 PM	57.3	43.1
08:40 AM - 08:45 AM	42.8	39.4	11:20 AM - 11:25 AM	42.9	38.0	02:00 PM - 02:05 PM	61.2	58.1
08:45 AM - 08:50 AM	46.6	41.1	11:25 AM - 11:30 AM	51.8	42.7	02:05 PM - 02:10 PM	61.2	58.3
08:50 AM - 08:55 AM	45.9	42.4	11:30 AM - 11:35 AM	43.6	37.2	02:10 PM - 02:15 PM	61.1	58.0
08:55 AM - 09:00 AM	45.4	41.7	11:35 AM - 11:40 AM	42.4	38.5	02:15 PM - 02:20 PM	63.6	61.7
09:00 AM - 09:05 AM	45.5	41.9	11:40 AM - 11:45 AM	43.3	39.2	02:20 PM - 02:25 PM	61.1	58.6
09:05 AM - 09:10 AM	45.8	42.1	11:45 AM - 11:50 AM	47.0	38.0	02:25 PM - 02:30 PM	61.7	59.3
09:10 AM - 09:15 AM	43.3	39.9	11:50 AM - 11:55 AM	50.6	39.8	02:30 PM - 02:35 PM	60.3	56.7
09:15 AM - 09:20 AM	41.3	39.3	11:55 AM - 12:00 PM	45.0	37.4	02:35 PM - 02:40 PM	51.4	41.4
09:20 AM - 09:25 AM	43.0	39.1	12:00 PM - 12:05 PM	42.4	37.8	02:40 PM - 02:45 PM	44.0	41.3
09:25 AM - 09:30 AM	45.3	41.5	12:05 PM - 12:10 PM	41.9	36.4	02:45 PM - 02:50 PM	46.1	40.2
09:30 AM - 09:35 AM	42.8	39.4	12:10 PM - 12:15 PM	43.8	36.8	02:50 PM - 02:55 PM	41.7	38.5
09:35 AM - 09:40 AM	42.6	39.5	12:15 PM - 12:20 PM	43.9	37.1	02:55 PM - 03:00 PM	43.8	39.9
09:40 AM - 09:45 AM	49.0	39.4	12:20 PM - 12:25 PM	39.3	36.9	03:00 PM - 03:05 PM	44.5	37.7
09:45 AM - 09:50 AM	46.1	39.3	12:25 PM - 12:30 PM	46.9	37.2	03:05 PM - 03:10 PM	42.0	39.5
09:50 AM - 09:55 AM	42.3	39.9	12:30 PM - 12:35 PM	40.7	36.5	03:10 PM - 03:15 PM	46.6	40.7
09:55 AM - 10:00 AM	41.6	38.2	12:35 PM - 12:40 PM	40.4	36.4	03:15 PM - 03:20 PM	43.5	39.4
10:00 AM - 10:05 AM	41.2	38.6	12:40 PM - 12:45 PM	40.4	37.4	03:20 PM - 03:25 PM	44.7	39.4
10:05 AM - 10:10 AM	41.8	39.5	12:45 PM - 12:50 PM	43.5	38.4	03:25 PM - 03:30 PM	45.5	39.3
10:10 AM - 10:15 AM	41.8	39.4	12:50 PM - 12:55 PM	43.2	38.2	03:30 PM - 03:35 PM	41.5	39.5
10:15 AM - 10:20 AM	46.6	38.9	12:55 PM - 01:00 PM	40.9	37.8	03:35 PM - 03:40 PM	46.5	40.8
10:20 AM - 10:25 AM	42.1	38.6	01:00 PM - 01:05 PM	43.2	37.4	03:40 PM - 03:45 PM	51.9	40.9
10:25 AM - 10:30 AM	45.4	39.5	01:05 PM - 01:10 PM	43.1	38.9	03:45 PM - 03:50 PM	46.7	39.5
10:30 AM - 10:35 AM	43.6	38.3	01:10 PM - 01:15 PM	40.4	37.2	03:50 PM - 03:55 PM	43.4	40.0
10:35 AM - 10:40 AM	42.9	38.9	01:15 PM - 01:20 PM	48.6	38.1	03:55 PM - 04:00 PM	42.3	39.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544257-1

Page 2 of 3

Sample Number 2620802-6
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 29 - Mar 30, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122607

Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	49.3	40.9	06:40 PM - 06:45 PM	45.3	42.2	09:20 PM - 09:25 PM	44.8	41.4
04:05 PM - 04:10 PM	49.7	42.3	06:45 PM - 06:50 PM	44.5	42.2	09:25 PM - 09:30 PM	41.6	40.8
04:10 PM - 04:15 PM	43.0	40.4	06:50 PM - 06:55 PM	46.2	43.6	09:30 PM - 09:35 PM	42.1	40.6
04:15 PM - 04:20 PM	55.0	42.9	06:55 PM - 07:00 PM	49.0	43.8	09:35 PM - 09:40 PM	51.0	41.1
04:20 PM - 04:25 PM	46.9	42.1	07:00 PM - 07:05 PM	51.6	45.5	09:40 PM - 09:45 PM	51.2	41.7
04:25 PM - 04:30 PM	50.8	46.2	07:05 PM - 07:10 PM	52.0	45.8	09:45 PM - 09:50 PM	53.4	42.4
04:30 PM - 04:35 PM	56.5	48.2	07:10 PM - 07:15 PM	51.2	45.8	09:50 PM - 09:55 PM	52.8	42.4
04:35 PM - 04:40 PM	52.0	44.9	07:15 PM - 07:20 PM	51.6	45.9	09:55 PM - 10:00 PM	50.5	41.4
04:40 PM - 04:45 PM	51.9	43.2	07:20 PM - 07:25 PM	49.7	45.3	10:00 PM - 10:05 PM	49.4	40.8
04:45 PM - 04:50 PM	49.9	45.2	07:25 PM - 07:30 PM	46.4	44.1	10:05 PM - 10:10 PM	53.6	41.0
04:50 PM - 04:55 PM	53.8	44.9	07:30 PM - 07:35 PM	47.5	44.1	10:10 PM - 10:15 PM	51.2	41.5
04:55 PM - 05:00 PM	48.1	40.8	07:35 PM - 07:40 PM	46.7	44.0	10:15 PM - 10:20 PM	50.9	41.6
05:00 PM - 05:05 PM	43.8	41.3	07:40 PM - 07:45 PM	47.0	44.0	10:20 PM - 10:25 PM	52.1	42.5
05:05 PM - 05:10 PM	44.0	39.8	07:45 PM - 07:50 PM	47.6	43.4	10:25 PM - 10:30 PM	50.2	42.0
05:10 PM - 05:15 PM	54.7	41.4	07:50 PM - 07:55 PM	48.0	43.8	10:30 PM - 10:35 PM	42.0	41.2
05:15 PM - 05:20 PM	47.0	42.3	07:55 PM - 08:00 PM	47.9	43.7	10:35 PM - 10:40 PM	46.7	41.3
05:20 PM - 05:25 PM	52.3	42.7	08:00 PM - 08:05 PM	47.6	43.0	10:40 PM - 10:45 PM	42.4	41.2
05:25 PM - 05:30 PM	45.1	40.1	08:05 PM - 08:10 PM	47.1	42.9	10:45 PM - 10:50 PM	42.0	40.4
05:30 PM - 05:35 PM	51.4	39.9	08:10 PM - 08:15 PM	47.1	41.8	10:50 PM - 10:55 PM	41.3	40.4
05:35 PM - 05:40 PM	45.0	39.4	08:15 PM - 08:20 PM	48.9	41.4	10:55 PM - 11:00 PM	41.2	40.2
05:40 PM - 05:45 PM	50.0	41.5	08:20 PM - 08:25 PM	48.1	41.6	11:00 PM - 11:05 PM	41.5	40.3
05:45 PM - 05:50 PM	50.6	40.6	08:25 PM - 08:30 PM	43.0	40.9	11:05 PM - 11:10 PM	41.4	40.4
05:50 PM - 05:55 PM	44.5	40.8	08:30 PM - 08:35 PM	42.6	40.9	11:10 PM - 11:15 PM	42.4	40.4
05:55 PM - 06:00 PM	46.4	41.9	08:35 PM - 08:40 PM	42.9	41.0	11:15 PM - 11:20 PM	41.2	39.5
06:00 PM - 06:05 PM	46.5	41.5	08:40 PM - 08:45 PM	45.5	41.5	11:20 PM - 11:25 PM	43.0	41.7
06:05 PM - 06:10 PM	49.6	39.9	08:45 PM - 08:50 PM	42.5	41.1	11:25 PM - 11:30 PM	42.3	40.1
06:10 PM - 06:15 PM	44.0	39.8	08:50 PM - 08:55 PM	49.9	42.5	11:30 PM - 11:35 PM	41.1	39.8
06:15 PM - 06:20 PM	46.4	41.5	08:55 PM - 09:00 PM	52.2	43.2	11:35 PM - 11:40 PM	42.0	40.3
06:20 PM - 06:25 PM	43.4	39.4	09:00 PM - 09:05 PM	46.5	42.8	11:40 PM - 11:45 PM	42.1	40.8
06:25 PM - 06:30 PM	43.6	39.9	09:05 PM - 09:10 PM	46.4	42.3	11:45 PM - 11:50 PM	42.1	40.7
06:30 PM - 06:35 PM	46.5	44.6	09:10 PM - 09:15 PM	49.6	41.9	11:50 PM - 11:55 PM	44.2	41.6
06:35 PM - 06:40 PM	48.1	43.9	09:15 PM - 09:20 PM	46.4	42.5	11:55 PM - 12:00 AM	43.0	41.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544257-1

Page 3 of 3

Sample Number 2620802-6
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 29 - Mar 30, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122607

Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	43.0	41.9	02:40 AM - 02:45 AM	43.3	41.9	05:20 AM - 05:25 AM	49.2	45.0
12:05 AM - 12:10 AM	42.5	41.5	02:45 AM - 02:50 AM	43.3	41.8	05:25 AM - 05:30 AM	49.7	46.1
12:10 AM - 12:15 AM	43.6	42.0	02:50 AM - 02:55 AM	42.9	42.1	05:30 AM - 05:35 AM	50.3	46.9
12:15 AM - 12:20 AM	44.1	42.5	02:55 AM - 03:00 AM	43.6	42.4	05:35 AM - 05:40 AM	51.6	49.3
12:20 AM - 12:25 AM	44.0	42.4	03:00 AM - 03:05 AM	43.2	41.8	05:40 AM - 05:45 AM	52.2	50.4
12:25 AM - 12:30 AM	44.6	42.8	03:05 AM - 03:10 AM	42.7	41.6	05:45 AM - 05:50 AM	51.0	48.9
12:30 AM - 12:35 AM	43.4	42.2	03:10 AM - 03:15 AM	43.1	41.4	05:50 AM - 05:55 AM	51.7	48.7
12:35 AM - 12:40 AM	43.9	42.3	03:15 AM - 03:20 AM	42.6	41.5	05:55 AM - 06:00 AM	50.1	46.5
12:40 AM - 12:45 AM	44.1	42.5	03:20 AM - 03:25 AM	43.3	41.9	06:00 AM - 06:05 AM	50.2	46.2
12:45 AM - 12:50 AM	42.7	41.5	03:25 AM - 03:30 AM	44.3	42.3	06:05 AM - 06:10 AM	48.1	44.9
12:50 AM - 12:55 AM	43.1	41.8	03:30 AM - 03:35 AM	43.2	41.3	06:10 AM - 06:15 AM	49.1	45.0
12:55 AM - 01:00 AM	43.4	42.2	03:35 AM - 03:40 AM	44.1	41.0	06:15 AM - 06:20 AM	49.0	44.2
01:00 AM - 01:05 AM	42.9	42.0	03:40 AM - 03:45 AM	45.1	41.7	06:20 AM - 06:25 AM	49.4	44.0
01:05 AM - 01:10 AM	42.8	41.8	03:45 AM - 03:50 AM	43.5	40.8	06:25 AM - 06:30 AM	48.4	43.7
01:10 AM - 01:15 AM	43.2	41.7	03:50 AM - 03:55 AM	44.3	41.0	06:30 AM - 06:35 AM	48.8	43.5
01:15 AM - 01:20 AM	44.0	41.9	03:55 AM - 04:00 AM	45.7	41.9	06:35 AM - 06:40 AM	47.0	42.4
01:20 AM - 01:25 AM	43.7	41.7	04:00 AM - 04:05 AM	46.0	41.8	06:40 AM - 06:45 AM	45.5	42.0
01:25 AM - 01:30 AM	43.3	41.2	04:05 AM - 04:10 AM	44.7	41.3	06:45 AM - 06:50 AM	48.5	42.3
01:30 AM - 01:35 AM	42.6	41.0	04:10 AM - 04:15 AM	45.9	42.2	06:50 AM - 06:55 AM	46.7	42.1
01:35 AM - 01:40 AM	45.0	40.7	04:15 AM - 04:20 AM	46.4	41.8	06:55 AM - 07:00 AM	44.4	42.1
01:40 AM - 01:45 AM	43.6	41.0	04:20 AM - 04:25 AM	44.7	41.0	07:00 AM - 07:05 AM	49.9	43.4
01:45 AM - 01:50 AM	43.5	41.0	04:25 AM - 04:30 AM	46.2	41.8	07:05 AM - 07:10 AM	51.8	42.9
01:50 AM - 01:55 AM	43.4	41.3	04:30 AM - 04:35 AM	47.2	42.8	07:10 AM - 07:15 AM	46.2	42.6
01:55 AM - 02:00 AM	43.5	41.2	04:35 AM - 04:40 AM	46.2	42.5	07:15 AM - 07:20 AM	48.1	42.5
02:00 AM - 02:05 AM	44.0	41.9	04:40 AM - 04:45 AM	47.0	43.7	07:20 AM - 07:25 AM	50.2	42.3
02:05 AM - 02:10 AM	43.5	42.2	04:45 AM - 04:50 AM	49.0	44.0	07:25 AM - 07:30 AM	45.8	40.3
02:10 AM - 02:15 AM	43.9	42.3	04:50 AM - 04:55 AM	48.9	44.8	07:30 AM - 07:35 AM	44.5	40.7
02:15 AM - 02:20 AM	43.5	42.2	04:55 AM - 05:00 AM	50.3	46.4	07:35 AM - 07:40 AM	47.4	41.1
02:20 AM - 02:25 AM	43.9	42.5	05:00 AM - 05:05 AM	50.9	47.6	07:40 AM - 07:45 AM	51.4	41.8
02:25 AM - 02:30 AM	43.6	42.5	05:05 AM - 05:10 AM	48.7	44.4	07:45 AM - 07:50 AM	44.2	40.8
02:30 AM - 02:35 AM	43.1	42.2	05:10 AM - 05:15 AM	48.0	44.0	07:50 AM - 07:55 AM	46.6	41.6
02:35 AM - 02:40 AM	43.8	42.6	05:15 AM - 05:20 AM	47.8	43.6	07:55 AM - 08:00 AM	53.6	42.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544258-1

Page 1 of 3

Sample Number 2620802-7
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงเทพ (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 30 - Mar 31, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 01122607

Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	48.6	41.6	10:40 AM - 10:45 AM	43.9	40.0	01:20 PM - 01:25 PM	43.4	37.9
08:05 AM - 08:10 AM	43.9	40.6	10:45 AM - 10:50 AM	42.4	39.2	01:25 PM - 01:30 PM	41.6	38.8
08:10 AM - 08:15 AM	42.8	40.6	10:50 AM - 10:55 AM	50.9	41.4	01:30 PM - 01:35 PM	42.7	39.7
08:15 AM - 08:20 AM	43.9	40.2	10:55 AM - 11:00 AM	44.1	40.1	01:35 PM - 01:40 PM	51.7	38.9
08:20 AM - 08:25 AM	47.4	40.6	11:00 AM - 11:05 AM	44.0	40.7	01:40 PM - 01:45 PM	43.2	39.4
08:25 AM - 08:30 AM	47.1	41.6	11:05 AM - 11:10 AM	42.3	40.0	01:45 PM - 01:50 PM	42.4	39.6
08:30 AM - 08:35 AM	57.5	47.6	11:10 AM - 11:15 AM	44.4	40.3	01:50 PM - 01:55 PM	47.8	41.8
08:35 AM - 08:40 AM	59.6	57.0	11:15 AM - 11:20 AM	50.4	41.5	01:55 PM - 02:00 PM	41.3	38.8
08:40 AM - 08:45 AM	59.9	57.6	11:20 AM - 11:25 AM	42.8	39.3	02:00 PM - 02:05 PM	47.8	40.0
08:45 AM - 08:50 AM	58.1	55.2	11:25 AM - 11:30 AM	43.8	39.3	02:05 PM - 02:10 PM	46.2	41.3
08:50 AM - 08:55 AM	58.9	55.6	11:30 AM - 11:35 AM	54.3	52.6	02:10 PM - 02:15 PM	47.9	41.6
08:55 AM - 09:00 AM	60.7	58.0	11:35 AM - 11:40 AM	53.5	40.1	02:15 PM - 02:20 PM	49.5	41.2
09:00 AM - 09:05 AM	58.0	53.8	11:40 AM - 11:45 AM	43.4	37.8	02:20 PM - 02:25 PM	52.4	41.6
09:05 AM - 09:10 AM	58.0	54.1	11:45 AM - 11:50 AM	43.5	39.0	02:25 PM - 02:30 PM	66.9	61.8
09:10 AM - 09:15 AM	61.9	59.6	11:50 AM - 11:55 AM	41.0	36.7	02:30 PM - 02:35 PM	68.0	65.4
09:15 AM - 09:20 AM	52.9	38.8	11:55 AM - 12:00 PM	40.1	36.9	02:35 PM - 02:40 PM	54.0	51.1
09:20 AM - 09:25 AM	45.4	38.4	12:00 PM - 12:05 PM	48.6	38.3	02:40 PM - 02:45 PM	53.7	50.5
09:25 AM - 09:30 AM	44.3	40.3	12:05 PM - 12:10 PM	42.9	38.4	02:45 PM - 02:50 PM	53.2	50.8
09:30 AM - 09:35 AM	42.9	39.1	12:10 PM - 12:15 PM	48.3	39.0	02:50 PM - 02:55 PM	53.6	50.4
09:35 AM - 09:40 AM	49.5	40.9	12:15 PM - 12:20 PM	48.0	39.4	02:55 PM - 03:00 PM	52.9	50.6
09:40 AM - 09:45 AM	48.2	41.8	12:20 PM - 12:25 PM	44.3	39.0	03:00 PM - 03:05 PM	51.6	49.3
09:45 AM - 09:50 AM	43.4	40.8	12:25 PM - 12:30 PM	49.9	40.7	03:05 PM - 03:10 PM	49.3	47.3
09:50 AM - 09:55 AM	47.1	40.8	12:30 PM - 12:35 PM	40.2	37.5	03:10 PM - 03:15 PM	44.3	39.9
09:55 AM - 10:00 AM	45.6	40.1	12:35 PM - 12:40 PM	42.9	39.1	03:15 PM - 03:20 PM	49.7	42.2
10:00 AM - 10:05 AM	43.0	39.2	12:40 PM - 12:45 PM	42.4	38.1	03:20 PM - 03:25 PM	52.8	43.8
10:05 AM - 10:10 AM	42.1	38.6	12:45 PM - 12:50 PM	42.7	38.1	03:25 PM - 03:30 PM	51.9	42.8
10:10 AM - 10:15 AM	43.8	39.7	12:50 PM - 12:55 PM	44.4	39.7	03:30 PM - 03:35 PM	53.1	42.4
10:15 AM - 10:20 AM	45.2	38.9	12:55 PM - 01:00 PM	43.3	39.3	03:35 PM - 03:40 PM	49.1	42.8
10:20 AM - 10:25 AM	48.3	39.8	01:00 PM - 01:05 PM	43.4	39.6	03:40 PM - 03:45 PM	48.2	42.8
10:25 AM - 10:30 AM	44.5	40.2	01:05 PM - 01:10 PM	43.2	40.4	03:45 PM - 03:50 PM	51.4	45.2
10:30 AM - 10:35 AM	46.3	41.1	01:10 PM - 01:15 PM	47.6	40.9	03:50 PM - 03:55 PM	51.3	44.9
10:35 AM - 10:40 AM	46.1	40.3	01:15 PM - 01:20 PM	41.6	37.9	03:55 PM - 04:00 PM	52.4	45.2

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544258-1

Page 2 of 3

Sample Number 2620802-7
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 30 - Mar 31, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122607

Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	48.4	42.5	06:40 PM - 06:45 PM	47.5	43.7	09:20 PM - 09:25 PM	43.7	41.2
04:05 PM - 04:10 PM	50.3	44.1	06:45 PM - 06:50 PM	48.7	44.2	09:25 PM - 09:30 PM	44.7	41.3
04:10 PM - 04:15 PM	48.9	43.6	06:50 PM - 06:55 PM	47.3	44.6	09:30 PM - 09:35 PM	44.1	41.3
04:15 PM - 04:20 PM	48.6	44.1	06:55 PM - 07:00 PM	47.5	44.7	09:35 PM - 09:40 PM	42.7	41.2
04:20 PM - 04:25 PM	51.8	46.1	07:00 PM - 07:05 PM	47.0	43.9	09:40 PM - 09:45 PM	43.0	40.9
04:25 PM - 04:30 PM	48.8	44.2	07:05 PM - 07:10 PM	45.1	42.9	09:45 PM - 09:50 PM	48.1	40.7
04:30 PM - 04:35 PM	49.8	45.4	07:10 PM - 07:15 PM	45.0	43.1	09:50 PM - 09:55 PM	42.2	40.9
04:35 PM - 04:40 PM	54.2	46.2	07:15 PM - 07:20 PM	44.6	42.3	09:55 PM - 10:00 PM	42.0	40.9
04:40 PM - 04:45 PM	47.8	43.0	07:20 PM - 07:25 PM	44.6	42.2	10:00 PM - 10:05 PM	41.5	40.7
04:45 PM - 04:50 PM	50.7	43.9	07:25 PM - 07:30 PM	45.2	42.4	10:05 PM - 10:10 PM	42.0	41.0
04:50 PM - 04:55 PM	49.2	44.4	07:30 PM - 07:35 PM	44.2	41.8	10:10 PM - 10:15 PM	42.1	41.1
04:55 PM - 05:00 PM	52.6	47.0	07:35 PM - 07:40 PM	51.1	42.5	10:15 PM - 10:20 PM	43.0	41.8
05:00 PM - 05:05 PM	53.2	46.1	07:40 PM - 07:45 PM	47.6	42.4	10:20 PM - 10:25 PM	43.2	42.0
05:05 PM - 05:10 PM	50.6	45.8	07:45 PM - 07:50 PM	43.5	41.3	10:25 PM - 10:30 PM	42.9	41.6
05:10 PM - 05:15 PM	53.0	45.9	07:50 PM - 07:55 PM	42.7	41.2	10:30 PM - 10:35 PM	44.8	41.9
05:15 PM - 05:20 PM	51.7	46.6	07:55 PM - 08:00 PM	42.4	41.0	10:35 PM - 10:40 PM	45.0	42.0
05:20 PM - 05:25 PM	53.3	45.6	08:00 PM - 08:05 PM	43.8	41.4	10:40 PM - 10:45 PM	44.7	41.8
05:25 PM - 05:30 PM	52.1	46.6	08:05 PM - 08:10 PM	47.9	42.5	10:45 PM - 10:50 PM	44.4	41.3
05:30 PM - 05:35 PM	49.9	46.2	08:10 PM - 08:15 PM	44.6	41.7	10:50 PM - 10:55 PM	45.6	41.3
05:35 PM - 05:40 PM	50.3	44.7	08:15 PM - 08:20 PM	44.5	41.9	10:55 PM - 11:00 PM	45.0	41.3
05:40 PM - 05:45 PM	50.8	44.7	08:20 PM - 08:25 PM	44.2	41.5	11:00 PM - 11:05 PM	44.7	41.2
05:45 PM - 05:50 PM	47.0	42.1	08:25 PM - 08:30 PM	44.6	41.6	11:05 PM - 11:10 PM	44.8	41.0
05:50 PM - 05:55 PM	46.7	42.9	08:30 PM - 08:35 PM	44.6	42.4	11:10 PM - 11:15 PM	44.2	40.3
05:55 PM - 06:00 PM	48.7	43.3	08:35 PM - 08:40 PM	47.7	42.0	11:15 PM - 11:20 PM	44.8	41.0
06:00 PM - 06:05 PM	49.2	43.0	08:40 PM - 08:45 PM	44.5	41.5	11:20 PM - 11:25 PM	43.9	40.3
06:05 PM - 06:10 PM	48.3	43.0	08:45 PM - 08:50 PM	42.9	41.2	11:25 PM - 11:30 PM	43.4	40.0
06:10 PM - 06:15 PM	49.7	43.9	08:50 PM - 08:55 PM	43.6	41.4	11:30 PM - 11:35 PM	43.8	41.0
06:15 PM - 06:20 PM	46.8	43.8	08:55 PM - 09:00 PM	43.7	40.8	11:35 PM - 11:40 PM	43.6	41.2
06:20 PM - 06:25 PM	47.8	44.2	09:00 PM - 09:05 PM	44.6	41.5	11:40 PM - 11:45 PM	42.7	40.2
06:25 PM - 06:30 PM	47.0	41.6	09:05 PM - 09:10 PM	44.0	41.7	11:45 PM - 11:50 PM	41.7	40.2
06:30 PM - 06:35 PM	51.7	44.1	09:10 PM - 09:15 PM	43.6	41.4	11:50 PM - 11:55 PM	41.8	40.0
06:35 PM - 06:40 PM	49.7	47.2	09:15 PM - 09:20 PM	45.0	41.2	11:55 PM - 12:00 AM	43.7	40.9

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544258-1

Page 3 of 3

Sample Number 2620802-7
Parameter Noise Level (Leq 5 min)
Location ฟาร์มกรุงไทย (สาขาเนินสี) (N1) (GPS 47P 0748433, 1462499)
Measurement Date Mar 30 - Mar 31, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122607

Mar 31, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 31, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 31, 2026 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	44.1	40.9	02:40 AM - 02:45 AM	44.9	40.1	05:20 AM - 05:25 AM	46.4	43.0
12:05 AM - 12:10 AM	44.1	40.8	02:45 AM - 02:50 AM	46.1	41.1	05:25 AM - 05:30 AM	48.2	44.8
12:10 AM - 12:15 AM	43.8	40.4	02:50 AM - 02:55 AM	45.7	39.7	05:30 AM - 05:35 AM	48.5	46.0
12:15 AM - 12:20 AM	43.7	40.6	02:55 AM - 03:00 AM	41.8	39.6	05:35 AM - 05:40 AM	49.3	47.4
12:20 AM - 12:25 AM	43.3	40.1	03:00 AM - 03:05 AM	44.1	40.3	05:40 AM - 05:45 AM	49.7	47.5
12:25 AM - 12:30 AM	41.5	40.0	03:05 AM - 03:10 AM	44.6	40.9	05:45 AM - 05:50 AM	50.5	44.8
12:30 AM - 12:35 AM	41.3	39.6	03:10 AM - 03:15 AM	44.0	40.5	05:50 AM - 05:55 AM	50.1	44.7
12:35 AM - 12:40 AM	41.0	40.0	03:15 AM - 03:20 AM	44.6	41.3	05:55 AM - 06:00 AM	48.7	44.2
12:40 AM - 12:45 AM	40.7	39.8	03:20 AM - 03:25 AM	43.8	40.8	06:00 AM - 06:05 AM	50.1	45.0
12:45 AM - 12:50 AM	42.5	40.0	03:25 AM - 03:30 AM	44.1	41.2	06:05 AM - 06:10 AM	46.8	43.7
12:50 AM - 12:55 AM	44.3	40.1	03:30 AM - 03:35 AM	43.8	40.9	06:10 AM - 06:15 AM	47.8	44.8
12:55 AM - 01:00 AM	42.7	39.7	03:35 AM - 03:40 AM	44.0	41.4	06:15 AM - 06:20 AM	50.8	45.7
01:00 AM - 01:05 AM	43.1	39.6	03:40 AM - 03:45 AM	44.4	41.7	06:20 AM - 06:25 AM	48.4	44.2
01:05 AM - 01:10 AM	44.0	40.3	03:45 AM - 03:50 AM	44.7	41.4	06:25 AM - 06:30 AM	48.9	42.5
01:10 AM - 01:15 AM	44.8	40.1	03:50 AM - 03:55 AM	43.4	40.2	06:30 AM - 06:35 AM	46.8	43.2
01:15 AM - 01:20 AM	44.3	39.9	03:55 AM - 04:00 AM	43.6	39.8	06:35 AM - 06:40 AM	46.3	42.5
01:20 AM - 01:25 AM	43.2	40.6	04:00 AM - 04:05 AM	44.3	40.6	06:40 AM - 06:45 AM	50.2	43.9
01:25 AM - 01:30 AM	43.9	40.8	04:05 AM - 04:10 AM	44.7	40.4	06:45 AM - 06:50 AM	45.9	42.8
01:30 AM - 01:35 AM	46.0	41.2	04:10 AM - 04:15 AM	45.6	41.1	06:50 AM - 06:55 AM	51.5	43.1
01:35 AM - 01:40 AM	47.4	42.1	04:15 AM - 04:20 AM	44.2	40.4	06:55 AM - 07:00 AM	48.4	41.9
01:40 AM - 01:45 AM	47.7	43.1	04:20 AM - 04:25 AM	46.1	41.2	07:00 AM - 07:05 AM	46.8	42.5
01:45 AM - 01:50 AM	47.6	42.6	04:25 AM - 04:30 AM	45.5	40.6	07:05 AM - 07:10 AM	45.3	41.8
01:50 AM - 01:55 AM	47.1	42.4	04:30 AM - 04:35 AM	42.8	40.3	07:10 AM - 07:15 AM	46.9	43.0
01:55 AM - 02:00 AM	45.1	40.0	04:35 AM - 04:40 AM	44.1	40.5	07:15 AM - 07:20 AM	51.1	47.3
02:00 AM - 02:05 AM	46.2	41.0	04:40 AM - 04:45 AM	44.1	40.6	07:20 AM - 07:25 AM	46.6	43.5
02:05 AM - 02:10 AM	46.7	41.4	04:45 AM - 04:50 AM	45.7	41.2	07:25 AM - 07:30 AM	47.9	43.7
02:10 AM - 02:15 AM	44.8	40.0	04:50 AM - 04:55 AM	45.2	41.1	07:30 AM - 07:35 AM	51.6	42.3
02:15 AM - 02:20 AM	40.2	39.3	04:55 AM - 05:00 AM	44.3	41.0	07:35 AM - 07:40 AM	46.0	41.8
02:20 AM - 02:25 AM	40.0	39.2	05:00 AM - 05:05 AM	45.1	40.9	07:40 AM - 07:45 AM	45.7	43.3
02:25 AM - 02:30 AM	40.3	39.0	05:05 AM - 05:10 AM	46.4	41.3	07:45 AM - 07:50 AM	46.4	42.7
02:30 AM - 02:35 AM	39.8	39.1	05:10 AM - 05:15 AM	44.9	41.2	07:50 AM - 07:55 AM	51.8	44.2
02:35 AM - 02:40 AM	41.0	39.1	05:15 AM - 05:20 AM	45.7	42.1	07:55 AM - 08:00 AM	44.9	42.3

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544259-1

Page 1 of 3

Sample Number 2620802-8
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 24 - Mar 25, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623389

Mar 24, 2026	Leq	L90	Mar 24, 2026	Leq	L90	Mar 24, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	48.8	43.2	10:40 AM - 10:45 AM	56.0	44.2	01:20 PM - 01:25 PM	49.7	41.3
08:05 AM - 08:10 AM	49.0	42.8	10:45 AM - 10:50 AM	55.0	43.5	01:25 PM - 01:30 PM	46.0	41.6
08:10 AM - 08:15 AM	48.7	43.5	10:50 AM - 10:55 AM	60.0	43.1	01:30 PM - 01:35 PM	43.8	40.5
08:15 AM - 08:20 AM	58.4	44.4	10:55 AM - 11:00 AM	57.5	41.7	01:35 PM - 01:40 PM	49.9	41.9
08:20 AM - 08:25 AM	53.5	45.9	11:00 AM - 11:05 AM	56.3	45.8	01:40 PM - 01:45 PM	53.1	43.8
08:25 AM - 08:30 AM	64.7	50.4	11:05 AM - 11:10 AM	60.1	46.1	01:45 PM - 01:50 PM	50.7	43.3
08:30 AM - 08:35 AM	64.4	51.5	11:10 AM - 11:15 AM	53.3	43.7	01:50 PM - 01:55 PM	49.0	41.0
08:35 AM - 08:40 AM	54.0	50.4	11:15 AM - 11:20 AM	51.9	43.1	01:55 PM - 02:00 PM	53.5	44.9
08:40 AM - 08:45 AM	65.8	54.9	11:20 AM - 11:25 AM	48.7	42.0	02:00 PM - 02:05 PM	52.3	46.6
08:45 AM - 08:50 AM	52.6	48.4	11:25 AM - 11:30 AM	51.8	44.6	02:05 PM - 02:10 PM	50.5	43.0
08:50 AM - 08:55 AM	57.6	48.5	11:30 AM - 11:35 AM	50.2	43.1	02:10 PM - 02:15 PM	55.0	46.0
08:55 AM - 09:00 AM	49.1	44.2	11:35 AM - 11:40 AM	54.1	45.2	02:15 PM - 02:20 PM	51.0	42.9
09:00 AM - 09:05 AM	49.3	43.7	11:40 AM - 11:45 AM	60.7	46.4	02:20 PM - 02:25 PM	51.1	41.5
09:05 AM - 09:10 AM	53.5	46.2	11:45 AM - 11:50 AM	53.3	46.1	02:25 PM - 02:30 PM	53.0	41.2
09:10 AM - 09:15 AM	50.1	46.1	11:50 AM - 11:55 AM	52.3	47.2	02:30 PM - 02:35 PM	56.7	46.3
09:15 AM - 09:20 AM	49.5	42.6	11:55 AM - 12:00 PM	51.0	45.5	02:35 PM - 02:40 PM	59.2	41.6
09:20 AM - 09:25 AM	46.2	42.1	12:00 PM - 12:05 PM	54.5	47.0	02:40 PM - 02:45 PM	61.2	41.6
09:25 AM - 09:30 AM	50.6	42.9	12:05 PM - 12:10 PM	55.7	45.6	02:45 PM - 02:50 PM	60.0	42.5
09:30 AM - 09:35 AM	54.0	44.2	12:10 PM - 12:15 PM	47.5	41.8	02:50 PM - 02:55 PM	55.0	45.3
09:35 AM - 09:40 AM	48.4	43.4	12:15 PM - 12:20 PM	50.9	44.5	02:55 PM - 03:00 PM	56.8	44.9
09:40 AM - 09:45 AM	51.1	44.8	12:20 PM - 12:25 PM	51.8	43.5	03:00 PM - 03:05 PM	57.6	45.4
09:45 AM - 09:50 AM	53.4	47.2	12:25 PM - 12:30 PM	49.3	43.8	03:05 PM - 03:10 PM	51.6	43.1
09:50 AM - 09:55 AM	50.4	43.4	12:30 PM - 12:35 PM	51.8	45.3	03:10 PM - 03:15 PM	56.5	43.0
09:55 AM - 10:00 AM	53.2	44.5	12:35 PM - 12:40 PM	50.6	43.4	03:15 PM - 03:20 PM	58.5	44.4
10:00 AM - 10:05 AM	51.3	44.7	12:40 PM - 12:45 PM	47.3	41.5	03:20 PM - 03:25 PM	55.1	41.8
10:05 AM - 10:10 AM	53.7	41.0	12:45 PM - 12:50 PM	45.9	41.5	03:25 PM - 03:30 PM	57.0	46.0
10:10 AM - 10:15 AM	52.4	41.6	12:50 PM - 12:55 PM	55.4	43.6	03:30 PM - 03:35 PM	55.5	42.6
10:15 AM - 10:20 AM	60.5	47.3	12:55 PM - 01:00 PM	50.9	40.5	03:35 PM - 03:40 PM	52.7	42.1
10:20 AM - 10:25 AM	60.8	45.5	01:00 PM - 01:05 PM	46.6	40.3	03:40 PM - 03:45 PM	62.2	61.6
10:25 AM - 10:30 AM	55.1	46.5	01:05 PM - 01:10 PM	52.3	40.5	03:45 PM - 03:50 PM	59.6	58.5
10:30 AM - 10:35 AM	58.4	46.7	01:10 PM - 01:15 PM	54.9	41.4	03:50 PM - 03:55 PM	57.0	44.7
10:35 AM - 10:40 AM	61.5	45.4	01:15 PM - 01:20 PM	47.9	41.3	03:55 PM - 04:00 PM	58.4	40.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544259-1

Page 2 of 3

Sample Number 2620802-8
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 24 - Mar 25, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623389

Mar 24, 2026	Leq	L90	Mar 24, 2026	Leq	L90	Mar 24, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	56.0	45.2	06:40 PM - 06:45 PM	54.9	49.0	09:20 PM - 09:25 PM	57.6	49.7
04:05 PM - 04:10 PM	50.9	44.9	06:45 PM - 06:50 PM	54.8	48.3	09:25 PM - 09:30 PM	55.8	48.9
04:10 PM - 04:15 PM	56.8	44.3	06:50 PM - 06:55 PM	58.9	51.0	09:30 PM - 09:35 PM	58.8	49.3
04:15 PM - 04:20 PM	62.4	48.8	06:55 PM - 07:00 PM	60.7	52.2	09:35 PM - 09:40 PM	56.3	49.4
04:20 PM - 04:25 PM	59.2	42.4	07:00 PM - 07:05 PM	62.8	55.1	09:40 PM - 09:45 PM	54.6	48.0
04:25 PM - 04:30 PM	58.1	45.8	07:05 PM - 07:10 PM	58.0	54.0	09:45 PM - 09:50 PM	56.4	48.6
04:30 PM - 04:35 PM	56.0	44.8	07:10 PM - 07:15 PM	59.2	51.1	09:50 PM - 09:55 PM	60.0	49.8
04:35 PM - 04:40 PM	59.6	41.9	07:15 PM - 07:20 PM	61.5	54.4	09:55 PM - 10:00 PM	58.6	50.5
04:40 PM - 04:45 PM	55.4	43.1	07:20 PM - 07:25 PM	56.8	52.0	10:00 PM - 10:05 PM	55.8	49.9
04:45 PM - 04:50 PM	49.6	41.4	07:25 PM - 07:30 PM	58.9	52.6	10:05 PM - 10:10 PM	55.8	49.7
04:50 PM - 04:55 PM	60.1	43.4	07:30 PM - 07:35 PM	64.7	52.8	10:10 PM - 10:15 PM	57.9	48.0
04:55 PM - 05:00 PM	48.2	41.9	07:35 PM - 07:40 PM	62.7	61.3	10:15 PM - 10:20 PM	55.7	48.6
05:00 PM - 05:05 PM	53.8	45.6	07:40 PM - 07:45 PM	62.6	61.3	10:20 PM - 10:25 PM	54.5	49.4
05:05 PM - 05:10 PM	54.5	48.0	07:45 PM - 07:50 PM	63.4	61.1	10:25 PM - 10:30 PM	55.5	47.8
05:10 PM - 05:15 PM	57.2	47.8	07:50 PM - 07:55 PM	64.9	53.3	10:30 PM - 10:35 PM	60.4	51.0
05:15 PM - 05:20 PM	51.1	46.0	07:55 PM - 08:00 PM	58.5	52.1	10:35 PM - 10:40 PM	60.0	51.2
05:20 PM - 05:25 PM	49.2	45.5	08:00 PM - 08:05 PM	57.6	51.4	10:40 PM - 10:45 PM	56.8	47.6
05:25 PM - 05:30 PM	49.0	43.8	08:05 PM - 08:10 PM	58.1	51.9	10:45 PM - 10:50 PM	58.6	48.6
05:30 PM - 05:35 PM	47.5	43.2	08:10 PM - 08:15 PM	57.5	52.0	10:50 PM - 10:55 PM	57.1	48.0
05:35 PM - 05:40 PM	53.7	43.7	08:15 PM - 08:20 PM	59.1	52.2	10:55 PM - 11:00 PM	56.9	47.2
05:40 PM - 05:45 PM	49.7	42.9	08:20 PM - 08:25 PM	56.0	51.6	11:00 PM - 11:05 PM	54.0	47.0
05:45 PM - 05:50 PM	53.0	43.9	08:25 PM - 08:30 PM	58.7	51.4	11:05 PM - 11:10 PM	55.6	48.5
05:50 PM - 05:55 PM	55.4	51.1	08:30 PM - 08:35 PM	60.0	50.4	11:10 PM - 11:15 PM	53.7	48.0
05:55 PM - 06:00 PM	54.3	47.1	08:35 PM - 08:40 PM	59.7	51.3	11:15 PM - 11:20 PM	55.6	48.5
06:00 PM - 06:05 PM	55.8	48.6	08:40 PM - 08:45 PM	55.0	50.1	11:20 PM - 11:25 PM	55.6	50.1
06:05 PM - 06:10 PM	55.8	48.1	08:45 PM - 08:50 PM	57.7	52.9	11:25 PM - 11:30 PM	53.8	48.6
06:10 PM - 06:15 PM	57.8	48.8	08:50 PM - 08:55 PM	60.6	53.5	11:30 PM - 11:35 PM	56.3	48.5
06:15 PM - 06:20 PM	59.6	51.4	08:55 PM - 09:00 PM	63.5	54.2	11:35 PM - 11:40 PM	60.0	50.5
06:20 PM - 06:25 PM	62.7	53.5	09:00 PM - 09:05 PM	60.3	52.0	11:40 PM - 11:45 PM	59.2	49.3
06:25 PM - 06:30 PM	56.7	51.5	09:05 PM - 09:10 PM	57.5	51.4	11:45 PM - 11:50 PM	55.2	47.9
06:30 PM - 06:35 PM	53.9	49.4	09:10 PM - 09:15 PM	57.1	51.9	11:50 PM - 11:55 PM	51.6	48.1
06:35 PM - 06:40 PM	56.4	49.1	09:15 PM - 09:20 PM	56.2	50.3	11:55 PM - 12:00 AM	51.1	48.4

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544259-1

Page 3 of 3

Sample Number 2620802-8
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 24 - Mar 25, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623389

Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	51.1	46.7	02:40 AM - 02:45 AM	46.1	43.8	05:20 AM - 05:25 AM	46.2	44.3
12:05 AM - 12:10 AM	47.9	45.9	02:45 AM - 02:50 AM	46.8	44.9	05:25 AM - 05:30 AM	45.7	44.1
12:10 AM - 12:15 AM	47.9	45.9	02:50 AM - 02:55 AM	46.8	44.9	05:30 AM - 05:35 AM	46.2	44.7
12:15 AM - 12:20 AM	48.8	47.2	02:55 AM - 03:00 AM	46.9	44.9	05:35 AM - 05:40 AM	46.1	44.4
12:20 AM - 12:25 AM	49.7	46.5	03:00 AM - 03:05 AM	46.0	43.9	05:40 AM - 05:45 AM	46.2	44.6
12:25 AM - 12:30 AM	48.8	46.2	03:05 AM - 03:10 AM	45.8	43.8	05:45 AM - 05:50 AM	47.2	45.8
12:30 AM - 12:35 AM	47.1	44.7	03:10 AM - 03:15 AM	45.9	44.0	05:50 AM - 05:55 AM	47.6	45.2
12:35 AM - 12:40 AM	45.6	44.5	03:15 AM - 03:20 AM	45.3	44.0	05:55 AM - 06:00 AM	54.8	45.6
12:40 AM - 12:45 AM	45.4	44.4	03:20 AM - 03:25 AM	44.2	42.8	06:00 AM - 06:05 AM	55.6	46.0
12:45 AM - 12:50 AM	45.5	44.1	03:25 AM - 03:30 AM	44.6	43.1	06:05 AM - 06:10 AM	56.9	46.7
12:50 AM - 12:55 AM	47.8	43.7	03:30 AM - 03:35 AM	44.9	43.2	06:10 AM - 06:15 AM	58.6	47.8
12:55 AM - 01:00 AM	46.6	44.7	03:35 AM - 03:40 AM	45.8	44.2	06:15 AM - 06:20 AM	55.4	46.5
01:00 AM - 01:05 AM	46.2	45.3	03:40 AM - 03:45 AM	45.3	44.0	06:20 AM - 06:25 AM	56.6	47.1
01:05 AM - 01:10 AM	47.2	43.9	03:45 AM - 03:50 AM	45.4	43.2	06:25 AM - 06:30 AM	50.8	46.3
01:10 AM - 01:15 AM	44.4	43.3	03:50 AM - 03:55 AM	45.9	43.7	06:30 AM - 06:35 AM	53.0	45.3
01:15 AM - 01:20 AM	45.8	43.4	03:55 AM - 04:00 AM	45.7	43.2	06:35 AM - 06:40 AM	51.9	46.9
01:20 AM - 01:25 AM	44.6	43.3	04:00 AM - 04:05 AM	45.7	43.3	06:40 AM - 06:45 AM	51.6	46.3
01:25 AM - 01:30 AM	45.8	43.8	04:05 AM - 04:10 AM	44.5	43.0	06:45 AM - 06:50 AM	46.6	43.2
01:30 AM - 01:35 AM	47.4	45.6	04:10 AM - 04:15 AM	45.4	43.0	06:50 AM - 06:55 AM	50.6	43.2
01:35 AM - 01:40 AM	47.7	46.0	04:15 AM - 04:20 AM	45.6	43.6	06:55 AM - 07:00 AM	48.8	42.1
01:40 AM - 01:45 AM	47.8	45.9	04:20 AM - 04:25 AM	44.0	43.1	07:00 AM - 07:05 AM	51.8	44.3
01:45 AM - 01:50 AM	47.5	45.9	04:25 AM - 04:30 AM	44.4	43.2	07:05 AM - 07:10 AM	57.1	52.4
01:50 AM - 01:55 AM	48.0	46.3	04:30 AM - 04:35 AM	45.0	43.1	07:10 AM - 07:15 AM	55.5	49.1
01:55 AM - 02:00 AM	48.4	45.3	04:35 AM - 04:40 AM	45.3	43.3	07:15 AM - 07:20 AM	51.9	43.8
02:00 AM - 02:05 AM	46.8	45.5	04:40 AM - 04:45 AM	45.1	43.1	07:20 AM - 07:25 AM	54.4	43.5
02:05 AM - 02:10 AM	46.6	45.3	04:45 AM - 04:50 AM	45.4	43.2	07:25 AM - 07:30 AM	52.2	43.5
02:10 AM - 02:15 AM	46.3	45.2	04:50 AM - 04:55 AM	44.6	43.3	07:30 AM - 07:35 AM	59.0	45.4
02:15 AM - 02:20 AM	47.5	45.2	04:55 AM - 05:00 AM	45.5	43.9	07:35 AM - 07:40 AM	51.5	42.3
02:20 AM - 02:25 AM	48.4	44.9	05:00 AM - 05:05 AM	46.0	44.5	07:40 AM - 07:45 AM	54.7	42.4
02:25 AM - 02:30 AM	49.1	45.3	05:05 AM - 05:10 AM	45.3	44.1	07:45 AM - 07:50 AM	53.4	41.9
02:30 AM - 02:35 AM	48.8	44.8	05:10 AM - 05:15 AM	45.2	43.9	07:50 AM - 07:55 AM	52.6	42.3
02:35 AM - 02:40 AM	48.2	44.0	05:15 AM - 05:20 AM	44.6	43.6	07:55 AM - 08:00 AM	53.1	42.9

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544260-1

Page 1 of 3

Sample Number 2620802-9
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 25 - Mar 26, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 623389

Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	52.8	43.6	10:40 AM - 10:45 AM	54.2	44.8	01:20 PM - 01:25 PM	46.7	43.5
08:05 AM - 08:10 AM	49.5	43.1	10:45 AM - 10:50 AM	50.5	43.2	01:25 PM - 01:30 PM	61.6	44.0
08:10 AM - 08:15 AM	49.3	43.0	10:50 AM - 10:55 AM	48.5	40.9	01:30 PM - 01:35 PM	55.4	43.9
08:15 AM - 08:20 AM	45.1	40.7	10:55 AM - 11:00 AM	48.8	40.7	01:35 PM - 01:40 PM	47.6	43.0
08:20 AM - 08:25 AM	47.1	40.8	11:00 AM - 11:05 AM	50.7	41.3	01:40 PM - 01:45 PM	46.6	43.5
08:25 AM - 08:30 AM	54.2	39.5	11:05 AM - 11:10 AM	45.8	41.4	01:45 PM - 01:50 PM	46.7	42.9
08:30 AM - 08:35 AM	60.0	43.2	11:10 AM - 11:15 AM	57.2	42.2	01:50 PM - 01:55 PM	50.9	43.8
08:35 AM - 08:40 AM	50.9	40.5	11:15 AM - 11:20 AM	56.2	45.2	01:55 PM - 02:00 PM	61.0	43.1
08:40 AM - 08:45 AM	47.9	41.5	11:20 AM - 11:25 AM	58.3	47.1	02:00 PM - 02:05 PM	59.9	44.5
08:45 AM - 08:50 AM	52.3	42.1	11:25 AM - 11:30 AM	57.7	46.3	02:05 PM - 02:10 PM	56.2	44.4
08:50 AM - 08:55 AM	50.0	42.0	11:30 AM - 11:35 AM	52.7	46.1	02:10 PM - 02:15 PM	56.7	49.4
08:55 AM - 09:00 AM	59.3	46.8	11:35 AM - 11:40 AM	62.2	47.1	02:15 PM - 02:20 PM	59.0	46.5
09:00 AM - 09:05 AM	61.5	42.6	11:40 AM - 11:45 AM	53.1	46.9	02:20 PM - 02:25 PM	53.3	44.4
09:05 AM - 09:10 AM	46.4	40.4	11:45 AM - 11:50 AM	55.0	48.3	02:25 PM - 02:30 PM	55.1	45.8
09:10 AM - 09:15 AM	59.8	41.6	11:50 AM - 11:55 AM	55.3	47.7	02:30 PM - 02:35 PM	56.6	46.1
09:15 AM - 09:20 AM	58.8	42.4	11:55 AM - 12:00 PM	53.2	47.6	02:35 PM - 02:40 PM	58.4	44.0
09:20 AM - 09:25 AM	57.6	42.4	12:00 PM - 12:05 PM	56.6	48.4	02:40 PM - 02:45 PM	59.2	42.9
09:25 AM - 09:30 AM	61.3	45.3	12:05 PM - 12:10 PM	52.8	41.0	02:45 PM - 02:50 PM	51.8	43.9
09:30 AM - 09:35 AM	59.4	45.8	12:10 PM - 12:15 PM	48.1	42.3	02:50 PM - 02:55 PM	56.1	43.1
09:35 AM - 09:40 AM	57.6	45.5	12:15 PM - 12:20 PM	49.6	41.4	02:55 PM - 03:00 PM	61.2	44.0
09:40 AM - 09:45 AM	49.1	41.9	12:20 PM - 12:25 PM	51.3	41.0	03:00 PM - 03:05 PM	61.5	45.8
09:45 AM - 09:50 AM	46.3	40.9	12:25 PM - 12:30 PM	54.7	43.6	03:05 PM - 03:10 PM	52.9	43.9
09:50 AM - 09:55 AM	53.8	42.0	12:30 PM - 12:35 PM	47.7	41.8	03:10 PM - 03:15 PM	66.6	46.5
09:55 AM - 10:00 AM	50.2	41.7	12:35 PM - 12:40 PM	47.3	41.5	03:15 PM - 03:20 PM	59.4	44.2
10:00 AM - 10:05 AM	47.1	42.2	12:40 PM - 12:45 PM	54.5	47.9	03:20 PM - 03:25 PM	51.4	43.7
10:05 AM - 10:10 AM	46.5	40.5	12:45 PM - 12:50 PM	46.7	39.9	03:25 PM - 03:30 PM	55.6	43.5
10:10 AM - 10:15 AM	45.7	39.6	12:50 PM - 12:55 PM	43.7	40.4	03:30 PM - 03:35 PM	56.6	43.6
10:15 AM - 10:20 AM	50.5	43.5	12:55 PM - 01:00 PM	52.2	41.7	03:35 PM - 03:40 PM	60.8	47.5
10:20 AM - 10:25 AM	53.8	42.1	01:00 PM - 01:05 PM	48.7	42.2	03:40 PM - 03:45 PM	57.7	46.4
10:25 AM - 10:30 AM	50.2	41.4	01:05 PM - 01:10 PM	46.2	41.8	03:45 PM - 03:50 PM	59.0	44.9
10:30 AM - 10:35 AM	46.8	40.9	01:10 PM - 01:15 PM	49.8	43.5	03:50 PM - 03:55 PM	55.2	44.5
10:35 AM - 10:40 AM	52.4	42.3	01:15 PM - 01:20 PM	47.6	42.4	03:55 PM - 04:00 PM	56.6	43.3

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544260-1

Page 2 of 3

Sample Number 2620802-9
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 25 - Mar 26, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623389

Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	58.9	44.9	06:40 PM - 06:45 PM	46.6	42.5	09:20 PM - 09:25 PM	50.4	47.0
04:05 PM - 04:10 PM	61.8	45.5	06:45 PM - 06:50 PM	47.5	42.8	09:25 PM - 09:30 PM	49.0	46.8
04:10 PM - 04:15 PM	49.0	43.8	06:50 PM - 06:55 PM	46.5	43.3	09:30 PM - 09:35 PM	49.3	46.6
04:15 PM - 04:20 PM	56.0	45.4	06:55 PM - 07:00 PM	45.3	43.3	09:35 PM - 09:40 PM	49.3	47.2
04:20 PM - 04:25 PM	58.1	46.0	07:00 PM - 07:05 PM	50.9	44.9	09:40 PM - 09:45 PM	50.9	48.5
04:25 PM - 04:30 PM	56.7	47.9	07:05 PM - 07:10 PM	46.3	44.3	09:45 PM - 09:50 PM	51.8	48.7
04:30 PM - 04:35 PM	54.1	47.6	07:10 PM - 07:15 PM	52.3	46.2	09:50 PM - 09:55 PM	50.7	48.4
04:35 PM - 04:40 PM	54.5	47.1	07:15 PM - 07:20 PM	51.4	47.2	09:55 PM - 10:00 PM	50.3	48.1
04:40 PM - 04:45 PM	53.0	45.1	07:20 PM - 07:25 PM	53.2	49.0	10:00 PM - 10:05 PM	50.1	48.2
04:45 PM - 04:50 PM	51.3	46.2	07:25 PM - 07:30 PM	53.3	48.4	10:05 PM - 10:10 PM	48.3	44.6
04:50 PM - 04:55 PM	57.9	46.8	07:30 PM - 07:35 PM	52.3	45.7	10:10 PM - 10:15 PM	46.4	44.5
04:55 PM - 05:00 PM	53.7	44.5	07:35 PM - 07:40 PM	50.0	45.6	10:15 PM - 10:20 PM	47.9	45.5
05:00 PM - 05:05 PM	50.0	45.4	07:40 PM - 07:45 PM	49.1	45.4	10:20 PM - 10:25 PM	48.5	45.2
05:05 PM - 05:10 PM	52.1	46.5	07:45 PM - 07:50 PM	49.0	44.9	10:25 PM - 10:30 PM	47.4	44.3
05:10 PM - 05:15 PM	51.4	44.9	07:50 PM - 07:55 PM	48.2	45.0	10:30 PM - 10:35 PM	47.8	44.1
05:15 PM - 05:20 PM	55.9	50.2	07:55 PM - 08:00 PM	54.8	46.0	10:35 PM - 10:40 PM	47.5	45.5
05:20 PM - 05:25 PM	53.0	46.3	08:00 PM - 08:05 PM	49.3	46.4	10:40 PM - 10:45 PM	47.7	46.2
05:25 PM - 05:30 PM	49.1	43.7	08:05 PM - 08:10 PM	49.3	46.4	10:45 PM - 10:50 PM	47.7	46.4
05:30 PM - 05:35 PM	50.6	44.2	08:10 PM - 08:15 PM	48.2	45.2	10:50 PM - 10:55 PM	46.4	44.4
05:35 PM - 05:40 PM	52.6	45.4	08:15 PM - 08:20 PM	47.2	45.0	10:55 PM - 11:00 PM	44.7	43.0
05:40 PM - 05:45 PM	52.5	44.0	08:20 PM - 08:25 PM	48.3	44.8	11:00 PM - 11:05 PM	43.5	42.7
05:45 PM - 05:50 PM	52.1	46.8	08:25 PM - 08:30 PM	47.7	44.8	11:05 PM - 11:10 PM	43.9	42.9
05:50 PM - 05:55 PM	52.1	47.6	08:30 PM - 08:35 PM	48.6	44.8	11:10 PM - 11:15 PM	46.2	43.8
05:55 PM - 06:00 PM	52.7	45.2	08:35 PM - 08:40 PM	47.8	45.2	11:15 PM - 11:20 PM	46.1	43.8
06:00 PM - 06:05 PM	52.2	44.1	08:40 PM - 08:45 PM	47.9	45.2	11:20 PM - 11:25 PM	45.7	43.2
06:05 PM - 06:10 PM	57.1	46.7	08:45 PM - 08:50 PM	51.4	45.1	11:25 PM - 11:30 PM	44.9	43.6
06:10 PM - 06:15 PM	52.5	47.3	08:50 PM - 08:55 PM	46.8	45.1	11:30 PM - 11:35 PM	47.7	45.5
06:15 PM - 06:20 PM	49.5	43.4	08:55 PM - 09:00 PM	47.0	45.3	11:35 PM - 11:40 PM	48.1	47.3
06:20 PM - 06:25 PM	49.2	43.2	09:00 PM - 09:05 PM	49.1	45.5	11:40 PM - 11:45 PM	48.0	47.2
06:25 PM - 06:30 PM	51.5	44.8	09:05 PM - 09:10 PM	48.6	45.5	11:45 PM - 11:50 PM	47.6	46.8
06:30 PM - 06:35 PM	48.8	43.4	09:10 PM - 09:15 PM	52.7	45.5	11:50 PM - 11:55 PM	47.7	46.9
06:35 PM - 06:40 PM	49.0	42.9	09:15 PM - 09:20 PM	49.6	45.6	11:55 PM - 12:00 AM	47.9	47.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544260-1

Page 3 of 3

Sample Number 2620802-9
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 25 - Mar 26, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623389

Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	47.7	46.4	02:40 AM - 02:45 AM	54.4	53.4	05:20 AM - 05:25 AM	47.8	45.0
12:05 AM - 12:10 AM	47.8	47.1	02:45 AM - 02:50 AM	54.6	53.4	05:25 AM - 05:30 AM	46.6	44.9
12:10 AM - 12:15 AM	47.8	47.1	02:50 AM - 02:55 AM	55.5	54.5	05:30 AM - 05:35 AM	47.5	45.0
12:15 AM - 12:20 AM	47.8	47.1	02:55 AM - 03:00 AM	55.5	54.4	05:35 AM - 05:40 AM	48.7	45.9
12:20 AM - 12:25 AM	47.8	47.0	03:00 AM - 03:05 AM	55.5	54.4	05:40 AM - 05:45 AM	48.7	46.4
12:25 AM - 12:30 AM	46.8	45.1	03:05 AM - 03:10 AM	55.6	54.5	05:45 AM - 05:50 AM	48.2	46.3
12:30 AM - 12:35 AM	45.3	43.1	03:10 AM - 03:15 AM	55.4	54.3	05:50 AM - 05:55 AM	50.7	46.9
12:35 AM - 12:40 AM	44.1	42.7	03:15 AM - 03:20 AM	54.4	45.2	05:55 AM - 06:00 AM	49.6	47.1
12:40 AM - 12:45 AM	44.1	42.8	03:20 AM - 03:25 AM	55.4	54.3	06:00 AM - 06:05 AM	54.3	47.8
12:45 AM - 12:50 AM	44.8	43.2	03:25 AM - 03:30 AM	55.5	54.4	06:05 AM - 06:10 AM	54.2	47.7
12:50 AM - 12:55 AM	44.1	42.9	03:30 AM - 03:35 AM	55.6	54.5	06:10 AM - 06:15 AM	55.8	48.1
12:55 AM - 01:00 AM	43.2	42.5	03:35 AM - 03:40 AM	55.5	54.4	06:15 AM - 06:20 AM	51.4	47.6
01:00 AM - 01:05 AM	43.7	42.5	03:40 AM - 03:45 AM	55.4	54.2	06:20 AM - 06:25 AM	52.6	48.0
01:05 AM - 01:10 AM	42.8	42.2	03:45 AM - 03:50 AM	55.4	54.3	06:25 AM - 06:30 AM	53.6	47.7
01:10 AM - 01:15 AM	43.2	42.5	03:50 AM - 03:55 AM	55.4	54.3	06:30 AM - 06:35 AM	51.3	47.4
01:15 AM - 01:20 AM	43.4	42.5	03:55 AM - 04:00 AM	55.5	54.3	06:35 AM - 06:40 AM	51.4	47.2
01:20 AM - 01:25 AM	45.4	43.3	04:00 AM - 04:05 AM	46.0	43.1	06:40 AM - 06:45 AM	52.2	48.5
01:25 AM - 01:30 AM	50.8	43.2	04:05 AM - 04:10 AM	45.5	44.1	06:45 AM - 06:50 AM	61.1	50.6
01:30 AM - 01:35 AM	55.8	54.7	04:10 AM - 04:15 AM	45.0	43.9	06:50 AM - 06:55 AM	58.4	46.7
01:35 AM - 01:40 AM	54.7	45.9	04:15 AM - 04:20 AM	45.0	43.9	06:55 AM - 07:00 AM	51.5	43.9
01:40 AM - 01:45 AM	53.0	51.9	04:20 AM - 04:25 AM	48.7	44.2	07:00 AM - 07:05 AM	64.6	43.6
01:45 AM - 01:50 AM	53.1	52.3	04:25 AM - 04:30 AM	55.0	53.9	07:05 AM - 07:10 AM	51.6	44.3
01:50 AM - 01:55 AM	53.1	52.2	04:30 AM - 04:35 AM	55.0	54.0	07:10 AM - 07:15 AM	51.3	43.8
01:55 AM - 02:00 AM	53.1	52.2	04:35 AM - 04:40 AM	54.9	53.9	07:15 AM - 07:20 AM	48.4	42.1
02:00 AM - 02:05 AM	53.2	52.4	04:40 AM - 04:45 AM	54.8	53.8	07:20 AM - 07:25 AM	49.6	43.3
02:05 AM - 02:10 AM	53.2	52.0	04:45 AM - 04:50 AM	54.8	53.8	07:25 AM - 07:30 AM	56.7	44.3
02:10 AM - 02:15 AM	54.3	53.2	04:50 AM - 04:55 AM	55.2	54.0	07:30 AM - 07:35 AM	50.7	44.1
02:15 AM - 02:20 AM	54.5	53.5	04:55 AM - 05:00 AM	51.3	45.5	07:35 AM - 07:40 AM	50.0	43.1
02:20 AM - 02:25 AM	54.6	53.6	05:00 AM - 05:05 AM	46.2	44.5	07:40 AM - 07:45 AM	50.6	41.9
02:25 AM - 02:30 AM	54.5	53.4	05:05 AM - 05:10 AM	46.5	44.9	07:45 AM - 07:50 AM	56.1	45.4
02:30 AM - 02:35 AM	54.2	53.1	05:10 AM - 05:15 AM	47.2	45.7	07:50 AM - 07:55 AM	53.2	44.0
02:35 AM - 02:40 AM	54.4	53.3	05:15 AM - 05:20 AM	48.8	45.7	07:55 AM - 08:00 AM	50.4	43.4

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544261-1

Page 1 of 3

Sample Number 2620802-10
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 26 - Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623389

Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	47.5	42.4	10:40 AM - 10:45 AM	48.1	40.1	01:20 PM - 01:25 PM	52.6	40.2
08:05 AM - 08:10 AM	52.3	42.3	10:45 AM - 10:50 AM	53.7	41.8	01:25 PM - 01:30 PM	47.4	40.6
08:10 AM - 08:15 AM	48.2	41.7	10:50 AM - 10:55 AM	48.3	41.7	01:30 PM - 01:35 PM	47.1	41.6
08:15 AM - 08:20 AM	46.6	40.1	10:55 AM - 11:00 AM	50.1	41.8	01:35 PM - 01:40 PM	50.7	42.4
08:20 AM - 08:25 AM	47.8	41.6	11:00 AM - 11:05 AM	50.2	40.7	01:40 PM - 01:45 PM	50.4	40.4
08:25 AM - 08:30 AM	52.5	41.7	11:05 AM - 11:10 AM	49.4	41.5	01:45 PM - 01:50 PM	49.9	41.0
08:30 AM - 08:35 AM	53.1	41.0	11:10 AM - 11:15 AM	71.1	40.8	01:50 PM - 01:55 PM	52.7	46.2
08:35 AM - 08:40 AM	51.7	41.6	11:15 AM - 11:20 AM	48.2	41.4	01:55 PM - 02:00 PM	49.8	44.6
08:40 AM - 08:45 AM	46.0	42.7	11:20 AM - 11:25 AM	48.8	42.3	02:00 PM - 02:05 PM	49.3	41.8
08:45 AM - 08:50 AM	49.3	43.3	11:25 AM - 11:30 AM	51.6	39.8	02:05 PM - 02:10 PM	49.1	40.6
08:50 AM - 08:55 AM	50.5	44.6	11:30 AM - 11:35 AM	53.1	39.2	02:10 PM - 02:15 PM	50.8	45.4
08:55 AM - 09:00 AM	48.4	43.1	11:35 AM - 11:40 AM	52.1	47.3	02:15 PM - 02:20 PM	51.3	47.8
09:00 AM - 09:05 AM	47.9	42.1	11:40 AM - 11:45 AM	59.2	39.5	02:20 PM - 02:25 PM	52.0	48.7
09:05 AM - 09:10 AM	48.7	43.2	11:45 AM - 11:50 AM	48.6	40.5	02:25 PM - 02:30 PM	55.2	47.0
09:10 AM - 09:15 AM	52.8	43.5	11:50 AM - 11:55 AM	48.1	38.9	02:30 PM - 02:35 PM	51.0	48.6
09:15 AM - 09:20 AM	48.3	42.7	11:55 AM - 12:00 PM	47.3	37.7	02:35 PM - 02:40 PM	51.3	45.5
09:20 AM - 09:25 AM	49.5	41.2	12:00 PM - 12:05 PM	52.4	42.4	02:40 PM - 02:45 PM	53.4	46.5
09:25 AM - 09:30 AM	52.1	44.4	12:05 PM - 12:10 PM	52.7	39.8	02:45 PM - 02:50 PM	51.2	44.9
09:30 AM - 09:35 AM	52.7	46.9	12:10 PM - 12:15 PM	51.9	44.7	02:50 PM - 02:55 PM	48.1	44.5
09:35 AM - 09:40 AM	51.7	45.1	12:15 PM - 12:20 PM	51.0	45.8	02:55 PM - 03:00 PM	47.1	43.0
09:40 AM - 09:45 AM	51.9	41.5	12:20 PM - 12:25 PM	53.8	48.2	03:00 PM - 03:05 PM	48.8	44.1
09:45 AM - 09:50 AM	46.6	42.7	12:25 PM - 12:30 PM	55.8	49.4	03:05 PM - 03:10 PM	50.2	42.1
09:50 AM - 09:55 AM	49.3	41.8	12:30 PM - 12:35 PM	52.4	42.7	03:10 PM - 03:15 PM	48.7	44.0
09:55 AM - 10:00 AM	53.5	41.9	12:35 PM - 12:40 PM	52.6	42.4	03:15 PM - 03:20 PM	49.7	43.6
10:00 AM - 10:05 AM	50.4	42.0	12:40 PM - 12:45 PM	51.4	44.2	03:20 PM - 03:25 PM	59.6	51.5
10:05 AM - 10:10 AM	53.0	48.2	12:45 PM - 12:50 PM	49.5	40.8	03:25 PM - 03:30 PM	52.9	47.1
10:10 AM - 10:15 AM	45.0	41.5	12:50 PM - 12:55 PM	47.2	41.1	03:30 PM - 03:35 PM	58.3	49.3
10:15 AM - 10:20 AM	49.8	40.8	12:55 PM - 01:00 PM	54.9	41.7	03:35 PM - 03:40 PM	53.4	48.8
10:20 AM - 10:25 AM	50.4	43.1	01:00 PM - 01:05 PM	49.6	41.3	03:40 PM - 03:45 PM	57.5	46.6
10:25 AM - 10:30 AM	49.6	40.5	01:05 PM - 01:10 PM	43.4	38.8	03:45 PM - 03:50 PM	53.6	43.8
10:30 AM - 10:35 AM	52.3	41.8	01:10 PM - 01:15 PM	48.3	40.0	03:50 PM - 03:55 PM	51.6	45.5
10:35 AM - 10:40 AM	46.4	40.3	01:15 PM - 01:20 PM	49.0	39.4	03:55 PM - 04:00 PM	51.6	45.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544261-1

Page 2 of 3

Sample Number 2620802-10
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 26 - Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623389

Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	48.7	44.9	06:40 PM - 06:45 PM	56.2	46.9	09:20 PM - 09:25 PM	52.0	46.8
04:05 PM - 04:10 PM	49.6	45.1	06:45 PM - 06:50 PM	51.7	47.3	09:25 PM - 09:30 PM	49.5	45.7
04:10 PM - 04:15 PM	49.3	45.0	06:50 PM - 06:55 PM	52.0	47.1	09:30 PM - 09:35 PM	49.7	46.0
04:15 PM - 04:20 PM	52.3	45.6	06:55 PM - 07:00 PM	54.1	48.9	09:35 PM - 09:40 PM	48.9	45.5
04:20 PM - 04:25 PM	53.6	44.5	07:00 PM - 07:05 PM	56.3	51.6	09:40 PM - 09:45 PM	50.7	45.0
04:25 PM - 04:30 PM	48.4	44.4	07:05 PM - 07:10 PM	53.4	49.0	09:45 PM - 09:50 PM	49.4	44.5
04:30 PM - 04:35 PM	46.4	43.3	07:10 PM - 07:15 PM	54.0	49.7	09:50 PM - 09:55 PM	51.3	44.7
04:35 PM - 04:40 PM	47.3	43.6	07:15 PM - 07:20 PM	54.8	49.8	09:55 PM - 10:00 PM	47.7	44.5
04:40 PM - 04:45 PM	52.3	43.2	07:20 PM - 07:25 PM	54.1	49.1	10:00 PM - 10:05 PM	46.2	44.3
04:45 PM - 04:50 PM	47.8	42.9	07:25 PM - 07:30 PM	52.0	48.8	10:05 PM - 10:10 PM	48.2	44.3
04:50 PM - 04:55 PM	51.7	43.9	07:30 PM - 07:35 PM	52.8	49.2	10:10 PM - 10:15 PM	47.3	45.0
04:55 PM - 05:00 PM	54.2	44.7	07:35 PM - 07:40 PM	54.9	48.9	10:15 PM - 10:20 PM	48.8	44.8
05:00 PM - 05:05 PM	48.1	43.5	07:40 PM - 07:45 PM	51.4	48.6	10:20 PM - 10:25 PM	48.5	45.1
05:05 PM - 05:10 PM	50.8	44.3	07:45 PM - 07:50 PM	51.5	48.0	10:25 PM - 10:30 PM	52.8	47.2
05:10 PM - 05:15 PM	52.7	44.0	07:50 PM - 07:55 PM	52.4	48.9	10:30 PM - 10:35 PM	50.6	46.6
05:15 PM - 05:20 PM	52.3	45.5	07:55 PM - 08:00 PM	54.0	50.2	10:35 PM - 10:40 PM	51.6	47.2
05:20 PM - 05:25 PM	50.3	47.5	08:00 PM - 08:05 PM	53.3	50.6	10:40 PM - 10:45 PM	48.9	46.9
05:25 PM - 05:30 PM	56.6	49.9	08:05 PM - 08:10 PM	54.8	50.6	10:45 PM - 10:50 PM	50.0	46.5
05:30 PM - 05:35 PM	67.1	47.0	08:10 PM - 08:15 PM	54.4	50.8	10:50 PM - 10:55 PM	51.9	46.8
05:35 PM - 05:40 PM	54.8	47.7	08:15 PM - 08:20 PM	52.9	49.1	10:55 PM - 11:00 PM	51.4	47.0
05:40 PM - 05:45 PM	54.3	47.8	08:20 PM - 08:25 PM	53.0	48.1	11:00 PM - 11:05 PM	50.1	45.7
05:45 PM - 05:50 PM	55.2	46.9	08:25 PM - 08:30 PM	50.0	46.7	11:05 PM - 11:10 PM	61.5	48.4
05:50 PM - 05:55 PM	57.3	47.7	08:30 PM - 08:35 PM	51.4	48.2	11:10 PM - 11:15 PM	56.1	50.0
05:55 PM - 06:00 PM	54.9	46.6	08:35 PM - 08:40 PM	49.9	47.9	11:15 PM - 11:20 PM	52.4	47.4
06:00 PM - 06:05 PM	54.3	46.6	08:40 PM - 08:45 PM	50.4	47.6	11:20 PM - 11:25 PM	54.9	48.6
06:05 PM - 06:10 PM	54.9	47.8	08:45 PM - 08:50 PM	49.9	47.9	11:25 PM - 11:30 PM	55.6	48.1
06:10 PM - 06:15 PM	53.4	47.9	08:50 PM - 08:55 PM	49.6	47.7	11:30 PM - 11:35 PM	57.3	50.2
06:15 PM - 06:20 PM	52.9	49.2	08:55 PM - 09:00 PM	52.0	47.9	11:35 PM - 11:40 PM	56.9	49.7
06:20 PM - 06:25 PM	55.4	48.3	09:00 PM - 09:05 PM	48.9	47.3	11:40 PM - 11:45 PM	52.2	48.0
06:25 PM - 06:30 PM	59.3	52.1	09:05 PM - 09:10 PM	49.3	46.7	11:45 PM - 11:50 PM	51.0	47.5
06:30 PM - 06:35 PM	55.3	48.4	09:10 PM - 09:15 PM	51.9	47.3	11:50 PM - 11:55 PM	51.8	47.7
06:35 PM - 06:40 PM	55.4	46.9	09:15 PM - 09:20 PM	55.0	48.6	11:55 PM - 12:00 AM	54.4	49.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544261-1

Page 3 of 3

Sample Number 2620802-10
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 26 - Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623389

Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	52.7	45.6	02:40 AM - 02:45 AM	43.0	42.0	05:20 AM - 05:25 AM	46.4	44.3
12:05 AM - 12:10 AM	47.7	46.5	02:45 AM - 02:50 AM	42.7	41.9	05:25 AM - 05:30 AM	46.7	44.4
12:10 AM - 12:15 AM	47.0	45.8	02:50 AM - 02:55 AM	42.8	41.7	05:30 AM - 05:35 AM	47.7	45.7
12:15 AM - 12:20 AM	48.9	46.5	02:55 AM - 03:00 AM	42.6	41.6	05:35 AM - 05:40 AM	52.9	45.2
12:20 AM - 12:25 AM	48.5	46.9	03:00 AM - 03:05 AM	43.0	41.8	05:40 AM - 05:45 AM	48.5	45.7
12:25 AM - 12:30 AM	47.8	47.2	03:05 AM - 03:10 AM	43.2	42.0	05:45 AM - 05:50 AM	47.4	45.3
12:30 AM - 12:35 AM	46.9	45.5	03:10 AM - 03:15 AM	43.5	42.1	05:50 AM - 05:55 AM	47.2	45.3
12:35 AM - 12:40 AM	47.3	46.1	03:15 AM - 03:20 AM	43.6	42.1	05:55 AM - 06:00 AM	51.9	45.6
12:40 AM - 12:45 AM	46.5	44.1	03:20 AM - 03:25 AM	44.1	42.3	06:00 AM - 06:05 AM	51.9	45.9
12:45 AM - 12:50 AM	46.4	45.2	03:25 AM - 03:30 AM	44.2	42.5	06:05 AM - 06:10 AM	54.9	47.5
12:50 AM - 12:55 AM	45.7	44.5	03:30 AM - 03:35 AM	50.6	42.6	06:10 AM - 06:15 AM	52.1	46.1
12:55 AM - 01:00 AM	56.9	45.2	03:35 AM - 03:40 AM	44.3	43.0	06:15 AM - 06:20 AM	48.7	44.7
01:00 AM - 01:05 AM	45.6	43.1	03:40 AM - 03:45 AM	44.8	43.6	06:20 AM - 06:25 AM	46.8	43.2
01:05 AM - 01:10 AM	58.5	45.6	03:45 AM - 03:50 AM	44.3	43.1	06:25 AM - 06:30 AM	48.2	44.3
01:10 AM - 01:15 AM	54.7	42.6	03:50 AM - 03:55 AM	45.3	43.5	06:30 AM - 06:35 AM	52.8	44.9
01:15 AM - 01:20 AM	44.8	42.6	03:55 AM - 04:00 AM	47.4	43.6	06:35 AM - 06:40 AM	55.2	46.9
01:20 AM - 01:25 AM	53.7	42.3	04:00 AM - 04:05 AM	45.2	43.7	06:40 AM - 06:45 AM	52.8	47.1
01:25 AM - 01:30 AM	45.6	44.7	04:05 AM - 04:10 AM	45.1	43.6	06:45 AM - 06:50 AM	51.5	46.6
01:30 AM - 01:35 AM	44.9	43.2	04:10 AM - 04:15 AM	44.4	43.2	06:50 AM - 06:55 AM	57.5	45.4
01:35 AM - 01:40 AM	44.0	42.3	04:15 AM - 04:20 AM	45.8	43.2	06:55 AM - 07:00 AM	52.1	46.0
01:40 AM - 01:45 AM	52.0	42.5	04:20 AM - 04:25 AM	45.0	43.0	07:00 AM - 07:05 AM	50.6	46.3
01:45 AM - 01:50 AM	44.3	42.8	04:25 AM - 04:30 AM	46.4	43.0	07:05 AM - 07:10 AM	54.5	46.7
01:50 AM - 01:55 AM	47.0	45.8	04:30 AM - 04:35 AM	45.1	43.6	07:10 AM - 07:15 AM	59.4	46.0
01:55 AM - 02:00 AM	46.2	44.6	04:35 AM - 04:40 AM	45.2	43.7	07:15 AM - 07:20 AM	52.2	46.3
02:00 AM - 02:05 AM	44.1	42.4	04:40 AM - 04:45 AM	44.9	43.2	07:20 AM - 07:25 AM	49.8	44.2
02:05 AM - 02:10 AM	43.4	42.2	04:45 AM - 04:50 AM	45.3	43.4	07:25 AM - 07:30 AM	57.6	45.3
02:10 AM - 02:15 AM	43.2	42.2	04:50 AM - 04:55 AM	45.8	44.2	07:30 AM - 07:35 AM	51.8	44.2
02:15 AM - 02:20 AM	43.0	42.2	04:55 AM - 05:00 AM	46.2	44.3	07:35 AM - 07:40 AM	62.3	44.6
02:20 AM - 02:25 AM	43.5	42.3	05:00 AM - 05:05 AM	47.0	45.0	07:40 AM - 07:45 AM	51.4	42.6
02:25 AM - 02:30 AM	43.3	42.1	05:05 AM - 05:10 AM	46.7	45.1	07:45 AM - 07:50 AM	50.7	42.8
02:30 AM - 02:35 AM	43.3	42.2	05:10 AM - 05:15 AM	46.8	44.9	07:50 AM - 07:55 AM	50.0	42.8
02:35 AM - 02:40 AM	43.4	42.2	05:15 AM - 05:20 AM	46.8	44.9	07:55 AM - 08:00 AM	49.4	44.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544262-1

Page 1 of 3

Sample Number 2620802-11
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 27 - Mar 28, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623389

Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	51.3	43.8	10:40 AM - 10:45 AM	53.5	42.6	01:20 PM - 01:25 PM	54.5	48.8
08:05 AM - 08:10 AM	48.6	42.2	10:45 AM - 10:50 AM	53.9	41.4	01:25 PM - 01:30 PM	54.3	46.3
08:10 AM - 08:15 AM	50.1	43.7	10:50 AM - 10:55 AM	52.7	42.4	01:30 PM - 01:35 PM	55.5	46.3
08:15 AM - 08:20 AM	54.5	46.8	10:55 AM - 11:00 AM	60.0	44.7	01:35 PM - 01:40 PM	59.3	45.3
08:20 AM - 08:25 AM	56.9	49.0	11:00 AM - 11:05 AM	53.2	41.2	01:40 PM - 01:45 PM	55.0	46.4
08:25 AM - 08:30 AM	58.6	46.0	11:05 AM - 11:10 AM	50.4	41.4	01:45 PM - 01:50 PM	56.0	48.1
08:30 AM - 08:35 AM	56.9	45.8	11:10 AM - 11:15 AM	53.0	42.0	01:50 PM - 01:55 PM	53.3	42.7
08:35 AM - 08:40 AM	49.1	40.0	11:15 AM - 11:20 AM	51.0	41.6	01:55 PM - 02:00 PM	50.2	44.0
08:40 AM - 08:45 AM	52.0	42.1	11:20 AM - 11:25 AM	55.0	41.7	02:00 PM - 02:05 PM	53.2	46.1
08:45 AM - 08:50 AM	50.9	45.9	11:25 AM - 11:30 AM	77.3	45.9	02:05 PM - 02:10 PM	57.0	46.0
08:50 AM - 08:55 AM	52.2	46.4	11:30 AM - 11:35 AM	53.0	43.4	02:10 PM - 02:15 PM	54.7	40.8
08:55 AM - 09:00 AM	52.1	47.0	11:35 AM - 11:40 AM	49.7	40.9	02:15 PM - 02:20 PM	56.2	43.1
09:00 AM - 09:05 AM	54.7	46.9	11:40 AM - 11:45 AM	45.7	38.0	02:20 PM - 02:25 PM	56.6	46.7
09:05 AM - 09:10 AM	59.1	49.4	11:45 AM - 11:50 AM	50.1	39.9	02:25 PM - 02:30 PM	55.9	49.0
09:10 AM - 09:15 AM	52.1	44.3	11:50 AM - 11:55 AM	54.3	44.7	02:30 PM - 02:35 PM	56.2	44.8
09:15 AM - 09:20 AM	54.2	44.5	11:55 AM - 12:00 PM	53.9	47.6	02:35 PM - 02:40 PM	52.1	42.0
09:20 AM - 09:25 AM	58.9	47.1	12:00 PM - 12:05 PM	51.6	47.0	02:40 PM - 02:45 PM	54.8	46.8
09:25 AM - 09:30 AM	55.5	42.8	12:05 PM - 12:10 PM	55.0	49.2	02:45 PM - 02:50 PM	52.6	43.2
09:30 AM - 09:35 AM	46.9	41.6	12:10 PM - 12:15 PM	57.0	50.4	02:50 PM - 02:55 PM	53.3	44.4
09:35 AM - 09:40 AM	52.9	42.6	12:15 PM - 12:20 PM	50.4	47.6	02:55 PM - 03:00 PM	53.3	45.1
09:40 AM - 09:45 AM	58.6	43.2	12:20 PM - 12:25 PM	53.2	48.3	03:00 PM - 03:05 PM	54.5	45.5
09:45 AM - 09:50 AM	58.5	42.6	12:25 PM - 12:30 PM	51.6	47.3	03:05 PM - 03:10 PM	53.4	46.4
09:50 AM - 09:55 AM	51.9	42.9	12:30 PM - 12:35 PM	50.4	47.4	03:10 PM - 03:15 PM	56.1	46.1
09:55 AM - 10:00 AM	50.0	42.2	12:35 PM - 12:40 PM	51.3	47.3	03:15 PM - 03:20 PM	54.2	44.1
10:00 AM - 10:05 AM	59.8	45.0	12:40 PM - 12:45 PM	51.6	48.0	03:20 PM - 03:25 PM	52.2	44.6
10:05 AM - 10:10 AM	55.8	47.0	12:45 PM - 12:50 PM	54.2	47.5	03:25 PM - 03:30 PM	52.4	44.3
10:10 AM - 10:15 AM	58.6	47.8	12:50 PM - 12:55 PM	51.5	42.8	03:30 PM - 03:35 PM	52.1	43.6
10:15 AM - 10:20 AM	51.5	45.4	12:55 PM - 01:00 PM	51.8	44.1	03:35 PM - 03:40 PM	48.6	42.0
10:20 AM - 10:25 AM	56.3	44.8	01:00 PM - 01:05 PM	45.6	41.0	03:40 PM - 03:45 PM	52.3	44.9
10:25 AM - 10:30 AM	57.0	43.6	01:05 PM - 01:10 PM	52.6	43.9	03:45 PM - 03:50 PM	49.3	44.6
10:30 AM - 10:35 AM	66.6	45.1	01:10 PM - 01:15 PM	52.5	42.4	03:50 PM - 03:55 PM	53.7	43.8
10:35 AM - 10:40 AM	55.5	43.5	01:15 PM - 01:20 PM	52.9	44.0	03:55 PM - 04:00 PM	49.5	43.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544262-1

Page 2 of 3

Sample Number 2620802-11
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 27 - Mar 28, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623389

Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	51.8	44.5	06:40 PM - 06:45 PM	51.4	45.8	09:20 PM - 09:25 PM	52.9	46.0
04:05 PM - 04:10 PM	50.7	44.9	06:45 PM - 06:50 PM	55.0	48.4	09:25 PM - 09:30 PM	54.2	46.7
04:10 PM - 04:15 PM	49.2	43.6	06:50 PM - 06:55 PM	54.7	49.7	09:30 PM - 09:35 PM	50.3	46.5
04:15 PM - 04:20 PM	50.2	42.8	06:55 PM - 07:00 PM	58.2	50.0	09:35 PM - 09:40 PM	49.3	45.7
04:20 PM - 04:25 PM	46.9	41.8	07:00 PM - 07:05 PM	52.5	46.4	09:40 PM - 09:45 PM	49.5	44.1
04:25 PM - 04:30 PM	49.5	43.2	07:05 PM - 07:10 PM	55.4	49.4	09:45 PM - 09:50 PM	46.3	43.7
04:30 PM - 04:35 PM	51.3	42.2	07:10 PM - 07:15 PM	60.1	53.0	09:50 PM - 09:55 PM	48.2	42.9
04:35 PM - 04:40 PM	51.7	44.0	07:15 PM - 07:20 PM	56.5	47.4	09:55 PM - 10:00 PM	54.2	44.1
04:40 PM - 04:45 PM	55.5	45.2	07:20 PM - 07:25 PM	56.2	48.4	10:00 PM - 10:05 PM	52.3	45.6
04:45 PM - 04:50 PM	52.7	46.7	07:25 PM - 07:30 PM	55.9	47.9	10:05 PM - 10:10 PM	52.3	48.5
04:50 PM - 04:55 PM	54.1	45.4	07:30 PM - 07:35 PM	48.9	45.7	10:10 PM - 10:15 PM	53.8	49.4
04:55 PM - 05:00 PM	57.8	50.4	07:35 PM - 07:40 PM	51.8	45.9	10:15 PM - 10:20 PM	55.6	50.5
05:00 PM - 05:05 PM	56.4	50.7	07:40 PM - 07:45 PM	50.0	46.0	10:20 PM - 10:25 PM	53.6	49.4
05:05 PM - 05:10 PM	55.6	49.9	07:45 PM - 07:50 PM	50.2	45.4	10:25 PM - 10:30 PM	52.9	47.5
05:10 PM - 05:15 PM	53.9	47.3	07:50 PM - 07:55 PM	51.1	45.8	10:30 PM - 10:35 PM	52.2	48.4
05:15 PM - 05:20 PM	55.4	49.9	07:55 PM - 08:00 PM	51.3	45.8	10:35 PM - 10:40 PM	53.7	49.4
05:20 PM - 05:25 PM	55.1	50.0	08:00 PM - 08:05 PM	49.8	46.1	10:40 PM - 10:45 PM	53.9	47.6
05:25 PM - 05:30 PM	54.2	49.2	08:05 PM - 08:10 PM	49.9	46.3	10:45 PM - 10:50 PM	53.0	44.0
05:30 PM - 05:35 PM	55.6	49.5	08:10 PM - 08:15 PM	48.2	46.0	10:50 PM - 10:55 PM	54.9	47.5
05:35 PM - 05:40 PM	56.4	49.6	08:15 PM - 08:20 PM	48.3	45.2	10:55 PM - 11:00 PM	51.9	48.7
05:40 PM - 05:45 PM	55.2	48.8	08:20 PM - 08:25 PM	51.2	47.4	11:00 PM - 11:05 PM	50.9	45.8
05:45 PM - 05:50 PM	56.6	50.2	08:25 PM - 08:30 PM	49.1	46.8	11:05 PM - 11:10 PM	54.0	47.9
05:50 PM - 05:55 PM	53.3	46.1	08:30 PM - 08:35 PM	49.0	46.8	11:10 PM - 11:15 PM	50.4	46.8
05:55 PM - 06:00 PM	53.4	47.2	08:35 PM - 08:40 PM	50.5	46.5	11:15 PM - 11:20 PM	50.9	47.3
06:00 PM - 06:05 PM	53.5	49.2	08:40 PM - 08:45 PM	51.4	47.5	11:20 PM - 11:25 PM	50.4	46.6
06:05 PM - 06:10 PM	52.5	47.3	08:45 PM - 08:50 PM	52.9	48.6	11:25 PM - 11:30 PM	50.1	46.4
06:10 PM - 06:15 PM	54.5	47.8	08:50 PM - 08:55 PM	52.3	47.8	11:30 PM - 11:35 PM	52.3	46.8
06:15 PM - 06:20 PM	52.7	47.2	08:55 PM - 09:00 PM	48.7	46.7	11:35 PM - 11:40 PM	50.5	45.2
06:20 PM - 06:25 PM	53.0	47.6	09:00 PM - 09:05 PM	48.1	46.0	11:40 PM - 11:45 PM	49.0	45.4
06:25 PM - 06:30 PM	53.4	48.0	09:05 PM - 09:10 PM	48.0	46.1	11:45 PM - 11:50 PM	47.6	43.6
06:30 PM - 06:35 PM	54.2	49.3	09:10 PM - 09:15 PM	49.3	46.5	11:50 PM - 11:55 PM	42.8	40.7
06:35 PM - 06:40 PM	51.0	46.3	09:15 PM - 09:20 PM	49.3	46.8	11:55 PM - 12:00 AM	40.6	39.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544262-1

Page 3 of 3

Sample Number 2620802-11
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 27 - Mar 28, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623389

Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	41.5	39.9	02:40 AM - 02:45 AM	42.9	38.1	05:20 AM - 05:25 AM	46.1	43.2
12:05 AM - 12:10 AM	41.6	40.6	02:45 AM - 02:50 AM	41.7	39.3	05:25 AM - 05:30 AM	45.9	43.1
12:10 AM - 12:15 AM	41.5	40.3	02:50 AM - 02:55 AM	42.9	41.3	05:30 AM - 05:35 AM	45.2	41.9
12:15 AM - 12:20 AM	40.9	39.7	02:55 AM - 03:00 AM	42.3	37.3	05:35 AM - 05:40 AM	45.9	42.4
12:20 AM - 12:25 AM	39.7	38.1	03:00 AM - 03:05 AM	44.7	41.2	05:40 AM - 05:45 AM	46.8	44.0
12:25 AM - 12:30 AM	51.1	39.3	03:05 AM - 03:10 AM	43.2	38.3	05:45 AM - 05:50 AM	46.8	44.2
12:30 AM - 12:35 AM	40.0	38.5	03:10 AM - 03:15 AM	43.5	40.4	05:50 AM - 05:55 AM	48.6	44.5
12:35 AM - 12:40 AM	46.4	41.2	03:15 AM - 03:20 AM	41.8	36.9	05:55 AM - 06:00 AM	49.0	45.1
12:40 AM - 12:45 AM	39.5	37.2	03:20 AM - 03:25 AM	46.9	37.8	06:00 AM - 06:05 AM	55.0	46.2
12:45 AM - 12:50 AM	40.3	38.4	03:25 AM - 03:30 AM	42.8	37.7	06:05 AM - 06:10 AM	49.5	45.7
12:50 AM - 12:55 AM	41.3	38.4	03:30 AM - 03:35 AM	42.8	38.5	06:10 AM - 06:15 AM	47.9	45.2
12:55 AM - 01:00 AM	40.7	37.4	03:35 AM - 03:40 AM	43.1	39.0	06:15 AM - 06:20 AM	53.9	46.1
01:00 AM - 01:05 AM	42.6	38.3	03:40 AM - 03:45 AM	43.5	39.5	06:20 AM - 06:25 AM	48.8	45.3
01:05 AM - 01:10 AM	44.3	38.1	03:45 AM - 03:50 AM	42.1	38.6	06:25 AM - 06:30 AM	49.3	45.3
01:10 AM - 01:15 AM	40.5	38.0	03:50 AM - 03:55 AM	40.5	38.9	06:30 AM - 06:35 AM	51.2	46.7
01:15 AM - 01:20 AM	42.1	39.5	03:55 AM - 04:00 AM	42.9	40.0	06:35 AM - 06:40 AM	52.4	47.3
01:20 AM - 01:25 AM	43.5	39.6	04:00 AM - 04:05 AM	55.3	42.0	06:40 AM - 06:45 AM	52.1	47.2
01:25 AM - 01:30 AM	43.9	37.8	04:05 AM - 04:10 AM	50.3	40.8	06:45 AM - 06:50 AM	50.5	46.6
01:30 AM - 01:35 AM	39.3	37.4	04:10 AM - 04:15 AM	42.1	39.5	06:50 AM - 06:55 AM	63.3	47.9
01:35 AM - 01:40 AM	41.0	38.0	04:15 AM - 04:20 AM	42.6	39.7	06:55 AM - 07:00 AM	52.8	45.9
01:40 AM - 01:45 AM	40.6	38.2	04:20 AM - 04:25 AM	43.1	40.0	07:00 AM - 07:05 AM	53.3	45.0
01:45 AM - 01:50 AM	43.1	42.2	04:25 AM - 04:30 AM	43.0	39.8	07:05 AM - 07:10 AM	50.2	42.3
01:50 AM - 01:55 AM	41.9	39.4	04:30 AM - 04:35 AM	43.1	40.4	07:10 AM - 07:15 AM	51.7	44.2
01:55 AM - 02:00 AM	38.6	36.7	04:35 AM - 04:40 AM	42.5	40.1	07:15 AM - 07:20 AM	53.9	47.9
02:00 AM - 02:05 AM	38.6	36.8	04:40 AM - 04:45 AM	42.6	40.3	07:20 AM - 07:25 AM	55.2	49.6
02:05 AM - 02:10 AM	41.0	37.2	04:45 AM - 04:50 AM	42.7	40.3	07:25 AM - 07:30 AM	57.8	51.0
02:10 AM - 02:15 AM	41.8	40.3	04:50 AM - 04:55 AM	43.4	40.8	07:30 AM - 07:35 AM	55.8	50.1
02:15 AM - 02:20 AM	39.7	37.9	04:55 AM - 05:00 AM	44.3	41.1	07:35 AM - 07:40 AM	54.7	49.2
02:20 AM - 02:25 AM	41.4	39.0	05:00 AM - 05:05 AM	45.4	42.8	07:40 AM - 07:45 AM	54.7	48.5
02:25 AM - 02:30 AM	41.8	39.4	05:05 AM - 05:10 AM	44.6	40.8	07:45 AM - 07:50 AM	57.3	51.1
02:30 AM - 02:35 AM	41.0	38.8	05:10 AM - 05:15 AM	44.4	40.4	07:50 AM - 07:55 AM	55.7	50.3
02:35 AM - 02:40 AM	47.1	40.9	05:15 AM - 05:20 AM	45.5	41.6	07:55 AM - 08:00 AM	55.4	49.9

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544263-1

Page 1 of 3

Sample Number 2620802-12
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 28 - Mar 29, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623389

Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	54.7	48.6	10:40 AM - 10:45 AM	58.1	46.3	01:20 PM - 01:25 PM	61.4	51.3
08:05 AM - 08:10 AM	56.1	49.6	10:45 AM - 10:50 AM	57.1	45.6	01:25 PM - 01:30 PM	64.4	50.3
08:10 AM - 08:15 AM	54.9	48.9	10:50 AM - 10:55 AM	62.1	45.2	01:30 PM - 01:35 PM	57.5	46.6
08:15 AM - 08:20 AM	54.9	50.0	10:55 AM - 11:00 AM	59.6	43.8	01:35 PM - 01:40 PM	61.1	48.5
08:20 AM - 08:25 AM	55.0	47.7	11:00 AM - 11:05 AM	58.4	47.9	01:40 PM - 01:45 PM	63.1	49.9
08:25 AM - 08:30 AM	61.8	50.2	11:05 AM - 11:10 AM	62.2	48.2	01:45 PM - 01:50 PM	58.3	48.5
08:30 AM - 08:35 AM	60.0	47.9	11:10 AM - 11:15 AM	58.5	44.6	01:50 PM - 01:55 PM	62.9	53.4
08:35 AM - 08:40 AM	55.9	46.3	11:15 AM - 11:20 AM	55.9	45.0	01:55 PM - 02:00 PM	63.4	47.8
08:40 AM - 08:45 AM	54.7	47.4	11:20 AM - 11:25 AM	57.2	45.8	02:00 PM - 02:05 PM	52.4	44.7
08:45 AM - 08:50 AM	65.2	56.3	11:25 AM - 11:30 AM	60.9	47.7	02:05 PM - 02:10 PM	59.3	49.6
08:50 AM - 08:55 AM	62.7	56.7	11:30 AM - 11:35 AM	60.5	55.5	02:10 PM - 02:15 PM	62.9	46.2
08:55 AM - 09:00 AM	63.4	55.8	11:35 AM - 11:40 AM	63.3	56.4	02:15 PM - 02:20 PM	55.4	45.5
09:00 AM - 09:05 AM	65.7	58.7	11:40 AM - 11:45 AM	66.9	66.2	02:20 PM - 02:25 PM	59.4	47.5
09:05 AM - 09:10 AM	60.9	49.3	11:45 AM - 11:50 AM	66.8	66.2	02:25 PM - 02:30 PM	62.2	45.5
09:10 AM - 09:15 AM	60.0	49.3	11:50 AM - 11:55 AM	66.9	65.9	02:30 PM - 02:35 PM	55.4	43.9
09:15 AM - 09:20 AM	58.9	49.3	11:55 AM - 12:00 PM	66.9	66.2	02:35 PM - 02:40 PM	54.9	44.7
09:20 AM - 09:25 AM	57.9	46.3	12:00 PM - 12:05 PM	65.4	59.0	02:40 PM - 02:45 PM	58.4	46.3
09:25 AM - 09:30 AM	58.1	47.6	12:05 PM - 12:10 PM	60.3	49.6	02:45 PM - 02:50 PM	62.0	46.2
09:30 AM - 09:35 AM	60.3	47.2	12:10 PM - 12:15 PM	53.8	46.2	02:50 PM - 02:55 PM	59.1	48.0
09:35 AM - 09:40 AM	62.5	48.4	12:15 PM - 12:20 PM	55.8	43.1	02:55 PM - 03:00 PM	58.5	44.7
09:40 AM - 09:45 AM	61.3	52.2	12:20 PM - 12:25 PM	46.5	42.0	03:00 PM - 03:05 PM	63.5	46.0
09:45 AM - 09:50 AM	57.5	47.5	12:25 PM - 12:30 PM	48.9	42.7	03:05 PM - 03:10 PM	61.7	46.1
09:50 AM - 09:55 AM	61.4	49.3	12:30 PM - 12:35 PM	47.7	42.9	03:10 PM - 03:15 PM	56.9	45.1
09:55 AM - 10:00 AM	63.3	49.2	12:35 PM - 12:40 PM	46.6	42.8	03:15 PM - 03:20 PM	60.3	48.2
10:00 AM - 10:05 AM	55.8	48.4	12:40 PM - 12:45 PM	47.6	43.0	03:20 PM - 03:25 PM	61.9	45.0
10:05 AM - 10:10 AM	61.7	48.4	12:45 PM - 12:50 PM	44.8	41.6	03:25 PM - 03:30 PM	55.2	45.4
10:10 AM - 10:15 AM	62.0	44.7	12:50 PM - 12:55 PM	48.1	42.4	03:30 PM - 03:35 PM	60.5	47.5
10:15 AM - 10:20 AM	62.6	49.4	12:55 PM - 01:00 PM	48.4	43.6	03:35 PM - 03:40 PM	59.4	44.0
10:20 AM - 10:25 AM	62.9	47.6	01:00 PM - 01:05 PM	59.4	46.0	03:40 PM - 03:45 PM	55.9	47.7
10:25 AM - 10:30 AM	57.2	48.6	01:05 PM - 01:10 PM	58.2	51.7	03:45 PM - 03:50 PM	60.2	47.4
10:30 AM - 10:35 AM	60.5	48.8	01:10 PM - 01:15 PM	56.4	48.7	03:50 PM - 03:55 PM	65.0	49.1
10:35 AM - 10:40 AM	63.6	47.5	01:15 PM - 01:20 PM	54.2	47.6	03:55 PM - 04:00 PM	55.7	47.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544263-1

Page 2 of 3

Sample Number 2620802-12
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 28 - Mar 29, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623389

Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	56.5	47.5	06:40 PM - 06:45 PM	56.6	49.9	09:20 PM - 09:25 PM	50.5	46.0
04:05 PM - 04:10 PM	65.0	49.8	06:45 PM - 06:50 PM	56.4	50.0	09:25 PM - 09:30 PM	51.5	44.7
04:10 PM - 04:15 PM	64.8	51.8	06:50 PM - 06:55 PM	55.9	51.4	09:30 PM - 09:35 PM	54.8	47.8
04:15 PM - 04:20 PM	53.2	46.5	06:55 PM - 07:00 PM	56.1	49.2	09:35 PM - 09:40 PM	51.0	47.0
04:20 PM - 04:25 PM	59.0	50.5	07:00 PM - 07:05 PM	56.5	49.9	09:40 PM - 09:45 PM	53.9	47.0
04:25 PM - 04:30 PM	62.1	49.7	07:05 PM - 07:10 PM	56.3	51.6	09:45 PM - 09:50 PM	52.5	46.8
04:30 PM - 04:35 PM	52.9	48.2	07:10 PM - 07:15 PM	55.9	51.2	09:50 PM - 09:55 PM	53.6	45.0
04:35 PM - 04:40 PM	55.3	47.0	07:15 PM - 07:20 PM	54.8	49.9	09:55 PM - 10:00 PM	50.6	46.0
04:40 PM - 04:45 PM	54.6	44.2	07:20 PM - 07:25 PM	53.9	48.5	10:00 PM - 10:05 PM	52.2	47.5
04:45 PM - 04:50 PM	52.0	44.3	07:25 PM - 07:30 PM	52.9	48.7	10:05 PM - 10:10 PM	54.7	50.1
04:50 PM - 04:55 PM	48.1	43.9	07:30 PM - 07:35 PM	53.5	49.9	10:10 PM - 10:15 PM	53.9	48.6
04:55 PM - 05:00 PM	51.6	44.3	07:35 PM - 07:40 PM	52.4	49.4	10:15 PM - 10:20 PM	54.5	49.2
05:00 PM - 05:05 PM	49.1	45.1	07:40 PM - 07:45 PM	54.0	50.3	10:20 PM - 10:25 PM	55.2	48.1
05:05 PM - 05:10 PM	52.4	46.9	07:45 PM - 07:50 PM	52.9	48.2	10:25 PM - 10:30 PM	50.4	45.9
05:10 PM - 05:15 PM	60.5	52.7	07:50 PM - 07:55 PM	53.9	48.2	10:30 PM - 10:35 PM	53.5	47.9
05:15 PM - 05:20 PM	56.8	50.8	07:55 PM - 08:00 PM	54.5	49.0	10:35 PM - 10:40 PM	52.9	46.1
05:20 PM - 05:25 PM	54.6	49.3	08:00 PM - 08:05 PM	53.1	47.5	10:40 PM - 10:45 PM	49.8	44.7
05:25 PM - 05:30 PM	54.4	50.0	08:05 PM - 08:10 PM	53.4	47.7	10:45 PM - 10:50 PM	51.8	46.1
05:30 PM - 05:35 PM	56.1	50.4	08:10 PM - 08:15 PM	52.7	49.6	10:50 PM - 10:55 PM	50.6	45.7
05:35 PM - 05:40 PM	54.7	49.4	08:15 PM - 08:20 PM	51.6	48.4	10:55 PM - 11:00 PM	55.4	49.5
05:40 PM - 05:45 PM	54.6	49.7	08:20 PM - 08:25 PM	52.6	47.4	11:00 PM - 11:05 PM	51.3	47.1
05:45 PM - 05:50 PM	56.2	49.9	08:25 PM - 08:30 PM	50.6	47.2	11:05 PM - 11:10 PM	56.0	47.0
05:50 PM - 05:55 PM	57.2	51.2	08:30 PM - 08:35 PM	50.1	46.2	11:10 PM - 11:15 PM	52.2	45.7
05:55 PM - 06:00 PM	56.6	52.2	08:35 PM - 08:40 PM	49.3	45.6	11:15 PM - 11:20 PM	55.3	47.0
06:00 PM - 06:05 PM	55.5	51.6	08:40 PM - 08:45 PM	50.0	46.7	11:20 PM - 11:25 PM	53.7	45.7
06:05 PM - 06:10 PM	56.6	51.7	08:45 PM - 08:50 PM	51.5	46.8	11:25 PM - 11:30 PM	51.8	45.1
06:10 PM - 06:15 PM	56.6	49.8	08:50 PM - 08:55 PM	52.5	46.7	11:30 PM - 11:35 PM	52.2	44.2
06:15 PM - 06:20 PM	55.1	49.5	08:55 PM - 09:00 PM	51.8	47.1	11:35 PM - 11:40 PM	53.0	45.3
06:20 PM - 06:25 PM	56.3	51.7	09:00 PM - 09:05 PM	51.2	46.5	11:40 PM - 11:45 PM	53.2	43.7
06:25 PM - 06:30 PM	59.3	51.6	09:05 PM - 09:10 PM	50.5	45.3	11:45 PM - 11:50 PM	54.8	44.9
06:30 PM - 06:35 PM	58.5	51.2	09:10 PM - 09:15 PM	54.2	49.3	11:50 PM - 11:55 PM	53.6	44.8
06:35 PM - 06:40 PM	54.9	50.5	09:15 PM - 09:20 PM	53.2	46.0	11:55 PM - 12:00 AM	54.9	44.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544263-1

Page 3 of 3

Sample Number 2620802-12
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 28 - Mar 29, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623389

Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	53.3	41.6	02:40 AM - 02:45 AM	43.9	39.3	05:20 AM - 05:25 AM	43.7	40.6
12:05 AM - 12:10 AM	45.9	41.7	02:45 AM - 02:50 AM	54.0	39.4	05:25 AM - 05:30 AM	45.0	41.2
12:10 AM - 12:15 AM	42.7	41.8	02:50 AM - 02:55 AM	46.7	39.7	05:30 AM - 05:35 AM	45.3	41.8
12:15 AM - 12:20 AM	43.1	42.0	02:55 AM - 03:00 AM	40.6	39.9	05:35 AM - 05:40 AM	45.9	42.7
12:20 AM - 12:25 AM	49.5	41.8	03:00 AM - 03:05 AM	53.0	40.6	05:40 AM - 05:45 AM	46.6	43.9
12:25 AM - 12:30 AM	42.7	41.8	03:05 AM - 03:10 AM	47.4	41.1	05:45 AM - 05:50 AM	46.4	44.0
12:30 AM - 12:35 AM	43.0	42.1	03:10 AM - 03:15 AM	56.1	42.1	05:50 AM - 05:55 AM	50.3	44.5
12:35 AM - 12:40 AM	43.1	42.0	03:15 AM - 03:20 AM	47.0	40.9	05:55 AM - 06:00 AM	51.3	45.6
12:40 AM - 12:45 AM	43.0	42.1	03:20 AM - 03:25 AM	43.2	40.4	06:00 AM - 06:05 AM	53.9	45.5
12:45 AM - 12:50 AM	47.8	41.9	03:25 AM - 03:30 AM	44.5	40.7	06:05 AM - 06:10 AM	56.6	45.8
12:50 AM - 12:55 AM	42.9	42.1	03:30 AM - 03:35 AM	43.2	40.8	06:10 AM - 06:15 AM	49.8	45.4
12:55 AM - 01:00 AM	42.9	42.1	03:35 AM - 03:40 AM	42.4	41.2	06:15 AM - 06:20 AM	51.6	45.9
01:00 AM - 01:05 AM	49.3	42.0	03:40 AM - 03:45 AM	43.6	41.2	06:20 AM - 06:25 AM	61.2	47.6
01:05 AM - 01:10 AM	42.3	41.6	03:45 AM - 03:50 AM	46.1	40.9	06:25 AM - 06:30 AM	59.1	47.1
01:10 AM - 01:15 AM	42.2	41.6	03:50 AM - 03:55 AM	41.7	40.1	06:30 AM - 06:35 AM	49.7	46.2
01:15 AM - 01:20 AM	42.0	41.4	03:55 AM - 04:00 AM	41.4	39.9	06:35 AM - 06:40 AM	53.2	46.5
01:20 AM - 01:25 AM	41.9	41.2	04:00 AM - 04:05 AM	41.6	40.2	06:40 AM - 06:45 AM	57.6	45.7
01:25 AM - 01:30 AM	42.2	41.4	04:05 AM - 04:10 AM	41.9	40.4	06:45 AM - 06:50 AM	49.3	43.5
01:30 AM - 01:35 AM	41.9	41.4	04:10 AM - 04:15 AM	41.9	40.1	06:50 AM - 06:55 AM	48.6	40.7
01:35 AM - 01:40 AM	42.8	41.3	04:15 AM - 04:20 AM	42.1	40.5	06:55 AM - 07:00 AM	48.5	38.1
01:40 AM - 01:45 AM	41.6	41.0	04:20 AM - 04:25 AM	42.8	40.3	07:00 AM - 07:05 AM	51.0	42.6
01:45 AM - 01:50 AM	42.3	41.2	04:25 AM - 04:30 AM	41.8	40.2	07:05 AM - 07:10 AM	51.5	42.2
01:50 AM - 01:55 AM	48.9	40.8	04:30 AM - 04:35 AM	42.3	40.4	07:10 AM - 07:15 AM	53.8	40.8
01:55 AM - 02:00 AM	41.9	37.6	04:35 AM - 04:40 AM	42.7	40.4	07:15 AM - 07:20 AM	51.2	39.1
02:00 AM - 02:05 AM	38.9	37.2	04:40 AM - 04:45 AM	44.4	40.4	07:20 AM - 07:25 AM	57.4	40.5
02:05 AM - 02:10 AM	40.1	38.3	04:45 AM - 04:50 AM	43.5	40.5	07:25 AM - 07:30 AM	48.3	40.3
02:10 AM - 02:15 AM	43.4	38.0	04:50 AM - 04:55 AM	43.4	40.4	07:30 AM - 07:35 AM	46.3	40.0
02:15 AM - 02:20 AM	39.6	38.1	04:55 AM - 05:00 AM	43.2	40.7	07:35 AM - 07:40 AM	47.7	39.7
02:20 AM - 02:25 AM	46.1	38.5	05:00 AM - 05:05 AM	43.5	40.8	07:40 AM - 07:45 AM	50.5	41.3
02:25 AM - 02:30 AM	39.2	38.0	05:05 AM - 05:10 AM	47.2	40.5	07:45 AM - 07:50 AM	53.8	41.1
02:30 AM - 02:35 AM	39.8	38.4	05:10 AM - 05:15 AM	43.9	40.4	07:50 AM - 07:55 AM	58.2	39.5
02:35 AM - 02:40 AM	40.1	39.0	05:15 AM - 05:20 AM	44.2	40.3	07:55 AM - 08:00 AM	55.8	40.9

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544264-1

Page 1 of 3

Sample Number 2620802-13
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 29 - Mar 30, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623389

Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	54.7	41.6	10:40 AM - 10:45 AM	49.0	42.4	01:20 PM - 01:25 PM	45.6	42.5
08:05 AM - 08:10 AM	50.1	38.2	10:45 AM - 10:50 AM	51.0	43.1	01:25 PM - 01:30 PM	50.9	43.1
08:10 AM - 08:15 AM	47.9	36.6	10:50 AM - 10:55 AM	53.0	43.3	01:30 PM - 01:35 PM	48.4	43.5
08:15 AM - 08:20 AM	50.3	42.1	10:55 AM - 11:00 AM	48.2	42.6	01:35 PM - 01:40 PM	48.5	42.7
08:20 AM - 08:25 AM	51.8	40.9	11:00 AM - 11:05 AM	56.1	41.9	01:40 PM - 01:45 PM	49.7	42.5
08:25 AM - 08:30 AM	53.9	42.0	11:05 AM - 11:10 AM	49.3	42.2	01:45 PM - 01:50 PM	54.9	42.9
08:30 AM - 08:35 AM	53.2	46.4	11:10 AM - 11:15 AM	46.5	42.8	01:50 PM - 01:55 PM	51.0	45.4
08:35 AM - 08:40 AM	55.3	44.3	11:15 AM - 11:20 AM	45.9	42.8	01:55 PM - 02:00 PM	48.4	41.6
08:40 AM - 08:45 AM	52.4	42.0	11:20 AM - 11:25 AM	50.0	43.0	02:00 PM - 02:05 PM	49.7	43.7
08:45 AM - 08:50 AM	48.2	41.4	11:25 AM - 11:30 AM	48.6	42.1	02:05 PM - 02:10 PM	55.0	41.0
08:50 AM - 08:55 AM	47.4	39.8	11:30 AM - 11:35 AM	48.0	43.3	02:10 PM - 02:15 PM	52.9	41.2
08:55 AM - 09:00 AM	46.4	39.6	11:35 AM - 11:40 AM	55.3	45.3	02:15 PM - 02:20 PM	49.2	42.6
09:00 AM - 09:05 AM	48.3	41.3	11:40 AM - 11:45 AM	47.2	44.1	02:20 PM - 02:25 PM	45.5	41.6
09:05 AM - 09:10 AM	49.5	43.6	11:45 AM - 11:50 AM	51.7	45.9	02:25 PM - 02:30 PM	52.5	41.5
09:10 AM - 09:15 AM	50.9	42.5	11:50 AM - 11:55 AM	53.8	48.5	02:30 PM - 02:35 PM	52.3	42.9
09:15 AM - 09:20 AM	52.0	41.5	11:55 AM - 12:00 PM	54.1	44.4	02:35 PM - 02:40 PM	51.7	43.3
09:20 AM - 09:25 AM	43.8	39.3	12:00 PM - 12:05 PM	50.2	43.9	02:40 PM - 02:45 PM	46.3	43.0
09:25 AM - 09:30 AM	48.9	40.6	12:05 PM - 12:10 PM	52.0	43.0	02:45 PM - 02:50 PM	47.5	42.8
09:30 AM - 09:35 AM	50.5	40.4	12:10 PM - 12:15 PM	47.5	42.1	02:50 PM - 02:55 PM	49.8	42.0
09:35 AM - 09:40 AM	48.6	42.4	12:15 PM - 12:20 PM	47.7	42.0	02:55 PM - 03:00 PM	46.1	41.3
09:40 AM - 09:45 AM	45.6	41.2	12:20 PM - 12:25 PM	46.2	41.9	03:00 PM - 03:05 PM	45.3	41.1
09:45 AM - 09:50 AM	47.0	43.3	12:25 PM - 12:30 PM	50.4	42.5	03:05 PM - 03:10 PM	49.2	41.8
09:50 AM - 09:55 AM	53.8	43.7	12:30 PM - 12:35 PM	46.4	42.1	03:10 PM - 03:15 PM	48.3	41.8
09:55 AM - 10:00 AM	47.0	41.8	12:35 PM - 12:40 PM	51.6	43.2	03:15 PM - 03:20 PM	50.1	44.0
10:00 AM - 10:05 AM	50.2	43.4	12:40 PM - 12:45 PM	47.1	42.1	03:20 PM - 03:25 PM	47.1	41.3
10:05 AM - 10:10 AM	47.1	42.9	12:45 PM - 12:50 PM	49.4	41.6	03:25 PM - 03:30 PM	46.5	42.1
10:10 AM - 10:15 AM	48.1	43.4	12:50 PM - 12:55 PM	47.9	44.2	03:30 PM - 03:35 PM	48.1	41.4
10:15 AM - 10:20 AM	47.0	43.1	12:55 PM - 01:00 PM	51.3	46.5	03:35 PM - 03:40 PM	49.2	42.2
10:20 AM - 10:25 AM	50.9	44.1	01:00 PM - 01:05 PM	49.8	42.4	03:40 PM - 03:45 PM	57.2	41.9
10:25 AM - 10:30 AM	45.7	42.7	01:05 PM - 01:10 PM	46.3	41.1	03:45 PM - 03:50 PM	54.0	44.0
10:30 AM - 10:35 AM	47.8	42.7	01:10 PM - 01:15 PM	47.2	41.8	03:50 PM - 03:55 PM	46.3	42.6
10:35 AM - 10:40 AM	47.7	42.4	01:15 PM - 01:20 PM	48.7	41.5	03:55 PM - 04:00 PM	47.8	44.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544264-1

Page 2 of 3

Sample Number 2620802-13
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 29 - Mar 30, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 623389

Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	47.8	44.4	06:40 PM - 06:45 PM	57.8	50.7	09:20 PM - 09:25 PM	49.8	41.6
04:05 PM - 04:10 PM	52.0	43.9	06:45 PM - 06:50 PM	53.4	48.7	09:25 PM - 09:30 PM	49.9	41.1
04:10 PM - 04:15 PM	49.0	43.8	06:50 PM - 06:55 PM	53.8	48.2	09:30 PM - 09:35 PM	48.8	41.0
04:15 PM - 04:20 PM	50.3	44.1	06:55 PM - 07:00 PM	52.3	46.9	09:35 PM - 09:40 PM	56.4	41.8
04:20 PM - 04:25 PM	45.7	42.5	07:00 PM - 07:05 PM	53.3	46.7	09:40 PM - 09:45 PM	47.4	40.8
04:25 PM - 04:30 PM	46.9	42.4	07:05 PM - 07:10 PM	53.2	46.3	09:45 PM - 09:50 PM	42.7	40.9
04:30 PM - 04:35 PM	48.3	42.0	07:10 PM - 07:15 PM	50.2	45.3	09:50 PM - 09:55 PM	49.8	40.6
04:35 PM - 04:40 PM	47.5	42.0	07:15 PM - 07:20 PM	53.1	48.6	09:55 PM - 10:00 PM	42.9	41.2
04:40 PM - 04:45 PM	47.2	41.6	07:20 PM - 07:25 PM	55.4	46.9	10:00 PM - 10:05 PM	42.7	42.0
04:45 PM - 04:50 PM	46.8	42.2	07:25 PM - 07:30 PM	53.2	47.1	10:05 PM - 10:10 PM	61.2	40.9
04:50 PM - 04:55 PM	53.3	44.4	07:30 PM - 07:35 PM	54.6	49.9	10:10 PM - 10:15 PM	50.9	40.7
04:55 PM - 05:00 PM	50.6	45.2	07:35 PM - 07:40 PM	54.0	46.2	10:15 PM - 10:20 PM	58.3	40.1
05:00 PM - 05:05 PM	53.0	45.8	07:40 PM - 07:45 PM	52.8	45.5	10:20 PM - 10:25 PM	57.7	39.4
05:05 PM - 05:10 PM	52.6	45.4	07:45 PM - 07:50 PM	56.3	51.2	10:25 PM - 10:30 PM	45.0	39.4
05:10 PM - 05:15 PM	51.9	45.1	07:50 PM - 07:55 PM	54.4	47.9	10:30 PM - 10:35 PM	44.6	38.8
05:15 PM - 05:20 PM	51.2	43.9	07:55 PM - 08:00 PM	50.9	46.8	10:35 PM - 10:40 PM	39.3	37.6
05:20 PM - 05:25 PM	50.8	44.9	08:00 PM - 08:05 PM	50.1	46.8	10:40 PM - 10:45 PM	39.7	37.7
05:25 PM - 05:30 PM	51.6	43.9	08:05 PM - 08:10 PM	52.3	46.7	10:45 PM - 10:50 PM	40.8	39.4
05:30 PM - 05:35 PM	53.9	42.8	08:10 PM - 08:15 PM	49.2	43.4	10:50 PM - 10:55 PM	40.6	39.4
05:35 PM - 05:40 PM	58.2	52.2	08:15 PM - 08:20 PM	46.5	42.4	10:55 PM - 11:00 PM	40.7	39.5
05:40 PM - 05:45 PM	57.8	52.0	08:20 PM - 08:25 PM	44.2	42.8	11:00 PM - 11:05 PM	44.8	39.5
05:45 PM - 05:50 PM	58.8	52.6	08:25 PM - 08:30 PM	51.0	43.0	11:05 PM - 11:10 PM	42.2	39.5
05:50 PM - 05:55 PM	56.9	51.0	08:30 PM - 08:35 PM	46.9	42.1	11:10 PM - 11:15 PM	44.0	39.8
05:55 PM - 06:00 PM	59.8	54.7	08:35 PM - 08:40 PM	43.6	42.2	11:15 PM - 11:20 PM	41.4	39.3
06:00 PM - 06:05 PM	57.4	52.4	08:40 PM - 08:45 PM	52.3	42.4	11:20 PM - 11:25 PM	41.2	39.0
06:05 PM - 06:10 PM	59.7	52.8	08:45 PM - 08:50 PM	45.0	42.1	11:25 PM - 11:30 PM	40.2	38.6
06:10 PM - 06:15 PM	58.2	50.9	08:50 PM - 08:55 PM	47.5	41.7	11:30 PM - 11:35 PM	44.1	38.9
06:15 PM - 06:20 PM	59.7	53.3	08:55 PM - 09:00 PM	47.3	42.1	11:35 PM - 11:40 PM	43.1	39.3
06:20 PM - 06:25 PM	60.5	54.0	09:00 PM - 09:05 PM	53.5	42.2	11:40 PM - 11:45 PM	40.4	39.1
06:25 PM - 06:30 PM	62.1	52.9	09:05 PM - 09:10 PM	47.9	42.1	11:45 PM - 11:50 PM	40.6	39.2
06:30 PM - 06:35 PM	59.2	53.3	09:10 PM - 09:15 PM	43.0	42.1	11:50 PM - 11:55 PM	42.3	39.2
06:35 PM - 06:40 PM	58.8	54.0	09:15 PM - 09:20 PM	43.4	42.1	11:55 PM - 12:00 AM	43.5	39.9

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544264-1

Page 3 of 3

Sample Number 2620802-13
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 29 - Mar 30, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623389

Mar 30, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 30, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 30, 2026 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	42.0	40.8	02:40 AM - 02:45 AM	42.2	41.1	05:20 AM - 05:25 AM	43.1	39.1
12:05 AM - 12:10 AM	39.9	37.3	02:45 AM - 02:50 AM	42.4	41.2	05:25 AM - 05:30 AM	42.6	40.6
12:10 AM - 12:15 AM	39.8	37.5	02:50 AM - 02:55 AM	42.3	40.4	05:30 AM - 05:35 AM	44.8	41.5
12:15 AM - 12:20 AM	41.0	40.3	02:55 AM - 03:00 AM	41.3	39.9	05:35 AM - 05:40 AM	45.0	41.1
12:20 AM - 12:25 AM	44.7	37.9	03:00 AM - 03:05 AM	41.9	41.0	05:40 AM - 05:45 AM	45.2	42.1
12:25 AM - 12:30 AM	44.8	43.3	03:05 AM - 03:10 AM	42.3	40.9	05:45 AM - 05:50 AM	49.2	42.8
12:30 AM - 12:35 AM	42.2	39.1	03:10 AM - 03:15 AM	42.3	40.7	05:50 AM - 05:55 AM	51.0	43.3
12:35 AM - 12:40 AM	42.6	40.7	03:15 AM - 03:20 AM	41.0	40.1	05:55 AM - 06:00 AM	56.4	44.2
12:40 AM - 12:45 AM	42.3	40.1	03:20 AM - 03:25 AM	41.2	40.4	06:00 AM - 06:05 AM	55.8	46.2
12:45 AM - 12:50 AM	42.2	41.6	03:25 AM - 03:30 AM	40.6	38.6	06:05 AM - 06:10 AM	51.0	45.4
12:50 AM - 12:55 AM	42.2	41.4	03:30 AM - 03:35 AM	47.3	38.1	06:10 AM - 06:15 AM	56.2	47.3
12:55 AM - 01:00 AM	42.1	41.3	03:35 AM - 03:40 AM	40.5	39.1	06:15 AM - 06:20 AM	54.1	45.1
01:00 AM - 01:05 AM	42.7	42.0	03:40 AM - 03:45 AM	44.3	41.2	06:20 AM - 06:25 AM	58.8	43.0
01:05 AM - 01:10 AM	42.3	41.3	03:45 AM - 03:50 AM	42.2	41.3	06:25 AM - 06:30 AM	54.9	43.2
01:10 AM - 01:15 AM	41.3	40.4	03:50 AM - 03:55 AM	42.6	41.6	06:30 AM - 06:35 AM	58.3	46.4
01:15 AM - 01:20 AM	42.0	41.2	03:55 AM - 04:00 AM	43.0	42.0	06:35 AM - 06:40 AM	60.4	45.6
01:20 AM - 01:25 AM	41.5	39.6	04:00 AM - 04:05 AM	42.9	41.9	06:40 AM - 06:45 AM	54.4	45.0
01:25 AM - 01:30 AM	41.9	40.8	04:05 AM - 04:10 AM	42.6	41.6	06:45 AM - 06:50 AM	46.2	42.0
01:30 AM - 01:35 AM	41.8	40.9	04:10 AM - 04:15 AM	42.9	41.7	06:50 AM - 06:55 AM	52.0	42.5
01:35 AM - 01:40 AM	42.4	41.5	04:15 AM - 04:20 AM	42.9	42.0	06:55 AM - 07:00 AM	52.0	42.9
01:40 AM - 01:45 AM	42.3	41.6	04:20 AM - 04:25 AM	41.6	38.6	07:00 AM - 07:05 AM	54.2	42.4
01:45 AM - 01:50 AM	43.6	41.6	04:25 AM - 04:30 AM	41.7	39.6	07:05 AM - 07:10 AM	50.5	42.5
01:50 AM - 01:55 AM	47.3	41.2	04:30 AM - 04:35 AM	41.2	38.9	07:10 AM - 07:15 AM	47.9	40.7
01:55 AM - 02:00 AM	50.9	39.2	04:35 AM - 04:40 AM	42.1	40.3	07:15 AM - 07:20 AM	51.0	43.8
02:00 AM - 02:05 AM	41.6	38.5	04:40 AM - 04:45 AM	42.2	39.5	07:20 AM - 07:25 AM	57.5	43.2
02:05 AM - 02:10 AM	43.5	40.0	04:45 AM - 04:50 AM	42.8	39.5	07:25 AM - 07:30 AM	51.9	44.5
02:10 AM - 02:15 AM	43.4	41.9	04:50 AM - 04:55 AM	41.5	38.4	07:30 AM - 07:35 AM	51.2	42.0
02:15 AM - 02:20 AM	44.3	41.6	04:55 AM - 05:00 AM	41.9	38.8	07:35 AM - 07:40 AM	52.5	41.7
02:20 AM - 02:25 AM	43.0	41.7	05:00 AM - 05:05 AM	50.1	39.8	07:40 AM - 07:45 AM	49.6	42.8
02:25 AM - 02:30 AM	46.1	41.6	05:05 AM - 05:10 AM	45.2	43.0	07:45 AM - 07:50 AM	49.4	42.3
02:30 AM - 02:35 AM	42.0	40.8	05:10 AM - 05:15 AM	43.6	40.4	07:50 AM - 07:55 AM	49.9	41.2
02:35 AM - 02:40 AM	42.2	40.7	05:15 AM - 05:20 AM	43.4	39.0	07:55 AM - 08:00 AM	53.4	42.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544265-1

Page 1 of 3

Sample Number 2620802-14
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 30 - Mar 31, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623389

Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	49.7	42.1	10:40 AM - 10:45 AM	49.4	42.3	01:20 PM - 01:25 PM	51.7	44.1
08:05 AM - 08:10 AM	49.0	41.9	10:45 AM - 10:50 AM	46.6	40.9	01:25 PM - 01:30 PM	56.0	44.0
08:10 AM - 08:15 AM	49.5	40.0	10:50 AM - 10:55 AM	53.0	40.6	01:30 PM - 01:35 PM	49.7	40.2
08:15 AM - 08:20 AM	48.7	41.9	10:55 AM - 11:00 AM	55.6	44.2	01:35 PM - 01:40 PM	51.7	42.4
08:20 AM - 08:25 AM	49.7	39.7	11:00 AM - 11:05 AM	50.3	41.5	01:40 PM - 01:45 PM	53.4	47.1
08:25 AM - 08:30 AM	47.6	40.8	11:05 AM - 11:10 AM	46.0	41.8	01:45 PM - 01:50 PM	49.8	44.0
08:30 AM - 08:35 AM	47.8	41.0	11:10 AM - 11:15 AM	45.5	38.9	01:50 PM - 01:55 PM	53.8	47.3
08:35 AM - 08:40 AM	50.7	45.6	11:15 AM - 11:20 AM	48.7	39.3	01:55 PM - 02:00 PM	56.0	46.9
08:40 AM - 08:45 AM	48.8	41.6	11:20 AM - 11:25 AM	46.0	37.9	02:00 PM - 02:05 PM	62.7	49.2
08:45 AM - 08:50 AM	48.0	40.0	11:25 AM - 11:30 AM	52.4	42.1	02:05 PM - 02:10 PM	53.3	46.5
08:50 AM - 08:55 AM	49.3	39.5	11:30 AM - 11:35 AM	46.4	39.1	02:10 PM - 02:15 PM	55.7	47.1
08:55 AM - 09:00 AM	53.0	43.7	11:35 AM - 11:40 AM	51.3	39.8	02:15 PM - 02:20 PM	51.9	46.2
09:00 AM - 09:05 AM	56.0	41.8	11:40 AM - 11:45 AM	46.8	37.7	02:20 PM - 02:25 PM	53.8	48.5
09:05 AM - 09:10 AM	51.2	41.3	11:45 AM - 11:50 AM	47.6	39.5	02:25 PM - 02:30 PM	54.2	46.0
09:10 AM - 09:15 AM	58.4	45.2	11:50 AM - 11:55 AM	46.5	37.5	02:30 PM - 02:35 PM	52.7	46.6
09:15 AM - 09:20 AM	49.4	38.8	11:55 AM - 12:00 PM	47.9	38.7	02:35 PM - 02:40 PM	52.3	47.1
09:20 AM - 09:25 AM	50.5	40.6	12:00 PM - 12:05 PM	50.4	43.0	02:40 PM - 02:45 PM	49.4	43.2
09:25 AM - 09:30 AM	53.9	49.6	12:05 PM - 12:10 PM	49.7	41.3	02:45 PM - 02:50 PM	46.4	39.5
09:30 AM - 09:35 AM	59.2	49.9	12:10 PM - 12:15 PM	52.8	40.1	02:50 PM - 02:55 PM	49.5	38.0
09:35 AM - 09:40 AM	55.4	41.0	12:15 PM - 12:20 PM	60.3	40.9	02:55 PM - 03:00 PM	50.0	39.8
09:40 AM - 09:45 AM	50.3	38.7	12:20 PM - 12:25 PM	50.5	41.2	03:00 PM - 03:05 PM	47.9	43.0
09:45 AM - 09:50 AM	56.8	43.7	12:25 PM - 12:30 PM	51.4	42.8	03:05 PM - 03:10 PM	48.2	41.2
09:50 AM - 09:55 AM	54.7	40.5	12:30 PM - 12:35 PM	50.6	41.5	03:10 PM - 03:15 PM	55.2	44.1
09:55 AM - 10:00 AM	51.9	42.0	12:35 PM - 12:40 PM	51.0	39.7	03:15 PM - 03:20 PM	50.7	44.7
10:00 AM - 10:05 AM	58.5	43.4	12:40 PM - 12:45 PM	53.6	40.9	03:20 PM - 03:25 PM	48.4	43.7
10:05 AM - 10:10 AM	57.9	44.1	12:45 PM - 12:50 PM	61.3	43.7	03:25 PM - 03:30 PM	51.8	45.1
10:10 AM - 10:15 AM	56.8	41.0	12:50 PM - 12:55 PM	46.9	41.7	03:30 PM - 03:35 PM	57.4	46.8
10:15 AM - 10:20 AM	49.5	42.7	12:55 PM - 01:00 PM	52.9	42.3	03:35 PM - 03:40 PM	52.9	46.2
10:20 AM - 10:25 AM	55.9	44.1	01:00 PM - 01:05 PM	52.7	48.5	03:40 PM - 03:45 PM	55.7	47.2
10:25 AM - 10:30 AM	50.7	44.2	01:05 PM - 01:10 PM	49.2	40.6	03:45 PM - 03:50 PM	56.1	45.3
10:30 AM - 10:35 AM	52.0	45.0	01:10 PM - 01:15 PM	48.8	43.4	03:50 PM - 03:55 PM	50.5	44.2
10:35 AM - 10:40 AM	52.6	43.5	01:15 PM - 01:20 PM	53.1	44.5	03:55 PM - 04:00 PM	53.6	46.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544265-1

Page 2 of 3

Sample Number 2620802-14
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 30 - Mar 31, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 623389

Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	56.1	48.0	06:40 PM - 06:45 PM	51.7	44.5	09:20 PM - 09:25 PM	54.5	48.6
04:05 PM - 04:10 PM	56.3	49.6	06:45 PM - 06:50 PM	57.6	48.6	09:25 PM - 09:30 PM	55.0	48.3
04:10 PM - 04:15 PM	56.3	45.3	06:50 PM - 06:55 PM	52.9	45.5	09:30 PM - 09:35 PM	56.3	48.4
04:15 PM - 04:20 PM	52.6	44.2	06:55 PM - 07:00 PM	50.3	45.7	09:35 PM - 09:40 PM	55.8	48.7
04:20 PM - 04:25 PM	52.8	44.3	07:00 PM - 07:05 PM	50.6	45.7	09:40 PM - 09:45 PM	65.1	51.3
04:25 PM - 04:30 PM	65.8	46.1	07:05 PM - 07:10 PM	50.1	46.4	09:45 PM - 09:50 PM	63.9	49.9
04:30 PM - 04:35 PM	53.4	47.2	07:10 PM - 07:15 PM	51.2	46.1	09:50 PM - 09:55 PM	57.6	47.2
04:35 PM - 04:40 PM	51.7	44.4	07:15 PM - 07:20 PM	52.4	47.1	09:55 PM - 10:00 PM	57.9	49.8
04:40 PM - 04:45 PM	56.0	47.3	07:20 PM - 07:25 PM	53.2	47.7	10:00 PM - 10:05 PM	54.0	49.0
04:45 PM - 04:50 PM	59.8	53.3	07:25 PM - 07:30 PM	51.5	47.2	10:05 PM - 10:10 PM	53.5	47.1
04:50 PM - 04:55 PM	58.2	51.6	07:30 PM - 07:35 PM	52.4	47.2	10:10 PM - 10:15 PM	54.4	48.7
04:55 PM - 05:00 PM	59.5	52.8	07:35 PM - 07:40 PM	55.7	48.5	10:15 PM - 10:20 PM	58.2	47.2
05:00 PM - 05:05 PM	58.6	53.1	07:40 PM - 07:45 PM	53.2	48.0	10:20 PM - 10:25 PM	54.7	47.8
05:05 PM - 05:10 PM	59.1	53.4	07:45 PM - 07:50 PM	55.2	47.9	10:25 PM - 10:30 PM	53.9	48.2
05:10 PM - 05:15 PM	60.2	54.7	07:50 PM - 07:55 PM	55.8	50.2	10:30 PM - 10:35 PM	56.4	45.8
05:15 PM - 05:20 PM	59.7	54.5	07:55 PM - 08:00 PM	54.5	49.2	10:35 PM - 10:40 PM	54.3	41.8
05:20 PM - 05:25 PM	60.3	55.0	08:00 PM - 08:05 PM	53.7	49.8	10:40 PM - 10:45 PM	53.2	42.4
05:25 PM - 05:30 PM	59.1	53.1	08:05 PM - 08:10 PM	55.1	50.4	10:45 PM - 10:50 PM	52.8	41.6
05:30 PM - 05:35 PM	59.2	52.1	08:10 PM - 08:15 PM	57.5	50.3	10:50 PM - 10:55 PM	54.6	42.2
05:35 PM - 05:40 PM	60.4	52.3	08:15 PM - 08:20 PM	56.9	49.2	10:55 PM - 11:00 PM	52.9	42.4
05:40 PM - 05:45 PM	60.7	54.2	08:20 PM - 08:25 PM	55.7	48.3	11:00 PM - 11:05 PM	51.5	44.8
05:45 PM - 05:50 PM	59.3	51.5	08:25 PM - 08:30 PM	53.8	47.1	11:05 PM - 11:10 PM	51.6	44.7
05:50 PM - 05:55 PM	59.8	53.5	08:30 PM - 08:35 PM	52.7	47.0	11:10 PM - 11:15 PM	52.5	41.5
05:55 PM - 06:00 PM	60.4	54.3	08:35 PM - 08:40 PM	56.8	49.6	11:15 PM - 11:20 PM	51.8	42.2
06:00 PM - 06:05 PM	59.1	51.4	08:40 PM - 08:45 PM	54.3	47.9	11:20 PM - 11:25 PM	51.8	42.0
06:05 PM - 06:10 PM	58.9	52.7	08:45 PM - 08:50 PM	51.5	46.8	11:25 PM - 11:30 PM	50.0	42.3
06:10 PM - 06:15 PM	58.2	52.6	08:50 PM - 08:55 PM	53.0	47.3	11:30 PM - 11:35 PM	56.4	41.8
06:15 PM - 06:20 PM	53.9	46.9	08:55 PM - 09:00 PM	53.5	47.8	11:35 PM - 11:40 PM	49.1	40.8
06:20 PM - 06:25 PM	56.2	48.0	09:00 PM - 09:05 PM	54.1	48.8	11:40 PM - 11:45 PM	44.8	39.6
06:25 PM - 06:30 PM	58.6	48.0	09:05 PM - 09:10 PM	54.9	48.4	11:45 PM - 11:50 PM	44.0	39.8
06:30 PM - 06:35 PM	50.0	44.6	09:10 PM - 09:15 PM	54.2	47.9	11:50 PM - 11:55 PM	45.0	39.0
06:35 PM - 06:40 PM	50.1	43.8	09:15 PM - 09:20 PM	55.7	49.0	11:55 PM - 12:00 AM	50.2	38.9

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544265-1

Page 3 of 3

Sample Number 2620802-14
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศตะวันตกของโครงการ (N2) (GPS 47P 0748069, 1462373)
Measurement Date Mar 30 - Mar 31, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623389

Mar 31, 2026	Leq	L90	Mar 31, 2026	Leq	L90	Mar 31, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	49.3	38.1	02:40 AM - 02:45 AM	38.5	36.4	05:20 AM - 05:25 AM	40.0	38.4
12:05 AM - 12:10 AM	43.0	37.8	02:45 AM - 02:50 AM	40.0	37.6	05:25 AM - 05:30 AM	41.4	39.7
12:10 AM - 12:15 AM	46.8	39.0	02:50 AM - 02:55 AM	40.4	38.3	05:30 AM - 05:35 AM	43.8	41.4
12:15 AM - 12:20 AM	39.4	37.9	02:55 AM - 03:00 AM	40.9	38.1	05:35 AM - 05:40 AM	44.5	41.9
12:20 AM - 12:25 AM	40.8	37.6	03:00 AM - 03:05 AM	40.3	38.1	05:40 AM - 05:45 AM	46.4	42.3
12:25 AM - 12:30 AM	40.7	39.1	03:05 AM - 03:10 AM	40.6	38.0	05:45 AM - 05:50 AM	45.9	42.8
12:30 AM - 12:35 AM	38.8	38.0	03:10 AM - 03:15 AM	39.5	36.7	05:50 AM - 05:55 AM	50.2	42.8
12:35 AM - 12:40 AM	38.9	37.1	03:15 AM - 03:20 AM	39.2	36.5	05:55 AM - 06:00 AM	54.6	42.8
12:40 AM - 12:45 AM	38.6	37.3	03:20 AM - 03:25 AM	40.3	38.2	06:00 AM - 06:05 AM	52.9	42.9
12:45 AM - 12:50 AM	38.1	37.0	03:25 AM - 03:30 AM	40.5	38.0	06:05 AM - 06:10 AM	51.6	42.3
12:50 AM - 12:55 AM	39.0	37.2	03:30 AM - 03:35 AM	40.4	37.9	06:10 AM - 06:15 AM	49.1	40.5
12:55 AM - 01:00 AM	38.8	37.3	03:35 AM - 03:40 AM	39.8	37.9	06:15 AM - 06:20 AM	50.1	39.9
01:00 AM - 01:05 AM	37.9	36.7	03:40 AM - 03:45 AM	42.0	38.0	06:20 AM - 06:25 AM	43.4	39.4
01:05 AM - 01:10 AM	38.4	36.8	03:45 AM - 03:50 AM	39.8	37.9	06:25 AM - 06:30 AM	55.4	40.2
01:10 AM - 01:15 AM	37.5	36.5	03:50 AM - 03:55 AM	39.9	38.4	06:30 AM - 06:35 AM	49.1	43.4
01:15 AM - 01:20 AM	38.6	36.8	03:55 AM - 04:00 AM	39.5	37.7	06:35 AM - 06:40 AM	51.8	43.6
01:20 AM - 01:25 AM	37.5	36.6	04:00 AM - 04:05 AM	40.3	37.8	06:40 AM - 06:45 AM	54.2	44.4
01:25 AM - 01:30 AM	37.2	36.4	04:05 AM - 04:10 AM	39.5	37.8	06:45 AM - 06:50 AM	55.7	41.6
01:30 AM - 01:35 AM	37.1	36.0	04:10 AM - 04:15 AM	39.7	38.1	06:50 AM - 06:55 AM	51.1	41.3
01:35 AM - 01:40 AM	39.8	37.8	04:15 AM - 04:20 AM	39.7	38.0	06:55 AM - 07:00 AM	51.0	41.8
01:40 AM - 01:45 AM	39.1	37.7	04:20 AM - 04:25 AM	39.8	37.9	07:00 AM - 07:05 AM	48.8	41.0
01:45 AM - 01:50 AM	39.5	37.8	04:25 AM - 04:30 AM	41.0	38.2	07:05 AM - 07:10 AM	47.5	41.8
01:50 AM - 01:55 AM	40.3	39.4	04:30 AM - 04:35 AM	40.1	38.6	07:10 AM - 07:15 AM	50.6	40.4
01:55 AM - 02:00 AM	40.6	39.1	04:35 AM - 04:40 AM	40.5	38.6	07:15 AM - 07:20 AM	49.5	39.2
02:00 AM - 02:05 AM	41.7	39.7	04:40 AM - 04:45 AM	40.2	38.3	07:20 AM - 07:25 AM	54.3	42.3
02:05 AM - 02:10 AM	40.5	38.9	04:45 AM - 04:50 AM	41.0	38.3	07:25 AM - 07:30 AM	47.5	44.2
02:10 AM - 02:15 AM	42.5	38.2	04:50 AM - 04:55 AM	41.4	38.6	07:30 AM - 07:35 AM	49.3	44.8
02:15 AM - 02:20 AM	39.7	38.3	04:55 AM - 05:00 AM	41.8	38.9	07:35 AM - 07:40 AM	50.9	45.9
02:20 AM - 02:25 AM	41.0	39.3	05:00 AM - 05:05 AM	40.8	38.2	07:40 AM - 07:45 AM	49.6	43.6
02:25 AM - 02:30 AM	39.5	37.6	05:05 AM - 05:10 AM	41.4	39.0	07:45 AM - 07:50 AM	48.5	42.4
02:30 AM - 02:35 AM	38.3	36.6	05:10 AM - 05:15 AM	41.1	39.2	07:50 AM - 07:55 AM	48.5	44.5
02:35 AM - 02:40 AM	38.9	36.3	05:15 AM - 05:20 AM	39.7	37.7	07:55 AM - 08:00 AM	50.1	44.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544266-1

Page 1 of 3

Sample Number 2620802-15
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 24 - Mar 25, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623393

Mar 24, 2026	Leq	L90	Mar 24, 2026	Leq	L90	Mar 24, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	53.8	50.4	10:40 AM - 10:45 AM	58.7	56.7	01:20 PM - 01:25 PM	54.4	49.1
08:05 AM - 08:10 AM	62.5	50.4	10:45 AM - 10:50 AM	58.2	55.5	01:25 PM - 01:30 PM	51.2	47.8
08:10 AM - 08:15 AM	54.3	50.2	10:50 AM - 10:55 AM	57.7	55.3	01:30 PM - 01:35 PM	53.4	47.9
08:15 AM - 08:20 AM	53.9	49.4	10:55 AM - 11:00 AM	56.1	50.2	01:35 PM - 01:40 PM	50.4	48.3
08:20 AM - 08:25 AM	57.1	50.2	11:00 AM - 11:05 AM	58.6	55.7	01:40 PM - 01:45 PM	51.3	47.3
08:25 AM - 08:30 AM	53.1	49.6	11:05 AM - 11:10 AM	58.2	55.3	01:45 PM - 01:50 PM	53.1	49.6
08:30 AM - 08:35 AM	57.6	50.6	11:10 AM - 11:15 AM	58.1	55.2	01:50 PM - 01:55 PM	52.4	47.0
08:35 AM - 08:40 AM	55.0	50.0	11:15 AM - 11:20 AM	58.6	55.4	01:55 PM - 02:00 PM	51.9	49.2
08:40 AM - 08:45 AM	52.2	49.1	11:20 AM - 11:25 AM	59.4	55.1	02:00 PM - 02:05 PM	52.9	49.6
08:45 AM - 08:50 AM	55.5	48.9	11:25 AM - 11:30 AM	59.3	54.5	02:05 PM - 02:10 PM	53.4	50.1
08:50 AM - 08:55 AM	56.0	48.1	11:30 AM - 11:35 AM	58.1	52.7	02:10 PM - 02:15 PM	56.3	49.0
08:55 AM - 09:00 AM	54.1	47.6	11:35 AM - 11:40 AM	56.1	52.5	02:15 PM - 02:20 PM	52.3	49.6
09:00 AM - 09:05 AM	51.2	47.1	11:40 AM - 11:45 AM	50.9	45.7	02:20 PM - 02:25 PM	53.1	50.9
09:05 AM - 09:10 AM	50.8	47.4	11:45 AM - 11:50 AM	49.1	44.9	02:25 PM - 02:30 PM	52.8	49.7
09:10 AM - 09:15 AM	53.2	49.8	11:50 AM - 11:55 AM	47.9	44.3	02:30 PM - 02:35 PM	53.0	49.2
09:15 AM - 09:20 AM	61.9	49.8	11:55 AM - 12:00 PM	47.7	44.8	02:35 PM - 02:40 PM	55.1	50.4
09:20 AM - 09:25 AM	53.7	49.6	12:00 PM - 12:05 PM	49.9	46.4	02:40 PM - 02:45 PM	53.7	49.5
09:25 AM - 09:30 AM	53.3	48.8	12:05 PM - 12:10 PM	52.2	44.6	02:45 PM - 02:50 PM	55.2	49.6
09:30 AM - 09:35 AM	56.5	49.6	12:10 PM - 12:15 PM	50.3	45.7	02:50 PM - 02:55 PM	54.3	49.5
09:35 AM - 09:40 AM	52.5	49.0	12:15 PM - 12:20 PM	47.2	44.7	02:55 PM - 03:00 PM	55.0	51.4
09:40 AM - 09:45 AM	57.0	50.0	12:20 PM - 12:25 PM	48.5	44.9	03:00 PM - 03:05 PM	54.9	51.0
09:45 AM - 09:50 AM	54.4	49.4	12:25 PM - 12:30 PM	49.7	44.2	03:05 PM - 03:10 PM	54.0	48.7
09:50 AM - 09:55 AM	51.6	48.5	12:30 PM - 12:35 PM	48.7	43.7	03:10 PM - 03:15 PM	51.8	48.0
09:55 AM - 10:00 AM	54.9	48.3	12:35 PM - 12:40 PM	47.5	43.0	03:15 PM - 03:20 PM	53.9	50.1
10:00 AM - 10:05 AM	55.4	47.5	12:40 PM - 12:45 PM	45.7	43.2	03:20 PM - 03:25 PM	52.1	48.8
10:05 AM - 10:10 AM	53.5	47.0	12:45 PM - 12:50 PM	47.7	44.3	03:25 PM - 03:30 PM	52.5	49.6
10:10 AM - 10:15 AM	50.6	46.5	12:50 PM - 12:55 PM	46.1	43.4	03:30 PM - 03:35 PM	54.0	50.6
10:15 AM - 10:20 AM	50.2	46.8	12:55 PM - 01:00 PM	46.4	43.2	03:35 PM - 03:40 PM	54.4	50.1
10:20 AM - 10:25 AM	50.4	46.3	01:00 PM - 01:05 PM	47.3	44.1	03:40 PM - 03:45 PM	52.3	48.4
10:25 AM - 10:30 AM	58.4	52.1	01:05 PM - 01:10 PM	50.3	46.0	03:45 PM - 03:50 PM	54.8	51.0
10:30 AM - 10:35 AM	58.6	55.6	01:10 PM - 01:15 PM	50.7	48.1	03:50 PM - 03:55 PM	53.4	49.7
10:35 AM - 10:40 AM	57.8	54.9	01:15 PM - 01:20 PM	54.1	48.1	03:55 PM - 04:00 PM	52.6	49.0

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544266-1

Page 2 of 3

Sample Number 2620802-15
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 24 - Mar 25, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623393

Mar 24, 2026	Leq	L90	Mar 24, 2026	Leq	L90	Mar 24, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	51.9	49.1	06:40 PM - 06:45 PM	59.2	49.7	09:20 PM - 09:25 PM	53.4	52.8
04:05 PM - 04:10 PM	54.0	49.0	06:45 PM - 06:50 PM	53.6	48.8	09:25 PM - 09:30 PM	53.7	52.9
04:10 PM - 04:15 PM	51.3	47.2	06:50 PM - 06:55 PM	49.2	47.9	09:30 PM - 09:35 PM	53.4	52.6
04:15 PM - 04:20 PM	51.4	49.4	06:55 PM - 07:00 PM	51.4	48.9	09:35 PM - 09:40 PM	53.0	52.3
04:20 PM - 04:25 PM	52.5	50.0	07:00 PM - 07:05 PM	51.4	50.0	09:40 PM - 09:45 PM	53.0	51.1
04:25 PM - 04:30 PM	53.5	49.2	07:05 PM - 07:10 PM	52.0	50.6	09:45 PM - 09:50 PM	52.1	51.2
04:30 PM - 04:35 PM	54.1	50.1	07:10 PM - 07:15 PM	53.4	50.6	09:50 PM - 09:55 PM	52.1	51.2
04:35 PM - 04:40 PM	53.3	50.1	07:15 PM - 07:20 PM	52.2	50.4	09:55 PM - 10:00 PM	51.7	50.9
04:40 PM - 04:45 PM	53.9	50.2	07:20 PM - 07:25 PM	52.4	50.7	10:00 PM - 10:05 PM	52.5	51.6
04:45 PM - 04:50 PM	53.4	49.5	07:25 PM - 07:30 PM	55.1	50.5	10:05 PM - 10:10 PM	52.2	51.6
04:50 PM - 04:55 PM	53.8	49.8	07:30 PM - 07:35 PM	52.8	50.9	10:10 PM - 10:15 PM	53.3	51.6
04:55 PM - 05:00 PM	53.0	49.5	07:35 PM - 07:40 PM	53.8	51.0	10:15 PM - 10:20 PM	52.5	51.4
05:00 PM - 05:05 PM	53.7	50.4	07:40 PM - 07:45 PM	54.2	51.0	10:20 PM - 10:25 PM	52.3	51.3
05:05 PM - 05:10 PM	53.3	50.0	07:45 PM - 07:50 PM	51.3	50.2	10:25 PM - 10:30 PM	51.8	50.9
05:10 PM - 05:15 PM	54.0	50.8	07:50 PM - 07:55 PM	51.4	50.3	10:30 PM - 10:35 PM	51.4	50.3
05:15 PM - 05:20 PM	54.2	50.9	07:55 PM - 08:00 PM	51.4	50.2	10:35 PM - 10:40 PM	51.7	50.8
05:20 PM - 05:25 PM	54.6	49.0	08:00 PM - 08:05 PM	51.9	50.9	10:40 PM - 10:45 PM	52.2	51.4
05:25 PM - 05:30 PM	53.2	48.6	08:05 PM - 08:10 PM	52.7	51.3	10:45 PM - 10:50 PM	51.7	50.9
05:30 PM - 05:35 PM	52.5	47.0	08:10 PM - 08:15 PM	52.8	51.4	10:50 PM - 10:55 PM	51.6	50.6
05:35 PM - 05:40 PM	53.3	47.2	08:15 PM - 08:20 PM	52.8	51.5	10:55 PM - 11:00 PM	51.5	50.7
05:40 PM - 05:45 PM	52.2	46.9	08:20 PM - 08:25 PM	55.6	52.5	11:00 PM - 11:05 PM	51.3	50.5
05:45 PM - 05:50 PM	53.4	47.7	08:25 PM - 08:30 PM	54.6	53.2	11:05 PM - 11:10 PM	51.4	50.6
05:50 PM - 05:55 PM	53.1	47.3	08:30 PM - 08:35 PM	54.8	52.5	11:10 PM - 11:15 PM	51.4	50.4
05:55 PM - 06:00 PM	53.6	48.4	08:35 PM - 08:40 PM	54.4	52.6	11:15 PM - 11:20 PM	51.6	50.5
06:00 PM - 06:05 PM	56.0	49.2	08:40 PM - 08:45 PM	55.8	51.6	11:20 PM - 11:25 PM	50.7	49.6
06:05 PM - 06:10 PM	59.6	50.0	08:45 PM - 08:50 PM	57.1	53.9	11:25 PM - 11:30 PM	50.1	49.2
06:10 PM - 06:15 PM	59.8	51.4	08:50 PM - 08:55 PM	55.3	52.9	11:30 PM - 11:35 PM	50.1	48.9
06:15 PM - 06:20 PM	60.7	52.0	08:55 PM - 09:00 PM	55.0	52.9	11:35 PM - 11:40 PM	50.0	49.2
06:20 PM - 06:25 PM	63.0	53.1	09:00 PM - 09:05 PM	55.7	53.7	11:40 PM - 11:45 PM	51.4	49.8
06:25 PM - 06:30 PM	62.4	52.0	09:05 PM - 09:10 PM	53.0	52.4	11:45 PM - 11:50 PM	51.6	50.1
06:30 PM - 06:35 PM	59.1	50.7	09:10 PM - 09:15 PM	53.5	52.6	11:50 PM - 11:55 PM	52.0	49.9
06:35 PM - 06:40 PM	58.9	50.1	09:15 PM - 09:20 PM	53.4	52.9	11:55 PM - 12:00 AM	51.2	49.9

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544266-1

Page 3 of 3

Sample Number 2620802-15
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 24 - Mar 25, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623393

Mar 25, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 25, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 25, 2026 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	52.6	50.4	02:40 AM - 02:45 AM	48.7	47.9	05:20 AM - 05:25 AM	50.0	49.0
12:05 AM - 12:10 AM	50.6	49.6	02:45 AM - 02:50 AM	48.3	47.5	05:25 AM - 05:30 AM	49.6	48.6
12:10 AM - 12:15 AM	50.8	50.0	02:50 AM - 02:55 AM	48.9	47.6	05:30 AM - 05:35 AM	49.6	48.9
12:15 AM - 12:20 AM	50.6	49.8	02:55 AM - 03:00 AM	48.3	46.5	05:35 AM - 05:40 AM	49.9	49.2
12:20 AM - 12:25 AM	51.0	49.1	03:00 AM - 03:05 AM	47.8	47.0	05:40 AM - 05:45 AM	50.4	49.7
12:25 AM - 12:30 AM	51.2	48.4	03:05 AM - 03:10 AM	48.8	47.4	05:45 AM - 05:50 AM	50.1	49.4
12:30 AM - 12:35 AM	49.3	47.3	03:10 AM - 03:15 AM	48.6	46.8	05:50 AM - 05:55 AM	50.1	49.3
12:35 AM - 12:40 AM	50.8	47.8	03:15 AM - 03:20 AM	47.8	47.0	05:55 AM - 06:00 AM	50.2	49.5
12:40 AM - 12:45 AM	49.7	48.3	03:20 AM - 03:25 AM	48.2	46.9	06:00 AM - 06:05 AM	50.8	50.0
12:45 AM - 12:50 AM	49.1	48.0	03:25 AM - 03:30 AM	48.1	46.9	06:05 AM - 06:10 AM	51.4	50.2
12:50 AM - 12:55 AM	49.5	48.4	03:30 AM - 03:35 AM	48.3	47.4	06:10 AM - 06:15 AM	50.6	49.8
12:55 AM - 01:00 AM	48.8	47.9	03:35 AM - 03:40 AM	48.8	47.4	06:15 AM - 06:20 AM	50.0	49.0
01:00 AM - 01:05 AM	49.6	48.6	03:40 AM - 03:45 AM	49.0	47.7	06:20 AM - 06:25 AM	50.4	49.4
01:05 AM - 01:10 AM	49.7	48.9	03:45 AM - 03:50 AM	49.6	48.2	06:25 AM - 06:30 AM	50.8	49.4
01:10 AM - 01:15 AM	49.4	48.4	03:50 AM - 03:55 AM	61.0	47.9	06:30 AM - 06:35 AM	51.9	49.1
01:15 AM - 01:20 AM	49.9	49.1	03:55 AM - 04:00 AM	50.2	47.9	06:35 AM - 06:40 AM	50.7	48.5
01:20 AM - 01:25 AM	49.5	48.5	04:00 AM - 04:05 AM	49.6	48.1	06:40 AM - 06:45 AM	50.7	48.6
01:25 AM - 01:30 AM	48.9	47.7	04:05 AM - 04:10 AM	49.4	47.5	06:45 AM - 06:50 AM	56.0	48.6
01:30 AM - 01:35 AM	49.8	48.8	04:10 AM - 04:15 AM	49.6	47.9	06:50 AM - 06:55 AM	65.5	48.2
01:35 AM - 01:40 AM	49.1	47.9	04:15 AM - 04:20 AM	49.8	47.9	06:55 AM - 07:00 AM	51.2	47.7
01:40 AM - 01:45 AM	49.2	48.1	04:20 AM - 04:25 AM	50.1	47.8	07:00 AM - 07:05 AM	49.6	46.5
01:45 AM - 01:50 AM	49.0	48.1	04:25 AM - 04:30 AM	50.1	48.1	07:05 AM - 07:10 AM	50.0	48.0
01:50 AM - 01:55 AM	48.8	47.8	04:30 AM - 04:35 AM	51.3	49.1	07:10 AM - 07:15 AM	52.0	48.2
01:55 AM - 02:00 AM	49.2	48.5	04:35 AM - 04:40 AM	51.5	49.6	07:15 AM - 07:20 AM	53.0	48.3
02:00 AM - 02:05 AM	49.6	48.7	04:40 AM - 04:45 AM	50.9	48.8	07:20 AM - 07:25 AM	54.6	47.6
02:05 AM - 02:10 AM	49.5	48.6	04:45 AM - 04:50 AM	51.8	50.0	07:25 AM - 07:30 AM	51.3	48.3
02:10 AM - 02:15 AM	49.6	48.9	04:50 AM - 04:55 AM	51.5	49.8	07:30 AM - 07:35 AM	52.4	48.1
02:15 AM - 02:20 AM	49.6	49.0	04:55 AM - 05:00 AM	51.1	49.6	07:35 AM - 07:40 AM	51.5	48.0
02:20 AM - 02:25 AM	49.2	48.2	05:00 AM - 05:05 AM	49.8	48.7	07:40 AM - 07:45 AM	50.4	46.9
02:25 AM - 02:30 AM	49.5	48.7	05:05 AM - 05:10 AM	49.7	48.7	07:45 AM - 07:50 AM	50.7	45.6
02:30 AM - 02:35 AM	48.9	48.1	05:10 AM - 05:15 AM	49.9	49.0	07:50 AM - 07:55 AM	52.7	47.2
02:35 AM - 02:40 AM	48.5	47.5	05:15 AM - 05:20 AM	49.7	48.9	07:55 AM - 08:00 AM	51.4	47.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544267-1

Page 1 of 3

Sample Number 2620802-16
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 25 - Mar 26, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 623393

Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	52.2	48.8	10:40 AM - 10:45 AM	49.3	43.9	01:20 PM - 01:25 PM	47.3	44.8
08:05 AM - 08:10 AM	54.7	51.3	10:45 AM - 10:50 AM	46.3	43.9	01:25 PM - 01:30 PM	51.4	47.0
08:10 AM - 08:15 AM	52.8	50.3	10:50 AM - 10:55 AM	46.3	44.4	01:30 PM - 01:35 PM	48.6	44.7
08:15 AM - 08:20 AM	54.0	51.8	10:55 AM - 11:00 AM	47.4	44.4	01:35 PM - 01:40 PM	48.9	45.5
08:20 AM - 08:25 AM	50.4	48.5	11:00 AM - 11:05 AM	45.7	43.9	01:40 PM - 01:45 PM	49.5	46.4
08:25 AM - 08:30 AM	48.9	47.3	11:05 AM - 11:10 AM	47.0	44.9	01:45 PM - 01:50 PM	51.0	44.6
08:30 AM - 08:35 AM	51.2	46.4	11:10 AM - 11:15 AM	47.8	44.8	01:50 PM - 01:55 PM	55.2	48.2
08:35 AM - 08:40 AM	49.8	45.6	11:15 AM - 11:20 AM	47.6	43.9	01:55 PM - 02:00 PM	56.4	47.1
08:40 AM - 08:45 AM	49.3	45.1	11:20 AM - 11:25 AM	48.6	44.2	02:00 PM - 02:05 PM	55.7	46.3
08:45 AM - 08:50 AM	48.9	46.1	11:25 AM - 11:30 AM	47.6	44.4	02:05 PM - 02:10 PM	51.1	44.2
08:50 AM - 08:55 AM	66.7	46.1	11:30 AM - 11:35 AM	47.4	45.2	02:10 PM - 02:15 PM	52.9	44.5
08:55 AM - 09:00 AM	49.5	45.8	11:35 AM - 11:40 AM	47.6	45.3	02:15 PM - 02:20 PM	55.8	44.5
09:00 AM - 09:05 AM	48.3	45.5	11:40 AM - 11:45 AM	48.2	44.5	02:20 PM - 02:25 PM	54.7	45.5
09:05 AM - 09:10 AM	48.6	46.2	11:45 AM - 11:50 AM	48.0	44.5	02:25 PM - 02:30 PM	54.5	44.0
09:10 AM - 09:15 AM	50.8	46.1	11:50 AM - 11:55 AM	45.5	41.7	02:30 PM - 02:35 PM	54.5	45.1
09:15 AM - 09:20 AM	47.3	45.2	11:55 AM - 12:00 PM	49.9	46.1	02:35 PM - 02:40 PM	47.2	44.0
09:20 AM - 09:25 AM	48.6	45.6	12:00 PM - 12:05 PM	47.4	43.9	02:40 PM - 02:45 PM	54.3	45.0
09:25 AM - 09:30 AM	50.7	46.1	12:05 PM - 12:10 PM	46.1	43.4	02:45 PM - 02:50 PM	54.9	45.0
09:30 AM - 09:35 AM	48.3	46.0	12:10 PM - 12:15 PM	46.2	42.4	02:50 PM - 02:55 PM	56.6	44.8
09:35 AM - 09:40 AM	47.5	43.9	12:15 PM - 12:20 PM	45.7	43.1	02:55 PM - 03:00 PM	56.5	45.0
09:40 AM - 09:45 AM	49.3	45.0	12:20 PM - 12:25 PM	47.4	43.2	03:00 PM - 03:05 PM	58.0	46.3
09:45 AM - 09:50 AM	48.7	43.9	12:25 PM - 12:30 PM	45.9	42.7	03:05 PM - 03:10 PM	57.1	44.8
09:50 AM - 09:55 AM	47.1	43.1	12:30 PM - 12:35 PM	52.1	44.8	03:10 PM - 03:15 PM	57.4	46.2
09:55 AM - 10:00 AM	47.3	44.2	12:35 PM - 12:40 PM	50.1	43.8	03:15 PM - 03:20 PM	54.9	45.4
10:00 AM - 10:05 AM	51.0	46.0	12:40 PM - 12:45 PM	48.5	43.5	03:20 PM - 03:25 PM	57.6	45.4
10:05 AM - 10:10 AM	49.7	44.9	12:45 PM - 12:50 PM	52.0	43.8	03:25 PM - 03:30 PM	55.4	46.8
10:10 AM - 10:15 AM	46.9	44.1	12:50 PM - 12:55 PM	47.4	43.1	03:30 PM - 03:35 PM	47.2	45.0
10:15 AM - 10:20 AM	46.8	44.8	12:55 PM - 01:00 PM	46.7	44.0	03:35 PM - 03:40 PM	47.4	44.5
10:20 AM - 10:25 AM	47.9	44.7	01:00 PM - 01:05 PM	48.9	44.5	03:40 PM - 03:45 PM	47.8	44.5
10:25 AM - 10:30 AM	48.3	43.8	01:05 PM - 01:10 PM	49.3	45.4	03:45 PM - 03:50 PM	47.2	43.9
10:30 AM - 10:35 AM	47.6	44.1	01:10 PM - 01:15 PM	46.4	44.6	03:50 PM - 03:55 PM	46.3	44.1
10:35 AM - 10:40 AM	47.7	44.8	01:15 PM - 01:20 PM	49.7	45.7	03:55 PM - 04:00 PM	48.8	46.2

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544267-1

Page 2 of 3

Sample Number 2620802-16
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 25 - Mar 26, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623393

Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	49.4	46.7	06:40 PM - 06:45 PM	56.8	49.4	09:20 PM - 09:25 PM	67.6	53.6
04:05 PM - 04:10 PM	49.9	46.2	06:45 PM - 06:50 PM	58.0	47.9	09:25 PM - 09:30 PM	65.2	50.2
04:10 PM - 04:15 PM	51.7	48.2	06:50 PM - 06:55 PM	52.2	48.6	09:30 PM - 09:35 PM	53.9	50.1
04:15 PM - 04:20 PM	51.5	47.3	06:55 PM - 07:00 PM	50.5	47.9	09:35 PM - 09:40 PM	53.5	49.5
04:20 PM - 04:25 PM	52.3	47.7	07:00 PM - 07:05 PM	51.7	49.2	09:40 PM - 09:45 PM	50.9	49.1
04:25 PM - 04:30 PM	50.4	47.8	07:05 PM - 07:10 PM	51.1	49.8	09:45 PM - 09:50 PM	52.9	49.3
04:30 PM - 04:35 PM	49.5	47.6	07:10 PM - 07:15 PM	51.7	50.4	09:50 PM - 09:55 PM	52.1	49.0
04:35 PM - 04:40 PM	52.2	46.9	07:15 PM - 07:20 PM	51.5	48.9	09:55 PM - 10:00 PM	53.0	49.3
04:40 PM - 04:45 PM	50.4	47.3	07:20 PM - 07:25 PM	50.9	49.2	10:00 PM - 10:05 PM	50.2	49.0
04:45 PM - 04:50 PM	51.8	47.2	07:25 PM - 07:30 PM	51.5	49.3	10:05 PM - 10:10 PM	50.3	49.5
04:50 PM - 04:55 PM	49.9	46.9	07:30 PM - 07:35 PM	53.1	49.5	10:10 PM - 10:15 PM	49.9	49.2
04:55 PM - 05:00 PM	49.7	47.1	07:35 PM - 07:40 PM	50.7	49.1	10:15 PM - 10:20 PM	49.8	48.9
05:00 PM - 05:05 PM	50.5	45.9	07:40 PM - 07:45 PM	51.0	49.5	10:20 PM - 10:25 PM	50.9	49.2
05:05 PM - 05:10 PM	51.5	47.8	07:45 PM - 07:50 PM	51.2	49.5	10:25 PM - 10:30 PM	50.1	49.3
05:10 PM - 05:15 PM	51.2	46.0	07:50 PM - 07:55 PM	51.0	49.8	10:30 PM - 10:35 PM	49.9	49.0
05:15 PM - 05:20 PM	51.9	46.6	07:55 PM - 08:00 PM	50.8	49.4	10:35 PM - 10:40 PM	50.7	48.7
05:20 PM - 05:25 PM	51.0	47.3	08:00 PM - 08:05 PM	50.5	48.8	10:40 PM - 10:45 PM	50.4	48.9
05:25 PM - 05:30 PM	52.1	46.8	08:05 PM - 08:10 PM	51.4	49.9	10:45 PM - 10:50 PM	50.2	49.2
05:30 PM - 05:35 PM	53.0	46.8	08:10 PM - 08:15 PM	51.6	50.0	10:50 PM - 10:55 PM	51.0	49.4
05:35 PM - 05:40 PM	48.2	45.6	08:15 PM - 08:20 PM	53.3	50.1	10:55 PM - 11:00 PM	51.5	48.8
05:40 PM - 05:45 PM	48.8	46.2	08:20 PM - 08:25 PM	59.0	53.8	11:00 PM - 11:05 PM	49.8	48.5
05:45 PM - 05:50 PM	50.6	47.6	08:25 PM - 08:30 PM	59.0	53.2	11:05 PM - 11:10 PM	49.7	48.5
05:50 PM - 05:55 PM	50.2	47.3	08:30 PM - 08:35 PM	58.6	55.0	11:10 PM - 11:15 PM	50.5	48.9
05:55 PM - 06:00 PM	49.9	46.7	08:35 PM - 08:40 PM	56.1	52.2	11:15 PM - 11:20 PM	49.4	48.5
06:00 PM - 06:05 PM	52.8	47.9	08:40 PM - 08:45 PM	60.2	55.1	11:20 PM - 11:25 PM	49.2	48.2
06:05 PM - 06:10 PM	52.2	47.4	08:45 PM - 08:50 PM	61.2	56.9	11:25 PM - 11:30 PM	49.2	48.6
06:10 PM - 06:15 PM	55.4	48.1	08:50 PM - 08:55 PM	59.3	53.1	11:30 PM - 11:35 PM	48.8	48.0
06:15 PM - 06:20 PM	58.4	48.6	08:55 PM - 09:00 PM	60.4	53.2	11:35 PM - 11:40 PM	49.0	47.2
06:20 PM - 06:25 PM	57.9	48.8	09:00 PM - 09:05 PM	61.8	53.8	11:40 PM - 11:45 PM	50.3	47.5
06:25 PM - 06:30 PM	60.5	49.6	09:05 PM - 09:10 PM	63.5	59.1	11:45 PM - 11:50 PM	50.2	48.3
06:30 PM - 06:35 PM	59.3	49.7	09:10 PM - 09:15 PM	62.2	55.6	11:50 PM - 11:55 PM	49.4	47.8
06:35 PM - 06:40 PM	58.6	49.1	09:15 PM - 09:20 PM	62.0	50.2	11:55 PM - 12:00 AM	48.2	45.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544267-1

Page 3 of 3

Sample Number 2620802-16
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 25 - Mar 26, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623393

Mar 26, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 26, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 26, 2026 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	47.8	45.7	02:40 AM - 02:45 AM	46.4	44.5	05:20 AM - 05:25 AM	47.7	46.9
12:05 AM - 12:10 AM	48.6	47.0	02:45 AM - 02:50 AM	45.6	44.6	05:25 AM - 05:30 AM	48.1	46.9
12:10 AM - 12:15 AM	48.9	47.8	02:50 AM - 02:55 AM	46.4	45.5	05:30 AM - 05:35 AM	47.7	46.9
12:15 AM - 12:20 AM	46.8	45.9	02:55 AM - 03:00 AM	46.1	44.1	05:35 AM - 05:40 AM	49.1	47.2
12:20 AM - 12:25 AM	48.2	46.1	03:00 AM - 03:05 AM	44.0	43.1	05:40 AM - 05:45 AM	62.0	47.3
12:25 AM - 12:30 AM	48.3	46.7	03:05 AM - 03:10 AM	44.7	43.4	05:45 AM - 05:50 AM	48.6	47.5
12:30 AM - 12:35 AM	47.4	45.9	03:10 AM - 03:15 AM	45.6	44.7	05:50 AM - 05:55 AM	49.2	47.9
12:35 AM - 12:40 AM	47.7	45.7	03:15 AM - 03:20 AM	46.1	44.2	05:55 AM - 06:00 AM	51.9	48.4
12:40 AM - 12:45 AM	48.8	47.7	03:20 AM - 03:25 AM	45.6	44.2	06:00 AM - 06:05 AM	52.4	48.8
12:45 AM - 12:50 AM	47.9	47.1	03:25 AM - 03:30 AM	45.6	44.4	06:05 AM - 06:10 AM	57.5	48.9
12:50 AM - 12:55 AM	49.1	47.3	03:30 AM - 03:35 AM	46.2	45.0	06:10 AM - 06:15 AM	51.7	48.6
12:55 AM - 01:00 AM	47.8	46.8	03:35 AM - 03:40 AM	45.5	44.7	06:15 AM - 06:20 AM	49.8	48.3
01:00 AM - 01:05 AM	48.0	47.2	03:40 AM - 03:45 AM	45.6	44.7	06:20 AM - 06:25 AM	51.2	48.3
01:05 AM - 01:10 AM	47.5	45.6	03:45 AM - 03:50 AM	45.9	44.6	06:25 AM - 06:30 AM	52.0	48.6
01:10 AM - 01:15 AM	48.8	48.0	03:50 AM - 03:55 AM	45.1	43.9	06:30 AM - 06:35 AM	50.7	48.1
01:15 AM - 01:20 AM	49.1	48.3	03:55 AM - 04:00 AM	45.8	44.6	06:35 AM - 06:40 AM	54.8	48.5
01:20 AM - 01:25 AM	49.0	48.2	04:00 AM - 04:05 AM	46.6	45.3	06:40 AM - 06:45 AM	52.8	48.2
01:25 AM - 01:30 AM	47.0	46.2	04:05 AM - 04:10 AM	46.3	45.4	06:45 AM - 06:50 AM	48.4	47.0
01:30 AM - 01:35 AM	49.0	47.6	04:10 AM - 04:15 AM	48.3	46.8	06:50 AM - 06:55 AM	49.0	47.2
01:35 AM - 01:40 AM	49.5	46.5	04:15 AM - 04:20 AM	49.6	48.4	06:55 AM - 07:00 AM	48.0	46.3
01:40 AM - 01:45 AM	48.2	46.7	04:20 AM - 04:25 AM	50.3	49.6	07:00 AM - 07:05 AM	49.5	46.5
01:45 AM - 01:50 AM	47.5	46.0	04:25 AM - 04:30 AM	48.8	45.3	07:05 AM - 07:10 AM	48.9	46.9
01:50 AM - 01:55 AM	47.4	46.3	04:30 AM - 04:35 AM	47.6	45.0	07:10 AM - 07:15 AM	49.5	46.8
01:55 AM - 02:00 AM	48.1	46.9	04:35 AM - 04:40 AM	49.1	47.9	07:15 AM - 07:20 AM	50.2	47.5
02:00 AM - 02:05 AM	47.8	46.8	04:40 AM - 04:45 AM	50.1	48.4	07:20 AM - 07:25 AM	52.1	47.3
02:05 AM - 02:10 AM	47.0	45.7	04:45 AM - 04:50 AM	50.1	48.5	07:25 AM - 07:30 AM	50.0	47.3
02:10 AM - 02:15 AM	46.5	45.0	04:50 AM - 04:55 AM	49.1	47.7	07:30 AM - 07:35 AM	52.2	47.3
02:15 AM - 02:20 AM	46.4	45.3	04:55 AM - 05:00 AM	47.7	46.4	07:35 AM - 07:40 AM	52.0	48.1
02:20 AM - 02:25 AM	46.1	44.5	05:00 AM - 05:05 AM	48.8	47.3	07:40 AM - 07:45 AM	53.3	49.6
02:25 AM - 02:30 AM	46.5	44.6	05:05 AM - 05:10 AM	48.1	46.8	07:45 AM - 07:50 AM	52.2	48.2
02:30 AM - 02:35 AM	46.4	45.1	05:10 AM - 05:15 AM	60.7	47.3	07:50 AM - 07:55 AM	54.5	50.2
02:35 AM - 02:40 AM	47.0	45.9	05:15 AM - 05:20 AM	49.9	47.3	07:55 AM - 08:00 AM	49.2	45.9

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544268-1

Page 1 of 3

Sample Number 2620802-17
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 26 - Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623393

Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	52.0	48.1	10:40 AM - 10:45 AM	49.2	46.2	01:20 PM - 01:25 PM	48.1	45.1
08:05 AM - 08:10 AM	51.3	47.9	10:45 AM - 10:50 AM	50.8	47.0	01:25 PM - 01:30 PM	50.0	46.8
08:10 AM - 08:15 AM	52.3	48.3	10:50 AM - 10:55 AM	49.2	46.1	01:30 PM - 01:35 PM	49.5	45.9
08:15 AM - 08:20 AM	52.9	47.8	10:55 AM - 11:00 AM	51.7	46.4	01:35 PM - 01:40 PM	48.9	45.7
08:20 AM - 08:25 AM	52.6	49.3	11:00 AM - 11:05 AM	50.9	46.3	01:40 PM - 01:45 PM	49.0	45.8
08:25 AM - 08:30 AM	50.9	47.3	11:05 AM - 11:10 AM	50.5	46.5	01:45 PM - 01:50 PM	48.6	45.3
08:30 AM - 08:35 AM	51.4	47.9	11:10 AM - 11:15 AM	54.1	47.2	01:50 PM - 01:55 PM	48.6	44.9
08:35 AM - 08:40 AM	51.3	49.4	11:15 AM - 11:20 AM	52.9	46.3	01:55 PM - 02:00 PM	47.5	44.5
08:40 AM - 08:45 AM	52.5	49.7	11:20 AM - 11:25 AM	49.7	46.1	02:00 PM - 02:05 PM	49.7	45.6
08:45 AM - 08:50 AM	52.3	49.6	11:25 AM - 11:30 AM	51.7	47.3	02:05 PM - 02:10 PM	49.3	44.9
08:50 AM - 08:55 AM	50.9	48.9	11:30 AM - 11:35 AM	49.5	45.3	02:10 PM - 02:15 PM	48.7	45.1
08:55 AM - 09:00 AM	50.7	48.9	11:35 AM - 11:40 AM	49.8	45.8	02:15 PM - 02:20 PM	50.0	46.5
09:00 AM - 09:05 AM	50.9	48.2	11:40 AM - 11:45 AM	51.0	44.6	02:20 PM - 02:25 PM	48.6	45.5
09:05 AM - 09:10 AM	51.6	48.5	11:45 AM - 11:50 AM	49.4	44.0	02:25 PM - 02:30 PM	47.6	44.5
09:10 AM - 09:15 AM	51.9	47.6	11:50 AM - 11:55 AM	48.9	44.0	02:30 PM - 02:35 PM	49.9	45.8
09:15 AM - 09:20 AM	53.8	48.2	11:55 AM - 12:00 PM	48.1	44.6	02:35 PM - 02:40 PM	49.2	46.6
09:20 AM - 09:25 AM	52.7	47.1	12:00 PM - 12:05 PM	48.6	44.4	02:40 PM - 02:45 PM	49.0	45.1
09:25 AM - 09:30 AM	52.3	47.5	12:05 PM - 12:10 PM	50.2	44.7	02:45 PM - 02:50 PM	49.5	45.7
09:30 AM - 09:35 AM	51.3	46.9	12:10 PM - 12:15 PM	48.1	43.2	02:50 PM - 02:55 PM	48.5	44.8
09:35 AM - 09:40 AM	53.7	46.7	12:15 PM - 12:20 PM	51.5	45.1	02:55 PM - 03:00 PM	48.1	45.1
09:40 AM - 09:45 AM	48.9	45.2	12:20 PM - 12:25 PM	53.0	49.2	03:00 PM - 03:05 PM	48.0	45.1
09:45 AM - 09:50 AM	50.6	45.7	12:25 PM - 12:30 PM	53.5	50.7	03:05 PM - 03:10 PM	48.1	45.0
09:50 AM - 09:55 AM	49.8	45.5	12:30 PM - 12:35 PM	55.4	45.0	03:10 PM - 03:15 PM	59.9	44.9
09:55 AM - 10:00 AM	52.4	46.9	12:35 PM - 12:40 PM	47.3	44.5	03:15 PM - 03:20 PM	56.1	45.0
10:00 AM - 10:05 AM	49.5	45.7	12:40 PM - 12:45 PM	48.9	44.6	03:20 PM - 03:25 PM	51.2	45.3
10:05 AM - 10:10 AM	51.5	46.0	12:45 PM - 12:50 PM	53.7	51.5	03:25 PM - 03:30 PM	47.9	44.8
10:10 AM - 10:15 AM	50.6	46.8	12:50 PM - 12:55 PM	52.1	45.2	03:30 PM - 03:35 PM	47.7	44.8
10:15 AM - 10:20 AM	49.2	46.3	12:55 PM - 01:00 PM	51.5	46.6	03:35 PM - 03:40 PM	46.4	44.0
10:20 AM - 10:25 AM	52.2	46.7	01:00 PM - 01:05 PM	52.5	46.7	03:40 PM - 03:45 PM	46.4	43.9
10:25 AM - 10:30 AM	52.7	46.3	01:05 PM - 01:10 PM	53.4	51.2	03:45 PM - 03:50 PM	47.9	44.7
10:30 AM - 10:35 AM	53.5	48.4	01:10 PM - 01:15 PM	54.7	46.4	03:50 PM - 03:55 PM	48.0	45.6
10:35 AM - 10:40 AM	50.1	46.8	01:15 PM - 01:20 PM	47.4	44.5	03:55 PM - 04:00 PM	47.8	45.2

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544268-1

Page 2 of 3

Sample Number 2620802-17
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 26 - Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623393

Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	48.8	45.5	06:40 PM - 06:45 PM	59.3	52.3	09:20 PM - 09:25 PM	53.1	50.6
04:05 PM - 04:10 PM	49.5	46.1	06:45 PM - 06:50 PM	60.4	52.4	09:25 PM - 09:30 PM	52.4	50.2
04:10 PM - 04:15 PM	48.5	46.3	06:50 PM - 06:55 PM	56.5	51.2	09:30 PM - 09:35 PM	52.7	51.4
04:15 PM - 04:20 PM	49.2	46.6	06:55 PM - 07:00 PM	54.1	50.4	09:35 PM - 09:40 PM	53.1	51.8
04:20 PM - 04:25 PM	49.0	46.0	07:00 PM - 07:05 PM	52.8	49.9	09:40 PM - 09:45 PM	51.7	49.3
04:25 PM - 04:30 PM	52.5	46.6	07:05 PM - 07:10 PM	54.9	49.9	09:45 PM - 09:50 PM	50.9	49.4
04:30 PM - 04:35 PM	48.9	46.0	07:10 PM - 07:15 PM	54.7	51.6	09:50 PM - 09:55 PM	53.4	50.7
04:35 PM - 04:40 PM	49.3	45.8	07:15 PM - 07:20 PM	53.0	50.6	09:55 PM - 10:00 PM	52.3	51.1
04:40 PM - 04:45 PM	49.5	45.2	07:20 PM - 07:25 PM	53.4	50.4	10:00 PM - 10:05 PM	52.5	50.9
04:45 PM - 04:50 PM	48.6	46.3	07:25 PM - 07:30 PM	52.0	49.6	10:05 PM - 10:10 PM	53.6	51.1
04:50 PM - 04:55 PM	48.6	46.2	07:30 PM - 07:35 PM	54.2	51.3	10:10 PM - 10:15 PM	51.4	50.1
04:55 PM - 05:00 PM	51.5	47.0	07:35 PM - 07:40 PM	52.1	50.1	10:15 PM - 10:20 PM	51.3	50.0
05:00 PM - 05:05 PM	52.0	46.9	07:40 PM - 07:45 PM	51.6	50.1	10:20 PM - 10:25 PM	55.5	50.7
05:05 PM - 05:10 PM	58.4	48.4	07:45 PM - 07:50 PM	52.4	49.9	10:25 PM - 10:30 PM	51.6	50.5
05:10 PM - 05:15 PM	57.9	50.8	07:50 PM - 07:55 PM	52.5	50.5	10:30 PM - 10:35 PM	51.1	49.8
05:15 PM - 05:20 PM	55.6	48.0	07:55 PM - 08:00 PM	52.0	50.4	10:35 PM - 10:40 PM	51.0	49.7
05:20 PM - 05:25 PM	53.7	46.8	08:00 PM - 08:05 PM	51.3	49.6	10:40 PM - 10:45 PM	50.9	48.9
05:25 PM - 05:30 PM	59.0	50.1	08:05 PM - 08:10 PM	51.2	50.2	10:45 PM - 10:50 PM	52.3	51.1
05:30 PM - 05:35 PM	57.8	49.6	08:10 PM - 08:15 PM	58.7	50.8	10:50 PM - 10:55 PM	52.7	51.7
05:35 PM - 05:40 PM	58.0	50.1	08:15 PM - 08:20 PM	53.6	50.7	10:55 PM - 11:00 PM	52.3	51.1
05:40 PM - 05:45 PM	57.0	48.6	08:20 PM - 08:25 PM	54.4	51.0	11:00 PM - 11:05 PM	51.6	50.5
05:45 PM - 05:50 PM	56.8	48.7	08:25 PM - 08:30 PM	55.4	51.6	11:05 PM - 11:10 PM	50.9	50.0
05:50 PM - 05:55 PM	59.4	55.8	08:30 PM - 08:35 PM	55.2	51.8	11:10 PM - 11:15 PM	53.3	50.7
05:55 PM - 06:00 PM	58.4	47.3	08:35 PM - 08:40 PM	54.3	51.6	11:15 PM - 11:20 PM	53.8	52.3
06:00 PM - 06:05 PM	59.0	49.9	08:40 PM - 08:45 PM	53.7	51.5	11:20 PM - 11:25 PM	51.4	49.9
06:05 PM - 06:10 PM	57.7	51.6	08:45 PM - 08:50 PM	55.4	52.0	11:25 PM - 11:30 PM	50.7	49.7
06:10 PM - 06:15 PM	58.4	52.2	08:50 PM - 08:55 PM	53.9	52.0	11:30 PM - 11:35 PM	50.5	49.5
06:15 PM - 06:20 PM	58.1	50.1	08:55 PM - 09:00 PM	56.4	52.2	11:35 PM - 11:40 PM	50.8	49.7
06:20 PM - 06:25 PM	57.4	51.0	09:00 PM - 09:05 PM	53.5	49.4	11:40 PM - 11:45 PM	50.6	49.8
06:25 PM - 06:30 PM	59.4	53.0	09:05 PM - 09:10 PM	52.9	50.3	11:45 PM - 11:50 PM	50.6	49.6
06:30 PM - 06:35 PM	62.4	54.7	09:10 PM - 09:15 PM	52.9	51.3	11:50 PM - 11:55 PM	50.2	49.2
06:35 PM - 06:40 PM	61.0	53.6	09:15 PM - 09:20 PM	51.6	50.2	11:55 PM - 12:00 AM	50.1	49.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544268-1

Page 3 of 3

Sample Number 2620802-17
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 26 - Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623393

Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	49.7	48.5	02:40 AM - 02:45 AM	49.4	47.5	05:20 AM - 05:25 AM	60.0	47.6
12:05 AM - 12:10 AM	49.7	48.4	02:45 AM - 02:50 AM	49.8	48.6	05:25 AM - 05:30 AM	48.4	47.0
12:10 AM - 12:15 AM	50.1	49.2	02:50 AM - 02:55 AM	49.9	48.5	05:30 AM - 05:35 AM	48.3	47.4
12:15 AM - 12:20 AM	50.1	49.0	02:55 AM - 03:00 AM	50.5	49.7	05:35 AM - 05:40 AM	48.4	47.6
12:20 AM - 12:25 AM	50.1	49.0	03:00 AM - 03:05 AM	51.0	49.2	05:40 AM - 05:45 AM	49.0	47.9
12:25 AM - 12:30 AM	49.5	48.5	03:05 AM - 03:10 AM	51.5	50.9	05:45 AM - 05:50 AM	49.2	48.2
12:30 AM - 12:35 AM	49.6	48.5	03:10 AM - 03:15 AM	50.3	48.1	05:50 AM - 05:55 AM	49.8	48.5
12:35 AM - 12:40 AM	50.1	49.2	03:15 AM - 03:20 AM	57.6	47.9	05:55 AM - 06:00 AM	50.3	48.5
12:40 AM - 12:45 AM	50.1	49.1	03:20 AM - 03:25 AM	48.7	47.9	06:00 AM - 06:05 AM	49.9	48.7
12:45 AM - 12:50 AM	50.0	49.1	03:25 AM - 03:30 AM	48.3	46.9	06:05 AM - 06:10 AM	50.6	49.1
12:50 AM - 12:55 AM	53.3	47.8	03:30 AM - 03:35 AM	49.5	47.2	06:10 AM - 06:15 AM	50.0	48.7
12:55 AM - 01:00 AM	50.5	49.2	03:35 AM - 03:40 AM	49.1	47.6	06:15 AM - 06:20 AM	49.9	48.7
01:00 AM - 01:05 AM	50.4	49.6	03:40 AM - 03:45 AM	48.1	47.3	06:20 AM - 06:25 AM	49.2	48.0
01:05 AM - 01:10 AM	51.3	49.5	03:45 AM - 03:50 AM	49.2	48.3	06:25 AM - 06:30 AM	48.5	47.4
01:10 AM - 01:15 AM	50.7	49.8	03:50 AM - 03:55 AM	48.4	47.1	06:30 AM - 06:35 AM	51.1	46.8
01:15 AM - 01:20 AM	50.8	49.3	03:55 AM - 04:00 AM	47.7	45.8	06:35 AM - 06:40 AM	52.6	47.7
01:20 AM - 01:25 AM	50.2	49.3	04:00 AM - 04:05 AM	53.0	45.5	06:40 AM - 06:45 AM	50.8	46.7
01:25 AM - 01:30 AM	50.1	49.2	04:05 AM - 04:10 AM	46.8	45.4	06:45 AM - 06:50 AM	49.7	45.7
01:30 AM - 01:35 AM	50.1	49.0	04:10 AM - 04:15 AM	46.4	44.5	06:50 AM - 06:55 AM	49.2	44.6
01:35 AM - 01:40 AM	52.5	48.9	04:15 AM - 04:20 AM	51.2	45.0	06:55 AM - 07:00 AM	50.2	46.3
01:40 AM - 01:45 AM	48.3	46.7	04:20 AM - 04:25 AM	46.2	45.1	07:00 AM - 07:05 AM	51.7	45.3
01:45 AM - 01:50 AM	49.1	47.6	04:25 AM - 04:30 AM	46.7	45.4	07:05 AM - 07:10 AM	50.6	44.9
01:50 AM - 01:55 AM	48.5	47.4	04:30 AM - 04:35 AM	47.2	45.7	07:10 AM - 07:15 AM	54.0	48.0
01:55 AM - 02:00 AM	48.6	47.7	04:35 AM - 04:40 AM	47.1	45.9	07:15 AM - 07:20 AM	55.3	48.9
02:00 AM - 02:05 AM	48.7	48.0	04:40 AM - 04:45 AM	48.0	46.8	07:20 AM - 07:25 AM	60.3	51.3
02:05 AM - 02:10 AM	49.3	47.6	04:45 AM - 04:50 AM	48.9	48.0	07:25 AM - 07:30 AM	51.4	45.0
02:10 AM - 02:15 AM	49.7	48.2	04:50 AM - 04:55 AM	48.8	47.8	07:30 AM - 07:35 AM	51.2	45.7
02:15 AM - 02:20 AM	49.6	48.1	04:55 AM - 05:00 AM	48.7	47.7	07:35 AM - 07:40 AM	51.4	45.5
02:20 AM - 02:25 AM	49.9	47.9	05:00 AM - 05:05 AM	47.2	45.8	07:40 AM - 07:45 AM	50.0	46.1
02:25 AM - 02:30 AM	50.7	49.6	05:05 AM - 05:10 AM	48.1	47.1	07:45 AM - 07:50 AM	57.0	46.5
02:30 AM - 02:35 AM	50.3	48.9	05:10 AM - 05:15 AM	48.5	46.9	07:50 AM - 07:55 AM	52.5	46.2
02:35 AM - 02:40 AM	48.7	46.7	05:15 AM - 05:20 AM	48.8	47.1	07:55 AM - 08:00 AM	53.8	48.0

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544269-1

Page 1 of 3

Sample Number 2620802-18
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 27 - Mar 28, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623393

Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	54.9	51.5	10:40 AM - 10:45 AM	54.1	49.1	01:20 PM - 01:25 PM	53.1	45.8
08:05 AM - 08:10 AM	53.8	50.8	10:45 AM - 10:50 AM	54.8	49.0	01:25 PM - 01:30 PM	49.9	45.3
08:10 AM - 08:15 AM	51.4	45.6	10:50 AM - 10:55 AM	52.6	48.8	01:30 PM - 01:35 PM	49.0	46.2
08:15 AM - 08:20 AM	50.9	45.5	10:55 AM - 11:00 AM	51.4	46.7	01:35 PM - 01:40 PM	49.6	46.7
08:20 AM - 08:25 AM	52.7	47.1	11:00 AM - 11:05 AM	51.8	47.6	01:40 PM - 01:45 PM	49.2	45.5
08:25 AM - 08:30 AM	54.9	46.8	11:05 AM - 11:10 AM	54.1	46.8	01:45 PM - 01:50 PM	49.3	45.8
08:30 AM - 08:35 AM	51.6	46.5	11:10 AM - 11:15 AM	50.1	46.5	01:50 PM - 01:55 PM	52.4	46.9
08:35 AM - 08:40 AM	51.5	49.4	11:15 AM - 11:20 AM	49.6	44.3	01:55 PM - 02:00 PM	49.1	45.1
08:40 AM - 08:45 AM	54.0	46.5	11:20 AM - 11:25 AM	53.1	45.8	02:00 PM - 02:05 PM	50.2	44.9
08:45 AM - 08:50 AM	50.0	46.9	11:25 AM - 11:30 AM	49.2	44.5	02:05 PM - 02:10 PM	48.7	44.9
08:50 AM - 08:55 AM	51.9	48.4	11:30 AM - 11:35 AM	47.1	44.4	02:10 PM - 02:15 PM	49.0	44.9
08:55 AM - 09:00 AM	53.6	45.8	11:35 AM - 11:40 AM	48.9	45.3	02:15 PM - 02:20 PM	51.6	46.2
09:00 AM - 09:05 AM	51.5	47.8	11:40 AM - 11:45 AM	50.3	45.1	02:20 PM - 02:25 PM	49.9	46.3
09:05 AM - 09:10 AM	51.8	48.9	11:45 AM - 11:50 AM	48.1	44.0	02:25 PM - 02:30 PM	57.8	48.1
09:10 AM - 09:15 AM	51.1	47.3	11:50 AM - 11:55 AM	47.7	44.8	02:30 PM - 02:35 PM	64.2	55.0
09:15 AM - 09:20 AM	49.7	46.0	11:55 AM - 12:00 PM	50.2	46.3	02:35 PM - 02:40 PM	64.4	58.5
09:20 AM - 09:25 AM	51.2	46.7	12:00 PM - 12:05 PM	48.6	45.8	02:40 PM - 02:45 PM	65.1	58.6
09:25 AM - 09:30 AM	51.3	46.5	12:05 PM - 12:10 PM	47.0	43.3	02:45 PM - 02:50 PM	62.6	58.9
09:30 AM - 09:35 AM	51.5	46.1	12:10 PM - 12:15 PM	47.5	44.2	02:50 PM - 02:55 PM	64.1	59.3
09:35 AM - 09:40 AM	56.9	45.3	12:15 PM - 12:20 PM	48.4	44.1	02:55 PM - 03:00 PM	67.7	58.9
09:40 AM - 09:45 AM	62.8	44.2	12:20 PM - 12:25 PM	48.5	44.5	03:00 PM - 03:05 PM	63.4	59.3
09:45 AM - 09:50 AM	52.4	46.0	12:25 PM - 12:30 PM	48.7	42.9	03:05 PM - 03:10 PM	59.1	48.1
09:50 AM - 09:55 AM	52.9	46.3	12:30 PM - 12:35 PM	48.2	43.3	03:10 PM - 03:15 PM	54.2	48.2
09:55 AM - 10:00 AM	48.4	44.6	12:35 PM - 12:40 PM	44.9	42.6	03:15 PM - 03:20 PM	59.7	49.2
10:00 AM - 10:05 AM	51.8	48.5	12:40 PM - 12:45 PM	47.8	43.8	03:20 PM - 03:25 PM	56.2	47.8
10:05 AM - 10:10 AM	53.7	49.5	12:45 PM - 12:50 PM	51.2	42.9	03:25 PM - 03:30 PM	58.5	54.7
10:10 AM - 10:15 AM	53.1	47.7	12:50 PM - 12:55 PM	47.3	44.4	03:30 PM - 03:35 PM	57.3	48.6
10:15 AM - 10:20 AM	48.8	46.3	12:55 PM - 01:00 PM	48.2	43.5	03:35 PM - 03:40 PM	57.1	51.7
10:20 AM - 10:25 AM	50.5	46.6	01:00 PM - 01:05 PM	49.0	44.3	03:40 PM - 03:45 PM	57.1	52.3
10:25 AM - 10:30 AM	53.1	49.0	01:05 PM - 01:10 PM	47.5	44.0	03:45 PM - 03:50 PM	57.8	49.8
10:30 AM - 10:35 AM	54.8	48.8	01:10 PM - 01:15 PM	48.9	45.1	03:50 PM - 03:55 PM	58.7	49.1
10:35 AM - 10:40 AM	53.3	46.4	01:15 PM - 01:20 PM	48.9	44.5	03:55 PM - 04:00 PM	61.8	54.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544269-1

Page 2 of 3

Sample Number 2620802-18
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 27 - Mar 28, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623393

Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	57.6	48.5	06:40 PM - 06:45 PM	61.1	49.5	09:20 PM - 09:25 PM	53.5	48.3
04:05 PM - 04:10 PM	58.9	51.5	06:45 PM - 06:50 PM	63.5	50.4	09:25 PM - 09:30 PM	51.3	48.4
04:10 PM - 04:15 PM	61.1	54.1	06:50 PM - 06:55 PM	56.4	50.5	09:30 PM - 09:35 PM	50.5	49.1
04:15 PM - 04:20 PM	62.2	57.6	06:55 PM - 07:00 PM	55.2	49.6	09:35 PM - 09:40 PM	50.6	48.4
04:20 PM - 04:25 PM	61.2	50.4	07:00 PM - 07:05 PM	54.5	52.0	09:40 PM - 09:45 PM	50.0	47.9
04:25 PM - 04:30 PM	61.2	50.8	07:05 PM - 07:10 PM	59.8	52.9	09:45 PM - 09:50 PM	49.2	47.9
04:30 PM - 04:35 PM	61.0	49.8	07:10 PM - 07:15 PM	55.9	50.4	09:50 PM - 09:55 PM	49.5	47.9
04:35 PM - 04:40 PM	64.1	49.7	07:15 PM - 07:20 PM	51.5	49.6	09:55 PM - 10:00 PM	49.1	47.8
04:40 PM - 04:45 PM	60.6	50.7	07:20 PM - 07:25 PM	50.7	48.8	10:00 PM - 10:05 PM	49.3	47.2
04:45 PM - 04:50 PM	63.8	55.3	07:25 PM - 07:30 PM	60.1	55.6	10:05 PM - 10:10 PM	49.2	48.0
04:50 PM - 04:55 PM	63.3	53.1	07:30 PM - 07:35 PM	62.7	60.2	10:10 PM - 10:15 PM	49.4	48.6
04:55 PM - 05:00 PM	61.8	51.5	07:35 PM - 07:40 PM	59.1	54.7	10:15 PM - 10:20 PM	51.9	48.1
05:00 PM - 05:05 PM	62.0	55.0	07:40 PM - 07:45 PM	62.7	54.7	10:20 PM - 10:25 PM	49.2	48.3
05:05 PM - 05:10 PM	62.3	52.1	07:45 PM - 07:50 PM	63.1	57.2	10:25 PM - 10:30 PM	48.2	46.9
05:10 PM - 05:15 PM	55.0	49.2	07:50 PM - 07:55 PM	65.2	60.7	10:30 PM - 10:35 PM	48.0	47.0
05:15 PM - 05:20 PM	61.8	49.5	07:55 PM - 08:00 PM	63.9	61.0	10:35 PM - 10:40 PM	48.2	46.8
05:20 PM - 05:25 PM	63.0	52.4	08:00 PM - 08:05 PM	60.5	52.3	10:40 PM - 10:45 PM	48.4	47.0
05:25 PM - 05:30 PM	63.1	55.6	08:05 PM - 08:10 PM	52.7	50.4	10:45 PM - 10:50 PM	48.0	47.3
05:30 PM - 05:35 PM	54.4	48.5	08:10 PM - 08:15 PM	53.9	52.0	10:50 PM - 10:55 PM	48.2	47.2
05:35 PM - 05:40 PM	52.5	46.2	08:15 PM - 08:20 PM	54.1	51.2	10:55 PM - 11:00 PM	48.1	47.4
05:40 PM - 05:45 PM	52.1	46.1	08:20 PM - 08:25 PM	52.7	50.1	11:00 PM - 11:05 PM	49.6	47.9
05:45 PM - 05:50 PM	61.5	52.7	08:25 PM - 08:30 PM	52.5	50.4	11:05 PM - 11:10 PM	48.2	47.6
05:50 PM - 05:55 PM	62.8	51.9	08:30 PM - 08:35 PM	51.4	49.8	11:10 PM - 11:15 PM	48.3	47.8
05:55 PM - 06:00 PM	62.0	51.2	08:35 PM - 08:40 PM	50.4	48.2	11:15 PM - 11:20 PM	48.5	47.6
06:00 PM - 06:05 PM	60.5	52.8	08:40 PM - 08:45 PM	50.1	48.6	11:20 PM - 11:25 PM	49.4	48.7
06:05 PM - 06:10 PM	61.0	51.0	08:45 PM - 08:50 PM	54.8	49.3	11:25 PM - 11:30 PM	48.9	48.0
06:10 PM - 06:15 PM	63.5	53.5	08:50 PM - 08:55 PM	58.4	51.5	11:30 PM - 11:35 PM	48.2	46.3
06:15 PM - 06:20 PM	62.6	49.4	08:55 PM - 09:00 PM	51.0	49.5	11:35 PM - 11:40 PM	48.3	46.6
06:20 PM - 06:25 PM	63.1	49.9	09:00 PM - 09:05 PM	51.7	49.7	11:40 PM - 11:45 PM	77.7	47.8
06:25 PM - 06:30 PM	65.8	50.9	09:05 PM - 09:10 PM	50.9	49.9	11:45 PM - 11:50 PM	51.4	47.8
06:30 PM - 06:35 PM	66.4	52.8	09:10 PM - 09:15 PM	51.7	49.6	11:50 PM - 11:55 PM	50.0	47.9
06:35 PM - 06:40 PM	63.8	50.9	09:15 PM - 09:20 PM	49.8	48.6	11:55 PM - 12:00 AM	57.3	47.4

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544269-1

Page 3 of 3

Sample Number 2620802-18
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 27 - Mar 28, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623393

Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	47.7	46.8	02:40 AM - 02:45 AM	51.4	49.3	05:20 AM - 05:25 AM	48.4	47.1
12:05 AM - 12:10 AM	49.1	47.2	02:45 AM - 02:50 AM	49.7	48.3	05:25 AM - 05:30 AM	49.2	48.0
12:10 AM - 12:15 AM	48.4	46.9	02:50 AM - 02:55 AM	53.4	47.8	05:30 AM - 05:35 AM	49.7	48.6
12:15 AM - 12:20 AM	48.5	47.3	02:55 AM - 03:00 AM	50.1	49.5	05:35 AM - 05:40 AM	49.2	47.8
12:20 AM - 12:25 AM	48.4	46.2	03:00 AM - 03:05 AM	49.5	48.2	05:40 AM - 05:45 AM	49.9	48.0
12:25 AM - 12:30 AM	49.6	48.3	03:05 AM - 03:10 AM	50.0	49.2	05:45 AM - 05:50 AM	49.9	49.0
12:30 AM - 12:35 AM	48.8	47.3	03:10 AM - 03:15 AM	49.1	47.5	05:50 AM - 05:55 AM	50.0	48.5
12:35 AM - 12:40 AM	49.3	47.3	03:15 AM - 03:20 AM	47.4	45.0	05:55 AM - 06:00 AM	50.3	49.2
12:40 AM - 12:45 AM	48.5	46.8	03:20 AM - 03:25 AM	47.5	44.6	06:00 AM - 06:05 AM	49.8	48.5
12:45 AM - 12:50 AM	46.5	45.7	03:25 AM - 03:30 AM	49.0	47.2	06:05 AM - 06:10 AM	52.0	49.1
12:50 AM - 12:55 AM	49.3	47.9	03:30 AM - 03:35 AM	48.7	46.7	06:10 AM - 06:15 AM	49.6	48.1
12:55 AM - 01:00 AM	48.5	46.9	03:35 AM - 03:40 AM	49.2	48.1	06:15 AM - 06:20 AM	49.9	46.9
01:00 AM - 01:05 AM	50.1	48.6	03:40 AM - 03:45 AM	48.9	47.4	06:20 AM - 06:25 AM	50.4	47.0
01:05 AM - 01:10 AM	49.0	47.5	03:45 AM - 03:50 AM	47.0	44.5	06:25 AM - 06:30 AM	52.7	46.7
01:10 AM - 01:15 AM	54.1	46.0	03:50 AM - 03:55 AM	48.7	46.8	06:30 AM - 06:35 AM	52.3	46.6
01:15 AM - 01:20 AM	47.5	45.8	03:55 AM - 04:00 AM	49.4	47.6	06:35 AM - 06:40 AM	51.2	47.0
01:20 AM - 01:25 AM	46.8	45.7	04:00 AM - 04:05 AM	47.7	46.1	06:40 AM - 06:45 AM	49.6	46.8
01:25 AM - 01:30 AM	50.2	46.3	04:05 AM - 04:10 AM	46.8	44.8	06:45 AM - 06:50 AM	48.2	45.7
01:30 AM - 01:35 AM	50.5	46.3	04:10 AM - 04:15 AM	48.7	45.1	06:50 AM - 06:55 AM	51.8	46.0
01:35 AM - 01:40 AM	47.7	46.3	04:15 AM - 04:20 AM	47.4	45.7	06:55 AM - 07:00 AM	48.0	46.1
01:40 AM - 01:45 AM	48.8	46.9	04:20 AM - 04:25 AM	47.8	45.8	07:00 AM - 07:05 AM	50.3	46.0
01:45 AM - 01:50 AM	50.6	49.3	04:25 AM - 04:30 AM	50.0	49.3	07:05 AM - 07:10 AM	50.4	46.4
01:50 AM - 01:55 AM	49.9	49.2	04:30 AM - 04:35 AM	48.2	45.9	07:10 AM - 07:15 AM	51.3	46.8
01:55 AM - 02:00 AM	49.6	48.4	04:35 AM - 04:40 AM	47.8	46.1	07:15 AM - 07:20 AM	51.4	47.1
02:00 AM - 02:05 AM	50.3	49.7	04:40 AM - 04:45 AM	47.2	45.6	07:20 AM - 07:25 AM	51.5	47.6
02:05 AM - 02:10 AM	49.8	48.5	04:45 AM - 04:50 AM	46.5	45.2	07:25 AM - 07:30 AM	52.8	50.5
02:10 AM - 02:15 AM	49.2	47.3	04:50 AM - 04:55 AM	47.5	46.0	07:30 AM - 07:35 AM	50.1	46.1
02:15 AM - 02:20 AM	50.3	49.1	04:55 AM - 05:00 AM	49.4	48.7	07:35 AM - 07:40 AM	57.9	47.8
02:20 AM - 02:25 AM	49.7	48.9	05:00 AM - 05:05 AM	49.6	48.3	07:40 AM - 07:45 AM	58.6	47.0
02:25 AM - 02:30 AM	49.7	48.2	05:05 AM - 05:10 AM	48.8	47.3	07:45 AM - 07:50 AM	55.6	47.2
02:30 AM - 02:35 AM	49.5	47.7	05:10 AM - 05:15 AM	49.0	46.9	07:50 AM - 07:55 AM	54.0	45.7
02:35 AM - 02:40 AM	49.7	48.5	05:15 AM - 05:20 AM	49.0	48.2	07:55 AM - 08:00 AM	49.1	46.2

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544270-1

Page 1 of 3

Sample Number 2620802-19
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 28 - Mar 29, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623393

Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	52.6	46.0	10:40 AM - 10:45 AM	55.9	38.2	01:20 PM - 01:25 PM	49.4	43.8
08:05 AM - 08:10 AM	51.2	47.0	10:45 AM - 10:50 AM	46.0	37.7	01:25 PM - 01:30 PM	48.3	44.5
08:10 AM - 08:15 AM	50.2	47.2	10:50 AM - 10:55 AM	48.3	42.4	01:30 PM - 01:35 PM	52.6	44.9
08:15 AM - 08:20 AM	52.7	48.5	10:55 AM - 11:00 AM	53.4	46.4	01:35 PM - 01:40 PM	50.5	45.0
08:20 AM - 08:25 AM	58.7	47.5	11:00 AM - 11:05 AM	52.7	47.2	01:40 PM - 01:45 PM	47.4	43.5
08:25 AM - 08:30 AM	58.8	47.3	11:05 AM - 11:10 AM	52.4	44.7	01:45 PM - 01:50 PM	49.6	43.4
08:30 AM - 08:35 AM	53.4	47.6	11:10 AM - 11:15 AM	49.8	44.6	01:50 PM - 01:55 PM	56.5	50.6
08:35 AM - 08:40 AM	53.0	47.2	11:15 AM - 11:20 AM	50.7	45.5	01:55 PM - 02:00 PM	58.8	49.5
08:40 AM - 08:45 AM	55.3	47.4	11:20 AM - 11:25 AM	50.1	45.6	02:00 PM - 02:05 PM	50.8	49.0
08:45 AM - 08:50 AM	56.1	49.8	11:25 AM - 11:30 AM	48.2	42.8	02:05 PM - 02:10 PM	51.5	49.0
08:50 AM - 08:55 AM	57.7	47.9	11:30 AM - 11:35 AM	50.0	43.1	02:10 PM - 02:15 PM	50.8	49.3
08:55 AM - 09:00 AM	57.4	46.9	11:35 AM - 11:40 AM	49.9	44.9	02:15 PM - 02:20 PM	51.1	49.6
09:00 AM - 09:05 AM	51.7	46.6	11:40 AM - 11:45 AM	49.7	42.9	02:20 PM - 02:25 PM	53.3	49.7
09:05 AM - 09:10 AM	54.3	48.7	11:45 AM - 11:50 AM	48.3	43.5	02:25 PM - 02:30 PM	51.7	50.0
09:10 AM - 09:15 AM	54.7	48.1	11:50 AM - 11:55 AM	51.3	44.1	02:30 PM - 02:35 PM	51.0	49.8
09:15 AM - 09:20 AM	53.2	48.3	11:55 AM - 12:00 PM	50.8	43.4	02:35 PM - 02:40 PM	51.0	49.5
09:20 AM - 09:25 AM	53.9	49.0	12:00 PM - 12:05 PM	51.7	44.3	02:40 PM - 02:45 PM	51.2	49.6
09:25 AM - 09:30 AM	52.0	46.4	12:05 PM - 12:10 PM	50.7	42.6	02:45 PM - 02:50 PM	50.0	49.1
09:30 AM - 09:35 AM	50.9	47.5	12:10 PM - 12:15 PM	50.0	44.4	02:50 PM - 02:55 PM	50.8	49.1
09:35 AM - 09:40 AM	56.3	48.0	12:15 PM - 12:20 PM	49.5	44.0	02:55 PM - 03:00 PM	50.4	49.1
09:40 AM - 09:45 AM	56.5	48.6	12:20 PM - 12:25 PM	48.2	43.2	03:00 PM - 03:05 PM	50.6	49.2
09:45 AM - 09:50 AM	52.1	47.6	12:25 PM - 12:30 PM	49.6	44.4	03:05 PM - 03:10 PM	51.7	49.9
09:50 AM - 09:55 AM	52.4	48.1	12:30 PM - 12:35 PM	49.9	43.7	03:10 PM - 03:15 PM	50.9	49.6
09:55 AM - 10:00 AM	49.0	40.7	12:35 PM - 12:40 PM	48.7	42.0	03:15 PM - 03:20 PM	50.9	49.7
10:00 AM - 10:05 AM	47.3	41.5	12:40 PM - 12:45 PM	48.7	42.0	03:20 PM - 03:25 PM	51.6	49.5
10:05 AM - 10:10 AM	47.7	42.2	12:45 PM - 12:50 PM	48.3	45.9	03:25 PM - 03:30 PM	50.6	49.6
10:10 AM - 10:15 AM	45.0	42.7	12:50 PM - 12:55 PM	50.9	44.2	03:30 PM - 03:35 PM	51.5	50.2
10:15 AM - 10:20 AM	46.6	41.2	12:55 PM - 01:00 PM	48.8	44.3	03:35 PM - 03:40 PM	51.4	49.7
10:20 AM - 10:25 AM	44.9	40.5	01:00 PM - 01:05 PM	50.2	45.8	03:40 PM - 03:45 PM	52.2	50.1
10:25 AM - 10:30 AM	45.1	40.2	01:05 PM - 01:10 PM	49.8	44.7	03:45 PM - 03:50 PM	52.2	50.0
10:30 AM - 10:35 AM	49.2	39.4	01:10 PM - 01:15 PM	51.1	45.6	03:50 PM - 03:55 PM	50.3	49.4
10:35 AM - 10:40 AM	49.4	37.1	01:15 PM - 01:20 PM	49.7	44.0	03:55 PM - 04:00 PM	50.8	49.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544270-1

Page 2 of 3

Sample Number 2620802-19
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 28 - Mar 29, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 623393

Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	51.2	49.8	06:40 PM - 06:45 PM	60.4	56.8	09:20 PM - 09:25 PM	51.2	49.1
04:05 PM - 04:10 PM	52.4	49.9	06:45 PM - 06:50 PM	61.0	58.6	09:25 PM - 09:30 PM	53.1	49.0
04:10 PM - 04:15 PM	51.3	49.8	06:50 PM - 06:55 PM	61.6	58.9	09:30 PM - 09:35 PM	57.0	50.9
04:15 PM - 04:20 PM	52.2	49.9	06:55 PM - 07:00 PM	54.9	51.4	09:35 PM - 09:40 PM	50.6	48.6
04:20 PM - 04:25 PM	51.4	49.9	07:00 PM - 07:05 PM	56.5	53.2	09:40 PM - 09:45 PM	58.6	49.2
04:25 PM - 04:30 PM	53.1	50.1	07:05 PM - 07:10 PM	56.3	52.1	09:45 PM - 09:50 PM	53.2	47.7
04:30 PM - 04:35 PM	52.0	50.2	07:10 PM - 07:15 PM	54.0	50.1	09:50 PM - 09:55 PM	52.3	46.6
04:35 PM - 04:40 PM	51.4	49.9	07:15 PM - 07:20 PM	55.1	51.0	09:55 PM - 10:00 PM	51.3	48.2
04:40 PM - 04:45 PM	58.0	49.9	07:20 PM - 07:25 PM	57.2	51.4	10:00 PM - 10:05 PM	52.2	48.7
04:45 PM - 04:50 PM	53.3	49.5	07:25 PM - 07:30 PM	55.6	49.0	10:05 PM - 10:10 PM	50.6	48.7
04:50 PM - 04:55 PM	52.1	49.4	07:30 PM - 07:35 PM	54.3	48.8	10:10 PM - 10:15 PM	49.4	47.9
04:55 PM - 05:00 PM	51.6	49.7	07:35 PM - 07:40 PM	52.7	48.7	10:15 PM - 10:20 PM	51.6	47.5
05:00 PM - 05:05 PM	54.5	49.4	07:40 PM - 07:45 PM	52.6	49.7	10:20 PM - 10:25 PM	52.4	48.8
05:05 PM - 05:10 PM	52.2	49.2	07:45 PM - 07:50 PM	53.9	49.8	10:25 PM - 10:30 PM	49.7	46.9
05:10 PM - 05:15 PM	51.3	49.0	07:50 PM - 07:55 PM	54.6	48.8	10:30 PM - 10:35 PM	49.1	47.1
05:15 PM - 05:20 PM	51.0	48.7	07:55 PM - 08:00 PM	53.3	48.6	10:35 PM - 10:40 PM	53.7	47.7
05:20 PM - 05:25 PM	50.8	48.6	08:00 PM - 08:05 PM	51.1	49.1	10:40 PM - 10:45 PM	49.5	47.2
05:25 PM - 05:30 PM	52.1	49.6	08:05 PM - 08:10 PM	51.4	49.2	10:45 PM - 10:50 PM	49.5	47.2
05:30 PM - 05:35 PM	52.8	50.1	08:10 PM - 08:15 PM	51.3	48.6	10:50 PM - 10:55 PM	52.1	47.3
05:35 PM - 05:40 PM	57.7	50.0	08:15 PM - 08:20 PM	52.1	49.3	10:55 PM - 11:00 PM	50.0	47.4
05:40 PM - 05:45 PM	59.0	49.5	08:20 PM - 08:25 PM	51.2	48.7	11:00 PM - 11:05 PM	50.3	47.4
05:45 PM - 05:50 PM	58.9	53.5	08:25 PM - 08:30 PM	52.3	49.2	11:05 PM - 11:10 PM	50.6	47.1
05:50 PM - 05:55 PM	55.6	51.1	08:30 PM - 08:35 PM	53.6	49.0	11:10 PM - 11:15 PM	50.5	47.4
05:55 PM - 06:00 PM	54.3	50.4	08:35 PM - 08:40 PM	56.9	50.6	11:15 PM - 11:20 PM	52.6	47.9
06:00 PM - 06:05 PM	54.4	50.9	08:40 PM - 08:45 PM	56.8	50.3	11:20 PM - 11:25 PM	49.2	46.6
06:05 PM - 06:10 PM	53.6	49.1	08:45 PM - 08:50 PM	54.3	50.8	11:25 PM - 11:30 PM	48.3	46.6
06:10 PM - 06:15 PM	58.0	53.1	08:50 PM - 08:55 PM	54.0	51.2	11:30 PM - 11:35 PM	47.6	46.2
06:15 PM - 06:20 PM	61.9	56.4	08:55 PM - 09:00 PM	53.6	50.5	11:35 PM - 11:40 PM	47.0	45.7
06:20 PM - 06:25 PM	60.5	56.6	09:00 PM - 09:05 PM	56.2	51.2	11:40 PM - 11:45 PM	48.3	46.4
06:25 PM - 06:30 PM	56.9	51.9	09:05 PM - 09:10 PM	55.9	52.0	11:45 PM - 11:50 PM	47.7	46.3
06:30 PM - 06:35 PM	56.0	52.9	09:10 PM - 09:15 PM	55.1	50.5	11:50 PM - 11:55 PM	48.8	46.9
06:35 PM - 06:40 PM	59.8	56.4	09:15 PM - 09:20 PM	51.1	49.1	11:55 PM - 12:00 AM	49.8	47.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544270-1

Page 3 of 3

Sample Number 2620802-19
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 28 - Mar 29, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623393

Mar 29, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 29, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 29, 2026 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	48.9	47.4	02:40 AM - 02:45 AM	48.3	44.2	05:20 AM - 05:25 AM	47.6	44.2
12:05 AM - 12:10 AM	49.6	47.8	02:45 AM - 02:50 AM	47.3	45.4	05:25 AM - 05:30 AM	49.1	45.8
12:10 AM - 12:15 AM	52.9	47.4	02:50 AM - 02:55 AM	47.3	44.6	05:30 AM - 05:35 AM	47.6	45.3
12:15 AM - 12:20 AM	52.2	47.9	02:55 AM - 03:00 AM	56.8	45.1	05:35 AM - 05:40 AM	46.8	45.0
12:20 AM - 12:25 AM	50.2	47.5	03:00 AM - 03:05 AM	47.5	44.1	05:40 AM - 05:45 AM	49.2	46.1
12:25 AM - 12:30 AM	50.7	47.6	03:05 AM - 03:10 AM	45.5	44.0	05:45 AM - 05:50 AM	46.1	44.7
12:30 AM - 12:35 AM	49.0	46.7	03:10 AM - 03:15 AM	46.1	43.6	05:50 AM - 05:55 AM	48.4	46.2
12:35 AM - 12:40 AM	48.7	46.4	03:15 AM - 03:20 AM	46.4	44.3	05:55 AM - 06:00 AM	50.4	46.7
12:40 AM - 12:45 AM	50.4	47.0	03:20 AM - 03:25 AM	46.4	44.5	06:00 AM - 06:05 AM	48.6	46.0
12:45 AM - 12:50 AM	48.0	46.0	03:25 AM - 03:30 AM	48.3	45.2	06:05 AM - 06:10 AM	49.7	46.7
12:50 AM - 12:55 AM	48.3	46.7	03:30 AM - 03:35 AM	47.9	43.3	06:10 AM - 06:15 AM	49.6	46.7
12:55 AM - 01:00 AM	52.0	46.2	03:35 AM - 03:40 AM	46.7	44.6	06:15 AM - 06:20 AM	56.2	51.3
01:00 AM - 01:05 AM	54.3	48.2	03:40 AM - 03:45 AM	46.9	44.4	06:20 AM - 06:25 AM	53.8	49.2
01:05 AM - 01:10 AM	49.3	47.0	03:45 AM - 03:50 AM	48.5	44.6	06:25 AM - 06:30 AM	48.4	46.2
01:10 AM - 01:15 AM	48.1	46.0	03:50 AM - 03:55 AM	46.7	45.0	06:30 AM - 06:35 AM	49.8	46.4
01:15 AM - 01:20 AM	47.9	45.8	03:55 AM - 04:00 AM	46.5	44.0	06:35 AM - 06:40 AM	49.5	46.7
01:20 AM - 01:25 AM	46.8	45.1	04:00 AM - 04:05 AM	48.1	44.7	06:40 AM - 06:45 AM	49.3	46.6
01:25 AM - 01:30 AM	46.8	45.7	04:05 AM - 04:10 AM	47.2	43.6	06:45 AM - 06:50 AM	50.5	48.2
01:30 AM - 01:35 AM	49.4	46.8	04:10 AM - 04:15 AM	47.7	44.5	06:50 AM - 06:55 AM	48.6	46.5
01:35 AM - 01:40 AM	48.8	45.6	04:15 AM - 04:20 AM	50.0	44.2	06:55 AM - 07:00 AM	50.4	48.3
01:40 AM - 01:45 AM	47.2	44.8	04:20 AM - 04:25 AM	46.6	44.0	07:00 AM - 07:05 AM	51.1	48.6
01:45 AM - 01:50 AM	47.6	45.0	04:25 AM - 04:30 AM	49.8	44.9	07:05 AM - 07:10 AM	52.0	49.0
01:50 AM - 01:55 AM	47.0	44.6	04:30 AM - 04:35 AM	47.0	43.9	07:10 AM - 07:15 AM	53.1	50.5
01:55 AM - 02:00 AM	47.8	44.1	04:35 AM - 04:40 AM	46.4	43.9	07:15 AM - 07:20 AM	53.8	50.3
02:00 AM - 02:05 AM	46.1	44.4	04:40 AM - 04:45 AM	49.8	43.8	07:20 AM - 07:25 AM	55.4	50.1
02:05 AM - 02:10 AM	46.9	45.0	04:45 AM - 04:50 AM	46.9	44.9	07:25 AM - 07:30 AM	53.9	51.5
02:10 AM - 02:15 AM	47.1	44.2	04:50 AM - 04:55 AM	47.0	44.2	07:30 AM - 07:35 AM	56.8	50.6
02:15 AM - 02:20 AM	46.6	44.4	04:55 AM - 05:00 AM	48.4	45.7	07:35 AM - 07:40 AM	53.4	49.5
02:20 AM - 02:25 AM	47.3	45.3	05:00 AM - 05:05 AM	48.2	45.6	07:40 AM - 07:45 AM	51.7	49.3
02:25 AM - 02:30 AM	47.3	44.7	05:05 AM - 05:10 AM	49.1	45.1	07:45 AM - 07:50 AM	52.6	49.9
02:30 AM - 02:35 AM	45.5	44.1	05:10 AM - 05:15 AM	47.2	44.7	07:50 AM - 07:55 AM	54.1	49.7
02:35 AM - 02:40 AM	46.5	44.9	05:15 AM - 05:20 AM	47.6	45.5	07:55 AM - 08:00 AM	56.7	51.3

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544271-1

Page 1 of 3

Sample Number 2620802-20
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 29 - Mar 30, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 623393

Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	60.6	51.5	10:40 AM - 10:45 AM	52.1	47.2	01:20 PM - 01:25 PM	55.7	51.1
08:05 AM - 08:10 AM	55.7	51.1	10:45 AM - 10:50 AM	53.9	46.7	01:25 PM - 01:30 PM	53.5	48.3
08:10 AM - 08:15 AM	55.2	51.8	10:50 AM - 10:55 AM	51.1	47.2	01:30 PM - 01:35 PM	54.2	49.0
08:15 AM - 08:20 AM	57.2	51.9	10:55 AM - 11:00 AM	49.1	46.6	01:35 PM - 01:40 PM	54.9	49.3
08:20 AM - 08:25 AM	58.1	51.5	11:00 AM - 11:05 AM	50.0	47.4	01:40 PM - 01:45 PM	50.2	42.3
08:25 AM - 08:30 AM	60.1	54.1	11:05 AM - 11:10 AM	51.3	47.7	01:45 PM - 01:50 PM	51.5	43.5
08:30 AM - 08:35 AM	56.0	51.5	11:10 AM - 11:15 AM	50.6	46.7	01:50 PM - 01:55 PM	52.2	47.1
08:35 AM - 08:40 AM	54.3	49.8	11:15 AM - 11:20 AM	54.3	48.3	01:55 PM - 02:00 PM	52.8	47.1
08:40 AM - 08:45 AM	59.7	49.3	11:20 AM - 11:25 AM	53.2	47.4	02:00 PM - 02:05 PM	52.3	46.8
08:45 AM - 08:50 AM	58.9	50.7	11:25 AM - 11:30 AM	51.3	47.0	02:05 PM - 02:10 PM	48.1	42.2
08:50 AM - 08:55 AM	55.3	49.4	11:30 AM - 11:35 AM	52.3	47.5	02:10 PM - 02:15 PM	48.5	38.4
08:55 AM - 09:00 AM	52.4	49.3	11:35 AM - 11:40 AM	52.2	47.9	02:15 PM - 02:20 PM	48.0	39.9
09:00 AM - 09:05 AM	53.0	49.0	11:40 AM - 11:45 AM	53.2	46.9	02:20 PM - 02:25 PM	49.5	39.1
09:05 AM - 09:10 AM	52.4	49.1	11:45 AM - 11:50 AM	50.9	46.9	02:25 PM - 02:30 PM	51.1	40.3
09:10 AM - 09:15 AM	53.1	48.9	11:50 AM - 11:55 AM	51.2	47.9	02:30 PM - 02:35 PM	45.5	37.7
09:15 AM - 09:20 AM	51.0	46.9	11:55 AM - 12:00 PM	50.1	46.9	02:35 PM - 02:40 PM	48.7	42.6
09:20 AM - 09:25 AM	51.2	46.8	12:00 PM - 12:05 PM	51.1	47.9	02:40 PM - 02:45 PM	49.6	41.8
09:25 AM - 09:30 AM	54.8	46.6	12:05 PM - 12:10 PM	59.7	47.8	02:45 PM - 02:50 PM	49.9	39.9
09:30 AM - 09:35 AM	53.5	47.1	12:10 PM - 12:15 PM	49.6	47.1	02:50 PM - 02:55 PM	46.4	39.9
09:35 AM - 09:40 AM	50.6	47.2	12:15 PM - 12:20 PM	52.1	47.6	02:55 PM - 03:00 PM	48.2	40.4
09:40 AM - 09:45 AM	50.7	47.6	12:20 PM - 12:25 PM	52.3	47.4	03:00 PM - 03:05 PM	47.0	37.6
09:45 AM - 09:50 AM	51.5	46.5	12:25 PM - 12:30 PM	51.8	48.0	03:05 PM - 03:10 PM	49.0	40.1
09:50 AM - 09:55 AM	50.5	45.8	12:30 PM - 12:35 PM	48.9	42.6	03:10 PM - 03:15 PM	46.6	36.8
09:55 AM - 10:00 AM	52.3	45.9	12:35 PM - 12:40 PM	52.0	46.7	03:15 PM - 03:20 PM	46.7	38.0
10:00 AM - 10:05 AM	49.5	46.2	12:40 PM - 12:45 PM	52.2	46.5	03:20 PM - 03:25 PM	48.2	42.3
10:05 AM - 10:10 AM	51.2	47.5	12:45 PM - 12:50 PM	51.6	46.6	03:25 PM - 03:30 PM	50.1	39.2
10:10 AM - 10:15 AM	49.9	47.1	12:50 PM - 12:55 PM	53.0	48.3	03:30 PM - 03:35 PM	47.6	37.5
10:15 AM - 10:20 AM	52.0	47.1	12:55 PM - 01:00 PM	53.3	49.2	03:35 PM - 03:40 PM	47.3	39.2
10:20 AM - 10:25 AM	52.5	47.2	01:00 PM - 01:05 PM	54.8	48.8	03:40 PM - 03:45 PM	45.9	40.8
10:25 AM - 10:30 AM	50.5	46.5	01:05 PM - 01:10 PM	53.0	48.1	03:45 PM - 03:50 PM	47.6	39.1
10:30 AM - 10:35 AM	52.2	47.3	01:10 PM - 01:15 PM	56.9	50.3	03:50 PM - 03:55 PM	48.2	40.0
10:35 AM - 10:40 AM	51.7	47.8	01:15 PM - 01:20 PM	55.5	48.8	03:55 PM - 04:00 PM	47.3	39.4

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544271-1

Page 2 of 3

Sample Number 2620802-20
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 29 - Mar 30, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 623393

Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	49.3	44.7	06:40 PM - 06:45 PM	51.8	45.0	09:20 PM - 09:25 PM	49.4	46.9
04:05 PM - 04:10 PM	53.8	44.9	06:45 PM - 06:50 PM	51.4	45.1	09:25 PM - 09:30 PM	51.1	47.4
04:10 PM - 04:15 PM	49.1	45.4	06:50 PM - 06:55 PM	46.9	43.3	09:30 PM - 09:35 PM	51.7	48.8
04:15 PM - 04:20 PM	49.6	41.1	06:55 PM - 07:00 PM	53.0	43.4	09:35 PM - 09:40 PM	51.4	48.8
04:20 PM - 04:25 PM	48.7	41.6	07:00 PM - 07:05 PM	49.2	45.9	09:40 PM - 09:45 PM	50.8	48.7
04:25 PM - 04:30 PM	47.1	40.7	07:05 PM - 07:10 PM	48.6	43.7	09:45 PM - 09:50 PM	50.5	48.4
04:30 PM - 04:35 PM	47.3	39.2	07:10 PM - 07:15 PM	46.8	43.1	09:50 PM - 09:55 PM	50.9	47.9
04:35 PM - 04:40 PM	48.6	41.7	07:15 PM - 07:20 PM	52.3	43.1	09:55 PM - 10:00 PM	50.5	47.4
04:40 PM - 04:45 PM	49.1	41.5	07:20 PM - 07:25 PM	64.5	60.2	10:00 PM - 10:05 PM	49.8	47.4
04:45 PM - 04:50 PM	51.2	42.9	07:25 PM - 07:30 PM	63.1	60.4	10:05 PM - 10:10 PM	49.6	47.3
04:50 PM - 04:55 PM	50.8	42.8	07:30 PM - 07:35 PM	62.9	50.8	10:10 PM - 10:15 PM	49.0	47.0
04:55 PM - 05:00 PM	49.2	42.7	07:35 PM - 07:40 PM	51.9	43.6	10:15 PM - 10:20 PM	49.4	46.8
05:00 PM - 05:05 PM	49.2	42.6	07:40 PM - 07:45 PM	51.9	46.3	10:20 PM - 10:25 PM	49.4	46.5
05:05 PM - 05:10 PM	50.9	44.1	07:45 PM - 07:50 PM	47.5	45.1	10:25 PM - 10:30 PM	46.5	44.7
05:10 PM - 05:15 PM	53.9	39.5	07:50 PM - 07:55 PM	46.7	44.8	10:30 PM - 10:35 PM	47.5	44.9
05:15 PM - 05:20 PM	52.0	40.6	07:55 PM - 08:00 PM	47.8	44.7	10:35 PM - 10:40 PM	46.3	44.7
05:20 PM - 05:25 PM	51.7	43.1	08:00 PM - 08:05 PM	48.6	45.6	10:40 PM - 10:45 PM	49.7	46.6
05:25 PM - 05:30 PM	50.6	44.4	08:05 PM - 08:10 PM	46.8	45.2	10:45 PM - 10:50 PM	48.2	44.9
05:30 PM - 05:35 PM	48.0	40.7	08:10 PM - 08:15 PM	48.1	44.9	10:50 PM - 10:55 PM	48.4	44.4
05:35 PM - 05:40 PM	48.1	42.4	08:15 PM - 08:20 PM	46.9	44.8	10:55 PM - 11:00 PM	46.5	43.9
05:40 PM - 05:45 PM	49.0	42.0	08:20 PM - 08:25 PM	45.4	43.9	11:00 PM - 11:05 PM	47.5	43.8
05:45 PM - 05:50 PM	48.6	41.2	08:25 PM - 08:30 PM	44.9	42.7	11:05 PM - 11:10 PM	46.2	43.9
05:50 PM - 05:55 PM	46.2	38.6	08:30 PM - 08:35 PM	45.1	42.8	11:10 PM - 11:15 PM	48.2	45.3
05:55 PM - 06:00 PM	49.4	41.6	08:35 PM - 08:40 PM	45.0	42.8	11:15 PM - 11:20 PM	48.9	47.6
06:00 PM - 06:05 PM	49.8	43.7	08:40 PM - 08:45 PM	47.1	43.3	11:20 PM - 11:25 PM	49.0	47.9
06:05 PM - 06:10 PM	50.0	42.6	08:45 PM - 08:50 PM	46.2	43.2	11:25 PM - 11:30 PM	50.0	48.2
06:10 PM - 06:15 PM	52.2	44.0	08:50 PM - 08:55 PM	48.5	45.0	11:30 PM - 11:35 PM	49.2	47.8
06:15 PM - 06:20 PM	50.4	43.0	08:55 PM - 09:00 PM	50.3	47.5	11:35 PM - 11:40 PM	49.0	47.8
06:20 PM - 06:25 PM	49.6	42.4	09:00 PM - 09:05 PM	50.1	46.5	11:40 PM - 11:45 PM	48.7	47.7
06:25 PM - 06:30 PM	51.1	47.7	09:05 PM - 09:10 PM	50.3	47.5	11:45 PM - 11:50 PM	48.8	47.9
06:30 PM - 06:35 PM	50.6	44.3	09:10 PM - 09:15 PM	51.2	48.1	11:50 PM - 11:55 PM	49.3	48.2
06:35 PM - 06:40 PM	51.5	43.6	09:15 PM - 09:20 PM	50.1	47.4	11:55 PM - 12:00 AM	48.9	47.9

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544271-1

Page 3 of 3

Sample Number 2620802-20
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 29 - Mar 30, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623393

Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	49.3	47.9	02:40 AM - 02:45 AM	54.2	50.4	05:20 AM - 05:25 AM	48.3	46.7
12:05 AM - 12:10 AM	48.4	47.5	02:45 AM - 02:50 AM	55.8	55.2	05:25 AM - 05:30 AM	47.3	46.5
12:10 AM - 12:15 AM	45.3	41.6	02:50 AM - 02:55 AM	54.9	50.4	05:30 AM - 05:35 AM	48.8	46.5
12:15 AM - 12:20 AM	42.6	41.4	02:55 AM - 03:00 AM	50.6	49.8	05:35 AM - 05:40 AM	48.0	46.7
12:20 AM - 12:25 AM	47.5	44.0	03:00 AM - 03:05 AM	50.9	50.1	05:40 AM - 05:45 AM	47.8	46.5
12:25 AM - 12:30 AM	49.5	47.3	03:05 AM - 03:10 AM	51.3	50.1	05:45 AM - 05:50 AM	47.6	46.6
12:30 AM - 12:35 AM	48.4	47.6	03:10 AM - 03:15 AM	50.7	50.1	05:50 AM - 05:55 AM	47.2	46.4
12:35 AM - 12:40 AM	48.8	47.9	03:15 AM - 03:20 AM	51.8	50.1	05:55 AM - 06:00 AM	47.0	45.9
12:40 AM - 12:45 AM	48.7	48.1	03:20 AM - 03:25 AM	55.0	54.4	06:00 AM - 06:05 AM	47.0	45.6
12:45 AM - 12:50 AM	49.1	48.4	03:25 AM - 03:30 AM	55.2	54.6	06:05 AM - 06:10 AM	48.2	45.8
12:50 AM - 12:55 AM	48.8	48.1	03:30 AM - 03:35 AM	52.2	50.8	06:10 AM - 06:15 AM	50.6	47.2
12:55 AM - 01:00 AM	48.1	47.5	03:35 AM - 03:40 AM	53.9	51.5	06:15 AM - 06:20 AM	49.6	46.6
01:00 AM - 01:05 AM	48.1	47.4	03:40 AM - 03:45 AM	54.5	53.8	06:20 AM - 06:25 AM	49.6	44.3
01:05 AM - 01:10 AM	49.4	47.7	03:45 AM - 03:50 AM	52.2	50.1	06:25 AM - 06:30 AM	49.1	43.1
01:10 AM - 01:15 AM	48.7	47.8	03:50 AM - 03:55 AM	50.8	50.1	06:30 AM - 06:35 AM	50.1	43.3
01:15 AM - 01:20 AM	49.2	47.9	03:55 AM - 04:00 AM	51.3	50.3	06:35 AM - 06:40 AM	50.1	45.7
01:20 AM - 01:25 AM	48.5	47.9	04:00 AM - 04:05 AM	51.3	50.2	06:40 AM - 06:45 AM	49.8	42.4
01:25 AM - 01:30 AM	48.9	48.1	04:05 AM - 04:10 AM	51.1	49.9	06:45 AM - 06:50 AM	50.4	44.5
01:30 AM - 01:35 AM	48.8	48.0	04:10 AM - 04:15 AM	50.4	49.3	06:50 AM - 06:55 AM	53.1	47.4
01:35 AM - 01:40 AM	49.0	48.3	04:15 AM - 04:20 AM	50.5	49.3	06:55 AM - 07:00 AM	50.8	46.5
01:40 AM - 01:45 AM	49.5	48.8	04:20 AM - 04:25 AM	49.7	49.1	07:00 AM - 07:05 AM	52.6	46.6
01:45 AM - 01:50 AM	49.2	48.5	04:25 AM - 04:30 AM	50.2	49.1	07:05 AM - 07:10 AM	51.1	48.2
01:50 AM - 01:55 AM	50.3	48.9	04:30 AM - 04:35 AM	49.9	49.2	07:10 AM - 07:15 AM	51.3	47.9
01:55 AM - 02:00 AM	50.9	49.4	04:35 AM - 04:40 AM	50.5	49.2	07:15 AM - 07:20 AM	48.7	44.0
02:00 AM - 02:05 AM	50.9	49.1	04:40 AM - 04:45 AM	50.7	48.7	07:20 AM - 07:25 AM	48.3	41.9
02:05 AM - 02:10 AM	50.4	48.9	04:45 AM - 04:50 AM	49.0	48.2	07:25 AM - 07:30 AM	54.6	48.3
02:10 AM - 02:15 AM	50.1	48.9	04:50 AM - 04:55 AM	49.6	48.4	07:30 AM - 07:35 AM	51.4	44.9
02:15 AM - 02:20 AM	50.5	49.3	04:55 AM - 05:00 AM	49.7	48.3	07:35 AM - 07:40 AM	50.6	44.1
02:20 AM - 02:25 AM	50.3	48.9	05:00 AM - 05:05 AM	49.5	48.5	07:40 AM - 07:45 AM	50.3	43.5
02:25 AM - 02:30 AM	49.5	48.6	05:05 AM - 05:10 AM	49.8	49.0	07:45 AM - 07:50 AM	47.6	43.9
02:30 AM - 02:35 AM	49.7	49.1	05:10 AM - 05:15 AM	50.1	46.9	07:50 AM - 07:55 AM	48.6	44.0
02:35 AM - 02:40 AM	50.6	49.3	05:15 AM - 05:20 AM	48.7	47.1	07:55 AM - 08:00 AM	47.4	43.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544272-1

Page 1 of 3

Sample Number 2620802-21
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 30 - Mar 31, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623393

Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	47.8	43.2	10:40 AM - 10:45 AM	50.0	46.6	01:20 PM - 01:25 PM	55.9	50.6
08:05 AM - 08:10 AM	48.4	43.1	10:45 AM - 10:50 AM	57.1	47.4	01:25 PM - 01:30 PM	53.8	51.0
08:10 AM - 08:15 AM	52.4	45.8	10:50 AM - 10:55 AM	49.8	46.5	01:30 PM - 01:35 PM	54.7	51.4
08:15 AM - 08:20 AM	50.3	44.4	10:55 AM - 11:00 AM	53.4	48.1	01:35 PM - 01:40 PM	54.7	52.3
08:20 AM - 08:25 AM	50.6	44.6	11:00 AM - 11:05 AM	51.9	48.8	01:40 PM - 01:45 PM	55.7	51.7
08:25 AM - 08:30 AM	49.2	44.1	11:05 AM - 11:10 AM	50.5	46.9	01:45 PM - 01:50 PM	59.8	51.8
08:30 AM - 08:35 AM	50.4	45.0	11:10 AM - 11:15 AM	51.0	47.8	01:50 PM - 01:55 PM	61.3	51.7
08:35 AM - 08:40 AM	48.6	44.4	11:15 AM - 11:20 AM	50.3	48.1	01:55 PM - 02:00 PM	53.3	50.0
08:40 AM - 08:45 AM	47.7	43.5	11:20 AM - 11:25 AM	52.2	47.6	02:00 PM - 02:05 PM	54.7	49.8
08:45 AM - 08:50 AM	48.8	44.1	11:25 AM - 11:30 AM	55.0	47.6	02:05 PM - 02:10 PM	53.4	50.2
08:50 AM - 08:55 AM	50.3	41.8	11:30 AM - 11:35 AM	51.3	48.1	02:10 PM - 02:15 PM	53.5	50.5
08:55 AM - 09:00 AM	47.2	39.2	11:35 AM - 11:40 AM	51.9	48.4	02:15 PM - 02:20 PM	62.3	53.7
09:00 AM - 09:05 AM	48.5	40.3	11:40 AM - 11:45 AM	54.3	50.7	02:20 PM - 02:25 PM	60.4	49.5
09:05 AM - 09:10 AM	47.7	43.2	11:45 AM - 11:50 AM	55.8	51.7	02:25 PM - 02:30 PM	55.7	48.8
09:10 AM - 09:15 AM	47.0	40.9	11:50 AM - 11:55 AM	56.5	51.2	02:30 PM - 02:35 PM	56.5	49.6
09:15 AM - 09:20 AM	46.2	39.6	11:55 AM - 12:00 PM	56.6	49.7	02:35 PM - 02:40 PM	51.8	49.7
09:20 AM - 09:25 AM	49.9	39.4	12:00 PM - 12:05 PM	56.1	50.4	02:40 PM - 02:45 PM	52.5	49.8
09:25 AM - 09:30 AM	50.6	40.6	12:05 PM - 12:10 PM	52.9	50.8	02:45 PM - 02:50 PM	55.1	49.6
09:30 AM - 09:35 AM	50.2	42.2	12:10 PM - 12:15 PM	53.1	50.2	02:50 PM - 02:55 PM	52.2	49.7
09:35 AM - 09:40 AM	49.1	43.6	12:15 PM - 12:20 PM	53.6	49.8	02:55 PM - 03:00 PM	51.4	49.2
09:40 AM - 09:45 AM	48.0	43.4	12:20 PM - 12:25 PM	54.8	50.6	03:00 PM - 03:05 PM	52.3	49.8
09:45 AM - 09:50 AM	49.5	44.3	12:25 PM - 12:30 PM	53.8	49.8	03:05 PM - 03:10 PM	53.8	49.9
09:50 AM - 09:55 AM	47.3	43.5	12:30 PM - 12:35 PM	55.3	52.0	03:10 PM - 03:15 PM	53.9	50.3
09:55 AM - 10:00 AM	46.0	41.6	12:35 PM - 12:40 PM	54.6	50.2	03:15 PM - 03:20 PM	54.2	50.7
10:00 AM - 10:05 AM	46.1	40.1	12:40 PM - 12:45 PM	52.6	50.2	03:20 PM - 03:25 PM	54.9	51.8
10:05 AM - 10:10 AM	45.8	39.2	12:45 PM - 12:50 PM	53.2	49.6	03:25 PM - 03:30 PM	56.3	51.8
10:10 AM - 10:15 AM	51.1	48.2	12:50 PM - 12:55 PM	53.0	49.0	03:30 PM - 03:35 PM	54.3	50.1
10:15 AM - 10:20 AM	51.0	48.2	12:55 PM - 01:00 PM	52.6	50.1	03:35 PM - 03:40 PM	55.0	51.5
10:20 AM - 10:25 AM	50.5	48.3	01:00 PM - 01:05 PM	53.2	49.1	03:40 PM - 03:45 PM	55.5	51.2
10:25 AM - 10:30 AM	50.2	47.3	01:05 PM - 01:10 PM	58.9	49.4	03:45 PM - 03:50 PM	52.8	49.7
10:30 AM - 10:35 AM	66.0	48.6	01:10 PM - 01:15 PM	61.1	50.5	03:50 PM - 03:55 PM	55.5	51.9
10:35 AM - 10:40 AM	47.9	45.8	01:15 PM - 01:20 PM	58.7	49.9	03:55 PM - 04:00 PM	55.7	51.0

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544272-1

Page 2 of 3

Sample Number 2620802-21
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 30 - Mar 31, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623393

Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	54.8	51.7	06:40 PM - 06:45 PM	52.2	49.3	09:20 PM - 09:25 PM	50.6	46.1
04:05 PM - 04:10 PM	53.1	49.9	06:45 PM - 06:50 PM	52.5	49.2	09:25 PM - 09:30 PM	51.8	47.0
04:10 PM - 04:15 PM	52.4	49.1	06:50 PM - 06:55 PM	51.6	49.2	09:30 PM - 09:35 PM	49.0	46.1
04:15 PM - 04:20 PM	52.8	50.2	06:55 PM - 07:00 PM	50.7	48.2	09:35 PM - 09:40 PM	51.5	45.9
04:20 PM - 04:25 PM	56.1	51.6	07:00 PM - 07:05 PM	52.9	48.6	09:40 PM - 09:45 PM	50.5	46.2
04:25 PM - 04:30 PM	54.6	50.3	07:05 PM - 07:10 PM	52.5	49.1	09:45 PM - 09:50 PM	52.0	46.7
04:30 PM - 04:35 PM	54.0	48.9	07:10 PM - 07:15 PM	50.0	47.8	09:50 PM - 09:55 PM	49.1	46.8
04:35 PM - 04:40 PM	54.2	50.6	07:15 PM - 07:20 PM	51.9	48.8	09:55 PM - 10:00 PM	49.2	46.0
04:40 PM - 04:45 PM	55.8	52.6	07:20 PM - 07:25 PM	54.5	49.8	10:00 PM - 10:05 PM	48.0	46.1
04:45 PM - 04:50 PM	60.1	51.0	07:25 PM - 07:30 PM	53.3	49.2	10:05 PM - 10:10 PM	49.6	46.0
04:50 PM - 04:55 PM	53.8	51.0	07:30 PM - 07:35 PM	50.6	48.2	10:10 PM - 10:15 PM	49.3	45.5
04:55 PM - 05:00 PM	52.8	50.3	07:35 PM - 07:40 PM	53.3	47.9	10:15 PM - 10:20 PM	50.7	46.2
05:00 PM - 05:05 PM	52.5	49.7	07:40 PM - 07:45 PM	51.8	47.7	10:20 PM - 10:25 PM	49.0	46.4
05:05 PM - 05:10 PM	51.9	49.4	07:45 PM - 07:50 PM	51.0	48.3	10:25 PM - 10:30 PM	49.0	46.5
05:10 PM - 05:15 PM	52.2	49.0	07:50 PM - 07:55 PM	54.0	48.4	10:30 PM - 10:35 PM	51.0	46.8
05:15 PM - 05:20 PM	54.4	50.5	07:55 PM - 08:00 PM	55.2	47.8	10:35 PM - 10:40 PM	48.3	46.6
05:20 PM - 05:25 PM	53.7	51.5	08:00 PM - 08:05 PM	57.9	48.0	10:40 PM - 10:45 PM	48.8	46.7
05:25 PM - 05:30 PM	54.1	50.8	08:05 PM - 08:10 PM	49.8	47.4	10:45 PM - 10:50 PM	50.7	46.7
05:30 PM - 05:35 PM	54.7	50.4	08:10 PM - 08:15 PM	53.1	47.4	10:50 PM - 10:55 PM	47.9	45.8
05:35 PM - 05:40 PM	50.9	48.9	08:15 PM - 08:20 PM	51.3	47.5	10:55 PM - 11:00 PM	54.9	46.7
05:40 PM - 05:45 PM	52.5	49.1	08:20 PM - 08:25 PM	53.0	48.3	11:00 PM - 11:05 PM	49.0	46.5
05:45 PM - 05:50 PM	52.2	49.6	08:25 PM - 08:30 PM	49.5	47.2	11:05 PM - 11:10 PM	50.5	46.7
05:50 PM - 05:55 PM	51.1	48.8	08:30 PM - 08:35 PM	50.0	46.9	11:10 PM - 11:15 PM	51.6	46.5
05:55 PM - 06:00 PM	51.3	49.3	08:35 PM - 08:40 PM	50.9	46.5	11:15 PM - 11:20 PM	49.1	46.2
06:00 PM - 06:05 PM	51.7	48.9	08:40 PM - 08:45 PM	50.7	47.0	11:20 PM - 11:25 PM	48.9	46.2
06:05 PM - 06:10 PM	51.2	48.8	08:45 PM - 08:50 PM	51.2	46.5	11:25 PM - 11:30 PM	51.4	46.6
06:10 PM - 06:15 PM	56.7	50.6	08:50 PM - 08:55 PM	51.8	46.7	11:30 PM - 11:35 PM	48.5	46.3
06:15 PM - 06:20 PM	54.3	50.2	08:55 PM - 09:00 PM	49.1	45.8	11:35 PM - 11:40 PM	47.7	46.0
06:20 PM - 06:25 PM	55.7	51.4	09:00 PM - 09:05 PM	50.5	44.6	11:40 PM - 11:45 PM	48.5	46.5
06:25 PM - 06:30 PM	53.2	49.6	09:05 PM - 09:10 PM	50.9	46.3	11:45 PM - 11:50 PM	47.8	46.7
06:30 PM - 06:35 PM	52.9	49.2	09:10 PM - 09:15 PM	49.0	46.1	11:50 PM - 11:55 PM	48.0	46.2
06:35 PM - 06:40 PM	52.2	49.1	09:15 PM - 09:20 PM	51.3	46.8	11:55 PM - 12:00 AM	48.4	46.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544272-1

Page 3 of 3

Sample Number 2620802-21
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A17 (N3) (GPS 47P 0748131, 1461261)
Measurement Date Mar 30 - Mar 31, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623393

Mar 31, 2026	Leq	L90	Mar 31, 2026	Leq	L90	Mar 31, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	47.7	46.2	02:40 AM - 02:45 AM	49.4	46.6	05:20 AM - 05:25 AM	48.2	47.2
12:05 AM - 12:10 AM	47.1	45.7	02:45 AM - 02:50 AM	48.2	46.4	05:25 AM - 05:30 AM	49.4	47.7
12:10 AM - 12:15 AM	51.1	45.7	02:50 AM - 02:55 AM	48.7	46.8	05:30 AM - 05:35 AM	49.9	47.7
12:15 AM - 12:20 AM	49.6	46.7	02:55 AM - 03:00 AM	48.8	46.2	05:35 AM - 05:40 AM	51.9	49.1
12:20 AM - 12:25 AM	49.5	46.4	03:00 AM - 03:05 AM	48.5	46.1	05:40 AM - 05:45 AM	68.0	47.9
12:25 AM - 12:30 AM	54.6	46.1	03:05 AM - 03:10 AM	52.7	45.6	05:45 AM - 05:50 AM	51.2	48.0
12:30 AM - 12:35 AM	48.3	46.1	03:10 AM - 03:15 AM	47.4	45.7	05:50 AM - 05:55 AM	50.0	48.1
12:35 AM - 12:40 AM	49.6	46.3	03:15 AM - 03:20 AM	47.7	45.7	05:55 AM - 06:00 AM	50.2	48.7
12:40 AM - 12:45 AM	49.9	45.7	03:20 AM - 03:25 AM	47.2	45.9	06:00 AM - 06:05 AM	50.6	49.2
12:45 AM - 12:50 AM	49.3	46.7	03:25 AM - 03:30 AM	47.5	46.6	06:05 AM - 06:10 AM	49.8	48.4
12:50 AM - 12:55 AM	47.9	46.3	03:30 AM - 03:35 AM	49.0	45.6	06:10 AM - 06:15 AM	49.8	48.0
12:55 AM - 01:00 AM	47.8	45.8	03:35 AM - 03:40 AM	47.3	45.3	06:15 AM - 06:20 AM	49.8	48.4
01:00 AM - 01:05 AM	47.9	46.4	03:40 AM - 03:45 AM	48.1	45.4	06:20 AM - 06:25 AM	51.3	48.4
01:05 AM - 01:10 AM	47.6	46.0	03:45 AM - 03:50 AM	47.5	45.8	06:25 AM - 06:30 AM	50.8	48.8
01:10 AM - 01:15 AM	47.9	46.0	03:50 AM - 03:55 AM	47.4	45.9	06:30 AM - 06:35 AM	51.0	49.2
01:15 AM - 01:20 AM	48.7	46.1	03:55 AM - 04:00 AM	47.9	45.9	06:35 AM - 06:40 AM	50.8	49.0
01:20 AM - 01:25 AM	47.7	45.4	04:00 AM - 04:05 AM	48.1	45.7	06:40 AM - 06:45 AM	52.0	49.0
01:25 AM - 01:30 AM	47.6	45.6	04:05 AM - 04:10 AM	48.9	45.9	06:45 AM - 06:50 AM	52.0	49.7
01:30 AM - 01:35 AM	48.4	45.8	04:10 AM - 04:15 AM	47.9	45.5	06:50 AM - 06:55 AM	53.1	50.3
01:35 AM - 01:40 AM	48.2	45.3	04:15 AM - 04:20 AM	47.3	45.5	06:55 AM - 07:00 AM	53.6	51.0
01:40 AM - 01:45 AM	46.7	44.9	04:20 AM - 04:25 AM	47.4	45.9	07:00 AM - 07:05 AM	54.4	51.3
01:45 AM - 01:50 AM	47.7	46.2	04:25 AM - 04:30 AM	49.4	46.7	07:05 AM - 07:10 AM	52.9	50.8
01:50 AM - 01:55 AM	47.3	45.6	04:30 AM - 04:35 AM	48.1	46.6	07:10 AM - 07:15 AM	53.3	51.0
01:55 AM - 02:00 AM	48.2	46.7	04:35 AM - 04:40 AM	47.5	46.1	07:15 AM - 07:20 AM	53.1	51.3
02:00 AM - 02:05 AM	48.1	46.5	04:40 AM - 04:45 AM	47.6	46.1	07:20 AM - 07:25 AM	54.6	52.3
02:05 AM - 02:10 AM	46.9	45.3	04:45 AM - 04:50 AM	48.4	46.5	07:25 AM - 07:30 AM	54.8	52.1
02:10 AM - 02:15 AM	47.3	46.2	04:50 AM - 04:55 AM	48.4	47.1	07:30 AM - 07:35 AM	55.1	52.0
02:15 AM - 02:20 AM	48.1	45.7	04:55 AM - 05:00 AM	47.6	46.4	07:35 AM - 07:40 AM	54.9	52.0
02:20 AM - 02:25 AM	46.9	45.8	05:00 AM - 05:05 AM	48.6	46.9	07:40 AM - 07:45 AM	54.3	51.5
02:25 AM - 02:30 AM	48.1	46.5	05:05 AM - 05:10 AM	50.0	47.8	07:45 AM - 07:50 AM	57.7	52.2
02:30 AM - 02:35 AM	47.5	45.8	05:10 AM - 05:15 AM	49.2	47.6	07:50 AM - 07:55 AM	57.6	52.5
02:35 AM - 02:40 AM	51.6	47.5	05:15 AM - 05:20 AM	49.5	47.7	07:55 AM - 08:00 AM	54.8	51.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544273-1

Page 1 of 3

Sample Number 2620802-22
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 24 - Mar 25, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 01122567

Mar 24, 2026	Leq	L90	Mar 24, 2026	Leq	L90	Mar 24, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	48.0	46.0	10:40 AM - 10:45 AM	48.0	40.4	01:20 PM - 01:25 PM	45.6	41.4
08:05 AM - 08:10 AM	51.5	47.1	10:45 AM - 10:50 AM	49.7	41.4	01:25 PM - 01:30 PM	46.2	42.7
08:10 AM - 08:15 AM	58.3	47.9	10:50 AM - 10:55 AM	50.9	41.3	01:30 PM - 01:35 PM	59.2	43.7
08:15 AM - 08:20 AM	59.1	58.6	10:55 AM - 11:00 AM	48.6	42.3	01:35 PM - 01:40 PM	47.3	42.2
08:20 AM - 08:25 AM	59.4	58.7	11:00 AM - 11:05 AM	48.1	41.8	01:40 PM - 01:45 PM	48.6	41.5
08:25 AM - 08:30 AM	60.6	49.1	11:05 AM - 11:10 AM	45.9	39.3	01:45 PM - 01:50 PM	47.7	42.1
08:30 AM - 08:35 AM	48.6	46.2	11:10 AM - 11:15 AM	54.8	40.9	01:50 PM - 01:55 PM	45.6	41.3
08:35 AM - 08:40 AM	49.2	46.9	11:15 AM - 11:20 AM	48.9	42.0	01:55 PM - 02:00 PM	45.4	41.0
08:40 AM - 08:45 AM	62.3	46.8	11:20 AM - 11:25 AM	48.4	40.8	02:00 PM - 02:05 PM	52.7	42.3
08:45 AM - 08:50 AM	49.0	46.7	11:25 AM - 11:30 AM	48.7	40.7	02:05 PM - 02:10 PM	49.6	40.9
08:50 AM - 08:55 AM	50.1	44.5	11:30 AM - 11:35 AM	48.1	41.6	02:10 PM - 02:15 PM	51.4	43.4
08:55 AM - 09:00 AM	48.2	45.3	11:35 AM - 11:40 AM	50.9	41.9	02:15 PM - 02:20 PM	46.4	40.8
09:00 AM - 09:05 AM	50.8	45.4	11:40 AM - 11:45 AM	52.0	42.5	02:20 PM - 02:25 PM	48.4	44.0
09:05 AM - 09:10 AM	59.4	45.3	11:45 AM - 11:50 AM	53.9	44.8	02:25 PM - 02:30 PM	47.1	42.3
09:10 AM - 09:15 AM	51.6	45.6	11:50 AM - 11:55 AM	53.4	43.6	02:30 PM - 02:35 PM	47.5	42.8
09:15 AM - 09:20 AM	49.0	44.4	11:55 AM - 12:00 PM	47.2	40.1	02:35 PM - 02:40 PM	48.7	43.8
09:20 AM - 09:25 AM	45.5	41.9	12:00 PM - 12:05 PM	44.1	40.3	02:40 PM - 02:45 PM	53.3	43.4
09:25 AM - 09:30 AM	46.0	40.6	12:05 PM - 12:10 PM	47.6	39.5	02:45 PM - 02:50 PM	52.3	43.5
09:30 AM - 09:35 AM	46.2	41.4	12:10 PM - 12:15 PM	51.7	40.6	02:50 PM - 02:55 PM	48.1	44.2
09:35 AM - 09:40 AM	49.8	43.2	12:15 PM - 12:20 PM	43.2	39.5	02:55 PM - 03:00 PM	50.2	44.7
09:40 AM - 09:45 AM	52.1	42.8	12:20 PM - 12:25 PM	45.2	39.7	03:00 PM - 03:05 PM	48.1	43.3
09:45 AM - 09:50 AM	52.3	43.2	12:25 PM - 12:30 PM	46.4	40.7	03:05 PM - 03:10 PM	57.9	45.1
09:50 AM - 09:55 AM	44.7	41.8	12:30 PM - 12:35 PM	53.7	41.0	03:10 PM - 03:15 PM	46.5	44.0
09:55 AM - 10:00 AM	50.5	43.0	12:35 PM - 12:40 PM	49.7	40.4	03:15 PM - 03:20 PM	49.6	43.7
10:00 AM - 10:05 AM	54.6	42.0	12:40 PM - 12:45 PM	50.7	40.5	03:20 PM - 03:25 PM	46.9	43.0
10:05 AM - 10:10 AM	45.7	41.8	12:45 PM - 12:50 PM	50.6	41.8	03:25 PM - 03:30 PM	50.0	43.6
10:10 AM - 10:15 AM	44.6	41.0	12:50 PM - 12:55 PM	48.0	40.6	03:30 PM - 03:35 PM	48.6	45.0
10:15 AM - 10:20 AM	47.1	40.1	12:55 PM - 01:00 PM	48.1	39.3	03:35 PM - 03:40 PM	52.1	44.8
10:20 AM - 10:25 AM	45.1	40.7	01:00 PM - 01:05 PM	51.7	41.3	03:40 PM - 03:45 PM	49.8	43.6
10:25 AM - 10:30 AM	58.0	44.6	01:05 PM - 01:10 PM	46.5	42.0	03:45 PM - 03:50 PM	49.0	44.6
10:30 AM - 10:35 AM	57.6	41.3	01:10 PM - 01:15 PM	44.8	41.4	03:50 PM - 03:55 PM	51.1	44.9
10:35 AM - 10:40 AM	46.9	40.7	01:15 PM - 01:20 PM	50.6	41.4	03:55 PM - 04:00 PM	48.2	44.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544273-1

Page 2 of 3

Sample Number 2620802-22
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 24 - Mar 25, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122567

Mar 24, 2026	Leq	L90	Mar 24, 2026	Leq	L90	Mar 24, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	48.8	43.9	06:40 PM - 06:45 PM	49.0	44.7	09:20 PM - 09:25 PM	47.1	44.4
04:05 PM - 04:10 PM	51.7	45.5	06:45 PM - 06:50 PM	47.6	44.2	09:25 PM - 09:30 PM	46.7	44.9
04:10 PM - 04:15 PM	47.2	43.6	06:50 PM - 06:55 PM	48.9	44.5	09:30 PM - 09:35 PM	45.4	44.4
04:15 PM - 04:20 PM	47.8	43.9	06:55 PM - 07:00 PM	51.6	46.5	09:35 PM - 09:40 PM	46.6	45.0
04:20 PM - 04:25 PM	48.8	45.0	07:00 PM - 07:05 PM	50.7	46.1	09:40 PM - 09:45 PM	48.8	43.9
04:25 PM - 04:30 PM	49.0	45.2	07:05 PM - 07:10 PM	54.2	48.0	09:45 PM - 09:50 PM	45.9	44.4
04:30 PM - 04:35 PM	52.6	46.8	07:10 PM - 07:15 PM	55.6	46.6	09:50 PM - 09:55 PM	45.5	44.2
04:35 PM - 04:40 PM	51.1	47.5	07:15 PM - 07:20 PM	55.2	51.1	09:55 PM - 10:00 PM	45.9	45.1
04:40 PM - 04:45 PM	54.5	47.4	07:20 PM - 07:25 PM	54.5	47.5	10:00 PM - 10:05 PM	45.2	44.1
04:45 PM - 04:50 PM	49.6	44.5	07:25 PM - 07:30 PM	55.9	54.3	10:05 PM - 10:10 PM	45.0	43.8
04:50 PM - 04:55 PM	47.4	43.0	07:30 PM - 07:35 PM	53.2	44.6	10:10 PM - 10:15 PM	54.8	44.5
04:55 PM - 05:00 PM	46.3	42.9	07:35 PM - 07:40 PM	51.1	46.2	10:15 PM - 10:20 PM	46.6	45.3
05:00 PM - 05:05 PM	50.8	44.6	07:40 PM - 07:45 PM	54.3	48.6	10:20 PM - 10:25 PM	46.0	44.9
05:05 PM - 05:10 PM	49.9	45.2	07:45 PM - 07:50 PM	50.7	44.6	10:25 PM - 10:30 PM	45.7	43.6
05:10 PM - 05:15 PM	49.7	46.7	07:50 PM - 07:55 PM	47.0	44.9	10:30 PM - 10:35 PM	45.9	44.6
05:15 PM - 05:20 PM	47.9	46.1	07:55 PM - 08:00 PM	48.7	45.0	10:35 PM - 10:40 PM	46.1	44.8
05:20 PM - 05:25 PM	46.8	43.6	08:00 PM - 08:05 PM	51.6	44.9	10:40 PM - 10:45 PM	45.7	43.9
05:25 PM - 05:30 PM	48.0	43.9	08:05 PM - 08:10 PM	48.1	47.0	10:45 PM - 10:50 PM	45.7	44.4
05:30 PM - 05:35 PM	49.3	43.1	08:10 PM - 08:15 PM	49.6	44.9	10:50 PM - 10:55 PM	45.5	44.5
05:35 PM - 05:40 PM	49.7	43.1	08:15 PM - 08:20 PM	53.6	46.0	10:55 PM - 11:00 PM	45.9	44.7
05:40 PM - 05:45 PM	47.6	44.0	08:20 PM - 08:25 PM	49.6	44.8	11:00 PM - 11:05 PM	45.1	44.2
05:45 PM - 05:50 PM	48.9	45.2	08:25 PM - 08:30 PM	46.8	44.3	11:05 PM - 11:10 PM	45.3	44.2
05:50 PM - 05:55 PM	47.9	43.9	08:30 PM - 08:35 PM	49.5	44.5	11:10 PM - 11:15 PM	45.2	44.1
05:55 PM - 06:00 PM	52.7	45.5	08:35 PM - 08:40 PM	48.3	44.2	11:15 PM - 11:20 PM	45.5	44.6
06:00 PM - 06:05 PM	50.1	43.7	08:40 PM - 08:45 PM	48.5	44.3	11:20 PM - 11:25 PM	45.7	43.9
06:05 PM - 06:10 PM	49.7	44.9	08:45 PM - 08:50 PM	46.7	44.5	11:25 PM - 11:30 PM	45.7	44.3
06:10 PM - 06:15 PM	48.2	44.4	08:50 PM - 08:55 PM	48.1	45.1	11:30 PM - 11:35 PM	44.9	44.0
06:15 PM - 06:20 PM	49.6	44.5	08:55 PM - 09:00 PM	48.2	44.9	11:35 PM - 11:40 PM	44.4	43.4
06:20 PM - 06:25 PM	62.9	47.5	09:00 PM - 09:05 PM	46.2	44.5	11:40 PM - 11:45 PM	44.5	42.9
06:25 PM - 06:30 PM	53.7	45.0	09:05 PM - 09:10 PM	47.1	44.8	11:45 PM - 11:50 PM	44.2	42.8
06:30 PM - 06:35 PM	52.9	44.8	09:10 PM - 09:15 PM	47.3	44.6	11:50 PM - 11:55 PM	44.9	43.0
06:35 PM - 06:40 PM	56.7	45.6	09:15 PM - 09:20 PM	46.9	44.5	11:55 PM - 12:00 AM	43.6	42.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544273-1

Page 3 of 3

Sample Number 2620802-22
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 24 - Mar 25, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122567

Mar 25, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 25, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 25, 2026 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	44.3	43.3	02:40 AM - 02:45 AM	46.6	42.9	05:20 AM - 05:25 AM	49.3	43.6
12:05 AM - 12:10 AM	44.6	43.1	02:45 AM - 02:50 AM	44.2	43.2	05:25 AM - 05:30 AM	50.1	44.1
12:10 AM - 12:15 AM	43.4	42.8	02:50 AM - 02:55 AM	44.0	42.9	05:30 AM - 05:35 AM	51.0	46.2
12:15 AM - 12:20 AM	43.3	42.4	02:55 AM - 03:00 AM	43.1	42.3	05:35 AM - 05:40 AM	51.6	46.1
12:20 AM - 12:25 AM	43.4	42.5	03:00 AM - 03:05 AM	43.3	41.8	05:40 AM - 05:45 AM	54.8	47.7
12:25 AM - 12:30 AM	45.3	43.0	03:05 AM - 03:10 AM	43.4	42.0	05:45 AM - 05:50 AM	55.2	49.2
12:30 AM - 12:35 AM	45.6	43.2	03:10 AM - 03:15 AM	43.7	42.7	05:50 AM - 05:55 AM	54.9	49.7
12:35 AM - 12:40 AM	43.9	42.9	03:15 AM - 03:20 AM	43.6	42.4	05:55 AM - 06:00 AM	55.7	51.6
12:40 AM - 12:45 AM	43.7	42.7	03:20 AM - 03:25 AM	43.4	42.5	06:00 AM - 06:05 AM	54.8	51.5
12:45 AM - 12:50 AM	43.7	42.7	03:25 AM - 03:30 AM	42.6	41.9	06:05 AM - 06:10 AM	53.6	50.9
12:50 AM - 12:55 AM	51.0	43.4	03:30 AM - 03:35 AM	50.1	42.2	06:10 AM - 06:15 AM	52.0	50.5
12:55 AM - 01:00 AM	44.0	43.0	03:35 AM - 03:40 AM	48.8	42.8	06:15 AM - 06:20 AM	52.7	51.0
01:00 AM - 01:05 AM	44.3	43.4	03:40 AM - 03:45 AM	48.1	42.5	06:20 AM - 06:25 AM	53.3	51.3
01:05 AM - 01:10 AM	44.8	43.9	03:45 AM - 03:50 AM	50.0	42.5	06:25 AM - 06:30 AM	53.2	51.2
01:10 AM - 01:15 AM	44.4	43.3	03:50 AM - 03:55 AM	52.3	42.1	06:30 AM - 06:35 AM	54.7	51.3
01:15 AM - 01:20 AM	44.3	43.2	03:55 AM - 04:00 AM	44.7	42.0	06:35 AM - 06:40 AM	52.5	51.1
01:20 AM - 01:25 AM	45.0	43.1	04:00 AM - 04:05 AM	42.9	42.1	06:40 AM - 06:45 AM	52.7	50.6
01:25 AM - 01:30 AM	44.7	43.2	04:05 AM - 04:10 AM	43.3	42.5	06:45 AM - 06:50 AM	49.6	48.6
01:30 AM - 01:35 AM	44.4	43.0	04:10 AM - 04:15 AM	43.1	42.2	06:50 AM - 06:55 AM	50.1	48.6
01:35 AM - 01:40 AM	44.8	43.3	04:15 AM - 04:20 AM	43.4	42.5	06:55 AM - 07:00 AM	49.2	47.8
01:40 AM - 01:45 AM	44.6	43.6	04:20 AM - 04:25 AM	50.7	42.6	07:00 AM - 07:05 AM	51.0	49.5
01:45 AM - 01:50 AM	45.3	44.0	04:25 AM - 04:30 AM	50.1	43.0	07:05 AM - 07:10 AM	51.4	49.9
01:50 AM - 01:55 AM	44.6	43.4	04:30 AM - 04:35 AM	48.9	43.0	07:10 AM - 07:15 AM	51.9	49.9
01:55 AM - 02:00 AM	44.8	43.5	04:35 AM - 04:40 AM	47.8	43.6	07:15 AM - 07:20 AM	50.8	49.2
02:00 AM - 02:05 AM	44.5	43.0	04:40 AM - 04:45 AM	48.2	43.8	07:20 AM - 07:25 AM	50.5	49.3
02:05 AM - 02:10 AM	44.6	43.3	04:45 AM - 04:50 AM	48.6	43.6	07:25 AM - 07:30 AM	51.3	49.1
02:10 AM - 02:15 AM	44.4	43.3	04:50 AM - 04:55 AM	51.7	43.7	07:30 AM - 07:35 AM	53.9	50.4
02:15 AM - 02:20 AM	44.1	42.9	04:55 AM - 05:00 AM	50.3	44.0	07:35 AM - 07:40 AM	54.2	49.6
02:20 AM - 02:25 AM	44.4	43.6	05:00 AM - 05:05 AM	49.1	44.0	07:40 AM - 07:45 AM	51.3	48.7
02:25 AM - 02:30 AM	46.9	43.0	05:05 AM - 05:10 AM	50.7	44.0	07:45 AM - 07:50 AM	50.7	48.5
02:30 AM - 02:35 AM	50.6	43.1	05:10 AM - 05:15 AM	52.8	43.3	07:50 AM - 07:55 AM	53.5	49.4
02:35 AM - 02:40 AM	48.0	42.9	05:15 AM - 05:20 AM	49.4	43.3	07:55 AM - 08:00 AM	50.8	48.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544274-1

Page 1 of 3

Sample Number 2620802-23
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 25 - Mar 26, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 01122567

Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	54.1	49.1	10:40 AM - 10:45 AM	51.2	41.6	01:20 PM - 01:25 PM	50.7	40.4
08:05 AM - 08:10 AM	49.9	47.8	10:45 AM - 10:50 AM	44.1	39.9	01:25 PM - 01:30 PM	45.7	41.0
08:10 AM - 08:15 AM	49.9	46.8	10:50 AM - 10:55 AM	44.3	41.9	01:30 PM - 01:35 PM	50.6	41.6
08:15 AM - 08:20 AM	53.4	46.8	10:55 AM - 11:00 AM	51.2	42.1	01:35 PM - 01:40 PM	46.7	41.0
08:20 AM - 08:25 AM	49.4	46.3	11:00 AM - 11:05 AM	45.2	41.3	01:40 PM - 01:45 PM	44.4	39.6
08:25 AM - 08:30 AM	51.2	45.6	11:05 AM - 11:10 AM	46.7	43.0	01:45 PM - 01:50 PM	43.6	38.6
08:30 AM - 08:35 AM	53.9	43.4	11:10 AM - 11:15 AM	46.3	41.7	01:50 PM - 01:55 PM	45.3	40.0
08:35 AM - 08:40 AM	46.5	44.0	11:15 AM - 11:20 AM	46.9	41.1	01:55 PM - 02:00 PM	45.7	39.3
08:40 AM - 08:45 AM	49.7	44.8	11:20 AM - 11:25 AM	53.1	42.2	02:00 PM - 02:05 PM	47.9	39.7
08:45 AM - 08:50 AM	47.6	43.8	11:25 AM - 11:30 AM	47.2	41.4	02:05 PM - 02:10 PM	44.3	39.3
08:50 AM - 08:55 AM	48.2	40.9	11:30 AM - 11:35 AM	45.6	41.0	02:10 PM - 02:15 PM	45.3	40.1
08:55 AM - 09:00 AM	44.2	41.1	11:35 AM - 11:40 AM	46.4	41.0	02:15 PM - 02:20 PM	44.7	40.8
09:00 AM - 09:05 AM	47.5	43.0	11:40 AM - 11:45 AM	45.9	41.0	02:20 PM - 02:25 PM	44.2	40.3
09:05 AM - 09:10 AM	44.6	42.4	11:45 AM - 11:50 AM	46.2	42.0	02:25 PM - 02:30 PM	48.4	40.2
09:10 AM - 09:15 AM	50.7	43.0	11:50 AM - 11:55 AM	47.6	40.9	02:30 PM - 02:35 PM	45.5	39.6
09:15 AM - 09:20 AM	46.4	43.2	11:55 AM - 12:00 PM	49.1	41.7	02:35 PM - 02:40 PM	45.4	39.0
09:20 AM - 09:25 AM	48.6	43.4	12:00 PM - 12:05 PM	47.0	39.4	02:40 PM - 02:45 PM	46.5	40.4
09:25 AM - 09:30 AM	53.2	44.3	12:05 PM - 12:10 PM	44.6	38.7	02:45 PM - 02:50 PM	45.9	41.3
09:30 AM - 09:35 AM	48.1	43.4	12:10 PM - 12:15 PM	42.8	38.0	02:50 PM - 02:55 PM	45.6	40.4
09:35 AM - 09:40 AM	46.8	41.4	12:15 PM - 12:20 PM	44.9	38.9	02:55 PM - 03:00 PM	44.8	40.1
09:40 AM - 09:45 AM	53.9	42.0	12:20 PM - 12:25 PM	50.4	40.1	03:00 PM - 03:05 PM	49.1	40.7
09:45 AM - 09:50 AM	50.6	41.0	12:25 PM - 12:30 PM	45.4	39.2	03:05 PM - 03:10 PM	44.6	41.1
09:50 AM - 09:55 AM	46.5	41.5	12:30 PM - 12:35 PM	46.5	39.2	03:10 PM - 03:15 PM	45.2	41.3
09:55 AM - 10:00 AM	48.4	42.9	12:35 PM - 12:40 PM	46.4	40.7	03:15 PM - 03:20 PM	44.5	41.5
10:00 AM - 10:05 AM	48.0	41.3	12:40 PM - 12:45 PM	47.3	39.2	03:20 PM - 03:25 PM	44.4	40.9
10:05 AM - 10:10 AM	46.4	40.8	12:45 PM - 12:50 PM	45.2	39.6	03:25 PM - 03:30 PM	44.5	40.4
10:10 AM - 10:15 AM	47.1	40.9	12:50 PM - 12:55 PM	44.2	39.3	03:30 PM - 03:35 PM	46.8	40.9
10:15 AM - 10:20 AM	50.9	42.0	12:55 PM - 01:00 PM	49.7	40.4	03:35 PM - 03:40 PM	44.5	41.0
10:20 AM - 10:25 AM	49.5	41.4	01:00 PM - 01:05 PM	47.3	39.0	03:40 PM - 03:45 PM	48.5	41.7
10:25 AM - 10:30 AM	43.3	40.2	01:05 PM - 01:10 PM	46.9	38.8	03:45 PM - 03:50 PM	46.8	41.8
10:30 AM - 10:35 AM	48.4	41.5	01:10 PM - 01:15 PM	45.7	40.0	03:50 PM - 03:55 PM	43.7	40.8
10:35 AM - 10:40 AM	44.3	41.3	01:15 PM - 01:20 PM	50.2	39.9	03:55 PM - 04:00 PM	48.2	44.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544274-1

Page 2 of 3

Sample Number 2620802-23
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 25 - Mar 26, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122567

Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	48.2	43.5	06:40 PM - 06:45 PM	57.2	44.9	09:20 PM - 09:25 PM	47.0	44.5
04:05 PM - 04:10 PM	48.1	43.7	06:45 PM - 06:50 PM	53.6	46.4	09:25 PM - 09:30 PM	46.7	44.3
04:10 PM - 04:15 PM	47.5	44.2	06:50 PM - 06:55 PM	51.3	46.9	09:30 PM - 09:35 PM	46.0	43.8
04:15 PM - 04:20 PM	50.3	44.1	06:55 PM - 07:00 PM	48.5	47.6	09:35 PM - 09:40 PM	45.8	44.3
04:20 PM - 04:25 PM	52.0	46.0	07:00 PM - 07:05 PM	48.6	47.8	09:40 PM - 09:45 PM	46.5	44.5
04:25 PM - 04:30 PM	48.1	44.6	07:05 PM - 07:10 PM	49.4	48.0	09:45 PM - 09:50 PM	46.6	44.4
04:30 PM - 04:35 PM	48.0	43.5	07:10 PM - 07:15 PM	48.9	47.9	09:50 PM - 09:55 PM	45.4	43.4
04:35 PM - 04:40 PM	53.0	44.6	07:15 PM - 07:20 PM	49.9	48.3	09:55 PM - 10:00 PM	44.4	43.4
04:40 PM - 04:45 PM	51.3	43.5	07:20 PM - 07:25 PM	48.8	48.0	10:00 PM - 10:05 PM	44.3	43.6
04:45 PM - 04:50 PM	45.9	43.6	07:25 PM - 07:30 PM	48.2	47.2	10:05 PM - 10:10 PM	44.5	43.8
04:50 PM - 04:55 PM	49.2	43.9	07:30 PM - 07:35 PM	48.3	47.3	10:10 PM - 10:15 PM	44.8	44.0
04:55 PM - 05:00 PM	51.9	44.3	07:35 PM - 07:40 PM	47.4	46.1	10:15 PM - 10:20 PM	44.9	44.0
05:00 PM - 05:05 PM	47.1	42.8	07:40 PM - 07:45 PM	47.5	46.3	10:20 PM - 10:25 PM	44.3	43.3
05:05 PM - 05:10 PM	49.1	45.8	07:45 PM - 07:50 PM	48.3	46.9	10:25 PM - 10:30 PM	44.5	43.5
05:10 PM - 05:15 PM	48.6	44.5	07:50 PM - 07:55 PM	48.9	46.4	10:30 PM - 10:35 PM	44.6	43.4
05:15 PM - 05:20 PM	46.2	43.5	07:55 PM - 08:00 PM	47.1	46.1	10:35 PM - 10:40 PM	44.2	43.1
05:20 PM - 05:25 PM	50.3	44.5	08:00 PM - 08:05 PM	47.1	45.9	10:40 PM - 10:45 PM	45.5	43.6
05:25 PM - 05:30 PM	48.1	44.0	08:05 PM - 08:10 PM	47.2	45.3	10:45 PM - 10:50 PM	44.7	43.4
05:30 PM - 05:35 PM	46.3	44.2	08:10 PM - 08:15 PM	48.9	46.0	10:50 PM - 10:55 PM	44.9	43.8
05:35 PM - 05:40 PM	53.7	43.5	08:15 PM - 08:20 PM	48.4	45.9	10:55 PM - 11:00 PM	45.4	44.2
05:40 PM - 05:45 PM	49.6	45.0	08:20 PM - 08:25 PM	47.6	46.2	11:00 PM - 11:05 PM	44.4	43.7
05:45 PM - 05:50 PM	50.7	46.7	08:25 PM - 08:30 PM	47.6	46.3	11:05 PM - 11:10 PM	44.8	43.7
05:50 PM - 05:55 PM	53.4	46.9	08:30 PM - 08:35 PM	49.2	46.1	11:10 PM - 11:15 PM	43.8	43.4
05:55 PM - 06:00 PM	50.1	46.5	08:35 PM - 08:40 PM	50.4	45.1	11:15 PM - 11:20 PM	44.1	43.6
06:00 PM - 06:05 PM	51.5	45.8	08:40 PM - 08:45 PM	50.3	44.9	11:20 PM - 11:25 PM	44.1	43.5
06:05 PM - 06:10 PM	52.2	44.1	08:45 PM - 08:50 PM	54.7	47.6	11:25 PM - 11:30 PM	43.8	43.2
06:10 PM - 06:15 PM	50.3	43.9	08:50 PM - 08:55 PM	51.3	45.8	11:30 PM - 11:35 PM	44.0	43.6
06:15 PM - 06:20 PM	51.6	44.3	08:55 PM - 09:00 PM	46.9	43.5	11:35 PM - 11:40 PM	44.3	43.8
06:20 PM - 06:25 PM	47.8	43.8	09:00 PM - 09:05 PM	45.2	43.7	11:40 PM - 11:45 PM	44.4	43.7
06:25 PM - 06:30 PM	57.7	44.8	09:05 PM - 09:10 PM	46.6	44.0	11:45 PM - 11:50 PM	44.9	44.3
06:30 PM - 06:35 PM	50.2	44.5	09:10 PM - 09:15 PM	48.0	43.8	11:50 PM - 11:55 PM	44.7	44.0
06:35 PM - 06:40 PM	52.4	45.6	09:15 PM - 09:20 PM	47.6	45.5	11:55 PM - 12:00 AM	43.8	43.0

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544274-1

Page 3 of 3

Sample Number 2620802-23
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 25 - Mar 26, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122567

Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	46.0	43.5	02:40 AM - 02:45 AM	43.3	42.1	05:20 AM - 05:25 AM	51.7	44.7
12:05 AM - 12:10 AM	45.4	43.1	02:45 AM - 02:50 AM	42.4	41.7	05:25 AM - 05:30 AM	55.0	45.9
12:10 AM - 12:15 AM	43.6	42.9	02:50 AM - 02:55 AM	42.5	41.8	05:30 AM - 05:35 AM	54.5	46.0
12:15 AM - 12:20 AM	56.4	43.0	02:55 AM - 03:00 AM	43.6	42.3	05:35 AM - 05:40 AM	51.1	46.5
12:20 AM - 12:25 AM	44.8	42.9	03:00 AM - 03:05 AM	44.7	43.5	05:40 AM - 05:45 AM	56.1	47.3
12:25 AM - 12:30 AM	43.8	42.7	03:05 AM - 03:10 AM	43.8	42.9	05:45 AM - 05:50 AM	55.2	48.2
12:30 AM - 12:35 AM	43.0	42.4	03:10 AM - 03:15 AM	43.7	43.0	05:50 AM - 05:55 AM	53.2	48.9
12:35 AM - 12:40 AM	46.8	42.7	03:15 AM - 03:20 AM	43.9	42.8	05:55 AM - 06:00 AM	53.2	49.5
12:40 AM - 12:45 AM	45.7	42.4	03:20 AM - 03:25 AM	43.9	42.9	06:00 AM - 06:05 AM	54.3	49.7
12:45 AM - 12:50 AM	42.8	42.3	03:25 AM - 03:30 AM	43.5	42.7	06:05 AM - 06:10 AM	53.2	48.3
12:50 AM - 12:55 AM	42.2	41.7	03:30 AM - 03:35 AM	42.8	42.1	06:10 AM - 06:15 AM	53.0	48.5
12:55 AM - 01:00 AM	42.2	41.8	03:35 AM - 03:40 AM	53.2	42.3	06:15 AM - 06:20 AM	52.6	48.5
01:00 AM - 01:05 AM	42.8	42.1	03:40 AM - 03:45 AM	44.2	42.2	06:20 AM - 06:25 AM	55.4	48.6
01:05 AM - 01:10 AM	42.7	41.9	03:45 AM - 03:50 AM	42.4	41.9	06:25 AM - 06:30 AM	57.4	49.1
01:10 AM - 01:15 AM	42.5	41.8	03:50 AM - 03:55 AM	42.6	42.0	06:30 AM - 06:35 AM	51.1	49.0
01:15 AM - 01:20 AM	41.9	41.3	03:55 AM - 04:00 AM	50.2	41.7	06:35 AM - 06:40 AM	51.8	48.5
01:20 AM - 01:25 AM	42.3	41.7	04:00 AM - 04:05 AM	45.2	41.6	06:40 AM - 06:45 AM	49.8	48.1
01:25 AM - 01:30 AM	44.6	41.5	04:05 AM - 04:10 AM	44.5	42.2	06:45 AM - 06:50 AM	50.3	48.1
01:30 AM - 01:35 AM	51.8	41.8	04:10 AM - 04:15 AM	43.7	41.4	06:50 AM - 06:55 AM	50.0	48.0
01:35 AM - 01:40 AM	43.6	42.6	04:15 AM - 04:20 AM	51.1	42.7	06:55 AM - 07:00 AM	48.9	47.4
01:40 AM - 01:45 AM	45.7	42.5	04:20 AM - 04:25 AM	49.8	43.1	07:00 AM - 07:05 AM	50.6	48.2
01:45 AM - 01:50 AM	43.9	42.6	04:25 AM - 04:30 AM	49.0	42.6	07:05 AM - 07:10 AM	50.9	47.0
01:50 AM - 01:55 AM	43.8	42.6	04:30 AM - 04:35 AM	47.7	43.4	07:10 AM - 07:15 AM	48.8	46.7
01:55 AM - 02:00 AM	45.0	43.7	04:35 AM - 04:40 AM	47.0	43.0	07:15 AM - 07:20 AM	49.6	47.4
02:00 AM - 02:05 AM	44.4	43.7	04:40 AM - 04:45 AM	47.9	43.1	07:20 AM - 07:25 AM	50.8	47.7
02:05 AM - 02:10 AM	56.2	43.4	04:45 AM - 04:50 AM	49.0	43.0	07:25 AM - 07:30 AM	50.5	47.8
02:10 AM - 02:15 AM	47.0	43.2	04:50 AM - 04:55 AM	47.7	43.7	07:30 AM - 07:35 AM	50.4	48.0
02:15 AM - 02:20 AM	43.9	43.2	04:55 AM - 05:00 AM	47.6	43.8	07:35 AM - 07:40 AM	51.5	48.0
02:20 AM - 02:25 AM	43.7	42.9	05:00 AM - 05:05 AM	49.9	44.7	07:40 AM - 07:45 AM	52.4	48.5
02:25 AM - 02:30 AM	43.6	42.8	05:05 AM - 05:10 AM	49.7	44.6	07:45 AM - 07:50 AM	50.6	47.8
02:30 AM - 02:35 AM	43.4	42.4	05:10 AM - 05:15 AM	50.4	44.8	07:50 AM - 07:55 AM	50.5	47.5
02:35 AM - 02:40 AM	43.8	42.9	05:15 AM - 05:20 AM	50.6	45.8	07:55 AM - 08:00 AM	50.2	47.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544275-1

Page 1 of 3

Sample Number 2620802-24
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 26 - Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122567

Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	50.7	47.9	10:40 AM - 10:45 AM	49.8	44.9	01:20 PM - 01:25 PM	47.4	42.1
08:05 AM - 08:10 AM	52.0	47.5	10:45 AM - 10:50 AM	54.1	43.9	01:25 PM - 01:30 PM	49.5	45.2
08:10 AM - 08:15 AM	52.8	47.3	10:50 AM - 10:55 AM	49.9	44.2	01:30 PM - 01:35 PM	51.6	45.5
08:15 AM - 08:20 AM	48.6	46.3	10:55 AM - 11:00 AM	51.6	43.5	01:35 PM - 01:40 PM	48.8	44.3
08:20 AM - 08:25 AM	49.8	46.8	11:00 AM - 11:05 AM	52.7	44.3	01:40 PM - 01:45 PM	51.7	44.7
08:25 AM - 08:30 AM	51.4	46.4	11:05 AM - 11:10 AM	49.3	43.9	01:45 PM - 01:50 PM	48.6	44.4
08:30 AM - 08:35 AM	48.9	46.3	11:10 AM - 11:15 AM	49.1	43.5	01:50 PM - 01:55 PM	51.1	43.8
08:35 AM - 08:40 AM	47.8	44.4	11:15 AM - 11:20 AM	46.6	43.1	01:55 PM - 02:00 PM	49.9	43.5
08:40 AM - 08:45 AM	48.7	45.9	11:20 AM - 11:25 AM	49.9	43.9	02:00 PM - 02:05 PM	48.9	44.7
08:45 AM - 08:50 AM	48.8	46.2	11:25 AM - 11:30 AM	52.7	45.2	02:05 PM - 02:10 PM	50.2	45.2
08:50 AM - 08:55 AM	49.2	46.4	11:30 AM - 11:35 AM	48.6	43.5	02:10 PM - 02:15 PM	50.3	45.5
08:55 AM - 09:00 AM	48.7	45.5	11:35 AM - 11:40 AM	48.4	43.6	02:15 PM - 02:20 PM	50.1	45.9
09:00 AM - 09:05 AM	50.7	46.6	11:40 AM - 11:45 AM	49.6	41.8	02:20 PM - 02:25 PM	50.1	45.6
09:05 AM - 09:10 AM	50.4	47.2	11:45 AM - 11:50 AM	44.7	40.0	02:25 PM - 02:30 PM	49.2	44.4
09:10 AM - 09:15 AM	53.0	46.1	11:50 AM - 11:55 AM	44.9	38.5	02:30 PM - 02:35 PM	48.6	43.2
09:15 AM - 09:20 AM	52.6	45.5	11:55 AM - 12:00 PM	43.5	38.5	02:35 PM - 02:40 PM	48.0	42.3
09:20 AM - 09:25 AM	51.1	47.5	12:00 PM - 12:05 PM	45.0	38.7	02:40 PM - 02:45 PM	49.0	43.2
09:25 AM - 09:30 AM	50.7	46.6	12:05 PM - 12:10 PM	46.6	39.2	02:45 PM - 02:50 PM	50.7	44.4
09:30 AM - 09:35 AM	49.4	44.0	12:10 PM - 12:15 PM	46.2	40.6	02:50 PM - 02:55 PM	45.5	40.4
09:35 AM - 09:40 AM	50.1	45.9	12:15 PM - 12:20 PM	47.8	41.1	02:55 PM - 03:00 PM	43.4	39.8
09:40 AM - 09:45 AM	51.2	45.1	12:20 PM - 12:25 PM	46.4	42.1	03:00 PM - 03:05 PM	42.8	39.6
09:45 AM - 09:50 AM	48.2	42.0	12:25 PM - 12:30 PM	58.1	42.9	03:05 PM - 03:10 PM	43.9	40.8
09:50 AM - 09:55 AM	50.8	45.4	12:30 PM - 12:35 PM	56.2	43.7	03:10 PM - 03:15 PM	50.7	40.8
09:55 AM - 10:00 AM	52.7	45.8	12:35 PM - 12:40 PM	51.9	43.7	03:15 PM - 03:20 PM	46.5	40.5
10:00 AM - 10:05 AM	47.8	43.5	12:40 PM - 12:45 PM	49.7	43.9	03:20 PM - 03:25 PM	44.0	39.5
10:05 AM - 10:10 AM	51.3	44.4	12:45 PM - 12:50 PM	48.9	44.2	03:25 PM - 03:30 PM	52.6	41.0
10:10 AM - 10:15 AM	48.5	43.8	12:50 PM - 12:55 PM	47.3	43.3	03:30 PM - 03:35 PM	43.4	39.0
10:15 AM - 10:20 AM	46.8	43.8	12:55 PM - 01:00 PM	48.9	43.6	03:35 PM - 03:40 PM	41.5	38.8
10:20 AM - 10:25 AM	47.9	43.0	01:00 PM - 01:05 PM	46.8	42.1	03:40 PM - 03:45 PM	54.2	42.0
10:25 AM - 10:30 AM	53.3	44.8	01:05 PM - 01:10 PM	53.1	45.2	03:45 PM - 03:50 PM	55.1	38.9
10:30 AM - 10:35 AM	54.3	44.4	01:10 PM - 01:15 PM	47.8	43.8	03:50 PM - 03:55 PM	44.0	39.4
10:35 AM - 10:40 AM	51.1	46.1	01:15 PM - 01:20 PM	45.4	42.3	03:55 PM - 04:00 PM	43.4	40.3

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544275-1

Page 2 of 3

Sample Number 2620802-24
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 26 - Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122567

Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	53.8	41.2	06:40 PM - 06:45 PM	49.8	44.8	09:20 PM - 09:25 PM	47.4	42.7
04:05 PM - 04:10 PM	42.8	40.4	06:45 PM - 06:50 PM	50.6	45.5	09:25 PM - 09:30 PM	44.1	42.1
04:10 PM - 04:15 PM	45.6	41.9	06:50 PM - 06:55 PM	47.2	44.9	09:30 PM - 09:35 PM	43.8	42.3
04:15 PM - 04:20 PM	45.0	42.3	06:55 PM - 07:00 PM	46.8	45.9	09:35 PM - 09:40 PM	43.4	42.4
04:20 PM - 04:25 PM	45.7	41.4	07:00 PM - 07:05 PM	47.4	46.5	09:40 PM - 09:45 PM	44.5	42.6
04:25 PM - 04:30 PM	48.7	41.8	07:05 PM - 07:10 PM	47.2	46.5	09:45 PM - 09:50 PM	43.8	42.6
04:30 PM - 04:35 PM	48.5	40.6	07:10 PM - 07:15 PM	47.4	46.1	09:50 PM - 09:55 PM	43.4	42.4
04:35 PM - 04:40 PM	46.8	40.4	07:15 PM - 07:20 PM	46.9	46.1	09:55 PM - 10:00 PM	43.0	42.3
04:40 PM - 04:45 PM	47.6	41.9	07:20 PM - 07:25 PM	48.2	45.7	10:00 PM - 10:05 PM	43.1	42.3
04:45 PM - 04:50 PM	44.4	42.3	07:25 PM - 07:30 PM	47.3	45.4	10:05 PM - 10:10 PM	43.9	42.3
04:50 PM - 04:55 PM	51.1	42.9	07:30 PM - 07:35 PM	47.8	45.8	10:10 PM - 10:15 PM	43.7	42.7
04:55 PM - 05:00 PM	54.7	44.9	07:35 PM - 07:40 PM	47.6	45.4	10:15 PM - 10:20 PM	44.8	43.0
05:00 PM - 05:05 PM	48.0	44.6	07:40 PM - 07:45 PM	46.5	45.4	10:20 PM - 10:25 PM	43.6	42.6
05:05 PM - 05:10 PM	49.7	45.6	07:45 PM - 07:50 PM	46.8	45.7	10:25 PM - 10:30 PM	43.3	42.6
05:10 PM - 05:15 PM	55.3	45.6	07:50 PM - 07:55 PM	45.9	45.1	10:30 PM - 10:35 PM	43.2	42.6
05:15 PM - 05:20 PM	52.7	46.4	07:55 PM - 08:00 PM	47.4	44.9	10:35 PM - 10:40 PM	43.2	42.4
05:20 PM - 05:25 PM	48.1	45.5	08:00 PM - 08:05 PM	46.2	44.5	10:40 PM - 10:45 PM	46.0	42.6
05:25 PM - 05:30 PM	48.2	46.0	08:05 PM - 08:10 PM	46.1	44.8	10:45 PM - 10:50 PM	43.1	42.5
05:30 PM - 05:35 PM	52.6	44.9	08:10 PM - 08:15 PM	46.7	45.1	10:50 PM - 10:55 PM	43.4	42.7
05:35 PM - 05:40 PM	51.0	44.9	08:15 PM - 08:20 PM	45.5	44.4	10:55 PM - 11:00 PM	43.3	42.5
05:40 PM - 05:45 PM	53.0	46.2	08:20 PM - 08:25 PM	45.4	44.4	11:00 PM - 11:05 PM	47.2	43.5
05:45 PM - 05:50 PM	48.7	44.0	08:25 PM - 08:30 PM	45.1	44.0	11:05 PM - 11:10 PM	45.2	43.9
05:50 PM - 05:55 PM	48.4	43.8	08:30 PM - 08:35 PM	45.6	44.4	11:10 PM - 11:15 PM	44.8	44.0
05:55 PM - 06:00 PM	53.1	45.1	08:35 PM - 08:40 PM	45.0	43.7	11:15 PM - 11:20 PM	44.7	44.0
06:00 PM - 06:05 PM	51.1	44.8	08:40 PM - 08:45 PM	45.9	43.5	11:20 PM - 11:25 PM	44.7	44.2
06:05 PM - 06:10 PM	48.4	42.8	08:45 PM - 08:50 PM	48.7	47.3	11:25 PM - 11:30 PM	45.1	44.1
06:10 PM - 06:15 PM	48.2	42.8	08:50 PM - 08:55 PM	49.3	47.0	11:30 PM - 11:35 PM	44.7	44.2
06:15 PM - 06:20 PM	45.4	42.2	08:55 PM - 09:00 PM	47.6	45.6	11:35 PM - 11:40 PM	44.4	43.8
06:20 PM - 06:25 PM	48.5	42.9	09:00 PM - 09:05 PM	48.0	46.6	11:40 PM - 11:45 PM	44.5	44.0
06:25 PM - 06:30 PM	50.6	43.2	09:05 PM - 09:10 PM	47.4	43.3	11:45 PM - 11:50 PM	44.5	44.0
06:30 PM - 06:35 PM	51.0	42.9	09:10 PM - 09:15 PM	47.6	46.1	11:50 PM - 11:55 PM	44.3	43.7
06:35 PM - 06:40 PM	50.4	43.2	09:15 PM - 09:20 PM	47.7	44.0	11:55 PM - 12:00 AM	44.2	43.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544275-1

Page 3 of 3

Sample Number 2620802-24
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 26 - Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122567

Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	44.5	43.6	02:40 AM - 02:45 AM	44.4	43.9	05:20 AM - 05:25 AM	51.9	46.0
12:05 AM - 12:10 AM	45.4	44.2	02:45 AM - 02:50 AM	44.5	43.9	05:25 AM - 05:30 AM	51.8	46.2
12:10 AM - 12:15 AM	45.3	44.2	02:50 AM - 02:55 AM	44.5	43.8	05:30 AM - 05:35 AM	58.0	47.3
12:15 AM - 12:20 AM	47.9	44.1	02:55 AM - 03:00 AM	44.7	44.1	05:35 AM - 05:40 AM	51.8	47.4
12:20 AM - 12:25 AM	48.3	43.9	03:00 AM - 03:05 AM	44.5	44.0	05:40 AM - 05:45 AM	55.5	47.2
12:25 AM - 12:30 AM	43.9	43.0	03:05 AM - 03:10 AM	44.3	43.5	05:45 AM - 05:50 AM	54.8	48.0
12:30 AM - 12:35 AM	44.0	43.4	03:10 AM - 03:15 AM	44.8	44.2	05:50 AM - 05:55 AM	56.8	50.3
12:35 AM - 12:40 AM	43.9	43.3	03:15 AM - 03:20 AM	45.1	44.5	05:55 AM - 06:00 AM	56.5	51.0
12:40 AM - 12:45 AM	44.1	43.6	03:20 AM - 03:25 AM	44.6	44.0	06:00 AM - 06:05 AM	54.3	50.7
12:45 AM - 12:50 AM	43.6	42.9	03:25 AM - 03:30 AM	44.6	43.9	06:05 AM - 06:10 AM	54.0	50.8
12:50 AM - 12:55 AM	43.9	42.8	03:30 AM - 03:35 AM	47.0	44.3	06:10 AM - 06:15 AM	57.4	50.7
12:55 AM - 01:00 AM	52.6	44.4	03:35 AM - 03:40 AM	48.7	44.8	06:15 AM - 06:20 AM	55.1	50.4
01:00 AM - 01:05 AM	45.3	44.3	03:40 AM - 03:45 AM	44.7	43.8	06:20 AM - 06:25 AM	53.7	50.2
01:05 AM - 01:10 AM	50.5	44.1	03:45 AM - 03:50 AM	45.3	43.5	06:25 AM - 06:30 AM	53.4	50.1
01:10 AM - 01:15 AM	46.3	43.3	03:50 AM - 03:55 AM	50.0	43.5	06:30 AM - 06:35 AM	53.2	49.7
01:15 AM - 01:20 AM	44.2	43.2	03:55 AM - 04:00 AM	47.3	43.5	06:35 AM - 06:40 AM	53.8	50.3
01:20 AM - 01:25 AM	43.8	43.0	04:00 AM - 04:05 AM	46.7	43.3	06:40 AM - 06:45 AM	52.0	50.3
01:25 AM - 01:30 AM	44.1	43.5	04:05 AM - 04:10 AM	46.9	44.3	06:45 AM - 06:50 AM	51.4	49.4
01:30 AM - 01:35 AM	43.5	42.9	04:10 AM - 04:15 AM	53.3	44.5	06:50 AM - 06:55 AM	51.8	50.1
01:35 AM - 01:40 AM	43.3	42.5	04:15 AM - 04:20 AM	47.1	44.4	06:55 AM - 07:00 AM	50.9	49.2
01:40 AM - 01:45 AM	43.4	42.7	04:20 AM - 04:25 AM	45.0	44.3	07:00 AM - 07:05 AM	52.8	49.1
01:45 AM - 01:50 AM	47.3	42.6	04:25 AM - 04:30 AM	45.3	44.7	07:05 AM - 07:10 AM	50.7	47.0
01:50 AM - 01:55 AM	42.9	42.2	04:30 AM - 04:35 AM	48.9	44.3	07:10 AM - 07:15 AM	52.8	48.8
01:55 AM - 02:00 AM	43.2	42.5	04:35 AM - 04:40 AM	48.6	43.8	07:15 AM - 07:20 AM	53.0	49.1
02:00 AM - 02:05 AM	43.5	42.9	04:40 AM - 04:45 AM	45.8	43.5	07:20 AM - 07:25 AM	51.1	49.3
02:05 AM - 02:10 AM	43.5	42.6	04:45 AM - 04:50 AM	52.7	43.8	07:25 AM - 07:30 AM	51.9	50.1
02:10 AM - 02:15 AM	55.5	43.2	04:50 AM - 04:55 AM	51.7	43.6	07:30 AM - 07:35 AM	51.6	49.4
02:15 AM - 02:20 AM	53.9	43.8	04:55 AM - 05:00 AM	49.9	43.5	07:35 AM - 07:40 AM	50.4	48.3
02:20 AM - 02:25 AM	44.8	43.5	05:00 AM - 05:05 AM	50.2	43.5	07:40 AM - 07:45 AM	52.3	46.4
02:25 AM - 02:30 AM	44.4	43.7	05:05 AM - 05:10 AM	49.3	43.9	07:45 AM - 07:50 AM	53.4	47.7
02:30 AM - 02:35 AM	44.5	43.6	05:10 AM - 05:15 AM	50.0	43.9	07:50 AM - 07:55 AM	54.5	50.1
02:35 AM - 02:40 AM	44.1	43.4	05:15 AM - 05:20 AM	50.3	43.9	07:55 AM - 08:00 AM	51.7	48.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544276-1

Page 1 of 3

Sample Number 2620802-25
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 27 - Mar 28, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 01122567

Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	52.9	49.1	10:40 AM - 10:45 AM	51.8	43.4	01:20 PM - 01:25 PM	49.6	43.2
08:05 AM - 08:10 AM	50.1	47.8	10:45 AM - 10:50 AM	50.3	44.9	01:25 PM - 01:30 PM	49.1	45.3
08:10 AM - 08:15 AM	49.7	47.8	10:50 AM - 10:55 AM	48.9	45.1	01:30 PM - 01:35 PM	49.2	46.1
08:15 AM - 08:20 AM	50.7	47.8	10:55 AM - 11:00 AM	50.1	46.7	01:35 PM - 01:40 PM	47.3	44.8
08:20 AM - 08:25 AM	50.5	47.9	11:00 AM - 11:05 AM	52.1	47.1	01:40 PM - 01:45 PM	48.4	44.8
08:25 AM - 08:30 AM	49.9	47.5	11:05 AM - 11:10 AM	50.4	45.7	01:45 PM - 01:50 PM	53.0	44.7
08:30 AM - 08:35 AM	51.1	48.0	11:10 AM - 11:15 AM	54.7	44.8	01:50 PM - 01:55 PM	49.1	45.7
08:35 AM - 08:40 AM	52.7	47.6	11:15 AM - 11:20 AM	50.5	44.3	01:55 PM - 02:00 PM	51.3	44.6
08:40 AM - 08:45 AM	51.6	47.4	11:20 AM - 11:25 AM	55.2	46.5	02:00 PM - 02:05 PM	49.3	45.9
08:45 AM - 08:50 AM	51.8	48.6	11:25 AM - 11:30 AM	55.3	45.6	02:05 PM - 02:10 PM	47.4	44.2
08:50 AM - 08:55 AM	52.1	46.9	11:30 AM - 11:35 AM	55.5	44.6	02:10 PM - 02:15 PM	47.8	43.6
08:55 AM - 09:00 AM	50.2	45.1	11:35 AM - 11:40 AM	56.0	45.2	02:15 PM - 02:20 PM	46.0	43.0
09:00 AM - 09:05 AM	51.1	46.7	11:40 AM - 11:45 AM	50.0	43.1	02:20 PM - 02:25 PM	48.8	43.7
09:05 AM - 09:10 AM	54.4	47.3	11:45 AM - 11:50 AM	45.0	42.2	02:25 PM - 02:30 PM	50.5	44.6
09:10 AM - 09:15 AM	49.4	46.6	11:50 AM - 11:55 AM	47.4	42.7	02:30 PM - 02:35 PM	53.3	46.4
09:15 AM - 09:20 AM	49.3	44.9	11:55 AM - 12:00 PM	56.1	43.0	02:35 PM - 02:40 PM	49.6	45.3
09:20 AM - 09:25 AM	46.3	43.1	12:00 PM - 12:05 PM	60.8	44.9	02:40 PM - 02:45 PM	50.3	45.5
09:25 AM - 09:30 AM	52.6	41.7	12:05 PM - 12:10 PM	56.2	43.8	02:45 PM - 02:50 PM	48.4	44.3
09:30 AM - 09:35 AM	52.2	42.8	12:10 PM - 12:15 PM	59.6	58.8	02:50 PM - 02:55 PM	48.9	45.5
09:35 AM - 09:40 AM	48.6	41.5	12:15 PM - 12:20 PM	60.3	53.8	02:55 PM - 03:00 PM	48.5	45.0
09:40 AM - 09:45 AM	74.1	42.6	12:20 PM - 12:25 PM	52.6	46.2	03:00 PM - 03:05 PM	50.6	46.0
09:45 AM - 09:50 AM	49.6	40.6	12:25 PM - 12:30 PM	50.0	44.9	03:05 PM - 03:10 PM	48.2	43.8
09:50 AM - 09:55 AM	48.1	41.9	12:30 PM - 12:35 PM	49.4	44.5	03:10 PM - 03:15 PM	48.6	44.3
09:55 AM - 10:00 AM	45.9	41.5	12:35 PM - 12:40 PM	48.4	43.4	03:15 PM - 03:20 PM	52.3	43.7
10:00 AM - 10:05 AM	45.9	41.8	12:40 PM - 12:45 PM	49.1	44.4	03:20 PM - 03:25 PM	52.3	41.8
10:05 AM - 10:10 AM	48.6	41.4	12:45 PM - 12:50 PM	53.0	44.7	03:25 PM - 03:30 PM	48.6	43.5
10:10 AM - 10:15 AM	51.5	41.7	12:50 PM - 12:55 PM	48.1	43.6	03:30 PM - 03:35 PM	49.0	44.9
10:15 AM - 10:20 AM	46.7	42.9	12:55 PM - 01:00 PM	49.7	45.7	03:35 PM - 03:40 PM	48.8	45.1
10:20 AM - 10:25 AM	51.7	43.8	01:00 PM - 01:05 PM	50.3	45.0	03:40 PM - 03:45 PM	50.7	46.2
10:25 AM - 10:30 AM	47.9	43.5	01:05 PM - 01:10 PM	48.5	44.2	03:45 PM - 03:50 PM	52.6	49.6
10:30 AM - 10:35 AM	49.7	44.8	01:10 PM - 01:15 PM	48.5	44.2	03:50 PM - 03:55 PM	51.4	48.3
10:35 AM - 10:40 AM	49.8	42.5	01:15 PM - 01:20 PM	46.7	42.9	03:55 PM - 04:00 PM	51.2	47.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544276-1

Page 2 of 3

Sample Number 2620802-25
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 27 - Mar 28, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122567

Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	50.9	47.0	06:40 PM - 06:45 PM	52.0	45.9	09:20 PM - 09:25 PM	46.4	44.0
04:05 PM - 04:10 PM	52.3	47.6	06:45 PM - 06:50 PM	52.4	45.6	09:25 PM - 09:30 PM	48.6	43.8
04:10 PM - 04:15 PM	51.3	48.5	06:50 PM - 06:55 PM	50.0	45.8	09:30 PM - 09:35 PM	44.1	42.9
04:15 PM - 04:20 PM	52.1	48.6	06:55 PM - 07:00 PM	49.1	46.9	09:35 PM - 09:40 PM	45.8	43.4
04:20 PM - 04:25 PM	53.0	48.3	07:00 PM - 07:05 PM	47.7	46.5	09:40 PM - 09:45 PM	53.7	44.1
04:25 PM - 04:30 PM	53.6	48.7	07:05 PM - 07:10 PM	48.2	46.8	09:45 PM - 09:50 PM	45.5	43.4
04:30 PM - 04:35 PM	54.3	49.6	07:10 PM - 07:15 PM	49.1	46.3	09:50 PM - 09:55 PM	46.0	43.5
04:35 PM - 04:40 PM	56.7	50.3	07:15 PM - 07:20 PM	48.7	47.1	09:55 PM - 10:00 PM	49.3	43.5
04:40 PM - 04:45 PM	55.1	50.5	07:20 PM - 07:25 PM	49.8	45.9	10:00 PM - 10:05 PM	47.5	43.5
04:45 PM - 04:50 PM	53.8	49.4	07:25 PM - 07:30 PM	47.8	45.0	10:05 PM - 10:10 PM	46.3	44.5
04:50 PM - 04:55 PM	56.9	51.7	07:30 PM - 07:35 PM	47.5	44.9	10:10 PM - 10:15 PM	46.3	44.6
04:55 PM - 05:00 PM	54.5	48.9	07:35 PM - 07:40 PM	48.0	45.7	10:15 PM - 10:20 PM	46.3	44.3
05:00 PM - 05:05 PM	55.4	50.7	07:40 PM - 07:45 PM	47.6	45.9	10:20 PM - 10:25 PM	46.6	44.4
05:05 PM - 05:10 PM	57.4	50.2	07:45 PM - 07:50 PM	47.2	45.3	10:25 PM - 10:30 PM	45.2	43.4
05:10 PM - 05:15 PM	54.2	49.3	07:50 PM - 07:55 PM	45.5	44.2	10:30 PM - 10:35 PM	51.7	44.5
05:15 PM - 05:20 PM	55.1	49.5	07:55 PM - 08:00 PM	46.7	43.4	10:35 PM - 10:40 PM	45.2	44.0
05:20 PM - 05:25 PM	54.1	49.7	08:00 PM - 08:05 PM	46.7	44.1	10:40 PM - 10:45 PM	48.1	43.7
05:25 PM - 05:30 PM	52.1	47.2	08:05 PM - 08:10 PM	47.3	45.9	10:45 PM - 10:50 PM	45.5	43.8
05:30 PM - 05:35 PM	48.7	44.0	08:10 PM - 08:15 PM	47.4	45.9	10:50 PM - 10:55 PM	45.7	44.0
05:35 PM - 05:40 PM	51.7	47.4	08:15 PM - 08:20 PM	47.8	45.8	10:55 PM - 11:00 PM	45.1	43.8
05:40 PM - 05:45 PM	49.3	46.7	08:20 PM - 08:25 PM	47.2	46.0	11:00 PM - 11:05 PM	47.0	44.2
05:45 PM - 05:50 PM	51.3	48.0	08:25 PM - 08:30 PM	48.1	45.3	11:05 PM - 11:10 PM	45.1	43.9
05:50 PM - 05:55 PM	49.4	46.3	08:30 PM - 08:35 PM	48.3	46.4	11:10 PM - 11:15 PM	44.9	43.6
05:55 PM - 06:00 PM	49.8	47.0	08:35 PM - 08:40 PM	48.3	44.8	11:15 PM - 11:20 PM	44.9	43.6
06:00 PM - 06:05 PM	51.4	46.9	08:40 PM - 08:45 PM	47.8	44.9	11:20 PM - 11:25 PM	43.8	43.0
06:05 PM - 06:10 PM	53.9	45.1	08:45 PM - 08:50 PM	47.5	44.3	11:25 PM - 11:30 PM	44.4	43.2
06:10 PM - 06:15 PM	47.0	44.5	08:50 PM - 08:55 PM	46.4	44.3	11:30 PM - 11:35 PM	48.2	43.2
06:15 PM - 06:20 PM	50.4	43.4	08:55 PM - 09:00 PM	46.8	44.0	11:35 PM - 11:40 PM	44.0	43.3
06:20 PM - 06:25 PM	49.8	46.3	09:00 PM - 09:05 PM	47.1	45.0	11:40 PM - 11:45 PM	52.1	43.3
06:25 PM - 06:30 PM	48.1	45.7	09:05 PM - 09:10 PM	48.3	45.9	11:45 PM - 11:50 PM	46.6	43.1
06:30 PM - 06:35 PM	50.7	46.2	09:10 PM - 09:15 PM	46.0	44.1	11:50 PM - 11:55 PM	44.1	43.0
06:35 PM - 06:40 PM	52.7	46.8	09:15 PM - 09:20 PM	45.9	44.0	11:55 PM - 12:00 AM	44.3	42.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544276-1

Page 3 of 3

Sample Number 2620802-25
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 27 - Mar 28, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122567

Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	43.5	42.6	02:40 AM - 02:45 AM	52.3	42.9	05:20 AM - 05:25 AM	51.6	43.8
12:05 AM - 12:10 AM	43.1	42.4	02:45 AM - 02:50 AM	49.0	42.4	05:25 AM - 05:30 AM	52.2	43.9
12:10 AM - 12:15 AM	43.1	42.5	02:50 AM - 02:55 AM	51.9	42.6	05:30 AM - 05:35 AM	50.0	45.1
12:15 AM - 12:20 AM	42.9	42.2	02:55 AM - 03:00 AM	42.9	41.5	05:35 AM - 05:40 AM	54.6	46.2
12:20 AM - 12:25 AM	43.5	42.8	03:00 AM - 03:05 AM	43.1	42.3	05:40 AM - 05:45 AM	53.9	46.9
12:25 AM - 12:30 AM	47.9	42.9	03:05 AM - 03:10 AM	43.2	41.7	05:45 AM - 05:50 AM	54.0	46.8
12:30 AM - 12:35 AM	44.1	42.7	03:10 AM - 03:15 AM	42.8	42.2	05:50 AM - 05:55 AM	55.2	50.5
12:35 AM - 12:40 AM	43.6	42.4	03:15 AM - 03:20 AM	48.9	42.9	05:55 AM - 06:00 AM	55.0	51.2
12:40 AM - 12:45 AM	45.1	42.2	03:20 AM - 03:25 AM	43.6	42.9	06:00 AM - 06:05 AM	54.6	49.8
12:45 AM - 12:50 AM	43.9	42.0	03:25 AM - 03:30 AM	42.6	41.7	06:05 AM - 06:10 AM	55.0	50.0
12:50 AM - 12:55 AM	44.8	41.6	03:30 AM - 03:35 AM	42.6	41.8	06:10 AM - 06:15 AM	52.0	49.2
12:55 AM - 01:00 AM	42.4	41.6	03:35 AM - 03:40 AM	42.4	41.7	06:15 AM - 06:20 AM	51.9	49.6
01:00 AM - 01:05 AM	42.7	41.8	03:40 AM - 03:45 AM	42.0	41.3	06:20 AM - 06:25 AM	52.5	49.8
01:05 AM - 01:10 AM	42.2	41.2	03:45 AM - 03:50 AM	42.0	41.2	06:25 AM - 06:30 AM	52.0	49.9
01:10 AM - 01:15 AM	42.7	41.3	03:50 AM - 03:55 AM	41.6	40.7	06:30 AM - 06:35 AM	51.9	48.9
01:15 AM - 01:20 AM	43.1	42.0	03:55 AM - 04:00 AM	41.5	40.5	06:35 AM - 06:40 AM	51.2	49.1
01:20 AM - 01:25 AM	52.3	40.9	04:00 AM - 04:05 AM	49.0	41.5	06:40 AM - 06:45 AM	57.2	49.4
01:25 AM - 01:30 AM	41.9	41.0	04:05 AM - 04:10 AM	50.2	41.7	06:45 AM - 06:50 AM	60.8	59.8
01:30 AM - 01:35 AM	42.3	41.0	04:10 AM - 04:15 AM	42.5	41.4	06:50 AM - 06:55 AM	57.5	44.4
01:35 AM - 01:40 AM	42.7	41.7	04:15 AM - 04:20 AM	47.1	41.6	06:55 AM - 07:00 AM	48.5	44.3
01:40 AM - 01:45 AM	43.3	41.9	04:20 AM - 04:25 AM	45.5	42.1	07:00 AM - 07:05 AM	50.8	47.8
01:45 AM - 01:50 AM	42.3	41.4	04:25 AM - 04:30 AM	42.9	42.0	07:05 AM - 07:10 AM	49.6	46.8
01:50 AM - 01:55 AM	43.1	42.2	04:30 AM - 04:35 AM	51.4	41.9	07:10 AM - 07:15 AM	49.2	44.5
01:55 AM - 02:00 AM	43.6	42.4	04:35 AM - 04:40 AM	50.2	42.0	07:15 AM - 07:20 AM	48.4	44.5
02:00 AM - 02:05 AM	42.8	41.6	04:40 AM - 04:45 AM	49.2	41.8	07:20 AM - 07:25 AM	48.8	44.5
02:05 AM - 02:10 AM	42.8	41.7	04:45 AM - 04:50 AM	48.2	42.1	07:25 AM - 07:30 AM	49.7	44.7
02:10 AM - 02:15 AM	42.3	41.6	04:50 AM - 04:55 AM	48.0	42.9	07:30 AM - 07:35 AM	48.6	45.8
02:15 AM - 02:20 AM	42.2	41.2	04:55 AM - 05:00 AM	53.4	43.6	07:35 AM - 07:40 AM	51.2	46.3
02:20 AM - 02:25 AM	42.0	41.0	05:00 AM - 05:05 AM	49.7	43.7	07:40 AM - 07:45 AM	51.8	50.2
02:25 AM - 02:30 AM	43.3	41.9	05:05 AM - 05:10 AM	48.5	43.8	07:45 AM - 07:50 AM	53.0	49.8
02:30 AM - 02:35 AM	43.5	42.8	05:10 AM - 05:15 AM	51.4	44.3	07:50 AM - 07:55 AM	51.5	49.3
02:35 AM - 02:40 AM	44.8	43.2	05:15 AM - 05:20 AM	52.2	44.0	07:55 AM - 08:00 AM	53.5	48.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544277-1

Page 1 of 3

Sample Number 2620802-26
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 28 - Mar 29, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 01122567

Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	50.2	45.6	10:40 AM - 10:45 AM	50.0	43.5	01:20 PM - 01:25 PM	47.5	42.7
08:05 AM - 08:10 AM	55.7	45.7	10:45 AM - 10:50 AM	46.0	42.8	01:25 PM - 01:30 PM	47.1	43.6
08:10 AM - 08:15 AM	54.2	45.3	10:50 AM - 10:55 AM	48.0	42.4	01:30 PM - 01:35 PM	52.3	44.0
08:15 AM - 08:20 AM	47.9	45.2	10:55 AM - 11:00 AM	50.3	43.5	01:35 PM - 01:40 PM	56.7	44.0
08:20 AM - 08:25 AM	49.5	44.7	11:00 AM - 11:05 AM	44.5	41.3	01:40 PM - 01:45 PM	46.1	42.7
08:25 AM - 08:30 AM	48.2	44.4	11:05 AM - 11:10 AM	46.4	42.0	01:45 PM - 01:50 PM	51.4	43.9
08:30 AM - 08:35 AM	51.1	45.7	11:10 AM - 11:15 AM	45.4	41.6	01:50 PM - 01:55 PM	48.6	44.2
08:35 AM - 08:40 AM	48.7	45.4	11:15 AM - 11:20 AM	46.7	41.8	01:55 PM - 02:00 PM	55.0	44.0
08:40 AM - 08:45 AM	50.8	47.2	11:20 AM - 11:25 AM	48.4	42.8	02:00 PM - 02:05 PM	50.5	43.8
08:45 AM - 08:50 AM	49.2	45.0	11:25 AM - 11:30 AM	47.2	41.8	02:05 PM - 02:10 PM	47.9	43.3
08:50 AM - 08:55 AM	46.4	44.1	11:30 AM - 11:35 AM	46.0	40.8	02:10 PM - 02:15 PM	49.3	45.0
08:55 AM - 09:00 AM	46.5	44.2	11:35 AM - 11:40 AM	48.0	41.8	02:15 PM - 02:20 PM	47.6	44.0
09:00 AM - 09:05 AM	48.4	45.1	11:40 AM - 11:45 AM	47.4	41.0	02:20 PM - 02:25 PM	50.9	45.1
09:05 AM - 09:10 AM	47.5	45.1	11:45 AM - 11:50 AM	49.2	41.4	02:25 PM - 02:30 PM	46.1	43.8
09:10 AM - 09:15 AM	49.7	44.8	11:50 AM - 11:55 AM	48.3	39.8	02:30 PM - 02:35 PM	46.3	43.4
09:15 AM - 09:20 AM	47.9	44.6	11:55 AM - 12:00 PM	46.1	40.7	02:35 PM - 02:40 PM	47.0	43.7
09:20 AM - 09:25 AM	51.3	44.3	12:00 PM - 12:05 PM	51.9	40.4	02:40 PM - 02:45 PM	51.5	45.0
09:25 AM - 09:30 AM	48.6	44.8	12:05 PM - 12:10 PM	47.6	39.7	02:45 PM - 02:50 PM	47.5	44.1
09:30 AM - 09:35 AM	45.9	43.3	12:10 PM - 12:15 PM	48.0	39.4	02:50 PM - 02:55 PM	47.6	44.8
09:35 AM - 09:40 AM	54.2	44.1	12:15 PM - 12:20 PM	53.9	40.9	02:55 PM - 03:00 PM	48.0	45.5
09:40 AM - 09:45 AM	48.9	42.7	12:20 PM - 12:25 PM	44.5	39.7	03:00 PM - 03:05 PM	49.1	43.8
09:45 AM - 09:50 AM	51.0	44.3	12:25 PM - 12:30 PM	46.3	39.2	03:05 PM - 03:10 PM	49.9	44.0
09:50 AM - 09:55 AM	50.4	44.9	12:30 PM - 12:35 PM	44.9	40.1	03:10 PM - 03:15 PM	47.3	43.8
09:55 AM - 10:00 AM	49.5	44.7	12:35 PM - 12:40 PM	44.4	39.7	03:15 PM - 03:20 PM	50.4	44.8
10:00 AM - 10:05 AM	47.7	43.1	12:40 PM - 12:45 PM	46.1	40.6	03:20 PM - 03:25 PM	49.6	45.3
10:05 AM - 10:10 AM	53.4	44.4	12:45 PM - 12:50 PM	44.5	41.0	03:25 PM - 03:30 PM	48.9	45.4
10:10 AM - 10:15 AM	46.0	43.0	12:50 PM - 12:55 PM	44.6	40.4	03:30 PM - 03:35 PM	53.4	46.3
10:15 AM - 10:20 AM	45.2	42.6	12:55 PM - 01:00 PM	47.8	40.7	03:35 PM - 03:40 PM	53.4	46.4
10:20 AM - 10:25 AM	47.5	42.8	01:00 PM - 01:05 PM	47.8	44.2	03:40 PM - 03:45 PM	50.4	45.7
10:25 AM - 10:30 AM	50.3	42.4	01:05 PM - 01:10 PM	45.9	43.6	03:45 PM - 03:50 PM	49.8	45.2
10:30 AM - 10:35 AM	45.3	42.1	01:10 PM - 01:15 PM	46.2	42.8	03:50 PM - 03:55 PM	49.0	45.1
10:35 AM - 10:40 AM	48.6	43.7	01:15 PM - 01:20 PM	48.7	42.1	03:55 PM - 04:00 PM	49.9	45.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544277-1

Page 2 of 3

Sample Number 2620802-26
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 28 - Mar 29, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122567

Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	51.9	47.4	06:40 PM - 06:45 PM	48.7	44.4	09:20 PM - 09:25 PM	46.6	43.1
04:05 PM - 04:10 PM	49.4	45.7	06:45 PM - 06:50 PM	47.7	42.8	09:25 PM - 09:30 PM	45.3	42.8
04:10 PM - 04:15 PM	52.3	46.5	06:50 PM - 06:55 PM	46.2	43.3	09:30 PM - 09:35 PM	44.1	42.6
04:15 PM - 04:20 PM	49.9	45.4	06:55 PM - 07:00 PM	48.2	45.1	09:35 PM - 09:40 PM	46.1	43.2
04:20 PM - 04:25 PM	50.4	46.5	07:00 PM - 07:05 PM	47.3	45.4	09:40 PM - 09:45 PM	43.5	42.3
04:25 PM - 04:30 PM	51.8	47.7	07:05 PM - 07:10 PM	47.4	44.0	09:45 PM - 09:50 PM	44.4	43.2
04:30 PM - 04:35 PM	47.5	44.4	07:10 PM - 07:15 PM	50.8	45.1	09:50 PM - 09:55 PM	44.3	42.7
04:35 PM - 04:40 PM	48.6	45.5	07:15 PM - 07:20 PM	51.7	45.1	09:55 PM - 10:00 PM	45.1	44.4
04:40 PM - 04:45 PM	49.7	45.8	07:20 PM - 07:25 PM	49.4	44.6	10:00 PM - 10:05 PM	46.1	44.7
04:45 PM - 04:50 PM	47.8	43.9	07:25 PM - 07:30 PM	48.5	44.5	10:05 PM - 10:10 PM	45.6	44.5
04:50 PM - 04:55 PM	50.3	46.1	07:30 PM - 07:35 PM	45.3	43.0	10:10 PM - 10:15 PM	47.8	44.2
04:55 PM - 05:00 PM	50.5	45.6	07:35 PM - 07:40 PM	46.1	44.6	10:15 PM - 10:20 PM	44.8	43.7
05:00 PM - 05:05 PM	49.9	45.4	07:40 PM - 07:45 PM	49.1	45.3	10:20 PM - 10:25 PM	45.2	44.2
05:05 PM - 05:10 PM	50.1	45.0	07:45 PM - 07:50 PM	48.8	45.6	10:25 PM - 10:30 PM	45.5	44.3
05:10 PM - 05:15 PM	54.0	45.7	07:50 PM - 07:55 PM	46.5	45.2	10:30 PM - 10:35 PM	45.2	44.2
05:15 PM - 05:20 PM	47.4	45.1	07:55 PM - 08:00 PM	46.6	45.1	10:35 PM - 10:40 PM	45.5	44.3
05:20 PM - 05:25 PM	49.1	45.7	08:00 PM - 08:05 PM	45.2	44.4	10:40 PM - 10:45 PM	45.7	43.5
05:25 PM - 05:30 PM	47.0	43.9	08:05 PM - 08:10 PM	46.3	44.4	10:45 PM - 10:50 PM	45.6	43.2
05:30 PM - 05:35 PM	50.8	45.9	08:10 PM - 08:15 PM	46.1	44.8	10:50 PM - 10:55 PM	43.2	42.1
05:35 PM - 05:40 PM	49.3	44.8	08:15 PM - 08:20 PM	48.6	45.2	10:55 PM - 11:00 PM	43.9	42.6
05:40 PM - 05:45 PM	53.2	49.2	08:20 PM - 08:25 PM	46.1	45.2	11:00 PM - 11:05 PM	46.5	43.3
05:45 PM - 05:50 PM	50.5	46.1	08:25 PM - 08:30 PM	46.1	44.9	11:05 PM - 11:10 PM	45.5	43.3
05:50 PM - 05:55 PM	50.2	46.8	08:30 PM - 08:35 PM	47.1	44.0	11:10 PM - 11:15 PM	47.7	43.4
05:55 PM - 06:00 PM	51.0	47.1	08:35 PM - 08:40 PM	48.6	44.3	11:15 PM - 11:20 PM	45.7	43.5
06:00 PM - 06:05 PM	48.9	44.9	08:40 PM - 08:45 PM	45.8	43.6	11:20 PM - 11:25 PM	46.8	43.3
06:05 PM - 06:10 PM	48.6	44.7	08:45 PM - 08:50 PM	46.8	44.0	11:25 PM - 11:30 PM	45.4	43.2
06:10 PM - 06:15 PM	48.8	45.8	08:50 PM - 08:55 PM	45.6	43.9	11:30 PM - 11:35 PM	45.5	43.5
06:15 PM - 06:20 PM	49.3	45.6	08:55 PM - 09:00 PM	44.7	43.6	11:35 PM - 11:40 PM	46.7	42.8
06:20 PM - 06:25 PM	49.3	45.7	09:00 PM - 09:05 PM	45.3	43.0	11:40 PM - 11:45 PM	44.0	43.0
06:25 PM - 06:30 PM	53.2	46.5	09:05 PM - 09:10 PM	45.3	43.0	11:45 PM - 11:50 PM	43.6	42.8
06:30 PM - 06:35 PM	50.1	44.2	09:10 PM - 09:15 PM	45.4	43.3	11:50 PM - 11:55 PM	45.5	42.7
06:35 PM - 06:40 PM	51.3	45.8	09:15 PM - 09:20 PM	43.9	42.8	11:55 PM - 12:00 AM	46.5	43.3

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544277-1

Page 3 of 3

Sample Number 2620802-26
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 28 - Mar 29, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122567

Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	45.4	43.4	02:40 AM - 02:45 AM	47.1	42.0	05:20 AM - 05:25 AM	48.4	44.2
12:05 AM - 12:10 AM	44.4	43.6	02:45 AM - 02:50 AM	47.2	42.0	05:25 AM - 05:30 AM	51.8	44.9
12:10 AM - 12:15 AM	44.3	43.2	02:50 AM - 02:55 AM	44.1	41.6	05:30 AM - 05:35 AM	53.0	45.9
12:15 AM - 12:20 AM	43.9	42.8	02:55 AM - 03:00 AM	42.1	41.5	05:35 AM - 05:40 AM	52.2	46.3
12:20 AM - 12:25 AM	43.6	42.5	03:00 AM - 03:05 AM	42.1	41.5	05:40 AM - 05:45 AM	51.4	46.6
12:25 AM - 12:30 AM	44.4	43.1	03:05 AM - 03:10 AM	41.7	41.2	05:45 AM - 05:50 AM	53.8	47.7
12:30 AM - 12:35 AM	44.0	43.0	03:10 AM - 03:15 AM	42.2	41.5	05:50 AM - 05:55 AM	53.0	46.7
12:35 AM - 12:40 AM	43.6	42.5	03:15 AM - 03:20 AM	41.9	41.4	05:55 AM - 06:00 AM	52.9	46.5
12:40 AM - 12:45 AM	43.6	42.4	03:20 AM - 03:25 AM	46.2	41.8	06:00 AM - 06:05 AM	52.8	47.2
12:45 AM - 12:50 AM	45.3	42.2	03:25 AM - 03:30 AM	45.4	41.8	06:05 AM - 06:10 AM	50.5	47.1
12:50 AM - 12:55 AM	43.2	42.6	03:30 AM - 03:35 AM	43.9	41.3	06:10 AM - 06:15 AM	50.4	46.7
12:55 AM - 01:00 AM	47.7	42.1	03:35 AM - 03:40 AM	41.9	41.2	06:15 AM - 06:20 AM	49.4	46.9
01:00 AM - 01:05 AM	42.8	42.2	03:40 AM - 03:45 AM	44.2	42.8	06:20 AM - 06:25 AM	50.4	47.0
01:05 AM - 01:10 AM	43.6	42.0	03:45 AM - 03:50 AM	52.1	42.9	06:25 AM - 06:30 AM	50.5	46.6
01:10 AM - 01:15 AM	43.0	42.0	03:50 AM - 03:55 AM	46.4	43.0	06:30 AM - 06:35 AM	48.2	46.2
01:15 AM - 01:20 AM	42.7	42.0	03:55 AM - 04:00 AM	47.7	42.8	06:35 AM - 06:40 AM	48.9	46.0
01:20 AM - 01:25 AM	42.4	41.8	04:00 AM - 04:05 AM	42.5	41.4	06:40 AM - 06:45 AM	49.3	45.7
01:25 AM - 01:30 AM	42.1	41.4	04:05 AM - 04:10 AM	45.2	41.0	06:45 AM - 06:50 AM	49.6	45.2
01:30 AM - 01:35 AM	42.2	41.4	04:10 AM - 04:15 AM	44.8	41.3	06:50 AM - 06:55 AM	49.6	45.5
01:35 AM - 01:40 AM	42.6	42.0	04:15 AM - 04:20 AM	44.1	41.1	06:55 AM - 07:00 AM	47.5	45.4
01:40 AM - 01:45 AM	45.2	42.1	04:20 AM - 04:25 AM	46.3	41.3	07:00 AM - 07:05 AM	45.8	44.4
01:45 AM - 01:50 AM	43.8	42.1	04:25 AM - 04:30 AM	46.3	41.3	07:05 AM - 07:10 AM	48.2	45.3
01:50 AM - 01:55 AM	45.5	42.0	04:30 AM - 04:35 AM	50.4	41.4	07:10 AM - 07:15 AM	50.5	45.5
01:55 AM - 02:00 AM	43.0	42.0	04:35 AM - 04:40 AM	49.7	41.1	07:15 AM - 07:20 AM	50.3	43.5
02:00 AM - 02:05 AM	43.5	42.3	04:40 AM - 04:45 AM	50.9	41.5	07:20 AM - 07:25 AM	51.7	46.0
02:05 AM - 02:10 AM	42.9	42.2	04:45 AM - 04:50 AM	52.0	42.0	07:25 AM - 07:30 AM	51.6	44.5
02:10 AM - 02:15 AM	42.8	42.1	04:50 AM - 04:55 AM	49.8	41.9	07:30 AM - 07:35 AM	49.0	43.8
02:15 AM - 02:20 AM	43.2	42.5	04:55 AM - 05:00 AM	48.7	42.3	07:35 AM - 07:40 AM	47.2	45.1
02:20 AM - 02:25 AM	43.4	42.5	05:00 AM - 05:05 AM	49.1	42.9	07:40 AM - 07:45 AM	49.3	45.6
02:25 AM - 02:30 AM	49.8	42.0	05:05 AM - 05:10 AM	49.9	43.3	07:45 AM - 07:50 AM	50.1	44.6
02:30 AM - 02:35 AM	49.8	41.8	05:10 AM - 05:15 AM	49.4	43.7	07:50 AM - 07:55 AM	49.8	44.4
02:35 AM - 02:40 AM	45.1	41.8	05:15 AM - 05:20 AM	48.7	43.9	07:55 AM - 08:00 AM	49.8	44.9

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544278-1

Page 1 of 3

Sample Number 2620802-27
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 29 - Mar 30, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 01122567

Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	47.8	44.9	10:40 AM - 10:45 AM	49.8	43.3	01:20 PM - 01:25 PM	45.1	41.6
08:05 AM - 08:10 AM	50.4	44.9	10:45 AM - 10:50 AM	45.4	41.6	01:25 PM - 01:30 PM	46.3	42.6
08:10 AM - 08:15 AM	48.6	44.5	10:50 AM - 10:55 AM	52.5	43.6	01:30 PM - 01:35 PM	51.3	43.6
08:15 AM - 08:20 AM	50.1	45.3	10:55 AM - 11:00 AM	52.0	43.6	01:35 PM - 01:40 PM	47.8	42.2
08:20 AM - 08:25 AM	53.0	45.1	11:00 AM - 11:05 AM	49.2	42.6	01:40 PM - 01:45 PM	44.3	40.8
08:25 AM - 08:30 AM	48.6	44.9	11:05 AM - 11:10 AM	47.4	41.8	01:45 PM - 01:50 PM	53.7	41.7
08:30 AM - 08:35 AM	50.8	46.3	11:10 AM - 11:15 AM	48.4	41.1	01:50 PM - 01:55 PM	47.0	40.4
08:35 AM - 08:40 AM	47.3	43.6	11:15 AM - 11:20 AM	47.6	41.7	01:55 PM - 02:00 PM	47.5	40.2
08:40 AM - 08:45 AM	49.3	43.8	11:20 AM - 11:25 AM	50.9	41.8	02:00 PM - 02:05 PM	49.6	41.5
08:45 AM - 08:50 AM	49.4	43.0	11:25 AM - 11:30 AM	50.8	42.7	02:05 PM - 02:10 PM	50.7	43.0
08:50 AM - 08:55 AM	52.4	44.2	11:30 AM - 11:35 AM	46.4	41.1	02:10 PM - 02:15 PM	45.5	42.3
08:55 AM - 09:00 AM	48.8	44.6	11:35 AM - 11:40 AM	45.7	41.3	02:15 PM - 02:20 PM	43.9	40.7
09:00 AM - 09:05 AM	50.4	46.1	11:40 AM - 11:45 AM	47.5	42.9	02:20 PM - 02:25 PM	47.7	41.3
09:05 AM - 09:10 AM	52.5	45.3	11:45 AM - 11:50 AM	48.2	40.1	02:25 PM - 02:30 PM	48.7	40.7
09:10 AM - 09:15 AM	53.8	45.3	11:50 AM - 11:55 AM	51.7	41.8	02:30 PM - 02:35 PM	46.9	41.2
09:15 AM - 09:20 AM	49.1	45.1	11:55 AM - 12:00 PM	44.6	41.0	02:35 PM - 02:40 PM	50.3	41.8
09:20 AM - 09:25 AM	46.1	42.4	12:00 PM - 12:05 PM	44.5	37.3	02:40 PM - 02:45 PM	46.9	42.0
09:25 AM - 09:30 AM	51.3	44.4	12:05 PM - 12:10 PM	48.7	36.5	02:45 PM - 02:50 PM	45.2	41.9
09:30 AM - 09:35 AM	49.2	43.8	12:10 PM - 12:15 PM	47.4	38.8	02:50 PM - 02:55 PM	51.0	43.9
09:35 AM - 09:40 AM	48.1	44.0	12:15 PM - 12:20 PM	46.5	38.6	02:55 PM - 03:00 PM	46.7	41.6
09:40 AM - 09:45 AM	50.6	45.4	12:20 PM - 12:25 PM	51.6	38.8	03:00 PM - 03:05 PM	47.0	42.1
09:45 AM - 09:50 AM	46.0	42.9	12:25 PM - 12:30 PM	45.7	39.5	03:05 PM - 03:10 PM	47.4	41.4
09:50 AM - 09:55 AM	46.4	41.7	12:30 PM - 12:35 PM	45.9	39.6	03:10 PM - 03:15 PM	43.9	40.5
09:55 AM - 10:00 AM	49.2	43.2	12:35 PM - 12:40 PM	46.7	39.0	03:15 PM - 03:20 PM	45.6	40.9
10:00 AM - 10:05 AM	47.3	42.0	12:40 PM - 12:45 PM	47.0	39.4	03:20 PM - 03:25 PM	45.4	41.5
10:05 AM - 10:10 AM	47.1	42.7	12:45 PM - 12:50 PM	44.2	40.5	03:25 PM - 03:30 PM	44.0	41.4
10:10 AM - 10:15 AM	49.2	44.6	12:50 PM - 12:55 PM	46.6	39.5	03:30 PM - 03:35 PM	44.4	41.3
10:15 AM - 10:20 AM	46.8	43.1	12:55 PM - 01:00 PM	44.6	39.8	03:35 PM - 03:40 PM	46.2	41.4
10:20 AM - 10:25 AM	51.9	42.8	01:00 PM - 01:05 PM	45.4	39.1	03:40 PM - 03:45 PM	47.2	42.2
10:25 AM - 10:30 AM	49.1	44.2	01:05 PM - 01:10 PM	47.3	43.1	03:45 PM - 03:50 PM	47.1	41.3
10:30 AM - 10:35 AM	46.8	42.0	01:10 PM - 01:15 PM	46.4	43.1	03:50 PM - 03:55 PM	46.3	42.9
10:35 AM - 10:40 AM	50.6	43.1	01:15 PM - 01:20 PM	44.7	41.4	03:55 PM - 04:00 PM	50.7	42.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544278-1

Page 2 of 3

Sample Number 2620802-27
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 29 - Mar 30, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122567

Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	48.2	42.5	06:40 PM - 06:45 PM	50.9	44.1	09:20 PM - 09:25 PM	44.7	43.0
04:05 PM - 04:10 PM	46.3	42.3	06:45 PM - 06:50 PM	52.0	43.6	09:25 PM - 09:30 PM	44.4	43.0
04:10 PM - 04:15 PM	46.9	42.4	06:50 PM - 06:55 PM	45.6	42.6	09:30 PM - 09:35 PM	44.1	43.0
04:15 PM - 04:20 PM	47.1	43.5	06:55 PM - 07:00 PM	44.8	43.0	09:35 PM - 09:40 PM	43.8	42.8
04:20 PM - 04:25 PM	51.0	44.1	07:00 PM - 07:05 PM	45.6	44.2	09:40 PM - 09:45 PM	45.6	42.9
04:25 PM - 04:30 PM	46.3	44.3	07:05 PM - 07:10 PM	46.1	44.4	09:45 PM - 09:50 PM	44.3	42.9
04:30 PM - 04:35 PM	48.2	44.2	07:10 PM - 07:15 PM	47.4	44.3	09:50 PM - 09:55 PM	43.8	42.7
04:35 PM - 04:40 PM	52.7	46.9	07:15 PM - 07:20 PM	47.6	43.9	09:55 PM - 10:00 PM	44.6	43.2
04:40 PM - 04:45 PM	53.2	45.9	07:20 PM - 07:25 PM	45.5	43.8	10:00 PM - 10:05 PM	44.5	43.4
04:45 PM - 04:50 PM	50.6	45.2	07:25 PM - 07:30 PM	48.7	45.1	10:05 PM - 10:10 PM	44.6	43.8
04:50 PM - 04:55 PM	51.0	46.0	07:30 PM - 07:35 PM	47.0	44.7	10:10 PM - 10:15 PM	45.1	43.9
04:55 PM - 05:00 PM	50.7	46.5	07:35 PM - 07:40 PM	45.4	43.9	10:15 PM - 10:20 PM	46.2	45.0
05:00 PM - 05:05 PM	48.9	45.7	07:40 PM - 07:45 PM	45.4	43.6	10:20 PM - 10:25 PM	46.5	45.1
05:05 PM - 05:10 PM	51.3	47.0	07:45 PM - 07:50 PM	45.8	43.9	10:25 PM - 10:30 PM	46.2	44.1
05:10 PM - 05:15 PM	50.7	43.8	07:50 PM - 07:55 PM	47.2	43.5	10:30 PM - 10:35 PM	46.7	45.2
05:15 PM - 05:20 PM	47.6	44.2	07:55 PM - 08:00 PM	45.3	43.1	10:35 PM - 10:40 PM	45.7	43.3
05:20 PM - 05:25 PM	48.0	44.8	08:00 PM - 08:05 PM	45.4	44.0	10:40 PM - 10:45 PM	43.9	42.8
05:25 PM - 05:30 PM	50.9	45.3	08:05 PM - 08:10 PM	45.4	43.6	10:45 PM - 10:50 PM	43.9	42.6
05:30 PM - 05:35 PM	48.3	44.6	08:10 PM - 08:15 PM	46.7	43.6	10:50 PM - 10:55 PM	43.2	41.9
05:35 PM - 05:40 PM	49.9	45.1	08:15 PM - 08:20 PM	45.9	43.5	10:55 PM - 11:00 PM	43.4	42.0
05:40 PM - 05:45 PM	50.4	43.8	08:20 PM - 08:25 PM	44.8	43.2	11:00 PM - 11:05 PM	43.8	42.2
05:45 PM - 05:50 PM	47.3	43.6	08:25 PM - 08:30 PM	45.2	43.1	11:05 PM - 11:10 PM	42.8	41.3
05:50 PM - 05:55 PM	51.2	44.5	08:30 PM - 08:35 PM	45.1	43.4	11:10 PM - 11:15 PM	43.0	41.6
05:55 PM - 06:00 PM	49.0	43.6	08:35 PM - 08:40 PM	46.1	43.7	11:15 PM - 11:20 PM	46.1	42.1
06:00 PM - 06:05 PM	47.5	44.6	08:40 PM - 08:45 PM	46.9	44.3	11:20 PM - 11:25 PM	43.3	42.3
06:05 PM - 06:10 PM	50.2	44.6	08:45 PM - 08:50 PM	46.9	43.7	11:25 PM - 11:30 PM	43.4	42.3
06:10 PM - 06:15 PM	46.9	43.6	08:50 PM - 08:55 PM	45.9	44.2	11:30 PM - 11:35 PM	43.4	42.4
06:15 PM - 06:20 PM	49.9	44.8	08:55 PM - 09:00 PM	45.6	43.8	11:35 PM - 11:40 PM	43.7	42.7
06:20 PM - 06:25 PM	50.0	43.8	09:00 PM - 09:05 PM	45.0	43.2	11:40 PM - 11:45 PM	43.2	42.0
06:25 PM - 06:30 PM	50.4	45.5	09:05 PM - 09:10 PM	44.6	43.1	11:45 PM - 11:50 PM	44.5	43.0
06:30 PM - 06:35 PM	50.9	44.4	09:10 PM - 09:15 PM	43.8	42.7	11:50 PM - 11:55 PM	43.6	42.3
06:35 PM - 06:40 PM	51.5	44.2	09:15 PM - 09:20 PM	43.5	42.5	11:55 PM - 12:00 AM	46.6	41.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544278-1

Page 3 of 3

Sample Number 2620802-27
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 29 - Mar 30, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122567

Mar 30, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 30, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 30, 2026 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	43.7	42.6	02:40 AM - 02:45 AM	43.1	42.1	05:20 AM - 05:25 AM	50.0	43.3
12:05 AM - 12:10 AM	45.6	42.7	02:45 AM - 02:50 AM	51.6	42.0	05:25 AM - 05:30 AM	50.8	43.3
12:10 AM - 12:15 AM	43.8	42.9	02:50 AM - 02:55 AM	45.9	41.8	05:30 AM - 05:35 AM	52.8	43.8
12:15 AM - 12:20 AM	43.8	42.7	02:55 AM - 03:00 AM	42.4	41.6	05:35 AM - 05:40 AM	54.0	43.9
12:20 AM - 12:25 AM	44.0	43.0	03:00 AM - 03:05 AM	42.3	41.6	05:40 AM - 05:45 AM	54.0	45.3
12:25 AM - 12:30 AM	43.6	42.6	03:05 AM - 03:10 AM	42.8	41.8	05:45 AM - 05:50 AM	57.0	46.4
12:30 AM - 12:35 AM	43.9	43.0	03:10 AM - 03:15 AM	43.0	41.6	05:50 AM - 05:55 AM	55.2	45.1
12:35 AM - 12:40 AM	43.8	42.6	03:15 AM - 03:20 AM	43.3	42.0	05:55 AM - 06:00 AM	53.8	44.9
12:40 AM - 12:45 AM	44.4	43.1	03:20 AM - 03:25 AM	42.7	41.5	06:00 AM - 06:05 AM	50.4	44.2
12:45 AM - 12:50 AM	43.6	42.6	03:25 AM - 03:30 AM	42.6	41.4	06:05 AM - 06:10 AM	47.7	44.2
12:50 AM - 12:55 AM	43.3	41.6	03:30 AM - 03:35 AM	43.2	42.2	06:10 AM - 06:15 AM	49.3	45.7
12:55 AM - 01:00 AM	43.2	41.7	03:35 AM - 03:40 AM	43.7	42.8	06:15 AM - 06:20 AM	50.9	45.7
01:00 AM - 01:05 AM	43.1	41.8	03:40 AM - 03:45 AM	43.3	42.4	06:20 AM - 06:25 AM	49.4	44.8
01:05 AM - 01:10 AM	43.7	42.5	03:45 AM - 03:50 AM	43.1	42.1	06:25 AM - 06:30 AM	52.0	45.1
01:10 AM - 01:15 AM	43.8	42.7	03:50 AM - 03:55 AM	42.9	41.8	06:30 AM - 06:35 AM	53.4	45.6
01:15 AM - 01:20 AM	44.1	43.3	03:55 AM - 04:00 AM	43.5	41.4	06:35 AM - 06:40 AM	51.1	44.9
01:20 AM - 01:25 AM	43.7	42.4	04:00 AM - 04:05 AM	42.9	41.2	06:40 AM - 06:45 AM	48.3	44.9
01:25 AM - 01:30 AM	42.8	41.9	04:05 AM - 04:10 AM	51.9	41.4	06:45 AM - 06:50 AM	48.1	44.7
01:30 AM - 01:35 AM	42.9	41.9	04:10 AM - 04:15 AM	48.9	40.8	06:50 AM - 06:55 AM	51.3	45.2
01:35 AM - 01:40 AM	42.5	41.9	04:15 AM - 04:20 AM	47.9	41.2	06:55 AM - 07:00 AM	51.6	44.8
01:40 AM - 01:45 AM	42.8	42.0	04:20 AM - 04:25 AM	48.3	41.8	07:00 AM - 07:05 AM	50.6	45.7
01:45 AM - 01:50 AM	45.6	42.6	04:25 AM - 04:30 AM	45.8	41.2	07:05 AM - 07:10 AM	49.2	45.2
01:50 AM - 01:55 AM	43.5	42.7	04:30 AM - 04:35 AM	47.9	42.0	07:10 AM - 07:15 AM	49.7	45.1
01:55 AM - 02:00 AM	44.0	42.7	04:35 AM - 04:40 AM	49.0	42.5	07:15 AM - 07:20 AM	51.8	46.3
02:00 AM - 02:05 AM	44.3	42.1	04:40 AM - 04:45 AM	48.7	42.8	07:20 AM - 07:25 AM	52.9	45.6
02:05 AM - 02:10 AM	43.1	42.5	04:45 AM - 04:50 AM	51.6	42.8	07:25 AM - 07:30 AM	47.0	44.5
02:10 AM - 02:15 AM	42.2	41.6	04:50 AM - 04:55 AM	50.3	42.3	07:30 AM - 07:35 AM	49.2	45.8
02:15 AM - 02:20 AM	45.0	41.4	04:55 AM - 05:00 AM	49.0	43.0	07:35 AM - 07:40 AM	53.1	45.3
02:20 AM - 02:25 AM	45.4	42.0	05:00 AM - 05:05 AM	49.4	43.2	07:40 AM - 07:45 AM	49.6	45.8
02:25 AM - 02:30 AM	41.8	41.1	05:05 AM - 05:10 AM	49.5	43.1	07:45 AM - 07:50 AM	52.8	47.3
02:30 AM - 02:35 AM	42.4	41.6	05:10 AM - 05:15 AM	48.3	42.9	07:50 AM - 07:55 AM	51.8	46.0
02:35 AM - 02:40 AM	42.8	41.2	05:15 AM - 05:20 AM	49.5	42.9	07:55 AM - 08:00 AM	52.1	45.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544279-1

Page 1 of 3

Sample Number 2620802-28
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 30 - Mar 31, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122567

Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	51.6	45.8	10:40 AM - 10:45 AM	50.6	44.5	01:20 PM - 01:25 PM	44.5	39.6
08:05 AM - 08:10 AM	55.0	46.7	10:45 AM - 10:50 AM	49.0	42.9	01:25 PM - 01:30 PM	45.8	40.5
08:10 AM - 08:15 AM	51.6	45.7	10:50 AM - 10:55 AM	50.3	43.4	01:30 PM - 01:35 PM	44.6	40.6
08:15 AM - 08:20 AM	48.9	45.5	10:55 AM - 11:00 AM	47.2	43.0	01:35 PM - 01:40 PM	49.2	40.9
08:20 AM - 08:25 AM	49.6	45.7	11:00 AM - 11:05 AM	48.3	43.3	01:40 PM - 01:45 PM	50.3	39.9
08:25 AM - 08:30 AM	48.9	45.7	11:05 AM - 11:10 AM	48.5	42.9	01:45 PM - 01:50 PM	44.1	39.9
08:30 AM - 08:35 AM	50.6	45.7	11:10 AM - 11:15 AM	45.0	41.2	01:50 PM - 01:55 PM	50.6	41.2
08:35 AM - 08:40 AM	49.4	45.6	11:15 AM - 11:20 AM	49.5	41.9	01:55 PM - 02:00 PM	47.5	41.5
08:40 AM - 08:45 AM	47.8	44.7	11:20 AM - 11:25 AM	50.0	42.7	02:00 PM - 02:05 PM	46.2	40.4
08:45 AM - 08:50 AM	47.3	42.9	11:25 AM - 11:30 AM	48.8	42.4	02:05 PM - 02:10 PM	47.4	41.4
08:50 AM - 08:55 AM	45.8	43.1	11:30 AM - 11:35 AM	50.1	40.8	02:10 PM - 02:15 PM	46.6	40.7
08:55 AM - 09:00 AM	47.8	43.7	11:35 AM - 11:40 AM	48.1	41.8	02:15 PM - 02:20 PM	48.0	42.7
09:00 AM - 09:05 AM	50.6	43.3	11:40 AM - 11:45 AM	45.7	42.4	02:20 PM - 02:25 PM	45.3	41.1
09:05 AM - 09:10 AM	48.4	43.9	11:45 AM - 11:50 AM	53.2	41.3	02:25 PM - 02:30 PM	47.9	42.7
09:10 AM - 09:15 AM	46.3	42.8	11:50 AM - 11:55 AM	46.7	41.2	02:30 PM - 02:35 PM	46.2	42.9
09:15 AM - 09:20 AM	45.2	41.6	11:55 AM - 12:00 PM	46.0	40.0	02:35 PM - 02:40 PM	53.6	44.5
09:20 AM - 09:25 AM	45.7	40.3	12:00 PM - 12:05 PM	48.9	39.9	02:40 PM - 02:45 PM	47.0	42.4
09:25 AM - 09:30 AM	45.9	41.1	12:05 PM - 12:10 PM	52.5	39.2	02:45 PM - 02:50 PM	52.7	43.7
09:30 AM - 09:35 AM	49.5	42.9	12:10 PM - 12:15 PM	48.2	40.0	02:50 PM - 02:55 PM	49.1	43.8
09:35 AM - 09:40 AM	51.8	42.5	12:15 PM - 12:20 PM	47.6	42.1	02:55 PM - 03:00 PM	46.2	42.1
09:40 AM - 09:45 AM	52.0	42.9	12:20 PM - 12:25 PM	44.9	41.8	03:00 PM - 03:05 PM	48.2	43.4
09:45 AM - 09:50 AM	44.4	41.5	12:25 PM - 12:30 PM	47.9	41.3	03:05 PM - 03:10 PM	46.2	40.7
09:50 AM - 09:55 AM	49.1	40.9	12:30 PM - 12:35 PM	49.6	42.3	03:10 PM - 03:15 PM	47.0	42.1
09:55 AM - 10:00 AM	45.8	41.8	12:35 PM - 12:40 PM	53.7	43.3	03:15 PM - 03:20 PM	46.1	41.8
10:00 AM - 10:05 AM	49.8	42.9	12:40 PM - 12:45 PM	63.2	41.6	03:20 PM - 03:25 PM	46.8	42.7
10:05 AM - 10:10 AM	50.1	43.3	12:45 PM - 12:50 PM	46.0	40.0	03:25 PM - 03:30 PM	50.3	44.4
10:10 AM - 10:15 AM	44.0	41.0	12:50 PM - 12:55 PM	42.7	39.3	03:30 PM - 03:35 PM	51.9	43.9
10:15 AM - 10:20 AM	49.7	41.1	12:55 PM - 01:00 PM	46.7	40.6	03:35 PM - 03:40 PM	48.0	44.9
10:20 AM - 10:25 AM	49.8	41.2	01:00 PM - 01:05 PM	47.0	40.9	03:40 PM - 03:45 PM	49.8	46.6
10:25 AM - 10:30 AM	49.6	43.6	01:05 PM - 01:10 PM	44.0	39.8	03:45 PM - 03:50 PM	49.3	45.3
10:30 AM - 10:35 AM	47.1	42.2	01:10 PM - 01:15 PM	48.4	41.2	03:50 PM - 03:55 PM	49.9	46.6
10:35 AM - 10:40 AM	48.4	43.9	01:15 PM - 01:20 PM	47.1	40.5	03:55 PM - 04:00 PM	49.2	46.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544279-1

Page 2 of 3

Sample Number 2620802-28
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 30 - Mar 31, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122567

Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	48.7	45.0	06:40 PM - 06:45 PM	49.2	44.2	09:20 PM - 09:25 PM	42.6	40.9
04:05 PM - 04:10 PM	50.1	45.9	06:45 PM - 06:50 PM	45.8	43.5	09:25 PM - 09:30 PM	43.2	41.3
04:10 PM - 04:15 PM	51.4	46.4	06:50 PM - 06:55 PM	45.4	43.9	09:30 PM - 09:35 PM	46.0	41.7
04:15 PM - 04:20 PM	49.7	44.7	06:55 PM - 07:00 PM	47.7	45.2	09:35 PM - 09:40 PM	43.3	42.0
04:20 PM - 04:25 PM	50.2	46.4	07:00 PM - 07:05 PM	45.4	43.6	09:40 PM - 09:45 PM	42.5	41.8
04:25 PM - 04:30 PM	50.2	45.9	07:05 PM - 07:10 PM	47.1	44.5	09:45 PM - 09:50 PM	43.4	42.0
04:30 PM - 04:35 PM	48.6	46.1	07:10 PM - 07:15 PM	48.2	43.6	09:50 PM - 09:55 PM	43.5	42.8
04:35 PM - 04:40 PM	51.2	46.7	07:15 PM - 07:20 PM	49.7	43.7	09:55 PM - 10:00 PM	47.5	42.5
04:40 PM - 04:45 PM	51.1	46.6	07:20 PM - 07:25 PM	49.0	43.4	10:00 PM - 10:05 PM	43.6	42.3
04:45 PM - 04:50 PM	50.8	48.9	07:25 PM - 07:30 PM	44.3	42.7	10:05 PM - 10:10 PM	43.6	42.5
04:50 PM - 04:55 PM	50.7	46.5	07:30 PM - 07:35 PM	45.6	42.7	10:10 PM - 10:15 PM	43.5	42.0
04:55 PM - 05:00 PM	50.6	47.2	07:35 PM - 07:40 PM	43.7	42.4	10:15 PM - 10:20 PM	43.9	42.5
05:00 PM - 05:05 PM	50.8	47.1	07:40 PM - 07:45 PM	46.5	43.0	10:20 PM - 10:25 PM	45.2	42.5
05:05 PM - 05:10 PM	55.6	49.9	07:45 PM - 07:50 PM	47.1	44.2	10:25 PM - 10:30 PM	43.5	41.9
05:10 PM - 05:15 PM	51.8	47.5	07:50 PM - 07:55 PM	44.5	43.2	10:30 PM - 10:35 PM	44.2	41.8
05:15 PM - 05:20 PM	51.2	47.0	07:55 PM - 08:00 PM	47.1	43.3	10:35 PM - 10:40 PM	42.6	41.7
05:20 PM - 05:25 PM	51.0	48.5	08:00 PM - 08:05 PM	44.4	42.8	10:40 PM - 10:45 PM	43.2	41.7
05:25 PM - 05:30 PM	53.2	49.3	08:05 PM - 08:10 PM	45.7	42.8	10:45 PM - 10:50 PM	43.7	42.2
05:30 PM - 05:35 PM	53.7	47.8	08:10 PM - 08:15 PM	45.4	43.1	10:50 PM - 10:55 PM	44.5	42.4
05:35 PM - 05:40 PM	54.4	48.1	08:15 PM - 08:20 PM	52.2	43.5	10:55 PM - 11:00 PM	44.2	42.0
05:40 PM - 05:45 PM	54.4	48.4	08:20 PM - 08:25 PM	54.1	45.8	11:00 PM - 11:05 PM	44.0	42.3
05:45 PM - 05:50 PM	50.5	46.0	08:25 PM - 08:30 PM	55.9	44.9	11:05 PM - 11:10 PM	44.1	42.3
05:50 PM - 05:55 PM	51.8	47.2	08:30 PM - 08:35 PM	54.1	43.5	11:10 PM - 11:15 PM	43.9	42.6
05:55 PM - 06:00 PM	50.7	45.9	08:35 PM - 08:40 PM	55.3	46.9	11:15 PM - 11:20 PM	43.7	42.6
06:00 PM - 06:05 PM	49.5	46.4	08:40 PM - 08:45 PM	53.2	43.1	11:20 PM - 11:25 PM	44.2	42.6
06:05 PM - 06:10 PM	52.6	45.7	08:45 PM - 08:50 PM	52.6	42.0	11:25 PM - 11:30 PM	43.5	41.4
06:10 PM - 06:15 PM	51.3	45.7	08:50 PM - 08:55 PM	51.9	42.1	11:30 PM - 11:35 PM	43.9	41.7
06:15 PM - 06:20 PM	48.1	45.0	08:55 PM - 09:00 PM	50.8	41.8	11:35 PM - 11:40 PM	44.5	41.1
06:20 PM - 06:25 PM	49.6	44.8	09:00 PM - 09:05 PM	42.8	41.0	11:40 PM - 11:45 PM	42.1	41.4
06:25 PM - 06:30 PM	49.0	44.6	09:05 PM - 09:10 PM	42.0	40.9	11:45 PM - 11:50 PM	42.4	41.6
06:30 PM - 06:35 PM	46.9	43.8	09:10 PM - 09:15 PM	42.6	41.3	11:50 PM - 11:55 PM	43.0	42.1
06:35 PM - 06:40 PM	47.7	43.5	09:15 PM - 09:20 PM	43.4	42.5	11:55 PM - 12:00 AM	42.7	42.0

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544279-1

Page 3 of 3

Sample Number 2620802-28
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศใต้ของแปลง A16 (N4) (GPS 47P 0748609, 1461606)
Measurement Date Mar 30 - Mar 31, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 01122567

Mar 31, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 31, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 31, 2026 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	46.7	41.3	02:40 AM - 02:45 AM	42.6	42.0	05:20 AM - 05:25 AM	53.4	43.7
12:05 AM - 12:10 AM	47.1	42.2	02:45 AM - 02:50 AM	43.1	42.4	05:25 AM - 05:30 AM	53.3	44.1
12:10 AM - 12:15 AM	44.6	42.1	02:50 AM - 02:55 AM	43.7	42.6	05:30 AM - 05:35 AM	51.8	44.1
12:15 AM - 12:20 AM	43.5	42.2	02:55 AM - 03:00 AM	43.5	41.4	05:35 AM - 05:40 AM	53.9	45.2
12:20 AM - 12:25 AM	45.4	42.2	03:00 AM - 03:05 AM	43.1	42.3	05:40 AM - 05:45 AM	55.3	46.1
12:25 AM - 12:30 AM	43.1	42.4	03:05 AM - 03:10 AM	43.0	42.2	05:45 AM - 05:50 AM	54.4	47.0
12:30 AM - 12:35 AM	43.1	42.4	03:10 AM - 03:15 AM	42.3	41.7	05:50 AM - 05:55 AM	54.0	48.1
12:35 AM - 12:40 AM	43.2	42.5	03:15 AM - 03:20 AM	43.0	42.2	05:55 AM - 06:00 AM	52.3	48.2
12:40 AM - 12:45 AM	43.3	42.6	03:20 AM - 03:25 AM	44.5	42.0	06:00 AM - 06:05 AM	51.4	47.2
12:45 AM - 12:50 AM	43.4	42.6	03:25 AM - 03:30 AM	42.9	41.6	06:05 AM - 06:10 AM	49.0	47.1
12:50 AM - 12:55 AM	43.1	42.3	03:30 AM - 03:35 AM	52.0	41.6	06:10 AM - 06:15 AM	48.3	46.5
12:55 AM - 01:00 AM	43.3	42.5	03:35 AM - 03:40 AM	47.7	41.5	06:15 AM - 06:20 AM	49.9	47.2
01:00 AM - 01:05 AM	42.8	42.2	03:40 AM - 03:45 AM	43.1	42.2	06:20 AM - 06:25 AM	52.8	47.1
01:05 AM - 01:10 AM	43.0	42.4	03:45 AM - 03:50 AM	42.6	41.4	06:25 AM - 06:30 AM	51.4	47.0
01:10 AM - 01:15 AM	44.9	42.6	03:50 AM - 03:55 AM	43.4	41.8	06:30 AM - 06:35 AM	53.7	47.4
01:15 AM - 01:20 AM	43.6	42.7	03:55 AM - 04:00 AM	49.0	41.8	06:35 AM - 06:40 AM	50.0	47.5
01:20 AM - 01:25 AM	43.8	42.6	04:00 AM - 04:05 AM	45.6	41.7	06:40 AM - 06:45 AM	49.9	47.9
01:25 AM - 01:30 AM	43.4	42.4	04:05 AM - 04:10 AM	49.2	42.6	06:45 AM - 06:50 AM	51.9	46.5
01:30 AM - 01:35 AM	42.7	41.7	04:10 AM - 04:15 AM	49.2	43.0	06:50 AM - 06:55 AM	51.9	46.8
01:35 AM - 01:40 AM	42.2	41.3	04:15 AM - 04:20 AM	48.1	42.8	06:55 AM - 07:00 AM	51.4	47.1
01:40 AM - 01:45 AM	41.5	40.8	04:20 AM - 04:25 AM	48.4	43.0	07:00 AM - 07:05 AM	52.4	47.0
01:45 AM - 01:50 AM	41.6	41.1	04:25 AM - 04:30 AM	49.7	42.9	07:05 AM - 07:10 AM	52.2	47.3
01:50 AM - 01:55 AM	46.7	40.7	04:30 AM - 04:35 AM	49.4	41.8	07:10 AM - 07:15 AM	53.6	47.0
01:55 AM - 02:00 AM	51.6	41.0	04:35 AM - 04:40 AM	48.6	41.7	07:15 AM - 07:20 AM	54.0	45.7
02:00 AM - 02:05 AM	44.3	40.8	04:40 AM - 04:45 AM	50.2	41.4	07:20 AM - 07:25 AM	51.6	46.8
02:05 AM - 02:10 AM	43.4	42.1	04:45 AM - 04:50 AM	49.5	41.2	07:25 AM - 07:30 AM	51.7	46.8
02:10 AM - 02:15 AM	42.6	42.2	04:50 AM - 04:55 AM	49.4	41.5	07:30 AM - 07:35 AM	50.0	47.1
02:15 AM - 02:20 AM	47.1	42.2	04:55 AM - 05:00 AM	49.9	42.9	07:35 AM - 07:40 AM	55.7	48.2
02:20 AM - 02:25 AM	44.8	42.6	05:00 AM - 05:05 AM	49.8	43.2	07:40 AM - 07:45 AM	48.5	47.1
02:25 AM - 02:30 AM	42.2	41.3	05:05 AM - 05:10 AM	49.1	43.3	07:45 AM - 07:50 AM	51.9	48.6
02:30 AM - 02:35 AM	42.5	41.6	05:10 AM - 05:15 AM	47.6	43.0	07:50 AM - 07:55 AM	54.4	48.6
02:35 AM - 02:40 AM	42.5	41.9	05:15 AM - 05:20 AM	49.0	43.3	07:55 AM - 08:00 AM	53.7	46.4

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544280-1

Page 1 of 3

Sample Number 2620802-29
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 24 - Mar 25, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 623390

Mar 24, 2026	Leq	L90	Mar 24, 2026	Leq	L90	Mar 24, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	54.5	49.4	10:40 AM - 10:45 AM	52.1	48.4	01:20 PM - 01:25 PM	52.3	48.8
08:05 AM - 08:10 AM	55.8	51.3	10:45 AM - 10:50 AM	51.0	47.4	01:25 PM - 01:30 PM	56.4	48.6
08:10 AM - 08:15 AM	58.5	52.8	10:50 AM - 10:55 AM	51.7	48.1	01:30 PM - 01:35 PM	57.4	48.0
08:15 AM - 08:20 AM	53.6	48.8	10:55 AM - 11:00 AM	52.2	48.9	01:35 PM - 01:40 PM	59.0	48.6
08:20 AM - 08:25 AM	53.7	49.1	11:00 AM - 11:05 AM	55.5	49.7	01:40 PM - 01:45 PM	54.2	48.5
08:25 AM - 08:30 AM	54.3	48.9	11:05 AM - 11:10 AM	55.6	48.3	01:45 PM - 01:50 PM	52.9	47.1
08:30 AM - 08:35 AM	55.2	50.0	11:10 AM - 11:15 AM	53.8	49.0	01:50 PM - 01:55 PM	51.5	47.7
08:35 AM - 08:40 AM	53.0	49.2	11:15 AM - 11:20 AM	52.6	48.9	01:55 PM - 02:00 PM	52.2	47.6
08:40 AM - 08:45 AM	57.4	50.6	11:20 AM - 11:25 AM	55.6	47.2	02:00 PM - 02:05 PM	52.9	48.0
08:45 AM - 08:50 AM	63.2	51.6	11:25 AM - 11:30 AM	56.4	48.4	02:05 PM - 02:10 PM	54.0	47.3
08:50 AM - 08:55 AM	57.7	50.2	11:30 AM - 11:35 AM	54.9	48.2	02:10 PM - 02:15 PM	59.1	50.4
08:55 AM - 09:00 AM	49.9	46.5	11:35 AM - 11:40 AM	53.2	47.9	02:15 PM - 02:20 PM	52.9	47.4
09:00 AM - 09:05 AM	49.0	45.8	11:40 AM - 11:45 AM	58.8	49.6	02:20 PM - 02:25 PM	53.0	47.8
09:05 AM - 09:10 AM	56.1	47.2	11:45 AM - 11:50 AM	53.7	47.3	02:25 PM - 02:30 PM	54.2	47.9
09:10 AM - 09:15 AM	49.6	45.4	11:50 AM - 11:55 AM	58.4	48.6	02:30 PM - 02:35 PM	52.5	49.1
09:15 AM - 09:20 AM	51.4	46.6	11:55 AM - 12:00 PM	53.8	46.3	02:35 PM - 02:40 PM	56.7	48.9
09:20 AM - 09:25 AM	50.9	46.2	12:00 PM - 12:05 PM	56.1	49.0	02:40 PM - 02:45 PM	53.4	48.1
09:25 AM - 09:30 AM	49.3	44.9	12:05 PM - 12:10 PM	58.1	50.6	02:45 PM - 02:50 PM	54.9	48.5
09:30 AM - 09:35 AM	54.3	48.5	12:10 PM - 12:15 PM	58.7	49.8	02:50 PM - 02:55 PM	55.5	48.8
09:35 AM - 09:40 AM	54.0	48.5	12:15 PM - 12:20 PM	57.6	52.8	02:55 PM - 03:00 PM	51.8	48.1
09:40 AM - 09:45 AM	55.3	49.0	12:20 PM - 12:25 PM	58.9	52.9	03:00 PM - 03:05 PM	51.0	47.8
09:45 AM - 09:50 AM	55.6	49.9	12:25 PM - 12:30 PM	50.9	47.5	03:05 PM - 03:10 PM	51.2	48.3
09:50 AM - 09:55 AM	52.5	49.8	12:30 PM - 12:35 PM	57.1	48.1	03:10 PM - 03:15 PM	52.6	44.3
09:55 AM - 10:00 AM	57.2	51.3	12:35 PM - 12:40 PM	54.1	48.6	03:15 PM - 03:20 PM	49.6	46.6
10:00 AM - 10:05 AM	53.8	49.1	12:40 PM - 12:45 PM	53.3	47.8	03:20 PM - 03:25 PM	52.1	47.0
10:05 AM - 10:10 AM	52.8	48.2	12:45 PM - 12:50 PM	52.4	46.4	03:25 PM - 03:30 PM	52.0	47.4
10:10 AM - 10:15 AM	55.9	49.5	12:50 PM - 12:55 PM	54.5	47.8	03:30 PM - 03:35 PM	53.4	48.0
10:15 AM - 10:20 AM	50.7	48.2	12:55 PM - 01:00 PM	51.3	47.7	03:35 PM - 03:40 PM	51.9	48.1
10:20 AM - 10:25 AM	54.3	49.3	01:00 PM - 01:05 PM	51.3	48.1	03:40 PM - 03:45 PM	51.5	47.7
10:25 AM - 10:30 AM	53.2	49.2	01:05 PM - 01:10 PM	52.7	48.5	03:45 PM - 03:50 PM	55.2	46.1
10:30 AM - 10:35 AM	53.7	49.0	01:10 PM - 01:15 PM	53.1	47.6	03:50 PM - 03:55 PM	52.7	48.2
10:35 AM - 10:40 AM	53.7	47.9	01:15 PM - 01:20 PM	53.5	48.8	03:55 PM - 04:00 PM	54.7	50.4

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544280-1

Page 2 of 3

Sample Number 2620802-29
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 24 - Mar 25, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623390

Mar 24, 2026	Leq	L90	Mar 24, 2026	Leq	L90	Mar 24, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	52.1	48.8	06:40 PM - 06:45 PM	59.1	56.0	09:20 PM - 09:25 PM	62.8	56.7
04:05 PM - 04:10 PM	52.5	47.9	06:45 PM - 06:50 PM	58.8	54.2	09:25 PM - 09:30 PM	63.5	56.1
04:10 PM - 04:15 PM	53.1	48.1	06:50 PM - 06:55 PM	56.6	52.5	09:30 PM - 09:35 PM	61.8	56.7
04:15 PM - 04:20 PM	57.6	48.0	06:55 PM - 07:00 PM	59.5	54.6	09:35 PM - 09:40 PM	61.3	56.9
04:20 PM - 04:25 PM	50.4	46.3	07:00 PM - 07:05 PM	59.9	54.6	09:40 PM - 09:45 PM	61.2	56.4
04:25 PM - 04:30 PM	52.1	45.6	07:05 PM - 07:10 PM	59.8	53.4	09:45 PM - 09:50 PM	62.4	58.2
04:30 PM - 04:35 PM	55.2	47.0	07:10 PM - 07:15 PM	59.3	55.0	09:50 PM - 09:55 PM	60.5	56.5
04:35 PM - 04:40 PM	54.1	48.7	07:15 PM - 07:20 PM	58.4	54.7	09:55 PM - 10:00 PM	59.5	55.0
04:40 PM - 04:45 PM	53.5	50.0	07:20 PM - 07:25 PM	56.9	52.4	10:00 PM - 10:05 PM	57.2	54.1
04:45 PM - 04:50 PM	53.7	48.4	07:25 PM - 07:30 PM	58.6	55.0	10:05 PM - 10:10 PM	56.6	53.6
04:50 PM - 04:55 PM	54.9	49.3	07:30 PM - 07:35 PM	57.6	54.1	10:10 PM - 10:15 PM	57.1	54.3
04:55 PM - 05:00 PM	61.0	55.4	07:35 PM - 07:40 PM	56.6	52.8	10:15 PM - 10:20 PM	57.3	55.0
05:00 PM - 05:05 PM	60.3	52.9	07:40 PM - 07:45 PM	58.3	56.3	10:20 PM - 10:25 PM	56.8	54.8
05:05 PM - 05:10 PM	61.4	56.5	07:45 PM - 07:50 PM	59.3	55.0	10:25 PM - 10:30 PM	56.1	53.1
05:10 PM - 05:15 PM	59.0	54.1	07:50 PM - 07:55 PM	59.6	54.3	10:30 PM - 10:35 PM	57.1	53.9
05:15 PM - 05:20 PM	59.9	55.7	07:55 PM - 08:00 PM	58.6	54.1	10:35 PM - 10:40 PM	57.0	53.6
05:20 PM - 05:25 PM	59.8	55.6	08:00 PM - 08:05 PM	59.3	53.9	10:40 PM - 10:45 PM	51.8	48.8
05:25 PM - 05:30 PM	59.0	55.4	08:05 PM - 08:10 PM	59.3	54.7	10:45 PM - 10:50 PM	51.3	48.8
05:30 PM - 05:35 PM	59.3	55.3	08:10 PM - 08:15 PM	58.5	53.4	10:50 PM - 10:55 PM	50.7	48.9
05:35 PM - 05:40 PM	58.5	55.6	08:15 PM - 08:20 PM	61.4	55.3	10:55 PM - 11:00 PM	50.5	48.7
05:40 PM - 05:45 PM	59.6	56.3	08:20 PM - 08:25 PM	59.9	53.9	11:00 PM - 11:05 PM	50.0	48.5
05:45 PM - 05:50 PM	67.0	60.7	08:25 PM - 08:30 PM	60.8	55.9	11:05 PM - 11:10 PM	50.7	48.6
05:50 PM - 05:55 PM	67.2	58.2	08:30 PM - 08:35 PM	59.9	54.3	11:10 PM - 11:15 PM	50.0	48.4
05:55 PM - 06:00 PM	68.3	59.4	08:35 PM - 08:40 PM	60.4	54.3	11:15 PM - 11:20 PM	49.5	48.7
06:00 PM - 06:05 PM	70.2	60.2	08:40 PM - 08:45 PM	60.1	54.1	11:20 PM - 11:25 PM	49.7	48.7
06:05 PM - 06:10 PM	59.4	55.6	08:45 PM - 08:50 PM	59.2	53.4	11:25 PM - 11:30 PM	51.5	48.7
06:10 PM - 06:15 PM	59.0	54.6	08:50 PM - 08:55 PM	59.9	52.4	11:30 PM - 11:35 PM	50.2	48.5
06:15 PM - 06:20 PM	57.8	54.2	08:55 PM - 09:00 PM	60.1	51.5	11:35 PM - 11:40 PM	50.8	48.2
06:20 PM - 06:25 PM	53.7	50.7	09:00 PM - 09:05 PM	61.6	56.0	11:40 PM - 11:45 PM	49.6	48.2
06:25 PM - 06:30 PM	57.2	51.5	09:05 PM - 09:10 PM	58.1	55.3	11:45 PM - 11:50 PM	49.7	48.4
06:30 PM - 06:35 PM	57.2	54.1	09:10 PM - 09:15 PM	59.1	54.6	11:50 PM - 11:55 PM	50.9	48.4
06:35 PM - 06:40 PM	58.5	54.4	09:15 PM - 09:20 PM	62.5	57.0	11:55 PM - 12:00 AM	50.0	48.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544280-1

Page 3 of 3

Sample Number 2620802-29
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 24 - Mar 25, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623390

Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	50.6	48.6	02:40 AM - 02:45 AM	53.2	48.8	05:20 AM - 05:25 AM	50.0	45.2
12:05 AM - 12:10 AM	50.3	48.9	02:45 AM - 02:50 AM	53.8	48.4	05:25 AM - 05:30 AM	54.6	47.2
12:10 AM - 12:15 AM	50.2	48.6	02:50 AM - 02:55 AM	58.4	50.9	05:30 AM - 05:35 AM	50.0	47.2
12:15 AM - 12:20 AM	49.8	48.4	02:55 AM - 03:00 AM	55.1	49.3	05:35 AM - 05:40 AM	49.0	46.5
12:20 AM - 12:25 AM	50.6	48.7	03:00 AM - 03:05 AM	52.0	48.6	05:40 AM - 05:45 AM	56.3	47.4
12:25 AM - 12:30 AM	50.2	48.6	03:05 AM - 03:10 AM	51.4	48.0	05:45 AM - 05:50 AM	52.3	47.9
12:30 AM - 12:35 AM	50.1	48.3	03:10 AM - 03:15 AM	52.7	48.2	05:50 AM - 05:55 AM	51.3	47.6
12:35 AM - 12:40 AM	50.0	48.6	03:15 AM - 03:20 AM	53.2	48.5	05:55 AM - 06:00 AM	50.8	47.1
12:40 AM - 12:45 AM	49.8	48.5	03:20 AM - 03:25 AM	50.7	47.2	06:00 AM - 06:05 AM	53.9	46.0
12:45 AM - 12:50 AM	50.0	48.5	03:25 AM - 03:30 AM	53.1	48.4	06:05 AM - 06:10 AM	54.6	46.8
12:50 AM - 12:55 AM	50.2	48.7	03:30 AM - 03:35 AM	54.3	46.4	06:10 AM - 06:15 AM	47.5	45.1
12:55 AM - 01:00 AM	50.2	48.8	03:35 AM - 03:40 AM	53.0	48.4	06:15 AM - 06:20 AM	48.6	44.9
01:00 AM - 01:05 AM	50.3	48.5	03:40 AM - 03:45 AM	52.0	47.8	06:20 AM - 06:25 AM	56.3	44.2
01:05 AM - 01:10 AM	50.1	48.6	03:45 AM - 03:50 AM	51.6	48.0	06:25 AM - 06:30 AM	46.4	43.7
01:10 AM - 01:15 AM	49.6	48.0	03:50 AM - 03:55 AM	54.5	47.0	06:30 AM - 06:35 AM	55.1	44.0
01:15 AM - 01:20 AM	54.2	47.9	03:55 AM - 04:00 AM	51.7	48.1	06:35 AM - 06:40 AM	48.3	43.2
01:20 AM - 01:25 AM	52.7	48.5	04:00 AM - 04:05 AM	51.8	48.3	06:40 AM - 06:45 AM	53.9	43.7
01:25 AM - 01:30 AM	49.5	48.1	04:05 AM - 04:10 AM	55.5	49.2	06:45 AM - 06:50 AM	47.0	43.1
01:30 AM - 01:35 AM	50.0	48.4	04:10 AM - 04:15 AM	53.0	47.9	06:50 AM - 06:55 AM	51.3	42.8
01:35 AM - 01:40 AM	49.9	48.3	04:15 AM - 04:20 AM	55.1	49.6	06:55 AM - 07:00 AM	50.3	43.8
01:40 AM - 01:45 AM	49.9	48.3	04:20 AM - 04:25 AM	54.8	49.1	07:00 AM - 07:05 AM	50.1	42.8
01:45 AM - 01:50 AM	50.4	47.8	04:25 AM - 04:30 AM	52.3	47.7	07:05 AM - 07:10 AM	55.6	43.8
01:50 AM - 01:55 AM	49.5	47.7	04:30 AM - 04:35 AM	50.6	47.4	07:10 AM - 07:15 AM	52.4	43.2
01:55 AM - 02:00 AM	49.1	47.8	04:35 AM - 04:40 AM	53.6	47.7	07:15 AM - 07:20 AM	52.8	43.1
02:00 AM - 02:05 AM	49.8	47.7	04:40 AM - 04:45 AM	52.0	47.6	07:20 AM - 07:25 AM	55.1	44.1
02:05 AM - 02:10 AM	55.3	48.2	04:45 AM - 04:50 AM	54.3	48.0	07:25 AM - 07:30 AM	62.7	43.4
02:10 AM - 02:15 AM	56.3	48.6	04:50 AM - 04:55 AM	54.5	47.5	07:30 AM - 07:35 AM	53.8	44.0
02:15 AM - 02:20 AM	54.9	48.8	04:55 AM - 05:00 AM	52.5	47.2	07:35 AM - 07:40 AM	53.4	43.6
02:20 AM - 02:25 AM	52.9	48.0	05:00 AM - 05:05 AM	52.9	48.0	07:40 AM - 07:45 AM	49.1	42.7
02:25 AM - 02:30 AM	52.2	48.0	05:05 AM - 05:10 AM	50.3	47.0	07:45 AM - 07:50 AM	48.3	43.0
02:30 AM - 02:35 AM	49.5	47.6	05:10 AM - 05:15 AM	54.8	48.1	07:50 AM - 07:55 AM	50.8	43.0
02:35 AM - 02:40 AM	53.9	48.1	05:15 AM - 05:20 AM	55.0	47.9	07:55 AM - 08:00 AM	48.9	43.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544281-1

Page 1 of 3

Sample Number 2620802-30
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 25 - Mar 26, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 623390

Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	53.1	42.6	10:40 AM - 10:45 AM	46.6	41.7	01:20 PM - 01:25 PM	43.8	39.9
08:05 AM - 08:10 AM	45.9	41.3	10:45 AM - 10:50 AM	47.7	41.7	01:25 PM - 01:30 PM	48.5	41.8
08:10 AM - 08:15 AM	47.5	41.3	10:50 AM - 10:55 AM	54.6	44.6	01:30 PM - 01:35 PM	47.8	41.0
08:15 AM - 08:20 AM	44.4	41.1	10:55 AM - 11:00 AM	58.0	41.9	01:35 PM - 01:40 PM	46.9	42.6
08:20 AM - 08:25 AM	52.9	42.5	11:00 AM - 11:05 AM	49.7	41.7	01:40 PM - 01:45 PM	45.6	42.0
08:25 AM - 08:30 AM	44.9	41.6	11:05 AM - 11:10 AM	46.5	41.9	01:45 PM - 01:50 PM	46.2	43.0
08:30 AM - 08:35 AM	46.8	42.0	11:10 AM - 11:15 AM	45.9	41.2	01:50 PM - 01:55 PM	49.5	41.4
08:35 AM - 08:40 AM	47.6	42.6	11:15 AM - 11:20 AM	44.5	40.6	01:55 PM - 02:00 PM	49.3	41.6
08:40 AM - 08:45 AM	52.4	44.5	11:20 AM - 11:25 AM	46.8	41.4	02:00 PM - 02:05 PM	49.2	41.3
08:45 AM - 08:50 AM	54.2	44.5	11:25 AM - 11:30 AM	48.8	41.7	02:05 PM - 02:10 PM	48.4	41.8
08:50 AM - 08:55 AM	51.1	41.2	11:30 AM - 11:35 AM	48.4	41.8	02:10 PM - 02:15 PM	47.5	41.4
08:55 AM - 09:00 AM	47.8	41.3	11:35 AM - 11:40 AM	46.7	42.7	02:15 PM - 02:20 PM	45.3	41.0
09:00 AM - 09:05 AM	48.8	41.7	11:40 AM - 11:45 AM	46.9	40.8	02:20 PM - 02:25 PM	47.3	40.8
09:05 AM - 09:10 AM	56.5	41.7	11:45 AM - 11:50 AM	50.2	41.3	02:25 PM - 02:30 PM	57.4	41.1
09:10 AM - 09:15 AM	51.6	42.0	11:50 AM - 11:55 AM	44.0	40.4	02:30 PM - 02:35 PM	53.1	41.5
09:15 AM - 09:20 AM	44.5	41.1	11:55 AM - 12:00 PM	45.1	41.1	02:35 PM - 02:40 PM	44.2	41.0
09:20 AM - 09:25 AM	48.4	40.7	12:00 PM - 12:05 PM	50.6	41.4	02:40 PM - 02:45 PM	47.0	41.8
09:25 AM - 09:30 AM	47.1	40.7	12:05 PM - 12:10 PM	54.2	41.4	02:45 PM - 02:50 PM	49.3	41.6
09:30 AM - 09:35 AM	52.4	42.2	12:10 PM - 12:15 PM	52.0	41.6	02:50 PM - 02:55 PM	50.1	42.3
09:35 AM - 09:40 AM	52.7	41.4	12:15 PM - 12:20 PM	46.9	41.9	02:55 PM - 03:00 PM	57.4	42.6
09:40 AM - 09:45 AM	49.5	41.3	12:20 PM - 12:25 PM	43.5	40.5	03:00 PM - 03:05 PM	55.0	43.0
09:45 AM - 09:50 AM	54.9	40.6	12:25 PM - 12:30 PM	48.6	40.5	03:05 PM - 03:10 PM	50.2	43.1
09:50 AM - 09:55 AM	57.9	41.6	12:30 PM - 12:35 PM	44.6	40.8	03:10 PM - 03:15 PM	52.5	42.5
09:55 AM - 10:00 AM	47.9	42.0	12:35 PM - 12:40 PM	45.5	40.2	03:15 PM - 03:20 PM	48.0	42.2
10:00 AM - 10:05 AM	44.9	40.8	12:40 PM - 12:45 PM	44.2	40.1	03:20 PM - 03:25 PM	47.2	43.0
10:05 AM - 10:10 AM	45.8	41.5	12:45 PM - 12:50 PM	47.1	40.6	03:25 PM - 03:30 PM	47.4	42.7
10:10 AM - 10:15 AM	51.5	42.3	12:50 PM - 12:55 PM	52.7	40.7	03:30 PM - 03:35 PM	49.3	42.8
10:15 AM - 10:20 AM	51.0	43.2	12:55 PM - 01:00 PM	50.1	40.6	03:35 PM - 03:40 PM	50.5	43.5
10:20 AM - 10:25 AM	47.3	42.0	01:00 PM - 01:05 PM	46.0	40.4	03:40 PM - 03:45 PM	50.2	42.3
10:25 AM - 10:30 AM	48.6	41.7	01:05 PM - 01:10 PM	50.5	41.8	03:45 PM - 03:50 PM	50.2	43.0
10:30 AM - 10:35 AM	51.7	42.3	01:10 PM - 01:15 PM	52.2	40.7	03:50 PM - 03:55 PM	46.2	42.3
10:35 AM - 10:40 AM	48.5	41.8	01:15 PM - 01:20 PM	49.1	40.4	03:55 PM - 04:00 PM	47.8	42.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544281-1

Page 2 of 3

Sample Number 2620802-30
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 25 - Mar 26, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623390

Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	49.0	42.2	06:40 PM - 06:45 PM	64.2	42.1	09:20 PM - 09:25 PM	47.8	41.3
04:05 PM - 04:10 PM	49.5	42.0	06:45 PM - 06:50 PM	68.8	66.8	09:25 PM - 09:30 PM	47.8	42.0
04:10 PM - 04:15 PM	45.6	41.7	06:50 PM - 06:55 PM	67.1	65.9	09:30 PM - 09:35 PM	44.9	41.0
04:15 PM - 04:20 PM	46.0	41.6	06:55 PM - 07:00 PM	63.0	52.2	09:35 PM - 09:40 PM	47.3	42.5
04:20 PM - 04:25 PM	45.2	41.3	07:00 PM - 07:05 PM	49.5	47.6	09:40 PM - 09:45 PM	48.0	43.8
04:25 PM - 04:30 PM	47.9	40.7	07:05 PM - 07:10 PM	50.5	46.1	09:45 PM - 09:50 PM	47.2	43.2
04:30 PM - 04:35 PM	47.3	42.1	07:10 PM - 07:15 PM	47.0	44.1	09:50 PM - 09:55 PM	48.0	42.2
04:35 PM - 04:40 PM	48.0	41.8	07:15 PM - 07:20 PM	47.6	45.2	09:55 PM - 10:00 PM	46.9	42.1
04:40 PM - 04:45 PM	54.0	40.8	07:20 PM - 07:25 PM	47.8	46.7	10:00 PM - 10:05 PM	47.1	42.1
04:45 PM - 04:50 PM	49.7	40.8	07:25 PM - 07:30 PM	48.5	47.1	10:05 PM - 10:10 PM	49.8	42.4
04:50 PM - 04:55 PM	47.5	40.8	07:30 PM - 07:35 PM	48.7	47.9	10:10 PM - 10:15 PM	54.0	42.5
04:55 PM - 05:00 PM	59.5	41.3	07:35 PM - 07:40 PM	49.2	48.5	10:15 PM - 10:20 PM	57.2	42.0
05:00 PM - 05:05 PM	47.7	41.7	07:40 PM - 07:45 PM	49.3	48.1	10:20 PM - 10:25 PM	51.0	41.7
05:05 PM - 05:10 PM	46.6	41.2	07:45 PM - 07:50 PM	49.6	48.3	10:25 PM - 10:30 PM	50.6	42.3
05:10 PM - 05:15 PM	46.6	41.3	07:50 PM - 07:55 PM	49.3	48.5	10:30 PM - 10:35 PM	49.0	42.1
05:15 PM - 05:20 PM	48.6	42.6	07:55 PM - 08:00 PM	50.5	49.0	10:35 PM - 10:40 PM	59.8	43.2
05:20 PM - 05:25 PM	51.2	42.9	08:00 PM - 08:05 PM	50.4	49.6	10:40 PM - 10:45 PM	49.8	43.5
05:25 PM - 05:30 PM	55.6	41.7	08:05 PM - 08:10 PM	50.9	49.8	10:45 PM - 10:50 PM	60.5	44.1
05:30 PM - 05:35 PM	52.1	42.3	08:10 PM - 08:15 PM	51.1	50.0	10:50 PM - 10:55 PM	48.1	42.7
05:35 PM - 05:40 PM	45.8	42.3	08:15 PM - 08:20 PM	51.0	49.9	10:55 PM - 11:00 PM	52.5	46.3
05:40 PM - 05:45 PM	46.2	42.0	08:20 PM - 08:25 PM	51.2	50.2	11:00 PM - 11:05 PM	51.8	46.9
05:45 PM - 05:50 PM	56.6	41.7	08:25 PM - 08:30 PM	58.2	51.1	11:05 PM - 11:10 PM	52.5	47.4
05:50 PM - 05:55 PM	45.6	42.2	08:30 PM - 08:35 PM	52.1	50.7	11:10 PM - 11:15 PM	54.1	50.6
05:55 PM - 06:00 PM	50.0	41.3	08:35 PM - 08:40 PM	51.0	50.3	11:15 PM - 11:20 PM	55.3	50.7
06:00 PM - 06:05 PM	45.3	41.1	08:40 PM - 08:45 PM	51.1	42.9	11:20 PM - 11:25 PM	61.7	50.6
06:05 PM - 06:10 PM	46.6	41.8	08:45 PM - 08:50 PM	52.7	42.7	11:25 PM - 11:30 PM	68.4	67.1
06:10 PM - 06:15 PM	47.2	42.8	08:50 PM - 08:55 PM	45.2	42.4	11:30 PM - 11:35 PM	65.8	64.1
06:15 PM - 06:20 PM	46.5	42.0	08:55 PM - 09:00 PM	48.1	41.8	11:35 PM - 11:40 PM	60.9	54.5
06:20 PM - 06:25 PM	45.5	42.5	09:00 PM - 09:05 PM	46.8	42.9	11:40 PM - 11:45 PM	54.0	50.5
06:25 PM - 06:30 PM	50.2	43.1	09:05 PM - 09:10 PM	47.6	43.0	11:45 PM - 11:50 PM	52.7	48.1
06:30 PM - 06:35 PM	51.1	43.2	09:10 PM - 09:15 PM	44.4	41.8	11:50 PM - 11:55 PM	49.8	47.0
06:35 PM - 06:40 PM	55.0	42.4	09:15 PM - 09:20 PM	46.2	41.7	11:55 PM - 12:00 AM	49.4	46.0

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544281-1

Page 3 of 3

Sample Number 2620802-30
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 25 - Mar 26, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623390

Mar 26, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 26, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 26, 2026 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	48.7	46.2	02:40 AM - 02:45 AM	51.6	48.0	05:20 AM - 05:25 AM	50.3	47.6
12:05 AM - 12:10 AM	51.1	48.7	02:45 AM - 02:50 AM	48.6	47.8	05:25 AM - 05:30 AM	51.3	49.2
12:10 AM - 12:15 AM	51.5	50.1	02:50 AM - 02:55 AM	48.7	47.7	05:30 AM - 05:35 AM	49.3	48.3
12:15 AM - 12:20 AM	52.1	51.1	02:55 AM - 03:00 AM	49.3	48.2	05:35 AM - 05:40 AM	50.4	48.1
12:20 AM - 12:25 AM	53.3	51.4	03:00 AM - 03:05 AM	49.2	48.4	05:40 AM - 05:45 AM	60.2	48.4
12:25 AM - 12:30 AM	58.8	51.9	03:05 AM - 03:10 AM	50.0	48.4	05:45 AM - 05:50 AM	55.2	47.9
12:30 AM - 12:35 AM	53.1	52.0	03:10 AM - 03:15 AM	51.8	49.6	05:50 AM - 05:55 AM	50.5	48.2
12:35 AM - 12:40 AM	53.0	52.1	03:15 AM - 03:20 AM	50.5	49.7	05:55 AM - 06:00 AM	49.1	48.4
12:40 AM - 12:45 AM	52.5	51.7	03:20 AM - 03:25 AM	50.3	49.4	06:00 AM - 06:05 AM	49.0	48.2
12:45 AM - 12:50 AM	53.1	52.2	03:25 AM - 03:30 AM	51.0	49.2	06:05 AM - 06:10 AM	49.3	48.4
12:50 AM - 12:55 AM	53.0	52.1	03:30 AM - 03:35 AM	50.3	49.4	06:10 AM - 06:15 AM	49.8	49.2
12:55 AM - 01:00 AM	52.3	51.4	03:35 AM - 03:40 AM	50.8	49.5	06:15 AM - 06:20 AM	49.7	49.0
01:00 AM - 01:05 AM	52.7	51.9	03:40 AM - 03:45 AM	50.8	49.7	06:20 AM - 06:25 AM	49.9	49.1
01:05 AM - 01:10 AM	52.1	51.2	03:45 AM - 03:50 AM	50.6	49.8	06:25 AM - 06:30 AM	50.2	49.6
01:10 AM - 01:15 AM	53.1	51.9	03:50 AM - 03:55 AM	50.7	50.0	06:30 AM - 06:35 AM	50.2	49.5
01:15 AM - 01:20 AM	60.5	51.9	03:55 AM - 04:00 AM	50.8	50.0	06:35 AM - 06:40 AM	48.9	47.2
01:20 AM - 01:25 AM	55.9	51.3	04:00 AM - 04:05 AM	54.5	50.1	06:40 AM - 06:45 AM	48.2	47.6
01:25 AM - 01:30 AM	52.2	50.8	04:05 AM - 04:10 AM	51.8	50.0	06:45 AM - 06:50 AM	47.5	46.8
01:30 AM - 01:35 AM	52.9	50.5	04:10 AM - 04:15 AM	51.4	49.8	06:50 AM - 06:55 AM	47.9	47.3
01:35 AM - 01:40 AM	51.5	50.8	04:15 AM - 04:20 AM	51.0	47.1	06:55 AM - 07:00 AM	47.9	47.4
01:40 AM - 01:45 AM	51.2	50.4	04:20 AM - 04:25 AM	47.9	47.0	07:00 AM - 07:05 AM	47.6	47.0
01:45 AM - 01:50 AM	51.1	50.4	04:25 AM - 04:30 AM	48.8	46.9	07:05 AM - 07:10 AM	47.6	46.8
01:50 AM - 01:55 AM	50.1	48.9	04:30 AM - 04:35 AM	47.8	47.2	07:10 AM - 07:15 AM	48.1	47.2
01:55 AM - 02:00 AM	49.1	48.5	04:35 AM - 04:40 AM	48.0	47.3	07:15 AM - 07:20 AM	48.1	47.3
02:00 AM - 02:05 AM	49.6	48.3	04:40 AM - 04:45 AM	47.3	46.4	07:20 AM - 07:25 AM	49.2	47.6
02:05 AM - 02:10 AM	49.3	48.6	04:45 AM - 04:50 AM	47.1	46.4	07:25 AM - 07:30 AM	47.4	46.6
02:10 AM - 02:15 AM	49.5	48.5	04:50 AM - 04:55 AM	48.1	47.0	07:30 AM - 07:35 AM	50.2	46.5
02:15 AM - 02:20 AM	49.3	48.7	04:55 AM - 05:00 AM	48.2	47.4	07:35 AM - 07:40 AM	49.2	47.0
02:20 AM - 02:25 AM	49.3	48.6	05:00 AM - 05:05 AM	48.4	47.5	07:40 AM - 07:45 AM	47.4	46.6
02:25 AM - 02:30 AM	48.7	48.2	05:05 AM - 05:10 AM	48.2	47.3	07:45 AM - 07:50 AM	48.6	47.3
02:30 AM - 02:35 AM	49.1	48.0	05:10 AM - 05:15 AM	49.6	47.4	07:50 AM - 07:55 AM	49.2	48.4
02:35 AM - 02:40 AM	49.1	48.2	05:15 AM - 05:20 AM	49.2	46.9	07:55 AM - 08:00 AM	52.9	48.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544282-1

Page 1 of 3

Sample Number 2620802-31
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 26 - Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623390

Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	48.7	48.0	10:40 AM - 10:45 AM	49.6	43.7	01:20 PM - 01:25 PM	56.6	47.9
08:05 AM - 08:10 AM	49.0	48.3	10:45 AM - 10:50 AM	47.6	45.2	01:25 PM - 01:30 PM	56.0	46.9
08:10 AM - 08:15 AM	49.1	48.4	10:50 AM - 10:55 AM	50.1	47.5	01:30 PM - 01:35 PM	49.9	47.1
08:15 AM - 08:20 AM	48.8	48.0	10:55 AM - 11:00 AM	49.2	47.6	01:35 PM - 01:40 PM	52.3	47.7
08:20 AM - 08:25 AM	49.1	48.3	11:00 AM - 11:05 AM	51.2	47.8	01:40 PM - 01:45 PM	54.4	51.9
08:25 AM - 08:30 AM	48.7	48.0	11:05 AM - 11:10 AM	53.6	48.4	01:45 PM - 01:50 PM	58.0	48.2
08:30 AM - 08:35 AM	49.0	48.4	11:10 AM - 11:15 AM	52.7	47.5	01:50 PM - 01:55 PM	51.5	47.3
08:35 AM - 08:40 AM	50.8	48.1	11:15 AM - 11:20 AM	50.2	47.0	01:55 PM - 02:00 PM	52.9	47.3
08:40 AM - 08:45 AM	49.0	48.3	11:20 AM - 11:25 AM	54.2	47.4	02:00 PM - 02:05 PM	51.2	47.2
08:45 AM - 08:50 AM	49.5	48.5	11:25 AM - 11:30 AM	52.2	47.0	02:05 PM - 02:10 PM	52.5	46.1
08:50 AM - 08:55 AM	49.3	48.4	11:30 AM - 11:35 AM	52.3	46.6	02:10 PM - 02:15 PM	51.0	46.5
08:55 AM - 09:00 AM	49.0	48.0	11:35 AM - 11:40 AM	51.3	47.7	02:15 PM - 02:20 PM	49.7	46.4
09:00 AM - 09:05 AM	49.0	48.3	11:40 AM - 11:45 AM	50.3	47.1	02:20 PM - 02:25 PM	53.5	46.0
09:05 AM - 09:10 AM	49.3	48.5	11:45 AM - 11:50 AM	49.8	46.7	02:25 PM - 02:30 PM	55.0	45.8
09:10 AM - 09:15 AM	49.0	48.3	11:50 AM - 11:55 AM	51.6	47.0	02:30 PM - 02:35 PM	55.2	46.0
09:15 AM - 09:20 AM	49.2	48.5	11:55 AM - 12:00 PM	51.8	46.8	02:35 PM - 02:40 PM	51.3	45.9
09:20 AM - 09:25 AM	48.9	48.2	12:00 PM - 12:05 PM	53.7	47.2	02:40 PM - 02:45 PM	51.8	47.9
09:25 AM - 09:30 AM	48.9	48.3	12:05 PM - 12:10 PM	55.4	48.0	02:45 PM - 02:50 PM	50.1	45.8
09:30 AM - 09:35 AM	49.0	48.3	12:10 PM - 12:15 PM	53.8	50.8	02:50 PM - 02:55 PM	51.9	47.4
09:35 AM - 09:40 AM	48.5	47.8	12:15 PM - 12:20 PM	52.6	48.0	02:55 PM - 03:00 PM	54.1	47.1
09:40 AM - 09:45 AM	50.6	47.7	12:20 PM - 12:25 PM	57.2	49.1	03:00 PM - 03:05 PM	51.7	46.1
09:45 AM - 09:50 AM	48.9	47.1	12:25 PM - 12:30 PM	52.5	47.9	03:05 PM - 03:10 PM	51.1	45.8
09:50 AM - 09:55 AM	51.5	48.5	12:30 PM - 12:35 PM	50.6	47.8	03:10 PM - 03:15 PM	55.0	45.8
09:55 AM - 10:00 AM	61.2	49.5	12:35 PM - 12:40 PM	54.2	48.2	03:15 PM - 03:20 PM	50.0	46.6
10:00 AM - 10:05 AM	66.1	64.5	12:40 PM - 12:45 PM	53.3	46.3	03:20 PM - 03:25 PM	52.6	46.2
10:05 AM - 10:10 AM	61.1	47.6	12:45 PM - 12:50 PM	51.0	47.9	03:25 PM - 03:30 PM	49.6	46.1
10:10 AM - 10:15 AM	48.7	46.8	12:50 PM - 12:55 PM	52.3	47.8	03:30 PM - 03:35 PM	52.2	46.4
10:15 AM - 10:20 AM	50.6	46.7	12:55 PM - 01:00 PM	50.2	45.0	03:35 PM - 03:40 PM	53.3	47.0
10:20 AM - 10:25 AM	54.7	45.0	01:00 PM - 01:05 PM	51.1	47.4	03:40 PM - 03:45 PM	52.8	47.3
10:25 AM - 10:30 AM	46.9	44.1	01:05 PM - 01:10 PM	50.7	47.5	03:45 PM - 03:50 PM	51.2	47.7
10:30 AM - 10:35 AM	46.9	44.1	01:10 PM - 01:15 PM	54.9	47.2	03:50 PM - 03:55 PM	53.4	48.2
10:35 AM - 10:40 AM	47.2	43.3	01:15 PM - 01:20 PM	55.4	46.3	03:55 PM - 04:00 PM	51.7	48.3

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544282-1

Page 2 of 3

Sample Number 2620802-31
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 26 - Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623390

Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	54.0	48.5	06:40 PM - 06:45 PM	60.1	55.3	09:20 PM - 09:25 PM	55.6	50.7
04:05 PM - 04:10 PM	52.2	48.5	06:45 PM - 06:50 PM	64.6	60.9	09:25 PM - 09:30 PM	56.6	53.0
04:10 PM - 04:15 PM	53.8	48.1	06:50 PM - 06:55 PM	64.1	61.2	09:30 PM - 09:35 PM	55.2	51.2
04:15 PM - 04:20 PM	51.5	47.4	06:55 PM - 07:00 PM	64.5	60.7	09:35 PM - 09:40 PM	54.5	50.9
04:20 PM - 04:25 PM	52.8	48.5	07:00 PM - 07:05 PM	61.6	54.8	09:40 PM - 09:45 PM	49.2	47.8
04:25 PM - 04:30 PM	53.2	48.7	07:05 PM - 07:10 PM	56.7	48.6	09:45 PM - 09:50 PM	48.8	47.9
04:30 PM - 04:35 PM	50.8	47.5	07:10 PM - 07:15 PM	58.7	53.9	09:50 PM - 09:55 PM	50.0	47.7
04:35 PM - 04:40 PM	52.7	48.5	07:15 PM - 07:20 PM	60.0	55.6	09:55 PM - 10:00 PM	48.8	47.6
04:40 PM - 04:45 PM	50.9	47.9	07:20 PM - 07:25 PM	60.5	56.2	10:00 PM - 10:05 PM	48.1	47.5
04:45 PM - 04:50 PM	55.9	49.8	07:25 PM - 07:30 PM	60.1	55.3	10:05 PM - 10:10 PM	48.7	47.4
04:50 PM - 04:55 PM	54.1	48.9	07:30 PM - 07:35 PM	60.5	55.7	10:10 PM - 10:15 PM	48.4	47.4
04:55 PM - 05:00 PM	56.5	50.0	07:35 PM - 07:40 PM	61.4	57.4	10:15 PM - 10:20 PM	48.0	47.2
05:00 PM - 05:05 PM	58.9	55.9	07:40 PM - 07:45 PM	61.2	55.9	10:20 PM - 10:25 PM	48.7	47.7
05:05 PM - 05:10 PM	60.4	55.9	07:45 PM - 07:50 PM	59.1	53.7	10:25 PM - 10:30 PM	48.4	47.5
05:10 PM - 05:15 PM	58.8	56.6	07:50 PM - 07:55 PM	59.7	54.7	10:30 PM - 10:35 PM	49.1	47.6
05:15 PM - 05:20 PM	58.7	56.8	07:55 PM - 08:00 PM	60.0	53.9	10:35 PM - 10:40 PM	50.3	47.9
05:20 PM - 05:25 PM	61.4	58.1	08:00 PM - 08:05 PM	59.1	55.5	10:40 PM - 10:45 PM	48.5	47.3
05:25 PM - 05:30 PM	61.3	56.7	08:05 PM - 08:10 PM	58.8	53.6	10:45 PM - 10:50 PM	48.2	47.3
05:30 PM - 05:35 PM	59.5	56.6	08:10 PM - 08:15 PM	55.7	50.3	10:50 PM - 10:55 PM	48.3	47.6
05:35 PM - 05:40 PM	67.7	58.9	08:15 PM - 08:20 PM	60.5	51.2	10:55 PM - 11:00 PM	48.0	47.4
05:40 PM - 05:45 PM	67.8	59.9	08:20 PM - 08:25 PM	59.3	50.7	11:00 PM - 11:05 PM	48.1	47.3
05:45 PM - 05:50 PM	63.1	55.5	08:25 PM - 08:30 PM	55.7	48.2	11:05 PM - 11:10 PM	48.1	46.9
05:50 PM - 05:55 PM	63.0	56.8	08:30 PM - 08:35 PM	56.9	51.1	11:10 PM - 11:15 PM	47.6	46.7
05:55 PM - 06:00 PM	68.8	62.5	08:35 PM - 08:40 PM	55.1	49.5	11:15 PM - 11:20 PM	50.1	46.6
06:00 PM - 06:05 PM	64.3	55.4	08:40 PM - 08:45 PM	52.4	49.2	11:20 PM - 11:25 PM	51.0	46.9
06:05 PM - 06:10 PM	60.0	58.1	08:45 PM - 08:50 PM	55.3	49.8	11:25 PM - 11:30 PM	48.8	47.1
06:10 PM - 06:15 PM	61.3	58.3	08:50 PM - 08:55 PM	64.4	49.4	11:30 PM - 11:35 PM	49.2	47.1
06:15 PM - 06:20 PM	61.9	58.5	08:55 PM - 09:00 PM	54.0	49.3	11:35 PM - 11:40 PM	47.5	46.6
06:20 PM - 06:25 PM	60.2	57.6	09:00 PM - 09:05 PM	54.7	49.3	11:40 PM - 11:45 PM	47.8	46.9
06:25 PM - 06:30 PM	60.8	56.6	09:05 PM - 09:10 PM	57.5	50.2	11:45 PM - 11:50 PM	47.8	47.0
06:30 PM - 06:35 PM	58.9	55.8	09:10 PM - 09:15 PM	56.4	50.8	11:50 PM - 11:55 PM	47.4	46.5
06:35 PM - 06:40 PM	61.6	58.7	09:15 PM - 09:20 PM	56.4	49.1	11:55 PM - 12:00 AM	47.7	46.9

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544282-1

Page 3 of 3

Sample Number 2620802-31
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 26 - Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623390

Mar 27, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 27, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 27, 2026 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	47.7	46.9	02:40 AM - 02:45 AM	47.2	46.5	05:20 AM - 05:25 AM	48.3	46.3
12:05 AM - 12:10 AM	48.2	47.3	02:45 AM - 02:50 AM	47.5	46.6	05:25 AM - 05:30 AM	47.2	46.3
12:10 AM - 12:15 AM	47.8	46.9	02:50 AM - 02:55 AM	47.1	46.3	05:30 AM - 05:35 AM	48.1	46.4
12:15 AM - 12:20 AM	51.6	47.1	02:55 AM - 03:00 AM	47.5	46.6	05:35 AM - 05:40 AM	47.8	46.9
12:20 AM - 12:25 AM	52.5	46.8	03:00 AM - 03:05 AM	47.3	46.5	05:40 AM - 05:45 AM	50.7	46.9
12:25 AM - 12:30 AM	53.9	46.5	03:05 AM - 03:10 AM	47.3	46.4	05:45 AM - 05:50 AM	48.7	47.2
12:30 AM - 12:35 AM	48.5	46.6	03:10 AM - 03:15 AM	47.0	46.2	05:50 AM - 05:55 AM	57.8	47.6
12:35 AM - 12:40 AM	55.5	46.4	03:15 AM - 03:20 AM	51.2	46.3	05:55 AM - 06:00 AM	57.0	47.7
12:40 AM - 12:45 AM	47.7	46.4	03:20 AM - 03:25 AM	46.8	46.1	06:00 AM - 06:05 AM	54.9	47.4
12:45 AM - 12:50 AM	47.4	46.3	03:25 AM - 03:30 AM	46.7	46.2	06:05 AM - 06:10 AM	57.4	47.3
12:50 AM - 12:55 AM	47.8	46.3	03:30 AM - 03:35 AM	47.0	46.1	06:10 AM - 06:15 AM	63.5	47.9
12:55 AM - 01:00 AM	47.9	46.7	03:35 AM - 03:40 AM	46.6	46.1	06:15 AM - 06:20 AM	54.1	48.0
01:00 AM - 01:05 AM	47.9	46.8	03:40 AM - 03:45 AM	47.1	46.4	06:20 AM - 06:25 AM	51.8	47.8
01:05 AM - 01:10 AM	47.8	46.8	03:45 AM - 03:50 AM	47.0	46.4	06:25 AM - 06:30 AM	52.7	47.8
01:10 AM - 01:15 AM	48.1	46.9	03:50 AM - 03:55 AM	47.1	46.3	06:30 AM - 06:35 AM	52.4	48.6
01:15 AM - 01:20 AM	47.4	46.6	03:55 AM - 04:00 AM	47.2	46.5	06:35 AM - 06:40 AM	52.5	47.8
01:20 AM - 01:25 AM	47.9	46.8	04:00 AM - 04:05 AM	47.1	46.5	06:40 AM - 06:45 AM	50.8	47.6
01:25 AM - 01:30 AM	47.7	46.8	04:05 AM - 04:10 AM	47.7	46.6	06:45 AM - 06:50 AM	51.7	47.8
01:30 AM - 01:35 AM	47.6	46.7	04:10 AM - 04:15 AM	46.9	46.3	06:50 AM - 06:55 AM	51.6	48.1
01:35 AM - 01:40 AM	47.9	46.9	04:15 AM - 04:20 AM	47.0	46.4	06:55 AM - 07:00 AM	51.6	47.9
01:40 AM - 01:45 AM	48.2	47.0	04:20 AM - 04:25 AM	47.2	46.5	07:00 AM - 07:05 AM	55.4	48.8
01:45 AM - 01:50 AM	47.5	46.7	04:25 AM - 04:30 AM	47.0	46.4	07:05 AM - 07:10 AM	55.5	49.3
01:50 AM - 01:55 AM	47.9	46.9	04:30 AM - 04:35 AM	46.7	46.1	07:10 AM - 07:15 AM	55.0	49.0
01:55 AM - 02:00 AM	47.5	46.8	04:35 AM - 04:40 AM	47.4	46.2	07:15 AM - 07:20 AM	55.6	49.1
02:00 AM - 02:05 AM	47.8	46.9	04:40 AM - 04:45 AM	47.4	46.2	07:20 AM - 07:25 AM	55.8	47.9
02:05 AM - 02:10 AM	58.9	46.8	04:45 AM - 04:50 AM	47.4	46.2	07:25 AM - 07:30 AM	52.0	47.9
02:10 AM - 02:15 AM	48.2	46.9	04:50 AM - 04:55 AM	47.0	46.3	07:30 AM - 07:35 AM	52.4	47.8
02:15 AM - 02:20 AM	47.4	46.5	04:55 AM - 05:00 AM	46.9	46.3	07:35 AM - 07:40 AM	51.7	47.8
02:20 AM - 02:25 AM	48.0	46.5	05:00 AM - 05:05 AM	47.0	46.4	07:40 AM - 07:45 AM	62.6	48.3
02:25 AM - 02:30 AM	47.9	46.6	05:05 AM - 05:10 AM	47.6	46.3	07:45 AM - 07:50 AM	64.7	54.3
02:30 AM - 02:35 AM	48.0	46.9	05:10 AM - 05:15 AM	47.4	46.3	07:50 AM - 07:55 AM	69.7	59.7
02:35 AM - 02:40 AM	47.3	46.7	05:15 AM - 05:20 AM	47.0	46.2	07:55 AM - 08:00 AM	67.5	56.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544283-1

Page 1 of 3

Sample Number 2620802-32
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 27 - Mar 28, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623390

Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	64.1	49.6	10:40 AM - 10:45 AM	52.9	47.5	01:20 PM - 01:25 PM	49.8	45.0
08:05 AM - 08:10 AM	51.7	48.6	10:45 AM - 10:50 AM	52.2	46.8	01:25 PM - 01:30 PM	51.1	44.7
08:10 AM - 08:15 AM	53.8	48.8	10:50 AM - 10:55 AM	53.0	46.8	01:30 PM - 01:35 PM	50.8	45.0
08:15 AM - 08:20 AM	57.0	49.0	10:55 AM - 11:00 AM	51.9	47.4	01:35 PM - 01:40 PM	52.4	47.1
08:20 AM - 08:25 AM	52.8	48.2	11:00 AM - 11:05 AM	49.1	47.0	01:40 PM - 01:45 PM	48.8	45.4
08:25 AM - 08:30 AM	52.3	49.1	11:05 AM - 11:10 AM	50.2	46.8	01:45 PM - 01:50 PM	53.2	46.3
08:30 AM - 08:35 AM	54.5	48.5	11:10 AM - 11:15 AM	52.8	46.7	01:50 PM - 01:55 PM	48.7	45.8
08:35 AM - 08:40 AM	55.4	49.0	11:15 AM - 11:20 AM	49.4	45.9	01:55 PM - 02:00 PM	48.5	46.0
08:40 AM - 08:45 AM	53.9	49.4	11:20 AM - 11:25 AM	48.4	46.2	02:00 PM - 02:05 PM	49.8	46.2
08:45 AM - 08:50 AM	53.3	49.2	11:25 AM - 11:30 AM	53.9	47.1	02:05 PM - 02:10 PM	49.8	46.8
08:50 AM - 08:55 AM	52.6	49.0	11:30 AM - 11:35 AM	48.2	44.8	02:10 PM - 02:15 PM	50.1	46.6
08:55 AM - 09:00 AM	57.0	49.9	11:35 AM - 11:40 AM	47.8	44.9	02:15 PM - 02:20 PM	54.3	46.2
09:00 AM - 09:05 AM	54.9	48.6	11:40 AM - 11:45 AM	50.9	45.7	02:20 PM - 02:25 PM	51.2	45.7
09:05 AM - 09:10 AM	52.0	48.2	11:45 AM - 11:50 AM	54.7	46.8	02:25 PM - 02:30 PM	52.2	46.5
09:10 AM - 09:15 AM	55.0	44.2	11:50 AM - 11:55 AM	55.2	46.9	02:30 PM - 02:35 PM	50.3	45.9
09:15 AM - 09:20 AM	55.0	44.0	11:55 AM - 12:00 PM	49.5	45.6	02:35 PM - 02:40 PM	50.5	46.2
09:20 AM - 09:25 AM	59.0	46.8	12:00 PM - 12:05 PM	49.0	45.2	02:40 PM - 02:45 PM	54.5	46.1
09:25 AM - 09:30 AM	62.9	47.5	12:05 PM - 12:10 PM	54.3	45.5	02:45 PM - 02:50 PM	50.0	45.0
09:30 AM - 09:35 AM	50.5	47.1	12:10 PM - 12:15 PM	46.4	44.3	02:50 PM - 02:55 PM	50.2	45.1
09:35 AM - 09:40 AM	49.6	46.4	12:15 PM - 12:20 PM	50.8	44.4	02:55 PM - 03:00 PM	53.2	45.7
09:40 AM - 09:45 AM	56.7	47.8	12:20 PM - 12:25 PM	50.6	45.6	03:00 PM - 03:05 PM	53.0	44.3
09:45 AM - 09:50 AM	50.2	46.0	12:25 PM - 12:30 PM	50.2	44.9	03:05 PM - 03:10 PM	56.4	46.0
09:50 AM - 09:55 AM	52.0	47.2	12:30 PM - 12:35 PM	53.5	45.3	03:10 PM - 03:15 PM	52.9	48.1
09:55 AM - 10:00 AM	51.5	46.8	12:35 PM - 12:40 PM	46.5	44.0	03:15 PM - 03:20 PM	55.6	47.7
10:00 AM - 10:05 AM	49.9	45.5	12:40 PM - 12:45 PM	51.2	44.3	03:20 PM - 03:25 PM	55.0	48.1
10:05 AM - 10:10 AM	52.9	46.3	12:45 PM - 12:50 PM	50.7	45.3	03:25 PM - 03:30 PM	53.4	49.5
10:10 AM - 10:15 AM	52.4	46.2	12:50 PM - 12:55 PM	58.4	47.3	03:30 PM - 03:35 PM	51.6	48.8
10:15 AM - 10:20 AM	50.3	46.6	12:55 PM - 01:00 PM	52.4	46.2	03:35 PM - 03:40 PM	52.5	49.0
10:20 AM - 10:25 AM	49.9	46.7	01:00 PM - 01:05 PM	50.7	45.2	03:40 PM - 03:45 PM	51.3	47.9
10:25 AM - 10:30 AM	52.5	47.6	01:05 PM - 01:10 PM	50.4	45.1	03:45 PM - 03:50 PM	50.3	47.7
10:30 AM - 10:35 AM	51.4	48.0	01:10 PM - 01:15 PM	51.2	45.0	03:50 PM - 03:55 PM	53.8	49.5
10:35 AM - 10:40 AM	51.2	47.1	01:15 PM - 01:20 PM	51.9	44.5	03:55 PM - 04:00 PM	53.9	49.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544283-1

Page 2 of 3

Sample Number 2620802-32
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 27 - Mar 28, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623390

Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	51.9	48.5	06:40 PM - 06:45 PM	54.2	48.7	09:20 PM - 09:25 PM	51.8	48.6
04:05 PM - 04:10 PM	52.1	48.6	06:45 PM - 06:50 PM	58.0	47.9	09:25 PM - 09:30 PM	52.7	48.9
04:10 PM - 04:15 PM	58.4	49.0	06:50 PM - 06:55 PM	55.7	52.1	09:30 PM - 09:35 PM	51.4	48.5
04:15 PM - 04:20 PM	55.2	48.8	06:55 PM - 07:00 PM	57.2	52.9	09:35 PM - 09:40 PM	51.4	48.2
04:20 PM - 04:25 PM	52.4	48.1	07:00 PM - 07:05 PM	56.2	50.0	09:40 PM - 09:45 PM	52.1	49.1
04:25 PM - 04:30 PM	60.1	48.9	07:05 PM - 07:10 PM	56.6	50.7	09:45 PM - 09:50 PM	54.2	48.8
04:30 PM - 04:35 PM	51.6	48.2	07:10 PM - 07:15 PM	57.3	50.5	09:50 PM - 09:55 PM	54.5	50.8
04:35 PM - 04:40 PM	57.3	49.4	07:15 PM - 07:20 PM	57.7	51.3	09:55 PM - 10:00 PM	53.0	49.7
04:40 PM - 04:45 PM	53.8	49.6	07:20 PM - 07:25 PM	56.8	51.7	10:00 PM - 10:05 PM	52.8	49.5
04:45 PM - 04:50 PM	59.8	50.3	07:25 PM - 07:30 PM	57.0	52.3	10:05 PM - 10:10 PM	53.5	49.2
04:50 PM - 04:55 PM	59.2	50.3	07:30 PM - 07:35 PM	56.0	50.9	10:10 PM - 10:15 PM	51.3	48.4
04:55 PM - 05:00 PM	52.7	49.2	07:35 PM - 07:40 PM	56.2	50.1	10:15 PM - 10:20 PM	52.1	48.4
05:00 PM - 05:05 PM	53.9	50.8	07:40 PM - 07:45 PM	57.8	51.2	10:20 PM - 10:25 PM	50.5	46.9
05:05 PM - 05:10 PM	53.2	50.0	07:45 PM - 07:50 PM	56.8	53.4	10:25 PM - 10:30 PM	48.5	46.5
05:10 PM - 05:15 PM	54.2	50.7	07:50 PM - 07:55 PM	58.8	54.9	10:30 PM - 10:35 PM	55.5	46.6
05:15 PM - 05:20 PM	60.5	50.6	07:55 PM - 08:00 PM	59.4	55.0	10:35 PM - 10:40 PM	47.3	46.4
05:20 PM - 05:25 PM	51.5	49.0	08:00 PM - 08:05 PM	59.3	55.6	10:40 PM - 10:45 PM	48.0	46.9
05:25 PM - 05:30 PM	51.2	49.0	08:05 PM - 08:10 PM	59.3	55.2	10:45 PM - 10:50 PM	48.0	46.9
05:30 PM - 05:35 PM	53.0	48.5	08:10 PM - 08:15 PM	59.4	55.2	10:50 PM - 10:55 PM	47.9	46.8
05:35 PM - 05:40 PM	62.8	55.0	08:15 PM - 08:20 PM	60.0	54.9	10:55 PM - 11:00 PM	52.3	46.7
05:40 PM - 05:45 PM	64.6	56.3	08:20 PM - 08:25 PM	58.0	53.8	11:00 PM - 11:05 PM	48.3	46.7
05:45 PM - 05:50 PM	66.5	55.2	08:25 PM - 08:30 PM	59.3	54.1	11:05 PM - 11:10 PM	48.9	46.9
05:50 PM - 05:55 PM	67.9	55.8	08:30 PM - 08:35 PM	57.6	52.4	11:10 PM - 11:15 PM	50.6	46.5
05:55 PM - 06:00 PM	57.1	52.0	08:35 PM - 08:40 PM	57.2	51.1	11:15 PM - 11:20 PM	50.9	46.4
06:00 PM - 06:05 PM	56.6	52.2	08:40 PM - 08:45 PM	57.0	51.1	11:20 PM - 11:25 PM	47.8	46.7
06:05 PM - 06:10 PM	57.1	52.9	08:45 PM - 08:50 PM	56.0	49.8	11:25 PM - 11:30 PM	48.0	46.6
06:10 PM - 06:15 PM	57.7	52.4	08:50 PM - 08:55 PM	55.2	50.7	11:30 PM - 11:35 PM	47.6	46.7
06:15 PM - 06:20 PM	56.4	52.0	08:55 PM - 09:00 PM	50.3	48.5	11:35 PM - 11:40 PM	47.6	46.5
06:20 PM - 06:25 PM	61.7	52.5	09:00 PM - 09:05 PM	51.4	49.3	11:40 PM - 11:45 PM	50.9	46.2
06:25 PM - 06:30 PM	60.8	50.6	09:05 PM - 09:10 PM	52.0	49.6	11:45 PM - 11:50 PM	47.1	46.1
06:30 PM - 06:35 PM	55.3	51.6	09:10 PM - 09:15 PM	51.2	49.0	11:50 PM - 11:55 PM	46.9	46.0
06:35 PM - 06:40 PM	55.3	50.8	09:15 PM - 09:20 PM	51.4	49.4	11:55 PM - 12:00 AM	47.1	46.0

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544283-1

Page 3 of 3

Sample Number 2620802-32
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 27 - Mar 28, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623390

Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	47.1	46.0	02:40 AM - 02:45 AM	46.6	45.6	05:20 AM - 05:25 AM	48.4	46.4
12:05 AM - 12:10 AM	47.5	46.8	02:45 AM - 02:50 AM	46.2	45.4	05:25 AM - 05:30 AM	48.0	46.4
12:10 AM - 12:15 AM	47.4	46.7	02:50 AM - 02:55 AM	46.1	45.3	05:30 AM - 05:35 AM	48.8	46.4
12:15 AM - 12:20 AM	47.1	46.1	02:55 AM - 03:00 AM	46.3	45.6	05:35 AM - 05:40 AM	47.5	46.3
12:20 AM - 12:25 AM	46.9	46.2	03:00 AM - 03:05 AM	46.3	45.7	05:40 AM - 05:45 AM	50.6	46.7
12:25 AM - 12:30 AM	46.7	45.9	03:05 AM - 03:10 AM	46.3	45.8	05:45 AM - 05:50 AM	58.9	47.3
12:30 AM - 12:35 AM	52.1	46.2	03:10 AM - 03:15 AM	48.2	45.9	05:50 AM - 05:55 AM	59.9	47.3
12:35 AM - 12:40 AM	48.9	45.9	03:15 AM - 03:20 AM	46.3	45.7	05:55 AM - 06:00 AM	59.8	48.4
12:40 AM - 12:45 AM	47.0	45.9	03:20 AM - 03:25 AM	46.6	45.9	06:00 AM - 06:05 AM	59.2	47.9
12:45 AM - 12:50 AM	46.9	46.0	03:25 AM - 03:30 AM	46.7	45.9	06:05 AM - 06:10 AM	53.7	47.3
12:50 AM - 12:55 AM	46.7	45.9	03:30 AM - 03:35 AM	46.4	45.8	06:10 AM - 06:15 AM	51.9	47.8
12:55 AM - 01:00 AM	46.6	45.8	03:35 AM - 03:40 AM	46.7	45.6	06:15 AM - 06:20 AM	51.7	47.4
01:00 AM - 01:05 AM	46.9	46.1	03:40 AM - 03:45 AM	46.6	45.8	06:20 AM - 06:25 AM	52.9	47.5
01:05 AM - 01:10 AM	47.0	46.3	03:45 AM - 03:50 AM	46.3	45.7	06:25 AM - 06:30 AM	54.7	47.7
01:10 AM - 01:15 AM	47.1	46.3	03:50 AM - 03:55 AM	46.5	45.9	06:30 AM - 06:35 AM	52.6	47.4
01:15 AM - 01:20 AM	46.8	46.1	03:55 AM - 04:00 AM	46.4	45.8	06:35 AM - 06:40 AM	50.1	47.4
01:20 AM - 01:25 AM	47.0	45.9	04:00 AM - 04:05 AM	46.5	45.8	06:40 AM - 06:45 AM	51.6	47.3
01:25 AM - 01:30 AM	46.5	45.5	04:05 AM - 04:10 AM	46.6	45.9	06:45 AM - 06:50 AM	51.9	47.3
01:30 AM - 01:35 AM	46.2	45.5	04:10 AM - 04:15 AM	46.9	46.0	06:50 AM - 06:55 AM	52.8	47.7
01:35 AM - 01:40 AM	46.2	45.5	04:15 AM - 04:20 AM	46.3	45.6	06:55 AM - 07:00 AM	53.1	48.0
01:40 AM - 01:45 AM	46.5	45.5	04:20 AM - 04:25 AM	46.4	45.8	07:00 AM - 07:05 AM	51.3	47.5
01:45 AM - 01:50 AM	46.3	45.6	04:25 AM - 04:30 AM	46.4	45.9	07:05 AM - 07:10 AM	52.5	48.0
01:50 AM - 01:55 AM	46.2	45.6	04:30 AM - 04:35 AM	46.5	45.9	07:10 AM - 07:15 AM	50.5	47.6
01:55 AM - 02:00 AM	46.4	45.7	04:35 AM - 04:40 AM	46.6	45.9	07:15 AM - 07:20 AM	55.9	48.4
02:00 AM - 02:05 AM	46.3	45.7	04:40 AM - 04:45 AM	46.5	45.8	07:20 AM - 07:25 AM	52.2	48.4
02:05 AM - 02:10 AM	46.5	45.8	04:45 AM - 04:50 AM	47.4	46.0	07:25 AM - 07:30 AM	53.1	48.0
02:10 AM - 02:15 AM	46.3	45.6	04:50 AM - 04:55 AM	46.9	46.0	07:30 AM - 07:35 AM	54.6	48.3
02:15 AM - 02:20 AM	46.2	45.6	04:55 AM - 05:00 AM	49.5	46.1	07:35 AM - 07:40 AM	52.2	49.6
02:20 AM - 02:25 AM	46.3	45.6	05:00 AM - 05:05 AM	46.6	45.9	07:40 AM - 07:45 AM	55.1	49.7
02:25 AM - 02:30 AM	46.7	45.8	05:05 AM - 05:10 AM	46.4	45.7	07:45 AM - 07:50 AM	57.6	50.0
02:30 AM - 02:35 AM	46.8	45.7	05:10 AM - 05:15 AM	46.5	45.8	07:50 AM - 07:55 AM	54.5	49.1
02:35 AM - 02:40 AM	46.3	45.6	05:15 AM - 05:20 AM	47.6	45.9	07:55 AM - 08:00 AM	52.3	48.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544284-1

Page 1 of 3

Sample Number 2620802-33
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 28 - Mar 29, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623390

Mar 28, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 28, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 28, 2026 Time	Leq dB(A)	L90 dB(A)
08:00 AM - 08:05 AM	49.5	47.0	10:40 AM - 10:45 AM	53.0	47.4	01:20 PM - 01:25 PM	52.0	48.1
08:05 AM - 08:10 AM	54.0	48.1	10:45 AM - 10:50 AM	55.0	48.6	01:25 PM - 01:30 PM	49.1	46.6
08:10 AM - 08:15 AM	53.3	48.0	10:50 AM - 10:55 AM	54.7	47.9	01:30 PM - 01:35 PM	51.7	48.6
08:15 AM - 08:20 AM	51.6	47.3	10:55 AM - 11:00 AM	53.8	49.4	01:35 PM - 01:40 PM	51.2	48.9
08:20 AM - 08:25 AM	50.7	46.9	11:00 AM - 11:05 AM	53.9	48.9	01:40 PM - 01:45 PM	52.0	49.3
08:25 AM - 08:30 AM	53.4	47.3	11:05 AM - 11:10 AM	56.1	49.3	01:45 PM - 01:50 PM	55.5	49.2
08:30 AM - 08:35 AM	54.1	47.2	11:10 AM - 11:15 AM	52.6	48.1	01:50 PM - 01:55 PM	53.5	49.5
08:35 AM - 08:40 AM	56.0	47.0	11:15 AM - 11:20 AM	50.8	47.6	01:55 PM - 02:00 PM	57.3	49.1
08:40 AM - 08:45 AM	54.4	46.8	11:20 AM - 11:25 AM	54.7	48.3	02:00 PM - 02:05 PM	51.2	48.3
08:45 AM - 08:50 AM	51.8	47.5	11:25 AM - 11:30 AM	52.4	48.1	02:05 PM - 02:10 PM	51.8	48.3
08:50 AM - 08:55 AM	53.4	46.8	11:30 AM - 11:35 AM	52.2	47.7	02:10 PM - 02:15 PM	52.2	49.3
08:55 AM - 09:00 AM	53.0	45.9	11:35 AM - 11:40 AM	52.9	47.2	02:15 PM - 02:20 PM	54.7	48.6
09:00 AM - 09:05 AM	54.7	47.4	11:40 AM - 11:45 AM	48.9	47.1	02:20 PM - 02:25 PM	56.8	48.3
09:05 AM - 09:10 AM	52.0	46.6	11:45 AM - 11:50 AM	49.9	47.3	02:25 PM - 02:30 PM	50.8	48.0
09:10 AM - 09:15 AM	49.5	42.5	11:50 AM - 11:55 AM	52.7	46.2	02:30 PM - 02:35 PM	52.6	48.3
09:15 AM - 09:20 AM	51.5	45.7	11:55 AM - 12:00 PM	48.0	45.1	02:35 PM - 02:40 PM	50.9	47.7
09:20 AM - 09:25 AM	49.9	47.0	12:00 PM - 12:05 PM	52.2	45.2	02:40 PM - 02:45 PM	52.5	48.1
09:25 AM - 09:30 AM	52.2	47.0	12:05 PM - 12:10 PM	52.3	45.2	02:45 PM - 02:50 PM	51.9	48.4
09:30 AM - 09:35 AM	57.1	48.2	12:10 PM - 12:15 PM	53.3	45.0	02:50 PM - 02:55 PM	57.2	48.7
09:35 AM - 09:40 AM	51.9	48.4	12:15 PM - 12:20 PM	48.8	45.0	02:55 PM - 03:00 PM	51.7	48.7
09:40 AM - 09:45 AM	51.3	46.9	12:20 PM - 12:25 PM	51.8	47.3	03:00 PM - 03:05 PM	54.7	48.7
09:45 AM - 09:50 AM	51.3	46.5	12:25 PM - 12:30 PM	51.1	48.0	03:05 PM - 03:10 PM	54.1	48.4
09:50 AM - 09:55 AM	58.2	50.3	12:30 PM - 12:35 PM	53.3	48.0	03:10 PM - 03:15 PM	51.5	48.7
09:55 AM - 10:00 AM	53.6	47.0	12:35 PM - 12:40 PM	52.3	48.6	03:15 PM - 03:20 PM	53.1	48.8
10:00 AM - 10:05 AM	50.7	47.1	12:40 PM - 12:45 PM	52.4	49.1	03:20 PM - 03:25 PM	56.1	50.1
10:05 AM - 10:10 AM	55.0	47.7	12:45 PM - 12:50 PM	51.4	48.3	03:25 PM - 03:30 PM	52.0	49.3
10:10 AM - 10:15 AM	53.8	47.8	12:50 PM - 12:55 PM	51.8	49.1	03:30 PM - 03:35 PM	50.6	48.0
10:15 AM - 10:20 AM	51.9	46.5	12:55 PM - 01:00 PM	50.9	47.9	03:35 PM - 03:40 PM	54.0	50.6
10:20 AM - 10:25 AM	52.0	46.3	01:00 PM - 01:05 PM	48.9	46.8	03:40 PM - 03:45 PM	55.2	49.9
10:25 AM - 10:30 AM	48.6	46.4	01:05 PM - 01:10 PM	51.5	47.2	03:45 PM - 03:50 PM	50.7	49.0
10:30 AM - 10:35 AM	49.6	46.8	01:10 PM - 01:15 PM	50.0	47.4	03:50 PM - 03:55 PM	57.6	49.4
10:35 AM - 10:40 AM	53.0	46.4	01:15 PM - 01:20 PM	52.8	49.6	03:55 PM - 04:00 PM	53.2	50.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544284-1

Page 2 of 3

Sample Number 2620802-33
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 28 - Mar 29, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623390

Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	52.9	50.4	06:40 PM - 06:45 PM	53.0	49.9	09:20 PM - 09:25 PM	56.1	49.1
04:05 PM - 04:10 PM	56.5	51.4	06:45 PM - 06:50 PM	53.3	50.2	09:25 PM - 09:30 PM	55.6	48.5
04:10 PM - 04:15 PM	56.2	51.3	06:50 PM - 06:55 PM	56.3	50.2	09:30 PM - 09:35 PM	53.1	49.1
04:15 PM - 04:20 PM	52.8	50.3	06:55 PM - 07:00 PM	52.9	50.6	09:35 PM - 09:40 PM	54.1	49.5
04:20 PM - 04:25 PM	53.9	50.6	07:00 PM - 07:05 PM	54.2	49.8	09:40 PM - 09:45 PM	54.5	51.7
04:25 PM - 04:30 PM	53.4	50.6	07:05 PM - 07:10 PM	54.8	50.7	09:45 PM - 09:50 PM	55.4	52.2
04:30 PM - 04:35 PM	54.2	50.5	07:10 PM - 07:15 PM	55.2	52.0	09:50 PM - 09:55 PM	54.5	51.3
04:35 PM - 04:40 PM	53.1	50.9	07:15 PM - 07:20 PM	55.9	51.5	09:55 PM - 10:00 PM	54.4	52.3
04:40 PM - 04:45 PM	53.2	51.0	07:20 PM - 07:25 PM	53.9	51.0	10:00 PM - 10:05 PM	58.2	48.6
04:45 PM - 04:50 PM	53.2	51.1	07:25 PM - 07:30 PM	58.0	49.5	10:05 PM - 10:10 PM	61.0	50.8
04:50 PM - 04:55 PM	54.5	51.2	07:30 PM - 07:35 PM	62.0	50.9	10:10 PM - 10:15 PM	55.1	51.1
04:55 PM - 05:00 PM	55.9	51.7	07:35 PM - 07:40 PM	55.6	49.8	10:15 PM - 10:20 PM	54.6	50.7
05:00 PM - 05:05 PM	55.6	51.8	07:40 PM - 07:45 PM	55.9	52.0	10:20 PM - 10:25 PM	54.8	50.7
05:05 PM - 05:10 PM	56.1	51.7	07:45 PM - 07:50 PM	55.9	52.2	10:25 PM - 10:30 PM	55.2	51.2
05:10 PM - 05:15 PM	54.6	51.9	07:50 PM - 07:55 PM	56.6	50.5	10:30 PM - 10:35 PM	52.8	48.4
05:15 PM - 05:20 PM	58.3	51.2	07:55 PM - 08:00 PM	55.0	50.8	10:35 PM - 10:40 PM	53.2	46.8
05:20 PM - 05:25 PM	57.0	53.4	08:00 PM - 08:05 PM	54.2	51.3	10:40 PM - 10:45 PM	47.6	46.7
05:25 PM - 05:30 PM	56.4	52.7	08:05 PM - 08:10 PM	56.4	50.9	10:45 PM - 10:50 PM	47.7	46.5
05:30 PM - 05:35 PM	54.6	51.9	08:10 PM - 08:15 PM	53.0	51.0	10:50 PM - 10:55 PM	48.4	47.8
05:35 PM - 05:40 PM	54.9	52.0	08:15 PM - 08:20 PM	52.8	48.2	10:55 PM - 11:00 PM	48.1	47.6
05:40 PM - 05:45 PM	55.4	52.3	08:20 PM - 08:25 PM	52.6	49.0	11:00 PM - 11:05 PM	48.5	47.8
05:45 PM - 05:50 PM	55.6	51.5	08:25 PM - 08:30 PM	54.6	49.8	11:05 PM - 11:10 PM	48.6	46.9
05:50 PM - 05:55 PM	56.8	53.2	08:30 PM - 08:35 PM	55.7	51.6	11:10 PM - 11:15 PM	47.4	46.7
05:55 PM - 06:00 PM	59.2	56.2	08:35 PM - 08:40 PM	54.8	51.5	11:15 PM - 11:20 PM	48.4	47.6
06:00 PM - 06:05 PM	60.9	58.2	08:40 PM - 08:45 PM	54.3	48.4	11:20 PM - 11:25 PM	48.5	47.9
06:05 PM - 06:10 PM	60.6	57.3	08:45 PM - 08:50 PM	55.0	50.0	11:25 PM - 11:30 PM	48.4	47.4
06:10 PM - 06:15 PM	60.3	56.8	08:50 PM - 08:55 PM	54.6	50.1	11:30 PM - 11:35 PM	48.6	48.0
06:15 PM - 06:20 PM	60.2	56.6	08:55 PM - 09:00 PM	55.9	52.4	11:35 PM - 11:40 PM	48.8	48.0
06:20 PM - 06:25 PM	60.8	54.8	09:00 PM - 09:05 PM	54.6	50.2	11:40 PM - 11:45 PM	48.5	47.9
06:25 PM - 06:30 PM	57.2	48.5	09:05 PM - 09:10 PM	55.3	50.1	11:45 PM - 11:50 PM	48.4	47.8
06:30 PM - 06:35 PM	56.9	50.1	09:10 PM - 09:15 PM	52.5	48.9	11:50 PM - 11:55 PM	48.3	47.7
06:35 PM - 06:40 PM	55.1	50.6	09:15 PM - 09:20 PM	53.8	48.5	11:55 PM - 12:00 AM	48.3	47.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544284-1

Page 3 of 3

Sample Number 2620802-33
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 28 - Mar 29, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623390

Mar 29, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 29, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 29, 2026 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	48.5	48.0	02:40 AM - 02:45 AM	46.5	46.1	05:20 AM - 05:25 AM	48.3	46.4
12:05 AM - 12:10 AM	48.4	47.1	02:45 AM - 02:50 AM	46.7	46.1	05:25 AM - 05:30 AM	47.9	46.8
12:10 AM - 12:15 AM	46.8	46.3	02:50 AM - 02:55 AM	51.0	46.1	05:30 AM - 05:35 AM	47.3	46.4
12:15 AM - 12:20 AM	46.6	46.2	02:55 AM - 03:00 AM	46.8	46.1	05:35 AM - 05:40 AM	48.2	46.6
12:20 AM - 12:25 AM	46.5	45.9	03:00 AM - 03:05 AM	46.7	46.2	05:40 AM - 05:45 AM	49.8	47.1
12:25 AM - 12:30 AM	46.8	46.3	03:05 AM - 03:10 AM	51.1	46.0	05:45 AM - 05:50 AM	53.2	48.1
12:30 AM - 12:35 AM	46.6	46.1	03:10 AM - 03:15 AM	46.7	46.0	05:50 AM - 05:55 AM	50.7	46.9
12:35 AM - 12:40 AM	46.8	46.2	03:15 AM - 03:20 AM	46.6	46.2	05:55 AM - 06:00 AM	61.3	47.6
12:40 AM - 12:45 AM	46.7	46.3	03:20 AM - 03:25 AM	46.8	45.9	06:00 AM - 06:05 AM	58.3	48.2
12:45 AM - 12:50 AM	46.9	46.3	03:25 AM - 03:30 AM	47.2	45.8	06:05 AM - 06:10 AM	53.3	47.3
12:50 AM - 12:55 AM	47.4	46.3	03:30 AM - 03:35 AM	46.6	46.0	06:10 AM - 06:15 AM	54.3	48.1
12:55 AM - 01:00 AM	58.2	46.7	03:35 AM - 03:40 AM	46.8	46.1	06:15 AM - 06:20 AM	50.7	47.3
01:00 AM - 01:05 AM	59.2	46.8	03:40 AM - 03:45 AM	49.0	46.2	06:20 AM - 06:25 AM	50.6	47.1
01:05 AM - 01:10 AM	60.1	46.6	03:45 AM - 03:50 AM	46.8	46.0	06:25 AM - 06:30 AM	51.5	48.1
01:10 AM - 01:15 AM	60.0	46.2	03:50 AM - 03:55 AM	47.3	46.1	06:30 AM - 06:35 AM	54.1	48.7
01:15 AM - 01:20 AM	60.4	46.2	03:55 AM - 04:00 AM	47.2	46.1	06:35 AM - 06:40 AM	49.3	47.4
01:20 AM - 01:25 AM	62.9	46.8	04:00 AM - 04:05 AM	46.7	45.9	06:40 AM - 06:45 AM	50.2	47.4
01:25 AM - 01:30 AM	50.7	46.5	04:05 AM - 04:10 AM	46.8	45.9	06:45 AM - 06:50 AM	53.0	47.8
01:30 AM - 01:35 AM	60.6	46.7	04:10 AM - 04:15 AM	46.4	45.8	06:50 AM - 06:55 AM	51.1	48.0
01:35 AM - 01:40 AM	71.6	47.1	04:15 AM - 04:20 AM	46.6	46.0	06:55 AM - 07:00 AM	52.8	48.0
01:40 AM - 01:45 AM	72.3	46.6	04:20 AM - 04:25 AM	46.5	46.0	07:00 AM - 07:05 AM	51.6	48.1
01:45 AM - 01:50 AM	63.7	46.0	04:25 AM - 04:30 AM	47.1	46.2	07:05 AM - 07:10 AM	51.5	47.8
01:50 AM - 01:55 AM	52.6	45.9	04:30 AM - 04:35 AM	46.9	46.0	07:10 AM - 07:15 AM	56.0	48.2
01:55 AM - 02:00 AM	46.4	45.9	04:35 AM - 04:40 AM	46.8	46.0	07:15 AM - 07:20 AM	55.2	49.4
02:00 AM - 02:05 AM	55.9	45.8	04:40 AM - 04:45 AM	47.2	46.2	07:20 AM - 07:25 AM	54.6	49.4
02:05 AM - 02:10 AM	49.2	46.1	04:45 AM - 04:50 AM	46.8	46.0	07:25 AM - 07:30 AM	55.2	48.5
02:10 AM - 02:15 AM	48.7	45.9	04:50 AM - 04:55 AM	46.9	46.2	07:30 AM - 07:35 AM	49.9	47.8
02:15 AM - 02:20 AM	49.6	45.8	04:55 AM - 05:00 AM	47.0	46.2	07:35 AM - 07:40 AM	50.2	48.0
02:20 AM - 02:25 AM	48.6	46.4	05:00 AM - 05:05 AM	46.5	46.1	07:40 AM - 07:45 AM	50.9	46.6
02:25 AM - 02:30 AM	46.6	46.1	05:05 AM - 05:10 AM	47.0	46.1	07:45 AM - 07:50 AM	52.8	47.4
02:30 AM - 02:35 AM	46.6	45.8	05:10 AM - 05:15 AM	48.1	46.2	07:50 AM - 07:55 AM	53.8	47.3
02:35 AM - 02:40 AM	46.8	46.1	05:15 AM - 05:20 AM	47.3	46.4	07:55 AM - 08:00 AM	53.1	46.9

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544285-1

Page 1 of 3

Sample Number 2620802-34
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 29 - Mar 30, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623390

Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	54.8	47.1	10:40 AM - 10:45 AM	53.0	48.3	01:20 PM - 01:25 PM	52.1	48.8
08:05 AM - 08:10 AM	51.7	47.3	10:45 AM - 10:50 AM	52.3	48.5	01:25 PM - 01:30 PM	53.4	48.5
08:10 AM - 08:15 AM	49.6	46.9	10:50 AM - 10:55 AM	51.3	48.7	01:30 PM - 01:35 PM	55.9	48.9
08:15 AM - 08:20 AM	49.4	46.9	10:55 AM - 11:00 AM	51.5	49.2	01:35 PM - 01:40 PM	54.4	49.5
08:20 AM - 08:25 AM	55.0	46.8	11:00 AM - 11:05 AM	52.1	49.6	01:40 PM - 01:45 PM	55.5	50.2
08:25 AM - 08:30 AM	53.3	46.9	11:05 AM - 11:10 AM	52.3	49.5	01:45 PM - 01:50 PM	53.3	48.6
08:30 AM - 08:35 AM	52.9	48.4	11:10 AM - 11:15 AM	54.2	49.4	01:50 PM - 01:55 PM	51.8	49.0
08:35 AM - 08:40 AM	55.8	47.5	11:15 AM - 11:20 AM	52.9	48.7	01:55 PM - 02:00 PM	53.2	49.1
08:40 AM - 08:45 AM	51.3	47.3	11:20 AM - 11:25 AM	52.4	47.5	02:00 PM - 02:05 PM	55.4	49.9
08:45 AM - 08:50 AM	57.0	44.9	11:25 AM - 11:30 AM	52.1	47.1	02:05 PM - 02:10 PM	55.7	49.5
08:50 AM - 08:55 AM	57.6	47.9	11:30 AM - 11:35 AM	53.8	49.3	02:10 PM - 02:15 PM	51.7	49.9
08:55 AM - 09:00 AM	53.9	48.5	11:35 AM - 11:40 AM	51.4	48.1	02:15 PM - 02:20 PM	50.4	48.1
09:00 AM - 09:05 AM	51.7	47.3	11:40 AM - 11:45 AM	51.6	47.3	02:20 PM - 02:25 PM	55.6	49.3
09:05 AM - 09:10 AM	54.0	47.2	11:45 AM - 11:50 AM	52.5	46.9	02:25 PM - 02:30 PM	54.8	49.9
09:10 AM - 09:15 AM	47.8	45.8	11:50 AM - 11:55 AM	53.1	47.7	02:30 PM - 02:35 PM	52.2	48.6
09:15 AM - 09:20 AM	54.2	46.7	11:55 AM - 12:00 PM	51.0	47.4	02:35 PM - 02:40 PM	54.1	49.0
09:20 AM - 09:25 AM	55.4	48.2	12:00 PM - 12:05 PM	52.5	48.2	02:40 PM - 02:45 PM	52.2	49.3
09:25 AM - 09:30 AM	51.7	48.6	12:05 PM - 12:10 PM	52.3	48.6	02:45 PM - 02:50 PM	51.0	48.7
09:30 AM - 09:35 AM	52.1	48.4	12:10 PM - 12:15 PM	51.4	47.6	02:50 PM - 02:55 PM	51.1	48.8
09:35 AM - 09:40 AM	53.1	50.3	12:15 PM - 12:20 PM	50.5	47.4	02:55 PM - 03:00 PM	50.1	48.4
09:40 AM - 09:45 AM	52.6	49.0	12:20 PM - 12:25 PM	55.9	49.3	03:00 PM - 03:05 PM	51.8	48.4
09:45 AM - 09:50 AM	53.8	50.8	12:25 PM - 12:30 PM	53.6	50.7	03:05 PM - 03:10 PM	53.8	49.9
09:50 AM - 09:55 AM	56.2	52.3	12:30 PM - 12:35 PM	52.2	49.4	03:10 PM - 03:15 PM	51.8	48.9
09:55 AM - 10:00 AM	54.7	50.9	12:35 PM - 12:40 PM	53.1	48.4	03:15 PM - 03:20 PM	53.6	49.2
10:00 AM - 10:05 AM	53.8	50.0	12:40 PM - 12:45 PM	55.7	47.9	03:20 PM - 03:25 PM	53.4	48.0
10:05 AM - 10:10 AM	53.7	49.7	12:45 PM - 12:50 PM	52.1	48.3	03:25 PM - 03:30 PM	52.1	48.0
10:10 AM - 10:15 AM	52.7	49.3	12:50 PM - 12:55 PM	57.8	49.4	03:30 PM - 03:35 PM	50.6	48.0
10:15 AM - 10:20 AM	51.7	50.1	12:55 PM - 01:00 PM	58.8	49.4	03:35 PM - 03:40 PM	54.8	48.5
10:20 AM - 10:25 AM	53.2	50.1	01:00 PM - 01:05 PM	49.8	47.9	03:40 PM - 03:45 PM	51.6	47.9
10:25 AM - 10:30 AM	53.0	51.1	01:05 PM - 01:10 PM	51.8	47.7	03:45 PM - 03:50 PM	51.1	48.5
10:30 AM - 10:35 AM	53.0	49.1	01:10 PM - 01:15 PM	54.2	48.4	03:50 PM - 03:55 PM	51.5	48.7
10:35 AM - 10:40 AM	52.9	48.4	01:15 PM - 01:20 PM	50.2	48.0	03:55 PM - 04:00 PM	51.7	49.2

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544285-1

Page 2 of 3

Sample Number 2620802-34
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 29 - Mar 30, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623390

Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	52.5	48.7	06:40 PM - 06:45 PM	58.2	52.8	09:20 PM - 09:25 PM	55.1	50.5
04:05 PM - 04:10 PM	55.0	48.7	06:45 PM - 06:50 PM	59.6	53.4	09:25 PM - 09:30 PM	54.3	47.5
04:10 PM - 04:15 PM	54.9	48.8	06:50 PM - 06:55 PM	59.8	53.9	09:30 PM - 09:35 PM	55.7	51.4
04:15 PM - 04:20 PM	54.4	48.6	06:55 PM - 07:00 PM	58.9	52.8	09:35 PM - 09:40 PM	55.1	51.4
04:20 PM - 04:25 PM	51.0	48.5	07:00 PM - 07:05 PM	58.2	55.1	09:40 PM - 09:45 PM	54.4	48.1
04:25 PM - 04:30 PM	53.8	48.3	07:05 PM - 07:10 PM	58.0	52.5	09:45 PM - 09:50 PM	54.5	50.8
04:30 PM - 04:35 PM	51.4	46.8	07:10 PM - 07:15 PM	58.3	54.6	09:50 PM - 09:55 PM	52.2	48.4
04:35 PM - 04:40 PM	50.3	46.7	07:15 PM - 07:20 PM	59.5	53.7	09:55 PM - 10:00 PM	52.9	46.9
04:40 PM - 04:45 PM	48.7	46.5	07:20 PM - 07:25 PM	58.5	52.3	10:00 PM - 10:05 PM	49.5	47.1
04:45 PM - 04:50 PM	54.4	46.9	07:25 PM - 07:30 PM	57.4	52.6	10:05 PM - 10:10 PM	49.4	47.4
04:50 PM - 04:55 PM	55.0	46.9	07:30 PM - 07:35 PM	57.7	52.8	10:10 PM - 10:15 PM	50.9	48.0
04:55 PM - 05:00 PM	53.1	47.8	07:35 PM - 07:40 PM	57.0	51.4	10:15 PM - 10:20 PM	50.7	48.0
05:00 PM - 05:05 PM	49.3	46.4	07:40 PM - 07:45 PM	57.2	53.1	10:20 PM - 10:25 PM	49.8	47.9
05:05 PM - 05:10 PM	52.4	46.8	07:45 PM - 07:50 PM	56.6	51.6	10:25 PM - 10:30 PM	51.5	48.5
05:10 PM - 05:15 PM	66.4	48.0	07:50 PM - 07:55 PM	56.7	49.2	10:30 PM - 10:35 PM	52.7	47.5
05:15 PM - 05:20 PM	53.3	47.0	07:55 PM - 08:00 PM	56.5	48.4	10:35 PM - 10:40 PM	51.5	47.7
05:20 PM - 05:25 PM	51.1	46.8	08:00 PM - 08:05 PM	57.7	51.9	10:40 PM - 10:45 PM	48.8	47.7
05:25 PM - 05:30 PM	54.1	48.3	08:05 PM - 08:10 PM	57.8	53.6	10:45 PM - 10:50 PM	49.1	47.4
05:30 PM - 05:35 PM	54.9	49.8	08:10 PM - 08:15 PM	54.9	50.1	10:50 PM - 10:55 PM	51.3	48.1
05:35 PM - 05:40 PM	52.2	49.0	08:15 PM - 08:20 PM	54.8	50.3	10:55 PM - 11:00 PM	53.0	49.7
05:40 PM - 05:45 PM	53.9	49.9	08:20 PM - 08:25 PM	54.3	50.6	11:00 PM - 11:05 PM	53.7	50.0
05:45 PM - 05:50 PM	53.0	49.1	08:25 PM - 08:30 PM	54.7	50.5	11:05 PM - 11:10 PM	52.7	50.1
05:50 PM - 05:55 PM	53.1	49.3	08:30 PM - 08:35 PM	55.1	50.1	11:10 PM - 11:15 PM	51.5	49.9
05:55 PM - 06:00 PM	52.1	48.6	08:35 PM - 08:40 PM	56.1	52.0	11:15 PM - 11:20 PM	51.2	50.0
06:00 PM - 06:05 PM	56.1	49.9	08:40 PM - 08:45 PM	54.7	49.5	11:20 PM - 11:25 PM	49.7	47.8
06:05 PM - 06:10 PM	55.7	51.7	08:45 PM - 08:50 PM	54.6	49.1	11:25 PM - 11:30 PM	49.5	47.3
06:10 PM - 06:15 PM	55.0	50.6	08:50 PM - 08:55 PM	55.8	51.4	11:30 PM - 11:35 PM	52.2	48.6
06:15 PM - 06:20 PM	56.5	52.7	08:55 PM - 09:00 PM	56.5	52.2	11:35 PM - 11:40 PM	49.5	48.0
06:20 PM - 06:25 PM	55.7	52.0	09:00 PM - 09:05 PM	55.0	50.2	11:40 PM - 11:45 PM	49.9	48.2
06:25 PM - 06:30 PM	56.5	51.8	09:05 PM - 09:10 PM	54.8	48.6	11:45 PM - 11:50 PM	50.9	49.0
06:30 PM - 06:35 PM	56.9	52.6	09:10 PM - 09:15 PM	54.5	48.8	11:50 PM - 11:55 PM	51.1	49.5
06:35 PM - 06:40 PM	56.2	49.7	09:15 PM - 09:20 PM	55.2	50.3	11:55 PM - 12:00 AM	51.0	50.0

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544285-1

Page 3 of 3

Sample Number 2620802-34
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 29 - Mar 30, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 623390

Mar 30, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 30, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 30, 2026 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	55.5	49.9	02:40 AM - 02:45 AM	51.2	49.8	05:20 AM - 05:25 AM	52.0	50.3
12:05 AM - 12:10 AM	56.9	50.6	02:45 AM - 02:50 AM	53.3	49.9	05:25 AM - 05:30 AM	51.8	50.3
12:10 AM - 12:15 AM	55.8	50.2	02:50 AM - 02:55 AM	50.8	49.1	05:30 AM - 05:35 AM	52.0	50.4
12:15 AM - 12:20 AM	55.5	50.5	02:55 AM - 03:00 AM	51.0	49.5	05:35 AM - 05:40 AM	52.1	50.5
12:20 AM - 12:25 AM	60.7	50.4	03:00 AM - 03:05 AM	51.2	50.0	05:40 AM - 05:45 AM	53.2	51.2
12:25 AM - 12:30 AM	58.5	50.2	03:05 AM - 03:10 AM	51.2	50.1	05:45 AM - 05:50 AM	54.8	51.6
12:30 AM - 12:35 AM	52.5	49.5	03:10 AM - 03:15 AM	51.4	50.0	05:50 AM - 05:55 AM	58.3	51.1
12:35 AM - 12:40 AM	51.3	49.4	03:15 AM - 03:20 AM	51.4	50.1	05:55 AM - 06:00 AM	56.6	50.7
12:40 AM - 12:45 AM	56.1	50.0	03:20 AM - 03:25 AM	51.2	49.7	06:00 AM - 06:05 AM	55.0	50.6
12:45 AM - 12:50 AM	53.8	50.1	03:25 AM - 03:30 AM	51.4	50.2	06:05 AM - 06:10 AM	54.5	50.8
12:50 AM - 12:55 AM	51.5	50.2	03:30 AM - 03:35 AM	52.6	50.3	06:10 AM - 06:15 AM	53.9	51.0
12:55 AM - 01:00 AM	52.1	50.0	03:35 AM - 03:40 AM	53.6	51.7	06:15 AM - 06:20 AM	55.2	51.2
01:00 AM - 01:05 AM	52.6	49.5	03:40 AM - 03:45 AM	54.4	53.7	06:20 AM - 06:25 AM	53.4	51.3
01:05 AM - 01:10 AM	58.3	50.1	03:45 AM - 03:50 AM	58.4	53.7	06:25 AM - 06:30 AM	52.8	50.9
01:10 AM - 01:15 AM	51.7	49.6	03:50 AM - 03:55 AM	54.8	54.2	06:30 AM - 06:35 AM	54.0	50.2
01:15 AM - 01:20 AM	50.8	49.6	03:55 AM - 04:00 AM	54.8	54.2	06:35 AM - 06:40 AM	57.0	50.5
01:20 AM - 01:25 AM	50.8	49.6	04:00 AM - 04:05 AM	54.8	54.2	06:40 AM - 06:45 AM	54.9	51.0
01:25 AM - 01:30 AM	50.9	49.6	04:05 AM - 04:10 AM	54.6	54.0	06:45 AM - 06:50 AM	52.9	50.8
01:30 AM - 01:35 AM	51.5	49.4	04:10 AM - 04:15 AM	54.9	54.1	06:50 AM - 06:55 AM	57.1	50.8
01:35 AM - 01:40 AM	60.6	49.5	04:15 AM - 04:20 AM	54.3	53.6	06:55 AM - 07:00 AM	53.9	50.6
01:40 AM - 01:45 AM	52.1	49.9	04:20 AM - 04:25 AM	54.6	53.9	07:00 AM - 07:05 AM	53.6	50.5
01:45 AM - 01:50 AM	51.7	49.4	04:25 AM - 04:30 AM	54.6	54.0	07:05 AM - 07:10 AM	52.6	50.6
01:50 AM - 01:55 AM	52.4	49.9	04:30 AM - 04:35 AM	54.6	54.0	07:10 AM - 07:15 AM	55.7	51.0
01:55 AM - 02:00 AM	53.5	49.7	04:35 AM - 04:40 AM	55.1	54.4	07:15 AM - 07:20 AM	54.1	50.6
02:00 AM - 02:05 AM	50.7	48.9	04:40 AM - 04:45 AM	54.9	54.0	07:20 AM - 07:25 AM	52.6	50.3
02:05 AM - 02:10 AM	51.2	49.5	04:45 AM - 04:50 AM	54.9	54.1	07:25 AM - 07:30 AM	56.5	51.4
02:10 AM - 02:15 AM	51.6	50.1	04:50 AM - 04:55 AM	54.8	53.9	07:30 AM - 07:35 AM	56.0	50.7
02:15 AM - 02:20 AM	51.4	49.8	04:55 AM - 05:00 AM	54.5	53.8	07:35 AM - 07:40 AM	51.9	49.1
02:20 AM - 02:25 AM	51.3	50.0	05:00 AM - 05:05 AM	54.4	53.7	07:40 AM - 07:45 AM	66.1	51.4
02:25 AM - 02:30 AM	51.0	48.8	05:05 AM - 05:10 AM	54.5	53.7	07:45 AM - 07:50 AM	64.3	54.7
02:30 AM - 02:35 AM	51.2	49.9	05:10 AM - 05:15 AM	54.5	53.9	07:50 AM - 07:55 AM	69.4	54.9
02:35 AM - 02:40 AM	51.5	50.2	05:15 AM - 05:20 AM	54.4	51.8	07:55 AM - 08:00 AM	53.9	48.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544286-1

Page 1 of 3

Sample Number 2620802-35
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 30 - Mar 31, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623390

Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	52.7	47.8	10:40 AM - 10:45 AM	49.2	46.9	01:20 PM - 01:25 PM	52.2	46.7
08:05 AM - 08:10 AM	52.0	47.2	10:45 AM - 10:50 AM	54.5	47.5	01:25 PM - 01:30 PM	54.0	47.6
08:10 AM - 08:15 AM	51.8	46.7	10:50 AM - 10:55 AM	52.4	47.4	01:30 PM - 01:35 PM	51.5	47.7
08:15 AM - 08:20 AM	52.5	47.2	10:55 AM - 11:00 AM	50.6	47.2	01:35 PM - 01:40 PM	53.9	47.2
08:20 AM - 08:25 AM	51.0	46.8	11:00 AM - 11:05 AM	55.6	47.8	01:40 PM - 01:45 PM	48.6	45.9
08:25 AM - 08:30 AM	53.2	47.7	11:05 AM - 11:10 AM	52.6	47.4	01:45 PM - 01:50 PM	49.1	45.7
08:30 AM - 08:35 AM	51.6	46.6	11:10 AM - 11:15 AM	53.7	47.2	01:50 PM - 01:55 PM	50.5	46.3
08:35 AM - 08:40 AM	52.2	46.6	11:15 AM - 11:20 AM	49.7	46.9	01:55 PM - 02:00 PM	58.6	49.2
08:40 AM - 08:45 AM	51.6	47.2	11:20 AM - 11:25 AM	54.4	48.0	02:00 PM - 02:05 PM	55.3	49.1
08:45 AM - 08:50 AM	50.7	47.1	11:25 AM - 11:30 AM	51.2	48.5	02:05 PM - 02:10 PM	59.8	48.8
08:50 AM - 08:55 AM	53.9	45.4	11:30 AM - 11:35 AM	53.7	48.6	02:10 PM - 02:15 PM	52.2	47.1
08:55 AM - 09:00 AM	53.7	45.4	11:35 AM - 11:40 AM	52.1	47.5	02:15 PM - 02:20 PM	58.7	46.7
09:00 AM - 09:05 AM	51.6	47.9	11:40 AM - 11:45 AM	51.5	46.2	02:20 PM - 02:25 PM	52.6	46.0
09:05 AM - 09:10 AM	52.2	47.0	11:45 AM - 11:50 AM	53.3	46.2	02:25 PM - 02:30 PM	51.4	47.9
09:10 AM - 09:15 AM	53.1	47.0	11:50 AM - 11:55 AM	52.0	47.2	02:30 PM - 02:35 PM	53.9	48.7
09:15 AM - 09:20 AM	51.3	46.9	11:55 AM - 12:00 PM	54.0	47.2	02:35 PM - 02:40 PM	50.3	46.6
09:20 AM - 09:25 AM	53.6	46.8	12:00 PM - 12:05 PM	54.3	46.7	02:40 PM - 02:45 PM	49.5	46.3
09:25 AM - 09:30 AM	51.9	47.6	12:05 PM - 12:10 PM	53.8	46.8	02:45 PM - 02:50 PM	49.2	45.7
09:30 AM - 09:35 AM	51.9	47.5	12:10 PM - 12:15 PM	52.7	51.0	02:50 PM - 02:55 PM	49.5	46.4
09:35 AM - 09:40 AM	52.7	46.9	12:15 PM - 12:20 PM	53.7	51.0	02:55 PM - 03:00 PM	53.8	47.0
09:40 AM - 09:45 AM	53.5	48.4	12:20 PM - 12:25 PM	55.7	51.0	03:00 PM - 03:05 PM	54.5	47.5
09:45 AM - 09:50 AM	50.2	46.5	12:25 PM - 12:30 PM	52.6	50.7	03:05 PM - 03:10 PM	54.6	48.3
09:50 AM - 09:55 AM	52.2	46.3	12:30 PM - 12:35 PM	54.0	46.0	03:10 PM - 03:15 PM	54.1	48.2
09:55 AM - 10:00 AM	51.6	47.8	12:35 PM - 12:40 PM	59.5	47.1	03:15 PM - 03:20 PM	51.5	47.3
10:00 AM - 10:05 AM	53.5	46.9	12:40 PM - 12:45 PM	55.4	47.5	03:20 PM - 03:25 PM	52.4	48.8
10:05 AM - 10:10 AM	55.0	47.0	12:45 PM - 12:50 PM	54.7	46.2	03:25 PM - 03:30 PM	52.0	48.5
10:10 AM - 10:15 AM	54.7	47.7	12:50 PM - 12:55 PM	49.4	46.0	03:30 PM - 03:35 PM	53.5	49.3
10:15 AM - 10:20 AM	53.7	47.5	12:55 PM - 01:00 PM	59.2	46.5	03:35 PM - 03:40 PM	52.0	48.1
10:20 AM - 10:25 AM	51.7	47.1	01:00 PM - 01:05 PM	56.0	48.8	03:40 PM - 03:45 PM	59.0	48.7
10:25 AM - 10:30 AM	54.9	47.3	01:05 PM - 01:10 PM	53.4	48.1	03:45 PM - 03:50 PM	50.5	47.6
10:30 AM - 10:35 AM	54.1	46.5	01:10 PM - 01:15 PM	55.9	47.4	03:50 PM - 03:55 PM	52.5	47.7
10:35 AM - 10:40 AM	52.7	47.7	01:15 PM - 01:20 PM	49.1	46.1	03:55 PM - 04:00 PM	51.8	47.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544286-1

Page 2 of 3

Sample Number 2620802-35
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 30 - Mar 31, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623390

Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	54.9	49.1	06:40 PM - 06:45 PM	57.4	50.5	09:20 PM - 09:25 PM	59.4	54.9
04:05 PM - 04:10 PM	53.4	48.4	06:45 PM - 06:50 PM	57.8	51.8	09:25 PM - 09:30 PM	58.6	51.0
04:10 PM - 04:15 PM	49.7	47.1	06:50 PM - 06:55 PM	56.9	51.1	09:30 PM - 09:35 PM	59.9	53.9
04:15 PM - 04:20 PM	54.4	48.1	06:55 PM - 07:00 PM	60.3	56.2	09:35 PM - 09:40 PM	54.9	48.4
04:20 PM - 04:25 PM	54.7	47.0	07:00 PM - 07:05 PM	61.3	54.5	09:40 PM - 09:45 PM	58.2	53.1
04:25 PM - 04:30 PM	52.4	47.3	07:05 PM - 07:10 PM	58.6	52.2	09:45 PM - 09:50 PM	57.1	54.4
04:30 PM - 04:35 PM	55.3	48.3	07:10 PM - 07:15 PM	58.0	52.6	09:50 PM - 09:55 PM	57.7	55.4
04:35 PM - 04:40 PM	49.9	47.1	07:15 PM - 07:20 PM	57.9	52.9	09:55 PM - 10:00 PM	57.0	54.1
04:40 PM - 04:45 PM	49.2	47.3	07:20 PM - 07:25 PM	56.0	50.3	10:00 PM - 10:05 PM	56.7	52.4
04:45 PM - 04:50 PM	53.8	48.1	07:25 PM - 07:30 PM	55.7	51.0	10:05 PM - 10:10 PM	55.7	49.9
04:50 PM - 04:55 PM	68.6	50.8	07:30 PM - 07:35 PM	57.6	51.2	10:10 PM - 10:15 PM	54.6	51.2
04:55 PM - 05:00 PM	53.6	49.2	07:35 PM - 07:40 PM	58.1	51.5	10:15 PM - 10:20 PM	53.0	50.6
05:00 PM - 05:05 PM	50.3	47.0	07:40 PM - 07:45 PM	58.7	52.5	10:20 PM - 10:25 PM	53.1	50.6
05:05 PM - 05:10 PM	50.1	47.4	07:45 PM - 07:50 PM	57.2	52.2	10:25 PM - 10:30 PM	52.6	50.4
05:10 PM - 05:15 PM	57.5	47.3	07:50 PM - 07:55 PM	57.9	52.2	10:30 PM - 10:35 PM	50.9	48.5
05:15 PM - 05:20 PM	67.8	59.4	07:55 PM - 08:00 PM	57.2	53.4	10:35 PM - 10:40 PM	51.0	49.3
05:20 PM - 05:25 PM	65.2	54.5	08:00 PM - 08:05 PM	56.7	52.4	10:40 PM - 10:45 PM	50.0	49.0
05:25 PM - 05:30 PM	64.1	52.2	08:05 PM - 08:10 PM	56.0	52.2	10:45 PM - 10:50 PM	50.0	49.1
05:30 PM - 05:35 PM	67.0	56.9	08:10 PM - 08:15 PM	56.6	52.4	10:50 PM - 10:55 PM	50.0	48.9
05:35 PM - 05:40 PM	66.9	52.9	08:15 PM - 08:20 PM	57.7	53.4	10:55 PM - 11:00 PM	50.0	48.9
05:40 PM - 05:45 PM	61.8	51.6	08:20 PM - 08:25 PM	57.9	53.2	11:00 PM - 11:05 PM	52.9	48.7
05:45 PM - 05:50 PM	64.1	53.5	08:25 PM - 08:30 PM	57.0	51.3	11:05 PM - 11:10 PM	52.3	49.2
05:50 PM - 05:55 PM	64.5	48.8	08:30 PM - 08:35 PM	59.5	54.9	11:10 PM - 11:15 PM	59.8	57.6
05:55 PM - 06:00 PM	53.7	48.1	08:35 PM - 08:40 PM	58.4	53.0	11:15 PM - 11:20 PM	59.7	58.3
06:00 PM - 06:05 PM	53.4	48.1	08:40 PM - 08:45 PM	56.5	51.7	11:20 PM - 11:25 PM	59.3	58.6
06:05 PM - 06:10 PM	58.0	48.6	08:45 PM - 08:50 PM	60.0	53.4	11:25 PM - 11:30 PM	59.1	58.7
06:10 PM - 06:15 PM	53.9	49.3	08:50 PM - 08:55 PM	60.7	53.0	11:30 PM - 11:35 PM	59.0	58.6
06:15 PM - 06:20 PM	56.9	49.1	08:55 PM - 09:00 PM	58.6	52.8	11:35 PM - 11:40 PM	59.2	58.8
06:20 PM - 06:25 PM	55.8	48.1	09:00 PM - 09:05 PM	58.2	50.8	11:40 PM - 11:45 PM	59.2	58.9
06:25 PM - 06:30 PM	54.1	47.9	09:05 PM - 09:10 PM	59.0	53.1	11:45 PM - 11:50 PM	59.1	58.8
06:30 PM - 06:35 PM	57.1	51.8	09:10 PM - 09:15 PM	60.5	53.6	11:50 PM - 11:55 PM	58.9	58.2
06:35 PM - 06:40 PM	58.9	54.2	09:15 PM - 09:20 PM	60.3	53.8	11:55 PM - 12:00 AM	54.0	49.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544286-1

Page 3 of 3

Sample Number 2620802-35
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยด้านทิศเหนือของแปลง A06 (N5) (GPS 47P 0747514, 1460261)
Measurement Date Mar 30 - Mar 31, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623390

Mar 31, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 31, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 31, 2026 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	51.8	50.1	02:40 AM - 02:45 AM	50.5	49.4	05:20 AM - 05:25 AM	52.1	51.0
12:05 AM - 12:10 AM	58.5	56.8	02:45 AM - 02:50 AM	50.7	50.0	05:25 AM - 05:30 AM	52.3	50.9
12:10 AM - 12:15 AM	59.2	58.9	02:50 AM - 02:55 AM	50.5	49.8	05:30 AM - 05:35 AM	51.7	50.8
12:15 AM - 12:20 AM	59.6	59.3	02:55 AM - 03:00 AM	50.7	49.9	05:35 AM - 05:40 AM	51.5	50.8
12:20 AM - 12:25 AM	59.8	59.5	03:00 AM - 03:05 AM	50.5	49.7	05:40 AM - 05:45 AM	53.8	51.1
12:25 AM - 12:30 AM	59.7	59.3	03:05 AM - 03:10 AM	50.5	49.7	05:45 AM - 05:50 AM	52.4	50.9
12:30 AM - 12:35 AM	59.6	59.2	03:10 AM - 03:15 AM	50.4	49.5	05:50 AM - 05:55 AM	54.7	51.5
12:35 AM - 12:40 AM	59.6	59.2	03:15 AM - 03:20 AM	50.5	49.6	05:55 AM - 06:00 AM	57.2	52.5
12:40 AM - 12:45 AM	59.7	59.3	03:20 AM - 03:25 AM	50.6	49.8	06:00 AM - 06:05 AM	59.0	51.2
12:45 AM - 12:50 AM	59.4	59.1	03:25 AM - 03:30 AM	51.0	50.2	06:05 AM - 06:10 AM	58.5	51.3
12:50 AM - 12:55 AM	59.4	59.0	03:30 AM - 03:35 AM	51.6	51.0	06:10 AM - 06:15 AM	53.4	51.0
12:55 AM - 01:00 AM	59.3	58.9	03:35 AM - 03:40 AM	54.1	51.3	06:15 AM - 06:20 AM	55.4	51.4
01:00 AM - 01:05 AM	59.4	59.1	03:40 AM - 03:45 AM	51.6	51.0	06:20 AM - 06:25 AM	53.5	51.6
01:05 AM - 01:10 AM	59.5	59.1	03:45 AM - 03:50 AM	51.5	50.8	06:25 AM - 06:30 AM	52.8	50.9
01:10 AM - 01:15 AM	59.2	58.8	03:50 AM - 03:55 AM	52.9	51.7	06:30 AM - 06:35 AM	54.2	51.5
01:15 AM - 01:20 AM	56.8	49.9	03:55 AM - 04:00 AM	52.8	52.3	06:35 AM - 06:40 AM	53.6	51.4
01:20 AM - 01:25 AM	50.4	49.1	04:00 AM - 04:05 AM	53.1	52.7	06:40 AM - 06:45 AM	53.7	50.4
01:25 AM - 01:30 AM	50.4	49.0	04:05 AM - 04:10 AM	53.2	52.8	06:45 AM - 06:50 AM	53.9	51.8
01:30 AM - 01:35 AM	50.7	49.2	04:10 AM - 04:15 AM	53.3	52.9	06:50 AM - 06:55 AM	54.6	51.9
01:35 AM - 01:40 AM	50.6	49.1	04:15 AM - 04:20 AM	53.6	53.0	06:55 AM - 07:00 AM	54.6	51.7
01:40 AM - 01:45 AM	50.9	49.6	04:20 AM - 04:25 AM	54.1	53.5	07:00 AM - 07:05 AM	55.8	52.0
01:45 AM - 01:50 AM	56.2	51.1	04:25 AM - 04:30 AM	53.8	53.3	07:05 AM - 07:10 AM	53.8	49.9
01:50 AM - 01:55 AM	57.7	57.3	04:30 AM - 04:35 AM	53.8	53.4	07:10 AM - 07:15 AM	55.0	50.6
01:55 AM - 02:00 AM	57.3	56.5	04:35 AM - 04:40 AM	53.9	53.4	07:15 AM - 07:20 AM	55.7	51.6
02:00 AM - 02:05 AM	57.4	56.9	04:40 AM - 04:45 AM	53.9	53.3	07:20 AM - 07:25 AM	56.7	50.5
02:05 AM - 02:10 AM	57.2	56.8	04:45 AM - 04:50 AM	53.6	53.1	07:25 AM - 07:30 AM	56.0	51.7
02:10 AM - 02:15 AM	57.3	56.9	04:50 AM - 04:55 AM	53.8	53.4	07:30 AM - 07:35 AM	56.5	52.1
02:15 AM - 02:20 AM	57.3	56.9	04:55 AM - 05:00 AM	53.8	53.3	07:35 AM - 07:40 AM	54.9	51.8
02:20 AM - 02:25 AM	57.0	56.7	05:00 AM - 05:05 AM	53.5	52.9	07:40 AM - 07:45 AM	67.6	56.7
02:25 AM - 02:30 AM	57.0	56.7	05:05 AM - 05:10 AM	53.0	51.3	07:45 AM - 07:50 AM	65.8	58.5
02:30 AM - 02:35 AM	56.9	56.6	05:10 AM - 05:15 AM	52.0	51.3	07:50 AM - 07:55 AM	68.9	54.0
02:35 AM - 02:40 AM	50.6	49.7	05:15 AM - 05:20 AM	52.4	51.2	07:55 AM - 08:00 AM	55.6	50.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544287-1

Page 1 of 3

Sample Number 2620802-36
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณถนนน้ำทิ้งของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 24 - Mar 25, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 623392

Mar 24, 2026	Leq	L90	Mar 24, 2026	Leq	L90	Mar 24, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	52.3	41.6	10:40 AM - 10:45 AM	53.7	40.4	01:20 PM - 01:25 PM	53.8	43.6
08:05 AM - 08:10 AM	58.9	43.1	10:45 AM - 10:50 AM	53.3	41.9	01:25 PM - 01:30 PM	57.6	42.1
08:10 AM - 08:15 AM	53.0	42.9	10:50 AM - 10:55 AM	54.8	40.6	01:30 PM - 01:35 PM	53.2	41.4
08:15 AM - 08:20 AM	50.8	41.7	10:55 AM - 11:00 AM	56.2	41.5	01:35 PM - 01:40 PM	56.5	42.4
08:20 AM - 08:25 AM	54.1	42.2	11:00 AM - 11:05 AM	53.5	38.9	01:40 PM - 01:45 PM	57.3	41.0
08:25 AM - 08:30 AM	54.4	44.0	11:05 AM - 11:10 AM	57.2	41.0	01:45 PM - 01:50 PM	49.6	40.4
08:30 AM - 08:35 AM	52.8	43.6	11:10 AM - 11:15 AM	54.4	42.1	01:50 PM - 01:55 PM	53.1	40.0
08:35 AM - 08:40 AM	56.0	45.5	11:15 AM - 11:20 AM	53.5	38.7	01:55 PM - 02:00 PM	55.1	40.2
08:40 AM - 08:45 AM	53.4	45.1	11:20 AM - 11:25 AM	62.8	45.8	02:00 PM - 02:05 PM	52.6	40.5
08:45 AM - 08:50 AM	54.5	43.0	11:25 AM - 11:30 AM	54.4	46.3	02:05 PM - 02:10 PM	55.7	42.1
08:50 AM - 08:55 AM	55.9	44.1	11:30 AM - 11:35 AM	53.3	41.2	02:10 PM - 02:15 PM	59.4	42.7
08:55 AM - 09:00 AM	53.4	44.2	11:35 AM - 11:40 AM	57.3	40.8	02:15 PM - 02:20 PM	59.3	41.8
09:00 AM - 09:05 AM	54.6	42.9	11:40 AM - 11:45 AM	50.6	40.1	02:20 PM - 02:25 PM	53.9	41.8
09:05 AM - 09:10 AM	54.3	43.1	11:45 AM - 11:50 AM	61.5	41.2	02:25 PM - 02:30 PM	49.3	41.3
09:10 AM - 09:15 AM	50.5	43.2	11:50 AM - 11:55 AM	53.9	42.6	02:30 PM - 02:35 PM	54.9	49.8
09:15 AM - 09:20 AM	54.0	44.0	11:55 AM - 12:00 PM	57.0	43.4	02:35 PM - 02:40 PM	55.4	45.4
09:20 AM - 09:25 AM	56.2	43.5	12:00 PM - 12:05 PM	50.4	39.7	02:40 PM - 02:45 PM	58.2	53.6
09:25 AM - 09:30 AM	55.3	44.0	12:05 PM - 12:10 PM	60.1	44.0	02:45 PM - 02:50 PM	52.8	46.1
09:30 AM - 09:35 AM	52.3	42.6	12:10 PM - 12:15 PM	56.3	39.5	02:50 PM - 02:55 PM	54.7	45.7
09:35 AM - 09:40 AM	62.1	46.7	12:15 PM - 12:20 PM	61.1	41.9	02:55 PM - 03:00 PM	54.3	46.8
09:40 AM - 09:45 AM	58.2	46.5	12:20 PM - 12:25 PM	60.4	40.4	03:00 PM - 03:05 PM	57.1	45.8
09:45 AM - 09:50 AM	58.5	43.7	12:25 PM - 12:30 PM	53.5	40.2	03:05 PM - 03:10 PM	51.2	45.7
09:50 AM - 09:55 AM	57.0	44.2	12:30 PM - 12:35 PM	53.6	41.3	03:10 PM - 03:15 PM	51.9	43.4
09:55 AM - 10:00 AM	53.9	41.1	12:35 PM - 12:40 PM	53.6	43.0	03:15 PM - 03:20 PM	52.9	45.3
10:00 AM - 10:05 AM	51.7	41.1	12:40 PM - 12:45 PM	51.4	40.5	03:20 PM - 03:25 PM	56.6	46.1
10:05 AM - 10:10 AM	52.9	42.4	12:45 PM - 12:50 PM	55.0	44.2	03:25 PM - 03:30 PM	52.6	45.8
10:10 AM - 10:15 AM	50.3	42.8	12:50 PM - 12:55 PM	60.5	46.7	03:30 PM - 03:35 PM	57.8	48.6
10:15 AM - 10:20 AM	52.3	42.9	12:55 PM - 01:00 PM	53.0	41.9	03:35 PM - 03:40 PM	57.3	45.7
10:20 AM - 10:25 AM	51.4	41.1	01:00 PM - 01:05 PM	58.8	42.4	03:40 PM - 03:45 PM	54.7	44.5
10:25 AM - 10:30 AM	49.6	39.8	01:05 PM - 01:10 PM	55.6	42.5	03:45 PM - 03:50 PM	52.8	45.4
10:30 AM - 10:35 AM	50.3	39.5	01:10 PM - 01:15 PM	54.8	42.3	03:50 PM - 03:55 PM	56.4	45.9
10:35 AM - 10:40 AM	53.2	40.3	01:15 PM - 01:20 PM	53.4	41.7	03:55 PM - 04:00 PM	57.4	45.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544287-1

Page 2 of 3

Sample Number 2620802-36
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณเหนือทางขึ้นของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 24 - Mar 25, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 623392

Mar 24, 2026	Leq	L90	Mar 24, 2026	Leq	L90	Mar 24, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	55.5	46.9	06:40 PM - 06:45 PM	57.7	53.4	09:20 PM - 09:25 PM	52.6	50.0
04:05 PM - 04:10 PM	54.3	46.9	06:45 PM - 06:50 PM	55.1	49.9	09:25 PM - 09:30 PM	52.1	50.0
04:10 PM - 04:15 PM	54.3	46.3	06:50 PM - 06:55 PM	54.3	48.9	09:30 PM - 09:35 PM	52.5	50.5
04:15 PM - 04:20 PM	54.2	44.8	06:55 PM - 07:00 PM	55.1	49.5	09:35 PM - 09:40 PM	52.1	50.5
04:20 PM - 04:25 PM	57.2	46.4	07:00 PM - 07:05 PM	54.8	50.8	09:40 PM - 09:45 PM	52.6	50.3
04:25 PM - 04:30 PM	55.7	46.7	07:05 PM - 07:10 PM	56.7	51.3	09:45 PM - 09:50 PM	52.5	50.3
04:30 PM - 04:35 PM	55.8	46.3	07:10 PM - 07:15 PM	54.4	51.3	09:50 PM - 09:55 PM	61.2	50.6
04:35 PM - 04:40 PM	56.4	47.5	07:15 PM - 07:20 PM	54.2	51.6	09:55 PM - 10:00 PM	55.0	50.6
04:40 PM - 04:45 PM	55.3	47.7	07:20 PM - 07:25 PM	54.2	51.4	10:00 PM - 10:05 PM	57.3	50.6
04:45 PM - 04:50 PM	52.8	47.2	07:25 PM - 07:30 PM	57.6	52.1	10:05 PM - 10:10 PM	52.0	50.4
04:50 PM - 04:55 PM	59.4	47.8	07:30 PM - 07:35 PM	57.9	51.4	10:10 PM - 10:15 PM	54.4	50.5
04:55 PM - 05:00 PM	54.3	46.1	07:35 PM - 07:40 PM	54.0	51.7	10:15 PM - 10:20 PM	58.1	50.5
05:00 PM - 05:05 PM	54.9	48.0	07:40 PM - 07:45 PM	57.8	51.8	10:20 PM - 10:25 PM	63.7	49.8
05:05 PM - 05:10 PM	55.6	49.1	07:45 PM - 07:50 PM	53.3	51.8	10:25 PM - 10:30 PM	54.0	49.6
05:10 PM - 05:15 PM	57.3	49.4	07:50 PM - 07:55 PM	54.8	52.2	10:30 PM - 10:35 PM	52.5	50.3
05:15 PM - 05:20 PM	57.1	50.3	07:55 PM - 08:00 PM	56.1	51.7	10:35 PM - 10:40 PM	51.3	50.4
05:20 PM - 05:25 PM	58.4	51.0	08:00 PM - 08:05 PM	54.7	51.6	10:40 PM - 10:45 PM	51.7	50.4
05:25 PM - 05:30 PM	57.1	48.9	08:05 PM - 08:10 PM	59.5	51.6	10:45 PM - 10:50 PM	51.6	50.1
05:30 PM - 05:35 PM	55.9	47.3	08:10 PM - 08:15 PM	53.8	51.3	10:50 PM - 10:55 PM	52.1	50.4
05:35 PM - 05:40 PM	55.3	49.2	08:15 PM - 08:20 PM	55.0	51.6	10:55 PM - 11:00 PM	51.5	50.1
05:40 PM - 05:45 PM	56.8	50.2	08:20 PM - 08:25 PM	54.9	51.6	11:00 PM - 11:05 PM	51.8	50.2
05:45 PM - 05:50 PM	57.3	50.0	08:25 PM - 08:30 PM	58.9	51.4	11:05 PM - 11:10 PM	52.7	50.1
05:50 PM - 05:55 PM	57.4	49.6	08:30 PM - 08:35 PM	54.3	51.2	11:10 PM - 11:15 PM	56.5	50.1
05:55 PM - 06:00 PM	57.3	48.8	08:35 PM - 08:40 PM	53.7	51.3	11:15 PM - 11:20 PM	52.8	50.2
06:00 PM - 06:05 PM	60.8	49.4	08:40 PM - 08:45 PM	54.4	51.6	11:20 PM - 11:25 PM	51.9	50.1
06:05 PM - 06:10 PM	56.6	48.1	08:45 PM - 08:50 PM	55.4	51.8	11:25 PM - 11:30 PM	50.8	49.8
06:10 PM - 06:15 PM	57.8	47.7	08:50 PM - 08:55 PM	57.8	52.0	11:30 PM - 11:35 PM	52.3	50.3
06:15 PM - 06:20 PM	59.2	48.5	08:55 PM - 09:00 PM	56.1	51.9	11:35 PM - 11:40 PM	56.7	50.7
06:20 PM - 06:25 PM	58.1	49.7	09:00 PM - 09:05 PM	55.1	51.8	11:40 PM - 11:45 PM	52.0	49.8
06:25 PM - 06:30 PM	60.3	48.5	09:05 PM - 09:10 PM	53.0	51.6	11:45 PM - 11:50 PM	50.5	49.9
06:30 PM - 06:35 PM	58.9	48.8	09:10 PM - 09:15 PM	56.3	51.2	11:50 PM - 11:55 PM	51.2	49.9
06:35 PM - 06:40 PM	57.2	49.6	09:15 PM - 09:20 PM	58.5	50.6	11:55 PM - 12:00 AM	51.0	49.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544287-1

Page 3 of 3

Sample Number 2620802-36
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 24 - Mar 25, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623392

Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	51.4	49.7	02:40 AM - 02:45 AM	54.7	48.2	05:20 AM - 05:25 AM	57.7	48.7
12:05 AM - 12:10 AM	51.2	49.7	02:45 AM - 02:50 AM	49.2	47.9	05:25 AM - 05:30 AM	56.1	47.9
12:10 AM - 12:15 AM	50.6	49.5	02:50 AM - 02:55 AM	50.5	47.8	05:30 AM - 05:35 AM	55.7	48.1
12:15 AM - 12:20 AM	51.4	49.5	02:55 AM - 03:00 AM	49.1	48.0	05:35 AM - 05:40 AM	56.2	48.4
12:20 AM - 12:25 AM	54.0	48.7	03:00 AM - 03:05 AM	49.9	47.9	05:40 AM - 05:45 AM	57.4	49.1
12:25 AM - 12:30 AM	49.6	48.6	03:05 AM - 03:10 AM	49.3	47.8	05:45 AM - 05:50 AM	57.2	49.5
12:30 AM - 12:35 AM	50.6	48.4	03:10 AM - 03:15 AM	49.6	47.7	05:50 AM - 05:55 AM	54.1	49.7
12:35 AM - 12:40 AM	51.1	48.2	03:15 AM - 03:20 AM	48.9	47.6	05:55 AM - 06:00 AM	57.5	54.5
12:40 AM - 12:45 AM	49.4	48.2	03:20 AM - 03:25 AM	49.5	48.0	06:00 AM - 06:05 AM	55.6	53.7
12:45 AM - 12:50 AM	52.3	48.0	03:25 AM - 03:30 AM	50.1	47.8	06:05 AM - 06:10 AM	58.9	48.7
12:50 AM - 12:55 AM	49.3	47.7	03:30 AM - 03:35 AM	49.4	48.2	06:10 AM - 06:15 AM	60.0	49.9
12:55 AM - 01:00 AM	52.5	48.0	03:35 AM - 03:40 AM	49.6	48.4	06:15 AM - 06:20 AM	59.4	47.9
01:00 AM - 01:05 AM	48.6	47.8	03:40 AM - 03:45 AM	57.5	48.2	06:20 AM - 06:25 AM	59.4	48.0
01:05 AM - 01:10 AM	48.8	47.8	03:45 AM - 03:50 AM	49.3	48.1	06:25 AM - 06:30 AM	59.3	47.4
01:10 AM - 01:15 AM	49.4	48.2	03:50 AM - 03:55 AM	49.8	48.2	06:30 AM - 06:35 AM	57.1	49.1
01:15 AM - 01:20 AM	48.9	48.2	03:55 AM - 04:00 AM	51.5	49.0	06:35 AM - 06:40 AM	58.7	50.0
01:20 AM - 01:25 AM	49.0	47.3	04:00 AM - 04:05 AM	51.4	48.3	06:40 AM - 06:45 AM	58.1	49.2
01:25 AM - 01:30 AM	51.0	49.1	04:05 AM - 04:10 AM	54.5	47.6	06:45 AM - 06:50 AM	59.6	49.7
01:30 AM - 01:35 AM	50.7	49.7	04:10 AM - 04:15 AM	55.8	47.0	06:50 AM - 06:55 AM	56.8	49.4
01:35 AM - 01:40 AM	51.9	49.3	04:15 AM - 04:20 AM	56.1	47.7	06:55 AM - 07:00 AM	57.9	49.8
01:40 AM - 01:45 AM	51.8	49.2	04:20 AM - 04:25 AM	56.5	48.0	07:00 AM - 07:05 AM	59.1	49.7
01:45 AM - 01:50 AM	50.1	48.9	04:25 AM - 04:30 AM	56.1	47.1	07:05 AM - 07:10 AM	58.3	50.4
01:50 AM - 01:55 AM	50.0	48.9	04:30 AM - 04:35 AM	56.4	47.6	07:10 AM - 07:15 AM	59.4	50.5
01:55 AM - 02:00 AM	50.9	47.7	04:35 AM - 04:40 AM	56.4	47.6	07:15 AM - 07:20 AM	57.2	49.8
02:00 AM - 02:05 AM	50.0	49.1	04:40 AM - 04:45 AM	56.0	47.6	07:20 AM - 07:25 AM	61.0	49.5
02:05 AM - 02:10 AM	49.9	48.3	04:45 AM - 04:50 AM	52.9	47.5	07:25 AM - 07:30 AM	59.7	50.5
02:10 AM - 02:15 AM	49.5	48.5	04:50 AM - 04:55 AM	50.9	47.4	07:30 AM - 07:35 AM	60.3	48.7
02:15 AM - 02:20 AM	49.5	48.7	04:55 AM - 05:00 AM	56.7	47.4	07:35 AM - 07:40 AM	60.9	49.5
02:20 AM - 02:25 AM	51.8	48.9	05:00 AM - 05:05 AM	56.8	47.7	07:40 AM - 07:45 AM	58.0	48.2
02:25 AM - 02:30 AM	49.1	46.8	05:05 AM - 05:10 AM	57.7	48.7	07:45 AM - 07:50 AM	55.7	48.3
02:30 AM - 02:35 AM	48.8	47.7	05:10 AM - 05:15 AM	53.3	48.4	07:50 AM - 07:55 AM	58.8	48.6
02:35 AM - 02:40 AM	49.5	47.9	05:15 AM - 05:20 AM	56.7	48.4	07:55 AM - 08:00 AM	55.3	45.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544288-1

Page 1 of 3

Sample Number 2620802-37
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณถนนหน้าห้องโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 25 - Mar 26, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 623392

Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	55.0	44.8	10:40 AM - 10:45 AM	61.2	43.1	01:20 PM - 01:25 PM	57.7	41.3
08:05 AM - 08:10 AM	56.2	44.5	10:45 AM - 10:50 AM	60.6	42.2	01:25 PM - 01:30 PM	49.1	40.0
08:10 AM - 08:15 AM	57.3	44.7	10:50 AM - 10:55 AM	58.0	43.0	01:30 PM - 01:35 PM	50.0	39.6
08:15 AM - 08:20 AM	53.4	44.5	10:55 AM - 11:00 AM	51.0	41.7	01:35 PM - 01:40 PM	55.1	41.8
08:20 AM - 08:25 AM	57.1	46.9	11:00 AM - 11:05 AM	50.2	41.0	01:40 PM - 01:45 PM	50.2	39.3
08:25 AM - 08:30 AM	54.7	47.2	11:05 AM - 11:10 AM	57.6	42.6	01:45 PM - 01:50 PM	53.5	49.0
08:30 AM - 08:35 AM	52.4	42.2	11:10 AM - 11:15 AM	57.2	40.2	01:50 PM - 01:55 PM	49.3	39.8
08:35 AM - 08:40 AM	53.0	42.5	11:15 AM - 11:20 AM	54.7	41.4	01:55 PM - 02:00 PM	51.5	40.2
08:40 AM - 08:45 AM	58.5	41.8	11:20 AM - 11:25 AM	54.4	41.8	02:00 PM - 02:05 PM	52.5	40.9
08:45 AM - 08:50 AM	57.0	42.8	11:25 AM - 11:30 AM	54.0	42.5	02:05 PM - 02:10 PM	51.3	37.2
08:50 AM - 08:55 AM	56.7	44.3	11:30 AM - 11:35 AM	54.7	41.9	02:10 PM - 02:15 PM	54.4	39.1
08:55 AM - 09:00 AM	57.9	42.4	11:35 AM - 11:40 AM	53.0	39.4	02:15 PM - 02:20 PM	52.0	40.5
09:00 AM - 09:05 AM	52.4	44.0	11:40 AM - 11:45 AM	51.5	46.3	02:20 PM - 02:25 PM	52.8	39.1
09:05 AM - 09:10 AM	56.5	43.6	11:45 AM - 11:50 AM	59.9	41.1	02:25 PM - 02:30 PM	51.8	39.9
09:10 AM - 09:15 AM	57.8	43.8	11:50 AM - 11:55 AM	54.7	43.9	02:30 PM - 02:35 PM	52.6	41.4
09:15 AM - 09:20 AM	55.3	43.2	11:55 AM - 12:00 PM	55.7	42.5	02:35 PM - 02:40 PM	54.4	41.0
09:20 AM - 09:25 AM	55.0	42.2	12:00 PM - 12:05 PM	60.7	37.4	02:40 PM - 02:45 PM	51.0	37.1
09:25 AM - 09:30 AM	53.1	42.9	12:05 PM - 12:10 PM	55.9	41.7	02:45 PM - 02:50 PM	57.6	40.1
09:30 AM - 09:35 AM	50.7	41.7	12:10 PM - 12:15 PM	49.6	39.0	02:50 PM - 02:55 PM	53.1	40.1
09:35 AM - 09:40 AM	52.5	40.3	12:15 PM - 12:20 PM	49.4	38.1	02:55 PM - 03:00 PM	54.0	38.8
09:40 AM - 09:45 AM	57.5	42.0	12:20 PM - 12:25 PM	54.6	39.2	03:00 PM - 03:05 PM	49.6	37.4
09:45 AM - 09:50 AM	53.7	43.4	12:25 PM - 12:30 PM	54.7	41.0	03:05 PM - 03:10 PM	56.5	40.6
09:50 AM - 09:55 AM	55.5	42.3	12:30 PM - 12:35 PM	53.0	39.0	03:10 PM - 03:15 PM	55.4	39.8
09:55 AM - 10:00 AM	53.6	41.2	12:35 PM - 12:40 PM	51.6	38.8	03:15 PM - 03:20 PM	54.5	41.5
10:00 AM - 10:05 AM	57.1	40.6	12:40 PM - 12:45 PM	54.5	41.9	03:20 PM - 03:25 PM	55.9	43.1
10:05 AM - 10:10 AM	62.1	44.1	12:45 PM - 12:50 PM	54.3	42.9	03:25 PM - 03:30 PM	56.8	42.5
10:10 AM - 10:15 AM	56.0	41.9	12:50 PM - 12:55 PM	50.3	37.3	03:30 PM - 03:35 PM	53.1	40.3
10:15 AM - 10:20 AM	59.2	43.4	12:55 PM - 01:00 PM	52.7	39.4	03:35 PM - 03:40 PM	57.2	42.7
10:20 AM - 10:25 AM	54.2	42.0	01:00 PM - 01:05 PM	56.5	41.9	03:40 PM - 03:45 PM	53.9	42.4
10:25 AM - 10:30 AM	56.3	41.8	01:05 PM - 01:10 PM	51.8	40.4	03:45 PM - 03:50 PM	59.1	42.8
10:30 AM - 10:35 AM	57.7	43.4	01:10 PM - 01:15 PM	54.3	38.6	03:50 PM - 03:55 PM	58.0	47.6
10:35 AM - 10:40 AM	56.6	44.2	01:15 PM - 01:20 PM	51.3	41.3	03:55 PM - 04:00 PM	57.4	45.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544288-1

Page 2 of 3

Sample Number 2620802-37
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณเพื่อนำทั้งของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 25 - Mar 26, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623392

Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90	Mar 25, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	56.4	46.1	06:40 PM - 06:45 PM	59.2	56.5	09:20 PM - 09:25 PM	54.7	50.4
04:05 PM - 04:10 PM	55.4	46.8	06:45 PM - 06:50 PM	57.5	53.4	09:25 PM - 09:30 PM	53.0	50.2
04:10 PM - 04:15 PM	56.0	46.3	06:50 PM - 06:55 PM	54.0	49.9	09:30 PM - 09:35 PM	51.1	49.9
04:15 PM - 04:20 PM	53.7	46.9	06:55 PM - 07:00 PM	54.5	48.6	09:35 PM - 09:40 PM	56.1	50.3
04:20 PM - 04:25 PM	58.0	45.4	07:00 PM - 07:05 PM	55.6	49.5	09:40 PM - 09:45 PM	53.8	50.4
04:25 PM - 04:30 PM	54.0	45.9	07:05 PM - 07:10 PM	57.4	51.5	09:45 PM - 09:50 PM	54.5	50.3
04:30 PM - 04:35 PM	53.5	45.5	07:10 PM - 07:15 PM	56.8	51.6	09:50 PM - 09:55 PM	52.0	50.3
04:35 PM - 04:40 PM	56.7	47.2	07:15 PM - 07:20 PM	55.3	51.2	09:55 PM - 10:00 PM	53.0	50.9
04:40 PM - 04:45 PM	55.7	46.6	07:20 PM - 07:25 PM	57.3	51.6	10:00 PM - 10:05 PM	52.2	50.8
04:45 PM - 04:50 PM	55.5	47.8	07:25 PM - 07:30 PM	56.3	50.9	10:05 PM - 10:10 PM	52.3	50.7
04:50 PM - 04:55 PM	53.3	46.9	07:30 PM - 07:35 PM	53.6	50.6	10:10 PM - 10:15 PM	57.0	50.5
04:55 PM - 05:00 PM	56.1	46.7	07:35 PM - 07:40 PM	55.0	49.8	10:15 PM - 10:20 PM	52.0	50.0
05:00 PM - 05:05 PM	58.4	48.1	07:40 PM - 07:45 PM	55.2	48.7	10:20 PM - 10:25 PM	51.8	50.3
05:05 PM - 05:10 PM	57.5	49.8	07:45 PM - 07:50 PM	53.1	49.3	10:25 PM - 10:30 PM	52.2	50.4
05:10 PM - 05:15 PM	54.3	47.0	07:50 PM - 07:55 PM	54.6	49.4	10:30 PM - 10:35 PM	53.9	50.4
05:15 PM - 05:20 PM	57.3	47.7	07:55 PM - 08:00 PM	56.2	49.7	10:35 PM - 10:40 PM	54.8	50.5
05:20 PM - 05:25 PM	56.6	48.1	08:00 PM - 08:05 PM	55.8	50.5	10:40 PM - 10:45 PM	51.4	49.8
05:25 PM - 05:30 PM	56.5	47.9	08:05 PM - 08:10 PM	52.5	50.1	10:45 PM - 10:50 PM	54.5	50.2
05:30 PM - 05:35 PM	57.1	50.1	08:10 PM - 08:15 PM	54.1	50.0	10:50 PM - 10:55 PM	52.5	50.2
05:35 PM - 05:40 PM	59.4	48.6	08:15 PM - 08:20 PM	56.2	50.9	10:55 PM - 11:00 PM	50.9	49.5
05:40 PM - 05:45 PM	58.2	51.1	08:20 PM - 08:25 PM	55.6	50.7	11:00 PM - 11:05 PM	57.4	49.5
05:45 PM - 05:50 PM	57.6	49.9	08:25 PM - 08:30 PM	53.5	50.6	11:05 PM - 11:10 PM	51.8	49.4
05:50 PM - 05:55 PM	56.0	48.1	08:30 PM - 08:35 PM	57.6	50.5	11:10 PM - 11:15 PM	52.7	49.0
05:55 PM - 06:00 PM	54.8	48.8	08:35 PM - 08:40 PM	57.1	51.0	11:15 PM - 11:20 PM	53.5	48.9
06:00 PM - 06:05 PM	55.5	49.2	08:40 PM - 08:45 PM	52.9	49.9	11:20 PM - 11:25 PM	50.3	49.3
06:05 PM - 06:10 PM	57.5	48.6	08:45 PM - 08:50 PM	58.2	50.9	11:25 PM - 11:30 PM	50.6	49.2
06:10 PM - 06:15 PM	59.9	48.8	08:50 PM - 08:55 PM	55.5	50.5	11:30 PM - 11:35 PM	51.7	48.9
06:15 PM - 06:20 PM	55.8	47.7	08:55 PM - 09:00 PM	60.3	50.7	11:35 PM - 11:40 PM	51.7	48.7
06:20 PM - 06:25 PM	55.8	47.9	09:00 PM - 09:05 PM	64.0	50.3	11:40 PM - 11:45 PM	52.9	48.5
06:25 PM - 06:30 PM	53.5	46.9	09:05 PM - 09:10 PM	54.1	50.7	11:45 PM - 11:50 PM	50.4	48.6
06:30 PM - 06:35 PM	56.8	47.8	09:10 PM - 09:15 PM	53.1	50.3	11:50 PM - 11:55 PM	50.2	48.7
06:35 PM - 06:40 PM	56.4	47.3	09:15 PM - 09:20 PM	53.8	50.4	11:55 PM - 12:00 AM	51.5	48.9

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544288-1

Page 3 of 3

Sample Number 2620802-37
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณเหนือทางขึ้นของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 25 - Mar 26, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 623392

Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	52.1	48.6	02:40 AM - 02:45 AM	48.0	46.2	05:20 AM - 05:25 AM	56.9	48.4
12:05 AM - 12:10 AM	49.7	48.5	02:45 AM - 02:50 AM	48.9	46.2	05:25 AM - 05:30 AM	57.8	48.1
12:10 AM - 12:15 AM	54.4	47.9	02:50 AM - 02:55 AM	47.0	46.3	05:30 AM - 05:35 AM	58.2	48.0
12:15 AM - 12:20 AM	50.1	47.8	02:55 AM - 03:00 AM	47.1	46.4	05:35 AM - 05:40 AM	52.2	47.5
12:20 AM - 12:25 AM	50.6	47.7	03:00 AM - 03:05 AM	52.3	46.9	05:40 AM - 05:45 AM	54.4	48.2
12:25 AM - 12:30 AM	50.8	47.7	03:05 AM - 03:10 AM	48.5	47.0	05:45 AM - 05:50 AM	54.4	48.9
12:30 AM - 12:35 AM	50.3	47.7	03:10 AM - 03:15 AM	48.2	46.7	05:50 AM - 05:55 AM	57.6	52.3
12:35 AM - 12:40 AM	48.4	47.6	03:15 AM - 03:20 AM	47.3	46.4	05:55 AM - 06:00 AM	57.7	52.6
12:40 AM - 12:45 AM	48.7	47.7	03:20 AM - 03:25 AM	48.2	46.7	06:00 AM - 06:05 AM	53.8	47.6
12:45 AM - 12:50 AM	53.1	48.1	03:25 AM - 03:30 AM	49.1	46.2	06:05 AM - 06:10 AM	57.0	46.8
12:50 AM - 12:55 AM	61.5	48.2	03:30 AM - 03:35 AM	47.8	46.4	06:10 AM - 06:15 AM	57.9	47.2
12:55 AM - 01:00 AM	49.0	48.1	03:35 AM - 03:40 AM	49.0	46.7	06:15 AM - 06:20 AM	54.6	47.0
01:00 AM - 01:05 AM	51.5	47.8	03:40 AM - 03:45 AM	49.1	47.1	06:20 AM - 06:25 AM	55.3	46.4
01:05 AM - 01:10 AM	49.4	47.8	03:45 AM - 03:50 AM	48.3	47.1	06:25 AM - 06:30 AM	53.0	45.9
01:10 AM - 01:15 AM	50.1	47.7	03:50 AM - 03:55 AM	59.0	47.4	06:30 AM - 06:35 AM	57.6	46.7
01:15 AM - 01:20 AM	48.1	47.4	03:55 AM - 04:00 AM	49.0	47.4	06:35 AM - 06:40 AM	55.6	46.5
01:20 AM - 01:25 AM	54.7	47.5	04:00 AM - 04:05 AM	54.6	47.1	06:40 AM - 06:45 AM	52.5	47.0
01:25 AM - 01:30 AM	48.7	47.0	04:05 AM - 04:10 AM	55.6	47.3	06:45 AM - 06:50 AM	53.2	47.3
01:30 AM - 01:35 AM	48.8	46.9	04:10 AM - 04:15 AM	55.8	47.1	06:50 AM - 06:55 AM	55.5	49.2
01:35 AM - 01:40 AM	48.4	46.8	04:15 AM - 04:20 AM	56.5	47.2	06:55 AM - 07:00 AM	56.8	48.8
01:40 AM - 01:45 AM	47.6	47.0	04:20 AM - 04:25 AM	56.4	46.8	07:00 AM - 07:05 AM	61.6	49.7
01:45 AM - 01:50 AM	47.8	46.5	04:25 AM - 04:30 AM	56.4	46.2	07:05 AM - 07:10 AM	58.7	48.9
01:50 AM - 01:55 AM	49.2	46.6	04:30 AM - 04:35 AM	54.6	46.7	07:10 AM - 07:15 AM	58.8	50.3
01:55 AM - 02:00 AM	48.1	46.9	04:35 AM - 04:40 AM	56.4	47.2	07:15 AM - 07:20 AM	61.9	49.8
02:00 AM - 02:05 AM	47.4	46.8	04:40 AM - 04:45 AM	57.7	48.0	07:20 AM - 07:25 AM	57.8	48.5
02:05 AM - 02:10 AM	48.9	47.1	04:45 AM - 04:50 AM	54.1	47.6	07:25 AM - 07:30 AM	56.8	46.5
02:10 AM - 02:15 AM	47.6	46.7	04:50 AM - 04:55 AM	57.1	47.4	07:30 AM - 07:35 AM	61.3	47.6
02:15 AM - 02:20 AM	47.9	46.9	04:55 AM - 05:00 AM	56.5	47.2	07:35 AM - 07:40 AM	56.3	46.9
02:20 AM - 02:25 AM	47.8	46.8	05:00 AM - 05:05 AM	57.7	47.5	07:40 AM - 07:45 AM	56.7	45.8
02:25 AM - 02:30 AM	48.8	46.8	05:05 AM - 05:10 AM	57.0	47.5	07:45 AM - 07:50 AM	57.2	46.5
02:30 AM - 02:35 AM	48.4	47.1	05:10 AM - 05:15 AM	56.3	47.7	07:50 AM - 07:55 AM	58.1	47.7
02:35 AM - 02:40 AM	53.6	46.7	05:15 AM - 05:20 AM	56.5	47.3	07:55 AM - 08:00 AM	56.3	44.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544289-1

Page 1 of 3

Sample Number 2620802-38
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณถนนน้ำทิ้งของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 26 - Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623392

Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	58.2	44.6	10:40 AM - 10:45 AM	56.0	44.0	01:20 PM - 01:25 PM	53.3	38.9
08:05 AM - 08:10 AM	56.6	43.8	10:45 AM - 10:50 AM	52.0	41.9	01:25 PM - 01:30 PM	55.5	41.0
08:10 AM - 08:15 AM	59.4	44.6	10:50 AM - 10:55 AM	55.9	40.5	01:30 PM - 01:35 PM	54.1	41.3
08:15 AM - 08:20 AM	53.0	43.0	10:55 AM - 11:00 AM	56.1	37.3	01:35 PM - 01:40 PM	51.2	39.9
08:20 AM - 08:25 AM	53.8	41.6	11:00 AM - 11:05 AM	53.6	39.5	01:40 PM - 01:45 PM	57.0	39.3
08:25 AM - 08:30 AM	55.6	43.4	11:05 AM - 11:10 AM	56.6	39.4	01:45 PM - 01:50 PM	51.0	39.1
08:30 AM - 08:35 AM	52.8	44.0	11:10 AM - 11:15 AM	54.8	39.8	01:50 PM - 01:55 PM	51.7	38.7
08:35 AM - 08:40 AM	54.3	46.8	11:15 AM - 11:20 AM	56.9	41.2	01:55 PM - 02:00 PM	53.2	39.8
08:40 AM - 08:45 AM	55.2	46.8	11:20 AM - 11:25 AM	57.3	41.9	02:00 PM - 02:05 PM	53.6	40.4
08:45 AM - 08:50 AM	56.4	45.7	11:25 AM - 11:30 AM	58.4	41.1	02:05 PM - 02:10 PM	50.9	37.3
08:50 AM - 08:55 AM	55.9	45.2	11:30 AM - 11:35 AM	59.1	42.4	02:10 PM - 02:15 PM	53.9	38.9
08:55 AM - 09:00 AM	56.4	42.6	11:35 AM - 11:40 AM	58.7	40.0	02:15 PM - 02:20 PM	53.6	38.0
09:00 AM - 09:05 AM	67.8	44.9	11:40 AM - 11:45 AM	60.5	43.6	02:20 PM - 02:25 PM	51.7	42.9
09:05 AM - 09:10 AM	59.6	45.0	11:45 AM - 11:50 AM	59.2	43.8	02:25 PM - 02:30 PM	52.5	37.8
09:10 AM - 09:15 AM	55.2	45.0	11:50 AM - 11:55 AM	55.4	38.5	02:30 PM - 02:35 PM	53.2	41.0
09:15 AM - 09:20 AM	56.5	43.7	11:55 AM - 12:00 PM	54.4	41.5	02:35 PM - 02:40 PM	52.5	40.4
09:20 AM - 09:25 AM	55.2	46.0	12:00 PM - 12:05 PM	53.0	40.4	02:40 PM - 02:45 PM	58.1	38.5
09:25 AM - 09:30 AM	53.0	43.0	12:05 PM - 12:10 PM	58.9	41.4	02:45 PM - 02:50 PM	53.1	40.0
09:30 AM - 09:35 AM	53.3	44.2	12:10 PM - 12:15 PM	51.6	37.5	02:50 PM - 02:55 PM	53.2	38.4
09:35 AM - 09:40 AM	58.2	44.6	12:15 PM - 12:20 PM	52.8	38.2	02:55 PM - 03:00 PM	53.2	39.1
09:40 AM - 09:45 AM	56.0	43.6	12:20 PM - 12:25 PM	60.3	50.3	03:00 PM - 03:05 PM	53.8	37.2
09:45 AM - 09:50 AM	57.7	42.8	12:25 PM - 12:30 PM	50.0	37.9	03:05 PM - 03:10 PM	56.2	37.6
09:50 AM - 09:55 AM	51.7	41.5	12:30 PM - 12:35 PM	52.1	40.0	03:10 PM - 03:15 PM	52.4	37.1
09:55 AM - 10:00 AM	56.1	49.4	12:35 PM - 12:40 PM	53.7	40.3	03:15 PM - 03:20 PM	51.5	39.2
10:00 AM - 10:05 AM	54.1	47.1	12:40 PM - 12:45 PM	56.0	47.7	03:20 PM - 03:25 PM	52.3	39.0
10:05 AM - 10:10 AM	60.4	47.1	12:45 PM - 12:50 PM	52.5	44.5	03:25 PM - 03:30 PM	54.8	39.3
10:10 AM - 10:15 AM	56.6	47.0	12:50 PM - 12:55 PM	52.3	39.8	03:30 PM - 03:35 PM	55.2	39.6
10:15 AM - 10:20 AM	57.1	46.9	12:55 PM - 01:00 PM	51.1	37.1	03:35 PM - 03:40 PM	54.1	40.6
10:20 AM - 10:25 AM	54.0	44.6	01:00 PM - 01:05 PM	51.5	37.3	03:40 PM - 03:45 PM	53.5	38.7
10:25 AM - 10:30 AM	51.0	40.7	01:05 PM - 01:10 PM	54.1	39.5	03:45 PM - 03:50 PM	53.0	38.0
10:30 AM - 10:35 AM	52.0	42.8	01:10 PM - 01:15 PM	58.7	39.7	03:50 PM - 03:55 PM	51.1	40.9
10:35 AM - 10:40 AM	62.3	43.3	01:15 PM - 01:20 PM	57.9	41.4	03:55 PM - 04:00 PM	51.4	41.3

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544289-1

Page 2 of 3

Sample Number 2620802-38
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 26 - Mar 27, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 623392

Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90	Mar 26, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	50.5	41.2	06:40 PM - 06:45 PM	57.1	53.6	09:20 PM - 09:25 PM	54.7	51.5
04:05 PM - 04:10 PM	51.1	42.6	06:45 PM - 06:50 PM	60.4	55.9	09:25 PM - 09:30 PM	53.9	51.4
04:10 PM - 04:15 PM	54.0	44.2	06:50 PM - 06:55 PM	56.1	46.8	09:30 PM - 09:35 PM	55.2	51.1
04:15 PM - 04:20 PM	55.6	45.8	06:55 PM - 07:00 PM	55.9	47.9	09:35 PM - 09:40 PM	53.8	50.8
04:20 PM - 04:25 PM	55.4	45.6	07:00 PM - 07:05 PM	53.1	47.9	09:40 PM - 09:45 PM	55.5	49.4
04:25 PM - 04:30 PM	53.1	44.5	07:05 PM - 07:10 PM	57.6	49.3	09:45 PM - 09:50 PM	53.5	50.0
04:30 PM - 04:35 PM	56.0	45.0	07:10 PM - 07:15 PM	55.7	49.9	09:50 PM - 09:55 PM	52.4	50.1
04:35 PM - 04:40 PM	54.6	45.5	07:15 PM - 07:20 PM	61.2	50.4	09:55 PM - 10:00 PM	54.5	50.5
04:40 PM - 04:45 PM	55.8	44.1	07:20 PM - 07:25 PM	61.8	49.7	10:00 PM - 10:05 PM	52.8	50.7
04:45 PM - 04:50 PM	53.1	43.8	07:25 PM - 07:30 PM	61.1	49.8	10:05 PM - 10:10 PM	52.6	51.0
04:50 PM - 04:55 PM	58.2	44.0	07:30 PM - 07:35 PM	53.7	49.8	10:10 PM - 10:15 PM	52.7	50.7
04:55 PM - 05:00 PM	54.0	45.1	07:35 PM - 07:40 PM	54.6	50.2	10:15 PM - 10:20 PM	53.6	50.2
05:00 PM - 05:05 PM	58.5	49.0	07:40 PM - 07:45 PM	56.8	50.4	10:20 PM - 10:25 PM	52.6	50.3
05:05 PM - 05:10 PM	58.1	49.8	07:45 PM - 07:50 PM	53.5	50.0	10:25 PM - 10:30 PM	55.5	50.0
05:10 PM - 05:15 PM	56.3	46.8	07:50 PM - 07:55 PM	53.5	50.7	10:30 PM - 10:35 PM	51.9	49.9
05:15 PM - 05:20 PM	57.4	49.1	07:55 PM - 08:00 PM	54.5	50.2	10:35 PM - 10:40 PM	57.3	49.8
05:20 PM - 05:25 PM	54.8	47.7	08:00 PM - 08:05 PM	55.1	50.6	10:40 PM - 10:45 PM	51.1	49.5
05:25 PM - 05:30 PM	57.8	47.8	08:05 PM - 08:10 PM	54.5	50.3	10:45 PM - 10:50 PM	54.8	48.4
05:30 PM - 05:35 PM	56.1	46.9	08:10 PM - 08:15 PM	53.8	50.6	10:50 PM - 10:55 PM	50.3	49.0
05:35 PM - 05:40 PM	57.0	47.6	08:15 PM - 08:20 PM	54.7	50.4	10:55 PM - 11:00 PM	53.1	49.1
05:40 PM - 05:45 PM	56.8	49.5	08:20 PM - 08:25 PM	57.3	50.7	11:00 PM - 11:05 PM	52.8	49.3
05:45 PM - 05:50 PM	58.6	48.8	08:25 PM - 08:30 PM	53.3	50.5	11:05 PM - 11:10 PM	52.9	50.6
05:50 PM - 05:55 PM	57.1	47.8	08:30 PM - 08:35 PM	57.1	52.8	11:10 PM - 11:15 PM	51.9	50.1
05:55 PM - 06:00 PM	57.3	48.9	08:35 PM - 08:40 PM	56.5	52.6	11:15 PM - 11:20 PM	51.6	48.3
06:00 PM - 06:05 PM	58.4	47.9	08:40 PM - 08:45 PM	55.5	52.0	11:20 PM - 11:25 PM	51.1	48.8
06:05 PM - 06:10 PM	56.9	47.5	08:45 PM - 08:50 PM	56.8	52.1	11:25 PM - 11:30 PM	49.8	48.9
06:10 PM - 06:15 PM	59.6	46.6	08:50 PM - 08:55 PM	55.2	50.1	11:30 PM - 11:35 PM	50.6	49.3
06:15 PM - 06:20 PM	56.4	47.3	08:55 PM - 09:00 PM	58.1	52.0	11:35 PM - 11:40 PM	50.5	49.5
06:20 PM - 06:25 PM	57.0	47.7	09:00 PM - 09:05 PM	56.3	51.8	11:40 PM - 11:45 PM	53.2	49.2
06:25 PM - 06:30 PM	53.7	45.7	09:05 PM - 09:10 PM	56.7	51.6	11:45 PM - 11:50 PM	49.8	49.0
06:30 PM - 06:35 PM	57.5	46.8	09:10 PM - 09:15 PM	54.2	51.4	11:50 PM - 11:55 PM	51.8	49.6
06:35 PM - 06:40 PM	56.5	48.0	09:15 PM - 09:20 PM	56.3	51.1	11:55 PM - 12:00 AM	53.7	51.0

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544289-1

Page 3 of 3

Sample Number 2620802-38
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณเหนือทางวิ่งของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 26 - Mar 27, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623392

Mar 27, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 27, 2026 Time	Leq dB(A)	L90 dB(A)	Mar 27, 2026 Time	Leq dB(A)	L90 dB(A)
12:00 AM - 12:05 AM	52.9	50.6	02:40 AM - 02:45 AM	50.1	49.1	05:20 AM - 05:25 AM	55.9	47.8
12:05 AM - 12:10 AM	53.0	50.9	02:45 AM - 02:50 AM	50.1	49.1	05:25 AM - 05:30 AM	51.9	48.7
12:10 AM - 12:15 AM	51.7	50.6	02:50 AM - 02:55 AM	49.9	48.5	05:30 AM - 05:35 AM	56.5	48.6
12:15 AM - 12:20 AM	51.6	50.8	02:55 AM - 03:00 AM	48.1	47.0	05:35 AM - 05:40 AM	56.7	49.4
12:20 AM - 12:25 AM	52.2	49.9	03:00 AM - 03:05 AM	47.8	46.9	05:40 AM - 05:45 AM	56.0	49.0
12:25 AM - 12:30 AM	49.9	49.2	03:05 AM - 03:10 AM	47.8	46.1	05:45 AM - 05:50 AM	57.8	50.0
12:30 AM - 12:35 AM	51.6	49.0	03:10 AM - 03:15 AM	49.0	47.8	05:50 AM - 05:55 AM	58.9	54.4
12:35 AM - 12:40 AM	49.9	49.1	03:15 AM - 03:20 AM	56.1	47.1	05:55 AM - 06:00 AM	60.4	57.7
12:40 AM - 12:45 AM	50.7	49.1	03:20 AM - 03:25 AM	46.6	45.4	06:00 AM - 06:05 AM	54.9	46.3
12:45 AM - 12:50 AM	51.6	48.7	03:25 AM - 03:30 AM	48.5	46.5	06:05 AM - 06:10 AM	57.2	47.0
12:50 AM - 12:55 AM	49.0	48.2	03:30 AM - 03:35 AM	49.7	47.7	06:10 AM - 06:15 AM	55.8	46.7
12:55 AM - 01:00 AM	49.8	47.7	03:35 AM - 03:40 AM	51.1	47.9	06:15 AM - 06:20 AM	59.1	47.0
01:00 AM - 01:05 AM	49.9	47.8	03:40 AM - 03:45 AM	51.1	47.6	06:20 AM - 06:25 AM	56.3	47.3
01:05 AM - 01:10 AM	49.1	47.9	03:45 AM - 03:50 AM	50.8	47.8	06:25 AM - 06:30 AM	57.5	45.9
01:10 AM - 01:15 AM	51.7	48.6	03:50 AM - 03:55 AM	58.3	49.9	06:30 AM - 06:35 AM	57.6	47.2
01:15 AM - 01:20 AM	50.8	48.8	03:55 AM - 04:00 AM	50.0	48.8	06:35 AM - 06:40 AM	56.9	46.4
01:20 AM - 01:25 AM	52.5	49.2	04:00 AM - 04:05 AM	49.8	48.7	06:40 AM - 06:45 AM	58.9	48.3
01:25 AM - 01:30 AM	49.9	49.1	04:05 AM - 04:10 AM	58.4	48.9	06:45 AM - 06:50 AM	59.4	45.8
01:30 AM - 01:35 AM	49.7	48.8	04:10 AM - 04:15 AM	55.1	49.1	06:50 AM - 06:55 AM	60.8	49.0
01:35 AM - 01:40 AM	49.8	48.9	04:15 AM - 04:20 AM	54.0	49.3	06:55 AM - 07:00 AM	57.2	47.5
01:40 AM - 01:45 AM	49.7	48.6	04:20 AM - 04:25 AM	57.4	48.8	07:00 AM - 07:05 AM	58.8	45.8
01:45 AM - 01:50 AM	50.0	48.5	04:25 AM - 04:30 AM	55.1	48.4	07:05 AM - 07:10 AM	57.4	46.1
01:50 AM - 01:55 AM	51.9	48.8	04:30 AM - 04:35 AM	56.2	48.2	07:10 AM - 07:15 AM	58.7	48.1
01:55 AM - 02:00 AM	50.0	49.1	04:35 AM - 04:40 AM	56.7	48.8	07:15 AM - 07:20 AM	59.4	48.4
02:00 AM - 02:05 AM	50.2	49.1	04:40 AM - 04:45 AM	53.7	49.2	07:20 AM - 07:25 AM	57.7	49.3
02:05 AM - 02:10 AM	49.9	49.0	04:45 AM - 04:50 AM	52.2	49.2	07:25 AM - 07:30 AM	58.5	46.7
02:10 AM - 02:15 AM	50.3	49.1	04:50 AM - 04:55 AM	56.0	48.9	07:30 AM - 07:35 AM	59.8	45.3
02:15 AM - 02:20 AM	50.4	49.3	04:55 AM - 05:00 AM	57.1	48.1	07:35 AM - 07:40 AM	57.9	46.5
02:20 AM - 02:25 AM	50.4	49.1	05:00 AM - 05:05 AM	57.1	48.7	07:40 AM - 07:45 AM	58.9	47.6
02:25 AM - 02:30 AM	50.5	49.5	05:05 AM - 05:10 AM	54.2	48.9	07:45 AM - 07:50 AM	58.9	46.8
02:30 AM - 02:35 AM	50.7	49.6	05:10 AM - 05:15 AM	55.5	49.3	07:50 AM - 07:55 AM	58.2	46.1
02:35 AM - 02:40 AM	50.0	49.0	05:15 AM - 05:20 AM	56.6	48.9	07:55 AM - 08:00 AM	54.4	44.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544290-1

Page 1 of 3

Sample Number 2620802-39
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณถนนหน้าห้องโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 27 - Mar 28, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 623392

Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	54.7	45.2	10:40 AM - 10:45 AM	54.6	41.9	01:20 PM - 01:25 PM	51.8	42.8
08:05 AM - 08:10 AM	56.5	43.4	10:45 AM - 10:50 AM	51.4	39.8	01:25 PM - 01:30 PM	52.9	43.7
08:10 AM - 08:15 AM	56.0	44.2	10:50 AM - 10:55 AM	54.4	40.8	01:30 PM - 01:35 PM	53.1	42.5
08:15 AM - 08:20 AM	55.8	44.2	10:55 AM - 11:00 AM	49.0	40.2	01:35 PM - 01:40 PM	50.0	43.6
08:20 AM - 08:25 AM	54.6	43.0	11:00 AM - 11:05 AM	59.6	42.0	01:40 PM - 01:45 PM	53.1	41.4
08:25 AM - 08:30 AM	55.9	44.0	11:05 AM - 11:10 AM	53.9	41.8	01:45 PM - 01:50 PM	51.6	40.9
08:30 AM - 08:35 AM	55.7	43.4	11:10 AM - 11:15 AM	53.8	41.5	01:50 PM - 01:55 PM	47.6	39.4
08:35 AM - 08:40 AM	52.9	42.8	11:15 AM - 11:20 AM	56.9	41.1	01:55 PM - 02:00 PM	50.9	41.5
08:40 AM - 08:45 AM	52.5	42.5	11:20 AM - 11:25 AM	53.5	40.8	02:00 PM - 02:05 PM	58.1	42.6
08:45 AM - 08:50 AM	56.1	44.1	11:25 AM - 11:30 AM	54.9	41.3	02:05 PM - 02:10 PM	51.8	41.8
08:50 AM - 08:55 AM	55.1	45.1	11:30 AM - 11:35 AM	56.7	43.2	02:10 PM - 02:15 PM	55.5	40.0
08:55 AM - 09:00 AM	58.9	43.8	11:35 AM - 11:40 AM	52.6	43.1	02:15 PM - 02:20 PM	54.5	40.8
09:00 AM - 09:05 AM	54.0	43.7	11:40 AM - 11:45 AM	59.6	42.5	02:20 PM - 02:25 PM	56.1	42.4
09:05 AM - 09:10 AM	52.3	42.9	11:45 AM - 11:50 AM	55.2	40.8	02:25 PM - 02:30 PM	53.7	42.5
09:10 AM - 09:15 AM	54.5	42.1	11:50 AM - 11:55 AM	54.3	41.8	02:30 PM - 02:35 PM	53.9	43.9
09:15 AM - 09:20 AM	54.5	42.1	11:55 AM - 12:00 PM	53.4	41.6	02:35 PM - 02:40 PM	55.7	41.7
09:20 AM - 09:25 AM	55.9	42.4	12:00 PM - 12:05 PM	50.8	41.9	02:40 PM - 02:45 PM	53.0	42.1
09:25 AM - 09:30 AM	55.7	42.5	12:05 PM - 12:10 PM	54.6	42.1	02:45 PM - 02:50 PM	57.1	42.9
09:30 AM - 09:35 AM	53.2	41.2	12:10 PM - 12:15 PM	54.0	40.7	02:50 PM - 02:55 PM	56.2	43.0
09:35 AM - 09:40 AM	52.4	40.4	12:15 PM - 12:20 PM	53.9	40.3	02:55 PM - 03:00 PM	49.9	43.2
09:40 AM - 09:45 AM	54.8	42.9	12:20 PM - 12:25 PM	53.6	41.8	03:00 PM - 03:05 PM	51.4	42.6
09:45 AM - 09:50 AM	52.5	42.7	12:25 PM - 12:30 PM	55.8	42.6	03:05 PM - 03:10 PM	53.1	42.1
09:50 AM - 09:55 AM	50.8	41.0	12:30 PM - 12:35 PM	53.7	41.7	03:10 PM - 03:15 PM	53.6	42.8
09:55 AM - 10:00 AM	50.0	40.9	12:35 PM - 12:40 PM	52.3	43.9	03:15 PM - 03:20 PM	53.2	42.5
10:00 AM - 10:05 AM	55.5	41.8	12:40 PM - 12:45 PM	50.6	41.1	03:20 PM - 03:25 PM	53.9	43.9
10:05 AM - 10:10 AM	57.0	41.9	12:45 PM - 12:50 PM	55.3	42.6	03:25 PM - 03:30 PM	55.6	43.8
10:10 AM - 10:15 AM	51.8	41.8	12:50 PM - 12:55 PM	52.0	44.0	03:30 PM - 03:35 PM	55.1	42.0
10:15 AM - 10:20 AM	53.3	42.3	12:55 PM - 01:00 PM	54.5	44.9	03:35 PM - 03:40 PM	49.1	42.7
10:20 AM - 10:25 AM	51.1	40.1	01:00 PM - 01:05 PM	54.8	45.3	03:40 PM - 03:45 PM	54.4	44.4
10:25 AM - 10:30 AM	53.0	43.5	01:05 PM - 01:10 PM	54.4	42.7	03:45 PM - 03:50 PM	54.1	43.0
10:30 AM - 10:35 AM	59.8	41.4	01:10 PM - 01:15 PM	56.7	42.7	03:50 PM - 03:55 PM	62.4	43.7
10:35 AM - 10:40 AM	53.8	39.3	01:15 PM - 01:20 PM	52.1	42.4	03:55 PM - 04:00 PM	52.9	45.1

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544290-1

Page 2 of 3

Sample Number 2620802-39
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณเพื่อนำทั้งของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 27 - Mar 28, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 623392

Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90	Mar 27, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	63.4	46.8	06:40 PM - 06:45 PM	56.3	50.1	09:20 PM - 09:25 PM	53.6	52.1
04:05 PM - 04:10 PM	58.4	45.5	06:45 PM - 06:50 PM	55.6	50.5	09:25 PM - 09:30 PM	54.2	52.0
04:10 PM - 04:15 PM	52.0	43.4	06:50 PM - 06:55 PM	54.8	46.7	09:30 PM - 09:35 PM	53.9	52.0
04:15 PM - 04:20 PM	53.7	46.0	06:55 PM - 07:00 PM	60.4	47.5	09:35 PM - 09:40 PM	54.2	51.6
04:20 PM - 04:25 PM	56.8	46.8	07:00 PM - 07:05 PM	57.3	50.9	09:40 PM - 09:45 PM	54.6	51.5
04:25 PM - 04:30 PM	51.5	44.9	07:05 PM - 07:10 PM	55.2	51.7	09:45 PM - 09:50 PM	53.4	51.7
04:30 PM - 04:35 PM	51.5	44.7	07:10 PM - 07:15 PM	55.7	51.8	09:50 PM - 09:55 PM	52.8	51.4
04:35 PM - 04:40 PM	57.8	47.4	07:15 PM - 07:20 PM	56.9	50.2	09:55 PM - 10:00 PM	53.4	51.4
04:40 PM - 04:45 PM	56.5	45.5	07:20 PM - 07:25 PM	57.8	50.3	10:00 PM - 10:05 PM	59.8	51.1
04:45 PM - 04:50 PM	56.9	46.0	07:25 PM - 07:30 PM	56.6	51.5	10:05 PM - 10:10 PM	53.1	51.0
04:50 PM - 04:55 PM	53.1	46.1	07:30 PM - 07:35 PM	54.6	51.3	10:10 PM - 10:15 PM	53.8	50.7
04:55 PM - 05:00 PM	53.4	46.2	07:35 PM - 07:40 PM	56.0	52.9	10:15 PM - 10:20 PM	52.1	50.3
05:00 PM - 05:05 PM	54.6	46.1	07:40 PM - 07:45 PM	55.1	52.0	10:20 PM - 10:25 PM	55.3	50.7
05:05 PM - 05:10 PM	54.8	48.2	07:45 PM - 07:50 PM	56.1	52.3	10:25 PM - 10:30 PM	52.7	50.5
05:10 PM - 05:15 PM	57.3	48.0	07:50 PM - 07:55 PM	57.3	52.2	10:30 PM - 10:35 PM	53.5	50.7
05:15 PM - 05:20 PM	57.5	48.2	07:55 PM - 08:00 PM	56.9	52.1	10:35 PM - 10:40 PM	51.9	50.4
05:20 PM - 05:25 PM	55.5	49.1	08:00 PM - 08:05 PM	57.8	51.6	10:40 PM - 10:45 PM	52.0	50.2
05:25 PM - 05:30 PM	59.0	48.9	08:05 PM - 08:10 PM	58.1	52.6	10:45 PM - 10:50 PM	51.7	50.2
05:30 PM - 05:35 PM	58.1	48.2	08:10 PM - 08:15 PM	54.7	52.2	10:50 PM - 10:55 PM	51.5	50.3
05:35 PM - 05:40 PM	54.1	47.5	08:15 PM - 08:20 PM	54.7	52.3	10:55 PM - 11:00 PM	53.2	50.2
05:40 PM - 05:45 PM	58.5	50.7	08:20 PM - 08:25 PM	55.6	52.3	11:00 PM - 11:05 PM	51.0	49.9
05:45 PM - 05:50 PM	55.7	48.5	08:25 PM - 08:30 PM	56.4	51.9	11:05 PM - 11:10 PM	52.2	50.1
05:50 PM - 05:55 PM	61.3	48.4	08:30 PM - 08:35 PM	58.4	51.8	11:10 PM - 11:15 PM	52.5	50.2
05:55 PM - 06:00 PM	56.7	47.0	08:35 PM - 08:40 PM	55.6	51.9	11:15 PM - 11:20 PM	50.9	49.4
06:00 PM - 06:05 PM	56.2	48.2	08:40 PM - 08:45 PM	55.1	52.7	11:20 PM - 11:25 PM	51.5	49.8
06:05 PM - 06:10 PM	56.5	47.1	08:45 PM - 08:50 PM	55.5	53.6	11:25 PM - 11:30 PM	51.8	49.7
06:10 PM - 06:15 PM	57.1	48.2	08:50 PM - 08:55 PM	58.1	53.6	11:30 PM - 11:35 PM	53.4	49.7
06:15 PM - 06:20 PM	57.0	46.8	08:55 PM - 09:00 PM	60.4	53.8	11:35 PM - 11:40 PM	52.2	49.0
06:20 PM - 06:25 PM	55.3	47.8	09:00 PM - 09:05 PM	56.5	53.3	11:40 PM - 11:45 PM	49.5	46.7
06:25 PM - 06:30 PM	54.8	46.0	09:05 PM - 09:10 PM	55.5	53.4	11:45 PM - 11:50 PM	51.1	49.7
06:30 PM - 06:35 PM	57.0	46.4	09:10 PM - 09:15 PM	55.4	53.2	11:50 PM - 11:55 PM	51.7	50.0
06:35 PM - 06:40 PM	55.7	48.2	09:15 PM - 09:20 PM	55.1	53.1	11:55 PM - 12:00 AM	51.9	49.7

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544290-1

Page 3 of 3

Sample Number 2620802-39
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณถนนหน้าห้องโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 27 - Mar 28, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 623392

Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	53.2	49.6	02:40 AM - 02:45 AM	51.7	50.4	05:20 AM - 05:25 AM	54.9	48.3
12:05 AM - 12:10 AM	52.4	49.6	02:45 AM - 02:50 AM	51.9	50.1	05:25 AM - 05:30 AM	53.3	48.2
12:10 AM - 12:15 AM	53.3	49.8	02:50 AM - 02:55 AM	51.6	50.2	05:30 AM - 05:35 AM	56.8	48.4
12:15 AM - 12:20 AM	51.1	49.5	02:55 AM - 03:00 AM	51.7	50.3	05:35 AM - 05:40 AM	58.1	48.2
12:20 AM - 12:25 AM	51.1	49.5	03:00 AM - 03:05 AM	51.3	49.9	05:40 AM - 05:45 AM	55.6	49.2
12:25 AM - 12:30 AM	51.5	47.8	03:05 AM - 03:10 AM	51.3	49.9	05:45 AM - 05:50 AM	58.1	49.9
12:30 AM - 12:35 AM	50.9	49.6	03:10 AM - 03:15 AM	51.6	46.5	05:50 AM - 05:55 AM	59.4	53.7
12:35 AM - 12:40 AM	50.8	49.4	03:15 AM - 03:20 AM	47.3	46.5	05:55 AM - 06:00 AM	59.4	48.8
12:40 AM - 12:45 AM	53.1	48.9	03:20 AM - 03:25 AM	48.8	46.7	06:00 AM - 06:05 AM	60.6	47.2
12:45 AM - 12:50 AM	49.9	48.6	03:25 AM - 03:30 AM	48.3	47.4	06:05 AM - 06:10 AM	61.0	44.7
12:50 AM - 12:55 AM	49.9	48.5	03:30 AM - 03:35 AM	49.5	47.6	06:10 AM - 06:15 AM	58.7	45.8
12:55 AM - 01:00 AM	50.3	48.6	03:35 AM - 03:40 AM	49.2	47.3	06:15 AM - 06:20 AM	57.5	46.2
01:00 AM - 01:05 AM	51.1	48.1	03:40 AM - 03:45 AM	48.3	47.2	06:20 AM - 06:25 AM	58.4	47.7
01:05 AM - 01:10 AM	51.5	48.1	03:45 AM - 03:50 AM	49.7	46.9	06:25 AM - 06:30 AM	59.0	46.2
01:10 AM - 01:15 AM	50.8	48.1	03:50 AM - 03:55 AM	48.6	47.4	06:30 AM - 06:35 AM	62.3	48.9
01:15 AM - 01:20 AM	53.1	47.0	03:55 AM - 04:00 AM	50.6	47.8	06:35 AM - 06:40 AM	60.5	47.8
01:20 AM - 01:25 AM	49.7	45.3	04:00 AM - 04:05 AM	50.4	47.6	06:40 AM - 06:45 AM	59.5	46.9
01:25 AM - 01:30 AM	49.4	46.4	04:05 AM - 04:10 AM	50.2	48.2	06:45 AM - 06:50 AM	57.0	46.9
01:30 AM - 01:35 AM	50.7	48.6	04:10 AM - 04:15 AM	58.5	48.1	06:50 AM - 06:55 AM	57.5	45.4
01:35 AM - 01:40 AM	49.5	48.1	04:15 AM - 04:20 AM	49.6	48.1	06:55 AM - 07:00 AM	56.5	47.4
01:40 AM - 01:45 AM	51.0	46.7	04:20 AM - 04:25 AM	52.9	48.1	07:00 AM - 07:05 AM	57.5	47.6
01:45 AM - 01:50 AM	51.8	50.4	04:25 AM - 04:30 AM	55.9	47.7	07:05 AM - 07:10 AM	58.4	48.1
01:50 AM - 01:55 AM	52.3	50.9	04:30 AM - 04:35 AM	56.0	47.6	07:10 AM - 07:15 AM	58.1	47.3
01:55 AM - 02:00 AM	52.2	50.7	04:35 AM - 04:40 AM	57.0	48.1	07:15 AM - 07:20 AM	56.9	47.6
02:00 AM - 02:05 AM	53.1	50.8	04:40 AM - 04:45 AM	57.9	48.3	07:20 AM - 07:25 AM	55.4	47.5
02:05 AM - 02:10 AM	51.8	50.5	04:45 AM - 04:50 AM	57.0	47.9	07:25 AM - 07:30 AM	57.4	47.6
02:10 AM - 02:15 AM	52.2	50.2	04:50 AM - 04:55 AM	55.7	47.7	07:30 AM - 07:35 AM	62.0	45.5
02:15 AM - 02:20 AM	51.5	50.2	04:55 AM - 05:00 AM	56.2	47.7	07:35 AM - 07:40 AM	61.1	45.5
02:20 AM - 02:25 AM	51.9	50.6	05:00 AM - 05:05 AM	52.4	48.0	07:40 AM - 07:45 AM	57.1	44.7
02:25 AM - 02:30 AM	52.0	50.8	05:05 AM - 05:10 AM	55.8	47.8	07:45 AM - 07:50 AM	59.6	48.7
02:30 AM - 02:35 AM	52.6	50.9	05:10 AM - 05:15 AM	56.4	47.6	07:50 AM - 07:55 AM	56.5	46.2
02:35 AM - 02:40 AM	52.4	50.9	05:15 AM - 05:20 AM	57.1	47.9	07:55 AM - 08:00 AM	57.1	43.4

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544291-1

Page 1 of 3

Sample Number 2620802-40
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณถนนหน้าห้องโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 28 - Mar 29, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623392

Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	54.4	42.5	10:40 AM - 10:45 AM	56.0	41.3	01:20 PM - 01:25 PM	50.8	39.5
08:05 AM - 08:10 AM	53.8	41.0	10:45 AM - 10:50 AM	55.7	41.6	01:25 PM - 01:30 PM	54.4	39.8
08:10 AM - 08:15 AM	55.6	43.8	10:50 AM - 10:55 AM	52.2	39.6	01:30 PM - 01:35 PM	51.4	41.5
08:15 AM - 08:20 AM	58.0	44.4	10:55 AM - 11:00 AM	51.9	42.0	01:35 PM - 01:40 PM	46.0	38.5
08:20 AM - 08:25 AM	54.5	43.6	11:00 AM - 11:05 AM	52.2	41.3	01:40 PM - 01:45 PM	53.3	38.1
08:25 AM - 08:30 AM	56.6	42.0	11:05 AM - 11:10 AM	60.0	42.1	01:45 PM - 01:50 PM	54.1	39.6
08:30 AM - 08:35 AM	55.2	43.5	11:10 AM - 11:15 AM	59.0	43.4	01:50 PM - 01:55 PM	54.6	42.8
08:35 AM - 08:40 AM	52.9	42.9	11:15 AM - 11:20 AM	51.7	42.2	01:55 PM - 02:00 PM	51.1	41.1
08:40 AM - 08:45 AM	54.2	42.0	11:20 AM - 11:25 AM	53.5	43.5	02:00 PM - 02:05 PM	55.3	43.0
08:45 AM - 08:50 AM	57.1	43.4	11:25 AM - 11:30 AM	53.9	42.3	02:05 PM - 02:10 PM	53.4	41.2
08:50 AM - 08:55 AM	53.3	42.4	11:30 AM - 11:35 AM	54.0	41.6	02:10 PM - 02:15 PM	53.5	41.8
08:55 AM - 09:00 AM	56.7	42.9	11:35 AM - 11:40 AM	55.2	41.5	02:15 PM - 02:20 PM	52.7	41.1
09:00 AM - 09:05 AM	53.2	42.8	11:40 AM - 11:45 AM	54.1	39.8	02:20 PM - 02:25 PM	50.2	41.7
09:05 AM - 09:10 AM	52.9	42.1	11:45 AM - 11:50 AM	53.4	40.1	02:25 PM - 02:30 PM	54.8	41.2
09:10 AM - 09:15 AM	56.6	44.3	11:50 AM - 11:55 AM	55.2	41.4	02:30 PM - 02:35 PM	53.9	42.5
09:15 AM - 09:20 AM	53.0	44.3	11:55 AM - 12:00 PM	53.7	44.2	02:35 PM - 02:40 PM	55.1	40.1
09:20 AM - 09:25 AM	52.6	43.0	12:00 PM - 12:05 PM	49.8	42.3	02:40 PM - 02:45 PM	51.9	41.2
09:25 AM - 09:30 AM	56.2	44.0	12:05 PM - 12:10 PM	58.1	42.6	02:45 PM - 02:50 PM	49.7	41.4
09:30 AM - 09:35 AM	50.3	41.8	12:10 PM - 12:15 PM	52.4	36.8	02:50 PM - 02:55 PM	55.3	43.4
09:35 AM - 09:40 AM	53.9	41.0	12:15 PM - 12:20 PM	54.7	41.3	02:55 PM - 03:00 PM	52.3	43.3
09:40 AM - 09:45 AM	53.2	44.3	12:20 PM - 12:25 PM	50.9	37.7	03:00 PM - 03:05 PM	51.5	43.1
09:45 AM - 09:50 AM	56.2	49.2	12:25 PM - 12:30 PM	55.5	37.7	03:05 PM - 03:10 PM	51.8	43.4
09:50 AM - 09:55 AM	55.9	44.3	12:30 PM - 12:35 PM	48.7	39.9	03:10 PM - 03:15 PM	55.6	43.0
09:55 AM - 10:00 AM	48.8	40.0	12:35 PM - 12:40 PM	51.2	36.2	03:15 PM - 03:20 PM	54.9	43.5
10:00 AM - 10:05 AM	50.0	41.4	12:40 PM - 12:45 PM	51.7	37.1	03:20 PM - 03:25 PM	52.0	44.3
10:05 AM - 10:10 AM	54.1	39.6	12:45 PM - 12:50 PM	55.6	42.3	03:25 PM - 03:30 PM	54.1	45.2
10:10 AM - 10:15 AM	54.2	41.6	12:50 PM - 12:55 PM	53.5	41.3	03:30 PM - 03:35 PM	54.5	43.8
10:15 AM - 10:20 AM	48.8	41.0	12:55 PM - 01:00 PM	51.9	40.4	03:35 PM - 03:40 PM	56.1	44.0
10:20 AM - 10:25 AM	56.0	43.2	01:00 PM - 01:05 PM	54.3	40.7	03:40 PM - 03:45 PM	55.3	44.6
10:25 AM - 10:30 AM	54.4	41.5	01:05 PM - 01:10 PM	59.4	39.9	03:45 PM - 03:50 PM	52.4	45.0
10:30 AM - 10:35 AM	57.3	42.2	01:10 PM - 01:15 PM	55.8	40.2	03:50 PM - 03:55 PM	54.1	44.5
10:35 AM - 10:40 AM	51.9	41.4	01:15 PM - 01:20 PM	56.8	39.3	03:55 PM - 04:00 PM	53.0	44.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544291-1

Page 2 of 3

Sample Number 2620802-40
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณหน้าห้องของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 28 - Mar 29, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 623392

Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90	Mar 28, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	52.4	44.3	06:40 PM - 06:45 PM	59.1	49.7	09:20 PM - 09:25 PM	52.8	50.2
04:05 PM - 04:10 PM	58.1	47.3	06:45 PM - 06:50 PM	57.2	49.4	09:25 PM - 09:30 PM	55.3	50.0
04:10 PM - 04:15 PM	57.1	43.9	06:50 PM - 06:55 PM	53.7	48.9	09:30 PM - 09:35 PM	52.4	49.9
04:15 PM - 04:20 PM	53.5	43.6	06:55 PM - 07:00 PM	56.1	50.0	09:35 PM - 09:40 PM	55.0	49.5
04:20 PM - 04:25 PM	54.5	46.2	07:00 PM - 07:05 PM	56.4	50.3	09:40 PM - 09:45 PM	54.0	48.6
04:25 PM - 04:30 PM	52.7	45.1	07:05 PM - 07:10 PM	60.2	49.9	09:45 PM - 09:50 PM	54.2	49.7
04:30 PM - 04:35 PM	56.8	46.2	07:10 PM - 07:15 PM	60.5	50.1	09:50 PM - 09:55 PM	54.5	50.0
04:35 PM - 04:40 PM	58.9	45.5	07:15 PM - 07:20 PM	55.0	50.6	09:55 PM - 10:00 PM	55.0	49.6
04:40 PM - 04:45 PM	55.1	45.8	07:20 PM - 07:25 PM	56.3	50.8	10:00 PM - 10:05 PM	51.4	49.9
04:45 PM - 04:50 PM	53.7	46.3	07:25 PM - 07:30 PM	53.1	49.4	10:05 PM - 10:10 PM	51.4	49.4
04:50 PM - 04:55 PM	55.8	48.6	07:30 PM - 07:35 PM	55.7	50.3	10:10 PM - 10:15 PM	56.7	49.9
04:55 PM - 05:00 PM	53.7	46.2	07:35 PM - 07:40 PM	55.2	50.3	10:15 PM - 10:20 PM	53.9	50.0
05:00 PM - 05:05 PM	57.0	47.9	07:40 PM - 07:45 PM	55.2	50.0	10:20 PM - 10:25 PM	56.9	50.4
05:05 PM - 05:10 PM	58.5	47.8	07:45 PM - 07:50 PM	56.6	50.1	10:25 PM - 10:30 PM	53.2	51.2
05:10 PM - 05:15 PM	56.9	49.7	07:50 PM - 07:55 PM	60.5	50.6	10:30 PM - 10:35 PM	56.0	51.8
05:15 PM - 05:20 PM	57.7	48.4	07:55 PM - 08:00 PM	57.2	50.3	10:35 PM - 10:40 PM	53.5	51.9
05:20 PM - 05:25 PM	56.0	48.6	08:00 PM - 08:05 PM	53.7	49.6	10:40 PM - 10:45 PM	54.3	51.7
05:25 PM - 05:30 PM	56.8	48.2	08:05 PM - 08:10 PM	53.0	49.9	10:45 PM - 10:50 PM	52.9	50.9
05:30 PM - 05:35 PM	55.9	48.8	08:10 PM - 08:15 PM	53.6	49.8	10:50 PM - 10:55 PM	51.9	50.6
05:35 PM - 05:40 PM	57.6	50.5	08:15 PM - 08:20 PM	56.2	49.9	10:55 PM - 11:00 PM	52.1	50.9
05:40 PM - 05:45 PM	56.8	50.1	08:20 PM - 08:25 PM	52.5	50.0	11:00 PM - 11:05 PM	57.2	51.0
05:45 PM - 05:50 PM	56.8	49.5	08:25 PM - 08:30 PM	56.5	50.2	11:05 PM - 11:10 PM	52.4	50.9
05:50 PM - 05:55 PM	54.9	47.9	08:30 PM - 08:35 PM	55.0	51.1	11:10 PM - 11:15 PM	52.0	50.8
05:55 PM - 06:00 PM	57.9	49.4	08:35 PM - 08:40 PM	58.2	52.7	11:15 PM - 11:20 PM	52.7	50.4
06:00 PM - 06:05 PM	56.2	48.7	08:40 PM - 08:45 PM	55.0	53.0	11:20 PM - 11:25 PM	52.7	50.7
06:05 PM - 06:10 PM	57.3	48.1	08:45 PM - 08:50 PM	56.7	53.3	11:25 PM - 11:30 PM	51.8	50.4
06:10 PM - 06:15 PM	56.4	48.9	08:50 PM - 08:55 PM	55.1	53.6	11:30 PM - 11:35 PM	52.1	50.5
06:15 PM - 06:20 PM	57.3	47.6	08:55 PM - 09:00 PM	55.8	53.5	11:35 PM - 11:40 PM	53.3	50.8
06:20 PM - 06:25 PM	54.6	47.3	09:00 PM - 09:05 PM	56.2	53.1	11:40 PM - 11:45 PM	52.8	50.6
06:25 PM - 06:30 PM	57.9	47.9	09:05 PM - 09:10 PM	55.1	53.0	11:45 PM - 11:50 PM	54.5	50.7
06:30 PM - 06:35 PM	57.8	48.2	09:10 PM - 09:15 PM	54.3	52.9	11:50 PM - 11:55 PM	50.9	47.8
06:35 PM - 06:40 PM	57.5	50.4	09:15 PM - 09:20 PM	53.3	51.9	11:55 PM - 12:00 AM	50.4	48.2

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544291-1

Page 3 of 3

Sample Number 2620802-40
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณเหนือทางของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 28 - Mar 29, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623392

Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	54.6	48.9	02:40 AM - 02:45 AM	48.3	46.7	05:20 AM - 05:25 AM	56.4	47.1
12:05 AM - 12:10 AM	54.0	48.6	02:45 AM - 02:50 AM	47.1	46.4	05:25 AM - 05:30 AM	58.5	47.5
12:10 AM - 12:15 AM	52.5	48.1	02:50 AM - 02:55 AM	47.4	46.3	05:30 AM - 05:35 AM	57.5	47.9
12:15 AM - 12:20 AM	50.1	47.6	02:55 AM - 03:00 AM	48.9	47.0	05:35 AM - 05:40 AM	58.7	48.2
12:20 AM - 12:25 AM	51.0	48.2	03:00 AM - 03:05 AM	48.3	47.0	05:40 AM - 05:45 AM	58.9	49.1
12:25 AM - 12:30 AM	53.2	49.8	03:05 AM - 03:10 AM	47.9	46.6	05:45 AM - 05:50 AM	59.4	50.7
12:30 AM - 12:35 AM	53.4	49.8	03:10 AM - 03:15 AM	47.3	46.2	05:50 AM - 05:55 AM	55.6	46.8
12:35 AM - 12:40 AM	48.5	46.5	03:15 AM - 03:20 AM	46.9	46.1	05:55 AM - 06:00 AM	54.0	44.0
12:40 AM - 12:45 AM	47.3	46.5	03:20 AM - 03:25 AM	47.9	46.7	06:00 AM - 06:05 AM	54.2	43.2
12:45 AM - 12:50 AM	49.1	46.4	03:25 AM - 03:30 AM	47.8	46.7	06:05 AM - 06:10 AM	53.7	44.4
12:50 AM - 12:55 AM	49.0	46.5	03:30 AM - 03:35 AM	48.0	46.6	06:10 AM - 06:15 AM	55.0	44.5
12:55 AM - 01:00 AM	51.2	46.7	03:35 AM - 03:40 AM	49.1	46.6	06:15 AM - 06:20 AM	53.4	44.6
01:00 AM - 01:05 AM	52.3	46.8	03:40 AM - 03:45 AM	49.8	46.7	06:20 AM - 06:25 AM	53.3	45.6
01:05 AM - 01:10 AM	48.5	45.9	03:45 AM - 03:50 AM	49.9	46.9	06:25 AM - 06:30 AM	56.1	45.8
01:10 AM - 01:15 AM	50.0	46.4	03:50 AM - 03:55 AM	49.4	46.9	06:30 AM - 06:35 AM	50.6	46.0
01:15 AM - 01:20 AM	47.0	46.1	03:55 AM - 04:00 AM	50.0	47.4	06:35 AM - 06:40 AM	54.7	45.8
01:20 AM - 01:25 AM	46.7	46.0	04:00 AM - 04:05 AM	57.1	47.4	06:40 AM - 06:45 AM	58.1	43.9
01:25 AM - 01:30 AM	47.0	45.7	04:05 AM - 04:10 AM	50.7	46.5	06:45 AM - 06:50 AM	55.5	45.2
01:30 AM - 01:35 AM	46.7	45.8	04:10 AM - 04:15 AM	55.1	46.8	06:50 AM - 06:55 AM	51.9	44.4
01:35 AM - 01:40 AM	47.3	46.4	04:15 AM - 04:20 AM	55.7	46.6	06:55 AM - 07:00 AM	53.7	45.8
01:40 AM - 01:45 AM	46.5	45.7	04:20 AM - 04:25 AM	56.7	46.4	07:00 AM - 07:05 AM	55.4	45.8
01:45 AM - 01:50 AM	46.1	44.7	04:25 AM - 04:30 AM	56.3	46.1	07:05 AM - 07:10 AM	55.0	45.1
01:50 AM - 01:55 AM	47.4	46.1	04:30 AM - 04:35 AM	56.5	46.3	07:10 AM - 07:15 AM	54.6	44.0
01:55 AM - 02:00 AM	47.0	45.9	04:35 AM - 04:40 AM	57.7	46.8	07:15 AM - 07:20 AM	53.5	42.8
02:00 AM - 02:05 AM	47.8	45.8	04:40 AM - 04:45 AM	56.9	47.4	07:20 AM - 07:25 AM	52.3	42.2
02:05 AM - 02:10 AM	46.9	46.1	04:45 AM - 04:50 AM	56.7	47.7	07:25 AM - 07:30 AM	52.5	42.5
02:10 AM - 02:15 AM	48.7	45.4	04:50 AM - 04:55 AM	52.3	47.4	07:30 AM - 07:35 AM	54.3	44.1
02:15 AM - 02:20 AM	47.8	46.1	04:55 AM - 05:00 AM	57.9	47.6	07:35 AM - 07:40 AM	53.9	43.6
02:20 AM - 02:25 AM	49.1	46.1	05:00 AM - 05:05 AM	57.4	47.8	07:40 AM - 07:45 AM	52.4	43.7
02:25 AM - 02:30 AM	48.0	45.9	05:05 AM - 05:10 AM	57.5	48.1	07:45 AM - 07:50 AM	53.7	43.2
02:30 AM - 02:35 AM	47.4	46.0	05:10 AM - 05:15 AM	56.5	47.6	07:50 AM - 07:55 AM	53.1	42.0
02:35 AM - 02:40 AM	47.0	46.3	05:15 AM - 05:20 AM	54.0	47.2	07:55 AM - 08:00 AM	53.7	43.3

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544292-1

Page 1 of 3

Sample Number 2620802-41
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณถนนน้ำทั้งของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 29 - Mar 30, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623392

Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	59.2	43.0	10:40 AM - 10:45 AM	55.3	41.1	01:20 PM - 01:25 PM	48.1	39.3
08:05 AM - 08:10 AM	51.2	42.0	10:45 AM - 10:50 AM	56.7	42.0	01:25 PM - 01:30 PM	48.1	38.5
08:10 AM - 08:15 AM	55.4	44.0	10:50 AM - 10:55 AM	54.0	39.4	01:30 PM - 01:35 PM	55.6	42.1
08:15 AM - 08:20 AM	53.6	42.1	10:55 AM - 11:00 AM	57.7	41.5	01:35 PM - 01:40 PM	50.7	41.2
08:20 AM - 08:25 AM	57.9	42.3	11:00 AM - 11:05 AM	54.9	42.6	01:40 PM - 01:45 PM	50.8	41.1
08:25 AM - 08:30 AM	53.2	42.7	11:05 AM - 11:10 AM	54.0	39.2	01:45 PM - 01:50 PM	48.7	40.4
08:30 AM - 08:35 AM	51.5	43.3	11:10 AM - 11:15 AM	60.3	41.8	01:50 PM - 01:55 PM	49.8	42.1
08:35 AM - 08:40 AM	49.5	42.8	11:15 AM - 11:20 AM	50.2	39.8	01:55 PM - 02:00 PM	51.4	43.3
08:40 AM - 08:45 AM	57.4	44.3	11:20 AM - 11:25 AM	53.7	42.7	02:00 PM - 02:05 PM	49.7	42.7
08:45 AM - 08:50 AM	53.7	42.3	11:25 AM - 11:30 AM	57.0	42.0	02:05 PM - 02:10 PM	53.1	41.3
08:50 AM - 08:55 AM	52.0	42.1	11:30 AM - 11:35 AM	55.5	40.9	02:10 PM - 02:15 PM	55.0	43.3
08:55 AM - 09:00 AM	51.1	42.2	11:35 AM - 11:40 AM	48.4	38.5	02:15 PM - 02:20 PM	55.2	42.0
09:00 AM - 09:05 AM	52.1	42.5	11:40 AM - 11:45 AM	52.2	41.0	02:20 PM - 02:25 PM	55.0	44.8
09:05 AM - 09:10 AM	50.7	41.5	11:45 AM - 11:50 AM	47.9	38.8	02:25 PM - 02:30 PM	53.7	41.5
09:10 AM - 09:15 AM	52.5	43.0	11:50 AM - 11:55 AM	52.3	40.2	02:30 PM - 02:35 PM	49.8	41.2
09:15 AM - 09:20 AM	53.1	42.6	11:55 AM - 12:00 PM	52.9	40.2	02:35 PM - 02:40 PM	49.5	42.6
09:20 AM - 09:25 AM	52.3	43.6	12:00 PM - 12:05 PM	57.8	41.6	02:40 PM - 02:45 PM	50.6	42.7
09:25 AM - 09:30 AM	52.8	42.0	12:05 PM - 12:10 PM	50.4	38.8	02:45 PM - 02:50 PM	60.3	41.8
09:30 AM - 09:35 AM	52.9	42.3	12:10 PM - 12:15 PM	52.1	42.3	02:50 PM - 02:55 PM	50.5	40.4
09:35 AM - 09:40 AM	55.1	42.7	12:15 PM - 12:20 PM	50.7	38.8	02:55 PM - 03:00 PM	56.4	42.2
09:40 AM - 09:45 AM	52.6	41.0	12:20 PM - 12:25 PM	52.7	40.8	03:00 PM - 03:05 PM	55.1	41.2
09:45 AM - 09:50 AM	50.5	41.3	12:25 PM - 12:30 PM	53.5	39.5	03:05 PM - 03:10 PM	50.8	40.8
09:50 AM - 09:55 AM	50.9	45.0	12:30 PM - 12:35 PM	52.8	41.6	03:10 PM - 03:15 PM	51.0	42.0
09:55 AM - 10:00 AM	49.9	43.8	12:35 PM - 12:40 PM	50.6	39.2	03:15 PM - 03:20 PM	52.2	43.4
10:00 AM - 10:05 AM	50.8	44.4	12:40 PM - 12:45 PM	55.7	40.9	03:20 PM - 03:25 PM	53.6	43.6
10:05 AM - 10:10 AM	52.8	43.4	12:45 PM - 12:50 PM	49.4	40.1	03:25 PM - 03:30 PM	52.3	44.3
10:10 AM - 10:15 AM	51.9	41.6	12:50 PM - 12:55 PM	52.9	39.4	03:30 PM - 03:35 PM	58.0	44.6
10:15 AM - 10:20 AM	50.1	40.3	12:55 PM - 01:00 PM	55.0	41.3	03:35 PM - 03:40 PM	53.2	45.0
10:20 AM - 10:25 AM	50.8	40.0	01:00 PM - 01:05 PM	50.2	38.8	03:40 PM - 03:45 PM	51.3	43.0
10:25 AM - 10:30 AM	53.7	40.8	01:05 PM - 01:10 PM	47.0	37.4	03:45 PM - 03:50 PM	52.8	45.8
10:30 AM - 10:35 AM	54.2	40.9	01:10 PM - 01:15 PM	54.1	41.6	03:50 PM - 03:55 PM	54.6	44.3
10:35 AM - 10:40 AM	53.8	42.4	01:15 PM - 01:20 PM	58.6	40.2	03:55 PM - 04:00 PM	55.2	44.8

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544292-1

Page 2 of 3

Sample Number 2620802-41
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณเหนือทางของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 29 - Mar 30, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623392

Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90	Mar 29, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	55.0	45.0	06:40 PM - 06:45 PM	54.2	48.6	09:20 PM - 09:25 PM	53.6	50.0
04:05 PM - 04:10 PM	52.3	42.8	06:45 PM - 06:50 PM	52.6	46.6	09:25 PM - 09:30 PM	54.7	50.4
04:10 PM - 04:15 PM	54.6	44.7	06:50 PM - 06:55 PM	53.1	48.0	09:30 PM - 09:35 PM	52.4	49.9
04:15 PM - 04:20 PM	54.7	44.7	06:55 PM - 07:00 PM	53.7	49.1	09:35 PM - 09:40 PM	55.6	49.8
04:20 PM - 04:25 PM	58.7	43.8	07:00 PM - 07:05 PM	57.5	49.3	09:40 PM - 09:45 PM	52.0	49.3
04:25 PM - 04:30 PM	55.7	45.4	07:05 PM - 07:10 PM	54.2	50.1	09:45 PM - 09:50 PM	51.8	49.3
04:30 PM - 04:35 PM	52.5	45.7	07:10 PM - 07:15 PM	54.7	50.0	09:50 PM - 09:55 PM	52.6	48.9
04:35 PM - 04:40 PM	57.0	47.0	07:15 PM - 07:20 PM	54.9	50.6	09:55 PM - 10:00 PM	51.6	48.0
04:40 PM - 04:45 PM	53.9	45.8	07:20 PM - 07:25 PM	52.4	49.6	10:00 PM - 10:05 PM	50.8	48.2
04:45 PM - 04:50 PM	55.8	46.7	07:25 PM - 07:30 PM	55.3	51.0	10:05 PM - 10:10 PM	60.4	48.4
04:50 PM - 04:55 PM	52.2	44.5	07:30 PM - 07:35 PM	56.2	51.3	10:10 PM - 10:15 PM	52.6	48.5
04:55 PM - 05:00 PM	54.8	47.3	07:35 PM - 07:40 PM	55.2	50.9	10:15 PM - 10:20 PM	52.0	48.3
05:00 PM - 05:05 PM	55.4	46.1	07:40 PM - 07:45 PM	55.6	51.3	10:20 PM - 10:25 PM	51.0	48.3
05:05 PM - 05:10 PM	56.6	50.0	07:45 PM - 07:50 PM	53.3	50.8	10:25 PM - 10:30 PM	50.4	48.0
05:10 PM - 05:15 PM	57.6	48.6	07:50 PM - 07:55 PM	52.4	50.7	10:30 PM - 10:35 PM	49.6	47.9
05:15 PM - 05:20 PM	54.9	47.1	07:55 PM - 08:00 PM	53.5	50.7	10:35 PM - 10:40 PM	51.4	48.5
05:20 PM - 05:25 PM	54.1	47.1	08:00 PM - 08:05 PM	55.1	50.7	10:40 PM - 10:45 PM	51.4	47.9
05:25 PM - 05:30 PM	55.7	47.6	08:05 PM - 08:10 PM	53.6	50.4	10:45 PM - 10:50 PM	53.7	47.3
05:30 PM - 05:35 PM	54.0	47.3	08:10 PM - 08:15 PM	53.4	50.0	10:50 PM - 10:55 PM	56.7	48.4
05:35 PM - 05:40 PM	54.8	45.7	08:15 PM - 08:20 PM	64.1	50.3	10:55 PM - 11:00 PM	52.3	50.5
05:40 PM - 05:45 PM	53.1	46.7	08:20 PM - 08:25 PM	57.6	50.0	11:00 PM - 11:05 PM	56.6	51.0
05:45 PM - 05:50 PM	56.7	46.5	08:25 PM - 08:30 PM	53.2	50.0	11:05 PM - 11:10 PM	52.9	50.8
05:50 PM - 05:55 PM	53.5	46.4	08:30 PM - 08:35 PM	52.5	50.0	11:10 PM - 11:15 PM	52.2	51.0
05:55 PM - 06:00 PM	56.4	48.0	08:35 PM - 08:40 PM	52.1	49.6	11:15 PM - 11:20 PM	52.0	48.9
06:00 PM - 06:05 PM	56.9	48.2	08:40 PM - 08:45 PM	51.5	49.5	11:20 PM - 11:25 PM	51.2	49.5
06:05 PM - 06:10 PM	57.1	47.0	08:45 PM - 08:50 PM	55.9	48.7	11:25 PM - 11:30 PM	50.2	48.8
06:10 PM - 06:15 PM	55.5	46.5	08:50 PM - 08:55 PM	51.1	47.9	11:30 PM - 11:35 PM	53.2	48.8
06:15 PM - 06:20 PM	54.1	46.2	08:55 PM - 09:00 PM	50.2	47.7	11:35 PM - 11:40 PM	52.0	49.0
06:20 PM - 06:25 PM	56.3	46.0	09:00 PM - 09:05 PM	49.5	47.9	11:40 PM - 11:45 PM	50.8	49.5
06:25 PM - 06:30 PM	53.3	46.4	09:05 PM - 09:10 PM	56.2	48.8	11:45 PM - 11:50 PM	51.7	49.4
06:30 PM - 06:35 PM	56.0	46.9	09:10 PM - 09:15 PM	51.8	48.7	11:50 PM - 11:55 PM	51.4	49.5
06:35 PM - 06:40 PM	54.9	50.8	09:15 PM - 09:20 PM	52.1	48.6	11:55 PM - 12:00 AM	53.6	49.3

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544292-1

Page 3 of 3

Sample Number 2620802-41
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณเหนือทางของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 29 - Mar 30, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623392

Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	52.0	49.5	02:40 AM - 02:45 AM	51.4	48.6	05:20 AM - 05:25 AM	55.5	48.0
12:05 AM - 12:10 AM	53.1	49.5	02:45 AM - 02:50 AM	51.3	48.3	05:25 AM - 05:30 AM	55.5	48.1
12:10 AM - 12:15 AM	50.8	49.3	02:50 AM - 02:55 AM	49.4	48.2	05:30 AM - 05:35 AM	59.6	47.6
12:15 AM - 12:20 AM	50.5	49.4	02:55 AM - 03:00 AM	49.9	48.5	05:35 AM - 05:40 AM	58.8	48.5
12:20 AM - 12:25 AM	50.5	49.2	03:00 AM - 03:05 AM	50.3	48.5	05:40 AM - 05:45 AM	60.2	48.3
12:25 AM - 12:30 AM	50.2	48.8	03:05 AM - 03:10 AM	47.6	45.4	05:45 AM - 05:50 AM	60.2	54.1
12:30 AM - 12:35 AM	50.3	49.0	03:10 AM - 03:15 AM	50.3	46.1	05:50 AM - 05:55 AM	59.9	47.6
12:35 AM - 12:40 AM	51.2	49.5	03:15 AM - 03:20 AM	49.7	47.8	05:55 AM - 06:00 AM	55.5	46.1
12:40 AM - 12:45 AM	53.9	49.4	03:20 AM - 03:25 AM	49.4	47.7	06:00 AM - 06:05 AM	53.7	45.3
12:45 AM - 12:50 AM	55.6	48.6	03:25 AM - 03:30 AM	49.1	47.7	06:05 AM - 06:10 AM	54.6	46.5
12:50 AM - 12:55 AM	51.9	48.6	03:30 AM - 03:35 AM	50.5	47.9	06:10 AM - 06:15 AM	54.6	46.1
12:55 AM - 01:00 AM	51.2	49.2	03:35 AM - 03:40 AM	49.9	48.2	06:15 AM - 06:20 AM	60.7	45.7
01:00 AM - 01:05 AM	52.6	49.2	03:40 AM - 03:45 AM	49.5	48.2	06:20 AM - 06:25 AM	53.5	45.9
01:05 AM - 01:10 AM	49.9	48.8	03:45 AM - 03:50 AM	50.8	48.4	06:25 AM - 06:30 AM	57.5	45.3
01:10 AM - 01:15 AM	49.7	48.7	03:50 AM - 03:55 AM	50.6	48.1	06:30 AM - 06:35 AM	52.0	45.3
01:15 AM - 01:20 AM	49.5	48.2	03:55 AM - 04:00 AM	50.2	48.7	06:35 AM - 06:40 AM	53.4	45.2
01:20 AM - 01:25 AM	53.1	48.4	04:00 AM - 04:05 AM	60.8	49.0	06:40 AM - 06:45 AM	55.1	46.2
01:25 AM - 01:30 AM	49.4	48.3	04:05 AM - 04:10 AM	51.8	49.9	06:45 AM - 06:50 AM	53.9	44.6
01:30 AM - 01:35 AM	49.7	48.6	04:10 AM - 04:15 AM	53.1	49.6	06:50 AM - 06:55 AM	54.7	48.7
01:35 AM - 01:40 AM	50.2	48.5	04:15 AM - 04:20 AM	56.8	50.7	06:55 AM - 07:00 AM	55.7	45.0
01:40 AM - 01:45 AM	49.8	48.6	04:20 AM - 04:25 AM	57.0	50.0	07:00 AM - 07:05 AM	55.5	46.3
01:45 AM - 01:50 AM	50.7	49.0	04:25 AM - 04:30 AM	56.8	49.8	07:05 AM - 07:10 AM	57.6	46.9
01:50 AM - 01:55 AM	50.4	48.7	04:30 AM - 04:35 AM	56.8	49.6	07:10 AM - 07:15 AM	58.7	46.9
01:55 AM - 02:00 AM	49.7	48.2	04:35 AM - 04:40 AM	57.1	49.5	07:15 AM - 07:20 AM	57.4	47.1
02:00 AM - 02:05 AM	49.3	48.2	04:40 AM - 04:45 AM	57.1	50.4	07:20 AM - 07:25 AM	54.6	45.2
02:05 AM - 02:10 AM	52.7	48.2	04:45 AM - 04:50 AM	56.9	50.4	07:25 AM - 07:30 AM	57.3	48.4
02:10 AM - 02:15 AM	49.9	47.7	04:50 AM - 04:55 AM	57.3	50.9	07:30 AM - 07:35 AM	56.7	47.2
02:15 AM - 02:20 AM	53.5	47.8	04:55 AM - 05:00 AM	58.0	50.1	07:35 AM - 07:40 AM	55.0	45.9
02:20 AM - 02:25 AM	51.5	48.4	05:00 AM - 05:05 AM	57.3	48.8	07:40 AM - 07:45 AM	56.9	47.2
02:25 AM - 02:30 AM	50.4	48.7	05:05 AM - 05:10 AM	56.1	48.4	07:45 AM - 07:50 AM	56.9	48.1
02:30 AM - 02:35 AM	50.3	48.6	05:10 AM - 05:15 AM	56.1	50.7	07:50 AM - 07:55 AM	55.8	47.1
02:35 AM - 02:40 AM	49.8	48.7	05:15 AM - 05:20 AM	56.1	50.6	07:55 AM - 08:00 AM	52.8	45.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jitranont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544293-1

Page 1 of 3

Sample Number 2620802-42
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณถนนทั้งของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 30 - Mar 31, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623392

Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
08:00 AM - 08:05 AM	54.7	40.7	10:40 AM - 10:45 AM	51.9	42.8	01:20 PM - 01:25 PM	50.4	41.4
08:05 AM - 08:10 AM	54.3	41.7	10:45 AM - 10:50 AM	58.1	41.4	01:25 PM - 01:30 PM	52.8	41.3
08:10 AM - 08:15 AM	56.0	42.6	10:50 AM - 10:55 AM	57.1	43.2	01:30 PM - 01:35 PM	56.1	40.0
08:15 AM - 08:20 AM	53.0	42.5	10:55 AM - 11:00 AM	53.0	41.6	01:35 PM - 01:40 PM	50.1	40.5
08:20 AM - 08:25 AM	58.6	43.8	11:00 AM - 11:05 AM	54.4	42.4	01:40 PM - 01:45 PM	55.5	40.8
08:25 AM - 08:30 AM	52.5	43.0	11:05 AM - 11:10 AM	58.9	42.9	01:45 PM - 01:50 PM	54.6	39.7
08:30 AM - 08:35 AM	49.8	41.9	11:10 AM - 11:15 AM	55.3	41.8	01:50 PM - 01:55 PM	50.5	39.7
08:35 AM - 08:40 AM	57.0	44.6	11:15 AM - 11:20 AM	52.3	42.2	01:55 PM - 02:00 PM	53.6	40.9
08:40 AM - 08:45 AM	55.0	44.7	11:20 AM - 11:25 AM	53.4	42.5	02:00 PM - 02:05 PM	52.6	39.8
08:45 AM - 08:50 AM	57.8	44.3	11:25 AM - 11:30 AM	55.4	41.5	02:05 PM - 02:10 PM	52.1	41.1
08:50 AM - 08:55 AM	50.6	42.0	11:30 AM - 11:35 AM	55.5	40.2	02:10 PM - 02:15 PM	58.6	43.5
08:55 AM - 09:00 AM	53.7	42.6	11:35 AM - 11:40 AM	52.2	41.8	02:15 PM - 02:20 PM	55.4	42.5
09:00 AM - 09:05 AM	56.1	42.9	11:40 AM - 11:45 AM	55.9	45.6	02:20 PM - 02:25 PM	53.5	41.8
09:05 AM - 09:10 AM	49.5	42.1	11:45 AM - 11:50 AM	58.5	41.6	02:25 PM - 02:30 PM	47.3	40.8
09:10 AM - 09:15 AM	51.4	42.9	11:50 AM - 11:55 AM	52.9	42.6	02:30 PM - 02:35 PM	51.9	41.9
09:15 AM - 09:20 AM	55.7	44.2	11:55 AM - 12:00 PM	57.1	41.1	02:35 PM - 02:40 PM	54.8	44.7
09:20 AM - 09:25 AM	55.4	41.2	12:00 PM - 12:05 PM	52.9	41.2	02:40 PM - 02:45 PM	50.1	39.7
09:25 AM - 09:30 AM	54.0	45.7	12:05 PM - 12:10 PM	51.7	41.0	02:45 PM - 02:50 PM	49.2	38.8
09:30 AM - 09:35 AM	57.3	43.1	12:10 PM - 12:15 PM	51.2	44.3	02:50 PM - 02:55 PM	49.8	40.4
09:35 AM - 09:40 AM	60.8	42.3	12:15 PM - 12:20 PM	53.5	45.1	02:55 PM - 03:00 PM	49.4	42.7
09:40 AM - 09:45 AM	54.8	41.2	12:20 PM - 12:25 PM	54.7	44.5	03:00 PM - 03:05 PM	50.7	41.8
09:45 AM - 09:50 AM	49.6	40.2	12:25 PM - 12:30 PM	60.4	45.4	03:05 PM - 03:10 PM	51.9	40.2
09:50 AM - 09:55 AM	50.4	41.4	12:30 PM - 12:35 PM	51.9	44.6	03:10 PM - 03:15 PM	52.3	42.1
09:55 AM - 10:00 AM	51.7	42.0	12:35 PM - 12:40 PM	51.0	44.4	03:15 PM - 03:20 PM	58.5	44.2
10:00 AM - 10:05 AM	49.4	40.7	12:40 PM - 12:45 PM	55.2	45.0	03:20 PM - 03:25 PM	49.7	44.6
10:05 AM - 10:10 AM	54.5	41.7	12:45 PM - 12:50 PM	51.2	44.3	03:25 PM - 03:30 PM	51.4	44.5
10:10 AM - 10:15 AM	56.7	42.7	12:50 PM - 12:55 PM	51.0	43.8	03:30 PM - 03:35 PM	54.0	44.6
10:15 AM - 10:20 AM	50.2	41.3	12:55 PM - 01:00 PM	57.9	44.6	03:35 PM - 03:40 PM	51.4	43.2
10:20 AM - 10:25 AM	59.1	44.2	01:00 PM - 01:05 PM	50.8	42.1	03:40 PM - 03:45 PM	51.1	44.3
10:25 AM - 10:30 AM	51.8	41.7	01:05 PM - 01:10 PM	54.6	39.0	03:45 PM - 03:50 PM	51.0	44.8
10:30 AM - 10:35 AM	50.4	38.7	01:10 PM - 01:15 PM	51.3	39.3	03:50 PM - 03:55 PM	57.1	46.8
10:35 AM - 10:40 AM	49.7	40.8	01:15 PM - 01:20 PM	49.6	40.8	03:55 PM - 04:00 PM	53.4	44.3

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544293-1

Page 2 of 3

Sample Number 2620802-42
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณเหนือทางของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 30 - Mar 31, 2026
Measurement by Adisak Tarisoon
Sound Level meter Serial No. 623392

Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90	Mar 30, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
04:00 PM - 04:05 PM	54.7	44.1	06:40 PM - 06:45 PM	55.4	51.9	09:20 PM - 09:25 PM	55.7	51.4
04:05 PM - 04:10 PM	53.8	44.4	06:45 PM - 06:50 PM	54.4	48.6	09:25 PM - 09:30 PM	53.2	51.2
04:10 PM - 04:15 PM	57.2	45.7	06:50 PM - 06:55 PM	54.8	47.2	09:30 PM - 09:35 PM	53.2	51.3
04:15 PM - 04:20 PM	55.3	46.2	06:55 PM - 07:00 PM	53.9	49.7	09:35 PM - 09:40 PM	55.1	53.6
04:20 PM - 04:25 PM	54.5	45.6	07:00 PM - 07:05 PM	57.6	50.1	09:40 PM - 09:45 PM	55.1	53.4
04:25 PM - 04:30 PM	53.8	45.4	07:05 PM - 07:10 PM	53.7	50.3	09:45 PM - 09:50 PM	56.2	53.2
04:30 PM - 04:35 PM	52.7	46.4	07:10 PM - 07:15 PM	57.1	50.4	09:50 PM - 09:55 PM	53.8	51.8
04:35 PM - 04:40 PM	54.9	46.1	07:15 PM - 07:20 PM	56.8	50.2	09:55 PM - 10:00 PM	53.6	51.8
04:40 PM - 04:45 PM	52.9	45.8	07:20 PM - 07:25 PM	54.5	50.3	10:00 PM - 10:05 PM	55.3	51.6
04:45 PM - 04:50 PM	53.5	45.8	07:25 PM - 07:30 PM	56.2	50.1	10:05 PM - 10:10 PM	53.7	51.6
04:50 PM - 04:55 PM	56.9	45.7	07:30 PM - 07:35 PM	54.0	50.3	10:10 PM - 10:15 PM	54.6	52.0
04:55 PM - 05:00 PM	55.0	47.2	07:35 PM - 07:40 PM	58.0	50.8	10:15 PM - 10:20 PM	53.2	50.2
05:00 PM - 05:05 PM	57.2	46.5	07:40 PM - 07:45 PM	55.2	50.1	10:20 PM - 10:25 PM	53.0	50.4
05:05 PM - 05:10 PM	56.8	46.6	07:45 PM - 07:50 PM	52.8	49.7	10:25 PM - 10:30 PM	52.5	51.2
05:10 PM - 05:15 PM	58.1	47.6	07:50 PM - 07:55 PM	55.5	49.9	10:30 PM - 10:35 PM	53.7	50.8
05:15 PM - 05:20 PM	56.0	49.1	07:55 PM - 08:00 PM	56.4	49.8	10:35 PM - 10:40 PM	52.6	50.9
05:20 PM - 05:25 PM	57.1	49.3	08:00 PM - 08:05 PM	53.7	51.7	10:40 PM - 10:45 PM	52.9	51.2
05:25 PM - 05:30 PM	56.1	49.6	08:05 PM - 08:10 PM	58.0	52.0	10:45 PM - 10:50 PM	53.8	52.2
05:30 PM - 05:35 PM	57.2	48.2	08:10 PM - 08:15 PM	54.7	52.3	10:50 PM - 10:55 PM	55.4	52.2
05:35 PM - 05:40 PM	57.5	49.3	08:15 PM - 08:20 PM	54.5	52.2	10:55 PM - 11:00 PM	56.6	52.4
05:40 PM - 05:45 PM	57.9	49.5	08:20 PM - 08:25 PM	55.3	52.3	11:00 PM - 11:05 PM	53.4	52.2
05:45 PM - 05:50 PM	55.1	47.4	08:25 PM - 08:30 PM	53.7	51.3	11:05 PM - 11:10 PM	54.5	52.1
05:50 PM - 05:55 PM	59.0	48.3	08:30 PM - 08:35 PM	54.2	51.4	11:10 PM - 11:15 PM	55.9	52.1
05:55 PM - 06:00 PM	57.9	47.3	08:35 PM - 08:40 PM	54.5	51.7	11:15 PM - 11:20 PM	53.9	52.3
06:00 PM - 06:05 PM	57.2	47.4	08:40 PM - 08:45 PM	57.4	51.6	11:20 PM - 11:25 PM	53.5	51.4
06:05 PM - 06:10 PM	56.9	47.1	08:45 PM - 08:50 PM	54.8	51.4	11:25 PM - 11:30 PM	53.0	51.8
06:10 PM - 06:15 PM	53.6	45.9	08:50 PM - 08:55 PM	55.9	51.9	11:30 PM - 11:35 PM	55.3	52.1
06:15 PM - 06:20 PM	61.8	47.4	08:55 PM - 09:00 PM	56.0	51.8	11:35 PM - 11:40 PM	54.6	52.0
06:20 PM - 06:25 PM	53.9	45.5	09:00 PM - 09:05 PM	54.1	51.8	11:40 PM - 11:45 PM	53.3	51.7
06:25 PM - 06:30 PM	55.8	46.8	09:05 PM - 09:10 PM	58.3	51.8	11:45 PM - 11:50 PM	54.0	50.1
06:30 PM - 06:35 PM	53.3	45.4	09:10 PM - 09:15 PM	54.8	51.7	11:50 PM - 11:55 PM	54.9	51.0
06:35 PM - 06:40 PM	57.6	51.3	09:15 PM - 09:20 PM	54.4	51.4	11:55 PM - 12:00 AM	52.1	50.5

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory. ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok
Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620802

Date Received : Apr 02, 2026

Date Reported : Apr 06, 2026

Report Number : 3544293-1

Page 3 of 3

Sample Number 2620802-42
Parameter Noise Level (Leq 5 min)
Location ที่พักอาศัยบริเวณเหนือทางขึ้นของโครงการ (N6) (GPS 47P 0744105, 1460956)
Measurement Date Mar 30 - Mar 31, 2026
Measurement by Adisak Tarisoorn
Sound Level meter Serial No. 623392

Mar 31, 2026	Leq	L90	Mar 31, 2026	Leq	L90	Mar 31, 2026	Leq	L90
Time	dB(A)	dB(A)	Time	dB(A)	dB(A)	Time	dB(A)	dB(A)
12:00 AM - 12:05 AM	54.8	50.8	02:40 AM - 02:45 AM	52.6	51.3	05:20 AM - 05:25 AM	56.5	47.6
12:05 AM - 12:10 AM	52.6	50.8	02:45 AM - 02:50 AM	52.4	51.3	05:25 AM - 05:30 AM	56.4	49.0
12:10 AM - 12:15 AM	54.1	49.6	02:50 AM - 02:55 AM	52.5	51.4	05:30 AM - 05:35 AM	53.2	49.5
12:15 AM - 12:20 AM	52.0	49.6	02:55 AM - 03:00 AM	52.6	51.2	05:35 AM - 05:40 AM	58.7	50.2
12:20 AM - 12:25 AM	59.3	49.0	03:00 AM - 03:05 AM	52.3	50.9	05:40 AM - 05:45 AM	60.9	49.6
12:25 AM - 12:30 AM	54.2	51.1	03:05 AM - 03:10 AM	54.3	50.7	05:45 AM - 05:50 AM	60.9	54.6
12:30 AM - 12:35 AM	53.0	51.6	03:10 AM - 03:15 AM	55.6	51.3	05:50 AM - 05:55 AM	56.7	48.4
12:35 AM - 12:40 AM	53.9	52.3	03:15 AM - 03:20 AM	52.0	50.8	05:55 AM - 06:00 AM	58.4	45.1
12:40 AM - 12:45 AM	53.6	51.8	03:20 AM - 03:25 AM	51.8	48.0	06:00 AM - 06:05 AM	57.3	47.9
12:45 AM - 12:50 AM	55.1	52.2	03:25 AM - 03:30 AM	49.8	48.1	06:05 AM - 06:10 AM	56.2	46.7
12:50 AM - 12:55 AM	53.2	52.1	03:30 AM - 03:35 AM	51.5	50.3	06:10 AM - 06:15 AM	55.1	46.1
12:55 AM - 01:00 AM	52.1	50.1	03:35 AM - 03:40 AM	51.5	50.2	06:15 AM - 06:20 AM	53.7	45.7
01:00 AM - 01:05 AM	51.3	49.9	03:40 AM - 03:45 AM	59.7	49.8	06:20 AM - 06:25 AM	53.2	46.4
01:05 AM - 01:10 AM	51.1	49.8	03:45 AM - 03:50 AM	51.6	50.0	06:25 AM - 06:30 AM	54.8	46.7
01:10 AM - 01:15 AM	51.1	49.9	03:50 AM - 03:55 AM	51.9	50.2	06:30 AM - 06:35 AM	58.4	46.9
01:15 AM - 01:20 AM	53.2	49.5	03:55 AM - 04:00 AM	55.8	50.0	06:35 AM - 06:40 AM	54.6	46.1
01:20 AM - 01:25 AM	55.6	49.6	04:00 AM - 04:05 AM	55.1	47.8	06:40 AM - 06:45 AM	56.7	47.0
01:25 AM - 01:30 AM	51.0	49.9	04:05 AM - 04:10 AM	55.5	48.5	06:45 AM - 06:50 AM	56.7	47.9
01:30 AM - 01:35 AM	51.2	50.0	04:10 AM - 04:15 AM	56.4	48.5	06:50 AM - 06:55 AM	55.1	48.3
01:35 AM - 01:40 AM	54.7	50.3	04:15 AM - 04:20 AM	56.6	48.5	06:55 AM - 07:00 AM	56.9	45.7
01:40 AM - 01:45 AM	51.9	50.1	04:20 AM - 04:25 AM	56.1	48.8	07:00 AM - 07:05 AM	57.5	48.2
01:45 AM - 01:50 AM	52.0	50.5	04:25 AM - 04:30 AM	56.2	48.6	07:05 AM - 07:10 AM	58.8	46.2
01:50 AM - 01:55 AM	52.5	51.5	04:30 AM - 04:35 AM	56.8	48.5	07:10 AM - 07:15 AM	58.6	46.5
01:55 AM - 02:00 AM	53.2	51.4	04:35 AM - 04:40 AM	52.5	49.0	07:15 AM - 07:20 AM	58.1	47.7
02:00 AM - 02:05 AM	53.1	51.5	04:40 AM - 04:45 AM	53.2	49.3	07:20 AM - 07:25 AM	59.3	48.3
02:05 AM - 02:10 AM	53.2	51.6	04:45 AM - 04:50 AM	56.6	51.3	07:25 AM - 07:30 AM	56.3	46.1
02:10 AM - 02:15 AM	52.7	51.6	04:50 AM - 04:55 AM	57.4	51.5	07:30 AM - 07:35 AM	58.0	46.5
02:15 AM - 02:20 AM	52.3	51.2	04:55 AM - 05:00 AM	58.1	52.3	07:35 AM - 07:40 AM	54.8	45.4
02:20 AM - 02:25 AM	53.1	51.8	05:00 AM - 05:05 AM	54.2	52.3	07:40 AM - 07:45 AM	55.4	45.1
02:25 AM - 02:30 AM	55.2	50.4	05:05 AM - 05:10 AM	58.5	52.3	07:45 AM - 07:50 AM	57.3	47.4
02:30 AM - 02:35 AM	52.1	50.3	05:10 AM - 05:15 AM	58.7	52.7	07:50 AM - 07:55 AM	56.1	46.2
02:35 AM - 02:40 AM	53.5	51.7	05:15 AM - 05:20 AM	57.3	48.2	07:55 AM - 08:00 AM	53.5	44.6

The above results are valid only for the analyzed/tested sample(s) as indicated in this report. No part of this report or certificate may be reproduced in any form without written consent from the Laboratory, ALS Laboratory Group (Thailand) strongly recommends that this report is not reproduced except in full.

Approved by

Sarayuth Jittrantont
Assistant General Manager



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620805

Date Received : Mar 26, 2026

Date Reported : Mar 31, 2026

Report Number: 3539957-1

Page 1 of 1

Sample Number 2620805-1
Parameter Noise (Leq 15 min.)
Location เครื่องมือ/เครื่องจักร ซึ่งเป็นแหล่งกำเนิดเสียงในการก่อสร้าง จุดที่ 1
Measurement Date Mar 26, 2026
Measurement by Adisak Tarisoorn

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
09:57 AM - 09:58 AM	62.2	75.5	60.1
09:58 AM - 09:59 AM	60.6	72.0	59.1
09:59 AM - 10:00 AM	61.0	72.2	59.3
10:00 AM - 10:01 AM	60.7	72.8	57.8
10:01 AM - 10:02 AM	59.6	70.9	57.5
10:02 AM - 10:03 AM	59.6	73.4	57.4
10:03 AM - 10:04 AM	59.9	72.0	57.6
10:04 AM - 10:05 AM	58.9	68.8	54.9
10:05 AM - 10:06 AM	56.2	73.9	52.0
10:06 AM - 10:07 AM	57.0	76.3	51.5
10:07 AM - 10:08 AM	59.6	71.4	52.7
10:08 AM - 10:09 AM	63.7	75.4	62.3
10:09 AM - 10:10 AM	63.4	71.6	62.3
10:10 AM - 10:11 AM	63.4	70.1	62.2
10:11 AM - 10:12 AM	63.0	70.2	62.1
Leq Average 15 min. (dB(A))	61.1		
Lmax (dB(A))		76.3	
Standard (dB(A))	115	140	
Reference Method : ISO 1996-1 : 2016			
Standard : ประกาศกระทรวงอุตสาหกรรม เรื่อง มาตรการคุ้มครองความปลอดภัย ในการประกอบกิจการโรงงานเกี่ยวกับสภาวะแวดล้อมในการทำงาน พ.ศ.๒๕๔๖			

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620805

Date Received : Mar 26, 2026

Date Reported : Mar 31, 2026

Report Number: 3539958-1

Page 1 of 1

Sample Number 2620805-2
Parameter Noise (Leq 15 min.)
Location เครื่องมือ/เครื่องจักร ซึ่งเป็นแหล่งกำเนิดเสียงในการก่อสร้าง จุดที่ 2
Measurement Date Mar 26, 2026
Measurement by Adisak Tarisoorn

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
10:21 AM - 10:22 AM	75.6	89.9	74.2
10:22 AM - 10:23 AM	76.1	85.1	74.1
10:23 AM - 10:24 AM	74.5	75.9	74.2
10:24 AM - 10:25 AM	74.4	75.4	74.1
10:25 AM - 10:26 AM	74.4	75.3	74.1
10:26 AM - 10:27 AM	74.2	75.7	73.9
10:27 AM - 10:28 AM	74.9	80.3	74.0
10:28 AM - 10:29 AM	74.4	77.8	73.8
10:29 AM - 10:30 AM	73.9	75.6	73.5
10:30 AM - 10:31 AM	74.7	81.6	73.5
10:31 AM - 10:32 AM	73.8	74.6	73.5
10:32 AM - 10:33 AM	73.7	75.5	73.3
10:33 AM - 10:34 AM	73.6	75.8	73.3
10:34 AM - 10:35 AM	61.6	75.5	54.3
10:35 AM - 10:36 AM	55.3	61.1	52.7

Leq Average 15 min. (dB(A))

73.9

Lmax (dB(A))

89.9

Standard (dB(A))

115

140

Reference Method : ISO 1996-1 : 2016

Standard : ประกาศกระทรวงอุตสาหกรรม เรื่อง มาตรการคุ้มครองความปลอดภัย

ในการประกอบกิจการโรงงานเกี่ยวกับสภาวะแวดล้อมในการทำงาน พ.ศ.๒๕๔๖

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620805

Date Received : Mar 26, 2026

Date Reported : Mar 31, 2026

Report Number: 3539959-1

Page 1 of 1

Sample Number 2620805-3
Parameter Noise (Leq 15 min.)
Location เครื่องมือ/เครื่องจักร ซึ่งเป็นแหล่งกำเนิดเสียงในการก่อสร้าง จุดที่ 3
Measurement Date Mar 26, 2026
Measurement by Adisak Tarisoorn

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
10:09 AM - 10:10 AM	78.5	93.4	74.7
10:10 AM - 10:11 AM	78.5	88.3	73.3
10:11 AM - 10:12 AM	76.3	84.5	73.5
10:12 AM - 10:13 AM	75.3	82.8	73.7
10:13 AM - 10:14 AM	76.7	89.3	73.9
10:14 AM - 10:15 AM	79.7	88.1	72.0
10:15 AM - 10:16 AM	83.8	93.9	76.0
10:16 AM - 10:17 AM	78.4	92.5	72.1
10:17 AM - 10:18 AM	78.1	85.7	73.4
10:18 AM - 10:19 AM	83.5	101.6	75.2
10:19 AM - 10:20 AM	71.7	77.1	71.0
10:20 AM - 10:21 AM	73.6	78.8	70.0
10:21 AM - 10:22 AM	80.6	92.0	70.7
10:22 AM - 10:23 AM	80.7	90.7	74.6
10:23 AM - 10:24 AM	78.5	84.7	75.2

Leq Average 15 min. (dB(A))

79.4

Lmax (dB(A))

101.6

Standard (dB(A))

115

140

Reference Method : ISO 1996-1 : 2016

Standard : ประกาศกระทรวงอุตสาหกรรม เรื่อง มาตรการคุ้มครองความปลอดภัย
ในการประกอบกิจการโรงงานเกี่ยวกับสภาวะแวดล้อมในการทำงาน พ.ศ.๒๕๔๖

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620805

Date Received : Mar 26, 2026

Date Reported : Mar 31, 2026

Report Number: 3539960-1

Page 1 of 1

Sample Number 2620805-4
Parameter Noise (Leq 15 min.)
Location เครื่องมือ/เครื่องจักร ซึ่งเป็นแหล่งกำเนิดเสียงในการก่อสร้าง จุดที่ 4
Measurement Date Mar 26, 2026
Measurement by Adisak Tarisoorn

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
10:26 AM - 10:27 AM	68.9	83.9	62.5
10:27 AM - 10:28 AM	69.7	78.5	64.2
10:28 AM - 10:29 AM	70.5	80.2	62.1
10:29 AM - 10:30 AM	72.7	82.6	65.2
10:30 AM - 10:31 AM	75.1	83.7	68.6
10:31 AM - 10:32 AM	77.0	85.9	69.9
10:32 AM - 10:33 AM	73.4	83.0	69.8
10:33 AM - 10:34 AM	75.6	84.5	70.8
10:34 AM - 10:35 AM	73.4	82.9	70.3
10:35 AM - 10:36 AM	72.2	82.3	70.2
10:36 AM - 10:37 AM	71.8	76.7	70.3
10:37 AM - 10:38 AM	74.1	82.0	70.9
10:38 AM - 10:39 AM	83.3	90.7	75.6
10:39 AM - 10:40 AM	78.0	84.8	71.5
10:40 AM - 10:41 AM	79.3	87.2	70.5
Leq Average 15 min. (dB(A))	76.2		
Lmax (dB(A))		90.7	
Standard (dB(A))	115	140	
Reference Method : ISO 1996-1 : 2016			
Standard : ประกาศกระทรวงอุตสาหกรรม เรื่อง มาตรการคุ้มครองความปลอดภัย ในการประกอบกิจการโรงงานเกี่ยวกับสภาวะแวดล้อมในการทำงาน พ.ศ.๒๕๔๖			

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.

2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok Thailand 10310

P/O : RJN-NYII2025/11-001

Project Name : Nongyai 2

Project Location :

Lot ID: 2620805

Date Received : Mar 26, 2026

Date Reported : Mar 31, 2026

Report Number: 3539961-1

Page 1 of 1

Sample Number 2620805-5
Parameter Noise (Leq 15 min.)
Location เครื่องมือ/เครื่องจักร ซึ่งเป็นแหล่งกำเนิดเสียงในการก่อสร้าง จุดที่ 5
Measurement Date Mar 26, 2026
Measurement by Adisak Tarisoorn

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
10:30 AM - 10:31 AM	75.6	82.7	67.0
10:31 AM - 10:32 AM	67.7	73.7	63.8
10:32 AM - 10:33 AM	68.2	72.6	62.7
10:33 AM - 10:34 AM	76.6	86.1	62.6
10:34 AM - 10:35 AM	77.3	85.9	65.0
10:35 AM - 10:36 AM	71.4	78.2	62.9
10:36 AM - 10:37 AM	72.6	80.3	64.4
10:37 AM - 10:38 AM	74.6	81.9	63.6
10:38 AM - 10:39 AM	72.7	81.7	61.9
10:39 AM - 10:40 AM	70.5	79.3	61.8
10:40 AM - 10:41 AM	74.2	80.5	63.8
10:41 AM - 10:42 AM	76.2	84.4	61.5
10:42 AM - 10:43 AM	76.3	84.2	61.1
10:43 AM - 10:44 AM	78.8	88.6	62.1
10:44 AM - 10:45 AM	78.2	85.9	65.1

Leq Average 15 min. (dB(A))

75.2

Lmax (dB(A))

88.6

Standard (dB(A))

115

140

Reference Method : ISO 1996-1 : 2016

Standard : ประกาศกระทรวงอุตสาหกรรม เรื่อง มาตรการคุ้มครองความปลอดภัย

ในการประกอบกิจการโรงงานเกี่ยวกับสภาวะแวดล้อมในการทำงาน พ.ศ.๒๕๔๖

Technical Management

Chontichak

Chonticha Subongkoch
Scientist (3)

Approved by

Supot S

Supot Salamteh
Section Head

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

คุณภาพน้ำผิวดิน



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 1 of 60

Sample Number	2613612-1
Sampled Date	Feb 16, 2026 9:40 AM
Sample Description	Surface Water
Location	คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (SW1)
Date Analysis Commenced	Feb 16, 2026
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
Arsenic *	mg/L	0.002	0.005	Not Detected	≤0.01	≤0.01	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Barium *	mg/L	0.002	0.005	0.07	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Cadmium *	mg/L	0.001	0.002	Not Detected	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Copper *	mg/L	0.005	0.01	0.01	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Hexavalent Chromium *	mg/L	0.003	0.01	Not Detected	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3500-Cr B	Rayong
Iron *	mg/L	0.005	0.01	15.3	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Lead *	mg/L	0.002	0.005	0.008	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 2 of 60

Sample Number	2613612-1							
Sampled Date	Feb 16, 2026 9:40 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (SW1)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
Manganese *	mg/L	0.001	0.002	0.32	≤1	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Mercury *	mg/L	0.0001	0.0005	Not Detected	≤0.002	≤0.002	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3112 (B)	Rayong
Nickel *	mg/L	0.002	0.005	0.01	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Selenium *	mg/L	0.005	0.01	Not Detected	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Silver *	mg/L	0.005	0.01	Not Detected	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Trivalent Chromium *	mg/L	-	0.01	<0.01	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, Calculated	Rayong
Zinc *	mg/L	0.005	0.01	0.08	≤1	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Microbiological Testing								
^[A] Fecal Coliform	MPN/100mL	-	-	7900.0	≤4000	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B, E	Bangkok

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 3 of 60

Sample Number	2613612-1							
Sampled Date	Feb 16, 2026 9:40 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (SW1)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Microbiological Testing								
^[A] Total Coliform	MPN/100mL	-	-	13000.0	≤20000	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Pesticides - Organochlorine Group								
^[A] 2,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 2,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 2,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 4,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 4,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 4 of 60

Sample Number	2613612-1							
Sampled Date	Feb 16, 2026 9:40 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (SW1)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] 4,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Aldrin	ug/L	0.01	0.02	Not Detected	≤0.10	≤0.10	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] alpha-BHC	ug/L	0.01	0.02	Not Detected	≤0.02	≤0.02	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] alpha-Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] beta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 5 of 60

Sample Number	2613612-1							
Sampled Date	Feb 16, 2026 9:40 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (SW1)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] DDT	ug/L	0.01	0.02	Not Detected	≤1	≤1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] delta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Dieldrin	ug/L	0.01	0.02	Not Detected	≤0.1	≤0.1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan I	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan II	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan sulfate	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 6 of 60

Sample Number	2613612-1							
Sampled Date	Feb 16, 2026 9:40 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (SW1)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] Endrin	ug/L	0.01	0.02	Not Detected	Not Detected	Not Detected	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endrin aldehyde	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endrin ketone	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] gamma-Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Heptachlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Heptachlor and Heptachlor epoxide *	ug/L	0.01	0.02	Not Detected	≤0.2	≤0.2	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 7 of 60

Sample Number	2613612-1							
Sampled Date	Feb 16, 2026 9:40 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (SW1)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] Heptachlor-Epoxyde	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Lindane (gamma-BHC)	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Methoxychlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Water Testing								
Ammonia Nitrogen *	mg/L	0.02	0.05	0.41	≤0.5	≤0.5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NH3 (F)	Rayong
BOD (5 days at 20 Degree C) *	mg/L	-	2.0	5.6	≤2	≤4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Rayong
COD *	mg/L	1.5	25	50	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5220 D	Rayong
Color *	Color unit	-	5	30	(a)	(a)	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 B	Rayong

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 8 of 60

Sample Number	2613612-1
Sampled Date	Feb 16, 2026 9:40 AM
Sample Description	Surface Water
Location	คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (SW1)
Date Analysis Commenced	Feb 16, 2026
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
Cyanide as CN	mg/L	0.001	0.005	<0.005	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-CN (C, E)	Rayong
Dissolved Oxygen *	mg/L	-	0.1	6.2	≥4	≥2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-O (C)	Rayong
Fluoride	mg/L	-	0.2	0.3	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-F (C)	Rayong
Formaldehyde *	mg/L	0.03	0.1	<0.1	No Standard	No Standard	Wastewater analysis manual, Environmental Engineering Association of Thailand, 4th ed., 2004	Rayong
Nitrate as N *	mg/L	0.015	0.05	0.31	≤5	≤5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NO3 (E)	Rayong
Odour *		-	-	Odourless	(a)	(a)	TIS, 257-2549	Rayong
Oil & Grease *	mg/L	-	3	<3	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Rayong
pH at 25 degree C		-	-	7.4	5.0-9.0	5.0-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Rayong
Phenol *	mg/L	0.0005	0.001	0.001	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5530 B, D	Rayong

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 9 of 60

Sample Number	2613612-1
Sampled Date	Feb 16, 2026 9:40 AM
Sample Description	Surface Water
Location	คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (SW1)
Date Analysis Commenced	Feb 16, 2026
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
Sulfide *	mg/L	-	0.5	<0.5	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Rayong
Temperature *	Degree C	-	-	29.0	(c)	(c)	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2550 B	Rayong
Total Dissolved Solids Dried at 180 degree C	mg/L	-	5	198	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Rayong
Total Kjeldahl Nitrogen as N *	mg/L	-	1.0	1.6	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C), part NH3 (D)	Rayong
Total Suspended Solids Dried from 103-105 degree C *	mg/L	-	5	64	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Rayong

Guideline : (1) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 3)
(2) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 4)
(a) Not Change from natural condition
(b) Non Objectionable
(c) Change from Natural condition not more than 3 degree C

Note : This Analysis test Report is reissued to supersede Report No. 3506969-1, Date Reported : Feb 26, 2026 due to the revision of LOD and LOQ of Zinc from 0.02 and 0.05

Sampling By : Suphanat Sakulkittimasak

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 10 of 60

- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Photchana S

Photchana Seeda
Scientist (4)

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 11 of 60

Sample Number	2613612-2
Sampled Date	Feb 16, 2026 10:00 AM
Sample Description	Surface Water
Location	คลองอ้อมแก้วบริเวณพื้นที่โครงการ (SW2)
Date Analysis Commenced	Feb 16, 2026
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
Arsenic *	mg/L	0.002	0.005	Not Detected	≤0.01	≤0.01	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Barium *	mg/L	0.002	0.005	0.12	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Cadmium *	mg/L	0.001	0.002	Not Detected	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Copper *	mg/L	0.005	0.01	0.03	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Hexavalent Chromium *	mg/L	0.003	0.01	Not Detected	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3500-Cr B	Rayong
Iron *	mg/L	0.005	0.01	39.7	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Lead *	mg/L	0.002	0.005	0.02	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 12 of 60

Sample Number	2613612-2							
Sampled Date	Feb 16, 2026 10:00 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วบริเวณพื้นที่โครงการ (SW2)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
Manganese *	mg/L	0.001	0.002	0.14	≤1	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Mercury *	mg/L	0.0001	0.0005	Not Detected	≤0.002	≤0.002	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3112 (B)	Rayong
Nickel *	mg/L	0.002	0.005	0.02	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Selenium *	mg/L	0.005	0.01	Not Detected	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Silver *	mg/L	0.005	0.01	Not Detected	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Trivalent Chromium *	mg/L	-	0.01	<0.01	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, Calculated	Rayong
Zinc *	mg/L	0.005	0.01	0.32	≤1	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Microbiological Testing								
^[A] Fecal Coliform	MPN/100mL	-	-	13000.0	≤4000	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B, E	Bangkok

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Photchana S

Photchana Seeda
Scientist (4)

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 13 of 60

Sample Number	2613612-2							
Sampled Date	Feb 16, 2026 10:00 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วบริเวณพื้นที่โครงการ (SW2)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Microbiological Testing								
^[A] Total Coliform	MPN/100mL	-	-	33000.0	≤20000	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Pesticides - Organochlorine Group								
^[A] 2,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 2,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 2,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 4,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 4,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 14 of 60

Sample Number	2613612-2							
Sampled Date	Feb 16, 2026 10:00 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วบริเวณพื้นที่โครงการ (SW2)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] 4,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Aldrin	ug/L	0.01	0.02	Not Detected	≤0.10	≤0.10	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] alpha-BHC	ug/L	0.01	0.02	Not Detected	≤0.02	≤0.02	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] alpha-Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] beta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 15 of 60

Sample Number	2613612-2							
Sampled Date	Feb 16, 2026 10:00 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วบริเวณพื้นที่โครงการ (SW2)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] DDT	ug/L	0.01	0.02	Not Detected	≤1	≤1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] delta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Dieldrin	ug/L	0.01	0.02	Not Detected	≤0.1	≤0.1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan I	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan II	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan sulfate	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 16 of 60

Sample Number	2613612-2							
Sampled Date	Feb 16, 2026 10:00 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วบริเวณพื้นที่โครงการ (SW2)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] Endrin	ug/L	0.01	0.02	Not Detected	Not Detected	Not Detected	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endrin aldehyde	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endrin ketone	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] gamma-Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Heptachlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Heptachlor and Heptachlor epoxide *	ug/L	0.01	0.02	Not Detected	≤0.2	≤0.2	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 17 of 60

Sample Number	2613612-2							
Sampled Date	Feb 16, 2026 10:00 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วบริเวณพื้นที่โครงการ (SW2)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] Heptachlor-Epoxyde	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Lindane (gamma-BHC)	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Methoxychlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Water Testing								
Ammonia Nitrogen *	mg/L	0.02	0.05	0.84	≤0.5	≤0.5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NH3 (F)	Rayong
BOD (5 days at 20 Degree C) *	mg/L	-	2.0	<2.0	≤2	≤4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Rayong
COD *	mg/L	1.5	25	<25	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5220 D	Rayong
Color *	Color unit	-	5	10	(a)	(a)	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 B	Rayong

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 18 of 60

Sample Number	2613612-2
Sampled Date	Feb 16, 2026 10:00 AM
Sample Description	Surface Water
Location	คลองอ้อมแก้วบริเวณพื้นที่โครงการ (SW2)
Date Analysis Commenced	Feb 16, 2026
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
Cyanide as CN	mg/L	0.001	0.005	<0.005	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-CN (C, E)	Rayong
Dissolved Oxygen *	mg/L	-	0.1	6.3	≥4	≥2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-O (C)	Rayong
Fluoride	mg/L	-	0.2	0.4	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-F (C)	Rayong
Formaldehyde *	mg/L	0.03	0.1	<0.1	No Standard	No Standard	Wastewater analysis manual, Environmental Engineering Association of Thailand, 4th ed., 2004	Rayong
Nitrate as N *	mg/L	0.015	0.05	0.81	≤5	≤5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NO3 (E)	Rayong
Odour *		-	-	Odourless	(a)	(a)	TIS, 257-2549	Rayong
Oil & Grease *	mg/L	-	3	<3	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Rayong
pH at 25 degree C		-	-	7.3	5.0-9.0	5.0-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Rayong
Phenol *	mg/L	0.0005	0.001	0.002	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5530 B, D	Rayong

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 19 of 60

Sample Number	2613612-2
Sampled Date	Feb 16, 2026 10:00 AM
Sample Description	Surface Water
Location	คลองอ้อมแก้วบริเวณพื้นที่โครงการ (SW2)
Date Analysis Commenced	Feb 16, 2026
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
Sulfide *	mg/L	-	0.5	<0.5	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Rayong
Temperature *	Degree C	-	-	29.7	(c)	(c)	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2550 B	Rayong
Total Dissolved Solids Dried at 180 degree C	mg/L	-	5	342	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Rayong
Total Kjeldahl Nitrogen as N *	mg/L	-	1.0	1.2	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C), part NH3 (D)	Rayong
Total Suspended Solids Dried from 103-105 degree C *	mg/L	-	5	300	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Rayong

Guideline : (1) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 3)
(2) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 4)
(a) Not Change from natural condition
(b) Non Objectionable
(c) Change from Natural condition not more than 3 degree C

Note : This Analysis test Report is reissued to supersede Report No. 3506969-1, Date Reported : Feb 26, 2026 due to the revision of LOD and LOQ of Zinc from 0.02 and 0.05

Sampling By : Suphanat Sakulkittimasak

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 20 of 60

- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Photchana S

Photchana Seeda
Scientist (4)

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 21 of 60

Sample Number	2613612-3
Sampled Date	Feb 16, 2026 10:30 AM
Sample Description	Surface Water
Location	คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (SW3)
Date Analysis Commenced	Feb 16, 2026
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
Arsenic *	mg/L	0.002	0.005	Not Detected	≤0.01	≤0.01	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Barium *	mg/L	0.002	0.005	0.15	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Cadmium *	mg/L	0.001	0.002	Not Detected	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Copper *	mg/L	0.005	0.01	0.04	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Hexavalent Chromium *	mg/L	0.003	0.01	0.03	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3500-Cr B	Rayong
Iron *	mg/L	0.005	0.01	58.1	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Lead *	mg/L	0.002	0.005	0.03	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 22 of 60

Sample Number	2613612-3							
Sampled Date	Feb 16, 2026 10:30 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (SW3)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
Manganese *	mg/L	0.001	0.002	0.23	≤1	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Mercury *	mg/L	0.0001	0.0005	Not Detected	≤0.002	≤0.002	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3112 (B)	Rayong
Nickel *	mg/L	0.002	0.005	0.03	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Selenium *	mg/L	0.005	0.01	Not Detected	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Silver *	mg/L	0.005	0.01	Not Detected	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Trivalent Chromium *	mg/L	-	0.01	<0.01	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, Calculated	Rayong
Zinc *	mg/L	0.005	0.01	0.09	≤1	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Microbiological Testing								
^[A] Fecal Coliform	MPN/100mL	-	-	7900.0	≤4000	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B, E	Bangkok

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 23 of 60

Sample Number	2613612-3							
Sampled Date	Feb 16, 2026 10:30 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (SW3)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Microbiological Testing								
^[A] Total Coliform	MPN/100mL	-	-	79000.0	≤20000	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Pesticides - Organochlorine Group								
^[A] 2,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 2,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 2,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 4,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 4,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 24 of 60

Sample Number	2613612-3							
Sampled Date	Feb 16, 2026 10:30 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (SW3)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] 4,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Aldrin	ug/L	0.01	0.02	Not Detected	≤0.10	≤0.10	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] alpha-BHC	ug/L	0.01	0.02	Not Detected	≤0.02	≤0.02	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] alpha-Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] beta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 25 of 60

Sample Number	2613612-3							
Sampled Date	Feb 16, 2026 10:30 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (SW3)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] DDT	ug/L	0.01	0.02	Not Detected	≤1	≤1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] delta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Dieldrin	ug/L	0.01	0.02	Not Detected	≤0.1	≤0.1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan I	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan II	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan sulfate	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 26 of 60

Sample Number	2613612-3							
Sampled Date	Feb 16, 2026 10:30 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (SW3)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] Endrin	ug/L	0.01	0.02	Not Detected	Not Detected	Not Detected	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endrin aldehyde	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endrin ketone	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] gamma-Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Heptachlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Heptachlor and Heptachlor epoxide *	ug/L	0.01	0.02	Not Detected	≤0.2	≤0.2	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 27 of 60

Sample Number	2613612-3							
Sampled Date	Feb 16, 2026 10:30 AM							
Sample Description	Surface Water							
Location	คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (SW3)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] Heptachlor-Epoxyde	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Lindane (gamma-BHC)	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Methoxychlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Water Testing								
Ammonia Nitrogen *	mg/L	0.02	0.05	0.32	≤0.5	≤0.5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NH3 (F)	Rayong
BOD (5 days at 20 Degree C) *	mg/L	-	2.0	<2.0	≤2	≤4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Rayong
COD *	mg/L	1.5	25	<25	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5220 D	Rayong
Color *	Color unit	-	5	5	(a)	(a)	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 B	Rayong

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 28 of 60

Sample Number	2613612-3
Sampled Date	Feb 16, 2026 10:30 AM
Sample Description	Surface Water
Location	คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (SW3)
Date Analysis Commenced	Feb 16, 2026
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
Cyanide as CN	mg/L	0.001	0.005	<0.005	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-CN (C, E)	Rayong
Dissolved Oxygen *	mg/L	-	0.1	6.5	≥4	≥2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-O (C)	Rayong
Fluoride	mg/L	-	0.2	0.4	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-F (C)	Rayong
Formaldehyde *	mg/L	0.03	0.1	Not Detected	No Standard	No Standard	Wastewater analysis manual, Environmental Engineering Association of Thailand, 4th ed., 2004	Rayong
Nitrate as N *	mg/L	0.015	0.05	0.81	≤5	≤5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NO3 (E)	Rayong
Odour *		-	-	Odourless	(a)	(a)	TIS, 257-2549	Rayong
Oil & Grease *	mg/L	-	3	<3	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Rayong
pH at 25 degree C		-	-	7.3	5.0-9.0	5.0-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Rayong
Phenol *	mg/L	0.0005	0.001	0.002	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5530 B, D	Rayong

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 29 of 60

Sample Number	2613612-3
Sampled Date	Feb 16, 2026 10:30 AM
Sample Description	Surface Water
Location	คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (SW3)
Date Analysis Commenced	Feb 16, 2026
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
Sulfide *	mg/L	-	0.5	<0.5	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Rayong
Temperature *	Degree C	-	-	29.5	(c)	(c)	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2550 B	Rayong
Total Dissolved Solids Dried at 180 degree C	mg/L	-	5	294	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Rayong
Total Kjeldahl Nitrogen as N *	mg/L	-	1.0	1.0	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C), part NH3 (D)	Rayong
Total Suspended Solids Dried from 103-105 degree C *	mg/L	-	5	741	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Rayong

Guideline : (1) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 3)
(2) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 4)
(a) Not Change from natural condition
(b) Non Objectionable
(c) Change from Natural condition not more than 3 degree C

Note : This Analysis test Report is reissued to supersede Report No. 3506969-1, Date Reported : Feb 26, 2026 due to the revision of LOD and LOQ of Zinc from 0.02 and 0.05

Sampling By : Suphanat Sakulkittimasak

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 30 of 60

- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 31 of 60

Sample Number	2613612-4							
Sampled Date	Feb 16, 2026 11:00 AM							
Sample Description	Surface Water							
Location	คลองหนองโกศลกก่อนจตุรเข้าน้ำทิ้ง (SW4)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
Arsenic *	mg/L	0.002	0.005	Not Detected	≤0.01	≤0.01	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Barium *	mg/L	0.002	0.005	0.15	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Cadmium *	mg/L	0.001	0.002	Not Detected	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Copper *	mg/L	0.005	0.01	0.01	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Hexavalent Chromium *	mg/L	0.003	0.01	<0.01	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3500-Cr B	Rayong
Iron *	mg/L	0.005	0.01	14.6	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Lead *	mg/L	0.002	0.005	0.02	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 32 of 60

Sample Number	2613612-4							
Sampled Date	Feb 16, 2026 11:00 AM							
Sample Description	Surface Water							
Location	คลองหนองโกศลกก่อนจตุรขวานน้ำทั้ง (SW4)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
Manganese *	mg/L	0.001	0.002	0.88	≤1	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Mercury *	mg/L	0.0001	0.0005	Not Detected	≤0.002	≤0.002	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3112 (B)	Rayong
Nickel *	mg/L	0.002	0.005	0.01	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Selenium *	mg/L	0.005	0.01	Not Detected	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Silver *	mg/L	0.005	0.01	Not Detected	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Trivalent Chromium *	mg/L	-	0.01	<0.01	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, Calculated	Rayong
Zinc *	mg/L	0.005	0.01	0.06	≤1	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Microbiological Testing								
^[A] Fecal Coliform	MPN/100mL	-	-	33000.0	≤4000	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B, E	Bangkok

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 33 of 60

Sample Number	2613612-4							
Sampled Date	Feb 16, 2026 11:00 AM							
Sample Description	Surface Water							
Location	คลองหนองโศกสกก่อนจระเขยน้าทั้ง (SW4)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Microbiological Testing								
^[A] Total Coliform	MPN/100mL	-	-	110000.0	≤20000	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Pesticides - Organochlorine Group								
^[A] 2,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 2,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 2,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 4,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 4,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 34 of 60

Sample Number	2613612-4							
Sampled Date	Feb 16, 2026 11:00 AM							
Sample Description	Surface Water							
Location	คลองหนองโกศลก่อนจุดระบายน้ำทิ้ง (SW4)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] 4,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Aldrin	ug/L	0.01	0.02	Not Detected	≤0.10	≤0.10	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] alpha-BHC	ug/L	0.01	0.02	Not Detected	≤0.02	≤0.02	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] alpha-Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] beta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 35 of 60

Sample Number	2613612-4							
Sampled Date	Feb 16, 2026 11:00 AM							
Sample Description	Surface Water							
Location	คลองหนองไผ่ก่อนจตุรบานน้ำทั้ง (SW4)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] DDT	ug/L	0.01	0.02	Not Detected	≤1	≤1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] delta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Dieldrin	ug/L	0.01	0.02	Not Detected	≤0.1	≤0.1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan I	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan II	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan sulfate	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 36 of 60

Sample Number	2613612-4							
Sampled Date	Feb 16, 2026 11:00 AM							
Sample Description	Surface Water							
Location	คลองหนองโกศลกก่อนจตุรบานน้ำทั้ง (SW4)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] Endrin	ug/L	0.01	0.02	Not Detected	Not Detected	Not Detected	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endrin aldehyde	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endrin ketone	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] gamma-Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Heptachlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Heptachlor and Heptachlor epoxide *	ug/L	0.01	0.02	Not Detected	≤0.2	≤0.2	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 37 of 60

Sample Number	2613612-4							
Sampled Date	Feb 16, 2026 11:00 AM							
Sample Description	Surface Water							
Location	คลองหนองโกศลกก่อนจตุรเข้าน้ำทิ้ง (SW4)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] Heptachlor-Epoxyde	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Lindane (gamma-BHC)	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Methoxychlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Water Testing								
Ammonia Nitrogen *	mg/L	0.02	0.05	4.94	≤0.5	≤0.5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NH3 (F)	Rayong
BOD (5 days at 20 Degree C) *	mg/L	-	2.0	5.5	≤2	≤4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Rayong
COD *	mg/L	1.5	25	37	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5220 D	Rayong
Color *	Color unit	-	5	30	(a)	(a)	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 B	Rayong

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 38 of 60

Sample Number	2613612-4
Sampled Date	Feb 16, 2026 11:00 AM
Sample Description	Surface Water
Location	คลองหนองโกศลก่อนจุดระบายน้ำทิ้ง (SW4)
Date Analysis Commenced	Feb 16, 2026
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
Cyanide as CN	mg/L	0.001	0.005	<0.005	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-CN (C, E)	Rayong
Dissolved Oxygen *	mg/L	-	0.1	5.6	≥4	≥2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-O (C)	Rayong
Fluoride	mg/L	-	0.2	0.2	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-F (C)	Rayong
Formaldehyde *	mg/L	0.03	0.1	<0.1	No Standard	No Standard	Wastewater analysis manual, Environmental Engineering Association of Thailand, 4th ed., 2004	Rayong
Nitrate as N *	mg/L	0.015	0.05	1.70	≤5	≤5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NO3 (E)	Rayong
Odour *		-	-	Odourless	(a)	(a)	TIS, 257-2549	Rayong
Oil & Grease *	mg/L	-	3	<3	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Rayong
pH at 25 degree C		-	-	7.7	5.0-9.0	5.0-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Rayong
Phenol *	mg/L	0.0005	0.001	0.001	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5530 B, D	Rayong

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 39 of 60

Sample Number	2613612-4							
Sampled Date	Feb 16, 2026 11:00 AM							
Sample Description	Surface Water							
Location	คลองหนองโกศก่อนจตุรบานน้ำทิ้ง (SW4)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
Sulfide *	mg/L	-	0.5	<0.5	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Rayong
Temperature *	Degree C	-	-	29.9	(c)	(c)	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2550 B	Rayong
Total Dissolved Solids Dried at 180 degree C	mg/L	-	5	426	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Rayong
Total Kjeldahl Nitrogen as N *	mg/L	-	1.0	6.1	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C), part NH3 (D)	Rayong
Total Suspended Solids Dried from 103-105 degree C *	mg/L	-	5	387	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Rayong

Guideline : (1) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 3)
(2) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 4)
(a) Not Change from natural condition
(b) Non Objectionable
(c) Change from Natural condition not more than 3 degree C

Note : This Analysis test Report is reissued to supersede Report No. 3506969-1, Date Reported : Feb 26, 2026 due to the revision of LOD and LOQ of Zinc from 0.02 and 0.05

Sampling By : Suphanat Sakulkittimasak

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 40 of 60

- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Photchana S

Photchana Seeda
Scientist (4)

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 41 of 60

Sample Number	2613612-5
Sampled Date	Feb 16, 2026 11:30 AM
Sample Description	Surface Water
Location	คลองหนองโกศลจตุรบานน้ำทั้ง (SW5)
Date Analysis Commenced	Feb 16, 2026
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
Arsenic *	mg/L	0.002	0.005	Not Detected	≤0.01	≤0.01	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Barium *	mg/L	0.002	0.005	0.15	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Cadmium *	mg/L	0.001	0.002	Not Detected	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Copper *	mg/L	0.005	0.01	0.01	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Hexavalent Chromium *	mg/L	0.003	0.01	Not Detected	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3500-Cr B	Rayong
Iron *	mg/L	0.005	0.01	14.4	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Lead *	mg/L	0.002	0.005	0.02	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 42 of 60

Sample Number	2613612-5							
Sampled Date	Feb 16, 2026 11:30 AM							
Sample Description	Surface Water							
Location	คลองหนองโกศลจตุรบานน้ำทั้ง (SW5)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
Manganese *	mg/L	0.001	0.002	0.86	≤1	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Mercury *	mg/L	0.0001	0.0005	Not Detected	≤0.002	≤0.002	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3112 (B)	Rayong
Nickel *	mg/L	0.002	0.005	0.01	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Selenium *	mg/L	0.005	0.01	Not Detected	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Silver *	mg/L	0.005	0.01	Not Detected	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Trivalent Chromium *	mg/L	-	0.01	<0.01	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, Calculated	Rayong
Zinc *	mg/L	0.005	0.01	0.19	≤1	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Microbiological Testing								
^[A] Fecal Coliform	MPN/100mL	-	-	33000.0	≤4000	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B, E	Bangkok

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Photchana S

Photchana Seeda
Scientist (4)

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 43 of 60

Sample Number	2613612-5							
Sampled Date	Feb 16, 2026 11:30 AM							
Sample Description	Surface Water							
Location	คลองหนองโกศลจตุรขวานน้ำทั้ง (SW5)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Microbiological Testing								
^[A] Total Coliform	MPN/100mL	-	-	130000.0	≤20000	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Pesticides - Organochlorine Group								
^[A] 2,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 2,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 2,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 4,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 4,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 44 of 60

Sample Number	2613612-5							
Sampled Date	Feb 16, 2026 11:30 AM							
Sample Description	Surface Water							
Location	คลองหนองโกศลจตุรบานน้ำทั้ง (SW5)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] 4,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Aldrin	ug/L	0.01	0.02	Not Detected	≤0.10	≤0.10	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] alpha-BHC	ug/L	0.01	0.02	Not Detected	≤0.02	≤0.02	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] alpha-Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] beta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 45 of 60

Sample Number	2613612-5							
Sampled Date	Feb 16, 2026 11:30 AM							
Sample Description	Surface Water							
Location	คลองหนองโกศลจตุรบานน้ำทั้ง (SW5)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] DDT	ug/L	0.01	0.02	Not Detected	≤1	≤1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] delta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Dieldrin	ug/L	0.01	0.02	Not Detected	≤0.1	≤0.1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan I	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan II	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan sulfate	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 46 of 60

Sample Number	2613612-5							
Sampled Date	Feb 16, 2026 11:30 AM							
Sample Description	Surface Water							
Location	คลองหนองโกศลจตุรบานน้ำทั้ง (SW5)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] Endrin	ug/L	0.01	0.02	Not Detected	Not Detected	Not Detected	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endrin aldehyde	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endrin ketone	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] gamma-Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Heptachlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Heptachlor and Heptachlor epoxide *	ug/L	0.01	0.02	Not Detected	≤0.2	≤0.2	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 47 of 60

Sample Number	2613612-5							
Sampled Date	Feb 16, 2026 11:30 AM							
Sample Description	Surface Water							
Location	คลองหนองโกศลจตุรรมายน้ำทั้ง (SW5)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] Heptachlor-Epoxyde	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Lindane (gamma-BHC)	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Methoxychlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Water Testing								
Ammonia Nitrogen *	mg/L	0.02	0.05	4.77	≤0.5	≤0.5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NH3 (F)	Rayong
BOD (5 days at 20 Degree C) *	mg/L	-	2.0	7.7	≤2	≤4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Rayong
COD *	mg/L	1.5	25	37	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5220 D	Rayong
Color *	Color unit	-	5	30	(a)	(a)	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 B	Rayong

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 48 of 60

Sample Number	2613612-5
Sampled Date	Feb 16, 2026 11:30 AM
Sample Description	Surface Water
Location	คลองหนองโกศลจตุรขวานน้ำทั้ง (SW5)
Date Analysis Commenced	Feb 16, 2026
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
Cyanide as CN	mg/L	0.001	0.005	Not Detected	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-CN (C, E)	Rayong
Dissolved Oxygen *	mg/L	-	0.1	5.6	≥4	≥2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-O (C)	Rayong
Fluoride	mg/L	-	0.2	0.3	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-F (C)	Rayong
Formaldehyde *	mg/L	0.03	0.1	<0.1	No Standard	No Standard	Wastewater analysis manual, Environmental Engineering Association of Thailand, 4th ed., 2004	Rayong
Nitrate as N *	mg/L	0.015	0.05	1.54	≤5	≤5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NO3 (E)	Rayong
Odour *		-	-	Odourless	(a)	(a)	TIS, 257-2549	Rayong
Oil & Grease *	mg/L	-	3	<3	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Rayong
pH at 25 degree C		-	-	7.7	5.0-9.0	5.0-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Rayong
Phenol *	mg/L	0.0005	0.001	0.002	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5530 B, D	Rayong

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 49 of 60

Sample Number	2613612-5
Sampled Date	Feb 16, 2026 11:30 AM
Sample Description	Surface Water
Location	คลองหนองโกศลจตุรบานน้ำทั้ง (SW5)
Date Analysis Commenced	Feb 16, 2026
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
Sulfide *	mg/L	-	0.5	<0.5	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Rayong
Temperature *	Degree C	-	-	29.9	(c)	(c)	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2550 B	Rayong
Total Dissolved Solids Dried at 180 degree C	mg/L	-	5	394	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Rayong
Total Kjeldahl Nitrogen as N *	mg/L	-	1.0	5.7	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C), part NH3 (D)	Rayong
Total Suspended Solids Dried from 103-105 degree C *	mg/L	-	5	520	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Rayong

Guideline : (1) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 3)
(2) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 4)
(a) Not Change from natural condition
(b) Non Objectionable
(c) Change from Natural condition not more than 3 degree C

Note : This Analysis test Report is reissued to supersede Report No. 3506969-1, Date Reported : Feb 26, 2026 due to the revision of LOD and LOQ of Zinc from 0.02 and 0.05

Sampling By : Suphanat Sakulkittimasak

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 50 of 60

- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Photchana S

Photchana Seeda
Scientist (4)

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkapi, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 51 of 60

Sample Number	2613612-6
Sampled Date	Feb 16, 2026 12:00 PM
Sample Description	Surface Water
Location	คลองหนองโกศลหลังจตุรเข้าน้ำทิ้ง (SW6)
Date Analysis Commenced	Feb 16, 2026
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
Arsenic *	mg/L	0.002	0.005	Not Detected	≤0.01	≤0.01	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Barium *	mg/L	0.002	0.005	0.14	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Cadmium *	mg/L	0.001	0.002	Not Detected	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Copper *	mg/L	0.005	0.01	0.02	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Hexavalent Chromium *	mg/L	0.003	0.01	Not Detected	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3500-Cr B	Rayong
Iron *	mg/L	0.005	0.01	14.6	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Lead *	mg/L	0.002	0.005	0.02	≤0.05	≤0.05	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 52 of 60

Sample Number	2613612-6							
Sampled Date	Feb 16, 2026 12:00 PM							
Sample Description	Surface Water							
Location	คลองหนองโกศหลังจตุรบรรณน้ำทิ้ง (SW6)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Metals Testing								
Manganese *	mg/L	0.001	0.002	0.84	≤1	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Mercury *	mg/L	0.0001	0.0005	Not Detected	≤0.002	≤0.002	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3112 (B)	Rayong
Nickel *	mg/L	0.002	0.005	0.01	≤0.10	≤0.10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Selenium *	mg/L	0.005	0.01	Not Detected	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Silver *	mg/L	0.005	0.01	Not Detected	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Trivalent Chromium *	mg/L	-	0.01	<0.01	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, Calculated	Rayong
Zinc *	mg/L	0.005	0.01	0.23	≤1	≤1	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 3120 B, 3030 F	Rayong
Microbiological Testing								
^[A] Fecal Coliform	MPN/100mL	-	-	79000.0	≤4000	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B, E	Bangkok

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 53 of 60

Sample Number	2613612-6							
Sampled Date	Feb 16, 2026 12:00 PM							
Sample Description	Surface Water							
Location	คลองหนองโกศลหลังจตุรบานน้ำทั้ง (SW6)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Microbiological Testing								
^[A] Total Coliform	MPN/100mL	-	-	170000.0	≤20000	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Pesticides - Organochlorine Group								
^[A] 2,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 2,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 2,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 4,4-DDD	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] 4,4-DDE	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 54 of 60

Sample Number	2613612-6							
Sampled Date	Feb 16, 2026 12:00 PM							
Sample Description	Surface Water							
Location	คลองหนองโกศลหลังจตุรเขษน้ำทั้ง (SW6)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] 4,4-DDT	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Aldrin	ug/L	0.01	0.02	Not Detected	≤0.10	≤0.10	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] alpha-BHC	ug/L	0.01	0.02	Not Detected	≤0.02	≤0.02	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] alpha-Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] beta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 55 of 60

Sample Number	2613612-6							
Sampled Date	Feb 16, 2026 12:00 PM							
Sample Description	Surface Water							
Location	คลองหนองโกศหลังจตุรเข้าน้ำทิ้ง (SW6)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] DDT	ug/L	0.01	0.02	Not Detected	≤1	≤1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] delta-BHC	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Dieldrin	ug/L	0.01	0.02	Not Detected	≤0.1	≤0.1	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan I	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan II	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endosulfan sulfate	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 56 of 60

Sample Number	2613612-6							
Sampled Date	Feb 16, 2026 12:00 PM							
Sample Description	Surface Water							
Location	คลองหนองโกศหลังจตุรเข้าน้ำทิ้ง (SW6)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] Endrin	ug/L	0.01	0.02	Not Detected	Not Detected	Not Detected	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endrin aldehyde	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Endrin ketone	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] gamma-Chlordane	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Heptachlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Heptachlor and Heptachlor epoxide *	ug/L	0.01	0.02	Not Detected	≤0.2	≤0.2	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 57 of 60

Sample Number	2613612-6							
Sampled Date	Feb 16, 2026 12:00 PM							
Sample Description	Surface Water							
Location	คลองหนองโกศลหลังจตุรเข้าน้ำทิ้ง (SW6)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							
Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Pesticides - Organochlorine Group								
^[A] Heptachlor-Epoxide	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Lindane (gamma-BHC)	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
^[A] Methoxychlor	ug/L	0.01	0.02	Not Detected	No Standard	No Standard	In-house method : STM 04-101 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Water Testing								
Ammonia Nitrogen *	mg/L	0.02	0.05	8.31	≤0.5	≤0.5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NH3 (F)	Rayong
BOD (5 days at 20 Degree C) *	mg/L	-	2.0	13.7	≤2	≤4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Rayong
COD *	mg/L	1.5	25	42	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5220 D	Rayong
Color *	Color unit	-	5	30	(a)	(a)	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 B	Rayong

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 58 of 60

Sample Number	2613612-6
Sampled Date	Feb 16, 2026 12:00 PM
Sample Description	Surface Water
Location	คลองหนองโกศลหลังจตุรบานน้ำทั้ง (SW6)
Date Analysis Commenced	Feb 16, 2026
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
Cyanide as CN	mg/L	0.001	0.005	<0.005	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-CN (C, E)	Rayong
Dissolved Oxygen *	mg/L	-	0.1	5.4	≥4	≥2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-O (C)	Rayong
Fluoride	mg/L	-	0.2	0.2	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-F (C)	Rayong
Formaldehyde *	mg/L	0.03	0.1	<0.1	No Standard	No Standard	Wastewater analysis manual, Environmental Engineering Association of Thailand, 4th ed., 2004	Rayong
Nitrate as N *	mg/L	0.015	0.05	1.47	≤5	≤5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NO3 (E)	Rayong
Odour *		-	-	Odourless	(a)	(a)	TIS, 257-2549	Rayong
Oil & Grease *	mg/L	-	3	<3	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Rayong
pH at 25 degree C		-	-	7.6	5.0-9.0	5.0-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Rayong
Phenol *	mg/L	0.0005	0.001	0.001	≤0.005	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5530 B, D	Rayong

Approved by

Photchana S

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 59 of 60

Sample Number	2613612-6							
Sampled Date	Feb 16, 2026 12:00 PM							
Sample Description	Surface Water							
Location	คลองหนองโกศหลังจตุรบรรณน้ำทิ้ง (SW6)							
Date Analysis Commenced	Feb 16, 2026							
Condition of Sample	Contained in two BOD bottles, three amber glass bottles and nine plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)							

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline (1)	Guideline (2)	Method	Testing Location
Water Testing								
Sulfide *	mg/L	-	0.5	<0.5	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Rayong
Temperature *	Degree C	-	-	29.9	(c)	(c)	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2550 B	Rayong
Total Dissolved Solids Dried at 180 degree C	mg/L	-	5	370	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Rayong
Total Kjeldahl Nitrogen as N *	mg/L	-	1.0	8.5	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C), part NH3 (D)	Rayong
Total Suspended Solids Dried from 103-105 degree C *	mg/L	-	5	392	No Standard	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Rayong

Guideline : (1) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 3)
(2) Notification of the National Environmental Board, No. 8, B.E.2537 issued under the Enhancement and Conservation of National Environmental Quality Act. B.E.2535, published in the Royal Government Gazette, Vol. 111, Part 16, Dated February 24, B.E. 2537 (Class 4)
(a) Not Change from natural condition
(b) Non Objectionable
(c) Change from Natural condition not more than 3 degree C

Note : This Analysis test Report is reissued to supersede Report No. 3506969-1, Date Reported : Feb 26, 2026 due to the revision of LOD and LOQ of Zinc from 0.02 and 0.05

Sampling By : Suphanat Sakulkittimasak

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.

Approved by

PhotchanaS

Photchana Seeda
Scientist (4)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Rojana Industrial Park Public Co., Ltd.
2034/115 26TH Fl. Italthai Tower, New Petchburi Road, Bangkok, Huaykwang,
Bangkok Thailand 10310
P/O : RJN-NYII2025/11-001
Project Name : Nongyai 2
Project Location :

TESTING
No.0042
Lot ID: 2613612
Date Received : Feb 16, 2026
Date Reported : Jul 18, 2026
Report Number : 3506969-1 Rev. No.1

Page 60 of 60

- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Photchana S

Photchana Seeda
Scientist (4)

ADDRESS 616/10 Moo 5 T. Maenam Khu A. Pluakdaeng Rayong 21140 Thailand | PHONE +66 0 3304 8555 | FAX +66 0 3304 8556
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

คุณภาพทรัพยากรชีวภาพทางน้ำ



สถานีวิจัยประมงศรีราชา

101/12 หมู่ 9 ต. บางพระ

อ. ศรีราชา จ. ชลบุรี 20110

โทร./โทรสาร. (038) 311379

Client : Rojana Industrial Park Public Co., Ltd.

Address : 2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkok, Huaykwang, Bangkok

Thailand 10310

Project Name : Nongyai 2

รายงานผลการวิเคราะห์แพลงก์ตอนพืช

ตาราง ผลการวิเคราะห์แพลงก์ตอนพืช (เก็บตัวอย่างวันที่ 16 กุมภาพันธ์ 2569)

ชนิดแพลงก์ตอนพืช	ปริมาณแพลงก์ตอนพืช (หน่วยต่อลูกบาศก์เมตร)					
	2613619-1	2613619-2	2613619-3	2613619-4	2613619-5	2613619-6
Division Cyanophyta						
Class Cyanophyceae						
Order Nostocales						
Family Oscillatoriaceae						
1. <i>Oscillatoria anguina</i>	-	-	-	-	49,000	161,000
2. <i>Oscillatoria brevis</i>	-	-	-	202,000	706,000	198,000
3. <i>Oscillatoria limnetica</i>	-	-	-	2,016,000	1,921,000	2,741,000
4. <i>Oscillatoria princeps</i>	-	-	7,000	-	-	9,000
5. <i>Oscillatoria</i> sp.	8,000	261,000	34,000	168,000	862,000	841,000
6. <i>Oscillatoria tenuis</i>	-	29,000	7,000	739,000	549,000	614,000
Family Nostocaceae						
7. <i>Raphidiopsis</i> sp.	-	36,000	14,000	-	-	-

ตาราง ผลการวิเคราะห์แพลงก์ตอนพืช (เก็บตัวอย่างวันที่ 16 กุมภาพันธ์ 2569)
(ต่อ)

ชนิดแพลงก์ตอนพืช	ปริมาณแพลงก์ตอนพืช (หน่วยต่อลูกบาศก์เมตร)					
	2613619-1	2613619-2	2613619-3	2613619-4	2613619-5	2613619-6
Division Chlorophyta						
Class Chlorophyceae						
Order Volvocales						
Family Volvocaceae						
8. <i>Eudorina elegans</i>	-	-	-	143,000	10,000	9,000
9. <i>Pandorina morum</i>	-	-	-	193,000	470,000	473,000
Family Spondylomoraceae						
10. <i>Spondylomorom quaternarium</i>	-	-	-	-	10,000	-
Order Chlorococcales						
Family Hydrodictyaceae						
11. <i>Pediastrum duplex</i>	-	-	-	17,000	29,000	-
Family Oocystaceae						
12. <i>Tetraedron gracile</i>	17,000	-	-	-	-	-
Family Scenedesmaceae						
13. <i>Actinastrum hantzschii</i>	8,000	-	-	-	-	-
14. <i>Scenedesmus dimorphus</i>	-	-	-	17,000	20,000	-
Order Zygematales						
Family Zygnemataceae						
15. <i>Spirogyra</i> sp.	50,000	18,000	-	-	20,000	-
Family Desmidiaceae						
16. <i>Closterium acerosum</i>	8,000	-	-	8,000	20,000	19,000
17. <i>Closterium ehrenbergii</i>	-	-	-	-	-	19,000
18. <i>Closterium gracile</i>	-	-	7,000	-	-	-
Class Euglenophyceae						
Order Euglenales						
Family Euglenaceae						
19. <i>Euglema fusca</i>	2,747,000	-	-	8,000	-	-

ตาราง ผลการวิเคราะห์แพลงก์ตอนพืช (เก็บตัวอย่างวันที่ 16 กุมภาพันธ์ 2569)

(ต่อ)

ชนิดแพลงก์ตอนพืช	ปริมาณแพลงก์ตอนพืช (หน่วยต่อลูกบาศก์เมตร)					
	2613619-1	2613619-2	2613619-3	2613619-4	2613619-5	2613619-6
20. <i>Euglena acus</i>	51,332,000	87,000	88,000	235,000	274,000	189,000
21. <i>Euglena oxyuris</i>	4,125,000	15,000	-	76,000	137,000	28,000
22. <i>Euglena</i> sp.	33,000	7,000	7,000	42,000	392,000	548,000
23. <i>Euglena viridis</i>	-	15,000	27,000	8,000	69,000	-
24. <i>Lepocinclis ovum</i>	1,015,000	7,000	-	403,000	176,000	227,000
25. <i>Phacus angulatus</i>	22,457,000	44,000	27,000	-	39,000	28,000
26. <i>Phacus hamatus</i>	-	-	-	42,000	-	9,000
27. <i>Phacus longicauda</i>	347,000	7,000	-	-	39,000	38,000
28. <i>Phacus myersi</i>	1,180,000	-	-	151,000	98,000	444,000
29. <i>Phacus platalea</i>	1,378,000	94,000	47,000	34,000	69,000	340,000
30. <i>Phacus ranula</i>	413,000	7,000	-	34,000	-	19,000
31. <i>Phacus</i> sp.	602,000	15,000	-	210,000	353,000	198,000
32. <i>Phacus tortus</i>	15,180,000	58,000	128,000	227,000	235,000	217,000
33. <i>Strombomonas acuminata</i>	611,000	138,000	41,000	336,000	186,000	170,000
34. <i>Strombomonas australica</i>	3,209,000	7,000	7,000	168,000	39,000	9,000
35. <i>Strombomonas fluviatilis</i>	25,000	-	-	-	10,000	-
36. <i>Strombomonas gibberosa</i>	31,169,000	58,000	135,000	-	39,000	-
37. <i>Strombomonas girardiana</i>	27,959,000	29,000	54,000	25,000	20,000	-
38. <i>Strombomonas hexangulata</i>	8,000	-	-	-	-	-
39. <i>Trachelomonas crebea</i>	11,913,000	36,000	162,000	432,000	69,000	170,000
40. <i>Trachelomonas daugerdiana</i>	8,000	-	-	17,000	29,000	-
41. <i>Trachelomonas hispida</i>	18,794,000	-	54,000	470,000	176,000	19,000
42. <i>Trachelomonas mirabilis</i>	1,254,000	-	20,000	8,000	10,000	-
43. <i>Trachelomonas rugulosa</i>	-	29,000	-	8,000	10,000	9,000
44. <i>Trachelomonas</i> sp.	-	-	27,000	17,000	-	-
45. <i>Trachelomonas volzii</i>	668,000	-	14,000	42,000	196,000	9,000

ตาราง ผลการวิเคราะห์แพลงก์ตอนพืช (เก็บตัวอย่างวันที่ 16 กุมภาพันธ์ 2569)
(ต่อ)

ชนิดแพลงก์ตอนพืช	ปริมาณแพลงก์ตอนพืช (หน่วยต่อลูกบาศก์เมตร)					
	2613619-1	2613619-2	2613619-3	2613619-4	2613619-5	2613619-6
Division Chromophyta						
Class Bacillariophyceae						
Order Biddulphiales						
Suborder Coscinodiscineae						
Family Thalassiosiraceae						
46. <i>Cyclotella stelligera</i>	-	7,000	-	17,000	10,000	-
Order Bacillariales						
Suborder Fragilariineae						
Family Fragilariaceae						
47. <i>Diatoma vulgaris</i>	-	-	-	-	20,000	-
48. <i>Synedra ulna</i>	-	-	7,000	17,000	-	-
Suborder Bacillariineae						
Family Eunotiaceae						
49. <i>Eunotia pectinalis</i>	-	-	-	17,000	-	-
Family Cymbellaceae						
50. <i>Gomphonema parvulum</i>	-	-	-	-	-	9,000
Family Naviculaceae						
51. <i>Amphora ovalis</i>	-	-	-	25,000	10,000	9,000
52. <i>Amphora</i> sp.	-	7,000	-	-	-	-
53. <i>Craticula cuspidata</i>	-	-	-	-	20,000	-
54. <i>Gyrosigma acuminatum</i>	-	7,000	-	-	-	-
55. <i>Gyrosigma</i> sp.	-	7,000	-	8,000	-	-
56. <i>Navicula cuspidata</i>	-	-	-	109,000	118,000	586,000
57. <i>Peridinium</i> sp.	-	15,000	20,000	-	-	-
58. <i>Pinnularia gibba</i>	-	-	-	25,000	20,000	47,000
Family Bacillariaceae						
59. <i>Nitzschia lorenziana</i>	-	-	7,000	8,000	-	-

ตาราง ผลการวิเคราะห์แพลงก์ตอนพืช (เก็บตัวอย่างวันที่ 16 กุมภาพันธ์ 2569)
(ต่อ)

ชนิดแพลงก์ตอนพืช	ปริมาณแพลงก์ตอนพืช (หน่วยต่อลูกบาศก์เมตร)					
	2613619-1	2613619-2	2613619-3	2613619-4	2613619-5	2613619-6
60. <i>Nitzschia palea</i>	-	-	-	-	-	9,000
Family Rhopalodiaceae						
61. <i>Epithemia argus</i>	-	-	7,000	-	-	-
Family Surirellaceae						
62. <i>Surirella elegans</i>	17,000	-	-	8,000	-	-
63. <i>Surirella linearis</i>	-	-	-	8,000	-	-
64. <i>Surirella robusta</i>	-	-	-	-	10,000	-
Class Crysoephyceae						
Order Chromulinales						
Family Chromulinaceae						
65. <i>Chrysamoeba radians</i>	8,000	-	-	-	-	-
Class Dinophyceae						
Order Gonyaulacales						
Family Ceratiaceae						
66. <i>Ceratium hirundinella</i>	-	87,000	7,000	17,000	20,000	-
Order Peridinales						
Family Peridiniaceae						
67. <i>Peridinium gatunense</i>	-	145,000	47,000	-	-	-
ชนิดแพลงก์ตอนพืช	30	28	26	42	42	33
ปริมาณแพลงก์ตอนพืช	196,543,000	1,272,000	1,002,000	6,755,000	7,559,000	8,415,000
ดัชนีความหลากหลายแพลงก์ตอนพืช	2.1809	2.7587	2.7684	2.6969	2.7684	2.4957
ดัชนีความสม่ำเสมอแพลงก์ตอนพืช	0.6412	0.8279	0.8497	0.7215	0.7407	0.7138


- Sample Location :**
1. สถานี 2613619-1 : คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (Bio1)
 2. สถานี 2613619-2 : คลองอ้อมแก้วบริเวณพื้นที่โครงการ (Bio2)
 3. สถานี 2613619-3 : คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (Bio3)
 4. สถานี 2613619-4 : คลองหนองโกสลดก่อนจุระบายน้ำทิ้ง (Bio4)
 5. สถานี 2613619-5 : คลองหนองโกสลดจุระบายน้ำทิ้ง (Bio5)
 6. สถานี 2613619-6 : คลองหนองโกสลดหลังจุระบายน้ำทิ้ง (Bio6)

Condition of Sample : contained in one plastic bottle, sample containers comply to pretreatment- preservation standards (APHA, USEPA)



(นางสาวกนกวรรณ ขาวค้อน)

ผู้วิเคราะห์



(นายอลงกต อินทรชาติ)

หัวหน้าสถานีวิจัยประมงศรีราชา



สถานีวิจัยประมงศรีราชา

101/12 หมู่ 9 ต. บางพระ

อ. ศรีราชา จ. ชลบุรี 20110

โทร./โทรสาร. (038) 311379

Client : Rojana Industrial Park Public Co., Ltd.

Address : 2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok

Thailand 10310

Project Name : Nongyai 2

รายงานผลการวิเคราะห์แพลงก์ตอนสัตว์

ตาราง ผลการวิเคราะห์แพลงก์ตอนสัตว์ (เก็บตัวอย่างวันที่ 16 กุมภาพันธ์ 2569)

ชนิดแพลงก์ตอนสัตว์	ปริมาณแพลงก์ตอนสัตว์ (หน่วยต่อลูกบาศก์เมตร)					
	2613619-1	2613619-2	2613619-3	2613619-4	2613619-5	2613619-6
Phylum Protozoa						
Subphylum Plasmodroma						
Class Sarcodina						
Order Amoebida						
Family Arcellidae						
1. <i>Amoeba proteus</i>	-	-	-	-	-	2,646,000
Order Testacida						
Family Arcellidae						
2. <i>Arcella conica</i>	-	-	-	-	20,000	-
3. <i>Arcella</i> sp.	182,000	22,000	14,000	50,000	20,000	718,000
4. <i>Arcella vulgaris</i>	429,000	15,000	7,000	8,000	10,000	567,000
Family Diffugiidae						
5. <i>Centropyxis aculeata</i>	8,000	-	-	-	49,000	85,000
6. <i>Diffugia acuminata</i>	-	-	-	17,000	10,000	9,000
7. <i>Diffugia lobostoma</i>	17,000	7,000	-	-	-	-

ตาราง ผลการวิเคราะห์แพลงก์ตอนสัตว์ (เก็บตัวอย่างวันที่ 16 กุมภาพันธ์ 2569)

(ต่อ)

ชนิดแพลงก์ตอนสัตว์	ปริมาณแพลงก์ตอนสัตว์ (หน่วยต่อลูกบาศก์เมตร)					
	2613619-1	2613619-2	2613619-3	2613619-4	2613619-5	2613619-6
Family Euglyphidae						
8. <i>Euglypha acanthophora</i>	-	-	-	8,000	20,000	-
9. <i>Euglypha rotunda</i>	-	-	-	8,000	10,000	19,000
10. <i>Euglypha</i> sp.	-	-	-	-	10,000	-
Subphylum Ciliophora						
Class Ciliata						
Subclass Holotricha						
Order Gymnostomatida						
11. <i>Coleps</i> sp.	8,000	-	-	-	-	-
Subclass Spirotricha						
Order Heterotrichida						
12. <i>Spirostomum</i> sp.	-	-	-	-	-	9,000
Order Tintinnida						
Family Codonellidae						
13. <i>Tintinnopsis</i> sp.	-	-	-	17,000	39,000	-
Order Hypotrichida						
14. <i>Euplotes</i> sp.	8,000	-	-	-	20,000	-
Subclass Peritricha						
Order Peritrichida						
15. <i>Epistylis</i> sp.	-	-	-	521,000	431,000	2,457,000
16. <i>Vorticella</i> sp.	-	-	-	-	-	85,000
17. <i>Zoothamnium</i> sp.	-	-	-	-	-	558,000
Phylum Rotifera						
Class Monogononta						
Order Ploima						
Family Brachionidae						
18. <i>Anuraeopsis fissa</i>	17,000	-	-	8,000	20,000	9,000

ตาราง ผลการวิเคราะห์แพลงก์ตอนสัตว์ (เก็บตัวอย่างวันที่ 16 กุมภาพันธ์ 2569)

(ต่อ)

ชนิดแพลงก์ตอนสัตว์	ปริมาณแพลงก์ตอนสัตว์ (หน่วยต่อลูกบาศก์เมตร)					
	2613619-1	2613619-2	2613619-3	2613619-4	2613619-5	2613619-6
19. <i>Brachionus angularia</i>	-	26,000	-	25,000	-	208,000
20. <i>Brachionus caudatus</i>	-	138,000	34,000	-	-	19,000
21. <i>Colurella obtusa</i>	-	-	-	-	-	19,000
22. <i>Keratella cochlearis</i>	-	-	-	8,000	10,000	-
23. <i>Keratella valga</i>	8,000	-	-	-	-	-
24. <i>Lepadella acuminata</i>	-	-	-	8,000	10,000	-
Family Lecanidae						
25. <i>Lecane hamata</i>	-	-	-	-	10,000	-
26. <i>Lecane inermis</i>	17,000	-	-	-	10,000	510,000
Family Notommatidae						
27. <i>Cephalodella forficula</i>	-	-	-	8,000	20,000	76,000
28. <i>Cephalodella gibba</i>	-	-	-	-	-	19,000
Family Tricocercidae						
29. <i>Trichocerca pusilla</i>	50,000	-	-	-	20,000	-
30. <i>Trichocerca</i> sp.	8,000	-	-	-	-	-
31. <i>Trichocerca weberi</i>	8,000	-	-	-	-	-
Family Gastropodidae						
32. <i>Ascomorpha</i> sp.	-	-	-	-	10,000	-
Family Asplanchnidae						
33. <i>Asplanchna priodonta</i>	-	-	-	-	-	28,000
Family Synchaetidae						
34. <i>Polyarthra dolichoptera</i>	140,000	-	-	-	-	9,000
35. <i>Polyarthra vulgaris</i>	891,000	7,000	-	-	10,000	-
36. <i>Synchaeta</i> sp.	-	-	-	8,000	-	-
Order Flosculariaceae						
Family Testudinellidae						
37. <i>Filinia terminalis</i>	-	7,000	-	-	-	28,000

ตาราง ผลการวิเคราะห์แพลงก์ตอนสัตว์ (เก็บตัวอย่างวันที่ 16 กุมภาพันธ์ 2569)
(ต่อ)


ชนิดแพลงก์ตอนสัตว์	ปริมาณแพลงก์ตอนสัตว์ (หน่วยต่อลูกบาศก์เมตร)					
	2613619-1	2613619-2	2613619-3	2613619-4	2613619-5	2613619-6
Class Digononta						
Family Philodinidae						
38. <i>Philodina</i> sp.	-	-	-	8,000	10,000	57,000
39. <i>Rotaria rotatoria</i>	-	-	-	25,000	-	-
Phylum Arthropoda						
Class Crustacea						
Subclass Ostracoda						
Order Podocopa						
Family Cypridae						
40. <i>Cypridopsis</i> sp.	-	7,000	-	-	-	-
Subclass Copepoda						
41. Copepod nauplius	41,000	22,000	-	25,000	39,000	95,000
Order Cyclopoida						
42. Cyclopoid copepod	-	-	-	-	-	9,000
ชนิดแพลงก์ตอนสัตว์	15	9	3	16	22	23
ปริมาณแพลงก์ตอนสัตว์	1,832,000	251,000	55,000	752,000	808,000	8,239,000
ดัชนีความหลากหลายแพลงก์ตอนสัตว์	1.5724	1.5582	0.9080	1.3803	2.0366	1.9252
ดัชนีความสม่ำเสมอแพลงก์ตอนสัตว์	0.5806	0.7092	0.8265	0.4978	0.6589	0.6140

- Sample Location :**
1. สถานี 2613619-1 : คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (Bio1)
 2. สถานี 2613619-2 : คลองอ้อมแก้วบริเวณพื้นที่โครงการ (Bio2)
 3. สถานี 2613619-3 : คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (Bio3)
 4. สถานี 2613619-4 : คลองหนองโกสลดก่อนจุระบายน้ำทิ้ง (Bio4)
 5. สถานี 2613619-5 : คลองหนองโกสลดจุระบายน้ำทิ้ง (Bio5)
 6. สถานี 2613619-6 : คลองหนองโกสลดหลังจุระบายน้ำทิ้ง (Bio6)

Condition of Sample : contained in one plastic bottle, sample containers comply to pretreatment -preservation standards (APHA, USEPA)



(นางสาวกนกวรรณ ขวาค่อน)
ผู้วิเคราะห์



(นายอลงกต อินทรชาติ)
หัวหน้าสถานีวิจัยประมงศรีราชา



สถานีวิจัยประมงศรีราชา

101/12 หมู่ 9 ต. บางพระ อ. ศรีราชา จ. ชลบุรี 20110

โทร./โทรสาร. (038) 311379

Client : Rojana Industrial Park Public Co., Ltd.

Address : 2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok Thailand 10310

Project Name : Nongyai 2

รายงานผลการวิเคราะห์สัตว์น้ำ

ตาราง ผลการวิเคราะห์สัตว์น้ำ (Aquatic animal) (เก็บตัวอย่างเมื่อวันที่ 16 กุมภาพันธ์ 2569)

ชนิดสัตว์น้ำ	ปริมาณสัตว์น้ำ (ตัว)						ช่วงขนาด	น้ำหนักรวม
	2613619-1	2613619-2	2613619-3	2613619-4	2613619-5	2613619-6	(ซม.)	(กรัม)
Phylum Chordata								
Class Actinopterygii								
Order Anabantiformes								
Family Channidae								
<i>Channa striata</i> (ปลาช่อน)	1	-	-	-	-	-	18.70	54.60


ตาราง ผลการวิเคราะห์สัตว์น้ำ (Aquatic animal) (เก็บตัวอย่างเมื่อวันที่ 16 กุมภาพันธ์ 2569) (ต่อ)

ชนิดสัตว์น้ำ	ปริมาณสัตว์น้ำ (ตัว)						ช่วงขนาด (ซม.)	น้ำหนักรวม (กรัม)
	2613619-1	2613619-2	2613619-3	2613619-4	2613619-5	2613619-6		
Family Osphronemidae								
Trichopodus microlepis (ปลากกระดี่นาง)	-	-	-	1	-	-	6.60	3.30
Trichopodus trichopterus (ปลากกระดี่หม้อ)	10	4	3	4	4	5	7.00-10.20	237.40
Order Cypriniformes								
Family Cyprinidae								
Esomus metallicus (ปลาชีวนวดยาว)	7	2	5	1	2	6	4.20-5.70	20.00
Puntius brevis (ปลาตะเพียนทราย)	2	-	-	-	-	1	8.90-15.20	75.10
Rasbora paviana (ปลาชีวกวายแถบดำ)	-	1	-	-	-	-	4.80	1.00
Systemus rubripinnus (ปลาแก้มขี้)	1	1	-	-	-	-	6.80-7.30	8.90
Order Siluriformes								
Family Bagridae								
Mystus mysticetus (ปลาแขยงข้างลาย)	-	1	-	-	-	-	7.30	3.60
ชนิดสัตว์น้ำ	5	5	2	3	2	3	4.20-18.70	403.90
ปริมาณสัตว์น้ำ	21	9	8	6	6	12		
ดัชนีความหลากหลายสัตว์น้ำ	1.2334	1.4271	0.6616	0.8676	0.6365	0.9184		

Sample Location :


1. สถานี 2613619-1 : คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (Bio1)
2. สถานี 2613619-2 : คลองอ้อมแก้วบริเวณพื้นที่โครงการ (Bio2)
3. สถานี 2613619-3 : คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (Bio3)
4. สถานี 2613619-4 : คลองหนองโกศลก่อนจู่ระบายน้ำทิ้ง (Bio4)
5. สถานี 2613619-5 : คลองหนองโกศลจู่ระบายน้ำทิ้ง (Bio5)
6. สถานี 2613619-6 : คลองหนองโกศลหลังจู่ระบายน้ำทิ้ง (Bio6)

Condition of Sample : fishing gear



(นายสาโรจน์ เร่มคำริห์)

ผู้วิเคราะห์



(นายอลงกต อินทรชาติ)

หัวหน้าสถานีวิจัยประมงศรีราชา



สถานีวิจัยประมงศรีราชา
101/12 หมู่ 9 ต. บางพระ
อ. ศรีราชา จ. ชลบุรี 20110
โทร./โทรสาร. (038) 311379

Client : Rojana Industrial Park Public Co., Ltd.

Address : 2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok

Thailand 10310

Project Name : Nongyai 2

รายงานผลการวิเคราะห์สัตว์หน้าดิน

ตาราง ผลการวิเคราะห์สัตว์หน้าดิน (เก็บตัวอย่างวันที่ 16 กุมภาพันธ์ 2569)

สกุลสัตว์หน้าดิน	ปริมาณสัตว์หน้าดิน (ตัวต่อตารางเมตร)					
	2613624-1	2613624-2	2613624-3	2613624-4	2613624-5	2613624-6
Phylum Annelida						
Class Clitellata						
Order Lumbriculida						
Family Lumbriculidae						
<i>Lumbriculus</i> sp. (ไส้เดือนน้ำ)	-	119	149	1,260	386	89
Order Tubificida						
Family Naididae						
<i>Branchiura</i> sp. (ไส้เดือนน้ำ)	119	45	75	119	-	-
Phylum Arthropoda						
Class Insecta						
Order Diptera						
Family Chironomidae						
<i>Chironomus</i> sp. (หนอนแดง)	89	15	-	60	771	119


ตาราง ผลการวิเคราะห์สัตว์หน้าดิน (เก็บตัวอย่างวันที่ 16 กุมภาพันธ์ 2569) (ต่อ)

สกุลสัตว์หน้าดิน	ปริมาณสัตว์หน้าดิน (ตัวต่อตารางเมตร)					
	2613624-1	2613624-2	2613624-3	2613624-4	2613624-5	2613624-6
Phylum Mollusca						
Class Gastropoda						
Order Architaenioglossa						
Family Viviparidae						
<i>Filopaludina</i> sp. (หอยขม)	15	-	-	-	-	-
Order Sigmurethra						
Family Lymnaeidae						
<i>Lymnaea</i> sp. (หอยคัน)	-	-	-	-	15	-
สกุลสัตว์หน้าดิน	3	3	2	3	3	2
ปริมาณสัตว์หน้าดิน	223	179	224	1,439	1,172	208
ค่าดัชนีความหลากหลายสัตว์หน้าดิน	0.8833	0.8263	0.6375	0.4549	0.6971	0.6827

- Sample Location :
- 1. สถานี 2613624-1 : คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (Bio1)
 - 2. สถานี 2613624-2 : คลองอ้อมแก้วบริเวณพื้นที่โครงการ (Bio2)
 - 3. สถานี 2613624-3 : คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (Bio3)
 - 4. สถานี 2613624-4 : คลองหนองโกสลดก่อนจุระบายน้ำทิ้ง (Bio4)
 - 5. สถานี 2613624-5 : คลองหนองโกสลดจุระบายน้ำทิ้ง (Bio5)
 - 6. สถานี 2613624-6 : คลองหนองโกสลดหลังจุระบายน้ำทิ้ง (Bio6)

Condition of Sample : contained in one plastic zip bag


.....
(นายอรรณพ ก้นทะวงศ์)
ผู้วิเคราะห์


.....
(นายอลงกต อินทรชาติ)
หัวหน้าสถานีวิจัยประมงศรีราชา



สถานีวิจัยประมงศรีราชา

101/12 หมู่ 9 ต. บางพระ อ. ศรีราชา จ. ชลบุรี 20110

โทร./โทรสาร. (038) 311379

Client : Rojana Industrial Park Public Co., Ltd.

Address : 2034/115 26TH Fl. ItalThai Tower, New Petchburi Road, Bangkapi, Huaykwang, Bangkok Thailand 10310

Project Name : Nongyai 2

รายงานผลการวิเคราะห์พืชน้ำ

ตาราง ผลการวิเคราะห์พืชน้ำ (เก็บตัวอย่างวันที่ 16 กุมภาพันธ์ 2569)

วงศ์	ชื่อวิทยาศาสตร์	ชื่อภาษาไทย	บริเวณที่ทำการสำรวจ					
			2613622-1	2613622-2	2613622-3	2613622-4	2613622-5	2613622-6
<u>พืชลอยน้ำ</u> Convolvulaceae	<i>Ipomoea aquatica</i>	ผักบุ้ง	+	++	++	-	+	-
<u>พืชชายน้ำ</u> Amaranthaceae	<i>Alternanthera sessilis</i>	ผักเป็ดไทย	+	-	-	+	+	+
Araceae	<i>Colocasia esculenta</i>	บอน	-	-	-	+	+	-

ตาราง ผลการวิเคราะห์พืชน้ำ (เก็บตัวอย่างวันที่ 16 กุมภาพันธ์ 2569)

วงศ์	ชื่อวิทยาศาสตร์	ชื่อภาษาไทย	บริเวณที่ทำการสำรวจ					
			2613622-1	2613622-2	2613622-3	2613622-4	2613622-5	2613622-6
Asteraceae	<i>Eclipta prostrata</i>	กะเม็ง	+	+	+	-	+	+
	<i>Synedrella nodiflora</i>	ผักแครด	+	-	-	-	-	+
	<i>Tridax procumbens</i>	ดินตูกแก	+	-	-	+	+	+
Butomaceae	<i>Limnocharis flava</i>	ตาลปัตรฤาษี	-	-	-	-	-	-
Commelinaceae	<i>Commelina diffusa</i>	ผักปลาใบแคบ	+	-	-	++	+	+
Cyperaceae	<i>Cyperus iria</i>	กกทราย	+	-	-	-	-	-
	<i>Cyperus pilosus</i>	กกสามเหลี่ยม	+	-	-	-	-	-
	<i>Cyperus rotundus</i>	หญ้าขนหนู	-	-	-	-	-	+
Mimosaceae	<i>Mimosa pigra</i>	ไมยราบยักษ์	-	-	-	+	+	++
Onagraceae	<i>Jussiaea linifolia</i>	เทียนนา	+	-	-	-	+	+
Poaceae	<i>Brachiaria mutica</i>	หญ้าขน	++	++	++	++	+++	+++
	<i>Brachiaria reptans</i>	หญ้าต้นติด	+	++	++	++	++	++
	<i>Leptochloa chinensis</i>	หญ้าดอกขาว	++	++	+++	+++	+++	+++
	<i>Phragmites karka</i>	แขม	+	+	++	+	+	+
Polygonaceae	<i>Polygonum glabrum</i>	ผักไผ่น้ำ	+	-	-	++	++	++
	<i>Polygonum tomentosum</i>	เอื้องเผด็ม	-	-	-	+	+	+

ตาราง ผลการวิเคราะห์พืชน้ำ (เก็บตัวอย่างวันที่ 16 กุมภาพันธ์ 2569) (ต่อ)

วงศ์	ชื่อวิทยาศาสตร์	ชื่อภาษาไทย	บริเวณที่ทำการสำรวจ					
			2613622-1	2613622-2	2613622-3	2613622-4	2613622-5	2613622-6
Potederiaceae	<i>Monochoria vaginalis</i>	นิลubl	-	-	-	+	-	-
Typhaceae	<i>Typha angustifolia</i>	ธูปฤาษี	+	-	-	-	-	-
รวมจำนวนชนิดพืชน้ำที่พบทั้งหมด			15	6	6	12	14	14


Sample Location : - ไม่พบ + น้อย ++ ปานกลาง +++ มาก

1. สถานี 2613622-1 : คลองอ้อมแก้วก่อนไหลผ่านพื้นที่โครงการ (Bio1)
2. สถานี 2613622-2 : คลองอ้อมแก้วบริเวณพื้นที่โครงการ (Bio2)
3. สถานี 2613622-3 : คลองอ้อมแก้วหลังไหลผ่านพื้นที่โครงการ (Bio3)
4. สถานี 2613622-4 : คลองหนองโกศลก่อนจุระบายน้ำทิ้ง (Bio4)
5. สถานี 2613622-5 : คลองหนองโกศลจุระบายน้ำทิ้ง (Bio5)
6. สถานี 2613622-6 : คลองหนองโกศลหลังจุระบายน้ำทิ้ง (Bio6)

Condition of Sample : Data sheet



(นายอรรถวุฒิ กันทะวงศ์)
ผู้วิเคราะห์



(นายอลงกต อินทรชาติ)
หัวหน้าสถานีวิจัยประมงศรีราชา