

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : บ่อพักน้ำสุดท้ายก่อนระบายออกสู่ท่อรับน้ำทิ้งสาธารณะ
GPS. Coordinate : 47 P 665121 E 1523579 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69010
Sample No. : W69010/2
Sample Type : Wastewater
Sampling Date : 13 January 2026
Sampling Time : 10.12 a.m.
Received Date : 14 January 2026
Analytical Date : 14 - 26 January 2026
Report Date : 27 January 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 25.9 °C	-	Electrometric Method (4500-H ⁺ B)	5.7	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	28.0	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	408	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	23.5	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	< 0.28	≤ 35
Sample Appearance		Yellow/Turbid/Sediment/Odorless		

Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024), Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

Analyst

Laboratory Manager

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
 Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
 Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
 เขตดุสิต กรุงเทพมหานคร 10300
 Sampling Point : สระว่ายน้ำส่วนลึก
 GPS. Coordinate : 47 P 665081 E 1523619 N
 Sampling By : TNP ENVIRONMENT CO.,LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69010
 Sample No : W69010/3
 Sample Type : Swimming pool Water
 Sampling Date : 13 January 2026
 Sampling Time : 09.54 a.m.
 Received Date : 14 January 2026
 Analytical Date : 14 - 22 January 2026
 Report Date : 23 January 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



Analyst

Laboratory Manager

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
 Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
 Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
 เขตดุสิต กรุงเทพมหานคร 10300
 Sampling Point : สระว่ายน้ำส่วนต้น
 GPS. Coordinate : 47 P 665092 E 1523638 N
 Sampling By : TNP ENVIRONMENT CO.,LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69010
 Sample No : W69010/4
 Sample Type : Swimming pool Water
 Sampling Date : 13 January 2026
 Sampling Time : 09.55 a.m.
 Received Date : 14 January 2026
 Analytical Date : 14 - 22 January 2026
 Report Date : 23 January 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

Analyst

Laboratory Manager

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : ภายในพื้นที่โครงการ
GPS. Coordinate : 47 P 665088 E 1523617 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69010
Sample No : W69010/5
Sample Type : Water Supply
Sampling Date : 13 January 2026
Sampling Time : 09.56 a.m.
Received Date : 14 January 2026
Analytical Date : 14 - 22 January 2026
Report Date : 23 January 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	259	≤ 500
Sample Appearance		Clear/Odorless		

Standard : The Department of Health, Criterias of Supplied Drinkable Water Quality, B.E. 2563

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.



Analyst

Laboratory Manager

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : น้ำทิ้งก่อนเข้าระบบบำบัด
GPS. Coordinate : 47 P 665107 E 1523586 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69010
Sample No. : W69010/1
Sample Type : Wastewater
Sampling Date : 03 February 2026
Sampling Time : 01.20 p.m.
Received Date : 04 February 2026
Analytical Date : 04 – 24 February 2026
Report Date : 25 February 2026

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 24.4 °C	-	Electrometric Method (4500-H ⁺ B)	7.7
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	60.8
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	356
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O ₂ G, 5210 B)	85.2
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	2.3
Sulfide *	mg/L	Iodometric Method (4500-S ₂ ⁻ F)	1.42
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	46
Sample Appearance		Yellow/Turbid/Sediment/Smelly	

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



Analyst

Laboratory Manager

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : บ่อพักน้ำสุดท้ายก่อนระบายออกสู่ท่อรับน้ำทิ้งสาธารณะ
GPS. Coordinate : 47 P 665132 E 1523550 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69010
Sample No. : W69010/2
Sample Type : Wastewater
Sampling Date : 03 February 2026
Sampling Time : 01.27 p.m.
Received Date : 04 February 2026
Analytical Date : 04 – 24 February 2026
Report Date : 25 February 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.3 °C	-	Electrometric Method (4500-H ⁺ B)	6.3	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	31.7	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	358	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	26.9	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	< 0.28	≤ 35
Sample Appearance		Yellow/Turbid/Sediment/Odorless		

Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



Analyst

Laboratory Manager

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
 เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : สระว่ายน้ำส่วนเล็ก
GPS. Coordinate : 47 P 665095 E 1523608 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69010
Sample No : W69010/3
Sample Type : Swimming pool Water
Sampling Date : 03 February 2026
Sampling Time : 01.11 p.m.
Received Date : 04 February 2026
Analytical Date : 04 – 24 February 2026
Report Date : 25 February 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



Analyst

Laboratory Manager

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : สระว่ายน้ำส่วนต้น
GPS. Coordinate : 47 P 665187 E 1523578 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69010
Sample No : W69010/4
Sample Type : Swimming pool Water
Sampling Date : 03 February 2026
Sampling Time : 01.12 p.m.
Received Date : 04 February 2026
Analytical Date : 04 – 24 February 2026
Report Date : 25 February 2026


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



Analyst

Laboratory Manager

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : ภายในพื้นที่โครงการ
GPS. Coordinate : 47 P 665102 E 1523581 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69010
Sample No : W69010/5
Sample Type : Water Supply
Sampling Date : 03 February 2026
Sampling Time : 01.18 p.m.
Received Date : 04 February 2026
Analytical Date : 04 – 24 February 2026
Report Date : 25 February 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	125	≤ 500
Sample Appearance		Clear/Odorless		

Standard : The Department of Health, Criterias of Supplied Drinkable Water Quality, B.E. 2563

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.


Analyst

Laboratory Manager

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
 Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
 Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
 เขตดุสิต กรุงเทพมหานคร 10300
 Sampling Point : น้ำทิ้งก่อนเข้าระบบบำบัด
 GPS. Coordinate : 47 P 665108 E 1523588 N
 Sampling By : TNP ENVIRONMENT CO.,LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69010
 Sample No. : W69010/1
 Sample Type : Wastewater
 Sampling Date : 13 March 2026
 Sampling Time : 02.11 p.m.
 Received Date : 14 March 2026
 Analytical Date : 14 – 30 March 2026
 Report Date : 31 March 2026

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 24.4 °C	-	Electrometric Method (4500-H ⁺ B)	7.5
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	150
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	376
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	74.0
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	1.12
Total Kjeldahl Nitrogen * ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	50
Sample Appearance		Yellow/Turbid/Sediment/Smelly	

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.
^{3/} Analyzed by Environment & Laboratory Co., Ltd. registration number Wo-029.
 * This item is out the scope ISO/IEC 17025:2017 Accreditation.

Analyst

Laboratory Manager

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : บ่อพักน้ำสุดท้ายก่อนระบายออกสู่ท่อรับน้ำทิ้งสาธารณะ
GPS. Coordinate : 47 P 665125 E 1523585 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling


Data Provided by Laboratory

Report No. : W69010
Sample No. : W69010/2
Sample Type : Wastewater
Sampling Date : 13 March 2026
Sampling Time : 02.16 p.m.
Received Date : 14 March 2026
Analytical Date : 14 – 30 March 2026
Report Date : 31 March 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.9 °C	-	Electrometric Method (4500-H ⁺ B)	6.0	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	24.4	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	398	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	20.1	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Total Kjeldahl Nitrogen ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	< 0.28	≤ 35
Sample Appearance		Yellow/Turbid/Sediment/Odorless		

Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.
^{3/} Analyzed by Environment & Laboratory Co., Ltd. registration number Wo-029.
* This item is out the scope ISO/IEC 17025:2017 Accreditation.



Laboratory Manager

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิตินุคคณาการชุด ศุภาลย์ ปริเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลย์ ปริเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : สระว่ายน้ำส่วนลึก
GPS. Coordinate : 47 P 665087 E 1523616 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69010
Sample No : W69010/3
Sample Type : Swimming pool Water
Sampling Date : 13 March 2026
Sampling Time : 02.02 p.m.
Received Date : 14 March 2026
Analytical Date : 14 – 27 March 2026
Report Date : 30 March 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.
Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.
* This item is out the scope ISO/IEC 17025:2017 Accreditation.

Analyst

Laboratory Manager

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : สระว่ายน้ำส่วนต้น
GPS. Coordinate : 47 P 665091 E 1523632 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69010
Sample No : W69010/4
Sample Type : Swimming pool Water
Sampling Date : 13 March 2026
Sampling Time : 02.02 p.m.
Received Date : 14 March 2026
Analytical Date : 14 – 27 March 2026
Report Date : 30 March 2026


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



Analyst

Laboratory Manager

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลย์ พรีเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลย์ พรีเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : ภายในพื้นที่โครงการ
GPS. Coordinate : 47 P 665103 E 1523585 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69010
Sample No : W69010/5
Sample Type : Water Supply
Sampling Date : 13 March 2026
Sampling Time : 02.20 p.m.
Received Date : 14 March 2026
Analytical Date : 14 – 27 March 2026
Report Date : 30 March 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	155	≤ 500
Sample Appearance		Clear/Odorless		

Standard : The Department of Health, Criterias of Supplied Drinkable Water Quality, B.E. 2563

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.



Analyst

Laboratory Manager



TNP ENVIRONMENT CO.,LTD.

เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273

E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่



NSC-TISI-TIS 17025

Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : น้ำทิ้งก่อนเข้าระบบบำบัด
GPS. Coordinate : 47 P 665107 E 1523570 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69010
Sample No. : W69010/1
Sample Type : Wastewater
Sampling Date : 03 April 2026
Sampling Time : 01.27 p.m.
Received Date : 04 April 2026
Analytical Date : 04 - 16 April 2026
Report Date : 24 April 2026

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 24.4 °C	-	Electrometric Method (4500-H ⁺ B)	7.6
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	52.1
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	390
Biochemical Oxygen Demand *	mg/L	5 Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	69.6
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	1.71
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	34
Sample Appearance		Yellow/Turbid/Sediment/Smelly	

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



Analyst

Laboratory Manager



TNP ENVIRONMENT CO.,LTD.

เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273

E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่



NSC-TIS-TIS 17025

Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : บ่อพักน้ำสุดท้ายก่อนระบายออกสู่ท่อรับน้ำทิ้งสาธารณะ
GPS. Coordinate : 47 P 665108 E 1523578 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69010
Sample No. : W69010/2
Sample Type : Wastewater
Sampling Date : 03 April 2026
Sampling Time : 01.25 p.m.
Received Date : 04 April 2026
Analytical Date : 04 - 16 April 2026
Report Date : 24 April 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.3 °C	-	Electrometric Method (4500-H ⁺ B)	6.0	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	30.7	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	319	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5 Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	26.0	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	< 0.28	≤ 35
Sample Appearance		Yellow/Turbid/Sediment/Odorless		

Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024), Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



Analyst

Laboratory Manager



TNP ENVIRONMENT CO.,LTD.

เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273

E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่



NSC-TISI-TIS 17025

Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : สระว่ายน้ำส่วนเล็ก
GPS. Coordinate : 47 P 665096 E 1523620 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69010
Sample No : W69010/3
Sample Type : Swimming pool Water
Sampling Date : 03 April 2026
Sampling Time : 01.06 p.m.
Received Date : 04 April 2026
Analytical Date : 04 - 16 April 2026
Report Date : 17 April 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

Analyst

Laboratory Manager



TNP ENVIRONMENT CO.,LTD.

เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273

E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่



NSC-TISI-TIS 17025

Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : สระว่ายน้ำส่วนต้น
GPS. Coordinate : 47 P 665087 E 1523637 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69010
Sample No : W69010/4
Sample Type : Swimming pool Water
Sampling Date : 03 April 2026
Sampling Time : 01.07 p.m.
Received Date : 04 April 2026
Analytical Date : 04 - 16 April 2026
Report Date : 17 April 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

Analyst

บริษัท ทีเอ็นพี เอ็นไวรอนเมนต์ จำกัด

Laboratory Manager

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : ภายในพื้นที่โครงการ
GPS. Coordinate : 47 P 665099 E 1523584 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69010
Sample No : W69010/5
Sample Type : Water Supply
Sampling Date : 03 April 2026
Sampling Time : 01.12 p.m.
Received Date : 04 April 2026
Analytical Date : 04 - 16 April 2026
Report Date : 17 April 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	110	≤ 500
Sample Appearance		Clear/Odorless		

Standard : The Department of Health, Criterias of Supplied Drinkable Water Quality, B.E. 2563

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.



Analyst

Laboratory Manager

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : น้ำทิ้งก่อนเข้าระบบบำบัด
GPS. Coordinate : 47 P 665112 E 1523609 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69010
Sample No. : W69010/1
Sample Type : Wastewater
Sampling Date : 15 May 2026
Sampling Time : 01.26 p.m.
Received Date : 16 May 2026
Analytical Date : 16 May - 01 June 2026
Report Date : 02 June 2026

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 24.2 °C	-	Electrometric Method (4500-H ⁺ B)	7.6
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	52.5
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	398
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	59.7
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	2.1
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	1.73
Total Kjeldahl Nitrogen * ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	38
Sample Appearance		Yellow/Turbid/Sediment/Smelly	

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

Analyst

Laboratory Manager



TNP ENVIRONMENT CO.,LTD.

เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273

E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่



NSC-TISI-TIS 17025

Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : บ่อพักน้ำสุดท้ายก่อนระบายออกสู่ท่อรับน้ำทิ้งสาธารณะ
GPS. Coordinate : 47 P 665120 E 1523583 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69010
Sample No. : W69010/2
Sample Type : Wastewater
Sampling Date : 15 May 2026
Sampling Time : 01.31 p.m.
Received Date : 16 May 2026
Analytical Date : 16 May - 01 June 2026
Report Date : 02 June 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 25.2 °C	-	Electrometric Method (4500-H ⁺ B)	6.4	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	14.9	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	396	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	21.1	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	< 0.28	≤ 35
Sample Appearance		Yellow/Turbid/Little Sediment/Odorless		

Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024), Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

Analyst

บริษัท ทีเอ็นพี เอ็นไวรอนเม้นท์ จำกัด

Laboratory Manager

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : สระว่ายน้ำส่วนเล็ก
GPS. Coordinate : 47 P 665088 E 1523622 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69010
Sample No : W69010/3
Sample Type : Swimming pool Water
Sampling Date : 15 May 2026
Sampling Time : 01.17 p.m.
Received Date : 16 May 2026
Analytical Date : 16 May - 01 June 2026
Report Date : 02 June 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



Analyst

บริษัท ทีเอ็นพี เอ็นvironment จำกัด

Laboratory Manager

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลย์ พรีเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลย์ พรีเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : สระว่ายน้ำส่วนต้น
GPS. Coordinate : 47 P 665094 E 1523634 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69010
Sample No : W69010/4
Sample Type : Swimming pool Water
Sampling Date : 15 May 2026
Sampling Time : 01.18 p.m.
Received Date : 16 May 2026
Analytical Date : 16 May - 01 June 2026
Report Date : 02 June 2026


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



Analyst

บริษัท ทีเอ็นพี เอ็นไวรอนเม้นท์ จำกัด

Laboratory Manager



TNP ENVIRONMENT CO.,LTD.

เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273

E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่



NSC-TISI-TIS 17025

Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : ภายในพื้นที่โครงการ
GPS. Coordinate : 47 P 665098 E 1523587 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69010
Sample No : W69010/5
Sample Type : Water Supply
Sampling Date : 15 May 2026
Sampling Time : 01.34 p.m.
Received Date : 16 May 2026
Analytical Date : 16 May - 01 June 2026
Report Date : 02 June 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	110	≤ 500
Sample Appearance		Clear/Odorless		

Standard : The Department of Health, Criterias of Supplied Drinkable Water Quality, B.E. 2563

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

Analyst

บริษัท ทีเอ็นพี เอ็นไวรอนเม้นท์ จำกัด

Laboratory Manager

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
 Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
 Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
 เขตดุสิต กรุงเทพมหานคร 10300
 Sampling Point : น้ำทิ้งก่อนเข้าระบบบำบัด
 GPS. Coordinate : 47 P 665098 E 1523583 N
 Sampling By : TNP ENVIRONMENT CO.,LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69010
 Sample No. : W69010/1
 Sample Type : Wastewater
 Sampling Date : 24 June 2026
 Sampling Time : 10.44 a.m.
 Received Date : 25 June 2026
 Analytical Date : 25 June – 09 July 2026
 Report Date : 13 July 2026

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 24.4 °C	-	Electrometric Method (4500-H ⁺ B)	7.4
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	86.2
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	372
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	71.7
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	2.3
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	1.02
Total Kjeldahl Nitrogen * ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	55
Sample Appearance		Yellow/Turbid/Sediment/Smelly	

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



Analyst

Laboratory Manager

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : บ่อพักน้ำสุดท้ายก่อนระบายออกสู่ที่รับน้ำทิ้งสาธารณะ
GPS. Coordinate : 47 P 665102 E 1523587 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69010
Sample No. : W69010/2
Sample Type : Wastewater
Sampling Date : 24 June 2026
Sampling Time : 10.57 a.m.
Received Date : 25 June 2026
Analytical Date : 25 June – 09 July 2026
Report Date : 13 July 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.3 °C	-	Electrometric Method (4500-H ⁺ B)	5.6	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	24.3	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	394	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O ₂ G, 5210 B)	17.8	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	4.2	≤ 35
Sample Appearance		Yellow/Turbid/Little Sediment/Odorless		

Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024), Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



Analyst

Laboratory Manager



TNP ENVIRONMENT CO.,LTD.

เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273

E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่



NSC-TISI-TIS 17025

Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : สระว่ายน้ำส่วนลึก
GPS. Coordinate : 47 P 665086 E 1523613 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69010
Sample No : W69010/3
Sample Type : Swimming pool Water
Sampling Date : 24 June 2026
Sampling Time : 10.32 a.m.
Received Date : 25 June 2026
Analytical Date : 25 June – 08 July 2026
Report Date : 09 July 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

Analyst

บริษัท ทีเอ็นพี เอ็นvironment จำกัด

Laboratory Manager

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : สระว่ายน้ำส่วนต้น
GPS. Coordinate : 47 P 665092 E 1523632 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69010
Sample No : W69010/4
Sample Type : Swimming pool Water
Sampling Date : 24 June 2026
Sampling Time : 10.33 a.m.
Received Date : 25 June 2026
Analytical Date : 25 June – 08 July 2026
Report Date : 09 July 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



Analyst

บริษัท ทีเอ็นพี เอ็นvironment คอลิด

Laboratory Manager



TNP ENVIRONMENT CO.,LTD.

เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273

E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่



NSC-TISI-TIS 17025

Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Project Name : โครงการ ศุภาลัย พรีเมียร์ สามเสน-ราชวัตร
Address Project : เลขที่ 1089 ถนนนครไชยศรี แขวงถนนนครไชยศรี
เขตดุสิต กรุงเทพมหานคร 10300
Sampling Point : ภายในพื้นที่โครงการ
GPS. Coordinate : 47 P 665101 E 1523590 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69010
Sample No : W69010/5
Sample Type : Water Supply
Sampling Date : 24 June 2026
Sampling Time : 10.58 a.m.
Received Date : 25 June 2026
Analytical Date : 25 June – 08 July 2026
Report Date : 09 July 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	143	≤ 500
Sample Appearance		Clear/Odorless		

Standard : The Department of Health, Criteria of Supplied Drinkable Water Quality, B.E. 2563

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.



Analyst

บริษัท ทีเอ็นพี เอ็นvironment จำกัด

Laboratory Manager