

ข-25 เอกสารการอบรมด้านอาชีพอนามัย
และความปลอดภัย

การฝึกอบรมด้านอาชีวอนามัยและความปลอดภัย ระหว่างเดือนมกราคม-มิถุนายน พ.ศ. 2569

ของบริษัท เนชั่นเนล เพาเวอร์ ซัพพลาย จำกัด(มหาชน) และบริษัทย่อย

ลำดับ	หลักสูตร	รอบการอบรม
1	ปฐมพยาบาลเบื้องต้น	23 มีนาคม 2569 20 พฤษภาคม 2569 18 มิถุนายน 2569
2	ความปลอดภัยในการทำงานเกี่ยวกับไฟฟ้าสำหรับลูกจ้าง	16 มกราคม 2569 25 กุมภาพันธ์ 2569 24 เมษายน 2569 30 มิถุนายน 2569
3	ความปลอดภัยสารเคมี	22 มกราคม 2569 18 กุมภาพันธ์ 2569 30 มีนาคม 2569 29 พฤษภาคม 2569
4	ความปลอดภัยในการทำงานในที่อับอากาศ	10-13 กุมภาพันธ์ 2569 17-20 กุมภาพันธ์ 2569 21-24 มิถุนายน 2569
5	เจ้าหน้าที่ความปลอดภัยในการทำงาน ระดับหัวหน้างาน	12-13 กุมภาพันธ์ 2569 28-29 เมษายน 2569
6	ผู้ควบคุมประจําหม้อน้ำและหม้อต้มที่ใช้ของเหลวเป็นสื่อนํ้าความร้อน	9 - 14 มีนาคม 2569 15 - 20 มิถุนายน 2569

1.ตัวอย่างภาพแสดงการอบรมหลักสูตรปฐมพยาบาลเบื้องต้น



ตัวอย่างเอกสารลงชื่อ
เข้ารับการฝึกอบรมหลักสูตรปฐมนิเทศเบื้องต้น



- ☐ NPS
- ☐ NPP2
- ☐ NPP3
- ☐ IRC
- ☐ FG
- ☐ NPP5A
- ☐ NPP5
- ☐ E85
- ☐ NS304
- ☐ SNST

Attendance record

Training Session

ปฐมนิเทศและการกุชีพเบื้องต้น รุ่นที่ 2/2569

Instructor

ทีมครุต้น

Date-Time

2026-03-23@08:30-16:00

Training Group

ทุกคนที่เกี่ยวข้อง

Venue

ห้องสกรีนเนอร์ โรงแรมทวาราวดี

Hour(s)

6.5

No.	ID Card Company	ID Card Number	Name	Position	Department	Signature เวลาเข้า 08:30 น.	Signature เวลาออก 16:00 น.
1	NPS	610412 XXXXXXXXX8166	ณัฐฉา ญญพม	Mechanical Maintenance	Engineering Maintenance (EM)		
2	IRC	39937 XXXXXXXXX0351	ไพรัช พรหมแดง	Senior Shift Analyst IPI	R&D POWER		
3	NPS	680619 XXXXXXXXX5761	แฟรงค์ ประกิจ	HRBP Officer	Human Capital Management (HC)		
4	NS	630593 XXXXXXXXX5924	ชินทร์ ดอนไชย	ช่างเหล็ก	Civil Maintenance & Refractory		
5	NS	630594 XXXXXXXXX1938	ศุจิตรา แฉ่งสว่าง	กรรมกรก่อสร้าง	Civil Maintenance & Refractory		
6	NS	650009 XXXXXXXXX2911	เจนณรงค์ เป็ญเจริญ	วิศวกรโยธา	Civil Maintenance & Refractory		
7	NS	650585 XXXXXXXXX6443	กณิษฐกานดา ทองผุด	ช่างบำรุงเทคนิคอาคารก่อสร้าง ระดับ 1	Civil Maintenance & Refractory		
8	NS	668031 XXXXXXXXX2147	ณัฐพงษ์ ฤทธิชัย	วิศวกรงานเชื่อม	Welding Service (Non-Pressure part IPI)		
9	NS	542900 XXXXXXXXX8811	เอกพันธ์ วรณพัฒน์	ช่างบำรุงรักษาระบบควบคุมและเครื่องมือวัด ระดับ 2	Maintenance E85		
10	NS	560279 XXXXXXXXX7696	สุภาวิทย์ จุสมณี	ช่างบำรุงรักษาระบบควบคุมและเครื่องมือวัด ระดับ 3	Maintenance E85		
11	NS	621502 XXXXXXXXX0740	ธอพล เป็ลวพสิง	ช่างบำรุงรักษาระบบเครื่องกล ระดับ 1	Maintenance E85		
12	NS304	601285 XXXXXXXXX1296	เอกชัย พันเจริญ	Drinking Water Process Worker	Water Plant Operation		
13	AA_IPI	17975 XXXXXXXXX1501	ปิยะวัฒน์ ไพเราะชาญชาญ	Water Treatment & ETP Supervisor	ETP		

FR-QES-PUH-HRD-003_01

Effective date : 30 Jul 2020

						Signature	Signature	
No.	ID Company	ID Card Number	Name	Position	Department	เวลาเข้า 08:30 น.	เวลาออก 16:00 น.	
14	NS304	590795 XXXXXXXXX2902	ชอเบี ฆนพฉินพร	WTP&ETP&RCP Operator	Water Plant Operation			
15	NS304	680270 XXXXXXXXX7181	สนทยา การเพียร	ETP Plant Operator	Water Plant Operation			
16	NS304	550671 XXXXXXXXX4321	เลกพิรุฬ จ่านงศ์โวย	WTP&ETP Board Control Operator	Water Plant Operation			
17	304P7	532566 XXXXXXXXX7615	รัตนากันทางวงศ์	ETP Senior Engineer	Plant Operation			
18	AA_IP1	650852 XXXXXXXXX4681	ปรีชาชาญ เหลืองนภา	ETP Plant Engineer	ETP			
19	DANS	670484 XXXXXXXXX3096	ปณณรัตน์ แสงนาค	WTP Engineer	Water Plant Operation			
20	NPP5A	14670006 XXXXXXXXX0005	สัทธกร สายสำโรง	Board Control Operator PP6	Plant Operation (PO-A)			
21	NPP5A	591297 XXXXXXXXX4704	ทรงพล หนูสวัสดิ์	Plant Operator PP6	Plant Operation (PO-A)			
22	NPP5A	18511857 XXXXXXXXX1857	พรเดช ตั้งตระกูลเดชา	Board Control Operator PP11	Plant Operation (PO-A)			
23	NPP5A	680742 XXXXXXXXX6389	กิตติภูมิ เยื่อใย	Plant Operator	Plant Operation (PO-A)			
24	[SUP] NPS LCG	99681555 XXXXXXXXXX	LA -	งานทั่วไป	NPS			
FR-QES-PUH-HRD-003_01						Effective date : 30 Jul 2020		
1(1)								

1(1)



- ☐ NPS
 ☐ NPP2
 ☐ NPP3
 ☐ IRC
- ☐ FG
 ☐ NPP5A
 ☐ NPP5
- ☐ E85
 ☐ NS304
 ☐ SNST

Attendance record

Training Session ปฐมนิเทศและภารกิจขึ้นเมืองต้น รุ่นที่ 3/2569	Training Group พนักงานทุกคนเกี่ยวข้อง
Instructor ครูต้นและทีม	Venue ทหาราวดี ห้องศรีอยุธยา
Date-Time 2026-05-20@08:30-16:00	Hour(s) 6.5

						Signature	Signature
No.	ID Company	ID Card Number	Name	Position	Department	เวลาเข้า 08:30 น.	เวลาออก 16:00 น.
1	NS	668089 XXXXXXXXX7402	ศุภัญญา สมชัย	Digital Solution Project Leader	Information Technology and Cyber Security		
2	NS	668090 XXXXXXXXX9880	ปัทมลา พาณิชพิณ	Digital Solution Project Leader	Information Technology and Cyber Security		
3	NS	658208 XXXXXXXXX9139	พนิต นนทธี	Senior Digital Solution Content & Website	Information Technology and Cyber Security		
4	NS	668203 XXXXXXXXX9471	ชติภา แสงโกล	Junior Digital Solution Content & Website	Information Technology and Cyber Security		
5	NPS	660927 XXXXXXXXX6175	ปณิธาน เทพมณีดี	IT Junior Project Coordinate	IT Application		
6	NS	541805 XXXXXXXXX3785	ปิยะบุตร บุญชัย	Digital Solution Developer	Information Technology and Cyber Security		
7	NS	548896 XXXXXXXXX0107	จตุพร ตั้งเขาร	IT Section Manager	Information Technology and Cyber Security		
8	NPS	680852 XXXXXXXXX6816	กรวิภาศ สัจจาสมัย	Mechanical Maintenance Engineer	Engineering Maintenance (EM)		
9	NS304	580679 XXXXXXXXX9074	อิชฎาภา วัฒนสง	WTP&ETP Board Control Operator	Water Plant Operation		
10	NS304	680030 XXXXXXXXX3556	ภูวดล เคนสมดี	WTP&ETP Board Control Operator	Water Plant Operation		
11	304P1	17908412 XXXXXXXXX8412	สุรศักดิ์ นวกุมลดา	WTP&ETP Board Control Operator	Plant Operation		
12	304P7	28307 XXXXXXXXX2174	สุเทพ จันทร์จำรัส	Water Treatment & ETP Supervisor	Plant Operation		
13	NPP5A	660072 XXXXXXXXX8457	วิรัชพรชัย อิ่มทรัพย์แก้ว	Plant Operator (Oil&Grease)	Plant Operation (PO-A)		
FR-QES-PUH-HRD-003_01						Effective date : 30 Jul 2020	

1(1)

No.	ID Company	ID Card Number	Name	Position	Department	Signature	Signature
						เวลาเช้า 08:30 น.	เวลาออก 16:00 น.
14	NIS	620634 XXXXXXXX4995	เจียรโนม จันทะประจา	ช่างบำรุงรักษาเครื่องมือวัด ระดับ 2	Automation Service		
15	NIS	630151 XXXXXXXX7330	ศักดิ์พาส ี่สูง	ช่างบำรุงรักษาระบบควบคุม ระดับ 1	Automation Service		
16	NIS	690160 XXXXXXXX8687	กาญจนาพร สรรพเคราะห์	ผู้ช่วยช่างบำรุงรักษาระบบเครื่องมือวัด	Automation Service		
17	NIS	690161 XXXXXXXX7779	อภิสิทธิ์ ธิกษาสิทธิ์	ผู้ช่วยช่างบำรุงรักษาระบบเครื่องมือวัด	Automation Service		
18	NIS	601344 XXXXXXXX2983	ฉานนพ วัชรธรรณ	ช่างบำรุงรักษาระบบเครื่องกล ระดับ 2	Maintenance E85		
19	NIS	650216 XXXXXXXX2601	จิระวัฒน์ สาทิพย์จันทร์	ช่างบำรุงรักษาระบบไฟฟ้า ระดับ 2	Maintenance E85		
20	NIS	690111 XXXXXXXX2225	รัชชานนท์ เพ็ชรศุภผล	ผู้ช่วยช่างซ่อมบำรุงเครื่องกล	Maintenance E85		
21	NIS	690229 XXXXXXXX6046	ไชยวัฒน์ โพธิ์ทอง	ผู้ช่วยช่างซ่อมบำรุงรักษาระบบไฟฟ้า	Maintenance E85		
22	E85	541355 XXXXXXXX7774	พนิดา เท่งนากา	Sales Section Manager	Sales		
23	NIS	690025 XXXXXXXX4143	เดชาธร สีสถาน	ช่างบำรุงรักษาระบบควบคุมและเครื่องมือวัด	Automation Service		
24	NIS	690263 XXXXXXXX4586	วศิษฐ์ สายสินธุ์	ผู้ช่วยช่างบำรุงรักษาระบบควบคุมและเครื่องมือวัด	Automation Service		
25	NIS	690264 XXXXXXXX0644	ธนกรณ วาจาหวาน	ผู้ช่วยช่างบำรุงรักษาระบบควบคุมและเครื่องมือวัด	Automation Service		
26	NIS	690265 XXXXXXXX7863	ณัฐพงษ์ เพียรจาม	ผู้ช่วยช่างบำรุงรักษาระบบควบคุมและเครื่องมือ	Automation Service		
27	NIS	690266 XXXXXXXX0601	พงศ์พัชร คุมคาย	ผู้ช่วยช่างบำรุงรักษาระบบควบคุมและเครื่องมือวัด	Automation Maintenance		
28	FG	680874 XXXXXXXX5129	กฤษณะ ไสน์ใจงาม[*ลาออก]	Predictive Maintenance & Design 	Predictive Maintenance & Design Change		
29	NPS	17937949 XXXXXXXX7949	ณิพนธ์ แสงแก้ว	Board Control Operator Turbine PP7,8	Plant Operation (PO-B)		
30	FG	18416748 XXXXXXXX6748	อภิชาติ สมศักดิ์	Plant Operator Boiler	Plant Operation (PO-B)		
31	NPS	18516685 XXXXXXXX6685	อำนาจ ประดิษฐ์	Shift Supervisor	Plant Operation (PO-B)		
32	NPS	18542753 XXXXXXXX2753	สันติชัย ชูงาม	Board Control Operator Boiler PP 7,8	Plant Operation (PO-B)		
FR-QES-PUH-HRD-003_01				Effective date : 30 Jul 2020		1(1)	

No.	ID Company	ID Card Number	Name	Position	Department	Signature	Signature
						เวลาเช้า 08:30 น.	เวลาออก 16:00 น.
33	FG	24433 XXXXXXXX5074	สมพงษ์ นดิระอด	Board Control Operator Boiler PP9	Plant Operation (PO-B)		
34	FG	47398 XXXXXXXX3768	นิศักดิ์ แสงเมือง	Board Control Operator Turbine PP9	Plant Operation (PO-B)		
35	NPS	570953 XXXXXXXX5042	สิงห์ศักดิ์ เมืองแก้ว	Plant Operator Turbine PP7,8	Plant Operation (PO-B)		
36	NPS	570956 XXXXXXXX1201	ศราวุฒิ ผิวทอง	Board Control Operator Boiler PP 7,8	Plant Operation (PO-B)		
37	NPS	650275 XXXXXXXX2261	สังศต บุตรดี	Plant Operator PP7,8	Plant Operation (PO-B)		
38	FG	561666 XXXXXXXX0046	ประเจียง พรหมพุกกะ	Shift Supervisor PP9	Plant Operation (PO-B)		
39	NPS	18544855 XXXXXXXX4855	พุดิเศษฐ์ สิงห์วังค์	Shift Manager	Plant Operation (PO-B)		
40	FG	680111 XXXXXXXX3656	พิทยา พึ่งพา	Plant Operator	Operation		
41	FG	590000 XXXXXXXX2198	ณัฐพล เปรมบุญ	Plant Operator inter substation	Plant Operation (PO-B)		
42	FG	680460 XXXXXXXX8868	อภิสิทธิ์ ศรีทองษ์	Plant Operator	Plant Operation		
FR-QES-PUH-HRD-003_01						Effective date : 30 Jul 2020	
1(1)							

2.ตัวอย่างภาพแสดงการอบรมหลักสูตรความปลอดภัยในการทำงานเกี่ยวกับไฟฟ้าสำหรับลูกจ้าง



ตัวอย่างเอกสารการลงชื่อเข้ารับการการฝึกอบรมหลักสูตร
ความปลอดภัยในการทำงานเกี่ยวกับไฟฟ้าสำหรับลูกจ้าง



- ☐ NPS
- ☐ NPP2
- ☐ NPP3
- ☐ IRC
- ☐ FG
- ☐ NPP5A
- ☐ NPP5
- ☐ E85
- ☐ NS304
- ☐ SNST

Attendance record

Training Session

หลักสูตร ความปลอดภัยในการทำงานเกี่ยวกับไฟฟ้าสำหรับลูกจ้าง ซึ่งปฏิบัติงานเ

Instructor

อาจารย์ สุพล ครอบณรงค์

Date-Time

2026-01-16@08:30-16:00

Training Group

พนักงานทุกคนที่ทำงานเกี่ยวกับไฟฟ้า

Venue

ทาวเวอร์ดี รีสอร์ท

Hour(s)

6.5

No.	ID Company	ID Card Number	Name	Position	Department	Signature เวลาเข้า 08:30 น.	Signature เวลาออก 16:00 น.
1	NPP5A	660917 XXXXXXXX4211	นิวครอน ทัศนชัย สิทธิ์	Electrical Maintenance Engineer (CM)	Engineering Maintenance (EM)		
2	NPP3	24154 XXXXXXXX7321	โรจน์ชัย วัจน์ มากมี	Outage Planning Engineer	Engineering Maintenance (EM)		
3	E85	670336 XXXXXXXX3715	อภิชาติชา บุญมี	Environmental Controller	Safety Health Environment Quality (SQ)		
4	IRC	670404 XXXXXXXX9834	ชครวิทธี อีร อิทธิพัฒน์	PdM & Design Change Engineer	R&D POWER		
5	NPP5A	19448 XXXXXXXX1143	รังสรรค์ สมังแก้ว	ECC Electrical	Engineering Maintenance (EM)		
6	NPS	670392 XXXXXXXX0836	พิทักษ์ณ พิลศร	Electrical Maintenance Technician (PSD) LV.1	Engineering Maintenance (EM)		
7	FG	670896 XXXXXXXX5051	พงศกร โพธิ์บุรี	Electrical Maintenance Technician (PSD) LV.1	Engineering Maintenance (EM)		
8	NPS	660613 XXXXXXXX7866	ธนวิทย์ ฉ้วนคง	Electrical Project Engineer	Engineering Maintenance (EM)		
9	NPS	680402 XXXXXXXX7245	สืบสกุล มอญปาก	Automation Maintenance Technician (PSD) LV.1	Engineering Maintenance (EM)		
10	NPS	680650 XXXXXXXX9151	วาศิม ร้อง จันทร์รา	T&D Maintenance Technician	Project Development & Plant Rebuilt		
11	NPS	680805 XXXXXXXX2079	สิทธิโชค อินวิริยะ	T&D Maintenance Technician	Project Development & Plant Rebuilt		
12	NPS	680466 XXXXXXXX3203	ภัทรพล ถาวร	T&D Maintenance Technician LV.1	Project Development & Plant Rebuilt		
13	NPS	680408 XXXXXXXX6058	บุรพา สาธณม	T&D Maintenance Technician LV.1	Project Development & Plant Rebuilt		
14	NPP5A	661168	ธวัชชัย				

		XXXXXXXXX0748	สุดเลิศ	Plant Operator PPII	Plant Operation (PO-A)	
15	IRC	620764 XXXXXXXXX7845	สมรเทพ สายสุ วรรณ	Senior Fuel Material Analyst IP1	R&D POWER	
16	NIS	680330 XXXXXXXXX8301	ธนศ ภูมิ สาร	ผู้ช่วยช่างบำรุงรักษาเครื่องกล	Maintenance E85	
17	NPP5A	735352 XXXXXXXXX5352	ราชันย์ จัน พิทโร	Electrical Maintenance Leader (PSD)	Engineering Maintenance (EM)	
18	FG	592132 XXXXXXXXX9081	วิษยา จำปารัตน์	Plant Operator inter substation	Plant Operation (PO-B)	
19	NPP3	14920148 XXXXXXXXX0148	สมพร ทุม เกาะ["ลา ออก]	Electrical Maintenance Specialist (CM)	Engineering Maintenance (EM)	
20	NPP3	680328 XXXXXXXXX4042	ณัฐวุฒิ นนิ จันทร์["ลา ออก]	ผู้ช่วยช่างบำรุงรักษาไฟฟ้า	Engineering Maintenance (EM)	
21	NPP3	680329 XXXXXXXXX3388	สุทธิศักดิ์ จงใจ วัชร["ลา ออก]	ผู้ช่วยช่างบำรุงรักษาไฟฟ้า	Engineering Maintenance (EM)	
22	NIS	660276 XXXXXXXXX9994	พัฒนวิ ปัทมบริด สา	Mechanical Project Junior Engineer	Project Department	
23	NIS	660578 XXXXXXXXX8787	ชัยพร ไกร สุวรรณ	Mechanical Project Junior Engineer	Project Department	
24	NIS	670595 XXXXXXXXX0851	ณกรณ์ สิงปะระ พันธุ์	Mechanical Project Junior Engineer	Project Department	
25	NPP3	660051 XXXXXXXXX3664	ณัฐกรณ์ ดอนกลอย	Plant Operator (Oil&Grease)	Plant Operation	
26	NPP3	660472 XXXXXXXXX0261	นพกานต์ อ่อนชวด	Plant Operator (Oil&Grease)	Plant Operation	
27	NPP3	660791 XXXXXXXXX7499	ณกร วิ บุญ	Plant Operator (Oil&Grease)	Plant Operation	
28	NIS	680885 XXXXXXXXX2117	ชลธิชา พานเพ็ ชร["ลา ออก]	ช่างบำรุงรักษาระบบควบคุมและเครื่องมือวัด	Automation Service	
29	NIS	680856 XXXXXXXXX1202	ธนวิทย์ เชื้อง	วิศวกรระบบควบคุมและเครื่องมือวัด	Automation Service	
30	NIS	660809 XXXXXXXXX7891	วราวุธ โสมศรี	ช่างบำรุงรักษาเครื่องมือวัด ระดับ 1	Automation Service	
31	NIS	630151 XXXXXXXXX7330	สันหนาส มีสุ่น	ช่างบำรุงรักษาระบบควบคุม ระดับ 1	Automation Service	
32	NIS	660135 XXXXXXXXX7134	สิทธิพงษ์ แสงสิกร	ช่างบำรุงรักษาระบบไฟฟ้า ระดับ 1	Electrical Service	
33	NIS	580586	พนมกร			

		XXXXXXXXX3521	ศรีจีน กลาง	ช่างบำรุงรักษาไฟฟ้าระบบ ESP ระดับ 2	Electrical Service	
34	NIS	661026 XXXXXXXXX1641	สิริภูมิ คำเพชร	ช่างบำรุงรักษาระบบไฟฟ้า ระดับ 1	Electrical Services	
35	FG	660074 XXXXXXXXX7799	วัชรพงษ์ เข้มสุข	Plant Operator (Oil&Grease)	Plant Operation (PO-B)	
36	FG	680348 XXXXXXXXX4341	ชรินทร์ คำพา	Plant Operator	Plant Operation	
37	FG	680350 XXXXXXXXX5061	สุรชัย สุขมี	Plant Operator	Plant Operation	
38	NPP5A	21255 XXXXXXXXX8261	บัญชา นาคู	Mechanical Maintenance Leader (CM)	Engineering Maintenance (EM)	
39	NPP5A	17688 XXXXXXXXX1795	จักรกฤษณ์ ตุงคโยธา	Mechanical Maintenance Technician (CM) LV.3	Engineering Maintenance (EM)	
40	NPP5A	670767 XXXXXXXXX2865	ประจวน แสนวัง	Mechanical Maintenance Specialist	Engineering Maintenance (EM)	
41	NPP5A	680213 XXXXXXXXX3978	ชัยวัฒน์ วงศ์แสง[*ลาออก]	ผู้ช่วยช่างบำรุงรักษาเครื่องกล	Engineering Maintenance (EM)	
42	NPP5A	680214 XXXXXXXXX9318	พิพัฒน์ชัย ชัยชนะ[*ลาออก]	ผู้ช่วยช่างบำรุงรักษาเครื่องกล	Engineering Maintenance (EM)	

FR-QES-PUH-HRD-003_01

Effective date : 30 Jul 2020

1(1)



- ☐ NPS
- ☐ NPP2
- ☐ NPP3
- ☐ IRC
- ☐ FG
- ☐ NPP5A
- ☐ NPP5
- ☐ E85
- ☐ NS304
- ☐ SNST

Attendance record

Training Session

หลักสูตร ความปลอดภัยในการทำงานเกี่ยวกับไฟฟ้า สำหรับลูกจ้างซึ่งปฏิบัติงานเก

Instructor

อาจารย์สุพล คล่องณรงค์

Date-Time

2026-04-24@08:30-16:00

Training Group

พนักงานทุกคนที่ทำงานเกี่ยวกับไฟฟ้า

Venue

ห้องสัมมนา PM 3

Hour(s)

6.5

No.	ID Company	ID Card Number	Name	Position	Department	Signature	Signature
						เวลาเข้า 08:30 น.	เวลาออก 16:00 น.
1	NIS	660446 XXXXXXXXX2454	สราวุธ เจริญดี	ผู้ช่วยช่างเทคนิค งานซ่อมบำรุงรถจักรกลหนัก	Heavy Machine Maintenance IPI		
2	NPS	690120 XXXXXXXXX4789	พรเทพ ประทีปคำ	ผู้ช่วยช่างบำรุงรักษาเครื่องกล	Engineering Maintenance (EM)		
3	NPS	690119 XXXXXXXXX1179	ภูวนาท สุรวัธน์	ผู้ช่วยช่างบำรุงรักษาเครื่องกล	Engineering Maintenance (EM)		
4	IRC	680722 XXXXXXXXX7447	ณัฐภูมิ ลูบลครุฑ	Workplace & Ambient Analyst	WORKPLACE & AMBIENT AIR LAB		
5	NPS	18582233 XXXXXXXXX2233	กฤตภาส วรณสิทธิ์	Board Control Operator Turbine PP7,8	Plant Operation (PO-B)		
6	NPS	21770 XXXXXXXXX1250	ภูวนเดช วรศรี	Board Control Operator Boiler PP 7,8	Plant Operation (PO-B)		
7	AA_IP1	600458 XXXXXXXXX1264	นพดล กลสารณ์	WTP&ETP Board Control Operator	ETP		
8	304IP7	620135 XXXXXXXXX5660	ฤทธิเกียรติ จันทระญู	WTP&ETP&RCP Operator	Plant Operation		
9	304IP1	640341 XXXXXXXXX3331	วัลลภ เทิชรวิ้น	WTP&ETP&RCP Operator	Plant Operation		
10	AA_IP1	17913228 XXXXXXXXX3228	ธิตัก หนูนสี	OCC Water Plant	ETP		
11	304IP7	532566 XXXXXXXXX7615	วัฒนา กันทวงค์	ETP Senior Engineer	Plant Operation		
12	AA_IP1	650852 XXXXXXXXX4661	ปรีชาบุษ เทื่อนเมษา	ETP Plant Engineer	ETP		
13	NIS	541677 XXXXXXXXX2288	อนุสินธุ์ ศรีเทศ	ช่างบำรุงรักษาเครื่องมือวัด ระดับ 3	Automation Service		
14	NIS	591282	จุฑาท				

		XXXXXXXX1299	วรรณศรี	ช่างบำรุงรักษาระบบควบคุม ระดับ 2	Automation Service
15	NIS	620632 XXXXXXXX4975	จตุรศักดิ์ ทับแก้ว	ช่างบำรุงรักษาเครื่องมือวัด ระดับ 1	Automation Service
16	NIS	630284 XXXXXXXX3999	วันชัย นาคนิลสัง ค์	วิศวกรบำรุงรักษาระบบควบคุม	Automation Service
17	NIS	25400 XXXXXXXX0669	ชาตรี หัน ทลุง	ผู้ควบคุมศูนย์บัญชาการงานซ่อมบำรุง E85	Maintenance E85
18	NIS	541484 XXXXXXXX4393	อริวัฒน์ แก้วดี	ช่างบำรุงรักษาระบบควบคุมและเครื่องมือวัด ระดับ 2	Maintenance E85
19	NIS	650216 XXXXXXXX2601	จิระวัฒน์ สาทิพย์ จันทร์	ช่างบำรุงรักษาระบบไฟฟ้า ระดับ 2	Maintenance E85
20	NIS	650517 XXXXXXXX0411	บุรพา ฤทธิ	ช่างบำรุงรักษาระบบควบคุมและเครื่องมือวัด ระดับ 1	Maintenance E85
21	GLS	661088 XXXXXXXX5211	จันทนา สุธวัน	Safety Officer	Support สนส่ง
22	NPS	690021 XXXXXXXX1137	ยุทธนา ใจ หรั่ง	Electrical Maintenance Technician (CM)	Engineering Maintenance (EM)
23	NPS	680401 XXXXXXXX5651	นาวิน จา ลิทธิ์	Electrical Maintenance Technician (CM) LV.1	Engineering Maintenance (EM)
24	NPS	690099 XXXXXXXX6394	อนุวัฒน์ ปิตถานนท์	ผู้ช่วยช่างบำรุงรักษาไฟฟ้า	Engineering Maintenance (EM)
25	NPS	690098 XXXXXXXX9622	ยศวริศ จักรคำ	ผู้ช่วยช่างบำรุงรักษาไฟฟ้า	Engineering Maintenance (EM)
26	NPS	680764 XXXXXXXX3200	สุริยา เกตุ ทุมมี	Electrical Maintenance Technician (CM)	Engineering Maintenance (EM)
27	NPP3	670719 XXXXXXXX0614	วราเชล ธัญญาหาร	Electrical Maintenance Technician (CM) LV.1	Engineering Maintenance (EM)
28	NIS	650619 XXXXXXXX6550	ธีรพงศ์ เมธีรัตน์	ช่างเทคนิคระดับ 1 งานซ่อมบำรุงรถจักรกลหนัก	Heavy Machine Maintenance IPI

FR-QES-PUH-HRD-003_01

Effective date : 30 Jul 2020

1(1)

3.ตัวอย่างภาพแสดงการอบรมหลักสูตรความปลอดภัยสารเคมี



ตัวอย่างเอกสารการลงชื่อ
เข้ารับการฝึกอบรมหลักสูตรความปลอดภัยสารเคมี



- ☐ NPS
- ☐ NPP2
- ☐ NPP3
- ☐ IRC
- ☐ FG
- ☐ NPP5A
- ☐ NPP5
- ☐ E85
- ☐ NS304
- ☐ SNST

Attendance record

Training Session

หลักสูตร ความปลอดภัยในการทำงานกับสารเคมีอันตรายและการตอบโต้กรณีเหตุ

Instructor

อาจารย์จาก Toppro

Date-Time

2026-01-22@08:30-16:00

Training Group

พนักงานที่ทำงานเกี่ยวกับสารเคมี

Venue

ทวารวดี รีสอร์ท

Hour(s)

6.5

No.	ID Company	ID Card Number	Name	Position	Department	Signature เวลาเข้า 08:30 น.	Signature เวลาออก 16:00 น.
1	NPS	117 XXXXXXXXX8851	จิตพล บริวทอง	Mechanical Maintenance Technician (PSD) LV.3	Engineering Maintenance (EM)		
2	NPS	18887 XXXXXXXXX9625	สายชล สรุขามณี	NDT Maintenance Specialist	Engineering Services (ES)		
3	NPS	680768 XXXXXXXXX7022	จักรกริช ปิ่นเนตร	NDT Technician	Engineering Services (ES)		
4	NPS	562895 XXXXXXXXX8872	กิตติธัช ปุ ระสุวรรณ์	NDT Maintenance Leader	Engineering Services (ES)		
5	NPS	549529 XXXXXXXXX1360	ปราโมทย์ พันธ์งาม	NDT Maintenance Leader	Engineering Services (ES)		
6	NPS	660379 XXXXXXXXX4240	อานันต์ นรจกิจ	NDT Maintenance Specialist	Engineering Maintenance (EM)		
7	NPS	640371 XXXXXXXXX3776	ณัฐนันท์ ทองพิมพ์	NDT Technician	Engineering Services (ES)		
8	NPP5A	591643 XXXXXXXXX1775	นพรัตน์ รุ่งแสง	Shift Mechanical Technician LV.2	Engineering Maintenance (EM)		
9	NPS	590623 XXXXXXXXX8501	บัณฑิต นาคมั่ง	NDT Technician	Engineering Services (ES)		
10	NPS	600660 XXXXXXXXX6105	ปฏินันท์ ศรี สุภา	NDT Technician	Engineering Services (ES)		
11	NPS	661036 XXXXXXXXX6159	ธีรภัทร บำรุง เกรวิน	NDT Technician	Engineering Maintenance (EM)		
12	NPS	572508 XXXXXXXXX5756	สุรศักดิ์ สินสันต์	NDT Maintenance Specialist	Engineering Services (ES)		
13	NPS	18551153 XXXXXXXXX11153	มานพ นาคู	Shift Supervisor	Plant Operation (PO-B)		
14	NPS	580496	ธวัชชัย				

		XXXXXXXX5619	โจติ	Board Control Operator Boiler PP 7,8	Plant Operation (PO-B)
15	E85	670687 XXXXXXXXX6478	พัฒนพงษ์ ด้าน บริหาร	QA Analyst	QA
16	NPS	82 XXXXXXXXX4324	สุริช อดทน	ECC Mechanical (CM)	Engineering Maintenance (EM)
17	IRC	550024 XXXXXXXXX7704	กฤษณชัย จาอรุณ	Automation Maintenance Section Mgr. (CM)	R&D POWER
18	NPS	670007 XXXXXXXXX6835	สุภากร พันธุ์ภักดี	Automation Maintenance Advisor	Corrective Maintenance & Force Shutdown
19	NPP5A	18500262 XXXXXXXXX0262	มงคล อิน ต๊ะกัน	Shift Manager	Plant Operation (PO-A)
20	NPP5A	530885 XXXXXXXXX0738	อภิวัฒน์ จำปาบุญ	Board Control Operator PP6	Plant Operation (PO-A)
21	NPP5A	570812 XXXXXXXXX6041	อภิสิทธิ์ พลไชย	Board Control Operator	Plant Operation (PO-A)
22	NPP5A	680462 XXXXXXXXX8271	กิตติศักดิ์ วาสะศิริ	Plant Operator	Plant Operation (PO-A)
23	NPP3	560782 XXXXXXXXX5022	สุรนาท ว รพูน	Plant Operator PP3	Plant Operation
24	IRC	620882 XXXXXXXXX0101	ชนนิกานต์ แสนสุข	Chemical Technical Analyst	WATER LAB IP1
25	IRC	550975 XXXXXXXXX4740	สุปราณี พุทธเม นวงศ์	Laboratory Analyst	WATER LAB IP1
26	IRC	571035 XXXXXXXXX7401	แนวศา คำสา	Laboratory Analyst	WATER LAB IP1
27	NPS	660846 XXXXXXXXX9911	วงศธร ขุนพล	Mechanical Maintenance Technician (CM) LV.1	Engineering Maintenance (EM)
28	NPS	680294 XXXXXXXXX0968	เกษม กล พิชัย	Mechanical Maintenance Technician (CM) LV.3	Engineering Maintenance (EM)
29	NPP5A	650251 XXXXXXXXX0934	เกษมสุข ดอกพวง	Plant Operator	Plant Operation (PO-A)

FR-QES-PUH-HRD-003_01

Effective date : 30 Jul 2020

1(1)



- ☐ NPS
- ☐ NPP2
- ☐ NPP3
- ☐ IRC
- ☐ FG
- ☐ NPP5A
- ☐ NPP5
- ☐ E85
- ☐ NS304
- ☐ SNST

Attendance record

Training Session

หลักสูตร ความปลอดภัยในการทำงานกับสารเคมีอันตรายและการตอบโต้กรณีเหตุ

Instructor

Toppro

Date-Time

2026-05-29@08:30-16:00

Training Group

พนักงานทุกคนที่ทำงานเกี่ยวกับสารเคมี

Venue

ทาวราวดิ รีสอร์ท

Hour(s)

6.5

No.	ID Company	ID Card Number	Name	Position	Department	Signature	Signature
						เวลาเข้า 08:30 น.	เวลาออก 16:00 น.
1	NIS	660635 XXXXXXXXX7261	คุณานนท์ อนนท์	วิศวกรปรับปรุงประสิทธิภาพ	Efficiency Central Maintenance		
2	NIS	660876 XXXXXXXXX2736	สุชานันท์ พรวิมล ไพโรจน์	วิศวกรปรับปรุงประสิทธิภาพ	Efficiency Central Maintenance		
3	NIS	680438 XXXXXXXXX2751	สุทธิชัย สิทธิสุข	วิศวกรปรับปรุงประสิทธิภาพ	Efficiency Maintenance		
4	NIS	38049 XXXXXXXXX4167	เวธิน แซ่ นั้	ผู้เชี่ยวชาญงาน Overhaul ระดับ 1	Mechanical Service		
5	NIS	590004 XXXXXXXXX7197	สุ ประคัม สมบัติ	ช่างเปลี่ยนลูกกลิ้ง (Roll Changing)และงาน บำรุงรักษาเครื่องกล ระดับ 2	Mechanical Service		
6	NIS	592357 XXXXXXXXX7064	เมธก ศรีจันทร์	ช่าง(Roll Reconditioning)และงานบำรุง รักษาเครื่องกล ระดับ 2	Mechanical Service		
7	NIS	680441 XXXXXXXXX4181	นิติศักดิ์ ครองเชิด	วิศวกรบำรุงรักษาเครื่องกล	Mechanical Service		
8	NIS	680487 XXXXXXXXX8136	จิรวัฒน์ ปิ่นพิะ	วิศวกรบำรุงรักษาเครื่องกล	Mechanical Service		
9	NIS	572323 XXXXXXXXX3120	กมลชนก ราช มณฑะเฑียร	รักษาการผู้จัดการฝ่ายวางแผนงานบำรุงรักษา และปรับปรุงประสิทธิภาพ	Efficiency Central Maintenance		
10	NIS	690349 XXXXXXXXX5320	พิทักษ์กร ไกรสร เสนา	วิศวกรปรับปรุงประสิทธิภาพ	Efficiency Central Maintenance		
11	NPP5A	543591 XXXXXXXXX3622	ชยพล พันธ์ เจริญ	Operational Control Center	Plant Operation (PO-A)		
12	NPP5A	533284 XXXXXXXXX8629	อรัญรัตน์ สมเชิณ	Board Control Operator	Plant Operation (PO-A)		
13	NPP5A	550979 XXXXXXXXX9581	วสันต์ ปา วะชัย	Board Control Operator	Plant Operation (PO-A)		

14	NPS	680592 XXXXXXXXX4369	สุสสันต์ พรมมี พันธ์	Mechanical Maintenance Technician (PSD) LV.1	Engineering Maintenance (EM)
15	E85	680597 XXXXXXXXX7217	วิรัชพงษ์ หาดนาง แก้ว	Despatch Operator	Logistic
16	NIS	650575 XXXXXXXXX0701	ชาญ ณรงค์ มีว ทองอ่อน	วิศวกรบำรุงรักษาระบบไฟฟ้า	Electrical Service
17	NPS	670526 XXXXXXXXX7121	กนกพล ฉิวทอง	Plant Operator	Plant Operation (PO)
18	FG	680429 XXXXXXXXX5014	ชัยวัฒน์ สิลุต	Plant Operator	Plant Operation
19	FG	601413 XXXXXXXXX5787	อุทัย วิเศษ กันทราร	Plant Operator BOP	Plant Operation (PO-B)
20	NPPSA	580614 XXXXXXXXX3195	ชุมพล ชะเอน	Board Control Operator PPII	Plant Operation (PO-A)
21	NIS	690110 XXXXXXXXX8032	วิรัชวิทย์ แสนมณี	ผู้ช่วยช่างบำรุงรักษาเครื่องกล	Mechanical Service
22	NPPSA	640526 XXXXXXXXX5461	ธนกฤต ชนมู่	Automation Maintenance Technician (CM) LV.1	Engineering Maintenance (EM)

FR-QES-PUH-HRD-003_01

Effective date : 30 Jul 2020

1(1)

4.ตัวอย่างภาพแสดงการอบรมหลักสูตรความปลอดภัยในการทำงานในที่อับอากาศ



ตัวอย่างเอกสารการลงชื่อเข้ารับการฝึกอบรมหลักสูตร
การฝึกอบรมหลักสูตรความปลอดภัยในการทำงานในที่อับอากาศ



☐ NPS
☐ NMC
☐ NPS
☐ NC

☐ H
☐ AMPA
☐ AMPA
☐

☐ SS
☐ WSDM
☐ SSOT

Attendance record

Training Address
 บริษัท อารยธรรมปิโตรเลียมไทย จำกัด (มหาชน) (อ.อ.ท.)

Instructor
 คุณสุชาติ นนทบุตร, คุณสมชาย นนทบุตร, คุณสุวิทย์ นนทบุตร

Date-Time
 2558-02-17 08:00:00-17:00

Training Group
 อบรมความปลอดภัย

Room
 อาคาร 1 ห้อง 101

Host(s)
 1

No.	ID Company	ID Card Number	Name	Position	Department	Signature	Signature
						result 08:00 to	result 17:00 to
1	100001	010001000001	สมชาย นนทบุตร	Managerial Controller	Safety Health Environment (SHE)		
2	100002	010002000002	สมชาย นนทบุตร	Managerial Controller	Accounting		
3	100003	010003000003	สมชาย นนทบุตร	Managerial Controller	Accounting		
4	100004	010004000004	สมชาย นนทบุตร	Managerial Controller	Accounting		
5	100005	010005000005	สมชาย นนทบุตร	Managerial Controller	Accounting		
6	100006	010006000006	สมชาย นนทบุตร	Managerial Controller	Accounting		
7	100007	010007000007	สมชาย นนทบุตร	Managerial Controller	Accounting		
8	100008	010008000008	สมชาย นนทบุตร	Managerial Controller	Accounting		
9	100009	010009000009	สมชาย นนทบุตร	Managerial Controller	Accounting		
10	100010	010010000010	สมชาย นนทบุตร	Managerial Controller	Accounting		
11	100011	010011000011	สมชาย นนทบุตร	Managerial Controller	Accounting		
12	100012	010012000012	สมชาย นนทบุตร	Managerial Controller	Accounting		
13	100013	010013000013	สมชาย นนทบุตร	Managerial Controller	Accounting		
14	100014	010014000014	สมชาย นนทบุตร	Managerial Controller	Accounting		
15	100015	010015000015	สมชาย นนทบุตร	Managerial Controller	Accounting		
16	100016	010016000016	สมชาย นนทบุตร	Managerial Controller	Accounting		
17	100017	010017000017	สมชาย นนทบุตร	Managerial Controller	Accounting		
18	100018	010018000018	สมชาย นนทบุตร	Managerial Controller	Accounting		
19	100019	010019000019	สมชาย นนทบุตร	Managerial Controller	Accounting		
20	100020	010020000020	สมชาย นนทบุตร	Managerial Controller	Accounting		

Signature
 (Signature)

Signature
 (Signature)

Effective date
 2558-02-17

Signature
 (Signature)

Sl.	ID/Category	ID Code/Number	Name	Teacher	Department	Signature	Signature
						Date: 20/05/2024	Date: 20/05/2024
10	101	100122 A0000000000000	Yash Kulkarni	Electrical Engineering Semester 1st	Engineering Department 1st		
11	101	100123 A0000000000000	Satish Kulkarni	Electrical Engineering Semester 2nd	Engineering Department 2nd		
12	101	100124 A0000000000000	Pratik Kulkarni	Electrical Engineering Semester 3rd	Engineering Department 3rd		
13	101	100125 A0000000000000	Arjun Kulkarni	Electrical Engineering Semester 4th	Engineering Department 4th		
14	101	100126 A0000000000000	Aditya Kulkarni	Electrical Engineering Semester 5th	Engineering Department 5th		
15	101	100127 A0000000000000	Harsh Kulkarni	Electrical Engineering Semester 6th	Engineering Department 6th		
16	101	100128 A0000000000000	Shruti Kulkarni	Electrical Engineering Semester 7th	Engineering Department 7th		
17	101	100129 A0000000000000	Adarsh Kulkarni	Electrical Engineering Semester 8th	Engineering Department 8th		
18	101	100130 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 9th	Engineering Department 9th		
19	101	100131 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 10th	Engineering Department 10th		
20	101	100132 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 11th	Engineering Department 11th		
21	101	100133 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 12th	Engineering Department 12th		
22	101	100134 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 13th	Engineering Department 13th		
23	101	100135 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 14th	Engineering Department 14th		
24	101	100136 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 15th	Engineering Department 15th		
25	101	100137 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 16th	Engineering Department 16th		
26	101	100138 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 17th	Engineering Department 17th		
27	101	100139 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 18th	Engineering Department 18th		
28	101	100140 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 19th	Engineering Department 19th		
29	101	100141 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 20th	Engineering Department 20th		
30	101	100142 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 21st	Engineering Department 21st		
31	101	100143 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 22nd	Engineering Department 22nd		
32	101	100144 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 23rd	Engineering Department 23rd		
33	101	100145 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 24th	Engineering Department 24th		
34	101	100146 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 25th	Engineering Department 25th		
35	101	100147 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 26th	Engineering Department 26th		
36	101	100148 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 27th	Engineering Department 27th		
37	101	100149 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 28th	Engineering Department 28th		
38	101	100150 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 29th	Engineering Department 29th		
39	101	100151 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 30th	Engineering Department 30th		
40	101	100152 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 31st	Engineering Department 31st		
41	101	100153 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 32nd	Engineering Department 32nd		
42	101	100154 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 33rd	Engineering Department 33rd		
43	101	100155 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 34th	Engineering Department 34th		
44	101	100156 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 35th	Engineering Department 35th		
45	101	100157 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 36th	Engineering Department 36th		
46	101	100158 A0000000000000	Aradhya Kulkarni	Electrical Engineering Semester 37th	Engineering Department 37th		</

☐ CAPS
☐ CAPS
☐ CAPS
☐ CAPS

☐ P4
☐ P4P4A
☐ P4P4B

☐ 455
☐ 45344
☐ 4534

Attendance record

Training Literature

© 2004 Blackwell Publishing Ltd *Journal of Internal Medicine* 255: 111–118

Training Objectives

[Get more information about this article](#)

Abstract

www.industrydocuments.ucsf.edu/docs/000000

www.elsevier.com/locate/jmb

external force
model

Business Ethics

www.ccs-2006.org

						Signature	Signature
						on behalf of the	on behalf of the
No.	ID Category	ID Sub-Category	Name	Position	Department		
1.	00000	000000 00000000000000000000	John Smith	Environmental Scientist	Water Dept. (Environmental Quality)		
2.	000	000000 00000000000000000000	Jane Doe	Environmental Scientist	Water Dept.		
3.	100	000000 00000000000000000000	James Lee	Assistant Engineer	Regulatory		
4.	100	000000 00000000000000000000	Robert Taylor	Technical Supervisor Facilities (WWT Plant)	Engineering Maintenance E&M		
5.	100	000000 00000000000000000000	William Brown	Engineer	Regulatory Services		
6.	100	000000 00000000000000000000	Michael White	Operational Technology Engineer	Operations Facilities		
7.	000_000	000000 00000000000000000000	Patricia Green	Operator	Process Unit 1/2		
8.	0000	000000 00000000000000000000	George Black	Plant Supervisor (WWT)	Plant Operations		
9.	000000	000000 00000000000000000000	Grace Hall	Environmental Monitoring	Engineering Maintenance E&M		
10.	000	000000 00000000000000000000	David Brown	Operations Maintenance	Engineering Maintenance E&M		
11.	000000	000000 00000000000000000000	Emily White	Technical Supervisor (Process Unit 1)	Engineering Maintenance E&M		
12.	000	000000 00000000000000000000	John Black	Public Design / Design Engineer	Engineering Maintenance E&M		
13.	0000	000000 00000000000000000000	Wendy Green	Water & Wastewater System Operator	Plant Operations		

[illegible]

The first part of the paper discusses the importance of the
 Journal of Management Education in the field of management
 education. It then presents a review of the journal's
 content, highlighting the quality and diversity of the
 articles. The second part of the paper discusses the
 journal's impact on the field of management education,
 including its role in advancing research and practice.
 The paper concludes with a discussion of the journal's
 future and its potential to continue to make a
 significant contribution to the field.

☐ None
☐ Minimal
☐ Moderate
☐ Severe

☐ Day
☐ Night
☐ Other

Attendance record

[illegible]

ID	ID Grouping	ID Code/Version	Name	Location	Department	Signature	Signature
						Local (Internal)	Global (External)
01	01	000001-000000000000	Item 1 (Initial)	Electrical Engineering (Area 1) (E1)	Engineering Department (E1)		
02	02	000002-000000000000	Item 2 (Init)	Electrical Engineering (Department) (E2)	Engineering Department (E2)		
03	03	000003-000000000000	Item 3 (Init)	Electrical Engineering (Department) (E3)	Engineering Department (E3)		
04	04	000004-000000000000	Item 4 (Init)	Electrical Engineering (Department) (E4)	Engineering Department (E4)		
05	05	000005-000000000000	Item 5 (Init)	Electrical Engineering (Department) (E5)	Engineering Department (E5)		
06	06	000006-000000000000	Item 6 (Init)	Electrical Engineering (Department) (E6)	Engineering Department (E6)		
07	07	000007-000000000000	Item 7 (Init)	Electrical Engineering (Department) (E7)	Engineering Department (E7)		
08	08	000008-000000000000	Item 8 (Init)	Electrical Engineering (Department) (E8)	Engineering Department (E8)		
09	09	000009-000000000000	Item 9 (Init)	Electrical Engineering (Department) (E9)	Engineering Department (E9)		
10	10	000010-000000000000	Item 10 (Init)	Electrical Engineering (Department) (E10)	Engineering Department (E10)		
11	11	000011-000000000000	Item 11 (Init)	Electrical Engineering (Department) (E11)	Engineering Department (E11)		
12	12	000012-000000000000	Item 12 (Init)	Electrical Engineering (Department) (E12)	Engineering Department (E12)		
13	13	000013-000000000000	Item 13 (Init)	Electrical Engineering (Department) (E13)	Engineering Department (E13)		
14	14	000014-000000000000	Item 14 (Init)	Electrical Engineering (Department) (E14)	Engineering Department (E14)		
15	15	000015-000000000000	Item 15 (Init)	Electrical Engineering (Department) (E15)	Engineering Department (E15)		
16	16	000016-000000000000	Item 16 (Init)	Electrical Engineering (Department) (E16)	Engineering Department (E16)		
17	17	000017-000000000000	Item 17 (Init)	Electrical Engineering (Department) (E17)	Engineering Department (E17)		
18	18	000018-000000000000	Item 18 (Init)	Electrical Engineering (Department) (E18)	Engineering Department (E18)		
19	19	000019-000000000000	Item 19 (Init)	Electrical Engineering (Department) (E19)	Engineering Department (E19)		
20	20	000020-000000000000	Item 20 (Init)	Electrical Engineering (Department) (E20)	Engineering Department (E20)		
21	21	000021-000000000000	Item 21 (Init)	Electrical Engineering (Department) (E21)	Engineering Department (E21)		
22	22	000022-000000000000	Item 22 (Init)	Electrical Engineering (Department) (E22)	Engineering Department (E22)		
23	23	000023-000000000000	Item 23 (Init)	Electrical Engineering (Department) (E23)	Engineering Department (E23)		
24	24	000024-000000000000	Item 24 (Init)	Electrical Engineering (Department) (E24)	Engineering Department (E24)		
25	25	000025-000000000000	Item 25 (Init)	Electrical Engineering (Department) (E25)	Engineering Department (E25)		
26	26	000026-000000000000	Item 26 (Init)	Electrical Engineering (Department) (E26)	Engineering Department (E26)		
27	27	000027-000000000000	Item 27 (Init)	Electrical Engineering (Department) (E27)	Engineering Department (E27)		
28	28	000028-000000000000	Item 28 (Init)	Electrical Engineering (Department) (E28)	Engineering Department (E28)		
29	29	000029-000000000000	Item 29 (Init)	Electrical Engineering (Department) (E29)	Engineering Department (E29)		
30	30	000030-000000000000	Item 30 (Init)	Electrical Engineering (Department) (E30)	Engineering Department (E30)		
31	31	000031-000000000000	Item 31 (Init)	Electrical Engineering (Department) (E31)	Engineering Department (E31)		
32	32	000032-000000000000	Item 32 (Init)	Electrical Engineering (Department) (E32)	Engineering Department (E32)		
33	33	000033-000000000000	Item 33 (Init)	Electrical Engineering (Department) (E33)	Engineering Department (E33)		
34	34	000034-000000000000	Item 34 (Init)	Electrical Engineering (Department) (E34)	Engineering Department (E34)		
35	35	000035-000000000000	Item 35 (Init)	Electrical Engineering (Department) (E35)	Engineering Department (E35)		
36	36	000036-000000000000	Item 36 (Init)	Electrical Engineering (Department) (E36)	Engineering Department (E36)		
37	37	000037-000000000000	Item 37 (Init)	Electrical Engineering (Department) (E37)	Engineering Department (E37)		
38	38	000038-000000000000	Item 38 (Init)	Electrical Engineering (Department) (E38)	Engineering Department (E38)		
39	39	000039-000000000000	Item 39 (Init)	Electrical Engineering (Department) (E39)	Engineering Department (E39)		
40	40	000040-000000000000	Item 40 (Init)	Electrical Engineering (Department) (E40)	Engineering Department (E40)		
41	41	000041-000000000000	Item 41 (Init)	Electrical Engineering (Department) (E41)	Engineering Department (E41)		
42	42	000042-000000000000	Item 42 (Init)	Electrical Engineering (Department) (E42)	Engineering Department (E42)		
43	43	000043-000000000000	Item 43 (Init)	Electrical Engineering (Department) (E43)	Engineering Department (E43)		
44	44	000044-000000000000	Item 44 (Init)	Electrical Engineering (Department) (E44)	Engineering Department (E44)		

[PDF-FILES-TO-DOC-CONVERTER-ONLINE-2016](#)

0950-0804/06/0000-0000\$15.00/0

1992



© 2004 Blackwell Publishing Ltd

0000

On
the
the

☐ 100%

APPENDICES

Training Details:

© 2005 Blackwell Publishing Ltd, *Journal of Internal Medicine* 258: 105–112

Training Period

Abstract *Keywords:* **Abstract** *Keywords:*

INTRODUCTION

Source: *Journal of Management Education*, 20(1), 1996, pp. 10-11. Copyright 1996 by Sage Publications, Inc.

SPRINGER

2000

● **Setting Time**

2020-09-28 09:00:00

|| **numOfCn**

1

						Signature	Signature
ID	Alt Company	Alt Email Address	Phone	Address	Department	on 01/01/2024	on 01/01/2024
1	ABC Co	alt1@abc.com	555-123-4567	123 Main St, Suite 100	Engineering		
2	DEF Inc	alt2@def.com	555-234-5678	456 Market St, Suite 200	Marketing		
3	GHI LLC	alt3@ghi.com	555-345-6789	789 Park Ave, Suite 300	Sales		
4	JKL Corp	alt4@jkl.com	555-456-7890	1010 Broadway, Suite 400	Operations		
5	MNO Ltd	alt5@mno.com	555-567-8901	2020 1st Ave, Suite 500	Finance		
6	PQR Pty	alt6@pqr.com	555-678-9012	3030 2nd St, Suite 600	Human Resources		
7	STU Group	alt7@stu.com	555-789-0123	4040 3rd Ave, Suite 700	IT Support		
8	VWX Assoc	alt8@vwx.com	555-890-1234	5050 4th St, Suite 800	Legal		
9	YZA Co	alt9@yza.com	555-901-2345	6060 5th Ave, Suite 900	Product Development		
10	BCD Inc	alt10@bcd.com	555-012-3456	7070 6th St, Suite 1000	Customer Service		
11	EFG LLC	alt11@efg.com	555-123-4567	8080 7th Ave, Suite 1100	Quality Assurance		
12	HIJ Corp	alt12@hij.com	555-234-5678	9090 8th St, Suite 1200	Business Development		

1990年12月15日

Copyright © 2005 by John Wiley & Sons, Inc.

6846

ตัวอย่างเอกสารการลงชื่อเข้ารับการฝึกอบรมหลักสูตร
เจ้าหน้าที่ความปลอดภัยในการทำงาน ระดับหัวหน้างาน



- ☐ NPS
☐ NPP2
☐ NPP3
☐ IRC
- ☐ FG
☐ NPP5A
☐ NPP5
- ☐ E85
☐ NS304
☐ SNST

Attendance record

Training Session

เจ้าหน้าที่ความปลอดภัยในการทำงาน ระดับหัวหน้างาน

Instructor

คุณเนริรัตน์ เฝ้าพันธ์

Date-Time

2026-02-12@08:30-16:30

Training Group

section managers/supervisors/leaders

Venue

ห้องสริมโหลด โรงแรมทวาราวดี

Hour(s)

7

No.	ID Company	ID Card Number	Name	Position	Department	Signature เวลาเช้า 08:30 น.	Signature เวลาออก 16:30 น.
1	NPS	620479 XXXXXXXX4997	จุฑาภิน อัครธรรม	Acting Legal Commercial Section	Legal & Compliance&Permit &		
2	NIS	548896 XXXXXXXX0107	จุฑพร ตั้งเยาว์	DIT Section Manager	Information Technology and Cyber Security		
3	NPS	544421 XXXXXXXX1967	ธิดา ขุนคงเสถียร	Business Development Section Manager	Business Development		
4	NPS	14724152 XXXXXXXX4152	วิไลพร เรืองทอง	HRBP Section Manager	Human Capital Management (HC)		
5	E85	600739 XXXXXXXX6861	ไพฑูรย์ ประพอดิ ธรรม	Cassava Milling Plant & Starch Mill Supervisor	งานเส้นเอ็น		
6	NPP5A	548512 XXXXXXXX7653	แสงประเสริฐ ชีว พิทย	Board Control Operator PP6	Plant Operation (PO-A)		
7	NPP5A	531145 XXXXXXXX3099	วรารักษ์ แก้วมะ	Board Control Operator PPII	Plant Operation (PO-A)		
8	NPP5A	18503660 XXXXXXXX3660	ฉาพร โฉมเงิน	Board Control Operator PPII	Plant Operation (PO-A)		
9	NPP5A	580519 XXXXXXXX7521	อลงกต นิเวศ	Board Control Operator	Plant Operation (PO-A)		
10	NPP5A	680662 XXXXXXXX6139	จัญญา บุตรพรม	Board Control Operator	Plant Operation (PO-A)		
11	NPP5A	18594601 XXXXXXXX4601	ณรงค์ ลือพล่า	Board Control Operator	Plant Operation (PO-A)		
12	NPS	533286 XXXXXXXX0856	วิวัฒน์ คล้ายจินตึก	Board Control Operator Turbine PP7,8	Plant Operation (PO-B)		
13	NPS	17937849 XXXXXXXX7949	ณิพนธ์ แสงแก้ว	Board Control Operator Turbine PP7,8	Plant Operation (PO-B)		

FR-QES-PUH-HRD-003_01Effective date : 30 Jul 202010

No.	ID Company	ID Card Number	Name	Position	Department	Signature	Signature
						เวลาเข้า 08:30 น.	เวลาออก 16:30 น.
14	NPS	18542753 XXXXXXXXXX2753	สันติชัย ชูงาม	Board Control Operator Boiler PP 7,8	Plant Operation (PO-B)		
15	IRC	670427 XXXXXXXXXX4746	ฐิติชญา ทูทวงศ์	Solar Plant Engineer	Plant Operation		
16	NPS_SOLAR	680472 XXXXXXXXXX7169	ศลพร อรรถจักร์	Solar Plant Engineer	Operation		
17	NIS	19686164 XXXXXXXXXX6164	กิตติศักดิ์ คุ้มโคะ	ช่างบำรุงเทคนิคงาน/ก่อสร้าง ระดับ 3	Civil Maintenance & Refractory		
18	NIS	650008 XXXXXXXXXX2911	เจนณรงค์ เขียวเจริญ	วิศวกรโยธา	Civil Maintenance & Refractory		
19	NIS	680575 XXXXXXXXXX2603	ธนาป ธงชัย (*ลา ออก)	Foreman	Civil Maintenance & Refractory		
20	NIS	19433 XXXXXXXXXX7374	วิรัช ไชยรักษ์	ผู้เชี่ยวชาญซ่อมบำรุงรถ บรรทุก	Truck Maintenance IP1		
21	NIS	39184 XXXXXXXXXX3964	คมกฤษ ขันทองฤทธิ์	ช่างเทคนิคระดับ3 งาน โครงสร้างและสีรถยนต์	Truck Maintenance IP1		
22	NIS	24571799 XXXXXXXXXX1799	สุรเกียรติ์ สิงห์มวณ	ช่างเทคนิคระดับ3 งาน โครงสร้างและสี รถบรรทุก	Truck Maintenance IP1		
23	NIS	17857518 XXXXXXXXXX7518	จันทพล ยอดสิงห์	ช่างเทคนิคระดับ3 งานซ่อมบำรุง รถยนต์	Truck Maintenance IP2		
24	NPP5A	590348 XXXXXXXXXX3942	สง่า พันทะมา	Plant Operator PP5	Plant Operation (PO-A)		
25	NPP5A	543269 XXXXXXXXXX6911	กิตติคุณ บรรเทา ทุกข์	Shift Supervisor	Plant Operation (PO-A)		
FR-QES-PUH-HRD-003_01						Effective date : 30 Jul 2020	
						1(1)	



- ☐ NPS
- ☐ NPP2
- ☐ NPP3
- ☐ IRC
- ☐ FG
- ☐ NPP5A
- ☐ NPP5
- ☐ E85
- ☐ NS304
- ☐ SNST

Attendance record

Training Session

เจ้าหน้าที่ความปลอดภัยในการทำงาน ระดับหัวหน้างาน

Training Group

section managers/supervisors/leaders

Instructor

คุณณัฏริตน์ เผ่าพันธ์

Venue

ห้องศรมโหลด โรงแรมทวาราวดี

Date-Time

2026-02-13@08:30-16:30

Hour(s)

7

No.	ID Company	ID Card Number	Name	Position	Department	Signature	Signature
						เวลาเข้า 08:30 น.	เวลาออก 16:30 น.
1	NPS	620479 XXXXXXXXXX4997	จุฑาทิสน์ สัตตะธรรม	Acting Legal Commercial Section	Legal & Compliance&Permit &		
2	NIS	548696 XXXXXXXXXX0107	จุฬพร ตั้งเบญจ	DIT Section Manager	Information Technology and Cyber Security		
3	NPS	544421 XXXXXXXXXX1967	ฉัตรภา ขุนทองเสถียร	Business Development Section Manager	Business Development		
4	NPS	14724152 XXXXXXXXXX4152	วิไลพร เชื้อทอง	HRBP Section Manager	Human Capital Management (HC)		
5	E85	600739 XXXXXXXXXX6861	ไพญญณ์ ประทอดดี ธรรม	Cassava Milling Plant & Starch Mill Supervisor	มันเส้นเดิน		
6	NPP5A	548512 XXXXXXXXXX7653	แสงประเสริฐ ชั่วพิริย	Board Control Operator PP6	Plant Operation (PO-A)		
7	NPP5A	531145 XXXXXXXXXX3099	วราภรณ์ แก้วมะ	Board Control Operator PP11	Plant Operation (PO-A)		
8	NPP5A	18503660 XXXXXXXXXX3660	ลาพร โฉมเงิน	Board Control Operator PP11	Plant Operation (PO-A)		
9	NPP5A	580519 XXXXXXXXXX7521	อลกมล นิเวศ	Board Control Operator	Plant Operation (PO-A)		
10	NPP5A	680662 XXXXXXXXXX6139	จัญญา บุตรพรม	Board Control Operator	Plant Operation (PO-A)		
11	NPP5A	18584601 XXXXXXXXXX4601	ณรงค์ สือเพลา	Board Control Operator	Plant Operation (PO-A)		
12	NPS	533286 XXXXXXXXXX0856	วันดีส คล้อยเงินทิพย์	Board Control Operator Turbine PP7,8	Plant Operation (PO-B)		
13	NPS	17937949 XXXXXXXXXX7949	ณิพนธ์ แสงนกั	Board Control Operator Turbine PP7,8	Plant Operation (PO-B)		
FR-QES-PUH-HRD-003_01						Effective date : 30 Jul 2020	
						1(1)	

No.	ID Company	ID Card Number	Name	Position	Department	Signature เวลาเช้า 08:30 น.	Signature เวลาออก 16:30 น.
14	NPS	18542753 XXXXXXXXXX2753	สันติชัย ชูงาม	Board Control Operator Boiler PP 7,8	Plant Operation (PO-B)		
15	IRC	670427 XXXXXXXXXX4746	ฐิติชญา พุทธิวงษ์	Solar Plant Engineer	Plant Operation		
16	NPS_SOLAR	680472 XXXXXXXXXX7169	ศตพร ธรรมจักร	Solar Plant Engineer	Operation		
17	NIS	19686164 XXXXXXXXXX6164	กิตติศักดิ์ อุ่นวิเศษ	ช่างบำรุงเทคนิคงานก่อสร้าง ระดับ 3	Civil Maintenance & Refractory		
18	NIS	650009 XXXXXXXXXX2911	เจนณรงค์ เจือเจริญ	วิศวกรโยธา	Civil Maintenance & Refractory		
19	NIS	680575 XXXXXXXXXX2603	ธนาป งามชัย[*ลา ออก]	Foreman	Civil Maintenance & Refractory		
20	NIS	19433 XXXXXXXXXX7374	วีรวิช ไชยรักษ์	ผู้ช่วยช่างงานซ่อมบำรุงรถ บรรทุก	Truck Maintenance IP1		
21	NIS	39184 XXXXXXXXXX3964	คมกฤช จันทร์ฤทธิ์	ช่างเทคนิคระดับ 3 งาน โครงสร้างและสี รถบรรทุก	Truck Maintenance IP1		
22	NIS	24671799 XXXXXXXXXX1799	อรุณรักษ์ สีหะมณฑล	ช่างเทคนิคระดับ 3 งาน โครงสร้างและสี รถบรรทุก	Truck Maintenance IP1		
23	NIS	17857518 XXXXXXXXXX7518	จุมพล นอดสิงห์	ช่างเทคนิคระดับ 3 งานซ่อมบำรุง รถบรรทุก	Truck Maintenance IP2		
24	NPP5A	590348 XXXXXXXXXX3942	สง่า พันเพมา	Plant Operator PP5	Plant Operation (PO-A)		
25	NPP5A	543269 XXXXXXXXXX6911	กิตติคุณ บรรเทา ทุกข์	Shift Supervisor	Plant Operation (PO-A)		
FR-QES-PUH-HRD-003_01						Effective date : 30 Jul 2020	
						1(1)	

6.ตัวอย่างภาพแสดงการอบรมหลักสูตรผู้ควบคุมประจำหม้อน้ำและหม้อต้มที่ใช้ ของเหลวเป็นสื่อทำความร้อน



ตัวอย่างเอกสารการลงชื่อเข้ารับการการฝึกอบรมหลักสูตร
การฝึกอบรมหลักสูตรผู้ควบคุมประจำหม้อน้ำและหม้อต้มที่ใช้ของเหลว
เป็นสื่อทำความร้อน

[illegible]

kat.a.thompson@usda.gov

File #	File Name	Version (Accession)	Referral/Investigations	Test Result	Unit	Result	Notes
16							
17							
18							
19							
20							
21							
22	eye health screening	1 2780 00010 00.1	left vision normal			pass	
23	eye health screening	1 4000 00010 00.1	left vision normal			pass	
24	eye health screening	0 8190 00010 00.1	left vision normal			pass	
25	eye health screening	1 2000 00010 00.1	left vision normal			pass	
26	eye health screening	1 0000 00010 00.1	left vision normal			pass	
27	eye health screening	1 0000 00010 00.1	left vision normal			pass	
28							
29							
30							

© 2004 Blackwell Publishing Ltd

[illegible]

Self-Administration

Index	By name	Access date/time	Access/operation	Time sec	1	2	3	4
16								
17								
18								
19								
20								
21								
22	new health insurance	1 270 2022 10 1	data record (insert) 4/16		10			
23	new medical system	1 420 2022 10 1	data record (insert) 4/16		1			
24	new insurance policy	1 420 2022 10 1	data record (insert) 4/16		1			
25	new policy system	1 270 2022 10 1	data record (insert) 4/16		1			
26	new health insurance	1 270 2022 10 1	data record (insert) 4/16		10			
27	new health insurance	1 270 2022 10 1	data record (insert) 4/16		1			
28								
29								
30								

Not a Member?

[illegible]



1998


References

Index #	In. source	Source Description	Refining/Manufacturing	Year Bldg.	F	Notes	
						present	previous
16							
17							
18							
19							
20							
21							
22	new facility - expanded	1.1.100.00000 10.1	100% owned - owned 4-0%			101	
23	new facility - expansion	1.1.100.00000 10.1	100% owned - owned 4-0%			101	
24	new facility - expansion	1.1.100.00000 10.1	100% owned - owned 4-0%			101	
25	new facility - expansion	1.1.100.00000 10.1	100% owned - owned 4-0%			101	
26	new facility - expansion	1.1.100.00000 10.1	100% owned - owned 4-0%			101	
27	new facility - expansion	1.1.100.00000 10.1	100% owned - owned 4-0%			101	
28	new facility - expansion	1.1.100.00000 10.1	100% owned - owned 4-0%			101	
29							
30							
31							
32							
33							
34							
35							
36							

ข-26 รายการอุปกรณ์คุ้มครองความปลอดภัย
ส่วนบุคคลภายในห้องเก็บอุปกรณ์



STOCK PPE National Power Plant 5, 5A Co.Ltd



Stock PPE Monthly : Jan 2026


Check list : Date : 25 JAN 2026

NO	LIST	NUMBER	UNIT	Remark
1	ชุดกันฝุ่น (สีขาว)	500	EA	
2	หน้ากากกันสารเคมีครึ่งหน้าชนิดกรองคู่	40	EA	
3	ดัดกรองไอต่าง รุ่น 6057	8	EA	
4	กรองสีชมพู	30	EA	
5	Ear muff แบบปิดหมวก	20	EA	
6	Ear plug	100	EA	
7	ถุงมือหนังสีน้ำเงิน	300	EA	
8	แว่นตาเลนสีใส	40	EA	
9	Safety Harness ทั้งตัว	15	EA	
10	ผ้าปิดจมูกคาร์บอนสีเขีย	250	EA	
11	goggle	40	EA	
12	รองเท้า safety			
13	เบอร์ 3	3	EA	
14	เบอร์ 4	8	EA	
15	เบอร์ 5	5	EA	
16	เบอร์ 6	5	EA	
17	เบอร์ 7	9	EA	
18	เบอร์ 8	9	EA	
19	เบอร์ 9	5	EA	
20	เบอร์ 10	9	EA	
21	เบอร์ 11	2	EA	
22	เบอร์ 12	1	EA	
23	หมวก Safety	8	EA	
24	เลนส์กระบังหน้าสีใส	10	EA	
25	โครงกระบังหน้า	10	EA	
26	รองเท้าดับเพลิง	10	EA	
27	ชุดดับเพลิง	10	EA	
28	หมวกดับเพลิง	10	EA	
29	รองเท้าบูท ธรรมชาติ			
30	เบอร์ 9	13	EA	
31	เบอร์ 10	15	EA	
32	เบอร์ 11	12	EA	
33	เบอร์ 12	17	EA	

34	รองเท้าบูทป้องกันสารเคมี สีเหลือง			
35	เบอร์ 5	15	EA	
36	เบอร์ 7	13	EA	
37	เบอร์ 9	15	EA	
38	ชุดกันสารเคมีสีเหลือง	18	EA	
39	แผ่นกรองฝุ่นสีขาว	52	EA	
40	Black Support			
41	SIZE M	19	EA	
42	SIZE L	18	EA	
43	SIZE XL	19	EA	



STOCK PPE National Power Plant 5, 5A Co.Ltd



Stock PPE Monthly : Feb 2026


Check list : Date : 25 FEB 2026

NO	LIST	NUMBER	UNIT	Remark
1	ชุดกันฝุ่น (สีขาว)	440	EA	
2	หน้ากากกันสารเคมีครึ่งหน้าชนิดกรองคู่	38	EA	
3	ดัดกรองไอต่าง รุ่น 6057	8	EA	
4	กรองสีชมพู	30	EA	
5	Ear muff แบบติดหมวก	20	EA	
6	Ear plug	100	EA	
7	ถุงมือหนังสีน้ำเงิน	269	EA	
8	แว่นตาเลนสีใส	40	EA	
9	Safety Harness ทั้งตัว	15	EA	
10	ผ้าปิดจมูกคาร์บอนสีเขีย	180	EA	
11	goggle	35	EA	
12	รองเท้า safety			
13	เบอร์ 3	2	EA	
14	เบอร์ 4	5	EA	
15	เบอร์ 5	10	EA	
16	เบอร์ 6	12	EA	
17	เบอร์ 7	13	EA	
18	เบอร์ 8	8	EA	
19	เบอร์ 9	4	EA	
20	เบอร์ 10	6	EA	
21	เบอร์ 11	3	EA	
22	เบอร์ 12	5	EA	
23	หมวก Safety	40	EA	
24	เลนส์กระบังหน้าสีใส	20	EA	
25	โครงกระบังหน้า	20	EA	
26	รองเท้าดับเพลิง	10	EA	
27	ชุดดับเพลิง	10	EA	
28	หมวกดับเพลิง	10	EA	
29	รองเท้าบูท ธรรมชาติ			
30	เบอร์ 9	13	EA	
31	เบอร์ 10	15	EA	
32	เบอร์ 11	12	EA	
33	เบอร์ 12	17	EA	

34	รองเท้าบูทป้องกันสารเคมี สีเหลือง			
35	เบอร์ 5	15	EA	
36	เบอร์ 7	13	EA	
37	เบอร์ 9	15	EA	
38	ชุดกันสารเคมีสีเหลือง	15	EA	
39	แผ่นกรองฝุ่นสีขาว	34	EA	
40	Black Support			
41	SIZE M	19	EA	
42	SIZE L	18	EA	
43	SIZE XL	19	EA	



STOCK PPE National Power Plant 5, 5A Co.Ltd




Stock PPE Monthly : Mar 2026			Check list : Date : 25 MAR 2026	
NO	LIST	NUMBER	UNIT	Remark
1	ชุดกันฝุ่น (สีขาว)	380	EA	
2	หน้ากากกันสารเคมีครึ่งหน้าชนิดกรองคู่	30	EA	
3	ดัดกรองไอต่าง รุ่น 6057	6	EA	
4	กรองเสียงมพู	28	EA	
5	Ear muff แบบติดหมวก	18	EA	
6	Ear plug	95	EA	
7	ถุงมือหนังสังกะสีเงิน	220	EA	
8	แว่นตาเลนสีใส	38	EA	
9	Safety Harness ทั้งตัว	15	EA	
10	ผ้าปิดจมูกคาร์บอนสีเขีว	300	EA	
11	goggle	32	EA	
12	รองเท้า safety			
13	เบอร์ 3	2	EA	
14	เบอร์ 4	5	EA	
15	เบอร์ 5	10	EA	
16	เบอร์ 6	10	EA	
17	เบอร์ 7	12	EA	
18	เบอร์ 8	7	EA	
19	เบอร์ 9	3	EA	
20	เบอร์ 10	5	EA	
21	เบอร์ 11	3	EA	
22	เบอร์ 12	5	EA	
23	หมวก Safety	40	EA	
24	เลนส์กระบังหน้าสีใส	18	EA	
25	โครงกระบังหน้า	18	EA	
26	รองเท้าดับเพลิง	10	EA	
27	ชุดดับเพลิง	10	EA	
28	หมวกดับเพลิง	10	EA	
29	รองเท้าบูท ธรรมชาติ			
30	เบอร์ 9	13	EA	
31	เบอร์ 10	15	EA	
32	เบอร์ 11	12	EA	
33	เบอร์ 12	17	EA	

34	รองเท้าบูทป้องกันสารเคมี ลิทเลื่อง			
35	เบอร์ 5	15	EA	
36	เบอร์ 7	13	EA	
37	เบอร์ 9	15	EA	
38	ชุดกันสารเคมีลิทเลื่อง	15	EA	
39	แผ่นกรองฝุ่นเดี่ยว	34	EA	
40	Black Support			
41	SIZE M	19	EA	
42	SIZE L	18	EA	
43	SIZE XL	19	EA	



STOCK PPE National Power Plant 5, 5A Co.Ltd



Stock PPE Monthly : Apr 2026


Check list : Date : 25 APR 2026

NO	LIST	NUMBER	UNIT	Remark
1	ชุดกันฝุ่น (สีขาว)	230	EA	
2	หน้ากากกันสารเคมีครึ่งหน้าชนิดกรองคู่	28	EA	
3	ดัดกรองไอต่าง รุ่น 6057	5	EA	
4	กรองสีชมพู	24	EA	
5	Ear muff แบบติดหมวก	15	EA	
6	Ear plug	87	EA	
7	ถุงมือหนังสีน้ำเงิน	180	EA	
8	แว่นตาเลนสีใส	35	EA	
9	Safety Harness ทั้งตัว	15	EA	
10	ผ้าปิดจมูกคาร์บอนสีขาว	210	EA	
11	goggle	28	EA	
12	รองเท้า safety			
13	เบอร์ 3	1	EA	
14	เบอร์ 4	5	EA	
15	เบอร์ 5	8	EA	
16	เบอร์ 6	7	EA	
17	เบอร์ 7	10	EA	
18	เบอร์ 8	4	EA	
19	เบอร์ 9	2	EA	
20	เบอร์ 10	4	EA	
21	เบอร์ 11	3	EA	
22	เบอร์ 12	5	EA	
23	หมวก Safety	31	EA	
24	เลนส์กระบังหน้าสีใส	15	EA	
25	โครงกระบังหน้า	15	EA	
26	รองเท้าดับเพลิง	10	EA	
27	ชุดดับเพลิง	10	EA	
28	หมวกดับเพลิง	10	EA	
29	รองเท้าบูท ธรรมชาติ			
30	เบอร์ 9	12	EA	
31	เบอร์ 10	12	EA	
32	เบอร์ 11	12	EA	
33	เบอร์ 12	15	EA	

34	รองเท้าบูทป้องกันสารเคมี สีเหลือง			
35	เบอร์ 5	15	EA	
36	เบอร์ 7	13	EA	
37	เบอร์ 9	15	EA	
38	ชุดกันสารเคมีสีเหลือง	15	EA	
39	แผ่นกรองฝุ่นสีขาว	34	EA	
40	Black Support			
41	SIZE M	19	EA	
42	SIZE L	18	EA	
43	SIZE XL	19	EA	



STOCK PPE National Power Plant 5, 5A Co.Ltd



Stock PPE Monthly : May 2026


Check list : Date : 25 MAY 2026

NO	LIST	NUMBER	UNIT	Remark
1	ชุดกันฝุ่น (สีขาว)	160	EA	
2	หน้ากากกันสารเคมีครึ่งหน้าชนิดกรองคู่	25	EA	
3	ดัดกรองไอต่าง รุ่น 6057	4	EA	
4	กรองสีชมพู	20	EA	
5	Ear muf แบบติดหมวก	10	EA	
6	Ear plug	76	EA	
7	ถุงมือหนังสีน้ำเงิน	90	EA	
8	แว่นตาเลนสีใส	31	EA	
9	Safety Harness ทั้งตัว	15	EA	
10	ผ้าปิดจมูกคาร์บอนสีขาว	150	EA	
11	goggle	22	EA	
12	รองเท้า safety			
13	เบอร์ 3	1	EA	
14	เบอร์ 4	4	EA	
15	เบอร์ 5	5	EA	
16	เบอร์ 6	5	EA	
17	เบอร์ 7	7	EA	
18	เบอร์ 8	15	EA	
19	เบอร์ 9	10	EA	
20	เบอร์ 10	3	EA	
21	เบอร์ 11	2	EA	
22	เบอร์ 12	5	EA	
23	หมวก Safety	27	EA	
24	เลนส์กระบังหน้าสีใส	4	EA	
25	โครงกระบังหน้า	15	EA	
26	รองเท้าดับเพลิง	10	EA	
27	ชุดดับเพลิง	10	EA	
28	หมวกดับเพลิง	10	EA	
29	รองเท้าบูท ธรรมชาติ			
30	เบอร์ 9	12	EA	
31	เบอร์ 10	12	EA	
32	เบอร์ 11	12	EA	
33	เบอร์ 12	15	EA	

34	รองเท้าบูทป้องกันสารเคมี สีเหลือง			
35	เบอร์ 5	15	EA	
36	เบอร์ 7	13	EA	
37	เบอร์ 9	15	EA	
38	ชุดกันสารเคมีสีเหลือง	15	EA	
39	แผ่นกรองฝุ่นสีขาว	30	EA	
40	Black Support			
41	SIZE M	19	EA	
42	SIZE L	18	EA	
43	SIZE XL	19	EA	



STOCK PPE National Power Plant 5, 5A Co.Ltd



Stock PPE Monthly : Jun 2026

Check list : Date : 25 JUN 2026

NO	LIST	NUMBER	UNIT	Remark
1	ชุดกันฝุ่น (สีขาว)	400	EA	
2	หน้ากากกันสารเคมีครึ่งหน้าชนิดกรองคู่	22	EA	
3	ดัดกรองไอต่าง รุ่น 6057	4	EA	
4	กรองสีชมพู	18	EA	
5	Ear muff แบบปิดหมวก	30	EA	
6	Ear plug	72	EA	
7	ถุงมือหนังสีน้ำเงิน	200	EA	
8	แว่นตาเลนสีใส	28	EA	
9	Safety Harness ทั้งตัว	15	EA	
10	ผ้าปิดจมูกคาร์บอนสีขาว	400	EA	
11	goggle	40	EA	
12	รองเท้า safety			
13	เบอร์ 3	1	EA	
14	เบอร์ 4	10	EA	
15	เบอร์ 5	10	EA	
16	เบอร์ 6	15	EA	
17	เบอร์ 7	15	EA	
18	เบอร์ 8	10	EA	
19	เบอร์ 9	9	EA	
20	เบอร์ 10	2	EA	
21	เบอร์ 11	2	EA	
22	เบอร์ 12	5	EA	
23	หมวก Safety	27	EA	
24	เลนส์กระบังหน้าสีใส	18	EA	
25	โครงกระบังหน้า	18	EA	
26	รองเท้าดับเพลิง	10	EA	
27	ชุดดับเพลิง	10	EA	
28	หมวกดับเพลิง	10	EA	
29	รองเท้าบูท ธรรมชาติ			
30	เบอร์ 9	12	EA	
31	เบอร์ 10	12	EA	
32	เบอร์ 11	12	EA	
33	เบอร์ 12	15	EA	

34	รองเท้าบูทป้องกันสารเคมี สีเหลือง			
35	เบอร์ 5	15	EA	
36	เบอร์ 7	13	EA	
37	เบอร์ 9	15	EA	
38	ชุดกันสารเคมีสีเหลือง	15	EA	
39	แผ่นกรองฝุ่นสีขาว	30	EA	
40	Black Support			
41	SIZE M	19	EA	
42	SIZE L	18	EA	
43	SIZE XL	19	EA	

ข-27 การตรวจสอบบำรุงรักษาเครื่องจักร
และอุปกรณ์ในการผลิต

Master Plan Maintenance 2026

				EGAT do not allow to stop (3 month)			Rainy Season (5 month)						
Plant	Year	January	February	March	April	May	June	July	August	September	October	November	December
PP5	2026	Plan		QSD1 14-24(10D)	BD 3D		QSD2 1-10 (10D)			ANSD BL 13-25 (12D)		BD 3D	
		Plan Review			QSD1 30/3-9/4 (10D)		QSD2 15-22 (7D)						
		Actual as plan		QSD1 30/3-9/4 (9.98D)			QSD2 15-24(9.32D)						
		Break down	Sand melt 2-4 (1.79D)			ECO 1,2, 1.4 & ESP 21-25(5.02D)							
PP6	2026	Plan		WW1 11-13(1.5D)				WW2 1-3 (1.5D)		ANSD BL 17-29 (12D)			
		Plan Review		กำหนดด้วย 69			WW2 22-24(1.5D)			Minor TG6 17/9-4/10 (17D) & Minor Gen (10D)			
		Actual as plan	WW1 (ละดับ) 5-6 (0.97D)			WW2 5-6 (1.26D)							
		Break down					ECO no.2 27-29 (2.12D)						

- P

F

O

M

B
-
- Plan downtime (หยุดแผนการซ่อม)

Project Downtime (แผนงานโครงการ)

Plan force (การกำหนดแผน)

Reserve O/H TG

Actual Other : JGDC , Commercial , Other.....

Actual Maintenance plan

Actual Break down
- ANSD : Annual Shutdown

WW : Water Wash Shutdown

QSD : Quarterly Shutdown

BD : Break Down

จำนวนการทำ Preventive Maintenance ปี 2569 ของ NPPSA

	2569	Jan		Feb		Mar		Apr		May		Jun		หมายเหตุ
		Plan	Actual	Plan	Actual	Plan	Actual	Plan	Actual	Plan	Actual	Plan	Actual	
PP5	Automation	45	26	37	34	60	31	15	9	18	13	6	3	
	Electrical	141	10	34	18	169	60	87	10	47	6	75	22	
	Mechanical	14	7	47	34	46	33	30	20	10	5	17	11	
	NIS	82	79	66	60	70	66	69	65	68	63	66	54	
	Operation	287	287	278	278	289	288	320	320	299	299	259	258	
	ช่างกะ	0	0	0	0	0	0	0	0	0	0	0	0	
	Total PP5	569	409	462	424	634	478	521	424	442	386	423	348	
PP6	Automation	71	42	42	39	39	39	43	43	67	62	39	38	
	Electrical	49	14	19	18	19	4	31	1	19	11	35	16	
	Mechanical	23	0	22	0	22	0	23	0	22	0	39	2	
	NIS	105	103	85	85	93	93	93	82	89	71	89	70	
	Operation	407	403	384	384	434	433	433	433	388	388	382	382	
	ช่างกะ	0	0	0	0	0	0	0	0	0	0	0	0	
	Total PP6	655	562	552	526	607	569	623	559	585	532	584	508	

หมายเหตุ:

Plan = จำนวน WO (PM) ที่มี Target Start Date อยู่ในเดือนนั้น (ทุกสถานะ)

Actual = จำนวน WO (PM) ในเดือนนั้นที่มีสถานะ CLOSE

DL ID	LOCATION DESCRIPTION	REPORT DATE	INCIDENT	DESCRIPTION	ECONOMY	PLANT
WL1320	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:00	30.0004938	Monthly inspection for road lighting system		PPS
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PUMP	03/Jan/2024 2:00	30.0004939	2week Preventive Maintenance for motor 263P002		PPS
MS1034	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2024 2:01	30.0004940	MONTHLY - PM FOR BATTERY FOR 3218B02 DCS FUEL PPS AND PPS10 (E)	NPPSA_NPPS	PPS
MS1034	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2024 2:01	30.0004941	MONTHLY - PM FOR BATTERY FOR 3218B02 DCS FUEL PPS AND PPS10 (A)	NPPSA_NPPS	PPS
MS1034	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2024 2:01	30.0004942	MONTHLY - PM FOR UPS A FOR DCS FUEL PPS AND PPS10 (A)	NPPSA_NPPS	PPS
MS1034	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2024 2:01	30.0004943	MONTHLY - PM FOR UPS B FOR DCS FUEL PPS AND PPS10 (A)	NPPSA_NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:01	30.0004944	MONTHLY - PM FOR TURBO GEN #1 TRANSFORMER T01 (E)	NPPSA_NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:02	30.0004945	MONTHLY - PM FOR BATTERY FOR 2915U02 UPS POWER MCC UP001 (E)	NPPSA_NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:02	30.0004946	MONTHLY - PM FOR BATTERY FOR 2915U02 UPS POWER MCC UP002 (E)	NPPSA_NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:02	30.0004947	MONTHLY - PM FOR BATTERY FOR 2915U02 UPS POWER MCC UP003 (E)	NPPSA_NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:03	30.0004948	MONTHLY - PM FOR BATTERY FOR 2915U01 CHARGER NO.1 TURBO SET (E)	NPPSA_NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:03	30.0004949	MONTHLY - PM FOR BATTERY FOR 2915U01 CHARGER NO.2 TURBOSET (E)	NPPSA_NPPS	PPS
WL1320	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2024 2:03	30.0004950	MONTHLY - PM FOR BATTERY FOR 2908T02 110KV CHARGER SUBSTATION 115 KV. (E)	NPPSA_NPPS	PPS
WL1320	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2024 2:03	30.0004951	MONTHLY - PM FOR BATTERY FOR 2908T02 480V CHARGER SUBSTATION 115 KV (E)	NPPSA_NPPS	PPS
WL1320	JACK UP BATTERIES	03/Jan/2024 2:03	30.0004952	MONTHLY - PM FOR BATTERY FOR DIESEL GENERATOR PPS (E)	NPPSA_NPPS	PPS
WL1320	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2024 2:04	30.0004953	MONTHLY - PM FOR 110KV BATTERY CHARGER SUBSTATION 115 KV. (E)	NPPSA_NPPS	PPS
WL1320	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2024 2:04	30.0004954	MONTHLY - PM FOR 480V BATTERY CHARGER SUBSTATION 115 KV (E)	NPPSA_NPPS	PPS
WL1323	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2024 2:04	30.0004955	6 MONTHS (DD) - PM FOR BELT CONVERTER BCA (M)	NPPSA_NPPS	PPS
WL1323	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2024 2:04	30.0004956	6 MONTHS (DD) - PM FOR BELT CONVEYOR BCL3 (M)	NPPSA_NPPS	PPS
WL1323	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2024 2:04	30.0004957	6 MONTHS (DD) - PM FOR DISTRIBUTOR CONVEYOR 30 M (M)	NPPSA_NPPS	PPS
WL1323	Ash &slag Removal Removal	03/Jan/2024 2:04	30.0004958	6 MONTHS (DD) - PM FOR FLY ASH SCRAPPER CONVEYOR 1. (M)	NPPSA_NPPS	PPS
WL1323	Ash &slag Removal System	03/Jan/2024 2:04	30.0004959	6 MONTHS (DD) - PM FOR WET ASH DISCHARGING SCREW (M)	NPPSA_NPPS	PPS
WL1323	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2024 2:04	30.0004960	6 MONTHS (DD) - PM FOR RICE HUSK RECEIVING POCKET (M)	NPPSA_NPPS	PPS
WL1322	PPS-FUEL STORAGE AND HANDLING FOR PUMP	03/Jan/2024 2:04	30.0004961	6 MONTHS (DD) - PM FOR OIL PUMP FILTER (M)	NPPSA_NPPS	PPS
WL1322	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:04	30.0004962	6 MONTHS (DD) - PM FOR LOAD PUMP FILTER (M)	NPPSA_NPPS	PPS
WL1322	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:04	30.0004963	YEARLY (SD) - PM FOR LUBE OIL COOLER 1 TGR1 (M)	NPPSA_NPPS	PPS
WL1322	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:05	30.0004964	YEARLY (SD) - PM FOR COOLER LUBE OIL 1 NO.2 TURBOSET (M)	NPPSA_NPPS	PPS
WL1322	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:05	30.0004965	YEARLY (SD) - PM FOR COIL COOLER COOLER OIL 2 NO.2 TURBOSET (M)	NPPSA_NPPS	PPS
WL1322	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:05	30.0004966	YEARLY (SD) - PM FOR LUBE OIL COOLER 2 TGR1 (M)	NPPSA_NPPS	PPS
WL1322	PPS-FUEL STORAGE AND HANDLING FOR PUMP	03/Jan/2024 2:05	30.0004967	6 MONTHS (DD) - PM FOR OIL PUMPS (M)	NPPSA_NPPS	PPS
WL1322	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2024 2:05	30.0004968	6 MONTHS (DD) - PM FOR OIL LUBRICATION PUMP (M)	NPPSA_NPPS	PPS
WL1322	PPS-FUEL STORAGE AND HANDLING FOR PUMP	03/Jan/2024 2:05	30.0004969	6 MONTHS (DD) - PM FOR HANDLING FOR PUMP 1 (M)	NPPSA_NPPS	PPS
WL1322	SOLID FUEL FEED (SLO TO BOILER)	03/Jan/2024 2:05	30.0004970	3 MONTHS (DD) - PM FOR CLEAN FOR HYDRAULIC UNIT FOR FUEL SLO 2 (M)	NPPSA_NPPS	PPS
WL1322	SOLID FUEL FEED (SLO TO BOILER)	03/Jan/2024 2:05	30.0004971	3 MONTHS (DD) - PM FOR SCRAPER DISC. SCREWS FOR CHIP (M)	NPPSA_NPPS	PPS
WL1323	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2024 2:05	30.0004972	MONTHLY - PM FOR SCRAPER DISC. SCREWS FOR CHIP (M)	NPPSA_NPPS	PPS
WL1323	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2024 2:05	30.0004973	MONTHLY - PM FOR DISTRIBUTOR CONVEYOR 30 M (PO)	NPPSA_NPPS	PPS
WL1323	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2024 2:07	30.0004974	MONTHLY - PM FOR BELT CONV. BARK & RICE TO BOILER (PO)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2024 2:08	30.0004975	MONTHLY - PM FOR DRIVE 1 RICE HUSK POCKET (PO)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2024 2:10	30.0004977	MONTHLY - PM FOR DRIVE 2 RICE HUSK POCKET (PO)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2024 2:12	30.0004978	MONTHLY - PM FOR SCREW CONVEYOR BCL3 (PO)	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOILER PUMP 1	03/Jan/2024 2:13	30.0004979	2 MONTHS - ROUTE PM FOR INSPECTION FABRIC EXPANSION JOINT AREA 462 (1) (PO)	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOILER PUMP 1	03/Jan/2024 2:14	30.0004980	2 MONTHS - ROUTE PM FOR INSPECTION FABRIC EXPANSION JOINT AREA 462 (2) (PO)	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOILER PUMP 1	03/Jan/2024 2:14	30.0004981	2 MONTHS - ROUTE PM FOR INSPECTION FABRIC EXPANSION JOINT AREA 462 (3) (PO)	NPPSA_NPPS	PPS
WL1320	Combustion Air System	03/Jan/2024 2:15	30.0004983	2 WEEKS - PM FOR FLUOINDING AIR FAN (PO)	NPPSA_NPPS	PPS
WL1320	Combustion Air System	03/Jan/2024 2:16	30.0004984	2 WEEKS - PM FOR SECONDARY AIR FAN (PO)	NPPSA_NPPS	PPS
WL1320	Furnace and Flue gas	03/Jan/2024 2:17	30.0004985	2 WEEKS - PM FOR INDUCED DRAFT FAN (PO)	NPPSA_NPPS	PPS
WL1320	Combustion Air System	03/Jan/2024 2:18	30.0004986	2 WEEKS - PM FOR FUEL FEEDING FAN 1 LEFT WALL (PO)	NPPSA_NPPS	PPS
WL1320	Combustion Air System	03/Jan/2024 2:19	30.0004987	2 WEEKS - PM FOR FUEL FEEDING FAN 2 RIGHT WALL (PO)	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOILER PUMP 1	03/Jan/2024 2:21	30.0004988	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOILER PPS (ROUTE 1) (PO)	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOILER PUMP 1	03/Jan/2024 2:21	30.0004989	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOILER PPS (ROUTE 5) (PO)	NPPSA_NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:21	30.0004990	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA TSG6, PPS (PO)	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOILER PUMP 1	03/Jan/2024 2:21	30.0004991	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE SOOT BLOWER PPS (ROUTE 1)	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOILER PUMP 1	03/Jan/2024 2:22	30.0004992	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE SOOT BLOWER PPS (ROUTE 1)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2024 2:22	30.0004993	2 WEEKS - PM FOR BELT ELEVATOR H-22 M (PO)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2024 2:22	30.0004994	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE SCREW RECLAIMER (PO)	NPPSA_NPPS	PPS
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PUMP	03/Jan/2024 2:23	30.0004995	Monthly inspect for oil storage tank	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOILER PUMP 1	03/Jan/2024 2:23	30.0004996	Monthly Preventive maintenance for Air condition	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOILER PUMP 1	03/Jan/2024 2:23	30.0004997	Monthly inspection for lighting system area 462	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOILER PUMP 1	03/Jan/2024 2:23	30.0004998	Weekly inspection for ER, CA, 88 Room (E210)	NPPSA_NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:23	30.0004999	2 Weekly Routine inspection for MCC area 462	NPPSA_NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:23	30.0005000	2 Weekly inspection for lighting system E211	NPPSA_NPPS	PPS
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PUMP	03/Jan/2024 2:24	30.0005001	PM for Pump in area 261	NPPSA_NPPS	PPS
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PUMP	03/Jan/2024 2:24	30.0005002	PM for oratorization electric heater 261S06	NPPSA_NPPS	PPS
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PUMP	03/Jan/2024 2:24	30.0005003	PM for filter in area 261	NPPSA_NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:24	30.0005004	Preventive maintenance for 2915218	NPPSA_NPPS	PPS
MS1033	PPS-POWER BOILER PUMP 1	03/Jan/2024 2:24	30.0005005	Weekly check for Flue gases analyzer NOX	NPPSA_NPPS	PPS
MS1033	PPS-POWER BOILER PUMP 1	03/Jan/2024 2:24	30.0005006	Weekly check for Flue gases analyzer TSS	NPPSA_NPPS	PPS
MS1033	PPS-POWER BOILER PUMP 1	03/Jan/2024 2:25	30.0005007	Weekly check for Flue gases analyzer CO	NPPSA_NPPS	PPS
MS1033	PPS-POWER BOILER PUMP 1	03/Jan/2024 2:25	30.0005008	Weekly check for Flue gases analyzer O2	NPPSA_NPPS	PPS
MS1033	PPS-POWER BOILER PUMP 1	03/Jan/2024 2:25	30.0005009	Weekly check for Flue gases analyzer SO2	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOILER PUMP 1	03/Jan/2024 2:25	30.0005010	Preventive Maintenance for area 462	NPPSA_NPPS	PPS
MS1033	Economizer Section	03/Jan/2024 2:26	30.0005011	Weekly check for Flue gases analyzer	NPPSA_NPPS	PPS
MS1033	Furnace and Flue gas	03/Jan/2024 2:26	30.0005012	Weekly check for Flue gases analyzer	NPPSA_NPPS	PPS
MS1033	Smoke Stack	03/Jan/2024 2:26	30.0005013	Weekly check for Flue gases analyzer	NPPSA_NPPS	PPS
WL1320	PRESSURE DRAIN SYSTEM	03/Jan/2024 2:26	30.0005014	Monthly check Auto valve 462H-20 (B)	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOILER PUMP 1	03/Jan/2024 2:26	30.0005015	Monthly PM for steam drum level light Power boiler	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOILER PUMP 1	03/Jan/2024 2:26	30.0005016	PM Monthly inspection for 462E018	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOILER PUMP 1	03/Jan/2024 2:27	30.0005017	PM Monthly inspection for 462E00601	NPPSA_NPPS	PPS
WL1322	Combustion Air System	03/Jan/2024 2:27	30.0005018	3 MONTHS (DD) - PM FOR FLUOINDING AIR FAN (M)	NPPSA_NPPS	PPS
WL1322	Combustion Air System	03/Jan/2024 2:27	30.0005019	3 MONTHS (DD) - PM FOR SECONDARY AIR FAN (M)	NPPSA_NPPS	PPS
WL1322	Combustion Air System	03/Jan/2024 2:28	30.0005020	3 MONTHS (DD) - PM FOR SECONDARY AIR FAN (M)	NPPSA_NPPS	PPS
WL1322	Combustion Air System	03/Jan/2024 2:28	30.0005021	3 MONTHS (DD) - PM FOR SECONDARY AIR FAN (M)	NPPSA_NPPS	PPS
WL1322	Furnace and Flue gas	03/Jan/2024 2:28	30.0005022	3 MONTHS (DD) - PM FOR INDUCED DRAFT FAN (M)	NPPSA_NPPS	PPS
WL1322	Furnace and Flue gas	03/Jan/2024 2:29	30.0005023	3 MONTHS (DD) - PM FOR INDUCED DRAFT FAN (M)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2024 2:29	30.0005025	2 WEEKS - PM FOR MOTOR BELT CONVEYOR BARK & RICE TO BOILER (E)	NPPSA_NPPS	PPS
WL1326	PPS-POWER BOILER PUMP 1	03/Jan/2024 2:30	30.0005026	YEARLY (SD) - PM FOR START UP VALVE ON - OFF VALVE (A)	NPPSA_NPPS	PPS
WL1326	PPS-POWER BOILER PUMP 1	03/Jan/2024 2:30	30.0005027	YEARLY (SD) - PM FOR START UP VALVE (A)	NPPSA_NPPS	PPS
WL1324	Combustion Air System	03/Jan/2024 2:30	30.0005028	YEARLY (SD) - PM FOR MOTOR FLUOINDING AIR FAN (E)	NPPSA_NPPS	PPS
WL1324	Combustion Air System	03/Jan/2024 2:31	30.0005029	YEARLY (SD) - PM FOR MOTOR FUEL FEEDING AIR FAN 1, LEFT WALL (E)	NPPSA_NPPS	PPS
WL1324	Combustion Air System	03/Jan/2024 2:31	30.0005030	YEARLY (SD) - PM FOR MOTOR FUEL FEEDING AIR FAN 2, RIGHT WALL (E)	NPPSA_NPPS	PPS
WL1324	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2024 2:31	30.0005031	YEARLY (SD) - PM FOR MOTOR SCREW RECLAIMER (E)	NPPSA_NPPS	PPS
WL1324	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2024 2:31	30.0005032	YEARLY (SD) - PM FOR VSD-SOFT START MOTOR SCREW RECLAIMER (E)	NPPSA_NPPS	PPS
WL1324	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2024 2:32	30.0005033	YEARLY (SD) - PM FOR VSD-SOFT START DRIVE COW SCREW RECLAIMER (E)	NPPSA_NPPS	PPS
WL1324	Furnace and Flue gas	03/Jan/2024 2:32	30.0005034	YEARLY (SD) - PM FOR VSD-SOFT START INDUCED DRAFT FAN (E)	NPPSA_NPPS	PPS
WL1322	Combustion Air System	03/Jan/2024 2:32	30.0005035	3 YEARS (SD) - PM FOR SECONDARY AIR FAN (M)	NPPSA_NPPS	PPS
WL1323	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2024 2:32	30.0005036	YEARLY (SD) - PM FOR DRIVE CHIP SCREW RECLAIMER (M)	NPPSA_NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:32	30.0005037	MONTHLY - PM FOR CONDENSATE PUMP 1 TSG1 (PO)	NPPSA_NPPS	PPS
WL1320	SOLID FUEL FEED (SLO TO BOILER)	03/Jan/2024 2:33	30.0005038	MONTHLY - PM FOR CONDENSATE PUMP 2 TSG1 (PO)	NPPSA_NPPS	PPS
WL1320	SOLID FUEL FEED (SLO TO BOILER)	03/Jan/2024 2:33	30.0005040	MONTHLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 1 (PO)	NPPSA_NPPS	PPS
MS1034	Ash &slag Removal Removal	03/Jan/2024 2:33	30.0005041	WEEKLY - PM FOR FLY ASH (A)	NPPSA_NPPS	PPS
MS1034	SOLID FUEL FEED (SLO TO BOILER)	03/Jan/2024 2:33	30.0005042	2 WEEKS - PM FOR FLY ASH (A)	NPPSA_NPPS	PPS
MS1034	SOLID FUEL FEED (SLO TO BOILER)	03/Jan/2024 2:36	30.0005043	2 WEEKS - PM FOR POWER FACTOR (A)	NPPSA_NPPS	PPS
MS1034	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:36	30.0005045	2 WEEKS - PM FOR SYNCHRONOUS (A)	NPPSA_NPPS	PPS
MS1034	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:37	30.0005047	2 WEEKS - PM FOR TURBINE CONTROL GOVERNOR CABINET TGS (LCG001) (A)	NPPSA_NPPS	PPS
MS1034	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:38	30.0005048	2 WEEKS - PM FOR TURBINE CONTROL GOVERNOR CABINET TGS (LCG001) (A)	NPPSA_NPPS	PPS
MS1034	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:40	30.0005049	2 WEEKS - PM FOR TURBINE CONTROL AUXILIARY CABINET TGS (LCG001) (A)	NPPSA_NPPS	PPS
MS1034	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:42	30.0005050	2 WEEKS - PM FOR TURBINE CONTROL AUXILIARY CABINET TGS (LCG001) (A)	NPPSA_NPPS	PPS
MS1034	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:44	30.0005051	WEEKLY - PM FOR TURBINE CONTROL SERVO CABINET TGS 6 (LCR01 33000) (A)	NPPSA_NPPS	PPS
WL1326	Economizer Section	03/Jan/2024 2:44	30.0005052	YEARLY (SD) - PM FOR START BURNERS RETURN FLOW ADJUSTING CONTROL VALVE (A)	NPPSA_NPPS	PPS
WL1326	Sootblowers	03/Jan/2024 2:44	30.0005053	YEARLY (SD) - PM FOR FLOW TEMP. OF FEEDWATER BEFORE ECO. CONTROL VALVE GLOE (A)	NPPSA_NPPS	PPS
WL1326	HP SUPERHEATER SYSTEMS	03/Jan/2024 2:44	30.0005054	YEARLY (SD) - PM FOR PRESS. CONTROL SOOTBLow STEAM CONTROL VALVE (A)	NPPSA_NPPS	PPS
WL1326	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:45	30.0005055	YEARLY (SD) - PM FOR TEMP. STEAM AFTER ATTENUATION CONTROL VALVE GLOE (A)	NPPSA_NPPS	PPS
WL1326	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:45	30.0005056	YEARLY (SD) - PM FOR PRESSURE CONTROLLER BLEEDING 2 TURBINE 1 (A)	NPPSA_NPPS	PPS
WL1326	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:45	30.0005057	YEARLY (SD) - PM FOR PRESSURE CONTROLLER BLEEDING 2 TURBINE 1 (A)	NPPSA_NPPS	PPS
WL1326	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:45	30.0005058	YEARLY (SD) - PM FOR TEMPERATURE EXTRACTION STEAM TURBINE 1 (A)	NPPSA_NPPS	PPS
WL1326	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:45	30.0005059	YEARLY (SD) - PM FOR LOOP TEMPERATURE EXTRACTION STEAM TURBINE 2 TEMP (A)	NPPSA_NPPS	PPS
WL1326	PPS-POWER GENERATION PUMP 1	03/Jan/2024 2:45	30.0005060	YEARLY (SD) - PM FOR LOOP TEMPERATURE BLEEDING STEAM TURBINE 2 TEMP CON (A)	NPPSA_NPPS	PPS
WL1326	PPS-POWER GENERATION PUMP 1					

WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 2:49	26.0020115	YEARLY	PM FOR POWER CABLE FOR TRANSFER BUS (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 2:49	26.0020116	YEARLY	PM FOR POWER CABLE FOR CLO2 CHEMICAL PLANT (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 2:49	26.0020117	YEARLY	PM FOR POWER CABLE FOR UTILITIES TL293 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 2:49	26.0020118	YEARLY	PM FOR POWER CABLE FOR LIGHTING TRANSFORMER (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 2:49	26.0020119	YEARLY	PM FOR POWER CABLE FOR OUTGOING TO FIBER LINE 1 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 2:49	26.0020120	YEARLY	PM FOR POWER CABLE FOR OUTGOING TO NPPSA (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 2:49	26.0020121	YEARLY	PM FOR POWER CABLE FOR TIE TO 292AC1, L110 (WATER TREATMENT PLANT TH401) (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 2:49	26.0020122	YEARLY	PM FOR POWER CABLE FOR TIE TO 292AC1.05 (UTILITIES T2H12, TL403) AND NPPSA, NPPFS	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 2:49	26.0020123	YEARLY	PM FOR POWER CABLE FOR TIE TO 292AC1.01 (WATER TREATMENT TH201) (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 2:50	26.0020124	YEARLY	PM FOR POWER CABLE FOR SPARE (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 2:50	26.0020125	YEARLY	PM FOR POWER CABLE FOR INCOMING FROM 292AC1.5 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 2:50	26.0020126	YEARLY	PM FOR POWER CABLE FOR OUTGOING TO IGATTO 113KV SUBSTATION A41 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 2:50	26.0020127	YEARLY	PM FOR POWER CABLE FOR INCOMING FROM GENERATOR 1 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 2:50	26.0020128	YEARLY	PM FOR POWER CABLE FOR INCOMING FROM GENERATOR 2 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 2:50	26.0020129	YEARLY	PM FOR POWER CABLE FOR OUTGOING TO 292AC1.27 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 2:50	26.0020130	YEARLY	PM FOR POWER CABLE FOR LIGHTING TRANSFORMER (E)	NPPSA, NPPFS	PPS
WLS214	Electrostatic precipitator	03/Jan/2026 2:50	26.0020131	YEARLY	PM FOR ELECTROSTATIC PRECIPITATOR (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER GENERATION PUMP 1	03/Jan/2026 2:51	26.0020133	YEARLY	PM FOR GENERATOR T202 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER GENERATION PUMP 1	03/Jan/2026 2:51	26.0020134	YEARLY	PM FOR GENERATOR T214 (E)	NPPSA, NPPFS	PPS
WLS214	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2026 2:54	26.0020135	YEARLY	PM FOR SCREW CONVEYOR RC4.3 (E)	NPPSA, NPPFS	PPS
WLS214	SOLID FUEL FEED (S&D TO BOLLER)	03/Jan/2026 2:54	26.0020136	YEARLY	PM FOR FUEL DRAG CONVEYOR 1.2, LEFT WALL (E)	NPPSA, NPPFS	PPS
WLS214	SOLID FUEL FEED (S&D TO BOLLER)	03/Jan/2026 2:54	26.0020137	YEARLY	PM FOR FUEL DRAG CONVEYOR 2, RIGHT WALL (E)	NPPSA, NPPFS	PPS
WLS214	SOLID FUEL FEED (S&D TO BOLLER)	03/Jan/2026 2:54	26.0020138	YEARLY	PM FOR FUEL DRAG CONVEYOR 2.2, RIGHT WALL (E)	NPPSA, NPPFS	PPS
WLS214	Ash &slag Removal Removal	03/Jan/2026 2:55	26.0020139	YEARLY	PM FOR COARSE MATERIAL DRAG CONVEYOR (E)	NPPSA, NPPFS	PPS
WLS214	Ash &slag Removal Removal	03/Jan/2026 2:55	26.0020140	YEARLY	PM FOR FLY ASH SCREEN CONVEYOR, LEFT WALL (E)	NPPSA, NPPFS	PPS
WLS214	Ash &slag Removal Removal	03/Jan/2026 2:55	26.0020141	YEARLY	PM FOR FLY ASH DRAG CONVEYOR, LEFT WALL (E)	NPPSA, NPPFS	PPS
WLS214	Ash &slag Removal Removal	03/Jan/2026 2:56	26.0020142	YEARLY	PM FOR FLY ASH DRAG CONVEYOR, RIGHT WALL (E)	NPPSA, NPPFS	PPS
WLS214	Ash &slag Removal Removal	03/Jan/2026 2:56	26.0020143	YEARLY	PM FOR FLY ASH DRAG CONVEYOR, RIGHT WALL (E)	NPPSA, NPPFS	PPS
WLS214	Ash &slag Removal Removal	03/Jan/2026 2:56	26.0020144	YEARLY	PM FOR FLY ASH MAIN DRAG CONVEYOR (E)	NPPSA, NPPFS	PPS
WLS214	Ash &slag Removal Removal	03/Jan/2026 2:56	26.0020145	YEARLY	PM FOR ASH BUCKET ELEVATOR (E)	NPPSA, NPPFS	PPS
WLS214	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2026 2:57	26.0020146	YEARLY	PM FOR MOTOR SCREW A8.2 TORQUE (E)	NPPSA, NPPFS	PPS
WLS214	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2026 2:57	26.0020147	YEARLY	PM FOR MOTOR SCREW A9.3 COOLING FAN (E)	NPPSA, NPPFS	PPS
WLS214	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2026 2:57	26.0020148	YEARLY	PM FOR MOTOR SCREW A4.0 OIL PUMP (E)	NPPSA, NPPFS	PPS
WLS214	PPS-POWER GENERATION PUMP 1	03/Jan/2026 2:58	26.0020149	YEARLY	PM FOR CONDENSATE PUMP 2 TORQUE (E)	NPPSA, NPPFS	PPS
WLS214	PPS-POWER GENERATION PUMP 1	03/Jan/2026 2:58	26.0020150	YEARLY	PM FOR CONDENSATE PUMP 1 TORQUE (E)	NPPSA, NPPFS	PPS
WLS214	PPS-FUEL STORAGE AND HANDLING FOR PUMP	03/Jan/2026 2:58	26.0020151	YEARLY	PM FOR OIL PUMPS (E)	NPPSA, NPPFS	PPS
WLS214	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2026 2:58	26.0020152	YEARLY	PM FOR MOTOR BELT CONVEYOR BC3 (E)	NPPSA, NPPFS	PPS
WLS214	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2026 2:59	26.0020153	YEARLY	PM FOR DRIVE 1 RIGID HULGE POCKET (E)	NPPSA, NPPFS	PPS
WLS214	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2026 2:59	26.0020154	YEARLY	PM FOR DRIVE 2 RIGID HULGE POCKET (E)	NPPSA, NPPFS	PPS
WLS214	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2026 2:59	26.0020155	YEARLY	PM FOR SCREW CONVEYOR M-1 (E)	NPPSA, NPPFS	PPS
WLS214	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2026 2:59	26.0020156	YEARLY	PM FOR BELT ELEVATOR H=2 M (E)	NPPSA, NPPFS	PPS
WLS214	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2026 3:00	26.0020157	YEARLY	PM FOR SCREW CONVEYOR NO 1 M (E)	NPPSA, NPPFS	PPS
WLS214	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2026 3:00	26.0020158	YEARLY	PM FOR SCRAPER OSC. SCREEN FOR CHIP (E)	NPPSA, NPPFS	PPS
WLS214	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2026 3:00	26.0020159	YEARLY	PM FOR E. MAGNETIC SEPARATOR C037 (E)	NPPSA, NPPFS	PPS
WLS214	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2026 3:00	26.0020160	YEARLY	PM FOR TORQUE MOTOR (E)	NPPSA, NPPFS	PPS
WLS214	Ash &slag Removal Removal	03/Jan/2026 3:01	26.0020162	YEARLY	PM FOR ASH ROTARY FEEDER , RIGHT WALL (E)	NPPSA, NPPFS	PPS
WLS214	Ash &slag Removal Removal	03/Jan/2026 3:01	26.0020163	3 YEARS	PM FOR ASH ROTARY FEEDER , LEFT WALL (E)	NPPSA, NPPFS	PPS
WLS214	Ash &slag Removal Removal	03/Jan/2026 3:01	26.0020164	3 YEARS	PM FOR ASH ROTARY FEEDER , LEFT WALL (E)	NPPSA, NPPFS	PPS
WLS214	LOW VOLTAGE MAIN DISTRIBUTION BOARD &	03/Jan/2026 3:02	26.0020167	YEARLY	PM FOR INCOMING 690VAC FOR POWER BOILER PLANT 58 (E)	NPPSA, NPPFS	PPS
WLS214	PPS-POWER GENERATION PUMP 1	03/Jan/2026 3:02	26.0020169	YEARLY	PM FOR LOW VOLTAGE SWITCHGEAR NO 1 TURBO SET (E)	NPPSA, NPPFS	PPS
WLS214	PPS-POWER GENERATION PUMP 1	03/Jan/2026 3:02	26.0020171	YEARLY	PM FOR LOW VOLTAGE SWITCHGEAR NO 1 TURBO SET (E)	NPPSA, NPPFS	PPS
WLS214	PPS-POWER GENERATION PUMP 1	03/Jan/2026 3:04	26.0020172	YEARLY	PM FOR LOW VOLTAGE SWITCHGEAR NO 2 TURBO SET (E)	NPPSA, NPPFS	PPS
WLS214	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:05	26.0020174	YEARLY	PM FOR LOW VOLTAGE SWITCHGEAR NO 2 TURBOSET (E)	NPPSA, NPPFS	PPS
WLS214	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:06	26.0020176	YEARLY	PM FOR LOW VOLTAGE SWITCHGEAR NO 2 TURBOSET (E)	NPPSA, NPPFS	PPS
WLS214	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:07	26.0020177	YEARLY	PM FOR LOW VOLTAGE SWITCHGEAR NO 2 TURBOSET (E)	NPPSA, NPPFS	PPS
WLS214	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2026 3:08	26.0020178	YEARLY	PM FOR INCOMING 690VAC FOR FUEL HANDLING PLANT 58 (E)	NPPSA, NPPFS	PPS
WLS214	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2026 3:09	26.0020180	YEARLY	PM FOR SOFT START BELT CONVEYOR BC4 (E)	NPPSA, NPPFS	PPS
WLS214	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2026 3:09	26.0020181	YEARLY	PM FOR SOFT START BELT CONVEYOR BC5 (E)	NPPSA, NPPFS	PPS
WLS214	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2026 3:09	26.0020182	YEARLY	PM FOR SOFT START BELT CONVEYOR BC6 (E)	NPPSA, NPPFS	PPS
WLS214	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2026 3:09	26.0020183	YEARLY	PM FOR INCOMING 400VAC FOR LIGHTING FUEL HANDLING PLANT 58 (E)	NPPSA, NPPFS	PPS
WLS214	PPS-POWER GENERATION PUMP 1	03/Jan/2026 3:10	26.0020184	YEARLY	PM FOR FOR 400VACW 1100 NO 1 TURBOSET (E)	NPPSA, NPPFS	PPS
WLS214	PPS-POWER GENERATION PUMP 1	03/Jan/2026 3:11	26.0020185	YEARLY	PM FOR 400V SWITCHGEAR 1100 NO 1 TURBOSET (E)	NPPSA, NPPFS	PPS
WLS214	SUPPLY OF BIO MASS SYSTEM TO SLO	03/Jan/2026 3:12	26.0020187	YEARLY	PM FOR SOFT START BELT CONVEYOR BC7 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:12	26.0020188	YEARLY	PM FOR FCC PLANT (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:13	26.0020189	YEARLY	PM FOR WATER PUMPING TH022, TH023, TL024, TL025 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:13	26.0020190	YEARLY	PM FOR WATER TREATMENT TH021 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:14	26.0020191	YEARLY	PM FOR EFFLUENT PLANT TH031 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:17	26.0020192	YEARLY	PM FOR UTILITIES T2H12, TL403 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:18	26.0020194	YEARLY	PM FOR RECOVERY BOILER PLANT TH411, TH412 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:19	26.0020195	YEARLY	PM FOR INCOMING PM 2 FROM PPS (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:20	26.0020196	YEARLY	PM FOR OUTGOING TO FIBER LINE 1 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:22	26.0020197	YEARLY	PM FOR FUEL HANDLING TH211 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:22	26.0020198	YEARLY	PM FOR POWER BOILER TH211 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:24	26.0020199	YEARLY	PM FOR STEAM HEATER PLANT TH401 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:25	26.0020200	YEARLY	PM FOR UTILITIES TH211, TL201 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:26	26.0020201	YEARLY	PM FOR FEED WATER PUMP T221 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:27	26.0020202	YEARLY	PM FOR CATHODIC PROTECTION K14 TH242 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:28	26.0020203	YEARLY	PM FOR TRANSFER BUS (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:29	26.0020204	YEARLY	PM FOR TRANSFER BUS (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:30	26.0020205	YEARLY	PM FOR TRANSFER BUS (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:31	26.0020206	YEARLY	PM FOR UTILITIES TL293 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:33	26.0020207	YEARLY	PM FOR LIGHTING TRANSFORMER (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:34	26.0020208	YEARLY	PM FOR BUS METERING (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:35	26.0020209	YEARLY	PM FOR OUTGOING TO FIBER LINE 1 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:36	26.0020210	YEARLY	PM FOR OUTGOING TO NPPSA (E)	NPPSA, NPPFS	PPS

WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:37	26.0020211	YEARLY	PM FOR TIE TO 292AC1, L110 (WATER TREATMENT PLANT TH401) (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:38	26.0020212	YEARLY	PM FOR TIE TO 292AC1.05 (UTILITIES T2H12, TL403) AND CONVERTING (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:40	26.0020215	YEARLY	PM FOR TIE TO 292AC1.01 (WATER TREATMENT TH201) (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:41	26.0020216	YEARLY	PM FOR TRANSFER BUS (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:42	26.0020223	YEARLY	PM FOR INCOMING FROM 292AC1.5 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:43	26.0020230	YEARLY	PM FOR OUTGOING TO IGATTO 113KV SUBSTATION A41 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:44	26.0020231	YEARLY	PM FOR INCOMING FROM GENERATOR 1 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:45	26.0020241	YEARLY	PM FOR INCOMING FROM GENERATOR 2 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:47	26.0020243	YEARLY	PM FOR BUS METERING (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:48	26.0020251	YEARLY	PM FOR OUTGOING TO 292AC1.27 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER DISTRIBUTION PUMP 1	03/Jan/2026 3:49	26.0020260	YEARLY	PM FOR EARTHING TRANSFORMER TH402 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER GENERATION PUMP 1	03/Jan/2026 3:50	26.0020270	YEARLY	PM FOR TURBO GEN # 1 TRANSFORMER TD1 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER GENERATION PUMP 1	03/Jan/2026 3:51	26.0020273	YEARLY	PM FOR TURBO GEN # 2 TRANSFORMER TD2 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER GENERATION PUMP 1	03/Jan/2026 3:51	26.0020274	YEARLY	PM FOR UTILITY TRANSFORMER TH211 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER GENERATION PUMP 1	03/Jan/2026 3:52	26.0020275	YEARLY	PM FOR SECURED POWER TRANSFORMER TL293 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-FUEL STORAGE AND HANDLING FOR PUMP	03/Jan/2026 3:52	26.0020278	YEARLY	PM FOR LIGHTING POWER TRANSFORMER TL293 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-FUEL STORAGE AND HANDLING FOR PUMP	03/Jan/2026 3:53	26.0020279	YEARLY	PM FOR DISTRIBUTION TRANSFORMER TL401 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-FUEL STORAGE AND HANDLING FOR PUMP	03/Jan/2026 3:53	26.0020280	YEARLY	PM FOR FUEL HANDLING TRANSFORMER TH321 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-FUEL STORAGE AND HANDLING FOR PUMP	03/Jan/2026 3:53	26.0020281	YEARLY	PM FOR FUEL HANDLING TRANSFORMER TL321 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-PACKAGE BOILER PUMP 1	03/Jan/2026 3:54	26.0020282	YEARLY	PM FOR PACKAGE BOILER TRANSFORMER TH212 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-PACKAGE BOILER PUMP 1	03/Jan/2026 3:54	26.0020283	YEARLY	PM FOR PACKAGE BOILER TRANSFORMER TL403 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER GENERATION PUMP 1	03/Jan/2026 3:54	26.0020284	YEARLY	PM FOR UPS POWER MCC UP031 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER GENERATION PUMP 1	03/Jan/2026 3:55	26.0020285	YEARLY	PM FOR UPS POWER MCC UP031 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER GENERATION PUMP 1	03/Jan/2026 3:55	26.0020286	YEARLY	PM FOR UPS POWER MCC UP031 (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER GENERATION PUMP 1	03/Jan/2026 3:56	26.0020287	YEARLY	PM FOR BATTERY CHARGER NO 1 TURBOSET (E)	NPPSA, NPPFS	PPS
WLS215	PPS-POWER GENERATION PUMP 1	03/Jan/2026 3:56	26.0020288	3 YEARS	PM FOR BATTERY CHARGER NO 2 TURBOSET (E)	NPPSA, NPPFS	PPS
WLS212	PPS-POWER GENERATION PUMP 1	03/Jan/2026 3:56	26.0020289	YEARLY	PM FOR LUBE OIL COOLER 1 TSG4 (M)	NPPSA, NPPFS	PPS
WLS212	PPS-POWER GENERATION PUMP 1	03/Jan/2026 3:56	26.0020290	YEARLY	PM FOR LUBE OIL COOLER 2 TSG4 (M)	NPPSA, NPPFS	PPS
WLS212	PPS-POWER GENERATION PUMP 1	03/Jan/2026 3:56	26.0020291	YEARLY	PM FOR LUBE OIL COOLER 3 TSG4 (M)	NPPSA, NPPFS	PPS
WLS212	PPS-POWER GENERATION PUMP 1	03/Jan/2026 3:56	26.0020292	YEARLY	PM FOR CONDENSER NO 2 TURBOSET (M)	NPPSA, NPPFS	PPS
WLS212	PPS-POWER GENERATION PUMP 1	03/Jan/2026 3:56	26.0020293	YEARLY	PM FOR STEAM STENDER CONDENSER TSG4 (M)	NPPSA, NPPFS	PPS
WLS212	SOLID FUL FEED (S&D TO BOLLER)	03/Jan/2026 3:56	26.0020294	YEARLY	PM FOR STEAM STENDER CONDENSER TSG4 (M)	NPPSA, NPPFS	PPS
WLS212	SOLID FUL FEED (S&D TO BOLLER)	03/Jan/2026 3:56	26.0020295	YEARLY	PM FOR STEAM DISCHARGER 2 (STEAM RECLAIMER) (M)	NPPSA, NPPFS	PPS
WLS213	SOLID FUL FEED (S&D TO BOLLER)	03/Jan/2026 3:56	26.0020296	YEARLY	PM FOR HYDRAULIC UNIT FOR ROLLER S10 (M)	NPPSA, NPPFS	PPS
WLS213	SOLID FUL FEED (S&D TO BOLLER)	03/Jan/2026 3:56	26.0020297	MONTHLY	PM FOR HYDRAULIC UNIT FOR ROLLER S10 (M)	NPPSA, NPPFS	PPS
WLS120	SUPPLY OF BIG MASS SYSTEM TO SLO	03/Jan/2026 3:56	26.0020298	MONTHLY	PM FOR BELT CONVEYOR - RICH H. FL STORAGE (P)	NPPSA, NPPFS	PPS
WLS214	SUPPLY OF BIG MASS SYSTEM TO SLO	03/Jan/2026 3:58	26.0020299	YEARLY	PM FOR BELT CONVEYOR - RICH H. FL STORAGE (P)	NPPSA, NPPFS	PPS
WLS118	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 3:58	26.0020301	MONTHLY	PM FOR RECOVERY BOLLER - DISSOLVING TANK (PO)	NPPSA, NPPFS	PPS
WLS118	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 3:58	26.0020301	40X2020 Recovery Boller Bed Camera Right Side	NPPSA, NPPFS	PPS	
WLS118	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 3:58	26.0020302	40X2020 Recovery Boller Bed Camera Left Side	NPPSA, NPPFS	PPS	
WLS130	PPS-DEAN WATER PLANT PUMP 1	03/Jan/2026 3:59	26.0020303	MONTHLY	PM FOR BATTER FOR 268180U DCB BOLLER PPS (A)	NPPSA, NPPFS	PPS
WLS130	PPS-DEAN WATER PLANT PUMP 1	03/Jan/2026 3:59	26.0020304	MONTHLY	PM FOR BATTER FOR 268180U DCB BOLLER PPS (A)	NPPSA, NPPFS	PPS
WLS130	PPS-DEAN WATER PLANT PUMP 1	03/Jan/2026 3:59	26.0020305	MONTHLY	PM FOR BATTER FOR 4638U DCB BOLLER PPS (A)	NPPSA, NPPFS	PPS
WLS130	PPS-DEAN WATER PLANT PUMP 1	03/Jan/2026 3:59	26.0020306	MONTHLY	PM FOR BATTER FOR 4638U DCB BOLLER PPS (A)	NPPSA, NPPFS	PPS
WLS130	PPS-DEAN WATER PLANT PUMP 1	03/Jan/2026 3:59	26.0020307	MONTHLY	PM FOR UPS FOR DCB BOLLER PPS (A)	NPPSA, NPPFS	PPS
WLS130	PPS-DEAN WATER PLANT PUMP 1	03/Jan/2026 4:00	26.0020308	MONTHLY	PM FOR UPS FOR DCB BOLLER PPS (A)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:00	26.0020309	MONTHLY	PM FOR UPS FOR DCB BOLLER PPS (A)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:00	26.0020310	MONTHLY	PM FOR UPS FOR DCB BOLLER PPS (A)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:01	26.0020311	MONTHLY	PM FOR COLLLECTOR FOR RICH H. FL STORAGE (P)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:01	26.0020312	MONTHLY	PM FOR FOR FAN PRIMARY (E)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:01	26.0020313	MONTHLY	PM FOR FOR FAN SECONDARY (E)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:01	26.0020314	MONTHLY	PM FOR FOR FAN #1 (E)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:01	26.0020315	MONTHLY	PM FOR FOR FAN #2 (E)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:01	26.0020316	MONTHLY	PM FOR FOR FAN #3 (E)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:01	26.0020317	MONTHLY	PM FOR FOR FAN #4 (E)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:01	26.0020318	MONTHLY	PM FOR SCRUBBER FAN (E)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:02	26.0020319	MONTHLY	PM REFLU LUBRICANT FOR AGITATOR - DISSOLVING TANK (PO)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:02	26.0020320	MONTHLY	PM REFLU LUBRICANT FOR AGITATOR - DISSOLVING TANK (PO)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:02	26.0020321	2 WEEKS	INPECTION KNOODING MACH BOB EXP	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:03	26.0020322	4017434 COLLECTING RAPPER B & PRECIPITATOR # 1	NPPSA, NPPFS	PPS	
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:03	26.0020323	4017434 COLLECTING RAPPER B & PRECIPITATOR # 2	NPPSA, NPPFS	PPS	
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:04	26.0020324	4017434 COLLECTING RAPPER B & PRECIPITATOR # 3	NPPSA, NPPFS	PPS	
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:04	26.0020325	4017434 COLLECTING RAPPER B & PRECIPITATOR # 4	NPPSA, NPPFS	PPS	
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:04	26.0020326	4017434 COLLECTING RAPPER B & PRECIPITATOR # 5	NPPSA, NPPFS	PPS	
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:04	26.0020327	4017434 COLLECTING RAPPER B & PRECIPITATOR # 6	NPPSA, NPPFS	PPS	
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:04	26.0020328	4017434 COLLECTING RAPPER B & PRECIPITATOR # 7	NPPSA, NPPFS	PPS	
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:04	26.0020329	2 WEEKS	INPECTION KNOODING MACH	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:05	26.0020330	4011397 3 KNOOD MASTERS, AIR REGISTOR # 14	NPPSA, NPPFS	PPS	
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:05	26.0020331	2 WEEKS	INPECTION KNOODING MACH	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:05	26.0020332	2 WEEKS	PM VISUAL CHECK AND BASIC POM FOR AGITATOR - DISSOLVING TANK (PO)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:06	26.0020333	2 WEEKS	PM VISUAL CHECK AND BASIC POM FOR AGITATOR - DISSOLVING TANK (PO)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:07	26.0020334	2 WEEKS	PM VISUAL CHECK AND BASIC POM FOR DRAG SCRAPER, ESP # 1 (PO)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:08	26.0020336	MONTHLY	PM VISUAL CHECK AND BASIC POM FOR DRAG SCRAPER, ESP # 2 (PO)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:08	26.0020337	MONTHLY	PM VISUAL CHECK AND BASIC POM FOR DRAG SCRAPER, ESP # 2 (PO)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:09	26.0020338	MONTHLY	PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 1 (NPPSA, NPPFS)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:10	26.0020340	MONTHLY	PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 2, ESP # 2 (PO)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:12	26.0020342	MONTHLY	PM VISUAL CHECK AND BASIC POM FOR PRECIP DRAG SCRAPERS (4610201) (PO)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:12	26.0020343	MONTHLY	PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 1 (NPPSA, NPPFS)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:13	26.0020344	MONTHLY	PM ROUTE INSPECTION AND CLEAN GROUP 7 AREA A61 (PO)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:13	26.0020345	4 MONTHS	PM ROUTE INSPECTION AND CLEAN GROUP 7 AREA A61 (PO)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:14	26.0020346	4 MONTHS	PM ROUTE INSPECTION AND CLEAN GROUP 7 AREA A61 (PO)	NPPSA, NPPFS	PPS
WLS130	PPS-RECOVERY BOLLER PUMP 1	03/Jan/2026 4:15	26.0020347	4 MONTHS	PM ROUTE INSPECTION AND CLEAN GROUP 7 AREA A61 (PO)	NPPSA, NPPFS	PPS

WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:15	26.000348	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 3 AREA 45 (PO)	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:16	26.000349	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 3 AREA 45 (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:17	26.000350	MONTHLY - ROUTE PM FOR INSPECTION FABRIC EXPANSION CONT (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:17	26.000351	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN PRIMARY (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:18	26.000353	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN SECONDARY (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:20	26.000354	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN TERTIARY (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:21	26.000355	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN #1 (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:22	26.000356	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN #2 (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:23	26.000357	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN #3 (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:24	26.000358	MONTHLY - PM ROUTE REFL LUBRICANT BEARING_FAN_PPS (ROUTE 1) (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:25	26.000359	MONTHLY - PM ROUTE REFL LUBRICANT BEARING_FAN_PPS (ROUTE 2) (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:25	26.000360	2 WEEKS - PM ROUTE REFL LUBRICANT BEARING_FAN_PPS (ROUTE 3) (PO)	NPPSA_NPPS	PPS
MS1003	PPS-EVAPORATION PULP 1	03/Jan/2026 4:25	26.000361	MONTHLY - PM REPAIR LUBRICANT FOR AGITATOR STRONG LIQUOR STORAGE TANK (PO)	NPPSA_NPPS	PPS
MS1003	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:25	26.000362	Weekly calibrate Flue Gas Stack CO	NPPSA_NPPS	PPS
MS1003	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:25	26.000363	Weekly check for CO2 4614724-1, 4614724-2	NPPSA_NPPS	PPS
MS1003	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:26	26.000364	Weekly check for Flue gases analyzer T85	NPPSA_NPPS	PPS
MS1003	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:26	26.000365	Weekly check for O2 analyzer	NPPSA_NPPS	PPS
MS1003	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:26	26.000366	Weekly check for Flue gases analyzer H0X	NPPSA_NPPS	PPS
MS1003	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:26	26.000367	Weekly check for Flue gases analyzer	NPPSA_NPPS	PPS
MS1003	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:27	26.000368	Weekly check for Flue gases analyzer O2	NPPSA_NPPS	PPS
MS1003	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:27	26.000369	Weekly check for Flue gases analyzer SO2	NPPSA_NPPS	PPS
MS1003	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:27	26.000370	Weekly check for Flue gases analyzer CO	NPPSA_NPPS	PPS
WS1216	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:28	26.000371	3 MONTHS (SD) - PM FOR ID FAN #1 SPEED CNTL SPEED CONTROL VALVE (A)	NPPSA_NPPS	PPS
WS1216	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:28	26.000372	3 MONTHS (SD) - PM FOR ID FAN #2 SPEED CNTL SPEED CONTROL VALVE (A)	NPPSA_NPPS	PPS
WS1216	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:28	26.000373	3 MONTHS (SD) - PM FOR ID FAN #3 SPEED CNTL SPEED CONTROL VALVE (A)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:28	26.000374	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FEEDWATER PUMP #2 (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:30	26.000375	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FEEDWATER PUMP #3 (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:31	26.000376	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FEEDWATER PUMP #4 (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:33	26.000377	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR GREEN LIQUOR TRANSFER PUMP #2 (PC) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:34	26.000378	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION/TRANSFER PUMP #1 A NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:35	26.000379	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION/TRANSFER PUMP #1 B NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:35	26.000380	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION/TRANSFER PUMP #1 C NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:36	26.000381	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION/TRANSFER PUMP #1 D NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:37	26.000382	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR CUMPT TANK PUMP (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:38	26.000383	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SPILL COLLECTION PUMP (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:38	26.000385	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SCRUBBER RECIRCULATION PUMP (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:39	26.000386	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR GREEN LIQUOR TRANSFER PUMP #3 (PC) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:40	26.000387	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SPOT COOLING WATER PUMP #1 (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 4:41	26.000388	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SPOT COOLING WATER PUMP #2 (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:42	26.000389	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUOR SPRAY GUN SSP PUMP #1 A (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:42	26.000391	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUOR SPRAY GUN SSP PUMP #2 (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:43	26.000394	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION PUMP #3 (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:44	26.000395	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION PUMP #4 (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:45	26.000398	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR TRANSFER PUMP #2 (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:45	26.000400	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR TRANSFER PUMP #3 (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:46	26.000401	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR TRANSFER PUMP FOR EFFECT #5 (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:47	26.000402	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SECONDARY CONDENSATE TRANSFER PUMP NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:48	26.000404	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR CONTAMINATED CONDENSATE TRANSFER NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:48	26.000406	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR STRONG LIQUOR TRANSFER PUMP #1 A NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:49	26.000408	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR STRONG LIQUOR TRANSFER PUMP #1 B NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:50	26.000410	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR STRONG LIQUOR TRANSFER PUMP #2 A NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:51	26.000412	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR STRONG LIQUOR TRANSFER PUMP #3 A NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:52	26.000414	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR STRONG LIQUOR TRANSFER PUMP #3 B NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:52	26.000415	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR WARM LIQUOR TRANSFER PUMP (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:53	26.000416	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION PUMP #2 (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:54	26.000418	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR TRANSFER PUMP #4 (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:55	26.000419	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION PUMP #5 (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-COOLING TOWER PULP 1	03/Jan/2026 4:56	26.000420	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.1 (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-COOLING TOWER PULP 1	03/Jan/2026 4:56	26.000421	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.2 (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-COOLING TOWER PULP 1	03/Jan/2026 4:57	26.000422	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.3 (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-COOLING TOWER PULP 1	03/Jan/2026 4:58	26.000423	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.4 (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-COOLING TOWER PULP 1	03/Jan/2026 4:59	26.000425	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.5 (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 4:59	26.000426	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.6 (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 5:00	26.000429	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RINGING RETURN PUMP (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 5:01	26.000431	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR STEAM CONDENSATE PUMP (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 5:01	26.000435	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR STEAM CONDENSATING PUMP (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 5:03	26.000438	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR CONTAMINATED CONDENSATE FEED PUMP NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 5:04	26.000440	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR TREATED CONDENSATE PUMP (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 5:05	26.000443	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR WARM WATER DISTRIBUTION PUMP (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:06	26.000446	2 MONTHS - PM FOR CIRCULATION PUMP 2 (CCW AIR COMP.) (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:07	26.000454	2 MONTHS - PM FOR CIRCULATION PUMP 1 (CCW AIR COMP.) (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:09	26.000465	2 MONTHS - PM FOR CIRCULATION PUMP 4 (CCW AIR COMP.) (PO) NPPSA_NPPS	NPPSA_NPPS	PPS
MS1004	PPS-ASH LEACHING PULP 1	03/Jan/2026 5:10	26.000474	WEEKLY - PM FOR DECANTER CENTRIFUGE (A)	NPPSA_NPPS	PPS
MS1004	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 5:10	26.000476	2 WEEKS - PM FOR RODGING MASTER #1 (A)	NPPSA_NPPS	PPS
MS1004	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 5:10	26.000479	2 WEEKS - PM FOR RODGING MASTER #2 (A)	NPPSA_NPPS	PPS
MS1004	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 5:11	26.000483	2 WEEKS - PM FOR HMI RODGING MASTER(A)	NPPSA_NPPS	PPS
MS1004	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 5:11	26.000488	2 WEEKS - PM FOR START UP BURNER (A)	NPPSA_NPPS	PPS
MS1004	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:12	26.000488	2 WEEKS - PM FOR AIR DRYING (A)	NPPSA_NPPS	PPS
MS1004	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:12	26.000493	2 WEEKS - PM FOR HMI DEMIN (A)	NPPSA_NPPS	PPS
MS1004	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:13	26.000494	2 WEEKS - PM FOR FOR CIRCUM PUMP (A)	NPPSA_NPPS	PPS
MS1004	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:13	26.000496	2 WEEKS - PM FOR HMI POLISHING PLANT (A)	NPPSA_NPPS	PPS
MS1004	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:13	26.000499	2 WEEKS - PM FOR DEMIN PLANT (A)	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PULP 1	03/Jan/2026 5:14	26.000505	MONTHLY - PM FOR HYDROCLIC PUMP FOR ID FAN #2 (E)	NPPSA_NPPS	PPS
WL1320	PPS-ASH LEACHING PULP 1	03/Jan/2026 5:15	26.000510	MONTHLY - PM FOR MAIN INCOMING 680V FOR ASH LEACHING PLANT (E)	NPPSA_NPPS	PPS
WL1320	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:15	26.000513	YEARLY (SD) - PM FOR RAW WATER FEED TO EFFLUENT PLANT CONTROL VALVE (A)	NPPSA_NPPS	PPS
WL1320	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:15	26.000514	YEARLY (SD) - PM FOR 28T320 TO EFFLUENT CONTROL VALVE (A)	NPPSA_NPPS	PPS
WL1326	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:15	26.000516	YEARLY (SD) - PM FOR SULPHURIC ACID 28T1200 CONTROL VALVE (A)	NPPSA_NPPS	PPS
WL1326	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:15	26.000517	YEARLY (SD) - PM FOR CAUSTIC SODA FROM 28T110 CONTROL VALVE (A)	NPPSA_NPPS	PPS
WL1326	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:16	26.000518	YEARLY (SD) - PM FOR SULPHURIC ACID 28T1200 CONTROL VALVE (A)	NPPSA_NPPS	PPS
WL1326	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:16	26.000520	YEARLY (SD) - PM FOR SULPHURIC ACID TO 28T110/1200 CONTROL VALVE (A)	NPPSA_NPPS	PPS
WL1326	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:16	26.000521	YEARLY (SD) - PM FOR SULPHURIC ACID CONTROL VALVE (A)	NPPSA_NPPS	PPS
WL1326	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:16	26.000522	YEARLY (SD) - PM FOR 28T120 TO EFFLUENT PLANT CONTROL VALVE (A)	NPPSA_NPPS	PPS
WL1326	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:16	26.000524	YEARLY (SD) - PM FOR RAW WATER FEED TO EFFLUENT PLANT CONTROL VALVE (A)	NPPSA_NPPS	PPS
WL1326	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:16	26.000525	YEARLY (SD) - PM FOR BIRNE MEASURE TANK TO 28T111 CONTROL VALVE (A)	NPPSA_NPPS	PPS
WL1326	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:16	26.000526	YEARLY (SD) - PM FOR SULPHURIC ACID 28T1200 CONTROL VALVE (A)	NPPSA_NPPS	PPS
WL1326	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:16	26.000527	YEARLY (SD) - PM FOR CAUSTIC FROM 28T120 CONTROL VALVE (A)	NPPSA_NPPS	PPS
WL1326	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:16	26.000529	YEARLY (SD) - PM FOR DRAIN LINE WATER DEMIN (A)	NPPSA_NPPS	PPS
WL1326	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:16	26.000530	YEARLY (SD) - PM FOR SULPHURIC ACID TO 28T106/28T CONTROL VALVE (A)	NPPSA_NPPS	PPS
WL1326	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:16	26.000532	YEARLY (SD) - PM FOR SULPHURIC ACID TO 28T110/1200 CONTROL VALVE (A)	NPPSA_NPPS	PPS
WL1326	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:16	26.000533	YEARLY (SD) - PM FOR SULPHURIC ACID CONTROL VALVE (A)	NPPSA_NPPS	PPS
WL1326	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:16	26.000534	YEARLY (SD) - PM FOR SULPHURIC ACID CONTROL VALVE (A)	NPPSA_NPPS	PPS
WL1326	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:16	26.000535	YEARLY (SD) - PM FOR SULPHURIC ACID CONTROL VALVE (A)	NPPSA_NPPS	PPS
WL1326	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:17	26.000537	YEARLY (SD) - PM FOR CONTROL VALVE IN CONDUCTIVITY ON OFF BUTTERFLY (A)	NPPSA_NPPS	PPS
WL1326	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:17	26.000538	YEARLY (SD) - PM FOR LOW DILUTION WATER TO ANION CTRL VALVE (A)	NPPSA_NPPS	PPS
WL1326	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:17	26.000541	YEARLY (SD) - PM FOR LOW DILUTION WATER TO ANION CTRL VALVE (A)	NPPSA_NPPS	PPS
WL1326	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:17	26.000543	YEARLY (SD) - PM FOR CONTROL VALVE IN LEVEL OF DEGRASSER BUTTERFLY (A)	NPPSA_NPPS	PPS
WL1326	PPS-DEMIN WATER PLANT PULP 1	03/Jan/2026 5:17	26.000545	YEARLY (SD) - PM FOR BUTTERFLY CONTROL VALVE IN LEVEL OF DEGRASSER (A)	NPPSA_NPPS	PPS
WL1326	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 5:17	26.000547	YEARLY (SD) - PM FOR DRAIN LINE TEP (A)	NPPSA_NPPS	PPS
WL1324	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 5:17	26.000549	YEARLY (SD) - PM FOR POWER CABLE FOR INCOMING 6.6 KV. FOR FEED WATER PUMP (E)	NPPSA_NPPS	PPS
WL1324	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 5:18	26.000550	YEARLY (SD) - PM FOR POWER CABLE FOR BUS 6.6KV FEED WATER PUMP (E)	NPPSA_NPPS	PPS
WL1324	PPS-RECOVERY BOLLER PULP 1	03/Jan/2026 5:18	26.0005			

W5216	FLUDED BED COMBUSTION SYSTEM	03/Jan/2026 5:37	30.005675	YEARLY (SD) - PM FOR TEMP OF FLUDED BED 8 (M)	NPPIA, NPPIPS	PPS
W5216	Combustion Air System	03/Jan/2026 5:37	30.005677	YEARLY (SD) - PM FOR FLOW OF SECONDARY AND START BURNER AIR (A)	NPPIA, NPPIPS	PPS
W5216	Combustion Air System	03/Jan/2026 5:37	30.005679	YEARLY (SD) - PM FOR FLOW OF LOAD BURNER 1&4 AIR FLOW (A)	NPPIA, NPPIPS	PPS
W5216	Combustion Air System	03/Jan/2026 5:38	30.005681	YEARLY (SD) - PM FOR LOAD BURNER 3&2 AIR FLOW (A)	NPPIA, NPPIPS	PPS
W5214	SOLID FUEL FEED (S&D TO BOILER)	03/Jan/2026 5:38	30.005683	YEARLY (SD) - PM FOR START UP BURNER 1 (E)	NPPIA, NPPIPS	PPS
W5214	SOLID FUEL FEED (S&D TO BOILER)	03/Jan/2026 5:38	30.005685	YEARLY (SD) - PM FOR START UP BURNER 2 (E)	NPPIA, NPPIPS	PPS
W5214	SOLID FUEL FEED (S&D TO BOILER)	03/Jan/2026 5:38	30.005686	YEARLY (SD) - PM FOR LOAD BURNER 1 (E)	NPPIA, NPPIPS	PPS
W5214	SOLID FUEL FEED (S&D TO BOILER)	03/Jan/2026 5:38	30.005688	YEARLY (SD) - PM FOR LOAD BURNER 2 (E)	NPPIA, NPPIPS	PPS
W5214	SOLID FUEL FEED (S&D TO BOILER)	03/Jan/2026 5:39	30.005689	YEARLY (SD) - PM FOR LOAD BURNER 3 (E)	NPPIA, NPPIPS	PPS
W5214	SOLID FUEL FEED (S&D TO BOILER)	03/Jan/2026 5:39	30.005691	YEARLY (SD) - PM FOR LOAD BURNER 4 (E)	NPPIA, NPPIPS	PPS
W5213	Ash &slag Removal Removal	03/Jan/2026 5:39	30.005693	3 MONTHS (SD) - PM FOR COARSE MATERIAL SCREW 1 (M)	NPPIA, NPPIPS	PPS
W5213	Ash &slag Removal Removal	03/Jan/2026 5:39	30.005696	3 MONTHS (SD) - PM FOR COARSE MATERIAL SCREW 1 (M)	NPPIA, NPPIPS	PPS
W5213	Ash &slag Removal Removal	03/Jan/2026 5:40	30.005699	3 MONTHS (SD) - PM FOR COARSE MATERIAL SCREW 2 (M)	NPPIA, NPPIPS	PPS
W5213	Ash &slag Removal Removal	03/Jan/2026 5:40	30.005701	3 MONTHS (SD) - PM FOR COARSE MATERIAL SCREW 2 (M)	NPPIA, NPPIPS	PPS
W5213	PPS COOLING TOWER PUMP 1	03/Jan/2026 5:40	30.005704	Monthly vibration check 275	NPPIA, NPPIPS	PPS
M5024	PPS-RECOVERY BOILER PUMP 1	04/Jan/2026 2:00	30.007186	Monthly oil sampling #41	NPPIA, NPPIPS	PPS
W5218	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:00	30.007187	MONTHLY - INSPECTION BATTERY CHARGER	NPPIA, NPPIPS	PPS
W5218	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:00	30.008448	YEARLY - PM FOR GENERATOR T61 (E)	NPPIA, NPPIPS	PPS
W5218	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:01	30.008450	2912LH BATTERY CHARGER NO 1 TURBOSET	NPPIA, NPPIPS	PPS
W5218	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:01	30.008454	2912LH BATTERY CHARGER NO 2 TURBOSET	NPPIA, NPPIPS	PPS
W5215	SOLID FUEL FEED (S&D TO BOILER)	10/Jan/2026 2:01	30.008455	MONTHLY - PM FOR LOAD BURNER 1, FRONT WALL (E)	NPPIA, NPPIPS	PPS
W5215	SOLID FUEL FEED (S&D TO BOILER)	10/Jan/2026 2:02	30.008456	MONTHLY - PM FOR LOAD BURNER 2, FRONT WALL (E)	NPPIA, NPPIPS	PPS
W5215	SOLID FUEL FEED (S&D TO BOILER)	10/Jan/2026 2:02	30.008457	MONTHLY - PM FOR LOAD BURNER 3, FRONT WALL (E)	NPPIA, NPPIPS	PPS
W5215	SOLID FUEL FEED (S&D TO BOILER)	10/Jan/2026 2:03	30.008458	MONTHLY - PM FOR LOAD BURNER 4, FRONT WALL (E)	NPPIA, NPPIPS	PPS
W5215	SOLID FUEL FEED (S&D TO BOILER)	10/Jan/2026 2:03	30.008459	MONTHLY - PM FOR START UP BURNER 1, LEFT WALL (E)	NPPIA, NPPIPS	PPS
W5215	SOLID FUEL FEED (S&D TO BOILER)	10/Jan/2026 2:03	30.008460	MONTHLY - PM FOR START UP BURNER 2, RIGHT WALL (E)	NPPIA, NPPIPS	PPS
W5215	Electrostatic precipitator	10/Jan/2026 2:03	30.008461	MONTHLY - PM FOR ELECTROSTATIC PRECIPITATOR (E)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:04	30.008462	MONTHLY - PM FOR ALARM CONTROL PANEL EQ2(E)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:04	30.008463	YEARLY - PM FOR GENERATOR T62(E)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:04	30.008464	MONTHLY - PM FOR GENERATOR T61 (E)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:05	30.008465	YEARLY - PM FOR GENERATOR T61 (E)	NPPIA, NPPIPS	PPS
W5215	SOLID FUEL FEED (S&D TO BOILER)	10/Jan/2026 2:05	30.008466	MONTHLY - PM FOR FUEL DRAG CONVEYOR 1,2, LEFT WALL (E)	NPPIA, NPPIPS	PPS
W5215	SOLID FUEL FEED (S&D TO BOILER)	10/Jan/2026 2:06	30.008468	MONTHLY - PM FOR FUEL DRAG CONVEYOR 2,2, RIGHT WALL (E)	NPPIA, NPPIPS	PPS
W5215	SOLID FUEL FEED (S&D TO BOILER)	10/Jan/2026 2:07	30.008469	MONTHLY - PM FOR COARSE MATERIAL SCREW 1 (E)	NPPIA, NPPIPS	PPS
W5215	Ash &slag Removal System	10/Jan/2026 2:08	30.008471	MONTHLY - PM FOR WET ASH DISCHARGING SCREW (E)	NPPIA, NPPIPS	PPS
W5215	Ash &slag Removal Removal	10/Jan/2026 2:08	30.008472	MONTHLY - PM FOR ASH SCREW CONVEYOR, LEFT WALL (E)	NPPIA, NPPIPS	PPS
W5215	Ash &slag Removal Removal	10/Jan/2026 2:09	30.008473	MONTHLY - PM FOR ASH SCREW CONVEYOR, RIGHT WALL (E)	NPPIA, NPPIPS	PPS
W5215	Ash &slag Removal Removal	10/Jan/2026 2:10	30.008474	MONTHLY - PM FOR FLY ASH MAIN DRAG CONVEYOR (E)	NPPIA, NPPIPS	PPS
W5215	Ash &slag Removal Removal	10/Jan/2026 2:11	30.008475	MONTHLY - PM FOR ASH BELT ELEVATOR (E)	NPPIA, NPPIPS	PPS
W5215	SOLID FUEL FEED (S&D TO BOILER)	10/Jan/2026 2:12	30.008476	MONTHLY - PM FOR SHREDDER ROLL (E)	NPPIA, NPPIPS	PPS
W5215	SOLID FUEL FEED (S&D TO BOILER)	10/Jan/2026 2:13	30.008477	MONTHLY - PM FOR SHREDDER ROLL (E)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:13	30.008478	MONTHLY - PM FOR D.C. EMERGENCY OIL PUMP T62(E)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:14	30.008479	MONTHLY - PM FOR D.C. EMERGENCY OIL PUMP T62(E)	NPPIA, NPPIPS	PPS
W5215	SUPPLY OF BIO MASS SYSTEM TO SLO	10/Jan/2026 2:15	30.008480	MONTHLY - PM FOR MOTOR SCREW AS 4 OIL PUMP (E)	NPPIA, NPPIPS	PPS
W5215	SUPPLY OF BIO MASS SYSTEM TO SLO	10/Jan/2026 2:16	30.008481	MONTHLY - PM FOR MOTOR OIL PUMP (E)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:17	30.008482	MONTHLY - PM FOR AUXILIARY OIL PUMP T62(E)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:17	30.008483	MONTHLY - PM FOR JACKING OIL PUMP T62(E)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:18	30.008484	MONTHLY - PM FOR AUXILIARY OIL PUMP T62(E)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:19	30.008485	MONTHLY - PM FOR JACKING OIL PUMP T62(E)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:20	30.008486	MONTHLY - PM FOR DC SWITCHGEAR 1120V NO 1 TURBOSET (E)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:20	30.008487	MONTHLY - PM FOR DC SWITCHGEAR 1120V NO 2 TURBOSET (E)	NPPIA, NPPIPS	PPS
W5215	Electrostatic precipitator	10/Jan/2026 2:20	30.008488	MONTHLY - PM FOR ESP TRANSFORMER 1 (E)	NPPIA, NPPIPS	PPS
W5215	Electrostatic precipitator	10/Jan/2026 2:21	30.008489	MONTHLY - PM FOR ESP TRANSFORMER 2 (E)	NPPIA, NPPIPS	PPS
W5215	Electrostatic precipitator	10/Jan/2026 2:21	30.008490	MONTHLY - PM FOR ESP TRANSFORMER 3 (E)	NPPIA, NPPIPS	PPS
W5215	LOW VOLTAGE MAIN DISTRIBUTION BOARD &	10/Jan/2026 2:22	30.008491	MONTHLY - PM FOR POWER BOILER TRANSFORMER TH42(E)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:22	30.008492	MONTHLY - PM FOR TURBO GEN #2 TRANSFORMER T62 (E)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:22	30.008493	MONTHLY - PM FOR TURBO GEN #1 TRANSFORMER T61 (E)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:23	30.008494	MONTHLY - PM FOR SECURE POWER TRANSFORMER TL291 (E)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:23	30.008495	MONTHLY - PM FOR LIGHTING LV POWER TRANSFORMER TL292 (E)	NPPIA, NPPIPS	PPS
W5215	PPS-FUEL STORAGE AND HANDLING FOR PUMP	10/Jan/2026 2:24	30.008496	MONTHLY - PM FOR DISTRIBUTION TRANSFORMER T1401 (E)	NPPIA, NPPIPS	PPS
W5215	PPS-FUEL STORAGE AND HANDLING FOR PUMP	10/Jan/2026 2:24	30.008497	MONTHLY - PM FOR FUEL HANDLING TRANSFORMER TH321 (E)	NPPIA, NPPIPS	PPS
W5215	PPS-FUEL STORAGE AND HANDLING FOR PUMP	10/Jan/2026 2:24	30.008498	MONTHLY - PM FOR FUEL HANDLING TRANSFORMER T1321 (E)	NPPIA, NPPIPS	PPS
W5215	PPS-PACKAGE BOILER PUMP 1	10/Jan/2026 2:25	30.008499	MONTHLY - PM FOR PACKAGE BOILER TRANSFORMER TH312 (E)	NPPIA, NPPIPS	PPS
W5215	PPS-PACKAGE BOILER PUMP 1	10/Jan/2026 2:25	30.008500	MONTHLY - PM FOR PACKAGE BOILER TRANSFORMER TL302A (E)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER DISTRIBUTION PUMP 1	10/Jan/2026 2:25	30.008501	MONTHLY - PM FOR EGAT INCOMER TRANSFORMER T1C1 (E)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:26	30.008502	MONTHLY - PM FOR FUEL HANDLING TRANSFORMER (E)	NPPIA, NPPIPS	PPS
W5215	PPS-FUEL STORAGE AND HANDLING FOR PUMP	10/Jan/2026 2:26	30.008503	MONTHLY - PM FOR FUEL HANDLING TRANSFORMER TL302A (E)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:26	30.008504	MONTHLY - PM FOR UPS POWER MCC UP021 (E)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:26	30.008505	MONTHLY - PM FOR UPS POWER MCC UP022 (E)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:27	30.008506	MONTHLY - PM FOR UPS POWER MCC UP031 (E)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:27	30.008507	MONTHLY - PM FOR BATTERY CHARGER NO 1 TURBOSET (E)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:27	30.008508	MONTHLY - PM FOR BATTERY CHARGER NO 2 TURBOSET (E)	NPPIA, NPPIPS	PPS
W5215	PPS-FUEL STORAGE AND HANDLING FOR PUMP	10/Jan/2026 2:27	30.008510	MONTHLY - PM FOR OIL PUMP FILTER (M)	NPPIA, NPPIPS	PPS
W5215	PPS-FUEL STORAGE AND HANDLING FOR PUMP	10/Jan/2026 2:27	30.008511	MONTHLY - PM FOR OIL PUMP FILTER (M)	NPPIA, NPPIPS	PPS
W5215	PPS-FUEL STORAGE AND HANDLING FOR PUMP	10/Jan/2026 2:27	30.008512	MONTHLY - PM FOR OIL PUMP FILTER (M)	NPPIA, NPPIPS	PPS
W5215	SOLID FUEL FEED (S&D TO BOILER)	10/Jan/2026 2:27	30.008513	MONTHLY - PM FOR BAK DISCHARGER 1 (STOKER RECLAIMER) (M)	NPPIA, NPPIPS	PPS
W5215	SOLID FUEL FEED (S&D TO BOILER)	10/Jan/2026 2:28	30.008514	MONTHLY - PM FOR BAK DISCHARGER 2 (STOKER RECLAIMER) (M)	NPPIA, NPPIPS	PPS
W5215	PPS-FUEL STORAGE AND HANDLING FOR PUMP	10/Jan/2026 2:28	30.008515	MONTHLY - PM FOR OIL LUBRICATION PUMP (M)	NPPIA, NPPIPS	PPS
W5215	SUPPLY OF BIO MASS SYSTEM TO SLO	10/Jan/2026 2:29	30.008516	MONTHLY - PM FOR OIL LUBRICATION PUMP (M)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:29	30.008517	MONTHLY - PM FOR FUEL PUMPER PUMP T62 (M)	NPPIA, NPPIPS	PPS
W5215	PPS-FUEL STORAGE AND HANDLING FOR PUMP	10/Jan/2026 2:30	30.008518	MONTHLY - PM FOR HANDLING FOR PUMP (M)	NPPIA, NPPIPS	PPS
W5215	SOLID FUEL FEED (S&D TO BOILER)	10/Jan/2026 2:31	30.008519	MONTHLY - PM FOR FUEL DRAG CONVEYOR 1,2, LEFT WALL (PO)	NPPIA, NPPIPS	PPS
W5215	SOLID FUEL FEED (S&D TO BOILER)	10/Jan/2026 2:32	30.008520	MONTHLY - PM FOR FUEL DRAG CONVEYOR 2,2, RIGHT WALL (PO)	NPPIA, NPPIPS	PPS
W5215	Ash &slag Removal Removal	10/Jan/2026 2:34	30.008522	MONTHLY - PM FOR COARSE MATERIAL DRAG CONVEYOR (PO)	NPPIA, NPPIPS	PPS
W5215	SUPPLY OF BIO MASS SYSTEM TO SLO	10/Jan/2026 2:35	30.008524	MONTHLY - PM FOR BELT ELEVATOR H+22 (M) (PO)	NPPIA, NPPIPS	PPS
W5215	PPS-POWER BOILER PUMP 1	10/Jan/2026 2:37	30.008525	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOILER_PPS (ROUTE 1) (PO)	NPPIA, NPPIPS	PPS

W51320	PPS-POWER BOILER PUMP 1	10/Jan/2026 2:37	30.008526	MONTHLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOILER_PPS (ROUTE 2) (PO) NPPIA, NPPIPS	NPPIA, NPPIPS	PPS
W51320	PPS-POWER BOILER PUMP 1	10/Jan/2026 2:37	30.008527	MONTHLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOILER_PPS (ROUTE 3) (PO) NPPIA, NPPIPS	NPPIA, NPPIPS	PPS
W51320	PPS-POWER BOILER PUMP 1	10/Jan/2026 2:38	30.008528	MONTHLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOILER_PPS (ROUTE 4) (PO) NPPIA, NPPIPS	NPPIA, NPPIPS	PPS
W51320	PPS-POWER BOILER PUMP 1	10/Jan/2026 2:38	30.008529	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOILER_PPS (ROUTE 5) (PO) NPPIA, NPPIPS	NPPIA, NPPIPS	PPS
W51320	PPS-POWER BOILER PUMP 1	10/Jan/2026 2:38	30.008530	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOILER_PPS (ROUTE 2.2) (PO) NPPIA, NPPIPS	NPPIA, NPPIPS	PPS
W51320	Sand handling	10/Jan/2026 2:39	30.008531	MONTHLY - PM FOR SAND ELEVATOR (PO)	NPPIA, NPPIPS	PPS
W51320	PPS-POWER BOILER PUMP 1	10/Jan/2026 2:39	30.008532	MONTHLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOILER_PPS (ROUTE 3.2) (PO) NPPIA, NPPIPS	NPPIA, NPPIPS	PPS
W51320	PPS-POWER BOILER PUMP 1	10/Jan/2026 2:39	30.008533	MONTHLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOILER_PPS (ROUTE 4.2) (PO) NPPIA, NPPIPS	NPPIA, NPPIPS	PPS
W51320	Ash &slag Removal Removal	10/Jan/2026 2:40	30.008535	MONTHLY - PM FOR ASH BELT ELEVATOR (PO)	NPPIA, NPPIPS	PPS
W51320	SUPPLY OF BIO MASS SYSTEM TO SLO	10/Jan/2026 2:40	30.008536	2 WEEKS - PM FOR BELT CONVEYOR BAR & ROLL TO BOILER (PO)	NPPIA, NPPIPS	PPS
W51320	PPS-POWER BOILER PUMP 1	10/Jan/2026 2:40	30.008537	WEEKLY - PM FOR BELT ELEVATOR H+22 (M) (PO)	NPPIA, NPPIPS	PPS
W51320	PPS-POWER BOILER PUMP 1	10/Jan/2026 2:40	30.008538	Weekly Preventive maintenance for air condition	NPPIA, NPPIPS	PPS
W51320	PPS-POWER BOILER PUMP 1	10/Jan/2026 2:41	30.008539	Weekly inspection for EL, ER, CL, Room (EQ10)	NPPIA, NPPIPS	PPS
W51320	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:41	30.008540	Monthly check valve Drup. Bleeding 29171-1063	NPPIA, NPPIPS	PPS
W51320	Boiler Feed Water	10/Jan/2026 2:41	30.008541	Monthly calibrate pH Meter 46203-753 (E)	NPPIA, NPPIPS	PPS
W51320	Boiler Feed Water	10/Jan/2026 2:41	30.008542	Monthly check Auma value 4620H+241 (E)	NPPIA, NPPIPS	PPS
W51320	Boiler Feed Water	10/Jan/2026 2:41	30.008543	Monthly check Auma value 4620H+201 (E)	NPPIA, NPPIPS	PPS
W51320	STEAM SYSTEM	10/Jan/2026 2:42	30.008544	Monthly check Auma value 4620H+241 (E)	NPPIA, NPPIPS	PPS
W51320	STEAM SYSTEM	10/Jan/2026 2:42	30.008545	Monthly check Auma value 4620H+241 (E)	NPPIA, NPPIPS	PPS
W51320	SootBlowers	10/Jan/2026 2:42	30.008546	Monthly check Auma value 4620H+254 (E)	NPPIA, NPPIPS	PPS
W51320	PPS-POWER BOILER PUMP 1	10/Jan/2026 2:42	30.008547	Monthly check Auma value 4620H+239 (E)	NPPIA, NPPIPS	PPS
W51320	PPS-POWER BOILER PUMP 1	10/Jan/2026 2:42	30.008548	Monthly check Auma value 4620H+204 (E)	NPPIA, NPPIPS	PPS
W51320	SootBlowers	10/Jan/2026 2:42	30.008549	Monthly check Auma value 4620H+221 (E)	NPPIA, NPPIPS	PPS
W51320	SUPPLY OF BIO MASS SYSTEM TO SLO	10/Jan/2026 2:42	30.008550	MONTHLY - PM FOR VSD-START START MOTOR SCREW RECLAIMER (E)	NPPIA, NPPIPS	PPS
W51320	SUPPLY OF BIO MASS SYSTEM TO SLO	10/Jan/2026 2:43	30.008551	MONTHLY - PM FOR VSD-START DRIVE CHIP SCREW RECLAIMER (E)	NPPIA, NPPIPS	PPS
W51320	Fumax and Flue gas	10/Jan/2026 2:43	30.008552	MONTHLY - PM FOR VSD-START START INDUCED DRAFT FAN (E)	NPPIA, NPPIPS	PPS
W51320	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:44	30.008553	MONTHLY - PM FOR CONDENSATE PUMP 1 T62 (PO)	NPPIA, NPPIPS	PPS
W51320	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:44	30.008554	MONTHLY - PM FOR CONDENSATE PUMP 2 T62 (PO)	NPPIA, NPPIPS	PPS
W51320	SOLID FUEL FEED (S&D TO BOILER)	10/Jan/2026 2:45	30.008555	MONTHLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 2 (PO)	NPPIA, NPPIPS	PPS
W51320	SOLID FUEL FEED (S&D TO BOILER)	10/Jan/2026 2:47	30.008556	MONTHLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 1 (PO)	NPPIA, NPPIPS	PPS
W51320	SOLID FUEL FEED (S&D TO BOILER)	10/Jan/2026 2:48	30.008557	W		
W51320	SOLID FUEL FEED (S&D TO BOILER)	10/Jan/2026 2:49	30.008558	MONTHLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 2 (PO)	NPPIA, NPPIPS	PPS
W51320	SUPPLY OF BIO MASS SYSTEM TO SLO	10/Jan/2026 2:49	30.008559	MONTHLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 1 (PO)	NPPIA, NPPIPS	PPS
W51320	SUPPLY OF BIO MASS SYSTEM TO SLO	10/Jan/2026 2:49	30.008560	MONTHLY - PM FOR MOTOR SCREW RECLAIMER (PO)	NPPIA, NPPIPS	PPS
W51320	SUPPLY OF BIO MASS SYSTEM TO SLO	10/Jan/2026 2:51	30.008561	MONTHLY - PM ROUTE CHECKS S&D TOWERS	NPPIA, NPPIPS	PPS
W51320	PPS-POWER DISTRIBUTION PUMP 1	10/Jan/2026 2:51	30.008562	MONTHLY - PM FOR TURBINE CONTROL MOTOR ENGINEERING WORKS SGT 6 (A)	NPPIA, NPPIPS	PPS
W51320	PPS-POWER DISTRIBUTION PUMP 1	10/Jan/2026 2:51	30.008563	2 WEEKS - PM FOR TURBINE CONTROL Motor Engineering Workstation TOL 6 (A)	NPPIA, NPPIPS	PPS
W51320	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:51	30.008564	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 1 TURBO SET (E)	NPPIA, NPPIPS	PPS
W51320	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:51	30.008565	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 2 TURBO SET (E)	NPPIA, NPPIPS	PPS
W51320	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:51	30.008566	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 3 TURBO SET (E)	NPPIA, NPPIPS	PPS
W51320	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:51	30.008567	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 4 TURBO SET (E)	NPPIA, NPPIPS	PPS
W51320	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:51	30.008568	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 5 TURBO SET (E)	NPPIA, NPPIPS	PPS
W51320	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:51	30.008569	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 6 TURBO SET (E)	NPPIA, NPPIPS	PPS
W51320	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:51	30.008570	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 7 TURBO SET (E)	NPPIA, NPPIPS	PPS
W51320	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:51	30.008571	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 8 TURBO SET (E)	NPPIA, NPPIPS	PPS
W51320	PPS-POWER GENERATION PUMP 1	10/Jan/2026 2:51	30.008572	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 9 TURBO SET (E)	NPPIA, NPPIPS	PPS
W51320	SUPPLY OF BIO MASS SYSTEM TO SLO	10/Jan/2026 2:56	30.008573	MONTHLY - PM FOR INCOMING BROWAL FOR FUEL HANDLING PLANT SE (E)	NPPIA, NPPIPS	PPS
W51320	SUPPLY OF BIO MASS SYSTEM TO SLO	10/Jan/2026 2:56	30.008574	MONTHLY - PM FOR START BELT CONVEYOR R&C (E)	NPPIA, NPPIPS	PPS
W51320	SUPPLY OF BIO MASS SYSTEM TO SLO	10/Jan/2026 2:57	30.008575	MONTHLY - PM FOR START BELT CONVEYOR R&C (E)	NPPIA, NPPIPS	PPS
W51320	SUPPLY OF BIO MASS SYSTEM TO SLO	10/Jan/2026 2:57	30.008576	MONTHLY - PM FOR START BELT CONVEYOR R&C (E)	NPPIA, NPPIPS	PPS
W51320	SUPPLY OF BIO MASS SYSTEM TO SLO	10/Jan/2026 2:57	30.008577	MONTHLY - PM FOR START BELT CONVEYOR R&C (E)	NPPIA, NPPIPS	PPS
W51320	SUPPLY OF BIO MASS SYSTEM TO SLO	10/Jan/2026 2:57	30.008578	MONTHLY - PM FOR START BELT CONVEYOR R&C (E)	NPPIA, NPPIPS	PPS
W51320	SOLID FUEL FEED (S&D TO BOILER)	10/Jan/2026 2:57	30.008579	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL R&C (E)	NPPIA, NPPIPS	PPS
W51320	SOLID FUEL FEED (S&D TO BOILER)	10/Jan/2026 2:59	30.008580	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL R&C (E)	NPPIA, NPPIPS	PPS
W51320	PPS-RECOVERY BOILER PUMP 1	10/Jan/2026 3:01	30.008583	WEEKLY - INSPECTION FOR BECAMECA RECOVERY	NPPIA, NPPIPS	PPS
W51320	PPS-RECOVERY BOILER PUMP 1	10/Jan/2026 3:01	30.008585	4610209 Recovery Boiler Cooling Right Side	NPPIA, NPPIPS	PPS
W51320	PPS-RECOVERY BOILER PUMP 1	10/Jan/2026 3:01	30.008586	4610209 Recovery Boiler Cooling Right Side	NPPIA, NPPIPS	PPS
W51320	PPS-COOLING TOWER PUMP 1	10/Jan/2026 3:02	30.008587	MONTHLY - PM FOR CONDUCTIVITY COOLING WATER CONDUCTIVITY TRANSMITTER (A)	NPPIA, NPPIPS	PPS
W51320	PPS-EVAPORATION PUMP 1	10/Jan/2026 3:02	30.008588	MONTHLY - PM FOR COND COND CONDUCTIVITY TO R/B CONDUCTIVITY TRANSMITTER (A)	NPPIA, NPPIPS	PPS
W51320	PPS-EVAPORATION PUMP 1	10/Jan/2026 3:03	30.008589	MONTHLY - PM FOR COND COND CONDUCTIVITY TRANSMITTER (A)	NPPIA, NPPIPS	PPS
W51320	PPS-EVAPORATION PUMP 1	10/Jan/2026 3:03	30.008592	MONTHLY - PM FOR C&M COND COND TO COND CONDUCTIVITY TRANSMITTER (A)	NPPIA, NPPIPS	PPS
W51320	PPS-EVAPORATION PUMP 1	10/Jan/2026 3:04	30.008593	MONTHLY - PM FOR C&M COND COND TO COND CONDUCTIVITY TRANSMITTER (A)	NPPIA, NPPIPS	PPS
W51320	PPS-EVAPORATION PUMP 1	10/Jan/2026 3:04	30.008596	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER FROM PAPER MACHINE (A)	NPPIA, NPPIPS	PPS
W51320	PPS-RECOVERY BOILER PUMP 1	10/Jan/2026 3:05	30.008597	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER FROM FIBRE LINE (A)	NPPIA, NPPIPS	PPS
W51320	PPS-RECOVERY BOILER PUMP 1	10/Jan/2026 3:05	30.008598	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER FROM EXHAUST FAN (A)	NPPIA, NPPIPS	PPS
W51320	PPS-RECOVERY BOILER PUMP 1	10/Jan/2026 3:05	30.008600	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER FROM TURBINE (A)	NPPIA, NPPIPS	PPS
W51320	PPS-RECOVERY BOILER PUMP 1	10/Jan/2026 3:06	30.008602	MONTHLY - PM FOR COND COND CONDUCTIVITY TRANSMITTER (A)	NPPIA, NPPIPS	PPS
W51320	PPS-RECOVERY BOILER PUMP 1	10/Jan/2026 3:07	30.008603	MONTHLY - PM FOR BOILER WATER CONDUCTIVITY TRANSMITTER (A)	NPPIA, NPPIPS	PPS
W51320	PPS-RECOVERY BOILER PUMP 1	10/Jan/2026 3:07	30.008604	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLW&T TANK (A)	NPPIA, NPPIPS	PPS
W51320	PPS-RECOVERY BOILER PUMP 1	10/Jan/2026 3:07	30.008605	MONTHLY - PM FOR COND COND CONDUCTIVITY TRANSMITTER (A)	NPPIA, NPPIPS	PPS
W51320	PPS-RECOVERY BOILER PUMP 1	10/Jan/2026 3:08	30.008606	MONTHLY - PM FOR SCRUBBER LIQUID COND (A)	NPPIA, NPPIPS	PPS
W51320	PPS-RECOVERY BOILER PUMP 1	10/Jan/2026 3:08	30.008607	MONTHLY - PM FOR SCRUBBER LIQUID COND CONDUCTIVITY ANALYZER (A)	NPPIA, NPPIPS	PPS
W51320	PPS-RECOVERY BOILER PUMP 1	10/Jan/2026 3:09	30.008609	MONTHLY - PM FOR COND COND CONDUCTIVITY TRANSMITTER (A)	NPPIA, NPPIPS	PPS
W51320	PPS-RECOVERY BOILER PUMP 1	10/Jan/2026 3:09	30.008611	MONTHLY - PM FOR COND COND COOLING S&P (A)	NPPIA, NPPIPS	PPS
W51320	PPS-RECOVERY BOILER PUMP 1	10/Jan/2026 3:09	30.008612	MONTHLY - PM FOR COND COND WASH COOLER (A)	NPPIA, NPPIPS	PPS
W51320	PPS-RECOVERY BOILER PUMP 1	10/Jan/2026 3:10	30.008613	MONTHLY - PM FOR COND COND COOLING S&P TANK (A)	NPPIA, NPPIPS	PPS
W51320	PPS-DEMAN WATER PLANT P&L 1	10/Jan/2026 3:10	30.008614	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER IN CONDUCTIVITY AFTER ANION (A)	NPPIA, NPPIPS	PPS
W51320	PPS-DEMAN WATER PLANT P&L 1	10/Jan/2026 3:10	30.008615	MONTHLY - PM FOR CONDUCTIVITY TRANS. IN CONDUCTIVITY AFTER ANION (A)	NPPIA, NPPIPS	PPS
W51320	PPS-DEMAN WATER PLANT P&L 1	10/Jan/2026 3:11	30.008616	MONTHLY - PM FOR CONDUCTIVITY TRANS. IN CONDUCTIVITY AFTER ANION (A)	NPPIA, NPPIPS	PPS
W51320	PPS-DEMAN WATER PLANT P&L 1	10/Jan/2026 3:11	30.008617	MONTHLY - PM FOR CONDUCTIVITY TRANS. IN CONDUCTIVITY AFTER ANION (A)	NPPIA, NPPIPS	PPS
W51320	PPS-DEMAN WATER PLANT P&L 1	10/Jan/2026 3:11	30.008618	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER IN CONDUCTIVITY ON OH (A)	NPPIA, NPPIPS	PPS
W51320	PPS-DEMAN WATER PLANT P&L 1	10/Jan/2026 3:12	30.008619	MONTHLY - PM FOR COND COND CONDUCTIVITY TRANSMITTER IN COND. TANK (A)	NPPIA, NPPIPS	PPS
W51320	PPS-RECOVERY BOILER PUMP 1	10/Jan/2026 3:12	30.008620	MONTHLY - PM FOR THE ALARIN CONTROL PANEL R&C (E)	NPPIA, NPPIPS	PPS
W51320	PPS-RECOVERY BOILER PUMP 1	10/Jan/2026 3:12	30.008621	MONTHLY - PM FOR THE ALARIN CONTROL PANEL R&C (E)	NPPIA, NPPIPS	PPS
W51320	PPS-DEMAN WATER PLANT P&L 1	10/Jan/2026 3:12	30.008622	MONTHLY - PM FOR WATER CIRCULATION PUMP AIR COND. (E)	NPPIA, NPPIPS	PPS

WL1320	PP6-COOLING TOWER PULP 1	10/Jan/2026 3:13	26.0108623	MONTHLY - PM FOR COOLING WATER PUMP NO 5 (E)	NPPSA_NPPS	PP6
WL1320	PP6-COOLING TOWER PULP 1	10/Jan/2026 3:13	26.0108624	MONTHLY - PM FOR COOLING WATER PUMP NO 1 (E)	NPPSA_NPPS	PP6
WL1320	PP6-COOLING TOWER PULP 1	10/Jan/2026 3:14	26.0108625	MONTHLY - PM FOR COOLING WATER PUMP NO 2 (E)	NPPSA_NPPS	PP6
WL1320	PP6-COOLING TOWER PULP 1	10/Jan/2026 3:14	26.0108626	MONTHLY - PM FOR COOLING WATER PUMP NO 3 (E)	NPPSA_NPPS	PP6
WL1320	PP6-COOLING TOWER PULP 1	10/Jan/2026 3:14	26.0108627	MONTHLY - PM FOR COOLING WATER PUMP NO 4 (E)	NPPSA_NPPS	PP6
WL1320	PP6-COOLING TOWER PULP 1	10/Jan/2026 3:14	26.0108628	MONTHLY - PM FOR COOLING WATER PUMP NO 5 (E)	NPPSA_NPPS	PP6
WL1320	PP6-ASH LEACHING PULP 1	10/Jan/2026 3:14	26.0108629	MONTHLY - PM FOR MAIN DRIVE MOTOR FOR DECATER (E)	NPPSA_NPPS	PP6
WL1320	PP6-ASH LEACHING PULP 1	10/Jan/2026 3:14	26.0108630	MONTHLY - PM FOR BACK DRIVE MOTOR FOR DECATER (E)	NPPSA_NPPS	PP6
WL1515	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:14	26.0108631	MONTHLY - PM FOR RECTIFIER A, PRECIPITATOR # 1 (E)	NPPSA_NPPS	PP6
WL1515	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:15	26.0108632	MONTHLY - PM FOR RECTIFIER A, PRECIPITATOR # 1 (E)	NPPSA_NPPS	PP6
WL1515	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:15	26.0108633	MONTHLY - PM FOR RECTIFIER C, PRECIPITATOR # 1 (E)	NPPSA_NPPS	PP6
WL1515	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:15	26.0108635	MONTHLY - PM FOR RECTIFIER C, PRECIPITATOR # 2 (E)	NPPSA_NPPS	PP6
WL1515	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:16	26.0108636	MONTHLY - PM FOR RECTIFIER A, PRECIPITATOR # 1 (E)	NPPSA_NPPS	PP6
WL1515	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:16	26.0108637	MONTHLY - PM FOR RECTIFIER C, PRECIPITATOR # 2 (E)	NPPSA_NPPS	PP6
WL1515	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:17	26.0108638	MONTHLY - PM FOR RECTIFIER A, PRECIPITATOR # 1 (E)	NPPSA_NPPS	PP6
WL1515	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:17	26.0108639	MONTHLY - PM FOR RECTIFIER A, PRECIPITATOR # 1 (E)	NPPSA_NPPS	PP6
WL1515	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:17	26.0108640	MONTHLY - PM FOR RECTIFIER C, PRECIPITATOR # 1 (E)	NPPSA_NPPS	PP6
WL1515	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:18	26.0108641	MONTHLY - PM FOR TRANSFORMER T1412 FOR POWER PLANT (E)	NPPSA_NPPS	PP6
WL1515	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:18	26.0108642	MONTHLY - PM FOR TRANSFORMER T1412 FOR POWER PLANT (E)	NPPSA_NPPS	PP6
WL1520	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 3:19	26.0108645	MONTHLY - INSPECTION TANK	NPPSA_NPPS	PP6
WL1520	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 3:19	26.0108646	281420 ADDITION DRIVER	NPPSA_NPPS	PP6
WL1520	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 3:19	26.0108647	281420 INSTRUMENT AIR RECEIVER	NPPSA_NPPS	PP6
WL1520	PP6-ASH LEACHING PULP 1	10/Jan/2026 3:19	26.0108648	WEEKLY - INSPECTION DECATER CENTRIFUGE	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:19	26.0108649	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 1 (NPPSA_NPPS	NPPSA_NPPS	PP6
WL1520	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 3:20	26.0108650	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 2 (NPPSA_NPPS	NPPSA_NPPS	PP6
WL1520	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 3:20	26.0108652	MONTHLY - PM FOR AIR COMPRESSOR NO.1 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 3:21	26.0108653	MONTHLY - PM FOR AIR COMPRESSOR NO.2 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 3:23	26.0108654	MONTHLY - PM FOR AIR COMPRESSOR NO.3 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:24	26.0108655	PM VISUAL CHECK AND BASIC POM FOR RD FAN PRIMARY (PO)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:25	26.0108657	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN SECONDARY (PO)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:27	26.0108658	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN TERTIARY (PO)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:28	26.0108659	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN # 1 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:29	26.0108660	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN # 2 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:30	26.0108661	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN # 3 (PO)	NPPSA_NPPS	PP6
MS0024	PP6-EVAPORATION PULP 1	10/Jan/2026 3:32	26.0108662	Monthly vibration check 405	NPPSA_NPPS	PP6
MS0024	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:32	26.0108663	Monthly vibration check 463	NPPSA_NPPS	PP6
MS0024	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 3:33	26.0108664	Monthly vibration check 281	NPPSA_NPPS	PP6
WL1518	PP6-COOLING TOWER PULP 1	10/Jan/2026 3:33	26.0108665	Monthly check pressure transmitters T2P7-416	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:33	26.0108666	2 Week PM for steam level control	NPPSA_NPPS	PP6
MS1003	PP6-EVAPORATION PULP 1	10/Jan/2026 3:33	26.0108667	Monthly PM for 6E14120 DO after feed water pump	NPPSA_NPPS	PP6
WL1525	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:34	26.0108668	MONTHLY - PM FOR RECOVERY BOILER TRANSFORMER T1411 (E)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:34	26.0108669	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FEEDWATER PUMP # 2 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:36	26.0108671	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FEEDWATER PUMP # 3 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:37	26.0108673	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FEED WATER PUMP # 4 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-EVAPORATION PULP 1	10/Jan/2026 3:39	26.0108674	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUOR SPRAY GUN PUMP # 1 A (P	NPPSA_NPPS	PP6
WL1520	PP6-EVAPORATION PULP 1	10/Jan/2026 3:40	26.0108675	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUOR SPRAY GUN PUMP # 2 (P	NPPSA_NPPS	PP6
WL1520	PP6-EVAPORATION PULP 1	10/Jan/2026 3:41	26.0108676	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION FOR EFFECT 1E (PO)	NPPSA_NPPS	PP6
WL1520	PP6-EVAPORATION PULP 1	10/Jan/2026 3:42	26.0108678	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR WEAK LIQUOR TRANSFER PUMP (NEW	NPPSA_NPPS	PP6
WL1520	PP6-EVAPORATION PULP 1	10/Jan/2026 3:43	26.0108680	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION PUMP EFFECT 1 E (PO)	NPPSA_NPPS	PP6
WL1520	PP6-EVAPORATION PULP 1	10/Jan/2026 3:43	26.0108684	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION PUMP EFFECT 1 D (PO)	NPPSA_NPPS	PP6
WL1520	PP6-EVAPORATION PULP 1	10/Jan/2026 3:44	26.0108686	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION PUMP EFFECT 1 C (PO)	NPPSA_NPPS	PP6
WL1520	PP6-EVAPORATION PULP 1	10/Jan/2026 3:45	26.0108689	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION PUMPS EFFECT 1 B (NPPSA_NPPS	NPPSA_NPPS	PP6
WL1520	PP6-EVAPORATION PULP 1	10/Jan/2026 3:46	26.0108696	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION PUMPS EFFECT 1 A (NPPSA_NPPS	NPPSA_NPPS	PP6
WL1520	PP6-COOLING TOWER PULP 1	10/Jan/2026 3:47	26.0108700	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO 1 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-COOLING TOWER PULP 1	10/Jan/2026 3:48	26.0108702	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO 2 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-COOLING TOWER PULP 1	10/Jan/2026 3:48	26.0108707	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO 3 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-COOLING TOWER PULP 1	10/Jan/2026 3:49	26.0108709	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO 4 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-EVAPORATION PULP 1	10/Jan/2026 3:50	26.0108713	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SECONDARY CONDENSATE DISTRIBUTION	NPPSA_NPPS	PP6
WL1520	PP6-EVAPORATION PULP 1	10/Jan/2026 3:51	26.0108718	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SLUMP PUMP (PO)	NPPSA_NPPS	PP6
WL1520	PP6-EVAPORATION PULP 1	10/Jan/2026 3:52	26.0108726	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR WEAK LIQUOR TRANSFER PUMP (AHSI	NPPSA_NPPS	PP6
WL1520	PP6-EVAPORATION PULP 1	10/Jan/2026 3:52	26.0108731	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR HBL CIRCULATING PUMP FOR 200 HPA TAP	NPPSA_NPPS	PP6
WL1520	PP6-EVAPORATION PULP 1	10/Jan/2026 3:53	26.0108733	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR HBL TRANSFER PUMP TO BOLD TANK (E)	NPPSA_NPPS	PP6
WL1520	PP6-EVAPORATION PULP 1	10/Jan/2026 3:54	26.0108737	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR STRONG LIQUOR STORAGE TANK # 1 (NPPSA_NPPS	NPPSA_NPPS	PP6
WL1520	PP6-EVAPORATION PULP 1	10/Jan/2026 3:55	26.0108741	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR CONDENSATE PUMP FOR EFFECT 4 S (NPPSA_NPPS	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:56	26.0108743	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER #8 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:57	26.0108744	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER #8 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:57	26.0108745	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER #8 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:58	26.0108746	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER #8 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:59	26.0108748	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER #51 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 3:59	26.0108749	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER #52 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 4:00	26.0108750	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER #53 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 4:01	26.0108752	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER #54 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 4:02	26.0108753	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER #55 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 4:03	26.0108754	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER #56 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 4:04	26.0108756	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER #57 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 4:05	26.0108759	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER #58 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 4:05	26.0108757	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER #59 (LEFT) (PO)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 4:06	26.0108758	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 60 (RIGHT) (PO)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 4:07	26.0108759	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 61 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 4:07	26.0108760	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 62 (PO)	NPPSA_NPPS	PP6
WL1520	PP6-ASH LEACHING PULP 1	10/Jan/2026 4:08	26.0108761	WEEKLY - PM FOR DECATER CENTRIFUGE (A)	NPPSA_NPPS	PP6
WL1520	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 4:08	26.0108762	MONTHLY - PM FOR DISCHARGER VAN (E)	NPPSA_NPPS	PP6
WL1520	PP6-EVAPORATION PULP 1	10/Jan/2026 4:09	26.0108763	MONTHLY - PM FOR INCOMING BIOGAS FOR EVAPORATION PLANT (E)	NPPSA_NPPS	PP6
WL1520	PP6-EVAPORATION PULP 1	10/Jan/2026 4:09	26.0108764	MONTHLY - PM FOR HEAVY LIQUOR SPRAY GUN PUMP # 1 A (E)	NPPSA_NPPS	PP6
WL1520	PP6-EVAPORATION PULP 1	10/Jan/2026 4:09	26.0108765	MONTHLY - PM FOR HEAVY LIQUOR SPRAY GUN PUMP # 1 B (E)	NPPSA_NPPS	PP6

VL5050	PP6-ASH LEACHING PULP 1	10/Jan/2026 4:09	26.0108767	YEARLY - PM FOR FIRE ALARM CONTROL PANEL ASH LEACHING (E)	NPPSA_NPPS	PP6
WL1320	Power Plant Unit 5	10/Jan/2026 4:10	26.0108768	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2.2) (NPPSA_NPPS	NPPSA_NPPS	PP6
MS0024	Power Plant Unit 5	10/Jan/2026 4:10	26.0108769	MONTHLY - PM FOR OIL SAMPLING AND ANALYSIS, BOILER, TURNING, TRUCK TIRE (M)	NPPSA_NPPS	PP6
MS0024	Power Plant Unit 5	10/Jan/2026 4:10	26.0108770	MONTHLY - VIBRATION CHECK FOR LOCATION, PPS (E)	NPPSA_NPPS	PP6
WL1320	Power Plant Unit 5	10/Jan/2026 4:11	26.0108771	MONTHLY - PM FOR VIBRATION ANALYSIS FOR BOILER AIR COMBUSTION TURBINE FUEL & T (NPPSA_NPPS	NPPSA_NPPS	PP6
WL1320	Power Plant Unit 5	10/Jan/2026 4:12	26.0108772	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP (E)	NPPSA_NPPS	PP6
WL1320	Power Plant Unit 5	10/Jan/2026 4:12	26.0108773	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2) (NPPSA_NPPS	NPPSA_NPPS	PP6
WL1320	Power Plant Unit 5	10/Jan/2026 4:13	26.0108775	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2) (NPPSA_NPPS	NPPSA_NPPS	PP6
WL1320	Power Plant Unit 5	10/Jan/2026 4:13	26.0108776	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2) (NPPSA_NPPS	NPPSA_NPPS	PP6
WL1320	Power Plant Unit 5	10/Jan/2026 4:13	26.0108777	PM WEEKLY PROTECT FIRE 321C029	NPPSA_NPPS	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	10/Jan/2026 4:17	26.0108783	2Week Preventive Maintenance for motor 2310337	NPPSA_NPPS	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	10/Jan/2026 4:17	26.0108784	PM WEEKLY PROTECT FIRE 321C029	NPPSA_NPPS	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	10/Jan/2026 4:17	26.0108785	PM WEEKLY PROTECT FIRE 321C029	NPPSA_NPPS	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	10/Jan/2026 4:18	26.0108786	PM WEEKLY PROTECT FIRE 321C029	NPPSA_NPPS	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	10/Jan/2026 4:18	26.0108787	PM WEEKLY PROTECT FIRE 321C031	NPPSA_NPPS	PP6
WL1515	PP6-POWER GENERATION PULP 1	10/Jan/2026 4:18	26.0108788	MONTHLY - PM FOR DIESEL GENERATOR PPS (E)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 4:18	26.0108789	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 63 (LEFT) (PO)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 4:19	26.0108791	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 64 (RIGHT) (PO)	NPPSA_NPPS	PP6
WL1320	PP6-EVAPORATION PULP 1	10/Jan/2026 4:20	26.0108793	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR STRONG LIQUOR TRANSFER PUMP # 2 B (NPPSA_NPPS	NPPSA_NPPS	PP6
WL1320	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:21	26.0108794	MONTHLY - PM FOR AIR COMPRESSOR NO.6 (PO)	NPPSA_NPPS	PP6
WL1515	Fire Alarm Detector ER200,210	10/Jan/2026 4:22	26.0108795	MONTHLY - PM FOR FIRE ALARM DETECTOR ER200,210 (E)	NPPSA_NPPS	PP6
WL1515	Fire Alarm Control Panel ER211	10/Jan/2026 4:22	26.0108796	MONTHLY - PM FOR FIRE ALARM DETECTOR ER211 (E)	NPPSA_NPPS	PP6
WL1515	Fire Alarm Control Panel ER211	10/Jan/2026 4:23	26.0108798	MONTHLY - PM FOR FIRE ALARM DETECTOR ER211 (E)	NPPSA_NPPS	PP6
WL1515	Fire Alarm Detector ER302	10/Jan/2026 4:23	26.0108799	MONTHLY - PM FOR FIRE ALARM DETECTOR ER302 (E)	NPPSA_NPPS	PP6
WL1515	Fire Alarm Control Panel ER302	10/Jan/2026 4:23	26.0108800	MONTHLY - PM FOR FIRE ALARM DETECTOR ER302 (E)	NPPSA_NPPS	PP6
WL1515	Fire Alarm Detector Transformer MB1	10/Jan/2026 4:23	26.0108801	MONTHLY - PM FOR FIRE ALARM DETECTOR TRANSFORMERMB1 (E)	NPPSA_NPPS	PP6
WL1515	Fire Alarm Detector Transformer MB2	10/Jan/2026 4:24	26.0108802	MONTHLY - PM FOR FIRE ALARM DETECTOR TRANSFORMERMB2 (E)	NPPSA_NPPS	PP6
WL1515	Fire Alarm Control Panel Transformer MB1.4	10/Jan/2026 4:24	26.0108803	MONTHLY - PM FOR FIRE ALARM DETECTOR PANEL TRANSFORMERMB1.4 (E)	NPPSA_NPPS	PP6
WL1515	Fire Alarm Detector ER410	10/Jan/2026 4:24	26.0108804	MONTHLY - PM FOR FIRE ALARM DETECTOR ER410 (E)	NPPSA_NPPS	PP6
WL1515	Fire Alarm Control Panel ER410	10/Jan/2026 4:24	26.0108805	MONTHLY - PM FOR FIRE ALARM DETECTOR PANEL ER410 (E)	NPPSA_NPPS	PP6
WL1515	Fire Alarm Detector Ash LEACHING	10/Jan/2026 4:25	26.0108806	MONTHLY - PM FOR FIRE ALARM DETECTOR ASH LEACHING (E)	NPPSA_NPPS	PP6
WL1515	Fire Alarm Control Panel Ash LEACHING	10/Jan/2026 4:25	26.0108807	MONTHLY - PM FOR FIRE ALARM DETECTOR ASH LEACHING (E)	NPPSA_NPPS	PP6
WL1515	Fire Alarm Detector Transformer MB4	10/Jan/2026 4:25	26.0108808	MONTHLY - PM FOR FIRE ALARM DETECTOR TRANSFORMERMB4 (E)	NPPSA_NPPS	PP6
WL1515	Fire Alarm Control Panel Transformer MB4	10/Jan/2026 4:25	26.0108809	MONTHLY - PM FOR FIRE ALARM DETECTOR TRANSFORMERMB4 (E)	NPPSA_NPPS	PP6
MS0104	PP6-RECOVERY BOILER PULP 1	10/Jan/2026 4:26	26.0108810	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 35	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:26	26.0108811	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 36	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:26	26.0108812	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:26	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813	WEEKLY - INSPECTION FOR DCS CONTROLLER PULP 22	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	10/Jan/2026 4:27	26.0108813			

WL1320	Ash &slag Removal Removal	17/Jan/2026 2:29	26.031747	MONTHLY - PM FOR FLY ASH ROTARY FEEDER 2 (PO)	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	17/Jan/2026 2:30	26.031749	MONTHLY - PM FOR SCREW CONVEYOR 9 M (PO)	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	17/Jan/2026 2:31	26.031750	MONTHLY - PM FOR SCREW CONVEYOR 10 M (PO)	NPPSA, NPPS	PPS
WL1320	Sand handling	17/Jan/2026 2:31	26.031751	2 MONTHS - PM FOR SAND DISCHARGING SCREW (PO)	NPPSA, NPPS	PPS
WL1320	Ash &slag Removal Removal	17/Jan/2026 2:34	26.031752	2 MONTHS - PM FOR ASH SCREW CONVEYOR, LEFT WALL (PO)	NPPSA, NPPS	PPS
WL1320	Ash &slag Removal Removal	17/Jan/2026 2:36	26.031753	2 MONTHS - PM FOR ASH SCREW CONVEYOR, RIGHT WALL (PO)	NPPSA, NPPS	PPS
WL1320	Ash &slag Removal Removal	17/Jan/2026 2:37	26.031754	2 MONTHS - PM FOR COURSE MATERIAL RECLAIM SCREW #1 (PO)	NPPSA, NPPS	PPS
WL1320	Ash &slag Removal Removal	17/Jan/2026 2:38	26.031755	2 MONTHS - PM FOR COURSE MATERIAL RECLAIM SCREW #2 (PO)	NPPSA, NPPS	PPS
WL1320	Ash &slag Removal System	17/Jan/2026 2:39	26.031756	2 MONTHS - PM FOR WET ASH DISCHARGING SCREW (PO)	NPPSA, NPPS	PPS
WL1320	Ash &slag Removal Removal	17/Jan/2026 2:40	26.031757	MONTHLY - PM FOR ASH MAN DRAIN CONVEYOR (PO)	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	17/Jan/2026 2:42	26.031758	2 MONTHS - PM FOR SCRAPER DISC. SCREEN FOR CHIP (PO)	NPPSA, NPPS	PPS
WL1320	Ash &slag Removal Removal	17/Jan/2026 2:43	26.031759	MONTHLY - PM FOR ASH BUCKET ELEVATOR (PO)	NPPSA, NPPS	PPS
WL1320	Sand handling	17/Jan/2026 2:44	26.031760	MONTHLY - PM FOR SAND ELEVATOR (PO)	NPPSA, NPPS	PPS
WL1320	Electrostatic precipitator	17/Jan/2026 2:46	26.031762	MONTHLY - PM ROUTE CHECK MOTOR RAPPER ASP AREA SHQ(402) (PO)	NPPSA, NPPS	PPS
WL1320	Combustion Air System	17/Jan/2026 2:46	26.031763	2 WEEKS - PM FOR FLUOZINIDE AIR FAN (PO)	NPPSA, NPPS	PPS
WL1320	Combustion Air System	17/Jan/2026 2:47	26.031764	2 WEEKS - PM FOR SECONDARY AIR FAN (PO)	NPPSA, NPPS	PPS
WL1320	Furnace and Flue gas	17/Jan/2026 2:48	26.031766	2 WEEKS - PM FOR INDUCED DRAFT FAN (PO)	NPPSA, NPPS	PPS
WL1320	Combustion Air System	17/Jan/2026 2:49	26.031768	2 WEEKS - PM FOR FUEL FEEDING FAN 1, LEFT WALL (PO)	NPPSA, NPPS	PPS
WL1320	Combustion Air System	17/Jan/2026 2:51	26.031769	2 WEEKS - PM FOR FUEL FEEDING FAN 2, RIGHT WALL (PO)	NPPSA, NPPS	PPS
WL1320	PPS-POWER BOILER PULP 1	17/Jan/2026 2:52	26.031770	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOIL. PPS (ROUTE 1) (PO)	NPPSA, NPPS	PPS
WL1320	PPS-POWER BOILER PULP 1	17/Jan/2026 2:52	26.031771	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOILER PPS (ROUTE 8) (PO)	NPPSA, NPPS	PPS
WL1320	PPS-POWER GENERATION PULP 1	17/Jan/2026 2:52	26.031772	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA TOLLS, PPS(PO)	NPPSA, NPPS	PPS
WL1320	PPS-POWER BOILER PULP 1	17/Jan/2026 2:52	26.031773	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE SOOT BLOWER, PPS (ROUTE 1) (PO)	NPPSA, NPPS	PPS
WL1320	PPS-POWER BOILER PULP 1	17/Jan/2026 2:53	26.031774	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE SOOT BLOWER, PPS (ROUTE 1) (PO)	NPPSA, NPPS	PPS
WL1320	PPS-POWER BOILER PULP 1	17/Jan/2026 2:53	26.031775	MONTHLY - PM PM REFILL & RECHECK LUBRICATION OIL AND GRASE GEAR ESP. PPS (PO)	NPPSA, NPPS	PPS
WL1320	PPS-POWER BOILER PULP 1	17/Jan/2026 2:53	26.031776	MONTHLY - PM PM REFILL & RECHECK LUBRICATION OIL AND GRASE GEAR ESP. PPS (ROUTE 1) (PO)	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	17/Jan/2026 2:54	26.031777	WEEKLY - PM FOR BELT ELEVATOR H-22 (PO)	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	17/Jan/2026 2:54	26.031778	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE SCREW RECLAIMER (PO)	NPPSA, NPPS	PPS
MS0103	Economizer Section	17/Jan/2026 2:54	26.031779	Monthly check O2 Analyzer, Flue Gas, Left	NPPSA, NPPS	PPS
MS0103	PPS-POWER BOILER PULP 1	17/Jan/2026 2:54	26.031780	Monthly check O2 Analyzer, Flue Gas, Right	NPPSA, NPPS	PPS
MS0103	PPS-POWER BOILER PULP 1	17/Jan/2026 2:55	26.031781	Monthly check Flue Dust Measurement	NPPSA, NPPS	PPS
WL1320	PPS-POWER BOILER PULP 1	17/Jan/2026 2:55	26.031782	Weekly Preventive maintenance for Air condition	NPPSA, NPPS	PPS
WL1320	PPS-POWER BOILER PULP 1	17/Jan/2026 2:55	26.031783	Weekly inspection for CR, RH Room (E810)	NPPSA, NPPS	PPS
WL1320	PPS-POWER BOILER PULP 1	17/Jan/2026 2:55	26.031784	2 Weekly Routine Inspect for Air duct	NPPSA, NPPS	PPS
MS0024	PPS-FUEL STORAGE AND HANDLING FOR PULP	17/Jan/2026 2:56	26.031785	Monthly vibration check for Plan 462	NPPSA, NPPS	PPS
MS0024	PPS-POWER GENERATION PULP 1	17/Jan/2026 2:56	26.031786	Monthly vibration check for Plan 291	NPPSA, NPPS	PPS
MS0024	PPS-POWER BOILER PULP 1	17/Jan/2026 2:56	26.031787	Monthly vibration check for Plan 462	NPPSA, NPPS	PPS
MS0103	PPS-POWER BOILER PULP 1	17/Jan/2026 2:56	26.031788	Monthly calibrate Flue Gas Stack NOX	NPPSA, NPPS	PPS
MS0103	PPS-POWER BOILER PULP 1	17/Jan/2026 2:57	26.031789	Monthly calibrate Flue Gas Stack TRO	NPPSA, NPPS	PPS
MS0103	PPS-POWER BOILER PULP 1	17/Jan/2026 2:57	26.031790	Monthly calibrate Flue Gas Stack CO2	NPPSA, NPPS	PPS
MS0103	PPS-POWER BOILER PULP 1	17/Jan/2026 2:57	26.031791	Monthly calibrate Flue Gas Stack O2	NPPSA, NPPS	PPS
MS0103	PPS-POWER BOILER PULP 1	17/Jan/2026 2:57	26.031792	Weekly check for Flue gases analyzer NOX	NPPSA, NPPS	PPS
MS0103	PPS-POWER BOILER PULP 1	17/Jan/2026 2:58	26.031793	Weekly check for Flue gases analyzer TRO	NPPSA, NPPS	PPS
MS0103	PPS-POWER BOILER PULP 1	17/Jan/2026 2:58	26.031795	Weekly check for Flue gases analyzer CO	NPPSA, NPPS	PPS
MS0103	PPS-POWER BOILER PULP 1	17/Jan/2026 2:58	26.031796	Weekly check for Flue gases analyzer O2	NPPSA, NPPS	PPS
MS0103	Economizer Section	17/Jan/2026 2:59	26.031798	Weekly check for Flue gases analyzer	NPPSA, NPPS	PPS
MS0103	Furnace and Flue gas	17/Jan/2026 2:59	26.031799	Weekly check for Flue gases analyzer	NPPSA, NPPS	PPS
MS0103	Smoke Stack	17/Jan/2026 2:59	26.031800	Weekly check for Flue gases analyzer	NPPSA, NPPS	PPS
WL1320	PPS-POWER BOILER PULP 1	17/Jan/2026 2:59	26.031801	Monthly check Auma valve 462H/238 (B)	NPPSA, NPPS	PPS
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	17/Jan/2026 3:00	26.031802	MONTHLY PM for power motor lock area 261	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	17/Jan/2026 3:00	26.031803	2 WEEKS - PM FOR MOTOR BELT CONVEYOR BANK & RICE TO BOILER (E)	NPPSA, NPPS	PPS
WL1320	SOLID FUEL FEED (SLO TO BOILER)	17/Jan/2026 3:00	26.031804	WEEKLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 1 (PO)	NPPSA, NPPS	PPS
WL1320	SOLID FUEL FEED (SLO TO BOILER)	17/Jan/2026 3:01	26.031805	WEEKLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 2 (PO)	NPPSA, NPPS	PPS
WL1320	SOLID FUEL FEED (SLO TO BOILER)	17/Jan/2026 3:01	26.031806	2 MONTHS - PM FOR SHREDDER ROLL 1 (PO)	NPPSA, NPPS	PPS
WL1320	SOLID FUEL FEED (SLO TO BOILER)	17/Jan/2026 3:02	26.031810	2 MONTHS - PM FOR SHREDDER ROLL 42 (PO)	NPPSA, NPPS	PPS
MS0104	Ash &slag Removal Removal	17/Jan/2026 3:04	26.031812	2 WEEKS - PM FOR FLY ASH (A)	NPPSA, NPPS	PPS
MS0104	SOLID FUEL FEED (SLO TO BOILER)	17/Jan/2026 3:04	26.031813	2 WEEKS - PM FOR LOAD BURNER (A)	NPPSA, NPPS	PPS
MS0104	PPS-POWER GENERATION PULP 1	17/Jan/2026 3:05	26.031814	2 WEEKS - PM FOR POWER FACTOR (A)	NPPSA, NPPS	PPS
MS0104	PPS-POWER GENERATION PULP 1	17/Jan/2026 3:05	26.031816	2 WEEKS - PM FOR SYNCHRONOUS (A)	NPPSA, NPPS	PPS
MS0104	PPS-POWER GENERATION PULP 1	17/Jan/2026 3:05	26.031817	2 WEEKS - PM FOR TURBINE CONTROL GOVERNOR CABINET TORS (1CG001) (A)	NPPSA, NPPS	PPS
MS0104	PPS-POWER GENERATION PULP 1	17/Jan/2026 3:07	26.031819	2 WEEKS - PM FOR TURBINE CONTROL GOVERNOR CABINET TORS (1CG001) (A)	NPPSA, NPPS	PPS
MS0104	PPS-POWER GENERATION PULP 1	17/Jan/2026 3:10	26.031820	2 WEEKS - PM FOR TURBINE CONTROL AUXILIARY CABINET TORS (1CC001) (A)	NPPSA, NPPS	PPS
MS0104	PPS-POWER GENERATION PULP 1	17/Jan/2026 3:10	26.031822	2 WEEKS - PM FOR TURBINE CONTROL AUXILIARY CABINET TORS (2CC001) (A)	NPPSA, NPPS	PPS
MS0104	PPS-POWER GENERATION PULP 1	17/Jan/2026 3:11	26.031823	WEEKLY - PM FOR TURBINE CONTROL GEAR CABINET TORS 4 (1CGR01 T000) (A)	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	17/Jan/2026 3:12	26.031824	MONTHLY - PM FOR INCOMING AROVAL. FOR LIGHTING FUEL HANDLING PLANT 58 (E)	NPPSA, NPPS	PPS
WL1320	PPS-COMPRESSED AIR PULP 1	17/Jan/2026 3:12	26.031816	YEARLY - PM FOR AIR FILTER (INLET INSTRUMENT AIR TANK) (M)	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	17/Jan/2026 3:20	26.031817	MONTHLY - PM FOR BELT CONVEYOR A-9 (PO)	NPPSA, NPPS	PPS
WL1323	PP6-EVAPORATION PULP 1	17/Jan/2026 3:21	26.031818	MONTHLY - INSPECTION DENSITY RADIATION	NPPSA, NPPS	PPS
WL1323	PP6-EVAPORATION PULP 1	17/Jan/2026 3:21	26.031819	4518304 LOOP HILL TO FLASH TANK	NPPSA, NPPS	PPS
WL1323	PP6-EVAPORATION PULP 1	17/Jan/2026 3:21	26.031820	4518311 LOOP HILL TO EJECT PULP 18	NPPSA, NPPS	PPS
WL1323	PP6-EVAPORATION PULP 1	17/Jan/2026 3:21	26.031821	4518350 LOOP VALVE TO FLASH TANK	NPPSA, NPPS	PPS
WL1323	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:22	26.031822	MONTHLY - INSPECTION MANOM VALVE	NPPSA, NPPS	PPS
WL1323	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:22	26.031823	4618V46G START BURNER #1 SHUT OFF VLV	NPPSA, NPPS	PPS
WL1323	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:22	26.031824	4618V46G OIL START BURNER #2 SHUT OFF VLV	NPPSA, NPPS	PPS
WL1323	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:22	26.031825	4618V46G OIL START BURNER #3 SHUT OFF VLV	NPPSA, NPPS	PPS
WL1323	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:22	26.031826	4618V46G OIL START BURNER #4 SHUT OFF VLV	NPPSA, NPPS	PPS
WL1323	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:22	26.031827	4618V46G OIL START BURNER #5 SHUT OFF VLV	NPPSA, NPPS	PPS
WL1323	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:22	26.031828	4618V46G OIL START BURNER #6 SHUT OFF VLV	NPPSA, NPPS	PPS
WL1323	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:23	26.031829	MONTHLY - INSPECTION SOLENOID VALVE	NPPSA, NPPS	PPS
WL1323	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:23	26.031830	4618V46B B1 SOLENOID SOLENOID VALVE	NPPSA, NPPS	PPS
WL1323	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:23	26.031831	4618V46F START UP BURNER 1 GAS IS VALVE	NPPSA, NPPS	PPS
WL1323	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:23	26.031832	4618V46F START UP BURNER 2 GAS IS VALVE	NPPSA, NPPS	PPS
WL1323	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:23	26.031833	4618V46F START UP BURNER 3 GAS IS VALVE	NPPSA, NPPS	PPS
WL1323	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:23	26.031834	4618V46F START UP BURNER 4 GAS IS VALVE	NPPSA, NPPS	PPS

WL1323	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:23	26.031835	4618V46F START UP BURNER 5 GAS IS VALVE	NPPSA, NPPS	PPS
WL1323	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:23	26.031836	4618V46F START UP BURNER 6 GAS IS VALVE	NPPSA, NPPS	PPS
WL1323	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:24	26.031837	4618V46IGN GAS SHUT OFF	NPPSA, NPPS	PPS
WL1323	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:24	26.031838	4618V46IGN GAS HEATER SHUT OFF	NPPSA, NPPS	PPS
WL1323	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:24	26.031839	4618V46IGN GAS VENT VALVE	NPPSA, NPPS	PPS
WL1323	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:24	26.031840	WEEKLY - INSPECTION FOR BEACONMARE WEEKLY	NPPSA, NPPS	PPS
WL1323	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:24	26.031841	4618X202 Recovery Boiler Red Camera Right Side	NPPSA, NPPS	PPS
WL1323	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:24	26.031842	4618X202 Recovery Boiler Red Camera Left Side	NPPSA, NPPS	PPS
WL1320	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:24	26.031843	MONTHLY - PM FOR START UP BURNER 1 (E)	NPPSA, NPPS	PPS
WL1320	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:25	26.031844	MONTHLY - PM FOR START UP BURNER 2 (E)	NPPSA, NPPS	PPS
WL1320	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:25	26.031845	MONTHLY - PM FOR START UP BURNER 3 (E)	NPPSA, NPPS	PPS
WL1320	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:25	26.031846	MONTHLY - PM FOR START UP BURNER 4 (E)	NPPSA, NPPS	PPS
WL1320	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:25	26.031847	MONTHLY - PM FOR START UP BURNER 5 (E)	NPPSA, NPPS	PPS
WL1320	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:26	26.031848	MONTHLY - PM FOR START UP BURNER 6 (E)	NPPSA, NPPS	PPS
WL1320	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:26	26.031849	MONTHLY - PM FOR ELECTROSTATIC PRECIPITATOR 1 (E)	NPPSA, NPPS	PPS
WL1320	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:27	26.031850	MONTHLY - PM FOR ELECTROSTATIC PRECIPITATOR 2 (E)	NPPSA, NPPS	PPS
WL1320	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:27	26.031851	MONTHLY - PM FOR ELECTROSTATIC PRECIPITATOR 3 (E) (ESP # 1) (E)	NPPSA, NPPS	PPS
WL1320	PP6-COOLING TOWER PULP 1	17/Jan/2026 3:28	26.031852	MONTHLY - PM FOR COOLING TOWER NO 1 (E)	NPPSA, NPPS	PPS
WL1320	PP6-COOLING TOWER PULP 1	17/Jan/2026 3:28	26.031853	MONTHLY - PM FOR COOLING TOWER NO 2 (E)	NPPSA, NPPS	PPS
WL1320	PP6-COOLING TOWER PULP 1	17/Jan/2026 3:29	26.031854	MONTHLY - PM FOR COOLING TOWER NO 3 (E)	NPPSA, NPPS	PPS
WL1320	PP6-COOLING TOWER PULP 1	17/Jan/2026 3:30	26.031856	MONTHLY - PM FOR COOLING TOWER NO 4 (E)	NPPSA, NPPS	PPS
WL1320	PP6-ASH LEACHING PULP 1	17/Jan/2026 3:30	26.031857	2 MONTHS - PM FOR VENT FAN (E)	NPPSA, NPPS	PPS
WL1320	PP6-ASH LEACHING PULP 1	17/Jan/2026 3:31	26.031858	2 MONTHS - PM FOR DECANTER CENTRIFUGE (E)	NPPSA, NPPS	PPS
WL1320	PP6-EVAPORATION PULP 1	17/Jan/2026 3:31	26.031859	MONTHLY - PM FOR HEAVY LIQUOR SPRAY GUN PUMP # 1 A (E)	NPPSA, NPPS	PPS
WL1320	PP6-EVAPORATION PULP 1	17/Jan/2026 3:31	26.031860	MONTHLY - PM FOR HEAVY LIQUOR SPRAY GUN SPP PUMP # 1 B (E)	NPPSA, NPPS	PPS
WL1320	PP6-COOLING TOWER PULP 1	17/Jan/2026 3:31	26.031861	MONTHLY - PM FOR REC COOLING TOWER, UPRA# 1	NPPSA, NPPS	PPS
WL1320	PP6-COOLING TOWER PULP 1	17/Jan/2026 3:32	26.031862	MONTHLY - PM FOR REC COOLING TOWER, UPRA# 2	NPPSA, NPPS	PPS
WL1320	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:32	26.031864	2 WEEKS - INSPECTION GEAR BOX ESP	NPPSA, NPPS	PPS
WL1320	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:32	26.031866	4617441 COLLECTING RAPPER A, PRECIPITATOR # 1	NPPSA, NPPS	PPS
WL1320	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:32	26.031866	4617441 EMITTING RAPPER A, PRECIPITATOR # 1	NPPSA, NPPS	PPS
WL1320	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:32	26.031867	4617443 COLLECTING RAPPER B, PRECIPITATOR # 2	NPPSA, NPPS	PPS
WL1320	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:32	26.031868	4617444 EMITTING RAPPER B, PRECIPITATOR # 2	NPPSA, NPPS	PPS
WL1320	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:33	26.031869	4617445 COLLECTING RAPPER C, PRECIPITATOR # 3	NPPSA, NPPS	PPS
WL1320	PP6-RECOVERY BOILER PULP 1	17/Jan/2026 3:33	26.031870	4617446 EMITTING RAPPER C, PRECIPITATOR # 3	NPPSA, NPPS	PP

WL330	PPS-EVAPORATION PULP 1	17/nw/2026:359	26:032072	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUOR SPRAY GUN 5SP PUMP #1	NPPSA_NPPS	PPS
WL330	PPS-COOLING TOWER PULP 1	17/nw/2026:400	26:032073	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.1 (PO)	NPPSA_NPPS	PPS
WL330	PPS-COOLING TOWER PULP 1	17/nw/2026:401	26:032074	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.2 (PO)	NPPSA_NPPS	PPS
WL330	PPS-COOLING TOWER PULP 1	17/nw/2026:402	26:032076	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.3 (PO)	NPPSA_NPPS	PPS
WL330	PPS-COOLING TOWER PULP 1	17/nw/2026:403	26:032077	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.5 (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:403	26:032078	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR CONDENSATE PUMP #1 (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:404	26:032079	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR CONDENSATE PUMP #2 (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:405	26:032080	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 1 LEFT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:405	26:032081	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 2 RIGHT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:406	26:032082	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 3 LEFT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:407	26:032083	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 4 RIGHT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:407	26:032084	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 5 LEFT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:408	26:032085	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 6 RIGHT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:409	26:032086	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 7 LEFT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:409	26:032087	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 8 RIGHT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:410	26:032088	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 9 LEFT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:411	26:032089	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 10 RIGHT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:412	26:032090	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 11 LEFT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:412	26:032091	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 12 RIGHT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:413	26:032093	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 13 LEFT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:414	26:032094	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 14 RIGHT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:414	26:032095	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 15 LEFT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:415	26:032096	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 16 RIGHT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:416	26:032097	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 17 LEFT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:417	26:032098	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 18 RIGHT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:418	26:032099	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 19 LEFT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:418	26:032100	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 20 RIGHT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:419	26:032101	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 21 LEFT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:420	26:032102	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 22 RIGHT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:420	26:032103	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 23 LEFT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:421	26:032104	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 24 RIGHT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:422	26:032105	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 25 LEFT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:422	26:032106	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 26 RIGHT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:423	26:032107	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 27 LEFT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:424	26:032108	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 28 RIGHT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:424	26:032109	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 29 LEFT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:425	26:032110	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 30 RIGHT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:426	26:032111	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 31 LEFT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:427	26:032112	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 32 RIGHT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:427	26:032114	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 33 LEFT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:428	26:032115	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 34 RIGHT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:429	26:032116	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 35 LEFT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:429	26:032117	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 36 RIGHT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:430	26:032118	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 37 LEFT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:431	26:032119	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 38 RIGHT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:432	26:032120	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 39 LEFT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:432	26:032121	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 40 RIGHT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:433	26:032122	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 41 LEFT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:434	26:032123	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 42 RIGHT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:434	26:032124	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 43 LEFT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:435	26:032125	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 44 RIGHT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:436	26:032126	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 45 LEFT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:437	26:032127	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 46 RIGHT (PO)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:437	26:032128	WEEKLY - PM FOR DECATAN CENTRIFUGE (A)	NPPSA_NPPS	PPS
MS0104	PPS-RECOVERY BOILER PULP 1	17/nw/2026:437	26:032129	2 WEEKS - PM FOR RODDING MASTER # 1 (A)	NPPSA_NPPS	PPS
MS0104	PPS-RECOVERY BOILER PULP 1	17/nw/2026:438	26:032130	2 WEEKS - PM FOR KIDNEY MASTER # 2 (A)	NPPSA_NPPS	PPS
MS0104	PPS-RECOVERY BOILER PULP 1	17/nw/2026:438	26:032131	2 WEEKS - PM FOR KIDNEY MASTER (A)	NPPSA_NPPS	PPS
MS0104	PPS-RECOVERY BOILER PULP 1	17/nw/2026:438	26:032132	2 WEEKS - PM FOR START UP BURNER (A)	NPPSA_NPPS	PPS
MS0104	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:439	26:032133	2 WEEKS - PM FOR AIR DRYING (A)	NPPSA_NPPS	PPS
MS0104	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:439	26:032134	2 WEEKS - PM FOR DEMIN PLANT (A)	NPPSA_NPPS	PPS
MS0104	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:440	26:032135	2 WEEKS - PM FOR PULC CEMS NPPS (A)	NPPSA_NPPS	PPS
MS0104	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:440	26:032136	2 WEEKS - PM FOR HM POLSING PLANT (A)	NPPSA_NPPS	PPS
MS0104	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:440	26:032137	2 WEEKS - PM FOR DEMIN PLANT (A)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:441	26:032138	MONTHLY - PM FOR RODDING MASTER CONTROL PANEL (E)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:441	26:032139	MONTHLY - PM FOR RODDING MASTER CONTROL PANEL (E)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:441	26:032140	MONTHLY - PM FOR CAPACITOR BANK FOR AHU10S	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:442	26:032141	MONTHLY - PM FOR INCOMING GRIND. FOR POWDER PLANT (E)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:442	26:032142	MONTHLY - PM FOR INCOMING GRIND. FOR EXP#3 POWER PLANT (E)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:442	26:032143	MONTHLY - PM FOR INCOMING GRIND. FOR EXP#4 POWER PLANT (E)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:443	26:032144	MONTHLY - PM FOR INCOMING G.V. FOR FEED WATER PUMP (E)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:443	26:032145	MONTHLY - PM FOR VSD HYDROLYC OIL PUMP FOR FAN #2 (E)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:443	26:032146	MONTHLY - PM FOR SOOTBLOWER # 1 LEFT (E)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:443	26:032147	MONTHLY - PM FOR SOOTBLOWER # 1 RIGHT (E)	NPPSA_NPPS	PPS
WL330	PPS-RECOVERY BOILER PULP 1	17/nw/2026:444	26:032148	MONTHLY - PM FOR VSD BLACK LIQUOR PUMP (E)	NPPSA_NPPS	PPS
WL330	Power Plant Unit 6	17/nw/2026:444	26:032149	MONTHLY - INSPECTION TANK	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:444	26:032150	28T102 CATION EXCHANGER 1	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:444	26:032151	28T102 CATION EXCHANGER 2	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:444	26:032152	28T103 CARBON DIOXIDE DEGASSER 1	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:444	26:032153	28T104 ANION EXCHANGER 1	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:445	26:032154	28T105 ANION EXCHANGER 2	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:445	26:032155	28T106 MIXED BED EXCHANGER 1	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:445	26:032156	28T107 MIXED BED EXCHANGER 2	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:445	26:032157	28T108 STORAGE TANK FOR DEMINERALIZED WATER	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:445	26:032158	28T109 STORAGE TANK FOR SULPHURIC ACID	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:445	26:032159	28T110 STORAGE TANK FOR CAUSTIC SODA	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:445	26:032160	28T111 COLLECTION TANK FOR PLANT EFFLUENTS	NPPSA_NPPS	PPS

WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:445	26:032161	28T112 RESIN BACKWASH TANK	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:445	26:032162	28T113 CARBON DIOXIDE DEGASSER 2	NPPSA_NPPS	PPS
WL330	Power Plant Unit 6	17/nw/2026:445	26:032163	2 WEEKS - INSPECTION PUMP	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:446	26:032164	28T122 DEGASSER WATER PUMP 2	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:446	26:032165	28T122 DEGASSER WATER PUMP 2	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:446	26:032166	28T122 RECIRCULATION PUMP	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:447	26:032167	28T124 EFFLUENT PUMP	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:447	26:032168	28T126 CAUSTIC TANKER UNLOADING PUMP	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:447	26:032169	28T127 DEMIN WATER PUMP PLUMPING DEMIN WATER FROM DEMIN	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:448	26:032170	28T127 DEMIN WATER PUMP PLUMPING DEMIN WATER FROM DEMIN	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:448	26:032171	28T127 DEMIN WATER PUMP PLUMPING DEMIN WATER FROM DEMIN	NPPSA_NPPS	PPS
WL330	Power Plant Unit 6	17/nw/2026:448	26:032172	2 WEEKS - INSPECTION DOOSING PUMP	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:449	26:032173	28T127 ACID DOOSING PUMP	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:449	26:032174	28T128 CAUSING DOOSING PUMP	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:449	26:032176	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SECONDARY AGITATOR (PO)	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:449	26:032177	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR MIX AGITATOR (PO)	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:449	26:032178	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR MAIN AGITATOR (PO)	NPPSA_NPPS	PPS
WL330	Power Plant Unit 5	17/nw/2026:450	26:032179	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOLT #35 (ROUTE 2.3) (PO)	NPPSA_NPPS	PPS
WL330	Power Plant Unit 5	17/nw/2026:450	26:032180	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOLT #32, PP5 (ROUTE 2.3) (PO)	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:452	26:032183	Monthly check Temp. Cooling 28T1-422	NPPSA_NPPS	PPS
WL330	SUPPLY OF BIO MASS SYSTEM TO SLO	17/nw/2026:452	26:032184	PM WEEKLY PROTECT FIRE 321C029	NPPSA_NPPS	PPS
WL330	SUPPLY OF BIO MASS SYSTEM TO SLO	17/nw/2026:452	26:032185	monthly check proximity switch 321E-022	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:453	26:032186	Monthly check Temp. Cooling 28T1-445	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:453	26:032188	Monthly check Pressure of instrument at 28T3P-425	NPPSA_NPPS	PPS
WL330	SUPPLY OF BIO MASS SYSTEM TO SLO	17/nw/2026:453	26:032189	monthly check Rotation grnd 321C-029	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:453	26:032190	Monthly check Pressure of Mill at 28T1-431	NPPSA_NPPS	PPS
WL330	SUPPLY OF BIO MASS SYSTEM TO SLO	17/nw/2026:454	26:032190	PM WEEKLY PROTECT FIRE 321C020	NPPSA_NPPS	PPS
WL330	SUPPLY OF BIO MASS SYSTEM TO SLO	17/nw/2026:454	26:032193	monthly check Rotation grnd 321C-031	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:454	26:032194	Monthly check Pressure of Pressure of Filter 28T3P-422	NPPSA_NPPS	PPS
WL330	SUPPLY OF BIO MASS SYSTEM TO SLO	17/nw/2026:454	26:032195	PM WEEKLY PROTECT FIRE 321C029	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:454	26:032196	Monthly check Temp. air dryer 28T1-420	NPPSA_NPPS	PPS
WL330	PPS-DEMIN WATER PLANT PULP 1	17/nw/2026:455	26:032197	Monthly check Dew point analyzer 28T07-421	NPPSA_NPPS	PPS

WL1320	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:25	26:1045495	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 15 AREA 461 (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:25	26:1045496	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 16 AREA 461 (PO)	NPPIA_NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	24/Jan/2026 2:26	26:1045497	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 8 AREA 451 (PO)	NPPIA_NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	24/Jan/2026 2:27	26:1045498	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 9 AREA 451 (PO)	NPPIA_NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	24/Jan/2026 2:28	26:1045499	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 10 AREA 451 (PO)	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	24/Jan/2026 2:28	26:1045500	4 MONTHS - PM ROUTE INSPECTION AND CLEAN AREA 281 GROUP 1 (PO)	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	24/Jan/2026 2:28	26:1045502	4 MONTHS - PM ROUTE INSPECTION AND CLEAN AREA 461 GROUP 1 (PO)	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	24/Jan/2026 2:29	26:1045503	4 MONTHS - PM ROUTE INSPECTION AND CLEAN AREA 281 GROUP 2 (PO)	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	24/Jan/2026 2:29	26:1045504	4 MONTHS - PM ROUTE INSPECTION AND CLEAN AREA 281 GROUP 1 (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:30	26:1045505	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN PRIMARY (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:31	26:1045506	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN SECONDARY (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:32	26:1045507	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN TERTIARY (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:32	26:1045508	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR ID FAN #1 (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:34	26:1045509	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR ID FAN #2 (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:35	26:1045511	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR ID FAN #3 (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:37	26:1045512	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FREDWATER PUMP #1 (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:38	26:1045513	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FREDWATER PUMP #1 (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:40	26:1045515	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FRED WATER PUMP #4 (PO)	NPPIA_NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	24/Jan/2026 2:42	26:1045516	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUID SPRAY GUN PUMP #1 A (PO)	NPPIA_NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	24/Jan/2026 2:42	26:1045517	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUID SPRAY GUN SSP PUMP #1 (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:43	26:1045518	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.1 (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:44	26:1045519	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.2 (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:45	26:1045520	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.3 (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:45	26:1045521	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.5 (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:46	26:1045522	WEEKLY - PM FOR CENTER CENTRIFUGES (A)	NPPIA_NPPI	PP6
WL1320	Power Plant Unit 5	24/Jan/2026 2:46	26:1045524	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2.2) (NPPIA_NPPI)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:47	26:1045525	WEEKLY - INSPECTION CENTRIFUGAL PUMP (DYNAMIC)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:47	26:1045526	271944 COOLING WATER PUMP NO.1	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:48	26:1045527	271945 COOLING WATER PUMP NO.5	NPPIA_NPPI	PP6
WL1320	Power Plant Unit 5	24/Jan/2026 2:48	26:1045528	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 1) (NPPIA_NPPI)	NPPIA_NPPI	PP6
WL1320	Power Plant Unit 5	24/Jan/2026 2:49	26:1045529	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2) (NPPIA_NPPI)	NPPIA_NPPI	PP6
WL1320	Power Plant Unit 5	24/Jan/2026 2:49	26:1045530	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2.2) (NPPIA_NPPI)	NPPIA_NPPI	PP6
WL1320	Power Plant Unit 5	24/Jan/2026 2:49	26:1045531	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2.2) (NPPIA_NPPI)	NPPIA_NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	24/Jan/2026 2:52	26:1045537	PM WEEKLY - PROTECT FIRE 321C037	NPPIA_NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	24/Jan/2026 2:53	26:1045538	2week Preventive Maintenance for motor 321C037	NPPIA_NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	24/Jan/2026 2:53	26:1045539	PM WEEKLY - PROTECT FIRE 321C038	NPPIA_NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	24/Jan/2026 2:53	26:1045540	PM WEEKLY - PROTECT FIRE 321C039	NPPIA_NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	24/Jan/2026 2:53	26:1045541	PM WEEKLY - PROTECT FIRE 321C031	NPPIA_NPPI	PP6
MS0104	PP6-DEMIN WATER PLANT PUMP 1	24/Jan/2026 2:53	26:1045542	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 35	NPPIA_NPPI	PP6
MS0104	PP6-DEMIN WATER PLANT PUMP 1	24/Jan/2026 2:54	26:1045543	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 36	NPPIA_NPPI	PP6
MS0104	PP6-DEMIN WATER PLANT PUMP 1	24/Jan/2026 2:54	26:1045544	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 32	NPPIA_NPPI	PP6
MS0104	PP6-DEMIN WATER PLANT PUMP 1	24/Jan/2026 2:54	26:1045545	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 21	NPPIA_NPPI	PP6
MS0104	PP6-DEMIN WATER PLANT PUMP 1	24/Jan/2026 2:55	26:1045547	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 20	NPPIA_NPPI	PP6
MS0104	PP6-FUEL STORAGE AND HANDLING FOR PUMP	24/Jan/2026 2:55	26:1045548	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 23	NPPIA_NPPI	PP6
MS0104	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:55	26:1045549	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPPIA_NPPI	PP6
MS0104	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:56	26:1045550	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPPIA_NPPI	PP6
MS0104	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:56	26:1045552	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPPIA_NPPI	PP6
MS0104	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:56	26:1045553	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPPIA_NPPI	PP6
MS0104	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:57	26:1045554	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPPIA_NPPI	PP6
MS0104	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:57	26:1045555	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPPIA_NPPI	PP6
MS0104	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:58	26:1045556	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPPIA_NPPI	PP6
MS0104	PP6-RECOVERY BOILER PUMP 1	24/Jan/2026 2:58	26:1045557	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPPIA_NPPI	PP6
WL1320	LOW VOLTAGE MAIN DISTRIBUTION BOARD &	24/Jan/2026 2:58	26:1045558	MONTHLY - PM FOR 690V MCC #421 PPS (PO)	NPPIA_NPPI	PP6
WL1320	LOW VOLTAGE MAIN DISTRIBUTION BOARD &	24/Jan/2026 2:59	26:1045559	MONTHLY - PM FOR 400V MCC #A231 PPS (PO)	NPPIA_NPPI	PP6
WL1320	LOW VOLTAGE MAIN DISTRIBUTION BOARD &	24/Jan/2026 2:59	26:1045560	MONTHLY - PM FOR 400V MCC #A231 PPS (PO)	NPPIA_NPPI	PP6
WL1320	PP6-POWER BOILER PUMP 1	31/Jan/2026 2:59	26:1050854	Monthly inspection for road lighting system	NPPIA_NPPI	PP6
WL1320	PP6-FUEL STORAGE AND HANDLING FOR PUMP	31/Jan/2026 2:01	26:1050855	2week Preventive Maintenance for motor 321C002	NPPIA_NPPI	PP6
MS0104	SUPPLY OF BIO MASS SYSTEM TO SLO	31/Jan/2026 2:01	26:1050856	MONTHLY - PM FOR BATTERY FOR 321BUBUC DCS FUEL PPS AND PP2(A)	NPPIA_NPPI	PP6
MS0104	SUPPLY OF BIO MASS SYSTEM TO SLO	31/Jan/2026 2:01	26:1050857	MONTHLY - PM FOR BATTERY FOR 321BUBUC DCS FUEL PPS AND PP2(A)	NPPIA_NPPI	PP6
MS0104	SUPPLY OF BIO MASS SYSTEM TO SLO	31/Jan/2026 2:01	26:1050858	MONTHLY - PM FOR BATTERY FOR 321BUBUC DCS FUEL PPS AND PP2(A)	NPPIA_NPPI	PP6
MS0104	SUPPLY OF BIO MASS SYSTEM TO SLO	31/Jan/2026 2:02	26:1050859	MONTHLY - PM FOR UPS B FOR DCS FUEL PPS AND PP10(A)	NPPIA_NPPI	PP6
WL1320	PP6-FUEL STORAGE AND HANDLING FOR PUMP	31/Jan/2026 2:02	26:1050860	2 MONTHS - PM FOR HANDLING FOR PUMP 1 (E)	NPPIA_NPPI	PP6
WL1320	PP6-FUEL STORAGE AND HANDLING FOR PUMP	31/Jan/2026 2:02	26:1050861	2 MONTHS - PM FOR UPS B FOR DCS FUEL PPS AND PP10(A)	NPPIA_NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	31/Jan/2026 2:03	26:1050862	2 MONTHS - PM FOR MOTOR MTC BELT CONVERTER BC7 (E)	NPPIA_NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	31/Jan/2026 2:04	26:1050863	2 MONTHS - PM FOR SCRAPER DISC SCRENS FOR CHOP (E)	NPPIA_NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	31/Jan/2026 2:05	26:1050864	2 MONTHS - PM FOR E. MAGNETIC CONVERTER C87 (E)	NPPIA_NPPI	PP6
WL1320	PP6-POWER GENERATION PUMP 1	31/Jan/2026 2:05	26:1050865	MONTHLY - PM FOR TURBO GEN #1 TRANSFORMER T01 (E)	NPPIA_NPPI	PP6
WL1320	PP6-POWER GENERATION PUMP 1	31/Jan/2026 2:06	26:1050866	MONTHLY - PM FOR BATTERY FOR 291UPSD UPS POWER MCC UP03 (E)	NPPIA_NPPI	PP6
WL1320	PP6-POWER GENERATION PUMP 1	31/Jan/2026 2:06	26:1050867	MONTHLY - PM FOR BATTERY FOR 291UPSD UPS POWER MCC UP02 (E)	NPPIA_NPPI	PP6
WL1320	PP6-POWER GENERATION PUMP 1	31/Jan/2026 2:06	26:1050868	MONTHLY - PM FOR BATTERY FOR 291UPSD UPS POWER MCC UP03 (E)	NPPIA_NPPI	PP6
WL1320	PP6-POWER GENERATION PUMP 1	31/Jan/2026 2:07	26:1050869	MONTHLY - PM FOR BATTERY FOR 291ULING CHARGER NO.1 TURBO SET (E)	NPPIA_NPPI	PP6
WL1320	PP6-POWER GENERATION PUMP 1	31/Jan/2026 2:07	26:1050870	MONTHLY - PM FOR BATTERY FOR 291ULING CHARGER NO.2 TURBOSET (E)	NPPIA_NPPI	PP6
WL1320	PP6-POWER DISTRIBUTION PUMP 1	31/Jan/2026 2:07	26:1050871	MONTHLY - PM FOR BATTERY FOR 292B101 110VDC CHARGER SUBSTATION 115 kV (E)	NPPIA_NPPI	PP6
WL1320	PP6-POWER DISTRIBUTION PUMP 1	31/Jan/2026 2:07	26:1050872	MONTHLY - PM FOR BATTERY FOR 292B101 110VDC CHARGER SUBSTATION 115 kV (E)	NPPIA_NPPI	PP6
WL1320	BACK UP BATTERIES	31/Jan/2026 2:07	26:1050873	MONTHLY - PM FOR BATTERY FOR 292B101 110VDC CHARGER SUBSTATION 115 kV (E)	NPPIA_NPPI	PP6
WL1320	PP6-POWER DISTRIBUTION PUMP 1	31/Jan/2026 2:07	26:1050874	MONTHLY - PM FOR 1100VDC BATTERY CHARGER SUBSTATION 115 kV (E)	NPPIA_NPPI	PP6
WL1320	PP6-POWER DISTRIBUTION PUMP 1	31/Jan/2026 2:08	26:1050875	MONTHLY - PM FOR 480VDC BATTERY CHARGER SUBSTATION 115 kV (E)	NPPIA_NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	31/Jan/2026 2:08	26:1050876	MONTHLY - PM FOR MOTOR CONVERTER 30 MI (PO)	NPPIA_NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	31/Jan/2026 2:10	26:1050877	MONTHLY - PM FOR BELT BELT CONV. BARK & RICE TO BOILER (PO)	NPPIA_NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	31/Jan/2026 2:11	26:1050879	MONTHLY - PM FOR BELT BELT CONV. BARK & RICE TO BOILER (PO)	NPPIA_NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	31/Jan/2026 2:13	26:1050880	MONTHLY - PM FOR DRIVE 5 RICE HUSK POKET (PO)	NPPIA_NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	31/Jan/2026 2:15	26:1050882	MONTHLY - PM FOR SCREW CONVEYOR BARK & RICE TO BOILER (E)	NPPIA_NPPI	PP6
WL1320	PP6-POWER GENERATION PUMP 1	31/Jan/2026 2:16	26:1050883	4 MONTHS - PM ROUTE CLEAN AREA 291 (PO)	NPPIA_NPPI	PP6
WL1320	PP6-POWER GENERATION PUMP 1	31/Jan/2026 2:17	26:1050884	4 MONTHS - PM ROUTE CLEAN AREA 291 (PO)	NPPIA_NPPI	PP6
WL1320	PP6-POWER GENERATION PUMP 1	31/Jan/2026 2:18	26:1050885	4 MONTHS - PM ROUTE CLEAN AREA 291 (PO)	NPPIA_NPPI	PP6
WL1320	PP6-POWER GENERATION PUMP 1	31/Jan/2026 2:19	26:1050886	4 MONTHS - PM ROUTE CLEAN AREA 291 (PO)	NPPIA_NPPI	PP6

WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 2:57	26.0508176	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR DRAG SCRAPER ESP # 1 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 2:58	26.0508177	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR DRAG SCRAPER ESP # 2 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 2:58	26.0508178	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR COLLECTION CONVEYOR, ESP # 1 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 2:59	26.0508179	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR COLLECTION CONVEYOR, ESP # 2 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:00	26.0508180	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 1 (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:00	26.0508181	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 2 (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:01	26.0508183	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR PRCP DRAG SCRAPER (WELT07) (PO)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:01	26.0508184	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR PRCP COLCT CONVR#8) 4610238) (PO)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:02	26.0508185	MONTHLY - ROUTE PM FOR INSPECTION FABRIC EXPANSION JOINT (PO)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:03	26.0508186	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN PRIMARY (PO)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:04	26.0508189	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN SECONDARY (PO)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:05	26.0508191	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN TERTIARY (PO)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:06	26.0508193	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN # 1 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:08	26.0508195	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR ID FAN # 2 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:09	26.0508196	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR ID FAN # 3 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:10	26.0508198	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR REWATER PUMP # 1 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:10	26.0508200	MONTHLY - PM ROUTE REFL LUBRICANT BEARING FAN _PP6 (ROUTE 2) (PO)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:11	26.0508201	2 WEEKS - PM ROUTE REFL LUBRICANT BEARING FAN _PP6 (ROUTE 3) (PO)	NPPSA_NPPS	PPS
MS0103	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:11	26.0508202	Weekly calibrate Flue Gas Stack CO	NPPSA_NPPS	PPS
MS0103	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:11	26.0508203	Weekly check for CO2 4614724.1, 4614724.2	NPPSA_NPPS	PPS
MS0103	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:11	26.0508205	Weekly check for Flue gases analyzer T85	NPPSA_NPPS	PPS
MS0103	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:12	26.0508206	Weekly check for O2 analyzer	NPPSA_NPPS	PPS
MS0103	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:12	26.0508208	Weekly check for Flue gases analyzer NOX	NPPSA_NPPS	PPS
MS0103	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:12	26.0508209	Weekly check for Flue gases analyzer	NPPSA_NPPS	PPS
MS0103	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:12	26.0508210	Weekly check for Flue gases analyzer O2	NPPSA_NPPS	PPS
MS0103	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:12	26.0508211	Weekly check for Flue gases analyzer SO2	NPPSA_NPPS	PPS
MS0103	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:12	26.0508212	Weekly check for Flue gases analyzer CO	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:13	26.0508214	2 Week PM for steam drum level/lighting	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:13	26.0508215	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FEEDWATER PUMP # 2 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:14	26.0508216	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FEEDWATER PUMP # 3 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:16	26.0508218	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FEED WATER PUMP # 4 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:16	26.0508219	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR GREEN LIQUOR TRANSFER PUMP # 1 (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:19	26.0508220	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECRYCULATION/TRANSFER PUMP # 1 A (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:19	26.0508222	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECRYCULATION/TRANSFER PUMP # 1 B (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:20	26.0508224	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECRYCULATION/TRANSFER PUMP # 1 C (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:21	26.0508225	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECRYCULATION/TRANSFER PUMP # 1 D (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:22	26.0508226	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR DUMP TANK PUMP (PO)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:22	26.0508227	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SPILL COLLECTION PUMP (PO)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:23	26.0508230	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SCRUBBER RECRYCULATION PUMP (PO)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:24	26.0508231	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR GREEN LIQUOR TRANSFER PUMP # 1 (PC) (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:25	26.0508232	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SPOT COOLING WATER PUMP # 1 (PO) (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:25	26.0508233	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SPOT COOLING WATER PUMP # 2 (PO) (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:26	26.0508234	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUOR SPRAY GUN PUMP # 1 A (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:27	26.0508235	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUOR SPRAY GUN SP PUMP # 1 (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:28	26.0508236	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECRYCULATION PUMP # 3 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:29	26.0508238	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECRYCULATION PUMP # 4 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:29	26.0508239	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR TRANSFER PUMP # 2 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:30	26.0508239	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR TRANSFER PUMP # 3 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:31	26.0508240	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR TRANSFER PUMP FOR EFFECT # 1 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:31	26.0508241	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SECONDARY CONDENSAT TRANSFER (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:32	26.0508242	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR CONTAMINATED CONDENSAT TRANSFER (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:33	26.0508243	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR STRONG LIQUOR TRANSFER PUMP # 1 A (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:34	26.0508244	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR STRONG LIQUOR TRANSFER PUMP # 1 B (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:35	26.0508245	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR STRONG LIQUOR TRANSFER PUMP # 2 A (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:35	26.0508246	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR STRONG LIQUOR TRANSFER PUMP # 3 A (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:36	26.0508247	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR STRONG LIQUOR TRANSFER PUMP # 3 B (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:37	26.0508248	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR WEAK LIQUOR TRANSFER PUMP (PO)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:38	26.0508249	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECRYCULATION PUMP # 2 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:38	26.0508250	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR TRANSFER PUMP # 4 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:39	26.0508251	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECRYCULATION PUMP # 5 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-COOLING TOWER PUMP 1	31./Jan/2026 3:40	26.0508252	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO 1 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-COOLING TOWER PUMP 1	31./Jan/2026 3:41	26.0508253	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO 2 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-COOLING TOWER PUMP 1	31./Jan/2026 3:41	26.0508254	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO 3 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-COOLING TOWER PUMP 1	31./Jan/2026 3:42	26.0508255	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO 4 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-COOLING TOWER PUMP 1	31./Jan/2026 3:43	26.0508256	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO 5 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-COOLING TOWER PUMP 1	31./Jan/2026 3:44	26.0508257	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO 5 (PO)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:44	26.0508259	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR KIDING TUNER PUMP (PO)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:45	26.0508261	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR STEAM CONDENSATE PUMP (PO)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:46	26.0508266	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR STEAM DESUPERHEATING PUMP (PO)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:47	26.0508270	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR CONTAMINATED CONDENSATE FEED PUMPS (PO)	NPPSA_NPPS	PPS
WL1320	PP6-EVAPORATION PUMP 1	31./Jan/2026 3:47	26.0508270	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR TRICKY CONDENSATE PUMP (PO)	NPPSA_NPPS	PPS
WL1320	PP6-ASH LEACHING PUMP 1	31./Jan/2026 3:48	26.0508276	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR WARM WATER DISTRIBUTION PUMP (PC) (NPPSA_NPPS)	NPPSA_NPPS	PPS
MS0104	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:49	26.0508280	WEEKLY - PM FOR DECENTER CENTRIFUGAL (A)	NPPSA_NPPS	PPS
MS0104	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:49	26.0508282	2 WEEKS - PM FOR RIDDING MASTER # 1 (A)	NPPSA_NPPS	PPS
MS0104	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:50	26.0508281	2 WEEKS - PM FOR RIDDING MASTER # 2 (A)	NPPSA_NPPS	PPS
MS0104	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:50	26.0508284	2 WEEKS - PM FOR RIDDING MASTER (A)	NPPSA_NPPS	PPS
MS0104	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:50	26.0508285	2 WEEKS - PM FOR START UP BURNER (A)	NPPSA_NPPS	PPS
MS0104	PP6-DEMIN WATER PLANT PUMP 1	31./Jan/2026 3:50	26.0508287	2 WEEKS - PM FOR AIR DRYING (A)	NPPSA_NPPS	PPS
MS0104	PP6-DEMIN WATER PLANT PUMP 1	31./Jan/2026 3:51	26.0508292	2 WEEKS - PM FOR FOR DEMIN (A)	NPPSA_NPPS	PPS
MS0104	PP6-DEMIN WATER PLANT PUMP 1	31./Jan/2026 3:51	26.0508293	2 WEEKS - PM FOR PLC CEMS (A)	NPPSA_NPPS	PPS
MS0104	PP6-DEMIN WATER PLANT PUMP 1	31./Jan/2026 3:52	26.0508294	2 WEEKS - PM FOR HM POLISHING PLANT (A)	NPPSA_NPPS	PPS
MS0104	PP6-DEMIN WATER PLANT PUMP 1	31./Jan/2026 3:52	26.0508296	2 WEEKS - PM FOR FOR DEMIN PLANT (A)	NPPSA_NPPS	PPS
WL1320	PP6-RECOVERY BOILER PUMP 1	31./Jan/2026 3:53	26.0508297	MONTHLY - PM FOR HYDROIL OIL PUMP FOR RD FAN #2 (E)	NPPSA_NPPS	PPS
WL1320	PP6-ASH LEACHING PUMP 1	31./Jan/2026 3:53	26.0508299	MONTHLY - PM FOR MAIN INCOMING 180V FOR ASH LEACHING PLANT (E)	NPPSA_NPPS	PPS
WL1320	Power Plant Unit 5	31./Jan/2026 3:54	26.0508303	WEEKLY - PM REFL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2.3) (P) (NPPSA_NPPS)	NPPSA_NPPS	PPS

WL1320	Power Plant Unit 5	31./Jan/2026 3:54	26.0508304	WEEKLY - PM REFL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2.3) (P) (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLD	31./Jan/2026 3:55	26.0508307	PM WEEKLY PROTECT FIRE 321C037	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLD	31./Jan/2026 3:55	26.0508308	PM WEEKLY PROTECT FIRE 321C038	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLD	31./Jan/2026 3:55	26.0508309	PM WEEKLY PROTECT FIRE 321C039	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLD	31./Jan/2026 3:55	26.0508310	PM WEEKLY PROTECT FIRE 321C031	NPPSA_NPPS	PPS
WL1320	PP6-COOLING TOWER PUMP 1	31./Jan/2026 3:56	26.0508311	MONTHLY - PM FOR WATER TREATMENT TRANSFORMER T1020 (E)	NPPSA_NPPS	PPS
MS0024	PP6-RECOVERY BOILER PUMP 1	01./Feb/2026 2:00	26.0508042	Monthly vibration test 275	NPPSA_NPPS	PPS
MS0024	PP6-RECOVERY BOILER PUMP 1	01./Feb/2026 2:00	26.0508043	Monthly oil sampling 461	NPPSA_NPPS	PPS
WL1318	PP6-POWER GENERATION PUMP 1	07./Feb/2026 2:00	26.0507614	MONTHLY - INDECTION BATTERY CHARGER	NPPSA_NPPS	PPS
WL1318	PP6-POWER GENERATION PUMP 1	07./Feb/2026 2:01	26.0507619	291LNI BATTERY CHARGER NO 1 TURBO SET	NPPSA_NPPS	PPS
WL1318	PP6-POWER GENERATION PUMP 1	07./Feb/2026 2:01	26.0507621	291LNI BATTERY CHARGER NO 2 TURBOSET	NPPSA_NPPS	PPS
WL1315	SOLID FUEL FEED (SLD TO BOLLER)	07./Feb/2026 2:02	26.0507625	MONTHLY - PM FOR LOAD BURNER 1, FRONT WALL (E)	NPPSA_NPPS	PPS
WL1315	SOLID FUEL FEED (SLD TO BOLLER)	07./Feb/2026 2:02	26.0507627	MONTHLY - PM FOR LOAD BURNER 2, FRONT WALL (E)	NPPSA_NPPS	PPS
WL1315	SOLID FUEL FEED (SLD TO BOLLER)	07./Feb/2026 2:02	26.0507629	MONTHLY - PM FOR LOAD BURNER 3, FRONT WALL (E)	NPPSA_NPPS	PPS
WL1315	SOLID FUEL FEED (SLD TO BOLLER)	07./Feb/2026 2:03	26.0507630	MONTHLY - PM FOR LOAD BURNER 4, FRONT WALL (E)	NPPSA_NPPS	PPS
WL1315	SOLID FUEL FEED (SLD TO BOLLER)	07./Feb/2026 2:03	26.0507631	MONTHLY - PM FOR START UP BURNER 1, LEFT WALL (E)	NPPSA_NPPS	PPS
WL1315	SOLID FUEL FEED (SLD TO BOLLER)	07./Feb/2026 2:03	26.0507632	MONTHLY - PM FOR START UP BURNER 2, RIGHT WALL (E)	NPPSA_NPPS	PPS
WL1315	Electrostatic precipitator	07./Feb/2026 2:04	26.0507633	MONTHLY - PM FOR ELECTROSTATIC PRECIPITATOR (E)	NPPSA_NPPS	PPS
WL1320	PP6-POWER GENERATION PUMP 1	07./Feb/2026 2:04	26.0507635	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL E23103E	NPPSA_NPPS	PPS
WL1315	SOLID FUEL FEED (SLD TO BOLLER)	07./Feb/2026 2:04	26.0507636	MONTHLY - PM FOR GENERATOR T6 (E)	NPPSA_NPPS	PPS
WL1315	SOLID FUEL FEED (SLD TO BOLLER)	07./Feb/2026 2:05	26.0507638	MONTHLY - PM FOR FUEL DRAG CONVEYOR 1.2, LEFT WALL (E)	NPPSA_NPPS	PPS
WL1315	SOLID FUEL FEED (SLD TO BOLLER)	07./Feb/2026 2:06	26.0507640	MONTHLY - PM FOR FUEL DRAG CONVEYOR 2.2, RIGHT WALL (E)	NPPSA_NPPS	PPS
WL1320	Ash &slag Removal System	07./Feb/2026 2:06	26.0507643	MONTHLY - PM FOR COURSE MATERIAL RECLAIM SCREW #2 (E)	NPPSA_NPPS	PPS
WL1320	Ash &slag Removal System	07./Feb/2026 2:07	26.0507643	MONTHLY - PM FOR WET ASH DISCHARGING SCREW (E)	NPPSA_NPPS	PPS
WL1320	Ash &slag Removal System	07./Feb/2026 2:08	26.0507643	MONTHLY - PM FOR ASH SCREW CONVEYOR, LEFT WALL (E)	NPPSA_NPPS	PPS
WL1320	Ash &slag Removal System	07./Feb/2026 2:09	26.0507644	MONTHLY - PM FOR ASH SCREW CONVEYOR, RIGHT WALL (E)	NPPSA_NPPS	PPS
WL1320	Ash &slag Removal System	07./Feb/2026 2:09	26.0507645	MONTHLY - PM FOR ASH MAIN DRAG CONVEYOR (E)	NPPSA_NPPS	PPS
WL1320	Ash &slag Removal System	07./Feb/2026 2:10	26.0507646	MONTHLY - PM FOR ASH BUCKET ELEVATOR (E)	NPPSA_NPPS	PPS
WL1315	SOLID FUEL FEED (SLD TO BOLLER)	07./Feb/2026 2:11	26.0507647	MONTHLY - PM FOR SHREDDER ROLL (E)	NPPSA_NPPS	PPS
WL1320	PP6-POWER GENERATION PUMP 1	07./Feb/2026 2:14	26.0507649	MONTHLY - PM FOR DC DC EMERGENCY OIL PUMP T08E (E)	NPPSA_NPPS	PPS
WL1320	PP6-POWER GENERATION PUMP 1	07./Feb/2026 2:14	26.0507651	MONTHLY - PM FOR DC DC EMERGENCY OIL PUMP T09E (E)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLD	07./Feb/2026 2:15	26.0507652	MONTHLY - PM FOR MOTOR SCREW 40.0 AL OIL PUMP (E)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLD	07./Feb/2026 2:16	26.0507653	MONTHLY - PM FOR MOTOR SCREW 40.0 AL OIL PUMP (E)	NPPSA_NPPS	PPS
WL1315	PP6-POWER GENERATION PUMP 1	07./Feb/2026 2:16	26.0507654	MONTHLY - PM FOR AUXILIARY OIL PUMP T01E (E)	NPPSA_NPPS	PPS
WL1315	PP6-POWER GENERATION PUMP 1	07./Feb/2026 2:17	26.0507655	MONTHLY - PM FOR JACKING OIL PUMP T04E (E)	NPPSA_NPPS	PPS
WL1315	PP6-POWER GENERATION PUMP 1	07./Feb/2026 2:18	26.0507656	MONTHLY - PM FOR AUXILIARY OIL PUMP T02E (E)	NPPSA_NPPS	PPS
WL1315	PP6-POWER GENERATION PUMP 1	07./Feb/2026 2:19	26.0507657	MONTHLY - PM FOR JACKING OIL PUMP T02E (E)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLD	07./Feb/2026 2:20	26.0507658	2 MONTHS - PM FOR MOTOR BELT CONVEYOR BCS (E)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLD	07./Feb/2026 2:20	26.0507659	MONTHLY - PM FOR MOTOR BELT CONVEYOR BCS (E)	NPPSA_NPPS	PPS
WL1315	PP6-POWER GENERATION PUMP 1	07./Feb/2026 2:21	26.0507660	MONTHLY - PM FOR DC DC SWITCHGEAR 110V NO 2 TURBOSET (E)	NPPSA_NPPS	PPS
WL1315	PP6-POWER GENERATION PUMP 1	07./Feb/2026 2:21	26.0507661	MONTHLY - PM FOR DC DC SWITCHGEAR 110V NO 2 TURBOSET (E)	NPPSA_NPPS	PPS
WL1315	PP6-POWER GENERATION PUMP 1	07./Feb/2026 2:21	26.0507662	MONTHLY - PM FOR DC DC SWITCHGEAR 110V NO 1 TURBOSET (E)	NPPSA_NPPS	PPS
WL1315	PP6-POWER GENERATION PUMP 1	07./Feb/2026 2:22	26.0507663	MONTHLY - PM FOR DC DC SWITCHGEAR 110V NO 1 TURBOSET (E)	NPPSA_NPPS	PPS
WL1315	Electrostatic precipitator	07./Feb/2026 2:22	26.0507664	MONTHLY - PM FOR ESP TRANSFORMER 02 (E)	NPPSA_NPPS	PPS
WL1320	PP6-POWER GENERATION PUMP 1	07./Feb/2026 2:22	26.0507665	MONTHLY - PM FOR DC DC SWITCHGEAR 110V NO 2 TURBOSET (E)	NPPSA_NPPS	PPS
WL1315	SOLID FUEL FEED (SLD TO BOLLER)	07./Feb/2026 2:22	26.0507666	MONTHLY - PM FOR POWER GENERATOR TRANSFORMER T10420 (E)	NPPSA_NPPS	PPS
WL1320	PP6-POWER GENERATION PUMP 1	07./Feb/2026 2:23	26.0507667	MONTHLY - PM FOR TURBO GEN #2 TRANSFORMER T0201 (E)	NPPSA_NPPS	PPS
WL1320	PP6-POWER GENERATION PUMP 1	07./Feb/2026 2:23	26.0507668	MONTHLY - PM FOR UTILITY TRANSFORMER T111 (E)	NPPSA_NPPS	PPS
WL1320	PP6-POWER GENERATION PUMP 1	07./Feb/2026 2:24	26.0507669	MONTHLY - PM FOR SHREDDER ROLL TRANSFORMER T091 (E)	NPPSA_NPPS	PPS
WL1320	PP6-POWER GENERATION PUMP 1	07./Feb/2026 2:24	26.0507669	MONTHLY - PM FOR LIGHTNING FUEL TRANSFORMER T1020 (E)	NPPSA_NPPS	PPS
WL1320	PP6-POWER GENERATION PUMP 1	07./Feb/2026 2:24	26.0507670	MONTHLY - PM FOR DC DC SWITCHGEAR 110V NO 2 TURBOSET (E)	NPPSA_NPPS	PPS
WL1320	FUEL STORAGE AND HANDLING FOR PULP	07./Feb/2026 2:25	26.0507671	MONTHLY - PM FOR FUEL HANDLING TRANSFORMER T1321 (E)	NPPSA_NPPS	PPS
WL1320	FUEL STORAGE AND HANDLING FOR PULP	07./Feb/2026 2:25	26.0507672	MONTHLY - PM FOR FUEL HANDLING TRANSFORMER T1321 (E)	NPPSA_NPPS	PPS
WL1320	FUEL STORAGE AND HANDLING FOR PULP	07./Feb/2026 2:26	26.0507673	MONTHLY - PM FOR PACKAGED BOILER TRANSFORMER T1403 (E)	NPPSA_NPPS	PPS
WL1320	FUEL STORAGE AND HANDLING FOR PULP	07./Feb/2026 2:26	26.0507674	MONTHLY - PM FOR PACKAGED BOILER TRANSFORMER T1403 (E)	NPPSA_NPPS	PPS
WL1320	PP6-POWER DISTRIBUTION PUMP 1	07./Feb/2026 2:26	26.0507676	MONTHLY - PM FOR EGAT INCOMER TRANSFORMER T1C01 (E)	NPPSA_NPPS	PPS
WL1320	PP6-POWER DISTRIBUTION PUMP 1	07./Feb/2026 2:27	26.0507677	MONTHLY - PM FOR EGAT INCOMER TRANSFORMER T1C01 (E)	NPPSA_NPPS	PPS
WL1320	FUEL STORAGE AND HANDLING FOR PULP	07./Feb/2026 2:27	26.0507678	MONTHLY - PM FOR FUEL HANDLING TRANSFORMER T1320 (E)	NPPSA_NPPS	PPS
WL1320	FUEL STORAGE AND HANDLING FOR PULP	07./Feb/2026 2:27	26.0507679	MONTHLY - PM FOR UPS POWER MCC UPS01 (E)	NPPSA_NPPS	PPS
WL1320	FUEL STORAGE AND HANDLING FOR PULP	07./Feb/2026 2:27	26.0507680	MONTHLY - PM FOR UPS POWER MCC UPS02 (E)	NPPSA_NPPS	PPS
WL1315	PP6-POWER GENERATION PUMP 1	07./Feb/2026 2:28	26.0507681	MONTHLY - PM FOR UPS POWER MCC UPS03 (E)	NPPSA_NPPS	PPS
WL1320	PP6-POWER GENERATION PUMP 1	07./Feb/2026 2:28	26.0507682	MONTHLY - PM FOR BATTERY CHARGER NO 1 TURBO SET (E)	NPPSA_NPPS	PPS
WL1320	PP6-POWER GENERATION PUMP 1	07./Feb/2026 2:28	26.0507683	MONTHLY - PM FOR BATTERY CHARGER NO 2 TURBOSET (E)	NPPSA_NPPS	PPS
WL1320	FUEL STORAGE AND HANDLING FOR PULP	07./Feb/2026 2:28	26.0507684	MONTHLY - PM FOR OIL PUMP FILTER (M)	NPPSA_NPPS	PPS
WL1320	FUEL STORAGE AND HANDLING FOR PULP	07./Feb/2026 2:28	26.0507685	MONTHLY - PM FOR OIL PUMP FILTER (M)	NPPSA_NPPS	PPS
WL1320	FUEL STORAGE AND HANDLING FOR PULP	07./Feb/2026 2:28	26.0507686	MONTHLY - PM FOR LOAD BURNER 1, FRONT WALL (E)	NPPSA_NPPS	PPS
WL1312	SOLID FUEL FEED (SLD TO BOLLER)	07./Feb/2026 2:28	26.0507687	MONTHLY - PM FOR ASH DISCHARGER 1 (STOKER RECLAIMER) (M)	NPPSA_NPPS	PPS
WL1312	SOLID FUEL FEED (SLD TO BOLLER)	07./Feb/2026 2:28	26.0507688	MONTHLY - PM FOR ASH DISCHARGER 2 (STOKER RECLAIMER) (M)	NPPSA_NPPS	PPS
WL1312	FUEL STORAGE AND HANDLING FOR PULP	07./Feb/2026 2:29	26.0507689	MONTHLY - PM FOR OIL PUMPS (M)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLD	07./Feb/2026 2:29	26.0507690	MONTHLY - PM FOR OIL LUBRICATION PUMP (M)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLD	07./Feb/2026 2:30	26.0507691	MONTHLY - PM FOR OIL LUBRICATION PUMP (M)	NPPSA_NPPS	PPS
WL1320	FUEL STORAGE AND HANDLING FOR PULP	07./Feb/2026 2:31	26.0507692	MONTHLY - PM FOR HANDLING FOR PULP (M)	NPPSA_NPPS	PPS
WL1320	SOLID FUEL FEED (SLD TO BOLLER)	07./Feb/2026 2:31	26.0507693	MONTHLY - PM FOR FUEL DRAG CONVEYOR 1.2, LEFT WALL (E)	NPPSA_NPPS	PPS
WL1320	SOLID FUEL FEED (SLD TO BOLLER)	07./Feb/2026 2:31	26.0507694	MONTHLY - PM FOR FUEL DRAG CONVEYOR 2.2, RIGHT WALL (E)	NPPSA_NPPS	PPS
WL1320	Ash &slag Removal System	07./Feb/2026 2:31	26.0507695	MONTHLY - PM FOR COARSE MATERIAL DRAG CONVEYOR (P)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLD	07./Feb/2026 2:32	26.0507697	2 MONTHS - PM FOR DISC SCREW BCS 1 (P)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLD	07./Feb/2026 2:33	26.0507698	MONTHLY - PM FOR BELT CONVEYOR BCS (P)	NPPSA_NPPS	PPS
WL1320	PP6-POWER BOILER PUMP 1	07./Feb/2026 2:39	26.0507701	WEEKLY - PM REFL & RECHECK LUBRICATION OIL AND GRASE BOILER, PPS (ROUTE 1) (P) (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PP6-POWER BOILER PUMP 1	07./Feb/2026 2:40	26.0507702	MONTHLY - PM REFL & RECHECK LUBRICATION OIL AND GRASE BOILER, PPS (ROUTE 1) (P) (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PP6-POWER BOILER PUMP 1	07./Feb/2026 2:40	26.0507703	MONTHLY - PM REFL & RECHECK LUBRICATION OIL AND GRASE BOILER, PPS (ROUTE 1) (P) (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PP6-POWER BOILER PUMP 1	07./Feb/2026 2:40	26.0507704	WEEKLY - PM REFL & RECHECK LUBRICATION OIL AND GRASE BOILER, PPS (ROUTE 5) (P) (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PP6-POWER BOILER PUMP 1	07./Feb/2026 2:41	26.0507705	MONTHLY - PM REFL & RECHECK LUBRICATION OIL AND GRASE BOILER, PPS (ROUTE 5) (P) (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	Sand Handling	07./Feb/2026 2:41	26.0507706	MONTHLY - PM FOR SAND ELEVATOR (P)	NPPSA_NPPS	PPS
WL1320	PP6-POWER BOILER PUMP 1	07./Feb/2026 2:41	26.0507707	MONTHLY - PM REFL & RECHECK LUBRICATION OIL AND GRASE BOILER, PPS (ROUTE 1.2) (P) (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PP6-POWER BOILER PUMP 1	07./Feb/2026 2:42	26.0507708	MONTHLY - PM REFL & RECHECK LUBRICATION OIL AND GRASE BOILER, PPS (ROUTE 1.2) (P) (NPPSA_NPPS)	NPPSA_NPPS	PPS

WL1320	ASH Bldg Removal Removal	07/feb/2026 242	26/072709	MONTHLY - PM FOR ASH BULK ELEVATOR (P)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	07/feb/2026 242	26/072710	2 WEEKS - PM FOR BILT CONV. BANK & RICE TO BOLLER (PQ)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	07/feb/2026 242	26/072711	WEEKLY - PM FOR BILT ELEVATOR H-22 M (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	07/feb/2026 243	26/072712	Monthly Preventive maintenance for condition	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	07/feb/2026 243	26/072713	Monthly inspection for lighting system area 462	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	07/feb/2026 243	26/072714	Weekly inspection for ER, CR, RM Room (ER20)	NPPSA_NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	07/feb/2026 243	26/072715	Monthly check valve status. Bleeding 2051V 1063	NPPSA_NPPS	PPS
WL1320	Boller feed Water	07/feb/2026 243	26/072716	Monthly calibrate pH Meter 46200 T53 (E)	NPPSA_NPPS	PPS
WL1320	PRESSURE DRAIN SYSTEM	07/feb/2026 244	26/072717	Monthly check Auma valve 4620V 250 (E)	NPPSA_NPPS	PPS
WL1320	Boller feed Water	07/feb/2026 244	26/072718	Monthly check Auma valve 4620V 247 (E)	NPPSA_NPPS	PPS
WL1320	Boller feed Water	07/feb/2026 244	26/072719	Monthly check Auma valve 4620V 203 (E)	NPPSA_NPPS	PPS
WL1320	STEAM SYSTEM	07/feb/2026 244	26/072720	Monthly check Auma valve 4620V 240 (7)	NPPSA_NPPS	PPS
WL1320	STEAM SYSTEM	07/feb/2026 244	26/072721	Monthly check Auma valve 4620V 241 (7)	NPPSA_NPPS	PPS
WL1320	SootBlowers	07/feb/2026 244	26/072722	Monthly check Auma valve 4620V 254 (E)	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	07/feb/2026 245	26/072723	Monthly check Auma valve 4620V 239 (E)	NPPSA_NPPS	PPS
WL1320	HP SUPERHEATER SYSTEMS	07/feb/2026 245	26/072724	Monthly check Auma valve 4620V 204 (E)	NPPSA_NPPS	PPS
WL1320	SootBlowers	07/feb/2026 245	26/072725	Monthly check Auma valve 4620V 223 (E)	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	07/feb/2026 245	26/072726	PM Monthly inspection for 4620R0601	NPPSA_NPPS	PPS
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PUMP	07/feb/2026 245	26/072727	2-Monthly inspection for steam at heater 2032 304	NPPSA_NPPS	PPS
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PUMP	07/feb/2026 245	26/072728	2-Monthly inspection for steam at heater 2032 305	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	07/feb/2026 246	26/072729	MONTHLY - PM FOR VSD-SOFT START MOTOR SCREW RECLAIMER (E)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	07/feb/2026 246	26/072730	MONTHLY - PM FOR VSD-SOFT START DRIVE CHW SCREW RECLAIMER (E)	NPPSA_NPPS	PPS
WL1320	Fumace and Flue gas	07/feb/2026 246	26/072731	MONTHLY - PM FOR VSD-SOFT START INDUCED DRAFT FAN (E)	NPPSA_NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	07/feb/2026 246	26/072732	MONTHLY - PM FOR CONDENSATE PUMP 1 T50T (PQ)	NPPSA_NPPS	PPS
WL1320	SOLID FUEL FEED (SLO TO BOLLER)	07/feb/2026 246	26/072733	MONTHLY - PM FOR CONDENSATE PUMP 3 T50T (PQ)	NPPSA_NPPS	PPS
WL1320	SOLID FUEL FEED (SLO TO BOLLER)	07/feb/2026 249	26/072734	MONTHLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 1 (PQ)	NPPSA_NPPS	PPS
WL1320	SOLID FUEL FEED (SLO TO BOLLER)	07/feb/2026 250	26/072735	MONTHLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 2 (PQ)	NPPSA_NPPS	PPS
WL1320	SOLID FUEL FEED (SLO TO BOLLER)	07/feb/2026 252	26/072736	WEEKLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 3 (PQ)	NPPSA_NPPS	PPS
WL1320	SOLID FUEL FEED (SLO TO BOLLER)	07/feb/2026 252	26/072737	WEEKLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 2 (PQ)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	07/feb/2026 253	26/072738	MONTHLY - PM FOR HYDRAULIC PUMP TRUCK TILTER 3 (PQ)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	07/feb/2026 254	26/072739	MONTHLY - PM FOR DRIVE CHIP SCREW RECLAIMER (PQ)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	07/feb/2026 255	26/072740	MONTHLY - PM FOR MOTOR SCREW RECLAIMER (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-POWER DISTRIBUTION PUMP 1	07/feb/2026 256	26/072741	MONTHLY - PM ROUTE CHECK SWITCHEAR (PQ)	NPPSA_NPPS	PPS
MS0004	PPS-POWER GENERATION PUMP 1	07/feb/2026 256	26/072742	WEEKLY - PM FOR TURBINE CONTROL SERVER CABINET TINGS 6 (CNRV 13000) (A)	NPPSA_NPPS	PPS
MS0004	PPS-POWER GENERATION PUMP 1	07/feb/2026 257	26/072743	2 WEEKS - PM FOR TURBINE CONTROL Monitor Engineering Workstation S05 T08S 4 (A)	NPPSA_NPPS	PPS
MS0004	PPS-POWER GENERATION PUMP 1	07/feb/2026 257	26/072744	2 WEEKS - PM FOR TURBINE CONTROL Monitor Operator Station T05 T08S 6 (A)	NPPSA_NPPS	PPS
WL1320	LOW VOLTAGE MAIN DISTRIBUTION BOARD &	07/feb/2026 258	26/072745	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 1 TURBO SET (E)	NPPSA_NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	07/feb/2026 258	26/072746	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 2 TURBO SET (E)	NPPSA_NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	07/feb/2026 258	26/072747	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 1 TURBO SET (E)	NPPSA_NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	07/feb/2026 258	26/072748	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 1 TURBO SET (E)	NPPSA_NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	07/feb/2026 259	26/072749	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 2 TURBOSET (E)	NPPSA_NPPS	PPS
WL1320	PPS-POWER DISTRIBUTION PUMP 1	07/feb/2026 259	26/072750	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 2 TURBOSET (E)	NPPSA_NPPS	PPS
WL1320	PPS-POWER DISTRIBUTION PUMP 1	07/feb/2026 259	26/072751	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 2 TURBOSET (E)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	07/feb/2026 300	26/072752	MONTHLY - PM FOR INCOMING BROW. FOR FUEL HANDLING PLANT 5B (E)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	07/feb/2026 300	26/072753	MONTHLY - PM FOR SOFT START BELT CONVEYOR BC4 (E)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	07/feb/2026 300	26/072754	MONTHLY - PM FOR SOFT START BELT CONVEYOR BC5 (E)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	07/feb/2026 301	26/072755	MONTHLY - PM FOR SOFT START BELT CONVEYOR BC6 (E)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	07/feb/2026 301	26/072757	MONTHLY - PM FOR SOFT START BELT CONVEYOR BC7 (E)	NPPSA_NPPS	PPS
WL1320	SOLID FUEL FEED (SLO TO BOLLER)	07/feb/2026 315	26/072881	MONTHLY - PM FOR FUEL DRAG CONVEYOR 1, LEFT WALL (PQ)	NPPSA_NPPS	PPS
WL1320	SOLID FUEL FEED (SLO TO BOLLER)	07/feb/2026 317	26/072882	MONTHLY - PM FOR FUEL DRAG CONVEYOR 2, RIGHT WALL (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 319	26/072883	WEEKLY - INSPECTION FOR BEDMASSA WELLS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 319	26/072884	461X260 Recovery Boiler Red Camera Right Side	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 320	26/072885	461X270 Recovery Boiler Red Camera Left Side	NPPSA_NPPS	PPS
WL1320	PPS-COOLING TOWER PUMP 1	07/feb/2026 320	26/072886	MONTHLY - PM FOR CONDUCTIVITY COOLING WATER CONDUCTIVITY TRANSMITTER (A)	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/feb/2026 320	26/072887	MONTHLY - PM FOR COND. COND. TO R/B CONDUCTIVITY TRANSMITTER (A)	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/feb/2026 320	26/072888	MONTHLY - PM FOR CONDUCTIVITY PRI COND. CONDUCTIVITY ANALYZER (A)	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/feb/2026 321	26/072889	MONTHLY - PM FOR COND. COND. TO TANK CONDUCTIVITY TRANSMITTER (A)	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/feb/2026 321	26/072890	MONTHLY - PM FOR CHTMO COND. TO TANK CONDUCTIVITY TRANSMITTER (A)	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/feb/2026 321	26/072891	MONTHLY - PM FOR CONDUCTIVITY SAMP CONDUCTIVITY TRANSMITTER (A)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 322	26/072892	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER FROM PAPER MACHINE (A)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 322	26/072894	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER FROM FIBER LINE (A)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 322	26/072895	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER FROM EVAP PLANT (A)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 323	26/072896	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER FROM TURBINE (A)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 323	26/072897	MONTHLY - PM FOR CONDUCTIVITY SUMP TIT CONDUCTIVITY TRANSMITTER (A)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 323	26/072898	MONTHLY - PM FOR BOLLER WATER CONDUCTIVITY TRANSMITTER (A)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 324	26/072899	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 324	26/072900	MONTHLY - PM FOR COOLING WATER COND. CONDUCTIVITY ANALYZER (A)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 324	26/072901	MONTHLY - PM FOR SCRUBBER LIQUID COND (A)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 325	26/072902	MONTHLY - PM FOR SCRUBBER LIQUID COND. CONDUCTIVITY ANALYZER (A)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 325	26/072903	MONTHLY - PM FOR COOLANT COOLING SHOUT 2 (A)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 325	26/072904	MONTHLY - PM FOR CONDUCT COOLING SHOUT 1 (A)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 326	26/072905	MONTHLY - PM FOR CONDUCT TWEAK WATER COOLER (A)	NPPSA_NPPS	PPS
WL1320	PPS-DEMIN WATER PLANT PUMP 1	07/feb/2026 326	26/072906	MONTHLY - PM FOR CONDUCT MILL WATER TO CATON TANK (A)	NPPSA_NPPS	PPS
WL1320	PPS-DEMIN WATER PLANT PUMP 1	07/feb/2026 326	26/072907	MONTHLY - PM FOR CONDUCT TRANSMITTER IN CONDUCTIVITY AFTER ANION (A)	NPPSA_NPPS	PPS
WL1320	PPS-DEMIN WATER PLANT PUMP 1	07/feb/2026 327	26/072908	MONTHLY - PM FOR CONDUCTIVITY TRANS. IN CONDUCTIVITY AFTER ANION (A)	NPPSA_NPPS	PPS
WL1320	PPS-DEMIN WATER PLANT PUMP 1	07/feb/2026 327	26/072909	MONTHLY - PM FOR CONDUCTIVITY TRANS. IN CONDUCTIVITY AFTER ANION (A)	NPPSA_NPPS	PPS
WL1320	PPS-DEMIN WATER PLANT PUMP 1	07/feb/2026 327	26/072910	MONTHLY - PM FOR CONDUCTIVITY TRANS. IN CONDUCTIVITY AFTER ANION (A)	NPPSA_NPPS	PPS
WL1320	PPS-DEMIN WATER PLANT PUMP 1	07/feb/2026 328	26/072911	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER IN CONDUCTIVITY ON-OFF (A)	NPPSA_NPPS	PPS
WL1320	PPS-DEMIN WATER PLANT PUMP 1	07/feb/2026 328	26/072912	MONTHLY - PM FOR CONDUCT. TRANSMITTER OF DM WATER AFTER MIXED TO (A)	NPPSA_NPPS	PPS
WL1320	PPS-DEMIN WATER PLANT PUMP 1	07/feb/2026 328	26/072913	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL LEAK (E)	NPPSA_NPPS	PPS
WL1320	PPS-ASH LEACHING PUMP 1	07/feb/2026 329	26/072914	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL ASH LEACHING (E)	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/feb/2026 329	26/072915	2 MONTHS - PM FOR AGITATOR STRONG LIQUOR STORAGE TANK # 1 (E)	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/feb/2026 329	26/072916	2 MONTHS - PM FOR AGITATOR STRONG LIQUOR STORAGE TANK # 2 (E)	NPPSA_NPPS	PPS
WL1320	PPS-DEMIN WATER PLANT PUMP 1	07/feb/2026 330	26/072917	MONTHLY - PM FOR WATER CIRCULATION PUMP AIR COMP. (E)	NPPSA_NPPS	PPS
WL1320	PPS-DEMIN WATER PLANT PUMP 1	07/feb/2026 331	26/072919	2 MONTHS - PM FOR EFFLUENT PUMP (E)	NPPSA_NPPS	PPS
WL1320	PPS-DEMIN WATER PLANT PUMP 1	07/feb/2026 333	26/072920	2 MONTHS - PM FOR RECIRCULATION PUMP (E)	NPPSA_NPPS	PPS

WL1320	PPS-DEMIN WATER PLANT PUMP 1	07/feb/2026 332	26/072921	2 MONTHS - PM FOR WATER SUPPLY PUMPA (E)	NPPSA_NPPS	PPS
WL1320	PPS-DEMIN WATER PLANT PUMP 1	07/feb/2026 332	26/072922	2 MONTHS - PM FOR WATER SUPPLY PUMPB (E)	NPPSA_NPPS	PPS
WL1320	PPS-COOLING TOWER PUMP 1	07/feb/2026 333	26/072923	MONTHLY - PM FOR COOLING WATER PUMP NO 1 (E)	NPPSA_NPPS	PPS
WL1320	PPS-COOLING TOWER PUMP 1	07/feb/2026 333	26/072924	MONTHLY - PM FOR COOLING WATER PUMP NO 1 (E)	NPPSA_NPPS	PPS
WL1320	PPS-COOLING TOWER PUMP 1	07/feb/2026 333	26/072925	MONTHLY - PM FOR COOLING WATER PUMP NO 2 (E)	NPPSA_NPPS	PPS
WL1320	PPS-COOLING TOWER PUMP 1	07/feb/2026 333	26/072926	MONTHLY - PM FOR COOLING WATER PUMP NO 3 (E)	NPPSA_NPPS	PPS
WL1320	PPS-COOLING TOWER PUMP 1	07/feb/2026 333	26/072927	MONTHLY - PM FOR COOLING WATER PUMP NO 4 (E)	NPPSA_NPPS	PPS
WL1320	PPS-COOLING TOWER PUMP 1	07/feb/2026 333	26/072928	MONTHLY - PM FOR COOLING WATER PUMP NO 5 (E)	NPPSA_NPPS	PPS
WL1320	PPS-ASH LEACHING PUMP 1	07/feb/2026 333	26/072929	MONTHLY - PM FOR MAIN DRIVE MOTOR FOR DECANTER (E)	NPPSA_NPPS	PPS
WL1320	PPS-ASH LEACHING PUMP 1	07/feb/2026 333	26/072930	MONTHLY - PM FOR DRIVE MOTOR FOR DECANTER (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 334	26/072931	MONTHLY - PM FOR RECTIFIER A & PRECIPITATOR # 1 (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 334	26/072932	MONTHLY - PM FOR RECTIFIER B & PRECIPITATOR # 1 (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 334	26/072933	MONTHLY - PM FOR RECTIFIER C & PRECIPITATOR # 1 (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 335	26/072934	MONTHLY - PM FOR RECTIFIER A & PRECIPITATOR # 2 (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 335	26/072935	MONTHLY - PM FOR RECTIFIER B & PRECIPITATOR # 2 (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 335	26/072936	MONTHLY - PM FOR RECTIFIER C & PRECIPITATOR # 2 (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 336	26/072937	MONTHLY - PM FOR RECTIFIER A & PRECIPITATOR # 3 (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 336	26/072938	MONTHLY - PM FOR RECTIFIER B & PRECIPITATOR # 3 (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 336	26/072939	MONTHLY - PM FOR RECTIFIER C & PRECIPITATOR # 3 (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 337	26/072940	MONTHLY - PM FOR TRANSFORMER 1442 FOR POWER PLANT (E)	NPPSA_NPPS	PPS
WL1320	PPS-DEMIN WATER PLANT PUMP 1	07/feb/2026 337	26/072941	MONTHLY - INSPECTION TANK	NPPSA_NPPS	PPS
WL1320	PPS-DEMIN WATER PLANT PUMP 1	07/feb/2026 337	26/072942	281420 ADSORPTION DRYER	NPPSA_NPPS	PPS
WL1320	PPS-DEMIN WATER PLANT PUMP 1	07/feb/2026 337	26/072943	281420 INSTRUMENT AIR RECEIVER	NPPSA_NPPS	PPS
WL1320	PPS-DEMIN WATER PLANT PUMP 1	07/feb/2026 338	26/072945	281420 MILL AIR RECEIVER	NPPSA_NPPS	PPS
WL1320	PPS-ASH LEACHING PUMP 1	07/feb/2026 338	26/072946	WEEKLY - INSPECTION CENTERFUGUE	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 339	26/072947	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 1 (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 339	26/072948	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 2 (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-DEMIN WATER PLANT PUMP 1	07/feb/2026 339	26/072949	MONTHLY - PM FOR AIR COMPRESSOR NO.1 (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-DEMIN WATER PLANT PUMP 1	07/feb/2026 340	26/072950	MONTHLY - PM FOR MOTOR RECIP DRAG CRAWPERS 461C037 (E)	NPPSA_NPPS	PPS
WL1320	PPS-DEMIN WATER PLANT PUMP 1	07/feb/2026 341	26/072951	MONTHLY - PM FOR MOTOR RECIP DRAG CRAWPERS 461C037 (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 343	26/072952	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RED FAN PRIMARY (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 344	26/072953	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RED FAN SECONDARY (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 345	26/072954	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RED FAN TERTIARY (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 346	26/072955	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RED FAN # 4 (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 347	26/072956	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RED FAN # 5 (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 348	26/072957	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RED FAN # 6 (PQ)	NPPSA_NPPS	PPS
M50024	PPS-EVAPORATION PUMP 1	07/feb/2026 350	26/072958	Monthly vibration check 461	NPPSA_NPPS	PPS
M50024	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 350	26/072959	Monthly vibration check 461	NPPSA_NPPS	PPS
M50024	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 351	26/072960	Monthly vibration check 461	NPPSA_NPPS	PPS
M5003	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 351	26/072961	Monthly PM for 461A514 DDO after feeding water tank	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 351	26/072963	MONTHLY - PM FOR MOTOR COLLECTING CONVEYORS 2 EXP 1 (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 352	26/072964	MONTHLY - PM FOR MOTOR COLLECTING CONVEYORS 2 EXP 2 (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 352	26/072967	2 MONTHS - PM FOR MOTOR RECIP DRAG CRAWPERS 461C037 (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 352	26/072968	2 MONTHS - PM FOR MOTOR RECIP DRAG CRAWPERS 461C037 (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 353	26/072970	2 MONTHS - PM FOR MOTOR RECIP DRAG CRAWPERS 461C037 (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 353	26/072971	2 MONTHS - PM FOR MOTOR RECIP DRAG CRAWPERS 461C037 (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 354	26/072974	2 MONTHS - PM FOR MOTOR PRECIPITATOR TRANSFER CONVEYOR 2 FZOR EXP 3 (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 354	26/072976	MONTHLY - PM FOR RECOVERY BOLLER TRANSFER THALL # 2 (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 355	26/072977	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR FEEDWATER PUMP # 1 (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 356	26/072978	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR FEEDWATER PUMP # 3 (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 358	26/072979	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUID SPRAY GUN SPRAY # 1 (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/feb/2026 359	26/072987	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUID SPRAY GUN SPRAY # 2 1 (P NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/feb/2026 400	26/072990	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUID SPRAY GUN SPRAY # 3 (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/feb/2026 401	26/072991	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RECRYCLATION PUMP EFFECT 1E (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/feb/2026 402	26/072992	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUID TRANSFER PUMP 1 (NEW) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/feb/2026 403	26/072993	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECRYCLATION PUMP EFFECT 1E (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/feb/2026 404	26/072994	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECRYCLATION PUMP EFFECT 1E (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/feb/2026 405	26/072997	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECRYCLATION PUMP EFFECT 1 C (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/feb/2026 406	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECRYCLATION PUMP#2 EFFECT 1 C (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/feb/2026 406	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECRYCLATION PUMP#2 EFFECT 1 C (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-COOLING TOWER PUMP 1	07/feb/2026 407	26/072999	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO 1 (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-COOLING TOWER PUMP 1	07/feb/2026 408	26/072999	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO 2 (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-COOLING TOWER PUMP 1	07/feb/2026 409	26/072999	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO 3 (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-COOLING TOWER PUMP 1	07/feb/2026 410	26/072999	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO 4 (PQ)	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/feb/2026 412	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SECONDARY CONDENSATE DISTRIBUTION NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/feb/2026 413	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SECONDARY CONDENSATE DISTRIBUTION NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/feb/2026 413	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUID TRANSFER PUMP 1 (NEW) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/feb/2026 414	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUID TRANSFER PUMP 1 (NEW) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/feb/2026 414	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUID TRANSFER PUMP 1 (NEW) NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/feb/2026 415	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/feb/2026 416	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 417	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 417	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 418	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 418	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 419	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 419	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 420	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 421	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 421	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 422	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 422	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 423	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 423	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 424	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 424	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 424	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 425	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 426	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 426	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 427	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 427	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 428	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 428	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 429	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 429	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 429	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 430	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 430	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 431	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 431	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 432	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 432	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 433	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 433	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 434	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 434	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 435	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 435	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 436	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 436	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 437	26/072999	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR THALL TRANSFER PUMP TO 80 mlb TANK (NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	07/feb/2026 437	26/072999	MONTH		

WL1320	PPS-RECOVERY BOILER PUMP 1	07/06/2026 428	20372162	MONTHLY - PM FOR VACUUM CHECK AND BASIC PPM FOR SOOT BLOWER # 2 (PO)	NPPSA_NPPSS	PPS
WL1320	PPS-AISH LEACHING PUMP 1	07/06/2026 428	20372166	WEEKLY - PM FOR DECENTRIFUGAL (A)	NPPSA_NPPSS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	07/06/2026 429	20372166	MONTHLY - PM FOR VACUUM CHECK AND BASIC PPM FOR SOOTBLOWER # 2 (PO)	NPPSA_NPPSS	PPS
WL1320	PPS-AISH LEACHING PUMP 1	07/06/2026 429	20372166	MONTHLY - PM FOR CENTRIFUGAL BLOWN FOR GRASS AND GRASE AREA 321	NPPSA_NPPSS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/06/2026 429	20372166	MONTHLY - PM FOR HEAVY LIQUID SPRAY GUM PUMP # 1 (A)	NPPSA_NPPSS	PPS
WL1320	PPS-EVAPORATION PUMP 1	07/06/2026 429	20372167	MONTHLY - PM FOR HEAVY LIQUID SPRAY GUM PUMP # 1 (A)	NPPSA_NPPSS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	07/06/2026 429	20372168	MONTHLY - PM FOR REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 213)	NPPSA_NPPSS	PPS
MS0004	Power Plant Unit 5	07/06/2026 430	20372167	MONTHLY - PM FOR OIL SAMPLING AND ANALYSIS, BOILER, TURBINE, TRUCK TIRE (M)	NPPSA_NPPSS	PPS
MS0004	Power Plant Unit 5	07/06/2026 430	20372168	MONTHLY - VIBRATION CHECK FOR LOCATION, PPS (PO)	NPPSA_NPPSS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	07/06/2026 431	20372171	MONTHLY - PM FOR VACUUM ANALYSIS FOR BOILER AIR COMPRESSOR TURBINE FLUE & T	NPPSA_NPPSS	PPS
WL1320	PPS-POWER BOILER PUMP 1	07/06/2026 432	20372172	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP # (PO)	NPPSA_NPPSS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	07/06/2026 432	20372173	MONTHLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 19)	NPPSA_NPPSS	PPS
WL1320	PPS-POWER BOILER PUMP 1	07/06/2026 433	20372173	MONTHLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2)	NPPSA_NPPSS	PPS
WL1320	PPS-POWER BOILER PUMP 1	07/06/2026 433	20372175	2 WEEKS - PM FOR REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2)	NPPSA_NPPSS	PPS
WL1320	PPS-POWER BOILER PUMP 1	07/06/2026 433	20372176	MONTHLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 13)	NPPSA_NPPSS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	07/06/2026 437	20372193	WEEKLY - PROTECT FIRE 321/337	NPPSA_NPPSS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	07/06/2026 437	20372193	2 WEEKS - PROTECT FIRE 321/337	NPPSA_NPPSS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	07/06/2026 437	20372194	PM WEEKLY PROTECT FIRE 321/337	NPPSA_NPPSS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	07/06/2026 437	20372195	PM WEEKLY PROTECT FIRE 321/337	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 438	20372197	MONTHLY - PM FOR FIRE ALARM GENERATOR PPS (E)	NPPSA_NPPSS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	07/06/2026 438	20372198	MONTHLY - PM VACUUM CHECK AND BASIC PPM FOR SOOTBLOWER # 3 LEFT (PO)	NPPSA_NPPSS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	07/06/2026 439	20372200	MONTHLY - PM VACUUM CHECK AND BASIC PPM FOR SOOTBLOWER # 4 RIGHT (PO)	NPPSA_NPPSS	PPS
WL1320	PPS-DEMM WATER PLANT PUMP 1	07/06/2026 440	20372201	MONTHLY - PM FOR AIR COMPRESSOR NO. 6 (PO)	NPPSA_NPPSS	PPS
WL1320	PPS-DEMM WATER PLANT PUMP 1	07/06/2026 441	20372202	MONTHLY - PM FOR FIRE ALARM DETECTOR EB20 (E)	NPPSA_NPPSS	PPS
WL1320	PPS-DEMM WATER PLANT PUMP 1	07/06/2026 442	20372203	MONTHLY - PM FOR FIRE ALARM DETECTOR EB20 (E)	NPPSA_NPPSS	PPS
WL1320	PPS-DEMM WATER PLANT PUMP 1	07/06/2026 442	20372204	MONTHLY - PM FOR FIRE ALARM DETECTOR EB21 (E)	NPPSA_NPPSS	PPS
WL1320	PPS-DEMM WATER PLANT PUMP 1	07/06/2026 442	20372205	MONTHLY - PM FOR FIRE ALARM DETECTOR PANEL E921 (E)	NPPSA_NPPSS	PPS
WL1320	PPS-DEMM WATER PLANT PUMP 1	07/06/2026 442	20372206	MONTHLY - PM FOR FIRE ALARM DETECTOR	NPPSA_NPPSS	PPS
WL1320	PPS-DEMM WATER PLANT PUMP 1	07/06/2026 443	20372207	MONTHLY - PM FOR FIRE ALARM DETECTOR PANEL E922 (E)	NPPSA_NPPSS	PPS
WL1320	PPS-DEMM WATER PLANT PUMP 1	07/06/2026 443	20372208	MONTHLY - PM FOR FIRE ALARM DETECTOR TRANSFORMER (E)	NPPSA_NPPSS	PPS
WL1320	PPS-DEMM WATER PLANT PUMP 1	07/06/2026 443	20372209	MONTHLY - PM FOR FIRE ALARM DETECTOR TRANSFORMER (E)	NPPSA_NPPSS	PPS
WL1320	PPS-DEMM WATER PLANT PUMP 1	07/06/2026 444	20372211	MONTHLY - PM FOR FIRE ALARM DETECTOR TRANSFORMER (E)	NPPSA_NPPSS	PPS
WL1320	PPS-DEMM WATER PLANT PUMP 1	07/06/2026 444	20372212	MONTHLY - PM FOR FIRE ALARM DETECTOR TRANSFORMER (E)	NPPSA_NPPSS	PPS
WL1320	PPS-DEMM WATER PLANT PUMP 1	07/06/2026 444	20372213	MONTHLY - PM FOR FIRE ALARM DETECTOR ASH LEACHING (E)	NPPSA_NPPSS	PPS
WL1320	PPS-DEMM WATER PLANT PUMP 1	07/06/2026 444	20372215	MONTHLY - PM FOR FIRE ALARM DETECTOR ASH LEACHING (E)	NPPSA_NPPSS	PPS
WL1320	PPS-DEMM WATER PLANT PUMP 1	07/06/2026 445	20372216	MONTHLY - PM FOR FIRE ALARM DETECTOR TRANSFORMER (E)	NPPSA_NPPSS	PPS
WL1320	PPS-DEMM WATER PLANT PUMP 1	07/06/2026 445	20372217	MONTHLY - PM FOR FIRE ALARM DETECTOR TRANSFORMER (E)	NPPSA_NPPSS	PPS
WL1320	PPS-DEMM WATER PLANT PUMP 1	07/06/2026 446	20372218	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 25	NPPSA_NPPSS	PPS
MS0004	PPS-DEMM WATER PLANT PUMP 1	07/06/2026 446	20372221	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 30	NPPSA_NPPSS	PPS
MS0004	PPS-DEMM WATER PLANT PUMP 1	07/06/2026 446	20372222	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 22	NPPSA_NPPSS	PPS
MS0004	PPS-DEMM WATER PLANT PUMP 1	07/06/2026 446	20372223	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 25	NPPSA_NPPSS	PPS
MS0004	PPS-DEMM WATER PLANT PUMP 1	07/06/2026 446	20372222	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 22	NPPSA_NPPSS	PPS
MS0004	PPS-DEMM WATER PLANT PUMP 1	07/06/2026 447	20372223	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 25	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 448	20372227	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 448	20372227	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 448	20372228	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 449	20372230	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 449	20372230	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372231	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA_NPPSS	PPS
MS0004	PPS-RECOVERY BOILER PUMP 1	07/06/2026 450	20372233	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS 26	NPPSA	

W15123	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:14	261082219	4615V483 START UP BURNER 3 GAS IG VALVE	NPPIA_NPPI	PP6
W15123	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:14	261082220	4615V448 START UP BURNER 4 GAS IG VALVE	NPPIA_NPPI	PP6
W15123	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:14	261082221	4615V483 START UP BURNER 5 GAS IG VALVE	NPPIA_NPPI	PP6
W15123	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:14	261082222	4615V484 START UP BURNER 6 GAS IG VALVE	NPPIA_NPPI	PP6
W15123	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:14	261082223	4615V4810N GAS SHUT OFF	NPPIA_NPPI	PP6
W15123	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:15	261082224	4615V4810N GAS HEADER UP	NPPIA_NPPI	PP6
W15123	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:15	261082225	4615V4810N GAS VALVE	NPPIA_NPPI	PP6
W15118	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:15	261082226	WEEKLY - INSPECTION FOR REDCAMERA WEEKLY	NPPIA_NPPI	PP6
W15118	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:15	261082227	4615X289 Recovery Boiler Red Camera Right Side	NPPIA_NPPI	PP6
W15118	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:15	261082228	4615X289 Recovery Boiler Red Camera Left Side	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:15	261082229	MONTHLY - PM FOR START UP BURNER # 1 (E)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:16	261082230	MONTHLY - PM FOR START UP BURNER # 2 (E)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:16	261082231	MONTHLY - PM FOR START UP BURNER # 3 (E)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:16	261082232	MONTHLY - PM FOR START UP BURNER # 4 (E)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:16	261082233	MONTHLY - PM FOR START UP BURNER # 5 (E)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:17	261082234	MONTHLY - PM FOR START UP BURNER # 6 (E)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:17	261082235	MONTHLY - PM FOR ELECTROSTATIC PRECIPITATOR # 1 (E)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:18	261082236	MONTHLY - PM FOR ELECTROSTATIC PRECIPITATOR # 2 (E)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:18	261082237	MONTHLY - PM FOR ELECTROSTATIC PRECIPITATOR # 3 (E)P# 3 (1)E	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:19	261082238	2 MONTHS - PM FOR SECONDARY AGITATOR (E)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:19	261082239	2 MONTHS - PM FOR MAIN AGITATOR (E)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:20	261082240	2 MONTHS - PM FOR MAIN AGITATOR (E)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:20	261082241	2 MONTHS - PM FOR LUBRICATION PUMP (E)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:21	261082243	2 MONTHS - PM FOR BLACK LIQUOR PUMP (E)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:21	261082244	2 MONTHS - PM FOR COOLING TOWER NO.1 (E)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:22	261082246	MONTHLY - PM FOR COOLING TOWER NO.2 (E)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:22	261082247	MONTHLY - PM FOR COOLING TOWER NO.3 (E)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:23	261082248	MONTHLY - PM FOR COOLING TOWER NO.4 (E)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:24	261082249	MONTHLY - PM FOR HEAVY LIQUOR SPRAY GUN PUMP # 1 A (E)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:24	261082250	MONTHLY - PM FOR HEAVY LIQUOR SPRAY GUN SP PUMP # 1 B (E)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:24	261082251	MONTHLY - PM FOR MCC COOLING TOWER, UPPER (E)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:24	261082252	MONTHLY - PM FOR MCC COOLING TOWER, UPPER (E)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:24	261082253	2 WEEKS - INSPECTION GEAR BOX ESP	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:24	261082254	461744 COLLECTING RAPPER # A, PRECIPITATOR # 3	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:25	261082255	461742 EMITTING RAPPER # A, PRECIPITATOR # 3	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:25	261082256	461743 COLLECTING RAPPER # B, PRECIPITATOR # 3	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:25	261082257	461744 EMITTING RAPPER # B, PRECIPITATOR # 3	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:25	261082258	461745 COLLECTING RAPPER # C, PRECIPITATOR # 3	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:25	261082259	461746 EMITTING RAPPER # C, PRECIPITATOR # 3	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:26	261082260	461747 GAS SCREEN RAPPER, PRECIPITATOR # 3	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:26	261082261	2 WEEKS - INSPECTION RODDING MASTER	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:26	261082262	461293 3 RODDING MASTER, AIR REGISTERS # 3,4	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:26	261082263	WEEKLY - INSPECTION DECANTER CENTRIFUGE	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:26	261082264	2 WEEKS - PM VISUAL CHECK AND BASIC POM FOR AGITATOR - DISSOLVING TANK (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:27	261082265	2 WEEKS - PM VISUAL CHECK AND BASIC POM FOR AGITATOR - DISSOLVING TANK (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:28	261082266	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 1	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:29	261082267	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 2	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:29	261082268	MONTHLY - PM FOR AIR COMPRESSOR NO.1 (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:30	261082269	MONTHLY - PM ROUTE CHECK MOTOR RAPPER ESP (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:31	261082270	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN PRIMARY (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:32	261082271	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN SECONDARY (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:33	261082272	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN TERTIARY (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:34	261082274	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR ID FAN # 1 (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:35	261082275	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR ID FAN # 2 (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:36	261082276	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR ID FAN # 3 (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:37	261082277	MONTHLY - PM ROUTE REFILL LUBRICANT CHAIN CONVEYOR ROUTE 1 (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:38	261082278	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP A (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:38	261082279	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP B (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:38	261082280	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP C (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:38	261082281	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP D (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:39	261082282	MONTHLY - PM ROUTE REFILL LUBRICANT PUMP E (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:39	261082283	MONTHLY - PM ROUTE REFILL LUBRICANT CHAIN CONVEYOR ROUTE 2 (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:39	261082284	MONTHLY - PM ROUTE REFILL LUBRICANT CHAIN CONVEYOR ROUTE 3 (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:39	261082285	MONTHLY - PM ROUTE REFILL LUBRICANT CHAIN CONVEYOR ROUTE 4 (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:39	261082286	2 WEEKS - PM ROUTE REFILL LUBRICANT BEARING FAN_PUMP ROUTE 3 (PO)	NPPIA_NPPI	PP6
MS0103	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:39	261082287	Monthly calibrate Flue Gas (E) / FCO 1 Oxygen	NPPIA_NPPI	PP6
MS0103	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:40	261082288	Monthly calibrate Flue Gas Stack NOx	NPPIA_NPPI	PP6
MS0103	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:40	261082290	Monthly calibrate Flue Gas Stack Opacity	NPPIA_NPPI	PP6
MS0103	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:40	261082291	Monthly calibrate Flue Gas Stack O2	NPPIA_NPPI	PP6
MS0103	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:40	261082292	Monthly calibrate Flue Gas Stack SO2	NPPIA_NPPI	PP6
MS0103	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:41	261082293	Weekly calibrate Flue Gas Stack CO	NPPIA_NPPI	PP6
MS0103	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:41	261082294	Weekly check for CO2 461AT244-1, 461AT244-2	NPPIA_NPPI	PP6
MS0103	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:41	261082295	monthly Calibration for CO,CO2 461AT244-1, 461AT244-2	NPPIA_NPPI	PP6
MS0204	PP6-DEMIN WATER PLANT PUMP 1	14/Feb/2026 3:42	261082296	Monthly of sampling ZSI	NPPIA_NPPI	PP6
MS0103	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:42	261082297	Monthly calibrate Flue Gas Stack TRS	NPPIA_NPPI	PP6
MS0103	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:42	261082298	Weekly check for Flue gases analyzer TRS	NPPIA_NPPI	PP6
MS0103	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:42	261082299	Weekly check for O2 analyzer	NPPIA_NPPI	PP6
MS0103	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:43	261082300	Weekly check for Flue gases analyzer NOx	NPPIA_NPPI	PP6
MS0103	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:43	261082301	Weekly check for Flue gases analyzer	NPPIA_NPPI	PP6
MS0103	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:43	261082302	Weekly check for Flue gases analyzer CO2	NPPIA_NPPI	PP6
MS0103	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:43	261082303	Weekly check for Flue gases analyzer SO2	NPPIA_NPPI	PP6
MS0103	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:43	261082304	Weekly check for Flue gases analyzer CO	NPPIA_NPPI	PP6
W15118	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:44	261082305	Monthly check and calibration transmitters T2PT 436	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:44	261082306	2 Week PM for steam drum level lighting	NPPIA_NPPI	PP6
W15126	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:44	261082307	3 MONTHS (DD) - PM FOR ID-FAN #1 SPEED CNTRL SPEED CONTROL VALVE (A)	NPPIA_NPPI	PP6
W15126	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:44	261082308	3 MONTHS (DD) - PM FOR ID-FAN #2 SPEED CNTRL SPEED CONTROL VALVE (A)	NPPIA_NPPI	PP6
W15126	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:45	261082309	3 MONTHS (DD) - PM FOR ID-FAN #3 SPEED CNTRL SPEED CONTROL VALVE (A)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:45	261082310	MONTHLY - PM FOR EVAPORATOR TRANSFORMER T2402 (E)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:45	261082311	MONTHLY - PM FOR RECOVERY BOILER TRANSFORMER T2E1 (E)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:46	261082312	MONTHLY - PM FOR VEG MOTOR PRECIPITATOR FEEDER 461C039 (E)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:46	261082313	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FEEDWATER PUMP # 2 (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:47	261082314	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FEEDWATER PUMP # 3 (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:48	261082315	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FEEDWATER PUMP # 4 (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:50	261082316	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR CIRCULATION PUMP FOR COOLING TANK NPPIA_NPPI	PP6	
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:51	261082318	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUOR SPRAY GUN PUMP # 1 A (P)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:52	261082320	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUOR SPRAY GUN SP PUMP # 1	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:53	261082324	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.1 (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:53	261082326	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.2 (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:54	261082329	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.3 (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:55	261082335	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.5 (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:56	261082339	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR CONDENSATE PUMP #1 (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:57	261082340	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR CONDENSATE PUMP #2 (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:57	261082342	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 1 LEFT (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:58	261082346	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 2 RIGHT (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:59	261082349	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 3 LEFT (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 3:59	261082351	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 4 RIGHT (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 4:00	261082355	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 5 LEFT (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 4:01	261082359	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 6 RIGHT (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 4:02	261082365	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 7 LEFT (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 4:03	261082370	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 8 RIGHT (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 4:03	261082376	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 9 LEFT (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 4:04	261082380	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 20 RIGHT (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 4:05	261082382	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 21 LEFT (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 4:06	261082383	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 12 RIGHT (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 4:06	261082384	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 13 LEFT (PO)	NPPIA_NPPI	PP6
W15120	PP6-RECOVERY BOILER PUMP 1	14/Feb/2026 4:07	261082385	MONTHLY - PM VISUAL		

WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:38	261085459	281103 CARBON DIOXIDE DEGASSER 1	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:39	261085461	281104 ANION EXCHANGER 1	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:39	261085462	281105 ANION EXCHANGER 2	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:39	261085463	281106 MIXED BED EXCHANGER 1	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:39	261085464	281107 MIXED BED EXCHANGER 2	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:39	261085465	281108 STORAGE TANK FOR DEMINERALIZED WATER	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:39	261085466	281109 STORAGE TANK FOR SULPHURIC ACID	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:39	261085467	281110 STORAGE TANK FOR CAUSTIC SODA	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:39	261085468	281111 COLLECTION TANK FOR PLANT EFFLUENTS	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:39	261085469	281112 REAR DRAINAGE TANK	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:39	261085470	281113 CARBON DIOXIDE DEGASSER 2	NPP1A, NPP5	PP6
WL1320	Power Plant Unit 5	14/feb/2026 4:39	261085471	2 WEEKS - INSPECTION PUMP	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:40	261085472	281121 DEGASSED WATER PUMP 1	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:40	261085473	281122 DEGASSED WATER PUMP 2	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:41	261085474	281123 RECIRCULATION PUMP	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:41	261085475	281124 EFFLUENT PUMP	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:41	261085476	281126 CAUSTIC TANKER UNLOADING PUMP	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:42	261085477	281147 DENN WATER PUMP PUMPING ELIMIN WATER FROM DENN	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:42	261085478	281147 DENN WATER PUMP PUMPING DENN WATER FROM DENN	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:42	261085479	281147 DENN WATER PUMP PUMPING DENN WATER FROM DENN	NPP1A, NPP5	PP6
WL1320	Power Plant Unit 6	14/feb/2026 4:43	261085480	2 WEEKS - INSPECTION DOSING PUMP	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:43	261085481	281127 ACID DOSING PUMP	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:43	261085482	281128 CAUSING DOSING PUMP	NPP1A, NPP5	PP6
WL1320	PPS-ASH LEACHING PULP 1	14/feb/2026 4:43	261085483	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SECONDARY AGITATOR (PO)	NPP1A, NPP5	PP6
WL1320	PPS-ASH LEACHING PULP 1	14/feb/2026 4:43	261085484	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR MIX AGITATOR (PO)	NPP1A, NPP5	PP6
WL1320	PPS-ASH LEACHING PULP 1	14/feb/2026 4:44	261085485	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR MAIN AGITATOR (PO)	NPP1A, NPP5	PP6
WL1320	Power Plant Unit 5	14/feb/2026 4:44	261085486	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2.2) (PP6)	NPP1A, NPP5	PP6
WL1320	Power Plant Unit 5	14/feb/2026 4:44	261085487	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2.3) (PP6)	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:46	261085485	Monthly check Temp. Cooling 2811-442	NPP1A, NPP5	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	14/feb/2026 4:46	261085486	PM WEEKLY PROTECT FIRE 321C037	NPP1A, NPP5	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	14/feb/2026 4:46	261085487	Monthly check grease hole position 321S-022	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:46	261085488	Monthly check Temp. Cooling 2811-441	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:47	261085489	Monthly check Pressure of instrument air 281PC-425	NPP1A, NPP5	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	14/feb/2026 4:47	261085000	Monthly check Reclaim grain 321S-001	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:47	261085001	Monthly check Pressure of Mill air 281P-431	NPP1A, NPP5	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	14/feb/2026 4:47	261085002	PM WEEKLY PROTECT FIRE 321C038	NPP1A, NPP5	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	14/feb/2026 4:47	261085003	Monthly check Reclaim grain 321S-001	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:48	261085004	Monthly check Pressure of filter 281PC-422	NPP1A, NPP5	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	14/feb/2026 4:48	261085005	PM WEEKLY PROTECT FIRE 321C039	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:48	261085006	Monthly check Temp. air drier 2811-420	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:48	261085007	Monthly check Dew point analyzer 281Q1-421	NPP1A, NPP5	PP6
WL1320	Combustion Air System	14/feb/2026 4:48	261085008	Monthly check grease hole 321S-001 (3)	NPP1A, NPP5	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	14/feb/2026 4:49	261085009	3 monthly for grease hole long travelling	NPP1A, NPP5	PP6
WL1320	PPS-DEMIN WATER PLANT PULP 1	14/feb/2026 4:49	261085010	Monthly check Temp. instrument air 2811-444	NPP1A, NPP5	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	14/feb/2026 4:49	261085011	PM WEEKLY PROTECT FIRE 321C031	NPP1A, NPP5	PP6
WL1320	ASH &slag Removal Removal	14/feb/2026 4:49	261085012	MONTHLY - PM FOR COURSE MATERIAL RECLAIM SCREW #1 (E)	NPP1A, NPP5	PP6
WL1321	Electrostatic precipitator	19/feb/2026 13:39	261094510	YEARLY (S5) - PM FOR ESP FIELD 1, RAPPER (M)	NPP1A, NPP5	PP6
WL1322	Electrostatic precipitator	19/feb/2026 13:39	261094511	YEARLY (S5) - PM FOR ESP FIELD 1, RAPPER (M)	NPP1A, NPP5	PP6
WL1321	Electrostatic precipitator	19/feb/2026 13:39	261094512	YEARLY (S5) - PM FOR ESP FIELD 2, RAPPER (M)	NPP1A, NPP5	PP6
WL1322	Electrostatic precipitator	19/feb/2026 13:39	261094513	YEARLY (S5) - PM FOR ESP FIELD 2, RAPPER (M)	NPP1A, NPP5	PP6
WL1321	Electrostatic precipitator	19/feb/2026 13:39	261094514	YEARLY (S5) - PM FOR ESP FIELD 1, RAPPER (M)	NPP1A, NPP5	PP6
WL1322	Electrostatic precipitator	19/feb/2026 13:39	261094515	YEARLY (S5) - PM FOR ESP FIELD 1, RAPPER (M)	NPP1A, NPP5	PP6
WL1320	PPS-POWER BOILER PULP 1	21/feb/2026 2:00	261097206	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOILER, PPS (ROUTE 1) (PO)	NPP1A, NPP5	PP6
WL1320	PPS-POWER BOILER PULP 1	21/feb/2026 2:00	261097207	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOILER, PPS (ROUTE 5) (PO)	NPP1A, NPP5	PP6
WL1320	PPS-POWER BOILER PULP 1	21/feb/2026 2:00	261097208	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOILER, PPS (ROUTE 2.2) (PP6)	NPP1A, NPP5	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	21/feb/2026 2:01	261097209	WEEKLY - PM FOR BELT CONV. BARK & NICE TO BOILER (PO)	NPP1A, NPP5	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	21/feb/2026 2:01	261097210	WEEKLY - PM FOR BELT CONV. BARK & NICE TO BOILER (PO)	NPP1A, NPP5	PP6
WL1320	PPS-POWER BOILER PULP 1	21/feb/2026 2:01	261097211	Weekly preventive maintenance for Air condition	NPP1A, NPP5	PP6
WL1320	STEAM SYSTEM	21/feb/2026 2:02	261097212	Monthly inspection for E.C. 88 Room (E210)	NPP1A, NPP5	PP6
WL1320	SOLID FUEL FEED (SLO TO BOILER)	21/feb/2026 2:02	261097213	Monthly check Auxiliary 420V-246 (E)	NPP1A, NPP5	PP6
WL1320	SOLID FUEL FEED (SLO TO BOILER)	21/feb/2026 2:02	261097214	WEEKLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 1 (PO)	NPP1A, NPP5	PP6
MS0004	PPS-POWER GENERATION PULP 1	21/feb/2026 2:02	261097215	WEEKLY - PM FOR TURBINE CONTROL GENERATOR TGS 6 (JCHV01 3000) (A)	NPP1A, NPP5	PP6
MS0004	PPS-POWER GENERATION PULP 1	21/feb/2026 2:03	261097216	2 WEEKS - PM FOR TURBINE CONTROL Monitor Engineering Workstation 505 TGS 6 (A)	NPP1A, NPP5	PP6
MS0004	PPS-POWER GENERATION PULP 1	21/feb/2026 2:03	261097218	2 WEEKS - PM FOR TURBINE CONTROL Monitor Operator station TCGTGS 6 (A)	NPP1A, NPP5	PP6
WL1118	PPS-RECOVERY BOILER PULP 1	21/feb/2026 2:04	261097225	WEEKLY - INSPECTION FOR RECLAIMER WELDS	NPP1A, NPP5	PP6
WL1118	PPS-RECOVERY BOILER PULP 1	21/feb/2026 2:04	261097226	4610280 Recovery Boiler Weld Camera Right Side	NPP1A, NPP5	PP6
WL1118	PPS-RECOVERY BOILER PULP 1	21/feb/2026 2:04	261097227	4610270 Recovery Boiler Weld Camera Left Side	NPP1A, NPP5	PP6
WL1112	PPS-ASH LEACHING PULP 1	21/feb/2026 2:04	261097228	3 MONTHS - PM FOR CHARGE OIL GRABBER DECANTER CENTRIFUGE (M)	NPP1A, NPP5	PP6
WL1320	PPS-ASH LEACHING PULP 1	21/feb/2026 2:04	261097229	WEEKLY - INSPECTION DECANTER CENTRIFUGE	NPP1A, NPP5	PP6
WL1320	PPS-RECOVERY BOILER PULP 1	21/feb/2026 2:05	261097231	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 1 (NPP1A, NPP5)	NPP1A, NPP5	PP6
WL1320	PPS-RECOVERY BOILER PULP 1	21/feb/2026 2:05	261097232	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 2 (NPP1A, NPP5)	NPP1A, NPP5	PP6
WL1320	PPS-RECOVERY BOILER PULP 1	21/feb/2026 2:06	261097234	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN PRIMARY (PO)	NPP1A, NPP5	PP6
WL1320	PPS-RECOVERY BOILER PULP 1	21/feb/2026 2:07	261097237	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN SECONDARY (PO)	NPP1A, NPP5	PP6
WL1320	PPS-RECOVERY BOILER PULP 1	21/feb/2026 2:08	261097239	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN TERTIARY (PO)	NPP1A, NPP5	PP6
WL1320	PPS-RECOVERY BOILER PULP 1	21/feb/2026 2:09	261097241	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN # 1 (PO)	NPP1A, NPP5	PP6
WL1320	PPS-RECOVERY BOILER PULP 1	21/feb/2026 2:11	261097243	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN # 2 (PO)	NPP1A, NPP5	PP6
WL1320	PPS-RECOVERY BOILER PULP 1	21/feb/2026 2:12	261097245	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN # 3 (PO)	NPP1A, NPP5	PP6
WL1320	PPS-RECOVERY BOILER PULP 1	21/feb/2026 2:14	261097246	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR REDWATER PUMP # 2 (PO)	NPP1A, NPP5	PP6
WL1320	PPS-RECOVERY BOILER PULP 1	21/feb/2026 2:16	261097248	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR REDWATER PUMP # 3 (PO)	NPP1A, NPP5	PP6
WL1320	PPS-RECOVERY BOILER PULP 1	21/feb/2026 2:17	261097249	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RED WATER PUMP # 4 (PO)	NPP1A, NPP5	PP6
WL1320	PPS-EVAPORATION PULP 1	21/feb/2026 2:20	261097250	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUOR SPRAY GUN PUMP # 1 (P)	NPP1A, NPP5	PP6
WL1320	PPS-EVAPORATION PULP 1	21/feb/2026 2:21	261097252	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUOR SPRAY GUN PUMP # 1 (P)	NPP1A, NPP5	PP6
WL1320	PPS-COOLING TOWER PULP 1	21/feb/2026 2:24	261097254	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.1 (P)	NPP1A, NPP5	PP6
WL1320	PPS-COOLING TOWER PULP 1	21/feb/2026 2:22	261097255	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.2 (PO)	NPP1A, NPP5	PP6
WL1320	PPS-COOLING TOWER PULP 1	21/feb/2026 2:23	261097256	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.3 (PO)	NPP1A, NPP5	PP6

WL1320	PPS-COOLING TOWER PULP 1	21/feb/2026 2:24	261097257	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.5 (PO)	NPP1A, NPP5	PP6
WL1320	PPS-ASH LEACHING PULP 1	21/feb/2026 2:25	261097258	WEEKLY - PM FOR DECANTER CENTRIFUGE (A)	NPP1A, NPP5	PP6
WL1320	Power Plant Unit 5	21/feb/2026 2:26	261097262	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2.2) (PP6)	NPP1A, NPP5	PP6
WL1320	PPS-COOLING TOWER PULP 1	21/feb/2026 2:27	261097264	WEEKLY - INSPECTION CENTRIFUGAL PUMP (DYNAMIC)	NPP1A, NPP5	PP6
WL1320	PPS-COOLING TOWER PULP 1	21/feb/2026 2:27	261097265	217414 COOLING WATER PUMP NO.4	NPP1A, NPP5	PP6
WL1320	PPS-COOLING TOWER PULP 1	21/feb/2026 2:27	261097267	217415 COOLING WATER PUMP NO.5	NPP1A, NPP5	PP6
WL1320	Power Plant Unit 5	21/feb/2026 2:28	261097268	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 1) (PP6)	NPP1A, NPP5	PP6
WL1320	Power Plant Unit 5	21/feb/2026 2:28	261097269	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2) (PP6)	NPP1A, NPP5	PP6
WL1320	Power Plant Unit 5	21/feb/2026 2:29	261097270	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2.1) (PP6)	NPP1A, NPP5	PP6
WL1320	Power Plant Unit 5	21/feb/2026 2:29	261097271	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2.3) (PP6)	NPP1A, NPP5	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	21/feb/2026 2:32	261097276	PM WEEKLY PROTECT FIRE 321C037	NPP1A, NPP5	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	21/feb/2026 2:32	261097277	2week Preventive Maintenance for motor 321C037	NPP1A, NPP5	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	21/feb/2026 2:33	261097278	PM WEEKLY PROTECT FIRE 321C038	NPP1A, NPP5	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	21/feb/2026 2:33	261097280	PM WEEKLY PROTECT FIRE 321C029	NPP1A, NPP5	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	21/feb/2026 2:34	261097282	PM WEEKLY PROTECT FIRE 321C031	NPP1A, NPP5	PP6
MS0004	PPS-RECOVERY BOILER PULP 1	21/feb/2026 2:33	261097281	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 35	NPP1A, NPP5	PP6
MS0004	PPS-DEMIN WATER PLANT PULP 1	21/feb/2026 2:34	261097284	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 30	NPP1A, NPP5	PP6
MS0004	PPS-DEMIN WATER PLANT PULP 1	21/feb/2026 2:34	261097285	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 21	NPP1A, NPP5	PP6
MS0004	PPS-DEMIN WATER PLANT PULP 1	21/feb/2026 2:34	261097286	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 21	NPP1A, NPP5	PP6
MS0004	PPS-DEMIN WATER PLANT PULP 1	21/feb/2026 2:35	261097287	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 20	NPP1A, NPP5	PP6
MS0004	PPS-FUEL STORAGE AND HANDLING FOR PULP	21/feb/2026 2:35	261097288	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 21	NPP1A, NPP5	PP6
MS0004	PPS-RECOVERY BOILER PULP 1	21/feb/2026 2:35	261097289	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPP1A, NPP5	PP6
MS0004	PPS-RECOVERY BOILER PULP 1	21/feb/2026 2:36	261097290	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPP1A, NPP5	PP6
MS0004	PPS-RECOVERY BOILER PULP 1	21/feb/2026 2:36	261097291	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPP1A, NPP5	PP6
MS0004	PPS-RECOVERY BOILER PULP 1	21/feb/2026 2:37	261097293	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPP1A, NPP5	PP6
MS0004	PPS-RECOVERY BOILER PULP 1	21/feb/2026 2:37	261097294	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPP1A, NPP5	PP6
MS0004	PPS-RECOVERY BOILER PULP 1	21/feb/2026 2:37	261097295	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPP1A, NPP5	PP6
MS0004	PPS-RECOVERY BOILER PULP 1	21/feb/2026 2:38	261097296	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPP1A, NPP5	PP6
MS0004	PPS-RECOVERY BOILER PULP 1	21/feb/2026 2:38	261097297	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPP1A, NPP5	PP6
WL1320	LOW VOLTAGE MAIN DISTRIBUTION BOARD &	21/feb/2026 2:39	261097298	MONTHLY - PM FOR 690V MCC #A211 PPS (PO)	NPP1A, NPP5	PP6
WL1320	LOW VOLTAGE MAIN DISTRIBUTION BOARD &	21/feb/2026 2:39	261097299	MONTHLY - PM FOR 690V MCC #A212 PPS (PO)	NPP1A, NPP5	PP6
WL1320	LOW VOLTAGE MAIN DISTRIBUTION BOARD &	21/feb/2026 2:39	261097300	MONTHLY - PM FOR 400V MCC #A213 PPS (PO)	NPP1A, NPP5	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	26/feb/2026 2:00	261096799	MONTHS (SD) - PM FOR DRIVE CHW SCREW RECLAIMER (M)	NPP1A, NPP5	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	26/feb/2026 2:01	261112171	2week Preventive Maintenance for motor 2610302	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:01	261112172	MONTHLY - PM FOR BATTERY FOR 321B003 DCS FUEL PPS AND PP2D (A)	NPP1A, NPP5	PP6
MS0004	SUPPLY OF BIO MASS SYSTEM TO SLO	28/feb/2026 2:01	261112173	MONTHLY - PM FOR BATTERY FOR 321B003 DCS FUEL PPS AND PP2D (A)	NPP1A, NPP5	PP6
MS0004	SUPPLY OF BIO MASS SYSTEM TO SLO	28/feb/2026 2:01	261112174	MONTHLY - PM FOR BATTERY FOR 321B003 DCS FUEL PPS AND PP2D (A)	NPP1A, NPP5	PP6
MS0004	SUPPLY OF BIO MASS SYSTEM TO SLO	28/feb/2026 2:01	261112175	MONTHLY - PM FOR UPS FOR 400V DCS FUEL PPS AND PP2D (A)	NPP1A, NPP5	PP6
MS0004	SUPPLY OF BIO MASS SYSTEM TO SLO	28/feb/2026 2:01	261112176	MONTHLY - PM FOR UPS FOR 400V DCS FUEL PPS AND PP2D (A)	NPP1A, NPP5	PP6
MS0004	SUPPLY OF BIO MASS SYSTEM TO SLO	28/feb/2026 2:01	261112177	MONTHLY - PM FOR BATTERY FOR 261U003 UPS POWER MCC UPS1D (E)	NPP1A, NPP5	PP6
WL1320	PPS-POWER GENERATION PULP 1	28/feb/2026 2:02	261112178	MONTHLY - PM FOR BATTERY FOR 261U003 UPS POWER MCC UPS1D (E)	NPP1A, NPP5	PP6
WL1320	PPS-POWER GENERATION PULP 1	28/feb/2026 2:02	261112179	MONTHLY - PM FOR BATTERY FOR 261U003 UPS POWER MCC UPS1D (E)	NPP1A, NPP5	PP6
WL1320	PPS-POWER GENERATION PULP 1	28/feb/2026 2:02	261112180	MONTHLY - PM FOR BATTERY FOR 261U003 UPS POWER MCC UPS1D (E)	NPP1A, NPP5	PP6
WL1320	PPS-POWER GENERATION PULP 1	28/feb/2026 2:02	261112181	MONTHLY - PM FOR BATTERY FOR 261U003 UPS POWER MCC UPS1D (E)	NPP1A, NPP5	PP6
WL1320	PPS-POWER GENERATION PULP 1	28/feb/2026 2:02	261112182	MONTHLY - PM FOR BATTERY FOR 261U003 UPS POWER MCC UPS1D (E)	NPP1A, NPP5	PP6
WL1320	PPS-POWER GENERATION PULP 1	28/feb/2026 2:03	261112183	MONTHLY - PM FOR BATTERY FOR 261U003 UPS POWER MCC UPS1D (E)	NPP1A, NPP5	PP6
WL1320	BACK UP BATTERIES	28/feb/2026 2:03	261112184	MONTHLY - PM FOR BATTERY FOR 261U003 UPS POWER MCC UPS1D (E)	NPP1A, NPP5	PP6
WL1320	PPS-POWER DISTRIBUTION PULP 1	28/feb/2026 2:03	261112185	MONTHLY - PM FOR BATTERY FOR 261U003 UPS POWER MCC UPS1D (E)	NPP1A, NPP5	PP6
WL1320	PPS-POWER DISTRIBUTION PULP 1	28/feb/2026 2:03	261112186	MONTHLY - PM FOR BATTERY FOR 261U003 UPS POWER MCC UPS1D (E)	NPP1A, NPP5	PP6
WL1320	PPS-POWER DISTRIBUTION PULP 1	28/feb/2026 2:03	261112187	MONTHLY - PM FOR BATTERY FOR 261U003 UPS POWER MCC UPS1D (E)	NPP1A, NPP5	PP6
WL1320	SOLID FUEL FEED (SLO TO BOILER)	28/feb/2026 2:04	261112188	MONTHLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 2 (M)	NPP1A, NPP5	PP6
WL1320	SOLID FUEL FEED (SLO TO BOILER)	28/feb/2026 2:04	261112189	MONTHLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 2 (M)	NPP1A, NPP5	PP6
WL1320	SOLID FUEL FEED (SLO TO BOILER)	28/feb/2026 2:04	261112190	MONTHLY - PM FOR BELT AND CLEAN FOR HYDRAULIC UNIT FOR FUEL SLO 2 (M)	NPP1A, NPP5	PP6
WL1320	SOLID FUEL FEED (SLO TO BOILER)	28/feb/2026 2:04	261112191	MONTHLY - PM FOR BELT AND CLEAN FOR HYDRAULIC UNIT FOR FUEL SLO 2 (M)	NPP1A, NPP5	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/feb/2026 2:05	261112192	MONTHLY - PM FOR BELT BOLLER AND BOLLER TO ROLLER (PO)	NPP1A, NPP5	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/feb/2026 2:07	261112193	MONTHLY - PM FOR DRIVE 1 RICE KUSHER (PO)	NPP1A, NPP5	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/feb/2026 2:08	261112194	MONTHLY - PM FOR DRIVE 1 RICE KUSHER (PO)	NPP1A, NPP5	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/feb/2026 2:11	261112195	MONTHLY - PM FOR SCREW CONVEYOR BCS (PO)	NPP1A, NPP5	PP6
WL1320	PPS-POWER BOILER PULP 1	28/feb/2026 2:11	261112196	MONTHLY - ROUTE PM FOR INSPECTION FABRIC EXPANSION JOINT AREA 442 (PO)	NPP1A, NPP5	PP6
WL1320	PPS-POWER BOILER PULP 1	28/feb/2026 2:11	261112197	MONTHLY - ROUTE PM FOR INSPECTION FABRIC EXPANSION JOINT AREA 442 (PO)	NPP1A, NPP5	PP6
WL1320	PPS-POWER BOILER PULP 1	28/feb/2026 2:11	261112198	MONTHLY - ROUTE PM FOR INSPECTION FABRIC EXPANSION JOINT AREA 442 (PO)	NPP1A, NPP5	PP6
WL1320	PPS-POWER BOILER PULP 1	28/feb/2026 2:11	261112199	MONTHLY - ROUTE PM FOR INSPECTION FABRIC EXPANSION JOINT AREA 442 (PO)	NPP1A, NPP5	PP6
WL1320	Combustion Air System	28/feb/2026 2:13	261113001	2 WEEKS - PM FOR SECONDARY AIR FAN (PO)	NPP1A, NPP5	PP6
WL1320	Flueance and Fuel Gas	28/feb/2026 2:14	261113002	2 WEEKS - PM FOR FUELED FAN (PO)	NPP1A, NPP5	PP6
WL1320	Combustion Air System	28/feb/2026 2:15	261113003	2 WEEKS - PM FOR FUELED FAN (PO)	NPP1A, NPP5	PP6
WL1320	Combustion Air System	28/feb/2026 2:16	261113005	2 WEEKS - PM FOR FUELED FAN (PO)	NPP1A, NPP5	PP6
WL1320	PPS-POWER BOILER PULP 1	28/feb/2026 2:16	261113006	2 WEEKS - PM FOR FUELED FAN (PO)	NPP1A, NPP5	PP6
WL1320	PPS-POWER BOILER PULP 1	28/feb/2026 2:17	261113007	2 WEEKS - PM FOR FUELED FAN (PO)	NPP1A, NPP5	PP6
WL1320	PPS-POWER BOILER PULP 1	28/feb/2026 2:17	261113008	2 WEEKS - PM FOR FUELED FAN (PO)	NPP1A, NPP5	PP6
WL1320	PPS-POWER BOILER PULP 1	28/feb/2026 2:17	261113009	2 WEEKS - PM FOR FUELED FAN (PO)	NPP1A, NPP5	PP6
WL1320	PPS-POWER GENERATION PULP 1	28/feb/2026 2:18	261113111	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 105A, PPS (ROUTE 1)	NPP1A, NPP5	PP6
WL1320	PPS-POWER GENERATION PULP 1	28/feb/2026 2:18	261113112	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 105A, PPS (ROUTE 1)	NPP1A, NPP5	PP6
WL1320	PPS-POWER BOILER PULP 1	28/feb/2026 2:18	261113113	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE SOOT BOILER, PPS (ROUTE 1)	NPP1A, NPP5	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/feb/2026 2:18	261113114	WEEKLY - PM FOR BELT LUBRICATOR (H+2) M (PP6)	NPP1A, NPP5	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/feb/2026 2:19	261113115	WEEKLY - PM FOR BELT LUBRICATOR (H+2) M (PP6)	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:19	261113117	Monthly inspection for oil storage tank	NPP1A, NPP5	PP6
WL1320	PPS-POWER BOILER PULP 1	28/feb/2026 2:19	261113118	Weekly Preventive Maintenance for Air condition	NPP1A, NPP5	PP6
WL1320	PPS-POWER BOILER PULP 1	28/feb/2026 2:19	261113119	Weekly Preventive Maintenance for Air condition	NPP1A, NPP5	PP6
WL1320	PPS-POWER BOILER PULP 1	28/feb/2026 2:19	261113120	Weekly Routine inspection for MCC #A212	NPP1A, NPP5	PP6
WL1320	PPS-POWER GENERATION PULP 1	28/feb/2026 2:20	261113211	2 Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113212	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113213	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113214	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113215	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113216	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113217	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113218	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113219	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113220	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113221	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113222	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113223	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113224	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113225	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113226	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113227	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113228	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113229	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113230	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113231	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113232	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113233	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113234	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113235	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113236	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113237	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113238	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113239	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113240	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113241	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113242	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113243	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113244	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113245	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113246	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113247	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113248	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113249	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113250	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	28/feb/2026 2:20	261113251	Weekly inspection for lighting system #412	NPP1A, NPP5	PP6
WL1320	PPS					

WL1303	PPS-POWER GENERATION PUMP 1	28/Feb/2026 2:20	26.11.1326	Preventive maintenance for 2812128	NPPLA_NPPLS	PPS
MS1003	PPS-POWER BOILER PUMP 1	28/Feb/2026 2:20	26.11.1327	Weekly check for Flue gases analyzer NOX	NPPLA_NPPLS	PPS
MS1003	PPS-POWER BOILER PUMP 1	28/Feb/2026 2:21	26.11.1328	Weekly check for Flue gases analyzer TRS	NPPLA_NPPLS	PPS
MS1003	PPS-POWER BOILER PUMP 1	28/Feb/2026 2:21	26.11.1329	Weekly check for Flue gases analyzer CO	NPPLA_NPPLS	PPS
MS1003	PPS-POWER BOILER PUMP 1	28/Feb/2026 2:21	26.11.1330	Weekly check for Flue gases analyzer O2	NPPLA_NPPLS	PPS
MS1003	PPS-POWER BOILER PUMP 1	28/Feb/2026 2:21	26.11.1331	Weekly check for Flue gases analyzer SO2	NPPLA_NPPLS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	28/Feb/2026 2:21	26.11.1332	Preventive Maintenance for area 402	NPPLA_NPPLS	PPS
MS1003	Economiser Section	28/Feb/2026 2:21	26.11.1333	Weekly check for Flue gases analyzer	NPPLA_NPPLS	PPS
MS1003	Furnace and Flue gas	28/Feb/2026 2:22	26.11.1334	Weekly check for Flue gases analyzer	NPPLA_NPPLS	PPS
MS1003	Smoke Stack	28/Feb/2026 2:22	26.11.1335	Weekly check for Flue gases analyzer	NPPLA_NPPLS	PPS
WL1320	PPS-POWER BOILER PUMP 1	28/Feb/2026 2:22	26.11.1336	Monthly PM for steam drum level light Power boiler	NPPLA_NPPLS	PPS
WL1320	PPS-POWER BOILER PUMP 1	28/Feb/2026 2:22	26.11.1337	Monthly PM for cable tray Power boiler	NPPLA_NPPLS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Feb/2026 2:23	26.11.1338	2 WEEKS - PM FOR FAN BELT CONVEYOR BARK & RICE TO BOILER (E)	NPPLA_NPPLS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	28/Feb/2026 2:23	26.11.1339	MONTHLY - PM FOR CONDENSATE PUMP 1 TIGR1 (PO)	NPPLA_NPPLS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	28/Feb/2026 2:24	26.11.1340	MONTHLY - PM FOR CONDENSATE PUMP 2 TIGR1 (PO)	NPPLA_NPPLS	PPS
WL1320	SOLID FUEL FEED (SLO TO BOILER)	28/Feb/2026 2:25	26.11.1341	WEEKLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 1 (PO)	NPPLA_NPPLS	PPS
WL1320	SOLID FUEL FEED (SLO TO BOILER)	28/Feb/2026 2:26	26.11.1342	WEEKLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 2 (PO)	NPPLA_NPPLS	PPS
MS1004	Ash &Slag Removal Removal	28/Feb/2026 2:26	26.11.1343	2 WEEKS - PM FOR FLY ASH (A)	NPPLA_NPPLS	PPS
MS1004	SOLID FUEL FEED (SLO TO BOILER)	28/Feb/2026 2:26	26.11.1344	2 WEEKS - PM FOR LOAG BURNER (A)	NPPLA_NPPLS	PPS
MS1004	PPS-POWER GENERATION PUMP 1	28/Feb/2026 2:27	26.11.1345	2 WEEKS - PM FOR POWER FACTOR (A)	NPPLA_NPPLS	PPS
MS1004	PPS-POWER GENERATION PUMP 1	28/Feb/2026 2:27	26.11.1346	2 WEEKS - PM FOR SYNCHRONOUS (A)	NPPLA_NPPLS	PPS
MS1004	PPS-POWER GENERATION PUMP 1	28/Feb/2026 2:27	26.11.1347	2 WEEKS - PM FOR TURBINE CONTROL GOVERNOR CABINET TIGR1 (LC001A) (P)	NPPLA_NPPLS	PPS
MS1004	PPS-POWER GENERATION PUMP 1	28/Feb/2026 2:28	26.11.1348	2 WEEKS - PM FOR TURBINE CONTROL GOVERNOR CABINET TIGR1 (LC001A) (P)	NPPLA_NPPLS	PPS
MS1004	PPS-POWER GENERATION PUMP 1	28/Feb/2026 2:30	26.11.1349	2 WEEKS - PM FOR TURBINE CONTROL AUXILIARY CABINET TIGR1 (LC001A) (P)	NPPLA_NPPLS	PPS
MS1004	PPS-POWER GENERATION PUMP 1	28/Feb/2026 2:31	26.11.1350	2 WEEKS - PM FOR TURBINE CONTROL AUXILIARY CABINET TIGR1 (LC001A) (P)	NPPLA_NPPLS	PPS
MS1004	PPS-POWER GENERATION PUMP 1	28/Feb/2026 2:33	26.11.1352	WEEKLY - PM FOR TURBINE CONTROL SERVER CABINET TIGR1 6 (LC0V173000) (A)	NPPLA_NPPLS	PPS
WL1321	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Feb/2026 2:33	26.11.1353	3 MONTHS (DO) - PM FOR BELT CONVEYOR A-9 (M)	NPPLA_NPPLS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Feb/2026 2:34	26.11.1354	MONTHLY - PM FOR BELT CONVEYOR RICE 1A STORAGE (PO)	NPPLA_NPPLS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Feb/2026 2:35	26.11.1355	monthly check Rotation grant 321C-035	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:35	26.11.1357	WEEKLY - INSPECTION FOR BEACAMBER WEEKLY	NPPLA_NPPLS	PPS
WL1318	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:36	26.11.1358	461X280 Recovery Boiler Bed Camera Right Side	NPPLA_NPPLS	PPS
WL1318	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:36	26.11.1359	461X270 Recovery Boiler Bed Camera Left Side	NPPLA_NPPLS	PPS
MS1004	PPS-DEMIN WATER PLANT PUMP 1	28/Feb/2026 2:36	26.11.1360	MONTHLY - PM FOR BATTERY FOR 281BRU02 DCS BOILER PPS (A)	NPPLA_NPPLS	PPS
MS1004	PPS-DEMIN WATER PLANT PUMP 1	28/Feb/2026 2:36	26.11.1361	MONTHLY - PM FOR BATTERY FOR 281BRU02 DCS BOILER PPS (A)	NPPLA_NPPLS	PPS
MS1004	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:36	26.11.1362	MONTHLY - PM FOR BATTERY FOR 461BRU02 DCS BOILER PPS (A)	NPPLA_NPPLS	PPS
MS1004	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:36	26.11.1363	MONTHLY - PM FOR BATTERY FOR 461BRU02 DCS BOILER PPS (A)	NPPLA_NPPLS	PPS
MS1004	PPS-DEMIN WATER PLANT PUMP 1	28/Feb/2026 2:37	26.11.1364	MONTHLY - PM FOR UPS A FOR DCS BOILER PPS (A)	NPPLA_NPPLS	PPS
MS1004	PPS-DEMIN WATER PLANT PUMP 1	28/Feb/2026 2:37	26.11.1365	MONTHLY - PM FOR UPS B FOR DCS BOILER PPS (A)	NPPLA_NPPLS	PPS
MS1004	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:37	26.11.1366	MONTHLY - PM FOR UPS A FOR DCS BOILER PPS (A)	NPPLA_NPPLS	PPS
MS1004	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:37	26.11.1367	MONTHLY - PM FOR UPS B FOR DCS BOILER PPS (A)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:37	26.11.1368	MONTHLY - PM FOR COOLING FAN FOR ID FAN 42 (E)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:38	26.11.1369	MONTHLY - PM FOR RD FAN PRIMARY (E)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:38	26.11.1370	MONTHLY - PM FOR RD FAN SECONDARY (E)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:38	26.11.1371	MONTHLY - PM FOR RD FAN # 1 (E)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:38	26.11.1372	MONTHLY - PM FOR RD FAN # 2 (E)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:38	26.11.1373	MONTHLY - PM FOR RD FAN # 3 (E)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:38	26.11.1374	MONTHLY - PM FOR RD FAN TERTIARY (E)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:38	26.11.1375	MONTHLY - PM FOR SCRUBBER FAN (PO)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:39	26.11.1376	MONTHLY - PM REFILL LUBRICANT FOR AGITATOR - DISSOLVING TANK (PO)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:39	26.11.1377	MONTHLY - PM REFILL LUBRICANT FOR AGITATOR - DISSOLVING TANK (PO)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:39	26.11.1378	2 WEEKS - INSPECTION GEAR BOX ESP	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:39	26.11.1379	4612741 COLLECTING RAPPER A, PRECIPITATOR # 1	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:39	26.11.1380	4612741 EMITTING RAPPER A, PRECIPITATOR # 1	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:40	26.11.1381	4612743 COLLECTING RAPPER B, PRECIPITATOR # 1	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:40	26.11.1382	4612744 EMITTING RAPPER B, PRECIPITATOR # 1	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:40	26.11.1383	4612744 COLLECTING RAPPER C, PRECIPITATOR # 3	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:40	26.11.1384	4612746 EMITTING RAPPER C, PRECIPITATOR # 3	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:40	26.11.1385	4612747 GAS SCREENER RAPPER, PRECIPITATOR # 3	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:40	26.11.1386	2 WEEKS - INSPECTION REDUCING MASTER	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:41	26.11.1387	4612937 3 RODDINGMASTER, AIR REGISTER #14	NPPLA_NPPLS	PPS
WL1320	PPS-ASH LEACHING PUMP 1	28/Feb/2026 2:41	26.11.1388	WEEKLY - INSPECTION DECANTER CENTRIFUGE	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:41	26.11.1389	2 WEEKS - PM VISUAL CHECK AND BASIC POM FOR AGITATOR - DISSOLVING TANK (PO)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:42	26.11.1390	2 WEEKS - PM VISUAL CHECK AND BASIC POM FOR AGITATOR - DISSOLVING TANK (PO)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:43	26.11.1391	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR ASH COLLECTING CONVEYOR (PO)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:43	26.11.1392	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR DRAG SCRAPER, ESP # 1 (PO)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:44	26.11.1393	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR DRAG SCRAPER, ESP # 2 (PO)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:44	26.11.1394	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR COLLECTING CONVEYOR, ESP # 1 (PO)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:45	26.11.1395	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR COLLECTING CONVEYOR, ESP # 2 (PO)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:45	26.11.1396	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 1 (NPPLA_NPPLS)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:46	26.11.1397	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 2 (NPPLA_NPPLS)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:46	26.11.1398	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 1 (NPPLA_NPPLS)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:47	26.11.1399	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 2 (NPPLA_NPPLS)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:47	26.11.1400	MONTHLY - ROUTES PM FOR INSPECTION BASIC EXPANSION JUNIT (PO)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:48	26.11.1401	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN PRIMARY (PO)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:49	26.11.1402	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN SECONDARY (PO)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:50	26.11.1403	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN TERTIARY (PO)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:51	26.11.1404	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN TERTIARY (PO)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:52	26.11.1405	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN # 1 (PO)	NPPLA_NPPLS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	28/Feb/2026 2:53	26.11.1406	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN # 2 (PO)	NPPLA_NPPLS	PPS
WL1320	PPS-COOLING TOWER PUMP 1	28/Feb/2026 2:54	26.11.1407	3 MONTHS - PM ROUTE RE GREASE MOTOR AREA 274_PPS (PO)	NPPLA_NPPLS	PPS
WL1320	PPS-DEMIN WATER PLANT PUMP 1	28/Feb/2026 2:55	26.11.1408	3 MONTHS - PM ROUTE RE GREASE MOTOR AREA 281_PPS (PO)	NPPLA_NPPLS	PPS
WL1320	PPS-EVAPORATION PUMP 1	28/Feb/2026 2:55	26.11.1409	3 MONTHS - PM ROUTE RE GREASE MOTOR AREA 461 GROUP 1_PPS (PO)	NPPLA_NPPLS	PPS
WL1320	PPS-EVAPORATION PUMP 1	28/Feb/2026 2:55	26.11.1410	3 MONTHS - PM ROUTE RE GREASE MOTOR AREA 461 GROUP 2_PPS (PO)	NPPLA_NPPLS	PPS
WL1320	PPS-EVAPORATION PUMP 1	28/Feb/2026 2:56	26.11.1411	3 MONTHS - PM ROUTE RE GREASE MOTOR AREA 461 GROUP 3_PPS (PO)	NPPLA_NPPLS	PPS
WL1320	PPS-EVAPORATION PUMP 1	28/Feb/2026 2:56	26.11.1412	3 MONTHS - PM ROUTE RE GREASE MOTOR AREA 461 GROUP 4_PPS (PO)	NPPLA_NPPLS	PPS

W1320	PPS-COOLING TOWER PUMP 1	01/Mar/2026 0:00	26.112584	MONTHLY - PM FOR WATER TREATMENT TRANSFORMER TH21 (E)	NPPSA_NPPS	PPS
M50024	PPS-RECOVERY BOILER PUMP 1	01/Mar/2026 2:00	26.114526	Monthly vibration check 275	NPPSA_NPPS	PPS
M50024	PPS-RECOVERY BOILER PUMP 1	01/Mar/2026 2:00	26.114527	Monthly oil sampling 461	NPPSA_NPPS	PPS
W13218	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:00	26.112681	291UNL BATTERY CHARGER	NPPSA_NPPS	PPS
W13218	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:00	26.112684	291UNL BATTERY CHARGER NO 1 TURBO SET	NPPSA_NPPS	PPS
W13218	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:01	26.112687	291UNL BATTERY CHARGER NO 2 TURBOSET	NPPSA_NPPS	PPS
W13215	SOLID FUEL FEED (SLD TO BOILER)	07/Mar/2026 2:02	26.112691	MONTHLY - PM FOR LOAD BURNER 1, FRONT WALL(E)	NPPSA_NPPS	PPS
W13215	SOLID FUEL FEED (SLD TO BOILER)	07/Mar/2026 2:02	26.112694	MONTHLY - PM FOR LOAD BURNER 2, FRONT WALL(E)	NPPSA_NPPS	PPS
W13215	SOLID FUEL FEED (SLD TO BOILER)	07/Mar/2026 2:02	26.112696	MONTHLY - PM FOR LOAD BURNER 3, FRONT WALL(E)	NPPSA_NPPS	PPS
W13215	SOLID FUEL FEED (SLD TO BOILER)	07/Mar/2026 2:02	26.112699	MONTHLY - PM FOR LOAD BURNER 4, FRONT WALL(E)	NPPSA_NPPS	PPS
W13215	SOLID FUEL FEED (SLD TO BOILER)	07/Mar/2026 2:03	26.112700	MONTHLY - PM FOR START UP BURNER 1, LEFT WALL (E)	NPPSA_NPPS	PPS
W13215	SOLID FUEL FEED (SLD TO BOILER)	07/Mar/2026 2:03	26.112701	MONTHLY - PM FOR START UP BURNER 2, RIGHT WALL (E)	NPPSA_NPPS	PPS
W13215	Electrostatic precipitator	07/Mar/2026 2:03	26.112702	MONTHLY - PM FOR ELECTROSTATIC PRECIPITATOR (E)	NPPSA_NPPS	PPS
W13230	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:03	26.112703	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL ER210(E)	NPPSA_NPPS	PPS
W13230	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:04	26.112704	MONTHLY - PM FOR GENERATOR TG 6 (E)	NPPSA_NPPS	PPS
W13215	SOLID FUEL FEED (SLD TO BOILER)	07/Mar/2026 2:04	26.112705	MONTHLY - PM FOR FUEL DRAG CONVEYOR 1.2, LEFT WALL (E)	NPPSA_NPPS	PPS
W13215	SOLID FUEL FEED (SLD TO BOILER)	07/Mar/2026 2:05	26.112706	MONTHLY - PM FOR FUEL DRAG CONVEYOR 2.2, RIGHT WALL (E)	NPPSA_NPPS	PPS
W13230	Ash &slag Removal	07/Mar/2026 2:06	26.112707	MONTHLY - PM FOR COARSE MATERIAL RECLAIMER SCREW #2 (E)	NPPSA_NPPS	PPS
W13230	Ash &slag Removal	07/Mar/2026 2:06	26.112708	MONTHLY - PM FOR FINE ASH DISCHARGING SCREW (E)	NPPSA_NPPS	PPS
W13230	Ash &slag Removal	07/Mar/2026 2:07	26.112709	MONTHLY - PM FOR ASH SCREW CONVEYOR, LEFT WALL (E)	NPPSA_NPPS	PPS
W13230	Ash &slag Removal	07/Mar/2026 2:08	26.112710	MONTHLY - PM FOR ASH SCREW CONVEYOR, RIGHT WALL (E)	NPPSA_NPPS	PPS
W13230	Ash &slag Removal	07/Mar/2026 2:09	26.112711	MONTHLY - PM FOR FINE ASH MAIN DRAG CONVEYOR (E)	NPPSA_NPPS	PPS
W13230	Ash &slag Removal	07/Mar/2026 2:10	26.112712	MONTHLY - PM FOR ASH BUCKET ELEVATOR (E)	NPPSA_NPPS	PPS
W13215	SOLID FUEL FEED (SLD TO BOILER)	07/Mar/2026 2:10	26.112713	MONTHLY - PM FOR SHREDDER ROLL (E)	NPPSA_NPPS	PPS
W13215	SOLID FUEL FEED (SLD TO BOILER)	07/Mar/2026 2:11	26.112714	MONTHLY - PM FOR SHREDDER ROLL (E)	NPPSA_NPPS	PPS
W13230	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:12	26.112715	MONTHLY - PM FOR D.C. EMERGENCY OIL PUMP TGR1 (E)	NPPSA_NPPS	PPS
W13230	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:12	26.112716	MONTHLY - PM FOR D.C. EMERGENCY OIL PUMP TGR2 (E)	NPPSA_NPPS	PPS
W13230	SUPPLY OF BIO MASS SYSTEM TO SLD	07/Mar/2026 2:13	26.112717	MONTHLY - PM FOR MOTOR SCREW AS 4.0 OIL PUMP (E)	NPPSA_NPPS	PPS
W13230	SUPPLY OF BIO MASS SYSTEM TO SLD	07/Mar/2026 2:14	26.112718	MONTHLY - PM FOR GEAR OIL PUMP (E)	NPPSA_NPPS	PPS
W13215	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:15	26.112719	MONTHLY - PM FOR AUXILIARY OIL PUMP TGR1 (E)	NPPSA_NPPS	PPS
W13215	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:16	26.112720	MONTHLY - PM FOR JACKING OIL PUMP TGR2 (E)	NPPSA_NPPS	PPS
W13215	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:17	26.112721	MONTHLY - PM FOR AUXILIARY OIL PUMP TGR2 (E)	NPPSA_NPPS	PPS
W13215	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:17	26.112722	MONTHLY - PM FOR JACKING OIL PUMP TGR2 (E)	NPPSA_NPPS	PPS
W13215	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:18	26.112723	MONTHLY - PM FOR DC SWITCHGEAR 110V NO 1 TURBOSET (E)	NPPSA_NPPS	PPS
W13215	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:18	26.112724	MONTHLY - PM FOR DC SWITCHGEAR 110V NO 2 TURBOSET (E)	NPPSA_NPPS	PPS
W13215	Electrostatic precipitator	07/Mar/2026 2:19	26.112725	MONTHLY - PM FOR ESP TRANSFORMER 1 (E)	NPPSA_NPPS	PPS
W13215	Electrostatic precipitator	07/Mar/2026 2:19	26.112726	MONTHLY - PM FOR ESP TRANSFORMER 2 (E)	NPPSA_NPPS	PPS
W13215	Electrostatic precipitator	07/Mar/2026 2:19	26.112727	MONTHLY - PM FOR ESP TRANSFORMER 3 (E)	NPPSA_NPPS	PPS
W13230	LOW VOLTAGE MAIN DISTRIBUTION BOARD &	07/Mar/2026 2:20	26.112728	MONTHLY - PM FOR POWER BOILER TRANSFORMER TH22 (E)	NPPSA_NPPS	PPS
W13230	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:20	26.112729	MONTHLY - PM FOR TURBO GEN 42 TRANSFORMER T22 (E)	NPPSA_NPPS	PPS
W13230	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:20	26.112730	MONTHLY - PM FOR UTILITY TRANSFORMER TH211 (E)	NPPSA_NPPS	PPS
W13230	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:21	26.112731	MONTHLY - PM FOR SECURED POWER TRANSFORMER TL201 (E)	NPPSA_NPPS	PPS
W13230	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:21	26.112732	MONTHLY - PM FOR LIGHTING LV POWER TRANSFORMER TL209 (E)	NPPSA_NPPS	PPS
W13230	PPS-FUEL STORAGE AND HANDLING FOR PUMP	07/Mar/2026 2:22	26.112733	MONTHLY - PM FOR DISTRIBUTION TRANSFORMER TL403 (E)	NPPSA_NPPS	PPS
W13230	PPS-FUEL STORAGE AND HANDLING FOR PUMP	07/Mar/2026 2:22	26.112734	MONTHLY - PM FOR FUEL HANDLING TRANSFORMER TL12 (E)	NPPSA_NPPS	PPS
W13230	PPS-FUEL STORAGE AND HANDLING FOR PUMP	07/Mar/2026 2:22	26.112735	MONTHLY - PM FOR FUEL HANDLING TRANSFORMER TL32 (E)	NPPSA_NPPS	PPS
W13230	PPS-PACKAGE BOILER PUMP 1	07/Mar/2026 2:23	26.112736	MONTHLY - PM FOR PACKAGE BOILER TRANSFORMER TH212 (E)	NPPSA_NPPS	PPS
W13230	PPS-PACKAGE BOILER PUMP 1	07/Mar/2026 2:23	26.112737	MONTHLY - PM FOR PACKAGE BOILER TRANSFORMER TL402 (E)	NPPSA_NPPS	PPS
W13230	PPS-POWER DISTRIBUTION PUMP 1	07/Mar/2026 2:23	26.112738	MONTHLY - PM FOR EGAT INCOMER TRANSFORMER TC1 (E)	NPPSA_NPPS	PPS
W13230	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:24	26.112739	MONTHLY - PM FOR EARTHING TRANSFORMER (E)	NPPSA_NPPS	PPS
W13230	PPS-FUEL STORAGE AND HANDLING FOR PUMP	07/Mar/2026 2:24	26.112740	MONTHLY - PM FOR FUEL HANDLING TRANSFORMER TL302A (E)	NPPSA_NPPS	PPS
W13215	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:24	26.112741	MONTHLY - PM FOR UPS POWER MCC UPS01 (E)	NPPSA_NPPS	PPS
W13215	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:24	26.112742	MONTHLY - PM FOR UPS POWER MCC UPS02 (E)	NPPSA_NPPS	PPS
W13215	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:24	26.112743	MONTHLY - PM FOR UPS POWER MCC UPS03 (E)	NPPSA_NPPS	PPS
W13230	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:24	26.112744	MONTHLY - PM FOR BATTERY CHARGER NO 1 TURBO SET (E)	NPPSA_NPPS	PPS
W13230	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:25	26.112745	MONTHLY - PM FOR BATTERY CHARGER NO 2 TURBOSET (E)	NPPSA_NPPS	PPS
W13230	PPS-FUEL STORAGE AND HANDLING FOR PUMP	07/Mar/2026 2:25	26.112746	MONTHLY - PM FOR FUEL PUMPFILTER (M)	NPPSA_NPPS	PPS
W13230	PPS-FUEL STORAGE AND HANDLING FOR PUMP	07/Mar/2026 2:25	26.112747	MONTHLY - PM FOR OIL PUMP FILTER (M)	NPPSA_NPPS	PPS
W13215	SOLID FUEL FEED (SLD TO BOILER)	07/Mar/2026 2:25	26.112748	MONTHLY - PM FOR LOAD PUMP FILTER (M)	NPPSA_NPPS	PPS
W13215	SOLID FUEL FEED (SLD TO BOILER)	07/Mar/2026 2:26	26.112749	MONTHLY - PM FOR FUEL DISCHARGER (1 STOKER RECLAIMER) (M)	NPPSA_NPPS	PPS
W13215	SOLID FUEL FEED (SLD TO BOILER)	07/Mar/2026 2:26	26.112750	MONTHLY - PM FOR BAK DISCHARGER 2 (STOKER RECLAIMER) (M)	NPPSA_NPPS	PPS
W13215	PPS-POWER GENERATION AND HANDLING FOR PUMP	07/Mar/2026 2:26	26.112751	MONTHLY - PM FOR OIL PUMPS (M)	NPPSA_NPPS	PPS
W13230	SUPPLY OF BIO MASS SYSTEM TO SLD	07/Mar/2026 2:27	26.112752	MONTHLY - PM FOR COLLECTION PUMP (M)	NPPSA_NPPS	PPS
W13230	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:27	26.112753	MONTHLY - PM FOR OIL PURIFIER PUMP TGR4 (M)	NPPSA_NPPS	PPS
W13230	PPS-FUEL STORAGE AND HANDLING FOR PUMP	07/Mar/2026 2:28	26.112754	MONTHLY - PM FOR HANDLING FOR PUMP 1 (M)	NPPSA_NPPS	PPS
W13230	SOLID FUEL FEED (SLD TO BOILER)	07/Mar/2026 2:28	26.112755	MONTHLY - PM FOR FUEL DRAG CONVEYOR 1.1, LEFT WALL (PO)	NPPSA_NPPS	PPS
W13230	SOLID FUEL FEED (SLD TO BOILER)	07/Mar/2026 2:30	26.112756	MONTHLY - PM FOR FUEL DRAG CONVEYOR 2.2, RIGHT WALL (PO)	NPPSA_NPPS	PPS
W13230	Ash &slag Removal	07/Mar/2026 2:31	26.112757	MONTHLY - PM FOR COARSE MATERIAL DRAG CONVEYOR (PO)	NPPSA_NPPS	PPS
W13230	SUPPLY OF BIO MASS SYSTEM TO SLD	07/Mar/2026 2:32	26.112758	MONTHLY - PM FOR BELT ELEVATOR H=22 M (PO)	NPPSA_NPPS	PPS
W13230	PPS-POWER BOILER PUMP 1	07/Mar/2026 2:34	26.112759	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOILER_PPS (ROUTE 1) (PO)	NPPSA_NPPS	PPS
W13230	PPS-POWER BOILER PUMP 1	07/Mar/2026 2:34	26.112760	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOILER_PPS (ROUTE 2) (PO)	NPPSA_NPPS	PPS
W13230	PPS-POWER BOILER PUMP 1	07/Mar/2026 2:34	26.112761	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOILER_PPS (ROUTE 3) (PO)	NPPSA_NPPS	PPS
W13230	PPS-POWER BOILER PUMP 1	07/Mar/2026 2:35	26.112762	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOILER_PPS (ROUTE 4) (PO)	NPPSA_NPPS	PPS
W13230	PPS-POWER BOILER PUMP 1	07/Mar/2026 2:35	26.112763	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOILER_PPS (ROUTE 5) (PO)	NPPSA_NPPS	PPS
W13230	PPS-POWER BOILER PUMP 1	07/Mar/2026 2:35	26.112764	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOILER_PPS (ROUTE 2.2) (PO)	NPPSA_NPPS	PPS
W13230	Sand handling	07/Mar/2026 2:36	26.112765	MONTHLY - PM FOR SAND ELEVATOR (PO)	NPPSA_NPPS	PPS
W13230	PPS-POWER BOILER PUMP 1	07/Mar/2026 2:36	26.112766	MONTHLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOILER_PPS (ROUTE 2.2) (PO)	NPPSA_NPPS	PPS
W13230	PPS-POWER BOILER PUMP 1	07/Mar/2026 2:36	26.112767	MONTHLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOILER_PPS (ROUTE 4.2) (PO)	NPPSA_NPPS	PPS
W13230	Ash &slag Removal	07/Mar/2026 2:37	26.112768	MONTHLY - PM FOR ASH BUCKET ELEVATOR (PO)	NPPSA_NPPS	PPS
W13230	SUPPLY OF BIO MASS SYSTEM TO SLD	07/Mar/2026 2:37	26.112769	2 WEEKS - PM FOR TURBINE CONTROL Monitor Operator station TC1 TGR-6 (A)	NPPSA_NPPS	PPS
W13230	SUPPLY OF BIO MASS SYSTEM TO SLD	07/Mar/2026 2:37	26.112770	WEEKLY - PM FOR BELT ELEVATOR H=22 M (PO)	NPPSA_NPPS	PPS
W13230	PPS-POWER BOILER PUMP 1	07/Mar/2026 2:37	26.112771	Weekly Preventive maintenance for air condition	NPPSA_NPPS	PPS
W13230	PPS-POWER BOILER PUMP 1	07/Mar/2026 2:37	26.112772	Monthly inspection for lighting system area 402	NPPSA_NPPS	PPS
W13230	PPS-POWER BOILER PUMP 1	07/Mar/2026 2:37	26.112773	Weekly inspection for FR CK, RM Room (ER210)	NPPSA_NPPS	PPS
W13230	PPS-POWER BOILER PUMP 1	07/Mar/2026 2:38	26.112774	Monthly check valve Drup. Bleeding 291TV-1063	NPPSA_NPPS	PPS
W13230	Boiler Feed Water	07/Mar/2026 2:38	26.112775	Monthly calibrate gas Meter 4620-210 (E)	NPPSA_NPPS	PPS

W13230	PRESSURE DRAIN SYSTEM	07/Mar/2026 2:38	26.112776	Monthly check Auma value 462Nv-250 (E)	NPPSA_NPPS	PPS
W13230	Boiler Feed Water	07/Mar/2026 2:38	26.112777	Monthly check Auma value 462Nv-247 (E)	NPPSA_NPPS	PPS
W13230	Boiler Feed Water	07/Mar/2026 2:38	26.112778	Monthly check Auma value 462Nv-201 (E)	NPPSA_NPPS	PPS
W13230	STEAM SYSTEM	07/Mar/2026 2:38	26.112779	Monthly check Auma value 462Nv-240 (E)	NPPSA_NPPS	PPS
W13230	STEAM SYSTEM	07/Mar/2026 2:38	26.112780	Monthly check Auma value 462Nv-241 (E)	NPPSA_NPPS	PPS
W13230	SootBlowers	07/Mar/2026 2:39	26.112781	Monthly check Auma value 462Nv-254 (E)	NPPSA_NPPS	PPS
W13230	PPS-POWER BOILER PUMP 1	07/Mar/2026 2:39	26.112782	Monthly check Auma value 462Nv-239 (E)	NPPSA_NPPS	PPS
W13230	PPS SUPERHEATER SYSTEMS	07/Mar/2026 2:39	26.112783	Monthly check Auma value 462Nv-204 (E)	NPPSA_NPPS	PPS
W13230	SootBlowers	07/Mar/2026 2:39	26.112784	Monthly check Auma value 462Nv-223 (E)	NPPSA_NPPS	PPS
W13230	PPS-POWER BOILER PUMP 1	07/Mar/2026 2:39	26.112785	PM Monthly Inspection For 462E0618	NPPSA_NPPS	PPS
W13230	PPS-POWER BOILER PUMP 1	07/Mar/2026 2:40	26.112786	PM Monthly Inspection For 462E0618	NPPSA_NPPS	PPS
W13230	SUPPLY OF BIO MASS SYSTEM TO SLD	07/Mar/2026 2:40	26.112787	MONTHLY - PM FOR VSD START MOTOR SCREW RECLAIMER (E)	NPPSA_NPPS	PPS
W13230	SUPPLY OF BIO MASS SYSTEM TO SLD	07/Mar/2026 2:40	26.112788	MONTHLY - PM FOR VSD START DRIVE CHIP SCREW RECLAIMER (E)	NPPSA_NPPS	PPS
W13230	Furnace and Flue gas	07/Mar/2026 2:40	26.112789	MONTHLY - PM FOR VSD START INDUCED DRAFT FAN (E)	NPPSA_NPPS	PPS
W13230	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:40	26.112790	MONTHLY - PM FOR CONDENSATE PUMP 1 TGR5 (PO)	NPPSA_NPPS	PPS
W13230	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:41	26.112791	MONTHLY - PM FOR CONDENSATE PUMP 2 TGR6 (PO)	NPPSA_NPPS	PPS
W13230	SOLID FUEL FEED (SLD TO BOILER)	07/Mar/2026 2:42	26.112793	MONTHLY - PM FOR HYDRAULIC UNIT FOR FUEL SLD 1 (PO)	NPPSA_NPPS	PPS
W13230	SOLID FUEL FEED (SLD TO BOILER)	07/Mar/2026 2:44	26.112796	MONTHLY - PM FOR HYDRAULIC UNIT FOR FUEL SLD 2 (PO)	NPPSA_NPPS	PPS
W13230	SOLID FUEL FEED (SLD TO BOILER)	07/Mar/2026 2:45	26.112803	WEEKLY - PM FOR HYDRAULIC UNIT FOR FUEL SLD 1 (PO)	NPPSA_NPPS	PPS
W13230	SOLID FUEL FEED (SLD TO BOILER)	07/Mar/2026 2:46	26.112804	WEEKLY - PM FOR HYDRAULIC UNIT FOR FUEL SLD 2 (PO)	NPPSA_NPPS	PPS
W13230	SUPPLY OF BIO MASS SYSTEM TO SLD	07/Mar/2026 2:46	26.112805	MONTHLY - PM FOR HYDRAULIC PUMP TRUCK TRAILER 5 (PO)	NPPSA_NPPS	PPS
W13230	SUPPLY OF BIO MASS SYSTEM TO SLD	07/Mar/2026 2:47	26.112809	MONTHLY - PM FOR DRIVE CHIP SCREW RECLAIMER (PO)	NPPSA_NPPS	PPS
W13230	SUPPLY OF BIO MASS SYSTEM TO SLD	07/Mar/2026 2:48	26.112812	MONTHLY - PM FOR MOTOR SCREW RECLAIMER (PO)	NPPSA_NPPS	PPS
W13230	PPS-POWER DISTRIBUTION PUMP 1	07/Mar/2026 2:49	26.112820	MONTHLY - PM ROUTE CHECKING MACHINE (E)	NPPSA_NPPS	PPS
M5004	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:50	26.112824	WEEKLY - PM FOR TURBINE CONTROL SERVER CABINET TGR5 6 (ICRHD 13000) (A)	NPPSA_NPPS	PPS
M5004	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:50	26.112828	2 WEEKS - PM FOR TURBINE CONTROL Monitor Engineering Workstation S05 TGR5 6 (A)	NPPSA_NPPS	PPS
M5004	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:50	26.112830	2 WEEKS - PM FOR TURBINE CONTROL Monitor Operator station TC1 TGR-6 (A)	NPPSA_NPPS	PPS
W13215	LOW VOLTAGE MAIN DISTRIBUTION BOARD & BUSBAR	07/Mar/2026 2:50	26.112833	MONTHLY - PM FOR INCOMING 690VAC. FOR POWER BOILER PLANT 58 (E)	NPPSA_NPPS	PPS
W13215	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:51	26.112834	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 1 TURBO SET (E)	NPPSA_NPPS	PPS
W13215	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:51	26.112835	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 2 TURBOSET (E)	NPPSA_NPPS	PPS
W13215	PPS-POWER GENERATION PUMP 1	07/Mar/2026 2:51	26.112838	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 1 TURBO SET (E)	NPPSA_NPPS	PPS
W13215	PPS-POWER DISTRIBUTION PUMP 1	07/Mar/2026 2:52	26.112840	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 2 TURBOSET (E)	NPPSA_NPPS	PPS
W13215	PPS-POWER DISTRIBUTION PUMP 1	07/Mar/2026 2:52	26.112842	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 2 TURBOSET (E)	NPPSA_NPPS	PPS
W13215	SUPPLY OF BIO MASS SYSTEM TO SLD	07/Mar/2026 2:53	26.112844	MONTHLY - PM FOR INCOMING 690VAC. FOR FUEL HANDLING PLANT 58 (E)	NPPSA_NPPS	PPS
W13215	SUPPLY OF BIO MASS SYSTEM TO SLD	07/Mar/2026 2:53	26.112845	MONTHLY - PM FOR SFT START BELL CONVEYOR BC (E)	NPPSA_NPPS	PPS
W13215	SUPPLY OF BIO MASS SYSTEM TO SLD	07/Mar/2026 2:53	26.112846	MONTHLY - PM FOR SFT START BELL CONVEYOR BC (E)	NPPSA_NPPS	PPS
W13215	SUPPLY OF BIO MASS SYSTEM TO SLD	07/Mar/2026 2:53	26.112847	MONTHLY - PM FOR SFT START BELL CONVEYOR BC (E)	NPPSA_NPPS	PPS
W13215	SUPPLY OF BIO MASS SYSTEM TO SLD	07/Mar/2026 2:53	26.112848	MONTHLY - PM FOR SFT START BELL CONVEYOR BC (E)	NPPSA_NPPS	PPS
W13215	SOLID FUEL FEED (SLD TO BOILER)	07/Mar/2026 2:54	26.112849	MONTHLY - PM FOR FUEL DRAG CONVEYOR 1, LEFT WALL (PO)	NPPSA_NPPS	PPS
W13230	SOLID FUEL FEED (SLD TO BOILER)	07/Mar/2026 2:55	26.112850	MONTHLY - PM FOR FUEL DRAG CONVEYOR 2, RIGHT WALL (PO)	NPPSA_NPPS	PPS
W13230	PPS-RECOVERY BOILER PUMP 1	07/Mar/2026 2:57	26.112853	WEEKLY - INSPECTION FOR RECLAIMER WHEEL	NPPSA_NPPS	PPS
W13230	PPS-RECOVERY BOILER PUMP 1	07/Mar/2026 2:57	26.112854	MONTHLY - PM FOR RECLAIMER Red Camera	NPPSA_NPPS	PPS
W13230	PPS-RECOVERY BOILER PUMP 1	07/Mar/2026 2:57	26.112855	46X2020 Recovery Boiler Red Camera Lens Side	NPPSA_NPPS	PPS
W13230	PPS-COOLING TOWER PUMP 1	07/Mar/2026 2:57	26.112856	MONTHLY - PM FOR CONDUCTIVITY COOLING WATER CONDUCTIVITY TRANSMITTER (A)	NPPSA_NPPS	PPS
W13230	PPS-COOLING TOWER PUMP 1	07/Mar/2026 2:57	26.112857	MONTHLY - PM FOR CONDUCTIVITY COOLING WATER CONDUCTIVITY TRANSMITTER (A)	NPPSA_NPPS	PPS
W13230	PPS-EVAPORATION PUMP 1	07/Mar/2026 2:58	26.112858	MONTHLY - PM FOR CONDUCTIVITY PR COND CONDUCTIVITY ANALYZER (A)	NPPSA_NPPS	PPS
W13230	PPS-EVAPORATION PUMP 1	07/Mar/2026 2:58	26.112859	MONTHLY - PM FOR CONDUCTIVITY PR COND CONDUCTIVITY TRANSMITTER (A)	NPPSA_NPPS	PPS
W13230	PPS-EVAPORATION PUMP 1	07/Mar/2026 2:58	26.112860	MONTHLY - PM FOR CONDUCTIVITY PR COND CONDUCTIVITY TRANSMITTER (A)	NPPSA_NPPS	PPS
W13230	PPS-EVAPORATION PUMP 1	07/Mar/2026 2:59	26.112862	MONTHLY - PM FOR CONDUCTIVITY SUMP CONDUCTIVITY TRANSMITTER (A)	NPPSA_NPPS	PPS
W13230	PPS-EVAPORATION PUMP 1	07/Mar/2026 2:59	26.112863	MONTHLY - PM FOR CONDUCTIVITY SUMP CONDUCTIVITY TRANSMITTER (A)	NPPSA_NPPS	PPS
W13230	PPS-EVAPORATION PUMP 1	07/Mar/2026 2:59	26.112864	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER FROM FIBER LINE (A)	NPPSA_NPPS	PPS
W13230	PPS-RECOVERY BOILER PUMP 1	07/Mar/2026 2:59	26.112865	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER FROM EVAP PLANT (A)	NPPSA_NPPS	PPS
W13230	PPS-RECOVERY BOILER PUMP 1	07/Mar/2026 3:00	26.112866	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER FROM EVAP PLANT (A)	NPPSA_NPPS	PPS
W13230	PPS-RECOVERY BOILER PUMP 1	07/Mar/2026 3:00	26.112867	MONTHLY - PM FOR CONDUCTIVITY SUMP PH COND CONDUCTIVITY TRANSMITTER (A)	NPPSA_NPPS	PPS
W13230	PPS-RECOVERY BOILER PUMP 1	07/Mar/2026 3:01	26.112868	MONTHLY - PM FOR RECOVERY BOILER WATER CONDUCTIVITY TRANSMITTER (A)	NPPSA_NPPS	PPS
W13230	PPS-RECOVERY BOILER PUMP 1	07/Mar/2026 3:01	26.112869	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER FROM TANK (A)	NPPSA_NPPS	PPS
W13230	PPS-RECOVERY BOILER PUMP 1	07/Mar/2026 3:01	26.112870	MONTHLY - PM FOR COOLING WATER COND CONDUCTIVITY ANALYZER (A)	NPPSA_NPPS	PPS
W13230	PPS-RECOVERY BOILER PUMP 1	07/Mar/2026 3:02	26.112871	PM Monthly - PM FOR SCRUBBER LIQUID COND	NPPSA_NPPS	PPS
W13230	PPS-RECOVERY BOILER PUMP 1	07/Mar/2026 3:02	26.112872	MONTHLY - PM FOR SCRUBBER LIQUID COND CONDUCTIVITY ANALYZER (A)	NPPSA_NPPS	PPS
W13230	PPS-RECOVERY BOILER PUMP 1	07/Mar/2026 3:02	26.112873	MONTHLY - PM FOR COOLING COOLING SUMP 2 (A)	NPPSA_NPPS	PPS
W13230	PPS-RECOVERY BOILER PUMP 1	07/Mar/2026 3:03	26.112874	MONTHLY - PM FOR COOLING COOLING SUMP 2 (A)	NPPSA_NPPS	PPS
W13230	PPS-RECOVERY BOILER PUMP 1	07/Mar/2026 3:03	26.112875	MONTHLY - PM FOR COOLING WASTE WATER COND CONDUCTIVITY ANALYZER (A)	NPPSA_NPPS	PPS
W13230	PPS-DEMM WATER PLANT PUMP 1	07/Mar/2026 3:03	26.112876	MONTHLY - PM FOR COOLING MILL WATER TO CATION TANK (A)	NPPSA_NPPS	PPS
W13230	PPS-DEMM WATER PLANT PUMP 1	07/Mar/2026 3:04	26.112877	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER IN CONDUCTIVITY AFTER ANION (A)	NPPSA_NPPS	PPS
W13230	PPS-DEMM WATER PLANT PUMP 1	07/Mar/2026 3:04	26.112878	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER IN CONDUCTIVITY AFTER ANION (A)	NPPSA_NPPS	PPS
W13230	PPS-DEMM WATER PLANT PUMP 1	07/Mar/2026 3:04	26.112879	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER IN CONDUCTIVITY AFTER ANION (A)	NPPSA_NPPS	PPS
W13230	PPS-DEMM WATER PLANT PUMP 1	07/Mar/2026 3:05	26.112880	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER IN CONDUCTIVITY AFTER ANION (A)	NPPSA_NPPS	PPS
W13230	PPS-DEMM WATER PLANT PUMP 1	07/Mar/2026 3:05	26.112881	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER IN CONDUCTIVITY OFF ANION (A)	NPPSA_NPPS	PPS
W13230	PPS-DEMM WATER PLANT PUMP 1	07/Mar/2026 3:05	26.112882	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER IN CONDUCTIVITY OFF ANION (A)	NPPSA_NPPS	PPS
W13230	PPS-DEMM WATER PLANT PUMP 1	07/Mar/2026 3:05	26.112883	MONTHLY - PM FOR ALARMS CONTROL	NPPSA_NPPS	PPS
W13230	PPS-ASH LEACHING PUMP 1	07/Mar/2026 3:06	26.112884	MONTHLY - PM FOR FINE AIR CULATION PANEL LASH LEACHING (E)	NPPSA_NPPS	PPS
W13230	PPS-ASH LEACHING PUMP 1	07/Mar/2026 3:06	26.112885	MONTHLY - PM FOR FINE AIR CULATION PUMP AIR COMP. (E)	NPPSA_NPPS	PPS
W13230	PPS-ASH LEACHING PUMP 1	07/Mar/2026 3:06	26.112886	MONTHLY - PM FOR COOLING WATER PUMP NO 1 (E)	NPPSA_NPPS	PPS
W13230	PPS-COOLING TOWER PUMP 1	07/Mar/2026 3:06	26.112887	MONTHLY - PM FOR COOLING WATER PUMP NO 2 (E)	NPPSA_NPPS	PPS
W13230	PPS-COOLING TOWER PUMP 1	07/Mar/2026 3:06	26.112888	MONTHLY - PM FOR COOLING WATER PUMP NO 1 (E)	NPPSA_NPPS	PPS
W13230	PPS-COOLING TOWER PUMP 1	07/Mar/2026 3:07	26.112889	MONTHLY - PM FOR COOLING WATER PUMP NO 4 (E)	NPPSA_NPPS	PPS
W13230	PPS-COOLING TOWER PUMP 1	07/Mar/2026 3:07	26.112890	MONTHLY - PM FOR COOLING WATER PUMP NO 5 (E)	NPPSA_NPPS	PPS
W13230	PPS-ASH LEACHING PUMP 1	07/Mar/2026 3:07	26.112891	MONTHLY - PM FOR COOLING WATER PUMP NO 6 (E)	NPPSA_NPPS	PPS
W13230	PPS-ASH LEACHING PUMP 1	07/Mar/2026 3:07	26.112892	MONTHLY - PM FOR RECLAIMER MOTOR FOR DECA (E)	NPPSA_NPPS	PPS
W13230	PPS-ASH LEACHING PUMP 1	07/Mar/2026 3:07	26.112893	MONTHLY - PM FOR RECLAIMER MOTOR FOR DECA (E)	NPPSA_NPPS	PPS
W13230	PPS-ASH LEACHING PUMP 1	07/Mar/2026 3:07	26.112894	MONTHLY - PM FOR RECLAIMER A, PRECIPITATOR A (E)	NPPSA_NPPS	PPS
W13230	PPS-RECOVERY BOILER PUMP 1	07/Mar/2026 3:07	26.112895	MONTHLY - PM FOR RECLAIMER B, PRECIPITATOR B (E)	NPPSA_NPPS	PPS
W13230	PPS-RECOVERY BOILER PUMP 1	07/Mar/2026 3:08	26.112896	MONTHLY - PM FOR RECLAIMER B, PRECIPITATOR B (E)	NPPSA_NPPS	PPS
W13230	PPS-RECOVERY BOILER PUMP 1	07/Mar/2026 3:08	26.112897	MONTHLY - PM FOR RECLAIMER A, PRECIPITATOR A (E)	NPPSA_NPPS	PPS
W13230	PPS-RECOVERY BOILER PUMP 1	07/Mar/2026 3:08	26.112898	MONTHLY - PM FOR RECLAIMER B, PRECIPITATOR B (E)	NPPSA_NPPS	PPS

W5115	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:08	26.112399	MONTHLY - PM FOR RECTIFIER # C, PRECIPITATOR # 2 (E)	NPPSA, NPPS	PP6
W5115	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:09	26.112900	MONTHLY - PM FOR RECTIFIER # A, PRECIPITATOR # 3 (E)	NPPSA, NPPS	PP6
W5115	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:09	26.112301	MONTHLY - PM FOR RECTIFIER # A, PRECIPITATOR # 3 (E)	NPPSA, NPPS	PP6
W5115	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:10	26.112902	MONTHLY - PM FOR RECTIFIER # C, PRECIPITATOR # 2 (E)	NPPSA, NPPS	PP6
W5115	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:10	26.112903	MONTHLY - PM FOR TRANSFORMER TH412 FOR POWER PLANT (E)	NPPSA, NPPS	PP6
W5115	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:10	26.112904	MONTHLY - PM FOR TRANSFORMER TH412 FOR POWER PLANT (E)	NPPSA, NPPS	PP6
W5130	PP6-DEMIN WATER PLANT PUMP 1	07/Mar/2026 3:10	26.112905	MONTHLY - PM FOR TRANSFORMER TH412 FOR POWER PLANT (E)	NPPSA, NPPS	PP6
W5130	PP6-DEMIN WATER PLANT PUMP 1	07/Mar/2026 3:10	26.112906	281640 ADSORPTION DRYER	NPPSA, NPPS	PP6
W5130	PP6-DEMIN WATER PLANT PUMP 1	07/Mar/2026 3:10	26.112907	281740 INSTRUMENT AIR RECIVER	NPPSA, NPPS	PP6
W5130	PP6-DEMIN WATER PLANT PUMP 1	07/Mar/2026 3:10	26.112908	281740 INSTRUMENT AIR RECIVER	NPPSA, NPPS	PP6
W5130	PP6-ASH LEACHING PUMP 1	07/Mar/2026 3:11	26.112909	WEEKLY - INSPECTION DECANTER CENTRIFUGE	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:11	26.112910	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 1	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:11	26.112911	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 2	NPPSA, NPPS	PP6
W5130	PP6-DEMIN WATER PLANT PUMP 1	07/Mar/2026 3:12	26.112912	MONTHLY - PM FOR AIR COMPRESSOR NO.1 (PO)	NPPSA, NPPS	PP6
W5130	PP6-DEMIN WATER PLANT PUMP 1	07/Mar/2026 3:12	26.112913	MONTHLY - PM FOR AIR COMPRESSOR NO.2 (PO)	NPPSA, NPPS	PP6
W5130	PP6-DEMIN WATER PLANT PUMP 1	07/Mar/2026 3:12	26.112914	MONTHLY - PM FOR AIR COMPRESSOR NO.1 (PO)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:13	26.112915	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN PRIMARY (PO)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:14	26.112916	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN SECONDARY (PO)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:17	26.112917	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN TERTIARY (PO)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:18	26.112918	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR ID FAN #1 (PO)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:19	26.112919	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR ID FAN #2 (PO)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:20	26.112920	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR ID FAN #3 (PO)	NPPSA, NPPS	PP6
M5024	PP6-EVAPORATION PUMP 1	07/Mar/2026 3:21	26.112921	Monthly vibration check 451	NPPSA, NPPS	PP6
M5024	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:22	26.112922	Monthly vibration check 461	NPPSA, NPPS	PP6
M5024	PP6-DEMIN WATER PLANT PUMP 1	07/Mar/2026 3:22	26.112923	Monthly vibration check 281	NPPSA, NPPS	PP6
M50103	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:22	26.112924	Monthly PM for 461AS1740 to offer Feed water pump	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:22	26.112925	MONTHLY - PM FOR RECOVERY BOILER TRANSFORMER TH411 (E)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:23	26.112926	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FEEDWATER PUMP #2 (PO)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:24	26.112928	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FEEDWATER PUMP #3 (PO)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:25	26.112929	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FEED WATER PUMP #4 (PO)	NPPSA, NPPS	PP6
W5130	PP6-EVAPORATION PUMP 1	07/Mar/2026 3:27	26.112931	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUOR SPRAY GUN PUMP #1 A (PO)	NPPSA, NPPS	PP6
W5130	PP6-EVAPORATION PUMP 1	07/Mar/2026 3:28	26.112932	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUOR SPRAY GUN SPS PUMP #1	NPPSA, NPPS	PP6
W5130	PP6-EVAPORATION PUMP 1	07/Mar/2026 3:28	26.112933	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION FOR EFFECT 1E (PO)	NPPSA, NPPS	PP6
W5130	PP6-EVAPORATION PUMP 1	07/Mar/2026 3:29	26.112934	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR REWATER TRANSFER PUMP (NEW)	NPPSA, NPPS	PP6
W5130	PP6-EVAPORATION PUMP 1	07/Mar/2026 3:30	26.112936	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION PUMP EFFECT 1E (PO)	NPPSA, NPPS	PP6
W5130	PP6-EVAPORATION PUMP 1	07/Mar/2026 3:30	26.112937	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION PUMP EFFECT 1D (PO)	NPPSA, NPPS	PP6
W5130	PP6-EVAPORATION PUMP 1	07/Mar/2026 3:31	26.112938	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION PUMP EFFECT 1C (PO)	NPPSA, NPPS	PP6
W5130	PP6-EVAPORATION PUMP 1	07/Mar/2026 3:32	26.112939	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION PUMP EFFECT 1B (PO)	NPPSA, NPPS	PP6
W5130	PP6-EVAPORATION PUMP 1	07/Mar/2026 3:32	26.112940	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION PUMP EFFECT 1A (PO)	NPPSA, NPPS	PP6
W5130	PP6-COOLING TOWER PUMP 1	07/Mar/2026 3:33	26.112941	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.1 (PO)	NPPSA, NPPS	PP6
W5130	PP6-COOLING TOWER PUMP 1	07/Mar/2026 3:34	26.112943	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.2 (PO)	NPPSA, NPPS	PP6
W5130	PP6-COOLING TOWER PUMP 1	07/Mar/2026 3:34	26.112944	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.3 (PO)	NPPSA, NPPS	PP6
W5130	PP6-COOLING TOWER PUMP 1	07/Mar/2026 3:35	26.112945	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.5 (PO)	NPPSA, NPPS	PP6
W5130	PP6-EVAPORATION PUMP 1	07/Mar/2026 3:36	26.112946	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SECONDARY CONDENSATE DISTRIBUTION	NPPSA, NPPS	PP6
W5130	PP6-EVAPORATION PUMP 1	07/Mar/2026 3:37	26.112947	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SWAMP PUMP (PO)	NPPSA, NPPS	PP6
W5130	PP6-EVAPORATION PUMP 1	07/Mar/2026 3:37	26.112948	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR WEAK LIQUOR TRANSFER PUMP (AHS1)	NPPSA, NPPS	PP6
W5130	PP6-EVAPORATION PUMP 1	07/Mar/2026 3:38	26.112949	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR HBL CIRCULATED PUMP FOR 200 m3 TA NPPSA	NPPSA, NPPS	PP6
W5130	PP6-EVAPORATION PUMP 1	07/Mar/2026 3:39	26.112950	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR HBL TRANSFER PUMP TO BD 05 TANK (TA)	NPPSA, NPPS	PP6
W5130	PP6-EVAPORATION PUMP 1	07/Mar/2026 3:39	26.112951	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR STRONG LIQUOR STORAGE TANK # 1 TR	NPPSA, NPPS	PP6
W5130	PP6-EVAPORATION PUMP 1	07/Mar/2026 3:40	26.112952	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR CONDENSATE PUMP FOR EFFECT # 5 (NPPSA)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:42	26.112953	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER #87 (PO)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:43	26.112954	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER #88 (PO)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:43	26.112955	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER #89 (PO)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:43	26.112957	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER #90 (PO)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:44	26.112959	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER #92 (PO)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:44	26.112960	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER #93 (PO)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:45	26.112961	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER #94 (PO)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:46	26.112962	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER #95 (PO)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:46	26.112963	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER #96 (PO)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:47	26.112964	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER #97 (PO)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:48	26.112966	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER #98 (PO)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:48	26.112967	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOT BLOWER # 99 (LEFT) (PO)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:49	26.112968	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOT BLOWER # 60 (RIGHT) (PO)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:49	26.112969	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOT BLOWER # 61 (PO)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:50	26.112970	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOT BLOWER # 62 (PO)	NPPSA, NPPS	PP6
W5130	PP6-ASH LEACHING PUMP 1	07/Mar/2026 3:51	26.112971	WEEKLY - PM FOR DECANTER CENTRIFUGE (A)	NPPSA, NPPS	PP6
W5130	PP6-EVAPORATION PUMP 1	07/Mar/2026 3:51	26.112972	MONTHLY - PM FOR DUST SCRUBBER FAN (E)	NPPSA, NPPS	PP6
W5130	PP6-EVAPORATION PUMP 1	07/Mar/2026 3:51	26.112973	MONTHLY - PM FOR FLOWING MONITOR FOR FLOURATION PLANT (E)	NPPSA, NPPS	PP6
W5130	PP6-EVAPORATION PUMP 1	07/Mar/2026 3:51	26.112974	MONTHLY - PM FOR HEAVY LIQUOR SPRAY GUN PUMP #1 A (E)	NPPSA, NPPS	PP6
W5130	PP6-EVAPORATION PUMP 1	07/Mar/2026 3:51	26.112975	MONTHLY - PM REIL & REHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 23) (PP6)	NPPSA, NPPS	PP6
M5024	Power Plant Unit 5	07/Mar/2026 3:52	26.112977	MONTHLY - PM FOR OIL SAMPLING AND ANALYSIS, BOILER, TURBINE, TRUCK TIRTS (M)	NPPSA, NPPS	PP6
M5024	Power Plant Unit 5	07/Mar/2026 3:52	26.112978	MONTHLY - VIBRATION CHECK FOR LOCATOR, PPS (M)	NPPSA, NPPS	PP6
M5024	Power Plant Unit 5	07/Mar/2026 3:53	26.112979	MONTHLY - PM FOR VIBRATION ANALYSIS FOR BOILER, AIR COMPRESSOR, TURBINE, FUEL & T	NPPSA, NPPS	PP6
W5130	Power Plant Unit 5	07/Mar/2026 3:53	26.112980	MONTHLY - PM ROUTE REIL LUBRICANT PUMP (E) (PO)	NPPSA, NPPS	PP6
W5130	Power Plant Unit 5	07/Mar/2026 3:53	26.112981	2 WEEKS - PM REIL & RECHECK LUBRICATION OIL AND GRASE AREA 221, PPS (ROUTE 1) (PP6)	NPPSA, NPPS	PP6
W5130	Power Plant Unit 5	07/Mar/2026 3:54	26.112982	2 WEEKS - PM REIL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2) (PP6)	NPPSA, NPPS	PP6
W5130	Power Plant Unit 5	07/Mar/2026 3:54	26.112983	2 WEEKS - PM REIL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2) (PP6)	NPPSA, NPPS	PP6
W5130	Power Plant Unit 5	07/Mar/2026 3:55	26.112984	WEEKLY - PM REIL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 23) (PP6)	NPPSA, NPPS	PP6
W5130	SUPPLY OF BIO MASS SYSTEM TO SLO	07/Mar/2026 3:57	26.112989	PM WEEKLY PROTECT FIRE 321C037	NPPSA, NPPS	PP6
W5130	SUPPLY OF BIO MASS SYSTEM TO SLO	07/Mar/2026 3:57	26.112990	2week Preventive Maintenance for motor 221C037	NPPSA, NPPS	PP6
W5130	SUPPLY OF BIO MASS SYSTEM TO SLO	07/Mar/2026 3:58	26.112991	PM WEEKLY PROTECT FIRE 321C030	NPPSA, NPPS	PP6
W5130	SUPPLY OF BIO MASS SYSTEM TO SLO	07/Mar/2026 3:58	26.112992	PM WEEKLY PROTECT FIRE 321C029	NPPSA, NPPS	PP6
W5130	SUPPLY OF BIO MASS SYSTEM TO SLO	07/Mar/2026 3:58	26.112993	PM WEEKLY PROTECT FIRE 321C031	NPPSA, NPPS	PP6
W5130	PP6-POWER GENERATION PUMP 1	07/Mar/2026 3:58	26.112994	MONTHLY - PM FOR DIESEL GENERATOR PPS (E)	NPPSA, NPPS	PP6

W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:58	26.112995	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 63 (LEFT) (PO)	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 3:59	26.112996	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 64 (RIGHT) (PO)	NPPSA, NPPS	PP6
W5130	PP6-EVAPORATION PUMP 1	07/Mar/2026 4:00	26.112997	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR STRONG LIQUOR TRANSFER PUMP # 2 (E)	NPPSA, NPPS	PP6
W5130	PP6-DEMIN WATER PLANT PUMP 1	07/Mar/2026 4:00	26.112998	MONTHLY - PM FOR AIR COMPRESSOR NO.1 (PO)	NPPSA, NPPS	PP6
W5115	Fire Alarm Detector ER201,210	07/Mar/2026 4:01	26.112999	MONTHLY - PM FOR FIRE ALARM DETECTOR ER201,210 (E)	NPPSA, NPPS	PP6
W5115	Fire Alarm Control Panel ER211	07/Mar/2026 4:02	26.113001	MONTHLY - PM FOR FIRE ALARM DETECTOR ER211 (E)	NPPSA, NPPS	PP6
W5115	Fire Alarm Control Panel ER211	07/Mar/2026 4:03	26.113002	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL ER211 (E)	NPPSA, NPPS	PP6
W5115	Fire Alarm Control Panel ER302	07/Mar/2026 4:03	26.113004	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL ER302 (E)	NPPSA, NPPS	PP6
W5115	Fire Alarm Detector TransformerMB1	07/Mar/2026 4:04	26.113005	MONTHLY - PM FOR FIRE ALARM DETECTOR TRANSFORMERMB1 (E)	NPPSA, NPPS	PP6
W5115	Fire Alarm Detector TransformerMB2	07/Mar/2026 4:04	26.113006	MONTHLY - PM FOR FIRE ALARM DETECTOR TRANSFORMERMB2 (E)	NPPSA, NPPS	PP6
W5115	Fire Alarm Control Panel Transformer MB3,4	07/Mar/2026 4:04	26.113007	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL TRANSFORMERMB3,4 (E)	NPPSA, NPPS	PP6
W5115	Fire Alarm Detector ER410	07/Mar/2026 4:04	26.113008	MONTHLY - PM FOR FIRE ALARM DETECTOR ER410 (E)	NPPSA, NPPS	PP6
W5115	Fire Alarm Control Panel Ash LEACHING	07/Mar/2026 4:04	26.113009	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL ER410 (E)	NPPSA, NPPS	PP6
W5115	Fire Alarm Detector Ash LEACHING	07/Mar/2026 4:04	26.113010	MONTHLY - PM FOR FIRE ALARM DETECTOR ASH LEACHING (E)	NPPSA, NPPS	PP6
W5115	Fire Alarm Control Panel Ash LEACHING	07/Mar/2026 4:05	26.113011	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL ASH LEACHING (E)	NPPSA, NPPS	PP6
W5115	Fire Alarm Detector Transformer MB4	07/Mar/2026 4:05	26.113012	MONTHLY - PM FOR FIRE ALARM DETECTOR TRANSFORMERMB4 (E)	NPPSA, NPPS	PP6
W5115	Fire Alarm Detector Transformer MB4	07/Mar/2026 4:05	26.113013	MONTHLY - PM FOR FIRE ALARM DETECTOR TRANSFORMERMB4 (E)	NPPSA, NPPS	PP6
M50104	PP6-DEMIN WATER PLANT PUMP 1	07/Mar/2026 4:06	26.113015	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 35	NPPSA, NPPS	PP6
M50104	PP6-DEMIN WATER PLANT PUMP 1	07/Mar/2026 4:06	26.113016	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 30	NPPSA, NPPS	PP6
M50104	PP6-DEMIN WATER PLANT PUMP 1	07/Mar/2026 4:06	26.113018	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 22	NPPSA, NPPS	PP6
M50104	PP6-DEMIN WATER PLANT PUMP 1	07/Mar/2026 4:06	26.113018	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 20	NPPSA, NPPS	PP6
M50104	PP6-FUEL STORAGE AND HANDLING FOR PUMP	07/Mar/2026 4:07	26.113019	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 23	NPPSA, NPPS	PP6
M50104	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 4:07	26.113020	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPPSA, NPPS	PP6
M50104	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 4:07	26.113021	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPPSA, NPPS	PP6
M50104	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 4:08	26.113022	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPPSA, NPPS	PP6
M50104	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 4:08	26.113023	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPPSA, NPPS	PP6
M50104	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 4:08	26.113024	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPPSA, NPPS	PP6
M50104	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 4:09	26.113025	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPPSA, NPPS	PP6
M50104	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 4:09	26.113026	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPPSA, NPPS	PP6
M50104	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 4:09	26.113027	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPPSA, NPPS	PP6
M50104	PP6-RECOVERY BOILER PUMP 1	07/Mar/2026 4:12	26.113029	PP6 - PM FOR SOLID AC TEST OF VALVE (S) (PM)	NPPSA, NPPS	PP6
W51216	Ash-Baling Removal System	09/Mar/2026 14:46	26.117626	YEARLY (S) - PM FOR WET DRY SCREW WALKER VLY 1 (A)	NPPSA, NPPS	PP6
W51216	FUEL GAS RASIC	09/Mar/2026 14:46	26.117627	YEARLY (S) - PM FOR RASIC GAS, DOWN FLOW CVY CONDENSER VALVE (A)	NPPSA, NPPS	PP6
W51216	PP6-POWER GENERATION PUMP 1	09/Mar/2026 14:46	26.117628	YEARLY (S) - PM FOR PNEUMATIC VALVE DISBURG (S) (PM)	NPPSA, NPPS	PP6
W51216	PP6-POWER GENERATION PUMP 1	09/Mar/2026 14:47	26.117629	YEARLY (S) - PM FOR PNEUMATIC VALVE DISBURG BLEEDING TGS (A)	NPPSA, NPPS	PP6
W51216	PP6-POWER GENERATION PUMP 1	09/Mar/2026 14:47	26.117630	YEARLY (S) - PM FOR VALVE CONDENSER TGS (A)	NPPSA, NPPS	PP6
W51216	PP6-POWER GENERATION PUMP 1	09/Mar/2026 14:47	26.117631	YEARLY (S) - PM FOR VALVE CONDENSER TGS (A)	NPPSA, NPPS	PP6
W51216	SOLID FUEL FEED (S) TO BOILER	09/Mar/2026 14:47	26.117632	YEARLY (S) - PM FOR ATOM STMP PRESS LOW ALARM (A)	NPPSA, NPPS	PP6
W51216	SOLID FUEL FEED (S) TO BOILER	09/Mar/2026 14:47	26.117633	YEARLY (S) - PM FOR ATOM STMP PRESS LOW ALARM (A)	NPPSA, NPPS	PP6
W51216	SOLID FUEL FEED (S) TO BOILER	09/Mar/2026 14:47	26.117633	YEARLY (S) - PM FOR ATOM STMP PRESS LOW ALARM (A)	NPPSA, NPPS	PP6
W51216	PP6-POWER GENERATION PUMP 1	09/Mar/2026 14:47	26.117635	YEARLY (S) - PM FOR ION GAS PRESS HI ALARM (A)	NPPSA, NPPS	PP6
W51216	PP6-POWER GENERATION PUMP 1	09/Mar/2026 14:47	26.117636	YEARLY (S) - PM FOR ION GAS PRESS LOW ALARM (A)	NPPSA, NPPS	PP6
W51216	Ash-Baling Removal	09/Mar/2026 14:47	26.117637	YEARLY (S) - PM FOR FLY ASH CHUCKER (S) (PM)	NPPSA, NPPS	PP6
W51216	SOLID FUEL FEED (S) TO BOILER	09/Mar/2026 14:47	26.117638	YEARLY (S) - PM FOR FUEL FEEDER - LEFT WALL (A)	NPPSA, NPPS	PP6
W51216	SOLID FUEL FEED (S) TO BOILER	09/Mar/2026 14:47	26.117639	YEARLY (S) - PM FOR FUEL FEEDER - LEFT WALL (A)	NPPSA, NPPS	PP6
W51216	SOLID FUEL FEED (S) TO BOILER	09/Mar/2026 14:47	26.117640	YEARLY (S) - PM FOR FUEL FEEDER - RIGHT WALL (A)	NPPSA, NPPS	PP6
W51216	SOLID FUEL FEED (S) TO BOILER	09/Mar/2026 14:47	26.117641	YEARLY (S) - PM FOR FUEL FEEDER - RIGHT WALL (A)	NPPSA, NPPS	PP6
W51216	PP6-POWER GENERATION PUMP 1	09/Mar/2026 14:48	26.117642	YEARLY (S) - PM FOR FUEL FEEDER - RIGHT WALL (A)	NPPSA, NPPS	PP6
W51216	PP6-POWER GENERATION PUMP 1	09/Mar/2026 14:48	26.117643	YEARLY (S) - PM FOR TEMP. COOLING WATER INLET CONDENSER TURBINE (A)	NPPSA, NPPS	PP6
W51216	PP6-POWER GENERATION PUMP 1	09/Mar/2026 14:48	26.117644	YEARLY (S) - PM FOR TEMP. COOLING WATER OUTLET CONDENSER TURBINE (A)	NPPSA, NPPS	PP6
W51216	PP6-POWER GENERATION PUMP 1	09/Mar/2026 14:48	26.117645	YEARLY (S) - PM FOR TEMP. "HULL" INLET CONDENSER TURBINE (A)	NPPSA, NPPS	PP6
W51216	PP6-POWER GENERATION PUMP 1	09/Mar/2026 14:48	26.117646	YEARLY (S) - PM FOR THERMO-COUPLER EXHAUST TURBINE 2 (A)	NPPSA, NPPS	PP6
W51216	PP6-POWER GENERATION PUMP 1	09/Mar/2026 14:48	26.117647	YEARLY (S) - PM FOR HANDLING FOR PUMP 1 (E)	NPPSA, NPPS	PP6
W51216	PP6-POWER GENERATION PUMP 1	09/Mar/2026 14:49	26.117648	YEARLY (S) - PM FOR MOTOR SCREEN CONVEYOR B-3 (E)	NPPSA, NPPS	PP6
W51216	SUPPLY OF BIO MASS SYSTEM TO SOLD	10/Mar/2026 2:20	26.113830	Monthly of sampling for area 261	NPPSA, NPPS	PP6
M50024	PP6-POWER GENERATION PUMP 1	10/Mar/2026 2:20	26.113831	Monthly of sampling for area 261	NPPSA, NPPS	PP6
M50024	PP6-POWER GENERATION PUMP 1	10/Mar/2026 2:20	26.113832	Monthly of sampling for area 261	NPPSA, NPPS	PP6
W5130	PP6-FUEL STORAGE AND HANDLING FOR PUMP	14/Mar/2026 2:20	26.113834	Weekly - Preventive Maintenance for Motor 2652002	NPPSA, NPPS	PP6
W5130	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 2:20	26.113835	Monthly - Inspect for Performance	NPPSA, NPPS	PP6
W5130	PP6-POWER GENERATION PUMP 1	14/Mar/2026 2:20	26.113836	Weekly - Inspection Camera, HOST	NPPSA, NPPS	PP6
M50091	PP6-POWER GENERATION PUMP 1	14/Mar/2026 2:20	26.113838	Monthly - Inspect Partial Discharge PPS PP6	NPPSA, NPPS	PP6
W5130	PP6-STEAM SYSTEM	14/Mar/2026 2:20	26.113841	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER SATURATED STEAM (A)	NPPSA, NPPS	PP6
W5115	STEAM SYSTEM	14/Mar/2026 2:20	26.113842	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER SATURATED STEAM (A)	NPPSA, NPPS	PP6
W5130	PP6-STEAM SYSTEM	14/Mar/2026 2:20	26.113843	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER SATURATED STEAM (A)	NPPSA, NPPS	PP6
W5130	PP6-POWER DISTRIBUTION PUMP 1	14/Mar/2026 2:20	26.113844	MONTHLY - PM FOR LOCAL FIRE ALARM PANEL 1 (ER001)	NPPSA, NPPS	PP6
W5130	PP6-POWER GENERATION PUMP 1	14/Mar/2026 2:20	26.113845	MONTHLY - PM FOR GENERATION TURBINE (E)	NPPSA, NPPS	PP6
W5130	SUPPLY OF BIO MASS SYSTEM TO SOLD	14/Mar/2026 2:20	26.113846	MONTHLY - PM FOR MOTOR SCREEN CONVEYOR B-3 (E)	NPPSA, NPPS	PP6
W5130	SUPPLY OF BIO MASS SYSTEM TO SOLD	14/Mar/2026 2:20	26.113847	MONTHLY - PM FOR MOTOR SCREEN AB.3 COOLING FAN (E)	NPPSA, NPPS	PP6
W5130	SUPPLY OF BIO MASS SYSTEM TO SOLD	14/Mar/2026 2:20	26.113848	MONTHLY - PM FOR MOTOR SCREEN (E)	NPPSA, NPPS	PP6
W5130	SUPPLY OF BIO MASS SYSTEM TO SOLD	14/Mar/2026 2:20	26.113849	MONTHLY - PM FOR COOLING FAN (E)	NPPSA, NPPS	PP6
W5130	SUPPLY OF BIO MASS SYSTEM TO SOLD	14/Mar/2026 2:20	26.113850	MONTHLY - PM FOR COOLING FAN (E)	NPPSA, NPPS	PP6
W5130	SUPPLY OF BIO MASS SYSTEM TO SOLD	14/Mar/2026 2:26	26.113853	MONTHLY - PM FOR TORQUE MOTOR (E)	NPPSA, NPPS	PP6
W5115	SUPPLY OF BIO MASS SYSTEM TO SOLD	14/Mar/2026 2:27	26.113854	2 MONTHS - PM FOR E MAGNETIC CONVEYOR CBT (E)	NPPSA, NPPS	PP6
W5130	PP6-COMPRESSOR PUMP 1	14/Mar/2026 2:27	26.113855	MONTHLY - PM FOR AIR FILER (WATER) INLET TANK (M)	NPPSA, NPPS	PP6
W5130	PP6-POWER GENERATION PUMP 1	14/Mar/2026 2:27	26.113856	MONTHLY - PM FOR TURBINE NO.2 TURBOSERT (M)	NPPSA, NPPS	PP6
W5130	PP6-POWER GENERATION PUMP 1	14/Mar/2026 2:28	26.113857	MONTHLY - PM FOR TURBINE NO.1 TURBO SER (M)	NPPSA, NPPS	PP6
W5130	PP6-POWER GENERATION PUMP 1	14/Mar/2026 2:29	26.113858	MONTHLY - PM FOR CHECK OIL (M)	NPPSA, NPPS	PP6
W5130	SUPPLY OF BIO MASS SYSTEM TO SOLD	14/Mar/2026 2:29	26.113859	MONTHLY - PM FOR BELT CONVEYOR BCI (PO)	NPPSA, NPPS	PP6
W5130	SUPPLY OF BIO MASS SYSTEM TO SOLD	14/Mar/2026 2:31	26.113862	MONTHLY - PM FOR BELT CONVEYOR BCI (PO)	NPPSA, NPPS	PP6
W5130	SUPPLY OF BIO MASS SYSTEM TO SOLD	14/Mar/2026 2:31	26.113863	MONTHLY - PM FOR BELT CONVEYOR BCI (PO)	NPPSA, NPPS	PP6
W5130	SUPPLY OF BIO MASS SYSTEM TO SOLD	14/Mar/2026 2:31	26.113864	MONTHLY - PM FOR BELT CONVEYOR BCI (PO)	NPPSA, NPPS	PP6
W5130	SUPPLY OF BIO MASS SYSTEM TO SOLD	14/Mar/2026 2:31	26.113865	MONTHLY - PM FOR FLY ASH DROGGER (E)	NPPSA, NPPS	PP6
W5130	Ash-Baling Removal	14/Mar/2026 2:37	26.113866	MONTHLY - PM FOR FLY ASH DROGGER, RIGHT WALL (PO)	NPPSA, NPPS	PP6

WL1320	Ash &slag Removal Removal	14/Mar/2026 2:19	26.1134867	MONTHLY - PM FOR FLY ASH SCRAPER CONVEYOR 1 (PO)	NPP1A_NPP5	PP5
WL1320	Ash &slag Removal Removal	14/Mar/2026 2:20	26.1134870	MONTHLY - PM FOR FLY ASH SCRAPER CONVEYOR 2 (PO)	NPP1A_NPP5	PP5
WL1320	SOLID FUEL FEED (SLO TO BOLLER)	14/Mar/2026 2:22	26.1134871	MONTHLY - PM FOR FUEL ROTARY FEEDER 1, LEFT WALL (PO)	NPP1A_NPP5	PP5
WL1320	SOLID FUEL FEED (SLO TO BOLLER)	14/Mar/2026 2:24	26.1134873	MONTHLY - PM FOR FUEL ROTARY FEEDER 1, LEFT WALL (PO)	NPP1A_NPP5	PP5
WL1320	SOLID FUEL FEED (SLO TO BOLLER)	14/Mar/2026 2:25	26.1134875	MONTHLY - PM FOR FUEL ROTARY FEEDER 1, RIGHT WALL (PO)	NPP1A_NPP5	PP5
WL1320	Ash &slag Removal Removal	14/Mar/2026 2:26	26.1134876	MONTHLY - PM FOR FUEL ROTARY FEEDER 1, LEFT WALL (PO)	NPP1A_NPP5	PP5
WL1320	Ash &slag Removal Removal	14/Mar/2026 2:27	26.1134878	MONTHLY - PM FOR FUEL ROTARY FEEDER 1, RIGHT WALL (PO)	NPP1A_NPP5	PP5
WL1320	Ash &slag Removal Removal	14/Mar/2026 2:28	26.1134880	MONTHLY - PM FOR FLY ASH ROTARY FEEDER 2 (PO)	NPP1A_NPP5	PP5
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	14/Mar/2026 2:30	26.1134881	MONTHLY - PM FOR FLY ASH CONVEYOR 9 M (PO)	NPP1A_NPP5	PP5
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	14/Mar/2026 2:31	26.1134882	MONTHLY - PM FOR SCREW CONVEYOR 10 M (PO)	NPP1A_NPP5	PP5
WL1320	Sand Handling	14/Mar/2026 2:32	26.1134884	2 MONTHS - PM FOR SAND DISCHARGE SCREW (PO)	NPP1A_NPP5	PP5
WL1320	Ash &slag Removal Removal	14/Mar/2026 2:33	26.1134885	2 MONTHS - PM FOR ASH SCREW CONVEYOR, LEFT WALL (PO)	NPP1A_NPP5	PP5
WL1320	Ash &slag Removal Removal	14/Mar/2026 2:35	26.1134886	2 MONTHS - PM FOR ASH SCREW CONVEYOR, RIGHT WALL (PO)	NPP1A_NPP5	PP5
WL1320	Ash &slag Removal Removal	14/Mar/2026 2:36	26.1134888	2 MONTHS - PM FOR COARSE MATERIAL RECLAIM SCREW #1 (PO)	NPP1A_NPP5	PP5
WL1320	Ash &slag Removal Removal	14/Mar/2026 2:37	26.1134889	2 MONTHS - PM FOR COARSE MATERIAL RECLAIM SCREW #2 (PO)	NPP1A_NPP5	PP5
WL1320	Ash &slag Removal System	14/Mar/2026 2:38	26.1134891	2 MONTHS - PM FOR WET ASH DISCHARGING SCREW (PO)	NPP1A_NPP5	PP5
WL1320	Ash &slag Removal Removal	14/Mar/2026 2:39	26.1134893	MONTHLY - PM FOR FLY ASH MAIN DRAG CONVEYOR (PO)	NPP1A_NPP5	PP5
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	14/Mar/2026 2:41	26.1134895	2 MONTHS - PM FOR SCRAPER DISC SCREENING FOR CLUMP (PO)	NPP1A_NPP5	PP5
WL1320	Ash &slag Removal Removal	14/Mar/2026 2:42	26.1134899	MONTHLY - PM FOR ASH BUCKET ELEVATOR (PO)	NPP1A_NPP5	PP5
WL1320	Sand Handling	14/Mar/2026 2:43	26.1134906	MONTHLY - PM FOR SAND ELEVATOR (PO)	NPP1A_NPP5	PP5
WL1320	Electrostatic precipitator	14/Mar/2026 2:46	26.1134908	MONTHLY - PM ROUTE CHECK MOTOR RAPPER ESP AREA 54Q2 (462) (PO)	NPP1A_NPP5	PP5
WL1320	Combustion Air System	14/Mar/2026 2:45	26.1134910	2 WEEKS - PM FOR FLUIDIZING AIR FAN (PO)	NPP1A_NPP5	PP5
WL1320	Combustion Air System	14/Mar/2026 2:46	26.1134915	2 WEEKS - PM FOR SECONDARY AIR FAN (PO)	NPP1A_NPP5	PP5
WL1320	Furnace and Flue gas	14/Mar/2026 2:47	26.1134920	2 WEEKS - PM FOR INDUCED DRAFT FAN (PO)	NPP1A_NPP5	PP5
WL1320	Combustion Air System	14/Mar/2026 2:48	26.1134929	2 WEEKS - PM FOR FUEL FEEDING FAN 1, LEFT WALL (PO)	NPP1A_NPP5	PP5
WL1320	Combustion Air System	14/Mar/2026 2:49	26.1134936	2 WEEKS - PM FOR FUEL FEEDING FAN 2, RIGHT WALL (PO)	NPP1A_NPP5	PP5
WL1320	PP5-POWER BOLLER PUMP 1	14/Mar/2026 2:50	26.1134942	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOLLER_PPS (ROUTE 1) (PO)	NPP1A_NPP5	PP5
WL1320	PP5-POWER BOLLER PUMP 1	14/Mar/2026 2:50	26.1134943	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOLLER_PPS (ROUTE 3) (PO)	NPP1A_NPP5	PP5
WL1320	PP5-POWER GENERATION PUMP 1	14/Mar/2026 2:50	26.1134944	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA TEGS_PPS (PO)	NPP1A_NPP5	PP5
WL1320	PP5-POWER BOLLER PUMP 1	14/Mar/2026 2:51	26.1134945	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE SMOOT BLOWER_PPS (ROUTE 1)	NPP1A_NPP5	PP5
WL1320	PP5-POWER BOLLER PUMP 1	14/Mar/2026 2:51	26.1134946	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE SMOOT BLOWER_PPS (ROUTE 1)	NPP1A_NPP5	PP5
WL1320	PP5-POWER BOLLER PUMP 1	14/Mar/2026 2:51	26.1134947	MONTHLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE GEAR ESP_PPS (PO)	NPP1A_NPP5	PP5
WL1320	PP5-POWER BOLLER PUMP 1	14/Mar/2026 2:52	26.1134948	MONTHLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE GEAR ESP_PPS (PO)	NPP1A_NPP5	PP5
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	14/Mar/2026 2:52	26.1134949	WEEKLY - PM FOR BELT ELEVATOR H=022 M (PO)	NPP1A_NPP5	PP5
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	14/Mar/2026 2:52	26.1134950	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE SCREW RECLAIMER (PO)	NPP1A_NPP5	PP5
WL1320	PP5-POWER BOLLER PUMP 1	14/Mar/2026 2:52	26.1134951	Weekly Preventive maintenance for Air condenser	NPP1A_NPP5	PP5
WL1320	PP5-POWER BOLLER PUMP 1	14/Mar/2026 2:53	26.1134952	Weekly inspection for E.C. RM Room (E210)	NPP1A_NPP5	PP5
WL1320	PP5-POWER BOLLER PUMP 1	14/Mar/2026 2:53	26.1134953	2 Weekly Routine inspection for MCL area 462	NPP1A_NPP5	PP5
MS0024	PP5-FUEL STORAGE AND HANDLING FOR PUMP	14/Mar/2026 2:53	26.1134954	Monthly vibration check for Plan 462	NPP1A_NPP5	PP5
MS0024	PP5-POWER BOLLER PUMP 1	14/Mar/2026 2:53	26.1134955	Monthly vibration check for Plan 462	NPP1A_NPP5	PP5
MS0033	PP5-POWER BOLLER PUMP 1	14/Mar/2026 2:54	26.1134957	Weekly check for Flue gases analyzer NOX	NPP1A_NPP5	PP5
MS0033	PP5-POWER BOLLER PUMP 1	14/Mar/2026 2:54	26.1134958	Weekly check for Flue gases analyzer TSS	NPP1A_NPP5	PP5
MS0033	PP5-POWER BOLLER PUMP 1	14/Mar/2026 2:54	26.1134959	Weekly check for Flue gases analyzer CO	NPP1A_NPP5	PP5
MS0033	PP5-POWER BOLLER PUMP 1	14/Mar/2026 2:54	26.1134960	Weekly check for Flue gases analyzer O2	NPP1A_NPP5	PP5
MS0033	Economiser Section	14/Mar/2026 2:54	26.1134962	Weekly check for Flue gases analyzer	NPP1A_NPP5	PP5
MS0033	Furnace and Flue gas	14/Mar/2026 2:55	26.1134963	Weekly check for Flue gases analyzer	NPP1A_NPP5	PP5
MS0033	Smoke Stack	14/Mar/2026 2:55	26.1134965	Weekly check for Flue gases analyzer	NPP1A_NPP5	PP5
WL1320	PP5-POWER BOLLER PUMP 1	14/Mar/2026 2:55	26.1134966	Monthly check Anna valve 462H=238 (B)	NPP1A_NPP5	PP5
WL1320	PP5-FUEL STORAGE AND HANDLING FOR PUMP	14/Mar/2026 2:55	26.1134967	Monthly PM for power motor lock valve area 261	NPP1A_NPP5	PP5
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	14/Mar/2026 2:55	26.1134968	2 MONTHS - PM FOR MOTOR BELT CONVEYOR BANK & RICE TO BOLLER (E)	NPP1A_NPP5	PP5
WL1320	SOLID FUEL FEED (SLO TO BOLLER)	14/Mar/2026 2:56	26.1134969	WEEKLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 1 (PO)	NPP1A_NPP5	PP5
WL1320	SOLID FUEL FEED (SLO TO BOLLER)	14/Mar/2026 2:56	26.1134970	WEEKLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 2 (PO)	NPP1A_NPP5	PP5
WL1320	SOLID FUEL FEED (SLO TO BOLLER)	14/Mar/2026 2:57	26.1134971	2 MONTHS - PM FOR SHREDDER ROLL 1 (PO)	NPP1A_NPP5	PP5
WL1320	SOLID FUEL FEED (SLO TO BOLLER)	14/Mar/2026 2:58	26.1134972	2 MONTHS - PM FOR SHREDDER ROLL 42 (PO)	NPP1A_NPP5	PP5
MS0044	Ash &slag Removal Removal	14/Mar/2026 2:59	26.1134973	2 WEEKS - PM FOR FLY ASH (A)	NPP1A_NPP5	PP5
MS0044	SOLID FUEL FEED (SLO TO BOLLER)	14/Mar/2026 2:59	26.1134974	2 WEEKS - PM FOR LOTO BURNER (A)	NPP1A_NPP5	PP5
MS0044	PP5-POWER GENERATION PUMP 1	14/Mar/2026 3:00	26.1134975	2 WEEKS - PM FOR POWER FACTOR (A)	NPP1A_NPP5	PP5
MS0044	PP5-POWER GENERATION PUMP 1	14/Mar/2026 3:00	26.1134976	2 WEEKS - PM FOR SYNCHRONOUS (A)	NPP1A_NPP5	PP5
MS0044	PP5-POWER GENERATION PUMP 1	14/Mar/2026 3:00	26.1134977	2 WEEKS - PM FOR TURBINE CONTROL GOVERNOR CABINET TORS (LCG001) (A)	NPP1A_NPP5	PP5
MS0044	PP5-POWER GENERATION PUMP 1	14/Mar/2026 3:00	26.1134978	2 WEEKS - PM FOR TURBINE CONTROL GOVERNOR CABINET TORS (LCG004) (A)	NPP1A_NPP5	PP5
MS0044	PP5-POWER GENERATION PUMP 1	14/Mar/2026 3:00	26.1134979	2 WEEKS - PM FOR TURBINE CONTROL AUXILIARY CABINET TORS (LCCE01) (A)	NPP1A_NPP5	PP5
MS0044	PP5-POWER GENERATION PUMP 1	14/Mar/2026 3:00	26.1134980	2 WEEKS - PM FOR TURBINE CONTROL AUXILIARY CABINET TORS (DCCE01) (A)	NPP1A_NPP5	PP5
MS0044	PP5-POWER GENERATION PUMP 1	14/Mar/2026 3:00	26.1134981	WEEKLY - PM FOR TURBINE CONTROL GEAR CABINET TORS & ELECTRIC TDS001 (A)	NPP1A_NPP5	PP5
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	14/Mar/2026 3:00	26.1134982	MONTHLY - PM FOR INCOMING ADOVE FOR LIGHTING FUEL HANDLING PLANT 58 (E)	NPP1A_NPP5	PP5
WL1320	PP5-POWER BOLLER PUMP 1	14/Mar/2026 3:00	26.1134983	YEARLY - PM FOR ELECTRIC HOT BEAM (E)	NPP1A_NPP5	PP5
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	14/Mar/2026 3:00	26.1134985	MONTHLY - PM FOR BELT CONVEYOR A-B (PO)	NPP1A_NPP5	PP5
WL1323	PP6-EVAPORATION PUMP 1	14/Mar/2026 3:11	26.1134986	MONTHLY - INSPECTION DENSITY RADIATION	NPP1A_NPP5	PP5
WL1323	PP6-EVAPORATION PUMP 1	14/Mar/2026 3:11	26.1134987	4512304 LOOP HIL TO FLASH TANK	NPP1A_NPP5	PP5
WL1323	PP6-EVAPORATION PUMP 1	14/Mar/2026 3:11	26.1134988	4512311 LOOP HIL TO EJECT PUMP	NPP1A_NPP5	PP5
WL1323	PP6-EVAPORATION PUMP 1	14/Mar/2026 3:11	26.1134989	4512650 LOOP VALV TO FLASH TANK	NPP1A_NPP5	PP5
WL1323	PP6-RECOVERY BOLLER PUMP 1	14/Mar/2026 3:11	26.1134990	MONTHLY - INSPECTION MASONRY VALVE	NPP1A_NPP5	PP5
WL1323	PP6-RECOVERY BOLLER PUMP 1	14/Mar/2026 3:11	26.1134991	4618V46G START BURNER #1 SHUT OFF VLV	NPP1A_NPP5	PP5
WL1323	PP6-RECOVERY BOLLER PUMP 1	14/Mar/2026 3:12	26.1134992	4618V46G OIL START BURNER #2 SHUT OFF VLV	NPP1A_NPP5	PP5
WL1323	PP6-RECOVERY BOLLER PUMP 1	14/Mar/2026 3:12	26.1134993	4618V46G OIL START BURNER #3 SHUT OFF VLV	NPP1A_NPP5	PP5
WL1323	PP6-RECOVERY BOLLER PUMP 1	14/Mar/2026 3:12	26.1134994	4618V46G GAS START BURNER #4 SHUT OFF VLV	NPP1A_NPP5	PP5
WL1323	PP6-RECOVERY BOLLER PUMP 1	14/Mar/2026 3:12	26.1134996	4618V46G GAS START BURNER #5 SHUT OFF VLV	NPP1A_NPP5	PP5
WL1323	PP6-RECOVERY BOLLER PUMP 1	14/Mar/2026 3:12	26.1134997	4618V46G GAS START BURNER #6 SHUT OFF VLV	NPP1A_NPP5	PP5
WL1323	PP6-RECOVERY BOLLER PUMP 1	14/Mar/2026 3:12	26.1134998	MONTHLY - INSPECTION SOLENOID VALVE	NPP1A_NPP5	PP5
WL1323	PP6-RECOVERY BOLLER PUMP 1	14/Mar/2026 3:12	26.1134999	4618V46B BIL SOLENOID SOLENOID VALVE	NPP1A_NPP5	PP5
WL1323	PP6-RECOVERY BOLLER PUMP 1	14/Mar/2026 3:12	26.1135000	4618V46F START UP BURNER 1 GAS IS VALVE	NPP1A_NPP5	PP5
WL1323	PP6-RECOVERY BOLLER PUMP 1	14/Mar/2026 3:12	26.1135001	4618V46F START UP BURNER 2 GAS IS VALVE	NPP1A_NPP5	PP5
WL1323	PP6-RECOVERY BOLLER PUMP 1	14/Mar/2026 3:13	26.1135002	4618V46F START UP BURNER 3 GAS IS VALVE	NPP1A_NPP5	PP5
WL1323	PP6-RECOVERY BOLLER PUMP 1	14/Mar/2026 3:13	26.1135003	4618V46F START UP BURNER 4 GAS IS VALVE	NPP1A_NPP5	PP5

WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 3:48	261135095	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR CONDENSATE PUMP #2 (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 3:48	261135096	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 1 LEFT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 3:49	261135097	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 2 RIGHT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 3:50	261135098	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 3 LEFT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 3:50	261135099	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 4 RIGHT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 3:51	261135100	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 5 LEFT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 3:52	261135101	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 6 RIGHT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 3:52	261135102	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 7 LEFT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 3:53	261135103	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 8 RIGHT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 3:54	261135105	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 9 LEFT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 3:54	261135106	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 10 RIGHT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 3:55	261135107	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 11 LEFT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 3:56	261135109	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 12 RIGHT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 3:56	261135110	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 13 LEFT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 3:57	261135111	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 14 RIGHT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 3:58	261135112	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 15 LEFT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 3:58	261135113	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 16 RIGHT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 3:59	261135114	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 17 LEFT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:00	261135115	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 18 RIGHT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:00	261135116	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 19 LEFT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:01	261135117	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 20 RIGHT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:02	261135118	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 21 LEFT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:02	261135119	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 22 RIGHT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:03	261135121	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 23 LEFT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:04	261135122	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 24 RIGHT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:04	261135123	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 25 LEFT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:05	261135124	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 26 RIGHT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:06	261135125	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 27 LEFT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:06	261135126	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 28 RIGHT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:07	261135127	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 29 LEFT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:08	261135128	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 30 RIGHT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:08	261135129	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 31 LEFT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:09	261135130	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 32 RIGHT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:10	261135131	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 33 LEFT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:11	261135132	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 34 RIGHT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:11	261135133	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 35 LEFT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:12	261135134	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 36 RIGHT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:12	261135135	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 37 LEFT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:13	261135136	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 38 RIGHT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:14	261135137	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 39 LEFT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:15	261135138	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 40 RIGHT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:16	261135139	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 41 LEFT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:16	261135140	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 42 RIGHT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:17	261135141	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 43 LEFT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:17	261135142	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 44 RIGHT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:18	261135143	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 45 LEFT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:19	261135144	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SOOTBLOWER # 46 RIGHT (PO)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:19	261135145	WEEKLY- PM FOR DECATER CENTRIFUGAL (A)	NPPIA_NPPI	PP6
MS0104	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:19	261135146	2 WEEKS- PM FOR RODING MASTER # 1 (A)	NPPIA_NPPI	PP6
MS0104	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:20	261135147	2 WEEKS- PM FOR KIDNEY MASTER # 2 (A)	NPPIA_NPPI	PP6
MS0104	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:20	261135149	2 WEEKS- PM FOR HMR RODING MASTER (A)	NPPIA_NPPI	PP6
MS0104	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:20	261135150	2 WEEKS- PM FOR START UP BURNER (A)	NPPIA_NPPI	PP6
MS0104	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:21	261135151	2 WEEKS- PM FOR AIR DRYING (A)	NPPIA_NPPI	PP6
MS0104	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:21	261135152	2 WEEKS- PM FOR HMR DEMIN (A)	NPPIA_NPPI	PP6
MS0104	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:21	261135153	2 WEEKS- PM FOR PLC CMPS NPPI (A)	NPPIA_NPPI	PP6
MS0104	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:22	261135154	2 WEEKS- PM FOR HMR POLISHING PLANT (A)	NPPIA_NPPI	PP6
MS0104	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:22	261135155	2 WEEKS- PM FOR HMR ROIN PLANT (A)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:23	261135157	MONTHLY- PM FOR RODING MASTER CONTROL PANEL (E)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:23	261135158	MONTHLY- PM FOR RODING MASTER CONTROL PANEL (E)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:23	261135159	MONTHLY- PM FOR CAPACITOR BANK FOR AH416 (E)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:23	261135160	MONTHLY- PM FOR INCOMING BLOWN FOR POWER PLANT (E)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:24	261135161	MONTHLY- PM FOR INCOMING BLOWN FOR ESP#3 POWER PLANT (E)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:24	261135162	MONTHLY- PM FOR INCOMING BLOWN FOR ESP#5 POWER PLANT (E)	NPPIA_NPPI	PP6
WL1515	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:24	261135163	MONTHLY- PM FOR INCOMING 6.5 KV FOR FEED WATER #2 (E)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:25	261135164	MONTHLY- PM FOR VSD HYDROIC OIL PUMP FOR ID FAN #2 (E)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:25	261135165	MONTHLY- PM FOR SOOTBLOWER # 1 LEFT (E)	NPPIA_NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	14/Mar/2026 4:25	261135166	MONTHLY- PM FOR SOOTBLOWER # 1 RIGHT (E)	NPPIA_NPPI	PP6
WL1320	PP6-ASH LEACHING PUMP 1	14/Mar/2026 4:25	261135167	MONTHLY- PM FOR VSD BLACK LIQUOR PUMP (E)	NPPIA_NPPI	PP6
WL1320	Power Plant Unit 6	14/Mar/2026 4:25	261135168	MONTHLY- INSPECTOR TANK TAP	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:25	261135169	281101 CATON EXCHANGER 1	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:25	261135170	281102 CATON EXCHANGER 2	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:26	261135171	281103 CARBON DIOXIDE DEGASSER 1	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:26	261135172	281104 ANION EXCHANGER 1	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:26	261135173	281105 ANION EXCHANGER 2	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:26	261135174	281106 MIXED BED EXCHANGER 1	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:26	261135175	281107 MIXED BED EXCHANGER 2	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:26	261135176	281108 STORAGE TANK FOR DEMINERALIZED WATER	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:26	261135177	281109 STORAGE TANK FOR SULPHURIC ACID	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:26	261135178	281110 STORAGE TANK FOR CALUSTIC SODA	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:26	261135179	281111 COLLECTION TANK FOR PLANT EFFLUENTS	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:26	261135180	281112 RESIN BACKWASH TANK	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:26	261135181	281113 CARBON DIOXIDE DEGASSER 2	NPPIA_NPPI	PP6
WL1320	Power Plant Unit 6	14/Mar/2026 4:26	261135182	2 WEEKS- INSPECTOR PUMP	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:27	261135183	281121 DEGASSED WATER PUMP 1	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:27	261135184	281122 DEGASSED WATER PUMP 2	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:27	261135185	281123 RECIRCULATION PUMP	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:28	261135186	281124 EFFLUENT PUMP	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:28	261135187	281126 CALUSTIC TANNER UNLOADING PUMP	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:28	261135188	281127 DENIM WATER PUMP PLUMPING DENIM WATER FROM DENIM	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:29	261135189	281128 DENIM WATER PUMP PLUMPING DENIM WATER FROM DENIM	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:29	261135190	281129 DENIM WATER PUMP PLUMPING DENIM WATER FROM DENIM	NPPIA_NPPI	PP6
WL1320	Power Plant Unit 6	14/Mar/2026 4:29	261135191	2 WEEKS- INSPECTION DOSING PUMP	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:30	261135192	281127 ACID DOSING PUMP	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:30	261135193	281128 CAUSING DOSING PUMP	NPPIA_NPPI	PP6
WL1320	PP6-ASH LEACHING PUMP 1	14/Mar/2026 4:30	261135194	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR SECONDARY AGITATOR (PO)	NPPIA_NPPI	PP6
WL1320	PP6-ASH LEACHING PUMP 1	14/Mar/2026 4:30	261135195	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR MAIN AGITATOR (PO)	NPPIA_NPPI	PP6
WL1320	PP6-ASH LEACHING PUMP 1	14/Mar/2026 4:31	261135196	MONTHLY- PM VISUAL CHECK AND BASIC POM FOR MAIN AGITATOR (PO)	NPPIA_NPPI	PP6
WL1320	Power Plant Unit 6	14/Mar/2026 4:31	261135197	WEEKLY- PM REFIL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2.1)	NPPIA_NPPI	PP6
WL1320	Power Plant Unit 6	14/Mar/2026 4:31	261135198	WEEKLY- PM REFIL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2.3)	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:31	261135199	Monthly check Temp. Cooling 28111-420	NPPIA_NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	14/Mar/2026 4:31	261135200	PM WEEKLY PROTECT FIRE 321C029	NPPIA_NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	14/Mar/2026 4:31	261135201	Monthly check pressure switch position 321S-022	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:34	261135211	Monthly check Temp. Cooling 28111-420	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:34	261135212	Monthly check Temp. Cooling 28111-420	NPPIA_NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	14/Mar/2026 4:34	261135213	Monthly check Rotation gear 321C-029	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:34	261135214	Monthly check Pressure of Mill at 2811-431	NPPIA_NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	14/Mar/2026 4:34	261135215	PM WEEKLY PROTECT FIRE 321C030	NPPIA_NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	14/Mar/2026 4:35	261135216	Monthly check Rotation gear 321C-031	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:35	261135217	Monthly check Pressure of Filter 281P-402	NPPIA_NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	14/Mar/2026 4:35	261135218	PM WEEKLY PROTECT FIRE 321C039	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:35	261135219	Monthly check Temp. air dryer 28111-420	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:35	261135220	Monthly check Dew point analyzer 28107-421	NPPIA_NPPI	PP6
WL1320	Combustion Air System	14/Mar/2026 4:35	261135221	Monthly check pressure 462PC-201 (S)	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:36	261135222	Monthly check Temp. instrument at 28111-424	NPPIA_NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	14/Mar/2026 4:36	261135223	PM WEEKLY PROTECT FIRE 321C031	NPPIA_NPPI	PP6
WL1320	PP6-DEMIN WATER PLANT PUMP 1	14/Mar/2026 4:36	261135225	MONTHLY- PM FOR LAURSE MATERIAL RECLAIM SCREW #1 (E)	NPPIA_NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	21/Mar/2026 2:02	261146206	2 MONTHS- PM FOR MOTOR SCREW		

WL1320	PPS-COOLING TOWER PUMP 1	21/Mar/2026 2:31	261146206	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO 1 (PO)	NPPSA, NPPS	PPS
WL1320	PPS-COOLING TOWER PUMP 1	21/Mar/2026 2:32	261146207	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO 2 (PO)	NPPSA, NPPS	PPS
WL1320	PPS-COOLING TOWER PUMP 1	21/Mar/2026 2:32	261146208	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO 3 (PO)	NPPSA, NPPS	PPS
WL1320	PPS-COOLING TOWER PUMP 1	21/Mar/2026 2:33	261146209	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO 5 (PO)	NPPSA, NPPS	PPS
WL1320	PPS-ASH LEACHING PUMP 1	21/Mar/2026 2:34	261146271	WEEKLY - PM FOR DECKER CENTRIFUGAL (A)	NPPSA, NPPS	PPS
WL1320	Power Plant Unit 5	21/Mar/2026 2:34	261146272	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2) (P)	NPPSA, NPPS	PPS
WL1320	PPS-COOLING TOWER PUMP 1	21/Mar/2026 2:34	261146273	WEEKLY - INSPECT CENTRIFUGAL PUMP (DYNAMIC)	NPPSA, NPPS	PPS
WL1320	PPS-COOLING TOWER PUMP 1	21/Mar/2026 2:35	261146274	271844 COOLING WATER PUMP NO 4	NPPSA, NPPS	PPS
WL1320	PPS-COOLING TOWER PUMP 1	21/Mar/2026 2:35	261146275	271845 COOLING WATER PUMP NO 5	NPPSA, NPPS	PPS
WL1320	Power Plant Unit 5	21/Mar/2026 2:35	261146276	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 1) (P)	NPPSA, NPPS	PPS
WL1320	Power Plant Unit 5	21/Mar/2026 2:36	261146277	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2) (P)	NPPSA, NPPS	PPS
WL1320	Power Plant Unit 5	21/Mar/2026 2:36	261146278	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE GRASP, PPS (ROUTE 2) NPPSA, NPPS	NPPSA, NPPS	PPS
WL1320	Power Plant Unit 5	21/Mar/2026 2:36	261146279	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 1) (P)	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	21/Mar/2026 2:39	261146284	PM WEEKLY PROTECT FIRE 321037	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	21/Mar/2026 2:39	261146285	Zweek Preventive Maintenance for motor 321037	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	21/Mar/2026 2:40	261146286	PM WEEKLY PROTECT FIRE 321038	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	21/Mar/2026 2:40	261146287	PM WEEKLY PROTECT FIRE 321029	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	21/Mar/2026 2:40	261146288	PM WEEKLY PROTECT FIRE 321031	NPPSA, NPPS	PPS
MS004	PPS-RECOVERY BOLLER PUMP 1	21/Mar/2026 2:40	261146289	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 35	NPPSA, NPPS	PPS
MS004	PPS-DEMIN WATER PLANT PUMP 1	21/Mar/2026 2:40	261146290	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 30	NPPSA, NPPS	PPS
MS004	PPS-DEMIN WATER PLANT PUMP 1	21/Mar/2026 2:41	261146291	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 22	NPPSA, NPPS	PPS
MS004	PPS-DEMIN WATER PLANT PUMP 1	21/Mar/2026 2:41	261146292	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 21	NPPSA, NPPS	PPS
MS004	PPS-DEMIN WATER PLANT PUMP 1	21/Mar/2026 2:41	261146293	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 20	NPPSA, NPPS	PPS
MS004	PPS-FUEL STORAGE AND HANDLING FOR PUMP	21/Mar/2026 2:42	261146294	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 23	NPPSA, NPPS	PPS
MS004	PPS-RECOVERY BOLLER PUMP 1	21/Mar/2026 2:42	261146295	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PPS	NPPSA, NPPS	PPS
MS004	PPS-RECOVERY BOLLER PUMP 1	21/Mar/2026 2:42	261146296	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PPS	NPPSA, NPPS	PPS
MS004	PPS-RECOVERY BOLLER PUMP 1	21/Mar/2026 2:42	261146297	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PPS	NPPSA, NPPS	PPS
MS004	PPS-RECOVERY BOLLER PUMP 1	21/Mar/2026 2:42	261146298	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PPS	NPPSA, NPPS	PPS
MS004	PPS-RECOVERY BOLLER PUMP 1	21/Mar/2026 2:43	261146299	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PPS	NPPSA, NPPS	PPS
MS004	PPS-RECOVERY BOLLER PUMP 1	21/Mar/2026 2:44	261146300	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PPS	NPPSA, NPPS	PPS
MS004	PPS-RECOVERY BOLLER PUMP 1	21/Mar/2026 2:44	261146301	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PPS	NPPSA, NPPS	PPS
MS004	PPS-RECOVERY BOLLER PUMP 1	21/Mar/2026 2:44	261146302	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PPS	NPPSA, NPPS	PPS
WL1320	LOW VOLTAGE MAIN DISTRIBUTION BOARD &	21/Mar/2026 2:45	261146304	MONTHLY - PM FOR 800V MCC #4211 PPS (PO)	NPPSA, NPPS	PPS
WL1320	LOW VOLTAGE MAIN DISTRIBUTION BOARD &	21/Mar/2026 2:45	261146305	MONTHLY - PM FOR 400V MCC #4391 PPS (PO)	NPPSA, NPPS	PPS
WL1320	LOW VOLTAGE MAIN DISTRIBUTION BOARD &	21/Mar/2026 2:45	261146307	MONTHLY - PM FOR 400V MCC #4391 PPS (PO)	NPPSA, NPPS	PPS
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PUMP	28/Mar/2026 2:00	261156174	Zweek Preventive Maintenance for motor 261092	NPPSA, NPPS	PPS
MS004	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Mar/2026 2:01	261156175	MONTHLY - PM FOR BATTERY FOR 3218002 DCS FUEL PPS AND PP2(A)	NPPSA, NPPS	PPS
MS004	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Mar/2026 2:01	261156176	MONTHLY - PM FOR BATTERY FOR 3218002 DCS FUEL PPS AND PP2(A)	NPPSA, NPPS	PPS
MS004	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Mar/2026 2:01	261156178	MONTHLY - PM FOR UPS A FOR DCS FUEL PPS AND PP1(A)	NPPSA, NPPS	PPS
MS004	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Mar/2026 2:01	261156179	MONTHLY - PM FOR UPS B FOR DCS FUEL PPS AND PP1(A)	NPPSA, NPPS	PPS
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PUMP	28/Mar/2026 2:01	261156180	2 MONTHS - PM FOR HANDLING FOR PUMP 1 (E)	NPPSA, NPPS	PPS
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PUMP	28/Mar/2026 2:02	261156181	2 MONTHS - PM FOR OIL PUMPS (E)	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Mar/2026 2:03	261156182	2 MONTHS - PM FOR MOTOR BELT CONVEYOR BC7 (E)	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Mar/2026 2:04	261156184	2 MONTHS - PM FOR SCRAPER DISC SCREEN FOR CHIP (E)	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Mar/2026 2:04	261156185	2 MONTHS - PM FOR R.C. MAGNETIC CONVEYOR C03 (E)	NPPSA, NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	28/Mar/2026 2:05	261156186	MONTHLY - PM FOR TURBO GEN #1 TRANSFORMER T01 (E)	NPPSA, NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	28/Mar/2026 2:05	261156187	MONTHLY - PM FOR BATTERY FOR 2915002 UPS POWER MCC UP03 (E)	NPPSA, NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	28/Mar/2026 2:06	261156188	MONTHLY - PM FOR BATTERY FOR 2915002 UPS POWER MCC UP03 (E)	NPPSA, NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	28/Mar/2026 2:06	261156189	MONTHLY - PM FOR BATTERY FOR 2915002 UPS POWER MCC UP03 (E)	NPPSA, NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	28/Mar/2026 2:06	261156190	MONTHLY - PM FOR BATTERY FOR 2915001 CHARGER NO 1 TURBO SET (E)	NPPSA, NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	28/Mar/2026 2:06	261156191	MONTHLY - PM FOR BATTERY FOR 2915001 CHARGER NO 1 TURBOSET (E)	NPPSA, NPPS	PPS
WL1320	PPS-POWER DISTRIBUTION PUMP 1	28/Mar/2026 2:06	261156192	MONTHLY - PM FOR BATTERY FOR 2938125 110KV CHARGER SUBSTATION 115 kV (E)	NPPSA, NPPS	PPS
WL1320	PPS-POWER DISTRIBUTION PUMP 1	28/Mar/2026 2:07	261156193	MONTHLY - PM FOR BATTERY FOR 2938125 480V CHARGER SUBSTATION 115 kV (E)	NPPSA, NPPS	PPS
WL1320	BACK UP BATTERIES	28/Mar/2026 2:07	261156194	MONTHLY - PM FOR BATTERY FOR DIESEL GENERATOR PPS 1 (E)	NPPSA, NPPS	PPS
WL1320	PPS-POWER DISTRIBUTION PUMP 1	28/Mar/2026 2:07	261156195	MONTHLY - PM FOR 110KV BATTERY CHARGER SUBSTATION 115 kV (E)	NPPSA, NPPS	PPS
WL1320	PPS-POWER DISTRIBUTION PUMP 1	28/Mar/2026 2:07	261156196	MONTHLY - PM FOR BATTERY CHARGER SUBSTATION 115 kV (E)	NPPSA, NPPS	PPS
WL1320	SOLID FUEL FEED (S&D TO BOLLER)	28/Mar/2026 2:07	261156197	3 MONTHS (PO) - PM FOR FILL & CLEAN FOR HYDRAULIC UNIT FOR FUEL SLO 2 (M)	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Mar/2026 2:07	261156198	MONTHLY - PM FOR DISTRIBUTOR CONVEYOR 10 M (PO)	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Mar/2026 2:08	261156200	MONTHLY - PM FOR BELT BELT CONV. BARK & RICE TO BOLLER (PO)	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Mar/2026 2:11	261156202	MONTHLY - PM FOR REFILL & RECHECK HUSK POCKET (PO)	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Mar/2026 2:12	261156203	MONTHLY - PM FOR DRIVE 2 RICE HUSK POCKET (PO)	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Mar/2026 2:14	261156205	MONTHLY - PM FOR SCREW CONVEYOR BCK 3 (PO)	NPPSA, NPPS	PPS
WL1320	Economiser Section	28/Mar/2026 2:15	261156206	4 MONTHS - PM ROUTE CLEAN AREA SHAD (PO)	NPPSA, NPPS	PPS
WL1320	BOILER ROOM(WATER/STEAM/VAPOUR)	28/Mar/2026 2:16	261156207	4 MONTHS - PM ROUTE CLEAN AREA SHAD (PO)	NPPSA, NPPS	PPS
WL1320	HF SUPERHEATER SYSTEMS	28/Mar/2026 2:16	261156208	4 MONTHS - PM ROUTE CLEAN AREA SHAD (PO)	NPPSA, NPPS	PPS
WL1320	Soot Blowers	28/Mar/2026 2:16	261156210	4 MONTHS - PM ROUTE CLEAN AREA SHAD (PO)	NPPSA, NPPS	PPS
WL1320	Combustion Air System	28/Mar/2026 2:17	261156211	2 WEEKS - PM FOR FLUOIZING AIR FAN (PO)	NPPSA, NPPS	PPS
WL1320	Furnace and Flue gas	28/Mar/2026 2:18	261156212	2 WEEKS - PM FOR SECONDARY AIR FAN (PO)	NPPSA, NPPS	PPS
WL1320	Combustion Air System	28/Mar/2026 2:19	261156214	2 WEEKS - PM FOR INDUCED DRAFT FAN (PO)	NPPSA, NPPS	PPS
WL1320	Combustion Air System	28/Mar/2026 2:20	261156215	2 WEEKS - PM FOR FUEL FEEDING FAN 1, LEFT WALL (PO)	NPPSA, NPPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	28/Mar/2026 2:22	261156216	2 WEEKS - PM FOR FUEL FEEDING FAN 2, RIGHT WALL (PO)	NPPSA, NPPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	28/Mar/2026 2:23	261156217	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOLLER, PPS (ROUTE 1) (PO)	NPPSA, NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	28/Mar/2026 2:23	261156218	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOLLER, PPS (ROUTE 3) (PO)	NPPSA, NPPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	28/Mar/2026 2:23	261156219	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA TEGS, PPS(PO)	NPPSA, NPPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	28/Mar/2026 2:23	261156220	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE SCOT BLOWER, PPS (ROUTE 1)	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Mar/2026 2:24	261156221	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE SCOT BLOWER, PPS (ROUTE 1)	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Mar/2026 2:24	261156222	WEEKLY - PM FOR BELT ELEVATOR #12 (M)	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Mar/2026 2:24	261156223	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE SCREW RECLAIMER (PO)	NPPSA, NPPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	28/Mar/2026 2:24	261156224	Weekly Preventive maintenance for air condition	NPPSA, NPPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	28/Mar/2026 2:25	261156225	Weekly inspection for lighting system, Ex211	NPPSA, NPPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	28/Mar/2026 2:25	261156226	2 Weekly Routine inspection for MCC, area 402	NPPSA, NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	28/Mar/2026 2:25	261156227	2 Weekly inspection for lighting system, Ex211	NPPSA, NPPS	PPS
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PUMP	28/Mar/2026 2:25	261156228	Monthly inspection for lighting system, Ex211	NPPSA, NPPS	PPS
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PUMP	28/Mar/2026 2:25	261156229	Preventive maintenance for 291218	NPPSA, NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	28/Mar/2026 2:26	261156230	Weekly check for Flue gases analyser NOX	NPPSA, NPPS	PPS
MS003	PPS-POWER BOLLER PUMP 1	28/Mar/2026 2:26	261156231		NPPSA, NPPS	PPS
MS003	PPS-POWER BOLLER PUMP 1	28/Mar/2026 2:26	261156233	Weekly check for Flue gases analyser TSS	NPPSA, NPPS	PPS
MS003	PPS-POWER BOLLER PUMP 1	28/Mar/2026 2:26	261156234	Weekly check for Flue gases analyser CO	NPPSA, NPPS	PPS
MS003	PPS-POWER BOLLER PUMP 1	28/Mar/2026 2:27	261156235	Weekly check for Flue gases analyser SO2	NPPSA, NPPS	PPS
MS003	Economiser Section	28/Mar/2026 2:27	261156236	Weekly check for Flue gases analyser	NPPSA, NPPS	PPS
MS003	Furnace and Flue gas	28/Mar/2026 2:27	261156237	Weekly check for Flue gases analyser	NPPSA, NPPS	PPS
MS003	Soots Blck	28/Mar/2026 2:27	261156238	Weekly check for Flue gases analyser	NPPSA, NPPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	28/Mar/2026 2:27	261156239	Monthly PM for cable tray Power boiler	NPPSA, NPPS	PPS
WS212	Combustion Air System	28/Mar/2026 2:28	261156240	3 MONTHS (DO) - PM FOR FLUOIZING AIR FAN (M)	NPPSA, NPPS	PPS
WS212	Combustion Air System	28/Mar/2026 2:28	261156241	3 MONTHS (DO) - PM FOR SECONDARY AIR FAN (M)	NPPSA, NPPS	PPS
WS212	Furnace and Flue gas	28/Mar/2026 2:29	261156242	3 MONTHS (DO) - PM FOR INDUCED DRAFT FAN (M)	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Mar/2026 2:29	261156243	2 WEEKS - PM FOR MOTOR BELT CONVEYOR BARK & RICE TO BOLLER (E)	NPPSA, NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	28/Mar/2026 2:30	261156244	MONTHLY - PM FOR CONDENSATE PUMP 1 TSGI (PO)	NPPSA, NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	28/Mar/2026 2:31	261156245	MONTHLY - PM FOR CONDENSATE PUMP 2 TSGI (PO)	NPPSA, NPPS	PPS
WL1320	SOLID FUEL FEED (S&D TO BOLLER)	28/Mar/2026 2:32	261156246	WEEKLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 1 (PO)	NPPSA, NPPS	PPS
WL1320	SOLID FUEL FEED (S&D TO BOLLER)	28/Mar/2026 2:32	261156247	WEEKLY - PM FOR FUEL FEEDING FAN 1, LEFT WALL (PO)	NPPSA, NPPS	PPS
MS004	Ash & Slag Removal	28/Mar/2026 2:33	261156249	2 WEEKS - PM FOR FUEL ASH (A)	NPPSA, NPPS	PPS
MS004	SOLID FUEL FEED (S&D TO BOLLER)	28/Mar/2026 2:33	261156250	2 WEEKS - PM FOR FUEL FEEDING BOLLER (A)	NPPSA, NPPS	PPS
MS004	PPS-POWER GENERATION PUMP 1	28/Mar/2026 2:34	261156251	2 WEEKS - PM FOR POWER FACTOR (A)	NPPSA, NPPS	PPS
MS004	PPS-POWER GENERATION PUMP 1	28/Mar/2026 2:34	261156252	2 WEEKS - PM FOR SYNCHRONOUS (A)	NPPSA, NPPS	PPS
MS004	PPS-POWER GENERATION PUMP 1	28/Mar/2026 2:35	261156253	2 WEEKS - PM FOR TURBINE CONTROL GOVERNOR CABINET TGS (1C0001) (A)	NPPSA, NPPS	PPS
MS004	PPS-POWER GENERATION PUMP 1	28/Mar/2026 2:36	261156255	2 WEEKS - PM FOR TURBINE CONTROL GOVERNOR CABINET TGS (2C0001) (A)	NPPSA, NPPS	PPS
MS004	PPS-POWER GENERATION PUMP 1	28/Mar/2026 2:37	261156256	2 WEEKS - PM FOR TURBINE CONTROL AUXILIARY CABINET TGS (1C0001) (A)	NPPSA, NPPS	PPS
MS004	PPS-POWER GENERATION PUMP 1	28/Mar/2026 2:39	261156257	2 WEEKS - PM FOR TURBINE CONTROL AUXILIARY CABINET TGS (2C0001) (A)	NPPSA, NPPS	PPS
MS004	PPS-POWER GENERATION PUMP 1	28/Mar/2026 2:41	261156258	WEEKLY - PM FOR TURBINE CONTROL SERVER CABINET TGS 6 (1C0017 13000) (A)	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Mar/2026 2:42	261156259	MONTHLY - PM FOR BELT CONVEYOR RICE - FA STORAGE (PO)	NPPSA, NPPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Mar/2026 2:43	261156260	monthly check Rotation grand 321C 036	NPPSA, NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	28/Mar/2026 2:43	261156261	monthly check Rotation grand 321C 036	NPPSA, NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	28/Mar/2026 2:43	261156262	WEEKLY - INSPECTION FOR RECLAIMER WEEKLY	NPPSA, NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	28/Mar/2026 2:43	261156263	4610302 Recovery Boiler Bed Cams Right Side	NPPSA, NPPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	28/Mar/2026 2:44	261156264	4610302 Recovery Boiler Bed Cams Left Side	NPPSA, NPPS	PPS
MS004	PPS-DEMIN WATER PLANT PUMP 1	28/Mar/2026 2:44	261156265	MONTHLY - PM FOR BATTERY FOR 2818002 DCS BOLLER PPS (A)	NPPSA, NPPS	PPS
MS004	PPS-DEMIN WATER PLANT PUMP 1	28/Mar/2026 2:44	26115626			

MS003	PP6-RECOVERY BOILER PUMP 1	28/Mar/2026 3:07	26.1156324	Weekly check for CO2 DO 4613746-2	NPPIA, NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	28/Mar/2026 3:07	26.1156325	Weekly check for Flue gases analyzer TMS	NPPIA, NPPI	PP6
MS003	PP6-RECOVERY BOILER PUMP 1	28/Mar/2026 3:07	26.1156326	Weekly check for CO2 analyzer	NPPIA, NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	28/Mar/2026 3:08	26.1156327	Weekly check for Flue gases analyzer HX	NPPIA, NPPI	PP6
MS003	PP6-RECOVERY BOILER PUMP 1	28/Mar/2026 3:08	26.1156328	Weekly check for Flue gases analyzer	NPPIA, NPPI	PP6
MS003	PP6-RECOVERY BOILER PUMP 1	28/Mar/2026 3:08	26.1156329	Weekly check for Flue gases analyzer CO2	NPPIA, NPPI	PP6
MS003	PP6-RECOVERY BOILER PUMP 1	28/Mar/2026 3:08	26.1156330	Weekly check for Flue gases analyzer SO2	NPPIA, NPPI	PP6
MS003	PP6-RECOVERY BOILER PUMP 1	28/Mar/2026 3:08	26.1156331	Weekly check for Flue gases analyzer CO	NPPIA, NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	28/Mar/2026 3:09	26.1156332	2 Week PM for steam drum level/lighting	NPPIA, NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	28/Mar/2026 3:09	26.1156333	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FEEDWATER PUMP # 2 (PO)	NPPIA, NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	28/Mar/2026 3:10	26.1156334	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FEEDWATER PUMP # 3 (PO)	NPPIA, NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	28/Mar/2026 3:12	26.1156335	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FEED WATER PUMP # 4 (PO)	NPPIA, NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	28/Mar/2026 3:14	26.1156336	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR GREEN LIQUOR TRANSFER PUMP # 1 (PO)	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:14	26.1156337	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION/TRANSFER PUMP # 1 A NPPIA, NPPI	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:15	26.1156338	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION/TRANSFER PUMP # 1 B NPPIA, NPPI	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:16	26.1156339	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION/TRANSFER PUMP # 1 C NPPIA, NPPI	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:17	26.1156340	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION/TRANSFER PUMP # 1 D NPPIA, NPPI	NPPIA, NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	28/Mar/2026 3:17	26.1156341	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR DUMP TANK PUMP (PO)	NPPIA, NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	28/Mar/2026 3:18	26.1156342	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SPL COLLECTION PUMP (PO)	NPPIA, NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	28/Mar/2026 3:19	26.1156343	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SCRUBBER RECIRCULATION PUMP (PO)	NPPIA, NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	28/Mar/2026 3:20	26.1156344	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR GREEN LIQUOR TRANSFER PUMP # 1 (PO) NPPIA, NPPI	NPPIA, NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	28/Mar/2026 3:20	26.1156345	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUOR WATER PUMP # 1 (PO) NPPIA, NPPI	NPPIA, NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	28/Mar/2026 3:22	26.1156347	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SPOUT COOLING WATER PUMP (PO) NPPIA, NPPI	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:22	26.1156348	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUOR SPRAY GUN PUMP # 1 A (PO) NPPIA, NPPI	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:23	26.1156349	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUOR SPRAY GUN SP PUMP # 1 NPPIA, NPPI	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:23	26.1156350	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION PUMP # 3 (PO)	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:24	26.1156351	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION PUMP # 4 (PO)	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:25	26.1156352	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR TRANSFER PUMP # 1 (PO)	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:26	26.1156353	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR TRANSFER PUMP # 3 (PO)	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:26	26.1156354	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR TRANSFER PUMP FOR EFFECT # 5 (PO)	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:27	26.1156355	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SECONDARY CONDENSATE TRANSFER PUMP NPPIA, NPPI	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:28	26.1156356	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR CONTAMINATED CONDENSATE TRANSFER NPPIA, NPPI	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:29	26.1156357	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR STRONG LIQUOR TRANSFER PUMP # 1 A NPPIA, NPPI	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:30	26.1156358	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR STRONG LIQUOR TRANSFER PUMP # 1 B NPPIA, NPPI	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:32	26.1156359	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR STRONG LIQUOR TRANSFER PUMP # 2 A NPPIA, NPPI	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:33	26.1156360	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR STRONG LIQUOR TRANSFER PUMP # 3 A NPPIA, NPPI	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:32	26.1156361	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR STRONG LIQUOR TRANSFER PUMP # 3 B NPPIA, NPPI	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:32	26.1156362	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR WEAK LIQUOR TRANSFER PUMP (PO)	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:33	26.1156363	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION PUMP # 2 (PO)	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:34	26.1156364	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR TRANSFER PUMP # 4 (PO)	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:35	26.1156365	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RECIRCULATION PUMP # 5 (PO)	NPPIA, NPPI	PP6
WL1320	PP6-COOLING TOWER PUMP 1	28/Mar/2026 3:36	26.1156366	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.1 (PO)	NPPIA, NPPI	PP6
WL1320	PP6-COOLING TOWER PUMP 1	28/Mar/2026 3:36	26.1156367	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.2 (PO)	NPPIA, NPPI	PP6
WL1320	PP6-COOLING TOWER PUMP 1	28/Mar/2026 3:37	26.1156368	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.3 (PO)	NPPIA, NPPI	PP6
WL1320	PP6-COOLING TOWER PUMP 1	28/Mar/2026 3:38	26.1156369	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.4 (PO)	NPPIA, NPPI	PP6
WL1320	PP6-COOLING TOWER PUMP 1	28/Mar/2026 3:38	26.1156370	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.5 (PO)	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:40	26.1156372	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RINGING RETURN PUMP (PO)	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:41	26.1156373	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR STEAM CONDENSATE PUMP (PO)	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:42	26.1156375	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR CONTAMINATED CONDENSATE FEED PUMP NPPIA, NPPI	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:43	26.1156376	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR TREATED CONDENSATE PUMP (PO)	NPPIA, NPPI	PP6
WL1320	PP6-EVAPORATION PUMP 1	28/Mar/2026 3:44	26.1156380	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR WARM WATER DISTRIBUTION PUMP (PO) NPPIA, NPPI	NPPIA, NPPI	PP6
WL1320	PP6-ASH LEACHING PUMP 1	28/Mar/2026 3:44	26.1156381	WEEKLY - PM FOR DECENTRIFUGES (A)	NPPIA, NPPI	PP6
MS004	PP6-RECOVERY BOILER PUMP 1	28/Mar/2026 3:45	26.1156382	2 WEEKS - PM FOR RODGING MASTER # 1 (A)	NPPIA, NPPI	PP6
MS004	PP6-RECOVERY BOILER PUMP 1	28/Mar/2026 3:45	26.1156383	2 WEEKS - PM FOR RODGING MASTER # 2 (A)	NPPIA, NPPI	PP6
MS004	PP6-RECOVERY BOILER PUMP 1	28/Mar/2026 3:45	26.1156384	2 WEEKS - PM FOR RODGING MASTER (A)	NPPIA, NPPI	PP6
MS004	PP6-DEMIN WATER PLANT PUMP 1	28/Mar/2026 3:46	26.1156385	2 WEEKS - PM FOR START UP BURNER (A)	NPPIA, NPPI	PP6
MS004	PP6-DEMIN WATER PLANT PUMP 1	28/Mar/2026 3:46	26.1156386	2 WEEKS - PM FOR AIR DRYING (A)	NPPIA, NPPI	PP6
MS004	PP6-DEMIN WATER PLANT PUMP 1	28/Mar/2026 3:47	26.1156387	2 WEEKS - PM FOR FUEL DEMON (A)	NPPIA, NPPI	PP6
MS004	PP6-DEMIN WATER PLANT PUMP 1	28/Mar/2026 3:47	26.1156388	2 WEEKS - PM FOR PLC CM5 NPPI (A)	NPPIA, NPPI	PP6
MS004	PP6-DEMIN WATER PLANT PUMP 1	28/Mar/2026 3:47	26.1156390	2 WEEKS - PM FOR HM POLISHING PLANT (A)	NPPIA, NPPI	PP6
MS004	PP6-DEMIN WATER PLANT PUMP 1	28/Mar/2026 3:47	26.1156391	2 WEEKS - PM FOR FUEL PLANT (A)	NPPIA, NPPI	PP6
WL1320	PP6-RECOVERY BOILER PUMP 1	28/Mar/2026 3:48	26.1156392	MONTHLY - PM FOR HYDROIL OIL PUMP FOR ID PAN#2 (E)	NPPIA, NPPI	PP6
WL1320	PP6-ASH LEACHING PUMP 1	28/Mar/2026 3:49	26.1156396	MONTHLY - PM FOR MAIN INCHONG #600 FOR ASH LEACHING PLANT (E)	NPPIA, NPPI	PP6
WL1320	Power Plant Unit 5	28/Mar/2026 3:49	26.1156398	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2.21) NPPIA, NPPI	NPPIA, NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Mar/2026 3:50	26.1156407	PM WEEKLY PROTECT FIRE 321027	NPPIA, NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Mar/2026 3:50	26.1156408	PM WEEKLY PROTECT FIRE 321030	NPPIA, NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Mar/2026 3:51	26.1156411	PM WEEKLY PROTECT FIRE 321029	NPPIA, NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	28/Mar/2026 3:51	26.1156412	PM WEEKLY PROTECT FIRE 321031	NPPIA, NPPI	PP6
WL1321	Ash & Slag Removal Removal	28/Mar/2026 3:52	26.1156426	3 MONTHS (SD) - PM FOR COARSE MATERIAL SCREW 1 (M)	NPPIA, NPPI	PP6
WL1321	Ash & Slag Removal Removal	28/Mar/2026 3:53	26.1156427	3 MONTHS (SD) - PM FOR COARSE MATERIAL SCREW 2 (M)	NPPIA, NPPI	PP6
WL1320	PP6-COOLING TOWER PUMP 1	28/Mar/2026 3:53	26.1156430	MONTHLY - PM FOR WATER TREATMENT TRANSFORMER T1020 (E)	NPPIA, NPPI	PP6
MS004	PP6-RECOVERY BOILER PUMP 1	28/Mar/2026 3:50	26.1157778	Monthly vibration test	NPPIA, NPPI	PP6
MS004	PP6-POWER BOILER PUMP 1	04/Apr/2026 2:00	26.1157779	Monthly oil sampling 461	NPPIA, NPPI	PP6
WL118	PP5-POWER GENERATION PUMP 1	04/Apr/2026 2:00	26.1158340	Monthly inspection for road lighting system	NPPIA, NPPI	PP6
WL118	PP5-POWER GENERATION PUMP 1	04/Apr/2026 2:01	26.1158341	MONTHLY - INSPECTION FOR BATTERY CHARGER	NPPIA, NPPI	PP6
WL118	PP5-POWER GENERATION PUMP 1	04/Apr/2026 2:01	26.1158343	29SLINE BATTERY CHARGER NO 1 TURBOSET	NPPIA, NPPI	PP6
WL118	PP5-POWER GENERATION PUMP 1	04/Apr/2026 2:01	26.1158344	MONTHLY - PM FOR MOTOR INCHONG NO 2 TURBOSET	NPPIA, NPPI	PP6
WL115	SOLID FUEL FEED (SLO TO BOLLER)	04/Apr/2026 2:02	26.1158345	MONTHLY - PM FOR LOAD BURNER 1, FRONT WALL (E)	NPPIA, NPPI	PP6
WL115	SOLID FUEL FEED (SLO TO BOLLER)	04/Apr/2026 2:02	26.1158346	MONTHLY - PM FOR LOAD BURNER 2, FRONT WALL (E)	NPPIA, NPPI	PP6
WL115	SOLID FUEL FEED (SLO TO BOLLER)	04/Apr/2026 2:04	26.1158347	MONTHLY - PM FOR LOAD BURNER 3, FRONT WALL (E)	NPPIA, NPPI	PP6
WL115	SOLID FUEL FEED (SLO TO BOLLER)	04/Apr/2026 2:04	26.1158348	MONTHLY - PM FOR LOAD BURNER 4, FRONT WALL (E)	NPPIA, NPPI	PP6
WL115	SOLID FUEL FEED (SLO TO BOLLER)	04/Apr/2026 2:05	26.1158349	MONTHLY - PM FOR START UP BURNER 1, LEFT WALL (E)	NPPIA, NPPI	PP6
WL115	SOLID FUEL FEED (SLO TO BOLLER)	04/Apr/2026 2:05	26.1158350	MONTHLY - PM FOR START UP BURNER 2, RIGHT WALL (E)	NPPIA, NPPI	PP6
WL115	Electrostatic precipitator	04/Apr/2026 2:05	26.1158351	MONTHLY - PM FOR ELECTROSTATIC PRECIPITATOR (E)	NPPIA, NPPI	PP6
WL1320	PP5-POWER GENERATION PUMP 1	04/Apr/2026 2:06	26.1158352	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL ER2105 (E)	NPPIA, NPPI	PP6
WL1320	PP5-POWER GENERATION PUMP 1	04/Apr/2026 2:06	26.1158353	MONTHLY - PM FOR GENERATOR TO G (E)	NPPIA, NPPI	PP6
WL115	SOLID FUEL FEED (SLO TO BOLLER)	04/Apr/2026 2:07	26.1158354	MONTHLY - PM FOR FUEL DRAG CONVEYOR 2, LEFT WALL (E)	NPPIA, NPPI	PP6
WL115	SOLID FUEL FEED (SLO TO BOLLER)	04/Apr/2026 2:08	26.1158355	MONTHLY - PM FOR FUEL DRAG CONVEYOR 2, RIGHT WALL (E)	NPPIA, NPPI	PP6
WL1320	Ash & Slag Removal Removal	04/Apr/2026 2:08	26.1158356	MONTHLY - PM FOR COARSE MATERIAL RECLAIM SCREW 2 (E)	NPPIA, NPPI	PP6
WL1320	Ash & Slag Removal Removal	04/Apr/2026 2:09	26.1158357	MONTHLY - PM FOR START UP DISCHARGING SCREW (E)	NPPIA, NPPI	PP6
WL1320	Ash & Slag Removal Removal	04/Apr/2026 2:10	26.1158358	MONTHLY - PM FOR ASH SCREW CONVEYOR, LEFT WALL (E)	NPPIA, NPPI	PP6
WL1320	Ash & Slag Removal Removal	04/Apr/2026 2:10	26.1158359	MONTHLY - PM FOR ASH SCREW CONVEYOR, RIGHT WALL (E)	NPPIA, NPPI	PP6
WL1320	Ash & Slag Removal Removal	04/Apr/2026 2:11	26.1158360	MONTHLY - PM FOR ASH MAIN DRAG CONVEYOR (E)	NPPIA, NPPI	PP6
WL1320	Ash & Slag Removal Removal	04/Apr/2026 2:13	26.1158361	MONTHLY - PM FOR ASH BUCKET ELEVATOR (E)	NPPIA, NPPI	PP6
WL115	SOLID FUEL FEED (SLO TO BOLLER)	04/Apr/2026 2:14	26.1158362	MONTHLY - PM FOR SHREDDER ROLL 1 (E)	NPPIA, NPPI	PP6
WL115	SOLID FUEL FEED (SLO TO BOLLER)	04/Apr/2026 2:14	26.1158363	MONTHLY - PM FOR SHREDDER ROLL 2 (E)	NPPIA, NPPI	PP6
WL1320	PP5-POWER GENERATION PUMP 1	04/Apr/2026 2:15	26.1158364	MONTHLY - PM FOR D.E. EMERGENCY OIL PUMP T61E (E)	NPPIA, NPPI	PP6
WL1320	PP5-POWER GENERATION PUMP 1	04/Apr/2026 2:16	26.1158365	MONTHLY - PM FOR D.E. EMERGENCY OIL PUMP T62E (E)	NPPIA, NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	04/Apr/2026 2:16	26.1158366	MONTHLY - PM FOR MOTOR INCHONG NO 4 OIL PUMP (E)	NPPIA, NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	04/Apr/2026 2:17	26.1158367	MONTHLY - PM FOR GEAR OIL PUMP (E)	NPPIA, NPPI	PP6
WL115	PP5-POWER GENERATION PUMP 1	04/Apr/2026 2:18	26.1158368	MONTHLY - PM FOR JACKING OIL PUMP T61E (E)	NPPIA, NPPI	PP6
WL115	PP5-POWER GENERATION PUMP 1	04/Apr/2026 2:19	26.1158370	MONTHLY - PM FOR JACKING OIL PUMP T62E (E)	NPPIA, NPPI	PP6
WL115	PP5-POWER GENERATION PUMP 1	04/Apr/2026 2:20	26.1158371	MONTHLY - PM FOR ALARMING OIL PUMP T62E (E)	NPPIA, NPPI	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	04/Apr/2026 2:21	26.1158374	2 MONTHS - PM FOR MOTOR BELT CONVEYOR BC5 (E)	NPPIA, NPPI	PP6
WL115	PP5-POWER GENERATION PUMP 1	04/Apr/2026 2:22	26.1158376	MONTHLY - PM FOR DC SWITCHGEAR 110V NO 2 TURBOSET (E)	NPPIA, NPPI	PP6
WL115	PP5-POWER GENERATION PUMP 1	04/Apr/2026 2:22	26.1158377	MONTHLY - PM FOR DC SWITCHGEAR 110V NO 2 TURBOSET (E)	NPPIA, NPPI	PP6
WL115	Electrostatic precipitator	04/Apr/2026 2:23	26.1158378	MONTHLY - PM FOR ESP TRANSFORMER 1 (E)	NPPIA, NPPI	PP6
WL115	Electrostatic precipitator	04/Apr/2026 2:23	26.1158380	MONTHLY - PM FOR ESP TRANSFORMER 2 (E)	NPPIA, NPPI	PP6
WL115	Electrostatic precipitator	04/Apr/2026 2:23	26.1158381	MONTHLY - PM FOR ESP TRANSFORMER 3 (E)	NPPIA, NPPI	PP6
WL1320	LOW VOLTAGE MAIN DISTRIBUTION BOARD&	04/Apr/2026 2:24	26.1158383	MONTHLY - PM FOR POWER TRANSFORMER TH402 (E)	NPPIA, NPPI	PP6
WL1320	PP5-POWER GENERATION PUMP 1	04/Apr/2026 2:24	26.1158384	MONTHLY - PM FOR TRANSFORMER GEN 4 2 TRANSFORMER T02 (E)	NPPIA, NPPI	PP6
WL1320	PP5-POWER GENERATION PUMP 1	04/Apr/2026 2:25	26.1158385	MONTHLY - PM FOR UTILITY TRANSFORMER TH211 (E)	NPPIA, NPPI	PP6
WL1320	PP5-POWER GENERATION PUMP 1	04/Apr/2026 2:25	26.1158386	MONTHLY - PM FOR SECURED POWER TRANSFORMER T1291 (E)	NPPIA, NPPI	PP6
WL1320	PP5-POWER GENERATION PUMP 1	04/Apr/2026 2:25	26.1158387	MONTHLY - PM FOR SECURED POWER TRANSFORMER T1291 (E)	NPPIA, NPPI	PP6
WL1320	PP5-FUEL STORAGE AND HANDLING FOR PUMP	04/Apr/2026 2:26	26.1158388	MONTHLY - PM FOR DISTRIBUTION TRANSFORMER T1401 (E)	NPPIA, NPPI	PP6
WL1320	PP5-FUEL STORAGE AND HANDLING FOR PUMP	04/Apr/2026 2:26	26.1158389	MONTHLY - PM FOR FUEL HANDLING TRANSFORM		

WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	04/Apr/2026 2:50	26.1160245	2 WEEKS - PM FOR BELT CONV. BARK & BICE TO BOILER (PO)	NPP1A_NPP1S	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	04/Apr/2026 2:50	26.1160246	WEEKLY - PM FOR BELT ELEVATOR H-22 M (PO)	NPP1A_NPP1S	PPS
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	04/Apr/2026 2:50	26.1160247	Monthly inspect for oil storage tank	NPP1A_NPP1S	PPS
WL1320	PPS-POWER BOILER PUMP 1	04/Apr/2026 2:50	26.1160248	Weekly Preventive maintenance for air condition	NPP1A_NPP1S	PPS
WL1320	PPS-POWER BOILER PUMP 1	04/Apr/2026 2:50	26.1160249	Monthly inspection for lighting system area 462	NPP1A_NPP1S	PPS
WL1320	PPS-POWER BOILER PUMP 1	04/Apr/2026 2:50	26.1160250	Weekly inspection for ER, CR, RR Room (ER310)	NPP1A_NPP1S	PPS
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	04/Apr/2026 2:51	26.1160251	PM for Pump in area 462	NPP1A_NPP1S	PPS
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	04/Apr/2026 2:51	26.1160252	PM for circulation electric heater 261E106	NPP1A_NPP1S	PPS
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	04/Apr/2026 2:51	26.1160253	PM for Filter in area 26L	NPP1A_NPP1S	PPS
WL1320	PPS-POWER BOILER PUMP 1	04/Apr/2026 2:51	26.1160256	Preventive Maintenance for area 462	NPP1A_NPP1S	PPS
WL1320	PPS-POWER GENERATION PUMP 1	04/Apr/2026 2:51	26.1160257	Monthly check valve bleed. Bleeding 2991T-1063	NPP1A_NPP1S	PPS
WL1320	Boiler Feed Water	04/Apr/2026 2:51	26.1160258	Monthly calibrate pH Meter 462N1-753 (S)	NPP1A_NPP1S	PPS
WL1320	PRESSURE DRAIN SYSTEM	04/Apr/2026 2:52	26.1160259	Monthly check Auma valve 462N1-200 (S)	NPP1A_NPP1S	PPS
WL1320	Boiler Feed Water	04/Apr/2026 2:52	26.1160260	Monthly check Auma valve 462N1-247 (S)	NPP1A_NPP1S	PPS
WL1320	STEAM SYSTEM	04/Apr/2026 2:52	26.1160261	Monthly check Auma valve 462N1-203 (S)	NPP1A_NPP1S	PPS
WL1320	STEAM SYSTEM	04/Apr/2026 2:52	26.1160262	Monthly check Auma valve 462N1-240 (S)	NPP1A_NPP1S	PPS
WL1320	STEAM SYSTEM	04/Apr/2026 2:52	26.1160263	Monthly check Auma valve 462N1-241 (S)	NPP1A_NPP1S	PPS
WL1320	SootBlowers	04/Apr/2026 2:52	26.1160264	Monthly check Auma valve 462N1-254 (S)	NPP1A_NPP1S	PPS
WL1320	PPS-POWER BOILER PUMP 1	04/Apr/2026 2:53	26.1160265	Monthly check Auma valve 462N1-239 (S)	NPP1A_NPP1S	PPS
WL1320	HP SUPERHEATER SYSTEMS	04/Apr/2026 2:53	26.1160266	Monthly check Auma valve 462N1-304 (S)	NPP1A_NPP1S	PPS
WL1320	SootBlowers	04/Apr/2026 2:53	26.1160267	Monthly check Auma valve 462N1-221 (S)	NPP1A_NPP1S	PPS
WL1320	PPS-POWER BOILER PUMP 1	04/Apr/2026 2:53	26.1160268	Monthly PM for steam drum level light Power boiler	NPP1A_NPP1S	PPS
WL1320	PPS-POWER BOILER PUMP 1	04/Apr/2026 2:53	26.1160269	PM Monthly Inspection For 462E18	NPP1A_NPP1S	PPS
WL1320	PPS-POWER BOILER PUMP 1	04/Apr/2026 2:53	26.1160270	PM Monthly Inspection For 462E0001	NPP1A_NPP1S	PPS
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	04/Apr/2026 2:54	26.1160271	2 Monthly inspection for steam of heater 261E104	NPP1A_NPP1S	PPS
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PULP	04/Apr/2026 2:54	26.1160272	2 Monthly inspection for steam of heater 261E105	NPP1A_NPP1S	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	04/Apr/2026 2:54	26.1160273	MONTHLY - PM FOR VSD SORT START MOTOR SCREW RECLAIMER (E)	NPP1A_NPP1S	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	04/Apr/2026 2:54	26.1160274	MONTHLY - PM FOR VSD SORT START DRIVE CHIP SCREW RECLAIMER (E)	NPP1A_NPP1S	PPS
WL1320	Furnace and Flue gas	04/Apr/2026 2:54	26.1160276	MONTHLY - PM FOR VSD SORT START INDUCED DRAFT FAN (E)	NPP1A_NPP1S	PPS
WL1320	PPS-POWER GENERATION PUMP 1	04/Apr/2026 2:54	26.1160278	MONTHLY - PM FOR CONDENSATE PUMP 1 TSG1 (PO)	NPP1A_NPP1S	PPS
WL1320	PPS-POWER GENERATION PUMP 1	04/Apr/2026 2:55	26.1160281	MONTHLY - PM FOR CONDENSATE PUMP 1 TSG1 (PO)	NPP1A_NPP1S	PPS
WL1320	SOLID FUEL FEED (SLO TO BOILER)	04/Apr/2026 2:56	26.1160282	MONTHLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 1 (PO)	NPP1A_NPP1S	PPS
WL1320	SOLID FUEL FEED (SLO TO BOILER)	04/Apr/2026 2:56	26.1160283	MONTHLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 2 (PO)	NPP1A_NPP1S	PPS
WL1320	SOLID FUEL FEED (SLO TO BOILER)	04/Apr/2026 2:59	26.1160284	WEEKLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 1 (PO)	NPP1A_NPP1S	PPS
WL1320	SOLID FUEL FEED (SLO TO BOILER)	04/Apr/2026 3:00	26.1160286	WEEKLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 2 (PO)	NPP1A_NPP1S	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	04/Apr/2026 3:00	26.1160287	MONTHLY - PM FOR HYDRAULIC PUMP TRUCK FLTR 3 (PO)	NPP1A_NPP1S	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	04/Apr/2026 3:01	26.1160288	MONTHLY - PM FOR DRIVE CHIP SCREWER (PO)	NPP1A_NPP1S	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	04/Apr/2026 3:03	26.1160289	MONTHLY - PM FOR MOTOR SCREW RECLAIMER (PO)	NPP1A_NPP1S	PPS
WL1320	PPS-POWER DISTRIBUTION PUMP 1	04/Apr/2026 3:04	26.1160290	MONTHLY - PM ROUTE CHECK SWITCHGEAR (PO)	NPP1A_NPP1S	PPS
MS0024	PPS-POWER GENERATION PUMP 1	04/Apr/2026 3:05	26.1160291	WEEKLY - PM FOR TURBINE CONTROL SERVER CABINET TSG6 6 (LCHV5 13000) (A)	NPP1A_NPP1S	PPS
MS0004	PPS-POWER GENERATION PUMP 1	04/Apr/2026 3:05	26.1160292	2 WEEKS - PM FOR TURBINE CONTROL Monitor Operator station TSG1 TSG6 6 (A)	NPP1A_NPP1S	PPS
MS0004	PPS-POWER GENERATION PUMP 1	04/Apr/2026 3:05	26.1160293	2 WEEKS - PM FOR TURBINE CONTROL Monitor Operator station TSG1 TSG6 6 (A)	NPP1A_NPP1S	PPS
WS1515	LOW VOLTAGE MAIN DISTRIBUTION BOARD &	04/Apr/2026 3:06	26.1160294	MONTHLY - PM FOR INCOMING BGNAC. FOR POWER BOILER PLANT 5B (E)	NPP1A_NPP1S	PPS
WS1515	PPS-POWER GENERATION PUMP 1	04/Apr/2026 3:06	26.1160295	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 1 TURBO SET (E)	NPP1A_NPP1S	PPS
WS1515	PPS-POWER GENERATION PUMP 1	04/Apr/2026 3:06	26.1160296	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 1 TURBO SET (E)	NPP1A_NPP1S	PPS
WS1525	PPS-POWER GENERATION PUMP 1	04/Apr/2026 3:07	26.1160297	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 1 TURBO SET (E)	NPP1A_NPP1S	PPS
WS1525	PPS-POWER DISTRIBUTION PUMP 1	04/Apr/2026 3:07	26.1160298	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 2 TURBOSET (E)	NPP1A_NPP1S	PPS
WS1525	PPS-POWER DISTRIBUTION PUMP 1	04/Apr/2026 3:07	26.1160299	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 2 TURBOSET (E)	NPP1A_NPP1S	PPS
WS1525	PPS-POWER DISTRIBUTION PUMP 1	04/Apr/2026 3:08	26.1160300	MONTHLY - PM FOR LOW VOLTAGE SWITCHGEAR NO 2 TURBOSET (E)	NPP1A_NPP1S	PPS
WS1515	SUPPLY OF BIO MASS SYSTEM TO SLO	04/Apr/2026 3:08	26.1160301	MONTHLY - PM FOR INCOMING BGNAC. FOR FUEL HANDLING PLANT 5B (E)	NPP1A_NPP1S	PPS
WS1515	SUPPLY OF BIO MASS SYSTEM TO SLO	04/Apr/2026 3:08	26.1160302	MONTHLY - PM FOR SORT START BELT CONVEYOR BCS (E)	NPP1A_NPP1S	PPS
WS1515	SUPPLY OF BIO MASS SYSTEM TO SLO	04/Apr/2026 3:08	26.1160303	MONTHLY - PM FOR SORT START BELT CONVEYOR BCS (E)	NPP1A_NPP1S	PPS
WS1515	SUPPLY OF BIO MASS SYSTEM TO SLO	04/Apr/2026 3:09	26.1160304	MONTHLY - PM FOR SORT START BELT CONVEYOR BCS (E)	NPP1A_NPP1S	PPS
WS1515	SUPPLY OF BIO MASS SYSTEM TO SLO	04/Apr/2026 3:09	26.1160305	MONTHLY - PM FOR SORT START BELT CONVEYOR BCS (E)	NPP1A_NPP1S	PPS
WL1320	SOLID FUEL FEED (SLO TO BOILER)	04/Apr/2026 3:09	26.1160306	MONTHLY - PM FOR FUEL DRAG CONVEYOR 1, LEFT WALL (PO)	NPP1A_NPP1S	PPS
WL1320	SOLID FUEL FEED (SLO TO BOILER)	04/Apr/2026 3:11	26.1160307	MONTHLY - PM FOR FUEL DRAG CONVEYOR 2, RIGHT WALL (PO)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:12	26.1160308	WEEKLY - INSPECTION FOR RED CAMERA WEEKLY	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:12	26.1160309	461X268 Recovery Boiler Red Camera Right Side	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:12	26.1160310	461X270 Recovery Boiler Red Camera Left Side	NPP1A_NPP1S	PPS
WS1518	PPS-COOLING TOWER PUMP 1	04/Apr/2026 3:13	26.1160311	MONTHLY - PM FOR CONDUCTIVITY COOLING WATER CONDUCTIVITY TRANSMITTER (A)	NPP1A_NPP1S	PPS
WS1518	PPS-EVAPORATION PUMP 1	04/Apr/2026 3:13	26.1160312	MONTHLY - PM FOR CONDS CONDUCTIVITY TO R/B CONDUCTIVITY TRANSMITTER (A)	NPP1A_NPP1S	PPS
WS1518	PPS-EVAPORATION PUMP 1	04/Apr/2026 3:13	26.1160313	MONTHLY - PM FOR CONDUCTIVITY PRIG COND-CONDUCTIVITY ANALYZER (A)	NPP1A_NPP1S	PPS
WS1518	PPS-EVAPORATION PUMP 1	04/Apr/2026 3:14	26.1160314	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER FROM PAPER MACHINE (A)	NPP1A_NPP1S	PPS
WS1518	PPS-EVAPORATION PUMP 1	04/Apr/2026 3:14	26.1160315	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER FROM FIBER LINE (A)	NPP1A_NPP1S	PPS
WS1518	PPS-EVAPORATION PUMP 1	04/Apr/2026 3:14	26.1160316	MONTHLY - PM FOR CONDUCTIVITY SAMP CONDUCTIVITY TRANSMITTER (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:15	26.1160317	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER FROM PAPER MACHINE (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:15	26.1160318	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER FROM FIBER LINE (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:15	26.1160320	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER FROM EVAP PLANT (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:16	26.1160321	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER FROM TURBINE (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:16	26.1160322	MONTHLY - PM FOR CONDUCTIVITY SAMP PIT CONDUCTIVITY TRANSMITTER (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:16	26.1160323	MONTHLY - PM FOR BOILER WATER CONDUCTIVITY TRANSMITTER (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:17	26.1160324	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:17	26.1160325	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:17	26.1160326	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:18	26.1160327	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:18	26.1160328	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:18	26.1160329	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160330	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160331	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160332	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160333	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160334	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160335	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160336	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160337	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160338	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160339	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160340	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160341	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160342	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160343	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160344	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160345	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160346	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160347	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160348	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160349	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160350	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160351	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160352	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160353	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160354	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160355	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160356	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160357	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160358	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160359	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160360	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160361	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160362	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160363	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160364	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160365	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160366	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160367	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.1160368	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER CLUTE TANK (A)	NPP1A_NPP1S	PPS
WS1518	PPS-RECOVERY BOILER PUMP 1	04/Apr/2026 3:19	26.			

W13320	PPS-RECOVERY BOLLER PUMP 1	04/Apr/2026 4:16	26.1165429	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER #53 (PO)	NPPSA_NPPS	PPS
W13320	PPS-RECOVERY BOLLER PUMP 1	04/Apr/2026 4:17	26.1165430	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER #54 (PO)	NPPSA_NPPS	PPS
W13320	PPS-RECOVERY BOLLER PUMP 1	04/Apr/2026 4:17	26.1165431	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER #55 (PO)	NPPSA_NPPS	PPS
W13320	PPS-RECOVERY BOLLER PUMP 1	04/Apr/2026 4:18	26.1165432	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER #56 (PO)	NPPSA_NPPS	PPS
W13320	PPS-RECOVERY BOLLER PUMP 1	04/Apr/2026 4:19	26.1165433	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER #57 (PO)	NPPSA_NPPS	PPS
W13320	PPS-RECOVERY BOLLER PUMP 1	04/Apr/2026 4:20	26.1165434	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER #58 (PO)	NPPSA_NPPS	PPS
W13320	PPS-RECOVERY BOLLER PUMP 1	04/Apr/2026 4:20	26.1165435	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOT BLOWER # 59 (LEFT) (PO)	NPPSA_NPPS	PPS
W13320	PPS-RECOVERY BOLLER PUMP 1	04/Apr/2026 4:21	26.1165436	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOT BLOWER # 60 (RIGHT) (PO)	NPPSA_NPPS	PPS
W13320	PPS-RECOVERY BOLLER PUMP 1	04/Apr/2026 4:21	26.1165437	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOT BLOWER # 61 (PO)	NPPSA_NPPS	PPS
W13320	PPS-RECOVERY BOLLER PUMP 1	04/Apr/2026 4:22	26.1165438	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOT BLOWER # 62 (PO)	NPPSA_NPPS	PPS
W13320	PPS-ASH LEACHING PUMP 1	04/Apr/2026 4:23	26.1165439	WEEKLY - PM FOR DECANTER CENTRIFUGE (A)	NPPSA_NPPS	PPS
W13320	PPS-RECOVERY BOLLER PUMP 1	04/Apr/2026 4:23	26.1165440	MONTHLY - PM FOR VSD SCRUBBER FAN (E)	NPPSA_NPPS	PPS
W13320	PPS-EVAPORATION PUMP 1	04/Apr/2026 4:23	26.1165441	MONTHLY - PM FOR INCOMING ROMAC FOR EVAPORATION PLANT # 6 (E)	NPPSA_NPPS	PPS
W13320	PPS-EVAPORATION PUMP 1	04/Apr/2026 4:23	26.1165442	MONTHLY - PM FOR HEAVY LIQUOR SPRAY GUN PUMP # 1 A (E)	NPPSA_NPPS	PPS
W13320	PPS-EVAPORATION PUMP 1	04/Apr/2026 4:24	26.1165443	MONTHLY - PM FOR HEAVY LIQUOR SPRAY GUN PUMP # 1 B (E)	NPPSA_NPPS	PPS
MS0024	Power Plant Unit 5	04/Apr/2026 4:24	26.1165444	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2) (P)	NPPSA_NPPS	PPS
W13320	Power Plant Unit 5	04/Apr/2026 4:24	26.1165445	MONTHLY - PM FOR OIL SAMPLING AND ANALYSIS, BOLLER, TURNING, TRUCK FILTER (M)	NPPSA_NPPS	PPS
W13320	Power Plant Unit 5	04/Apr/2026 4:25	26.1165446	MONTHLY - VIBRATION CHECK FOR LOCATION, PPS (M)	NPPSA_NPPS	PPS
MS0024	Power Plant Unit 5	04/Apr/2026 4:25	26.1165447	MONTHLY - PM FOR VIBRATION ANALYSIS FOR BOLLER AIR COMPRESSOR STURBINE FUEL & (M)	NPPSA_NPPS	PPS
W13320	Power Plant Unit 5	04/Apr/2026 4:25	26.1165448	MONTHLY - PM ROUTE REFILL LUBRICATION PUMP (E) (PO)	NPPSA_NPPS	PPS
W13320	Power Plant Unit 5	04/Apr/2026 4:26	26.1165449	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 1) (P)	NPPSA_NPPS	PPS
W13320	Power Plant Unit 5	04/Apr/2026 4:26	26.1165450	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2) (P)	NPPSA_NPPS	PPS
W13320	Power Plant Unit 5	04/Apr/2026 4:27	26.1165451	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE GEAR ESP, PPS (ROUTE 2) (P)	NPPSA_NPPS	PPS
W13320	Power Plant Unit 5	04/Apr/2026 4:27	26.1165452	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2) (P)	NPPSA_NPPS	PPS
W13320	SUPPLY OF BIO MASS SYSTEM TO SILO	04/Apr/2026 4:30	26.1165458	PM WEEKLY PROTECT FIRE 3210037	NPPSA_NPPS	PPS
W13320	SUPPLY OF BIO MASS SYSTEM TO SILO	04/Apr/2026 4:30	26.1165459	Week Preventive Maintenance for motor 3210037	NPPSA_NPPS	PPS
W13320	SUPPLY OF BIO MASS SYSTEM TO SILO	04/Apr/2026 4:30	26.1165460	PM WEEKLY PROTECT FIRE 3210030	NPPSA_NPPS	PPS
W13320	SUPPLY OF BIO MASS SYSTEM TO SILO	04/Apr/2026 4:30	26.1165461	PM WEEKLY PROTECT FIRE 3210029	NPPSA_NPPS	PPS
W13320	SUPPLY OF BIO MASS SYSTEM TO SILO	04/Apr/2026 4:31	26.1165462	PM WEEKLY PROTECT FIRE 3210031	NPPSA_NPPS	PPS
W13320	PPS-POWER GENERATION PUMP 1	04/Apr/2026 4:31	26.1165463	MONTHLY - PM FOR DIESEL GENERATOR PPS (E)	NPPSA_NPPS	PPS
W13320	PPS-RECOVERY BOLLER PUMP 1	04/Apr/2026 4:31	26.1165464	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER # 63 (LEFT) (PO)	NPPSA_NPPS	PPS
W13320	PPS-RECOVERY BOLLER PUMP 1	04/Apr/2026 4:32	26.1165465	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR SOOTBLOWER # 64 (RIGHT) (PO)	NPPSA_NPPS	PPS
W13320	PPS-EVAPORATION PUMP 1	04/Apr/2026 4:33	26.1165466	MONTHLY - PM VISUAL CHECK AND BASIC PDM FOR STRONG LIQUOR TRANSFER PUMP # 2 (M)	NPPSA_NPPS	PPS
W13320	FLUIDIZED BED COMBUSTION SYSTEM	04/Apr/2026 4:33	26.1165467	4 MONTHS - PM FOR INSPECTION AND CLEAN AREA 462 (SHA) (CHECK #)	NPPSA_NPPS	PPS
W13320	PPS-DEMIN WATER PLANT PUMP 1	04/Apr/2026 4:34	26.1165468	MONTHLY - PM FOR AIR COMPRESSOR NO.6 (PO)	NPPSA_NPPS	PPS
W13320	Fire Alarm Detector ER2012D	04/Apr/2026 4:35	26.1165469	MONTHLY - PM FOR FIRE ALARM DETECTOR ER2012D (E)	NPPSA_NPPS	PPS
W13320	Fire Alarm Control Panel ER2012D	04/Apr/2026 4:35	26.1165470	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL ER2012D (E)	NPPSA_NPPS	PPS
W13320	Fire Alarm Detector ER211	04/Apr/2026 4:35	26.1165471	MONTHLY - PM FOR FIRE ALARM DETECTOR ER211 (E)	NPPSA_NPPS	PPS
W13320	Fire Alarm Control Panel ER211	04/Apr/2026 4:36	26.1165472	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL ER211 (E)	NPPSA_NPPS	PPS
W13320	Fire Alarm Detector ER302	04/Apr/2026 4:36	26.1165473	MONTHLY - PM FOR FIRE ALARM DETECTOR ER302 (E)	NPPSA_NPPS	PPS
W13320	Fire Alarm Control Panel ER302	04/Apr/2026 4:36	26.1165474	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL ER302 (E)	NPPSA_NPPS	PPS
W13320	Fire Alarm Detector TransformerMB1	04/Apr/2026 4:36	26.1165475	MONTHLY - PM FOR FIRE ALARM DETECTOR TRANSFORMERMB1 (E)	NPPSA_NPPS	PPS
W13320	Fire Alarm Detector TransformerMB2	04/Apr/2026 4:37	26.1165477	MONTHLY - PM FOR FIRE ALARM DETECTOR TRANSFORMERMB2 (E)	NPPSA_NPPS	PPS
W13320	Fire Alarm Control Panel Transformer MB1.4	04/Apr/2026 4:37	26.1165478	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL TRANSFORMERMB1.4 (E)	NPPSA_NPPS	PPS
W13320	Fire Alarm Detector ER420	04/Apr/2026 4:37	26.1165479	MONTHLY - PM FOR FIRE ALARM DETECTOR ER420 (E)	NPPSA_NPPS	PPS
W13320	Fire Alarm Control Panel ER420	04/Apr/2026 4:38	26.1165481	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL ER420 (E)	NPPSA_NPPS	PPS
W13320	Fire Alarm Detector ASH LEACHING	04/Apr/2026 4:38	26.1165482	MONTHLY - PM FOR FIRE ALARM DETECTOR ASH LEACHING (E)	NPPSA_NPPS	PPS
W13320	Fire Alarm Control Panel ASH LEACHING	04/Apr/2026 4:38	26.1165483	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL ASH LEACHING (E)	NPPSA_NPPS	PPS
W13320	Fire Alarm Detector Transformer MB3	04/Apr/2026 4:38	26.1165484	MONTHLY - PM FOR FIRE ALARM DETECTOR TRANSFORMERMB3 (E)	NPPSA_NPPS	PPS
W13320	Fire Alarm Detector Transformer MB4	04/Apr/2026 4:39	26.1165485	MONTHLY - PM FOR FIRE ALARM DETECTOR TRANSFORMERMB4 (E)	NPPSA_NPPS	PPS
MS0004	PPS-RECOVERY BOLLER PUMP 1	04/Apr/2026 4:39	26.1165487	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 30	NPPSA_NPPS	PPS
MS0004	PPS-DEMIN WATER PLANT PUMP 1	04/Apr/2026 4:39	26.1165488	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 30	NPPSA_NPPS	PPS
MS0004	PPS-DEMIN WATER PLANT PUMP 1	04/Apr/2026 4:39	26.1165489	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 22	NPPSA_NPPS	PPS
MS0004	PPS-DEMIN WATER PLANT PUMP 1	04/Apr/2026 4:40	26.1165490	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 21	NPPSA_NPPS	PPS
MS0004	PPS-DEMIN WATER PLANT PUMP 1	04/Apr/2026 4:40	26.1165491	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 20	NPPSA_NPPS	PPS
MS0004	PPS-FUEL STORAGE AND HANDLING FOR PUMP	04/Apr/2026 4:40	26.1165492	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 23	NPPSA_NPPS	PPS
MS0004	PPS-RECOVERY BOLLER PUMP 1	04/Apr/2026 4:41	26.1165493	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PPS	NPPSA_NPPS	PPS
MS0004	PPS-RECOVERY BOLLER PUMP 1	04/Apr/2026 4:41	26.1165494	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PPS	NPPSA_NPPS	PPS
MS0004	PPS-RECOVERY BOLLER PUMP 1	04/Apr/2026 4:42	26.1165495	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PPS	NPPSA_NPPS	PPS
MS0004	PPS-RECOVERY BOLLER PUMP 1	04/Apr/2026 4:42	26.1165496	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PPS	NPPSA_NPPS	PPS
MS0004	PPS-RECOVERY BOLLER PUMP 1	04/Apr/2026 4:42	26.1165497	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PPS	NPPSA_NPPS	PPS
MS0004	PPS-RECOVERY BOLLER PUMP 1	04/Apr/2026 4:43	26.1165498	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PPS	NPPSA_NPPS	PPS
MS0004	PPS-RECOVERY BOLLER PUMP 1	04/Apr/2026 4:43	26.1165499	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PPS	NPPSA_NPPS	PPS
MS0004	PPS-RECOVERY BOLLER PUMP 1	04/Apr/2026 4:43	26.1165501	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PPS	NPPSA_NPPS	PPS
MS0024	PPS-POWER GENERATION PUMP 1	04/Apr/2026 4:45	26.1165509	MONTHLY - PM FOR OIL ACID TEST TURBINE ROUTE, PPS(M)	NPPSA_NPPS	PPS
MS0024	PPS-POWER GENERATION PUMP 1	07/Apr/2026 2:00	26.1165886	Monthly oil sampling for area 291	NPPSA_NPPS	PPS
MS0024	PPS-POWER BOLLER PUMP 1	07/Apr/2026 2:00	26.1165886	Monthly oil sampling for area 462	NPPSA_NPPS	PPS
MS0024	PPS-POWER BOLLER PUMP 1	07/Apr/2026 2:00	26.1165887	Monthly vibration check Area 462	NPPSA_NPPS	PPS
MS0093	PPS-RECOVERY BOLLER PUMP 1	11/Apr/2026 2:00	26.1175003	Monthly - Inspect Thermocouple NPPSA	NPPSA_NPPS	PPS
MS0093	PPS-POWER GENERATION PUMP 1	11/Apr/2026 2:00	26.1175005	Monthly - Inspect Panel Discharge PPS PPS	NPPSA_NPPS	PPS
W13320	PPS-FUEL STORAGE AND HANDLING FOR PUMP	11/Apr/2026 2:00	26.1175006	2 Week Preventive Maintenance for motor 261002	NPPSA_NPPS	PPS
W13320	PPS-POWER GENERATION PUMP 1	11/Apr/2026 2:01	26.1175008	WEEKLY - INSPECTION CRANE & HOIST	NPPSA_NPPS	PPS
W13320	HP SUPERHEATER SYSTEMS	11/Apr/2026 2:01	26.1175010	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER SUPERHEATER STREAM (A)	NPPSA_NPPS	PPS
W13320	STEAM SYSTEM	11/Apr/2026 2:01	26.1175011	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER SATURATED STEAM (A)	NPPSA_NPPS	PPS
W13320	Boiler Feed Water	11/Apr/2026 2:02	26.1175012	MONTHLY - PM FOR CONDUCTIVITY TRANSMITTER BOLLER WATER (A)	NPPSA_NPPS	PPS
W13320	PPS-POWER DISTRIBUTION PUMP 1	11/Apr/2026 2:03	26.1175013	MONTHLY - PM FOR LOCAL FIRE ALARM PANEL #9 (ER001)	NPPSA_NPPS	PPS
W13320	PPS-POWER GENERATION PUMP 1	11/Apr/2026 2:03	26.1175014	MONTHLY - PM FOR ROTARY TOSTER (E)	NPPSA_NPPS	PPS
W13320	SUPPLY OF BIO MASS SYSTEM TO SILO	11/Apr/2026 2:03	26.1175015	MONTHLY - PM FOR ROTARY SCREW CONVEYER # 2 TORQUE (E)	NPPSA_NPPS	PPS
W13320	SUPPLY OF BIO MASS SYSTEM TO SILO	11/Apr/2026 2:06	26.1175017	MONTHLY - PM FOR TORQUE MOTOR (E)	NPPSA_NPPS	PPS
W13320	SUPPLY OF BIO MASS SYSTEM TO SILO	11/Apr/2026 2:07	26.1175018	MONTHLY - PM FOR FLOUZZING FAN (E)	NPPSA_NPPS	PPS
W13320	SUPPLY OF BIO MASS SYSTEM TO SILO	11/Apr/2026 2:08	26.1175019	MONTHLY - PM FOR TORQUE MOTOR (E)	NPPSA_NPPS	PPS
W13320	PPS-COMPRESSED AIR PUMP 1	11/Apr/2026 2:09	26.1175020	MONTHLY - PM FOR AIR FILTER (INLET INSTRUMENT AIR TANK) (M)	NPPSA_NPPS	PPS
W13320	PPS-POWER GENERATION PUMP 1	11/Apr/2026 2:09	26.1175021	MONTHLY - PM FOR TURBINE NO.1 TURBOSET (M)	NPPSA_NPPS	PPS
W13320	PPS-POWER GENERATION PUMP 1	11/Apr/2026 2:10	26.1175022	MONTHLY - PM FOR TURBINE NO.1 TURBO SET (M)	NPPSA_NPPS	PPS
W13320	PPS-POWER BOLLER PUMP 1	11/Apr/2026 2:11	26.1175023	MONTHLY - PM ROUTE CHECK SOOT BLOWER _PPS (PO)	NPPSA_NPPS	PPS
W13320	SUPPLY OF BIO MASS SYSTEM TO SILO	11/Apr/2026 2:11	26.1175024	MONTHLY - PM FOR BELT CONVEYOR #C4 (PO)	NPPSA_NPPS	PPS
W13320	SUPPLY OF BIO MASS SYSTEM TO SILO	11/Apr/2026 2:13	26.1175025	MONTHLY - PM FOR BELT CONVEYOR #C5 (PO)	NPPSA_NPPS	PPS
W13320	SUPPLY OF BIO MASS SYSTEM TO SILO	11/Apr/2026 2:13	26.1175026	MONTHLY - PM FOR BELT CONVEYOR #C6 (PO)	NPPSA_NPPS	PPS
W13320	SUPPLY OF BIO MASS SYSTEM TO SILO	11/Apr/2026 2:17	26.1175027	MONTHLY - PM FOR BELT CONVEYOR #C7 (PO)	NPPSA_NPPS	PPS
W13320	Ash Bdg Removal Removal	11/Apr/2026 2:19	26.1175028	MONTHLY - PM FOR FLY ASH DRAG CONVEYOR, LEFT WALL (PO)	NPPSA_NPPS	PPS
W13320	Ash Bdg Removal Removal	11/Apr/2026 2:21	26.1175029	MONTHLY - PM FOR FLY ASH DRAG CONVEYOR, RIGHT WALL (PO)	NPPSA_NPPS	PPS
W13320	Ash Bdg Removal Removal	11/Apr/2026 2:22	26.1175030	MONTHLY - PM FOR FLY ASH SCRAPER CONVEYER 1 (PO)	NPPSA_NPPS	PPS
W13320	Ash Bdg Removal Removal	11/Apr/2026 2:24	26.1175031	MONTHLY - PM FOR FLY ASH SCRAPER CONVEYER 2 (PO)	NPPSA_NPPS	PPS
W13320	SOLID FUEL FEED (SLO TO BOLLER)	11/Apr/2026 2:25	26.1175033	MONTHLY - PM FOR FLY ASH ROTARY FEEDER, LEFT WALL (PO)	NPPSA_NPPS	PPS
W13320	SOLID FUEL FEED (SLO TO BOLLER)	11/Apr/2026 2:26	26.1175034	MONTHLY - PM FOR FLY ASH ROTARY FEEDER, LEFT WALL (PO)	NPPSA_NPPS	PPS
W13320	SOLID FUEL FEED (SLO TO BOLLER)	11/Apr/2026 2:28	26.1175035	MONTHLY - PM FOR FLY ASH ROTARY FEEDER, RIGHT WALL (PO)	NPPSA_NPPS	PPS
W13320	SOLID FUEL FEED (SLO TO BOLLER)	11/Apr/2026 2:29	26.1175036	MONTHLY - PM FOR FLY ASH ROTARY FEEDER, RIGHT WALL (PO)	NPPSA_NPPS	PPS
W13320	Ash Bdg Removal Removal	11/Apr/2026 2:30	26.1175037	MONTHLY - PM FOR FLY ASH ROTARY FEEDER, LEFT WALL (PO)	NPPSA_NPPS	PPS
W13320	Ash Bdg Removal Removal	11/Apr/2026 2:31	26.1175038	MONTHLY - PM FOR FLY ASH ROTARY FEEDER, RIGHT WALL (PO)	NPPSA_NPPS	PPS
W13320	Ash Bdg Removal Removal	11/Apr/2026 2:32	26.1175039	MONTHLY - PM FOR FLY ASH ROTARY FEEDER 2 (PO)	NPPSA_NPPS	PPS
W13320	SUPPLY OF BIO MASS SYSTEM TO SILO	11/Apr/2026 2:33	26.1175040	MONTHLY - PM FOR SCREW CONVEYER # 4 (PO)	NPPSA_NPPS	PPS
W13320	SUPPLY OF BIO MASS SYSTEM TO SILO	11/Apr/2026 2:35	26.1175041	MONTHLY - PM FOR SCREW CONVEYER # 5 (PO)	NPPSA_NPPS	PPS
W13320	Ash Bdg Removal Removal	11/Apr/2026 2:36	26.1175042	MONTHLY - PM FOR FLY ASH MAIN DRAG CONVEYOR (PO)	NPPSA_NPPS	PPS
W13320	PPS-FUEL STORAGE AND HANDLING FOR PUMP	11/Apr/2026 2:37	26.1175043	4 MONTHS - PM ROUTE CLEAN AREA 462 (PO)	NPPSA_NPPS	PPS
W13320	PPS-POWER BOLLER PUMP 1	11/Apr/2026 2:38	26.1175044	4 MONTHS - PM ROUTE CLEAN AREA 462 (PO)	NPPSA_NPPS	PPS
W13320	Liquid Fuels Supply System	11/Apr/2026 2:38	26.1175045	4 MONTHS - PM ROUTE CLEAN AREA 365 (PO)	NPPSA_NPPS	PPS
W13320	Ash Bdg Removal Removal	11/Apr/2026 2:39	26.1175046	MONTHLY - PM FOR ASH BUCKET ELEVATOR (PO)	NPPSA_NPPS	PPS
W13320	Sand Handling	11/Apr/2026 2:40	26.1175048	MONTHLY - PM FOR SAND ELEVATOR (PO)	NPPSA_NPPS	PPS
W13320	Electrostatic precipitator	11/Apr/2026 2:41	26.1175049	MONTHLY - PM ROUTE CHECK MOTOR RAPPER ESP AREA 3402462 (PO)	NPPSA_NPPS	PPS
W13320	Combustion Air System	11/Apr/2026 2:41	26.1175050	2 WEEKS - PM FOR FLOUZZING AIR FAN (PO)	NPPSA_NPPS	PPS
W13320	Combustion Air System	11/Apr/2026 2:42	26.1175051	2 WEEKS - PM FOR SECONDARY AIR FAN (PO)	NPPSA_NPPS	PPS
W13320	Furnace and Flue gas	11/Apr/2026 2:44	26.1175052	2 WEEKS - PM FOR INDUCT DRAFT FAN (PO)	NPPSA_NPPS	PPS
W13320	Combustion Air System	11/Apr/2026 2:45	26.1175054	2 WEEKS - PM FOR FLY FEEDING FAN 1, LEFT WALL (PO)	NPPSA_NPPS	PPS
W13320	Combustion Air System	11/Apr/2026 2:46	26.1175055	2 WEEKS - PM FOR FLY FEEDING FAN 2, RIGHT WALL (PO)	NPPSA_NPPS	PPS
W13320	PPS-POWER BOLLER PUMP 1	11/Apr/2026 2:47	26.1175057	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOLLER, PPS (ROUTE 1) (PO)	NPPSA_NPPS	PPS
W13320	PPS-POWER BOLLER PUMP 1	11/Apr/2026 2:47	26.1175058	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOLLER, PPS (ROUTE 5) (PO)	NPPSA_NPPS	PPS
W13320	PPS-POWER GENERATION PUMP 1	11/Apr/2026 2:48	26.1175059	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA TGS.6, PPS(PO)	NPPSA_NPPS	PPS
W13320	PPS-POWER BOLLER PUMP 1	11/Apr/2026 2:48	26.1175			

WLS123	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:07	261175124	4616V49F START UP BURNER 5 GAS IS VALVE	NPP5A_NPP5	PP6
WLS123	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:07	261175125	4616V49F START UP BURNER 6 GAS IS VALVE	NPP5A_NPP5	PP6
WLS123	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:07	261175126	4616V51G GAS SHUT OFF	NPP5A_NPP5	PP6
WLS123	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:08	261175127	4616V51G GAS HEADER VENT	NPP5A_NPP5	PP6
WLS123	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:08	261175128	4616V51G GAS VENT VALVE	NPP5A_NPP5	PP6
WLS118	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:08	261175129	WEEKLY - INSPECTION FOR BECAMERA WEEKLY	NPP5A_NPP5	PP6
WLS118	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:08	261175130	4616X20 Recovery Boiler And Camera Right Side	NPP5A_NPP5	PP6
WLS118	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:08	261175131	4616X20 Recovery Boiler And Camera Left Side	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:08	261175132	MONTHLY - PM FOR START UP BURNER # 1 (E)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:09	261175133	MONTHLY - PM FOR START UP BURNER # 2 (E)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:09	261175134	MONTHLY - PM FOR START UP BURNER # 3 (E)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:09	261175135	MONTHLY - PM FOR START UP BURNER # 4 (E)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:09	261175136	MONTHLY - PM FOR START UP BURNER # 5 (E)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:10	261175137	MONTHLY - PM FOR START UP BURNER # 6 (E)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:10	261175138	MONTHLY - PM FOR ELECTROSTATIC PRECIPITATOR # 1 (E)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:10	261175139	MONTHLY - PM FOR ELECTROSTATIC PRECIPITATOR # 2 (E)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:11	261175140	MONTHLY - PM FOR ELECTROSTATIC PRECIPITATOR # 3 (ESP # 1) (E)	NPP5A_NPP5	PP6
WLS130	PP6-ASH LEACHING PUMP 1	11/Apr/2026 3:11	261175141	2 MONTHS - PM FOR SECONDARY AGITATOR (E)	NPP5A_NPP5	PP6
WLS130	PP6-ASH LEACHING PUMP 1	11/Apr/2026 3:12	261175142	2 MONTHS - PM FOR MAIN AGITATOR (E)	NPP5A_NPP5	PP6
WLS130	PP6-ASH LEACHING PUMP 1	11/Apr/2026 3:12	261175144	2 MONTHS - PM FOR MAX AGITATOR (E)	NPP5A_NPP5	PP6
WLS130	PP6-ASH LEACHING PUMP 1	11/Apr/2026 3:13	261175145	2 MONTHS - PM FOR LUBRICATION PUMP (E)	NPP5A_NPP5	PP6
WLS130	PP6-ASH LEACHING PUMP 1	11/Apr/2026 3:13	261175147	2 MONTHS - PM FOR BLACK LIQUOR PUMP (E)	NPP5A_NPP5	PP6
WLS130	PP6-COOLING TOWER PUMP 1	11/Apr/2026 3:14	261175148	MONTHLY - PM FOR COOLING TOWER NO.1 (E)	NPP5A_NPP5	PP6
WLS130	PP6-COOLING TOWER PUMP 1	11/Apr/2026 3:14	261175149	MONTHLY - PM FOR COOLING TOWER NO.2 (E)	NPP5A_NPP5	PP6
WLS130	PP6-COOLING TOWER PUMP 1	11/Apr/2026 3:15	261175151	MONTHLY - PM FOR COOLING TOWER NO.3 (E)	NPP5A_NPP5	PP6
WLS130	PP6-COOLING TOWER PUMP 1	11/Apr/2026 3:16	261175152	MONTHLY - PM FOR COOLING TOWER NO.4 (E)	NPP5A_NPP5	PP6
WLS130	PP6-EVAPORATION PUMP 1	11/Apr/2026 3:16	261175153	MONTHLY - PM FOR HEAVY LIQUOR SPRAY GUN SP. PUMP # 1 (A) (E)	NPP5A_NPP5	PP6
WLS130	PP6-EVAPORATION PUMP 1	11/Apr/2026 3:16	261175154	MONTHLY - PM FOR HEAVY LIQUOR SPRAY GUN SP. PUMP # 1 (B) (E)	NPP5A_NPP5	PP6
WLS130	PP6-COOLING TOWER PUMP 1	11/Apr/2026 3:17	261175155	MONTHLY - PM FOR MCC COOLING TOWER, UPS&A (E)	NPP5A_NPP5	PP6
WLS130	PP6-COOLING TOWER PUMP 1	11/Apr/2026 3:17	261175156	2 WEEKS - INSPECT ROLLER BEARER BOLLER ESP	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:17	261175157	461741 COLLECTING RAPPER # A, PRECIPITATOR # 1	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:17	261175158	461742 EMITTING RAPPER # A, PRECIPITATOR # 3	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:17	261175159	461743 COLLECTING RAPPER # B, PRECIPITATOR # 1	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:17	261175160	461744 EMITTING RAPPER # B, PRECIPITATOR # 3	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:18	261175161	461744 EMITTING RAPPER # B, PRECIPITATOR # 3	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:18	261175162	461745 COLLECTING RAPPER # C, PRECIPITATOR # 1	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:18	261175163	461746 EMITTING RAPPER # C, PRECIPITATOR # 3	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:18	261175164	461747 GAS SCREEN RAPPER, PRECIPITATOR # 3	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:18	261175165	2 WEEKS - INSPECTION KODGING MASTER	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:18	261175166	461837 B RODDING MASTER, REGISTER #14	NPP5A_NPP5	PP6
WLS130	PP6-ASH LEACHING PUMP 1	11/Apr/2026 3:19	261175167	WEEKLY - INSPECTION DECATER CENTRIFUGE	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:19	261175168	2 WEEKS - PM VISUAL CHECK AND BASIC POM FOR AGITATOR - DISSOLVING TANK (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:20	261175169	2 WEEKS - PM VISUAL CHECK AND BASIC POM FOR AGITATOR - DISSOLVING TANK (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:21	261175170	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 1 (NPP5A_NPP5)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:21	261175172	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 2 (NPP5A_NPP5)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:22	261175173	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 1 AREA 461 (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:22	261175174	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 4 AREA 461 (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:23	261175175	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 5 AREA 461 (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:24	261175176	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 8 AREA 461 (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:24	261175177	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 1 AREA 461 (PO)	NPP5A_NPP5	PP6
WLS130	PP6-EVAPORATION PUMP 1	11/Apr/2026 3:25	261175178	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 4 AREA 461 (PO)	NPP5A_NPP5	PP6
WLS130	PP6-DEMIN WATER PLANT PUMP 1	11/Apr/2026 3:25	261175179	MONTHLY - PM FOR AIR COMPRESSOR NO.7 (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:26	261175180	MONTHLY - PM ROUTE CHECK MOTOR RAPPER ESP (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:27	261175181	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN PRIMARY (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:28	261175182	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN SECONDARY (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:29	261175183	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN TERTIARY (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:30	261175184	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN # 1 (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:31	261175185	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN # 2 (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:32	261175186	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN # 3 (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:33	261175187	MONTHLY - PM ROL REFL LUBRICANT CHAIN CONVEYOR ROUTE 1 (PO)	NPP5A_NPP5	PP6
WLS130	PP6-COOLING TOWER PUMP 1	11/Apr/2026 3:33	261175188	MONTHLY - PM ROUTE REFL LUBRICANT PUMP A (PO)	NPP5A_NPP5	PP6
WLS130	PP6-EVAPORATION PUMP 1	11/Apr/2026 3:34	261175189	MONTHLY - PM ROUTE REFL LUBRICANT PUMP B (PO)	NPP5A_NPP5	PP6
WLS130	PP6-EVAPORATION PUMP 1	11/Apr/2026 3:34	261175190	MONTHLY - PM ROUTE REFL LUBRICANT PUMP C (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:34	261175191	MONTHLY - PM ROUTE REFL LUBRICANT PUMP D (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:34	261175192	MONTHLY - PM ROUTE REFL LUBRICANT PUMP E (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:34	261175193	MONTHLY - PM ROL REFL LUBRICANT CHAIN CONVEYOR ROUTE 2 (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:35	261175194	MONTHLY - PM ROUTE REFL LUBRICANT CHAIN CONVEYOR ROUTE 3 (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:35	261175195	MONTHLY - PM ROUTE REFL LUBRICANT CHAIN CONVEYOR ROUTE 4 (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:35	261175196	2 WEEKS - PM ROUTE REFL LUBRICANT BEARING HUB, PM ROUTE 3 (PO)	NPP5A_NPP5	PP6
MS0103	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:35	261175197	Weekly calibrate Flue Gas Stack CO	NPP5A_NPP5	PP6
MS0103	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:35	261175198	Weekly check for CO2 461472-A 1, 461472-A 2	NPP5A_NPP5	PP6
MS0104	PP6-DEMIN WATER PLANT PUMP 1	11/Apr/2026 3:35	261175199	Monthly oil sampling 281	NPP5A_NPP5	PP6
MS0103	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:36	261176001	Weekly check for Flue gases analyzer T85	NPP5A_NPP5	PP6
MS0103	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:36	261176002	Weekly check for O2 analyzer	NPP5A_NPP5	PP6
MS0103	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:36	261176003	Weekly check for the gases analyzer NOX	NPP5A_NPP5	PP6
MS0103	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:36	261176004	Weekly check for Flue gases analyzer	NPP5A_NPP5	PP6
MS0103	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:36	261176005	Weekly check for Flue gases analyzer CO2	NPP5A_NPP5	PP6
MS0103	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:37	261176007	Weekly check for Flue gases analyzer CO	NPP5A_NPP5	PP6
WLS118	PP6-COOLING TOWER PUMP 1	11/Apr/2026 3:37	261176008	Monthly check and clean transducer T2PT 426	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:37	261176009	2 Week PM for steam drum level lighting	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:37	261176010	3 MONTHS - PM FOR TRMP MOTOR BEARING ID FAN #3 (A)	NPP5A_NPP5	PP6
WLS130	PP6-EVAPORATION PUMP 1	11/Apr/2026 3:38	261176011	MONTHLY - PM FOR VAPORATION TRANSFORMER T160 (E)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:38	261176012	MONTHLY - PM FOR RECOVERY BOLLER TRANSFORMER T22 (E)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:38	261176013	MONTHLY - PM FOR VSD MOTOR PROCP ROTARY FEEDER#1 (461C019) (E)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:38	261176014	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FEEDWATER PUMP # 2 (PO)	NPP5A_NPP5	PP6

WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:40	261176015	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FEEDWATER PUMP # 3 (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:41	261176016	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FEED WATER PUMP # 4 (PO)	NPP5A_NPP5	PP6
WLS130	PP6-EVAPORATION PUMP 1	11/Apr/2026 3:43	261176017	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR CIRCULATION PUMP FOR COOLING TANK	NPP5A_NPP5	PP6
WLS130	PP6-EVAPORATION PUMP 1	11/Apr/2026 3:44	261176018	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUOR SPRAY GUN SP. PUMP # 1 (P)	NPP5A_NPP5	PP6
WLS130	PP6-EVAPORATION PUMP 1	11/Apr/2026 3:44	261176019	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUOR SPRAY GUN SP. PUMP # 2 (P)	NPP5A_NPP5	PP6
WLS130	PP6-COOLING TOWER PUMP 1	11/Apr/2026 3:45	261176020	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.1 (PO)	NPP5A_NPP5	PP6
WLS130	PP6-COOLING TOWER PUMP 1	11/Apr/2026 3:46	261176021	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.2 (PO)	NPP5A_NPP5	PP6
WLS130	PP6-COOLING TOWER PUMP 1	11/Apr/2026 3:46	261176022	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.3 (PO)	NPP5A_NPP5	PP6
WLS130	PP6-COOLING TOWER PUMP 1	11/Apr/2026 3:47	261176023	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.5 (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:48	261176025	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR CONDENSATE PUMP #1 (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:49	261176026	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR CONDENSATE PUMP #2 (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:49	261176027	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 1 LEFT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:50	261176028	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 2 RIGHT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:51	261176029	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 3 LEFT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:51	261176030	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 4 RIGHT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:52	261176031	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 5 LEFT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:53	261176032	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 6 RIGHT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:53	261176033	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 7 LEFT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:54	261176034	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 8 RIGHT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:55	261176035	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 9 LEFT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:55	261176036	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 10 RIGHT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:56	261176037	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 11 LEFT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:57	261176038	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 12 RIGHT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:57	261176040	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 13 RIGHT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:58	261176041	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 14 LEFT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:59	261176042	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 15 RIGHT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 3:59	261176043	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 16 RIGHT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:00	261176044	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 17 LEFT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:01	261176045	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 18 RIGHT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:01	261176047	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 19 LEFT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:02	261176048	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 20 RIGHT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:03	261176049	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 21 RIGHT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:04	261176050	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 22 RIGHT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:05	261176051	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 23 RIGHT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:05	261176052	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 24 RIGHT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:06	261176053	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 25 LEFT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:07	261176054	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 26 LEFT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:08	261176055	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 27 LEFT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:08	261176057	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 28 RIGHT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:09	261176058	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 29 RIGHT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:10	261176059	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 30 RIGHT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:10	261176060	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 31 LEFT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:11	261176061	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 32 LEFT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:11	261176062	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 33 LEFT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:12	261176063	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 34 RIGHT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:13	261176064	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 35 RIGHT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:14	261176066	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 36 RIGHT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:14	261176069	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 37 LEFT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:15	261176070	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 38 LEFT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:16	261176069	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 39 LEFT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:16	261176070	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 40 LEFT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:17	261176071	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 41 LEFT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:18	261176072	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 42 RIGHT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:18	261176073	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 43 RIGHT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:19	261176074	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 44 RIGHT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:20	261176075	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 45 LEFT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:20	261176076	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SOTBLOWER # 46 LEFT (PO)	NPP5A_NPP5	PP6
WLS130	PP6-ASH-LEACHING PUMP 1	11/Apr/2026 4:21	261176077	WEEKLY - PM FOR DECANTER CENTRIFUGE (A)	NPP5A_NPP5	PP6
MS004	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:21	261176078	2 WEEKS - PM FOR RODDING MASTER T (A)	NPP5A_NPP5	PP6
MS004	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:21	261176079	2 WEEKS - PM FOR RODDING MASTER T (A)	NPP5A_NPP5	PP6
MS004	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:22	261176080	2 WEEKS - PM FOR HM IR RODDING MASTER T (A)	NPP5A_NPP5	PP6
MS004	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:22	261176081	2 WEEKS - PM FOR START UP BURNER (A)	NPP5A_NPP5	PP6
MS004	PP6-DEMM WATER PLANT PUMP 1	11/Apr/2026 4:22	261176082	2 WEEKS - PM FOR HM IR RODDING MASTER T (A)	NPP5A_NPP5	PP6
MS004	PP6-DEMM WATER PLANT PUMP 1	11/Apr/2026 4:23	261176083	2 WEEKS - PM FOR HM IR RODDING MASTER T (A)	NPP5A_NPP5	PP6
MS004	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:23	261176084	2 WEEKS - PM FOR CEMS NPP5A (A)	NPP5A_NPP5	PP6
MS004	PP6-DEMM WATER PLANT PUMP 1	11/Apr/2026 4:23	261176085	2 WEEKS - PM FOR HM IR RODDING MASTER T (A)	NPP5A_NPP5	PP6
MS004	PP6-DEMM WATER PLANT PUMP 1	11/Apr/2026 4:24	261176086	2 WEEKS - PM FOR HM IR RODDING MASTER T (A)	NPP5A_NPP5	PP6
MS004	PP6-DEMM WATER PLANT PUMP 1	11/Apr/2026 4:24	261176087	2 WEEKS - PM FOR HM IR RODDING MASTER T (A)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:24	261176088	MONTHLY - PM FOR RODDING MASTER CONTROL PANEL (E)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:25	261176089	MONTHLY - PM FOR RODDING MASTER CONTROL PANEL (E)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:25	261176090	MONTHLY - PM FOR CAPACITOR BANK FOR 4#411 (E)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:26	261176091	MONTHLY - PM FOR INCOMING 6#20C FOR ESPS POWER PLANT 6 (E)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:26	261176092	MONTHLY - PM FOR INCOMING 6#20C FOR ESPS POWER PLANT 6 (E)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:26	261176093	MONTHLY - PM FOR INCOMING 6#20C FOR ESPS POWER PLANT 6 (E)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:26	261176094	MONTHLY - PM FOR ISO HYDROLIC OIL PUMP FOR ID FAN (E)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:26	261176095	MONTHLY - PM FOR SOTBLOWER 1 LEFT (E)	NPP5A_NPP5	PP6
WLS130	PP6-RECOVERY BOLLER PUMP 1	11/Apr/2026 4:27	261176096	MONTHLY - PM FOR SOTBLOWER 2 RIGHT (E)	NPP5A_NPP5	PP6
WLS130	PP6-ASH-LEACHING PUMP 1	11/Apr/2026 4:27	261176097	MONTHLY - PM FOR VSD BLACK LIQUOR PUMP (E)	NPP5A_NPP5	PP6
WLS130	Power Plant Unit E	11/Apr/2026 4:27	261176098	MONTHLY - INSPECTION TANK	NPP5A_NPP5	PP6
WLS130	PP6-DEMM WATER PLANT PUMP 1	11/Apr/2026 4:27	261176099	MONTHLY - INSPECTION TANK	NPP5A_NPP5	PP6
WLS130	PP6-DEMM WATER PLANT PUMP 1	11/Apr/2026 4:27	261176100	2#10120 CONTROL EXCHANGER 2	NPP5A_NPP5	PP6
WLS130	PP6-DEMM WATER PLANT PUMP 1	11/Apr/2026 4:27	261176101	2#10121 CARBORI DICHLORIDE DEGRASSER 1	NPP5A_NPP5	PP6
WLS130	PP6-DEMM WATER PLANT PUMP 1	11/Apr/2026 4:27	261176102	2#10122 CARBORI DICHLORIDE DEGRASSER 1	NPP5A_NPP5	PP6
WLS130	PP6-DEMM WATER PLANT PUMP 1	11/Apr/2026 4:27	261176103	2#10123 ANION EXCHANGER 2	NPP5A_NPP5	PP6
WLS130	PP6-DEMM WATER PLANT PUMP 1	11/Apr/2026 4:28	261176104	2#10124 ANION EXCHANGER 2	NPP5A_NPP5	PP6
WLS130	PP6-DEMM WATER PLANT PUMP 1	11/Apr/2026 4:28	261176105	2#10125 MIXED BED DEGRASSER 2	NPP5A_NPP5	PP6

WL1320	PP6-DEMIN WATER PLANT PULP 1	11/Apr/2026 4:28	261175306	281108 STORAGE TANK FOR DEMINERALIZED WATER	NPPSA_NPPS	PP6
WL1320	PP6-DEMIN WATER PLANT PULP 1	11/Apr/2026 4:28	261175307	281109 STORAGE TANK FOR SULPHURIC ACID	NPPSA_NPPS	PP6
WL1320	PP6-DEMIN WATER PLANT PULP 1	11/Apr/2026 4:28	261175308	281110 STORAGE TANK FOR CAUSTIC SODA	NPPSA_NPPS	PP6
WL1320	PP6-DEMIN WATER PLANT PULP 1	11/Apr/2026 4:28	261175309	281111 COLLECTION TANK FOR PLANT EFFLUENTS	NPPSA_NPPS	PP6
WL1320	PP6-DEMIN WATER PLANT PULP 1	11/Apr/2026 4:28	261175310	281112 RESIN BACKWASH TANK	NPPSA_NPPS	PP6
WL1320	PP6-DEMIN WATER PLANT PULP 1	11/Apr/2026 4:28	261175311	281113 CARBON DIOXIDE DEGASSER 2	NPPSA_NPPS	PP6
WL1320	Power Plant Unit 5	11/Apr/2026 4:28	261175312	283P22 INSPECTION DOING PUMP	NPPSA_NPPS	PP6
WL1320	PP6-DEMIN WATER PLANT PULP 1	11/Apr/2026 4:29	261175313	283P21 DEGASSED WATER PUMP 1	NPPSA_NPPS	PP6
WL1320	PP6-DEMIN WATER PLANT PULP 1	11/Apr/2026 4:29	261175314	283P22 DEGASSED WATER PUMP 2	NPPSA_NPPS	PP6
WL1320	PP6-DEMIN WATER PLANT PULP 1	11/Apr/2026 4:29	261175317	283P23 RECIRCUL PUMP	NPPSA_NPPS	PP6
WL1320	PP6-DEMIN WATER PLANT PULP 1	11/Apr/2026 4:30	261175318	283P24 EFFLUENT PUMP	NPPSA_NPPS	PP6
WL1320	PP6-DEMIN WATER PLANT PULP 1	11/Apr/2026 4:30	261175319	283P26 CAUSTIC TANKER UNLOADING PUMP	NPPSA_NPPS	PP6
WL1320	PP6-DEMIN WATER PLANT PULP 1	11/Apr/2026 4:30	261175320	283P271 DEMIN WATER PUMP PUMPING DEMIN WATER FROM DEMIN	NPPSA_NPPS	PP6
WL1320	PP6-DEMIN WATER PLANT PULP 1	11/Apr/2026 4:31	261175321	283P272 DEMIN WATER PUMP PUMPING DEMIN WATER FROM DEMIN	NPPSA_NPPS	PP6
WL1320	PP6-DEMIN WATER PLANT PULP 1	11/Apr/2026 4:31	261175322	283P273 DEMIN WATER PUMP PUMPING DEMIN WATER FROM DEMIN	NPPSA_NPPS	PP6
WL1320	Power Plant Unit 6	11/Apr/2026 4:31	261175323	2 WEEKS - INSPECTION DOING PUMP	NPPSA_NPPS	PP6
WL1320	PP6-DEMIN WATER PLANT PULP 1	11/Apr/2026 4:31	261175324	283P127 ACID DODGING PUMP	NPPSA_NPPS	PP6
WL1320	PP6-DEMIN WATER PLANT PULP 1	11/Apr/2026 4:32	261175325	283P28 CAUSING DOING PUMP	NPPSA_NPPS	PP6
WL1320	PP6-ASH LEACHING PULP 1	11/Apr/2026 4:32	261175326	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR SECONDARY AGITATOR (P)	NPPSA_NPPS	PP6
WL1320	PP6-ASH LEACHING PULP 1	11/Apr/2026 4:32	261175327	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR MIX AGITATOR (P)	NPPSA_NPPS	PP6
WL1320	PP6-ASH LEACHING PULP 1	11/Apr/2026 4:32	261175328	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR MAIN AGITATOR (P)	NPPSA_NPPS	PP6
WL1320	Power Plant Unit 5	11/Apr/2026 4:32	261175329	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2.3) (P)	NPPSA_NPPS	PP6
WL1320	Power Plant Unit 5	11/Apr/2026 4:32	261175330	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2.3) (P)	NPPSA_NPPS	PP6
WL1320	PP6 COOLING TOWER PULP 1	11/Apr/2026 4:33	261175331	4 MONTHS - PM ROUTE CLEAN AREA 271, PPS (P)	NPPSA_NPPS	PP6
WL1320	PP6-DEMIN WATER PLANT PULP 1	11/Apr/2026 4:34	261175338	Monthly check Temp. Cooling 28111-445	NPPSA_NPPS	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SILO	11/Apr/2026 4:35	261175339	PM WEEKLY PROTECT FIRE 321C037	NPPSA_NPPS	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SILO	11/Apr/2026 4:35	261175340	monthly check gravity switch position 321C-022	NPPSA_NPPS	PP6
WL1320	PP6-DEMIN WATER PLANT PULP 1	11/Apr/2026 4:35	261175341	Monthly check Temp. Cooling 28111-445	NPPSA_NPPS	PP6
WL1320	PP6-DEMIN WATER PLANT PULP 1	11/Apr/2026 4:35	261175342	Monthly check Pressure of instrument air 281PC-425	NPPSA_NPPS	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SILO	11/Apr/2026 4:35	261175343	monthly check Rotation grid 321C-029	NPPSA_NPPS	PP6
WL1320	PP6-DEMIN WATER PLANT PULP 1	11/Apr/2026 4:36	261175344	Monthly check Pressure of filter air 281P-431	NPPSA_NPPS	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SILO	11/Apr/2026 4:36	261175345	PM WEEKLY PROTECT FIRE 321C030	NPPSA_NPPS	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SILO	11/Apr/2026 4:36	261175346	monthly check Rotation grid 321-032	NPPSA_NPPS	PP6
WL1320	PP6-DEMIN WATER PLANT PULP 1	11/Apr/2026 4:36	261175347	Monthly check Pressure of filter 281PC-422	NPPSA_NPPS	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SILO	11/Apr/2026 4:36	261175348	PM WEEKLY PROTECT FIRE 321C029	NPPSA_NPPS	PP6
WL1320	PP6-DEMIN WATER PLANT PULP 1	11/Apr/2026 4:37	261175349	Monthly check Temp. air dryer 281H-420	NPPSA_NPPS	PP6
WL1320	PP6-DEMIN WATER PLANT PULP 1	11/Apr/2026 4:37	261175350	Monthly check Check point analyzer 281G07-421	NPPSA_NPPS	PP6
WL1320	Combustion Air System	11/Apr/2026 4:37	261175351	Monthly check pressure 462PC-389 (3)	NPPSA_NPPS	PP6
WL1320	PP6-DEMIN WATER PLANT PULP 1	11/Apr/2026 4:37	261175352	Monthly check Temp. Instrument air 281H-424	NPPSA_NPPS	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SILO	11/Apr/2026 4:37	261175353	PM WEEKLY PROTECT FIRE 321C031	NPPSA_NPPS	PP6
WL1320	ASH Bldg Thermal Removal	11/Apr/2026 4:38	261175354	MONTHLY - PM FOR COURSE MATERIAL RECLAIM SCREW #1 (E)	NPPSA_NPPS	PP6
MS0093	Electrostatic precipitator	11/Apr/2026 4:39	261175365	MONTHLY - PM FOR DRONE THERMOSCAN INSPECTION FOR ELECTROSTATIC PRECIPITATOR (P)	NPPSA_NPPS	PP6
MS0093	Electrostatic precipitator	11/Apr/2026 4:39	261175366	MONTHLY - PM FOR DRONE THERMOSCAN INSPECTION FOR ELECTROSTATIC PRECIPITATOR (P)	NPPSA_NPPS	PP6
MS0093	PP6-RECOVERY BOILER PULP 1	11/Apr/2026 4:39	261175367	MONTHLY - PM FOR DRONE THERMOSCAN INSPECTION FOR ELECTROSTATIC PRECIPITATOR (P)	NPPSA_NPPS	PP6
MS0093	PP6-RECOVERY BOILER PULP 1	11/Apr/2026 4:39	261175368	MONTHLY - PM FOR DRONE THERMOSCAN INSPECTION FOR ELECTROSTATIC PRECIPITATOR (P)	NPPSA_NPPS	PP6
MS0093	PP6-RECOVERY BOILER PULP 1	11/Apr/2026 4:39	261175369	MONTHLY - PM FOR DRONE THERMOSCAN INSPECTION FOR ELECTROSTATIC PRECIPITATOR (P)	NPPSA_NPPS	PP6
MS0093	PP6-RECOVERY BOILER PULP 1	11/Apr/2026 4:39	261175370	MONTHLY - PM FOR DRONE THERMOSCAN INSPECTION FOR ELECTROSTATIC PRECIPITATOR (P)	NPPSA_NPPS	PP6
MS0093	PP6-RECOVERY BOILER PULP 1	11/Apr/2026 4:39	261175371	MONTHLY - PM FOR DRONE THERMOSCAN INSPECTION FOR ELECTROSTATIC PRECIPITATOR (P)	NPPSA_NPPS	PP6
MS0093	PP6-RECOVERY BOILER PULP 1	11/Apr/2026 4:39	261175372	MONTHLY - PM FOR DRONE THERMOSCAN INSPECTION FOR ELECTROSTATIC PRECIPITATOR (P)	NPPSA_NPPS	PP6
WL1216	Power Plant Unit 5	11/Apr/2026 4:40	261175373	YEARLY (S) - PM FOR TEMP SENSOR BOILER PPS GROUP 1 (A)	NPPSA_NPPS	PP6
WL1216	Power Plant Unit 5	11/Apr/2026 4:40	261175374	YEARLY (S) - PM FOR TEMP SENSOR BOILER PPS GROUP 1 (A)	NPPSA_NPPS	PP6
WL1216	Power Plant Unit 5	11/Apr/2026 4:40	261175375	YEARLY (S) - PM FOR TEMP SENSOR BOILER PPS GROUP 1 (A)	NPPSA_NPPS	PP6
WL1216	Power Plant Unit 5	11/Apr/2026 4:40	261175376	YEARLY (S) - PM FOR TEMP SENSOR BOILER PPS GROUP 1 (A)	NPPSA_NPPS	PP6
WL1216	Power Plant Unit 5	11/Apr/2026 4:40	261175377	YEARLY (S) - PM FOR TEMP SENSOR BOILER PPS GROUP 1 (A)	NPPSA_NPPS	PP6
WL1216	Power Plant Unit 5	11/Apr/2026 4:40	261175378	YEARLY (S) - PM FOR TEMP SENSOR BOILER PPS GROUP 1 (A)	NPPSA_NPPS	PP6
WL1216	Power Plant Unit 5	11/Apr/2026 4:40	261175379	YEARLY (S) - PM FOR TEMP SENSOR BOILER PPS GROUP 1 (A)	NPPSA_NPPS	PP6
WL1216	Power Plant Unit 5	11/Apr/2026 4:40	261175380	YEARLY (S) - PM FOR TEMP SENSOR TURBINE PPS GROUP 1 (A)	NPPSA_NPPS	PP6
WL1216	Power Plant Unit 5	11/Apr/2026 4:40	261175381	YEARLY (S) - PM FOR TEMP SENSOR TURBINE PPS GROUP 2 (A)	NPPSA_NPPS	PP6
WL1216	Power Plant Unit 5	11/Apr/2026 4:40	261175382	YEARLY (S) - PM FOR TEMP SENSOR TURBINE PPS GROUP 3 (A)	NPPSA_NPPS	PP6
WL1216	Power Plant Unit 5	11/Apr/2026 4:41	261175383	YEARLY (S) - PM FOR TEMP SENSOR TURBINE PPS GROUP 4 (A)	NPPSA_NPPS	PP6
WL1216	Power Plant Unit 5	11/Apr/2026 4:41	261175384	YEARLY (S) - PM FOR TEMP SENSOR TURBINE PPS GROUP 5 (A)	NPPSA_NPPS	PP6
WL1320	PP6-POWER BOILER PULP 1	18/Apr/2026 2:00	261180100	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOLE, PPS (ROUTE 1) (P)	NPPSA_NPPS	PP6
WL1320	PP6-POWER BOILER PULP 1	18/Apr/2026 2:01	261180101	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOLE, PPS (ROUTE 5) (P)	NPPSA_NPPS	PP6
WL1320	PP6-POWER BOILER PULP 1	18/Apr/2026 2:01	261180102	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOILER, PPS (ROUTE 2.2) (P)	NPPSA_NPPS	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SILO	18/Apr/2026 2:01	261180103	2 WEEKS - PM FOR BELT CONV. BARK & HIC TO BOILER (P)	NPPSA_NPPS	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SILO	18/Apr/2026 2:02	261180104	WEEKLY - PM FOR BELT ELEVATOR H-22 M (P)	NPPSA_NPPS	PP6
MS0103	Economizer Section	18/Apr/2026 2:02	261180105	Monthly check O2 - Analyzer, Flue Gas, Left	NPPSA_NPPS	PP6
MS0103	Economizer Section	18/Apr/2026 2:02	261180106	Monthly check O2 - Analyzer, Flue Gas, Right	NPPSA_NPPS	PP6
MS0103	PP6-POWER BOILER PULP 1	18/Apr/2026 2:03	261180107	Monthly check Flue Gas Dust Measurement	NPPSA_NPPS	PP6
WL1320	PP6-POWER BOILER PULP 1	18/Apr/2026 2:03	261180108	Weekly preventive maintenance for Air condition	NPPSA_NPPS	PP6
MS0103	PP6-POWER BOILER PULP 1	18/Apr/2026 2:04	261180109	Weekly inspection for E.R. CK, R8 Room (R210)	NPPSA_NPPS	PP6
MS0103	PP6-POWER BOILER PULP 1	18/Apr/2026 2:04	261180110	Monthly calibrate Flue Gas Stack NOX	NPPSA_NPPS	PP6
MS0103	PP6-POWER BOILER PULP 1	18/Apr/2026 2:04	261180111	Monthly calibrate Flue Gas Stack TRS	NPPSA_NPPS	PP6
MS0103	PP6-POWER BOILER PULP 1	18/Apr/2026 2:05	261180112	Monthly calibrate Flue Gas Stack CO	NPPSA_NPPS	PP6
MS0103	PP6-POWER BOILER PULP 1	18/Apr/2026 2:05	261180113	Monthly calibrate Flue Gas Stack CO2	NPPSA_NPPS	PP6
WL1320	SOLID FUEL FEED (SLO TO BOILER)	18/Apr/2026 2:05	261180125	WEEKLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 1 (P)	NPPSA_NPPS	PP6
WL1320	SOLID FUEL FEED (SLO TO BOILER)	18/Apr/2026 2:06	261180126	WEEKLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 2 (P)	NPPSA_NPPS	PP6
MS0104	PP6-POWER GENERATION PULP 1	18/Apr/2026 2:06	261180127	WEEKLY - PM FOR TURBINE CONTROL SERVER CABINET TORS 6 (CIRCUIT 13000) (A)	NPPSA_NPPS	PP6
MS0104	PP6-POWER GENERATION PULP 1	18/Apr/2026 2:07	261180128	2 WEEKS - PM FOR TURBINE CONTROL Monitor Engineering Workstation TOL 625 (6) (A)	NPPSA_NPPS	PP6
MS0104	PP6-POWER GENERATION PULP 1	18/Apr/2026 2:07	261180129	2 WEEKS - PM FOR TURBINE CONTROL Monitor Operator Station TOL 625 (6) (A)	NPPSA_NPPS	PP6
WL1518	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:07	261180130	WEEKLY - INSPECTION FOR BECAMERA WEEKLY	NPPSA_NPPS	PP6
WL1518	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:07	261180131	461X207 Recovery Boiler and Camera Right Side	NPPSA_NPPS	PP6
WL1518	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:07	261180132	461X207 Recovery Boiler and Camera Left Side	NPPSA_NPPS	PP6
WL1320	PP6-ASH LEACHING PULP 1	18/Apr/2026 2:07	261180133	WEEKLY - INSPECTION DECANTER CENTRIFUGE	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:08	261180134	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 1 (P)	NPPSA_NPPS	PP6

WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:08	261180135	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 2 (P)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:09	261180136	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FID FAN PRIMARY (P)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:10	261180137	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FID FAN SECONDARY (P)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:11	261180138	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FID FAN TERTIARY (P)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:12	261180139	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FID FAN #1 (P)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:14	261180140	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FID FAN #2 (P)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:16	261180141	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR FID FAN #3 (P)	NPPSA_NPPS	PP6
MS0103	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:17	261180143	Monthly calibrate Flue Gas CO / CO2 O2 Oxygen	NPPSA_NPPS	PP6
MS0103	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:18	261180144	Monthly calibrate Flue Gas Stack NOX	NPPSA_NPPS	PP6
MS0103	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:18	261180145	Monthly calibrate Flue Gas Stack Opacity	NPPSA_NPPS	PP6
MS0103	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:18	261180146	Monthly calibrate Flue Gas Stack CO2	NPPSA_NPPS	PP6
MS0103	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:19	261180148	Monthly Calibration for CO2 461A724-1, 461A724-2	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:19	261180149	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR REDWATER PUMP #1 (P)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:21	261180151	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR REDWATER PUMP #1 (P)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:21	261180152	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR REDWATER PUMP #1 (P)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:22	261180154	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR REDWATER PUMP #1 (P)	NPPSA_NPPS	PP6
WL1320	PP6-EVAPORATION PULP 1	18/Apr/2026 2:24	261180155	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUOR SPRAY GUN PUMP #1 A (P)	NPPSA_NPPS	PP6
WL1320	PP6-EVAPORATION PULP 1	18/Apr/2026 2:25	261180156	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR HEAVY LIQUOR SPRAY GUN PUMP #1 A (P)	NPPSA_NPPS	PP6
WL1320	PP6-COOLING TOWER PULP 1	18/Apr/2026 2:26	261180157	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.1 (P)	NPPSA_NPPS	PP6
WL1320	PP6-COOLING TOWER PULP 1	18/Apr/2026 2:27	261180158	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.2 (P)	NPPSA_NPPS	PP6
WL1320	PP6-COOLING TOWER PULP 1	18/Apr/2026 2:28	261180159	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.3 (P)	NPPSA_NPPS	PP6
WL1320	PP6-COOLING TOWER PULP 1	18/Apr/2026 2:29	261180160	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR COOLING WATER PUMP NO.4 (P)	NPPSA_NPPS	PP6
WL1320	PP6-ASH LEACHING PULP 1	18/Apr/2026 2:30	261180161	WEEKLY - PM FOR DECANTER CENTRIFUGES (A)	NPPSA_NPPS	PP6
WL1320	Power Plant Unit 5	18/Apr/2026 2:30	261180162	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2.2) (P)	NPPSA_NPPS	PP6
WL1320	PP6 COOLING TOWER PULP 1	18/Apr/2026 2:31	261180164	WEEKLY - INSPECTION CENTRIFUGAL PUMP (DYNAMIC)	NPPSA_NPPS	PP6
WL1320	PP6 COOLING TOWER PULP 1	18/Apr/2026 2:31	261180164	271P454 COOLING WATER PUMP NO.4	NPPSA_NPPS	PP6
WL1320	PP6 COOLING TOWER PULP 1	18/Apr/2026 2:31	261180165	271P455 COOLING WATER PUMP NO.5	NPPSA_NPPS	PP6
WL1320	PP6 COOLING TOWER PULP 1	18/Apr/2026 2:31	261180166	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 1) (P)	NPPSA_NPPS	PP6
WL1320	PP6 COOLING TOWER PULP 1	18/Apr/2026 2:32	261180167	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2) (P)	NPPSA_NPPS	PP6
WL1320	PP6 COOLING TOWER PULP 1	18/Apr/2026 2:33	261180168	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2.3) (P)	NPPSA_NPPS	PP6
WL1320	PP6 COOLING TOWER PULP 1	18/Apr/2026 2:33	261180169	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321, PPS (ROUTE 2.3) (P)	NPPSA_NPPS	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SILO	18/Apr/2026 2:36	261180175	PM WEEKLY PROTECT FIRE 321C037	NPPSA_NPPS	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SILO	18/Apr/2026 2:36	261180176	2week Preventive Maintenance for motor 321C037	NPPSA_NPPS	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SILO	18/Apr/2026 2:36	261180177	PM WEEKLY PROTECT FIRE 321C038	NPPSA_NPPS	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SILO	18/Apr/2026 2:37	261180178	PM WEEKLY PROTECT FIRE 321C039	NPPSA_NPPS	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SILO	18/Apr/2026 2:38	261180179	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 30	NPPSA_NPPS	PP6
WL1320	SUPPLY OF BIO MASS SYSTEM TO SILO	18/Apr/2026 2:38	261180180	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 30	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	18/Apr/2026 2:38	261180181	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 17	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	18/Apr/2026 2:38	261180182	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 21	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	18/Apr/2026 2:38	261180183	WEEKLY - INSPECTION FOR DCS CONTROLLER PCU 20	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	18/Apr/2026 2:39	261180184	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	18/Apr/2026 2:39	261180185	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPPSA_NPPS	PP6
MS0104	PP6-DEMIN WATER PLANT PULP 1	18/Apr/2026 2:40	261180186	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPPSA_NPPS	PP6
MS0104	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:40	261180188	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPPSA_NPPS	PP6
MS0104	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:41	261180189	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPPSA_NPPS	PP6
MS0104	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:41	261180190	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPPSA_NPPS	PP6
MS0104	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:42	261180191	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPPSA_NPPS	PP6
MS0104	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:42	261180192	WEEKLY - INSPECTION FOR SERVER AND CLIENT PPS PP6	NPPSA_NPPS	PP6
WL1320	LOW VOLTAGE MAIN DISTRIBUTION BOARD & LOW VOLTAGE MAIN DISTRIBUTION BOARD &	18/Apr/2026 2:42	261180193	MONTHLY - PM FOR 690V MCCB A211 PPS (P)	NPPSA_NPPS	PP6
WL1320	LOW VOLTAGE MAIN DISTRIBUTION BOARD & LOW VOLTAGE MAIN DISTRIBUTION BOARD &	18/Apr/2026 2:42	261180194	MONTHLY - PM FOR 400V MCCB A219 PPS (P)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:43	261180195	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180196	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180197	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180198	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180199	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180200	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180201	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180202	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180203	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180204	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180205	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180206	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180207	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180208	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180209	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180210	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180211	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180212	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180213	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180214	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180215	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180216	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180217	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180218	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180219	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180220	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180221	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180222	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180223	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180224	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180225	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180226	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180227	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180228	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180229	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180230	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180231	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180232	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180233	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180234	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180235	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180236	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180237	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180238	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180239	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180240	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180241	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180242	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180243	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180244	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180245	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180246	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180247	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180248	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180249	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180250	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180251	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180252	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180253	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180254	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180255	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180256	MONTHLY - PM FOR BATTERY FOR 231B100 DCS PPS AND PPS10 (A)	NPPSA_NPPS	PP6
WL1320	PP6-RECOVERY BOILER PULP 1	18/Apr/2026 2:44	261180257	MONTHLY - PM FOR BATTERY		

WL1320	PPS-POWER BOILER PUMP 1	25/Apr/2026 2:20	261190038	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOILER PPS (ROUTINE 5) (PO)	NPPSA_NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	25/Apr/2026 2:20	261190039	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA-TOL6_P_PPS(PO)	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOILER PUMP 1	25/Apr/2026 2:20	261190040	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE SCOT BLOWER_PPS (ROUTINE 10) (PO)	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOILER PUMP 1	25/Apr/2026 2:21	261190041	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE SCOT BLOWER_PPS (ROUTINE 10) (PO)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BO MASS SYSTEM TO SLO	25/Apr/2026 2:21	261190042	WEEKLY - PM FOR ELEVATOR H-22 M (PO)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BO MASS SYSTEM TO SLO	25/Apr/2026 2:21	261190043	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE SCRAPER RECLAIMER (PO)	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOILER PUMP 1	25/Apr/2026 2:22	261190044	Weekly Preventive Maintenance for air conditio	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOILER PUMP 1	25/Apr/2026 2:22	261190045	Weekly inspection for ER CK, 88 Room (ER320)	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOILER PUMP 1	25/Apr/2026 2:22	261190046	2 Weekly Routine inspection for MCE, area 462	NPPSA_NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	25/Apr/2026 2:22	261190047	2 WEEKS - PM FOR CONDENSATE PUMP 1 TSGR (PO)	NPPSA_NPPS	PPS
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PUMP	25/Apr/2026 2:23	261190048	Monthly inspection for lighting system, Fuel oil	NPPSA_NPPS	PPS
WL1320	PPS-FUEL STORAGE AND HANDLING FOR PUMP	25/Apr/2026 2:23	261190049	PM for Steam/DH Heater in area 261.	NPPSA_NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	25/Apr/2026 2:23	261190050	Preventive maintenance for 2012128	NPPSA_NPPS	PPS
MS0103	PPS-POWER BOILER PUMP 1	25/Apr/2026 2:23	261190051	Weekly check for Flue gases analyzer NOX	NPPSA_NPPS	PPS
MS0103	PPS-POWER BOILER PUMP 1	25/Apr/2026 2:23	261190052	Weekly check for Flue gases analyzer TMS	NPPSA_NPPS	PPS
MS0103	PPS-POWER BOILER PUMP 1	25/Apr/2026 2:23	261190053	Weekly check for Flue gases analyzer CO	NPPSA_NPPS	PPS
MS0103	PPS-POWER BOILER PUMP 1	25/Apr/2026 2:24	261190054	Weekly check for Flue gases analyzer O2	NPPSA_NPPS	PPS
MS0103	PPS-POWER BOILER PUMP 1	25/Apr/2026 2:24	261190055	Weekly check for Flue gases analyzer SO2	NPPSA_NPPS	PPS
MS0103	Economiser Section	25/Apr/2026 2:24	261190056	Weekly check for Flue gases analyzer	NPPSA_NPPS	PPS
MS0103	Fumace and Flue gas	25/Apr/2026 2:24	261190057	Weekly check for Flue gases analyzer	NPPSA_NPPS	PPS
MS0103	Smoke Stack	25/Apr/2026 2:24	261190058	Weekly check for Flue gases analyzer	NPPSA_NPPS	PPS
WL1320	STEAM SYSTEM	25/Apr/2026 2:25	261190059	Monthly check Auto Valve A62H-246 (B)	NPPSA_NPPS	PPS
WL1320	PPS-POWER BOILER PUMP 1	25/Apr/2026 2:25	261190060	Monthly PM for cable tray Power boiler	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BO MASS SYSTEM TO SLO	25/Apr/2026 2:25	261190061	2 WEEKS - PM FOR MOTOR BELT CONVEYOR BARK & ICE TO BOILER (E)	NPPSA_NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	25/Apr/2026 2:25	261190062	MONTHLY - PM FOR CONDENSATE PUMP 1 TSGR (PO)	NPPSA_NPPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	25/Apr/2026 2:27	261190063	MONTHLY - PM FOR CONDENSATE PUMP 2 TSGR (PO)	NPPSA_NPPS	PPS
WL1320	SOLID FUEL FEED (SLO TO BOILER)	25/Apr/2026 2:28	261190064	WEEKLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 1 (PO)	NPPSA_NPPS	PPS
WL1320	SOLID FUEL FEED (SLO TO BOILER)	25/Apr/2026 2:28	261190065	WEEKLY - PM FOR HYDRAULIC UNIT FOR FUEL SLO 2 (PO)	NPPSA_NPPS	PPS
MS0104	Ash &Slag Removal Removal	25/Apr/2026 2:29	261190066	2 WEEKS - PM FOR FLY ASH (A)	NPPSA_NPPS	PPS
MS0104	SOLID FUEL FEED (SLO TO BOILER)	25/Apr/2026 2:29	261190067	2 WEEKS - PM FOR LOAD BURNER (A)	NPPSA_NPPS	PPS
MS0104	PPS-POWER GENERATION PUMP 1	25/Apr/2026 2:30	261190068	2 WEEKS - PM FOR POWER FACTOR (A)	NPPSA_NPPS	PPS
MS0104	PPS-POWER GENERATION PUMP 1	25/Apr/2026 2:30	261190069	2 WEEKS - PM FOR SYNCHRONOUS (A)	NPPSA_NPPS	PPS
MS0104	PPS-POWER GENERATION PUMP 1	25/Apr/2026 2:30	261190070	2 WEEKS - PM FOR TURBINE CONTROL GOVERNOR CABINET TORS (CC001) (A)	NPPSA_NPPS	PPS
MS0104	PPS-POWER GENERATION PUMP 1	25/Apr/2026 2:31	261190071	2 WEEKS - PM FOR TURBINE CONTROL GOVERNOR CABINET TORS (CC001) (A)	NPPSA_NPPS	PPS
MS0104	PPS-POWER GENERATION PUMP 1	25/Apr/2026 2:31	261190072	2 WEEKS - PM FOR TURBINE CONTROL AUXILIARY CABINET TORS (CC001) (A)	NPPSA_NPPS	PPS
MS0104	PPS-POWER GENERATION PUMP 1	25/Apr/2026 2:31	261190073	2 WEEKS - PM FOR TURBINE CONTROL AUXILIARY CABINET TORS (CC001) (A)	NPPSA_NPPS	PPS
MS0104	PPS-POWER GENERATION PUMP 1	25/Apr/2026 2:31	261190074	2 WEEKS - PM FOR TURBINE CONTROL AUXILIARY CABINET TORS (CC001) (A)	NPPSA_NPPS	PPS
MS0104	PPS-POWER GENERATION PUMP 1	25/Apr/2026 2:31	261190075	2 WEEKS - PM FOR TURBINE CONTROL AUXILIARY CABINET TORS (CC001) (A)	NPPSA_NPPS	PPS
MS0104	PPS-POWER GENERATION PUMP 1	25/Apr/2026 2:31	261190076	2 WEEKS - PM FOR TURBINE CONTROL AUXILIARY CABINET TORS (CC001) (A)	NPPSA_NPPS	PPS
MS0104	PPS-POWER GENERATION PUMP 1	25/Apr/2026 2:31	261190077	2 WEEKS - PM FOR TURBINE CONTROL AUXILIARY CABINET TORS (CC001) (A)	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BO MASS SYSTEM TO SLO	25/Apr/2026 2:39	261190078	monthly check Rotation gear 32-L-085	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BO MASS SYSTEM TO SLO	25/Apr/2026 2:39	261190079	monthly check Rotation gear 32-L-085	NPPSA_NPPS	PPS
WL1320	SUPPLY OF BO MASS SYSTEM TO SLO	25/Apr/2026 2:39	261190080	WEEKLY - INSPECTION FOR DECCAMERA WEEKLY	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:39	261190081	4610200 Recovery Boiler Red Camera Right Side	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:39	261190082	4610200 Recovery Boiler Red Camera Left Side	NPPSA_NPPS	PPS
MS0104	PPS-DEMIN WATER PLANT PUMP 1	25/Apr/2026 2:40	261190083	MONTHLY - PM FOR BATTERY FOR 281BRUDD DCS BOILER PPS (A)	NPPSA_NPPS	PPS
MS0104	PPS-DEMIN WATER PLANT PUMP 1	25/Apr/2026 2:40	261190084	MONTHLY - PM FOR BATTERY FOR 281BRUDD DCS BOILER PPS (A)	NPPSA_NPPS	PPS
MS0104	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:40	261190085	MONTHLY - PM FOR BATTERY FOR 461BRUDD DCS BOILER PPS (A)	NPPSA_NPPS	PPS
MS0104	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:40	261190086	MONTHLY - PM FOR BATTERY FOR 461BRUDD DCS BOILER PPS (A)	NPPSA_NPPS	PPS
MS0104	PPS-DEMIN WATER PLANT PUMP 1	25/Apr/2026 2:40	261190087	MONTHLY - PM FOR UPS A FOR DCS BOILER PPS (A)	NPPSA_NPPS	PPS
MS0104	PPS-DEMIN WATER PLANT PUMP 1	25/Apr/2026 2:40	261190088	MONTHLY - PM FOR UPS B FOR DCS BOILER PPS (A)	NPPSA_NPPS	PPS
MS0104	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:41	261190089	MONTHLY - PM FOR UPS A FOR DCS BOILER PPS (A)	NPPSA_NPPS	PPS
MS0104	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:41	261190090	MONTHLY - PM FOR UPS B FOR DCS BOILER PPS (A)	NPPSA_NPPS	PPS
WL1324	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:41	261190091	6 MONTHS - PM FOR POWER CABLE KXFE LINE Rodding Master No 1 (E)	NPPSA_NPPS	PPS
WL1324	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:41	261190092	6 MONTHS - PM FOR POWER CABLE KXFE LINE Rodding Master Control Panel (E)	NPPSA_NPPS	PPS
WL1324	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:41	261190093	6 MONTHS - PM FOR POWER CABLE KXFE LINE CAPACITOR BANK AREA 461 (E)	NPPSA_NPPS	PPS
WL1324	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:41	261190094	6 MONTHS - PM FOR POWER CABLE KXFE LINE INCOMING 690V. FOR POWER PLANT 6 (E)	NPPSA_NPPS	PPS
WL1324	PPS-ASH LEACHING PUMP 1	25/Apr/2026 2:42	261190095	6 MONTHS - PM FOR POWER CABLE KXFE LINE INCOMING 690V. FOR ASH LEACHING IN NPPSA_NPPS	NPPSA_NPPS	PPS
WL1324	PPS-ASH LEACHING PUMP 1	25/Apr/2026 2:42	261190096	6 MONTHS - PM FOR POWER CABLE KXFE LINE INCOMING 690V. FOR ESPS POWER PLANT NPPSA_NPPS	NPPSA_NPPS	PPS
WL1324	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:42	261190097	6 MONTHS - PM FOR POWER CABLE KXFE LINE INCOMING 690V. FOR ESPS POWER PLANT NPPSA_NPPS	NPPSA_NPPS	PPS
WL1324	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:42	261190098	6 MONTHS - PM FOR POWER CABLE KXFE LINE INCOMING 690V. FOR ESPS POWER PLANT NPPSA_NPPS	NPPSA_NPPS	PPS
WL1324	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:42	261190099	6 MONTHS - PM FOR POWER CABLE KXFE LINE INCOMING 690V. FOR ESPS POWER PLANT NPPSA_NPPS	NPPSA_NPPS	PPS
WL1324	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:42	261190100	6 MONTHS - PM FOR POWER CABLE KXFE LINE INCOMING 690V. FOR ESPS POWER PLANT NPPSA_NPPS	NPPSA_NPPS	PPS
WL1324	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:42	261190101	6 MONTHS - PM FOR POWER CABLE KXFE LINE INCOMING 690V. FOR EVAPORATION PLANT NPPSA_NPPS	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:43	261190102	MONTHLY - PM FOR FAN FAN PRIMARY (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:43	261190103	MONTHLY - PM FOR FAN FAN PRIMARY (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:43	261190104	MONTHLY - PM FOR FAN FAN SECONDARY (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:43	261190105	MONTHLY - PM FOR FAN FAN # 1 (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:43	261190106	MONTHLY - PM FOR FAN FAN # 2 (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:43	261190107	MONTHLY - PM FOR FAN FAN # 3 (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:44	261190108	MONTHLY - PM FOR FAN FAN TERTIARY (E)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:44	261190109	MONTHLY - PM FOR RUBBER FAN (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:44	261190110	MONTHLY - PM REFILL LUBRICANT FOR AGITATOR - DISSOLVING TANK (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:45	261190111	MONTHLY - PM REFILL LUBRICANT FOR AGITATOR - DISSOLVING TANK (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:45	261190112	2 WEEKS - INSPECTION GEAR BOX ESP	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:45	261190113	461743 COLLECTING RAPPER A, PRECIPITATOR # 1	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:45	261190114	461743 COLLECTING RAPPER A, PRECIPITATOR # 1	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:45	261190115	461743 COLLECTING RAPPER A, PRECIPITATOR # 1	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:45	261190116	461743 COLLECTING RAPPER A, PRECIPITATOR # 1	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:45	261190117	461743 COLLECTING RAPPER A, PRECIPITATOR # 1	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:46	261190118	461743 COLLECTING RAPPER A, PRECIPITATOR # 1	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:46	261190119	461743 COLLECTING RAPPER A, PRECIPITATOR # 1	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:46	261190120	461743 COLLECTING RAPPER A, PRECIPITATOR # 1	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:46	261190121	461743 COLLECTING RAPPER A, PRECIPITATOR # 1	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:46	261190122	2 WEEKS - INSPECTION RODDING MASTER	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:46	261190123	461937 3 RODDING MASTER, AIR REGISTER # 14	NPPSA_NPPS	PPS
WL1320	PPS-ASH LEACHING PUMP 1	25/Apr/2026 2:46	261190124	WEEKLY - INSPECTION DECATER CENTRIFUGE	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:47	261190125	2 WEEKS - PM VISUAL CHECK AND BASIC POM FOR AGITATOR - DISSOLVING TANK (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:48	261190126	2 WEEKS - PM VISUAL CHECK AND BASIC POM FOR AGITATOR - DISSOLVING TANK (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:48	261190127	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR ASH COLLECTING CONVEYOR (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:49	261190130	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR DRAG SCRAPER, ESP # 1 (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:50	261190133	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR DRAG SCRAPER, ESP # 2 (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:50	261190135	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR COLLECTING CONVEYOR, ESP # 1 (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:51	261190136	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR COLLECTING CONVEYOR, ESP # 1 (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:51	261190137	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 1 (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:52	261190138	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR PRECIPITATOR TRANSFER CONVEYOR # 2 (NPPSA_NPPS)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:52	261190139	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR PROF DRAG CHAINERS (A) (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:52	261190140	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR PROF COLL CONVEYOR (A) (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:53	261190142	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 2 AREA 461 (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:54	261190143	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 2 AREA 461 (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:54	261190145	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 2 AREA 461 (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:55	261190147	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 2 AREA 461 (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:56	261190148	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 2 AREA 461 (PO)	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	25/Apr/2026 2:57	261190149	4 MONTHS - PM ROUTE INSPECTION AND CLEAN GROUP 2 AREA 461 (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:57	261190152	MONTHLY - ROUTE PM FOR INSPECTION FABRIC EXPANSION POINT (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:58	261190153	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN PRIMARY (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 2:59	261190154	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN SECONDARY (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 3:00	261190157	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN TERTIARY (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 3:01	261190161	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN TERTIARY (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 3:02	261190162	WEEKLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN # 2 (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 3:04	261190163	MONTHLY - PM VISUAL CHECK AND BASIC POM FOR RD FAN # 3 (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 3:05	261190164	MONTHLY - PM ROUTE REFILL LUBRICANT BEARING FAN_PPS (ROUTINE 1) (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 3:05	261190165	MONTHLY - PM ROUTE REFILL LUBRICANT BEARING FAN_PPS (ROUTINE 2) (PO)	NPPSA_NPPS	PPS
WL1320	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 3:05	261190166	2 WEEKS - PM ROUTE REFILL LUBRICANT BEARING FAN_PPS (ROUTINE 3) (PO)	NPPSA_NPPS	PPS
WL1320	PPS-EVAPORATION PUMP 1	25/Apr/2026 3:05	261190167	MONTHLY - PM REFILL LUBRICANT FOR AGITATOR STRONG LIQUOR STORAGE TANK (PO)	NPPSA_NPPS	PPS
MS0103	PPS-RECOVERY BOILER PUMP 1	25/Apr/2026 3:05	261190168	Weekly calibrate Flue Gas Stack CO	NPPSA_NPPS	PPS
MS0103	PPS-RECOVERY BOILER PUMP 1					

MS0034	PPS-DEMIN WATER PLANT PUMP 1	25/Apr/2026 3:48	26/11/20232	2 WEEKS - PM FOR AIR DRYING (A)	NPPIA, NPPIPS	PPS
MS0044	PPS-DEMIN WATER PLANT PUMP 1	25/Apr/2026 3:48	26/11/20233	2 WEEKS - PM FOR HMI DEMIN (A)	NPPIA, NPPIPS	PPS
MS0044	PPS-RECOVERY BOLLER PUMP 1	25/Apr/2026 3:49	26/11/20234	2 WEEKS - PM FOR PLC DEMIN (A)	NPPIA, NPPIPS	PPS
MS0044	PPS-DEMIN WATER PLANT PUMP 1	25/Apr/2026 3:49	26/11/20235	2 WEEKS - PM FOR HMI HOLDING PLANT (A)	NPPIA, NPPIPS	PPS
MS0044	PPS-DEMIN WATER PLANT PUMP 1	25/Apr/2026 3:49	26/11/20236	2 WEEKS - PM FOR DEMIN PLANT (A)	NPPIA, NPPIPS	PPS
WL1320	PPS-RECOVERY BOLLER PUMP 1	25/Apr/2026 3:50	26/11/20237	MONTHLY - PM FOR HYDRAULIC OIL PUMP FOR ID FAN #2 (E)	NPPIA, NPPIPS	PPS
WL1320	PPS-ASH LEACHING PUMP 1	25/Apr/2026 3:51	26/11/20238	MONTHLY - PM FOR ASH LEACHING DRY (E) FOR ASH LEACHING PLANT (E)	NPPIA, NPPIPS	PPS
WL1320	Power Plant Unit 5	25/Apr/2026 3:51	26/11/20239	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321_PPS (ROUTE 2.2) (P)	NPPIA, NPPIPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	25/Apr/2026 3:51	26/11/20240	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE AREA 321_PPS (ROUTE 2.2) (P)	NPPIA, NPPIPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	25/Apr/2026 3:52	26/11/20241	PM - WEEKLY PROTECT FIRE 321C030	NPPIA, NPPIPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	25/Apr/2026 3:52	26/11/20242	PM - WEEKLY PROTECT FIRE 321C030	NPPIA, NPPIPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	25/Apr/2026 3:52	26/11/20243	PM - WEEKLY PROTECT FIRE 321C030	NPPIA, NPPIPS	PPS
WL1515	Fire Alarm Control Panel ER201,210	25/Apr/2026 3:53	26/11/20247	6 MONTHS - PM FOR FIRE ALARM CONTROL PANEL ER201,210 (E)	NPPIA, NPPIPS	PPS
WL1515	Fire Alarm Control Panel ER211	25/Apr/2026 3:53	26/11/20248	6 MONTHS - PM FOR FIRE ALARM CONTROL PANEL ER211 (E)	NPPIA, NPPIPS	PPS
WL1515	Fire Alarm Control Panel ER202	25/Apr/2026 3:53	26/11/20249	6 MONTHS - PM FOR FIRE ALARM CONTROL PANEL ER202 (E)	NPPIA, NPPIPS	PPS
WL1515	Fire Alarm Control Panel Transformer MB1-4	25/Apr/2026 3:53	26/11/20250	6 MONTHS - PM FOR FIRE ALARM CONTROL PANEL TRANSFORMER MB1-4 (E)	NPPIA, NPPIPS	PPS
WL1515	Fire Alarm Control Panel ER403	25/Apr/2026 3:53	26/11/20251	6 MONTHS - PM FOR FIRE ALARM CONTROL PANEL ER403 (E)	NPPIA, NPPIPS	PPS
WL1515	Fire Alarm Control Panel Ash LEACHING	25/Apr/2026 3:53	26/11/20252	6 MONTHS - PM FOR FIRE ALARM CONTROL PANEL ASH LEACHING (E)	NPPIA, NPPIPS	PPS
WL1320	PPS-COOLING TOWER PUMP 1	25/Apr/2026 3:53	26/11/20253	MONTHLY - PM FOR WATER TREATMENT TRANSFORMER TH201 (E)	NPPIA, NPPIPS	PPS
MS0093	Electrostatic precipitator	25/Apr/2026 3:54	26/11/20254	MONTHLY - PM FOR DRONE THERMOANALYSIS INSPECTION FOR ELECTROSTATIC PRECIPITATOR (E)	NPPIA, NPPIPS	PPS
MS0093	PPS-RECOVERY BOLLER PUMP 1	25/Apr/2026 3:54	26/11/20255	MONTHLY - PM FOR DRONE THERMOANALYSIS INSPECTION FOR ELECTROSTATIC PRECIPITATOR (E)	NPPIA, NPPIPS	PPS
MS0093	PPS-RECOVERY BOLLER PUMP 1	25/Apr/2026 3:54	26/11/20256	MONTHLY - PM FOR DRONE THERMOANALYSIS INSPECTION FOR ELECTROSTATIC PRECIPITATOR (E)	NPPIA, NPPIPS	PPS
MS0024	PPS-RECOVERY BOLLER PUMP 1	25/Apr/2026 3:54	26/11/20257	MONTHLY - PM FOR DRONE THERMOANALYSIS INSPECTION FOR ELECTROSTATIC PRECIPITATOR (E)	NPPIA, NPPIPS	PPS
MS0024	PPS-RECOVERY BOLLER PUMP 1	26/Apr/2026 2:00	26/11/20261	Monthly vibration check 461	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	02/May/2026 2:00	26/11/20281	Monthly inspection for road lighting system	NPPIA, NPPIPS	PPS
WL1518	PPS-POWER GENERATION PUMP 1	02/May/2026 2:01	26/11/20283	MONTHLY - INSPECT BATTERY CHARGER	NPPIA, NPPIPS	PPS
WL1518	PPS-POWER GENERATION PUMP 1	02/May/2026 2:01	26/11/20284	Z91ULI BATTERY CHARGER NO 1 TURBO SET	NPPIA, NPPIPS	PPS
WL1518	PPS-POWER GENERATION PUMP 1	02/May/2026 2:01	26/11/20285	Z91ULI BATTERY CHARGER NO 2 TURBOSET	NPPIA, NPPIPS	PPS
WL1515	SOLID FUEL FEED (S&D TO BOLLER)	02/May/2026 2:02	26/11/20286	MONTHLY - PM FOR LOAD BURNER 1, FRONT WALL (E)	NPPIA, NPPIPS	PPS
WL1515	SOLID FUEL FEED (S&D TO BOLLER)	02/May/2026 2:03	26/11/20287	MONTHLY - PM FOR LOAD BURNER 2, FRONT WALL (E)	NPPIA, NPPIPS	PPS
WL1515	SOLID FUEL FEED (S&D TO BOLLER)	02/May/2026 2:04	26/11/20288	MONTHLY - PM FOR LOAD BURNER 3, FRONT WALL (E)	NPPIA, NPPIPS	PPS
WL1515	SOLID FUEL FEED (S&D TO BOLLER)	02/May/2026 2:04	26/11/20289	MONTHLY - PM FOR LOAD BURNER 4, FRONT WALL (E)	NPPIA, NPPIPS	PPS
WL1515	SOLID FUEL FEED (S&D TO BOLLER)	02/May/2026 2:05	26/11/20291	MONTHLY - PM FOR START UP BURNER 1, LEFT WALL (E)	NPPIA, NPPIPS	PPS
WL1515	SOLID FUEL FEED (S&D TO BOLLER)	02/May/2026 2:05	26/11/20292	MONTHLY - PM FOR START UP BURNER 2, RIGHT WALL (E)	NPPIA, NPPIPS	PPS
WL1515	Electrostatic precipitator	02/May/2026 2:05	26/11/20294	MONTHLY - PM FOR ELECTROSTATIC PRECIPITATOR (E)	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	02/May/2026 2:06	26/11/20296	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL ER210(E)	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	02/May/2026 2:06	26/11/20297	MONTHLY - PM FOR GENERATOR TG01 (E)	NPPIA, NPPIPS	PPS
WL1515	SOLID FUEL FEED (S&D TO BOLLER)	02/May/2026 2:07	26/11/20299	MONTHLY - PM FOR FUEL DRAG CONVEYOR 1.2, LEFT WALL (E)	NPPIA, NPPIPS	PPS
WL1515	SOLID FUEL FEED (S&D TO BOLLER)	02/May/2026 2:08	26/11/20301	MONTHLY - PM FOR FUEL DRAG CONVEYOR 2.2, RIGHT WALL (E)	NPPIA, NPPIPS	PPS
WL1320	Ash &slag Removal Removal	02/May/2026 2:09	26/11/20302	MONTHLY - PM FOR ASH & SLAG CONVEYOR 1.2, LEFT WALL (E)	NPPIA, NPPIPS	PPS
WL1320	Ash &slag Removal Removal	02/May/2026 2:10	26/11/20303	MONTHLY - PM FOR WET ASH DISCHARGING SCREW (E)	NPPIA, NPPIPS	PPS
WL1320	Ash &slag Removal Removal	02/May/2026 2:11	26/11/20304	MONTHLY - PM FOR ASH SCREW CONVEYOR, LEFT WALL (E)	NPPIA, NPPIPS	PPS
WL1320	Ash &slag Removal Removal	02/May/2026 2:12	26/11/20305	MONTHLY - PM FOR ASH SCREW CONVEYOR, RIGHT WALL (E)	NPPIA, NPPIPS	PPS
WL1320	Ash &slag Removal Removal	02/May/2026 2:13	26/11/20306	MONTHLY - PM FOR RLY ASH MAIN DRAG CONVEYOR (E)	NPPIA, NPPIPS	PPS
WL1320	Ash &slag Removal Removal	02/May/2026 2:14	26/11/20308	MONTHLY - PM FOR ASH BUCKET ELEVATOR (E)	NPPIA, NPPIPS	PPS
WL1515	SOLID FUEL FEED (S&D TO BOLLER)	02/May/2026 2:14	26/11/20309	MONTHLY - PM FOR SHREDDER ROLL 1 (E)	NPPIA, NPPIPS	PPS
WL1515	SOLID FUEL FEED (S&D TO BOLLER)	02/May/2026 2:15	26/11/20310	MONTHLY - PM FOR SHREDDER ROLL 2 (E)	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	02/May/2026 2:16	26/11/20311	MONTHLY - PM FOR D.C. EMERGENCY OIL PUMP TGR1 (E)	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	02/May/2026 2:17	26/11/20313	MONTHLY - PM FOR D.C. EMERGENCY OIL PUMP TGR2 (E)	NPPIA, NPPIPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	02/May/2026 2:18	26/11/20314	MONTHLY - PM FOR MOTOR SCREW ASB 4 OIL PUMP (E)	NPPIA, NPPIPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	02/May/2026 2:19	26/11/20316	MONTHLY - PM FOR MOTOR OIL PUMP (E)	NPPIA, NPPIPS	PPS
WL1515	PPS-POWER GENERATION PUMP 1	02/May/2026 2:19	26/11/20317	MONTHLY - PM FOR AUXILIARY OIL PUMP TGR1 (E)	NPPIA, NPPIPS	PPS
WL1515	PPS-POWER GENERATION PUMP 1	02/May/2026 2:20	26/11/20319	MONTHLY - PM FOR JACINING OIL PUMP TGR1 (E)	NPPIA, NPPIPS	PPS
WL1515	PPS-POWER GENERATION PUMP 1	02/May/2026 2:21	26/11/20320	MONTHLY - PM FOR AUXILIARY OIL PUMP TGR2 (E)	NPPIA, NPPIPS	PPS
WL1515	PPS-POWER GENERATION PUMP 1	02/May/2026 2:22	26/11/20321	MONTHLY - PM FOR JACINING OIL PUMP TGR2 (E)	NPPIA, NPPIPS	PPS
WL1515	PPS-POWER GENERATION PUMP 1	02/May/2026 2:22	26/11/20322	MONTHLY - PM FOR DC SWITCHGEAR 110V NO 1 TURBOSET (E)	NPPIA, NPPIPS	PPS
WL1515	PPS-POWER GENERATION PUMP 1	02/May/2026 2:22	26/11/20323	MONTHLY - PM FOR DC SWITCHGEAR 110V NO 2 TURBOSET (E)	NPPIA, NPPIPS	PPS
WL1515	Electrostatic precipitator	02/May/2026 2:23	26/11/20325	MONTHLY - PM FOR FUEL TRANSFORMER 1 (E)	NPPIA, NPPIPS	PPS
WL1515	Electrostatic precipitator	02/May/2026 2:23	26/11/20326	MONTHLY - PM FOR ESP TRANSFORMER 2 (E)	NPPIA, NPPIPS	PPS
WL1515	Electrostatic precipitator	02/May/2026 2:24	26/11/20327	MONTHLY - PM FOR ESP TRANSFORMER 3 (E)	NPPIA, NPPIPS	PPS
WL1320	LOW VOLTAGE MAIN DISTRIBUTION BOARD &	02/May/2026 2:24	26/11/20328	MONTHLY - PM FOR FUEL BOLLER TRANSFORMER TH402 (E)	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	02/May/2026 2:25	26/11/20329	MONTHLY - PM FOR TURBO GEN #2 TRANSFORMER T201 (E)	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	02/May/2026 2:25	26/11/20330	MONTHLY - PM FOR UTILITY TRANSFORMER TH211 (E)	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	02/May/2026 2:25	26/11/20331	MONTHLY - PM FOR RECLINED POWER TRANSFORMER TL201 (E)	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	02/May/2026 2:26	26/11/20333	MONTHLY - PM FOR LIGHTNING LV POWER TRANSFORMER TL201 (E)	NPPIA, NPPIPS	PPS
WL1320	PPS FUEL STORAGE AND HANDLING FOR PUMP	02/May/2026 2:26	26/11/20334	MONTHLY - PM FOR DISTRIBUTION TRANSFORMER TL403 (E)	NPPIA, NPPIPS	PPS
WL1320	PPS FUEL STORAGE AND HANDLING FOR PUMP	02/May/2026 2:27	26/11/20335	MONTHLY - PM FOR FUEL HANDLING TRANSFORMER TH212 (E)	NPPIA, NPPIPS	PPS
WL1320	PPS FUEL STORAGE AND HANDLING FOR PUMP	02/May/2026 2:27	26/11/20336	MONTHLY - PM FOR FUEL HANDLING TRANSFORMER TL321 (E)	NPPIA, NPPIPS	PPS
WL1320	PPS PACKAGE BOLLER PUMP 1	02/May/2026 2:27	26/11/20337	MONTHLY - PM FOR PACKAGE BOLLER TRANSFORMER TH212 (E)	NPPIA, NPPIPS	PPS
WL1320	PPS PACKAGE BOLLER PUMP 1	02/May/2026 2:28	26/11/20338	MONTHLY - PM FOR PACKAGE BOLLER TRANSFORMER TH212 (E)	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER DISTRIBUTION PUMP 1	02/May/2026 2:28	26/11/20339	MONTHLY - PM FOR ESP INCOMER TRANSFORMER TC1 (E)	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	02/May/2026 2:28	26/11/20340	MONTHLY - PM FOR EARTHING TRANSFORMER (E)	NPPIA, NPPIPS	PPS
WL1320	PPS FUEL STORAGE AND HANDLING FOR PUMP	02/May/2026 2:29	26/11/20341	MONTHLY - PM FOR FUEL HANDLING TRANSFORMER T302A (E)	NPPIA, NPPIPS	PPS
WL1515	PPS-POWER GENERATION PUMP 1	02/May/2026 2:29	26/11/20342	MONTHLY - PM FOR UPS POWER MCC UPS01 (E)	NPPIA, NPPIPS	PPS
WL1515	PPS-POWER GENERATION PUMP 1	02/May/2026 2:29	26/11/20343	MONTHLY - PM FOR UPS POWER MCC UPS02 (E)	NPPIA, NPPIPS	PPS
WL1515	PPS-POWER GENERATION PUMP 1	02/May/2026 2:29	26/11/20344	MONTHLY - PM FOR UPS POWER MCC UPS03 (E)	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	02/May/2026 2:29	26/11/20345	MONTHLY - PM FOR BATTERY CHARGER NO 1 TURBO SET (E)	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	02/May/2026 2:30	26/11/20346	MONTHLY - PM FOR BATTERY CHARGER NO 2 TURBOSET (E)	NPPIA, NPPIPS	PPS
WL1320	PPS FUEL STORAGE AND HANDLING FOR PUMP	02/May/2026 2:30	26/11/20350	MONTHLY - PM FOR OIL PUMP FILTER (M)	NPPIA, NPPIPS	PPS
WL1320	PPS FUEL STORAGE AND HANDLING FOR PUMP	02/May/2026 2:30	26/11/20351	MONTHLY - PM FOR FUEL PUMP FILTER (M)	NPPIA, NPPIPS	PPS
WL1320	PPS FUEL STORAGE AND HANDLING FOR PUMP	02/May/2026 2:30	26/11/20352	MONTHLY - PM FOR FUEL PUMP FILTER (M)	NPPIA, NPPIPS	PPS
WL1512	SOLID FUEL FEED (S&D TO BOLLER)	02/May/2026 2:30	26/11/20353	MONTHLY - PM FOR BAR DISCHARGER 2 (STOKER RECLAIMER) (M)	NPPIA, NPPIPS	PPS
WL1512	SOLID FUEL FEED (S&D TO BOLLER)	02/May/2026 2:31	26/11/20355	MONTHLY - PM FOR BAR DISCHARGER 2 (STOKER RECLAIMER) (M)	NPPIA, NPPIPS	PPS
WL1512	PPS FUEL STORAGE AND HANDLING FOR PUMP	02/May/2026 2:31	26/11/20356	MONTHLY - PM FOR OIL PUMPS (M)	NPPIA, NPPIPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	02/May/2026 2:32	26/11/20357	MONTHLY - PM FOR OIL LUBRICATION PUMP (M)	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	02/May/2026 2:33	26/11/20360	MONTHLY - PM FOR OIL PUMP PUMP TGR2 (M)	NPPIA, NPPIPS	PPS
WL1320	SOLID FUEL FEED (S&D TO BOLLER)	02/May/2026 2:33	26/11/20361	MONTHLY - PM FOR HANDLING FOR PUMP 1 (M)	NPPIA, NPPIPS	PPS
WL1320	SOLID FUEL FEED (S&D TO BOLLER)	02/May/2026 2:34	26/11/20363	MONTHLY - PM FOR FUEL DRAG CONVEYOR 1.2, LEFT WALL (PO)	NPPIA, NPPIPS	PPS
WL1320	SOLID FUEL FEED (S&D TO BOLLER)	02/May/2026 2:35	26/11/20364	MONTHLY - PM FOR FUEL DRAG CONVEYOR 2.2, RIGHT WALL (PO)	NPPIA, NPPIPS	PPS
WL1320	Ash &slag Removal Removal	02/May/2026 2:37	26/11/20365	MONTHLY - PM FOR COARSE MATERIAL DRAG CONVEYOR (PO)	NPPIA, NPPIPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	02/May/2026 2:38	26/11/20366	MONTHLY - PM FOR FUEL ELEVATOR 1+22 M (PO)	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	02/May/2026 2:40	26/11/20367	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOLLER_PPS (ROUTE 1) (PO)	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	02/May/2026 2:40	26/11/20368	MONTHLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOLLER_PPS (ROUTE 2) (PO)	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	02/May/2026 2:40	26/11/20369	MONTHLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOLLER_PPS (ROUTE 3) (PO)	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	02/May/2026 2:41	26/11/20370	MONTHLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOLLER_PPS (ROUTE 4) (PO)	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	02/May/2026 2:41	26/11/20371	WEEKLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOLLER_PPS (ROUTE 5) (PO)	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	02/May/2026 2:42	26/11/20372	2 WEEKS - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOLLER_PPS (ROUTE 2.2) (PO)	NPPIA, NPPIPS	PPS
WL1320	Sand handling	02/May/2026 2:42	26/11/20373	MONTHLY - PM FOR SAND ELEVATOR (PO)	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	02/May/2026 2:42	26/11/20374	MONTHLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOLLER_PPS (ROUTE 5) (PO)	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	02/May/2026 2:43	26/11/20375	MONTHLY - PM REFILL & RECHECK LUBRICATION OIL AND GRASE BOLLER_PPS (ROUTE 4.2) (PO)	NPPIA, NPPIPS	PPS
WL1320	Ash &slag Removal Removal	02/May/2026 2:43	26/11/20376	MONTHLY - PM FOR ASH BUCKET ELEVATOR (E)	NPPIA, NPPIPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	02/May/2026 2:43	26/11/20377	2 WEEKS - PM FOR FUEL CONVEY. BARK & BOLLER (PO)	NPPIA, NPPIPS	PPS
WL1320	SUPPLY OF BIO MASS SYSTEM TO SLO	02/May/2026 2:43	26/11/20378	WEEKLY - PM FOR BELL ELEVATOR H+22 M (PO)	NPPIA, NPPIPS	PPS
WL1320	PPS FUEL STORAGE AND HANDLING FOR PUMP	02/May/2026 2:43	26/11/20379	Monthly inspection for oil storage tank	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	02/May/2026 2:44	26/11/20380	Weekly Preventive Maintenance for air condition	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	02/May/2026 2:44	26/11/20381	Weekly inspection for ER, CK, RR Rooms (ER310)	NPPIA, NPPIPS	PPS
WL1320	PPS FUEL STORAGE AND HANDLING FOR PUMP	02/May/2026 2:44	26/11/20382	PM for Pump in area 261.	NPPIA, NPPIPS	PPS
WL1320	PPS FUEL STORAGE AND HANDLING FOR PUMP	02/May/2026 2:44	26/11/20383	PM for Filter in area 261.	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER BOLLER PUMP 1	02/May/2026 2:44	26/11/20384	Preventive Maintenance for area 462	NPPIA, NPPIPS	PPS
WL1320	PPS-POWER GENERATION PUMP 1	02/May/2026 2:44	26/11/20385	Monthly check valve Desup. Bleeding. 2917/1063	NPPIA, NPPIPS	PPS
WL1320	Boiler Feed Water	02/May/2026 2:45	26/11/20386	Monthly calibrate pH Meter. 4620/27510	NPPIA, NPPIPS	PPS
WL1320	Boiler Feed Water	02/May/2026 2:45	26/11/20387	Monthly check Auma valve 4620V-347 (S)	NPPIA, NPPIPS	PPS
WL1320	Boiler Feed Water	02/May/2026 2:45	26/11/20388	Monthly check Auma valve 4620V-303 (S)	NPPIA, NPPIPS	PPS
WL1320	STEAM SYSTEM	02/May/2026 2:45	26/11/20389	Monthly check Auma valve 4620V-340 (S)	NPPIA, NPPIPS	PPS
WL1320	STEAM SYSTEM	02/May/2026 2:45	26/11/			

WL1320	PPG-RECOVERY BOLLER PUMP 1	02/May/2026 4:08	21:18:47	MONTHLY - PM VISUAL CHECK AND BASIC PPM FOR SOOTBLOWER #57 (PO)	NPSA	NPSF
WL1320	PPG-RECOVERY BOLLER PUMP 1	02/May/2026 4:07	21:18:48	MONTHLY - PM VISUAL CHECK AND BASIC PPM FOR SOOTBLOWER #58 (PO)	NPSA	NPSF
WL1320	PPG-RECOVERY BOLLER PUMP 1	02/May/2026 4:08	21:18:48	MONTHLY - PM VISUAL CHECK AND BASIC PPM FOR SOOTBLOWER #59 (LEFT) (PO)	NPSA	NPSF
WL1320	PPG-RECOVERY BOLLER PUMP 1	02/May/2026 4:08	21:18:50	MONTHLY - PM VISUAL CHECK AND BASIC PPM FOR SOOT BLOWER #60 (RIGHT) (PO)	NPSA	NPSF
WL1320	PPG-RECOVERY BOLLER PUMP 1	02/May/2026 4:09	21:18:51	MONTHLY - PM VISUAL CHECK AND BASIC PPM FOR SOOT BLOWER #61 (PO)	NPSA	NPSF
WL1320	PPG-RECOVERY BOLLER PUMP 1	02/May/2026 4:10	21:18:52	MONTHLY - PM VISUAL CHECK AND BASIC PPM FOR SOOT BLOWER #62 (PO)	NPSA	NPSF
WL1320	PPG-ASH LEACHING PUMP 1	02/May/2026 4:10	21:18:52	WEEKLY - PM FOR DEACENTER CENTRIFUGE (A)	NPSA	NPSF
WL1320	PPG-RECOVERY BOLLER PUMP 1	02/May/2026 4:11	21:18:53	MONTHLY - PM FOR VDO SCRUBBER (AN)	NPSA	NPSF
WL1320	PPG-RECOVERY BOLLER PUMP 1	02/May/2026 4:11	21:18:53	MONTHLY - PM FOR VDO SCRUBBER (AN) (VAPORIZATION PLANT E)	NPSA	NPSF
WL1320	PPG-EVAPORATION PUMP 1	02/May/2026 4:11	21:18:55	MONTHLY - PM FOR HEAVY LIQUID SPRAY GUN PUMP 1 & 1A (E)	NPSA	NPSF
WL1320	PPG-EVAPORATION PUMP 1	02/May/2026 4:11	21:18:57	MONTHLY - PM FOR HEAVY LIQUID SPRAY GUN SLP PUMP 3 & 1B (E)	NPSA	NPSF
WL1320	PPG-EVAPORATION PUMP 1	02/May/2026 4:21	21:18:59	MONTHLY - PM FOR HEAVY LIQUID SPRAY GUN SLP PUMP 4 (E)	NPSA	NPSF
WS1515	Fire Alarm Control Panel ER200,210	02/May/2026 4:24	21:18:54	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL ER200,210 (E)	NPSA	NPSF
WS1515	Fire Alarm Detector ER211	02/May/2026 4:24	21:18:55	MONTHLY - PM FOR FIRE ALARM DETECTOR ER211 (E)	NPSA	NPSF
WS1515	Fire Alarm Control Panel ER211	02/May/2026 4:24	21:18:55	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL ER211 (E)	NPSA	NPSF
WS1515	Fire Alarm Detector ER302	02/May/2026 4:24	21:18:58	MONTHLY - PM FOR FIRE ALARM DETECTOR ER302 (E)	NPSA	NPSF
WS1525	Fire Alarm Control Panel ER302	02/May/2026 4:25	21:18:58	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL ER302 (E)	NPSA	NPSF
WS1525	Fire Alarm Detector TransformerM81	02/May/2026 4:25	21:18:59	MONTHLY - PM FOR FIRE ALARM DETECTOR TRANSFORMER#81 (E)	NPSA	NPSF
WS1525	Fire Alarm Detector TransformerM82	02/May/2026 4:25	21:18:59	MONTHLY - PM FOR FIRE ALARM DETECTOR TRANSFORMER#82 (E)	NPSA	NPSF
WS1525	Fire Alarm Control Panel TransformerM83	02/May/2026 4:25	21:18:59	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL TRANSFORMER#83 (E)	NPSA	NPSF
WS1525	Fire Alarm Control Panel ER420	02/May/2026 4:26	21:18:59	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL ER420 (E)	NPSA	NPSF
WS1515	Fire Alarm Control Panel ER430	02/May/2026 4:26	21:18:59	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL ER430 (E)	NPSA	NPSF
WS1525	Fire Alarm Detector ASH LEACHING	02/May/2026 4:26	21:18:59	MONTHLY - PM FOR FIRE ALARM DETECTOR ASH LEACHING (E)	NPSA	NPSF
WS1525	Fire Alarm Control Panel ASH LEACHING	02/May/2026 4:26	21:18:59	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL ASH LEACHING (E)	NPSA	NPSF
WS1525	Fire Alarm Detector Transformer M84	02/May/2026 4:27	21:18:59	MONTHLY - PM FOR FIRE ALARM DETECTOR TRANSFORMER#84 (E)	NPSA	NPSF
WS1525	Fire Alarm Control Panel Transformer M84	02/May/2026 4:27	21:18:59	MONTHLY - PM FOR FIRE ALARM CONTROL PANEL TRANSFORMER#84 (E)	NPSA	NPSF
MS0204	PPG-RECOVERY BOLLER PUMP 1	02/May/2026 4:27	21:18:59	WEEKLY - INSPECTION FOR DCS CONTROLLER PUMP 35	NPSA	NPSF
MS0204	PPG-POWER GENERATION PUMP 1	02/May/2026 4:33	21:18:24	MONTHLY - PM FOR COAL TUBE TURBINE ROTOR PPSM1	NPSA	NPSF
WL1522	PPG-COOLING TOWER PUMP 1	06/Jun/2026 5:17	21:24:49	MONTHLY - PM FOR COOLING TOWER NO.1 (M)	NPSA	NPSF
WL1522	PPG-COOLING TOWER PUMP 1	06/Jun/2026 5:17	21:24:49	MONTHLY - PM FOR COOLING TOWER NO.2 (M)	NPSA	NPSF
WL1522	PPG-COOLING TOWER PUMP 1	06/Jun/2026 5:17	21:24:50	MONTHLY - PM FOR COOLING TOWER NO.3 (M)	NPSA	NPSF
WL1522	PPG-COOLING TOWER PUMP 1	06/Jun/2026 5:18	21:24:50	MONTHLY - PM FOR COOLING TOWER NO.4 (M)	NPSA	NPSF
WS1523	ASH Slinging Removal	14/Jun/2026 2:00	22:30:05	6 MONTHS - PM FOR ASH SCRAPER CONVEYOR 1 (M)	NPSA	NPSF
WS1522	SOLID FUEL FEED (S&D TO BOLLER)	14/Jun/2026 2:00	22:30:06	6 MONTHS - PM FOR FUEL ROTARY FEEDER 1, LEFT WALL (M)	NPSA	NPSF
WS1522	SOLID FUEL FEED (S&D TO BOLLER)	14/Jun/2026 2:00	22:30:07	6 MONTHS - PM FOR FUEL ROTARY FEEDER 1, RIGHT WALL (M)	NPSA	NPSF
WS1522	SOLID FUEL FEED (S&D TO BOLLER)	14/Jun/2026 2:00	22:30:08	6 MONTHS - PM FOR FUEL ROTARY FEEDER 2, LEFT WALL (M)	NPSA	NPSF
WS1522	SOLID FUEL FEED (S&D TO BOLLER)	14/Jun/2026 2:00	22:30:09	6 MONTHS - PM FOR FUEL ROTARY FEEDER 2, RIGHT WALL (M)	NPSA	NPSF
WS1522	SOLID FUEL FEED (S&D TO BOLLER)	14/Jun/2026 2:00	22:30:10	6 MONTHS - PM FOR FUEL ROTARY FEEDER 3, LEFT WALL (M)	NPSA	NPSF
WS1522	SOLID FUEL FEED (S&D TO BOLLER)	14/Jun/2026 2:00	22:30:11	6 MONTHS - PM FOR FUEL ROTARY FEEDER 3, RIGHT WALL (M)	NPSA	NPSF
WS1522	ASH Slinging Removal	14/Jun/2026 2:00	22:30:04	6 MONTHS - PM FOR ASH ROTARY FEEDER, LEFT WALL (M)	NPSA	NPSF
WS1522	ASH Slinging Removal	14/Jun/2026 2:00	22:30:05	6 MONTHS - PM FOR ASH ROTARY FEEDER, RIGHT WALL (M)	NPSA	NPSF

ช-28 รายงานการตรวจสอบอุปกรณ์ดับเพลิง



เดือน	Area	Extinguisher	FHC / FHR	Hydrant / Fix	Automation	Average	Inspeс By.
มกราคม	1. Evap & Cooling		100.00	100.00		100.00	
	2. RB	100.00	100.00			100.00	
	3. PB	100.00	100.00			100.00	
	4. TG	100.00	100.00		100.00	100.00	
	5. ER RB	100.00				100.00	
	6. ER PB	100.00				100.00	
	7. Fuel	100.00		100.00		100.00	
Average		100.00	100.00	100.00	100.00	100.00	

[illegible]

เดือน	Area	Extinguisher	FHC / FHR	Hydrant / Fix	Automation	Average	Inspeс By.
กุมภาพันธ์	1. Evap & Cooling		100.00	100.00		100.00	
	2. RB	100.00	100.00			100.00	
	3. PB	100.00	100.00			100.00	
	4. TG	100.00	100.00		100.00	100.00	
	5. ER RB	100.00				100.00	
	6. ER PB	100.00				100.00	
	7. Fuel	100.00		100.00		100.00	
Average		100.00	100.00	100.00	100.00	100.00	

[illegible]



FIRE PROTECTION PERFORMANCE [มีนาคม 2026]

Approve by : Safety Area

เดือน	Area	Extinguisher	FHC / FHR	Hydrant / Fix	Automation	Average	Inspec By.
มีนาคม	1. Evap & Cooling		100.00	100.00		100.00	
	2. RB	100.00	100.00			100.00	
	3. PB	100.00	100.00			100.00	
	4. TG	100.00	100.00		100.00	100.00	
	5. ER RB	100.00				100.00	
	6. ER PB	100.00				100.00	
	7. Fuel	100.00		100.00		100.00	
	Average	100.00	100.00	100.00	100.00	100.00	

อุปกรณ์ที่ไม่พร้อมใช้งาน

พื้นที่	อุปกรณ์	รายละเอียด



FIRE PROTECTION PERFORMANCE [เมษายน 2026]

Approve by : Safety Area

เดือน	Area	Extinguisher	FHC / FHR	Hydrant / Fix	Automation	Average	Inspec By.
เมษายน	1. Evap & Cooling		100.00	100.00		100.00	
	2. RB	100.00	100.00			100.00	
	3. PB	100.00	100.00			100.00	
	4. TG	100.00	100.00		92.86	97.62	
	5. ER RB	100.00				100.00	
	6. ER PB	100.00				100.00	
	7. Fuel	100.00		100.00		100.00	
	Average	100.00	100.00	100.00	92.86	100.00	

อุปกรณ์ที่ไม่พร้อมใช้งาน

พื้นที่	อุปกรณ์	รายละเอียด
TG5	Automation CO2 TG5	เนื่องด้วยในวันที่ 22 เมษายน 2569 เวลา 09.58 น. ได้รับแจ้งมาว่า pressure gauge ของระบบดับเพลิงอัตโนมัติ CO2 ที่อาคาร Turbine 5 โรงไฟฟ้า 15 บริษัท เนชั่นเนล เพาเวอร์เพลนท์ 5 ออ จำกัด ลดลง โดยในวันที่ 31 ตุลาคม 2568 มี pressure อยู่ที่ประมาณ 1,200 psi และวันที่ 22 เมษายน 2569 มี pressure ลดลงอยู่ที่ประมาณ 250 psi จึงส่งผลให้ระบบดับเพลิงอัตโนมัติ CO2 ไม่พร้อมใช้งานในการระบับเหตุฉุกเฉิน กรณีเกิดเหตุเพลิงไหม้ ทางหน่วยงานความปลอดภัยจึงต้องการติดตั้งถัง CO2 Agent 45 Kg/cylinder ใหม่จำนวน 2 ถัง



อุปกรณ์ที่ไม่พร้อมใช้งาน



FIRE PROTECTION PERFORMANCE [มิถุนายน 2026]

อุปกรณ์ที่ไม่พร้อมใช้งาน

[illegible]

ข-29การซ่อมแผนฉุกเฉินภายในพื้นที่โครงการ

ISO 45001 OCCUPATION HEALTH AND SAFETY MANAGEMENT SYSTEM

WORK PROCEDURE

Document No. WP-S-PUH-SS-002

Issued by: Patcharaporn P.

Edition No. 11

Effective date: 30 Nov 2025

Approved by: Dujdao W.

Page 1 (24)

ประวัติการแก้ไขเอกสาร

เลขที่เอกสาร	แก้ไขครั้งที่	รายละเอียดการแก้ไข	ผู้จัดทำเอกสาร
WP-S-PUH-SA-002	01	แก้ไข Flow ในการแจ้งเหตุ	คุณนุชจิรี ไสมสุพรรณ
WP-S-PUH-SS-002	02	เพิ่มเติม เอกสาร Version ภาษาอังกฤษ ปรับปรุงรายละเอียดการดำเนินการในภาคระบบสารสนเทศภายใน	คุณนุชจิรี ไสมสุพรรณ
WP-S-PUH-SS-002	03	เพิ่ม Scope PPH, PPR, PPS, PPD, PPE, PPF, PPG, PPH, PPI, PPK, PPL, PPM, PPN, PPO, PPS, PPT, PPU, PPV, PPW, PPX, PPY, PZZ	คุณชัยวุฒิ กองมงคล
WP-S-PUH-SS-002	04	แก้ไข Scope PPH	คุณปัทมา นาน้อง
WP-S-PUH-SS-002	05	เพิ่มเติมรายละเอียดขั้นตอนการปฏิบัติงานการตรวจสอบการควบคุมคุณภาพข้อมูลระบบสารสนเทศ	คุณปัทมา นาน้อง
WP-S-PUH-SS-002	06	เพิ่ม Scope PPH เพิ่มเติมรายละเอียดการปฏิบัติงานการตรวจสอบการควบคุมคุณภาพข้อมูลระบบสารสนเทศ	คุณปัทมา นาน้อง
WP-S-PUH-SS-002	07	เพิ่มเติมรายละเอียดการปฏิบัติงานการตรวจสอบการควบคุมคุณภาพข้อมูลระบบสารสนเทศ เพิ่ม Scope PPH, PPR, PPS, PPD, PPE, PPF, PPG, PPH, PPI, PPK, PPL, PPM, PPN, PPO, PPS, PPT, PPU, PPV, PPW, PPX, PPY, PZZ	คุณปัทมา นาน้อง
WP-S-PUH-SS-002	08	เพิ่ม Scope PPH, PPR, PPS, PPD, PPE, PPF, PPG, PPH, PPI, PPK, PPL, PPM, PPN, PPO, PPS, PPT, PPU, PPV, PPW, PPX, PPY, PZZ	คุณสกวาดิณ ไชยชนะ
WP-S-PUH-SS-002	09	เพิ่มการตอบสนองภาวะฉุกเฉินกรณีพนักงานถูกไฟฟ้าช็อต	คุณนิสสนิฏฐ์ ภูษนท์
WP-S-PUH-SS-002	10	เพิ่มการตอบสนองภาวะฉุกเฉินกรณีการทำงานในที่อับอากาศ เพิ่มการปฐมพยาบาลผู้ประสบเหตุการทำงานในที่อับอากาศ	คุณเจนนิสา เทียนเงิน
WP-S-PUH-SS-002	11	- เพิ่มบริษัท เนชั่นเนล เทวาเวอร์ แพลนท์ 12 จำกัด ด้วย คือ NPP12 - เพิ่มหัวข้อ 3.2 เหตุการณ์แผ่นดินไหว - เพิ่มหัวข้อที่ 6.เอกสารแนบ (Related Document) 6.3 WI-E-PUH-EH-001 การป้องกันและระงับเหตุฉุกเฉินอันเนื่องมาจากกาของเสียอันตราย 6.4 WI-S-PUH-SS-016 วิธีปฏิบัติการเตรียมการเพื่อ	คุณพัชรภรณ์ ภูวงส์นันท์

ISO 45001 OCCUPATION HEALTH AND SAFETY MANAGEMENT SYSTEM

WORK PROCEDURE

Document No. WP-S-PUH-SS-002

Issued by: Patcharaporn P.

Edition No. 11

Effective date: 30 Nov 2025

Approved by: Dujdao W.

Page 2 (24)

[illegible]

ISO 45001 OCCUPATION HEALTH AND SAFETY MANAGEMENT SYSTEM

WORK PROCEDURE

Issued by: Patcharaporn P.

Approved by: Dujdao W.

Document No. WP-S-PUH-SS-002

Edition No. 11

Effective date: 30 Nov 2025

Page 4 (24)

1. วัตถุประสงค์(Objective)

- 2) เหตุการณ์ระเบิด
- 3) เหตุการณ์สารเคมีรั่วไหลรุนแรง
- 4) เหตุการณ์แก๊สรั่วไหล
- 5) เหตุการณ์รังสีรั่วไหล
- 6) เครื่องจักรและระบบจำหน่ายชำรุดบกพร่อง (ไฟฟ้า ใอน้ำ น้ำปราศจากแร่ธาตุ น้ำอุตสาหกรรม ระบบลม)
- 7) การปนเปื้อนสิ่งแวดล้อม
- 8) การปนเปื้อนของผลิตภัณฑ์ปิโตรเลียม
- 9) การปนเปื้อนในกระบวนการผลิตน้ำมันดิบ
- 10) การปนเปื้อนในท่าเรือ
- 11) การปนเปื้อนในคลัง
- 12) การปนเปื้อนในกระบวนการผลิต
- 13) การปนเปื้อนในกระบวนการผลิตปิโตรเลียม
- 14) การปนเปื้อนในผลิตภัณฑ์ปิโตรเลียม

3.3 อธิบดีฯ (และ/หรือ) ประเมินว่า ผลการประเมินที่ประเมินได้ทางนี้ จะช่วยเพิ่มการเชื่อมโยงได้แก่... 1. หน่วยงาน...
 2. ...
 3. ...
 4. ...
 5. ...
 6. ...
 7. ...
 8. ...
 9. ...
 10. ...
 11. ...
 12. ...
 13. ...
 14. ...
 15. ...
 16. ...
 17. ...
 18. ...
 19. ...
 20. ...
 21. ...
 22. ...
 23. ...
 24. ...
 25. ...
 26. ...
 27. ...
 28. ...
 29. ...
 30. ...
 31. ...
 32. ...
 33. ...
 34. ...
 35. ...
 36. ...
 37. ...
 38. ...
 39. ...
 40. ...
 41. ...
 42. ...
 43. ...
 44. ...
 45. ...
 46. ...
 47. ...
 48. ...
 49. ...
 50. ...
 51. ...
 52. ...
 53. ...
 54. ...
 55. ...
 56. ...
 57. ...
 58. ...
 59. ...
 60. ...
 61. ...
 62. ...
 63. ...
 64. ...
 65. ...
 66. ...
 67. ...
 68. ...
 69. ...
 70. ...
 71. ...
 72. ...
 73. ...
 74. ...
 75. ...
 76. ...
 77. ...
 78. ...
 79. ...
 80. ...
 81. ...
 82. ...
 83. ...
 84. ...
 85. ...
 86. ...
 87. ...
 88. ...
 89. ...
 90. ...
 91. ...
 92. ...
 93. ...
 94. ...
 95. ...
 96. ...
 97. ...
 98. ...
 99. ...
 100. ...
 101. ...
 102. ...
 103. ...
 104. ...
 105. ...
 106. ...
 107. ...
 108. ...
 109. ...
 110. ...
 111. ...
 112. ...
 113. ...
 114. ...
 115. ...
 116. ...
 117. ...
 118. ...
 119. ...
 120. ...
 121. ...
 122. ...
 123. ...
 124. ...
 125. ...
 126. ...
 127. ...
 128. ...
 129. ...
 130. ...
 131. ...
 132. ...
 133. ...
 134. ...
 135. ...
 136. ...
 137. ...
 138. ...
 139. ...
 140. ...
 141. ...
 142. ...
 143. ...
 144. ...
 145. ...
 146. ...
 147. ...
 148. ...
 149. ...
 150. ...
 151. ...
 152. ...
 153. ...
 154. ...
 155. ...
 156. ...
 157. ...
 158. ...
 159. ...
 160. ...
 161. ...
 162. ...
 163. ...
 164. ...
 165. ...
 166. ...
 167. ...
 168. ...
 169. ...
 170. ...
 171. ...
 172. ...
 173. ...
 174. ...
 175. ...
 176. ...
 177. ...
 178. ...
 179. ...
 180. ...
 181. ...
 182. ...
 183. ...
 184. ...
 185. ...
 186. ...
 187. ...
 188. ...
 189. ...
 190. ...
 191. ...
 192. ...
 193. ...
 194. ...
 195. ...
 196. ...
 197. ...
 198. ...
 199. ...
 200. ...
 201. ...
 202. ...
 203. ...
 204. ...
 205. ...
 206. ...
 207. ...
 208. ...
 209. ...
 210. ...
 211. ...
 212. ...
 213. ...
 214. ...
 215. ...
 216. ...
 217. ...
 218. ...
 219. ...
 220. ...
 221. ...
 222. ...
 223. ...
 224. ...
 225. ...
 226. ...
 227. ...
 228. ...
 229. ...
 230. ...
 231. ...
 232. ...
 233. ...
 234. ...
 235. ...
 236. ...
 237. ...
 238. ...
 239. ...
 240. ...
 241. ...
 242. ...
 243. ...
 244. ...
 245. ...
 246. ...
 247. ...
 248. ...
 249. ...
 250. ...
 251. ...
 252. ...
 253. ...
 254. ...
 255. ...
 256. ...
 257. ...
 258. ...
 259. ...
 260. ...
 261. ...
 262. ...
 263. ...
 264. ...
 265. ...
 266. ...
 267. ...
 268. ...
 269. ...
 270. ...
 271. ...
 272. ...
 273. ...
 274. ...
 275. ...
 276. ...
 277. ...
 278. ...
 279. ...
 280. ...
 281. ...
 282. ...
 283. ...
 284. ...
 285. ...
 286. ...
 287. ...
 288. ...
 289. ...
 290. ...
 291. ...
 292. ...
 293. ...
 294. ...
 295. ...
 296. ...
 297. ...
 298. ...
 299. ...
 300. ...
 301. ...
 302. ...
 303. ...
 304. ...
 305. ...
 306. ...
 307. ...
 308. ...
 309. ...
 310. ...
 311. ...
 312. ...
 313. ...
 314. ...
 315. ...
 316. ...
 317. ...
 318. ...
 319. ...
 320. ...
 321. ...
 322. ...
 323. ...
 324. ...
 325. ...
 326. ...
 327. ...
 328. ...
 329. ...
 330. ...
 331. ...
 332. ...
 333. ...
 334. ...
 335. ...
 336. ...
 337. ...
 338. ...
 339. ...
 340. ...
 341. ...
 342. ...
 343. ...
 344. ...
 345. ...
 346. ...
 347. ...
 348. ...
 349. ...
 350. ...
 351. ...
 352. ...
 353. ...
 354. ...
 355. ...
 356. ...
 357. ...
 358. ...
 359. ...
 360. ...
 361. ...
 362. ...
 363. ...
 364. ...
 365. ...
 366. ...
 367. ...
 368. ...
 369. ...
 370. ...
 371. ...
 372. ...
 373. ...
 374. ...
 375. ...
 376. ...
 377. ...
 378. ...
 379. ...

- 3.4 CRT (Crisis Response Team) เป็นทีมที่จะมีอำนาจการตัดสินใจฉุกเฉินในกรณีเกิดเหตุฉุกเฉินและดำเนินการควบคุมและจัดการเหตุฉุกเฉินและฟื้นฟูระบบ

3.5 ERT (Emergency Response Team) หมายถึง คณะผู้เชี่ยวชาญเฉพาะด้านที่ปฏิบัติงานเป็นทีมที่มีขีดความสามารถสูงในการตอบสนองต่อเหตุการณ์ฉุกเฉินที่เกิดขึ้นอย่างรวดเร็วและอย่างมีประสิทธิภาพ

- 3.6 CCT (Computerized Controlled Test) ระบบข้อสอบคอมพิวเตอร์ (Computerized Test) ของ บริษัท เทคโนโลยีการบริการวิชาการ โยธาธิการและผังเมือง กรุงเทพมหานคร มีหน้าที่รับผิดชอบเกี่ยวกับ ดูแล งานการสื่อสาร การแถลงข่าว การประชาสัมพันธ์ทั้งหมด

- 3.7 BRT (Business Response Team) หมายถึง คณะทำงานด้านความต่อเนื่องธุรกิจ มีหน้าที่ รับผิดชอบกำกับดูแลการดำเนินงานของธุรกิจให้มีความต่อเนื่อง ให้มีผลกระทบทางธุรกิจน้อยที่สุด

- 3.8 ระบุว่าภาระผูกพัน เพื่อให้การควบคุมภาวะฉุกเฉินของ บริษัทฯ เป็นไปด้วยความรวดเร็วและมีประสิทธิภาพ จึงกำหนดให้ผู้บัญชาการเหตุฉุกเฉิน เป็นผู้รับผิดชอบในการควบคุมและสั่งการเพื่อตอบโต้ภาวะฉุกเฉิน ซึ่งได้กำหนดไว้เป็น ระดับ คือ

- 1) ภาวะฉุกเฉินระดับที่ 1

เป็นภาวะฉุกเฉินที่ผู้บัญชาการเหตุฉุกเฉินได้พิจารณาแล้วเห็นว่าเหตุการณ์ไม่รุนแรงมาก ไม่มีผู้เสียชีวิต สามารถควบคุมได้เข้าสู่ภาวะที่ปลอดภัยภายใน 30 นาที โดยที่อุปกรณ์ตอบโต้ภาวะฉุกเฉิน บริษัทฯ หรือกลุ่มโรงงาน ยังเพียงพอต่อการตอบโต้ภาวะฉุกเฉิน ก็จะส่งการให้ผู้รับผิดชอบต่าง ๆ ดำเนินการตามแผนการปฏิบัติหน้าที่ที่กำหนดไว้ในแผนฉุกเฉิน

ISO 45001 OCCUPATION HEALTH AND SAFETY MANAGEMENT SYSTEM

WORK PROCEDURE

Issued by: Patcharaporn P.

Approved by: Dujdao W.

Document No. WP-S-PUH-SS-002

Edition No. 11

Effective date: 30 Nov 2025

Page 5 (24)

- 2) ภาวะฉุกเฉินระดับที่ 2

เป็นภาวะฉุกเฉินที่ผู้บัญชาการเหตุฉุกเฉินได้พิจารณาแล้วว่าเหตุการณ์รุนแรง มีผู้บาดเจ็บหรือเสียชีวิต เหตุการณ์อาจจะยืดเยื้อ ไม่สามารถควบคุมให้เข้าสู่สภาวะที่ปลอดภัย ภายใน 30 นาที โดยที่บุคลากรและอุปกรณ์ต่าง ๆ ที่ใช้ในการตอบโต้ภาวะฉุกเฉินของโรงงานหรือกลุ่มโรงงานมีไม่เพียงพอ ที่จะสั่งการไปยังหัวหน้าชุดอำนาจการให้ทำการติดต่อขอความช่วยเหลือจากหน่วยงานภายนอก ซึ่งหน่วยงานที่เกี่ยวข้อง ได้แก่ ตำรวจ หน่วยดับเพลิงกู้ภัย, โรงพยาบาลใกล้เคียง, สถานีวิทยุสื่อสาร และหน่วยบริการทางการแพทย์ เพื่อแจ้งถึงสาเหตุของ

- 3) អាយុកាលនៃសត្វ ២

เป็นการส่งเสริมให้ปฎิบัติการตามกลยุทธ์ที่ได้ระบุไว้ในแผนงานบูรณาการฯ ได้ขยายตัว
มากขึ้นจนทำให้มีผู้สมัครรับการคัดเลือกเป็นกรรมการระดับจังหวัดเพิ่มขึ้น โดยเฉพาะในภาคใต้
ที่หน่วยงานราชการยังไม่สามารถควบคุมได้

4. ขั้นตอนการปฏิบัติงาน(Procedure)

- 4.1 ฝ่ายขายต้องดำเนินการประชาสัมพันธ์กับลูกค้าและผู้มีส่วนเกี่ยวข้องเป็นประจำตามต้นตอแห่งประจำ
เพื่อหาโอกาสขายสินค้าของตนกับลูกค้าใหม่ในท้องถิ่น โดยฝ่ายขายจะประชุมกับ CEO หรือ CO-
CEO หรือ Sales manager ประจำพื้นที่ 1 ครั้ง เพื่อหาโอกาสการกระจายสินค้า เพื่อหาแผนการตลาดประจำพื้นที่ ทั้งนี้
จะต้องมีการขายหรือรับซื้อสินค้าเป็นประจำ โดยไม่จำเป็นต้องซื้อ โดยฝ่ายขายจะต้องมีค่าใช้จ่ายปีละ 1 ครั้ง
- 4.2 บริษัทฯ จะต้องมีการประเมินการดำเนินงานของฝ่ายขายในพื้นที่เป็นประจำอย่างน้อย 40% ในส่วนนี้
เป็นหน้าที่ของฝ่ายขายในการประเมินผลการดำเนินงานของบริษัทฯ โดยฝ่ายขายจะต้องมีค่าใช้จ่ายปีละ 1 ครั้ง
- 4.3 การศึกษาข้อมูลเกี่ยวกับคู่แข่งในตลาดของบริษัทฯ จะต้องมีการศึกษาข้อมูลเกี่ยวกับคู่แข่งในตลาด
ผลิตภัณฑ์ของบริษัทฯ และคู่แข่งในตลาดผลิตภัณฑ์ของบริษัทฯ โดยฝ่ายขายจะต้องมีค่าใช้จ่ายปีละ 1 ครั้ง
- 4.3.1 พนักงานต้องได้รับการอบรมต้นตอแห่งประจำตามต้นตอแห่งกำหนด อย่างน้อย 40% ของหน่วยงาน
- 4.3.2 พนักงานใหม่ จะต้องได้รับการฝึกอบรมหรือชี้แจง ให้ทราบถึงมาตรการเรื่องความปลอดภัยก่อนการ
เริ่มทำงานภายในบริษัทฯ เก็บเอกสารไว้ที่หน่วยงานฝึกอบรม
- 4.3.3 ผู้รับเหมาจะต้องได้รับการฝึกอบรมหรือชี้แจง ให้ทราบถึงมาตรการเรื่องความปลอดภัยก่อนการเริ่ม
ทำงานภายในบริษัทฯ โดยเก็บเอกสารผลการอบรมไว้ที่ฝ่ายความปลอดภัย
- 4.3.4 ฝ่ายความปลอดภัยแต่ละโรงงาน มีหน้าที่ดำเนินการจัดให้มีการซ้อมแผนฉุกเฉินตามกฎหมาย อย่าง
น้อยปีละ 1 ครั้ง หรือตามที่บริษัทฯ โดยแผนการฝึกซ้อมจะต้องครอบคลุมรายการความเสี่ยงของ
กิจกรรมในพื้นที่นั้นๆ ทั้งนี้ผลการซ้อมจะต้องมีคะแนนประเมินไม่ต่ำกว่า 80% หากต่ำกว่าจะต้อง
ดำเนินการซ้อมใหม่
- 4.3.5 ข้อเสนอแนะจากผลการซ้อมแผนฉุกเฉินให้นำมาติดตามแก้ไขในที่ประชุมคณะกรรมการความ
ปลอดภัยหรือการประชุมอื่นๆ ที่เกี่ยวข้องของแต่ละบริษัทฯ

ISO 45001 OCCUPATION HEALTH AND SAFETY MANAGEMENT SYSTEM

WORK PROCEDURE

Issued by: Patcharaporn P.

Approved by: Dujdao W.

Document No. WP-S-PUH-SS-002

Edition No. 11

Effective date: 30 Nov 2025

Page 6 (24)

- 4.4 ฝ่ายความปลอดภัยแต่ละ หน่วยงาน มีหน้าที่ในการจัดเตรียม ตรวจสอบอุปกรณ์เพื่อใช้สำหรับป้องกันและระงับ อัคคีภัยตามเอกสาร WI-S-PUH-SS-002, WI-S-PUH-SS-003, WI-S-PUH-SS-004, WI-S-PUH-SS-005, WI-S-PUH-SS-006 ให้มีความพร้อมใช้งานอยู่เสมอ โดยจะต้องดำเนินการตรวจสอบและติดตามรายงานผลการ ตรวจสอบเป็นประจำ

- #### 4.5 คณะทำงานตอบสนองเหตุการณ์เงิน (ERT)

เพื่อให้เกิดความโปร่งใสและตรวจสอบได้ เป็นไปตามหลักการของ กพร. กำหนดให้มี
ปฏิทินการขึ้นทูลเกล้าฯ ถวาย 1 วัน ประจําเดือน

- 4.5.) ที่มา:ผู้เรียบเรียงจากเอกสารการประชุมวิชาการ *Conference & Thesis* ของมหาวิทยาลัยเทคโนโลยีราชมงคลธัญบุรี โดยผู้เรียบเรียงได้คัดเลือกข้อมูลที่เกี่ยวข้องกับงานวิจัยที่เกี่ยวข้องกับงานวิจัยที่ศึกษา และนำมาจัดเรียงใหม่ตามลำดับความสำคัญ และจัดกลุ่มข้อมูลที่เกี่ยวข้องกับงานวิจัยที่ศึกษา

- (1) 損耗に要する費用は、Damage Cost である。

[illegible]

24. *Journal of the American Chemical Society*, 1950, 72, 1000.

[illegible]

- 3) ทีมรักษาความปลอดภัยและการอพยพเคลื่อนย้าย (Security & Evacuation)

มีหน้าที่รับผิดชอบการอพยพพนักงานและคนงานออกจากอาคาร หรือพื้นที่ที่เกิดอันตรายไปยังพื้นที่ที่กำหนดไว้ นอกจากนี้ยังมีหน้าที่จัดตั้งเครื่องกีดขวางเพื่อป้องกันไม่ให้ผู้ที่ไม่เกี่ยวข้องเข้าไปในบริเวณเกิดเหตุฉุกเฉิน ดูแลคุ้มครองสิ่งต่าง ๆ ในบริเวณโรงงาน จัดการจราจรเข้าออก ภายในบริเวณพื้นที่โรงงานและติดต่อประสานงานกับ CCT ในกรณีมีนักข่าว หนังสือพิมพ์หรือตัวแทนสื่อมวลชนติดต่อขอเข้าทำข่าว

- 4) ทีมซ่อมบำรุง (Maintenance)

มีหน้าที่ติดต่อสื่อสารกับสื่อมวลชนระดับท้องถิ่น และระดับจังหวัด จัดเตรียมการสัมภาษณ์ เขียนหรือเผยแพร่เอกสาร ข่าว ควบคุมดูแลการนำเสนอข่าวสารของสื่อมวลชนทั้งหมด และรายงานให้ CC chair man ทราบเพื่อให้นโยบาย และแจ้งหาเวลาในการเผยแพร่ข่าวสารดำเนินไปอย่างมีระบบ พร้อมทั้งรายงานข่าวหรือให้ข้อมูลที่ถูกต้องแก่ชุมชนหรือผู้นำชุมชนทราบอย่างสม่ำเสมอ

ISO 45001 OCCUPATION HEALTH AND SAFETY MANAGEMENT SYSTEM

WORK PROCEDURE

Document No. WP-S-PUH-SS-002

Issued by: Patcharaporn P.

Edition No. 11

Effective date: 30 Nov 2025

Approved by: Dujdao W.

Page 9 (24)

3) ทีมลูกค้า

มีหน้าที่สื่อสารให้ข้อมูลเหตุการณ์ที่เกิดขึ้นเป็นระยะกับลูกค้าที่ได้รับผลกระทบ เพื่อทราบถึงสถานการณ์ปัจจุบันในระยะเวลาที่เหมาะสม

4) ทีมบริหารจัดการ ผู้ถือหุ้น พนักงาน ผู้รับเหมา และผู้เยี่ยมชม

มีหน้าที่สื่อสารข้อมูลเหตุการณ์ที่เกิดขึ้นเป็นระยะ กับผู้บริหาร ผู้ถือหุ้น พนักงาน ผู้รับเหมา และผู้เยี่ยมชม เพื่อให้ทราบถึงสถานการณ์ปัจจุบันในระยะเวลาที่เหมาะสม

4.7 CRT (Crisis Response Team)

คณะกรรมการควบคุมสุขภาพและนิคมเป็นทีมพิเศษที่ประกอบด้วยผู้บริหารระดับสูงจากทุกแผนกและหน่วยงานที่เกี่ยวข้องในการตอบสนองต่อเหตุการณ์ฉุกเฉินและควบคุมความเสี่ยง (โดยทีมบริหารความเสี่ยงไม่จัดเป็น CRT, ERT และ CERT)

ISO 45001 OCCUPATION HEALTH AND SAFETY MANAGEMENT SYSTEM

WORK PROCEDURE

Document No. WP-S-PUH-SS-002

Issued by: Patcharaporn P.


Edition No. 11

Effective date: 30 Nov 2025

Approved by: Dujdao W.

Page 10 (24)

ERT Chart



ISO 45001 OCCUPATION HEALTH AND SAFETY MANAGEMENT SYSTEM

WORK PROCEDURE

Document No. WP-S-PUH-SS-002

Issued by: Patcharapom P.

Edition No. 11

Effective date: 30 Nov 2025

Approved by: Dujdao W.

Page 11 (24)

4.8 กำหนดหน้าที่รับผิดชอบ

ตำแหน่งภาวะฉุกเฉิน	ผู้รับผิดชอบ	หน้าที่รับผิดชอบ
ผู้อำนวยการควบคุมเหตุฉุกเฉิน	PO	1. อำนาจการและสั่งการใช้แผนปฏิบัติการฉุกเฉิน 2. รายงานสถานการณ์ให้กับ BRC
ผู้บัญชาการควบคุมเหตุฉุกเฉิน	Shift Mgr. Plant Mgr.	1. จัดการควบคุมและจัดการสถานการณ์ฉุกเฉินภายในโรงงานภายนอกหรือไม่ 2. ตรวจสอบและประเมินสถานการณ์ฉุกเฉินและประเมินความเสี่ยงเพื่อแน่ใจว่าได้ ดำเนินการตามขั้นตอนการตอบสนองฉุกเฉินอย่างปลอดภัยและถูกต้อง 3. จัดตั้งทีมและมอบหมายให้ทีมควบคุมเหตุฉุกเฉินดำเนินการจัดการระบบไฟฟ้า และระบบอื่น ๆ 4. สั่งการให้ทีมควบคุมเหตุฉุกเฉินดำเนินการจัดการระบบเหตุฉุกเฉิน และทีมควบคุมเหตุฉุกเฉินและทีมอื่นที่เกี่ยวข้องให้หัวหน้าทีม ทีมควบคุมเหตุฉุกเฉินดำเนินการ 5. สั่งการให้ทีมอื่นที่เกี่ยวข้องดำเนินการเพื่อป้องกันผลกระทบ 6. สั่งการให้มีการเก็บกู้และรับมิดสิ่งปนเปื้อนที่เกิดเหตุ 7. รายงานการเกิดเหตุฉุกเฉินและทีมควบคุมเหตุฉุกเฉินให้ผู้อำนวยการควบคุมเหตุ ฉุกเฉิน (ตามขั้นตอน) 8. พกพาเครื่องมือการปฐมพยาบาลไว้ตลอดเวลาและพร้อมใช้ 9. ระดมทีมที่ปฏิบัติงานควบคุมเหตุฉุกเฉินเข้ามาไม่ถึงที่เกิดเหตุ ให้ ดำเนินการควบคุมเหตุฉุกเฉินและระดมทีมที่ผู้อำนวยการควบคุมเหตุ ฉุกเฉินพึงกระทำ 10. ร่วมในการสอบสวนการเกิดเหตุฉุกเฉินหลังเหตุการณ์สงบ 11. สั่งการให้มีการควบคุมพื้นที่เกิดเหตุ จนกระทั่งเสร็จสิ้นการ สอบสวน

ISO 45001 OCCUPATION HEALTH AND SAFETY MANAGEMENT SYSTEM

WORK PROCEDURE

Document No. WP-S-PUH-SS-002

Issued by: Patcharapom P.

Edition No. 11

Effective date: 30 Nov 2025

Approved by: Dujdao W.

Page 12 (24)

ตำแหน่งภาวะฉุกเฉิน	ผู้รับผิดชอบ	หน้าที่รับผิดชอบ
ทีมปฏิบัติการและงานควบคุมความเสียหาย (Operation & Damage Control)		
1. ควบคุมความเสียหาย	Shift Mgr. / Plant Mgr. และ Shift Supervisor	1. สั่งการให้ควบคุมความเสียหาย ปฏิบัติเป็นไปตามขั้นตอนที่ กำหนดไว้ 2. สั่งการให้ทีมปฏิบัติการและงานควบคุมความเสียหายดำเนินการตามคำสั่งผู้บัญชาการ ควบคุมเหตุฉุกเฉิน 3. สั่งการและควบคุมการปฏิบัติงานและควบคุมของทีมงานควบคุมเหตุ ฉุกเฉิน 4. รายงานเหตุการณ์การเกิดเหตุฉุกเฉินให้ผู้บัญชาการควบคุมเหตุ ฉุกเฉินทราบ (ตามขั้นตอน) 5. ไม่ไปละทิ้งหน้าที่การปฏิบัติงานและเหตุการณ์สงบ ในส่วนของการควบคุมความเสียหาย และ ควบคุมด้วยทีมงานต่าง ๆ ที่จำเป็นที่เกี่ยวข้องกับสิ่ง 6. เมื่อเกิดเหตุฉุกเฉินให้ทีมอื่นที่เกี่ยวข้อง (เช่น Supervisor) แยกชุด ปฏิบัติการและทีมอื่น 2 ทีม ที่สามารถดูแลทั้งการและทีมงานควบคุม เหตุฉุกเฉิน 7. ไม่ไปละทิ้งหน้าที่การปฏิบัติงานและประเมินสถานการณ์ของเหตุ ฉุกเฉิน กรณีประเมินสถานการณ์แล้วเห็นว่าทีมงานสามารถ รับมือเหตุฉุกเฉินได้ ไม่ไปปฏิบัติสิ่งอื่น ๆ 8. ให้ดำเนินการจัดการเหตุฉุกเฉินโดยเร็วและเมื่อแน่ใจว่าสามารถ จัดการเหตุฉุกเฉินได้แล้วให้รายงานต่อหัวหน้าชุดควบคุมความ เสียหาย (Shift Mgr. / Plant Mgr.) 9. ในกรณีที่หัวหน้าชุดควบคุมความเสียหายไม่อยู่ ให้ดำเนินการแทน หัวหน้าชุดควบคุมความเสียหายตามหน้าที่ที่พึงกระทำ 10. กรณีประเมินสถานการณ์แล้วไม่สามารถจัดการเหตุฉุกเฉินด้วยทีม ของตน ให้ปฏิบัติดังนี้ 10.1 แจ้งต่อหัวหน้าชุดควบคุมความเสียหายเพื่อขอความ ช่วยเหลือจากหน่วยงานกลางหรือหน่วยงานภายนอก พยายามควบคุมสถานการณ์ของเหตุฉุกเฉินให้อยู่ในวงแคบที่สุด จนกว่าหน่วยงานภายนอกจะเข้ามาสมทบ

ISO 45001 OCCUPATION HEALTH AND SAFETY MANAGEMENT SYSTEM

WORK PROCEDURE

Document No. WP-S-PUH-SS-002

Issued by: Patcharapom P.

Edition No. 11

Effective date: 30 Nov 2025

Approved by: Dujdao W.

Page 13 (24)

ตำแหน่งภาวะฉุกเฉิน	ผู้รับผิดชอบ	หน้าที่รับผิดชอบ
		6. รอรับคำสั่งในการหยุดเครื่องจักรจากหัวหน้าชุดควบคุมความ สูญเสีย 7. ร่วมในการสอบสวนการเกิดเหตุฉุกเฉินหลังเหตุการณ์สงบ
1.ชุดควบคุมความสูญเสีย(ต่อ)	Control Firewall (CPS)	1. เมื่อเกิดเหตุฉุกเฉินในพื้นที่ใด ให้พนักงานควบคุมเครื่องจักร ทำงานต่อไป จนกว่าจะได้รับการสั่งให้หยุดเครื่องจักรจากหัวหน้า ชุดควบคุมความสูญเสีย 2. ในกรณีที่เกิดการหยุดเครื่องจักรได้ให้รายงานหัวหน้าชุด ควบคุมความสูญเสียและเมื่อได้สั่งแล้วหัวหน้าชุดควบคุม ความสูญเสียให้ดำเนินการสอบสวนหาสาเหตุของเหตุการณ์ที่เกิด ไปหาสาเหตุและหาสาเหตุและดำเนินการควบคุมเหตุฉุกเฉินทันที
2.ทีมกู้ภัยและช่วยชีวิต	เจ้าหน้าที่กู้ภัย และช่วยชีวิต	1. ไม่ไปละเมิดพื้นที่ของอุบัติเหตุ และระมัดระวังตัวต่อหัวหน้าทีม การกู้ภัยและช่วยชีวิต เพื่อรอรับคำสั่งไปช่วยเหลือและช่วยชีวิต ผู้ประสบเหตุและบาดเจ็บ และช่วยเหลือผู้ประสบเหตุที่ติดอยู่ในอาคาร ที่เกิดอุบัติเหตุแล้ว โดยให้ทราบถึงสาเหตุเบื้องต้นก่อนไป 2.1 ช่วยชีวิตผู้ประสบเหตุที่เกิดเหตุตามกำลังและ ความสามารถของตน 2.2 ระวังผู้ประสบเหตุที่ส่งผลกระทบต่อสถานที่เกิดเหตุส่งต่อ ให้ทีมที่รับผิดชอบต่อไป รายงานผลการดำเนินการกู้ภัย ช่วยชีวิต ให้หัวหน้าทีมควบคุมความ สูญเสียและทีมอื่นๆ
		3. ประสานงานกับทีมควบคุมเหตุฉุกเฉินในการช่วยชีวิตผู้ประสบเหตุ
3.ทีมรักษาความปลอดภัยและ อพยพเคลื่อนย้าย	หัวหน้าชุด รักษาความ ปลอดภัย	1. เมื่อได้รับแจ้งเหตุฉุกเฉินให้ติดต่อเจ้าหน้าที่รักษาความปลอดภัย ประจำกลุ่มโรงงานเพื่อให้ดำเนินการดังต่อไปนี้ - เกลียร์พื้นที่เข้า-ออกของโรงงานให้มีสิ่งกีดขวางเพื่อให้ รถดับเพลิง รถพยาบาล เข้าออกได้สะดวก - ควบคุมพื้นที่ ห้ามยานพาหนะและบุคคลที่ไม่เกี่ยวข้อง เข้า- ออก จนกว่าเหตุการณ์จะเข้าสู่สภาวะปกติ - ดูแลควบคุมการจราจรและอำนวยความสะดวกแก่หน่วย ดับเพลิงภายนอก 2. ประสานงานกับตำรวจดับเพลิง, เจ้าหน้าที่ตำรวจ, เจ้าหน้าที่จาก

ISO 45001 OCCUPATION HEALTH AND SAFETY MANAGEMENT SYSTEM

WORK PROCEDURE

Document No. WP-S-PUH-SS-002

Issued by: Patcharapom P.

Edition No. 11

Effective date: 30 Nov 2025

Approved by: Dujdao W.

Page 14 (24)

ตำแหน่งภาวะฉุกเฉิน	ผู้รับผิดชอบ	หน้าที่รับผิดชอบ
		โรงพยาบาล และหน่วยงานบรรเทาสาธารณภัยอื่น ๆ ตามคำสั่งของ ผู้บัญชาการควบคุมเหตุฉุกเฉินหรือหัวหน้าทีมสนับสนุนและ ประสานงาน 3. เมื่อเจ้าหน้าที่ดับเพลิง, เจ้าหน้าที่ตำรวจมาถึง ให้แจ้งต่อผู้บัญชาการ ควบคุมเหตุฉุกเฉิน เพื่อดำเนินการต่อไป 4. ติดต่อหน่วยงานที่เกี่ยวข้องเพื่อสนับสนุนการ ระงับเหตุฉุกเฉิน เมื่อมีข้อสงสัยรูปแบบและขั้นตอนที่สำคัญ ที่เกิดเหตุเพื่อ ประเมินความเสี่ยงและหาสาเหตุ
4.ทีมซ่อมบำรุง (กรณีเกิดกลางคืน ขณะมีแสงจันทร์ บำรุงไม่อยู่ในพื้นที่ ที่ติด ควบคุมเหตุฉุกเฉิน ปฏิบัติหน้าที่ ในการตัดแยกระบบไฟฟ้าตาม ได้)	ช่างซ่อมบำรุง	1. ไม่ไปเพิ่มความเสี่ยง หรือ เพิ่มความเสียหาย หัวหน้าชุดควบคุม ความสูญเสียและทีมที่รับผิดชอบในการดับเพลิง 2. ควบคุมการยกเครื่องจักรและเครื่องมือที่ใช้ตรวจสอบเพื่อความ ปลอดภัย ระมัดระวังไฟฟ้าเกิดอันตรายเนื่องจากมีคำสั่งให้ตัดไฟ 3. จัดหาเจ้าหน้าที่ซ่อมบำรุงไฟฟ้าเพื่อตัดระบบไฟฟ้าบริเวณนี้ด้วย อุปกรณ์ที่จำเป็น 4. จัดหาเครื่องมือและอุปกรณ์ ระมัดระวังรถบรรทุก รถขุด รถบรรทุก หรือ รถอื่นที่เข้ามาในพื้นที่ ไม่ให้เข้าใกล้บริเวณควบคุมอุปกรณ์เหล่านี้
5.ทีมสอบสวนอุบัติเหตุและ ประกันภัย	รป. วิศวกร เจ้าหน้าที่ ประเมินภัย กลาง	1. เมื่อเกิดเหตุฉุกเฉินให้ทีมสอบสวนประสานงานกับบริษัท ประกันภัย 2. จัดหาเจ้าหน้าที่และอุปกรณ์ที่จำเป็นเพื่อเกิดขึ้นพร้อมจัดเตรียม ข้อมูลในการชดเชยค่าเสียหายจากประกันภัย
ทีมสนับสนุนและประสานงาน (Administration Support)		
1.ทีมสิ่งแวดล้อมความปลอดภัย และประชาสัมพันธ์	HEQ,SS	1. สั่งการให้ทีมสิ่งแวดล้อม ความปลอดภัยและประชาสัมพันธ์ ปฏิบัติ ตามหน้าที่และขั้นตอนที่กำหนดไว้ 2. ประสานงานกับหน่วยงานภายนอกที่เข้ามาช่วยเหลือ และรายงาน ผลให้ผู้บัญชาการควบคุมเหตุฉุกเฉินทราบเป็นระยะ ๆ 3. อำนวยความสะดวกแก่เจ้าหน้าที่และหัวหน้าหน่วยงานบรรเทาสาธารณภัย จากภายนอก 4. อำนวยความสะดวกแก่หน่วยงานภายนอกที่เข้ามาช่วยเหลือ

ISO 45001 OCCUPATION HEALTH AND SAFETY MANAGEMENT SYSTEM

WORK PROCEDURE

Document No. WP-S-PUH-SS-002

Issued by: Patcharapom P.

Edition No. 11

Effective date: 30 Nov 2025

Approved by: Dujdao W.

Page 15 (24)

ตำแหน่งภาวะฉุกเฉิน	ผู้รับผิดชอบ	หน้าที่รับผิดชอบ
		5. สั่งการให้มีการจัดเตรียมความพร้อมในเรื่องอุปกรณ์ เครื่องมือ ฯลฯ เพื่อให้การสนับสนุนทีมควบคุมเหตุฉุกเฉิน 6. ร่วมในการสอบสวนการเกิดเหตุฉุกเฉินหลังเหตุการณ์สงบ ในส่วนของผู้สนับสนุนและประสานงาน จะประกอบด้วยทีมงานต่าง ๆ ที่มีการฝึกอบรมดังนี้
	1. วิศวกร	1. เมื่อวันผู้ประสบเหตุเกิดขึ้นทีมผู้รับผิดชอบจะเข้ามามีส่วนร่วม 2. จัดเตรียมความพร้อมและจัดหาอุปกรณ์ต่าง ๆ ไปยังห้องแถลงข่าว โดย 3. วิศวกรจะคอยดูแลและประสานงานกับหน่วยงานการควบคุมเหตุ ฉุกเฉินหรือหน่วยงานที่เกี่ยวข้อง 4. วิศวกรจะคอยดูแลและจัดหาอุปกรณ์ต่าง ๆ ไปยังห้องแถลงข่าว โดย 5. วิศวกรจะคอยดูแลและจัดหาอุปกรณ์ต่าง ๆ ไปยังห้องแถลงข่าว โดย
2. ทีมปฐมพยาบาล	1. ทีมปฐมพยาบาล 2. ทีมปฐมพยาบาล 3. ทีมปฐมพยาบาล	1. เมื่อเกิดเหตุฉุกเฉินทีมปฐมพยาบาลจะรีบเข้าไปให้การปฐมพยาบาล 2. เมื่อเกิดเหตุฉุกเฉินทีมปฐมพยาบาลจะรีบเข้าไปให้การปฐมพยาบาล 3. เมื่อเกิดเหตุฉุกเฉินทีมปฐมพยาบาลจะรีบเข้าไปให้การปฐมพยาบาล
3. ทีมปฏิบัติหน้าที่	HR	1. ไปยังที่เกิดเหตุ พร้อมแจ้งให้ผู้บัญชาการควบคุมเหตุฉุกเฉินทราบ 2. เข้าดำเนินการฟื้นฟูสภาพแวดล้อมตามคำสั่งของผู้บัญชาการ ควบคุมเหตุฉุกเฉิน 3. ดำเนินการเก็บกวาดสิ่งกีดขวางและซากความเสียหายในพื้นที่เกิด เหตุ 4. ดำเนินการฟื้นฟูสภาพแวดล้อมในบริเวณที่เกิดเหตุ โดยจัด สภาพแวดล้อมให้มีความปลอดภัย เพื่อให้พนักงานสามารถเข้า ปฏิบัติงาน ได้อย่างปลอดภัยมากที่สุด 5. ประสานงานกับทีมควบคุมเหตุฉุกเฉินเพื่อสนับสนุนการระงับเหตุ ฉุกเฉิน

ISO 45001 OCCUPATION HEALTH AND SAFETY MANAGEMENT SYSTEM

WORK PROCEDURE

Document No. WP-S-PUH-SS-002

Issued by: Patcharapom P.

Edition No. 11

Effective date: 30 Nov 2025

Approved by: Dujdao W.

Page 16 (24)

ตำแหน่งภาวะฉุกเฉิน	ผู้รับผิดชอบ	หน้าที่รับผิดชอบ
		สำรวจสภาพความเสียหายร่วมกับบุคคลที่เกี่ยวข้องเพื่อประเมิน สถานการณ์สำหรับงานปฏิรูปฟื้นฟูสภาพแวดล้อม
ทีมดำเนินการ		
1. ทีมอพยพ	หัวหน้าแต่ละ หน่วยงาน	1. ไปยังที่เกิดเหตุ พร้อมแจ้งให้ผู้บัญชาการควบคุมเหตุฉุกเฉินทราบ 2. เข้าดำเนินการฟื้นฟูสภาพแวดล้อมตามคำสั่งของผู้บัญชาการ ควบคุมเหตุฉุกเฉิน 3. ดำเนินการเก็บกวาดสิ่งกีดขวางและซากความเสียหายในพื้นที่เกิด เหตุ 4. ดำเนินการฟื้นฟูสภาพแวดล้อมในบริเวณที่เกิดเหตุ โดยจัด สภาพแวดล้อมให้มีความปลอดภัย เพื่อให้พนักงานสามารถเข้า ปฏิบัติงาน ได้อย่างปลอดภัยมากที่สุด 5. ประสานงานกับทีมควบคุมเหตุฉุกเฉินเพื่อสนับสนุนการระงับเหตุ ฉุกเฉิน
	HR	1. ไปยังที่เกิดเหตุ พร้อมแจ้งให้ผู้บัญชาการควบคุมเหตุฉุกเฉินทราบ 2. เข้าดำเนินการฟื้นฟูสภาพแวดล้อมตามคำสั่งของผู้บัญชาการ ควบคุมเหตุฉุกเฉิน 3. ดำเนินการเก็บกวาดสิ่งกีดขวางและซากความเสียหายในพื้นที่เกิด เหตุ 4. ดำเนินการฟื้นฟูสภาพแวดล้อมในบริเวณที่เกิดเหตุ โดยจัด สภาพแวดล้อมให้มีความปลอดภัย เพื่อให้พนักงานสามารถเข้า ปฏิบัติงาน ได้อย่างปลอดภัยมากที่สุด 5. ประสานงานกับทีมควบคุมเหตุฉุกเฉินเพื่อสนับสนุนการระงับเหตุ ฉุกเฉิน
2. ทีมสื่อสารภายใน	HR	1. เป็นศูนย์กลางในการรับแจ้งและรายงานเหตุฉุกเฉินให้กับผู้ที่

ISO 45001 OCCUPATION HEALTH AND SAFETY MANAGEMENT SYSTEM

WORK PROCEDURE

Document No. WP-S-PUH-SS-002

Issued by: Patcharaporn P.

Edition No. 11

Effective date: 30 Nov 2025

Approved by: Dujdao W.

Page 17 (24)

ตำแหน่งงานฉุกเฉิน	ผู้รับผิดชอบ	หน้าที่รับผิดชอบ
		เกี่ยวข้องกับหลักนโยบายบริหาร 2. เป็นศูนย์กลางติดต่อหน่วยงานภายนอกนอกตามคำสั่งของผู้อำนวยการหรือผู้บังคับบัญชาการควบคุมเหตุฉุกเฉิน
3. ทีมยานพาหนะ	เจ้าหน้าที่ขนส่ง	1. จัดหา จัดระบบ และจัดส่งยานพาหนะทุกชนิด อาทิ รถบรรทุก เครื่องจักร เพื่อเตรียมพร้อมรับอุบัติเหตุให้รวดเร็ว และเพียงพอเหตุการณ์ฉุกเฉินนั้น 2. เตรียมความพร้อมผู้ขับขี่รถบรรทุก และรถโดยสารของเหตุการณ์นั้น เช่น สวมเสื้อนิรภัย ขับรถอย่างปลอดภัย ปฏิบัติตามกฎจราจรอย่างเคร่งครัด 3. จัดเก็บและดูแลรักษาข้อมูลอุบัติเหตุที่เกิดขึ้น และนำส่งข้อมูลให้หน่วยงานที่เกี่ยวข้อง
4. ทีมจัดหาอาหาร เครื่องดื่มและอุปกรณ์ฉุกเฉิน	IT	1. จัดหาและจัดส่ง อุปกรณ์และวัสดุที่ใช้ในการตอบสนองภาวะฉุกเฉิน เช่น อุปกรณ์สื่อสาร อุปกรณ์ทางการแพทย์ เป็นต้น 2. จัดหาและจัดส่งอาหาร เครื่องดื่ม ในระหว่างการระงับเหตุ ประชุม และมอบหมายทีมกู้ชีพ
CCT (Crisis Communication Team)		
1. ทีมหน่วยงานราชการ	IR, SA, CM	1. พัฒนาระบบการสื่อสารและรายงานเหตุการณ์และรายงานข่าวให้กับหน่วยงานราชการที่เกี่ยวข้อง
2. ทีมสื่อมวลชนและนักข่าว	CM	1. พัฒนาระบบการสื่อสารและรายงานเหตุการณ์และระดับจังหวัด จัดเตรียมการสื่อสารกับสื่อมวลชนและนักข่าว การข่าว ความปลอดภัย การนำเสนอข่าวสารของสื่อมวลชนทั้งหมด 2. รายงานให้ CCT Chair man ทราบ 3. รายงานข่าวหรือให้ข้อมูลที่ถูกต้องแก่ชุมชนหรือผู้นำชุมชนทราบอย่างสม่ำเสมอ
3. ทีมลูกค้า	CRM	สื่อสารข้อมูลเหตุการณ์ที่เกิดขึ้นเป็นระยะกับลูกค้าที่ได้รับผลกระทบเพื่อทราบสถานการณ์ปัจจุบันในระยะเวลาที่เหมาะสม
4. ทีมบอร์ดบริหาร ผู้ถือหุ้น พนักงาน ผู้รับเหมา และผู้เกี่ยวข้อง	IR	สื่อสารข้อมูลเหตุการณ์ที่เกิดขึ้นเป็นระยะกับบอร์ดบริหาร ผู้ถือหุ้น พนักงาน ผู้รับเหมา และผู้เกี่ยวข้อง เพื่อทราบสถานการณ์ปัจจุบันในระยะเวลาที่เหมาะสม

ISO 45001 OCCUPATION HEALTH AND SAFETY MANAGEMENT SYSTEM

WORK PROCEDURE

Document No. WP-S-PUH-SS-002

Issued by: Patcharaporn P.

Edition No. 11

Effective date: 30 Nov 2025

Approved by: Dujdao W.

Page 18 (24)

ตำแหน่งงานฉุกเฉิน	ผู้รับผิดชอบ	หน้าที่รับผิดชอบ
CRT (Crisis Response Team)		
1.ERT	ทีม ERT	ปฏิบัติการจัดการแก้ไขเหตุการณ์และความคลุมเครือหาโดยรวม
2.CCT	ทีมCCT	กำกับดูแลงานการสื่อสาร การแถลงข่าว การประชาสัมพันธ์ทั้งหมด
3.BRT	ทีมBRT	กำกับดูแลการดำเนินงานของธุรกิจให้มีความต่อเนื่อง

4.9 ขั้นตอน

4.9.1) เปรียบเทียบการบริโภคของสัตว์ในวัยเดียวกันในถิ่นอาศัยเดียวกัน พบว่าสัตว์ในวัยเดียวกันในถิ่นอาศัยเดียวกันมีการบริโภคอาหารที่แตกต่างกันไป

अभिलेखन संख्या : ५०१

11. สมัครเป็นสมาชิกของ สหประชาชาติ (โดยสมัคร สวัสดิวัตน์ โทณโกวิท) บริเวณใกล้เคียงทราบ
ขอสงวนสิทธิ์ในนาม

[illegible]

3) ส่วนประกอบตามหลักเกณฑ์:

การเพิ่มโอกาสในการเข้าถึงบริการสุขภาพ

11. ส่วนประกอบของระบบการขนส่งมวลชนในประเทศไทย

๒) บริษัท อีอีซี จำกัด (มหาชน) : บริษัทที่ปรึกษาในการจัดทำเอกสารประกวดราคา

www.elsevier.com/locate/jmb

ผู้เขียนขอแนะนำว่า ควรไปศึกษาเพิ่มเติม เพราะจะได้ประโยชน์ใน 2 ประเด็นเกี่ยวกับแง่ต่อให้กับ

© 2004 Blackwell Publishing Ltd *Journal of Internal Medicine* 255: 105–112

แจ้งให้รับทราบและแจ้งให้ทราบ และผู้จัดการแจ้งให้รับทราบ

4) ប៉ុណ្ណាខ្លាំងក្លា ឬទាប ចំពោះ CEO ឬ CEO ជំនួស និង CO-CEO រវាង CEO និង Mill manager

5) ศึกษารายละเอียดเรื่องการจัดตั้งศูนย์บริการประชาชนตามแนวทางที่คณะรัฐมนตรีกำหนด

มีฉบับแปลจีน | ๒๗ ล้านคน | ๔.๐

๑) มาตราประมวลกฎหมายวิธีพิจารณาความอาญาว่าด้วยการตั้งคณะผู้พิพากษาชั้นอุทธรณ์ (มาตรา ๒๖๕ แห่งประมวลกฎหมายวิธีพิจารณาความอาญา) ปรากฏว่า

๓) การลงนามโดยผู้แทน พนักงานหรือเจ้าหน้าที่ของหน่วยงาน (ทั้งในกรณี ก และ ข) ให้

๕.๑.๐ ๕.๑.๑ ๕.๑.๒ ๕.๑.๓ ๕.๑.๔ ๕.๑.๕ ๕.๑.๖ ๕.๑.๗

ม.อ.สงขลานครินทร์ โดย ม.อ.สงขลานครินทร์ โดย Fire Marshal และหัวหน้าภาคพิเศษ

[illegible][illegible]

ที่เกดเห็ด เริ่มลงมือปฏิบัติภาระงปเห็ด การคุมครองและชวยชวด การควบคุมควมเสยหาย การ

- 4.10.1 ในการปฏิบัติงานผู้ปฏิบัติงานทุกคนต้องปฏิบัติตามคำแนะนำและข้อควรระวังในการปฏิบัติงานอย่างเคร่งครัด และปฏิบัติตามขั้นตอนการปฏิบัติงานอย่างถูกต้อง เพื่อป้องกันอันตรายที่อาจเกิดขึ้นจากการปฏิบัติงาน
- 4.10.2 การปฐมพยาบาลผู้ที่ถูกไฟฟ้าช็อต
- 1) หากผู้ปฏิบัติงานได้รับบาดเจ็บจากไฟฟ้าช็อต และมีเพียงบาดแผลไม่ลึก ไม่มีอาการผิดปกติอื่น สามารถให้การดูแลโดยที่บาดแผลด้วยยาฆ่าเชื้อและตั้งเวลาการได้ยารักษา ผู้ได้รับบาดเจ็บเป็นผู้ป่วยที่มีโรคประจำตัวบางชนิด เช่น โรคไต โรคหัวใจ ควรนำส่งโรงพยาบาลเพื่อให้แพทย์ประเมินอาการ
 - 2) หากผู้ปฏิบัติงานได้รับบาดเจ็บจากไฟฟ้าแรงสูง มีบาดแผลไหม้ที่มีขนาดใหญ่ ลึก บวมแผลมาก หรือมีอาการผิดปกติดังต่อไปนี้ ได้แก่ ใจสั่น เจ็บหน้าอก เหนื่อย หอบเหนื่อย คลื่นไส้ อาเจียน หรือมีอาการอื่นที่ผิดปกติ ควรนำส่งโรงพยาบาลเพื่อรับการรักษา
 - 3) หากผู้ป่วยหมดสติ ต้องพิจารณาว่าผู้ป่วยมีภาวะหัวใจหยุดเต้นหรือหยุดหายใจหรือไม่ และพิจารณาให้การช่วยเหลือนานขึ้นจนจนกว่าจะฟื้นตัวขึ้นพื้นฐานต่อไป
- 4.10.3 การปฐมพยาบาลผู้ประสบเหตุการทำงานในที่อื่นอากาศ
- 1) นำผู้ประสบเหตุออกมายังที่ปลอดภัย ประเมินการตอบสนอง และตรวจดูชีพจรของผู้ประสบเหตุ

ISO 45001 OCCUPATION HEALTH AND SAFETY MANAGEMENT SYSTEM

WORK PROCEDURE

Document No. WP-S-PUH-SS-002

Issued by: Patcharaporn P.

Edition No. 11

Effective date: 30 Nov 2025

Approved by: Dujdao W.

Page 21 (24)

- 2) หากไม่มีชีพจรให้ทำการฟื้นคืนชีพเบื้องต้นด้วยวิธีการ CPR หรือใช้เครื่องกระตุกหัวใจอัตโนมัติ (AED) เพื่อกระตุ้นให้ชีพจรกลับมาเต้นตามปกติ
- 3) หากมีชีพจรแต่หมดสติให้เปิดทางเดินหายใจและตรวจสอบว่าไม่มีสิ่งกีดขวางทางเดินหายใจ ตรวจสอบการหายใจ หากหยุดหายใจให้ทำการช่วยหายใจทันที
- 4) เมื่อผู้ประสบเหตุพ้นจากภาวะวิกฤต สามารถตอบสนองได้ ให้สังเกตอาการบาดเจ็บบริเวณอื่น ๆ และทำการปฐมพยาบาลตามขั้นตอนการปฐมพยาบาล
- 5) ผู้ประสบเหตุส่งโรงพยาบาลต่อไป

4.11 แผนอพยพ

เมื่อเกิดเหตุการณ์ฉุกเฉินและต้องเป็นภัยพิบัติหรือเหตุฉุกเฉิน Fire Alarm เกิดขึ้นทั้งการอพยพ โดยพิจารณาถึงความปลอดภัยของผู้ปฏิบัติงานและผู้เกี่ยวข้อง โดยอพยพไปยังพื้นที่ปลอดภัย เป็นหัวหน้าทีม นำอพยพ ไปยังจุดรวมพลที่กำหนด

เมื่อเกิดเหตุฉุกเฉิน ผู้ปฏิบัติงานและผู้เกี่ยวข้อง ที่ไม่มีชีวิตรอดในองค์กรตอบโต้ภาวะฉุกเฉิน (Emergency Response Team) ผู้ปฏิบัติงาน

- 1) ผู้ปฏิบัติงานรวมทีมอพยพออกจากอาคาร หากได้รับแจ้งเหตุฉุกเฉิน ให้ปฏิบัติตามแผนอพยพประกาศ และอพยพไปยังพื้นที่ปลอดภัยตามแผนอพยพที่ระบุไว้ และแจ้งหัวหน้าหน่วยงานเพื่อตรวจสอบจำนวน (Head Count)
- 2) ผู้ปฏิบัติงานและผู้เกี่ยวข้อง ใช้สัญญาณหรือสัญญาณเสียงและสัญญาณไฟเพื่อตรวจสอบจำนวน (Head Count)
- 3) หากพบว่ามีผู้หลงเหลืออยู่ (Missed Cases) เมื่อทำการตรวจสอบจำนวน (Missed Count) แล้วให้แจ้งหัวหน้าหน่วยงานที่ได้รับมอบหมายให้ดำเนินการต่อไป
- 4) จุลรวมพลแบ่งตามโรงงานต่างๆ ดังนี้ (ไปจุลรวมพลที่ใกล้ที่สุดในบริเวณที่เกิดเหตุ)

ISO 45001 OCCUPATION HEALTH AND SAFETY MANAGEMENT SYSTEM

WORK PROCEDURE

Document No. WP-S-PUH-SS-002

Issued by: Patcharaporn P.

Edition No. 11

Effective date: 30 Nov 2025

Approved by: Dujdao W.

Page 22 (24)



15.38	Event ดำเนินการ - แจ้ง PR คุณฉันทพร 5-1130 ให้รับทราบถึงเหตุการณ์ที่เกิดขึ้น - แจ้ง CRM คุณอภิวัฒน์ 5-0496 ให้รับทราบถึงเหตุการณ์ที่เกิดขึ้น - ดำเนินงานระบบตามขั้นตอนที่ Fire marshal คุณฉัฐฐาน 5-5004 สั่งการ - Safety ไลน์แจ้งวิทยุทุกคนที่ไม่เกี่ยวข้อง และให้บันทึกจำนวนพนักงานที่เข้าทำงานตอนเกิดเหตุ	1. Fire marshal 2. Assit to. 3. Board Control Operator 4. ผู้ว่าทีมอพยพ	ศูนย์บัญชาการเหตุฉุกเฉิน	
15.42	ผู้ว่าทีมอพยพ คุณฉฐฐาน 5-2775 เมื่อได้รับแจ้ง ให้ปฏิบัติงานดังต่อไปนี้ - รับแจ้งตัวไปปฏิบัติหน้าที่อพยพ และเรียกพนักงานเข้าแถวเรียงลำดับ - เมื่อพนักงานอพยพทุกคนเข้าสู่บริเวณแล้ว นำพนักงานไปยังจุดรวมพล - เมื่อไปถึงจุดรวมพลให้ผู้ว่าทีมอพยพบันทึกจำนวนคนที่อพยพแล้ว และบอกผู้ช่วยอพยพคนตาม Zoom 919 611 0178 รหัส 1111	1. ผู้ว่าทีมอพยพและทีมอพยพ (เป็นจำนวนระลอก)	จุดรวมพล หน้าอาคาร Workshop	
15.45	ผู้ช่วยอพยพคน (พนักงานที่ไม่เกี่ยวข้องกับการทำ Emergency Shut down and Rapid Drain) อพยพถึงจุดรวมพล ขึ้นบันไดจำนวนผู้ช่วยอพยพ Fire marshal H14 Zoom 919 611 0178 รหัส 1111	1. ผู้ว่าทีมอพยพและทีมอพยพ (เป็นจำนวนระลอก)	จุดรวมพล หน้าอาคาร Workshop	
15.50	Fire marshal คุณฉัฐฐาน 5-5004 ประเมินสถานการณ์เมื่อเวลาผ่านไป 15 ชั่วโมง และเห็นว่าสามารถควบคุมเหตุการณ์ได้แล้ว จึงสั่งการให้ทีม Elec , ทีม Mechanic ทีม Automation , Safety เข้าตรวจสอบความเสียหาย	1. Fire marshal 2. Assit to. 3. Safety 4. ทีม Elec , ทีม Mechanic ทีม Automatic	ศูนย์บัญชาการเหตุฉุกเฉิน DCS PULP1 & PP6	

ขั้นตอนการสำรวจความเสียหาย				
15.55	ทีม Automation คุณศิวาพร 5-1727 ทีม Elec คุณพอล 5-1060 ทีม Mechanic คุณนพพร 5-7753 และรายงานผ่านกับDCS	1. Fire marshal 2. Assit to. 3. Safety 4. ทีม Elec , ทีม Mechanic ทีม Automatic	จุดเกิดเหตุ / ศูนย์บัญชาการเหตุฉุกเฉิน DCS PULP1 & PP6	
16.00	Fire marshal ประเมินสถานการณ์แล้วเห็นว่าสามารถควบคุมเหตุการณ์ได้แล้ว และไม่มีข้อสงสัยต่อเหตุการณ์ เมื่อถึงจุดประกอบหลักภาวะฉุกเฉินกับทีมงานที่ Zoom 919 611 0178 รหัส 1111 และรายงานต่อ Plant Manager คุณสุภาว 5-0773 Plant Manager คุณจตุรภัทร์ 5-0154 Safety ดำเนินการ - แจ้งทีมควบคุม, คุณพนม 5-1876 Event ดำเนินการ - แจ้ง PR คุณฉันทพร 5-1150 - แจ้ง CRM คุณอภิวัฒน์ 5-0496		ศูนย์บัญชาการเหตุฉุกเฉิน DCS PULP1 & PP6 Zoom	
ประกาศผลการสำรวจเหตุการณ์				
16.00	สรุปผลการชี้แจงและลงบันทึกสรุปกรณี		สรุปตาม	

สรุปข้อมูลแผนรับมือเหตุฉุกเฉิน Emergency Shutdown and Rapid Drain PP6				
วันที่ 24 มีนาคม 2569 เวลา 16:00 น.				
ลำดับที่	ตำแหน่ง	คะแนนเต็ม	คะแนนที่ได้	คิดเป็น %
1	Fire Marshal	26	23	88.46%
2	Ast. Fire Marshal	10	10	100.00%
3	Shift Supervisor	8	7	87.50%
4	Technicain Automation	8	8	100.00%
5	Technicain Electrical	6	6	100.00%
6	Technicain Mechanical	8	5	62.50%
7	เจ้าหน้าที่ส่งเวดส้อม	10	10	100.00%
8	เจ้าหน้าที่ความปลอดภัย	8	8	100.00%
9	ผู้พบเห็นเหตุการณ์	4	4	100.00%
10	ทีมอพยพ และผู้นำอพยพ	12	10	83.33%
11	รปภ.	2	2	100.00%
		102	93	91.18%
ข้อเสนอแนะภาพรวม				
ข้อดี 1.Fire Marshal ส่งการเพื่อระับเหตุได้ชัดเจน และคอยติดตามสอบถามสถานการณ์ 2.Ast. Fire Marshal รับคำสั่งจาก Fire Marshal และดำเนินการอย่างรวดเร็ว 3.ผู้พบเหตุรายงานสถานการณ์ได้อย่างรวดเร็ว ข้อปรับปรุง 1.ช่างกล ต้องรีบมารายงานตัวให้เร็วมากขึ้น และมารอ stand by สำรองความเสียหายยังศูนย์บัญชาการ				
สรุปข้อมูลแผนรับมือเหตุฉุกเฉิน Emergency Shutdown and Rapid Drain (หม้อไอน้ำเสี่ยงต่อการระเบิด) PP6				
วันที่ 27 กุมภาพันธ์ 2569 เวลา 15:30 น.				
ผลการประเมินผ่านเกณฑ์ได้ 91.18 % (หมายเหตุ ตั้งแต่ 80% จึงถือว่าผ่านเกณฑ์)				

ข-30 ผลการตรวจสอบสุขภาพประจำปีพ.ศ. 2568

[illegible]

Item	Sub-item	Frequency/interval of observation	Frequency/interval of observation		Notes	Remarks
			Frequency/interval of observation	Frequency/interval of observation		
	Authority	4	4	4	1. The authority is the authority of the authority. 2. The authority is the authority of the authority. 3. The authority is the authority of the authority. 4. The authority is the authority of the authority.	1. The authority is the authority of the authority. 2. The authority is the authority of the authority. 3. The authority is the authority of the authority. 4. The authority is the authority of the authority.
	Authority	4	4	4		
	Authority	4	4	4		

Background

Received 22 September 2006; accepted 25 May 2007

ฉบับนี้เผยแพร่เป็นครั้งแรกในสื่อมวลชนว่า บริษัท ไปรษณีย์ไทย จำกัด (ปณท) และพันธมิตรฯ ครอง จำกัด (มหาชน) ได้บรรลุข้อตกลงความร่วมมือกับบริษัทเทคโนโลยีสารสนเทศฯ เอสที 10110001553 ซึ่งมีมูลค่า 2 ล้านบาทในปี 3 และ 2 ล้านบาทในปี 4 สำหรับพัฒนาระบบสารสนเทศฯ กรมการฯ (B2B) ให้สามารถรองรับการประมวลผลข้อมูลทางไปรษณีย์ไทย บริษัท เทคโนโลยีสารสนเทศฯ เอสที 10110001553 ครอง จำกัด (P) ดำเนินการไปวันที่ 24-27 พฤศจิกายน พ.ศ. 2558 และพิธีทำบุญตักบาตรและถวายเพลแด่พระภิกษุสงฆ์

[illegible]

STUDY ANTIMETABOLITES

10/10/2010

หนังสือใบร้องเรียนการตรวจสุขภาพ

DOI: 10.1002/anie.200902569

[illegible][illegible]

DECLARATION OF INTEREST

114

www.nature.com/scientificreports/ 1/43555



สำนักงานมาตรฐานห้องปฏิบัติการ
กระทรวงสาธารณสุข

หนังสือฉบับนี้ให้ไว้เพื่อแสดงว่า

ห้องปฏิบัติการ

โปรแล็บสาคอนิก

(บริษัท โปรเฟสชันแนล ลาโบราทอรี
แมเนจเม้นท์ คอร์ป จำกัด (มหาชน))

เลขที่ 2 ขอยพธิ์แก้ว 3 เขต 2 ถนนพธิ์แก้ว แขวงคลองตัน
เขตบางกะปิ กรุงเทพมหานคร 10240

ได้รับการขึ้นทะเบียนเป็นห้องปฏิบัติการที่ผ่านการรับรองความสามารถ
ตามมาตรฐาน ISO 15189 : 2022 และใช้กำหนดเลขไอเอสโอการรับรองความสามารถ
ห้องปฏิบัติการทดสอบด้านการแพทย์และสาธารณสุขของสำนักงานมาตรฐานห้องปฏิบัติการ
คุณรายการและวิธีทดสอบที่กำหนด ในเอกสารแนบท้ายในด้าน

ห้องปฏิบัติการทางการแพทย์

ผู้อำนวยการสำนักงานมาตรฐานห้องปฏิบัติการ

วันที่ 31 มีนาคม 2566

ถึงวันที่ 30 เมษายน 2572

หมายเลขใบอนุญาต 480046

ข-31 แผนงานด้านความปลอดภัยประจำปีพ.ศ. 2569

	แผนงานความปลอดภัย อาชีวอนามัยและสภาพแวดล้อมในการทำงาน ประจำปี 2569														ISSUED BY				REVIEWED BY				APPROVED BY				
	บริษัท เนชั่นเนล เพาเวอร์ แพลนท์ 5 เอ จำกัด														(นางสาวฐานาส รัตนอ่อน)				(คุณพัชรภรณ์ ภูวงศนันท์)				(นางสาวศุจดาว วงศ์สมบูรณ์)				
															Safety Officer				Deputy Safety Manager				Department Manager - Safety				
Health Plan และความปลอดภัยนอกงาน																											
แผน / โครงการ	วัตถุประสงค์	เป้าหมายหรือกิจกรรม	ผลการดำเนินการ	ไตรมาส 1			ไตรมาส 2			ไตรมาส 3			ไตรมาส 4			งบประมาณ	ผู้รับผิดชอบ	หมายเหตุ									
				1	2	3	4	5	6	7	8	9	10	11	12												
1. ตรวจสอบสภาพพนักงานแรกเข้า	เพื่อตรวจสอบสภาพพนักงานให้เป็นไปตามกฎหมายกำหนด	พนักงานใหม่	Plan	X	X	X	X	X	X	X	X	X	X	X	X	-	HR										
			Actual																								
2. สรุปการเข้ารับการรักษาที่ห้องพยาบาล	- เพื่อนำมาเป็นฐานข้อมูลในการส่งเสริมสุขภาพของพนักงาน และรายงานให้ที่ประชุมทราบ	มีกิจกรรมส่งเสริมสุขภาพให้กับพนักงาน	Plan	31	28	31	30	31	30	31	31	30	31	30	31	ไม่มี	ฐานาส (Safety Officer)										
			Actual																								
3. จัดบอร์ดรณรงค์โรคประจำฤดูกาล ความรู้ด้านสุขภาพ ความปลอดภัยนอกงาน	- เพื่อให้พนักงานสามารถมีความรู้ความเข้าใจเกี่ยวกับป้องกันตัวเองจากโรคตามฤดูกาล ความรู้ด้านสุขภาพ	พนักงานทุกคนสามารถเข้าถึงสื่อความปลอดภัยไม่น้อยกว่า 80% ของจำนวนพนักงานทั้งหมด	Plan	15	16	16	20	15	15	15	17	14	15	16	15	ไม่มี	ฐานาส (Safety Officer)	จัดบอร์ดหน้าห้อง Safety 1 บอร์ด และประชาสัมพันธ์ในไลน์สื่อสาร ทุกเดือน									
			Actual																								
4.Health talk & ออกกำลังกายตามรอบ PR	เพื่อสื่อสารข้อมูลด้านสุขภาพ โดยให้ทุกพื้นที่เข้ามามีส่วนร่วมในการนำเสนอข้อมูล	พนักงานเข้าร่วมกิจกรรม ไม่ต่ำกว่า 80 %	Plan	5	5	5	6	5	5	6	5	4	5	5	4	คิดรวมกับ Safety Talk	ฐานาส (Safety Officer)	- Health Talk จัดพร้อมกับ Safety Talk - กิจกรรมออกกำลังกาย PR บันทึกจำนวนพนักงานที่เข้าร่วมเปรียบเทียบกับผลลัพธ์									
			Actual																								
งบประมาณ ประมาณการ																0	บาท										

ข-32 ผลสำรวจความคิดเห็นชุมชนประจำปี

พ.ศ. 2568

สรุปผลการศึกษาทัศนคติและความคิดเห็นของชุมชนที่มีต่อการดำเนินงาน
บริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด (มหาชน) และบริษัทย่อย ประจำปี 2568

ผู้ตอบแบบสอบถาม 451 คน : ชาวบ้านในพื้นที่อำเภอศรีมหาโพธิ์ และอำเภอบึงนาราง จังหวัดปราจีนบุรี

1.1 เพศ

- ชาย 172 คน
- หญิง 279 คน



1.2 อาชีพ

- รับจ้าง 96 คน
- เกษตรกร 23 คน
- ธุรกิจส่วนตัว 224 คน
- รับราชการ 2 คน
- บริษัทเอกชน 73 คน
- อื่นๆ 33 คน




1.3 อายุ

- อายุต่ำกว่า 20 ปี 5 คน
- อายุ 21-30 ปี 45 คน
- อายุ 31-40 ปี 128 คน
- อายุ 41-50 ปี 126 คน
- อายุ 51-60 ปี 75 คน
- อายุ 61 ปีขึ้นไป 72 คน




1.4 ตำแหน่งทางสังคม

- กรรมการกองทุนหมู่บ้าน/กรรมการหมู่บ้าน/กรรมการสถานศึกษา 7 คน
- ชาวบ้านทั่วไป 444 คน



2.1 ท่านทราบหรือไม่ว่า มีโรงไฟฟ้าในกลุ่ม NPS ที่ดำเนินการอยู่ในพื้นที่ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

- ทราบ 399 คน
- ไม่ทราบ 52 คน



2.2 ท่านทราบหรือไม่ว่า โรงไฟฟ้าในกลุ่ม NPS มีโรงไฟฟ้าประเภทใดบ้าง

- โรงไฟฟ้าที่ใช้เชื้อเพลิงจากพลังงานชีวมวล 372 คน
- โรงไฟฟ้าที่ใช้เชื้อเพลิงจากพลังงานถ่านหิน 304 คน
- โรงไฟฟ้าที่ใช้เชื้อเพลิงจากพลังงานน้ำมันยางดำ 232 คน
- โรงไฟฟ้าพลังงานแสงอาทิตย์แบบทุ่นลอยน้ำ 272 คน



2.3 ท่านทราบหรือไม่ว่า โรงไฟฟ้าในกลุ่ม NPS มีการสนับสนุนการจัดกิจกรรม การให้ความช่วยเหลือชุมชนและหน่วยงานราชการในพื้นที่ในด้านต่างๆ เช่น การศึกษา การสาธารณสุข ด้านสังคม วัฒนธรรม เป็นต้น

- ทราบ 295 คน
- ไม่ทราบ 156 คน




2.4 ท่านมีความพึงพอใจต่อการสนับสนุนการจัดกิจกรรม การให้ความช่วยเหลือชุมชนและหน่วยงานราชการในพื้นที่ในด้านต่างๆ

- มากที่สุด 57 คน
- มาก 181 คน
- ปานกลาง 90 คน
- น้อย 5 คน




3.1 หลังจากที่มีโรงไฟฟ้ามาดำเนินการในพื้นที่ มีผลทำให้ชุมชนมีความเจริญและพัฒนามากขึ้นมากน้อยเพียงใด

- มากที่สุด 50 คน
- มาก 232 คน
- ปานกลาง 147 คน
- น้อย 10 คน




3.2 ท่านอยากให้ชุมชนของท่านได้รับการพัฒนาในด้านใด

- ด้านการศึกษา 242 คน
- ด้านสาธารณสุข/สุขภาพ 299 คน
- ด้านการส่งเสริมอาชีพ/ด้านจ้างงาน 325 คน
- ด้านสังคมและวัฒนธรรม 179 คน




4.1 ในรอบปีที่ผ่านมา ท่านได้รับผลกระทบจากการดำเนินงานของโรงไฟฟ้าหรือไม่

- ได้รับผลกระทบ 87 คน
- ไม่ได้รับผลกระทบ 278 คน
- ได้รับผลกระทบ แต่ไม่สามารถระบุที่มาได้ 86 คน




4.2 ความถี่จากการได้รับผลกระทบมากน้อยเพียงใด

- กลิ่น : เกิดเป็นบางครั้ง นานๆครั้ง เกิดขึ้นบ่อย ไม่เคยเกิดเลย และเกิดเป็นประจำ ตามลำดับ
- ฝุ่นละออง : ไม่เคยเกิดเลย นานๆครั้ง เกิดเป็นบางครั้ง เกิดเป็นประจำ และเกิดขึ้นบ่อย ตามลำดับ
- เสียง : ไม่เคยเกิดเลย นานๆครั้ง เกิดเป็นบางครั้ง ตามลำดับ
- น้ำเสีย : ไม่เคยเกิดเลย นานๆครั้ง เกิดเป็นบางครั้ง เกิดขึ้นบ่อย และเกิดเป็นประจำ ตามลำดับ
- การจราจร : ไม่เคยเกิดเลย นานๆครั้ง เกิดเป็นบางครั้ง และเกิดขึ้นบ่อย ตามลำดับ



4.3 ในรอบปีที่ผ่านมา ผลกระทบสิ่งแวดล้อมที่ท่านได้รับ มีระดับผลกระทบมากน้อยเพียงใด

- กลิ่น : ได้รับผลกระทบปานกลาง น้อย ไม่ได้รับผลกระทบ รุนแรง และรุนแรงมาก ตามลำดับ
- ฝุ่นละออง : ไม่ได้รับผลกระทบ น้อย ปานกลาง และรุนแรง ตามลำดับ
- เสียง : ไม่ได้รับผลกระทบ น้อย และปานกลาง ตามลำดับ
- น้ำเสีย : ไม่ได้รับผลกระทบ น้อย ปานกลางและรุนแรงมาก ตามลำดับ
- การจราจร : ไม่ได้รับผลกระทบ น้อย ปานกลาง รุนแรง และรุนแรงมาก ตามลำดับ



4.4 ในรอบปีที่ผ่านมาจนถึงปัจจุบัน สมาชิกในครอบครัวของท่านมีการเจ็บป่วยหรือไม่

- มี 48 คน
- ไม่มี 403 คน




4.5 ถ้ามี เป็นโรคอะไร โรคที่พบคือ โรคภูมิแพ้ โรคเกี่ยวกับระบบทางเดินหายใจ โรคเกี่ยวกับทางเดินอาหาร ตามลำดับ



4.6 โปรดระบุชื่อโรค

โรคอื่นๆ เช่น โรคเบาหวาน โรคชรา อาการแสบจุก อาการวิงเวียนจากการไต่กลิ่น เป็นต้น



5.1 ท่านมีข้อเสนอแนะหรือข้อมูลเพิ่มเติมที่เป็นประโยชน์ต่อการดำเนินงานของโครงการฯหรือไม่

- อยากให้มีการจ้างงานผู้สูงอายุ
- อยากให้ลงพื้นที่บ่อยๆ พุดคุยรับฟังความคิดเห็นของชุมชน
- อยากให้ปรับปรุงระบบกำจัดกลิ่น ฝุ่น ของโรงงาน ลดผลกระทบกับชุมชน
- ปรับปรุงสาธารณูปโภค ไฟฟ้า ถนนที่ชำรุด
- อยากให้สนับสนุนเรื่องการทำหมันสุนัขและแมวจรจัด
- อยากให้มีการสนับสนุนสร้างสวนสาธารณะ ที่ออกกำลังกายให้ชุมชน
- สนับสนุนด้านกีฬาให้กับเยาวชน
- อยากให้มีการประชาสัมพันธ์ข้อมูลให้ชุมชนได้รับทราบมากขึ้น
- จัดกิจกรรมร่วมกับชุมชนบ่อยๆ

สรุปผลการศึกษาศักดิ์และความคิดเห็นของผู้นำชุมชนที่มีต่อการดำเนินงาน
บริษัท เนชั่นเนล เพาเวอร์ ซัพพลาย จำกัด (มหาชน) และบริษัทย่อย ประจำปี 2568

ผู้ตอบแบบสอบถาม 51 คน : กลุ่มผู้นำในพื้นที่อำเภอศรีมหาโพธิ์ และอำเภอกบินทร์บุรี จังหวัดปราจีนบุรี


1.1 เพศ

- ชาย 27 คน
- หญิง 24 คน




1.2 อาชีพ

- เกษตรกร 7 คน
- ธุรกิจส่วนตัว 12 คน
- รับราชการ 20 คน
- อื่นๆ 12 คน



1.3 อายุ

- อายุ 21-30 ปี 2 คน
- อายุ 31-40 ปี 10 คน
- อายุ 41-50 ปี 14 คน
- อายุ 51-60 ปี 16 คน
- อายุ 61 ปีขึ้นไป 9 คน



1.4 ตำแหน่งทางสังคม

- กำนัน/ผู้ใหญ่บ้าน/ผู้ช่วยผู้ใหญ่บ้าน 18 คน
- แพทย์ประจำตำบล/สาร์วัดรำนัน 1 คน
- สมาชิกองค์การบริหารส่วนตำบล 1 คน
- องค์การบริหารส่วนตำบล 5 คน
- กลุ่มโรงเรียน 12 คน
- สถานพยาบาล 3 คน
- วัด/ศาสนสถาน 11 คน




2.1 ท่านทราบหรือไม่ว่า มีโรงไฟฟ้าในกลุ่ม NPS ที่ดำเนินการอยู่ในพื้นที่ตำบลท่าตูม อำเภอศรีมหาโพธิ จังหวัดปราจีนบุรี

- ทราบ 51 คน
- ไม่ทราบ 0 คน



2.2 ท่านทราบหรือไม่ว่า โรงไฟฟ้าในกลุ่ม NPS มีโรงไฟฟ้าประเภทใดบ้าง

- โรงไฟฟ้าที่ใช้เชื้อเพลิงจากพลังงานชีวมวล 45 คน
- โรงไฟฟ้าที่ใช้เชื้อเพลิงจากพลังงานถ่านหิน 35 คน
- โรงไฟฟ้าที่ใช้เชื้อเพลิงจากพลังงานน้ำมันยางดำ 25 คน
- โรงไฟฟ้าพลังงานแสงอาทิตย์แบบทุ่นลอยน้ำ 47 คน



2.3 ท่านทราบหรือไม่ว่า โรงไฟฟ้าในกลุ่ม NPS มีการสนับสนุนการจัดกิจกรรม การให้ความช่วยเหลือชุมชนและหน่วยงานราชการในพื้นที่ในด้านต่างๆ เช่น การศึกษา การสาธารณสุข ด้านสังคม วัฒนธรรม เป็นต้น

- ทราบ 51 คน
- ไม่ทราบ 0 คน



2.4 ท่านมีความพึงพอใจต่อการสนับสนุนการจัดกิจกรรม การให้ความช่วยเหลือชุมชนและหน่วยงานราชการในพื้นที่ในด้านต่างๆ

- มากที่สุด 14 คน
- มาก 28 คน
- ปานกลาง 9 คน



3.1 หลังจากที่มีโรงไฟฟ้ามาดำเนินการในพื้นที่ มีผลทำให้ชุมชนมีความเจริญและพัฒนามากขึ้นมากน้อยเพียงใด

- มากที่สุด 10 คน
- มาก 23 คน
- ปานกลาง 18 คน




3.2 ท่านอยากให้ชุมชนของท่านได้รับการพัฒนาในด้านใด

- ด้านการศึกษา 28 คน
- ด้านสาธารณสุข/สุขภาพ 32 คน
- ด้านการส่งเสริมอาชีพ/ด้านจ้างงาน 33 คน
- ด้านสังคมและวัฒนธรรม 26 คน




4.1 ในรอบปีที่ผ่านมา ท่านได้รับผลกระทบจากการดำเนินงานของโรงไฟฟ้าหรือไม่

- ได้รับผลกระทบ 2 คน
- ไม่ได้รับผลกระทบ 25 คน
- ได้รับผลกระทบ แต่ไม่สามารถระบุที่มาได้ 24 คน




4.2 ความถี่จากการได้รับผลกระทบมากน้อยเพียงใด

- กลิ่น : นานๆครั้ง เกิดเป็นบางครั้ง เกิดขึ้นบ่อย ตามลำดับ
- ฝุ่นละออง : นานๆครั้ง และไม่เคยเกิดเลย ตามลำดับ
- เสียง : นานๆครั้ง และไม่เคยเกิดเลย ตามลำดับ
- น้ำเสีย : นานๆครั้ง และไม่เคยเกิดเลย ตามลำดับ
- การจราจร : นานๆครั้ง และไม่เคยเกิดเลย ตามลำดับ




4.3 ในรอบปีที่ผ่านมา ผลกระทบสิ่งแวดล้อมที่ท่านได้รับ มีระดับผลกระทบมากน้อยเพียงใด

- กลิ่น : ได้รับผลกระทบน้อย ไม่ได้รับผลกระทบ และรุนแรง ตามลำดับ
- ฝุ่นละออง : ได้รับผลกระทบน้อย และไม่ได้รับผลกระทบ ตามลำดับ
- เสียง : ได้รับผลกระทบน้อย และไม่ได้รับผลกระทบ ตามลำดับ
- น้ำเสีย : ได้รับผลกระทบน้อย และไม่ได้รับผลกระทบ ตามลำดับ
- การจราจร : ได้รับผลกระทบน้อย และไม่ได้รับผลกระทบ ตามลำดับ



4.4 ในรอบปีที่ผ่านมาจนถึงปัจจุบัน สมาชิกในครอบครัวของท่านมีการเจ็บป่วยหรือไม่

- มี 5 คน
- ไม่มี 46 คน



4.5 ถ้ามี เป็นโรคอะไร

โรคที่พบคือ โรคเกี่ยวกับระบบทางเดินหายใจ และโรคภูมิแพ้



5.1 ท่านมีข้อเสนอแนะหรือข้อมูลเพิ่มเติมที่เป็นประโยชน์ต่อการดำเนินงานของโครงการฯหรือไม่

- ชื่นชมการสนับสนุนของกลุ่มบริษัท อยากให้ต่อเนื่องต่อไป
- กิจกรรมที่จัดกับชุมชนดีอยู่แล้ว และขอให้เพิ่มการจัดกิจกรรมในพื้นที่ตำบลอื่นๆโดยรอบ
- อยากให้เพิ่มเติมเกี่ยวกับกิจกรรมเยาวชน และการมอบทุนการศึกษา
- อยากให้สนับสนุนด้านไฟฟ้าและระบบประปาในโรงเรียนที่ยังขาดแคลน
- อยากให้มีการลงพื้นที่สำรวจผลกระทบด้านสิ่งแวดล้อมทั้งในเวลากลางและกลางคืน
- อยากให้มีการจัดการเรื่องกลิ่นของโรงงาน และดูแลสภาพแวดล้อม เพื่อป้องกันผลกระทบต่อชุมชน
- ต้องการเพิ่มพื้นที่สีเขียวในชุมชน
- อยากให้มีการตรวจสอบสุขภาพคนในชุมชน

สรุปผลการศึกษาทัศนคติและความคิดเห็นของชุมชนที่มีต่อการนำไฟฟ้าไปใช้ในแปลงปลูก
บริษัท เนชั่นแนล เพาเวอร์ ซัพพลาย จำกัด (มหาชน) และบริษัทย่อย ประจำปี 2568

ผู้ตอบแบบสอบถาม 18 คน : พื้นที่หมู่ที่ 2,5และ9 ตำบลลาดตะเคียน อำเภอกบินทร์บุรี จังหวัดปราจีนบุรี

1.1 เพศ

- ชาย 5 คน
- หญิง 13 คน



1.2 อาชีพ

- ธุรกิจส่วนตัว 7 คน
- เกษตรกร 5 คน
- รับจ้าง 3 คน
- อื่นๆ 3 คน



1.3 อายุ

- อายุ 41-50 ปี 9 คน
- อายุ 51-60 ปี 7 คน
- อายุ 61 ปีขึ้นไป 2 คน



1.4 ตำแหน่งทางสังคม

- ชาวบ้าน 18 คน



2.1 ท่านทราบหรือไม่ว่า มีการนำไฟฟ้าชีวมวลจากโรงไฟฟ้าที่ได้รับใบอนุญาตถูกต้องมาใช้ในการแปลงปลูก
ของโรงไฟฟ้า ที่อยู่ในพื้นที่ของท่าน

- ทราบ 14 คน
- ไม่ทราบ 4 คน




2.2 ท่านทราบหรือไม่ว่า เจ้าของโรงไฟฟ้าสามารถนำมาเป็นสารปรับปรุงดินได้

- ทราบ 14 คน
- ไม่ทราบ 4 คน



2.3 ที่ผ่านมาท่านได้รับผลกระทบจากการดำเนินงานหรือไม่

- ได้รับผลกระทบ 1 คน
- ไม่ได้รับผลกระทบ 11 คน
- ได้รับผลกระทบ แต่ไม่สามารถระบุที่มาได้ 6 คน




2.4 ความถี่จากการได้รับผลกระทบมากน้อยเพียงใด

- กลิ่น : นานๆครั้ง และไม่เคยเกิดเลย ตามลำดับ
- ผุนละออง : นานๆครั้ง และเกิดเป็นบางครั้ง ตามลำดับ
- เสียง : ไม่เคยเกิดเลย นานๆครั้ง และเกิดเป็นบางครั้ง ตามลำดับ
- น้ำเสีย : ไม่เคยเกิดเลย นานๆครั้ง และเกิดเป็นบางครั้ง ตามลำดับ
- การจราจร : ไม่เคยเกิดเลย นานๆครั้ง และเกิดเป็นบางครั้ง ตามลำดับ



2.5 ในรอบปีที่ผ่านมา ผลกระทบสิ่งแวดล้อมที่ท่านได้รับมีระดับผลกระทบมากน้อยเพียงใด

- กลิ่น : ได้รับผลกระทบน้อย และไม่ได้รับผลกระทบ ตามลำดับ
- ผุนละออง : ได้รับผลกระทบน้อย
- เสียง : ได้รับผลกระทบน้อย และไม่ได้รับผลกระทบ ตามลำดับ
- น้ำเสีย : ได้รับผลกระทบน้อย และไม่ได้รับผลกระทบ ตามลำดับ
- การจราจร : ได้รับผลกระทบน้อย และไม่ได้รับผลกระทบ ตามลำดับ



3.1 ท่านมีข้อเสนอแนะหรือข้อมูลเพิ่มเติมที่เป็นประโยชน์ต่อการดำเนินงานของโครงการหรือไม่

- กังวลเรื่องน้ำชะได้ดิน