

ภาคผนวก ง

เอกสารขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เอกสารแนบท้ายหนังสือรับข้ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท อีสเทิร์น ไทย คอนซัลตติ้ง ๑๙๙๒ จำกัด เลขทะเบียน ๖-๐๐๓
ที่ อก ๐๓๒๐/๑๑๓๔๒ ลงวันที่ ๒๗ กรกฎาคม ๒๕๖๖

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๔๐ ราย

๑) นางสาวมาลีเกษ เลขะวิกุล	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๐๑
๒) นายวัฒนา โคตรหล้า	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๐๒
๓) นางวรรณเพ็ญ เหลาจินดาวัฒน์	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๐๓
๔) นายกวีร์ สุทธทรัพย์	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๐๔
๕) นางสาวนันท์ณภัส แบนทนต์	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๐๕
๖) นางสาวพรนภา หลงคำหงษ์	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๐๖
๗) นางสาวอภิรดี ชื่นอารมย์	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๐๗
๘) นางสาวอัจฉริ จิตตะยโสธร	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๐๘
๙) นางสาวจิรพร ปานคง	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๐๙
๑๐) นายสุทธา สองธนี	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๑๐
๑๑) นางสาวนันประภา อูยสูงเนิน	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๑๑
๑๒) นายธงไชย บุญศักดิ์	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๑๒
๑๓) นางสาวอนันพร กลิ่นโสมณ	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๑๓
๑๔) นายธีระพงษ์ นวลอินทร์	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๑๔
๑๕) นางสาวแพรว พลเสน	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๑๕
๑๖) นายทรงพล ผิวอ้วน	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๑๖
๑๗) นายภาคภูมิ บัวสวัสดิ์	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๑๗
๑๘) นางสาวจันทน์ สายพันธ์	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๑๘
๑๙) นายภาณุพงศ์ บำรุงรส	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๑๙
๒๐) นางสาวภาณิน จันติสสอน	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๒๐
๒๑) นายวรกร ไทยะเสวี	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๒๑
๒๒) นางสาววรรณภา ไชยศิริ	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๒๒
๒๓) นางสาวพรพิมล ภูมิคอนสาร	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๒๓
๒๔) นางสาวธมลวรรณ ผลอ้อ	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๒๔
๒๕) นางสาวบุญเรือง บุญถม	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๒๕
๒๖) นางสาวกานันท์ ป้อมน้อย	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๒๖
๒๗) นายชานันท์ โชติวงค์	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๒๗
๒๘) นางสาวพจนีย์ งามวิสัย	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๒๘
๒๙) นายวิษณุชวลิต สิงห์โต	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๒๙
๓๐) นางสาวนุกุล อาภรณ์	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๓๐
๓๑) นายศุภฤกษ์ พาดกลาง	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๓๑
๓๒) นายณิชาพล ทองหล่อ	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๓๒
๓๓) นายธรรมรัตน์ โพธิ์คันคำ	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๓๓
๓๔) นายโอชา ขวัญศิริมงคล	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๓๔
๓๕) นายเมธี สุขประเสริฐ	ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๓๕

COPY
๓๖) นางสาวพรนภา...



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๗ กรกฎาคม ๒๕๖๖

ที่ อก ๐๓๒๐/๑๑๓๔๒

เรื่อง ข้ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท อีสเทิร์น ไทย คอนซัลตติ้ง ๑๙๙๒ จำกัด

อ้างถึง คำขอต่ออายุของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๗ มิถุนายน ๒๕๖๖

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือรับข้ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

๑. รายชื่อผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๔๐ ราย

๒. รายชื่อเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๒๕ ราย

๓. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๒๔๒ รายการ
จำนวน ๑๙ แผ่น

ตามหนังสือที่อ้างถึง บริษัท อีสเทิร์น ไทย คอนซัลตติ้ง ๑๙๙๒ จำกัด ขอต่ออายุหนังสือรับ
ขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ๖-๐๐๓ สถานที่ตั้งเลขที่ ๖๘๓ หมู่ที่ ๑๑ ถนนสุขาภิบาล ๘
ตำบลหนองขาม อำเภอศรีราชา จังหวัดชลบุรี ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท อีสเทิร์น ไทย คอนซัลตติ้ง ๑๙๙๒ จำกัด ต่ออายุ
หนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๔๐ ราย ตามสิ่งที่ส่งมาด้วย ๑

ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๒๕ ราย ตามสิ่งที่ส่งมาด้วย ๒

ค. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนในวิเคราะห์ในน้ำเสีย จำนวน ๔๗ รายการ
อากาศเสีย (ปล่องระบาย) จำนวน ๒๑ รายการ น้ำใต้ดิน จำนวน ๑๑๑ รายการ สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว
จำนวน ๑๘ รายการ และดิน จำนวน ๙๕ รายการ รวมทั้งสิ้นจำนวน ๒๔๒ รายการ ตามสิ่งที่ส่งมาด้วย ๓

หนังสือฉบับนี้จะหมดอายุในวันที่ ๕ กรกฎาคม ๒๕๖๙ หากประสงค์จะต่ออายุหนังสือ
รับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอต่อ
กรมโรงงานอุตสาหกรรม ภายใน ๓๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
ทั้งนี้ สามารถยื่นคำขอผ่านระบบอิเล็กทรอนิกส์ได้ที่หน้าเว็บไซต์กรมโรงงานอุตสาหกรรม

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายทวี อำพันนธ์)

ผู้อำนวยการศูนย์วิจัยและเตือนภัยมลพิษโรงงานภาคตะวันออก
ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

ศูนย์วิจัยและเตือนภัยมลพิษโรงงานภาคตะวันออก

โทร. ๐ ๓๓๓๓ ๖๐๕๕ ต่อ ๕๐๐๑-๒

ไปรษณีย์อิเล็กทรอนิกส์ eirw@diw.mail.go.th



อุตสาหกรรมก้าวหน้า ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว

COPY



เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท อีสเทิร์น ไทย คอนซัลติง ๑๙๙๒ จำกัด เลขทะเบียน ๖-๐๐๓

ที่ ออก ๐๓๒๐/๑๑๓๔๒

ลงวันที่ ๒๗ กรกฎาคม ๒๕๖๖

ขอขยายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๒๙๒ รายการ

น้ำเสีย จำนวน 47 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[4]
2	Arsenic	1) Continuous Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
3	Barium	Digestion, Inductively Coupled Plasma Method ^[4]
4	α-BHC	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[4]
5	β-BHC	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[4]
6	δ-BHC	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[4]
7	γ-BHC	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[4]
8	Biochemical Oxygen Demand	1) 5-Day BOD Test, Membrane Electrode Method ^[4] 2) 5-Day BOD Test, Azide Modification Method ^[4]
9	Cadmium	Digestion, Inductively Coupled Plasma Method ^[4]
10	Chemical Oxygen Demand	Closed Reflux, Titrimetric Method ^[4]
11	cis-Chlordane	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[4]
12	trans-Chlordane	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[4]
13	Chromium	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]

~~COPY~~

14 Color...

-๒-

๓๖) นางสาวพรพินันท์ วิริยกุลกุล	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๓๖
๓๗) นางสาวอาภาภรณ์ เสริมสนธิ	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๓๗
๓๘) นางสาวนภัทร์ธรมณ์ ประดิษฐ์นุช	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๓๘
๓๙) นางสาวสุณิษา เอ็งเส้ง	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๓๙
๔๐) นางสาวระพีณ อ้นขัน	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๔๐

ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๒๕ ราย

๑) นางสาวดวงกมล เนื่อทอง	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๐๑
๒) นางสาววิษราภรณ์ อินทสุข	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๐๒
๓) นางสาวกัญจน์กวีภา จันทระขอดแก้ว	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๐๓
๔) นางสาวจิตติสุตา มงคลโกชน	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๐๔
๕) นางสาวณัฐรดี อามาศทัศน์	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๐๕
๖) นางสาวนิอรธมา ปาระ	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๐๖
๗) นางสาวอัญญลักษณ์ ชันโค	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๐๗
๘) นางสาวสุทธิดา สร้างแก้ว	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๐๘
๙) นายอุดมทรัพย์ เจนจบจริง	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๐๙
๑๐) นายธนธิป สงวนศิลป์	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๑๐
๑๑) นายวีระชัย พอใจ	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๑๑
๑๒) นายอัญชลี ทะพงษ์	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๑๒
๑๓) นางสาวสุมิตรรา มีแก่น	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๑๓
๑๔) นางสาวสรวรยา เพชรประไพ	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๑๔
๑๕) นางสาวจุฑามาศ เจริญพรหม	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๑๕
๑๖) นางสาวนิภาพร คำขมภู	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๑๖
๑๗) นางสาวอรุษา พันธุ์เมือง	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๑๗
๑๘) นายกิตติ ไพโรจน์	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๑๘
๑๙) นายชาญณรงค์ ตั้งธรรมรักษ์	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๑๙
๒๐) นางสาวปวีศา เอสันเทียะ	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๒๐
๒๑) นางสาวจุฑาทิพย์ กิจดี	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๒๑
๒๒) นางสาวสุภาวดี ศรีละออง	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๒๒
๒๓) นางสาวณัฐชา บรรพบุตร	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๒๓
๒๔) นางสาวณัฐนิช นนตานอก	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๒๔
๒๕) นางสาวดวงสุดา แสนวันดี	ทะเบียนเลขที่	๖-๐๐๓-๖-๐๐๒๕

~~COPY~~

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
29	Heptachlor	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[4]
30	Heptachlor Epoxide	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[4]
31	Hexavalent Chromium	Filtration, Colorimetric Method ^[4]
32	Lead	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
33	Manganese	Digestion, Inductively Coupled Plasma Method ^[4]
34	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[4]
35	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[4]
36	Nickel	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
37	Oil and Grease	Liquid-Liquid, Partition-Gravimetric Method ^[4]
38	pH	Electrometric Method ^[4]
39	Phenols	Distillation, Direct Photometric Method ^[4]
40	Selenium	Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4]
41	Sulfide	ZnS Precipitation, Iodometric Method ^[4]
42	Temperature	Field Method ^[4]
43	Trivalent Chromium	1) Digestion, Direct Air-Acetylene Flame Method; Filtration, Colorimetric Method; Calculation ^[4] 2) Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ^[4]
44	Total Dissolved Solids	Dried at 180 °C ^[4]
45	Total Kjeldahl Nitrogen	Macro Kjeldahl Method ^[4]
46	Total Suspended Solids	Dried at 103-105 °C ^[4]
47	Zinc	Digestion, Inductively Coupled Plasma Method ^[4]

COPY

อากาศเสีย...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
14	Color	ADMI Weighted-Ordinate Spectrophotometric Method ^[4]
15	Copper	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
16	Cyanide	Distillation, Colorimetric Method ^[4]
17	4,4'-DDD	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[4]
18	4,4'-DDE	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[4]
19	DDT	Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[4]
20	Dieldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[4]
21	Endosulfan I	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[4]
22	Endosulfan II	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[4]
23	Endosulfan sulfate	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[4]
24	Endrin	Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[4]
25	Endrin aldehyde	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[4]
26	Endrin ketone	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[4]
27	Formaldehyde	Distillation, Colorimetric Method ^[3]
28	Free Chlorine	1) Iodometric Method ^[4] 2) Colorimetric Method ^[4]

COPY

29 Heptachlor...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
19	Total Suspended Particulate	Isokinetic Sampling, Gravimetric Method ^[6]
20	Vanadium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
21	Xylene	Adsorption Sampling, Gas Chromatographic Method ^[6]

น้ำใต้ดิน จำนวน 111 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
2	Acetone	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
3	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
4	Anthracene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
5	Antimony	Digestion, Inductively Coupled Plasma Method ^[4]
6	Arsenic	1) Continuous Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
7	Barium	Digestion, Inductively Coupled Plasma Method ^[4]
8	Benz(a)anthracene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
9	Benzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
10	Benzo(b)fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
11	Benzo(k)fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
12	Benzo(a)pyrene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
13	Benzo[g,h,i]perylene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
14	Beryllium	Digestion, Inductively Coupled Plasma Method ^[4]

COPY

อากาศเสีย (ปล่องระบาย) จำนวน 21 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
2	Arsenic	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
3	Cadmium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
4	Carbon Monoxide	1) Bag, Non-Dispersive Infrared Method ^[5] 2) Instrumental Analyzer Method ^[5]
5	Chromium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
6	Cobalt	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
7	Copper	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
8	Hydrogen Sulfide	Absorption Sampling, Iodometric Method ^[5]
9	Lead	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
10	Manganese	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
11	Mercury	Isokinetic Sampling, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[5]
12	Nickel	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
13	Opacity	Ringelmann's Method ^[1,5]
14	Oxides of Nitrogen	1) Absorption Sampling, Phenoldisulfonic Acid Method ^[8] 2) Instrumental Analyzer Method ^[7]
15	Selenium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
16	Sulfur Dioxide	1) Absorption Sampling, Barium-Thorin Titrimetric Method ^[5] 2) Instrumental Analyzer Method ^[5]
17	Sulfuric Acid	Isokinetic Sampling, Barium-Thorin Titrimetric Method ^[6]
18	Tin	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]

COPY

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
33	Chromium (VI)	Filtration, Colorimetric Method ^[4]
34	Chrysene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
35	Cyanide	Distillation, Colorimetric Method ^[4]
36	DDD	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
37	DDE	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
38	DDT	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
39	Dibenz(a,h)anthracene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
40	Di-n-butyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
41	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
42	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
43	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
44	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
45	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
46	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
47	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
48	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
49	2,4-Dichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
50	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
51	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]

COPY

52 Dieldrin...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
15	Bis(2-chloroethyl)ether	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
16	Bis(2-ethylhexyl)phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
17	Bromodichloromethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
18	Bromoform	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
19	Butanol	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
20	Butyl benzyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
21	Cadmium	Digestion, Inductively Coupled Plasma Method ^[4]
22	Carbazole	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
23	Carbon disulfide	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
24	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
25	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
26	p-Chloroaniline	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
27	Chlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
28	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
29	Chloroform	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
30	2-Chlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
31	Chromium	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
32	Chromium (III)	1) Digestion, Direct Air-Acetylene Flame Method; Filtration, Colorimetric Method; Calculation ^[4] 2) Digestion, Inductively Coupled Plasma Method; Filtration, Colorimetric Method; Calculation ^[4]

COPY

33 Chromium (VI)

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
70	γ -HCH	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
71	Hexachlorocyclopentadiene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
72	Hexachloroethane	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
73	Indeno(1,2,3-cd)pyrene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
74	Isophorone	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
75	Lead	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
76	Manganese	Digestion, Inductively Coupled Plasma Method ^[4]
77	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[4]
78	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
79	Methylene chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
80	2-Methylphenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
81	2-Methylnaphthalene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
82	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
83	Naphthalene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
84	Nickel	Digestion, Inductively Coupled Plasma Method ^[4]
85	Nitrobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
86	N-Nitrosodi-n-propylamine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
87	pH	Electrometric Method ^[4]
88	Phenanthrene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]

COPY

89 Phenol...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
52	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
53	Diethyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
54	2,4-Dimethylphenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
55	2,4-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
56	2,6-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
57	Di-n-octyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
58	Endosulfan	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
59	Endrin	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
60	Ethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
61	Fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
62	Fluorene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
63	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
64	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
65	Hexachlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
66	Hexachloro-1,3-butadiene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
67	n-Hexane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
68	α -HCH	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
69	β -HCH	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]

COPY

70 γ -HCH...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
107	m-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
108	o-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
109	p-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
110	Xylene (Total)	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
111	Zinc	Digestion, Inductively Coupled Plasma Method ^[4]

สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน 18 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	Digestion, Inductively Coupled Plasma Method ^[9,10]
2	Arsenic	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[2,9,10] 2) Digestion, Inductively Coupled Plasma Method ^[9,10]
3	Barium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[2,9,10] 2) Digestion, Inductively Coupled Plasma Method ^[9,10]
4	Beryllium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[2,9,10] 2) Digestion, Inductively Coupled Plasma Method ^[9,10]
5	Cadmium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[2,9,10] 2) Digestion, Inductively Coupled Plasma Method ^[9,10]
6	Chromium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[2,9,10] 2) Digestion, Inductively Coupled Plasma Method ^[9,10]
7	Chromium (VI)	1) Waste Extraction, Digestion, Colorimetric Method ^[2,13] 2) Alkaline Digestion, Colorimetric Method ^[9,13]
8	Cobalt	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[2,9,10] 2) Digestion, Inductively Coupled Plasma Method ^[9,10]
9	Copper	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[2,9,10] 2) Digestion, Inductively Coupled Plasma Method ^[9,10]

~~COPY~~

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
89	Phenol	1) Distillation, Direct Photometric Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
90	Pyrene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
91	Selenium	Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4]
92	Silver	Digestion, Inductively Coupled Plasma Method ^[4]
93	Styrene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
94	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
95	Trichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
96	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
97	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
98	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
99	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
100	Toluene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
101	2,4,5-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
102	2,4,6-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
103	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
104	Vanadium	Digestion, Inductively Coupled Plasma Method ^[4]
105	Vinyl acetate	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
106	Vinyl chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]

~~COPY~~

ดิน จำนวน 95 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
2	Acetone	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
3	Anthracene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
4	Antimony	Digestion, Inductively Coupled Plasma Method ^[9,10]
5	Arsenic	Digestion, Inductively Coupled Plasma Method ^[9,10]
6	Barium	Digestion, Inductively Coupled Plasma Method ^[9,10]
7	Benz(a)anthracene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
8	Benzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
9	Benzo(b)fluoranthene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
10	Benzo(k)fluoranthene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
11	Benzo(a)pyrene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
12	Benzo[g,h,i]perylene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
13	Beryllium	Digestion, Inductively Coupled Plasma Method ^[9,10]
14	Bis(2-chloroethyl)ether	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
15	Bis(2-ethylhexyl)phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
16	Bromodichloromethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
17	Bromoform	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
18	Butanol	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]

COPY

19 Butyl benzyl phthalate...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
10	Lead	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[2,9,10] 2) Digestion, Inductively Coupled Plasma Method ^[9,10]
11	Mercury	1) Waste Extraction, Digestion, Cold Vapor Atomic Absorption Spectrometric Method ^[2,11] 2) Digestion, Cold vapor Atomic Absorption Spectrometric Method ^[9,11]
12	Nickel	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[2,9,10] 2) Digestion, Inductively Coupled Plasma Method ^[9,10]
13	Molybdenum	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[2,9,10] 2) Digestion, Inductively Coupled Plasma Method ^[9,10]
14	Selenium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[2,9,10] 2) Digestion, Inductively Coupled Plasma Method ^[9,10]
15	Silver	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[2,9,10] 2) Digestion, Inductively Coupled Plasma Method ^[9,10]
16	Thallium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[2,9,10] 2) Digestion, Inductively Coupled Plasma Method ^[9,10]
17	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[2,9,10] 2) Digestion, Inductively Coupled Plasma Method ^[9,10]
18	Zinc	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[2,9,10] 2) Digestion, Inductively Coupled Plasma Method ^[9,10]

COPY

ดิน...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
38	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
39	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
40	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
41	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
42	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
43	2,4-Dichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
44	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
45	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
46	Diethyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
47	2,4-Dimethylphenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
48	2,4-Dinitrotoluene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
49	2,6-Dinitrotoluene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
50	Di-n-octyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
51	Ethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
52	Fluoranthene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
53	Fluorene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
54	Hexachlorobenzene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
55	Hexachloro-1,3-butadiene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]

COPY

56 n-Hexane...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
19	Butyl benzyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
20	Cadmium	Digestion, Inductively Coupled Plasma Method ^[9,10]
21	Carbazole	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
22	Carbon disulfide	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
23	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
24	p-Chloroaniline	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
25	Chlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
26	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
27	Chloroform	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
28	2-Chlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
29	Chromium	Digestion, Inductively Coupled Plasma Method ^[9,10]
30	Chromium (III)	Digestion, Inductively Coupled Plasma Method; Filtration, Colorimetric Method; Calculation ^[9,10]
31	Chromium (VI)	Alkaline Digestion, Colorimetric Method ^[12,13]
32	Chrysene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
33	Dibenz(a,h)anthracene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
34	Di-n-butyl phthalate	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
35	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
36	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
37	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]

COPY

38 1,1-Dichloroethane...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
75	Selenium	Digestion, Inductively Coupled Plasma Method ^[9,10]
76	Silver	Digestion, Inductively Coupled Plasma Method ^[9,10]
77	Styrene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
78	1,1,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
79	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
80	Toluene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
81	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
82	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
83	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
84	Trichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
85	2,4,5-Trichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
86	2,4,6-Trichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
87	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
88	Vanadium	Digestion, Inductively Coupled Plasma Method ^[9,10]
89	Vinyl acetate	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
90	Vinyl chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
91	m-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
92	o-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
93	p-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]

COPY

94 Xylene (Total)...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
56	n-Hexane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
57	Hexachlorocyclopentadiene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
58	Hexachloroethane	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
59	Indeno(1,2,3-cd)pyrene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
60	Isophorone	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
61	Lead	Digestion, Inductively Coupled Plasma Method ^[9,10]
62	Manganese	Digestion, Inductively Coupled Plasma Method ^[9,10]
63	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[9,11]
64	Methylene chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
65	2-Methylphenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
66	2-Methylnaphthalene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
67	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
68	Naphthalene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
69	Nickel	Digestion, Inductively Coupled Plasma Method ^[9,10]
70	Nitrobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
71	N-Nitrosodi-n-propylamine	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
72	Phenanthrene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
73	Phenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]
74	Pyrene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[15,17]

COPY

75 Selenium...

13. United States Environment Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chromium, Hexavalent (Colorimetric). SW-846 Method 7196A**, 1992

14. United States Environment Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Closed-System Purge-and-Trap and Extraction for Volatile Organics in Soil and Waste Samples. SW-846 Method 5035A**, 2002

15. United States Environment Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Ultrasonic Extraction. SW-846 Method 3550C**, 2007

16. United States Environment Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS). SW-846 Method 8260D**, 2018

17. United States Environment Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Semivolatile Organic Compounds by Gas Chromatography/Mass Spectrometry. SW-846 Method 8270E**, 2018

GOPY

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
94	Xylene (Total)	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[14,16]
95	Zinc	Digestion, Inductively Coupled Plasma Method ^[9,10]

เอกสารอ้างอิง

- กระทรวงอุตสาหกรรม. **ประกาศกระทรวงอุตสาหกรรม พ.ศ.2549** เรื่องกำหนดค่าปริมาณเขม่าควันที่เจือปนในอากาศที่ระบายออกจากปล่องของหม้อน้ำโรงสีข้าวที่ใช้กลบเป็นเชื้อเพลิง. ราชกิจจานุเบกษา. 4 ธันวาคม 2549. เล่มที่ 123 ตอนพิเศษ 125 ง.
- กระทรวงอุตสาหกรรม. **ประกาศกระทรวงอุตสาหกรรม พ.ศ.2548** เรื่อง การกำจัดสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว. ราชกิจจานุเบกษา. 25 มกราคม 2549. เล่มที่ 123 ตอนพิเศษ 11ง.
- สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย. คู่มือวิเคราะห์น้ำเสีย. พิมพ์ครั้งที่ 4. กรุงเทพฯ: เรือนแก้วการพิมพ์, 2547.
- APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater**. 23rd ed. Washington, DC : APHA, 2017
- United States Environmental Protection Agency. **Standard of Performance for New Stationary Sources**. 40 CFR Part 60. Appendix A, 2017.
- United States Environmental Protection Agency. **Standard of Performance for New Stationary Sources**. 40 CFR Part 60. Appendix A, 2019.
- United States Environmental Protection Agency. **Standard of Performance for New Stationary Sources**. 40 CFR Part 60. Appendix A, 2020.
- United States Environmental Protection Agency. **Standard of Performance for New Stationary Sources**. 40 CFR Part 60. Appendix A, 2023.
- United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Acid Digestion of Sediments Sludge and Soils. SW-846 Method 3050B**, 1996.
- United States Environment Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Inductively Coupled Plasma-Atomic Emission spectrometry. SW-846 Method 6010C**, 2007.
- United States Environment Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique). SW-846 Method 7471B**, 2007.
- United States Environment Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Alkaline digestion for Hexavalent Chromium. SW-846 Method 3060A**, 1996.

GOPY

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์
เอกชนในวันที่ ๕ กรกฎาคม ๒๕๖๔

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ


(นายพรชัย กลั่นกรอง)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

ศูนย์วิจัยและเตือนภัยมลพิษโรงงานภาคตะวันออก
โทร. ๐ ๓๓๑๓ ๖๐๕๔ ต่อ ๕๐๐๑-๒
ไปรษณีย์อิเล็กทรอนิกส์ airw@diw.mail.go.th

~~COPY~~



ที่ อก ๐๓๒๐/ ๔๖๐๔ ๑

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

๑๔ พฤษภาคม ๒๕๖๓

เรื่อง เปลี่ยนแปลงเอกสารอ้างอิงวิธีวิเคราะห์สารมลพิษ เปลี่ยนแปลงสารมลพิษในดิน และเปลี่ยนแปลงบุคลากร
ของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท อีสเทิร์น ไทย คอนซัลต์ติ้ง ๑๙๙๒ จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๔ มีนาคม ๒๕๖๓

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือเปลี่ยนแปลงเอกสารอ้างอิงวิธีวิเคราะห์สารมลพิษ และเปลี่ยนแปลง
สารมลพิษบริษัท อีสเทิร์น ไทย คอนซัลต์ติ้ง ๑๙๙๒ จำกัด จำนวน ๑๒ แผ่น

ตามคำขอฯ ที่อ้างถึง บริษัท อีสเทิร์น ไทย คอนซัลต์ติ้ง ๑๙๙๒ จำกัด ห้องปฏิบัติการวิเคราะห์
เอกชน เลขทะเบียน ว-๐๐๓ สถานที่ตั้งเลขที่ ๖๘๓ หมู่ที่ ๑๑ ถนนสุขาภิบาล ๘ ตำบลหนองขาม
อำเภอศรีราชา จังหวัดชลบุรี แจ้งขอเปลี่ยนแปลงเอกสารอ้างอิงวิธีวิเคราะห์สารมลพิษในน้ำเสีย น้ำใต้ดิน
เปลี่ยนแปลงสารมลพิษในดิน และเปลี่ยนแปลงบุคลากร นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้ยกเลิกผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๑ ราย
นายวัฒนา โคตรหล้า ทะเบียนเลขที่ ว-๐๐๓-ค-๐๐๐๒
๒. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๓ ราย
 - ๑) นางสาวอัญชลี ทะพงษ์ ทะเบียนเลขที่ ว-๐๐๓-จ-๐๐๑๒
 - ๒) นางสาวจุฑามาศ เจริญพรหม ทะเบียนเลขที่ ว-๐๐๓-จ-๐๐๑๕
 - ๓) นางสาวณัฐนิช นนตานอก ทะเบียนเลขที่ ว-๐๐๓-จ-๐๐๒๔
๓. ให้ยกเลิกขอขยายรายการสารมลพิษในน้ำเสีย และน้ำใต้ดินตามรายการเอกสารแนบท้าย
หนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชนที่ อก ๐๓๒๐/๑๑๔๒ ลงวันที่ ๒๗ กรกฎาคม ๒๕๖๖
๔. ให้วิเคราะห์สารมลพิษตามขอบข่ายที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำเสีย จำนวน ๔๗ รายการ
และน้ำใต้ดิน จำนวน ๑๑๑ รายการ รวมทั้งสิ้นจำนวน ๑๕๘ รายการ ตามเอกสารแนบท้ายหนังสือเปลี่ยนแปลง
เอกสารอ้างอิงวิธีวิเคราะห์สารมลพิษ เปลี่ยนแปลงสารมลพิษในดิน และเปลี่ยนแปลงบุคลากร ดังสิ่งที่ส่งมาด้วย
๕. ให้วิเคราะห์สารมลพิษตามขอบข่ายที่ได้รับขึ้นทะเบียนให้วิเคราะห์เพิ่มเติมในดิน จำนวน
๑๒ รายการ ตามเอกสารแนบท้ายหนังสือเปลี่ยนแปลงเอกสารอ้างอิงวิธีวิเคราะห์สารมลพิษเปลี่ยนแปลงสารมลพิษ
ในดิน และเปลี่ยนแปลงบุคลากร ดังสิ่งที่ส่งมาด้วย

อนึ่ง หนังสือ

~~COPY~~



ลำดับ ที่	สารมลพิษ	วิธีวิเคราะห์
12	trans-Chlordane	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[1] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[1]
13	Chromium	1) Digestion, Direct Air-Acetylene Flame Method ^[1] 2) Digestion, Inductively Coupled Plasma Method ^[1]
14	Color	ADMI Weighted-Ordinate Spectrophotometric Method ^[1]
15	Copper	1) Digestion, Direct Air-Acetylene Flame Method ^[1] 2) Digestion, Inductively Coupled Plasma Method ^[1]
16	Cyanide	Distillation, Colorimetric Method ^[1]
17	4,4'-DDD	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[1] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[1]
18	4,4'-DDE	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[1] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[1]
19	DDT	Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[1]
20	Dieldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[1] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[1]
21	Endosulfan I	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[1] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[1]
22	Endosulfan II	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[1] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[1]
23	Endosulfan sulfate	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[1] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[1]
24	Endrin	Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[1]

~~COPY~~

25 Endrin aldehyde ...

เอกสารแนบท้ายหนังสือเปลี่ยนแปลงเอกสารอ้างอิงวิธีวิเคราะห์สารมลพิษ

บริษัท อีสเทิร์น ไทย คอนซัลตติ้ง ๑๙๙๒ จำกัด

เลขทะเบียน ๖-๐๐๓

ที่ อก ๐๓๒๐/

ลงวันที่

ขอขยายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑๗๐ รายการ

น้ำเสีย จำนวน 47 รายการ

ลำดับ ที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[1] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[1]
2	Arsenic	1) Continuous Hydride Generation/Atomic Absorption Spectrometric Method ^[1] 2) Digestion, Inductively Coupled Plasma Method ^[1]
3	Barium	Digestion, Inductively Coupled Plasma Method ^[1]
4	α-BHC	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[1] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[1]
5	β-BHC	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[1] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[1]
6	δ-BHC	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[1] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[1]
7	γ-BHC	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[1] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[1]
8	Biochemical Oxygen Demand	1) 5-Day BOD Test, Membrane Electrode Method ^[1] 2) 5-Day BOD Test, Azide Modification Method ^[1]
9	Cadmium	Digestion, Inductively Coupled Plasma Method ^[1]
10	Chemical Oxygen Demand	Closed Reflux, Titrimetric Method ^[1]
11	cis-Chlordane	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[1] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[1]

~~COPY~~

12 trans-Chlordane ...

ลำดับ ที่	สารมลพิษ	วิธีวิเคราะห์
41	Sulfide	ZnS Precipitation, Iodometric Method ^[1]
42	Temperature	Field Method ^[1]
43	Trivalent Chromium	1) Digestion, Direct Air-Acetylene Flame Method; Filtration, Colorimetric Method; Calculation ^[1] 2) Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ^[1]
44	Total Dissolved Solids	Dried at 180 °C ^[1]
45	Total Kjeldahl Nitrogen	Macro Kjeldahl Method ^[1]
46	Total Suspended Solids	Dried at 103-105 °C ^[1]
47	Zinc	Digestion, Inductively Coupled Plasma Method ^[1]

น้ำใต้ดิน จำนวน 111 รายการ

ลำดับ ที่	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1]
2	Acetone	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[1]
3	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1]
4	Anthracene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1]
5	Antimony	Digestion, Inductively Coupled Plasma Method ^[1]
6	Arsenic	1) Continuous Hydride Generation/Atomic Absorption Spectrometric Method ^[1] 2) Digestion, Inductively Coupled Plasma Method ^[1]
7	Barium	Digestion, Inductively Coupled Plasma Method ^[1]
8	Benz(a)anthracene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1]

COPY

ลำดับ ที่	สารมลพิษ	วิธีวิเคราะห์
25	Endrin aldehyde	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[1] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[1]
26	Endrin ketone	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[1] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[1]
27	Formaldehyde	Distillation, Colorimetric Method ^[4]
28	Free Chlorine	1) Iodometric Method ^[1] 2) Colorimetric Method ^[1]
29	Heptachlor	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[1] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[1]
30	Heptachlor Epoxide	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[1] 2) Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[1]
31	Hexavalent Chromium	Filtration, Colorimetric Method ^[1]
32	Lead	1) Digestion, Direct Air-Acetylene Flame Method ^[1] 2) Digestion, Inductively Coupled Plasma Method ^[1]
33	Manganese	Digestion, Inductively Coupled Plasma Method ^[1]
34	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[1]
35	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic / Mass Spectrometric Method ^[1]
36	Nickel	1) Digestion, Direct Air-Acetylene Flame Method ^[1] 2) Digestion, Inductively Coupled Plasma Method ^[1]
37	Oil and Grease	Liquid-Liquid, Partition-Gravimetric Method ^[1]
38	pH	Electrometric Method ^[1]
39	Phenols	Distillation, Direct Photometric Method ^[1]
40	Selenium	Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[1]

COPY

ลำดับ ที่	สารมลพิษ	วิธีวิเคราะห์
25	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
26	p-Chloroaniline	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
27	Chlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
28	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
29	Chloroform	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
30	2-Chlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
31	Chromium	1) Digestion, Direct Air-Acetylene Flame Method ⁽¹⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽¹⁾
32	Chromium (III)	1) Digestion, Direct Air-Acetylene Flame Method; Filtration, Colorimetric Method; Calculation ⁽¹⁾ 2) Digestion, Inductively Coupled Plasma Method; Filtration, Colorimetric Method; Calculation ⁽¹⁾
33	Chromium (VI)	Filtration, Colorimetric Method ⁽¹⁾
34	Chrysene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
35	Cyanide	Distillation, Colorimetric Method ⁽¹⁾
36	DDD	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
37	DDE	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
38	DDT	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
39	Dibenz(a,h)anthracene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾

COPY

10 Di-n-butyl phthalate ...

ลำดับ ที่	สารมลพิษ	วิธีวิเคราะห์
9	Benzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
10	Benzo(b)fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
11	Benzo(k)fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
12	Benzo(a)pyrene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
13	Benzo[g,h,i]perylene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
14	Beryllium	Digestion, Inductively Coupled Plasma Method ⁽¹⁾
15	Bis(2-chloroethyl)ether	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
16	Bis(2-ethylhexyl)phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
17	Bromodichloromethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
18	Bromoform	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
19	Butanol	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
20	Butyl benzyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
21	Cadmium	Digestion, Inductively Coupled Plasma Method ⁽¹⁾
22	Carbazole	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
23	Carbon disulfide	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
24	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾

COPY

25 Chlordane ...

ลำดับ ที่	สารมลพิษ	วิธีวิเคราะห์
55	2,4-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
56	2,6-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
57	Di-n-octyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
58	Endosulfan	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
59	Endrin	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
60	Ethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
61	Fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
62	Fluorene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
63	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
64	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
65	Hexachlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
66	Hexachloro-1,3-butadiene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
67	n-Hexane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
68	α -HCH	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
69	β -HCH	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾

COPY

ลำดับ ที่	สารมลพิษ	วิธีวิเคราะห์
40	Di n-butyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
41	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
42	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
43	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
44	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
45	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
46	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
47	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
48	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
49	2,4-Dichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
50	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
51	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
52	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
53	Diethyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾
54	2,4-Dimethylphenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽¹⁾

COPY

ลำดับ ที่	สารมลพิษ	วิธีวิเคราะห์
86	N-Nitrosodi-n-propylamine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1]
87	pH	Electrometric Method ^[4]
88	Phenanthrene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
89	Phenol	1) Distillation, Direct Photometric Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
90	Pyrene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
91	Selenium	Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4]
92	Silver	Digestion, Inductively Coupled Plasma Method ^[4]
93	Styrene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
94	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
95	Trichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
96	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
97	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
98	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
99	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
100	Toluene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
101	2,4,5-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]

COPY 2,4,6-Trichlorophenol ...

ลำดับ ที่	สารมลพิษ	วิธีวิเคราะห์
70	γ-HCH	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1]
71	Hexachlorocyclopentadiene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1]
72	Hexachloroethane	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1]
73	Indeno(1,2,3-cd)pyrene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1]
74	Isophorone	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1]
75	Lead	1) Digestion, Direct Air-Acetylene Flame Method ^[1] 2) Digestion, Inductively Coupled Plasma Method ^[1]
76	Manganese	Digestion, Inductively Coupled Plasma Method ^[1]
77	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[1]
78	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1]
79	Methylene chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[1]
80	2-Methylphenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1]
81	2-Methylnaphthalene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[1]
82	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[1]
83	Naphthalene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[1]
84	Nickel	Digestion, Inductively Coupled Plasma Method ^[1]
85	Nitrobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[1]

COPY Nitrosodi-n-propylamine ...

ลำดับ ที่	สารมลพิษ	วิธีวิเคราะห์
5	Aldrin	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(2,3)
6	Heptachlor epoxide	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(2,3)
7	Chlordane	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(2,3)
8	Dieldrin	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(2,3)
9	Endrin	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(2,3)
10	DDD	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(2,3)
11	DDT	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(2,3)
12	Methoxychlor	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(2,3)

เอกสารอ้างอิง

1. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater**. 24th ed. Washington, DC: APHA, 2023.
2. United States Environment Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Ultrasonic Extraction**. SW-846 Method 3550C, 2007
3. United States Environment Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Semivolatile Organic Compounds by Gas Chromatography/Mass Spectrometry**. SW-846 Method 8270E, 2018
4. สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย. คู่มือวิเคราะห์น้ำเสีย. พิมพ์ครั้งที่ 4. กรุงเทพฯ: เรือนแก้วการพิมพ์, 2547.

COPY

ลำดับ ที่	สารมลพิษ	วิธีวิเคราะห์
102	2,4,6-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
103	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
104	Vanadium	Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
105	Vinyl acetate	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
106	Vinyl chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
107	m-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
108	o-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
109	p-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
110	Xylene (Total)	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
111	Zinc	Digestion, Inductively Coupled Plasma Method ⁽⁴⁾

ดิน จำนวน 12 รายการ

ลำดับ ที่	สารมลพิษ	วิธีวิเคราะห์
1	α-HCH	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(2,3)
2	β-HCH	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(2,3)
3	γ-HCH	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(2,3)
4	Heptachlor	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^(2,3)

COPY

เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

บริษัท อีสเทิร์น ไทย คอนซัลติ้ง ๑๙๙๒ จำกัด
ที่ อก ๐๓๑๐(๓)/ ๘๓ ๔ ๕

เลขทะเบียน ๖-๐๐๓
ลงวันที่ ๐๙ ตุลาคม ๒๕๖๔

ขอขยายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๔ รายการ
น้ำใต้ดิน จำนวน 4 รายการ

ลำดับที่	ชนิดสารมลพิษ	วิธีวิเคราะห์
1	Aluminum	Digestion, Inductively Coupled Plasma Method ^[1]
2	Copper	Digestion, Inductively Coupled Plasma Method ^[1]
3	Iron	Digestion, Inductively Coupled Plasma Method ^[1]
4	Molybdenum	Digestion, Inductively Coupled Plasma Method ^[1]

ดิน จำนวน 5 รายการ

ลำดับที่	ชนิดสารมลพิษ	วิธีวิเคราะห์
1	Aluminum	Digestion, Inductively Coupled Plasma Method ^[2,3]
2	Copper	Digestion, Inductively Coupled Plasma Method ^[2,3]
3	Iron	Digestion, Inductively Coupled Plasma Method ^[2,3]
4	Molybdenum	Digestion, Inductively Coupled Plasma Method ^[2,3]
5	pH	Electrometric Method ^[4]

เอกสารอ้างอิง

1. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater**. 24th ed. Washington, DC : APHA, 2023
2. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Acid Digestion of Sediments, Sludges, and Soils. **SW-846 Method 3050B**, 1996.
3. United States Environmental Protection Agency. Inductively Coupled Plasma - Atomic Emission Spectrometry. **SW-846 Method 6010C**, 2007
4. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Soil and Waste pH. **SW-846 Method 9045D**, 2004.

COPY



ที่ อก ๐๓๑๐(๓)/ ๘๓ ๔ ๕

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

๐๙ ตุลาคม ๒๕๖๔

เรื่อง เปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท อีสเทิร์น ไทย คอนซัลติ้ง ๑๙๙๒ จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๙ สิงหาคม ๒๕๖๔

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์
บริษัท อีสเทิร์น ไทย คอนซัลติ้ง ๑๙๙๒ จำกัด จำนวน ๑ แผ่น

ตามคำขอที่อ้างถึง บริษัท อีสเทิร์น ไทย คอนซัลติ้ง ๑๙๙๒ จำกัด ห้องปฏิบัติการวิเคราะห์
เอกชน เลขทะเบียน ๖-๐๐๓ สถานที่ตั้งเลขที่ ๖๘๓ หมู่ที่ ๑๑ ถนนสุขาภิบาล ๘ ตำบลหนองขาม อำเภอศรีราชา
จังหวัดชลบุรี ขอเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์ ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้ยกเลิกผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๑ ราย

นายภาคภูมิ บัวสวัสดิ์ ทะเบียนเลขที่ ๖-๐๐๓-ค-๐๐๑๗

๒. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๓ ราย

๑) นางสาวนิอรอุมา ปาระ ทะเบียนเลขที่ ๖-๐๐๓-จ-๐๐๐๖

๒) นางสาวสุทธิดา สร้างแก้ว ทะเบียนเลขที่ ๖-๐๐๓-จ-๐๐๐๘

๓) นางสาวดวงสุดา แสนวันดี ทะเบียนเลขที่ ๖-๐๐๓-จ-๐๐๒๕

๓. ให้เพิ่มเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๑ ราย

นายวรารุณ อารีเชื้อ ทะเบียนเลขที่ ๖-๐๐๓-จ-๐๐๒๖

๔. ให้เพิ่มขอขยายชนิดสารมลพิษที่วิเคราะห์ในน้ำใต้ดิน และดิน ตามสิ่งที่ส่งมาด้วย

อนึ่ง หนังสือฉบับนี้จะสิ้นสุดอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
ในวันที่ ๕ กรกฎาคม ๒๕๖๔

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

๒

(นางสาวปัทมวรรณ คุณประเสริฐ)

ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน
ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

ศูนย์วิจัยและเตือนภัยมลพิษโรงงานภาคตะวันออก

โทร. ๐ ๓๓๑๓ ๖๐๕๔ ต่อ ๕๐๐๑-๒

ไปรษณีย์อิเล็กทรอนิกส์ eirw@diw.mail.go.th

COPY



“อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว”



รายชื่อบุคลากรแนบท้ายใบอนุญาต
 เป็นนิติบุคคลผู้ให้บริการตรวจวัดระดับความเข้มข้นของสารเคมีอันตรายในบรรยากาศของสถานที่ทำงาน
 และสถานที่เก็บรักษาสารเคมีอันตราย
 ของบริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด
 ใบอนุญาตเลขที่ ๐๒๐๑-๐๓-๒๕๖๔-๐๐๐๘

- | | |
|---------------------|----------------|
| ๑. นางวรรณเพ็ญ | เหลาจินดาวรรณ |
| ๒. นางสาวธนัชพร | กลิ่นไธสมณ |
| ๓. นายธงไชย | บุญศักดิ์ |
| ๔. นายวิญญ์ชวลิต | สิงห์โต |
| ๕. นายโอชา | ขวัญศิริมงคล |
| ๖. นายธีระพงษ์ | นวลอินทร์ |
| ๗. นายวราร | ไวทยะเสวี |
| ๘. นายณิชาพล | ทองหล่อ |
| ๙. นายสุทธา | สองธนิย์ |
| ๑๐. นายธรรมรัตน์ | โพธิ์ตันคำ |
| ๑๑. นายเมธี | สุขประเสริฐ |
| ๑๒. นายคมกฤษ | ครรรสอน |
| ๑๓. นายนราธิป | สงวนศิลป์ |
| ๑๔. นายวีระชัย | พอใจ |
| ๑๕. นางสาวนันทประภา | อุยสูงเนิน |
| ๑๖. นางสาวจันทน์ | สายพันธ์ |
| ๑๗. นายทรงพล | ผิวอ้วน |
| ๑๘. นายศุภฤกษ์ | พาดกลาง |
| ๑๙. นางสาวพรนภา | พงษ์เพชร |
| ๒๐. นางสาวจุฑารัตน์ | สุชาเกต |
| ๒๑. นางสาวศวิตา | กิตติเนาวรัตน์ |
| ๒๒. นางสาวอรอนงค์ | สิริศักดิ์ |
| ๒๓. นางสาวปภาดา | เจริญพร |
| ๒๔. นายวราวุธ | อารีเอื้อ |

๒๕. นายสุภกร...



แบบ กก.บญ
 นิติบุคคล

กรมสวัสดิการและคุ้มครองแรงงาน

ใบอนุญาต

เป็นนิติบุคคลผู้ให้บริการตรวจวัดระดับความเข้มข้นของสารเคมีอันตราย
 ในบรรยากาศของสถานที่ทำงานและสถานที่เก็บรักษาสารเคมีอันตราย

ใบอนุญาตเลขที่ ๐๒๐๑-๐๓-๒๕๖๔-๐๐๐๘

อนุญาตให้ บริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด

เลขทะเบียนนิติบุคคล ๐๒๐๕๕๓๕๐๑๔๕๗๘

ตั้งอยู่ เลขที่ ๙๙๙ หมู่ที่ ๓๑ ตำบลหนองขาม อำเภอศรีราชา จังหวัดชลบุรี

เป็นนิติบุคคลผู้ให้บริการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ตามกฎกระทรวง
 กำหนดมาตรฐานในการบริหาร จัดการ และดำเนินการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อม
 ในการทำงานเกี่ยวกับสารเคมีอันตราย พ.ศ. ๒๕๕๖ ในการเป็นผู้ให้บริการตรวจวัดระดับความเข้มข้น
 ของสารเคมีอันตรายในบรรยากาศของสถานที่ทำงานและสถานที่เก็บรักษาสารเคมีอันตราย ประกอบกับ
 กฎกระทรวงการขึ้นทะเบียนและการอนุญาตให้บริการเพื่อส่งเสริมความปลอดภัย อาชีวอนามัย และสภาพแวดล้อม
 ในการทำงาน พ.ศ. ๒๕๖๔ แห่งพระราชบัญญัติความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน
 พ.ศ. ๒๕๕๔ โดยมีบุคลากร จำนวน ๒๖ ราย และรายการเครื่องมือตรวจวัด จำนวน ๘๒ เครื่อง ดังรายละเอียด
 แนบท้ายใบอนุญาตนี้

ทั้งนี้ ตั้งแต่วันที่ ๒๗ ธันวาคม พ.ศ. ๒๕๖๗ ถึงวันที่ ๒๖ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๓ ธันวาคม พ.ศ. ๒๕๖๗

(นายศักดิ์ศิลป์ ตูลาธร)

ผู้ตรวจราชการกรม ปฏิบัติราชการแทน
 อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายชื่อบุคลากร (เพิ่มเติม)
แนบท้ายใบอนุญาตเป็นนิติบุคคลผู้ให้บริการตรวจวัดระดับความเข้มข้นของสารเคมีอันตราย
ในบรรยากาศของสถานที่ทำงานและสถานที่เก็บรักษาสารเคมีอันตราย
ของบริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด
ใบอนุญาตเลขที่ ๐๒๐๑-๐๓-๒๕๖๔-๐๐๐๘

๑. นางสาวรัตมณี นาคเกตุ
๒. นางสาวดวงใจ แย้มประโคน

ทั้งนี้ ตั้งแต่วันที่ ๒๒ พฤษภาคม พ.ศ. ๒๕๖๘ ถึงวันที่ ๒๖ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๒ พฤษภาคม พ.ศ. ๒๕๖๘



(นายศักดิ์ศิลป์ ตูลาธร)
ผู้ตรวจราชการกรม ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

๒๕. นายศุภกร

นพพรพิทักษ์

๒๖. นายศุภชัย

ภารการ

ทั้งนี้ ตั้งแต่วันที่ ๒๗ ธันวาคม พ.ศ. ๒๕๖๗ ถึงวันที่ ๒๖ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๓ ธันวาคม พ.ศ. ๒๕๖๗



(นายศักดิ์ศิลป์ ตูลาธร)

ผู้ตรวจราชการกรม ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายการเครื่องมือตรวจวัดแบบห่ายใบอนุญาต
 เป็นนิติบุคคลผู้ให้บริการตรวจวัดระดับความเข้มข้นของสารเคมีอันตรายในบรรยากาศของสถานที่ทำงาน
 และสถานที่เก็บรักษาสารเคมีอันตราย
 ของบริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด
 ใบอนุญาตเลขที่ ๐๒๐๑-๐๓-๒๕๖๔-๐๐๐๘


ลำดับที่	รายการเครื่องมือ	รายละเอียด		จำนวน (เครื่อง)
๑	เครื่องมือเก็บตัวอย่างอากาศ (Personal Air Sampling Pump)	ยี่ห้อ รุ่น Serial No.	Gilian GilAir-5 20040902003 20040902004 20100401018 20100401019 20100401020 20100401021 20100401022 20100401023 20100401024 20100401025 20100402002	๑๑
		ยี่ห้อ รุ่น Serial No.	Gilian GilAir-3 20150302001 20150302002 20150302003 20150302004 20150302005 20160502011 20160502012 20160502013 20160502014 20160502015 20160502016 20160502017	๑๕

รายชื่อบุคลากร (เพิ่มเติม)
 แบบห่ายใบอนุญาตเป็นนิติบุคคลผู้ให้บริการตรวจวัดระดับความเข้มข้นของสารเคมีอันตราย
 ในบรรยากาศของสถานที่ทำงานและสถานที่เก็บรักษาสารเคมีอันตราย
 ของบริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด
 ใบอนุญาตเลขที่ ๐๒๐๑-๐๓-๒๕๖๔-๐๐๐๘

๑. นายวิทยา แสนตอ
๒. นางสาวนฤมล โนนหิน
๓. นางสาววรกานต์ เสาวรส
๔. นางสาวจิรนนท์ พันธนา
๕. นางสาวศิรินทร์ พุทธา

ทั้งนี้ ตั้งแต่วันที่ ๒๕ ธันวาคม พ.ศ. ๒๕๖๘ ถึงวันที่ ๒๖ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๕ ธันวาคม พ.ศ. ๒๕๖๘



(นายกิตติศิลป์ คุลาธร)
 รองอธิบดี ปฏิบัติราชการแทน
 อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

ลำดับที่	รายการเครื่องมือ	รายละเอียด		จำนวน (เครื่อง)
๑	เครื่องมือเก็บตัวอย่างอากาศ (Personal Air Sampling Pump) (ต่อ)	Serial No.	20200403077 20200403078 20200403079 20200403080 20211102097 20211102098 20211102099 20211102103 20211102105 20211102125 20211103003 20211103024 20211103029	
		ยี่ห้อ รุ่น Serial No.	SKC Pocket Pump TOUCH 218383 218385 218388 218391 218402 218403 218405 218406 218408 218411 218412 218413 218432 218444 218445	๑๕

ลำดับที่	รายการเครื่องมือ	รายละเอียด		จำนวน (เครื่อง)
๑	เครื่องมือเก็บตัวอย่างอากาศ (Personal Air Sampling Pump) (ต่อ)	Serial No.	20160502018 20160502019 20160502020	๓๘
		ยี่ห้อ รุ่น Serial No.	Gilian BDX-II 20180903076 20180903078 20180903079 20180903080 20180903081 20180903082 20180903083 20180903084 20180903085 20180903092 20180903093 20180903094 20181001041 20181001042 20181001044 20200403061 20200403062 20200403063 20200403064 20200403065 20200403071 20200403072 20200403073 20200403074 20200403075 20200403076	



แบบ กบ.บญ
นิติบุคคล

กรมสวัสดิการและคุ้มครองแรงงาน

ใบอนุญาต

เป็นนิติบุคคลผู้ให้บริการวิเคราะห์ระดับความเข้มข้นของสารเคมีอันตราย
ในบรรยากาศของสถานที่ทำงานและสถานที่เก็บรักษาสารเคมีอันตราย

ใบอนุญาตเลขที่ ๑๒๐๒-๐๓-๒๕๖๔-๐๐๑๕

อนุญาตให้ บริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด

เลขทะเบียนนิติบุคคล ๑๒๐๕๕๓๕๐๐๔๕๗๘

ตั้งอยู่ เลขที่ ๙๙๙ หมู่ที่ ๑๑ ตำบลหนองแขม อำเภอศรีราชา จังหวัดชลบุรี

เป็นนิติบุคคลผู้ให้บริการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ตามกฎกระทรวง
กำหนดมาตรฐานในการบริหาร จัดการ และดำเนินการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อม
ในการทำงานเกี่ยวกับสารเคมีอันตราย พ.ศ. ๒๕๕๖ ในการเป็นผู้ให้บริการวิเคราะห์ระดับความเข้มข้น
ของสารเคมีอันตรายในบรรยากาศของสถานที่ทำงานและสถานที่เก็บรักษาสารเคมีอันตราย ประกอบกับ
กฎกระทรวงการขึ้นทะเบียนและการอนุญาตให้บริการเพื่อส่งเสริมความปลอดภัย อาชีวอนามัย และสภาพแวดล้อม
ในการทำงาน พ.ศ. ๒๕๖๔ แห่งพระราชบัญญัติความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน
พ.ศ. ๒๕๕๔ โดยมีบุคลากร จำนวน ๒๕ ราย และรายการเครื่องมือวิเคราะห์ จำนวน ๑๒ เครื่อง ดังรายละเอียด
แนบท้ายใบอนุญาตนี้

ทั้งนี้ ตั้งแต่วันที่ ๒๗ ธันวาคม พ.ศ. ๒๕๖๗ ถึงวันที่ ๒๖ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๓ ธันวาคม พ.ศ. ๒๕๖๗

(นายศักดิ์ศิลป์ ตูสารธ)

ผู้ตรวจราชการกรม ปฏิบัติราชการแทน

อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

-๔-

ลำดับที่	รายการเครื่องมือ	รายละเอียด		จำนวน (เครื่อง)
๒	เครื่องมือและอุปกรณ์สำหรับ ปรับความถูกต้อง (Pump calibrator)	ยี่ห้อ รุ่น Serial No.	MesaLabs Defender 510-M 183893	๑
		ยี่ห้อ รุ่น Serial No.	BIOS Defender 510-L 110619	๑

ทั้งนี้ ตั้งแต่วันที่ ๒๗ ธันวาคม พ.ศ. ๒๕๖๗ ถึงวันที่ ๒๖ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๓ ธันวาคม พ.ศ. ๒๕๖๗

(นายศักดิ์ศิลป์ ตูสารธ)

ผู้ตรวจราชการกรม ปฏิบัติราชการแทน

อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

๒๔. นางสาวคณิญา โสดาลี
๒๕. นางสาวพัชรภรณ์ อินทสุข

ทั้งนี้ ตั้งแต่วันที่ ๒๗ ธันวาคม พ.ศ. ๒๕๖๗ ถึงวันที่ ๒๖ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๙ ธันวาคม พ.ศ. ๒๕๖๗



(นายกิตติศิลป์ ตูลาธร)

ผู้ตรวจราชการกรม ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายชื่อบุคลากรแนบท้ายใบอนุญาต
เป็นนิติบุคคลผู้ให้บริการวิเคราะห์ระดับความเข้มข้นของสารเคมีอันตรายในบรรยากาศของสถานที่ทำงาน
และสถานที่เก็บรักษาสารเคมีอันตราย
ของบริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด
ใบอนุญาตเลขที่ ๐๒๐๒-๐๓-๒๕๖๔-๐๐๐๕


๑. นายกะวีร์	สุธาทรัพย์
๒. นางสาวนันท์ณภัส	แบบขุนทด
๓. นางสาวกสณันท์	ป้อมน้อย
๔. นางสาวอัจฉรี	จิตตะยโสธร
๕. นางสาววรรณภา	ไชยศิริ
๖. นางสาวพรพิมล	ภูมิคอนสาร
๗. นางสาวธมลวรรณ	ผลอ้อ
๘. นายภาณุพงศ์	บำรุงรส
๙. นางสาวฉัตรสุดา	มงคลโกชน์
๑๐. นางสาวกิริติ	ชื่นอารมย์
๑๑. นายชานูวัฒน์	โชตวงค์
๑๒. นางสาวพจนีย์	งามวิลัย
๑๓. นางสาวบุญเรือง	บุญถม
๑๔. นางสาวภาณิน	จันตะสอน
๑๕. นางสาวสุนิษา	เฮ้งเส้ง
๑๖. นางสาวธัญลักษณ์	ขันโต
๑๗. นางสาวณัฐวดี	อำมาตย์ศน์
๑๘. นางสาวระพิน	อันขัน
๑๙. นางสาวสุมลิตรา	มีแก่น
๒๐. นางสาวอรชา	พันธ์เมือง
๒๑. นายกิตติ	ไพโรจน์
๒๒. นายชาญณรงค์	ตั้งธรรมรักษ์
๒๓. นางสาวดวงกมล	เนื่อทอง



ลำดับที่	รายการเครื่องมือ	รายละเอียด		จำนวน (เครื่อง)
๗	เครื่องชั่ง (Electronic Balance)	ยี่ห้อ รุ่น Serial No.	Mettler-Toledo XS205DU 1126323724	๑
๘	Flue Gas Analyzer	ยี่ห้อ รุ่น Serial No.	Testo Testo 350 60378478 63455658 63455616	๓
หมายเหตุ เครื่องมือลำดับที่ ๘ ใช้สำหรับการวิเคราะห์คาร์บอนมอนอกไซด์ (Carbon monoxide: CO) ภายในห้องปฏิบัติการเท่านั้น				

ทั้งนี้ ตั้งแต่วันที่ ๒๗ ธันวาคม พ.ศ. ๒๕๖๗ ถึงวันที่ ๒๖ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๓ ธันวาคม พ.ศ. ๒๕๖๗



(นายศักดิ์ศิลป์ ตูลาธร)

ผู้ตรวจราชการกรม ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายการเครื่องมือวิเคราะห์แบบห้ายใบอนุญาต
เป็นนิติบุคคลผู้ให้บริการวิเคราะห์ระดับความเข้มข้นของสารเคมีอันตรายในบรรยากาศของสถานที่ทำงาน
และสถานที่เก็บรักษาสารเคมีอันตราย
ของบริษัท อีสเทิร์น ไทย คอนซัลตัง 1992 จำกัด
ใบอนุญาตเลขที่ ๐๒๐๒-๐๓-๒๕๖๔-๐๐๐๕

ลำดับที่	รายการเครื่องมือ	รายละเอียด		จำนวน (เครื่อง)
๑	Atomic Absorption Spectrophotometer (AAS)	ยี่ห้อ รุ่น Serial No.	PerkinElmer PinAAcle 900F PFB522080801	๑
๒	Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)	ยี่ห้อ รุ่น Serial No.	Teledyne Prodigy 7 P70177	๑
		ยี่ห้อ รุ่น Serial No.	PerkinElmer Avio 550 Max M8152210101	๑
๓	Gas Chromatograph (GC-FID)	ยี่ห้อ รุ่น Serial No.	Shimadzu GC-2010 Plus C1209520086	๑
		ยี่ห้อ รุ่น Serial No.	Agilent 7890A CN10051046	๑
๔	Gas Chromatography (GC-MS)	ยี่ห้อ รุ่น Serial No.	Shimadzu QP2020 NX 021745801748	๑
๕	Ion Chromatography (IC)	ยี่ห้อ รุ่น Serial No.	Thermo Dionex Integrion RFI 20053176	๑
๖	UV-VIS Spectrophotometer	ยี่ห้อ รุ่น Serial No.	Shimadzu UV-1800 A11635101643CD	๑



บริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด

สำนักงานใหญ่ : 999 หมู่ที่ 11 ตำบลหนองขาม อำเภอศรีราชา จังหวัดชลบุรี 20230
เลขประจำตัวผู้เสียภาษี : 0205535004578 โทร. 0-3848-1197-8 แฟกซ์ : 0-3848-2095
เว็บไซต์ : http://www.etc1992.com อีเมล : info@etc1992.com



EASTERN THAI CONSULTING 1992 CO., LTD.

HEAD OFFICE : 999 Moo 11 Nongkham, Sriracha, Chonburi 20230
TAX ID : 0205535004578 Tel. 0-3848-1197-8 Fax : 0-3848-2095
Website : http://www.etc1992.com E-mail : info@etc1992.com

ลงชื่อ.....

บริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด
(นายพิสิฐ นิลเชตร และ นางสาวขวัญญา แซ่ตั้ง)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

ลงชื่อ.....

(นางวรรณเพ็ญ เหลาจินดาวัฒน์)

ลงชื่อ.....

(นางสาวนันท์ณภัส แบนขุนทด)

ลงชื่อ.....

(นางสาวธนัชพร กลิ่นโสภณ)

ลงชื่อ.....

(นางสาวนันท์ประภา อูยสูงเนิน)

ลงชื่อ.....

(นางสาวชุติมา สาริยัง)

ลงชื่อ.....

(นายเกษวิร์ สุธาทรัพย์)

ลงชื่อ.....

(นางสาวกัสนันท์ ป้อมน้อย)

ลงชื่อ.....

(นายธงไชย บุญศักดิ์)

ลงชื่อ.....

(นางสาวกิริติ ชื่นอารมย์)

ลงชื่อ.....

(นางสาวทวีพร พุทธิวงศ์)

บริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด

สำนักงานใหญ่ : 999 หมู่ที่ 11 ตำบลหนองขาม อำเภอศรีราชา จังหวัดชลบุรี 20230
เลขประจำตัวผู้เสียภาษี : 0205535004578 โทร. 0-3848-1197-8 แฟกซ์ : 0-3848-2095
เว็บไซต์ : http://www.etc1992.com อีเมล : info@etc1992.com



EASTERN THAI CONSULTING 1992 CO., LTD.

HEAD OFFICE : 999 Moo 11 Nongkham, Sriracha, Chonburi 20230
TAX ID : 0205535004578 Tel. 0-3848-1197-8 Fax : 0-3848-2095
Website : http://www.etc1992.com E-mail : info@etc1992.com

หนังสือมอบอำนาจ

ทำที่ บริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด

วันที่ 1 กันยายน 2566

โดยหนังสือฉบับนี้ข้าพเจ้า บริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด โดย นายพิสิฐ นิลเชตร และนางสาวขวัญญา แซ่ตั้ง กรรมการผู้มีอำนาจกระทำการแทนบริษัทฯ สำนักงานใหญ่ตั้งอยู่เลขที่ 999 หมู่ 11 ตำบลหนองขาม อำเภอศรีราชา จังหวัดชลบุรี

ขอมอบอำนาจดังนี้

(1) ขอมอบอำนาจให้บุคคลดังต่อไปนี้คนใดคนหนึ่งมีอำนาจลงลายมือชื่อแทนนิติบุคคลที่ได้รับใบอนุญาตตรวจวัดระดับความเข้มข้นของสารเคมีอันตรายในบรรยากาศของสถานที่ทำงานและสถานที่เก็บรักษาสารเคมีอันตราย ในแบบรายงานผลการตรวจวัดและวิเคราะห์ระดับความเข้มข้นของสารเคมีอันตรายในบรรยากาศของสถานที่ทำงานและสถานที่เก็บรักษาสารเคมีอันตราย (สอ.3) ตลอดจนมีอำนาจลงลายมือชื่อในการแก้ไข เพิ่มเติม รับรองเอกสารต่างๆ ที่เกี่ยวข้องกับเอกสารรายงานผลการตรวจวัดระดับความเข้มข้นของสารเคมีอันตรายในบรรยากาศของสถานที่ทำงานและสถานที่เก็บรักษาสารเคมีอันตราย และมีอำนาจกระทำการอื่นใดที่เกี่ยวข้องในเรื่องนี้ให้สำเร็จลุล่วง แทนข้าพเจ้าจนเสร็จการ ทั้งนี้ให้ผู้รับมอบอำนาจลงนามโดยไม่ต้องประทับตราสำคัญบริษัท

- นางวรรณเพ็ญ เหลาจินดาวัฒน์ บัตรประจำตัวประชาชนเลขที่ 3 6401 00437 80 9 อยู่บ้านเลขที่ 90/19 หมู่ 11 ตำบลทุ่งสุขลา อำเภอศรีราชา จังหวัดชลบุรี
- นางสาวธนัชพร กลิ่นโสภณ บัตรประจำตัวประชาชนเลขที่ 1 2499 00047 75 0 อยู่บ้านเลขที่ 85/26 หมู่ 4 ตำบลบึงอำเภอศรีราชา จังหวัดชลบุรี
- นายธงไชย บุญศักดิ์ บัตรประจำตัวประชาชนเลขที่ 1 1007 00461 29 6 อยู่บ้านเลขที่ 67/108 หมู่ 2 แขวงจอมทอง เขตจอมทอง จังหวัดกรุงเทพมหานคร
- นางสาวนันท์ประภา อูยสูงเนิน บัตรประจำตัวประชาชนเลขที่ 1 4510 00025 25 4 อยู่บ้านเลขที่ 19 หมู่ 9 ตำบลนาเมือง อำเภอเสลภูมิ จังหวัดร้อยเอ็ด

(2) ขอมอบอำนาจให้บุคคลดังต่อไปนี้คนใดคนหนึ่งมีอำนาจลงลายมือชื่อแทนนิติบุคคลที่ได้รับใบอนุญาตตรวจวิเคราะห์ระดับความเข้มข้นของสารเคมีอันตรายในบรรยากาศของสถานที่ทำงานและสถานที่เก็บรักษาสารเคมีอันตราย ในแบบรายงานผลการตรวจวัดและวิเคราะห์ระดับความเข้มข้นของสารเคมีอันตรายในบรรยากาศของสถานที่ทำงานและสถานที่เก็บรักษาสารเคมีอันตราย (สอ.3) ตลอดจนมีอำนาจลงลายมือชื่อในการแก้ไข เพิ่มเติม รับรองเอกสารต่างๆ ที่เกี่ยวข้องกับเอกสารรายงานผลการตรวจวิเคราะห์ระดับความเข้มข้นของสารเคมีอันตรายในบรรยากาศของสถานที่ทำงานและสถานที่เก็บรักษาสารเคมีอันตราย และมีอำนาจกระทำการอื่นใดที่เกี่ยวข้องในเรื่องนี้ให้สำเร็จลุล่วง แทนข้าพเจ้าจนเสร็จการ ทั้งนี้ให้ผู้รับมอบอำนาจลงนามโดยไม่ต้องประทับตราสำคัญบริษัท

- นายเกษวิร์ สุธาทรัพย์ บัตรประจำตัวประชาชนเลขที่ 3 7399 00344 11 0 อยู่บ้านเลขที่ 113/92 หมู่ 7 ตำบลสุรศักดิ์ อำเภอสรีราชา จังหวัดชลบุรี
- นางสาวนันท์ณภัส แบนขุนทด บัตรประจำตัวประชาชนเลขที่ 3 3008 00705 69 8 อยู่บ้านเลขที่ 299 หมู่ 4 ตำบลหนองกราด อำเภอด่านขุนทด จังหวัดนครราชสีมา
- นางสาวกัสนันท์ ป้อมน้อย บัตรประจำตัวประชาชนเลขที่ 3 7399 00358 18 8 อยู่บ้านเลขที่ 6/18 หมู่ที่ 6 ตำบลบ่อพลับ อำเภอเมืองนครปฐม จังหวัดนครปฐม
- นางสาวกิริติ ชื่นอารมย์ บัตรประจำตัวประชาชนเลขที่ 1 2601 00012 12 1 อยู่บ้านเลขที่ 154 หมู่ที่ 2 ตำบลดอนยาย อำเภอเมืองนครนายก จังหวัดนครนายก

การใดๆที่ผู้รับมอบอำนาจได้กระทำไปในขอบเขตอำนาจของหนังสือมอบอำนาจฉบับนี้ ให้ถือเสมือนหนึ่งว่าเป็นการกระทำของข้าพเจ้าทุกประการ เพื่อเป็นหลักฐานจึงลงลายมือชื่อและประทับตราไว้เป็นสำคัญต่อหน้าพยาน

หนังสือมอบอำนาจฉบับนี้ให้มีผลบังคับใช้ตั้งแต่วันที่ 1 กันยายน 2566 เป็นต้นไป



ที่ 20001220002077



สำนักงานทะเบียนหุ้นส่วนบริษัทกลาง
กรมพัฒนาธุรกิจการค้า กระทรวงพาณิชย์

หนังสือรับรอง

ออกให้ ณ วันที่ 6 เดือน กรกฎาคม พ.ศ. 2566

(นางสาวภาณุภรณ์ สุทธิวี)
นายทะเบียน

ข้อความทราบ ประกอบหนังสือรับรอง ฉบับที่ 20001220002077

- นิติบุคคลนี้ได้ส่งงบการเงินปี 2565
- หนังสือรับรองเฉพาะข้อความที่ห้าง/บริษัทได้นำมาจดทะเบียนไว้เพื่อผลทางกฎหมายเท่านั้น ข้อเท็จจริงเป็นสิ่งที่ควรหาไว้พิจารณา
- นายทะเบียนอาจเพิกถอนการจดทะเบียน ถ้าปรากฏว่าข้อความอันเป็นสาระสำคัญของจดทะเบียนไม่ถูกต้อง หรือเป็นเท็จ



บริษัท อีสเทิร์นไทยคอนสตรัคชั่น 1992 จำกัด

สำเนาถูกต้อง

นายทิตติพงษ์ นิลเชตร
กรรมการบริษัท

นางสาวชัญญา แซ่ตั้ง
กรรมการบริษัท



กรมพัฒนาธุรกิจการค้า กระทรวงพาณิชย์
Department of Business Development
Ministry of Commerce

ทำเนียบธุรกิจ
ธุรกิจการค้า

1 มกราคม 2566
วันออกหนังสือ



จัดพิมพ์ เมื่อวันที่ 16/17 ณ

Ref:6620001220002077

2/12

ที่ 20001220002077



สำนักงานทะเบียนหุ้นส่วนบริษัทกลาง
กรมพัฒนาธุรกิจการค้า กระทรวงพาณิชย์

หนังสือรับรอง

ขอรับรองว่าบริษัทนี้ ได้จดทะเบียนเป็นนิติบุคคล ตามประมวลกฎหมายแพ่งและพาณิชย์
เมื่อวันที่ 20 ตุลาคม 2535 ทะเบียนนิติบุคคลเลขที่ 0205535004578

ปรากฏข้อความในรายการตามเอกสารทะเบียนนิติบุคคล ณ วันออกหนังสือนี้ ดังนี้

- ชื่อบริษัท บริษัท อีสเทิร์น ไทย คอนสตรัคชั่น 1992 จำกัด
- กรรมการของบริษัทมี 13 คน ตามรายชื่อต่อไปนี้
 - นายทิมกร พรสมสวัสดิ์เสถียร
 - นายสมชาย หทัยรัตน์
 - นายทิตติพงษ์ นิลเชตร
 - นายเอกกมล แก้วกระจำจ
 - นางสาวชัญญา แซ่ตั้ง
 - นายพิชญ์ สอนัน
 - นายทิตติพงษ์ นิลเชตร
 - นายสมชาย หทัยรัตน์
 - นายทิตติพงษ์ นิลเชตร
 - นายสมชาย หทัยรัตน์
 - นายสมชาย หทัยรัตน์
 - นายสมชาย หทัยรัตน์
 - นายสมชาย หทัยรัตน์

3. จำนวนหรือชื่อกรรมการซึ่งลงชื่อผูกพันบริษัทได้คือ กรรมการสองคนลงนามมีชื่อร่วม
และประทับตราของบริษัท//

4.ทุนจดทะเบียน 20,000,000.00 บาท / ยี่สิบล้านบาทถ้วน/

5. สำนักงานใหญ่ ตั้งอยู่เลขที่ 999 หมู่ที่ 11 ตำบลหนองขาม อำเภอศรีราชา จังหวัดชลบุรี/

สำนักงานสาขา ตั้งอยู่ (1) เลขที่ 683 หมู่ที่ 11 ถนนสุขุมวิท 8 ตำบลหนองขาม อำเภอศรีราชา จังหวัดชลบุรี/

สำนักงานสาขา ตั้งอยู่ (2) เลขที่ 129 หมู่ที่ 1 ตำบลหนองขาม อำเภอศรีราชา จังหวัดชลบุรี/

สำนักงานสาขา ตั้งอยู่ (3) เลขที่ 59/45 หมู่ที่ 5 ตำบลศรีสุนทร อำเภอศรีราชา จังหวัดชลบุรี/

สำนักงานสาขา ตั้งอยู่ (4) เลขที่ 108 หมู่ที่ 5 ตำบลป่าสัก อำเภอเมืองลำพูน จังหวัดลำพูน/

สำนักงานสาขา ตั้งอยู่ (5) เลขที่ 282/1 หมู่ที่ 11 ตำบลหนองขาม อำเภอศรีราชา จังหวัดชลบุรี/

6. วัตถุประสงค์ของบริษัที่มี 77 ข้อ ดังปรากฏในสำเนาเอกสารแนบท้ายหนังสือรับรองนี้ จำนวน 10 แผ่น โดยมีลายมือชื่อ
นายทะเบียนซึ่งรับรองเอกสารเป็นสำคัญ

นายทิตติพงษ์ นิลเชตร
กรรมการบริษัท

นางสาวชัญญา แซ่ตั้ง
กรรมการบริษัท

คำเตือน : ผู้ใช้ควรตรวจสอบข้อความทราบหนังสือรับรองฉบับนี้ทุกครั้ง



กรมพัฒนาธุรกิจการค้า กระทรวงพาณิชย์
Department of Business Development
Ministry of Commerce

ทำเนียบธุรกิจ

1 มกราคม 2566
วันออกหนังสือ



จัดพิมพ์ เมื่อวันที่ 16/17 ณ

Ref:6620001220002077


1/12

รายชื่อบุคลากรแนบท้ายใบอนุญาต
เป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับความร้อน
ของบริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด
ใบอนุญาตเลขที่ ๐๔๐๑-๐๓-๒๕๖๔-๐๐๐๙

- | | |
|--------------------|----------------|
| ๑. นางวรรณเพ็ญ | เหลาจินดาวัฒน์ |
| ๒. นางสาวธัญพร | กลิ่นโสภณ |
| ๓. นางสาวนันดดา | ร่มรุกข์ |
| ๔. นางสาวอภิรดี | ชื่นอารมย์ |
| ๕. นางสาวอัญลักษณ์ | ขันโต |
| ๖. นางสาวจุฑารัตน์ | สุชชาเกต |
| ๗. นางสาวศविตา | กิตติเนาวรัตน์ |
| ๘. นางสาวพรนภา | พงษ์เพชร |
| ๙. นางสาวอรอนงค์ | สิ่วศักดิ์ |
| ๑๐. นายสุภชัย | ภารการ |

ทั้งนี้ ตั้งแต่วันที่ ๓๐ ธันวาคม พ.ศ. ๒๕๖๗ ถึงวันที่ ๒๙ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๓ ธันวาคม พ.ศ. ๒๕๖๗



(นายศักดิ์ศิลป์ ตูลาธร)

ผู้ตรวจราชการกรม ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน



แบบ กบ.บญ
นิติบุคคล

กรมสวัสดิการและคุ้มครองแรงงาน

ใบอนุญาต

เป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับความร้อน

ใบอนุญาตเลขที่ ๐๔๐๑-๐๓-๒๕๖๔-๐๐๐๙

อนุญาตให้...บริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด

เลขทะเบียนนิติบุคคล...๐๒๐๕๕๓๕๐๐๙๕๕๕๕

ตั้งอยู่เลขที่ ๙๙๙ หมู่ที่ ๑๑ ตำบลหนองขาม อำเภอสรีราชา จังหวัดสุรินทร์

เป็นนิติบุคคลผู้ให้บริการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ตามกฎกระทรวง
กำหนดมาตรฐานในการบริหาร จัดการ และดำเนินการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อม
ในการทำงานเกี่ยวกับความร้อน แสงสว่าง และเสียง พ.ศ. ๒๕๕๙ ในการตรวจวัดและวิเคราะห์สภาวะการทำงาน
เกี่ยวกับระดับความร้อน ประกอบกับกฎกระทรวงการขึ้นทะเบียนและการอนุญาตให้บริการเพื่อส่งเสริม
ความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน พ.ศ. ๒๕๖๔ แห่งพระราชบัญญัติความปลอดภัย
อาชีวอนามัย และสภาพแวดล้อมในการทำงาน พ.ศ. ๒๕๕๔ โดยมีบุคลากร จำนวน ๑๐ ราย และรายการเครื่องมือ
ตรวจวัด จำนวน ๑๘ เครื่อง ดังรายละเอียดแนบท้ายใบอนุญาตนี้

ทั้งนี้ ตั้งแต่วันที่ ๓๐ ธันวาคม พ.ศ. ๒๕๖๗ ถึงวันที่ ๒๙ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๓ ธันวาคม พ.ศ. ๒๕๖๗



(นายศักดิ์ศิลป์ ตูลาธร)


ผู้ตรวจราชการกรม ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายชื่อบุคลากร (เพิ่มเติม)
แนบท้ายใบอนุญาตเป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับความร้อน
ของบริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด
ใบอนุญาตเลขที่ ๐๔๐๑-๐๓-๒๕๖๔-๐๐๐๙

๑. นางสาวนฤมล โนนหิน
๒. นางสาววรกานต์ เสาวรส
๓. นางสาวจิรนนท์ พันธ์นา
๔. นางสาวชศรินทร์ พุทธา

ทั้งนี้ ตั้งแต่วันที่ ๒๓ ธันวาคม พ.ศ. ๒๕๖๘ ถึงวันที่ ๒๙ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๓ ธันวาคม พ.ศ. ๒๕๖๘



(นายศักดิ์ศิลป์ ตูลาธร)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายชื่อบุคลากร (เพิ่มเติม) แนบท้ายใบอนุญาต
เป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับความร้อน
ของบริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด
ใบอนุญาตเลขที่ ๐๔๐๑-๐๓-๒๕๖๔-๐๐๐๙

๑. นางสาวรัตมณี นาคเกตุ
๒. นางสาวดวงใจ แยมประโคน

ทั้งนี้ ตั้งแต่วันที่ ๒๔ มิถุนายน พ.ศ. ๒๕๖๘ ถึงวันที่ ๒๙ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๔ มิถุนายน พ.ศ. ๒๕๖๘



(นายศักดิ์ศิลป์ ตูลาธร)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายการเครื่องมือตรวจวัดแบบห้ายใบอนุญาต
เป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับความร้อน
ของบริษัท อีสเทิร์น ไทย คอนซัลตัง 1992 จำกัด
ใบอนุญาตเลขที่ ๐๔๐๑-๐๓-๒๕๖๔-๐๐๐๙

ลำดับที่	รายการเครื่องมือ	รายละเอียด		จำนวน (เครื่อง)
๑	อุปกรณ์ตรวจวัดระดับความร้อน ชนิดอิเล็กทรอนิกส์ที่สามารถอ่าน และคำนวณค่าอุณหภูมิเวทบัลบโกลบ (WBGT)	ยี่ห้อ	TSI QUEST	๑
		รุ่น	QUESTTemp ^๓ 32	
		Serial No.	TPH060001	
		มาตรฐาน	ISO 7243	
		ยี่ห้อ	QUEST TECHNOLOGIES	๒
		รุ่น	QUESTTemp ^๓ 32	
		Serial No.	TPI050069 TPI050070	
		มาตรฐาน	ISO 7243	
		ยี่ห้อ	3M	๖
		รุ่น	QUESTTemp ^๓ 32	
		Serial No.	TPL060039 TPL060040 TPL090016 TPL090017 TPQ030023 TPQ030024	
		มาตรฐาน	ISO 7243	
		ยี่ห้อ	TSI QUEST	๕
		รุ่น	QUESTTemp ^๓ 34	
		Serial No.	TEU080011 TEU080012 TEU080013 TEU080014 TEU080015	
		มาตรฐาน	ISO 7243	

รายชื่อบุคลากร (เพิ่มเติม)
แบบห้ายใบอนุญาตเป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับความร้อน
ของบริษัท อีสเทิร์น ไทย คอนซัลตัง 1992 จำกัด
ใบอนุญาตเลขที่ ๐๔๐๑-๐๓-๒๕๖๔-๐๐๐๙

- | | |
|------------------|------------|
| ๑. นางสาวอิทธิพร | จันทสมบัติ |
| ๒. นางสาวนิภาพร | คำชมภู |
| ๓. นายวีระชัย | พอใจ |
| ๔. นายอุดมทรัพย์ | เจนจบจริง |
| ๕. นายธนพัฒน์ | แซงสวัสดิ์ |

ทั้งนี้ ตั้งแต่วันที่ ๒๐ เมษายน พ.ศ. ๒๕๖๔ ถึงวันที่ ๒๙ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๐ เมษายน พ.ศ. ๒๕๖๔



(นายศักดิ์ศิลป์ ตูลาธร)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน



แบบ กภ.บญ
นิติบุคคล

กรมสวัสดิการและคุ้มครองแรงงาน

ใบอนุญาต

เป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับแสงสว่าง

ใบอนุญาตเลขที่ ๑๙๑๒-๐๓-๒๕๖๕-๑๑๑๙

อนุญาตให้ บริษัท. ฮีสเทิร์น.ไทย.คอนซัลติง.1992 จำกัด

เลขทะเบียนนิติบุคคล ๐๒๐๕๕๓๕๐๐๔๕๗๘

ตั้งอยู่เลขที่ ๙๙๙ หมู่ที่ ๑๑ ตำบลหนองขาม อำเภอศรีราชา จังหวัดชลบุรี

เป็นนิติบุคคลผู้ให้บริการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ตามกฎกระทรวง กำหนดมาตรฐานในการบริหาร จัดการ และดำเนินการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงานเกี่ยวกับความร้อน แสงสว่าง และเสียง พ.ศ. ๒๕๕๙ ในการตรวจวัดและวิเคราะห์สภาวะการทำงาน เกี่ยวกับระดับแสงสว่าง ประกอบกับกฎกระทรวงการขึ้นทะเบียนและการอนุญาตให้บริการเพื่อส่งเสริมความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน พ.ศ. ๒๕๖๔ แห่งพระราชบัญญัติความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน พ.ศ. ๒๕๕๔ โดยมีบุคลากร จำนวน ๑๐ ราย และรายการเครื่องมือ ตรวจวัด จำนวน ๗ เครื่อง ดังรายละเอียดแนบท้ายใบอนุญาตนี้

ทั้งนี้ ตั้งแต่วันที่ ๓๐ ธันวาคม พ.ศ. ๒๕๖๗ ถึงวันที่ ๒๙ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๓ ธันวาคม พ.ศ. ๒๕๖๗

(นายศักดิ์ศิลป์ ตุลาธร)

ผู้ตรวจราชการกรม ปฏิบัติราชการแทน

อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

-๒-

ลำดับที่	รายการเครื่องมือ	รายละเอียด		จำนวน (เครื่อง)
		ยี่ห้อ	DELTA OHM	
	อุปกรณ์ตรวจวัดระดับความร้อน ชนิดอิเล็กทรอนิกส์ที่สามารถอ่าน และคำนวณค่าอุณหภูมิระดับสากล (WBGT) (ต่อ)	รุ่น	HD32.2	๔
		Serial No.	22004316	
			22004318	
			22004319	
			22004320	
		มาตรฐาน	ISO 7243	

ทั้งนี้ ตั้งแต่วันที่ ๓๐ ธันวาคม พ.ศ. ๒๕๖๗ ถึงวันที่ ๒๙ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๓ ธันวาคม พ.ศ. ๒๕๖๗

(นายศักดิ์ศิลป์ ตุลาธร)

ผู้ตรวจราชการกรม ปฏิบัติราชการแทน

อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายชื่อบุคลากร (เพิ่มเติม) แนบท้ายใบอนุญาต
เป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับแสงสว่าง
ของบริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด
ใบอนุญาตเลขที่ ๐๔๐๒-๐๓-๒๕๖๔-๐๐๐๙

๑. นางสาวธมณี นาคเกตุ
๒. นางสาวดวงใจ แยมประโคน

ทั้งนี้ ตั้งแต่วันที่ ๒๔ มิถุนายน พ.ศ. ๒๕๖๘ ถึงวันที่ ๒๙ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๔ มิถุนายน พ.ศ. ๒๕๖๘



(นายศักดิ์ศิลป์ ตูลาธร)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายชื่อบุคลากรแนบท้ายใบอนุญาต
เป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับแสงสว่าง
ของบริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด
ใบอนุญาตเลขที่ ๐๔๐๒-๐๓-๒๕๖๔-๐๐๐๙

๑. นางวรรณเพ็ญ เหลาจินดาวัฒน์
๒. นางสาวธนัชพร กลิ่นโสภณ
๓. นางสาวปนัดดา ร่มรุกษ์
๔. นางสาวอภิรดี ชื่นอารมย์
๕. นางสาวธัญลักษณ์ ชันโต
๖. นางสาวจุฬารัตน์ สุขชาเกต
๗. นางสาวศविดา กิตติเนาวรัตน์
๘. นางสาวพรนภา พงษ์เพชร
๙. นางสาวอรอนงค์ สว่างศักดิ์
๑๐. นายศุภชัย ภารการ

ทั้งนี้ ตั้งแต่วันที่ ๓๐ ธันวาคม พ.ศ. ๒๕๖๗ ถึงวันที่ ๒๙ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๓ ธันวาคม พ.ศ. ๒๕๖๗



(นายศักดิ์ศิลป์ ตูลาธร)
ผู้ตรวจราชการกรม ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายชื่อบุคลากร (เพิ่มเติม)

แนบท้ายใบอนุญาตเป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับแสงสว่าง
ของบริษัท อีสเทิร์น ไทย คอนซัลต์ติ้ง 1992 จำกัด

ใบอนุญาตเลขที่ ๐๔๐๒-๐๓-๒๕๖๔-๐๐๐๙

- | | |
|------------------|-------------|
| ๑. นางสาวอิทธิพร | จันทนสมบัติ |
| ๒. นางสาวนิภาพร | คำชมภู |
| ๓. นายวีระชัย | พอใจ |
| ๔. นายอุดมทรัพย์ | เจนจบจริง |
| ๕. นายธนพัฒน์ | แซสวัสต์ |

ทั้งนี้ ตั้งแต่วันที่ ๒๐ เมษายน พ.ศ. ๒๕๖๙ ถึงวันที่ ๒๙ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๐ เมษายน พ.ศ. ๒๕๖๙



(นายกิตติศิลป์ ตูลาธร)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายชื่อบุคลากร (เพิ่มเติม)

แนบท้ายใบอนุญาตเป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับแสงสว่าง
ของบริษัท อีสเทิร์น ไทย คอนซัลต์ติ้ง 1992 จำกัด

ใบอนุญาตเลขที่ ๐๔๐๒-๐๓-๒๕๖๔-๐๐๐๙

- | | |
|--------------------|--------|
| ๑. นางสาวนฤมล | โนนหิน |
| ๒. นางสาวรากานต์ | เสาวรส |
| ๓. นางสาวจิรนนท์พร | พันธนา |
| ๔. นางสาวชติรินทร์ | พุทรา |

ทั้งนี้ ตั้งแต่วันที่ ๒๓ ธันวาคม พ.ศ. ๒๕๖๘ ถึงวันที่ ๒๙ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๓ ธันวาคม พ.ศ. ๒๕๖๘



(นายกิตติศิลป์ ตูลาธร)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายการเครื่องมือตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับแสงสว่าง (เพิ่มเติม)
 ของบริษัท อีสเทิร์น ไทย คอนซัลตัง 1992 จำกัด
 ใบอนุญาตเลขที่ ๐๔๐๒-๐๓-๒๕๖๔-๐๐๐๙

ลำดับที่	รายการเครื่องมือ	รายละเอียด		จำนวน (เครื่อง)
๑	เครื่องวัดแสง	ยี่ห้อ	KYORITSU	๔
		รุ่น	5202	
		Serial No.	X1001377	
			X1001380	
			Y1001188	
			Y1001191	
		มาตรฐาน	JIS C 1609	

ทั้งนี้ ตั้งแต่วันที่ ๒๓ ธันวาคม พ.ศ. ๒๕๖๘ ถึงวันที่ ๒๙ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๓ ธันวาคม พ.ศ. ๒๕๖๘



(นายศักดิ์ศิลป์ ตูลาธร)
 รองอธิบดี ปฏิบัติราชการแทน
 อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายการเครื่องมือตรวจวัดแบบห้วยใบอนุญาต
 เป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับแสงสว่าง
 ของบริษัท อีสเทิร์น ไทย คอนซัลตัง 1992 จำกัด
 ใบอนุญาตเลขที่ ๐๔๐๒-๐๓-๒๕๖๔-๐๐๐๙

ลำดับที่	รายการเครื่องมือ	รายละเอียด		จำนวน (เครื่อง)
๑	เครื่องวัดแสง	ยี่ห้อ	DIGICON	๓
		รุ่น	LX-72	
		Serial No.	Q606371	
			Q606412	
			Q608662	
		มาตรฐาน	CIE	
		ยี่ห้อ	DIGICON	๒
		รุ่น	LX-73	
		Serial No.	S.008890	
			R.032544	
		มาตรฐาน	CIE	
		ยี่ห้อ	TENMARS	๒
		รุ่น	TM-209M	
		Serial No.	220800468	
			230203566	
		มาตรฐาน	JIS C 1609	

ทั้งนี้ ตั้งแต่วันที่ ๓๐ ธันวาคม พ.ศ. ๒๕๖๗ ถึงวันที่ ๒๙ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๓ ธันวาคม พ.ศ. ๒๕๖๗



(นายศักดิ์ศิลป์ ตูลาธร)
 ผู้ตรวจราชการกรม ปฏิบัติราชการแทน
 อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายชื่อบุคลากรแนบท้ายใบอนุญาต
เป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับเสียง
ของบริษัท อีสเทิร์น ไทย คอนซัลติง 1992 จำกัด
ใบอนุญาตเลขที่ ๐๕๐๓-๐๓-๒๕๖๔-๐๐๐๙

- | | |
|--------------------|----------------|
| ๑. นางวรรณเพ็ญ | เหลาจินดาวัฒน์ |
| ๒. นางสาวรัชพร | กลั่นโสภณ |
| ๓. นางสาวบัณฑิตา | ร่มรุกข์ |
| ๔. นางสาวกิริติ | ชีนอารมย์ |
| ๕. นางสาวธัญลักษณ์ | ขันโต |
| ๖. นางสาวจุฑารัตน์ | สุชชาเกต |
| ๗. นางสาวศวิตา | กิตติเนาวรัตน์ |
| ๘. นางสาวพรนภา | พงษ์เพชร |
| ๙. นางสาวอรอนงค์ | ลิ่วงค์ศักดิ์ |
| ๑๐. นายศุภชัย | ภารการ |

ทั้งนี้ ตั้งแต่วันที่ ๓๐ ธันวาคม พ.ศ. ๒๕๖๗ ถึงวันที่ ๒๙ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๗ ธันวาคม พ.ศ. ๒๕๖๗



(นายศักดิ์ศิลป์ ตูลาธร)

ผู้ตรวจราชการกรม ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน



แบบ กภ.บุญ
นิติบุคคล

กรมสวัสดิการและคุ้มครองแรงงาน

ใบอนุญาต

เป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับเสียง

ใบอนุญาตเลขที่ ๐๕๐๓-๐๓-๒๕๖๔-๐๐๐๙

อนุญาตให้... บริษัท อีสเทิร์น ไทย คอนซัลติง 1992 จำกัด


เลขทะเบียนนิติบุคคล... ๐๒๐๕๕๓๕๐๐๔๕๗๘

ตั้งอยู่เลขที่ ๙๙๙ หมู่ที่ ๑๑ ตำบลหนองขาม อำเภอสรีราชา จังหวัดชลบุรี

เป็นนิติบุคคลผู้ให้บริการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อมในการทำงาน ตามกฎกระทรวง
กำหนดมาตรฐานในการบริหาร จัดการ และดำเนินการด้านความปลอดภัย อาชีวอนามัย และสภาพแวดล้อม
ในการทำงานเกี่ยวกับความร้อน แสงสว่าง และเสียง พ.ศ. ๒๕๕๙ ในการตรวจวัดและวิเคราะห์สภาวะการทำงาน
เกี่ยวกับระดับเสียง ประกอบกับกฎกระทรวงการขึ้นทะเบียนและการอนุญาตให้บริการเพื่อส่งเสริมความปลอดภัย
อาชีวอนามัย และสภาพแวดล้อมในการทำงาน พ.ศ. ๒๕๖๔ แห่งพระราชบัญญัติความปลอดภัย อาชีวอนามัย
และสภาพแวดล้อมในการทำงาน พ.ศ. ๒๕๕๔ โดยมีบุคลากร จำนวน ๑๐ ราย และรายการเครื่องมือตรวจวัด
จำนวน ๗๔ เครื่อง ดังรายละเอียดแนบท้ายใบอนุญาตนี้

ทั้งนี้ ตั้งแต่วันที่ ๓๐ ธันวาคม พ.ศ. ๒๕๖๗ ถึงวันที่ ๒๙ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๗ ธันวาคม พ.ศ. ๒๕๖๗



(นายศักดิ์ศิลป์ ตูลาธร)

ผู้ตรวจราชการกรม ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายชื่อบุคลากร (เพิ่มเติม)
แนบท้ายใบอนุญาตเป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับเสียง
ของบริษัท อีสเทิร์น ไทย คอนซัลตัง 1992 จำกัด
ใบอนุญาตเลขที่ ๐๔๐๓-๐๓-๒๕๖๔-๐๐๐๘

๑. นางสาวนฤมล โนนหิน
๒. นางสาวรณกานต์ เสาวรส
๓. นางสาวจิรนนท์ พันธ์นา
๔. นางสาวชศรินทร์ พุทธา

ทั้งนี้ ตั้งแต่วันที่ ๒๓ ธันวาคม พ.ศ. ๒๕๖๘ ถึงวันที่ ๒๙ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๓ ธันวาคม พ.ศ. ๒๕๖๘




(นายศักดิ์ศิลป์ ตูลาธร)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายชื่อบุคลากร (เพิ่มเติม) แนบท้ายใบอนุญาต
เป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับเสียง
ของบริษัท อีสเทิร์น ไทย คอนซัลตัง 1992 จำกัด
ใบอนุญาตเลขที่ ๐๔๐๓-๐๓-๒๕๖๔-๐๐๐๘

๑. นางสาวรัตมณี นาคเกตุ
๒. นางสาวดวงใจ แยมประโคน

ทั้งนี้ ตั้งแต่วันที่ ๒ มิถุนายน พ.ศ. ๒๕๖๘ ถึงวันที่ ๒๙ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒ มิถุนายน พ.ศ. ๒๕๖๘



(นายศักดิ์ศิลป์ ตูลาธร)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

รายการเครื่องมือตรวจวัดแบบท่ายใบอนุญาต
เป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับเสียง
ของบริษัท อีสเทิร์น ไทย คอนซัลตติ้ง 1992 จำกัด
ใบอนุญาตเลขที่ ๐๔๐๓-๐๓-๒๕๖๔-๐๐๐๙


ลำดับที่	รายการเครื่องมือ	รายละเอียด		จำนวน (เครื่อง)
๑	เครื่องวัดเสียง และ เครื่องวัดเสียงกระทบหรือเสียงกระทบ	ยี่ห้อ	RION	๑๐
		รุ่น	NL-21	
		Serial No.	00209079	
			00310455	
			00310456	
			00310458	
			00443357	
			00443358	
			00443359	
			01209912	
			01209914	
			01209916	
		มาตรฐาน	IEC 61672	
		ยี่ห้อ	RION	๓
		รุ่น	NL-42	
		Serial No.	01147298	
			01147299	
			01147300	
		มาตรฐาน	IEC 61672	
		ยี่ห้อ	CIRRU5	๗
		รุ่น	CR:172A	
		Serial No.	G300957	
			G301013	
			G301039	
			G301635	
			G301638	
			G301660	
			G301661	
		มาตรฐาน	IEC 61672	

รายชื่อบุคลากร (เพิ่มเติม)
แบบท่ายใบอนุญาตเป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับเสียง
ของบริษัท อีสเทิร์น ไทย คอนซัลตติ้ง 1992 จำกัด
ใบอนุญาตเลขที่ ๐๔๐๓-๐๓-๒๕๖๔-๐๐๐๙

- | | |
|------------------|--------------|
| ๑. นางสาวอชิวรรณ | จิ่งธนสมบัติ |
| ๒. นางสาวนิภาพร | คำชมภู |
| ๓. นายวีระชัย | พอใจ |
| ๔. นายอุดมทรัพย์ | เจนจบจริง |
| ๕. นายธนพัฒน์ | แซสวัสด์ |

ทั้งนี้ ตั้งแต่วันที่ ๒๐ เมษายน พ.ศ. ๒๕๖๔ ถึงวันที่ ๒๙ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๐ เมษายน พ.ศ. ๒๕๖๔



(นายศักดิ์ศิลป์ คุลาธร)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

ลำดับที่	รายการเครื่องมือ	รายละเอียด		จำนวน (เครื่อง)
	เครื่องวัดปริมาณเสียงสะสม (ต่อ)	ยี่ห้อ	CIRRUS	๒๐
		รุ่น	CR:110A	
		Serial No.	CA8879	
			CA8886	
			CA8887	
			CA8888	
			CA8889	
			CB0640	
			CB0641	
			CB0642	
			CB0643	
			CB0644	
			CB0954	
			CB0955	
			CB0956	
			CB0957	
			CB0958	
			CB1365	
			CB1497	
			CB1498	
			CB1499	
			CB1500	
		มาตรฐาน	IEC 61252	
๓	อุปกรณ์ตรวจสอบความถูกต้อง	ยี่ห้อ	RION	๔
		รุ่น	NC-75	
		Serial No.	34234715	
			34234716	
			34302326	
			34802645	
		มาตรฐาน	IEC 60942	

ลำดับที่	รายการเครื่องมือ	รายละเอียด		จำนวน (เครื่อง)
	เครื่องวัดเสียง และ เครื่องวัดเสียงกระทบหรือเสียงกระแทก (ต่อ)	ยี่ห้อ	RION	๑๗
		รุ่น	NL-42A	
		Serial No.	00222592	
			00222593	
			00222594	
			00322744	
			00322745	
			00322746	
			00322747	
			00322748	
			00322749	
			00322750	
			00322751	
			00322752	
			00322753	
			00322754	
			00322755	
			00322756	
			00322757	
		มาตรฐาน	IEC 61672	
๒	เครื่องวัดปริมาณเสียงสะสม	ยี่ห้อ	TES	๑
		รุ่น	1355	
		Serial No.	070204292	
		มาตรฐาน	IEC 61252	
		ยี่ห้อ	3M	๗
		รุ่น	NoisePro DLX	
		Serial No.	NXL060044	
			NXL060045	
			NXL060046	
			NXL060048	
			NXQ070006	
			NXQ070007	
			NXQ070008	
		มาตรฐาน	IEC 61252	

รายการเครื่องมือตรวจวัด (เพิ่มเติม)
 แบบทำใบอนุญาตเป็นนิติบุคคลผู้ให้บริการตรวจวัดและวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับเสียง
 ของบริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด
 ใบอนุญาตเลขที่ ๐๔๐๓-๐๓-๒๕๖๔-๐๐๐๔

ลำดับที่	รายการเครื่องมือ	รายละเอียด		จำนวน (เครื่อง)
๑	เครื่องวัดเสียง และเครื่องวัดเสียง กระทบหรือเสียงกระทบ	ยี่ห้อ	Rion	๑๘
		รุ่น	NL- 52A	
		Serial No.	01120943	
			01120944	
			01120945	
			01120947	
			01120948	
			01120949	
			01120950	
			01120952	
			01120953	
			00230985	
			00230986	
			00230987	
			00230988	
			00230989	
			00230992	
			00230993	
			00230994	
			00230995	
		มาตรฐาน	IEC 61672	๔
		ยี่ห้อ	Rion	
		รุ่น	NL- 43	
		Serial No.	00641700	
			00641701	
			00641702	๔
			00641703	
		มาตรฐาน	IEC 61672	
		ยี่ห้อ	Rion	
		รุ่น	NL- 53	

-๔-

ลำดับที่	รายการเครื่องมือ	รายละเอียด		จำนวน (เครื่อง)
	อุปกรณ์ตรวจสอบความถูกต้อง (ต่อ)	ยี่ห้อ	CIRRUS	๑
		รุ่น	CR:517	
		Serial No.	92863	
		มาตรฐาน	IEC 60942	
		ยี่ห้อ	CIRRUS	๔
		รุ่น	RC:110A	
		Serial No.	73967	
			87366	
			92433	
			98650	
		มาตรฐาน	IEC 60942	

ทั้งนี้ ตั้งแต่วันที่ ๓๐ ธันวาคม พ.ศ. ๒๕๖๗ ถึงวันที่ ๒๙ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒๗ ธันวาคม พ.ศ. ๒๕๖๗



(นายศักดิ์ศิลป์ ตุลาธร)
 ผู้ตรวจราชการกรม ปฏิบัติราชการแทน
 อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

บริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด

สำนักงานใหญ่ : 999 หมู่ที่ 11 ตำบลหนองขาม อำเภอศรีราชา จังหวัดชลบุรี 20230
เลขประจำตัวผู้เสียภาษี : 0-000000000-0
เว็บไซต์ : http://www.etc1992.com



EASTERN THAI CONSULTING 1992 CO., LTD.

HEAD OFFICE : 999 Moo 11 Nongkhom, Sriracha, Chonburi 20230
TAX ID : 0205535004578 Tel. 0-3848-1197-8 Fax : 0-3848-2095
Website : http://www.etc1992.com E-mail : info@etc1992.com

หนังสือมอบอำนาจ

ทำที่ บริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด

วันที่ 1 กันยายน 2566

โดยหนังสือฉบับนี้ข้าพเจ้า บริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด โดย นายพิสิฐ นิลเชตร และนางสาวชัญญา แซ่ตั้ง กรรมการผู้มีอำนาจกระทำการแทนบริษัทฯ สำนักงานใหญ่ตั้งอยู่เลขที่ 999 หมู่ 11 ตำบลหนองขาม อำเภอศรีราชา จังหวัดชลบุรี
มอบอำนาจให้บุคคลต่อไปนี้เป็นคนใดคนหนึ่งมีอำนาจลงลายมือชื่อแทนนิติบุคคลที่ได้รับใบอนุญาตเป็นผู้ให้บริการตรวจวัดและวิเคราะห์ผลการทำงานเกี่ยวกับความร้อน แสงสว่าง หรือเสียง ในแบบรายงานผลการตรวจวัดและวิเคราะห์ผลการทำงานเกี่ยวกับความร้อน (แบบ รสส.1) แสงสว่าง (แบบ รสส.2) หรือเสียง (แบบ รสส.3) ตลอดจนมีอำนาจลงลายมือชื่อในการแก้ไข เพิ่มเติม รับรองเอกสารต่างๆ ที่เกี่ยวข้องกับการตรวจวัดและวิเคราะห์ผลการทำงานเกี่ยวกับความร้อน แสงสว่าง หรือเสียง และมีอำนาจกระทำการอื่นใดที่เกี่ยวข้องในเรื่องนี้ให้สำเร็จลุล่วง แทนข้าพเจ้าจนเสร็จการ ทั้งนี้ให้ผู้รับมอบอำนาจลงนามโดยไม่ต้องประทับตราสำคัญบริษัท

- นางวรรณเพ็ญ เหลาจินดาวัฒน์ บัตรประจำตัวประชาชนเลขที่ 3 6401 00437 80 9 อยู่บ้านเลขที่ 90/19 หมู่ 11 ตำบลทุ่งสุขลา อำเภอศรีราชา จังหวัดชลบุรี
- นางสาวธนัชพร กลิ่นโสภณ บัตรประจำตัวประชาชนเลขที่ 1 2499 00047 75 0 อยู่บ้านเลขที่ 85/26 หมู่ 4 ตำบลบึง อำเภอศรีราชา จังหวัดชลบุรี
- นางสาวปณิดดา รมรุขย์ บัตรประจำตัวประชาชนเลขที่ 3 3015 00667 96 1 อยู่บ้านเลขที่ 214/1 หมู่ที่ 14 ตำบลดงใหญ่ อำเภอพิมาย จังหวัดนครราชสีมา
- นางสาวอภิรตี ชื่นอารมย์ บัตรประจำตัวประชาชนเลขที่ 1 2601 00012 12 1 อยู่บ้านเลขที่ 154 หมู่ที่ 2 ตำบลคลองย อำเภอเมืองนครนายก จังหวัดนครนายก

การใดๆที่ผู้รับมอบอำนาจได้กระทำไปในขอบเขตอำนาจของหนังสือมอบอำนาจฉบับนี้ ให้ถือเสมือนหนึ่งว่าเป็นการกระทำของข้าพเจ้าทุกประการ เพื่อเป็นหลักฐานจึงลงลายมือชื่อและประทับตราไว้เป็นสำคัญต่อหน้าพยาน

หนังสือมอบอำนาจฉบับนี้ให้มีผลบังคับใช้ตั้งแต่วันที่ 1 กันยายน 2566 เป็นต้นไป

ลงชื่อ.....

บริษัท อีสเทิร์น ไทย คอนซัลติ้ง 1992 จำกัด
(นายพิสิฐ นิลเชตร และ นางสาวชัญญา แซ่ตั้ง)



บริษัท อีสเทิร์นไทยคอนซัลติ้ง 1992 จำกัด

ลงชื่อ.....

ผู้รับมอบอำนาจ
(นางวรรณเพ็ญ เหลาจินดาวัฒน์)

ลงชื่อ.....

ผู้รับมอบอำนาจ
(นางสาวธนัชพร กลิ่นโสภณ)

ลงชื่อ.....

ผู้รับมอบอำนาจ
(นางสาวปณิดดา รมรุขย์)

ลงชื่อ.....

ผู้รับมอบอำนาจ
(นางสาวอภิรตี ชื่นอารมย์)

ลงชื่อ.....

พยาน
(นางสาวสุติมา สาริยัง)

ลงชื่อ.....

พยาน
(นางสาวทวิพร พุทธิวงศ์)

-๒-

ลำดับที่	รายการเครื่องมือ	รายละเอียด	จำนวน (เครื่อง)
		Serial No. 00741217 00741218 00741219 00741254	
		มาตรฐาน IEC 61672	
๒	อุปกรณ์ตรวจสอบความถูกต้อง	ยี่ห้อ Rion	๕
		รุ่น NL- 75	
		Serial No. 34745929 34946010 34946011 34946012 34946013	
		มาตรฐาน IEC 60942	

ทั้งนี้ ตั้งแต่วันที่ ๒ มิถุนายน พ.ศ. ๒๕๖๘ ถึงวันที่ ๒๙ ธันวาคม พ.ศ. ๒๕๗๐

ให้ไว้ ณ วันที่ ๒ มิถุนายน พ.ศ. ๒๕๖๘

(นายศักดิ์ศิลป์ ตูลาธร)

รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมสวัสดิการและคุ้มครองแรงงาน

ที่ 20001220002077



สำนักงานทะเบียนหุ้นส่วนบริษัทกลาง
กรมพัฒนาธุรกิจการค้า กระทรวงพาณิชย์

หนังสือรับรอง

ออกให้ ณ วันที่ 6 เดือน กรกฎาคม พ.ศ. 2566


(นางสาวณัฏฐา นิลเขตร)
นายทะเบียน

ข้อควรทราบ ประกอบหนังสือรับรอง ฉบับที่ 20001220002077

1. นิติบุคคลนี้ได้ส่งงบการเงินปี 2565
2. หนังสือรับรองเฉพาะข้อความที่ห้าง/บริษัทได้นำมาจดทะเบียนไว้เพื่อใช้ในการทำธุรกรรมเท่านั้น ข้อเท็จจริงเป็นสิ่งที่ควรหาไว้พิจารณาฐานะ
3. นายทะเบียนอาจเพิกถอนการจดทะเบียน ถ้าปรากฏว่าข้อมูลไม่ถูกต้อง หรือเป็นเท็จ



บริษัท อีสเทิร์นไทยคอนกรีต 1992 จำกัด

สัณนิษฐาน



นายทิลธิฐ นิลเขตร
กรรมการบริษัทฯ



นางสาวณัฏฐา นิลเขตร
กรรมการบริษัทฯ



กรมพัฒนาธุรกิจการค้า กระทรวงพาณิชย์
Department of Business Development
Ministry of Commerce

กล่าวสำเนาจริง
2566060502

1. หนังสือรับรองฉบับนี้
2. หนังสือรับรองฉบับนี้



จัดพิมพ์ เมื่อวันที่ 16:17 น

Ref:6620001220002077

2/12

ที่ 20001220002077



สำนักงานทะเบียนหุ้นส่วนบริษัทกลาง
กรมพัฒนาธุรกิจการค้า กระทรวงพาณิชย์

หนังสือรับรอง

ขอรับรองว่าบริษัทนี้ ได้จดทะเบียนเป็นนิติบุคคล ตามประมวลกฎหมายแพ่งและพาณิชย์
เมื่อวันที่ 20 ตุลาคม 2535 ทะเบียนนิติบุคคลเลขที่ 0205535004578

ปรากฏข้อความในรายการตามเอกสารทะเบียนนิติบุคคล ณ วันออกหนังสือนี้ ดังนี้

1. ชื่อบริษัท บริษัท อีสเทิร์น ไทย คอนกรีต 1992 จำกัด
2. กรรมการบริษัทมี 13 คน ตามรายชื่อต่อไปนี้

1. นายทิมกร พรหมบดีเสถียร
2. นายทิมกร พันธ์ดี
3. นายพิสิฐ นิลเขตร
4. นายอเนก นิลเขตร
5. นางสาวณัฏฐา นิลเขตร
6. นายทิมกร พันธ์ดี
7. นายทิลธิฐ นิลเขตร
8. นายทิลธิฐ นิลเขตร
9. นายวิชัย กุลสมภพ
10. นายทิลธิฐ นิลเขตร
11. นายทิลธิฐ นิลเขตร
12. นายทิลธิฐ นิลเขตร
13. นางสาวเพ็ญพิศ บุญศิริ

3. จำนวนหรือชื่อกรรมการซึ่งลงชื่อผูกพันบริษัทได้คือ จำนวนสองคนลงลายมือชื่อ
และประทับตราของบริษัท//

- 4.ทุนจดทะเบียน 20,000,000.00 บาท / ผู้ถือหุ้นทั้งหมด/
5. สำนักงานแห่งใหญ่ตั้งอยู่เลขที่ 99 หมู่ที่ 11 ตำบลหนองขาม อำเภอสรีราชา จังหวัดชลบุรี/
สำนักงานสาขา ตั้งอยู่ (1) เลขที่ 683 หมู่ที่ 11 ถนนสุขาภิบาล 8 ตำบลหนองขาม อำเภอสรีราชา จังหวัดชลบุรี/
สำนักงานสาขา ตั้งอยู่ (2) เลขที่ 129 หมู่ที่ 1 ตำบลสนทรี อำเภอบึงนาราง จังหวัดพิจิตร/
สำนักงานสาขา ตั้งอยู่ (3) เลขที่ 59/45 หมู่ที่ 5 ตำบลศรีสุนทร อำเภอลำลูกเกด จังหวัดภูเก็ต/
สำนักงานสาขา ตั้งอยู่ (4) เลขที่ 108 หมู่ที่ 5 ตำบลปากสัก อำเภอเมืองสาขุขันธ์ จังหวัดสุรินทร์/
สำนักงานสาขา ตั้งอยู่ (5) เลขที่ 282/1 หมู่ที่ 11 ตำบลหนองขาม อำเภอสรีราชา จังหวัดชลบุรี/

6. วัตถุประสงค์ของบริษัทมี 77 ข้อ ดังปรากฏในสำเนาเอกสารแนบท้ายหนังสือรับรองนี้ จำนวน 10 แผ่น โดยมีลายมือชื่อ
นายทะเบียนซึ่งรับรองเอกสารเป็นสำคัญ

นายทิลธิฐ นิลเขตร
กรรมการบริษัทฯ

นางสาวณัฏฐา นิลเขตร
กรรมการบริษัทฯ

คำเตือน : ผู้ใช้ควรตรวจสอบข้อความที่ปรากฏในหนังสือรับรองฉบับนี้ให้ถูกต้อง



กรมพัฒนาธุรกิจการค้า กระทรวงพาณิชย์
Department of Business Development
Ministry of Commerce

กล่าวสำเนาจริง

1. หนังสือรับรองฉบับนี้
2. หนังสือรับรองฉบับนี้



จัดพิมพ์ เมื่อวันที่ 16:17 น

Ref:6620001220002077

1/12



ที่ อก ๐๓๑๐(๑)/ ๔๐๕๖

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ เขตราชเทวี
กรุงเทพมหานคร ๑๐๔๐๐

๑๙ มิถุนายน ๒๕๖๙

เรื่อง ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท ซิคอท จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒ เมษายน ๒๕๖๙

- สิ่งที่ส่งมาด้วย ๑. รายชื่อผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๑ แผ่น
๒. รายชื่อเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๑ แผ่น
๓. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๑ แผ่น

ตามคำขอที่อ้างถึง บริษัท ซิคอท จำกัด ขอต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๒๓๙ สถานที่ตั้งเลขที่ ๒๓๙ ถนนริมคลองประปา แขวงบางซื่อ เขตบางซื่อ กรุงเทพมหานคร ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท ซิคอท จำกัด ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

- ก. ผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๙ ราย ตามสิ่งที่ส่งมาด้วย ๑
ข. เจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๔๐ ราย ตามสิ่งที่ส่งมาด้วย ๒
ค. ขอบข่ายชนิดสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน อากาศเสีย สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว และดิน ตามสิ่งที่ส่งมาด้วย ๓

หนังสือฉบับนี้จะหมดอายุในวันที่ ๒ พฤษภาคม ๒๕๗๓ หากประสงค์จะต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอต่อกรมโรงงานอุตสาหกรรมภายใน ๖๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ



(นายศิริ จันทรเกิด)

นักวิทยาศาสตร์เชี่ยวชาญ วิชาการการแทน
ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน
ปฏิบัติการแทนอธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๔๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@div.mail.go.th



“อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว”



เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท ซิคอท จำกัด

เลขทะเบียน ว-๒๓๙

ที่ อก ๐๓๑๐(๑)/ ๔๐๕๖

ลงวันที่ ๑๙ มิถุนายน ๒๕๖๙

ก. ผู้ควบคุมดูแลห้องปฏิบัติการวิเคราะห์ จำนวน ๙ ราย

- ๑) นายขรรชัย เกรียงไกรอุดม
๒) นางสาวณัฐ เกรียงไกรอุดม
๓) นางสาวเชมชุตตา อินทร์ศร
๔) นางสาวปรีดา สมใจ
๕) นางสาวอริยญา มาตา
๖) นางสาวลดาวัลย์ วงศ์เจริญ
๗) นางสาวณัฏฐวรรณ เกตวันดี
๘) นางสาวนริสา ภูวสรเพ็ชญ์
๙) นางสาวศิริวรรณ ฉิมสง่า

- ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๐๒
ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๐๓
ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๐๕
ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๐๖
ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๐๗
ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๐๘
ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๐๙
ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๑๐
ทะเบียนเลขที่ ว-๒๓๙-ค-๐๐๑๑

ก.ม.

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท ซีคอฟ จำกัด

เลขทะเบียน ว-๒๓๓๙

ที่ อก ๐๓๑๐(๑)/๔๐๕๖

ลงวันที่ ๑๙ มิถุนายน ๒๕๖๔

ข. เจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๔๐ ราย

- ๑) นางสาวสุตาพร สุนทร
- ๒) นางสาวสุธาทิพย์ เทียนเตี้ย
- ๓) นางสาวสุนันทา ศิริพัฒน์นันท์
- ๔) นายบวร ดิษฐ์ยะ
- ๕) นางสาวเกศรินทร์ วรเดชวิทยา
- ๖) นายอนิวัฒน์ พิมพ์นา
- ๗) นายชิตพล สมประสงค์
- ๘) นางสาวศศิธร พรหมประเสริฐ
- ๙) นายศิวะนนท์ กุลวงษ์
- ๑๐) นางสาวอลิษา คณิธรานนท์
- ๑๑) นางสาวสิริวรรณ แก้วชิงดวง
- ๑๒) นางสาวปัทมวรรณ สุวรรณวิโรจน์
- ๑๓) นางสาวกนิษฐา เจริญเชื้อ
- ๑๔) นายชอง เสงฆ์วัลกุล
- ๑๕) นางสาวพรนภา บุตรธรรม
- ๑๖) นางสาวธาริณี อาจปลิว
- ๑๗) นางสาวจุฑารัตน์ แจ่มเรือน
- ๑๘) นางสาวจณิสตา กุ้ยอ่อน
- ๑๙) นายกิตติพงศ์ ณะเกิงสุข
- ๒๐) นายจิรวัฒน์ โคตรคำหาญ
- ๒๑) นายชนะพล อัครผล
- ๒๒) นางสาวทิพย์สุดา วรรณการ
- ๒๓) นายสิทธิชัย สว่างวงศ์ไชย
- ๒๔) นายพิษณุ สีนามเพ็ง
- ๒๕) นายธนาวุฒิ ด่วนแสง
- ๒๖) นายรอมฎอน เหล็กหมาด
- ๒๗) นางสาววิระยา ปิงนิมบุรณ์
- ๒๘) นางสาวสุภาพร สุวรรณมณี
- ๒๙) นางสาวณัฐธิดา วิสัยทอง
- ๓๐) นางสาวนิศาตร์ พิมพ์จินดา
- ๓๑) นายพงศ์ศิริ จักรแก้ว
- ๓๒) นายอรรถชัย นวนนัม
- ๓๓) นางสาวรัตนติยากร ชื่นชม
- ๓๔) นางสาวชนิดา หล้าสาย
- ๓๕) นางสาวดวงกมล ทองศิริ
- ๓๖) นายอภิวัฒน์ เมฆสุวรรณ
- ๓๗) นางสาวบุญนุช รุ่งแรก
- ๓๘) นางสาวปวีศา มากภักดี
- ๓๙) นางสาว เจตนา กำรัมย์
- ๔๐) นายณัฐชัย ไชยโคตร

- ทะเบียนเลขที่
- ว-๒๓๓๙-จ-๐๐๐๑
- ว-๒๓๓๙-จ-๐๐๐๒
- ว-๒๓๓๙-จ-๐๐๐๓
- ว-๒๓๓๙-จ-๐๐๐๔
- ว-๒๓๓๙-จ-๐๐๐๕
- ว-๒๓๓๙-จ-๐๐๐๖
- ว-๒๓๓๙-จ-๐๐๐๗
- ว-๒๓๓๙-จ-๐๐๐๘
- ว-๒๓๓๙-จ-๐๐๐๙
- ว-๒๓๓๙-จ-๐๐๑๐
- ว-๒๓๓๙-จ-๐๐๑๑
- ว-๒๓๓๙-จ-๐๐๑๒
- ว-๒๓๓๙-จ-๐๐๑๓
- ว-๒๓๓๙-จ-๐๐๑๔
- ว-๒๓๓๙-จ-๐๐๑๕
- ว-๒๓๓๙-จ-๐๐๑๖
- ว-๒๓๓๙-จ-๐๐๑๗
- ว-๒๓๓๙-จ-๐๐๑๘
- ว-๒๓๓๙-จ-๐๐๑๙
- ว-๒๓๓๙-จ-๐๐๒๐
- ว-๒๓๓๙-จ-๐๐๒๑
- ว-๒๓๓๙-จ-๐๐๒๒
- ว-๒๓๓๙-จ-๐๐๒๓
- ว-๒๓๓๙-จ-๐๐๒๔
- ว-๒๓๓๙-จ-๐๐๒๕
- ว-๒๓๓๙-จ-๐๐๒๖
- ว-๒๓๓๙-จ-๐๐๒๗
- ว-๒๓๓๙-จ-๐๐๒๘
- ว-๒๓๓๙-จ-๐๐๒๙
- ว-๒๓๓๙-จ-๐๐๓๐
- ว-๒๓๓๙-จ-๐๐๓๑
- ว-๒๓๓๙-จ-๐๐๓๒
- ว-๒๓๓๙-จ-๐๐๓๓
- ว-๒๓๓๙-จ-๐๐๓๔
- ว-๒๓๓๙-จ-๐๐๓๕
- ว-๒๓๓๙-จ-๐๐๓๖
- ว-๒๓๓๙-จ-๐๐๓๗
- ว-๒๓๓๙-จ-๐๐๓๘
- ว-๒๓๓๙-จ-๐๐๓๙
- ว-๒๓๓๙-จ-๐๐๔๐
- ว-๒๓๓๙-จ-๐๐๔๑
- ว-๒๓๓๙-จ-๐๐๔๒
- ว-๒๓๓๙-จ-๐๐๔๓
- ว-๒๓๓๙-จ-๐๐๔๔
- ว-๒๓๓๙-จ-๐๐๔๕
- ว-๒๓๓๙-จ-๐๐๔๖
- ว-๒๓๓๙-จ-๐๐๔๗
- ว-๒๓๓๙-จ-๐๐๔๘
- ว-๒๓๓๙-จ-๐๐๔๙
- ว-๒๓๓๙-จ-๐๐๕๐
- ว-๒๓๓๙-จ-๐๐๕๑
- ว-๒๓๓๙-จ-๐๐๕๒

เอกสารแนบท้ายหนังสือรับต่ออายุขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท ซีคอฟ จำกัด

เลขทะเบียน ว-๒๓๓๙

ที่ อก ๐๓๑๐(๑)/๔๐๕๖

ลงวันที่ ๑๙ มิถุนายน ๒๕๖๔

ขอขยายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๓๖๔ รายการ

นำ/นำเลย จำนวน 45 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
2	Arsenic	1) Digestion, Hydride Generation Atomic Absorption Spectrometric Method ⁽⁴⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
3	Barium	1) Digestion, Flame Atomic Absorption Spectrometric Method ⁽⁴⁾ 2) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾
4	α-BHC	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
5	β-BHC	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
6	γ-BHC	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
7	δ-BHC	1) Liquid-Liquid Extraction, Gas Chromatographic Method ⁽⁴⁾ 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ⁽⁴⁾
8	Biochemical Oxygen Demand	1) 5-Day BOD Test, Azide Modification Method ⁽⁴⁾ 2) 5-Day BOD Test, Membrane-Electrode Method ⁽⁴⁾
9	Cadmium	1) Digestion, Flame Atomic Absorption Spectrometric Method ⁽⁴⁾ 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ⁽⁴⁾ 3) Digestion, Inductively Coupled Plasma Method ⁽⁴⁾

อนุมัติ

อนุมัติ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
10	Chemical Oxygen Demand	1) Open Reflux, Titrimetric method ^[4] 2) Closed Reflux, Colorimetric method ^[4] 3) Closed Reflux, Titrimetric Method ^[4]
11	Chlordane	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
12	Chromium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]
13	Color	ADMI Weighted-Ordinate Spectrophotometric Method ^[4]
14	Copper	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]
15	Cyanide	Total Cyanide after Distillation, Colorimetric Method ^[4]
16	4,4'-DDD	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
17	4,4'-DDE	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
18	4,4'-DDT	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
19	Dieldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
20	Endosulfan I	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]

2) Liquid-Liquid...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
21	Endosulfan II	2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4] 1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
22	Endosulfan Sulfate	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
23	Endrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
24	Endrin Aldehyde	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
25	Formaldehyde	Distillation, Colorimetric Method ^[2]
26	Free Chlorine	1) Iodometric Method ^[4] 2) DPD Colorimetric Method ^[4]
27	Heptachlor	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
28	Heptachlor epoxide	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
29	Hexavalent Chromium	1) Colorimetric Method ^[4] 2) Extraction, Air-Acetylene Flame Method ^[4]
30	Lead	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]

31 Manganese...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
31	Manganese	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]
32	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[4]
33	Methoxychlor	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
34	Nickel	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]
35	Oil & Grease	1) Liquid-Liquid, Partition-Gravimetric Method ^[4] 2) Soxhlet Extraction Method ^[4]
36	pH	Electrometric Method ^[4]
37	Phenols	1) Distillation, Chloroform Extraction Method ^[4] 2) Distillation, Direct Photometric Method ^[4]
38	Selenium	1) Digestion, Hydride Generation Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
39	Sulfide	1) Iodometric Method ^[4] 2) Methylene Blue Method ^[4]
40	Temperature	Laboratory and Field Methods ^[4]
41	Total Dissolved Solids	Dried at 180 °C ^[4]
42	Total Kjeldahl Nitrogen	1) Macro-Kjeldahl Method ^[4] 2) Semi-Micro-Kjeldahl Method ^[4]
43	Total Suspended Solids	Dried from 103 to 105 °C ^[4]
44	Trivalent Chromium	Calculation ^[4]
45	Zinc	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Method ^[4]

นาย
น้ำใต้ดิน...

น้ำใต้ดิน จำนวน 129 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
2	Acetone	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
3	Aldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
4	Aluminum	Digestion, Inductively Coupled Plasma Method ^[4]
5	Anthracene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
6	Antimony	Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
7	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
8	Atrazine	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
9	Barium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
10	Benzo(a)anthracene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
11	Benzene	Purge and Trap Gas Chromatographic/Mass spectrometric Method ^[4]
12	Benzo(b)fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
13	Benzo(k)fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
14	Benzoic acid	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
15	Benzo(a)pyrene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
16	Benzo(ghi)perylene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]

นาย
น้ำใต้ดิน...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
17	Beryllium	Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
18	Bis(2-chloroethyl)ether	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
19	Bis(2-ethylhexyl)phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
20	Bromodichloromethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
21	Bromoform	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
22	Butanol	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
23	Butyl benzyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
24	Cadmium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
25	Carbazole	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
26	Carbon disulfide	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
27	Carbon tetrachloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
28	Chlordane	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
29	p-Chloroaniline	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
30	Chlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
31	Chlorodibromomethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]

๓๖

32 Chloroform...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
32	Chloroform	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
33	2-Chlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
34	Chromium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
35	Chromium (III)	Calculation ^[4]
36	Chromium (VI)	1) Colorimetric Method ^[4] 2) Extraction, Air-Acetylene Flame Method ^[4]
37	Chrysene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
38	Copper	Digestion, Inductively Coupled Plasma Method ^[4]
39	Cyanide	1) Distillation, Titrimetric Method ^[4] 2) Distillation, Colorimetric Method ^[4]
40	2,4-D	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
41	DDD	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
42	DDE	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
43	DDT	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
44	Dibenz(a,h)anthracene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
45	Di-n-butyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
46	1,2-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]

๓๗

47 1,3-Dichlorobenzene...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
47	1,3-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
48	1,4-Dichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
49	3,3'-Dichlorobenzidine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
50	1,1-Dichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
51	1,2-Dichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
52	1,1-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
53	cis-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
54	trans-1,2-Dichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
55	2,4-Dichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
56	1,2-Dichloropropane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
57	1,3-Dichloropropane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
58	1,3-Dichloropropene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
59	Dieldrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
60	Diethyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
61	2,4-Dimethylphenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
62	2,4-Dinitrophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
63	2,4-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
64	2,6-Dinitrotoluene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
65	Di-n-Octyl phthalate	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
66	Endosulfan	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
67	Endrin	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
68	Ethylbenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
69	Fluoranthene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
70	Fluorene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
71	Heptachlor	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
72	Heptachlor epoxide	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
73	Hexachlorobenzene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
74	Hexachloro-1,3-butadiene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
75	n-Hexane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
76	α -HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
77	β -HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
78	γ -HCH	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
79	Hexachlorocyclopentadiene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
80	Hexachloroethane	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
81	Indeno(1,2,3-cd)pyrene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
82	Iron	Digestion, Inductively Coupled Plasma Method ^[4]
83	Isophorone	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
84	Lead	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
85	Manganese	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
86	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[4]
87	Methanol	Purge and Trap Gas Chromatographic/Mass spectrometric Method ^[4]
88	Methoxychlor	1) Liquid-Liquid Extraction, Gas Chromatographic Method ^[4] 2) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]

89 Methyl bromide...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
89	Methyl bromide	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
90	Methylene chloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
91	2-Methylphenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
92	2-Methylnaphthalene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
93	Methyl tert-butyl ether	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
94	Molybdenum	Digestion, Inductively Coupled Plasma Method ^[4]
95	Naphthalene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
96	Nickel	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
97	Nitrobenzene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
98	N-Nitrosodiphenylamine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
99	N-Nitrosodi-n-propylamine	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
100	PCBs	Liquid-Liquid Extraction, Gas Chromatographic Method ^[4]
101	Pentachlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
102	pH	Electrometric method ^[4]
103	Phenanthrene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
104	Phenol	1) Distillation, Chloroform Extraction Method ^[4] 2) Distillation, Direct Photometric Method ^[4] 3) Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
105	Pyrene	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]

106 Selenium...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
106	Selenium	1) Digestion, Hydride Generation Atomic Absorption Spectrometric Method ^[4]
107	Silver	2) Digestion, Inductively Coupled Plasma Method ^[4] 1) Digestion, Flame Atomic Absorption Spectrometric Method ^[4]
108	Styrene	2) Digestion, Inductively Coupled Plasma Method ^[4] Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
109	1,1,2,2-Tetrachloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
110	Tetrachloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
111	Toluene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
112	TPH (C ₅ -C ₈)	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[12,26]
113	TPH (C ₈ -C ₁₆)	1) Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[9,21] 2) Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass spectrometric Method ^[9,27]
114	TPH (C ₁₆ -C ₃₅)	1) Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[9,21] 2) Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass spectrometric Method ^[9,27]
115	1,2,4-Trichlorobenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
116	1,1,1-Trichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
117	1,1,2-Trichloroethane	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
118	Trichloroethylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
119	2,4,5-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]
120	2,4,6-Trichlorophenol	Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[4]

จนนี้

121 1,3,5-Trimethylbenzene...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
121	1,3,5-Trimethylbenzene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
122	Vanadium	Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]
123	Vinyl acetate	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
124	Vinyl chloride	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
125	m-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
126	o-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
127	p-Xylene	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
128	Xylene (Total)	Purge and Trap Gas Chromatographic/Mass Spectrometric Method ^[4]
129	Zinc	1) Digestion, Direct Air-Acetylene Flame Method ^[4] 2) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 3) Digestion, Inductively Coupled Plasma Spectrometric Method ^[4]

อากาศเสีย (ปล่องระบาย) จำนวน 27 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
2	Arsenic	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
3	Beryllium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]

จนนี้

4 Cadmium...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
4	Cadmium	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
5	Carbon monoxide	Instrumental Analyzer Method ^[5]
6	Chlorine	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
7	Chromium	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
8	Cobalt	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
9	Copper	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
10	Cresol	Adsorption Sampling, Gas Chromatographic Method ^[5]
11	Dioxin/Furans	Isokinetic Sampling ^[5]
12	Hydrogen chloride	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
13	Hydrogen Fluoride	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
14	Hydrogen Sulfide	Absorption Sampling, Iodometric Method ^[5]
15	Lead	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
16	Manganese	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
17	Mercury	Isokinetic Sampling, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[5]
18	Nickel	1) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5]

2) Isokinetic...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
19	Opacity	2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
20	Oxides of Nitrogen	Ringelmann's Method ^[11] 1) Absorption Sampling, Phenoldisulfonic acid Method ^[5] 2) Absorption Sampling, Ion Chromatographic Method ^[5] 3) Instrumental Analyzer Method ^[5]
21	Selenium	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
22	Sulfur dioxide	1) Isokinetic Sampling, Barium-Thorin Titrimetric Method ^[5] 2) Absorption Sampling, Barium-Thorin Titrimetric Method ^[5] 3) Instrumental Analyzer Method ^[5]
23	Sulfuric acid	Isokinetic Sampling, Barium-Thorin Titrimetric Method ^[5]
24	Tin	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
25	Total Suspended Particulate	1) Isokinetic Sampling, Gravimetric Method ^[5] 2) Paired Train, Isokinetic Sampling, Gravimetric Method ^[5]
26	Vanadium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
27	Xylene	1) Adsorption Sampling, Gas Chromatographic Method ^[5] 2) Adsorption Sampling, Gas Chromatographic/Mass Spectrometric Method ^[5]

สิ่งปลูกปลูกหรือวัสดุที่ไม่ใช่แล้ว จำนวน 34 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[3,6,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[3,6,9,27]

3) Soxhlet...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
2	Antimony	3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27] 1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[3,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,16] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
3	Arsenic	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[3,6,16] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,16] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
4	Barium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[3,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
5	Beryllium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
6	Cadmium	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[3,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
7	Chlordane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[3,9,22]

2) Waste Extraction...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
8	Chromium	2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[3,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27] 1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[3,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
9	Chromium (III)	Calculation ^[3,6,7,8,14,15,17]
10	Chromium (VI)	1) Waste Extraction, Colorimetric Method ^[3,17] 2) Alkaline Digestion, Colorimetric Method ^[8,17]
11	Cobalt	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
12	Copper	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[3,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
13	2,4-D	1) Waste Extraction, Gas Chromatographic/Mass Spectrometric Method ^[3,25] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25]
14	DDD	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[3,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[3,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22]

4) Soxhlet Extraction...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
15	DDE	4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27] 1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[3,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[3,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
16	DDT	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[3,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[3,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
17	Dieldrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[3,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[3,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
18	Endrin	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[3,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[3,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
19	Heptachlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[3,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[3,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]

3) Soxhlet Extraction...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
20	Lead	3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27] 1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[3,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
21	Lindane	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[3,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[3,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
22	Mercury	1) Waste Extraction, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[3,18] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 3) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[19] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
23	Methoxychlor	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[3,9,22] 2) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic/Mass Spectrometric Method ^[3,9,27] 3) Soxhlet Extraction, Gas Chromatographic Method ^[10,22] 4) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
24	Molybdenum	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]

25 Nickel...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
25	Nickel	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[3,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
26	PCBs	1) Waste Extraction, Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[3,9,23] 2) Soxhlet Extraction, Gas Chromatographic Method ^[10,23]
27	Pentachlorophenol	1) Waste Extraction, Gas Chromatographic/Mass Spectrometric Method ^[3,25] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25]
28	pH	Electrometric Method ^[31,32]
29	Selenium	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[3,6,20] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,20] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]
30	Silver	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
31	Thallium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
32	Trichloroethylene	1) Waste Extraction, Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[3,12,26] 2) Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[12,26]
33	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]

34 Zinc...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
34	Zinc	1) Waste Extraction, Digestion, Flame Atomic Absorption Spectrometric Method ^[3,6,15] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[3,6,14] 3) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 4) Digestion, Inductively Coupled Plasma Method ^[7,14]

ดิน จำนวน 129 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acenaphthene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
2	Acetone	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
3	Aldrin	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
4	Aluminum	Digestion, Inductively Coupled Plasma Method ^[7,14]
5	Anthracene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
6	Antimony	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,16] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
7	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,16] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
8	Atrazine	Ultrasonic Extraction, Gas Chromatographic Method ^[11,26]
9	Barium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
10	Benzo(a)anthracene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
11	Benzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]

12 Benzo(b)fluoranthene...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
12	Benzo(b)fluoranthene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
13	Benzo(k)fluoranthene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
14	Benzoic acid	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
15	Benzo(a)pyrene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
16	Benzo(ghi)perylene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
17	Beryllium	Digestion, Inductively Coupled Plasma Method ^[7,14]
18	Bis(2-chloroethyl)ether	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
19	Bis(2-ethylhexyl)phthalate	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
20	Bromodichloromethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
21	Bromoform	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
22	Butanol	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
23	Butyl benzyl phthalate	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
24	Cadmium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
25	Carbazole	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
26	Carbon disulfide	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
27	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
28	Chlordane	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
29	p-Chloroaniline	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
30	Chlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
31	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
32	Chloroform	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
33	2-Chlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
34	Chromium	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
35	Chromium (III)	Calculation ^[7,8,14,15,17]
36	Chromium (VI)	Alkaline Digestion, Colorimetric Method ^[8,17]
37	Chrysene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
38	Copper	Digestion, Inductively Coupled Plasma Method ^[7,14]
39	Cyanide	1) Extraction, Distillation, Titrimetric Method ^[28,29,30] 2) Extraction, Distillation, Colorimetric Method ^[28,29,30]
40	2,4-D	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[25]
41	DDD	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
42	DDE	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
43	DDT	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
44	Dibenz(a,h)anthracene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
45	Di-n-butyl phthalate	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
46	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
47	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
48	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
49	3,3'-Dichlorobenzidine	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
50	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
51	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
52	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
53	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
54	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
55	2,4-Dichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
56	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
57	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
58	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
59	Dieldrin	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
60	Diethyl phthalate	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
61	2,4-Dimethylphenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
62	2,4-Dinitrophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
63	2,4-Dinitrotoluene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
64	2,6-Dinitrotoluene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
65	Di-n-Octyl phthalate	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
66	Endosulfan	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
67	Endrin	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
68	Ethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
69	Fluoranthene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
70	Fluorene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
71	Heptachlor	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
72	Heptachlor epoxide	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
73	Hexachlorobenzene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
74	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
75	n-Hexane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
76	α -HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
77	β -HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
78	γ -HCH	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
79	Hexachlorocyclopentadiene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
80	Hexachloroethane	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
81	Indeno(1,2,3-cd)pyrene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
82	Iron	Digestion, Inductively Coupled Plasma Method ^[7,14]
83	Isophorone	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
84	Lead	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
85	Manganese	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
86	Mercury	1) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[19] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
87	Methanol	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,21] 2) Equilibrium Headspace, Gas Chromatographic Method ^[11,21]

88 Methoxychlor...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
88	Methoxychlor	1) Ultrasonic Extraction, Gas Chromatographic Method ^[11,22] 2) Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
89	Methyl bromide	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
90	Methylene chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
91	Molybdenum	Digestion, Inductively Coupled Plasma Method ^[2,3]
92	2-Methylphenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
93	2-Methylnaphthalene	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
94	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
95	Naphthalene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
96	Nickel	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15] 2) Digestion, Inductively Coupled Plasma Method ^[7,14]
97	Nitrobenzene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
98	N-Nitrosodiphenylamine	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
99	N-Nitrosodi-n-propylamine	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
100	PCBs	Soxhlet Extraction, Gas Chromatographic Method ^[10,23]
101	Pentachlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[24]
102	pH	Electrometric Method ^[4]
103	Phenanthrene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
104	Phenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
105	Pyrene	Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]

106 Selenium...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
106	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,20]
		2) Digestion, Inductively Coupled Plasma Method ^[7,14]
107	Silver	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15]
		2) Digestion, Inductively Coupled Plasma Method ^[7,14]
108	Styrene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
109	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
110	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
111	Toluene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
112	TPH (C ₅ -C ₈)	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
113	TPH (C ₈ -C ₁₆)	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,21]
		2) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
114	TPH (C ₁₆ -C ₃₅)	1) Soxhlet Extraction, Gas Chromatographic Method ^[10,21]
		2) Soxhlet Extraction, Gas Chromatographic/Mass Spectrometric Method ^[10,27]
115	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
116	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
117	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
118	Trichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
119	2,4,5-Trichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]
120	2,4,6-Trichlorophenol	Ultrasonic Extraction, Gas Chromatographic/Mass Spectrometric Method ^[11,27]

121 1,3,5-Trimethylbenzene...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
121	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
122	Vanadium	Digestion, Inductively Coupled Plasma Method ^[7,14]
123	Vinyl acetate	Purge and Trap, Gas Chromatographic/Mass spectrometric Method ^[13,26]
124	Vinyl chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
125	m-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
126	o-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
127	p-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
128	Xylene (Total)	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[13,26]
129	Zinc	1) Digestion, Flame Atomic Absorption Spectrometric Method ^[7,15]
		2) Digestion, Inductively Coupled Plasma Method ^[7,14]

เอกสารอ้างอิง

- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณเขม่าควันที่เจือปนในอากาศที่ระบายออกจากปล่องของหม้อน้ำโรงสีข้าวที่ใช้แก๊สเป็นเชื้อเพลิง.
- ราชกิจจานุเบกษา. 4 ธันวาคม 2549. เล่มที่ 123 ตอนพิเศษ 125ง.
- สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย. คู่มือวิเคราะห์น้ำเสีย. พิมพ์ครั้งที่ 4. กรุงเทพฯ: เรือนแก้วการพิมพ์, 2547.
- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2566. เรื่อง การจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว.ราชกิจจานุเบกษา. 31 พฤษภาคม 2566. เล่มที่ 140 ตอนพิเศษ 126 ง.
- APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater**. 24th ed. Washington, DC: APHA, 2023.
- United States Environmental Protection Agency. **Standards of Performance for New Stationary Sources**. 40 CFR 60. Appendix A, 2023.
- United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. SW-846**, 2014.
- United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Acid Digestion of Sediments, Sludges, and Soils. SW-846 Method 3050B**, 1996.

8. United States...

8. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Alkaline Digestion for Hexavalent Chromium. SW-846 Method 3060A**, 1996.
9. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Separatory Funnel Liquid-Liquid Extraction. SW-846 Method 3510C**, 1996.
10. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Soxhlet Extraction. SW-846 Method 3540C**, 1996.
11. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Ultrasonic Extraction. SW-846 Method 3550C**, 2007.
12. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Purge-and-Trap for Aqueous Samples. SW-846 Method 5030C**, 2003.
13. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Closed-System Purge-and-Trap and Extraction for Volatile Organics in Soil and Waste Samples. SW-846 Method 5035**, 1996.
14. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Inductively Coupled Plasma-optical Emission Spectrometry. SW-846 Method 6010D**, 2018.
15. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Flame Atomic Absorption Spectrophotometry. SW-846 Method 7000B**, 2007.
16. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Antimony and Arsenic (Atomic Absorption, Borohydride Reduction). SW-846 Method 7062**, 1994.
17. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chromium, Hexavalent (Colorimetric), SW-846 Method 7196A**, 1992.
18. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Liquid Waste (Manual Cold-Vapor Technique, SW-846 Method 7470A**, 1994.
19. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique, SW-846 Method 7471B**, 2007.
20. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Selenium (Atomic Absorption, Borohydride Reduction), SW-846 Method 7742**, 1994.

21. United States...

21. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Nonhalogenated Organics Using GC/FID. SW-846 Method 8015D**, 2003.
22. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organochlorine Pesticide by Gas Chromatography. SW-846 Method 8081B**, 2007.
23. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Polychlorinated Biphenyls (PCBs) By Gas Chromatography. SW-846 Method 8082A**, 2007.
24. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organophosphorus Compounds by Gas Chromatography. SW-846 Method 8141B**, 2007.
25. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chlorinated Herbicides By GC Using Methylation or Pentafluorobenzoylation Derivatization. SW-846 Method 8151A**, 1996.
26. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Volatile Organic Compounds by Gas Chromatography/ Mass Spectrometry (GC/MS). SW-846 Method 8260D**, 2018.
27. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **SemiVolatile Organic Compounds by Gas Chromatography/Mass Spectrometry. SW-846 Method 8270E**, 2018.
28. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Total and Amenable Cyanide: Distillation. SW-846 Method 9010C**, 2004.
29. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Cyanide Extraction Procedure for Solids and Oils. SW-846 Method 9013A**, 2014.
30. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Cyanide in Waters and Extracts Using Titrimetric and Manual Spectrophotometric. SW-846 Method 9014**, 2014.
31. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **pH Electrometric Measurement. SW-846 Method 9040C**, 2004.
32. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Solid and Waste pH. SW-846 Method 9045D**, 2004.

๑๗

ภาคผนวก จ

สรุปเอกสารการสอบเทียบอุปกรณ์เครื่องมือ

ANALYTICAL BALANCE (DU)

Model : XS205DU

Serial No. : B344940005

Certificate No.	25-205716
Sample Code	25-90375-0

CERTIFICATE OF CALIBRATION

Customer : EASTERN IIIAI CONSULTING 1992 CO., LTD.
683 Moo 11, Sukhapiarn 8 Rd, Nongkhain,
Siracha, Chonburi 20230

Location of Calibration : EASTERN THAI CONSULTING 1992 CO., LTD.
(Analytical Balance Room)

Equipment : ELECTRONIC BALANCE

Manufacturer : METTLER TOLEDO

Model : XS205DU

Serial No. : B344940005

ID No.: LABI 05/3

Date of Receipt : 26 November 2025

Date of Calibration : 26 November 2025

Calibrated by	Mr. Thanadol Pholthep	Approved by	(Mr. Somchai Neampunt) ^v
	Scientist		Signed for Director

Issue date
28 November 2025

the uncertainties are for a confidence probability of approximately 95%.

This certificate is issued in accordance with the conditions of accreditation granted by the Thai Laboratory Accreditation scheme which has assessed the measurement capability of the laboratory and its traceability to recognized national standards and to the unit of measurement realized at the corresponding national standards laboratory. This certificate may not be reproduced other than in full except with the prior written approval of the Asia Medical and Agricultural Laboratory and Research Center Public Company Limited (AMALAC).

REPORT OF CALIBRATION

Equipment :	ELECTRONIC BALANCE
Manufacturer :	METTLER TOLEDO
Model :	XS205DU
Capacity :	Max 811 g / 200 g
Resolution :	0.00001 g / 0.0001 g
Serial No. :	B344940005
ID No. :	LABE 05/3

Result of Calibration

1. Test weight and repeatability of reading

Repeatability is a measure of the ability of a balance to supply the same result in repetitive weighings with one and the same load under the same measurement condition. The measurement of the repeatability must include both the balance specifications and the ambient (vibration, fluctuating air current/temperature/humidity, etc.). Operator handling of the balance is also included in the standard deviation.

Unit : 9		Range :	81	☐ Before adjustment	☐ After adjustment
Nominal value				40	80
☒ No adjustment	Standard weight			40.000087	80.000088
☐ Adjustment	Average reading of indicator			40.000004	80.000004
	Standard deviation			0.000007	0.000007

Unit :	g	Range :	200	☐ Before adjustment	☐ After adjustment
☒ No adjustment ☐ Adjustment					
Nominal value		100 200			
Standard weight		99.999988 200.000015			
Average reading of indicator		99.9999 199.9997			
Standard deviation		0.00005 0.00005			

REPORT OF CALIBRATION

Result of Calibration

2. Sensitivity or value of a scale division

Change in the output variable of a measuring instrument divided by the associated change in the input variable

Unit : g		Range : 81		Range : 200	
Test Point	Sensitivity, S	Test Point	Sensitivity, S	Test Point	Sensitivity, S
0	1.00000	0	1.00000	0	1.00000
40	1.00000	100	1.00000	100	1.00000
80	1.00000	200	1.00000	200	1.00000

3. Departure of indication from nominal value, Linearity

Unit : g		Standard Value		Average Reading of Indicator		Correction Value		Expanded Uncertainty		Coverage Factor (k)	
Nominal Value											
Unload	0.000000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	2.04	2.04
0.01	0.0100016	0.01000	0.01000	0.01000	0.00000	0.00000	0.00000	0.00000	0.00000	2.04	2.04
0.1	0.1000056	0.10000	0.10000	0.10000	0.00000	0.00000	0.00000	0.00000	0.00000	2.02	2.02
1	1.0000110	1.00000	1.00000	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000	2.01	2.01
5	4.9999996	4.99999	4.99998	4.99998	0.00000	0.00000	0.00000	0.00000	0.00000	2.00	2.00
10	9.9999994	9.99999	9.99999	9.99999	0.00000	0.00000	0.00000	0.00000	0.00000	2.00	2.00
20	20.0000042	20.00000	20.00000	20.00000	0.00000	0.00000	0.00000	0.00000	0.00000	2.00	2.00
50	50.0000052	50.00000	50.00003	50.00003	0.00000	0.00000	0.00000	0.00000	0.00000	2.00	2.00
100	99.9999988	100.00000	100.00000	100.00000	0.00000	0.00000	0.00000	0.00000	0.00000	2.00	2.00
150	150.0000040	150.00000	150.00000	150.00000	0.00000	0.00000	0.00000	0.00000	0.00000	2.00	2.00
200	200.0000015	200.00000	200.00000	200.00000	0.00000	0.00000	0.00000	0.00000	0.00000	2.00	2.00

The result combined uncertainty of measurement U is stated as the standard uncertainty multiplied by the coverage factor $k = 2$, which for a normal distribution corresponds to a coverage probability of approximately 95%. The standard uncertainty of the measurement has been determined in accordance with ISO 91:2013.

(Signature) (Name) (Thailand) Bangkok, 17/07/24

16.03

Effective Date 16/07/24


COPY

REPORT OF CALIBRATION

Result of Calibration :

4. Eccentric or off-centre loading

Deviation of the measurement value through off-center (eccentric) loading. The carrier load increases with the weight of the load and its removal from the center of the pan support



Weighing pan		Test weight : 50 and 100	
		Unit : g	
Range	Position	Reading of indicator	Reaching of indicator
1	50.00000	49.99997	100.00000
2	49.99997	49.99999	100.00000
3	49.99999	50.00003	100.00000
4	50.00003	50.00000	100.00000
5	50.00000	50.00000	100.00000
6	0.00007	0.00000	0.00000

Condition of Calibration

1. Calibration Method : Weighing Method based on JIS S 4014

2. This result of calibration was found accurate as shown on data and places of calibration only

3. Condition of Calibration item : Normal

4. This certification is traceable to the International System of Unit maintained at the reference standard laboratory of Asia Medical and Agricultural Laboratory and Research Center Public

Company Limited (Instrument number 1)

5. Reference standard instrument

Instrument

1) STANDARD WEIGHT 1mg to 1kg

Class : E2 LB WE 75

Due Date : 18 July 2026

End of Report

COPY

(Signature) (Name) (Thailand) Bangkok, 17/07/24

16.03

Effective Date 16/07/24

ANALYTICAL BALANCE

Model : SECURA224-1S

Serial No. : 0036707137

NSC-TS1-TS17025
CALIBRATION0152

Page 1 of 4

Certificate No. : 25-205715
Sample Code : 25-90375-005

CERTIFICATE OF CALIBRATION

Customer : EASTERN THAI CONSULTING 1992 CO., LTD.
683 Moo 11, Sukhapibarn 8 Rd, Nongkham,
Sriracha, Chonburi 20230Location of Calibration : EASTERN THAI CONSULTING 1992 CO., LTD.
(Analytical Balance Room)

Equipment : ELECTRONIC BALANCE

Manufacturer : SARTORIUS

Model : SECURA224-1S

Serial No. : 0036707137

ID No. : LABE 05/2

Date of Receipt : 26 November 2025

Date of Calibration : 26 November 2025

Calibrated by : Mr. Pisek Into (Mr. Somchai Neampunt)

Scientist

Issue date : 28 November 2025

The uncertainties are for a confidence probability of approximately 95%.

The calibration result is applied only to the above calibrated item and was found accurate as shown on date and place of calibration only.

This Certificate is issued in accordance with the conditions of accreditation granted by the Thai Laboratory Accreditation scheme which has assessed the measurement capability of the laboratory and its traceability to recognized national standards and to the unit of measurement realized at the corresponding national standards laboratory. This certificate may not be reproduced other than in full except with the prior written approval of the Asia Medical and Agricultural Laboratory and Research Center Public Company Limited (AMARC).

NSC-TS1-TS17025
CALIBRATION0152

Page 2 of 4

Certificate No. : 25-205715
Sample Code : 25-90375-005

REPORT OF CALIBRATION

Equipment : ELECTRONIC BALANCE
Manufacturer : SARTORIUS
Model : SECURA224-1S
Capacity : Max 220 g
Resolution : 0.0001 g
Serial No. : 0036707137
ID No. : LABE 05/2

Result of Calibration

1. Test weight and repeatability of reading

Repeatability is a measure of the ability of a balance to supply the same result in repetitive weighings with one and the same load under the same measurement condition. The measurement of the repeatability must include both the balance specifications and the ambient (vibration, fluctuating air current/temperature/humidity, etc.) Operator handling of the balance is also included in the standard deviation.

Unit : g	Range : 220	Before adjustment	After adjustment
No adjustment	Nominal value	100 200 100 200	
Adjustment	Standard weight	100.000045 200.000047 100.000045 200.000047	
	Average reading of indicator	99.9999 199.9998 100.0000 200.0000	
	Standard deviation	0.00006 0.00008 0.00005 0.00005	
Unit : g	Range :	Before adjustment	After adjustment
No adjustment	Nominal value		
Adjustment	Standard weight		
	Average reading of indicator		
	Standard deviation		

COPY



Certificate No. : 25-205715

Sample Code : 25-90375-005

NSC-TISI-TSI7025
CALIBRATION 0152

Page 3 of 4

REPORT OF CALIBRATION

Result of Calibration

2. Sensitivity or value of a scale division

Change in the output variable of a measuring instrument divided by the associated change in the input variable.

Unit : g

Range : 220

Test Point	Sensitivity, S	Test Point	Sensitivity, S
0	1.0966		
100	0.9969		
200	0.9969		

3. Departure of indication from nominal value, Linearity

Unit : g

Nominal Value	Standard Value	Average Reading of Indicator	Correction Value	Expanded Uncertainty	Coverage Factor (k)
Unload	0.0000000	0.0000	0.0000	0.000094	2.01
0.01	0.0100031	0.0100	0.0000	0.000094	2.01
0.1	0.1000023	0.1000	0.0000	0.000094	2.01
1	1.0000136	1.0000	0.0000	0.000095	2.01
2	2.0000101	2.0000	0.0000	0.000095	2.01
5	5.0000210	5.0000	0.0000	0.000096	2.01
10	10.000002	10.0000	0.0000	0.000097	2.01
20	20.000033	20.0000	0.0000	0.00011	2.01
50	50.000016	50.0000	0.0000	0.00012	2.01
100	100.000045	100.0000	0.0000	0.00016	2.00
200	200.000047	200.0000	0.0000	0.00027	2.00

The result expanded uncertainty of measurement U is stated as the standard uncertainty of measurement multiplied by coverage factor k , which for a normal distribution corresponds to a coverage probability of approximately 95%. The standard uncertainty of measurement has been determined in accordance with UKAS M3003.

361 Soi Ladprao 122, Ladprao Road,
Phaholphi, Wang Thonglang, Bangkok 10310
FM-CL 084

TEL 02-516 2422
FAX 02-516-6949
Rev 03

CONTACT : AMARC CO TH
WWW.AMARC.CO.TH
Effective Date 15/10/21

COPY

[Signature]

NSC-TISI-TSI7025
CALIBRATION 0152

Page 4 of 4

Certificate No. : 25-205715

Sample Code : 25-90375-005


REPORT OF CALIBRATION

Result of Calibration

4. Eccentric or off centre loading

Deviation of the measurement value through off - center (eccentric) loading. The corner load increases with the weight of the load and its removal from the center of the pan support.

☐ Triangular																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
-------------------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--



Condition of Calibration

1. Calibration Method : WI-CL-004 base on UKAS LAB 14: 2019
2. This result of calibration was found accurate as shown on date and place of calibration only.
3. Condition of Calibration item: Normal
4. This certification is traceable to the International System of Unit maintained at :
- Through the reference standard laboratory of Asia Medical and Agricultural Laboratory and Research Center Public Company Limited (Instrument number 1).
5. Reference standard instrument :

Instrument

1) STANDARD WEIGHT 1 mg to 1 kg

Class E2
ID No. LB-WE/79

Certificate No. 25-142885

Due Date 27 July 2026

- End of Report

[Signature]

COPY

CONTACT : AMARC CO TH
WWW.AMARC.CO.TH
Effective Date 15/10/21

361 Soi Ladprao 122, Ladprao Road,
Phaholphi, Wang Thonglang, Bangkok 10310
FM-CL 084

TEL 02-516 2422
FAX 02-516-6949
Rev 03

BOD INCUBATOR

Model : LABE 19/3



CERTIFICATE OF CALIBRATION

Page 1 of 3

Certificate No. : 25-118065

Sample Code : 25-51697-001

Customer : EASTERN THAI CONSULTING 1992 CO., LTD.
683 Moo 11, Sukhaphiban 8 Rd., Nongkham,
Sriacha, Chonburi 20230

Location of Calibration : EASTERN THAI CONSULTING 1992 CO., LTD.
(Laboratory)

Equipment : Temperature controlled enclosures (Incubator)
Manufacturer : บริษัท เคซีเอสเอ็น : N/A
Serial No. : S43020027 ID No. : LABE 19/3
Date of Receipt : 25 June 2025 Date of Calibration : 25 June 2025

Condition of Calibration

1. Environment
1.1 Ambient temperature : Maximum 34.6 °C : Minimum 32.2 °C
1.2 Relative humidity : Maximum 64.0 % : Minimum 58.7 %
1.3 Line voltage supplied : Maximum 224.5 VAC : Minimum 223.8 VAC

2. Calibration method

TLAS-G-20: Guidelines for calibration and checks of temperature controlled enclosures.

3. Reference standard instrument

Instrument	ID No.	Certificate No.	Due Date
Data Acquisition With Sensor (RTD-PH00)	LB-DA-08 (RTD-411 to RTD 419)	25-062913	18 May 2026

4. This certificate is traceable to the international system of unit (SI Unit).

The measurement is traceable to Asia Medical and Agricultural Laboratory and Research Center Public Company Limited.

5. This result of calibration was found accurate as shown on date and place of calibration only.

6. Condition of calibration item : Normal

Calibrated by : Mr. Pattanapong Pungern Approved by : (Mr. Somchai Neamnum)

Scientist

Issue date : 26 June 2025

The measurement is traceable to the international system of unit (SI Unit).

The measurement is traceable to the international system of unit (SI Unit).

This Certificate is issued in accordance with the conditions of accreditation granted by the Thai Laboratory Accreditation Scheme which has been found to be in compliance with the requirements of the International Standard for Calibration Laboratories (ISO/IEC 17025:2017). The certificate may not be reproduced other than at all except with the prior written approval of the Asia Medical and Agricultural Laboratory and Research Center Public Company Limited (AMARC).

361 Soi Ladprao 122, Ladprao Road,
Phlabphla, Wang Thonglang, Bangkok 10310
FM CL 114
TEL 02-516-2422
FAX 02-516-6949
Rev 01
CONTACT@AMARC.CO.TH
WWW.AMARC.CO.TH
Life : until 15/07/21



REPORT OF CALIBRATION

Page 2 of 3

Certificate No. : 25-118065

Sample Code : 25-51697-001

Results of Calibration

Resolution : 0.1 °C

1. Reporting of Temperature

Calibration point (°C)	UUC* setting (°C)	UUC* reading (°C)	Measured temperature at each positions (°C)								Uncertainty ± (°C)	Coverage factor k	
			# 1	# 2	# 3	# 4	# 5	# 6	# 7	# 8			# g ^{ref}
20	20.0	20.0	20.61	20.42	19.97	19.90	20.29	20.47	20.25	19.96	20.18	0.24	2.00

2. Characterization results

Calibration point (°C)	Stability ± (°C)	Uniformity (°C)	Overall variation (°C)
20	0.09	0.46	0.69

Notes

UUC* = Unit Under Calibration

COPY

361 Soi Ladprao 122, Ladprao Road,
Phlabphla, Wang Thonglang, Bangkok 10310
TEL 02-516-2422
FAX 02-516-6949
Rev 01
CONTACT@AMARC.CO.TH
WWW.AMARC.CO.TH
Life : until 15/07/21



REPORT OF CALIBRATION

Certificate No. : 25-118065

Sample Code : 25-51697-001

Results of Calibration

Notes

1. Sensor installation locations
 - 1.1 All sensors at any corners or walls should be positioned 5 cm (a x b x c) from the wall.
 - 1.2 The reference sensor is preferably located of the geometric center of the chamber.
2. Interior dimensions approx of chamber :
W = 70 cm ; D = 55 cm ; H = 140 cm
3. Air valve or fresh air level : Off
4. Fan level : Open
5. The quoted uncertainty includes "Stability of chamber and loading effect in chamber at 20% of uniformity".


6. Uniformity - the maximum difference of measured temperatures at any sensors and the measured temperature at the reference location which are observed at the same time.

7. Stability - one-half of the greatest maximum difference of measured temperatures at any one sensor.

8. Overall variation - the difference of the maximum and the minimum measured temperatures throughout observation time.

9. UUC* reading - the average reading of indicating device that forms the integral part of the enclosure.

10. Calibration results without adjustment.

Figure: Example of sensor
installation Positions

The result reported on charts of the chamber is based on the standard uncertainty of two significant figures. The uncertainty factor A, which is a no more than 1.4, has been expanded to a coverage probability of approximately 95%. The standard uncertainty has been determined by a statistical analysis with UKAS N27001.

End of Report -

COPY

BOD INCUBATOR

Model : LABE 19/5



CERTIFICATE OF CALIBRATION

Page 1 of 3

Certificate No. : 26-031063

Sample Code : 26-013575-002

Customer : EASTERN THAI CONSULTING 1992 CO., LTD.
683 Moo 11, Sukhapiarn 8 Rd., Nongkham,
Sriacha, Chonburi 20230

Location of Calibration : EASTERN THAI CONSULTING 1992 CO., LTD.
(Laboratory)

Equipment : Temperature controlled enclosures (incubator)
Manufacturer : Lovibond
Model : TC 445 S
Serial No. : 0520/005227
ID No. : LABE 19/5
Date of Receipt : 24 February 2026
Date of Calibration : 24 February 2026

Condition of Calibration

1. Environment
1.1 Ambient temperature : Maximum 32.3 °C : Minimum 30.1 °C
1.2 Relative humidity : Maximum 56.5 % : Minimum 49.3 %
1.3 Line voltage supplied : Maximum 230.6 VAC : Minimum 225.3 VAC

2. Calibration method

TLAS-G-20: Guidelines for calibration and checks of temperature controlled enclosures.

3. Reference standard instrument

Instrument	ID No.	Certificate No.	Due Date
Date Acquisition With Sensor (RTD-P100)	LB-DA-11 (RTD-441 to RTD-449)	25-040942	01 April 2026

4. This certificate is traceable to the international system of unit (SI Unit).

The measurement is traceable to Asia Medical and Agricultural Laboratory and Research Center Public Company Limited.

5. This result of calibration was found accurate as shown on date and place of calibration only.**6. Condition of calibration item** : Normal**Calibrated by**

Mr. Pattanapong Pulingern

Scientist

Approved by

(Mr. Nuttaput Timula)

Signed for Director

Issue date

27 February 2026

The uncertainties are for a confidence probability of approximately 95%.

The calibrated result is applied only to the above calibrated item and was found accurate as shown on date and place of calibration only.

This Certificate is issued in accordance with the conditions of accreditation granted by the Thai Laboratory Accreditation scheme which has been approved by the Ministry of Commerce of Thailand. This certificate may not be laboratory and its traceability to recognized national standards and to the unit of measurement retained at the corresponding national standards laboratory. This certificate may not be reproduced other than in full except with the prior written approval of the Asia Medical and Agricultural Laboratory and Research Center Public Company Limited (AMARC).

361 Soi Ladprao 122, Ladprao Road,
Phlabphla, Wang Thonglang, Bangkok 10310
THAILAND

TEL 02-516 7472
FAX 02-516 1949
404 01

CONTACT@AMARC.CO.TH
WWW.AMARC.CO.TH
Effective Issue 26/02/21



REPORT OF CALIBRATION

Page 2 of 3

Certificate No. : 26-031063

Sample Code : 26-013575-002

Results of Calibration

Resolution : 0.1 °C

1. Reporting of Temperature

Calibration point (°C)	UUC* setting (°C)	UUC* reading (°C)	Measured temperature at each positions (°C)								Uncertainty ± (°C)	Coverage factor k	
			# 1	# 2	# 3	# 4	# 5	# 6	# 7	# 8			# 9 th
20	20.5	20.5	19.84	19.83	19.85	19.83	19.80	19.70	19.88	19.70	19.72	0.40	2.00

2. Characterization results

Calibration point (°C)	Stability ± (°C)	Uniformity (°C)	Overall variation (°C)
20	0.30	0.32	0.70

Notes

* UUC* = Unit Under Calibration

361 Soi Ladprao 122, Ladprao Road,
Phlabphla, Wang Thonglang, Bangkok 10310
THAILAND

TEL 02-516 7472
FAX 02-516-5949
Rev 00

CONTACT@AMARC.CO.TH
WWW.AMARC.CO.TH
Effective Issue 26/02/21



MSC-TS1-TS17025
CALIBRATION 0152

Page 3 of 3

Certificate No. : 28-031063

Sample Code : 26-013575-002

REPORT OF CALIBRATION

Results of Calibration

Notes

1. Sensor installation locations
 - 1.1 All sensors at any corners or walls should be positioned 5 cm (a x b x c) from the wall.
 - 1.2 The reference sensor is preferably located of the geometric center of the chamber.
2. Interior dimensions approx of chamber :
W = 60 cm ; D = 56 cm ; H = 146 cm
3. Air valve or fresh air level : Off
4. Fan level : Open
5. The quoted uncertainty includes "Stability of chamber and loading effect in chamber at 20% of uniformity".
6. Uniformity : the maximum difference of measured temperatures at any sensors and the measured temperature at the reference location which are observed at the same time.
7. Stability : one-half of the greatest maximum difference of measured temperatures at any one sensor.
8. Overall variation : the difference of the maximum and the minimum measured temperatures throughout observation time.
9. UUC* reading : the average reading of indicating device that forms the integral part of the enclosure.
10. Calibration results without adjustment.




Figure: Example of sensor
installation positions

*The result expanded uncertainty of measurement U is stated as the standard uncertainty of measurement multiplied by the coverage factor k , which for a normal distribution corresponds to a coverage probability of approximately 95%. The standard uncertainty of measurement has been determined in accordance with UKAS M0003

End of Report

COPY

DRY GAS METER XC-572-V

Serial No. : 1110070



WISDOM SCIENCE

Certificate Of Calibration

Method 5 Pre-Test Console Calibration - Cubic meter (m3)

Meter Console Information

Console Model : XC-572-V
 Console serial : 1110070
 DGM Model #: SK25EX
 DGM Serial #: 00010036

Calibration Condition

Cal. Date: 30-Jul-25
 Due Date: 30-Jul-26
 Cal. Report No.: WDS-SV6806004
 Ambient Temp (°C): 25
 Pressure (mm Hg): 758
 Relative Humidity (%): 60

Factors/Conversion

Std. Temp. (°K): 298
 Std. Pressure (mm Hg): 760
 K_1 (K/mm Hg): 0.3857

Reference Equipment

WTM Model: W-NKoDa-5B WTM Cal. Due Date: Dec. 2026
 WTM Serial: 600245 Gamma: 1.0000

UUT Meter (DGM)

Reference Meter (WTM)

Run Time (minutes)	DGM Orifice (mm H ₂ O)	Volume		Outlet Temp		Volume		Outlet Temp	
		Initial V_{mi}	Final V_{mf}	Initial t_{mi}	Final t_{mf}	Initial V_{ri}	Final V_{rf}	Initial t_{ri}	Final t_{rf}
15.00	13.0	2.1638	2.3279	28	28	126.27216	126.43261	26	26
10.00	25.0	2.3396	2.4977	28	28	126.44405	126.59853	27	27
8.00	50.0	2.5143	2.6957	29	29	126.61477	126.79196	27	27
7.00	80.0	2.7083	2.9147	29	29	126.80434	127.00613	27	27
5.00	120.0	2.9325	3.1125	31	31	127.02345	127.19970	27	27

Standardized Data

Calibration Results

Test Meter		Reference Meter		Correction Factor		Flow Rate	ΔH (mm H ₂ O)	
Std. Volume $V_{m(std)}$ (m ³)	Std. Flow Rate $Q_{m(std)}$ m ³ /min	Std. Volume $V_{r(std)}$ (m ³)	Std. Flow Rate $Q_{r(std)}$ m ³ /min	"Gamma" (Y)	Variation (ΔY)	Std & Corr $Q_{m(std)(corr)}$	ΔH_{sc}	Variation $\Delta \Delta H_{sc}$
0.160	0.011	0.157	0.010	0.983	0.003	0.010	52.228	4.584
0.154	0.015	0.150	0.015	0.977	-0.002	0.015	48.640	0.997
0.176	0.022	0.173	0.022	0.979	-0.001	0.022	47.347	-0.296
0.201	0.029	0.197	0.028	0.977	-0.003	0.028	44.980	-2.563
0.175	0.035	0.172	0.034	0.982	0.003	0.034	45.022	-2.622
				0.980	= Y Avg.			
						47.644	= ΔH Avg.	

Pass/Fail Result: Pass

Note: For Calibration Factor Y, the ratio of the reading of the calibration meter to the dry gas meter, acceptable tolerance of individual values from the average is ± 0.02 .Note: For ΔH_{sc} , orifice pressure differential that equates to 0.75cfm (0.0212m³/min) at standard temperature and pressure, acceptable tolerance of individual values from the average is ± 0.2 inches (5.1mm) H₂O.

Approved By:

Patpasu Chaisana
 (Patpasu Chaisana)
 Service Manager

Date: 30-Jul-25

COPY

Certificate of Calibration - Supplemental

METHOD 5 PRE-TEST CONSOLE CALIBRATION

Nomenclature

Equations

Calibration Train

P_b - Barometric Pressure
 DGM - Dry Gas Meter
 K_1 - Constant based on standard temp and press
 θ - Run time, in minutes
 P_m - ΔH (Meter Pressure, gauge)
 V_m - Volume collected by test meter, corrected for STP
 $Q_{m(std)}$ - Calculated flow rate of test meter
 K' - Critical orifice coefficient
 P_r - Measured pressure of reference meter
 t_r - Temperature measured in reference meter
 t_m - Temperature measured in test meter
 Y - Ratio of volume collected from test meter and orifice
 sc - Scaling Factor
 $Counts_{std}$ - Number of pulse counts, standardized
 $Counts_{total}$ - Number of raw pulse counts of a calibration run

$$V_{w(std)} = Y * K_1 \frac{V_w * (P_{bar} + \frac{P_{m(g)}}{13.6})}{T_w}$$


$$V_{m(std)} = Counts_{std} * Y_{sc(avg)}$$

$$Counts_{std} = K_1 \frac{C_{total} * (P_{bar} + \frac{P_{m(g)}}{13.6})}{T_m}$$

$$Q_{w(std)} = \frac{V_{w(std)}}{\theta} \quad Y_{sc} = \frac{V_{w(std)}}{Counts_{std}}$$


$$K_1 = \frac{T_{std}}{P_{std}} \quad Y = \frac{V_{cr(std)}}{V_{m(std)}}$$

$$Metric \Delta H_a = \frac{P_{m(g)} * 0.0011696 * (P_{bar} + \frac{P_{m(g)}}{13.6})}{T_m} * \left(\frac{T_r * \theta}{V_{cr} * P_{m(g)}} \right)^2$$



Calibration Graphs


Meter Pressure vs Flowrate



Console Serial: 1110070

Console Model: XC-572-V

Meter Gamma vs Flowrate



Console Serial: 1110070

Console Model: XC-572-V

WISDOM SCIENCE

TEMPERATURE DISPLAY CALIBRATION

Motor Console Information:

Console Model: XC-572-V
Console serial: 1110070
Temp Indicator Model: 765-KF
Temp Indicator Serial: JC20668

Calibration Conditions:

Cal. Date: 30-Jul-25
Due Date: 30-Jul-28
Cal. Report No.: WDS-SV806004
Ambient Temp. (°C): 25
Pressure (mm Hg): 758
Humidity (%): 80

Reference Equipment

Temp Meter Model: Fluke 714B
Serial No.: 60560035
Cal. Date: 07-Apr-25
Temp Meter Model: Fluke 179
Serial No.: 56620112
Cal. Date: 08-Feb-25

Temperature Sensor Calibration

Reference Point	Ref. Thermometer Temperature	Thermocouple Display Temperature	Temperature Difference
#	°C	°C	°C
1	-18.0	-18.0	0.0
2	38.0	38.0	0.0
3	93.0	93.0	0.0
4	148.0	148.0	0.0
5	280.0	280.0	0.0
6	371.0	371.0	0.0
7	432.0	432.0	0.0
8	593.0	593.0	0.0
9	818.0	817.0	-1.0
10	1038.0	1039.0	-1.0
Maximum ¹			1.0

Note

¹ For valid test results, the maximum difference between temperature readings should be $\pm 1.0^{\circ}\text{C}$ (EPA Method 5, Section 6.1.1.8).
Perform all TC Channel calibrations. Except meter (DGM) channel

PASS

DGM Out Temperature Sensor Calibration

Temperature point	Ref. Thermometer Temperature	Thermocouple Display Temperature	Temperature Difference
#	°C	°C	°C
Ice	0.0	0.0	0.0
Ambient	26.5	27.0	-0.5
Heat	109.8	110.0	-0.2
Difference Range			
Temp. Difference	$\pm 2^{\circ}\text{F}$ or $\pm 1.1^{\circ}\text{C}$		

PASS

Note

The temperatures of the thermocouple and reference thermometers shall agree to within $\pm 2^{\circ}\text{F}$ (EPA Method 5, section 10.5)

Approved By:

Patpasu Chaisana

Service Manager

COPY

DRY GAS METER XC-572-V

Serial No. : A2007510

Certificate Of Calibration

Method 5 Pre-Test Console Calibration - Cubic meter (m3)

Meter Console Information

Console Model : XC-572-V
 Console Serial : A2007510
 DGM Model #: SK25EX
 DGM Serial #: 00010219

Calibration Condition

Cal. Date: 24-Sep-25
 Due Date: 24-Sep-26
 Cal. Report No.: WDS-SV6809001
 Ambient Temp (°C): 25
 Pressure (mm Hg): 758
 Relative Humidity (%): 60

Factors/Conversion

Std. Temp (°K): 298
 Std. Pressure (mm Hg): 760
 K₁ (K/mm Hg): 0.3857

Reference Equipment

WTM Model: W-NKoDa-5B WTM Cal. Due Date: Dec. 2026
 WTM Serial: 600245 Gamma: 1.0000

UUT Meter (DGM)

Run Time (minutes)	DGM Orifice (mm H ₂ O)	Volume		Outlet Temp		Volume		Outlet Temp	
		Initial	Final	Initial	Final	Initial	Final	Initial	Final
s	P _{min}	V _{mi}	V _{mf}	T _{mi}	T _{mf}	V _{mi}	V _{mf}	T _{mi}	T _{mf}
15.00	13.0	0.2808	0.4541	31	31	134.96748	135.13508	25	25
10.00	25.0	0.4844	0.6485	31	31	135.16304	135.32127	25	26
8.00	50.0	0.6702	0.8561	32	32	135.34120	135.52029	26	26
7.00	80.0	0.8899	1.0948	32	32	135.55153	135.74909	26	26
5.00	120.0	1.1160	1.2917	32	32	135.76810	135.93872	26	26

Reference Meter (WTM)

Standardized Data

Test Meter		Reference Meter		Correction Factor		Flow Rate		ΔH@ (mm H ₂ O)	
Std. Volume	Std. Flow Rate	Std. Volume	Std. Flow Rate	"Gamma"	Variation	Std & Corr	0.0212 SCMM	Variation	
V _{std} (m ³)	Q _{std} m ³ /min	V _{ref} (m ³)	Q _{ref} m ³ /min	(Y)	(ΔY)	Q _{ref} m ³ /min	ΔH _g	ΔΔH _g	
0.167	0.011	0.164	0.011	0.985	0.006	0.011	47.078	0.689	
0.158	0.016	0.155	0.015	0.980	0.000	0.015	45.402	-0.988	
0.179	0.022	0.175	0.022	0.978	-0.002	0.022	45.587	-0.803	
0.198	0.028	0.193	0.028	0.976	-0.004	0.028	46.157	-0.233	
0.170	0.034	0.167	0.033	0.979	0.000	0.033	47.725	1.335	

Pass/Fail Result: **Pass**

0.980 = Y Avg.

46.390 = ΔH@ Avg.

Note: For Calibration Factor Y, the ratio of the reading of the calibration meter to the dry gas meter, acceptable tolerance of individual values from the average is ±0.32

Note: For ΔH_g, orifice pressure differential that equates to 0.75sfm (0.0212m³/min) at standard temperature and pressure; acceptable tolerance of individual values from the average is ±0.2inches (5.1mm) H₂O

Approved By: _____

(Patpasu Chaisana)
 Service Manager

Date: 24-Sep-25

WISDOM
SCIENCE

COPY

Certificate of Calibration - Supplemental

METHOD 5 PRE-TEST CONSOLE CALIBRATION

Nomenclature

P₀ - Barometric Pressure
 DGM - Dry Gas Meter
 K₁ - Constant based on standard temp and press
 θ - Run time, in minutes
 P_m - ΔH (Meter Pressure, gauge)
 V_m - Volume collected by test meter, corrected for STP
 Q_{m(std)} - Calculated flow rate of test meter
 K' - Critical orifice coefficient
 P_w - Measured pressure of reference meter
 T_w - Temperature measured in reference meter
 T_m - Temperature measured in test meter
 Y - Ratio of volume collected from test meter and orifice
 sc - Scaling Factor
 Counts₉₅ - Number of pulse counts, standardized
 Counts_{total} - Number of raw pulse counts of a calibration run

Equations

$$V_{w(std)} = Y * K_1 \frac{V_w * (P_{bar} + \frac{P_{m(g)}}{13.6})}{T_w}$$

$$V_{m(std)} = Counts_{std} * Y_{sc(avg)}$$


$$Counts_{std} = K_1 \frac{C_{total} * (P_{bar} + \frac{P_{m(g)}}{13.6})}{T_m}$$

$$Q_{u(std)} = \frac{V_{w(std)}}{\theta} \quad Y_{sc} = \frac{V_{w(std)}}{Counts_{std}}$$

$$K_1 = \frac{T_{std}}{P_{std}} \quad Y = \frac{V_{w(std)}}{V_{m(std)}}$$


$$Metric \Delta H_u = \frac{P_0 * 0.0011696 * (P_{bar} + \frac{P_{m(g)}}{13.6}) * (\frac{T_{std}}{T_m} - \frac{P_{std}}{P_{bar}})}{Y_{sc}}$$

Calibration Train



Calibration Graphs


Meter Pressure vs Flowrate



Console Serial: A2007510

Console Model: XC-

Meter Gamma vs Flowrate



Console Serial: A2007510

Console Model: XC-572-V

WISDOM SCIENCE

TEMPERATURE DISPLAY CALIBRATION

Motor Console Information
Console Model : XC-572-V
Console Serial : A2007510
Temp Indicator Model : 765-KF
Temp Indicator Serial : JC17452

Calibration Conditions
Cal Date : 24-Sep-25
Due Date : 24-Sep-26
Cal Report No : WDS-SV6809001
Ambient Temp. (°C) : 26
Pressure (mm Hg) : 758
Humidity (%) : 60

Reference Equipment
Temp Meter Model : Fluke 714B
Serial No : 60590035
Cal. Date : 07-Apr-25
Temp Meter Model : Fluke 179
Serial No : 58620112
Cal. Date : 08-Feb-25

Temperature Sensor Calibration

Reference Point	Ref Thermometer Temperature	Thermocouple Display Temperature	Temperature Difference
#	°C	°C	°C
1	-18.0	-18.0	0.0
2	38.0	38.0	0.0
3	93.0	93.0	0.0
4	149.0	149.0	0.0
5	280.0	280.0	0.0
6	371.0	372.0	-1.0
7	482.0	483.0	-1.0
8	593.0	594.0	-1.0
9	616.0	617.0	-1.0
10	1038.0	1039.0	-1.0
Maximum *			1.0

Note

* For valid test results, the maximum difference between temperature readings should $\leq 1.0^{\circ}\text{C}$ (EPA Method 5, Section 6.1.1.8).
Perform all TC Channel calibrations. Except meter (DGM) channel

PASS


DGM Out Temperature Sensor Calibration

Temperature point	Ref Thermometer Temperature	Thermocouple Display Temperature	Temperature Difference
#	°C	°C	°C
Ice	0.0	0.0	0.0
Ambient	26.5	27.0	-0.5
Heat	114.3	115.0	-0.7
Difference Range			
Temp. Difference		$\pm 2^{\circ}\text{F}$ or $\pm 1.1^{\circ}\text{C}$	

PASS

Note

The temperatures of the thermocouple and reference thermometers shall agree to within $\pm 2^{\circ}\text{F}$ (EPA Method 5, section 10.5)

Approved By : 
(Patsara Chaisana)
Service Manager



COPY

DRY GAS METER MC-572

Serial No. : 0011024



WISDOM SCIENCE

Certificate Of Calibration

Method 6 Pre-Test Console Calibration - Cubic meter (m3)

Meter Console Information

Console Model : MC-572
 Console Serial : 0011024
 DGM Model #: SK25EX
 DGM Serial #: 00005437

Calibration Condition

Cal. Date: 25-Jan-26
 Due Date: 25-Jan-27
 Cal. Report No.: WDS-SV6901003
 Ambient Temp (°C): 25
 Pressure (mm Hg): 758
 Relative Humidity (%): 60

Factors/Conversion

Std. Temp. (°K): 298
 Std. Pressure (mm Hg): 760
 K₁ (K/mm Hg): 0.3857

Reference Equipment

WTM Model: W-NKoDa-5B WTM Cal. Due Date: Jan. 2027
 WTM Serial: 600245 Gamma: 1.0000

UUT Meter (DGM)						Reference Meter (WTM)			
Run Time (minutes)	DGM Orifice (mm H ₂ O)	Volume		Outlet Temp		Volume		Outlet Temp	
		Initial	Final	Initial	Final	Initial	Final	Initial	Final
15.00	13.0	1325.8454	1326.0209	24	24	150.37336	150.55701	27	27
10.00	25.0	1326.0448	1326.2062	24	25	150.58598	150.75296	27	27
8.00	50.0	1326.2250	1326.4054	25	25	150.77379	150.95979	27	27
7.00	80.0	1326.4286	1326.6286	26	26	150.98358	151.18895	27	27
5.00	120.0	1326.6411	1326.8148	26	26	151.20211	151.38001	27	27

Standardized Data

Test Meter		Reference Meter		Correction Factor		Calibration Results		
Std. Volume	Std. Flow Rate	Std. Volume	Std. Flow Rate	"Gamma"	Variation	Flow Rate	ΔH@ (mm H ₂ O)	
V _{std} (m ³)	Q _{std} m ³ /min	V _{ref} (m ³)	Q _{ref} m ³ /min	(Y)	(ΔY)	Q _{ref} (m ³ /min)	ΔH _e	ΔΔH _e
0.173	0.012	0.179	0.012	1.035	0.014	0.012	40.673	-2.374
0.159	0.016	0.163	0.016	1.023	0.003	0.016	42.078	-0.969
0.178	0.022	0.181	0.023	1.019	-0.001	0.023	43.545	0.498
0.197	0.028	0.200	0.029	1.016	-0.005	0.029	43.861	0.814
0.172	0.034	0.173	0.035	1.009	-0.011	0.035	45.079	2.032

Pass/Fail Result: Pass

Note: For Calibration Factor Y, the ratio of the reading of the calibration meter to the dry gas meter, acceptable tolerance of individual values from the average is ±0.02.

Note: For ΔH_e, orifice pressure differential that equates to 0.75cfm (0.0212m³/min) at standard temperature and pressure, acceptable tolerance of individual values from the average is ±0.2inches (5.1mm) H₂O

Approved By:

Patpasu Chaisana
 (Patpasu Chaisana)
 Service Manager

Date: 25-Jan-26

COPY

Certificate of Calibration - Supplemental

METHOD 6 PRE-TEST CONSOLE CALIBRATION

Nomenclature

P₀ - Barometric Pressure
 DGM - Dry Gas Meter
 K₁ - Constant based on standard temp and press
 Θ - Run time, in minutes
 P_m - ΔH (Meter Pressure, gauge)
 V_m - Volume collected by test meter, corrected for STP
 Q_{m(std)} - Calculated flow rate of test meter
 K' - Critical orifice coefficient
 P_w - Measured pressure of reference meter
 T_w - Temperature measured in reference meter
 T_m - Temperature measured in test meter
 Y - Ratio of volume collected from test meter and orifice
 sc - Scaling Factor
 Counts_{std} - Number of pulse counts, standardized
 Counts_{total} - Number of raw pulse counts of a calibration run

Equations

$$V_{w(std)} = Y * K_1 \frac{V_w * (P_{bar} + \frac{P_{m(std)}}{13.6})}{T_w}$$

$$V_{m(std)} = Counts_{std} * Y_{sc(avg)}$$

$$Counts_{std} = K_1 \frac{Counts_{total} * (P_{bar} + \frac{P_{m(std)}}{13.6})}{T_m}$$


$$Q_{w(std)} = \frac{V_{w(std)}}{\Theta}$$

$$K_1 = \frac{T_{std}}{P_{std}}$$

$$Y = \frac{V_{w(std)}}{V_{m(std)}}$$


$$Metric \Delta H_e = \frac{P_{m(std)} * 0.0011696 * (P_{bar} + \frac{P_{m(std)}}{13.6})}{T_m} * \left(\frac{T_w * \Theta}{V_w * P_{bar}} \right)^2$$

Calibration Train




Calibration Graphs

Meter Pressure vs Flowrate



Meter Gamma vs Flowrate



Console Serial: 0011024

Console Model: MC-572

Console Serial: 0011024

Console Model: MC-572

COPY



WISDOM SCIENCE

TEMPERATURE DISPLAY CALIBRATION

Meter Console Information

Console Model : MC-572
Console Serial : 0011024
Temp Indicator Model : 765-KF
Temp Indicator Serial : JC02982

Calibration Conditions

Cal. Date : 25-Jan-26
Due Date : 25-Jun-27
Cal. Report No. : WDS-SV6901003
Ambient Temp. (°C) : 25
Pressure (mm Hg) : 759
Humidity (%) : 60

Reference Equipment

Temp. Meter Model : Fluke 714B
Serial No. : 63560035
Cal. Date : 07-Apr-25
Temp. Meter Model : Fluke 179
Serial No. : 58620112
Cal. Date : 06-Feb-25

Temperature Sensor Calibration

Reference Point #	Ref Thermometer Temperature °C	Thermocouple Display Temperature °C	Temperature Difference °C
1	-18.0	-17.0	1.0
2	38.0	38.0	0.0
3	93.0	93.0	0.0
4	149.0	150.0	-1.0
5	261.0	260.0	1.0
6	371.0	372.0	-1.0
7	482.0	483.0	-1.0
8	594.0	594.0	0.0
9	815.0	815.0	0.0
10	1039.0	1038.0	1.0
Maximum			1.0

Note

* For valid test results, the maximum difference between temperature readings should $\leq 1.0^{\circ}\text{C}$ (EPA Method 5, Section 6.1.1.8).
Perform all TC Channel calibrations. Except meter (DGM) channel

PASS

DCM Out Temperature Sensor Calibration

Temperature point #	Ref Thermometer Temperature °C	Thermocouple Display Temperature °C	Temperature Difference °C
Ice	0.0	0.0	0.0
Ambient	29.4	30.0	-0.6
Heat	113.2	114.0	-0.8

Difference Range

Temp. Difference $\pm 2^{\circ}\text{F}$ or $\pm 1.1^{\circ}\text{C}$

PASS

Note

The temperatures of the thermocouple and reference thermometers shall agree to within $\pm 2^{\circ}\text{F}$ (EPA Method 5, section 10.5)

Approved By :

Pattar
(Paisanu Chalsana)

Service Manager

WISDOM SCIENCE

COPY

Flue gas Analyzer

Testo 350

Serial No. 63455658/0722

Certificate No: G 250296
Date of issue : 04-Nov-25

Certificate No.: G 250296

Instrument description : Flue Gas Analyzer
Instrument model : Testo 350
Instrument serial no. : 63455658/0722
Control unit serial no. : 03601409/0722
ID no. or control no. :
Manufacturer : Testo SE & Co. KGaA
Probe description :
Probe model :
Probe serial no. :
Customer name : Eastern Thai Consulting 1992 Company Limited
Customer address : 683 Moo 11, Sukhapibarn 8 Road, Nongkham, Si Racha, Chon Buri 20280

Total pages of certificate : 2 Pages
Receiving no. : L-253802
Receiving date. : 03-Nov-25
Parameter of calibration : Gas Calibration (Oxygen 2.506, 9.984, 21.01 %vol, Carbon Monoxide 80.38, 300.9, 1001 ppm, Nitrogen Dioxide 30.68, 81.8, 202.3 ppm, Nitric Oxide 30.0, 151.8, 322 ppm, Sulphur Dioxide 50.4, 100.7, 605.9 ppm)
Condition of UUC. : Used
Ambient condition : All of the Measurement were carried out the stabilized laboratory

Calibration place : 17/121 Soi Ngamwongwan 47 Yaek 48, Toongsonghong, Lakso, Bangkok 10210
Calibration procedure no : This instrument was calibrated by comparison with Standard gas mixture according to calibration Work Instruction no. WI-CL-28-C

*The calibration certificate expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by coverage factor $k=2$, which for a normal distribution corresponds to a coverage probability of approximately 95%.
This certificate is applied only to item under test Environmental condition.
This Calibration Certificate may not be reproduced other than in full except with the permission of the issuing laboratory. Calibration certificates without signature and seal not valid and The results relate only to the items tested/calibrated.
This calibration certificate documents are traceability to national standards, which realize measurement according to the International System of Units (SI).*
Date of calibration : 04-Nov-25

Kumchaisri
Mr. Kwanchai Khamdoun
Calibration Technician
D. Wuttaw
Mrs. Nongluck Wongsettee
Technical Manager

ENTECH
Where
Solutions
Begin

Standard References (Table 1)

Standard	Certificate No.	Vendor	Due date
Oxygen (O2) 2.506 % Vol	1287/25	Linde	08-May-29
Oxygen (O2) 9.984 % Vol	CG-0090-25	Nimt	24-Jun-30
Oxygen (O2) 21.01 % Vol	CG-0112-24	Nimt	01-Aug-29
Carbon monoxide (CO) 80.38 ppm	CG-0105-25	Nimt	04-Aug-30
Carbon monoxide (CO) 300.9 ppm	1422/25	Linde	21-May-29
Carbon monoxide (CO) 1001 ppm	CG-0085-24	Nimt	22-May-29
Nitrogen Dioxide (NO2) 30.68 ppm	2832/24	Linde	08-Sep-26
Nitrogen Dioxide (NO2) 81.8 ppm	2330/24	Linde	01-Aug-26
Nitrogen Dioxide (NO2) 202.3 ppm	2558/25	Linde	02-Sep-27
Nitric Oxide (NO) 30.0 ppm	CG-0065-24	Nimt	06-May-26
Nitric Oxide (NO) 151.8 ppm	0404/25	Linde	09-Feb-27
Nitric Oxide (NO) 322 ppm	1234/25	Linde	04-May-27
Sulphur Dioxide (SO2) 50.4 ppm	1306/25	Linde	12-May-27
Sulphur Dioxide (SO2) 100.7 ppm	2662/24	Linde	25-Aug-26
Sulphur Dioxide (SO2) 605.9 ppm	1229/25	Linde	04-May-27

Measured room conditions

Temperature : 22.6 °C Humidity : 67.7 %RH Pressure : 1011.9 mbar

Calibration conditions

Gas Temperature : 23 °C Flow rate : 1,300 ml/min Gas pressure : 1016.5 mbar

Calibration Results (Without adjustment) (Table 2)

Parameter of Standard	Standard Values	Mean of UUC	Error	Uncertainty (±)
O2 (%Vol)	2.506	2.44	-0.066	0.15
O2 (%Vol)	9.984	10.12	0.136	0.23
O2 (%Vol)	21.01	21.15	0.14	0.30
CO (ppm)	80.38	81	0.62	3.0
CO (ppm)	300.9	303	2.1	6.0
CO (ppm)	1001	1006	5	12
NO2 (ppm)	30.68	29.4	-1.28	8.0
NO2 (ppm)	81.8	79.7	-2.1	8.0
NO2 (ppm)	202.3	199.1	-3.2	12
NO (ppm)	30	30	0.0	8.0
NO (ppm)	151.8	151	-0.8	8.0
NO (ppm)	322	323	1	12
SO2 (ppm)	50.4	50	-0.4	6.0
SO2 (ppm)	100.7	102	1.3	6.0
SO2 (ppm)	605.9	610	4.1	13

Remark : 1 cmol/mol = 1 %vol, 1 µmol/mol = 1 ppm., Sensor(CO, NO2)New.

End of Report

ENTECH
Where
Solutions
Begin

Flue gas Analyzer

Testo 350

Serial No. 63455616/0722

Certificate No: G 250384
Date of issue : 02-Dec-25

Instrument description : Flue Gas Analyzer
Instrument model : Testo 350
Instrument serial no. : 63455616/0722
Control unit serial no. : 03600177/0722
ID no. or control no. : -
Manufacturer : Testo SE & Co. KGaA
Probe description : -
Probe model : -
Probe serial no. : -
Customer name : Eastern Thai Consulting 1992 Company Limited
Customer address : 683 Moo 11, Sukhaphlarn 8 Road, Nongkham, Si Racha, Chon Buri 20280

Total pages of certificate : 2 Pages
Receiving no. : L-254783
Receiving date. : 27-Nov-25
Parameter of calibration : Gas Calibration (Oxygen, Carbon Monoxide, Nitrogen Dioxide, Nitric Oxide, Sulphur Dioxide)

Condition of UUC. : Used
Ambient condition : All of the Measurement were carried out the stabilized laboratory
Temperature : 23 ± 5 °C
Humidity : 55 ± 15 %RH
Calibration place : 17/121 Soi Ngamwongwan 47 Yaek 48, Toongsonghong, Lakso, Bangkok 10210
Calibration procedure no. : This instrument was calibrated by comparison with Standard gas mixture according to calibration Work Instruction no. WI-CL-28-C

The calibration certificate expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.
This certificate is applied only to item under test Environmental condition.
This Calibration Certificate may not be reproduced other than in full except with the permission of the issuing laboratory. Calibration certificates without signature and seal not valid and The results relate only to the items tested/calibrated.
This calibration certificate documents are traceability to national standards, which realize measurement according to the International System of Units (SI).
Date of calibration : 02-Dec-25

Kammhach
Mr. Kwanchai Khamdoun
Calibration Technician

D. Wuttie
Mrs. Nongluck Wongsettee
Technical Manager

COPY

Certificate No.: G 250384

Standard References (Table 1)

Standard	Certificate No.	Vendor	Due date
Oxygen (O2) 2.506 % Vol	1287/25	Linde	08-May-29
Oxygen (O2) 9.984 % Vol	CG-0090-25	Nimt	24-Jun-30
Oxygen (O2) 21.01 % Vol	CG-0112-24	Nimt	01-Aug-29
Carbon monoxide (CO) 80.38 ppm	CG-0105-25	Nimt	04-Aug-30
Carbon monoxide (CO) 300.9 ppm	1422/25	Linde	21-May-29
Carbon monoxide (CO) 1000 ppm	3131/25	Linde	27-Oct-29
Nitrogen Dioxide (NO2) 30.68 ppm	2832/24	Linde	08-Sep-26
Nitrogen Dioxide (NO2) 81.8 ppm	2330/24	Linde	01-Aug-26
Nitrogen Dioxide (NO2) 202.3 ppm	2558/25	Linde	02-Sep-27
Nitric Oxide (NO) 30.0 ppm	CG-0065-24	Nimt	06-May-26
Nitric Oxide (NO) 151.8 ppm	0404/25	Linde	09-Feb-27
Nitric Oxide (NO) 322 ppm	1234/25	Linde	04-May-27
Sulphur Dioxide (SO2) 50.4 ppm	1306/25	Linde	12-May-27
Sulphur Dioxide (SO2) 100.7 ppm	2662/24	Linde	25-Aug-26
Sulphur Dioxide (SO2) 605.9 ppm	1229/25	Linde	04-May-27

Measured room conditions

Temperature : 23.3 °C **Humidity :** 61.9 %RH **Pressure :** 1010.4 mbar
Calibration conditions
Gas Temperature : 23 °C **Flow rate :** 1,300 ml/min **Gas pressure :** 1016.5 mbar

Calibration Results (Without adjustment) (Table 2)

Parameter of Standard	Standard Values	Mean of UUC	Error	Uncertainty (±)
O2 (%Vol)	2.506	2.45	-0.056	0.15
O2 (%Vol)	9.984	10.02	0.036	0.20
O2 (%Vol)	21.01	21.08	0.07	0.30
CO (ppm)	80.38	81	0.62	3.0
CO (ppm)	300.9	300	-0.9	6.0
CO (ppm)	1000	997	-3	12
NO2 (ppm)	30.68	28.7	-1.98	8.0
NO2 (ppm)	81.8	80.2	-1.6	8.0
NO2 (ppm)	202.3	202.8	0.5	12
NO (ppm)	30.0	31	1.0	8.0
NO (ppm)	151.8	154	2.2	8.0
NO (ppm)	322	325	3	12
SO2 (ppm)	50.4	50	-0.4	6.0
SO2 (ppm)	100.7	100	-0.7	6.0
SO2 (ppm)	605.9	605	-0.9	13

Remark : 1 cmol/mol = 1 %vol, 1 µmol/mol = 1 ppm., Sensor(CO, NO2, NO, SO2)New.

End of Certificate of Calibration

COPY

Flue gas Analyzer

Testo 350XL

Serial No. 01859560/006

Certificate No: G 260016
Date of issue : 12-Jan-26

Instrument description : Flue Gas Analyzer
Instrument model : Testo 350XL
Instrument serial no. : 01859560/006
Control unit serial no. : 01864498/006
ID no. or control no. : -
Manufacturer : Testo SE & Co. KGaA
Probe description : -
Probe model : -
Probe serial no. : -
Customer name : Eastern Thai Consulting 1992 Company Limited
Customer address : 683 Moo 11, Sukhapharm 8 Road, Nongkham, Si Racha, Chon Buri 20280

Total pages of certificate : 2 Pages
Receiving no. : L-260025
Receiving date. : 30-Dec-25
Parameter of calibration : Gas Calibration(Oxygen, Carbon Monoxide, Nitrogen Dioxide, Nitric Oxide, Sulphur Dioxide)

Condition of UUC. : Used
Ambient condition : All of the Measurement were carried out the stabilized labotary
Temperature : 23 ±5 °C
Humidity : 55 ± 15 %RH
Calibration place : 17/121 Soi Ngamwongwan 47 Yaek 48, Toongsonghong, Lakso, Bangkok 10210
Calibration procedure no. : This instrument was calibrated by comparison with Standard gas mixture according to calibration Work Instruction no. WI-CL-28-C

The calibration certificate expanded uncertainty of measurement is stated as the standard uncertainty of measurent Multiplied by coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.
This certificate is applied only to item under test Environmental condition.
This Calibration Certificate may not be reproduced other than in full except with the permission of the issuing laboratory. Calibration certificates without signature and seal not valid. The results relate only to the items tested/calibrated.
This calibration certificate documents are traceability to national standards, which realize measurement according to the International System of Units (SI).

Date of calibration : 09-Jan-26

Kamwongchai
Mr. Kwanchai Khamdoun
Calibration Technician

D. Wuttin
Mrs. Nongluck Wongsettee
Technical Manager

COPY

Certificate No: G 260016

Standard References (Table 1)

Standard	Certificate No.	Vendor	Date date
Hydrogen (H ₂) 100.00 % Vol	CG-0117-24	Umicore	04-Feb-26
Oxygen (O ₂) 21.00 % Vol	CG-0117-24	Umicore	04-Feb-26
Carbon monoxide (CO) 80.00 % Vol	CG-0117-24	Umicore	04-Feb-26
Carbon monoxide (CO) 300.9 ppm	1422/25	Umicore	04-Aug-29
Carbon monoxide (CO) 1000 ppm	3131/25	Umicore	04-Nov-27
Nitrogen Dioxide (NO ₂) 30.68 ppm	2832/24	Umicore	21-May-20
Nitrogen Dioxide (NO ₂) 81.0 ppm	2230/24	Umicore	27-Oct-29
Nitrogen Dioxide (NO ₂) 202.3 ppm	2559/25	Umicore	08-Sep-26
Nitric Oxide (NO) 30.0 ppm	CG-0065-24	Umicore	01-Aug-26
Nitric Oxide (NO) 151.8 ppm	0404/25	Umicore	07-Sep-27
Nitric Oxide (NO) 322 ppm	1234/25	Umicore	06-May-26
Sulphur Dioxide (SO ₂) 50.4 ppm	1306/25	Umicore	04-Feb-27
Sulphur Dioxide (SO ₂) 100.7 ppm	2662/24	Umicore	04-May-27
Sulphur Dioxide (SO ₂) 605.9 ppm	1229/25	Umicore	12-May-27

Measured room conditions

Temperature : 21.5 °C Humidity : 57.4 %RH Pressure : 1012.3 mbar

Calibration conditions

Gas Temperature : 23 °C Flow rate : 1.300 ml/min Gas pressure : 1017.5 mbar

Calibration Results (Without adjustment) (Table 2)

Parameter of Standard	Standard Values	Mean of UUC	Error	Uncertainty (±)
O ₂ (%Vol)	2.506	2.43	-0.076	0.15
O ₂ (%Vol)	9.984	9.97	-0.014	0.20
O ₂ (%Vol)	21.01	21.14	0.13	0.30
CO (ppm)	80.47	81	0.53	3.0
CO (ppm)	301	302	1.1	6.0
CO (ppm)	1000	999	-1	12
NO ₂ (ppm)	30.68	28.7	-1.98	8.0
NO ₂ (ppm)	81.8	78.3	-3.5	8.0
NO ₂ (ppm)	202.3	196.2	-6.1	12
NO (ppm)	30.6	31	0.4	8.0
NO (ppm)	151.8	151	-0.8	8.0
NO (ppm)	322	320	-2	12
SO ₂ (ppm)	50.4	49	-1.4	6.0
SO ₂ (ppm)	100.7	100	-0.7	6.0
SO ₂ (ppm)	605.9	602	-3.9	13

Remark : 1 cmol/mol = 1 %Vol, 1 µmol/mol = 1 ppm.

End of Certificate of Calibration

COPY

Hot Air Oven

Model : UM 400

Serial No. : 900982



CERTIFICATE OF CALIBRATION

Customer : EASTERN THAI CONSULTING 1992 CO., LTD.
683 Moo 11, Sukhaphabnri 8 Rd., Nongkham,
Sirachda, Chonburi 20230Location of Calibration : EASTERN THAI CONSULTING 1992 CO., LTD.
(Hot Lab)

Equipment : Temperature controlled enclosures (Hot air oven)

Manufacturer : Menmert Model : UM 400

Serial No. : 900982 ID No. : LABE 17/1

Date of Receipt : 16 December 2025 Date of Calibration : 16 December 2025

Condition of Calibration

1. Environment
- | | | | | |
|---------------------------|-----------|-----------|-----------|-----------|
| 1.1 Ambient temperature | : Maximum | 27.6 °C | : Minimum | 26.4 °C |
| 1.2 Relative humidity | : Maximum | 61.4 % | : Minimum | 54.0 % |
| 1.3 Line voltage supplied | : Maximum | 229.7 VAC | : Minimum | 225.6 VAC |

2. Calibration method

ILAS-G-20: Guidelines for calibration and checks of temperature controlled enclosures.

3. Reference standard instrument

Instrument	ID No.	Certificate No.	Due Date
Data acquisition with sensor (RTD-P1100)	LB-DA-20 (RTD-322 to RTD-330)	25-010526	18 February 2026

4. This certificate is traceable to the international system of unit (SI Unit).

The measurement is traceable to Asia Medical and Agricultural Laboratory and Research Center Public Company Limited.

5. This result of calibration was found accurate as shown on date and place of calibration only.

6. Condition of calibration item : Normal

Calibrated by

Mr. Nathanan Ploesti

Approved by

(Mr. Somchai Neamput)

Scientist

Signed for Director

Issue date

17 December 2025

This certificate, and the calibration results, are the property of the laboratory. It is not to be used for any other purpose without the written approval of the laboratory. The laboratory is not responsible for the accuracy of the results of the calibration if the instrument is not used in accordance with the calibration certificate. The laboratory is not responsible for the accuracy of the results of the calibration if the instrument is not used in accordance with the calibration certificate. The laboratory is not responsible for the accuracy of the results of the calibration if the instrument is not used in accordance with the calibration certificate.

Phatthana Wang Thunglang Bangkok 10310
TAX 07-516 8919
WWW.AMARC.CO.THTAX 07-516 8919
WWW.AMARC.CO.THTAX 07-516 8919
WWW.AMARC.CO.TH

REPORT OF CALIBRATION

Certificate No. : 25-215652
Sample Code : 25-94507-005

Results of Calibration

Resolution : 0.1 °C

1. Reporting of Temperature

Calibration point (°C)	UUC ⁺ setting (°C)	UUC ⁺ reading (°C)	Measured temperature at each positions (°C)										Uncertainty ± (°C)	Coverage factor k
			# 1	# 2	# 3	# 4	# 5	# 6	# 7	# 8	# 9	# 10		
60	60.0	60.0	61.27	61.38	61.49	60.82	59.60	59.82	59.89	59.80	60.50	60.50	0.38	2.00
85	85.0	85.0	85.92	86.20	85.98	85.69	83.63	83.93	84.33	84.04	84.84	84.84	0.40	2.00

2. Characterization results

Calibration point (°C)	Stability ± (°C)	Uniformity (°C)	Overall variation (°C)
60	0.19	1.08	2.05
85	0.11	1.44	2.72

Notes

UUC⁺ = Unit Under Calibration

COPY

Phatthana Wang Thunglang Bangkok 10310
TAX 07-516 8919
WWW.AMARC.CO.THTAX 07-516 8919
WWW.AMARC.CO.THTAX 07-516 8919
WWW.AMARC.CO.TH



REPORT OF CALIBRATION

NSC-TIS-ITS17025
CALIBRATION 0152

Page 3 of 3


Certificate No : 25 215652

Sample Code : 25 94507-005

Results of Calibration

Notes

1. Sensor installation locations
 - 1.1 All sensors at any corners or walls should be positioned 5 cm (a x b x c) from the wall
 - 1.2 The reference sensor is preferably located of the geometric center of the chamber.
2. Interior dimensions approx of chamber :
W = 40 cm ; D = 28 cm ; H = 39 cm
3. Air valve or fresh air level : Off
4. Fan level : Open
5. The quoted uncertainty includes "Stability of chamber and loading effect in chamber at 20% of uniformity".
6. Uniformity the maximum difference of measured temperatures at any sensors and the measured temperature at the reference location which are observed at the same time.
7. Stability : one-half of the greatest maximum difference of measured temperatures at any one sensor.
8. Overall variation : the difference of the maximum and the minimum measured temperatures throughout observation time.
9. UUC^o reading : the average reading of indicating device that forms the integral part of the enclosure.
10. Calibration results without adjustment.

Figure: Example of sensor
installation Positions

The result expanded uncertainty of measurement U is stated as the standard uncertainty of measurement multiplied by the coverage factor k , which for a normal distribution corresponds to a coverage probability of approximately 95%. The standard uncertainty of measurement has been determined in accordance with UKAS M1003.

-End of Report -

COPY

IC-THERMO

Serial No. : 20053176



Certificate of Calibration

Integriion RFIC: Anion and Cation (ID#960)

This certificate is to verify that instrument below are calibrated

by Archemica Lab Co., Ltd.

Integriion	S/N: 20053176
AS-DV	S/N: 2008880131

for

Eastern Thai Consulting 1992 Co., Ltd.



Operator Signature : Jirawat Date : Apr 7-8, 2026

(Mr. Jirawat Tismani)

Applications Chemist

COPY

LIQUID IN GLASS THERMOMETER

Model / Type : 0-100 °C

Serial No. : 43560



CLC
Accredited
ISO/IEC 17025

CALIBRATION LABORATORY CO., LTD.

210-11,14, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd, Ladphrao, Bangkok 10230
Tel 02-578-0353-4 Fax: 02-578-2872 www.cal-lab.com Email: sale@cal-lab.com



ANAB
Accredited
AS/NZS 17025
CALIBRATION AND
DIMENSIONAL MEASUREMENT
ACN 531

CERTIFICATE OF CALIBRATION

FOR

NOMENCLATURE : LIQUID IN GLASS THERMOMETER
MANUFACTURER : AA PRECISION
MODEL / TYPE : 0-100 °C
SERIAL NO. : 43560[LABE 16/1]
CLID. NO. : 232403905
JOB CONTROL NO. : 251115135334
CALIBRATION SERVICE : ☒ IN-LABORATORY ☐ ON-SITE


CUSTOMER : EASTERN THAI CONSULTING 1992 CO., LTD.
683 MOO 11, SUKHAPIBARN 8 RD,
NONGKHAM, SRIRACHA, CHONBURI 20230

DATE OF RECEIVED : 15 November 2025 DATE OF ISSUED : 18 November 2025

The report of calibration shall not be reproduced except in full without approval of the Calibration Laboratory Co., Ltd.


Calibrated By :

Pimsiri Hemtanon
Calibration Engineer



Approved By :

Mongkol Yoosontorn
Authorized Signatory
18 November 2025



This Calibration Certificate documents the traceability to national standards, which realize the units of measurement according to the International System of Units (SI)

Certificate No. Q25135334

F3-011-05/12-23



@calibration



CLC
Accredited
ISO/IEC 17025

CALIBRATION LABORATORY CO., LTD.

210-11,14, 55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd, Ladphrao, Bangkok 10230
Tel 02-578-0353-4 Fax: 02-578-2872 www.cal-lab.com Email: sale@cal-lab.com



ANAB
Accredited
AS/NZS 17025
CALIBRATION AND
DIMENSIONAL MEASUREMENT
ACN 531

REPORT OF CALIBRATION

FOR

NOMENCLATURE : LIQUID IN GLASS THERMOMETER
MANUFACTURER : AA PRECISION
MODEL / TYPE : 0-100 °C
SERIAL NO. : 43560[LABE 16/1]
DATE OF CALIBRATION : 17 November 2025

ENVIRONMENT CONDITIONS :

Temperature : $(23 \pm 2) ^\circ\text{C}$ Relative Humidity : $(55 \pm 10) \%$

PROCEDURE USED :

This instrument was calibrated under procedure No. CLC-CPTH-02 based on ASTM E 77-07 as calibration guidelines.

The calibration was performed by comparison with Calibration Bath, Precision Thermometer and IPRT which maintained by the Calibration Laboratory Co., Ltd.

REFERENCE STANDARD USED :

1. Calibration Bath, Kambic Model OB-22/2 ULT, OB-22/2 S/N. 17115653, 17115654.
2. Precision Thermometer, ASL Model F200-A-8 S/N. 014433/03 with IPRT S/N. L0193A-1-1, PO106346-1-13.

TRACEABILITY :

1. The measurements are traceable to International System of Units (SI), through Calibration Laboratory Co., Ltd. Certificate No. Q24120999 Q25124610. Due Date 26 November 2025, 07 November 2026.
2. The measurements are traceable to International System of Units (SI), through Thailand Institute of Scientific and Technological Research (TISTR) and National Institute of Metrology (Thailand). Certificate No. FSL-T 017768, TT-0169-24, TT-1008-25. Due Date 10 February 2026, 11 December 2025, 04 March 2026.

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k = 2$ which for a normal distribution corresponds to a coverage probability of approximately 95 %. It has been evaluated according to the "Evaluation of the Uncertainty of Measurement in Calibration (EA-4/02 M:2022)"

Certificate No. Q25135334

F3-011-05/12-23



@calibration



CALIBRATION LABORATORY CO., LTD.

2/10-11 14.55 Soi Prasert Manukit 29 Yaek 4, Prasert Manukit Rd., Ladprao, Bangkok 10230
Tel: 02-578-0553-4 Fax: 02-578-2672 www.cal-lab.com E-mail: sale@cal-lab.com



CLC
Accredited
ISO/IEC 17025

CONDITION OF CALIBRATION ITEM : RECEIVED IN GOOD OPERATIONAL CONDITION MEASUREMENT RESULTS : (X) without adjustment () adjustment

The DUC Reading were recorded and the means value were reported of four times measurement in the table below.

CALIBRATION DATA

CORRECTION OF TEMPERATURE

STD Reading (°C)	DUC Reading (°C)	Correction (°C)	Uncertainty ± (°C)
0.01	0.00	+0.01	0.06
25.02	25.00	+0.02	
50.03	50.00	+0.03	
100.01	100.00	+0.01	

Range : 0 °C to 100 °C

Graduation : 0.1 °C

Immersion Type : Total Immersion.

Correction of Reference Temperature (0 °C) = 0.00 °C

Note. The Scope of Accredited ANAB Certificate No. ACDM-2814 Version 016 Page 60 of 73

This report is valid for the above stated instrument/s only.

Certificate No. Q25135334

F3-011-05/12-23

End of Certificate



pH Meter

Model : SevenCompact S220

Serial No. : B448305208



CERTIFICATE OF CALIBRATION

Page 1 of 3

Certificate No. : 25-215648

Sample Code : 25-94507-001

Customer : EASTERN THAI CONSULTING 1992 CO., LTD.

683 Moo 11, Sukhapibarn 8 Rd., Nongkhani,

Siracha, Chonburi 20230

Location of Calibration : EASTERN THAI CONSULTING 1992 CO., LTD.

(Laboratory)

Equipment : pH Meter

Manufacturer : METTLER TOLEDO

Model : SevenCompact S220

Serial No. : B448305208

ID No. : LABE 11/4

Date of Receipt : 16 December 2025

Date of Calibration : 16 December 2025

Condition of Calibration

1. Environment Ambient temperature : 15.0 to 35.0 °C Relative humidity : 35.0 to 80.0 %RH

1.1 Start time : 23.3 °C : End time : 24.0 °C 1.2 Start time : 46.7 %RH : End time : 45.8 %RH

2. Calibration method

In house method W1 CL-019 : Direct measurement with standard voltage calibrator and direct measurement with certified reference material (CRM).

3. Reference standard / Certified reference material

Instrument ID No. Certificate No. Due Date

3.1 Voltage Calibrator LB-DPC-01 LF25-0350 22 June 2026

3.2 Digital Thermometer LB-DPC-01 25-141886 29 July 2026

Certified Reference Material Ref No. Expire Date

3.3 Buffer Solution pH 4.008 1174256 PH1216.L5 13 December 2027

3.4 Buffer Solution pH 7.000 C03292 S11M004 14 July 2027

3.5 Buffer Solution pH 10.010 1174257 PH220.L5 13 December 2026

4. This certificate is traceable to the international system of unit (SI Unit).

4.1 Instrument No. 3.1 through Measuretronix Limited.

4.2 Instrument No. 3.2 through Asia Medical and Agricultural Laboratory and Research Center Public Company Limited.

4.3 Buffer Solution No. 3.3 and No. 3.5 traceable to CIP chem (through primary measurement method Hained cell using calibrated thermometer, barometer, and nanovoltmeter Accredited laboratory ISO/IEC 17025 and ISO 17034).

4.4 Buffer Solution No. 3.4 traceable to HACH (Certified Reference Material from PTB Certificate Nr. PTB-PHOA 563/3050.4/23 and Certificate Nr. PTB-PHOA 555/30620/22. According to DIN EN ISO 17034:2017).

5. This result of calibration was found accurate as shown on date and place of calibration only.

6. Condition of calibration item : Normal

Calibrated by Mr. Chakrin Changson Approved by (Mr. Somchai Neamput)

Scientist

Issue date 18 December 2025

The uncertainties are for a confidence interval of approximately 95%.

The calibration result is applied only to the items calibrated and item was found accurate in shown on date and place of calibration and

This certificate is issued in accordance with the conditions of accreditation granted by the Thai Laboratory Accreditation Scheme which has been approved by the Thai Standards Bureau.

The certificate is valid only for the items calibrated and item was found accurate in shown on date and place of calibration and

The certificate is valid only for the items calibrated and item was found accurate in shown on date and place of calibration and

The certificate is valid only for the items calibrated and item was found accurate in shown on date and place of calibration and


The certificate is valid only for the items calibrated and item was found accurate in shown on date and place of calibration and

The certificate is valid only for the items calibrated and item was found accurate in shown on date and place of calibration and

The certificate is valid only for the items calibrated and item was found accurate in shown on date and place of calibration and

The certificate is valid only for the items calibrated and item was found accurate in shown on date and place of calibration and

The certificate is valid only for the items calibrated and item was found accurate in shown on date and place of calibration and



REPORT OF CALIBRATION

Page 2 of 3

Certificate No. : 25-215648

Sample Code : 25-94507-001

Equipment : pH factor Resolution : 0.01 pH : 0.1 mV : 0.1 °C

Manufacturer : METTLER TOLEDO Model : SevenCompact S220

Serial No. : B448305208 ID No. : LABE 11/4

Range : 0.00 pH to 20.000 pH : 2000.0 mV to 2000.0 mV : -5.0 °C to 130.0 °C

Results of Calibration

Part 1. DC Voltage measurement

pH Meter Serial No. : B448305208

Average indicator reading

mV

pH

Uncertainty

mV

Coverage factor

k

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00

2.00



CERTIFICATE OF CALIBRATION

Page 1 of 3

Certificate No. : 25-215648

Sample Code : 25-94507-001

Customer : EASTERN THAI CONSULTING 1992 CO., LTD.

683 Moo 11, Sukhapibarn 8 Rd., Nongkhani,

Siracha, Chonburi 20230

Location of Calibration : EASTERN THAI CONSULTING 1992 CO., LTD.

(Laboratory)

Equipment : pH Meter

Manufacturer : METTLER TOLEDO

Model : SevenCompact S220

Serial No. : B448305208

ID No. : LABE 11/4

Date of Receipt : 16 December 2025

Date of Calibration : 16 December 2025

Condition of Calibration

1. Environment Ambient temperature : 15.0 to 35.0 °C Relative humidity : 35.0 to 80.0 %RH

1.1 Start time : 23.3 °C : End time : 24.0 °C 1.2 Start time : 46.7 %RH : End time : 45.8 %RH

2. Calibration method

In house method W1 CL-019 : Direct measurement with standard voltage calibrator and direct measurement with certified reference material (CRM).

3. Reference standard / Certified reference material

Instrument ID No. Certificate No. Due Date

3.1 Voltage Calibrator LB-DPC-01 LF25-0350 22 June 2026

3.2 Digital Thermometer LB-DPC-01 25-141886 29 July 2026

Certified Reference Material Ref No. Expire Date

3.3 Buffer Solution pH 4.008 1174256 PH1216.L5 13 December 2027

3.4 Buffer Solution pH 7.000 C03292 S11M004 14 July 2027

3.5 Buffer Solution pH 10.010 1174257 PH220.L5 13 December 2026

4. This certificate is traceable to the international system of unit (SI Unit).

4.1 Instrument No. 3.1 through Measuretronix Limited.

4.2 Instrument No. 3.2 through Asia Medical and Agricultural Laboratory and Research Center Public Company Limited.

4.3 Buffer Solution No. 3.3 and No. 3.5 traceable to CIP chem (through primary measurement method Hained cell using calibrated thermometer, barometer, and nanovoltmeter Accredited laboratory ISO/IEC 17025 and ISO 17034).

4.4 Buffer Solution No. 3.4 traceable to HACH (Certified Reference Material from PTB Certificate Nr. PTB-PHOA 563/3050.4/23 and Certificate Nr. PTB-PHOA 555/30620/22. According to DIN EN ISO 17034:2017).

5. This result of calibration was found accurate as shown on date and place of calibration only.

6. Condition of calibration item : Normal

Calibrated by Mr. Chakrin Changson Approved by (Mr. Somchai Neamput)

Scientist

Issue date 18 December 2025

The uncertainties are for a confidence interval of approximately 95%.

The calibration result is applied only to the items calibrated and item was found accurate in shown on date and place of calibration and

This certificate is issued in accordance with the conditions of accreditation granted by the Thai Laboratory Accreditation Scheme which has been approved by the Thai Standards Bureau.

The certificate is valid only for the items calibrated and item was found accurate in shown on date and place of calibration and

The certificate is valid only for the items calibrated and item was found accurate in shown on date and place of calibration and

The certificate is valid only for the items calibrated and item was found accurate in shown on date and place of calibration and

The certificate is valid only for the items calibrated and item was found accurate in shown on date and place of calibration and

The certificate is valid only for the items calibrated and item was found accurate in shown on date and place of calibration and

The certificate is valid only for the items calibrated and item was found accurate in shown on date and place of calibration and

The certificate is valid only for the items calibrated and item was found accurate in shown on date and place of calibration and

The certificate is valid only for the items calibrated and item was found accurate in shown on date and place of calibration and



NSC 1151-11517025
CALIBRATION 0152
Page 3 of 3

REPORT OF CALIBRATION

Certificate No. : 25 54507 001
Sample Code : 25 54507 001

Equipment : pH Meter (Digital Thermometer with sensor)

Thermometer readout

Manufacturer : METTLER TOLEDO Model : SevenCompact S220

Serial No. : 8448305208 ID No. : LABE 11/4

Resolution : 0.1 °C Range : 5.0 °C to 130.0 °C

Thermometer sensor

Manufacturer : METTLER TOLEDO Model : InLab Expert Pro-ISM

Serial No. : 4290677 ID No. : N/A

Condition of Calibration

1. Environment

1.1 Ambient temperature : 24.1 °C ± 0.0 °C

1.2 Relative humidity : 45.0 % ± 0.2 %

2. Calibration method

2.1 The calibration was in house method WHCL-021 : by comparison with standard thermometer

2.2 The calibration by comparison unit under calibration (UUC) to the standard thermometer in a calibration bath at the controlled temperature.

2.3 The temperature scale in use of this laboratory is the international temperature scale of 1990 (ITS-90)

3. Reference standard instrument

Instrument	Model	ID No.	Certificate No.	Due date
3.1 Resistance Thermometer	PT-100	RTD-366	25 141898	29 July 2026
3.2 Thermometer Readout	753	LB-DPC-01	25 141898	29 July 2026

4. This certificate is traceable to the international system of unit (SI Unit).

Asa Medical and Agricultural Laboratory and Research Center Public Company Limited (Accreditation Under ILAS Laboratory Calibration No.0152)

5. This result of calibration was found accurate as shown on date and place of calibration only.

6. Condition of Calibration item : Normal

Results of Calibration

Calibration point °C	Average of standard reading °C	Unit under calibration		Expanded uncertainty °C	Coverage factor k
		Immersion depth mm	Average reading °C	Correction value °C	
25	25.00	100	24.9	+ 0.10	± 0.14
					2.00

Notes

Calibration results without adjustment

The result and uncertainty of measurement are given as the standard uncertainty of the value found multiplied by the coverage factor k = 2 for a normal distribution, and finally to a confidence probability of approximately 95%. The standard uncertainty of the measurement has been determined in accordance with the ILAS 4000.1

- End of report -

COPY

Primary Flow Calibrator

Serial No. : 110619 , 207510

CONDITION OF CALIBRATION ITEM : RECEIVED IN GOOD OPERATIONAL CONDITION

MEASUREMENT RESULTS: (X) without adjustment () adjustment

The table in the following gives the calibration results and associated measurement uncertainties of the measuring primary flow calibrator.

CALIBRATION DATA

PRIMARY FLOW CALIBRATOR RESULT

Nominal Value (cc/min)	STD Applied (cc/min)	DUC Reading (cc/min)	Correction (cc/min)	Uncertainty $\pm$ (cc/min)
0	0.000	0.000	0.000	
50	50.000	49.521	+0.479	0.300
100	100.000	98.397	+1.603	0.300
200	200.00	196.57	+3.43	0.58
300	300.00	295.49	+4.51	0.86
400	400.00	392.74	+7.26	1.14
500	500.00	491.64	+8.36	1.43

Technical Note. Media of Gas : Air

Setting Temperature 0 °C ; Pressure 101.3 kPa

Note. The Scope of Accredited ANAB Certificate No. ACDM-2814 Version 018 Page 52 of 73

This report is valid for the above stated instrument/s only.

End of Certificate

Certificate No. Q26004617

F3-011-05/12-23

PLAY



page 3 of 3

REPORT OF AUBURN

NOMENCLATURE	:	PRIMARY FLOW CALIBRATOR
MANUFACTURER	:	METALABS
MODEL / TYPE	:	DEFENDER 510-M
SERIAL NO.	:	207510
DATE OF CALIBRATION	:	14 January 2026

ENVIRONMENT CONDITIONS :

Temperature : $(23 \pm 2)^\circ\text{C}$ Relative Humidity : $(55 \pm 10)\%$ RH

PROCEDURE USED:

This instrument was calibrated under procedure No. CLC-C-PP-03. The calibration was performed by comparison with Gas Flow Meter which refers to the standard condition of 101.325 kPa and 0 °C.

REFERENCE STANDARD USED :

Gas Flow Meter, Alicat Scientific Model M-5SLPM-D-DB15 S/N. 261330.

TRACEABILITY :

The measurements are traceable to International System of Units (SI), through Chell Instrument Ltd. Certificate No. N039747. Due Date 02 April 2026.

UNCERTAINTY :

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k = 2$ which for a normal distribution corresponds to a coverage probability of approximately 95 %.

Certificate No. 026004618

E3-011-05/12-23

page 1 of 3

F3-011-05/12-23



MEASUREMENT RESULTS : (X) without adjustment () adjustment

CALIBRATION DATA

CALIBRATION DATA

Nominal Value (cc/min)	STD Applied (cc/min)	DUC Reading (cc/min)	Correction (cc/min)	Uncertainty $\pm$ (cc/min)
0	0.000	0.000	0.000	
50	50.000	49.508	+0.492	0.300
100	100.000	98.897	+1.103	0.300
200	200.00	197.81	+2.19	0.58
500	500.00	495.09	+4.91	1.43
1000	1000.00	991.68	+8.32	2.87
2000	2000.0	1987.2	+12.8	5.7
3000	3000.0	2985.5	+14.5	8.6
4000	4000.0	3983.1	+16.9	11.5
5000	5000.0	4981.3	+18.7	14.4

Setting Temperature 0 °C ; Pressure 101.3 kPa

Note, The Scope of Accredited ANAB Certificate No. ACDM-2814 Version 018 Page 52 of 73

This report is valid for the above stated instrument/s only.

End of Certificate

Certificate No. Q26004618

FD-3011-05/12-23

১৫০০



page 3 of 3

STANDARD WEIGHT 50 g



Certificate No. : 24-062445

Sample Code : 24-25551-001

Page 1 of 3

CERTIFICATE OF CALIBRATION

Customer : EASTERN THAI CONSULTING 1992 CO., LTD.

683 Moo 11, Sukhapibarn 8 Rd., Nongkham,

Sriracha, Chonburi 20230

Location of Calibration : Asia Medical and Agricultural Laboratory and Research Center Public Company Limited
(Calibration Laboratory)

Equipment : Standard Weight 50 g

Manufacturer : METTLER TOLEDO

Class : F1

Serial No. : N/A

ID No. : LABE 10/1

Date of Receipt : 23 May 2024

Date of Calibration : 03 June 2024

Calibrated by : Mr. Somwang Sangdee
Scientist

Issue date : 04 June 2024

The uncertainties are for a confidence probability of approximately 95%.

The calibration result is applied only to the above calibrated item and was found accurate as shown on date and place of calibration only.

This Certificate is issued in accordance with the conditions of accreditation granted by the Thai Laboratory Accreditation scheme which has assessed the measurement capability of the laboratory and its traceability to recognized national standards and to the unit of measurement realized at the corresponding national standards laboratory. This certificate may not be reproduced other than in full except with the prior written approval of the Asia Medical and Agricultural Laboratory and Research Center Public Company Limited (AMARC).



REPORT OF CALIBRATION

Equipment : Standard Weight 50 g

Manufacturer : METTLER TOLEDO

Class : F1

Serial No. : N/A

ID No. : LABE 10/1

Result of Calibration : ☒ Without adjustment ☐ Adjustment

Conventional value of the result of weighing in air. For a weight taken at a reference temperature (t_{ref}) of 20°C, the conventional mass is the mass of a reference weight of a density (ρ_{ref}) of 8000 kg.m⁻³ which it balances in air of a reference density (ρ_0) of 1.2 kg.m⁻³

Description	Deviation (mg)	Conventional		Expanded Uncertainty (mg)	Maximum Permissible Error ± (mg)	ID No.
		Mass				
50 g	-0.343	49.999657 g		0.10	0.30	LABF 10

The result expanded uncertainty of measurement U is stated as the standard uncertainty of measurement multiplied by the coverage factor $k=2.0$, which for a normal distribution corresponds to a coverage probability of approximately 95%. The standard uncertainty of measurement has been determined in accordance with UKAS M3003

Certificate No. : 24-062445

Sample Code : 24-25551-001

Page 3 of 3

REPORT OF CALIBRATION

Condition of Calibration

1. Ambient Conditions : Temperature $20^{\circ}\text{C} \pm 1.5^{\circ}\text{C}$, Relative humidity $50\% \pm 10\%$ and air density 1.19 kg/m^3
2. Calibration Method : Direct comparison weighing according to OIML R111-1 : 2004(E)
3. Reference standard instrument

Instrument	Class	ID No.	Certificate No.	Due Date
1) Standard Weight 1 mg to 1 kg	E2	LB-WF-83	24-001894	11 January 2025

4. This certification is traceable to the International System of Unit maintained at : -

Asia Medical and Agricultural Laboratory and Research Center Public Company Limited

(Instrument number 1).

5. Condition of Calibration item: Normal

6. Description of Calibrated Item :

Type and Nominal Value :	Standard Weight 50 g
Shape :	Cylindrical weight with knob
Material :	Stainless steel
Case :	Wooden Box
Comments :	Recalibration

- End of Report -

COPY

STANDARD WEIGHT 100 g



Certificate No. : 24-079772

Sample Code : 24-31841-002

Page 1 of 3

CERTIFICATE OF CALIBRATION

Customer : EASTERN THAI CONSULTING 1992 CO., LTD.

683 Moo 11, Sukhapibarn 8 Rd., NongKham,

Siriracha, Chonburi 20230

Location of Calibration : Asia Medical and Agricultural Laboratory and Research Center Public Company Limited
(Calibration Laboratory)

Equipment : Standard Weight 100 g

Manufacturer : N/A

Class : N/A

Serial No. : N/A

ID No. : LABE 10/2

Date of Receipt : 25 June 2024

Date of Calibration : 30 June 2024

Calibrated by : Mr. Nawa Sisuwan
Scientist
Approved by : (Mr. Somchai Neampunt)
Signed for Director

Issue date : 03 July 2024

The uncertainties are for a confidence probability of approximately 95%.

The calibration result is applied only to the above calibrated item and was found accurate as shown on data and under the calibration unity.

This Certificate is issued in accordance with the conditions of accreditation granted by the Thai Laboratory Accreditation scheme which has assessed the measurement capability of the laboratory and its traceability to recognized national standards and to the unit of measurement realized at the corresponding national standards laboratory. This certificate may not be reproduced other than in full except with the prior written approval of the Asia Medical and Agricultural Laboratory and Research Center Public Company Limited (AMARC).



REPORT OF CALIBRATION

Equipment : Standard Weight 100 g

Manufacturer : N/A

Class : N/A

Serial No. : N/A

ID No. : LABE 10/2

Result of Calibration : ☒ Without adjustment ☐ Adjustment

Conventional value of the result of weighing in air. For a weight taken at a reference temperature (t_{ref}) of 20°C, the conventional mass is the mass of a reference weight of a density (ρ_{ref}) of 8000 kg.m⁻³ which it balances in air of a reference density (ρ_0) of 1.2 kg.m⁻³

Description	Deviation	Conventional		Expanded		ID No.
		Mass		Uncertainty	Permissible Error	
	(mg)			(mg)	± (mg)	
100 g	-0.173	99.999827 g		0.16	0.50	LABE 10/2

The result expanded uncertainty of measurement U is stated as the standard uncertainty of measurement multiplied by the coverage factor $k=2.0$, which for a normal distribution corresponds to a coverage probability of approximately 95%. The standard uncertainty of measurement has been determined in accordance with UKAS M3003

Certificate No. : 24-079772
Sample Code : 24-31841-002

REPORT OF CALIBRATION

Condition of Calibration

1. Ambient Conditions : Temperature $20^{\circ}\text{C} \pm 1.5^{\circ}\text{C}$, Relative humidity $50\% \pm 10\%$ and air density 1.19 kg/m^3
2. Calibration Method : WI-CL-007 base on OIML R 111-1 : 2004(E)
3. Reference standard Instrument

Instrument	Class	ID No.	Certificate No.	Due Date
1) Standard Weight 1 mg to 1 kg	E2	LB-WE-83	24-001894	11 January 2025

4. This certification is traceable to the International System of Unit maintained at :-

Asia Medical and Agricultural Laboratory and Research Center Public Company Limited

(Instrument number 1).

5. Condition of Calibration item: Normal

6. Description of Calibrated Item :

Type and Nominal Value :	Standard Weight 100 g
Shape :	Cylindrical weight with knob
Material :	Stainless steel
Case :	Wooden Box
Comments :	Recalibration

- End of Report -

COPY

STANDARD WEIGHT 50 g



Certificate No. : 24-079773

Sample Code : 24-31841-003

CERTIFICATE OF CALIBRATION

Customer : EASTERN THAI CONSULTING 1992 CO., LTD.

683 Moo 11, Sukhapibarn 8 Rd., NongKham,

Sriracha, Chonburi 20230

Location of Calibration : Asia Medical and Agricultural Laboratory and Research Center Public Company Limited
(Calibration Laboratory)

Equipment : Standard Weight 50 g

Manufacturer : N/A

Class : N/A

Serial No. : N/A

ID No. : LABE 10/4

Date of Receipt : 25 June 2024

Date of Calibration : 30 June 2024

Calibrated by : Mr. Nawa Sisuwan
Scientist

Issue date : 03 July 2024

Approved by


(Mr. Somchai Neampunt)

Signed for Director

The uncertainties are for a confidence probability of approximately 95%.

The calibration result is applied only to the above calibrated item and was found accurate as shown on date and place of calibration only.

This Certificate is issued in accordance with the conditions of accreditation granted by the Thai Laboratory Accreditation scheme which has assessed the measurement capability of the laboratory and its traceability to recognized national standards and to the unit of measurement realized at the corresponding national standards laboratory. This certificate may not be reproduced other than in full except with the prior written approval of the Asia Medical and Agricultural Laboratory and Research Center Public Company Limited (AMARC).



Certificate No. : 24-079773

Sample Code : 24-31841-003

REPORT OF CALIBRATION

Equipment : Standard Weight 50 g

Manufacturer : N/A

Class : N/A

Serial No. : N/A

ID No. : LABE 10/4

Result of Calibration : ☒ Without adjustment ☐ Adjustment

Conventional value of the result of weighing in air. For a weight taken at a reference temperature (t_{ref}) of 20°C, the conventional mass is the mass of a reference weight of a density (ρ_{ref}) of 8000 kg.m⁻³ which it balances in air of a reference density (ρ_0) of 1.2 kg.m⁻³

Description	Deviation	Conventional	Expanded	Maximum		ID No.
				Uncertainty	Permissible Error	
		Mass		(mg)	± (mg)	
50 g	-0.176	49.999824 g	0.10	0.30		LABE 10/4

The result expanded uncertainty of measurement U is stated as the standard uncertainty of measurement multiplied by the coverage factor $k = 2.0$, which for a normal distribution corresponds to a coverage probability of approximately 95%. The standard uncertainty of measurement has been determined in accordance with UKAS M3003



Certificate No. : 24-079773

Sample Code : 24-31841-003

Page 3 of 3

REPORT OF CALIBRATION

Condition of Calibration

1. Ambient Conditions : Temperature $20^{\circ}\text{C} \pm 1.5^{\circ}\text{C}$, Relative humidity $50\% \pm 10\%$ and air density 1.19 kg/m^3
2. Calibration Method : WI-CL-007 base on OIML R 111-1 : 2004(E)
3. Reference standard instrument

Instrument	Class	ID No.	Certificate No.	Due Date
1) Standard Weight 1 mg to 1 kg	E2	LB-WE-83	24-001894	11 January 2025

4. This certification is traceable to the International System of Unit maintained at :-

Asia Medical and Agricultural Laboratory and Research Center Public Company Limited

(Instrument number 1).

5. Condition of Calibration item: Normal

6. Description of Calibrated Item :

Type and Nominal Value :	Standard Weight 50 g
Shape :	Cylindrical weight with knob
Material :	Stainless steel
Case :	Wooden Box
Comments :	Recalibration

- End of Report -

COPY

SOUND LEVEL CALIBRATOR

MODEL : NC-75

SERIAL No. : 34234715



Cert. No. : ACC26001
Pages : 1 of 3

Calibration Certificate

Equipment : SOUND CALIBRATOR

Manufacturer : RION

Model : NC-75

Serial No. : 34234715

ID No. :

Condition As Found : GOOD

Customer :

EASTERN THAI CONSULTING 1992 CO., LTD.
SAHA GROUP INDUSTRIAL PARK, 683 MOO 11,
NONGKHAM, SIRACHA, CHONBURI 20230 THAILAND.

Location :

Ambient Temperature : (23.0 ± 3) °C

Pressure : (101.3 ± 3) kPa

Relative Humidity : (50.0 ± 20) %

Received Date : 26 DECEMBER 2025

Calibration Date : 21 JANUARY 2026

Date of Issue : 22 JANUARY 2026

Calibrated by :

Nathakorn Pisutpaisan

Approved by :

(Nitinun Srihawan)

COPY

This certificate is issued in accordance with the requirements of ISO/IEC 17025 standard, may not be reproduced other than in full, except with the prior written approval of the head of Calibration Laboratory.

Cert. No. : ACC26001
Job No. : VC69ACB048
Pages : 2 of 3

Calibration Procedure : CIP-ACC-03

Calibration Method :

This equipment was calibrated by follow on IEC-60942-2003 Standard.

The sound pressure level, frequency and total distortion of the sound calibrator was measured using the reference microphone.

Condition of this result of calibration :

1. Reference Standard Instruments

Instrument	Model	Serial No.	Cert. No.	Due Date
Waveform Generator	GS11B	MY52302742	IEC-001.25	11-FEB-26
Digital Multimeter	33461A	MY53220104	IEC-BP 240268	22-APR-26
Digital Multimeter	33461A	MY53220076	IEC-BP 2340268	22-APR-26
Digital Multimeter	33461A	MY60024273	CA3025120EA	18-MAR-26
Programmable Attenuator	MAT-1070	62100114	IEC-0006.25	11-FEB-26
Condenser Microphone	4180	2977900	AA-1002.25	19-FEB-26
Measuring Amplifier	NA-42KAI	34560495	AA-3002.25	19-FEB-26
Audio Analyzer	AVR-3360A	V744P5069	IEC-0013.25	13-FEB-26

2. This result of calibration was found accurate as shown on date and place of calibration for this calibrated item only.

3. This certificate is traceable to the international system of unit maintained at :

- 3.1 National Institute of Metrology (Thailand).
- 3.2 Thailand Institute of Scientific and Technological Research (TISTR)
- 3.3 Electrical And Electronics Institute (EEI).

COPY

Cert. No. : ACC26001
Job No. : VC69AC0048
Pages : 3 of 3

Result of calibration :**1. Sound pressure level**

Specified sound pressure level (dB)	Measured value (dB)	Deviated value (dB)	Uncertainty (dB)	Acceptance limit (dB)
94	94.02	0.02	0.15	0.40

2. Frequency

Specified Frequency (Hz)	Measured value (Hz)	Deviated value (%)	Uncertainty (%)	Acceptance limit (%)
1000	1000.0	0.0	0.1	1.0

3. Total distortion

Measured value (%)	Uncertainty (%)	Acceptance limit (%)
0.83	0.10	3.0

The reported uncertainty is based on a standard uncertainty multiplied by coverage factor $k = 2$ or any value following calculation, providing a level of confidence of approximately 95 %

End of Calibration Certificate**COPY**

SOUND LEVEL CALIBRATOR

MODEL : NC-75

SERIAL No. : 34302326

Calibration Certificate

Equipment : SOUND CALIBRATOR

Manufacturer : RION

Model : NC-75

Serial No.: 34302326

ID No.:

Condition As Found : GOOD

Customer : EASTERN THAI CONSULTING 1992 CO., LTD.
SAHA GROUP INDUSTRIAL PARK, 683 MOO 11,
NONGKHAM, SIRACHA, CHONBURI 20230 THAILAND.

Location :
Ambient Temperature : (23.0 ± 3) °C
Pressure : (101.3 ± 3) kPa
Relative Humidity : (50.0 ± 20) %

Received Date : 01 APRIL 2026
Calibration Date : 08 APRIL 2026
Date of Issue : 08 APRIL 2026

Calibrated by :

Nathakorn Pisutpaisan

Approved by :

(Nifnun Srihawan)

This certificate is issued in accordance with the requirements of ISO/IEC 17025 standard, may not be reproduced other than in full, except with the prior written approval of the head of Calibration Laboratory.

Calibration Procedure : CP-AC-03

Calibration Method :

This equipment was calibrated by follow on IEC-60942-2003 Standard.

The sound pressure level, frequency and total distortion of the sound calibrator was measured using the reference microphone.

Condition of this result of calibration :

1. Reference Standard Instruments :

Instrument	Model	Serial No.	Cert. No.	Due Date
Waveform Generator	33511A	MY52302742	EF-0015-26	12-FEB-27
Digital Multimeter	33461A	MY53220104	CA20260104EA	17-MAR-27
Digital Multimeter	33461A	MY53220076	CA20260102EA	18-MAR-27
Digital Multimeter	33461A	MY60024273	CA20260103EA	18-MAR-27
Programmable Attenuator	MAT-1070	62100114	EF-0016-26	11-FEB-27
Condensor Microphone	4180	2977900	AA-1006-26	12-FEB-27
Measuring Amplifier	NA-42KAI	34560495	AA-3004-26	17-FEB-27
Audio Analyzer	AVR-3360A	V744B6069	EF-0017-26	17-FEB-27

2. This result of calibration was found accurate as shown on date and place of calibration for this calibrated item only.

3. This certificate is traceable to the international system of unit maintained at :

3.1 National Institute of Metrology (Thailand).

3.2 Electrical And Electronics Institute (EEI).

COPY

Cert No. : ACC26006
Job No. : VC69AC0074
Pages : 3 of 3

Result of calibration :**1. Sound pressure level**

Specified sound pressure level (dB)	Measured value (dB)	Deviated value (dB)	Uncertainty (dB)	Acceptance limit (dB)
94	94.02	0.02	0.14	0.40

2. Frequency

Specified Frequency (Hz)	Measured value (Hz)	Deviated value (%)	Uncertainty (%)	Acceptance limit (%)
1000	1000.0	0.0	0.1	1.0

3. Total distortion

Measured value (%)	Uncertainty (%)	Acceptance limit (%)
0.66	0.10	3.0

The reported uncertainty is based on a standard uncertainty multiplied by coverage factor $k = 2$ or any value following calculation, providing a level of confidence of approximately 95 %

----- End of Calibration Certificate

COPY

SOUND LEVEL METER

MODEL : NL-42A

SERIAL No. : 00322745

Cert. No. : ACL26007
Pages : 1 of 8

Calibration Certificate

Equipment : SOUND LEVEL METER
Manufacturer : RION
Model : NL-42A / Microphone UC-52 / Preamplifier NH-24
Serial No.: 00322745 / 196468 / 15477
ID No.: -


Condition As Found : GOOD

Customer : EASTERN THAI CONSULTING 1992 CO., LTD.
SAHA GROUP INDUSTRIAL PARK, 683 MOO 11,
NONGKHAM, SIRACHA, CHONBURI 20230 THAILAND.

Location : -
Ambient Temperature : (23.0 ± 3) °C
Pressure : (101.3 ± 3) kPa
Relative Humidity : (50.0 ± 20) %

Received Date : 26 DECEMBER 2025
Calibration Date : 05 - 07 JANUARY 2026
Date of Issue : 07 JANUARY 2026

Calibrated by : Nathakorn Pisupaisan

Approved by : 
(Nitinun Srihawan)

This certificate is issued in accordance with the requirements of ISO/IEC 17025 standard, may not be reproduced other than in full, except with the prior written approval of the head of Calibration Laboratory.

SITHIPORN

Cert. No. : ACL26007
Job No. : YV 09AC0048
Pages : 2 of 3

Calibration Procedure : CP-AC-01

Calibration Method :

This equipment was calibrated by follow on IEC-61672-3 (2013) Standard for sound level meter (SLM).
The SLM had tests to Acoustical and Electrical signal tests of frequency weighting with Anelastic chamber and Reference Standard Instruments.

For test results of each items were made by observation of each Instruments display and also with SLM's display.

Condition of this result of calibration :

1. Reference Standard Instruments :


Instrument	Model	Serial No.	Cert. No.	Due Date
Waveform Generator	33210A	MY48017076	EF-0011-25	11-FEB-26
Waveform Generator	33511B	MY52302742	EF-0012-25	11-FEB-26
Digital Multimeter	33461A	MY53220104	FEI_BP 24/0268	22-APR-26
Digital Multimeter	33461A	MY53220076	FEI_BP 23/0268	22-APR-26
Digital Multimeter	34461A	MY60024273	CA20251201A	18-MAR-26
Programmable Attenuator	MA-T-1070	62100114	EF-0006-25	11-FEB-26
Condenser Microphone	4180	2977900	AA-1002-25	19-FEB-26
Measuring Amplifier	NA-42KAI	34560495	AA-3002-25	19-FEB-26

2. This result of calibration was found accurate as shown on date and place of calibration for this calibrated item only.

3. This certificate is traceable to the international system of unit maintained at :

- 3.1 National Institute of Metrology (Thailand).
- 3.2 Thailand Institute of Scientific and Technological Research (TISTR).
- 3.3 Electrical And Electronics Institute (EEI).





Cert. No. : ACL26007
Job No. : VC69AC0048
Pages : 3 of 8

Cert. No. : ACL26007
Job No. : VC69AC0048
Page : 3 of 8

Summary of Measurement Result :

Parameter	Uncertainty (dB)	Maximum-permitted uncertainty of measurement (dB)
1. Absolute sensitivity	0.2	N/A
2. Self-generated noise	0.2	N/A
3. Acoustical signal tests of frequency weightings		
125 Hz	0.3	0.6
1000 Hz	0.3	0.6
8000 Hz	0.3	0.7
4. Electrical signal tests of frequency weightings		
For 10 Hz to 4 kHz	0.3	0.6
For > 4 kHz to 10 kHz	0.3	0.7
For > 10 kHz to 20 kHz	0.3	1.0
5. Frequency and time weightings at 1 kHz	0.2	0.2
6. Long - term stability	0.1	0.1
7. Level linearity on the reference level range	0.2	0.3
8. Level linearity including the level range control	0.2	0.3
9. Tone burst response	0.2	0.3
10. Peak C sound level	0.2	0.35
11. Overload indication	0.2	0.25
12. High level stability	0.1	0.1

Result of calibration :**1. Absolute sensitivity**

Reference Acoustic Signal (dB)	Measured Value (dB)	Deviation (dB)	Acceptance Limit (dB)
93.9 (93.94)	93.9	0.0	±0.3

2. Self-generated noise**2.1 Normal test**

Measured Value (dB)
14.2

2.2 The microphone of the sound level meter was replaced by electrical signal input device.

Frequency Weighting	Weighting (dB)
A - weight	10.8
C - weight	17.4
Flat	23.2

3. Acoustical signal tests of frequency weightings

Meter free-field acoustic response at a level of 84 dB

Frequency (Hz)	Deviation from various frequency weighting response curve (dB)			
	Flat	C-weight	A-weight	Acceptance limits
125	0.2	0.3	0.2	± 1.5
1000	0.1	0.1	0.1	± 1.0
8000	0.3	0.3	0.3	± 5.0

COPY

COPY

Cert. No. : ACL26007
Job No. : VC69AC0048
Pages : 5 of 8

4. Electrical signal tests of frequency weightings

Weighting network response with relative to 1 kHz.

Frequency (Hz)	Deviation from various frequency weighting response curve (dB)		
	Flat	C-weight	A-weight
63	0.0	0.0	0.0
125	0.0	0.1	0.0
250	0.0	0.1	0.0
500	0.0	0.1	0.0
1000	0.0	0.0	0.0
2000	0.0	0.1	0.0
4000	0.0	0.0	0.0
8000	0.0	0.1	0.1

5. Frequency and time weightings at 1 kHz

5.1 Frequency weightings at 1 kHz

Frequency Weighting	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
A - weight	94.0	94.0	0.0	± 0.2
C - weight	94.0	94.0	0.0	± 0.2
Flat	94.0	94.0	0.0	± 0.2

5.2 Time weighting at 1 kHz

Frequency Weighting	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
Fast	94.0	94.0	0.0	± 0.1
Slow	94.0	94.0	0.0	± 0.1
Leq	94.0	94.0	0.0	± 0.1

6. Long - term stability

Frequency Weighting	SLM Display at initial (dB)	SLM Display at final (dB)	Deviated Value (dB)	Acceptance Limits (dB)
A - weight	94.0	94.1	0.1	± 0.3

7. Level linearity on the reference level range

Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
137.0	137.0	0.0	± 1.1
136.0	136.0	0.0	± 1.1
135.0	135.0	0.0	± 1.1
134.0	134.0	0.0	± 1.1
133.0	133.0	0.0	± 1.1
132.0	132.0	0.0	± 1.1
131.0	131.0	0.0	± 1.1
129.0	129.0	0.0	± 1.1
124.0	124.0	0.0	± 1.1
119.0	119.0	0.0	± 1.1
114.0	114.0	0.0	± 1.1
109.0	109.0	0.0	± 1.1
104.0	104.0	0.0	± 1.1
99.0	99.0	0.0	± 1.1
94.0	94.0	0.0	± 1.1
89.0	89.0	0.0	± 1.1
84.0	84.0	0.0	± 1.1
79.0	79.0	0.0	± 1.1
74.0	74.0	0.0	± 1.1
69.0	69.0	0.0	± 1.1
64.0	64.0	0.0	± 1.1
59.0	59.0	0.0	± 1.1
54.0	54.0	0.0	± 1.1
49.0	49.0	0.0	± 1.1
44.0	44.0	0.0	± 1.1
39.0	39.0	0.0	± 1.1
34.0	34.0	0.0	± 1.1
30.0	30.0	0.0	± 1.1
29.0	29.0	0.0	± 1.1
28.0	28.0	0.0	± 1.1
27.0	27.0	0.0	± 1.1
26.0	26.0	0.0	± 1.1
25.0	25.1	0.1	± 1.1

COPY

SITHIPORN ASSOCIATES
CALIBRATION LABORATORYSITHIPORN ASSOCIATES
CALIBRATION LABORATORYSITHIPORN ASSOCIATES
CALIBRATION LABORATORY

Cert. No. : ACL26007
Job No. : VC69AC0048
Pages : 7 of 8

8. Level linearity including the level range control

Range	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
130	94.0	94.0	0.0	±1.1

Range	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
130	29.0	29.0	0.0	±1.1

9. Tone burst response

Time Weighting	Tone burst duration, Tb (ms)	Cycle	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
Fast	0.25	1	108.0	108.0	0.0	1.5 ; -5.0
	2	8	117.0	117.0	0.0	1.0 ; -2.5
	200	800	134.0	134.1	0.1	±1.0
Slow	2	8	108.0	108.0	0.0	1.0 ; -5.0
	200	800	127.6	127.6	0.0	±1.0
SEL	0.25	1	99.0	98.9	-0.1	1.5 ; -5.0
	2	8	108.0	108.0	0.0	1.0 ; -2.5
	200	800	128.0	128.1	0.1	±1.0

Cert. No. : ACL26007
Job No. : VC69AC0048
Pages : 8 of 8

10. Peak C sound level

Number of cycle in test signal	Anticipated Value (dB)	Measured Value, L _{peak} (dB)	Deviated Value (dB)	Acceptance Limits (dB)
Continuous	130.0	130.0	0.0	±3.0
One	133.4	133.4	0.0	±3.0

Number of cycle in test signal	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
Continuous	133.0	133.0	0.0	±2.0
Positive half cycle	135.4	135.1	-0.3	±2.0
Negative half cycle	135.4	135.1	-0.3	±2.0

11. Overload indication

Measured value (dB)		Deviated Value (dB)	Acceptance Limits (dB)
Positive one-half cycle	Negative one-half cycle	0.0	±1.5
89.5	89.5		

12. High level stability

Frequency Weighting	SLM Display at initial (dB)	SLM Display at final (dB)	Deviated Value (dB)	Acceptance Limits (dB)
A - weight	137.0	137.0	0.0	±0.3

The reported uncertainty is based on a standard uncertainty multiplied by coverage factor $k = 2$ or any value following calculation, providing a level of confidence of approximately 95 %

End of Calibration Certificate

COPY

COPY

SOUND LEVEL METER

MODEL : NL-42A

SERIAL No. : 00322746



Cert. No. : ACL25248
Pages : 1 of 8

Cert. No. : ACL25248
Job No. : VC68AC0117
Pages : 2 of 8

Calibration Certificate

Equipment : SOUND LEVEL METER
Manufacturer : RION
Model : NL-42A / Microphone UC-52 / Preamplifier NH-24
Serial No.: 00322746 / 196469 / 15478
ID No.: -

Condition As Found : GOOD
Customer : EASTERN THAI CONSULTING 1992 CO., LTD.
SAHA GROUP INDUSTRIAL PARK, 683 MOO 11,
NONGKHAM, SIRACHA, CHONBURI 20230 THAILAND.

Location : -
Ambient Temperature : (23.0 ± 3) °C
Pressure : (101.3 ± 3) kPa
Relative Humidity : (50.0 ± 20) %

Received Date : 06 JUNE 2025
Calibration Date : 18 JUNE 2025
Date of Issue : 20 JUNE 2025

Calibrated by : Nathakorn Pisutpaisan

Approved by : Wichok E.

(Wichok Ekpongpradit)

COPY

This certificate is issued in accordance with the requirements of ISO/IEC 17025 standard, may not be reproduced other than in full, except with the prior written approval of the head of Calibration Laboratory.

Calibration Procedure : CP-AC-01

Calibration Method :

This equipment was calibrated by follow on IEC-61672-3 (2013) Standard for sound level meter (SLM).
The SLM had tests to Acoustical and Electrical signal tests of frequency weighting with Anechoic chamber and Reference Standard Instruments.

For tests results of each items were made by observation of each Instruments display and also with SLM's display.

Condition of this result of calibration :

1. Reference Standard Instruments :

Instrument	Model	Serial No.	Cert. No.	Due Date
Waveform Generator	33210A	MY48017076	EF-0011-25	11-FEB-26
Waveform Generator	33511B	MY52302742	EF-0012-25	11-FEB-26
Digital Multimeter	33461A	MY53220104	EEL-BP 24/0268	22-APR-26
Digital Multimeter	33461A	MY53220076	EEL-BP 23/0268	22-APR-26
Digital Multimeter	34461A	MY60024273	CA2025120EA	18-MAR-26
Programmable Attenuator	MAT-1070	62100114	EF-0006-25	11-FEB-26
Condenser Microphone	4180	2977900	AA-1002-25	19-FEB-26
Measuring Amplifier	NA-42KA1	34560495	AA-3002-25	19-FEB-26

2. This result of calibration was found accurate as shown on date and place of calibration for this calibrated item only.

3. This certificate is traceable to the international system of unit maintained at :

- 3.1 National Institute of Metrology (Thailand).
- 3.2 Thailand Institute of Scientific and Technological Research (TISTR).
- 3.3 Electrical And Electronics Institute (EEI).

COPY

Cert. No. : ACL25248
Job No. : VC68AC011
Pages : 3 of 8

Cert. No. : ACL25248
Job No. : VC68AC0117
Page : 4 of 8

Summary of Measurement Result :

Parameter	Uncertainty (dB)	Maximum-permitted uncertainty of measurement (dB)
1. Absolute sensitivity	0.2	N/A
2. Self-generated noise	0.2	N/A
3. Acoustical signal tests of frequency weightings		
125 Hz	0.3	0.6
1000 Hz	0.3	0.6
8000 Hz	0.3	0.7
4. Electrical signal tests of frequency weightings		
For 10 Hz to 4 kHz	0.3	0.6
For > 4 kHz to 10 kHz	0.3	0.7
For > 10 kHz to 20 kHz	0.3	1.0
5. Frequency and time weightings at 1 kHz	0.2	0.2
6. Long - term stability	0.1	0.1
7. Level linearity on the reference level range	0.2	0.3
8. Level linearity including the level range control	0.2	0.3
9. Tone burst response	0.2	0.3
10. Peak C sound level	0.2	0.35
11. Overload indication	0.2	0.25
12. High level stability	0.1	0.1

Result of calibration :

1. Absolute sensitivity

Reference Acoustic Signal (dB)	Measured Value (dB)	Deviation (dB)	Acceptance Limit (dB)
93.9 (93.94)	93.9	0.0	±0.3

2. Self-generated noise

2.1 Normal test

Measured Value (dB)
15.1

2.2 The microphone of the sound level meter was replaced by electrical signal input device.

Frequency Weighting	Weighting (dB)
A - weight	10.8
C - weight	17.1
Flat	22.6

3. Acoustical signal tests of frequency weightings

Meter free-field acoustic response at a level of 84 dB

Frequency (Hz)	Deviation from various frequency weighting response curve (dB)		
	Flat	C-weight	A-weight Acceptance Limits
125	0.4	0.4	± 1.5
1000	0.1	0.1	± 1.0
8000	0.8	0.9	±5.0

COPY

COPY

Cert. No. : AC1.25248
Job No. : VC68AC0117
Pages : 5 of 8

Cert. No. : ACL25248
Job No. : VC68AC0117
Pages : 6 of 8

4. Electrical signal tests of frequency weightings

Weighting network response with relative to 1 kHz.

Frequency (Hz)	Deviation from various frequency weighting response curve (dB)		
	Flat	C-weight	A-weight
63	-0.1	0.0	-0.1
125	0.0	0.0	0.0
250	0.0	0.0	0.0
500	0.0	0.0	0.0
1000	0.0	0.0	0.0
2000	0.0	0.1	0.0
4000	0.0	0.0	0.0
8000	0.0	0.1	0.1
Acceptance Limits			±2.0
			±1.5
			±1.5
			±1.5
			±1.0
			±2.0
			±3.0
			±5.0

5. Frequency and time weightings at 1 kHz

5.1 Frequency weightings at 1 kHz

Frequency Weighting	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
A - weight	94.0	94.0	0.0	± 0.2
C - weight	94.0	94.0	0.0	± 0.2
Flat	94.0	94.0	0.0	± 0.2

5.2 Time weighting at 1 kHz

Frequency Weighting	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
Fast	94.0	94.0	0.0	± 0.1
Slow	94.0	94.0	0.0	± 0.1
Leq	94.0	94.0	0.0	± 0.1

6. Long - term stability

Frequency Weighting	SLM Display at initial (dB)	SLM Display at final (dB)	Deviated Value (dB)	Acceptance Limits (dB)
A - weight	94.0	94.0	0.0	± 0.3

7. Level linearity on the reference level range

Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
137.0	137.0	0.0	± 1.1
136.0	136.0	0.0	± 1.1
135.0	135.0	0.0	± 1.1
134.0	134.0	0.0	± 1.1
133.0	133.0	0.0	± 1.1
132.0	132.0	0.0	± 1.1
131.0	131.0	0.0	± 1.1
129.0	129.0	0.0	± 1.1
124.0	124.0	0.0	± 1.1
119.0	119.0	0.0	± 1.1
114.0	114.0	0.0	± 1.1
109.0	109.0	0.0	± 1.1
104.0	104.0	0.0	± 1.1
99.0	99.0	0.0	± 1.1
94.0	94.0	0.0	± 1.1
89.0	89.0	0.0	± 1.1
84.0	84.0	0.0	± 1.1
79.0	79.0	0.0	± 1.1
74.0	74.0	0.0	± 1.1
69.0	69.0	0.0	± 1.1
64.0	64.0	0.0	± 1.1
59.0	59.0	0.0	± 1.1
54.0	53.9	-0.1	± 1.1
49.0	49.0	0.0	± 1.1
44.0	44.0	0.0	± 1.1
39.0	39.0	0.0	± 1.1
34.0	34.0	0.0	± 1.1
30.0	29.9	-0.1	± 1.1
29.0	28.9	-0.1	± 1.1
28.0	27.9	-0.1	± 1.1
27.0	26.9	-0.1	± 1.1
26.0	25.9	-0.1	± 1.1
25.0	24.9	-0.1	± 1.1

COPY

COPY

Cert. No. : ACL25248

Job No. : VC68AC011

Pages : 7 of 8

Cert. No. : ACL25248

Job No. : VC68AC011

Pages : 8 of 8

8. Level linearity including the level range control

Range	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
130	94.0	94.0	0.0	±1.1

Range	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
130	29.0	28.9	-0.1	±1.1

9. Tone burst response

Time Weighting	Tone burst duration, Tb (ms)	Cycle	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
Fast	0.25	1	108.0	107.9	-0.1	1.5 ; -5.0
	2	8	117.0	117.0	0.0	1.0 ; -2.5
	200	800	134.0	134.1	0.1	±1.0
Slow	2	8	108.0	108.0	0.0	1.0 ; -5.0
	200	800	127.6	127.6	0.0	±1.0
	0.25	1	99.0	98.9	-0.1	1.5 ; -5.0
SEL	2	8	108.0	108.0	0.0	1.0 ; -2.5
	200	800	128.0	128.1	0.1	±1.0

10. Peak C sound level

Number of cycle in test signal	Anticipated Value (dB)	Measured Value, Lcpeak (dB)	Deviated Value (dB)	Acceptance Limits (dB)
Continuous	130.0	130.0	0.0	±3.0
One	133.4	133.3	-0.1	±3.0

Number of cycle in test signal	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
Continuous	133.0	133.0	0.0	±2.0
Positive half cycle	135.4	135.2	-0.2	±2.0
Negative half cycle	135.4	135.2	-0.2	±2.0

11. Overload indication

Measured value (dB)		Deviated Value (dB)	Acceptance Limits (dB)
Positive one-half cycle	Negative one-half cycle	-0.1	±1.5
89.6	89.5		

12. High level stability

Frequency Weighting	SLM Display at initial (dB)	SLM Display at final (dB)	Deviated Value (dB)	Acceptance Limits (dB)
A - weight	137.0	137.0	0.0	±0.3

The reported uncertainty is based on a standard uncertainty multiplied by coverage factor $k = 2$ or any value following calculation providing a level of confidence of approximately 95%.

End of Calibration Certificate

COPY

COPY

SOUND LEVEL METER

MODEL : NL-52A

SERIAL No. : 00230994



Cert. No. : ACL26026
Pages : 1 of 8

Calibration Certificate

Equipment : SOUND LEVEL METER
Manufacturer : RUON
Model : NL-52A / Microphone UC-59 / Preamplifier NH-25
Serial No.: 00230994 / 22777 / 22430
ID No.: -

Condition As Found : GOOD

Customer : EASTERN THAI CONSULTING 1992 CO., LTD.
SAHA GROUP INDUSTRIAL PARK, 683 MOO 11,
NONGKHAM, SIRACHA, CHONBURI 20230 THAILAND.

Location : -
Ambient Temperature : (23.0 ± 3) °C
Pressure : (101.3 ± 3) kPa
Relative Humidity : (50.0 ± 20) %

Received Date : 26 DECEMBER 2025
Calibration Date : 05 - 07 JANUARY 2026
Date of Issue : 07 JANUARY 2026

Calibrated by : Nathakorn Pisutpaisan

Approved by :
(Nitinun Srihawan)

COPY

This certificate is issued in accordance with the requirements of ISO/IEC 17025 standard, may not be reproduced other than in full, except with the prior written approval of the head of Calibration Laboratory.

Cert. No. : ACL26026
Job No. : VC69AC0048
Pages : 2 of 8

Calibration Procedure : CP-AC-02

Calibration Method :

This equipment was calibrated by follow on IEC-61672-3 (2013) Standard for sound level meter (SLM).
The SLM had tests to Acoustical and Electrical signal tests of frequency weighting with Anechoic chamber and Reference Standard Instruments.

For tests results of each items were made by observation of each Instruments display and also with SLM's display.

Condition of this result of calibration :

1. Reference Standard Instruments :

Instrument	Model	Serial No.	Cert. No.	Due Date
Waveform Generator	33210A	MY48017076	EF-0011-25	11-FEB-26
Waveform Generator	33511B	MY52302742	EF-0012-25	11-FEB-26
Digital Multimeter	33461A	MY53220104	EEL-BP 24/0268	22-APR-26
Digital Multimeter	33461A	MY53220076	EEL-BP 23/0268	22-APR-26
Digital Multimeter	34461A	MY69024273	CA2025120EA	18-MAR-26
Programmable Attenuator	MAT-1070	62100114	EF-0006-25	11-FEB-26
Condenser Microphone	4180	2977900	AA-1002-25	19-FEB-26
Measuring Amplifier	NA-42KA1	34560495	AA-3002-25	19-FEB-26

2. This result of calibration was found accurate as shown on date and place of calibration for this calibrated item only.

3. This certificate is traceable to the international system of unit maintained at :

- 3.1 National Institute of Metrology (Thailand).
- 3.2 Thailand Institute of Scientific and Technological Research (TISTR).
- 3.3 Electrical And Electronics Institute (EEI).

COPY

Cert. No. : ACL26026
Job No. : VC69AC0048
Page : 4 of 8

Parameter	Uncertainty (dB)	Maximum-permitted uncertainty of measurement (dB)
1. Absolute sensitivity	0.2	N/A
2. Self-generated noise	0.2	N/A
3. Acoustical signal tests of frequency weightings		
125 Hz	0.3	0.6
1000 Hz	0.3	0.6
8000 Hz	0.3	0.7
4. Electrical signal tests of frequency weightings		
For 10 Hz to 4 kHz	0.3	0.6
For > 4 kHz to 10 kHz	0.3	0.7
For > 10 kHz to 20 kHz	0.3	1.0
5. Frequency and time weightings at 1 kHz	0.2	0.2
6. Long - term stability	0.1	0.1
7. Level linearity on the reference level range	0.2	0.3
8. Level linearity including the level range control	0.2	0.3
9. Tone burst response	0.2	0.3
10. Peak C sound level	0.2	0.35
11. Overload indication	0.2	0.25
12. High level stability	0.1	0.1

1. Absolute sensitivity

Reference Acoustic Signal (dB)	Measured Value (dB)	Deviation (dB)	Acceptance Limit (dB)
95.9 (93.94)	94.0	0.0	± 0.3

2.1 Normal test

Measured Value (dB)	14.8
--------------------------	------

2.2 The microphone of the sound level meter was replaced by electrical signal input device.

Frequency Weighting	Weighting (dB)
A - weight	9.9
C - weight	15.1
Flat	20.9

Meter free-field acoustic response at a level of 84 dB

Frequency (Hz)	Deviation from various frequency weighting response curve (dB)			
	Flat	C-weight	A-weight	Acceptance Limits
125	0.1	0.1	0.1	± 1.0
1000	0.1	0.1	0.1	± 0.7
8000	0.3	0.4	0.4	+1.5 - 2.5

U.S. DEPT. OF JUSTICE

COPY

Cert. No. : ACL26026
Job No. : VC69AC0048
Pages : 5 of 8

4. Electrical signal tests of frequency weightings
Weighting network response with relative to 1 kHz.

Frequency (Hz)	Deviation from various frequency weighting response curve (dB)		
	Flat	C-weight	A-weight Acceptance Limits
63	0.0	0.0	±1.0
125	0.0	0.0	±1.0
250	0.0	0.0	±1.0
500	0.0	0.0	±1.0
1000	0.0	0.0	±1.0
2000	0.0	0.0	±1.0
4000	0.0	0.0	±1.0
8000	0.0	0.1	+ 1.5, - 2.5
16000	0.0	-1.2	+ 2.5, -16.0

5. Frequency and time weightings at 1 kHz

5.1 Frequency weightings at 1 kHz

Frequency Weighting	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
A - weight	94.0	94.0	0.0	± 0.2
C - weight	94.0	94.0	0.0	± 0.2
Flat	94.0	94.0	0.0	± 0.2

5.2 Time weighting at 1 kHz

Frequency Weighting	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
Fast	94.0	94.0	0.0	± 0.1
Slow	94.0	94.0	0.0	± 0.1
Leq	94.0	94.0	0.0	± 0.1

6. Long - term stability

Frequency Weighting	SLM Display at initial (dB)	SLM Display at final (dB)	Deviated Value (dB)	Acceptance Limits (dB)
A - weight	94.0	94.0	0.0	± 0.1

7. Level linearity on the reference level range

Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
137.0	137.0	0.0	±0.8
136.0	136.0	0.0	±0.8
135.0	135.0	0.0	±0.8
134.0	134.0	0.0	±0.8
133.0	133.0	0.0	±0.8
132.0	132.0	0.0	±0.8
131.0	131.0	0.0	±0.8
129.0	129.0	0.0	±0.8
124.0	124.0	0.0	±0.8
119.0	119.0	0.0	±0.8
114.0	114.0	0.0	±0.8
109.0	109.0	0.0	±0.8
104.0	104.0	0.0	±0.8
99.0	99.0	0.0	±0.8
94.0	94.0	0.0	±0.8
89.0	89.0	0.0	±0.8
84.0	84.0	0.0	±0.8
79.0	79.0	0.0	±0.8
74.0	74.0	0.0	±0.8
69.0	69.0	0.0	±0.8
64.0	64.0	0.0	±0.8
59.0	59.0	0.0	±0.8
54.0	54.0	0.0	±0.8
49.0	49.0	0.0	±0.8
44.0	44.0	0.0	±0.8
39.0	39.0	0.0	±0.8
34.0	34.0	0.0	±0.8
30.0	30.0	0.0	±0.8
29.0	29.0	0.0	±0.8
28.0	28.0	0.0	±0.8
27.0	27.0	0.0	±0.8
26.0	26.0	0.0	±0.8
25.0	24.9	-0.1	±0.8

COPY

Cert. No. : ACL26026
Job No. : VC69AC0048
Pages : 7 of 8

8. Level linearity including the level range control

Range	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
130	94.0	94.0	0.0	±0.8

Range	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
130	29.0	29.0	0.0	±0.8

9. Tone burst response

Time Weighting	Tone burst duration, Tb (ms)	Cycle	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
Fast	0.25	1	108.0	107.9	-0.1	1.0 ; -3.0
	2	8	117.0	117.0	0.0	1.0 ; -1.5
	200	800	134.0	134.0	0.0	±0.5
Slow	2	8	108.0	108.0	0.0	1.0 ; -3.0
	200	800	127.6	127.6	0.0	±0.5
SEL	0.25	1	99.0	98.9	-0.1	1.0 ; -3.0
	2	8	108.0	108.0	0.0	1.0 ; -1.5
	200	800	128.0	128.0	0.0	±0.5

Cert. No. : ACL26026
Job No. : VC69AC0048
Pages : 8 of 8

10. Peak C sound level

Number of cycle in test signal	Anticipated Value (dB)	Measured Value, L _{peak} (dB)	Deviated Value (dB)	Acceptance Limits (dB)
Continuous	130.0	130.0	0.0	±2.0
One	133.4	133.4	0.0	±2.0

Number of cycle in test signal	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
Continuous	133.0	133.1	0.1	±1.0
Positive half cycle	135.4	135.3	0.1	±1.0
Negative half cycle	135.4	135.3	-0.1	±1.0

11. Overload indication

Measured value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
Positive one-half cycle	89.5	±1.5
Negative one-half cycle		
89.5	0.0	±1.5

12. High level stability

Frequency Weighting	SLM Display at initial (dB)	SLM Display at final (dB)	Deviated Value (dB)	Acceptance Limits (dB)
A - weight	137.0	137.0	0.0	±0.1

The reported uncertainty is based on a standard uncertainty multiplied by coverage factor $k = 2$
or any value following calculation, providing a level of confidence of approximately 95 %

End of Calibration Certificate

COPY

COPY

SOUND LEVEL METER

MODEL : NL-53

SERIAL No. : 00741217

Cert. No. : ACL25310
 Pages : 1 of 8

Cert. No. : ACL25310
 Job No. : VC68AC0160
 Pages : 2 of 8

Calibration Certificate

Equipment : SOUND LEVEL METER
Manufacturer : RION
Model : NL-53 / Microphone UC-59 / Preamplifier NH-25
Serial No.: 00741217 / 25793 / 34172
ID No.: -

Condition As Found : GOOD

Customer : EASTERN THAI CONSULTING 1992 CO., LTD.
 SAHA GROUP INDUSTRIAL PARK, 683 MOO 11,
 NONGKHAM, SIRACHA, CHONBURI 20230 THAILAND.

Location : -
Ambient Temperature : (23.0 ± 3) °C
Pressure : (101.3 ± 3) kPa
Relative Humidity : (50.0 ± 20) %

Received Date : 23 JULY 2025
Calibration Date : 13 - 14 AUGUST 2025
Date of Issue : 15 AUGUST 2025

Calibrated by : Nathakorn Pisutpaisan

Approved by : *Wichok B.*
 (Wichok Ekpongpradit)

Calibration Procedure : CP-AC-02

Calibration Method :

This equipment was calibrated by follow on IEC-61672-3 (2013) Standard for sound level meter (SLM).
 The SLM had tests to Acoustical and Electrical signal tests of frequency weighting with Anechoic chamber and Reference Standard Instruments.

For tests results of each items were made by observation of each Instruments display and also with SLM's display.

Condition of this result of calibration :

1. Reference Standard Instruments :

Instrument	Model	Serial No.	Cert. No.	Due Date
Waveform Generator	33210A	MY48017076	EF-0011-25	11-FEB-26
Waveform Generator	33511B	MY52302742	EF-0012-25	11-FEB-26
Digital Multimeter	33461A	MY53220104	EELBP 24/0268	22-APR-26
Digital Multimeter	33461A	MY53220076	EELBP 23/0268	22-APR-26
Digital Multimeter	34461A	MY60024273	CA2025120EA	18-MAR-26
Programmable Attenuator	MAT-1070	62100114	EF-0006-25	11-FEB-26
Condenser Microphone	4180	2977900	AA-1002-25	19-FEB-26
Measuring Amplifier	NA-42KAI	34560495	AA-3002-25	19-FEB-26

2. This result of calibration was found accurate as shown on date and place of calibration for this calibrated item only.
 3. This certificate is traceable to the international system of unit maintained at :

- 3.1 National Institute of Metrology (Thailand).
- 3.2 Thailand Institute of Scientific and Technological Research (TISTR).
- 3.3 Electrical And Electronics Institute (EII).

Cert. No. : ACL25310
Job No. : VC68AC0160
Pages : 3 of 8

Summary of Measurement Result :

Parameter	Uncertainty (dB)	Maximum-permitted uncertainty of measurement (dB)
1. Absolute sensitivity	0.2	N/A
2. Self-generated noise	0.2	N/A
3. Acoustical signal tests of frequency weightings		
125 Hz	0.3	0.6
1000 Hz	0.3	0.6
8000 Hz	0.3	0.7
4. Electrical signal tests of frequency weightings		
For 10 Hz to 4 kHz	0.3	0.6
For > 4 kHz to 10 kHz	0.3	0.7
For > 10 kHz to 20 kHz	0.3	1.0
5. Frequency and time weightings at 1 kHz	0.2	0.2
6. Long - term stability	0.1	0.1
7. Level linearity on the reference level range	0.2	0.3
8. Level linearity including the level range control	0.2	0.3
9. Tone burst response	0.2	0.3
10. Peak C sound level	0.2	0.35
11. Overload indication	0.2	0.25
12. High level stability	0.1	0.1

COPY

mickey B.

Cert. No. : ACL25310
Job No. : VC68AC0160
Page : 4 of 8

Result of calibration :**1. Absolute sensitivity**

Reference Acoustic Signal (dB)	Measured Value (dB)	Deviation (dB)	Acceptance Limit (dB)
93.9 (93.94)	94.0	0.0	±0.3

2. Self-generated noise**2.1 Normal test**

Measured Value (dB)
15.4

2.2 The microphone of the sound level meter was replaced by electrical signal input device.

Frequency Weighting	Weighting (dB)
A - weight	13.0
C - weight	16.8
Flat	22.3

3. Acoustical signal tests of frequency weightings

Meter free-field acoustic response at a level of 84 dB

Frequency (Hz)	Deviation from various frequency weighting response curve (dB)		
	Flat	C-weight	A-weight
125	0.2	0.2	0.2
1000	0.2	0.2	0.2
8000	-0.4	-0.3	-0.3
			± 1.0
			± 0.7
			+ 1.5, - 2.5

COPY

mickey B.

Cert. No. : ACL25310
Job No. : VC68AC0160
Pages : 5 of 8

4. Electrical signal tests of frequency weightings
Weighting network response with relative to 1 kHz.

Frequency (Hz)	Deviation from various frequency weighting response curve (dB)			
	Flat	C-weight	A-weight	Acceptance Limits
63	0.1	0.0	0.0	±1.0
125	0.0	0.0	0.0	±1.0
250	0.0	0.0	-0.1	±1.0
500	0.0	0.0	-0.1	±1.0
1000	0.0	0.0	0.0	±1.0
2000	0.0	0.0	0.0	±1.0
4000	-0.1	-0.1	-0.1	±1.0
8000	-0.1	-0.1	-0.1	+ 1.5, - 2.5
16000	-0.1	-0.8	-0.8	+ 2.5, -16.0

5. Frequency and time weightings at 1 kHz

5.1 Frequency weightings at 1 kHz

Frequency Weighting	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
A - weight	94.0	94.0	0.0	± 0.2
C - weight	94.0	94.0	0.0	± 0.2
Flat	94.0	94.0	0.0	± 0.2

5.2 Time weighting at 1 kHz

Frequency Weighting	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
Fast	94.0	94.0	0.0	± 0.1
Slow	94.0	94.0	0.0	± 0.1
Leq	94.0	94.0	0.0	± 0.1

6. Long - term stability

Frequency Weighting	SLM Display at initial (dB)	SLM Display at final (dB)	Deviated Value (dB)	Acceptance Limits (dB)
A - weight	94.0	94.0	0.0	± 0.1

7. Level linearity on the reference level range

Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
137.0	137.0	0.0	±0.8
136.0	136.0	0.0	±0.8
135.0	135.0	0.0	±0.8
134.0	134.0	0.0	±0.8
133.0	133.0	0.0	±0.8
132.0	132.0	0.0	±0.8
131.0	131.0	0.0	±0.8
129.0	129.0	0.0	±0.8
124.0	124.0	0.0	±0.8
119.0	119.0	0.0	±0.8
114.0	114.0	0.0	±0.8
109.0	109.0	0.0	±0.8
104.0	104.0	0.0	±0.8
99.0	99.0	0.0	±0.8
94.0	94.0	0.0	±0.8
89.0	89.0	0.0	±0.8
84.0	84.0	0.0	±0.8
79.0	79.0	0.0	±0.8
74.0	74.0	0.0	±0.8
69.0	69.0	0.0	±0.8
64.0	64.0	0.0	±0.8
59.0	59.0	0.0	±0.8
54.0	54.0	0.0	±0.8
49.0	49.0	0.0	±0.8
44.0	44.0	0.0	±0.8
39.0	39.0	0.0	±0.8
34.0	34.0	0.0	±0.8
30.0	30.0	0.0	±0.8
29.0	28.9	-0.1	±0.8
28.0	28.0	0.0	±0.8
27.0	26.9	-0.1	±0.8
26.0	25.9	-0.1	±0.8
25.0	24.9	-0.1	±0.8

COPY

COPY

Cert. No. : ACL25310
Job No. : VC68AC0160
Pages : 7 of 8

8. Level linearity including the level range control

Range	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
130	94.0	94.0	0.0	±0.8
130	29.0	28.9	-0.1	±0.8

9. Tone burst response

Time Weighting	Tone burst duration, Tb (ms)	Cycle	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
Fast	0.25	1	108.0	107.9	-0.1	1.0 ; -3.0
	2	8	117.0	117.0	0.0	1.0 ; -1.5
	200	800	134.0	134.0	0.0	±0.5
Slow	2	8	108.0	108.0	0.0	1.0 ; -3.0
	200	800	127.6	127.6	0.0	±0.5
SEL	0.25	1	99.0	98.9	-0.1	1.0 ; -3.0
	2	8	108.0	108.0	0.0	1.0 ; -1.5
	200	800	128.0	128.0	0.0	±0.5

10. Peak C sound level

Number of cycle in test signal	Anticipated Value (dB)	Measured Value, Lepeak (dB)	Deviated Value (dB)	Acceptance Limits (dB)
Continuous	130.0	130.0	0.0	±2.0
One	133.4	133.4	0.0	±2.0
Number of cycle in test signal	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
Continuous	133.0	133.0	0.0	±1.0
Positive half cycle	135.4	135.1	-0.3	±1.0
Negative half cycle	135.4	135.2	-0.2	±1.0

11. Overload indication

Measured value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
Positive one-half cycle		
89.6	89.6	0.0
		±1.5

12. High level stability

Frequency Weighting	SLM Display at initial (dB)	SLM Display at final (dB)	Deviated Value (dB)	Acceptance Limits (dB)
A - weight	137.0	137.0	0.0	±0.1

The reported uncertainty is based on a standard uncertainty multiplied by coverage factor $k \approx 2$ or any value following calculation providing a level of confidence of approximately 95 %

End of Calibration Certificate

COPY

COPY

SOUND LEVEL METER

MODEL : NL-52A

SERIAL No. : 01120949

Cert. No. : ACL26019
Pages : 1 of 8

Calibration Certificate

Equipment : SOUND LEVEL METER
Manufacturer : RION
Model : NL-52A / Microphone UC-59 / Preamplifier NH-25
Serial No. : 01120949 / 22118 / 22421
ID No. : -

Condition As Found : GOOD

Customer : EASTERN THAI CONSULTING 1992 CO., LTD.
SAHA GROUP INDUSTRIAL PARK, 683 MOO 11,
NONGKHAM, SIRACHA, CHONBURI 20230 THAILAND.

Location : -
Ambient Temperature : (23.0 $\pm$ 3) °C
Pressure : (101.3 $\pm$ 3) kPa
Relative Humidity : (50.0 $\pm$ 20) %

Received Date : 26 DECEMBER 2025
Calibration Date : 05 - 07 JANUARY 2026
Date of Issue : 07 JANUARY 2026

Calibrated by : Nathakorn Pisutpaisan

Approved by :

(Nitinun Srihawan)

COPY

This certificate is issued in accordance with the requirements of ISO/IEC 17025 standard, may not be reproduced other than in full, except with the prior written approval of the head of Calibration Laboratory.

Cert. No. : ACL26019
Job No. : VC69AC0048
Pages : 2 of 8

Calibration Procedure : CP-AC-02

Calibration Method :

This equipment was calibrated by follow on IEC-61672-3 (2013) Standard for sound level meter (SLM).
The SLM had tests to Acoustical and Electrical signal tests of frequency weighting with Anechoic chamber and Reference Standard Instruments.

For tests results of each items were made by observation of each Instruments display and also with SLM's display.

Condition of this result of calibration :

1. Perform a Standard Instruments :

Instrument	Model	Serial No.	Cert. No.	Due Date
Waveform Generator	33210A	MY48017076	EF-0011-25	11-FEB-26
Waveform Generator	33511B	MY52302742	1-F-0012-25	11-FEB-26
Digital Multimeter	33461A	MY53220104	EFIL-BP 24/0268	22-APR-26
Digital Multimeter	33461A	MY53220076	EFIL-BP 23/0268	22-APR-26
Digital Multimeter	34461A	MY60024273	CA2025120EA	18-MAR-26
Programmable Attenuator	MAT-1070	62100114	EF-0006-25	11-FEB-26
Condenser Microphone	4180	2977960	AA 1002-25	19-FEB-26
Measuring Amplifier	N/A-42KAJ	34560495	AA-3002-25	19-FEB-26

2. This result of calibration was found accurate as shown on date and place of calibration for this calibrated item only.

3. This certificate is traceable to the international system of unit maintained at :

- 3.1 National Institute of Metrology (Thailand).
- 3.2 Thailand Institute of Scientific and Technological Research (TISTR).
- 3.3 Electrical And Electronics Institute (EEI).

COPY

Cert. No. : ACL26019
Job No. : VC69AC0048
Pages : 3 of 8

Summary of Measurement Result :

Parameter	Uncertainty (dB)	Maximum-permitted uncertainty of measurement (dB)
1. Absolute sensitivity	0.2	N/A
2. Self-generated noise	0.2	N/A
3. Acoustical signal tests of frequency weightings		
125 Hz	0.3	0.6
1000 Hz	0.3	0.6
8000 Hz	0.3	0.7
4. Electrical signal tests of frequency weightings		
For 10 Hz to 4 kHz	0.3	0.6
For > 4 kHz to 10 kHz	0.3	0.7
For > 10 kHz to 20 kHz	0.3	1.0
5. Frequency and time weightings at 1 kHz	0.2	0.2
6. Long - term stability	0.1	0.1
7. Level linearity on the reference level range	0.2	0.3
8. Level linearity including the level range control	0.2	0.3
9. Tone burst response	0.2	0.3
10. Peak C sound level	0.2	0.35
11. Overload indication	0.2	0.25
12. High level stability	0.1	0.1

COPY

Cert. No. : ACL26019
Job No. : VC69AC0048
Page : 4 of 8

Result of calibration :**1. Absolute sensitivity**

Reference Acoustic Signal (dB)	Measured Value (dB)	Deviation (dB)	Acceptance Limit (dB)
93.9 (93.94)	94.0	0.0	+0.3

2. Self-generated noise**2.1 Normal test**

Measured Value (dB)
14.8

2.2 The microphone of the sound level meter was replaced by electrical signal input device.

Frequency Weighting	Weighting (dB)
A - weight	9.9
C - weight	14.6
Flat	20.1

3. Acoustical signal tests of frequency weightings

Meter free-field acoustic response at a level of 84 dB

Frequency (Hz)	Deviation from various frequency weighting response curve (dB)		
	Flat	C-weight	A-weight
125	0.0	0.1	0.1
1000	0.1	0.1	0.1
8000	0.3	0.4	0.4

COPY

Cert. No. : ACL26019

Job No. : VC69AC0048

Pages : 5 of 8

Cert. No. : ACL26019

Job No. : VC69AC0048

Pages : 6 of 8

4. Electrical signal tests of frequency weightings

Weighting network response with relative to 1 kHz.

Frequency (Hz)	Deviation from various frequency weighting response curve (dB)		
	Flat	C-weight	A-weight
63	0.0	0.0	0.0
125	0.0	0.0	0.0
250	0.0	0.0	0.0
500	0.0	0.0	0.0
1000	0.0	0.0	0.0
2000	0.0	0.0	0.0
4000	0.0	0.0	0.0
8000	0.0	0.1	0.1
16000	0.0	-1.2	-1.2

5. Frequency and time weightings at 1 kHz**5.1 Frequency weightings at 1 kHz**

Frequency Weighting	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
A - weight	94.0	94.0	0.0	± 0.2
C - weight	94.0	94.0	0.0	± 0.2
Flat	94.0	94.0	0.0	± 0.2

5.2 Time weighting at 1 kHz

Frequency Weighting	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
Fast	94.0	94.0	0.0	± 0.1
Slow	94.0	94.0	0.0	± 0.1
Leq	94.0	94.0	0.0	± 0.1

6. Long - term stability

Frequency Weighting	SLM Display at initial (dB)	SLM Display at final (dB)	Deviated Value (dB)	Acceptance Limits (dB)
A - weight	94.0	94.0	0.0	± 0.1

7. Level linearity on the reference level range

Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
137.0	137.0	0.0	± 0.8
136.0	136.0	0.0	± 0.8
135.0	135.0	0.0	± 0.8
134.0	134.0	0.0	± 0.8
133.0	133.0	0.0	± 0.8
132.0	132.0	0.0	± 0.8
131.0	131.0	0.0	± 0.8
129.0	129.0	0.0	± 0.8
124.0	124.0	0.0	± 0.8
119.0	119.0	0.0	± 0.8
114.0	114.0	0.0	± 0.8
109.0	109.0	0.0	± 0.8
104.0	104.0	0.0	± 0.8
99.0	99.0	0.0	± 0.8
94.0	94.0	0.0	± 0.8
89.0	89.0	0.0	± 0.8
84.0	84.0	0.0	± 0.8
79.0	78.9	-0.1	± 0.8
74.0	74.0	0.0	± 0.8
69.0	69.0	0.0	± 0.8
64.0	63.9	-0.1	± 0.8
59.0	59.0	0.0	± 0.8
54.0	53.9	-0.1	± 0.8
49.0	48.9	-0.1	± 0.8
44.0	43.9	-0.1	± 0.8
39.0	38.9	-0.1	± 0.8
34.0	33.9	-0.1	± 0.8
30.0	29.9	-0.1	± 0.8
29.0	28.9	-0.1	± 0.8
28.0	27.9	-0.1	± 0.8
27.0	27.0	0.0	± 0.8
26.0	25.9	-0.1	± 0.8
25.0	24.9	-0.1	± 0.8

COPY

Cert. No. : ACL26019
Job No. : VC69AC0048
Pages : 7 of 8

8. Level linearity including the level range control

Range	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
130	94.0	94.0	0.0	±0.8

Range	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
130	29.0	28.9	-0.1	±0.8

9. Tone burst response

Time Weighting	Tone burst duration, T _b (ms)	Cycle	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
Fast	0.25	1	108.0	107.9	-0.1	1.0 ; -3.0
	2	8	117.0	117.0	0.0	1.0 ; -1.5
	200	800	134.0	134.0	0.0	±0.5
Slow	2	8	108.0	108.0	0.0	1.0 ; -3.0
	200	800	127.6	127.6	0.0	±0.5
	0.25	1	99.0	98.9	-0.1	1.0 ; -3.0
SEL	2	8	108.0	108.0	0.0	1.0 ; -1.5
	200	800	128.0	128.0	0.0	±0.5

Cert. No. : ACL26019
Job No. : VC69AC0048
Pages : 8 of 8

10. Peak C sound level

Number of cycle in test signal	Anticipated Value (dB)	Measured Value, L _{epk} (dB)	Deviated Value (dB)	Acceptance Limits (dB)
Continuous	130.0	130.0	0.0	±2.0
One	133.4	133.3	-0.1	±2.0

Number of cycle in test signal	Anticipated Value (dB)	Measured Value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
Continuous	133.0	133.0	0.0	±1.0
Positive half cycle	135.4	135.2	-0.2	±1.0
Negative half cycle	135.4	135.2	-0.2	±1.0

11. Overload indication

Measured value (dB)	Deviated Value (dB)	Acceptance Limits (dB)
Positive one half cycle		
89.5	89.5	±1.5
Negative one half cycle		
	0.0	±1.5

12. High level stability

Frequency Weighting	SLM Display at initial (dB)	SLM Display at final (dB)	Deviated Value (dB)	Acceptance Limits (dB)
A - weight	137.0	137.0	0.0	±0.1

The reported uncertainty is based on a standard uncertainty multiplied by coverage factor $k = 2$ or any value following calculation, providing a level of confidence of approximately 95 %

End of Calibration Certificate

COPY

COPY

ภาคผนวก จ

ใบรับรองความสามารถห้องปฏิบัติการ



แบบ กสท./สมบ.๒
Form NSC/TISI 2

ใบรับรองเลขที่ 23-L80251
(Certificate No.)

ใบรับรองระบบงาน (Certificate of Accreditation)

อาศัยอำนาจตามความในพระราชบัญญัติการมาตรฐานแห่งชาติ พ.ศ. ๒๕๕๑
(By Virtue of National Standardization Act B.E. 2551 (2008))

เลขาธิการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Secretary-General, Thai Industrial Standards Institute)

ออกใบรับรองฉบับนี้ให้
(Issues this certificate to)

บริษัท อีสเทิร์น ไทย คอนซัลติง 1992 จำกัด
(Eastern Thai Consulting 1992 Co., Ltd.)

ตั้งอยู่เลขที่
(Address)

๖๘๓ หมู่ที่ ๑๑ ถนนสุขาภิบาล ๘ ตำบลหนองขาม อำเภอศรีราชา จังหวัดชลบุรี
(683 Moo 11, Sukhaphibarn 8 Road, Nongkham, Sriracha, Chonburi)

ได้รับการรับรองความสามารถ
(Certificate of competence)

ตามมาตรฐานเลขที่ มอก. ๑๗๐๒๕ - ๒๕๖๑
(Standard No. TIS 17025-2561 (2018) ISO/IEC 17025: 2017)

ข้อกำหนดทั่วไปว่าด้วยความสามารถของ ห้องปฏิบัติการทดสอบและห้องปฏิบัติการสอบเทียบ
(General requirements for the competence of testing and calibration laboratories)

หมายเลขการรับรองที่ ทดสอบ ๑๗๑๒
(Accreditation No. Testing 1712)

โดยมีรายละเอียดสาขาและขอบข่ายที่ได้ใบรับรอง แสดงไว้ใน QR CODE และ www.tisi.go.th
(Details of the scheme and scope of the certificate are shown in QR CODE and www.tisi.go.th)

ออกให้ ณ วันที่ ๒๓ สิงหาคม พ.ศ. ๒๕๖๖
(Issue date : 23 August B.E. 2566 (2023))

(นายเอกนิติ รมยานนท์)
รองเลขาธิการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
ปฏิบัติราชการแทน
เลขาธิการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม



c88f6993

กระทรวงอุตสาหกรรม สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)



COPY

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 23-L80251
(Certification No. 23-L80251)



ชื่อห้องปฏิบัติการ
(Laboratory Name)

บริษัท อีสเทิร์น ไทย คอนซัลติง 1992 จำกัด
(Eastern Thai Consulting 1992 Co., Ltd.)

หมายเลขการรับรองที่
(Accreditation No.)

ทดสอบ 1712
(Testing 1712)

ฉบับที่ 02
(Issue No. 02)

ออกให้ตั้งแต่วันที่ 23 มิถุนายน พ.ศ. 2568
(Valid from) (23 June B.E. 2568 (2025))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ ถาวร (Permanent) ☐ นอกสถานที่ (Site) ☐ชั่วคราว (Temporary)

ถึงวันที่ 16 กรกฎาคม พ.ศ. 2571
(Until) (16 July B.E. 2571 (2028))

☐ เคลื่อนที่ (Mobile) ☐ หลายสถานที่ (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสังแวดล้อม (Environmental field) 1. น้ำ (Water)	- โลหะหนัก (Heavy metals) • โครเมียม (Cr) (Chromium (Cr)) 0.03 มิลลิกรัมต่อลิตร ถึง 2.00 มิลลิกรัมต่อลิตร (0.03 mg/L to 2.00 mg/L) • ทองแดง (Cu) (Copper (Cu)) 0.03 มิลลิกรัมต่อลิตร ถึง 2.00 มิลลิกรัมต่อลิตร (0.03 mg/L to 2.00 mg/L) • เหล็ก (Fe) (Iron (Fe)) 0.03 มิลลิกรัมต่อลิตร ถึง 2.00 มิลลิกรัมต่อลิตร (0.03 mg/L to 2.00 mg/L) • ตะกั่ว (Pb) (Lead (Pb)) 0.01 มิลลิกรัมต่อลิตร ถึง 1.00 มิลลิกรัมต่อลิตร (0.01 mg/L to 1.00 mg/L)	- Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24 th edition, 2023, part 3030 F and part 3120 B

กระทรวงอุตสาหกรรม สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม
(Ministry of Industry, Thai Industrial Standards Institute)

หน้า 1/9

COPY

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 23-LB0251

(Certification No. 23-LB0251)



ฉบับที่ 02
(Issue No. 02)

ออกให้ตั้งแต่วันที่ 23 มิถุนายน พ.ศ. 2568
(Valid from) (23 June B.E.2568 (2025))

ถึงวันที่ 16 กรกฎาคม พ.ศ. 2571
(Until) (16 July B.E.2571 (2028))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ ถาวร
(Permanent)

☐ นอกสถานที่
(Site)

☐ชั่วคราว
(Temporary)

☐ เคลื่อนที่
(Mobile)

☐ หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field)		
1. น้ำ (ต่อ) (Water) (Cont.)	- โลหะหนัก (ต่อ) (Heavy metals) (Cont.) • นิกเกิล (Ni) (Nickel) (Ni) 0.03 มิลลิกรัมต่อลิตร ถึง 2.00 มิลลิกรัมต่อลิตร (0.03 mg/L to 2.00 mg/L) • อลูมิเนียม (Al) (Aluminum) (Al) 0.10 มิลลิกรัมต่อลิตร ถึง 2.00 มิลลิกรัมต่อลิตร (0.10 mg/L to 2.00 mg/L) • แบเรียม (Ba) (Barium) (Ba) 0.03 มิลลิกรัมต่อลิตร ถึง 2.00 มิลลิกรัมต่อลิตร (0.03 mg/L to 2.00 mg/L) • แคดเมียม (Cd) (Cadmium) (Cd) 0.003 มิลลิกรัมต่อลิตร ถึง 1.00 มิลลิกรัมต่อลิตร (0.003 mg/L to 1.00 mg/L) • แมงกานีส (Mn) (Manganese) (Mn) 0.03 มิลลิกรัมต่อลิตร ถึง 2.00 มิลลิกรัมต่อลิตร (0.03 mg/L to 2.00 mg/L)	- Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th edition, 2023, part 3030 F and part 3120 B

COPY

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 23-LB0251

(Certification No. 23-LB0251)



ฉบับที่ 02
(Issue No. 02)

ออกให้ตั้งแต่วันที่ 23 มิถุนายน พ.ศ. 2568
(Valid from) (23 June B.E.2568 (2025))

ถึงวันที่ 16 กรกฎาคม พ.ศ. 2571
(Until) (16 July B.E.2571 (2028))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ ถาวร
(Permanent)

☐ นอกสถานที่
(Site)

☐ชั่วคราว
(Temporary)

☐ เคลื่อนที่
(Mobile)

☐ หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field)		
1. น้ำ (ต่อ) (Water) (Cont.)	- โลหะหนัก (ต่อ) (Heavy metals) (Cont.) • เงิน (Ag) (Silver) (Ag) 0.05 มิลลิกรัมต่อลิตร ถึง 2.00 มิลลิกรัมต่อลิตร (0.05 mg/L to 2.00 mg/L) • สังกะสี (Zn) (Zinc) (Zn) 0.03 มิลลิกรัมต่อลิตร ถึง 2.00 มิลลิกรัมต่อลิตร (0.03 mg/L to 2.00 mg/L) - ไขมันและน้ำมัน (Oil & Grease) 3.0 มิลลิกรัมต่อลิตร ถึง 20.0 มิลลิกรัมต่อลิตร (3.0 mg/L to 20.0 mg/L)	- Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th edition, 2023, part 3030 F and part 3120 B - Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th edition, 2023, part 5520 B

COPY

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)
ใบรับรองเลขที่ 23-LB0251
(Certification No. 23-LB0251)



ฉบับที่ 02 ออกให้ตั้งแต่วันที่ 23 มิถุนายน พ.ศ. 2568 ถึงวันที่ 16 กรกฎาคม พ.ศ. 2571
(Issue No. 02) (Valid from) (23 June B.E. 2568 (2025)) (Until) (16 July B.E. 2571 (2028))
สถานภาพห้องปฏิบัติการ ☒ ถาวร ☐ นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่ ☐หลายสถานที่
(Laboratory status) (Permanent) (Site) (Temporary) (Mobile) (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field)		
2. น้ำเสีย (Wastewater)	- โลหะหนัก (Heavy metals) • โครเมียม (Cr) (Chromium (Cr)) 0.03 มิลลิกรัมต่อลิตร ถึง 2.00 มิลลิกรัมต่อลิตร (0.03 mg/L to 2.00 mg/L) • ทองแดง (Cu) (Copper (Cu)) 0.03 มิลลิกรัมต่อลิตร ถึง 2.00 มิลลิกรัมต่อลิตร (0.03 mg/L to 2.00 mg/L) • เหล็ก (Fe) (Iron (Fe)) 0.03 มิลลิกรัมต่อลิตร ถึง 2.00 มิลลิกรัมต่อลิตร (0.03 mg/L to 2.00 mg/L) • ตะกั่ว (Pb) (Lead (Pb)) 0.03 มิลลิกรัมต่อลิตร ถึง 2.00 มิลลิกรัมต่อลิตร (0.03 mg/L to 2.00 mg/L) • นิกเกิล (Ni) (Nickel (Ni)) 0.03 มิลลิกรัมต่อลิตร ถึง 2.00 มิลลิกรัมต่อลิตร (0.03 mg/L to 2.00 mg/L)	- Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th edition, 2023, part 3030 F and part 3120 B

COPY

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ
(Scope of Accreditation for Testing)
ใบรับรองเลขที่ 23-LB0251
(Certification No. 23-LB0251)



ฉบับที่ 02 ออกให้ตั้งแต่วันที่ 23 มิถุนายน พ.ศ. 2568 ถึงวันที่ 16 กรกฎาคม พ.ศ. 2571
(Issue No. 02) (Valid from) (23 June B.E. 2568 (2025)) (Until) (16 July B.E. 2571 (2028))
สถานภาพห้องปฏิบัติการ ☒ ถาวร ☐ นอกสถานที่ ☐ชั่วคราว ☐เคลื่อนที่ ☐หลายสถานที่
(Laboratory status) (Permanent) (Site) (Temporary) (Mobile) (Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field)		
2. น้ำเสีย (ต่อ) (Wastewater) (Cont.)	- โลหะหนัก (ต่อ) (Heavy metals) (Cont.) • อลูมิเนียม (Al) (Aluminum (Al)) 0.10 มิลลิกรัมต่อลิตร ถึง 2.00 มิลลิกรัมต่อลิตร (0.10 mg/L to 2.00 mg/L) • แบเรียม (Ba) (Barium (Ba)) 0.03 มิลลิกรัมต่อลิตร ถึง 2.00 มิลลิกรัมต่อลิตร (0.03 mg/L to 2.00 mg/L) • แคดเมียม (Cd) (Cadmium (Cd)) 0.03 มิลลิกรัมต่อลิตร ถึง 2.00 มิลลิกรัมต่อลิตร (0.03 mg/L to 2.00 mg/L) • แมงกานีส (Mn) (Manganese (Mn)) 0.03 มิลลิกรัมต่อลิตร ถึง 2.00 มิลลิกรัมต่อลิตร (0.03 mg/L to 2.00 mg/L) • เงิน (Ag) (Silver (Ag)) 0.05 มิลลิกรัมต่อลิตร ถึง 2.00 มิลลิกรัมต่อลิตร (0.05 mg/L to 2.00 mg/L)	- Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th edition, 2023, part 3030 F and part 3120 B

COPY

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 23-LB0251

(Certification No. 23-LB0251)



ฉบับที่ 02
(Issue No. 02)

ออกให้ตั้งแต่วันที่ 23 มิถุนายน พ.ศ. 2568
(Valid from)
(23 June B.E. 2568 (2025))

ถึงวันที่ 16 กรกฎาคม พ.ศ. 2571
(Until) (16 July B.E. 2571 (2028))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☒ ถาวร
(Permanent)

☐ นอกสถานที่
(Site)

☐ ชั่วคราว
(Temporary)

☐ เคลื่อนที่
(Mobile)

☐ หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 2. น้ำเสีย (ต่อ) (Wastewater) (Cont.)	- โลหะหนัก (ต่อ) (Heavy metal) (cont.) สังกะสี (Zn) (Zinc (Zn)) 0.03 มิลลิกรัมต่อลิตร ถึง 2.00 มิลลิกรัมต่อลิตร (0.03 mg/L to 2.00 mg/L) - ไขมันและน้ำมัน (Oil & Grease) 3.0 มิลลิกรัมต่อลิตร ถึง 20.0 มิลลิกรัมต่อลิตร (3.0 mg/L to 20.0 mg/L)	- Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th edition, 2023, part 3030 F and part 3120 B - Standard Method for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th edition, 2023, part 5520 B

COPY

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 23-LB0251

(Certification No. 23-LB0251)



ฉบับที่ 02
(Issue No. 02)

ออกให้ตั้งแต่วันที่ 23 มิถุนายน พ.ศ. 2568
(Valid from)
(23 June B.E. 2568 (2025))

ถึงวันที่ 16 กรกฎาคม พ.ศ. 2571
(Until) (16 July B.E. 2571 (2028))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☐ ถาวร
(Permanent)

☒ นอกสถานที่
(Site)

☐ ชั่วคราว
(Temporary)

☐ เคลื่อนที่
(Mobile)

☐ หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field) 3. บริเวณปฏิบัติงาน (Work station)	- ระดับเสียง (Sound level) - ระดับเสียงเฉลี่ย (Equivalent A-weighted sound pressure level: L_{Aeq}) $L_{Aeq,T}$ 30 เดซิเบลเอ ถึง 130 เดซิเบลเอ (L_{Aeq} 30 dB (A) to 130 dB (A)) - ระดับเสียงสูงสุด (Maximum sound level: L_{max}) L_{max} 30 เดซิเบลเอ ถึง 130 เดซิเบลเอ (L_{max} 30 dB (A) to 130 dB (A))	- ISO 11202 : 2010 - ประกาศกระทรวงอุตสาหกรรม เรื่อง มาตรการคุ้มครองความปลอดภัย ในการประกอบกิจการโรงงานเกี่ยวกับ สภาวะแวดล้อมในการทำงาน พ.ศ. 2546 ลงวันที่ 3 ธันวาคม 2546 (Notification of The Ministry of Industry B.E. 2546 (2003) on the Safety Protection Measures in Factory Regarding Working Area Environment, dated December 3, 2003)

COPY

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 23-LB0251

(Certification No. 23-LB0251)



ฉบับที่ 02
(Issue No. 02)

ออกให้ตั้งแต่วันที่ 23 มิถุนายน พ.ศ. 2568
(Valid from) (23 June B.E.2568 (2025))

ถึงวันที่ 16 กรกฎาคม พ.ศ. 2571
(Until) (16 July B.E.2571 (2028))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☐ ถาวร
(Permanent)

☒ นอกสถานที่
(Site)

☐ ชั่วคราว
(Temporary)

☐ เคลื่อนที่
(Mobile)

☐ หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field)		
3. บริเวณปฏิบัติงาน (Work station)	- ระดับเสียง (ต่อ) (Sound level) (Cont.) • ระดับเสียงเฉลี่ย (Equivalent A-weighted sound pressure level: $L_{Aeq,T}$) $L_{Aeq,T}$ 30 เดซิเบลเอ ถึง 130 เดซิเบลเอ (L_{Aeq} 30 dB (A) to 130 dB (A)) • ระดับเสียงสูงสุด (Maximum sound level: L_{max}) L_{max} 30 เดซิเบลเอ ถึง 130 เดซิเบลเอ (L_{max} 30 dB (A) to 130 dB (A))	- ประกาศกรมสวัสดิการและคุ้มครองแรงงาน เรื่อง มาตรฐานระดับเสียงที่ยอมให้ลูกจ้างได้รับเฉลี่ยตลอดระยะเวลาการทำงานในแต่ละวัน ลงวันที่ 26 มกราคม 2561 (Notification of The Department of Labor Protection and Welfare on the standard of noise level that employees are allowed to receive in average period of work each day, dated January 26, 2018.) - ประกาศกรมสวัสดิการและคุ้มครองแรงงาน เรื่อง หลักเกณฑ์ วิธีการตรวจวัดและการวิเคราะห์สภาวะการทำงานเกี่ยวกับระดับความร้อน แสงสว่าง หรือเสียง รวมทั้งระยะเวลา และประเภทกิจการที่ต้องดำเนินการ ลงวันที่ 12 มีนาคม 2561 (Notification of The Department of Labor Protection and Welfare on Criteria, Measurement Methods, and Analysis of Working Conditions Regarding Heat, Light, or Noise Levels, Including Duration and Types of Businesses to Be Performed, dated March 12, 2018.)

COPY

รายละเอียดสาขาและขอบข่ายใบรับรองห้องปฏิบัติการ

(Scope of Accreditation for Testing)

ใบรับรองเลขที่ 23-LB0251

(Certification No. 23-LB0251)



ฉบับที่ 02
(Issue No. 02)

ออกให้ตั้งแต่วันที่ 23 มิถุนายน พ.ศ. 2568
(Valid from) (23 June B.E.2568 (2025))

ถึงวันที่ 16 กรกฎาคม พ.ศ. 2571
(Until) (16 July B.E.2571 (2028))

สถานภาพห้องปฏิบัติการ
(Laboratory status)

☐ ถาวร
(Permanent)

☒ นอกสถานที่
(Site)

☐ ชั่วคราว
(Temporary)

☐ เคลื่อนที่
(Mobile)

☐ หลายสถานที่
(Multisite)

สาขาการทดสอบ (Field of Testing)	รายการทดสอบ (Parameter)	วิธีทดสอบ (Test Method)
สาขาสิ่งแวดล้อม (Environmental field)		
4. เสียงในสิ่งแวดล้อม (Environmental noise)	- ระดับเสียง (Sound level) • ระดับเสียงเฉลี่ย (Equivalent A-weighted sound pressure level: $L_{Aeq,T}$) $L_{Aeq,T}$ 30.0 เดซิเบลเอ ถึง 130.0 เดซิเบลเอ ($L_{Aeq,T}$ 30.0 dB(A) to 130.0 dB(A)) • ระดับเสียงสูงสุด (Maximum sound level: L_{max}) L_{max} 30.0 เดซิเบลเอ ถึง 130.0 เดซิเบลเอ (L_{max} 30.0 dB(A) to 130.0 dB(A))	- ISO 1996 - 1 : 2016 - ประกาศกรมโรงงานอุตสาหกรรม เรื่อง วิธีการตรวจวัดระดับเสียงการรบกวน ระดับเสียงเฉลี่ย 24 ชั่วโมง และระดับเสียงสูงสุดที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2567 ลงวันที่ 21 กุมภาพันธ์ 2567 (Notification of The Department of Industrial Works on Methods for Measuring Noise Annoyance, Noise Levels 24-Hour Average and Maximum Noise Level from Factory B.E. 2567, dated February 21, 2024.) - ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่อง กำหนดมาตรฐานระดับเสียงโดยทั่วไป ลงวันที่ 3 เมษายน 2540 (Notification of The National Environmental Board Volume 15 B.E. 2540 (1997) on the general noise level standards, dated April 3, 1997) - ประกาศกรมควบคุมมลพิษ เรื่อง การคำนวณค่าระดับเสียง ลงวันที่ 25 พฤศจิกายน 2540 (Notification of The Pollution Control Department on the calculation of the noise level, dated November 25, 1997.)

COPY



Ref No. : 0303/169

CERTIFICATE OF TESTING LABORATORY ACCREDITATION

This is to certify that

Laboratory of Eastern Thai Consulting 1992 Co., Ltd.
 683 Moo 11, Sukhapibarn 8 Road, Tambon Nongkham,
 Amphoe Sriracha, Changwat Chonburi 20230

has successfully undergone assessment according to ISO/IEC 17025 : 2017
 and under the Bureau of Laboratory Accreditation, Department of Science Service
 for the requirements, regulations and criteria for the competence of testing laboratories

Accreditation Number TESTING - 0159

The scope of accreditation is as annexed hereto

Issue date : 10th January 2025

Expired date : 6th November 2027

Signature : *Chantararat Vorasapant*

(Mrs. Chantararat Vorasapant)

Director of Bureau of Laboratory Accreditation

Bureau of Laboratory Accreditation, Department of Science Service,
 Ministry of Higher Education, Science, Research and Innovation

Scope of Testing Laboratory Accreditation

Laboratory Name : Laboratory of Eastern Thai Consulting 1992 Co., Ltd.

Address : 683 Moo 11, Sukhapibarn 8 Road, Tambon Nongkham,
 Amphoe Sriracha, Changwat Chonburi 20230

Accreditation Number : Testing - 0159

Laboratory Status : ☒ Permanent ☐ Site ☐ Temporary ☐ Mobile

Item Number	Test Material / Product	Test item / Range of Testing	Test Method / Technique Used
1	Water	- COD 40 mg/L to 5 000 mg/L - Mercury 0.001 mg/L to 0.02 mg/L - BOD 2 mg/L to 5 000 mg/L	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th ed., 2023, part 5220 C Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th ed., 2023, part 3112 B Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th ed., 2023, part 5210 B

Initial Issue Date 21st November 2017

Issue Number 5

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

COPY

COPY

Scope of Testing Laboratory Accreditation

Laboratory Name : Laboratory of Eastern Thai Consulting 1992 Co., Ltd.
 Address : 683 Moo 11, Sukhapibarn 8 Road, Tambon Nongkham,
 Amphoe Sriracha, Changwat Chonburi 20230

Accreditation Number : Testing - 0159

Laboratory Status : ☒ Permanent ☐ Site ☐ Temporary ☐ Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
1 (cont.)	Water	- Total dissolved solids dried at 180 °C 25 mg/L to 10 000 mg/L - Total suspended solids dried from 103 °C to 105 °C 5 mg/L to 2 000 mg/L - Fluoride 0.5 mg/L to 10 mg/L	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th ed., 2023, part 2540 C Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th ed., 2023, part 2540 D Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th ed., 2023, part 4500-F ⁻ C

Scope of Testing Laboratory Accreditation

Laboratory Name : Laboratory of Eastern Thai Consulting 1992 Co., Ltd.
 Address : 683 Moo 11, Sukhapibarn 8 Road, Tambon Nongkham,
 Amphoe Sriracha, Changwat Chonburi 20230

Accreditation Number : Testing - 0159

Laboratory Status : ☒ Permanent ☐ Site ☐ Temporary ☐ Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
1 (cont.)	Water	- Chloride 50 mg/L to 2 000 mg/L - Total hardness (Calculated as CaCO ₃) 50 mg/L to 500 mg/L	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th ed., 2023, part 4500-Cl ⁻ B Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th ed., 2023, part 2340 C

Initial Issue Date 21st November 2017

Issue Number 5

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

COPY

Initial Issue Date 21st November 2017

Issue Number 5

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

COPY

Scope of Testing Laboratory Accreditation

Laboratory Name : Laboratory of Eastern Thai Consulting 1992 Co., Ltd.
 Address : 683 Moo 11, Sukhapibarn 8 Road, Tambon Nongkham,
 Amphoe Sriracha, Changwat Chonburi 20230

Accreditation Number : Testing - 0159

Laboratory Status : ☒ Permanent ☐ Site ☐ Temporary ☐ Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
2	Wastewater	- COD 40 mg/L to 5 000 mg/L - Mercury 0.001 mg/L to 0.02 mg/L - BOD 2 mg/L to 5 000 mg/L	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th ed., 2023, part 5220 C Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th ed., 2023, part 3112 B Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th ed., 2023, part 5210 B

Initial Issue Date 21st November 2017

Issue Number 5

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

COPY

Scope of Testing Laboratory Accreditation

Laboratory Name : Laboratory of Eastern Thai Consulting 1992 Co., Ltd.
 Address : 683 Moo 11, Sukhapibarn 8 Road, Tambon Nongkham,
 Amphoe Sriracha, Changwat Chonburi 20230

Accreditation Number : Testing - 0159

Laboratory Status : ☒ Permanent ☐ Site ☐ Temporary ☐ Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
2 (cont.)	Wastewater	- Total dissolved solids dried at 180 °C 25 mg/L to 10 000 mg/L - Total suspended solids dried from 103 °C to 105 °C 5 mg/L to 2 000 mg/L - Fluoride 0.5 mg/L to 10 mg/L	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th ed., 2023, part 2540 C Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th ed., 2023, part 2540 D Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th ed., 2023, part 4500-F °C

Initial Issue Date 21st November 2017

Issue Number 5

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

COPY

Scope of Testing Laboratory Accreditation

Laboratory Name : Laboratory of Eastern Thai Consulting 1992 Co., Ltd.

Address : 683 Moo 11, Sukhaphibarn 8 Road, Tambon Nongkham,
Amphoe Sriracha, Changwat Chonburi 20230

Accreditation Number : Testing - 0159

Laboratory Status : ☒ Permanent ☐ Site ☐ Temporary ☐ Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
2 (cont.)	Wastewater	- Chloride 50 mg/L to 2 000 mg/L - Total hardness (Calculated as CaCO ₃) 50 mg/L to 500 mg/L	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th ed., 2023, part 4500-Cl ⁻ B Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th ed., 2023, part 2340 C
3	Sea water	- Total suspended solids dried from 103 °C to 105 °C 5 mg/L to 100 mg/L	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th ed., 2023, part 2540 D

Issue Date : 10th January 2025Signature : *Chantararat Vorasapavit*
(Mrs. Chantararat Vorasapavit)

Director of Bureau of Laboratory Accreditation

Initial Issue Date 21st November 2017

Issue Number 5

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation