ภาคผนวก ค

ใบรับรองผลการตรวจวิเคราะห์

ภาคผนวก ค-1

ผลการตรวจวิเคราะห์คุณภาพน้ำทิ้ง

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O :
Project Name :
Project Location:

Lot ID: 262227
Date Received : Jan 09, 2026
Date Reported : Jan 20, 2026
Report Number : 3484904-1

Sample Number	262227-1
Sampled Date	Jan 09, 2026 1:37 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Jan 09, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Manganese	mg/L	0.0003	0.0005	2.13	≤5.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Mercury	mg/L	0.0003	0.0005	Not Detected	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Nickel	mg/L	0.0003	0.0005	0.008	≤1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Selenium	mg/L	0.0003	0.0005	Not Detected	≤0.02	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Trivalent Chromium *	mg/L	-	0.01	<0.01	≤0.75	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Zinc	mg/L	0.003	0.005	<0.005	≤5.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	5.4	≤500	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Songkhla

Technical Management
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O :
Project Name :
Project Location:

Lot ID: 262227
Date Received : Jan 09, 2026
Date Reported : Jan 20, 2026
Report Number : 3484904-1

Sample Number	262227-1
Sampled Date	Jan 09, 2026 1:37 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Jan 09, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Arsenic	mg/L	0.0003	0.0005	0.01	≤0.25	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Barium	mg/L	0.0003	0.0005	0.05	≤1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Cadmium	mg/L	0.0003	0.0005	Not Detected	≤0.03	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Chromium	mg/L	0.0003	0.0005	Not Detected	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Copper	mg/L	0.0003	0.0005	0.001	≤2.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Hexavalent Chromium	mg/L	0.005	0.01	Not Detected	≤0.25	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3500-Cr B	Songkhla
Lead	mg/L	0.0003	0.0005	Not Detected	≤0.2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla

Technical Management
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL S:\Reports_All_GL.rpt (5:08PM)

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O :
Project Name :
Project Location:

Lot ID: 262227
Date Received : Jan 09, 2026
Date Reported : Jan 20, 2026
Report Number : 3484904-1

Sample Number	262227-1
Sampled Date	Jan 09, 2026 1:37 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Jan 09, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Temperature *	Degree C	-	-	27.6	≤45	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2550 B	Songkhla
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	2688	≤3000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Songkhla
Total Kjeldahl Nitrogen as N *	mg/L	-	5.0	<5.0	≤100	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C), part NH3 (D)	Songkhla
Total Suspended Solids	mg/L	-	5	5	≤200	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Songkhla

Guideline : Notification of the Industrial Estate Authority of Thailand No.029/2567 : General Standards for Wastewater drainage into central wastewater treatment systems in Industrial Estates.
Sampling By : Tana Supapan ทะเบียนเลขที่ ว-204-จ-0192 , Thanawut Pinthong ทะเบียนเลขที่ ว-267-จ-0022

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Technical Management
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O :
Project Name :
Project Location:

Lot ID: 262227
Date Received : Jan 09, 2026
Date Reported : Jan 20, 2026
Report Number : 3484904-1

Sample Number	262227-1
Sampled Date	Jan 09, 2026 1:37 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Jan 09, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
COD	mg/L	-	25	54	≤750	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5220 D	Songkhla
Color (at Original pH) *	ADMI	-	5	<5	≤600	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 F	Songkhla
Color (at pH 7.0) *	ADMI	-	5	<5	≤600	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 F	Songkhla
Formaldehyde *	mg/L	-	0.1	<0.1	≤1	Wastewater analysis manual, Environmental Engineering Association of Thailand, 4th ed.,2004	Songkhla
Oil & Grease	mg/L	-	3	<3	≤10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Songkhla
pH at 25 degree C		-	-	7.4	5.5-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Songkhla
Phenol	mg/L	0.004	0.01	0.03	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5530 B, D	Songkhla
Residual Free Chlorine	mg/L	-	0.1	<0.1	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Cl (F)	Songkhla
Sulfide *	mg/L	-	0.5	<0.5	≤1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Songkhla

Technical Management
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL S:\Reports_All_GL.rpt (5:08PM)

Analysis / Test Report

TESTING
No.0009

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O :
Project Name :
Project Location:

Lot ID: 262227
Date Received : Jan 09, 2026
Date Reported : Jan 20, 2026
Report Number : 3484904-2

Sample Number	262227-1
Sampled Date	Jan 09, 2026 1:37 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Jan 13, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Pesticides - Organochlorine Group							
alpha-BHC *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
beta-BHC *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Chlordane *	ug/L	0.02	0.04	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
delta-BHC *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Dieldrin *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Endosulfan *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Endosulfan I *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Technical Management
Siriluk Bunnak
Section Head
ทะเบียนเลขที่ ว-204-จ-0013

Approved by
Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Analysis / Test Report
TESTING
No.0009
Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O :
Project Name :
Project Location:
Lot ID: 262227
Date Received : Jan 09, 2026
Date Reported : Jan 20, 2026
Report Number : 3484904-2

Sample Number	262227-1
Sampled Date	Jan 09, 2026 1:37 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Jan 13, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Pesticides - Organochlorine Group							
2,4-DDD *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
2,4-DDE *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
2,4-DDT *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
4,4-DDD *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
4,4-DDE *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
4,4-DDT *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Aldrin *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Technical Management
Siriluk Bunnak
Section Head
ทะเบียนเลขที่ ว-204-จ-0013
Approved by
Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004
Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.
ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL S:\Reports_All_GL.rpt (11:06AM)

Analysis / Test Report

TESTING
No.0009

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O :
Project Name :
Project Location:

Lot ID: 262227
Date Received : Jan 09, 2026
Date Reported : Jan 20, 2026
Report Number : 3484904-2

Sample Number	262227-1
Sampled Date	Jan 09, 2026 1:37 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Jan 13, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Cyanide as CN	mg/L	0.002	0.005	<0.005	≤0.2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - CN (C, E)	Bangkok

Guideline : Notification of the Industrial Estate Authority of Thailand No.029/2567 : General Standards for Wastewater drainage into central wastewater treatment systems in Industrial Estates.
Sampling By : Tana Supapan ทะเบียนเลขที่ ว-204-จ-0192 , Thanawut Pinthong ทะเบียนเลขที่ ว-267-จ-0022

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Technical Management
Siriluk Bunnak
Section Head
ทะเบียนเลขที่ ว-204-จ-0013

Approved by
Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

Analysis / Test Report

TESTING
No.0009

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O :
Project Name :
Project Location:

Lot ID: 262227
Date Received : Jan 09, 2026
Date Reported : Jan 20, 2026
Report Number : 3484904-2

Sample Number	262227-1
Sampled Date	Jan 09, 2026 1:37 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Jan 13, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Pesticides - Organochlorine Group							
Endosulfan II *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Endrin *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Endrin aldehyde *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
gamma-BHC (Lindane) *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Heptachlor *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Heptachlor-Epoxide *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Methoxychlor *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Water Testing							

Technical Management
Siriluk Bunnak
Section Head
ทะเบียนเลขที่ ว-204-จ-0013

Approved by
Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

11715-21/ EMAIL S:\Reports_All_GL.rpt (11:06AM)

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O :
Project Name :
Project Location:

Lot ID: 262227
Date Received : Jan 09, 2026
Date Reported : Jan 20, 2026
Report Number : 3484904-3

- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by
Ananta Boonphet
Scientist (2)

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O :
Project Name :
Project Location:

Lot ID: 262227
Date Received : Jan 09, 2026
Date Reported : Jan 20, 2026
Report Number : 3484904-3

Sample Number	262227-1
Sampled Date	Jan 09, 2026 1:37 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Jan 09, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Iron	mg/L	0.003	0.005	1.31	≤10.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Silver	mg/L	0.0003	0.0005	Not Detected	≤1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Pesticides - Organochlorine Group							
Mirex *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Water Testing							
Anionic Surfactant as MBAS *	mg/L	0.015	0.05	2.15	≤30	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5540 B, C	Bangkok
Flow rate *	m3/hr	-	-	0.72	No Standard	Flow meter	Songkhla
Fluoride as F *	mg/L	0.15	0.5	1.4	≤5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-F (D)	Bangkok
Odour *		-	-	Odour	No Standard	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2150 B	Songkhla

Guideline : Notification of the Industrial Estate Authority of Thailand No.029/2567 : General Standards for Wastewater drainage into central wastewater treatment systems in Industrial Estates.
Sampling By : Tana Supapan , Thanawut Pinthong

Remark :
- LOD : Limit of Detection

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by
Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL S:\Reports_All_GL.rpt (5:08PM)

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2610199
Date Received : Feb 12, 2026
Date Reported : Feb 23, 2026
Report Number : 3499515-1

Sample Number	2610199-1
Sampled Date	Feb 12, 2026 1:20 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Feb 12, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Manganese	mg/L	0.0003	0.0005	1.79	≤5.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Mercury	mg/L	0.0003	0.0005	Not Detected	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Nickel	mg/L	0.0003	0.0005	0.007	≤1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Selenium	mg/L	0.0003	0.0005	Not Detected	≤0.02	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Trivalent Chromium *	mg/L	-	0.01	<0.01	≤0.75	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Zinc	mg/L	0.003	0.005	0.009	≤5.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	<2.0	≤500	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Songkhla

Technical Management
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2610199
Date Received : Feb 12, 2026
Date Reported : Feb 23, 2026
Report Number : 3499515-1

Sample Number	2610199-1
Sampled Date	Feb 12, 2026 1:20 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Feb 12, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Arsenic	mg/L	0.0003	0.0005	0.03	≤0.25	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Barium	mg/L	0.0003	0.0005	0.06	≤1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Cadmium	mg/L	0.0003	0.0005	Not Detected	≤0.03	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Chromium	mg/L	0.0003	0.0005	<0.0005	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Copper	mg/L	0.0003	0.0005	Not Detected	≤2.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Hexavalent Chromium	mg/L	0.005	0.01	Not Detected	≤0.25	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3500-Cr B	Songkhla
Lead	mg/L	0.0003	0.0005	Not Detected	≤0.2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla

Technical Management
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL S:\Reports_All_GL.rpt (4:47PM)

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2610199
Date Received : Feb 12, 2026
Date Reported : Feb 23, 2026
Report Number : 3499515-1

Sample Number	2610199-1
Sampled Date	Feb 12, 2026 1:20 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Feb 12, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Temperature *	Degree C	-	-	28.6	≤45	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2550 B	Songkhla
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	2268	≤3000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Songkhla
Total Kjeldahl Nitrogen as N *	mg/L	-	5.0	10.7	≤100	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C), part NH3 (D)	Songkhla
Total Suspended Solids	mg/L	-	5	10	≤200	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Songkhla

Guideline : Notification of the Industrial Estate Authority of Thailand No.029/2567 : General Standards for Wastewater drainage into central wastewater treatment systems in Industrial Estates.
Sampling By : Thanawut Pinthong ทะเบียนเลขที่ ว-267-จ-0022 , Tana Supapan ทะเบียนเลขที่ ว-204-จ-0192

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Technical Management
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2610199
Date Received : Feb 12, 2026
Date Reported : Feb 23, 2026
Report Number : 3499515-1

Sample Number	2610199-1
Sampled Date	Feb 12, 2026 1:20 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Feb 12, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
COD	mg/L	-	25	57	≤750	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5220 D	Songkhla
Color (at Original pH) *	ADMI	-	5	8	≤600	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 F	Songkhla
Color (at pH 7.0) *	ADMI	-	5	8	≤600	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 F	Songkhla
Formaldehyde *	mg/L	-	0.1	<0.1	≤1	Wastewater analysis manual, Environmental Engineering Association of Thailand, 4th ed.,2004	Songkhla
Oil & Grease	mg/L	-	3	<3	≤10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Songkhla
pH at 25 degree C		-	-	7.6	5.5-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Songkhla
Phenol	mg/L	0.004	0.01	0.02	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5530 B, D	Songkhla
Residual Free Chlorine	mg/L	-	0.1	<0.1	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Cl (F)	Songkhla
Sulfide *	mg/L	-	0.5	<0.5	≤1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Songkhla

Technical Management
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL S:\Reports_All_GL.rpt (4:47PM)

Analysis / Test Report

TESTING
No.0009

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2610199
Date Received : Feb 12, 2026
Date Reported : Feb 23, 2026
Report Number : 3499515-2

Sample Number	2610199-1
Sampled Date	Feb 12, 2026 1:20 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Feb 14, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Pesticides - Organochlorine Group							
alpha-BHC *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
beta-BHC *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Chlordane *	ug/L	0.02	0.04	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
delta-BHC *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Dieldrin *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Endosulfan *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Endosulfan I *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Technical Management Suwimon C.
Suwimon Chairuangwut
Scientist (3)
ทะเบียนเลขที่ ว-204-จ-0018

Approved by Kanokkorn Anek
Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

Analysis / Test Report

TESTING
No.0009

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2610199
Date Received : Feb 12, 2026
Date Reported : Feb 23, 2026
Report Number : 3499515-2

Sample Number	2610199-1
Sampled Date	Feb 12, 2026 1:20 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Feb 14, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Pesticides - Organochlorine Group							
2,4-DDD *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
2,4-DDE *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
2,4-DDT *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
4,4-DDD *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
4,4-DDE *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
4,4-DDT *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Aldrin *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Technical Management Suwimon C.
Suwimon Chairuangwut
Scientist (3)
ทะเบียนเลขที่ ว-204-จ-0018

Approved by Kanokkorn Anek
Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

11715-21/ EMAIL S:\Reports_All_GL.rpt (4:14PM)

Analysis / Test Report

TESTING
No.0009

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2610199
Date Received : Feb 12, 2026
Date Reported : Feb 23, 2026
Report Number : 3499515-2

Sample Number	2610199-1
Sampled Date	Feb 12, 2026 1:20 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Feb 14, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Cyanide as CN	mg/L	0.002	0.005	Not Detected	≤0.2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - CN (C, E)	Bangkok

Guideline : Notification of the Industrial Estate Authority of Thailand No.029/2567 : General Standards for Wastewater drainage into central wastewater treatment systems in Industrial Estates.
Sampling By : Thanawut Pinthong ทะเบียนเลขที่ ว-267-จ-0022 , Tana Supapan ทะเบียนเลขที่ ว-204-จ-0192

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Technical Management Suwimon Chairuangwut
Scientist (3)
ทะเบียนเลขที่ ว-204-จ-0018

Approved by Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

Analysis / Test Report

TESTING
No.0009

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2610199
Date Received : Feb 12, 2026
Date Reported : Feb 23, 2026
Report Number : 3499515-2

Sample Number	2610199-1
Sampled Date	Feb 12, 2026 1:20 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Feb 14, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Pesticides - Organochlorine Group							
Endosulfan II *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Endrin *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Endrin aldehyde *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
gamma-BHC (Lindane) *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Heptachlor *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Heptachlor-Epoxide *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Methoxychlor *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Water Testing							

Technical Management Suwimon Chairuangwut
Scientist (3)
ทะเบียนเลขที่ ว-204-จ-0018

Approved by Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

11715-21/ EMAIL S:\Reports_All_GL.rpt (4:14PM)

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2610199
Date Received : Feb 12, 2026
Date Reported : Feb 23, 2026
Report Number : 3499515-3

- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by
Ananta Boonphet
Scientist (2)

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2610199
Date Received : Feb 12, 2026
Date Reported : Feb 23, 2026
Report Number : 3499515-3

Sample Number	2610199-1
Sampled Date	Feb 12, 2026 1:20 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Feb 12, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Iron	mg/L	0.003	0.005	0.96	≤10.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Silver	mg/L	0.0003	0.0005	Not Detected	≤1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Pesticides - Organochlorine Group							
Mirex *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Water Testing							
Anionic Surfactant as MBAS *	mg/L	0.015	0.05	2.88	≤30	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5540 B, C	Bangkok
Flow rate *	m3/hr	-	-	0.72	No Standard	Flow meter	Songkhla
Fluoride as F *	mg/L	0.15	0.5	1.3	≤5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-F (D)	Bangkok
Odour *		-	-	Odour	No Standard	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2150 B	Songkhla

Guideline : Notification of the Industrial Estate Authority of Thailand No.029/2567 : General Standards for Wastewater drainage into central wastewater treatment systems in Industrial Estates.
Sampling By : Thanawut Pinthong , Tana Supapan

Remark :
- LOD : Limit of Detection

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by
Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL S:\Reports_All_GL.rpt (4:47PM)

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2610206
Date Received : Mar 13, 2026
Date Reported : Apr 01, 2026
Report Number : 3499523-1

Sample Number	2610206-1
Sampled Date	Mar 13, 2026 1:37 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Mar 13, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Manganese	mg/L	0.0003	0.0005	1.07	≤5.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Mercury	mg/L	0.0003	0.0005	Not Detected	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Nickel	mg/L	0.0003	0.0005	0.004	≤1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Selenium	mg/L	0.0003	0.0005	Not Detected	≤0.02	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Trivalent Chromium *	mg/L	-	0.01	<0.01	≤0.75	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Zinc	mg/L	0.003	0.005	<0.005	≤5.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	<2.0	≤500	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Songkhla

Technical Management Ananta B.
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by Kanitta H.
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2610206
Date Received : Mar 13, 2026
Date Reported : Apr 01, 2026
Report Number : 3499523-1

Sample Number	2610206-1
Sampled Date	Mar 13, 2026 1:37 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Mar 13, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Arsenic	mg/L	0.0003	0.0005	0.01	≤0.25	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Barium	mg/L	0.0003	0.0005	0.14	≤1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Cadmium	mg/L	0.0003	0.0005	Not Detected	≤0.03	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Chromium	mg/L	0.0003	0.0005	Not Detected	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Copper	mg/L	0.0003	0.0005	Not Detected	≤2.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Hexavalent Chromium	mg/L	0.005	0.01	Not Detected	≤0.25	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3500-Cr B	Songkhla
Lead	mg/L	0.0003	0.0005	Not Detected	≤0.2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla

Technical Management Ananta B.
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by Kanitta H.
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL S:\Reports_All_GL.rpt (1:11PM)

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2610206
Date Received : Mar 13, 2026
Date Reported : Apr 01, 2026
Report Number : 3499523-1

Sample Number	2610206-1
Sampled Date	Mar 13, 2026 1:37 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Mar 13, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Temperature *	Degree C	-	-	30.1	≤45	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2550 B	Songkhla
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	2400	≤3000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Songkhla
Total Kjeldahl Nitrogen as N *	mg/L	-	5.0	26.2	≤100	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C), part NH3 (D)	Songkhla
Total Suspended Solids	mg/L	-	5	<5	≤200	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Songkhla

Guideline : Notification of the Industrial Estate Authority of Thailand No.029/2567 : General Standards for Wastewater drainage into central wastewater treatment systems in Industrial Estates.
Note : This Analysis test Report is reissued to supersede Report No. 3499523-1, Date Reported : Mar 24, 2026 due to revise result of from 16.84 m3/hr to 0.7668 m3/hr.
Sampling By : Apiwat Chanta ทะเบียนเลขที่ ว-267-จ-0009 , Narathorn Keawpongsa ทะเบียนเลขที่ ว-204-จ-0193

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Technical Management
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2610206
Date Received : Mar 13, 2026
Date Reported : Apr 01, 2026
Report Number : 3499523-1

Sample Number	2610206-1
Sampled Date	Mar 13, 2026 1:37 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Mar 13, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
COD	mg/L	-	25	50	≤750	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5220 D	Songkhla
Color (at Original pH) *	ADMI	-	5	10	≤600	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 F	Songkhla
Color (at pH 7.0) *	ADMI	-	5	8	≤600	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 F	Songkhla
Formaldehyde *	mg/L	-	0.1	0.1	≤1	Wastewater analysis manual, Environmental Engineering Association of Thailand, 4th ed.,2004	Songkhla
Oil & Grease	mg/L	-	3	<3	≤10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Songkhla
pH at 25 degree C		-	-	8.0	5.5-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Songkhla
Phenol	mg/L	0.004	0.01	Not Detected	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5530 B, D	Songkhla
Residual Free Chlorine	mg/L	-	0.1	<0.1	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Cl (F)	Songkhla
Sulfide *	mg/L	-	0.5	<0.5	≤1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Songkhla

Technical Management
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL S:\Reports_All_GL.rpt (1:11PM)

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2610206
Date Received : Mar 13, 2026
Date Reported : Apr 01, 2026
Report Number : 3499523-2

Sample Number	2610206-1
Sampled Date	Mar 13, 2026 1:37 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Mar 17, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Pesticides - Organochlorine Group							
alpha-BHC	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
beta-BHC	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Chlordane	ug/L	0.02	0.04	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
delta-BHC	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Dieldrin	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Endosulfan	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Endosulfan I	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Technical Management
Siriluk Bunnak
Section Head
ทะเบียนเลขที่ ว-204-จ-0013

Approved by
Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2610206
Date Received : Mar 13, 2026
Date Reported : Apr 01, 2026
Report Number : 3499523-2

Sample Number	2610206-1
Sampled Date	Mar 13, 2026 1:37 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Mar 17, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Pesticides - Organochlorine Group							
2,4-DDD	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
2,4-DDE	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
2,4-DDT	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
4,4-DDD	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
4,4-DDE	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
4,4-DDT	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Aldrin	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Technical Management
Siriluk Bunnak
Section Head
ทะเบียนเลขที่ ว-204-จ-0013

Approved by
Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL S:\Reports_All_GL.rpt (1:08PM)

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2610206
Date Received : Mar 13, 2026
Date Reported : Apr 01, 2026
Report Number : 3499523-2

Sample Number	2610206-1
Sampled Date	Mar 13, 2026 1:37 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Mar 17, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Cyanide as HCN	mg/L	0.002	0.005	Not Detected	≤0.2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - CN (C, E)	Bangkok

Guideline : Notification of the Industrial Estate Authority of Thailand No.029/2567 : General Standards for Wastewater drainage into central wastewater treatment systems in Industrial Estates.
Sampling By : Apiwat Chanta ทะเบียนเลขที่ ว-267-จ-0009 , Narathorn Keawpongsa ทะเบียนเลขที่ ว-204-จ-0193

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Technical Management
Siriluk Bunnak
Section Head
ทะเบียนเลขที่ ว-204-จ-0013

Approved by
Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2610206
Date Received : Mar 13, 2026
Date Reported : Apr 01, 2026
Report Number : 3499523-2

Sample Number	2610206-1
Sampled Date	Mar 13, 2026 1:37 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Mar 17, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Pesticides - Organochlorine Group							
Endosulfan II	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Endrin	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Endrin aldehyde	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
gamma-BHC (Lindane)	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Heptachlor	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Heptachlor-Epoxide	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Methoxychlor	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Water Testing							

Technical Management
Siriluk Bunnak
Section Head
ทะเบียนเลขที่ ว-204-จ-0013

Approved by
Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL S:\Reports_All_GL.rpt (1:08PM)

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2610206
Date Received : Mar 13, 2026
Date Reported : Apr 01, 2026
Report Number : 3499523-3

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by
Ananta Boonphet
Scientist (2)

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2610206
Date Received : Mar 13, 2026
Date Reported : Apr 01, 2026
Report Number : 3499523-3

Sample Number	2610206-1
Sampled Date	Mar 13, 2026 1:37 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Mar 13, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Iron	mg/L	0.003	0.005	1.22	≤10.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Silver	mg/L	0.0003	0.0005	Not Detected	≤1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Pesticides - Organochlorine Group							
Mirex *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Water Testing							
Anionic Surfactant as MBAS *	mg/L	0.015	0.05	0.89	≤30	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5540 B, C	Bangkok
Flow rate *	m3/hr	-	-	0.77	No Standard	Flow meter	Songkhla
Fluoride as F *	mg/L	0.15	0.5	0.8	≤5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-F (D)	Bangkok
Odour *		-	-	Odour	No Standard	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2150 B	Songkhla

Guideline : Notification of the Industrial Estate Authority of Thailand No.029/2567 : General Standards for Wastewater drainage into central wastewater treatment systems in Industrial Estates.
Note : This Analysis test Report is reissued to supersede Report No. 3499523-3, Date Reported : Mar 24, 2026 due to revise result of from 16.84 m3/hr to 0.77 m3/hr.
Sampling By : Apiwat Chanta , Narathorn Keawpongsa

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by
Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL S:\Reports_All_GL.rpt (1:14PM)

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2616149
Date Received : Apr 09, 2026
Date Reported : Apr 23, 2026
Report Number : 3512214-1

Sample Number	2616149-1
Sampled Date	Apr 09, 2026 2:00 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Apr 09, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Manganese	mg/L	0.0003	0.0005	0.88	≤5.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Mercury	mg/L	0.0003	0.0005	Not Detected	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Nickel	mg/L	0.0003	0.0005	0.004	≤1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Selenium	mg/L	0.0003	0.0005	<0.0005	≤0.02	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Trivalent Chromium *	mg/L	-	0.01	<0.01	≤0.75	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Zinc	mg/L	0.003	0.005	<0.005	≤5.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	3.5	≤500	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Songkhla

Technical Management
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2616149
Date Received : Apr 09, 2026
Date Reported : Apr 23, 2026
Report Number : 3512214-1

Sample Number	2616149-1
Sampled Date	Apr 09, 2026 2:00 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Apr 09, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Arsenic	mg/L	0.0003	0.0005	0.03	≤0.25	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Barium	mg/L	0.0003	0.0005	0.08	≤1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Cadmium	mg/L	0.0003	0.0005	Not Detected	≤0.03	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Chromium	mg/L	0.0003	0.0005	Not Detected	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Copper	mg/L	0.0003	0.0005	Not Detected	≤2.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Hexavalent Chromium	mg/L	0.005	0.01	Not Detected	≤0.25	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3500-Cr B	Songkhla
Lead	mg/L	0.0003	0.0005	Not Detected	≤0.2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla

Technical Management
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL S:\Reports_All_GL.rpt (3:08PM)

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2616149
Date Received : Apr 09, 2026
Date Reported : Apr 23, 2026
Report Number : 3512214-1

Sample Number	2616149-1
Sampled Date	Apr 09, 2026 2:00 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Apr 09, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Sulfide *	mg/L	-	0.5	<0.5	≤1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Songkhla
Temperature *	Degree C	-	-	31.5	≤45	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2550 B	Songkhla
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	2964	≤3000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Songkhla
Total Kjeldahl Nitrogen as N *	mg/L	-	5.0	19.2	≤100	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C), part NH3 (D)	Songkhla
Total Suspended Solids	mg/L	-	5	12	≤200	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Songkhla

Guideline : Notification of the Industrial Estate Authority of Thailand No.029/2567 : General Standards for Wastewater drainage into central wastewater treatment systems in Industrial Estates.
Sampling By : Sirichai Kleangkerd ทะเบียนเลขที่ ว-267-จ-0010 , Narathorn Keawpongsa ทะเบียนเลขที่ ว-204-จ-0193

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Technical Management
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2616149
Date Received : Apr 09, 2026
Date Reported : Apr 23, 2026
Report Number : 3512214-1

Sample Number	2616149-1
Sampled Date	Apr 09, 2026 2:00 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Apr 09, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
COD	mg/L	-	25	45	≤750	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5220 D	Songkhla
Color (at Original pH) *	ADMI	-	5	14	≤600	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 F	Songkhla
Color (at pH 7.0) *	ADMI	-	5	12	≤600	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 F	Songkhla
Formaldehyde *	mg/L	-	0.1	<0.1	≤1	Wastewater analysis manual, Environmental Engineering Association of Thailand, 4th ed.,2004	Songkhla
Odour *		-	-	Odour	No Standard	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2150 B	Songkhla
Oil & Grease	mg/L	-	3	<3	≤10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Songkhla
pH at 25 degree C		-	-	8.0	5.5-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Songkhla
Phenol	mg/L	0.004	0.01	Not Detected	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5530 B, D	Songkhla
Residual Free Chlorine	mg/L	-	0.1	<0.1	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Cl (F)	Songkhla

Technical Management
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL S:\Reports_All_GL.rpt (3:08PM)

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2616149
Date Received : Apr 09, 2026
Date Reported : Apr 23, 2026
Report Number : 3512214-2

Sample Number	2616149-1
Sampled Date	Apr 09, 2026 2:00 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Apr 10, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Pesticides - Organochlorine Group							
alpha-BHC	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
beta-BHC	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Chlordane	ug/L	0.02	0.04	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
delta-BHC	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Dieldrin	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Endosulfan	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Endosulfan I	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Technical Management
Suwimon Chairuangwut
Scientist (3)
ทะเบียนเลขที่ ว-204-จ-0018

Approved by
Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2616149
Date Received : Apr 09, 2026
Date Reported : Apr 23, 2026
Report Number : 3512214-2

Sample Number	2616149-1
Sampled Date	Apr 09, 2026 2:00 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Apr 10, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Pesticides - Organochlorine Group							
2,4-DDD	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
2,4-DDE	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
2,4-DDT	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
4,4-DDD	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
4,4-DDE	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
4,4-DDT	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Aldrin	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Technical Management
Suwimon Chairuangwut
Scientist (3)
ทะเบียนเลขที่ ว-204-จ-0018

Approved by
Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL S:\Reports_AI_GL.rpt (2:25PM)

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2616149
Date Received : Apr 09, 2026
Date Reported : Apr 23, 2026
Report Number : 3512214-2

Sample Number	2616149-1
Sampled Date	Apr 09, 2026 2:00 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Apr 10, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Cyanide as HCN	mg/L	0.002	0.005	Not Detected	≤0.2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - CN (C, E)	Bangkok

Guideline : Notification of the Industrial Estate Authority of Thailand No.029/2567 : General Standards for Wastewater drainage into central wastewater treatment systems in Industrial Estates.
Sampling By : Sirichai Kleangkerd ทะเบียนเลขที่ ว-267-จ-0010 , Narathorn Keawpongsa ทะเบียนเลขที่ ว-204-จ-0193

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Technical Management
Suwimon Chairuangwut
Scientist (3)
ทะเบียนเลขที่ ว-204-จ-0018

Approved by
Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2616149
Date Received : Apr 09, 2026
Date Reported : Apr 23, 2026
Report Number : 3512214-2

Sample Number	2616149-1
Sampled Date	Apr 09, 2026 2:00 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Apr 10, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Pesticides - Organochlorine Group							
Endosulfan II	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Endrin	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Endrin aldehyde	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
gamma-BHC (Lindane)	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Heptachlor	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Heptachlor-Epoxide	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Methoxychlor	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Water Testing							

Technical Management
Suwimon Chairuangwut
Scientist (3)
ทะเบียนเลขที่ ว-204-จ-0018

Approved by
Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

11715-21/ EMAIL S:\Reports_All_GL.rpt (2:25PM)

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2622396
Date Received : May 14, 2026
Date Reported : Jun 26, 2026
Report Number : 3605908-3

Sample Number	2622396-1
Sampled Date	May 14, 2026 1:17 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	May 14, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Iron	mg/L	0.003	0.005	0.43	≤10.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Silver	mg/L	0.0003	0.0005	Not Detected	≤1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Pesticides - Organochlorine Group							
Mirex *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Water Testing							
Anionic Surfactant as MBAS *	mg/L	0.015	0.05	1.26	≤30	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5540 B, C	Bangkok
Flow rate *	m3/hr	-	-	0.50	No Standard	Flow meter	Songkhla
Fluoride as F *	mg/L	0.15	0.5	1.3	≤5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-F (D)	Bangkok
Odour *		-	-	Odour	No Standard	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2150 B	Songkhla

Guideline : Notification of the Industrial Estate Authority of Thailand No.029/2567 : General Standards for Wastewater drainage into central wastewater treatment systems in Industrial Estates.
Note : This Analysis test report is reissued to supersede report No. 3526224-1, Date Reported: May 25, 2026 due to the revision of report number.

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by
Ananta Boonphet
Scientist (2)

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2616149
Date Received : Apr 09, 2026
Date Reported : Apr 23, 2026
Report Number : 3512214-3

Sample Number	2616149-1
Sampled Date	Apr 09, 2026 2:00 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Apr 10, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Iron	mg/L	0.003	0.005	1.77	≤10.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Silver	mg/L	0.0003	0.0005	Not Detected	≤1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Pesticides - Organochlorine Group							
Mirex *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Water Testing							
Anionic Surfactant as MBAS *	mg/L	0.015	0.05	0.58	≤30	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5540 B, C	Bangkok
Flow rate *	m3/hr	-	-	0.90	No Standard	Flow meter	Songkhla
Fluoride as F *	mg/L	0.15	0.5	0.6	≤5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-F (D)	Bangkok

Guideline : Notification of the Industrial Estate Authority of Thailand No.029/2567 : General Standards for Wastewater drainage into central wastewater treatment systems in Industrial Estates.
Sampling By : Sirichai Kleangkerd , Narathorn Keawpongsa

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by
Ananta Boonphet
Scientist (2)

Analysis / Test Report

TESTING
No.0009

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2622396
Date Received : May 14, 2026
Date Reported : Jun 25, 2026
Report Number : 3605908-2

Sample Number	2622396-1
Sampled Date	May 14, 2026 1:17 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	May 16, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Pesticides - Organochlorine Group							
2,4-DDD *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
2,4-DDE *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
2,4-DDT *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
4,4-DDD *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
4,4-DDE *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
4,4-DDT *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Aldrin *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Technical Management
Siriluk Bunnak
Section Head
ทะเบียนเลขที่ ว-204-จ-0013

Approved by
Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2622396
Date Received : May 14, 2026
Date Reported : Jun 26, 2026
Report Number : 3605908-3

Sampling By : Yongsil Rangsee , Tana Supapan

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by
Ananta Boonphet
Scientist (2)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Analysis / Test Report

TESTING
No.0009

Lot ID: 2622396

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Date Received : May 14, 2026
Date Reported : Jun 25, 2026
Report Number : 3605908-2

Sample Number	2622396-1
Sampled Date	May 14, 2026 1:17 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	May 16, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Pesticides - Organochlorine Group							
Endosulfan II *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Endrin *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Endrin aldehyde *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
gamma-BHC (Lindane) *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Heptachlor *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Heptachlor-Epoxide *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Methoxychlor *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Water Testing							

Technical Management
Siriluk Bunnak
Section Head
ทะเบียนเลขที่ ว-204-จ-0013

Approved by
Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Analysis / Test Report

TESTING
No.0009

Lot ID: 2622396

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Date Received : May 14, 2026
Date Reported : Jun 25, 2026
Report Number : 3605908-2

Sample Number	2622396-1
Sampled Date	May 14, 2026 1:17 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	May 16, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Pesticides - Organochlorine Group							
alpha-BHC *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
beta-BHC *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Chlordane *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
delta-BHC *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Dieldrin *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Endosulfan *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Endosulfan I *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Technical Management
Siriluk Bunnak
Section Head
ทะเบียนเลขที่ ว-204-จ-0013

Approved by
Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL S:\Reports_All_GL.rpt (2:05PM)

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2622396
Date Received : May 14, 2026
Date Reported : Jun 26, 2026
Report Number : 3605908-1

Sample Number	2622396-1
Sampled Date	May 14, 2026 1:17 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	May 14, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Arsenic	mg/L	0.0003	0.0005	0.03	≤0.25	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Barium	mg/L	0.0003	0.0005	0.06	≤1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Cadmium	mg/L	0.0003	0.0005	Not Detected	≤0.03	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Chromium	mg/L	0.0003	0.0005	Not Detected	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Copper	mg/L	0.0003	0.0005	Not Detected	≤2.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Hexavalent Chromium	mg/L	0.005	0.01	Not Detected	≤0.25	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3500-Cr B	Songkhla
Lead	mg/L	0.0003	0.0005	Not Detected	≤0.2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla

Technical Management
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

Analysis / Test Report

TESTING
No.0009

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2622396
Date Received : May 14, 2026
Date Reported : Jun 25, 2026
Report Number : 3605908-2

Sample Number	2622396-1
Sampled Date	May 14, 2026 1:17 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	May 16, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Cyanide as HCN *	mg/L	0.002	0.005	<0.005	≤0.2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - CN (C, E)	Bangkok

Guideline : Notification of the Industrial Estate Authority of Thailand No.029/2567 : General Standards for Wastewater drainage into central wastewater treatment systems in Industrial Estates.
Note : This Analysis test report is reissued to supersede report No. 3526224-1, Date Reported: May 25, 2026 due to the revision of report number.

Sampling By : Yongsil Rangsee ทะเบียนเลขที่ ว-267-จ-0008 , Tana Supapan ทะเบียนเลขที่ ว-204-จ-0192

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Technical Management
Siriluk Bunnak
Section Head
ทะเบียนเลขที่ ว-204-จ-0013

Approved by
Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2622396
Date Received : May 14, 2026
Date Reported : Jun 26, 2026
Report Number : 3605908-1

Sample Number	2622396-1
Sampled Date	May 14, 2026 1:17 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	May 14, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
COD	mg/L	-	25	80	≤750	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5220 D	Songkhla
Color (at Original pH) *	ADMI	-	5	9	≤600	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 F	Songkhla
Color (at pH 7.0) *	ADMI	-	5	9	≤600	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 F	Songkhla
Formaldehyde *	mg/L	-	0.1	<0.1	≤1	Wastewater analysis manual, Environmental Engineering Association of Thailand, 4th ed.,2004	Songkhla
Oil & Grease	mg/L	-	3	<3	≤10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Songkhla
pH at 25 degree C		-	-	8.1	5.5-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Songkhla
Phenol	mg/L	0.004	0.01	0.01	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5530 B, D	Songkhla
Residual Free Chlorine	mg/L	-	0.1	<0.1	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Cl (F)	Songkhla

Technical Management
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2622396
Date Received : May 14, 2026
Date Reported : Jun 26, 2026
Report Number : 3605908-1

Sample Number	2622396-1
Sampled Date	May 14, 2026 1:17 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	May 14, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Manganese	mg/L	0.0003	0.0005	1.00	≤5.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Mercury	mg/L	0.0003	0.0005	Not Detected	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Nickel	mg/L	0.0003	0.0005	0.005	≤1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Selenium	mg/L	0.0003	0.0005	Not Detected	≤0.02	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Trivalent Chromium *	mg/L	-	0.01	<0.01	≤0.75	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Zinc	mg/L	0.003	0.005	<0.005	≤5.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	4.9	≤500	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Songkhla

Technical Management
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL S:\Reports_AI[_GL.rpt (8:56AM)

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O :
Project Name :
Project Location:

Lot ID: 2645764
Date Received : May 26, 2026
Date Reported : May 30, 2026
Report Number : 3581789-1

Sample Number	2645764-1
Sampled Date	May 26, 2026 11:10 AM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	May 26, 2026
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	2584	≤3000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Songkhla

Guideline : Notification of the Industrial Estate Authority of Thailand No.029/2567 : General Standards for Wastewater drainage into central wastewater treatment systems in Industrial Estates.
Sampling By : Somsak Junkong ทะเบียนเลขที่ ว-267-จ-0011

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Technical Management
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2622396
Date Received : May 14, 2026
Date Reported : Jun 26, 2026
Report Number : 3605908-1

Sample Number	2622396-1
Sampled Date	May 14, 2026 1:17 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	May 14, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Sulfide *	mg/L	-	0.5	<0.5	≤1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Songkhla
Temperature *	Degree C	-	-	30.2	≤45	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2550 B	Songkhla
Total Kjeldahl Nitrogen as N *	mg/L	-	5.0	10.4	≤100	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C), part NH3 (D)	Songkhla
Total Suspended Solids Dried from 103-105 degree C	mg/L	-	5	<5	≤200	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Songkhla

Guideline : Notification of the Industrial Estate Authority of Thailand No.029/2567 : General Standards for Wastewater drainage into central wastewater treatment systems in Industrial Estates.
Note : This Analysis test report is reissued to supersede report No. 3526224-1, Date Reported: May 25, 2026 due to the revision of report number.

Sampling By : Yongsil Rangsee ทะเบียนเลขที่ ว-267-จ-0008 , Tana Supapan ทะเบียนเลขที่ ว-204-จ-0192

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Technical Management
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2622897
Date Received : Jun 12, 2026
Date Reported : Jun 23, 2026
Report Number : 3527650-1

Sample Number	2622897-1
Sampled Date	Jun 12, 2026 1:40 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Jun 12, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Manganese	mg/L	0.0003	0.0005	1.16	≤5.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Mercury	mg/L	0.0003	0.0005	Not Detected	≤0.005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Nickel	mg/L	0.0003	0.0005	0.007	≤1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Selenium	mg/L	0.0003	0.0005	<0.0005	≤0.02	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Trivalent Chromium *	mg/L	-	0.01	<0.01	≤0.75	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Zinc	mg/L	0.003	0.005	<0.005	≤5.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	5.7	≤500	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Songkhla

Technical Management
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2622897
Date Received : Jun 12, 2026
Date Reported : Jun 23, 2026
Report Number : 3527650-1

Sample Number	2622897-1
Sampled Date	Jun 12, 2026 1:40 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Jun 12, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Arsenic	mg/L	0.0003	0.0005	0.06	≤0.25	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Barium	mg/L	0.0003	0.0005	0.04	≤1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Cadmium	mg/L	0.0003	0.0005	Not Detected	≤0.03	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Chromium	mg/L	0.0003	0.0005	Not Detected	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Copper	mg/L	0.0003	0.0005	Not Detected	≤2.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Hexavalent Chromium	mg/L	0.005	0.01	Not Detected	≤0.25	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3500-Cr B	Songkhla
Lead	mg/L	0.0003	0.0005	Not Detected	≤0.2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla

Technical Management
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL S:\Reports_All_GL.rpt (6:07PM)

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2622897
Date Received : Jun 12, 2026
Date Reported : Jun 23, 2026
Report Number : 3527650-1

Sample Number	2622897-1
Sampled Date	Jun 12, 2026 1:40 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Jun 12, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Temperature *	Degree C	-	-	31.6	≤45	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2550 B	Songkhla
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	2434	≤3000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Songkhla
Total Kjeldahl Nitrogen as N *	mg/L	-	5.0	10.3	≤100	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C), part NH3 (D)	Songkhla
Total Suspended Solids Dried from 103-105 degree C	mg/L	-	5	<5	≤200	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Songkhla

Guideline : Notification of the Industrial Estate Authority of Thailand No.029/2567 : General Standards for Wastewater drainage into central wastewater treatment systems in Industrial Estates.
Sampling By : Somsak Junkong ทะเบียนเลขที่ ว-267-จ-0011 , Tana Supapan ทะเบียนเลขที่ ว-204-จ-0192

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Technical Management
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2622897
Date Received : Jun 12, 2026
Date Reported : Jun 23, 2026
Report Number : 3527650-1

Sample Number	2622897-1
Sampled Date	Jun 12, 2026 1:40 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Jun 12, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
COD	mg/L	-	25	62	≤750	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5220 D	Songkhla
Color (at Original pH) *	ADMI	-	5	12	≤600	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 F	Songkhla
Color (at pH 7.0) *	ADMI	-	5	11	≤600	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 F	Songkhla
Formaldehyde *	mg/L	-	0.1	<0.1	≤1	Wastewater analysis manual, Environmental Engineering Association of Thailand, 4th ed.,2004	Songkhla
Oil & Grease	mg/L	-	3	<3	≤10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Songkhla
pH at 25 degree C		-	-	8.4	5.5-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Songkhla
Phenol	mg/L	0.004	0.01	Not Detected	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5530 B, D	Songkhla
Residual Free Chlorine	mg/L	-	0.1	<0.1	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Cl (F)	Songkhla
Sulfide *	mg/L	-	0.5	0.6	≤1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Songkhla

Technical Management
Ananta Boonphet
Scientist (2)
ทะเบียนเลขที่ ว-267-จ-0004

Approved by
Kanitta Hemprasatporn
Section Head
ทะเบียนเลขที่ ว-267-ค-0001

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL S:\Reports_All_GL.rpt (6:07PM)

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2622897
Date Received : Jun 12, 2026
Date Reported : Jun 23, 2026
Report Number : 3527650-2

Sample Number	2622897-1
Sampled Date	Jun 12, 2026 1:40 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Jun 16, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Pesticides - Organochlorine Group							
alpha-BHC	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
beta-BHC	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Chlordane	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
delta-BHC	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Dieldrin	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Endosulfan	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Endosulfan I	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Technical Management
Suwimon Chairuangwut
Scientist (3)
ทะเบียนเลขที่ ว-204-จ-0018

Approved by
Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2622897
Date Received : Jun 12, 2026
Date Reported : Jun 23, 2026
Report Number : 3527650-2

Sample Number	2622897-1
Sampled Date	Jun 12, 2026 1:40 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Jun 16, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Pesticides - Organochlorine Group							
2,4-DDD	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
2,4-DDE	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
2,4-DDT	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
4,4-DDD	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
4,4-DDE	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
4,4-DDT	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Aldrin	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok

Technical Management
Suwimon Chairuangwut
Scientist (3)
ทะเบียนเลขที่ ว-204-จ-0018

Approved by
Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL S:\Reports_All_GL.rpt (4:43PM)

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2622897
Date Received : Jun 12, 2026
Date Reported : Jun 23, 2026
Report Number : 3527650-2

Sample Number	2622897-1
Sampled Date	Jun 12, 2026 1:40 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Jun 16, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Cyanide as HCN	mg/L	0.002	0.005	Not Detected	≤0.2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - CN (C, E)	Bangkok

Guideline : Notification of the Industrial Estate Authority of Thailand No.029/2567 : General Standards for Wastewater drainage into central wastewater treatment systems in Industrial Estates.
Sampling By : Somsak Junkong ทะเบียนเลขที่ ว-267-จ-0011 , Tana Supapan ทะเบียนเลขที่ ว-204-จ-0192

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Technical Management
Suwimon Chairuangwut
Scientist (3)
ทะเบียนเลขที่ ว-204-จ-0018

Approved by
Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2622897
Date Received : Jun 12, 2026
Date Reported : Jun 23, 2026
Report Number : 3527650-2

Sample Number	2622897-1
Sampled Date	Jun 12, 2026 1:40 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Jun 16, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Pesticides - Organochlorine Group							
Endosulfan II	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Endrin	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Endrin aldehyde	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
gamma-BHC (Lindane)	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Heptachlor	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Heptachlor-Epoxide	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Methoxychlor	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Water Testing							

Technical Management
Suwimon Chairuangwut
Scientist (3)
ทะเบียนเลขที่ ว-204-จ-0018

Approved by
Kanokkorn Anek
Assistant General Manager
ทะเบียนเลขที่ ว-204-ค-0004

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

11715-21/ EMAIL S:\Reports_Al_GL.rpt (4:43PM)

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2622897
Date Received : Jun 12, 2026
Date Reported : Jun 23, 2026
Report Number : 3527650-3

- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by
Ananta Boonphet
Scientist (2)

Analysis / Test Report

TESTING
No.0166

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location:

Lot ID: 2622897
Date Received : Jun 12, 2026
Date Reported : Jun 23, 2026
Report Number : 3527650-3

Sample Number	2622897-1
Sampled Date	Jun 12, 2026 1:40 PM
Sample Description	น้ำหลังการบำบัดก่อนระบายไปยังระบบบำบัดน้ำเสียส่วนกลางของนิคมฯภาคใต้
Location	ถังพักน้ำเสียที่ผ่านการบำบัดแล้วขนาด 25 ลูกบาสก์เมตร (WT1)
Date Analysis Commenced	Jun 12, 2026
Condition of Sample	Contained in three amber glass bottles and ten plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Iron	mg/L	0.003	0.005	0.38	≤10.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Silver	mg/L	0.0003	0.0005	Not Detected	≤1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Songkhla
Pesticides - Organochlorine Group							
Mirex *	ug/L	0.01	0.02	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 6630 D, part 6410 B	Bangkok
Water Testing							
Anionic Surfactant as MBAS *	mg/L	0.015	0.05	0.68	≤30	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5540 B, C	Bangkok
Flow rate *	m3/hr	-	-	0.78	No Standard	Flow meter	Songkhla
Fluoride as F *	mg/L	0.15	0.5	1.6	≤5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-F (D)	Bangkok
Odour *		-	-	Odour	No Standard	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2150 B	Songkhla

Guideline : Notification of the Industrial Estate Authority of Thailand No.029/2567 : General Standards for Wastewater drainage into central wastewater treatment systems in Industrial Estates.
Sampling By : Somsak Junkong , Tana Supapan

Remark :
- LOD : Limit of Detection

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by
Ananta Boonphet
Scientist (2)

ADDRESS 114/1 Moo 8 Karnchanawanich Road T. Ban Phru A. Hat Yai Songkhla 90250 Thailand | PHONE +66 0 7489 5060 | FAX +66 0 7489 5068
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL S:\Reports_All_GL.rpt (6:07PM)

ภาคผนวก ค-2

ผลการตรวจวิเคราะห์สภาพแวดล้อม

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O :
Project Name :
Project Location:

Lot ID: 2630738 (3)

Date Received : Apr 24, 2026
Date Reported : Apr 29, 2026
Report Number: 2630738 (3)-1

Waste Management Siam Ltd.

Lay out No.	Location	Reference Number	Date	Time	No.	Illuminance (Lux)		Guideline Limit		Comment
						Spot	Average	Spot/Min	Average	
2	Area : อาคาร STS 3 : 1st floor : WWT Area	2630738 (3)-1	22-Apr-26	Day time	1	683	640	150	300	Pass
		2630738 (3)-2	22-Apr-26	Day time	2	474				
		2630738 (3)-3	22-Apr-26	Day time	3	476				
		2630738 (3)-4	22-Apr-26	Day time	4	2,035				
		2630738 (3)-5	22-Apr-26	Day time	5	256				
		2630738 (3)-6	22-Apr-26	Day time	6	458				
		2630738 (3)-7	22-Apr-26	Day time	7	334				
		2630738 (3)-8	22-Apr-26	Day time	8	477				
		2630738 (3)-9	22-Apr-26	Day time	9	428				
		2630738 (3)-10	22-Apr-26	Day time	10	530				
3	Area : อาคาร STS 3 : 1st floor : ตู้บำบัดน้ำเสีย (L4)	2630738 (3)-11	22-Apr-26	Day time	1	323	312	100	200	Pass
		2630738 (3)-12	22-Apr-26	Day time	2	300				
5	Area : อาคาร STS 3 : 1st floor : ห้องน้ำ	2630738 (3)-13	22-Apr-26	Day time	1	268	241	50	100	Pass
		2630738 (3)-14	22-Apr-26	Day time	2	216				
		2630738 (3)-15	22-Apr-26	Day time	3	240				
6	Area : อาคาร STS 3 : 1st floor : Tubing and Casing cleaning area	2630738 (3)-16	21-Apr-26	Day time	1	8,511	3732	150	300	Pass
		2630738 (3)-17	21-Apr-26	Day time	2	1,101				
		2630738 (3)-18	21-Apr-26	Day time	3	7,275				
		2630738 (3)-19	21-Apr-26	Day time	4	1,368				
		2630738 (3)-20	21-Apr-26	Day time	5	2,938				
		2630738 (3)-21	21-Apr-26	Day time	6	2,366				
		2630738 (3)-22	21-Apr-26	Day time	7	2,954				
		2630738 (3)-23	21-Apr-26	Day time	8	3,606				
		2630738 (3)-24	21-Apr-26	Day time	9	3,520				
		2630738 (3)-25	21-Apr-26	Day time	10	3,805				
7	Spot : อาคาร STS 3 : 1st floor : ห้อง LAB LB&WWT : หน้าเครื่อง Jar-Tester	2630738 (3)-26	21-Apr-26	Day time	1	2,555	-	200-300	-	Pass
		2630738 (3)-27	21-Apr-26	Day time	2	2,517	-	600	-	
		2630738 (3)-28	21-Apr-26	Day time	3	1,997	-	300	-	
8	Spot : อาคาร STS 3 : 1st floor : ห้อง LAB LB&WWT : โต๊ะวางอุปกรณ์	2630738 (3)-29	21-Apr-26	Day time	1	210	-	200-300	-	Pass

Technical Management
Supot Salamteh
Section Head

Approved by
Wichan Choonharat
Assistant Manager

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. **An ALS Limited Company**

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O :
Project Name :
Project Location:

Lot ID: 2630738 (3)
Date Received : Apr 24, 2026
Date Reported : Apr 29, 2026
Report Number: 2630738 (3)-1

Waste Management Siam Ltd.

Lay out No.	Location	Reference Number	Date	Time	No.	Illuminance (Lux)		Guideline Limit		Comment
						Spot	Average	Spot/Min	Average	
9	Area : อาคาร STS 3 : 1st floor : พื้นที่จัดเก็บภาชนะบรรจุน้ำเสีย L1	2630738 (3)-30	21-Apr-26	Day time	1	654	509	50	100	Pass
		2630738 (3)-31	21-Apr-26	Day time	2	498				
		2630738 (3)-32	21-Apr-26	Day time	3	515				
		2630738 (3)-33	21-Apr-26	Day time	4	540				
		2630738 (3)-34	21-Apr-26	Day time	5	501				
		2630738 (3)-35	21-Apr-26	Day time	6	465				
		2630738 (3)-36	21-Apr-26	Day time	7	419				
		2630738 (3)-37	21-Apr-26	Day time	8	472				
		2630738 (3)-38	21-Apr-26	Day time	9	464				
		2630738 (3)-39	21-Apr-26	Day time	10	562				
10	Area : อาคาร STS 3 : 1st floor : พื้นที่จัดเก็บสารเคมี L2	2630738 (3)-40	21-Apr-26	Day time	1	303	300	50	100	Pass
		2630738 (3)-41	21-Apr-26	Day time	2	305				
		2630738 (3)-42	21-Apr-26	Day time	3	317				
		2630738 (3)-43	21-Apr-26	Day time	4	324				
		2630738 (3)-44	21-Apr-26	Day time	5	277				
		2630738 (3)-45	21-Apr-26	Day time	6	297				
		2630738 (3)-46	21-Apr-26	Day time	7	289				
		2630738 (3)-47	21-Apr-26	Day time	8	285				

Measurement by : Thanawut Pinthong

Guideline : Notification of Department of Labour Protection and Welfare, B.E.2560 (2017) dated November 27, B.E.2560 (2017), and published in the Royal Government Gazette, Vol.135, Part 39D dated February 21 B.E.2561 (2018)

Technical Management
Supot Salamteh
Section Head

Approved by
Wichan Choonharat
Assistant Manager

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ภาคผนวก ค-3

ผลการตรวจวิเคราะห์คุณภาพน้ำใต้ดิน

Analysis / Test Report

TESTING
No.0009

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O :
Project Name :
Project Location :

Lot ID: 2577173
Date Received :Sep 09, 2025
Date Reported :Sep 12, 2025
Report Number :3385112-1

Sample Number	2577173-1
Sampled Date	Sep 08, 2025 1:38 PM
Sample Description	Ground Water
Location	Monitoring Well MW-2
Date Analysis Commenced	Sep 10, 2025
Condition of Sample	Contained in two plastic bottles and two glass vials, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Metals Testing						
Arsenic	mg/L	0.0003	0.0005	0.04	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
Cadmium	mg/L	0.0003	0.0005	0.0008	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
Lead	mg/L	0.0003	0.0005	0.0007	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
Mercury	mg/L	0.0001	0.0005	0.002	In-house method : STM 05-007 based on United States Environmental Protection Agency, 2002, EPA Method 1631, Revision E	Bangkok
Water Testing						
pH at 25 degree C		-	-	6.2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Total Dissolved solids Dried at 180 degree C *	mg/L	-	5	50	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok

Sampling By : Tana Supapan

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Sawitree Noisangiam
Manager

Analysis / Test Report

TESTING
No.0009

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O :
Project Name :
Project Location :

Lot ID: 2577173
Date Received :Sep 09, 2025
Date Reported :Sep 12, 2025
Report Number :3385112-1

Sample Number	2577173-2
Sampled Date	Sep 08, 2025 1:24 PM
Sample Description	Ground Water
Location	Monitoring Well MW-5
Date Analysis Commenced	Sep 10, 2025
Condition of Sample	Contained in two plastic bottles and two glass vials, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Metals Testing						
Arsenic	mg/L	0.0003	0.0005	0.004	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
Cadmium	mg/L	0.0003	0.0005	0.0007	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
Lead	mg/L	0.0003	0.0005	0.008	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
Mercury	mg/L	0.0001	0.0005	<0.0005	In-house method : STM 05-007 based on United States Environmental Protection Agency, 2002, EPA Method 1631, Revision E	Bangkok
Water Testing						
pH at 25 degree C		-	-	6.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Total Dissolved solids Dried at 180 degree C *	mg/L	-	5	48	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok

Sampling By : Tana Supapan

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by
Sawitree Noisangiam
Manager

Analysis / Test Report

TESTING
No.0009

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O :
Project Name :
Project Location :

Lot ID: 2577173
Date Received :Sep 09, 2025
Date Reported :Sep 12, 2025
Report Number :3385112-1

Sample Number	2577173-3
Sampled Date	Sep 08, 2025 1:07 PM
Sample Description	Ground Water
Location	Monitoring Well MW-6
Date Analysis Commenced	Sep 10, 2025
Condition of Sample	Contained in two plastic bottles and two glass vials, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Metals Testing						
Arsenic	mg/L	0.0003	0.0005	<0.0005	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
Cadmium	mg/L	0.0003	0.0005	0.0006	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
Lead	mg/L	0.0003	0.0005	0.002	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
Mercury	mg/L	0.0001	0.0005	Not Detected	In-house method : STM 05-007 based on United States Environmental Protection Agency, 2002, EPA Method 1631, Revision E	Bangkok
Water Testing						
pH at 25 degree C		-	-	5.6	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Total Dissolved solids Dried at 180 degree C *	mg/L	-	5	34	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok

Sampling By : Tana Supapan

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by
Sawitree Noisangiam
Manager

Analysis / Test Report

TESTING
No.0009

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O :
Project Name :
Project Location :

Lot ID: 2577173
Date Received :Sep 09, 2025
Date Reported :Sep 12, 2025
Report Number :3385112-1

Sample Number	2577173-4
Sampled Date	Sep 08, 2025 1:48 PM
Sample Description	Ground Water
Location	Monitoring Well MW-4
Date Analysis Commenced	Sep 10, 2025
Condition of Sample	Contained in two plastic bottles and two glass vials, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Metals Testing						
Arsenic	mg/L	0.0003	0.0005	0.010	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
Cadmium	mg/L	0.0003	0.0005	0.0006	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
Lead	mg/L	0.0003	0.0005	0.02	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
Mercury	mg/L	0.0001	0.0005	<0.0005	In-house method : STM 05-007 based on United States Environmental Protection Agency, 2002, EPA Method 1631, Revision E	Bangkok
Water Testing						
pH at 25 degree C		-	-	5.3	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Total Dissolved solids Dried at 180 degree C *	mg/L	-	5	58	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok

Sampling By : Tana Supapan

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Sawitree Noisangiam
Manager

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ภาคผนวก ค-4

ผลการตรวจวิเคราะห์เสียง

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625605
Date Received : Apr 28, 2026
Date Reported : May 05, 2026
Report Number: 3562719-1

Sample Number	2625605-2
Parameter	Noise (Leq 24 hrs.)
Location	สถานีที่ 1 : บริเวณริมรั้วบริษัทด้านทิศตะวันตก (ด้านหน้าทางเข้า-ออก STS1 และ STS2) (N5) พิกัดละติจูด ลองจิจูด (GPS 47N 649894, 774176)
Measurement Date	Apr 21 - Apr 22, 2026
Measurement by	Apiwat Chanta
Sound Level meter	Serial No. 331096

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	68.9	91.3	62.1
09:00 AM - 10:00 AM	66.8	93.7	60.7
10:00 AM - 11:00 AM	69.8	99.9	63.1
11:00 AM - 12:00 PM	67.2	90.0	53.0
12:00 PM - 01:00 PM	65.3	88.1	53.2
01:00 PM - 02:00 PM	68.8	88.5	62.1
02:00 PM - 03:00 PM	66.6	85.9	57.4
03:00 PM - 04:00 PM	72.4	96.8	65.5
04:00 PM - 05:00 PM	65.9	93.1	53.5
05:00 PM - 06:00 PM	64.5	81.8	59.5
06:00 PM - 07:00 PM	64.0	94.1	45.9
07:00 PM - 08:00 PM	49.8	72.9	44.7
08:00 PM - 09:00 PM	47.1	68.1	44.0
09:00 PM - 10:00 PM	47.1	80.9	44.1
10:00 PM - 11:00 PM	45.7	73.2	43.8
11:00 PM - 12:00 AM	48.7	72.8	43.0
12:00 AM - 01:00 AM	43.1	68.7	41.8
01:00 AM - 02:00 AM	44.6	58.7	42.2
02:00 AM - 03:00 AM	50.2	77.5	41.6
03:00 AM - 04:00 AM	42.9	58.4	41.2
04:00 AM - 05:00 AM	53.8	74.3	43.7
05:00 AM - 06:00 AM	58.7	77.0	46.9
06:00 AM - 07:00 AM	62.3	96.3	46.2
07:00 AM - 08:00 AM	63.7	95.6	49.9
Leq Average 24 hrs. (dB(A))	64.9		
Lmax (dB(A))		99.9	
L90 (dB(A))			46.2
Ldn (dB(A))	66.3		
Standard (dB(A))	70	115	

Reference Method : ISO1996-1 and 1996-2
Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supt S.
Supot Salamteh
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625605
Date Received : Apr 28, 2026
Date Reported : May 05, 2026
Report Number: 3562718-1

Sample Number	2625605-1
Parameter	Noise (Leq 24 hrs.)
Location	สถานีที่ 1 : บริเวณริมรั้วบริษัทด้านทิศตะวันตก (ด้านหน้าทางเข้า-ออก STS1 และ STS2) (N5) พิกัดละติจูด ลองจิจูด (GPS 47N 649894, 774176)
Measurement Date	Apr 20 - Apr 21, 2026
Measurement by	Apiwat Chanta
Sound Level meter	Serial No. 331096

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	67.5	84.9	56.0
09:00 AM - 10:00 AM	65.4	94.0	57.1
10:00 AM - 11:00 AM	68.7	93.4	62.9
11:00 AM - 12:00 PM	65.6	87.1	56.1
12:00 PM - 01:00 PM	66.1	94.1	55.5
01:00 PM - 02:00 PM	68.7	98.8	61.5
02:00 PM - 03:00 PM	80.6	110.0	58.3
03:00 PM - 04:00 PM	69.0	96.2	62.9
04:00 PM - 05:00 PM	66.5	89.3	53.4
05:00 PM - 06:00 PM	62.7	89.2	51.2
06:00 PM - 07:00 PM	59.0	84.0	45.0
07:00 PM - 08:00 PM	51.4	73.2	44.7
08:00 PM - 09:00 PM	48.2	59.6	45.2
09:00 PM - 10:00 PM	46.4	60.1	44.3
10:00 PM - 11:00 PM	45.4	58.2	43.8
11:00 PM - 12:00 AM	44.9	58.0	43.6
12:00 AM - 01:00 AM	45.5	58.4	43.5
01:00 AM - 02:00 AM	47.8	72.8	43.2
02:00 AM - 03:00 AM	45.2	58.5	43.0
03:00 AM - 04:00 AM	46.9	73.6	43.5
04:00 AM - 05:00 AM	54.4	73.5	47.8
05:00 AM - 06:00 AM	59.0	81.2	47.3
06:00 AM - 07:00 AM	59.9	84.0	49.4
07:00 AM - 08:00 AM	60.2	82.7	49.7
Leq Average 24 hrs. (dB(A))	68.4		
Lmax (dB(A))		110.0	
L90 (dB(A))			47.8
Ldn (dB(A))	68.9		
Standard (dB(A))	70	115	

Reference Method : ISO1996-1 and 1996-2
Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supt S.
Supot Salamteh
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL
S:\Reports_Air Noise.rpt (3:07PM)

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625605
Date Received : Apr 28, 2026
Date Reported : May 05, 2026
Report Number: 3562721-1

Sample Number 2625605-4
Parameter Noise (Leq 24 hrs.)
Location สถานีที่ 1 : บริเวณริมรั้วบริษัทด้านทิศตะวันตก (ด้านหน้าทางเข้า-ออก STS1 และ STS2) (N5) พิกัดละติจูด ลองจิจูด (GPS 47N 649894, 774176)
Measurement Date Apr 23 - Apr 24, 2026
Measurement by Apiwat Chanta
Sound Level meter Serial No. 331096

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	68.4	92.3	62.9
09:00 AM - 10:00 AM	69.3	95.5	60.6
10:00 AM - 11:00 AM	68.4	102.8	55.2
11:00 AM - 12:00 PM	69.6	95.3	60.7
12:00 PM - 01:00 PM	60.0	87.5	52.8
01:00 PM - 02:00 PM	70.0	92.2	58.9
02:00 PM - 03:00 PM	67.6	88.4	56.7
03:00 PM - 04:00 PM	67.9	90.3	52.3
04:00 PM - 05:00 PM	68.6	95.7	55.9
05:00 PM - 06:00 PM	62.0	90.7	48.9
06:00 PM - 07:00 PM	62.7	87.9	50.2
07:00 PM - 08:00 PM	50.7	72.3	44.3
08:00 PM - 09:00 PM	50.0	69.4	44.3
09:00 PM - 10:00 PM	46.7	75.3	44.9
10:00 PM - 11:00 PM	45.6	66.8	44.1
11:00 PM - 12:00 AM	45.5	68.5	44.0
12:00 AM - 01:00 AM	54.3	80.5	43.8
01:00 AM - 02:00 AM	45.1	57.4	43.8
02:00 AM - 03:00 AM	48.4	59.0	43.7
03:00 AM - 04:00 AM	51.8	66.3	50.8
04:00 AM - 05:00 AM	53.2	73.8	50.2
05:00 AM - 06:00 AM	56.6	75.5	51.0
06:00 AM - 07:00 AM	56.4	79.6	46.2
07:00 AM - 08:00 AM	64.4	94.7	50.3
Leq Average 24 hrs. (dB(A))	64.6		
Lmax (dB(A))		102.8	
L90 (dB(A))			50.2
Ldn (dB(A))	65.5		
Standard (dB(A))	70	115	

Reference Method : ISO1996-1 and 1996-2
Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supt S.
Supot Salamteh
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625605
Date Received : Apr 28, 2026
Date Reported : May 05, 2026
Report Number: 3562720-1

Sample Number 2625605-3
Parameter Noise (Leq 24 hrs.)
Location สถานีที่ 1 : บริเวณริมรั้วบริษัทด้านทิศตะวันตก (ด้านหน้าทางเข้า-ออก STS1 และ STS2) (N5) พิกัดละติจูด ลองจิจูด (GPS 47N 649894, 774176)
Measurement Date Apr 22 - Apr 23, 2026
Measurement by Apiwat Chanta
Sound Level meter Serial No. 331096

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	68.2	98.5	61.6
09:00 AM - 10:00 AM	67.3	91.2	48.5
10:00 AM - 11:00 AM	70.1	100.8	61.8
11:00 AM - 12:00 PM	66.7	93.7	53.3
12:00 PM - 01:00 PM	66.3	86.3	58.0
01:00 PM - 02:00 PM	68.1	88.1	61.9
02:00 PM - 03:00 PM	69.3	95.1	54.7
03:00 PM - 04:00 PM	69.7	92.1	63.7
04:00 PM - 05:00 PM	66.2	89.5	52.2
05:00 PM - 06:00 PM	65.1	95.1	57.3
06:00 PM - 07:00 PM	59.4	83.6	44.6
07:00 PM - 08:00 PM	49.9	68.4	44.1
08:00 PM - 09:00 PM	49.7	74.1	44.1
09:00 PM - 10:00 PM	46.3	63.7	43.8
10:00 PM - 11:00 PM	46.2	61.0	44.5
11:00 PM - 12:00 AM	47.7	66.2	43.1
12:00 AM - 01:00 AM	49.0	70.1	42.9
01:00 AM - 02:00 AM	51.0	73.6	43.7
02:00 AM - 03:00 AM	45.1	57.6	43.8
03:00 AM - 04:00 AM	48.6	70.4	44.3
04:00 AM - 05:00 AM	55.3	72.5	45.7
05:00 AM - 06:00 AM	57.1	75.3	47.1
06:00 AM - 07:00 AM	60.4	88.7	47.5
07:00 AM - 08:00 AM	62.6	80.3	50.0
Leq Average 24 hrs. (dB(A))	64.5		
Lmax (dB(A))		100.8	
L90 (dB(A))			47.1
Ldn (dB(A))	65.7		
Standard (dB(A))	70	115	

Reference Method : ISO1996-1 and 1996-2
Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supt S.
Supot Salamteh
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625605
Date Received : Apr 28, 2026
Date Reported : May 05, 2026
Report Number: 3562723-1

Sample Number 2625605-6
Parameter Noise (Leq 24 hrs.)
Location สถานีที่ 1 : บริเวณริมรั้วบริษัทด้านทิศตะวันตก (ด้านหน้าทางเข้า-ออก STS1 และ STS2) (N5) พิกัดละติจูด ลองจิจูด (GPS 47N 649894, 774176)
Measurement Date Apr 25 - Apr 26, 2026
Measurement by Apiwat Chanta
Sound Level meter Serial No. 331096

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	63.9	84.6	51.6
09:00 AM - 10:00 AM	68.7	94.3	61.4
10:00 AM - 11:00 AM	67.8	93.2	57.4
11:00 AM - 12:00 PM	70.1	100.5	57.7
12:00 PM - 01:00 PM	59.7	81.0	50.7
01:00 PM - 02:00 PM	68.9	91.8	57.2
02:00 PM - 03:00 PM	70.2	94.8	56.5
03:00 PM - 04:00 PM	67.0	89.4	56.1
04:00 PM - 05:00 PM	68.6	89.8	58.0
05:00 PM - 06:00 PM	59.2	87.9	45.7
06:00 PM - 07:00 PM	56.0	77.4	45.7
07:00 PM - 08:00 PM	47.4	71.9	44.3
08:00 PM - 09:00 PM	50.0	66.2	44.0
09:00 PM - 10:00 PM	46.5	76.9	43.6
10:00 PM - 11:00 PM	46.4	80.6	43.8
11:00 PM - 12:00 AM	45.0	59.7	43.9
12:00 AM - 01:00 AM	47.7	66.8	43.7
01:00 AM - 02:00 AM	48.7	70.2	43.6
02:00 AM - 03:00 AM	47.0	69.8	42.6
03:00 AM - 04:00 AM	51.1	73.4	42.3
04:00 AM - 05:00 AM	46.2	70.2	42.5
05:00 AM - 06:00 AM	56.1	76.2	43.6
06:00 AM - 07:00 AM	54.7	76.7	46.7
07:00 AM - 08:00 AM	60.3	84.4	56.9
Leq Average 24 hrs. (dB(A))	64.1		
Lmax (dB(A))		100.5	
L90 (dB(A))			45.7
Ldn (dB(A))	64.7		
Standard (dB(A))	70	115	

Reference Method : ISO1996-1 and 1996-2
Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supt S.
Supot Salamteh
Section Head

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625605
Date Received : Apr 28, 2026
Date Reported : May 05, 2026
Report Number: 3562722-1

Sample Number 2625605-5
Parameter Noise (Leq 24 hrs.)
Location สถานีที่ 1 : บริเวณริมรั้วบริษัทด้านทิศตะวันตก (ด้านหน้าทางเข้า-ออก STS1 และ STS2) (N5) พิกัดละติจูด ลองจิจูด (GPS 47N 649894, 774176)
Measurement Date Apr 24 - Apr 25, 2026
Measurement by Apiwat Chanta
Sound Level meter Serial No. 331096

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	66.6	92.8	53.8
09:00 AM - 10:00 AM	69.5	94.5	60.3
10:00 AM - 11:00 AM	68.0	90.6	56.2
11:00 AM - 12:00 PM	69.9	99.1	58.7
12:00 PM - 01:00 PM	60.1	92.2	47.9
01:00 PM - 02:00 PM	64.8	94.3	54.3
02:00 PM - 03:00 PM	67.4	91.3	59.8
03:00 PM - 04:00 PM	67.2	91.7	53.3
04:00 PM - 05:00 PM	70.4	90.7	63.1
05:00 PM - 06:00 PM	62.4	87.2	46.7
06:00 PM - 07:00 PM	64.4	93.1	48.3
07:00 PM - 08:00 PM	55.1	77.5	44.8
08:00 PM - 09:00 PM	50.2	72.7	44.4
09:00 PM - 10:00 PM	46.2	63.7	44.4
10:00 PM - 11:00 PM	45.6	57.7	44.2
11:00 PM - 12:00 AM	46.7	61.4	44.5
12:00 AM - 01:00 AM	48.6	65.7	44.2
01:00 AM - 02:00 AM	52.8	77.5	43.6
02:00 AM - 03:00 AM	54.4	79.8	44.3
03:00 AM - 04:00 AM	51.4	70.9	49.0
04:00 AM - 05:00 AM	54.3	74.2	48.6
05:00 AM - 06:00 AM	57.8	75.2	48.8
06:00 AM - 07:00 AM	54.8	77.5	46.2
07:00 AM - 08:00 AM	61.9	80.8	53.3
Leq Average 24 hrs. (dB(A))	64.2		
Lmax (dB(A))		99.1	
L90 (dB(A))			48.3
Ldn (dB(A))	65.3		
Standard (dB(A))	70	115	

Reference Method : ISO1996-1 and 1996-2
Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supt S.
Supot Salamteh
Section Head

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562733-1 Rev. No.1

Sample Number	2625660-1
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 1 : ริมรั้วโครงการด้านทิศตะวันออก (N1) พิกัดละติจูด ลองจิจูด (GPS 47N 650072, 774302)
Measurement Date	Apr 20, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:59 AM - 09:59 AM	53.8	75.9	48.2
09:59 AM - 10:59 AM	53.3	76.0	47.9
10:59 AM - 11:59 AM	57.9	94.2	45.4
11:59 AM - 12:59 PM	51.5	76.8	43.8
12:59 PM - 01:59 PM	60.6	84.9	46.3
01:59 PM - 02:59 PM	53.7	83.8	48.1
02:59 PM - 03:59 PM	53.0	77.9	44.8
03:59 PM - 04:59 PM	51.7	80.2	45.3
Leq Average 8 hrs. (dB(A))	55.7		
Lmax (dB(A))		94.2	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562733-1, Date Reported: May 05, 2026 due to the removal of guideline 3562733-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supot S.
Supot Salamteh
Section Head

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625605
Date Received : Apr 28, 2026
Date Reported : May 05, 2026
Report Number: 3562724-1

Sample Number	2625605-7
Parameter	Noise (Leq 24 hrs.)
Location	สถานีที่ 1 : บริเวณริมรั้วบริษัทด้านทิศตะวันตก (ด้านหน้าทางเข้า-ออก STS1 และ STS2) (N5) พิกัดละติจูด ลองจิจูด (GPS 47N 649894, 774176)
Measurement Date	Apr 26 - Apr 27, 2026
Measurement by	Apiwat Chanta
Sound Level meter	Serial No. 331096

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:00 AM - 09:00 AM	64.1	91.9	47.1
09:00 AM - 10:00 AM	67.6	91.4	56.1
10:00 AM - 11:00 AM	65.9	89.1	50.5
11:00 AM - 12:00 PM	69.0	96.5	51.2
12:00 PM - 01:00 PM	60.7	83.6	45.3
01:00 PM - 02:00 PM	64.2	83.6	51.9
02:00 PM - 03:00 PM	65.7	89.2	51.7
03:00 PM - 04:00 PM	65.1	89.4	50.1
04:00 PM - 05:00 PM	65.7	88.8	50.4
05:00 PM - 06:00 PM	57.8	82.5	45.9
06:00 PM - 07:00 PM	56.2	75.3	44.9
07:00 PM - 08:00 PM	54.2	83.9	43.3
08:00 PM - 09:00 PM	48.1	69.7	43.1
09:00 PM - 10:00 PM	44.3	59.7	43.0
10:00 PM - 11:00 PM	57.0	82.1	43.4
11:00 PM - 12:00 AM	49.8	71.6	43.8
12:00 AM - 01:00 AM	50.3	67.4	44.2
01:00 AM - 02:00 AM	48.4	72.4	44.0
02:00 AM - 03:00 AM	56.8	81.8	43.3
03:00 AM - 04:00 AM	55.6	78.7	43.5
04:00 AM - 05:00 AM	50.6	75.8	44.2
05:00 AM - 06:00 AM	57.4	71.1	45.3
06:00 AM - 07:00 AM	55.5	78.4	46.1
07:00 AM - 08:00 AM	63.4	93.3	48.2
Leq Average 24 hrs. (dB(A))	62.3		
Lmax (dB(A))		96.5	
L90 (dB(A))			45.3
Ldn (dB(A))	64.3		
Standard (dB(A))	70	115	

Reference Method : ISO1996-1 and 1996-2
Standard : 1. ประกาศคณะกรรมการสิ่งแวดล้อมแห่งชาติ ฉบับที่ 15 (พ.ศ. 2540) เรื่องกำหนดมาตรฐานระดับเสียงโดยทั่วไป
2. ประกาศกระทรวงอุตสาหกรรม เรื่องกำหนดค่าระดับเสียงการรบกวน และระดับเสียงที่เกิดจากการประกอบกิจการโรงงาน พ.ศ. 2548

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supot S.
Supot Salamteh
Section Head

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562735-1 Rev. No.1

Sample Number	2625660-3
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 1 : ริมรั้วโครงการด้านทิศตะวันออก (N1) พิกัดละติจูด ลองจิจูด (GPS 47N 650072, 774302)
Measurement Date	Apr 22, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:59 AM - 09:59 AM	53.0	69.4	47.5
09:59 AM - 10:59 AM	55.7	80.0	47.6
10:59 AM - 11:59 AM	54.2	85.8	45.2
11:59 AM - 12:59 PM	48.8	74.4	43.0
12:59 PM - 01:59 PM	52.6	77.5	45.5
01:59 PM - 02:59 PM	52.4	73.5	45.4
02:59 PM - 03:59 PM	50.7	76.0	45.4
03:59 PM - 04:59 PM	52.4	80.1	46.3
Leq Average 8 hrs. (dB(A))	52.9		
Lmax (dB(A))		85.8	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562735-1, Date Reported: May 05, 2026 due to the removal of guideline 3562735-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supot S.
Supot Salamteh
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562734-1 Rev. No.1

Page 1 of 1

Sample Number	2625660-2
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 1 : ริมรั้วโครงการด้านทิศตะวันออก (N1) พิกัดละติจูด ลองจิจูด (GPS 47N 650072, 774302)
Measurement Date	Apr 21, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:59 AM - 09:59 AM	52.3	76.3	49.1
09:59 AM - 10:59 AM	53.6	86.1	47.0
10:59 AM - 11:59 AM	54.2	82.0	47.2
11:59 AM - 12:59 PM	48.6	74.9	43.6
12:59 PM - 01:59 PM	58.8	78.0	45.6
01:59 PM - 02:59 PM	56.8	70.6	46.7
02:59 PM - 03:59 PM	53.8	84.5	46.8
03:59 PM - 04:59 PM	52.8	78.2	46.2
Leq Average 8 hrs. (dB(A))	54.8		
Lmax (dB(A))		86.1	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562734-1, Date Reported: May 05, 2026 due to the removal of guideline 3562734-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supot S.
Supot Salamteh
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

11715-21/ EMAIL
S:\Reports_Air Noise_NGL.rpt (11:33AM)

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562737-1 Rev. No.1

Sample Number	2625660-5
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 1 : ริมรั้วโครงการด้านทิศตะวันออก (N1) พิกัดละติจูด ลองจิจูด (GPS 47N 650072, 774302)
Measurement Date	Apr 24, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:31 AM - 09:31 AM	54.6	78.6	51.1
09:31 AM - 10:31 AM	52.7	70.6	47.5
10:31 AM - 11:31 AM	55.5	84.6	49.0
11:31 AM - 12:31 PM	53.9	85.8	44.3
12:31 PM - 01:31 PM	50.6	75.1	44.6
01:31 PM - 02:31 PM	50.7	76.1	46.4
02:31 PM - 03:31 PM	52.1	77.2	46.5
03:31 PM - 04:31 PM	51.4	75.9	47.0
Leq Average 8 hrs. (dB(A))	53.0		
Lmax (dB(A))		85.8	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562737-1, Date Reported: May 05, 2026 due to the removal of guideline 3562737-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supt S.
Supot Salamteh
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562736-1 Rev. No.1

Page 1 of 1

Sample Number	2625660-4
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 1 : ริมรั้วโครงการด้านทิศตะวันออก (N1) พิกัดละติจูด ลองจิจูด (GPS 47N 650072, 774302)
Measurement Date	Apr 23, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:59 AM - 09:59 AM	53.3	71.1	48.6
09:59 AM - 10:59 AM	60.0	86.4	49.5
10:59 AM - 11:59 AM	61.7	88.7	44.8
11:59 AM - 12:59 PM	50.2	79.1	42.3
12:59 PM - 01:59 PM	53.4	77.5	42.3
01:59 PM - 02:59 PM	62.2	71.9	50.9
02:59 PM - 03:59 PM	50.1	73.3	44.9
03:59 PM - 04:59 PM	54.3	88.4	45.7
Leq Average 8 hrs. (dB(A))	58.0		
Lmax (dB(A))		88.7	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562736-1, Date Reported: May 05, 2026 due to the removal of guideline 3562736-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supt S.
Supot Salamteh
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

11715-21/ EMAIL
S:\Reports_Air Noise_NGL.rpt (11:34AM)

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562739-1 Rev. No.1

Sample Number	2625660-7
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 1 : ริมรั้วโครงการด้านทิศตะวันออก (N1) พิกัดละติจูด ลองจิจูด (GPS 47N 650072, 774302)
Measurement Date	Apr 26, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:31 AM - 09:31 AM	52.3	73.8	46.7
09:31 AM - 10:31 AM	50.3	73.4	43.6
10:31 AM - 11:31 AM	49.8	79.6	43.2
11:31 AM - 12:31 PM	50.2	78.6	42.6
12:31 PM - 01:31 PM	50.3	75.9	42.2
01:31 PM - 02:31 PM	49.9	70.6	43.0
02:31 PM - 03:31 PM	51.0	75.2	43.2
03:31 PM - 04:31 PM	50.5	75.9	43.7
Leq Average 8 hrs. (dB(A))	50.6		
Lmax (dB(A))		79.6	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562739-1, Date Reported: May 05, 2026 due to the removal of guideline 3562739-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supot S.
Supot Salamteh
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562738-1 Rev. No.1

Sample Number	2625660-6
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 1 : ริมรั้วโครงการด้านทิศตะวันออก (N1) พิกัดละติจูด ลองจิจูด (GPS 47N 650072, 774302)
Measurement Date	Apr 25, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:31 AM - 09:31 AM	54.0	74.4	47.9
09:31 AM - 10:31 AM	53.6	69.0	48.2
10:31 AM - 11:31 AM	57.8	88.2	50.7
11:31 AM - 12:31 PM	51.9	72.3	44.6
12:31 PM - 01:31 PM	51.6	80.0	44.0
01:31 PM - 02:31 PM	53.5	73.7	48.8
02:31 PM - 03:31 PM	52.8	77.3	47.8
03:31 PM - 04:31 PM	54.3	71.9	49.0
Leq Average 8 hrs. (dB(A))	54.1		
Lmax (dB(A))		88.2	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562738-1, Date Reported: May 05, 2026 due to the removal of guideline 3562738-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supot S.
Supot Salamteh
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562741-1 Rev. No.1

Sample Number	2625660-9
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 2 : ริมรั้วโครงการด้านทิศเหนือ (N2) พิกัดละติจูด ลองจิจูด (GPS 47N 650017, 774310)
Measurement Date	Apr 21, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:53 AM - 09:53 AM	62.5	84.5	48.5
09:53 AM - 10:53 AM	55.4	78.2	46.7
10:53 AM - 11:53 AM	62.8	89.6	48.7
11:53 AM - 12:53 PM	53.8	76.0	42.3
12:53 PM - 01:53 PM	57.9	75.8	43.8
01:53 PM - 02:53 PM	59.2	83.8	46.6
02:53 PM - 03:53 PM	56.3	85.8	46.0
03:53 PM - 04:53 PM	55.8	79.8	47.2
Leq Average 8 hrs. (dB(A))	59.1		
Lmax (dB(A))		89.6	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562741-1, Date Reported: May 05, 2026 due to the removal of guideline 3562741-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supt S.
Supot Salamteh
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562740-1 Rev. No.1

Page 1 of 1

Sample Number	2625660-8
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 2 : ริมรั้วโครงการด้านทิศเหนือ (N2) พิกัดละติจูด ลองจิจูด (GPS 47N 650017, 774310)
Measurement Date	Apr 20, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:53 AM - 09:53 AM	64.5	85.1	50.9
09:53 AM - 10:53 AM	62.1	85.9	45.4
10:53 AM - 11:53 AM	64.1	94.4	51.6
11:53 AM - 12:53 PM	57.1	91.6	45.5
12:53 PM - 01:53 PM	62.8	83.5	45.5
01:53 PM - 02:53 PM	60.9	80.6	54.6
02:53 PM - 03:53 PM	55.7	81.8	46.9
03:53 PM - 04:53 PM	58.3	87.6	46.3
Leq Average 8 hrs. (dB(A))	61.7		
Lmax (dB(A))		94.4	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562740-1, Date Reported: May 05,2026 due to the removal of guideline 3562735-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supt S.
Supot Salamteh
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562743-1 Rev. No.1

Sample Number	2625660-11
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 2 : ริมรั้วโครงการด้านทิศเหนือ (N2) พิกัดละติจูด ลองจิจูด (GPS 47N 650017, 774310)
Measurement Date	Apr 23, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:53 AM - 09:53 AM	64.2	84.8	57.8
09:53 AM - 10:53 AM	56.1	78.5	48.2
10:53 AM - 11:53 AM	62.5	84.2	51.4
11:53 AM - 12:53 PM	58.5	88.9	44.5
12:53 PM - 01:53 PM	53.5	70.6	44.5
01:53 PM - 02:53 PM	63.8	86.1	60.6
02:53 PM - 03:53 PM	58.0	70.5	54.8
03:53 PM - 04:53 PM	60.9	81.9	54.2
Leq Average 8 hrs. (dB(A))	61.0		
Lmax (dB(A))		88.9	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562743-1, Date Reported: May 05, 2026 due to the removal of guideline 3562743-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supot S.
Supot Salamteh
Section Head

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562742-1 Rev. No.1

Sample Number	2625660-10
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 2 : ริมรั้วโครงการด้านทิศเหนือ (N2) พิกัดละติจูด ลองจิจูด (GPS 47N 650017, 774310)
Measurement Date	Apr 22, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:53 AM - 09:53 AM	55.4	77.1	47.1
09:53 AM - 10:53 AM	56.7	78.8	44.8
10:53 AM - 11:53 AM	61.6	95.2	44.1
11:53 AM - 12:53 PM	51.9	78.4	41.1
12:53 PM - 01:53 PM	58.0	81.8	42.4
01:53 PM - 02:53 PM	58.7	80.2	45.5
02:53 PM - 03:53 PM	54.6	79.5	45.1
03:53 PM - 04:53 PM	55.9	78.1	46.1
Leq Average 8 hrs. (dB(A))	57.5		
Lmax (dB(A))		95.2	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562742-1, Date Reported: May 05, 2026 due to the removal of guideline 3562742-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supot S.
Supot Salamteh
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL
S:\Reports_Air Noise_NGL.rpt (11:36AM)

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562745-1 Rev. No.1

Sample Number	2625660-13
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 2 : ริมรั้วโครงการด้านทิศเหนือ (N2) พิกัดละติจูด ลองจิจูด (GPS 47N 650017, 774310)
Measurement Date	Apr 25, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:27 AM - 09:27 AM	55.5	79.5	49.4
09:27 AM - 10:27 AM	62.7	92.6	48.0
10:27 AM - 11:27 AM	60.8	87.1	49.7
11:27 AM - 12:27 PM	59.8	87.3	44.2
12:27 PM - 01:27 PM	52.2	73.4	44.1
01:27 PM - 02:27 PM	56.6	78.3	49.0
02:27 PM - 03:27 PM	53.3	71.9	48.6
03:27 PM - 04:27 PM	59.3	82.8	49.8
Leq Average 8 hrs. (dB(A))	58.8		
Lmax (dB(A))		92.6	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562745-1, Date Reported: May 05, 2026 due to the removal of guideline 3562745-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supot S.
Supot Salamteh
Section Head

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562744-1 Rev. No.1

Sample Number	2625660-12
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 2 : ริมรั้วโครงการด้านทิศเหนือ (N2) พิกัดละติจูด ลองจิจูด (GPS 47N 650017, 774310)
Measurement Date	Apr 24, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:27 AM - 09:27 AM	58.3	77.7	52.2
09:27 AM - 10:27 AM	57.4	77.4	47.5
10:27 AM - 11:27 AM	64.8	99.6	53.0
11:27 AM - 12:27 PM	59.5	86.4	43.8
12:27 PM - 01:27 PM	53.9	74.4	44.1
01:27 PM - 02:27 PM	56.2	78.0	47.5
02:27 PM - 03:27 PM	53.7	77.0	47.0
03:27 PM - 04:27 PM	57.2	79.5	51.6
Leq Average 8 hrs. (dB(A))	59.1		
Lmax (dB(A))		99.6	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562744-1, Date Reported: May 05, 2026 due to the removal of guideline 3562744-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supot S.
Supot Salamteh
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL
S:\Reports_Air Noise_NGL.rpt (11:37AM)

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562747-1 Rev. No.1

Sample Number	2625660-15
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 3 : ริมรั้วโครงการด้านทิศตะวันตก (N3) พิกัดละติจูด ลองจิจูด (GPS 47N 649978, 774261)
Measurement Date	Apr 20, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:44 AM - 09:44 AM	67.6	95.8	57.1
09:44 AM - 10:44 AM	63.5	85.6	47.3
10:44 AM - 11:44 AM	69.9	101.8	52.3
11:44 AM - 12:44 PM	65.5	97.9	47.3
12:44 PM - 01:44 PM	62.8	88.3	47.2
01:44 PM - 02:44 PM	63.5	93.1	55.5
02:44 PM - 03:44 PM	59.2	82.3	47.5
03:44 PM - 04:44 PM	61.7	94.4	48.5
Leq Average 8 hrs. (dB(A))	65.4		
Lmax (dB(A))		101.8	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562747-1, Date Reported: May 05, 2026 due to the removal of guideline 3562747-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supot S.
Supot Salamteh
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562746-1 Rev. No.1

Sample Number	2625660-14
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 2 : ริมรั้วโครงการด้านทิศเหนือ (N2) พิกัดละติจูด ลองจิจูด (GPS 47N 650017, 774310)
Measurement Date	Apr 26, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:27 AM - 09:27 AM	52.5	73.1	47.6
09:27 AM - 10:27 AM	53.5	86.3	41.8
10:27 AM - 11:27 AM	50.0	80.2	41.3
11:27 AM - 12:27 PM	53.7	78.3	40.8
12:27 PM - 01:27 PM	47.7	73.2	42.0
01:27 PM - 02:27 PM	49.7	70.1	43.6
02:27 PM - 03:27 PM	48.8	67.9	42.8
03:27 PM - 04:27 PM	51.3	83.3	43.9
Leq Average 8 hrs. (dB(A))	51.4		
Lmax (dB(A))		86.3	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562746-1, Date Reported: May 05, 2026 due to the removal of guideline 3562746-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supot S.
Supot Salamteh
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562749-1 Rev. No.1

Sample Number	2625660-17
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 3 : ริมรั้วโครงการด้านทิศตะวันตก (N3) พิกัดละติจูด ลองจิจูด (GPS 47N 649978, 774261)
Measurement Date	Apr 22, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:44 AM - 09:44 AM	63.8	90.8	49.5
09:44 AM - 10:44 AM	61.9	93.5	47.1
10:44 AM - 11:44 AM	65.5	98.6	48.5
11:44 AM - 12:44 PM	60.6	93.7	47.0
12:44 PM - 01:44 PM	62.8	85.9	47.0
01:44 PM - 02:44 PM	62.5	86.7	49.5
02:44 PM - 03:44 PM	60.4	85.1	48.1
03:44 PM - 04:44 PM	64.1	92.3	49.5

Leq Average 8 hrs. (dB(A)) 63.0
Lmax (dB(A)) 98.6
Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562749-1, Date Reported: May 05, 2026 due to the removal of guideline 3562749-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supot S.
Supot Salamteh
Section Head

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562748-1 Rev. No.1

Sample Number	2625660-16
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 3 : ริมรั้วโครงการด้านทิศตะวันตก (N3) พิกัดละติจูด ลองจิจูด (GPS 47N 649978, 774261)
Measurement Date	Apr 21, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:44 AM - 09:44 AM	61.6	85.7	50.6
09:44 AM - 10:44 AM	61.2	93.6	48.5
10:44 AM - 11:44 AM	62.4	87.9	50.9
11:44 AM - 12:44 PM	56.4	80.8	46.3
12:44 PM - 01:44 PM	64.4	91.7	46.7
01:44 PM - 02:44 PM	59.6	81.6	49.4
02:44 PM - 03:44 PM	56.0	84.6	48.2
03:44 PM - 04:44 PM	65.2	85.7	50.3

Leq Average 8 hrs. (dB(A)) 61.9
Lmax (dB(A)) 93.6
Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562748-1, Date Reported: May 05, 2026 due to the removal of guideline 3562748-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supot S.
Supot Salamteh
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL S:\Reports_Air Noise_NGL.rpt (11:38AM)

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562751-1 Rev. No.1

Sample Number	2625660-19
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 3 : ริมรั้วโครงการด้านทิศตะวันตก (N3) พิกัดละติจูด ลองจิจูด (GPS 47N 649978, 774261)
Measurement Date	Apr 24, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:23 AM - 09:23 AM	60.8	83.7	51.9
09:23 AM - 10:23 AM	58.8	82.9	47.9
10:23 AM - 11:23 AM	63.4	94.1	53.3
11:23 AM - 12:23 PM	63.9	89.9	47.1
12:23 PM - 01:23 PM	55.7	80.0	47.7
01:23 PM - 02:23 PM	61.6	91.5	49.4
02:23 PM - 03:23 PM	56.8	82.3	48.4
03:23 PM - 04:23 PM	70.2	97.2	53.4
Leq Average 8 hrs. (dB(A))	63.8		
Lmax (dB(A))		97.2	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562751-1, Date Reported: May 05, 2026 due to the removal of guideline 3562751-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supot S.
Supot Salamteh
Section Head

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562750-1 Rev. No.1

Sample Number	2625660-18
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 3 : ริมรั้วโครงการด้านทิศตะวันตก (N3) พิกัดละติจูด ลองจิจูด (GPS 47N 649978, 774261)
Measurement Date	Apr 23, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:44 AM - 09:44 AM	64.2	89.2	57.3
09:44 AM - 10:44 AM	58.3	84.3	46.9
10:44 AM - 11:44 AM	68.3	102.5	52.9
11:44 AM - 12:44 PM	59.4	90.5	46.1
12:44 PM - 01:44 PM	57.2	83.2	45.3
01:44 PM - 02:44 PM	61.6	84.9	57.0
02:44 PM - 03:44 PM	57.9	78.6	50.3
03:44 PM - 04:44 PM	66.8	101.8	52.8
Leq Average 8 hrs. (dB(A))	63.6		
Lmax (dB(A))		102.5	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562750-1, Date Reported: May 05, 2026 due to the removal of guideline 3562750-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supot S.
Supot Salamteh
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL
S:\Reports_Air Noise_NGL.rpt (11:39AM)

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562753-1 Rev. No.1

Sample Number	2625660-21
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 3 : ริมรั้วโครงการด้านทิศตะวันตก (N3) พิกัดละติจูด ลองจิจูด (GPS 47N 649978, 774261)
Measurement Date	Apr 26, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:23 AM - 09:23 AM	61.5	82.8	48.0
09:23 AM - 10:23 AM	62.5	88.7	47.1
10:23 AM - 11:23 AM	61.0	85.8	47.0
11:23 AM - 12:23 PM	60.4	91.2	46.4
12:23 PM - 01:23 PM	50.3	73.2	46.8
01:23 PM - 02:23 PM	59.7	84.4	47.1
02:23 PM - 03:23 PM	57.3	90.0	46.0
03:23 PM - 04:23 PM	60.0	89.0	47.0
Leq Average 8 hrs. (dB(A))	60.1		
Lmax (dB(A))		91.2	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562753-1, Date Reported: May 05, 2026 due to the removal of guideline 3562753-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supot S.
Supot Salamteh
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562752-1 Rev. No.1

Sample Number	2625660-20
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 3 : ริมรั้วโครงการด้านทิศตะวันตก (N3) พิกัดละติจูด ลองจิจูด (GPS 47N 649978, 774261)
Measurement Date	Apr 25, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:23 AM - 09:23 AM	57.7	83.6	48.8
09:23 AM - 10:23 AM	55.2	84.8	48.1
10:23 AM - 11:23 AM	63.3	86.3	50.0
11:23 AM - 12:23 PM	64.6	102.0	47.4
12:23 PM - 01:23 PM	57.7	86.3	46.8
01:23 PM - 02:23 PM	63.8	91.9	51.3
02:23 PM - 03:23 PM	60.2	88.4	49.5
03:23 PM - 04:23 PM	63.4	88.6	51.3
Leq Average 8 hrs. (dB(A))	61.8		
Lmax (dB(A))		102.0	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562752-1, Date Reported: May 05, 2026 due to the removal of guideline 3562752-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supot S.
Supot Salamteh
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL
S:\Reports_Air Noise_NGL.rpt (11:40AM)

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562755-1 Rev. No.1

Sample Number	2625660-23
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 4 : ริมรั้วโครงการด้านทิศใต้ (N4) พิกัดละติจูด ลองจิจูด (GPS 47N 650054, 774263)
Measurement Date	Apr 21, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
09:11 AM - 10:11 AM	57.3	74.1	55.8
10:11 AM - 11:11 AM	57.7	82.1	55.8
11:11 AM - 12:11 PM	56.6	71.5	54.3
12:11 PM - 01:11 PM	56.3	70.5	54.6
01:11 PM - 02:11 PM	64.1	87.5	53.6
02:11 PM - 03:11 PM	60.1	76.0	56.7
03:11 PM - 04:11 PM	57.0	74.3	53.6
04:11 PM - 05:11 PM	55.7	75.0	52.6
Leq Average 8 hrs. (dB(A))	59.1		
Lmax (dB(A))		87.5	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562755-1, Date Reported: May 05, 2026 due to the removal of guideline 3562755-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supot S.
Supot Salamteh
Section Head

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562754-1 Rev. No.1

Sample Number	2625660-22
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 4 : ริมรั้วโครงการด้านทิศใต้ (N4) พิกัดละติจูด ลองจิจูด (GPS 47N 650054, 774263)
Measurement Date	Apr 20, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
09:11 AM - 10:11 AM	57.6	76.8	54.8
10:11 AM - 11:11 AM	59.2	81.5	55.6
11:11 AM - 12:11 PM	57.5	88.4	54.4
12:11 PM - 01:11 PM	56.4	69.9	54.4
01:11 PM - 02:11 PM	61.7	85.5	56.6
02:11 PM - 03:11 PM	58.8	74.5	57.0
03:11 PM - 04:11 PM	57.3	82.2	55.4
04:11 PM - 05:11 PM	56.3	74.2	53.5
Leq Average 8 hrs. (dB(A))	58.5		
Lmax (dB(A))		88.4	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562754-1, Date Reported: May 05, 2026 due to the removal of guideline 3562754-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supot S.
Supot Salamteh
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL
S:\Reports_Air Noise_NGL.rpt (11:41AM)

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562757-1 Rev. No.1

Sample Number	2625660-25
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 4 : ริมรั้วโครงการด้านทิศใต้ (N4) พิกัดละติจูด ลองจิจูด (GPS 47N 650054, 774263)
Measurement Date	Apr 23, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
09:11 AM - 10:11 AM	57.7	69.9	54.6
10:11 AM - 11:11 AM	62.1	80.6	55.3
11:11 AM - 12:11 PM	60.9	77.1	55.0
12:11 PM - 01:11 PM	55.4	69.8	54.1
01:11 PM - 02:11 PM	58.3	70.5	55.5
02:11 PM - 03:11 PM	63.5	71.7	57.6
03:11 PM - 04:11 PM	57.2	70.2	56.2
04:11 PM - 05:11 PM	57.5	78.7	55.4
Leq Average 8 hrs. (dB(A))	59.9		
Lmax (dB(A))		80.6	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562757-1, Date Reported: May 05, 2026 due to the removal of guideline 3562757-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supot S.
Supot Salamteh
Section Head

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562756-1 Rev. No.1

Sample Number	2625660-24
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 4 : ริมรั้วโครงการด้านทิศใต้ (N4) พิกัดละติจูด ลองจิจูด (GPS 47N 650054, 774263)
Measurement Date	Apr 22, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
09:11 AM - 10:11 AM	55.8	75.2	53.3
10:11 AM - 11:11 AM	57.8	70.1	53.4
11:11 AM - 12:11 PM	57.2	76.7	55.7
12:11 PM - 01:11 PM	57.4	69.6	55.9
01:11 PM - 02:11 PM	57.7	65.6	56.5
02:11 PM - 03:11 PM	57.9	81.6	52.8
03:11 PM - 04:11 PM	55.8	79.6	51.1
04:11 PM - 05:11 PM	57.4	75.1	52.9
Leq Average 8 hrs. (dB(A))	57.2		
Lmax (dB(A))		81.6	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562756-1, Date Reported: May 05, 2026 due to the removal of guideline 3562756-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supot S.
Supot Salamteh
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-21/ EMAIL
S:\Reports_Air Noise_NGL.rpt (11:41AM)

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562759-1 Rev. No.1

Sample Number	2625660-27
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 4 : ริมรั้วโครงการด้านทิศใต้ (N4) พิกัดละติจูด ลองจิจูด (GPS 47N 650054, 774263)
Measurement Date	Apr 25, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:22 AM - 09:22 AM	57.4	77.2	55.4
09:22 AM - 10:22 AM	55.9	71.0	54.4
10:22 AM - 11:22 AM	58.1	80.5	56.5
11:22 AM - 12:22 PM	56.4	75.4	53.8
12:22 PM - 01:22 PM	56.9	70.0	55.3
01:22 PM - 02:22 PM	57.4	72.4	55.6
02:22 PM - 03:22 PM	57.7	70.2	56.3
03:22 PM - 04:22 PM	58.0	74.2	56.0
Leq Average 8 hrs. (dB(A))	57.3		
Lmax (dB(A))		80.5	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562759-1, Date Reported: May 05, 2026 due to the removal of guideline 3562759-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supt S.
Supot Salamteh
Section Head

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562758-1 Rev. No.1

Sample Number	2625660-26
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 4 : ริมรั้วโครงการด้านทิศใต้ (N4) พิกัดละติจูด ลองจิจูด (GPS 47N 650054, 774263)
Measurement Date	Apr 24, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:35 AM - 09:35 AM	58.8	80.5	56.4
09:35 AM - 10:35 AM	56.7	71.7	54.5
10:35 AM - 11:35 AM	59.4	84.5	57.3
11:35 AM - 12:35 PM	56.6	77.8	53.9
12:35 PM - 01:35 PM	55.9	71.7	54.2
01:35 PM - 02:35 PM	56.1	72.0	54.5
02:35 PM - 03:35 PM	57.5	69.7	56.2
03:35 PM - 04:35 PM	57.5	71.6	56.2
Leq Average 8 hrs. (dB(A))	57.5		
Lmax (dB(A))		84.5	

Reference Method : ISO1996-1 and 1996-2

Note : This Analysis test report is reissued to supersede report No. 3562758-1, Date Reported: May 05, 2026 due to the removal of guideline 3562758-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supt S.
Supot Salamteh
Section Head

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26030135
Project Name :
Project Location :

Lot ID: 2630742
Date Received : Apr 23, 2026
Date Reported : Apr 27, 2026
Report Number: 3557644-1

Sample Number	2630742-2
Parameter	Noise (Leq 8 hrs.)
Location	ระบบบำบัดน้ำเสียขั้นที่ 2 (N2)
Measurement Date	Apr 21, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
09:43 AM - 10:43 AM	64.8	78.6	56.6
10:43 AM - 11:43 AM	67.0	85.2	64.1
11:43 AM - 12:43 PM	59.3	79.2	50.3
12:43 PM - 01:43 PM	67.0	77.7	50.3
01:43 PM - 02:43 PM	70.6	80.7	64.0
02:43 PM - 03:43 PM	64.6	79.4	52.7
03:43 PM - 04:43 PM	65.7	81.4	57.9
04:43 PM - 05:43 PM	64.6	79.5	52.7
Leq Average 8 hrs. (dB(A))	66.4		
Lmax (dB(A))		85.2	
Standard (dB(A))	90	140	

Reference Method : Based on ISO1996-1 and 1996-2
Standard : ประกาศกระทรวงอุตสาหกรรม เรื่อง มาตรการคุ้มครองความปลอดภัย ในการประกอบกิจการโรงงานเกี่ยวกับสภาวะแวดล้อมในการทำงาน พ.ศ.๒๕๔๖

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supt S.
Supot Salamteh
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla Thailand 90110
P/O : POWMS-26010009
Project Name :
Project Location :

Lot ID: 2625660
Date Received : Apr 28, 2026
Date Reported : May 08, 2026
Report Number: 3562760-1 Rev. No.1

Sample Number	2625660-28
Parameter	Noise (Leq 8 hrs.)
Location	สถานีที่ 4 : ริมรั้วโครงการด้านทิศใต้ (N4) พิกัดละติจูด ลองจิจูด (GPS 47N 650054, 774263)
Measurement Date	Apr 26, 2026
Measurement by	Apiwat Chanta

Time	Leq (dB(A))	Lmax (dB(A))	L90 (dB(A))
08:22 AM - 09:22 AM	55.4	66.5	53.2
09:22 AM - 10:22 AM	53.7	76.5	50.6
10:22 AM - 11:22 AM	54.3	70.2	50.4
11:22 AM - 12:22 PM	52.3	70.0	49.3
12:22 PM - 01:22 PM	53.3	69.5	49.5
01:22 PM - 02:22 PM	51.1	72.6	48.4
02:22 PM - 03:22 PM	53.9	70.3	50.3
03:22 PM - 04:22 PM	51.6	67.6	49.2
Leq Average 8 hrs. (dB(A))	53.4		
Lmax (dB(A))		76.5	

Reference Method : ISO1996-1 and 1996-2
Note : This Analysis test report is reissued to supersede report No. 3562760-1, Date Reported: May 05, 2026 due to the removal of guideline 3562760-1

Technical Management Orawan R.
Orawan Rakyong
Scientist (3)

Approved by Supt S.
Supot Salamteh
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26030135
Project Name :
Project Location :

Lot ID: 2630739
Date Received : Apr 23, 2026
Date Reported : Apr 25, 2026
Report Number : 3547348-1

Sample Number	2630739-2
Sampled Date	Apr 20, 2026
Sample Description	Noise Dose
Location	พนักงานพื้นที่ระบบบำบัดน้ำเสียคนที่ 2
Personal Sampling	คุณนพดล ช่วยประสม
Date Analysis Commenced	Apr 23, 2026

Analyte	Sampled Date/time	Unit	LOD	LOQ (LOR)	Result	Guideline Limit	Method	Guideline	Testing Location
Air Testing									
Noise Dose (8 hrs.)	09:04 AM - 05:04 PM	%	-	1	1.0	No Standard	MOL, Department Labour Protection and Welfare (B.E.2561)	MOL	Bangkok
TWA (8 hrs.)	09:04 AM - 05:04 PM	dB(A)	-	-	65.1	85	MOL, Department Labour Protection and Welfare (B.E.2561)	MOL	Bangkok

Guideline :
MOL : 1. Notification of Department Labour Protection and Welfare on the Criteria and Procedures for Measurement and Analysis of Working Conditions in relation to Heat, Light or Noise Levels, including Duration and Types of Business that must perform (B.E. 2561)
2. Notification of Department of Labour Protection and Welfare on the Standard of Time Weighted Average (TWA) Noise Level (B.E. 2561)
Sampled By : Thanawut Pinthong

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Approved by
Wichan Choonharat
Assistant Manager

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26030135
Project Name :
Project Location :

Lot ID: 2630739
Date Received : Apr 23, 2026
Date Reported : Apr 25, 2026
Report Number : 3547348-1

Sample Number	2630739-1
Sampled Date	Apr 20, 2026
Sample Description	Noise Dose
Location	พนักงานพื้นที่ระบบบำบัดน้ำเสียคนที่ 1
Personal Sampling	คุณเสถาปัตย์ นวลพรหม
Date Analysis Commenced	Apr 23, 2026

Analyte	Sampled Date/time	Unit	LOD	LOQ (LOR)	Result	Guideline Limit	Method	Guideline	Testing Location
Air Testing									
Noise Dose (8 hrs.)	09:04 AM - 05:04 PM	%	-	1	7.2	No Standard	MOL, Department Labour Protection and Welfare (B.E.2561)	MOL	Bangkok
TWA (8 hrs.)	09:04 AM - 05:04 PM	dB(A)	-	-	73.6	85	MOL, Department Labour Protection and Welfare (B.E.2561)	MOL	Bangkok

Guideline :
MOL : 1. Notification of Department Labour Protection and Welfare on the Criteria and Procedures for Measurement and Analysis of Working Conditions in relation to Heat, Light or Noise Levels, including Duration and Types of Business that must perform (B.E. 2561)
2. Notification of Department of Labour Protection and Welfare on the Standard of Time Weighted Average (TWA) Noise Level (B.E. 2561)
Sampled By : Thanawut Pinthong

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Approved by
Wichan Choonharat
Assistant Manager

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-321/ EMAIL

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26030135
Project Name :
Project Location :

Lot ID: 2630739
Date Received : Apr 23, 2026
Date Reported : Apr 25, 2026
Report Number : 3547348-1

Sample Number	2630739-4
Sampled Date	Apr 20, 2026
Sample Description	Noise Dose
Location	พนักงานพื้นที่ระบบบำบัดน้ำเสียคนที่ 4
Personal Sampling	คุณวิวัฒน์ ทองมาก
Date Analysis Commenced	Apr 23, 2026

Analyte	Sampled Date/time	Unit	LOD	LOQ (LOR)	Result	Guideline Limit	Method	Guideline	Testing Location
Air Testing									
Noise Dose (8 hrs.)	09:05 AM - 05:05 PM	%	-	1	4.0	No Standard	MOL, Department Labour Protection and Welfare (B.E.2561)	MOL	Bangkok
TWA (8 hrs.)	09:05 AM - 05:05 PM	dB(A)	-	-	71.0	85	MOL, Department Labour Protection and Welfare (B.E.2561)	MOL	Bangkok

Guideline :
MOL : 1. Notification of Department Labour Protection and Welfare on the Criteria and Procedures for Measurement and Analysis of Working Conditions in relation to Heat, Light or Noise Levels, including Duration and Types of Business that must perform (B.E. 2561)
2. Notification of Department of Labour Protection and Welfare on the Standard of Time Weighted Average (TWA) Noise Level (B.E. 2561)
Sampled By : Thanawut Pinthong

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Approved by
Wichan Choonharat
Assistant Manager

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Analysis / Test Report

Client : WMS Depot Co., Ltd.
31/9 Moo 4, Southern Industrial Estate, Tambon Chalung, Amphur Hatyai, Songkhla
Thailand 90110
P/O : POWMS-26030135
Project Name :
Project Location :

Lot ID: 2630739
Date Received : Apr 23, 2026
Date Reported : Apr 25, 2026
Report Number : 3547348-1

Sample Number	2630739-3
Sampled Date	Apr 21, 2026
Sample Description	Noise Dose
Location	พนักงานพื้นที่ระบบบำบัดน้ำเสียคนที่ 3
Personal Sampling	คุณธนพล บุญสุวรรณ
Date Analysis Commenced	Apr 23, 2026

Analyte	Sampled Date/time	Unit	LOD	LOQ (LOR)	Result	Guideline Limit	Method	Guideline	Testing Location
Air Testing									
Noise Dose (8 hrs.)	08:56 AM - 04:56 PM	%	-	1	1.5	No Standard	MOL, Department Labour Protection and Welfare (B.E.2561)	MOL	Bangkok
TWA (8 hrs.)	08:56 AM - 04:56 PM	dB(A)	-	-	66.7	85	MOL, Department Labour Protection and Welfare (B.E.2561)	MOL	Bangkok

Guideline :
MOL : 1. Notification of Department Labour Protection and Welfare on the Criteria and Procedures for Measurement and Analysis of Working Conditions in relation to Heat, Light or Noise Levels, including Duration and Types of Business that must perform (B.E. 2561)
2. Notification of Department of Labour Protection and Welfare on the Standard of Time Weighted Average (TWA) Noise Level (B.E. 2561)
Sampled By : Thanawut Pinthong

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Approved by
Wichan Choonharat
Assistant Manager

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company
Life Sciences www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER
11715-321/ EMAIL

ภาคผนวก ค-5

แผนที่แสดงระดับความดังของเสียง (Noise Contour Map)


Noise Contour Map

Reference Number : Lot 24142107-1

Measurement Date : Dec 23, 2024

WMS Depot Co., Ltd.

พื้นที่โครงการ



ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250, Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. Part of the ALS Group