

ภาคผนวก ค

ใบรับรองผลการตรวจวิเคราะห์

ผลการตรวจวิเคราะห์
คุณภาพอากาศในบรรยากาศโดยทั่วไป



Analysis / Test Report

TESTING
No.0009

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand
50000

Lot ID: 2629257

Date Received : Apr 10, 2026

Date Reported : Apr 21, 2026

Report Number : 3543441-1

P/O :

Project Name :

Project Location :

Page 1 of 1

Sample Number	2629257-1
Sampled Date	Apr 07, 2026
Sample Description	Air Quality
Location	มุมด้านหลังอาคาร C (GPS 47Q 501832, 2079908)
Date Analysis Commenced	Apr 11, 2026
Condition of Sample	Drawn into one 10-L air sampling bag, one glass filter paper (8x10 inch) placed in plastic bag and one quartz filter paper (8x10 inch) placed in plastic bag
Barometric Pressure	730 mmHg
Atmospheric Temperature	33.6 °C

Analyte	Sampled Date/time	Unit	LOD	LOQ (LOR)	Result	Guideline Limit	Method	Guideline	Testing Location
Air Testing									
Carbon Monoxide *	10:00 AM - 11:00 AM	ppm	-	0.10	0.52	30	U.S. Environmental Protection Agency 40 CFR Part 50, Appendix C	NEB	Bangkok
Particulate matter as PM 10	07/04/26 - 08/04/26	ug/m3	-	5.0	66.1	100	In - house method : STM 04-052 based on U.S. Environmental Protection Agency 40 CFR, method 50, Appendix J, revised as of July 1, 2008 (Include sampling)	NEB	Bangkok
Total Hydrocarbon *	10:00 AM - 11:00 AM	ppm	-	1.0	3.0	No Standard	Total Hydrocarbon Analyzer	-	Bangkok
Total Suspended Particulate	07/04/26 - 08/04/26	ug/m3	-	5.0	107	200	In - house method : STM 04-051 based on U.S. Environmental Protection Agency 40 CFR, method 50, Appendix B, revised as of July 1, 2008 (Include sampling)	NEB	Bangkok

Guideline :

NEB : Notification of the National Environmental Board., 2026 (B.E.2569) dated January 21, 2026

Sampled By : Keerati Taweerat

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.

Approved by

Orawan R.

Orawan Rakyong
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand
50000

P/O :

Project Name :

Project Location :

Lot ID: 2629260

Date Received : Apr 10, 2026

Date Reported : Apr 17, 2026

Report Number: 3543450-1

Page 1 of 1

Sample Description	Air Quality						
Location	มณდანหลังอาคาร C (GPS 47Q 501832, 2079908)						
Parameter	Nitrogen dioxide (ppb)						
Measurement Date	Apr 07, 2026 - Apr 08, 2026						
Measurement by	Keerati Taweerat						
	2629260-1	-	-	-	-	-	-
Time	Apr 07, 2026	-	-	-	-	-	-
09:00 AM - 10:00 AM	8.9	-	-	-	-	-	-
10:00 AM - 11:00 AM	7.4	-	-	-	-	-	-
11:00 AM - 12:00 PM	7.5	-	-	-	-	-	-
12:00 PM - 01:00 PM	5.5	-	-	-	-	-	-
01:00 PM - 02:00 PM	6.8	-	-	-	-	-	-
02:00 PM - 03:00 PM	6.1	-	-	-	-	-	-
03:00 PM - 04:00 PM	8.4	-	-	-	-	-	-
04:00 PM - 05:00 PM	12.1	-	-	-	-	-	-
05:00 PM - 06:00 PM	18.2	-	-	-	-	-	-
06:00 PM - 07:00 PM	9.3	-	-	-	-	-	-
07:00 PM - 08:00 PM	8.8	-	-	-	-	-	-
08:00 PM - 09:00 PM	37.3	-	-	-	-	-	-
09:00 PM - 10:00 PM	10.7	-	-	-	-	-	-
10:00 PM - 11:00 PM	11.0	-	-	-	-	-	-
11:00 PM - 12:00 AM	10.7	-	-	-	-	-	-
12:00 AM - 01:00 AM	9.0	-	-	-	-	-	-
01:00 AM - 02:00 AM	6.2	-	-	-	-	-	-
02:00 AM - 03:00 AM	4.9	-	-	-	-	-	-
03:00 AM - 04:00 AM	4.1	-	-	-	-	-	-
04:00 AM - 05:00 AM	6.2	-	-	-	-	-	-
05:00 AM - 06:00 AM	9.2	-	-	-	-	-	-
06:00 AM - 07:00 AM	12.6	-	-	-	-	-	-
07:00 AM - 08:00 AM	11.7	-	-	-	-	-	-
08:00 AM - 09:00 AM	9.1	-	-	-	-	-	-
Average	10.1	-	-	-	-	-	-
1hr - Maximum	37.3	-	-	-	-	-	-
Standard 1hr - Average	120	-	-	-	-	-	-

Standard : Notification of the National Environment Board B.E. 2569.

Reference Method : U.S. Environmental Protection Agency Method Part 50 App. F (Chemiluminescence)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Orawan R.

Orawan Rakyong

Scientist (3)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand
50000

P/O :

Project Name :

Project Location :

Lot ID: 2629261

Date Received : Apr 10, 2026

Date Reported : Apr 17, 2026

Report Number: 3543458-1

Page 1 of 1

Sample Description	Air Quality						
Location	มมด้านหลังอาคาร C (GPS 47Q 501832, 2079908)						
Parameter	Sulfur Dioxide (ppb)						
Measurement Date	Apr 07, 2026 - Apr 08, 2026						
Measurement by	Keerati Taweerat						
	2629261-1	-	-	-	-	-	-
Time	Apr 07, 2026	-	-	-	-	-	-
09:00 AM - 10:00 AM	0.7	-	-	-	-	-	-
10:00 AM - 11:00 AM	0.7	-	-	-	-	-	-
11:00 AM - 12:00 PM	0.6	-	-	-	-	-	-
12:00 PM - 01:00 PM	0.6	-	-	-	-	-	-
01:00 PM - 02:00 PM	0.6	-	-	-	-	-	-
02:00 PM - 03:00 PM	0.7	-	-	-	-	-	-
03:00 PM - 04:00 PM	0.7	-	-	-	-	-	-
04:00 PM - 05:00 PM	0.8	-	-	-	-	-	-
05:00 PM - 06:00 PM	0.7	-	-	-	-	-	-
06:00 PM - 07:00 PM	1.0	-	-	-	-	-	-
07:00 PM - 08:00 PM	1.0	-	-	-	-	-	-
08:00 PM - 09:00 PM	0.9	-	-	-	-	-	-
09:00 PM - 10:00 PM	1.0	-	-	-	-	-	-
10:00 PM - 11:00 PM	1.1	-	-	-	-	-	-
11:00 PM - 12:00 AM	1.2	-	-	-	-	-	-
12:00 AM - 01:00 AM	1.4	-	-	-	-	-	-
01:00 AM - 02:00 AM	1.3	-	-	-	-	-	-
02:00 AM - 03:00 AM	1.1	-	-	-	-	-	-
03:00 AM - 04:00 AM	1.1	-	-	-	-	-	-
04:00 AM - 05:00 AM	1.3	-	-	-	-	-	-
05:00 AM - 06:00 AM	1.4	-	-	-	-	-	-
06:00 AM - 07:00 AM	1.3	-	-	-	-	-	-
07:00 AM - 08:00 AM	1.2	-	-	-	-	-	-
08:00 AM - 09:00 AM	1.1	-	-	-	-	-	-
Average	1.0	-	-	-	-	-	-
1hr - Maximum	1.4	-	-	-	-	-	-
Standard 1hr - Average	100	-	-	-	-	-	-
Standard 24 hrs - Average	50	-	-	-	-	-	-

Standard : Notification of the National Environment Board B.E. 2569.

Reference Method : U.S. Environmental Protection Agency, EPA Method Part 53 and 58

Approved by

Orawan R.

Orawan Rakyong

Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

ผลการตรวจวิเคราะห์คุณภาพน้ำทิ้ง



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :
Project Name :
Project Location :



TESTING
No.0009
Lot ID: 25107345
Date Received : Jan 06, 2026
Date Reported : Jan 12, 2026
Report Number : 3486613-1

Page 1 of 3

Sample Number	25107345-1
Sampled Date	Jan 05, 2026 10:30 AM
Sample Description	น้ำทิ้งหลังผ่านการบำบัด ก่อนปล่อยสู่สิ่งแวดล้อมสาธารณะประโยชน์
Date Analysis Commenced	Jan 06, 2026
Condition of Sample	Contained in two glass vials, one amber glass bottle and six plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Cadmium	mg/L	0.0003	0.0005	Not Detected	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
Lead	mg/L	0.0003	0.0005	0.0008	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
Mercury	mg/L	0.0001	0.0005	Not Detected	No Standard	In-house method : STM 05-007 based on United States Environmental Protection Agency, 2002, EPA Method 1631, Revision E	Bangkok
Microbiological Testing							
Fecal Coliform	MPN/100mL	-	-	70000.0	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B, E	Bangkok
Total Coliform	MPN/100mL	-	-	70000.0	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	19.7	≤20	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
COD	mg/L	-	25	93	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5220 D	Bangkok
Color *	Color unit	-	5	40	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 B	Bangkok

Approved by

Sawitree N.

Sawitree Noisangiam
Manager

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

16440-21/ EMAIL

S:\Reports\AIL_GL\ rpt (5:52PM)



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :
Project Name :
Project Location :



TESTING
No.0009
Lot ID: 25107345
Date Received : Jan 06, 2026
Date Reported : Jan 12, 2026
Report Number : 3486613-1

Page 2 of 3

Sample Number	25107345-1
Sampled Date	Jan 05, 2026 10:30 AM
Sample Description	น้ำทิ้งหลังผ่านการบำบัด ก่อนปล่อยสู่สิ่งแวดล้อมสาธารณะประโยชน์
Date Analysis Commenced	Jan 06, 2026
Condition of Sample	Contained in two glass vials, one amber glass bottle and six plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Conductivity at 25 degree C *	micromhos/cm	-	0.5	694	No Standard	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2510 B	Bangkok
Dissolved Oxygen (on site) *	mg/L	-	0.1	2.7	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-O (G)	Bangkok
Odour *		-	-	Odourless	No Standard	In-house method : STM 04-025 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2150 B	Bangkok
Oil & Grease	mg/L	-	3	<3	≤20	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Bangkok
pH at 25 degree C		-	-	6.9	5.5-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Phosphate as P *	mg/L	0.005	0.01	5.34	No Standard	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-P (E)	Bangkok
Settleable Solid *	mL/L/hr	-	0.1	<0.1	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 F	Bangkok
Sulfide *	mg/L	-	0.5	<0.5	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Bangkok
Temperature *	Degree C	-	-	23.3	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2550 B	Bangkok

Approved by

Sawitree N.

Sawitree Noisangiam
Manager

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

16440-21/ EMAIL

S:\Reports\AIL_GL\ rpt (5:52PM)



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :

Project Name :

Project Location :

Sample Number	25107345-1
Sampled Date	Jan 05, 2026 10:30 AM
Sample Description	น้ำทิ้งหลังผ่านกาบำบัด ก่อนปล่อยสู่สิ่งแวดล้อมสาธารณะประโยชน์
Date Analysis Commenced	Jan 06, 2026
Condition of Sample	Contained in two glass vials, one amber glass bottle and six plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	340	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	12.0	≤35	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C)	Bangkok
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	42	≤30	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Sized of Buildings, Type A.

Sampling By : Takdanai Ubonsrisinchai

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Sawitree N.

Sawitree Noisangiam
Manager

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

16440-21/ EMAIL

S:\Reports_L\AIL\GL\prt (5:52PM)



TESTING

No.0009

Lot ID: 25107345

Date Received : Jan 06, 2026

Date Reported : Jan 12, 2026

Report Number : 3486613-1

Page 3 of 3



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :

Project Name :

Project Location :

Sample Number	25107345-2
Sampled Date	Jan 05, 2026 10:40 AM
Sample Description	น้ำฝนก่อนปล่อยออกสู่สิ่งแวดล้อมสาธารณะประโยชน์
Date Analysis Commenced	Jan 06, 2026
Condition of Sample	Contained in two glass vials, one amber glass bottle and six plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Oil & Grease	mg/L	-	3	<3	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Bangkok
pH at 25 degree C		-	-	7.9	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Phosphate as P *	mg/L	0.005	0.01	4.01	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-P (E)	Bangkok
Settleable Solid *	mL/L/hr	-	0.1	<0.1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 F	Bangkok
Sulfide *	mg/L	-	0.5	<0.5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Bangkok
Temperature *	Degree C	-	-	23.6	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2550 B	Bangkok
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	280	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	23.2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C)	Bangkok
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	<5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Sampling By : Takdanai Ubonsrisinchai

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Sawitree N.

Sawitree Noisangiam
Manager

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

16440-21/ EMAIL

S:\Reports_L\AIL\NoGL\prt (5:52PM)



TESTING

No.0009

Lot ID: 25107345

Date Received : Jan 06, 2026

Date Reported : Jan 12, 2026

Report Number : 3486614-1

Page 2 of 2



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :

Project Name :

Project Location :

Sample Number	267804-1						
Sampled Date	Apr 01, 2026 1:30 PM						
Sample Description	น้ำทิ้งหลังผ่านการบำบัด ก่อนปล่อยสู่สิ่งแวดล้อมสาธารณะประโยชน์						
Date Analysis Commenced	Apr 02, 2026						
Condition of Sample	Contained in one amber glass bottle, two glass vials and six plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)						

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Metals Testing							
Cadmium	mg/L	0.0003	0.0005	Not Detected	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
Lead	mg/L	0.0003	0.0005	<0.0005	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
Mercury	mg/L	0.0001	0.0005	Not Detected	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3112	Bangkok
Microbiological Testing							
Fecal Coliform	MPN/100mL	-	-	700.0	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B, E	Bangkok
Total Coliform	MPN/100mL	-	-	1700.0	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	12.2	≤20	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
COD	mg/L	-	25	72	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5220 D	Bangkok
Color *	Color unit	-	5	5	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 B	Bangkok

Approved by

Suwimon C.

Suwimon Chairuangwut
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

16440-21/ EMAIL

S:\Reports\AIL_GL\ rpt (4:13PM)



TESTING

No.0009

Lot ID: 267804

Date Received : Apr 02, 2026

Date Reported : Apr 08, 2026

Report Number : 3546679-1

Page 1 of 3



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :

Project Name :

Project Location :

Sample Number	267804-1						
Sampled Date	Apr 01, 2026 1:30 PM						
Sample Description	น้ำทิ้งหลังผ่านการบำบัด ก่อนปล่อยสู่สิ่งแวดล้อมสาธารณะประโยชน์						
Date Analysis Commenced	Apr 02, 2026						
Condition of Sample	Contained in one amber glass bottle, two glass vials and six plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)						

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Conductivity at 25 degree C *	micromhos/cm	-	0.5	609	No Standard	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2510 B	Bangkok
Dissolved Oxygen (on site) *	mg/L	-	0.1	3.5	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-O (G)	Bangkok
Odour *		-	-	Odourless	No Standard	In-house method : STM 04-025 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2150 B	Bangkok
Oil & Grease	mg/L	-	3	<3	≤20	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Bangkok
pH at 25 degree C		-	-	7.1	5.5-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Phosphate as P *	mg/L	0.005	0.01	5.82	No Standard	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-P (E)	Bangkok
Settleable Solid *	mL/L/hr	-	0.1	<0.1	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 F	Bangkok
Sulfide *	mg/L	-	0.5	<0.5	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Bangkok
Temperature *	Degree C	-	-	28.8	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2550 B	Bangkok

Approved by

Suwimon C.

Suwimon Chairuangwut
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

16440-21/ EMAIL

S:\Reports\AIL_GL\ rpt (4:13PM)



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :

Project Name :

Project Location :

Sample Number	267804-1
Sampled Date	Apr 01, 2026 1:30 PM
Sample Description	น้ำทิ้งหลังผ่านกรบ่บัด ก่อนปล่อยสู่ลำเหมืองสาธารณะประโยชน์
Date Analysis Commenced	Apr 02, 2026
Condition of Sample	Contained in one amber glass bottle, two glass vials and six plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	340	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	2.3	≤35	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C)	Bangkok
Total Suspended Solids Dried from 103-105 degree C	mg/L	-	5	15	≤30	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Sized of Buildings, Type A.

Sampling By : Natthakit Sapankaew

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Suwimon C.

Suwimon Chairuangwut
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



16440-21/ EMAIL

S:\Reports_L\AIL\GL\rpt (4:13PM)



TESTING

No.0009

Lot ID: 267804

Date Received : Apr 02, 2026

Date Reported : Apr 08, 2026

Report Number : 3546679-1

Page 3 of 3



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :

Project Name :

Project Location :

Sample Number	267804-2
Sampled Date	Apr 01, 2026 1:35 PM
Sample Description	น้ำฝนก่อนปล่อยออกสู่ลำเหมืองสาธารณะประโยชน์
Date Analysis Commenced	Apr 02, 2026
Condition of Sample	Contained in one amber glass bottle, two glass vials and six plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Metals Testing						
Cadmium	mg/L	0.0003	0.0005	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
Lead	mg/L	0.0003	0.0005	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3125 B,3030 F	Bangkok
Mercury	mg/L	0.0001	0.0005	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3112	Bangkok
Microbiological Testing						
Fecal Coliform	MPN/100mL	-	-	130.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B, E	Bangkok
Total Coliform	MPN/100mL	-	-	170.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Water Testing						
BOD (5 days at 20 degree C)	mg/L	-	2.0	3.3	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
COD	mg/L	-	25	34	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5220 D	Bangkok
Color	Color unit	-	5	5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2120 B	Bangkok
Conductivity at 25 degree C	micromhos/cm	-	0.5	592	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2510 B	Bangkok
Dissolved Oxygen (on site)	mg/L	-	0.1	3.6	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-O (G)	Bangkok
Odour	-	-	-	Odourless	In-house method : STM 04-025 based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2150 B	Bangkok

Approved by

Suwimon C.

Suwimon Chairuangwut
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company



16440-21/ EMAIL

S:\Reports_L\AIL\NoGL\rpt (4:13PM)



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :
Project Name :
Project Location :

Lot ID: 267804

Date Received : Apr 02, 2026
Date Reported : Apr 08, 2026
Report Number : 3546680-1

Page 2 of 2

Sample Number	267804-2
Sampled Date	Apr 01, 2026 1:35 PM
Sample Description	น้ำฝนก่อนปล่อยออกสู่สิ่งแวดล้อมสาธารณะประโยชน์
Date Analysis Commenced	Apr 02, 2026
Condition of Sample	Contained in one amber glass bottle, two glass vials and six plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Water Testing						
Oil & Grease	mg/L	-	3	<3	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Bangkok
pH at 25 degree C		-	-	8.1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Phosphate as P	mg/L	0.005	0.01	4.20	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-P (E)	Bangkok
Settleable Solid	mL/L/hr	-	0.1	<0.1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 F	Bangkok
Sulfide	mg/L	-	0.5	<0.5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Bangkok
Temperature	Degree C	-	-	29.2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2550 B	Bangkok
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	272	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok
Total Kjeldahl Nitrogen as N	mg/L	0.15	1.0	3.2	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C)	Bangkok
Total Suspended Solids Dried from 103-105 degree C	mg/L	-	5	<5	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Sampling By : Natthakit Sapankaew

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)

Approved by

Suwimon C.

Suwimon Chairuangwut
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

16440-21/ EMAIL

S:\Reports_L\All_NoGL_rpt (4:13PM)



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :
Project Name :
Project Location :



TESTING

No.0009

Lot ID: 267804

Date Received : Apr 02, 2026
Date Reported : Apr 08, 2026
Report Number : 3546681-1

Page 1 of 1

Sample Number	267804-3
Sampled Date	Apr 01, 2026 1:40 PM
Sample Description	สระว่ายน้ำ
Location	จุดที่ลึกที่สุดและมีผู้ใช้บริการมากที่สุด
Date Analysis Commenced	Apr 02, 2026
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่น ๆ ในทำนองเดียวกัน

Sampling By : Natthakit Sapankaew

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Suwannee C.

Suwannee Chuamkeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

16440-21/ EMAIL

S:\Reports_L\All_NoGL_rpt (3:31PM)

ผลการตรวจวิเคราะห์คุณภาพน้ำสระว่ายนํ้า



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :

Project Name :

Project Location :



TESTING

No.0009

Lot ID: 25107345

Date Received : Jan 06, 2026

Date Reported : Jan 12, 2026

Report Number : 3486615-1

Page 1 of 1

Sample Number	25107345-3
Sampled Date	Jan 05, 2026 10:45 AM
Sample Description	สระว่ายน้ำ
Location	จุดที่ลึกที่สุดและมีผู้ให้บริการมากที่สุด
Date Analysis Commenced	Jan 06, 2026
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่น ๆ ในฟาร์มเองเดียวกัน

Sampling By : Takdanai Ubonsrisinchai

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Suwannee Chuamkeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

16440-21/ EMAIL

S:\Reports\AIL_GL\ rpt (3:32PM)



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :

Project Name :

Project Location :



TESTING

No.0009

Lot ID: 25107345

Date Received : Jan 06, 2026

Date Reported : Jan 12, 2026

Report Number : 3486616-1

Page 1 of 1

Sample Number	25107345-4
Sampled Date	Jan 05, 2026 10:50 AM
Sample Description	สระว่ายน้ำ
Location	จุดที่ตื้นที่สุดและมีผู้ให้บริการมากที่สุด
Date Analysis Commenced	Jan 06, 2026
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่น ๆ ในฟาร์มเองเดียวกัน

Sampling By : Takdanai Ubonsrisinchai

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Suwannee Chuamkeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

16440-21/ EMAIL

S:\Reports\AIL_GL\ rpt (3:32PM)



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :
Project Name :
Project Location :

Lot ID: 25107345
Date Received : Jan 06, 2026
Date Reported : Jan 12, 2026
Report Number : 3486617-1

Page 1 of 1

Sample Number	25107345-5
Sampled Date	Jan 05, 2026 11:00 AM
Sample Description	ถังเก็บน้ำใต้ดิน
Date Analysis Commenced	Jan 06, 2026
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Microbiological Testing						
Total Coliform	MPN/100mL	-	-	<1.1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Sampling By : Takdanai Ubonsrisinchai

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Suwannee Chumkeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

16440-21/ EMAIL

S:\Reports_L\AIL\NoGLrpt (3:33PM)



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :
Project Name :
Project Location :

TESTING
No.0009
Lot ID: 266350
Date Received : Feb 03, 2026
Date Reported : Feb 09, 2026
Report Number : 3492285-1

Page 1 of 2

Sample Number	266350-1
Sampled Date	Feb 02, 2026 10:10 AM
Sample Description	สระว่ายน้ำ
Location	จุดที่ลึกที่สุดและมีผู้ใช้บริการมากที่สุด
Date Analysis Commenced	Feb 03, 2026
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : คำนวณจากคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่น ๆ ในฟันทองเดียวกัน

Sampling By : Sithichok Taseeda

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Suwannee Chumkeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

16440-21/ EMAIL

S:\Reports_L\AIL\NoGLrpt (6:54PM)



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :

Project Name :

Project Location :



TESTING

No.0009

Lot ID: 266350

Date Received : Feb 03, 2026

Date Reported : Feb 09, 2026

Report Number : 3492285-1

Page 2 of 2

Sample Number	266350-2					
Sampled Date	Feb 02, 2026 10:15 AM					
Sample Description	สระว่ายน้ำ					
Location	จุดที่ตื้นที่สุดและมีผู้ใช้บริการมากที่สุด					
Date Analysis Commenced	Feb 03, 2026					
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)					

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่น ๆ ในฟันทองเดียวกัน

Sampling By : Siththichok Taseeda

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Suwannee Chuamkeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

16440-21/ EMAIL

S:\Reports\AIL_GL\ rpt (6:54PM)



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :

Project Name :

Project Location :



TESTING

No.0009

Lot ID: 266352

Date Received : Mar 03, 2026

Date Reported : Mar 10, 2026

Report Number : 3495172-1

Page 1 of 2

Sample Number	266352-1					
Sampled Date	Mar 02, 2026 10:30 AM					
Sample Description	สระว่ายน้ำ					
Location	จุดที่ลึกที่สุดและมีผู้ใช้บริการมากที่สุด					
Date Analysis Commenced	Mar 03, 2026					
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)					

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่น ๆ ในฟันทองเดียวกัน

Sampling By : Siththichok Taseeda

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Suwannee Chuamkeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

16440-21/ EMAIL

S:\Reports\AIL_GL\ rpt (7:34PM)



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :
Project Name :
Project Location :



TESTING
No.0009
Lot ID: 266352
Date Received : Mar 03, 2026
Date Reported : Mar 10, 2026
Report Number : 3495172-1

Page 2 of 2

Sample Number	266352-2					
Sampled Date	Mar 02, 2026 10:35 AM					
Sample Description	สระว่ายนํ้า					
Location	จุดที่ตื้นที่สุดและมีผู้ใช้บริการมากที่สุด					
Date Analysis Commenced	Mar 03, 2026					
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)					

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายนํ้า หรือกิจการอื่น ๆ ในฟ่านองเดียวกัน

Sampling By : Siththichok Taseeda

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Suwannee Chuamkeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

16440-21/ EMAIL

S:\Reports\AIL_GL\ rpt (7:34PM)



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :
Project Name :
Project Location :



TESTING
No.0009
Lot ID: 267804
Date Received : Apr 02, 2026
Date Reported : Apr 08, 2026
Report Number : 3546682-1

Page 1 of 1

Sample Number	267804-4					
Sampled Date	Apr 01, 2026 1:45 PM					
Sample Description	สระว่ายนํ้า					
Location	จุดที่ตื้นที่สุดและมีผู้ใช้บริการมากที่สุด					
Date Analysis Commenced	Apr 02, 2026					
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)					

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายนํ้า หรือกิจการอื่น ๆ ในฟ่านองเดียวกัน

Sampling By : Natthakit Sapankaew

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Suwannee Chuamkeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

16440-21/ EMAIL

S:\Reports\AIL_GL\ rpt (3:31PM)



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :
Project Name :
Project Location :



TESTING
No.0009

Lot ID: 267804
Date Received : Apr 02, 2026
Date Reported : Apr 08, 2026
Report Number : 3546683-1

Page 1 of 1

Sample Number	267804-5
Sampled Date	Apr 01, 2026 1:50 PM
Sample Description	ถังเก็บน้ำใต้ดิน
Date Analysis Commenced	Apr 02, 2026
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
Microbiological Testing						
Total Coliform	MPN/100mL	-	-	<1.1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Sampling By : Natthakit Sapankaew

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Suwannee Chuamkeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

16440-21/ EMAIL

S:\Reports_L\AIL\NoGLrpt (3:31PM)



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :
Project Name :
Project Location :



TESTING
No.0009

Lot ID: 2616870
Date Received : May 05, 2026
Date Reported : May 11, 2026
Report Number : 3538067-1

Page 1 of 2

Sample Number	2616870-1
Sample Description	สระว่ายน้ำ
Location	จุดที่ลึกที่สุดและมีผู้ใช้บริการมากที่สุด
Date Analysis Commenced	May 05, 2026
Condition of Sample	

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : ค่าแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่น ๆ ในทำนองเดียวกัน

Remark :
- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Suwannee Chuamkeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

16440-21/ EMAIL

S:\Reports_L\AIL\NoGLrpt (6:07PM)



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :

Project Name :

Project Location:

Sample Number 2616870-2
Sample Description สระว่ายนํ้า
Location จุดที่ตื้นที่สุดและมีผู้ให้บริการมากที่สุด
Date Analysis Commenced May 05, 2026
Condition of Sample

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายนํ้า หรือกิจการอื่น ๆ ในทำนองเดียวกัน

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Suwannee Chuamkeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

16440-21/ EMAIL

S:\Reports\LAIL_GL\ rpt (6:07PM)



TESTING

No.0009

Lot ID: 2616870

Date Received : May 05, 2026

Date Reported : May 11, 2026

Report Number : 3538067-1

Page 2 of 2



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :

Project Name :

Project Location:

Sample Number 2644782-1
Sampled Date Jun 10, 2026 10:10 AM
Sample Description สระว่ายนํ้า
Location จุดที่ลึกที่สุดและมีผู้ให้บริการมากที่สุด
Date Analysis Commenced Jun 11, 2026
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายนํ้า หรือกิจการอื่น ๆ ในทำนองเดียวกัน

Sampling By : Chaloamkiat Amornsrirerm

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Sithichok Thongnguen
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

16440-21/ EMAIL

S:\Reports\LAIL_GL\ rpt (4:35PM)



TESTING

No.0009

Lot ID: 2644782

Date Received : Jun 11, 2026

Date Reported : Jun 17, 2026

Report Number : 3578307-1

Page 1 of 2



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :

Project Name :

Project Location:

Sample Number	2644782-2						
Sampled Date	Jun 10, 2026 10:20 AM						
Sample Description	สระว่ายน้ำ						
Location	จุดที่ตื้นที่สุดและมีผู้ใช้บริการมากที่สุด						
Date Analysis Commenced	Jun 11, 2026						
Condition of Sample	Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)						

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่น ๆ ในทำนองเดียวกัน

Sampling By : Chaloamkiat Amornsrirerm

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Sithichok T.

Sithichok Thongnguen
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

16440-21/ EMAIL

S:\Reports\AIL_GL\rpt (4:35PM)



TESTING

No.0009

Lot ID: 2644782

Date Received : Jun 11, 2026

Date Reported : Jun 17, 2026

Report Number : 3578307-1

Page 2 of 2



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :

Project Name :

Project Location:

Sample Number	2644775-1						
Sampled Date	Jun 10, 2026 10:10 AM						
Sample Description	สระว่ายน้ำ						
Location	จุดที่ลึกที่สุดและมีผู้ใช้บริการมากที่สุด						
Date Analysis Commenced	Jun 11, 2026						
Condition of Sample	Contained in four plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)						

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
<i>Escherichia coli</i>	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 F	Bangkok
Fecal Coliform	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
<i>Pseudomonas aeruginosa</i> *	in 100 mL	-	-	Not Detected	Not Detected	In-house method in connection with: - Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9213 E	Bangkok
<i>Staphylococcus aureus</i>	in 100 mL	-	-	Not Detected	Not Detected	In-house method STM No. 01-054 in connection with: - Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9213 B - FDA BAM online, 2016 (Chapter 12)	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Water Testing							
Ammonia Nitrogen *	mg/L	-	0.06	<0.06	≤20	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NH3 (B, F)	Bangkok
Calcium Hardness as CaCO3 *	mg/L	-	1	387	250-600	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3500-Ca (B)	Bangkok

Approved by

Sithichok T.

Sithichok Thongnguen
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

16440-21/ EMAIL

S:\Reports\AIL_GL\rpt (5:35PM)



TESTING

No.0009

Lot ID: 2644775

Date Received : Jun 11, 2026

Date Reported : Jun 20, 2026

Report Number : 3602497-1

Page 1 of 4



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :

Project Name :

Project Location:

Sample Number	2644775-1
Sampled Date	Jun 10, 2026 10:10 AM
Sample Description	สระว่ายน้ำ
Location	จุดที่ลึกที่สุดและมีผู้ให้บริการมากที่สุด
Date Analysis Commenced	Jun 11, 2026
Condition of Sample	Contained in four plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Chloride as Cl *	mg/L	0.06	0.2	284	≤600	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4110 B	Bangkok
Combined residual chlorine *	mg/L	-	0.1	<0.10	0.5-1.0	Calculation	Bangkok
Cyanuric acid *	mg/L	2	7	245	30-60	Colorimetric Method	Bangkok
Nitrate as NO3 *	mg/L	0.3	1.0	39.1	≤50	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4110 B	Bangkok
Residual Chlorine *	mg/L	-	0.1	8.7	No Standard	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Cl (G)	Bangkok
Residual Free Chlorine *	mg/L	-	0.1	8.7	0.6-1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Cl (F)	Bangkok
Total Alkalinity as CaCO3 *	mg/L	-	1	<1	80-100	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2320 B	Bangkok

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่น ๆ ในท่านองเดียวกัน

Sampling By : Chaloamkiat Amornriserem

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Sithichok T.

Sithichok Thongnguen
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

16440-21/ EMAIL

S:\Reports\AIL\GL\prt (5:35PM)



TESTING

No.0009

Lot ID: 2644775

Date Received : Jun 11, 2026

Date Reported : Jun 20, 2026

Report Number : 3602497-1

Page 2 of 4



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :

Project Name :

Project Location:

Sample Number	2644775-2
Sampled Date	Jun 10, 2026 10:20 AM
Sample Description	สระว่ายน้ำ
Location	จุดที่ตื้นที่สุดและมีผู้ให้บริการมากที่สุด
Date Analysis Commenced	Jun 11, 2026
Condition of Sample	Contained in four plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
<i>Escherichia coli</i>	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 F	Bangkok
Fecal Coliform	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
<i>Pseudomonas aeruginosa</i> *	in 100 mL	-	-	Not Detected	Not Detected	In-house method in connection with: - Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9213 E	Bangkok
<i>Staphylococcus aureus</i>	in 100 mL	-	-	Not Detected	Not Detected	In-house method STM No. 01-054 in connection with: - Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9213 B - FDA BAM online, 2016 (Chapter 12)	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Water Testing							
Ammonia Nitrogen *	mg/L	-	0.06	<0.06	≤20	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NH3 (B, F)	Bangkok
Calcium Hardness as CaCO3 *	mg/L	-	1	398	250-600	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 3500-Ca (B)	Bangkok

Approved by

Sithichok T.

Sithichok Thongnguen
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

16440-21/ EMAIL

S:\Reports\AIL\GL\prt (5:35PM)



Analysis / Test Report

Client : Dcondo Ping Juristic Person Condominium
243, Chaingmai-Lampang Superhighway Rd., Faham, Muang, Chiang Mai Thailand 50000

P/O :
Project Name :
Project Location :

TESTING
No.0009
Lot ID: 2644775
Date Received : Jun 11, 2026
Date Reported : Jun 20, 2026
Report Number : 3602497-1

Page 4 of 4

Sample Number	2644775-2
Sampled Date	Jun 10, 2026 10:20 AM
Sample Description	สระว่ายน้ำ
Location	จุดที่ต้นที่สุดและมีผู้ใช้บริการมากที่สุด
Date Analysis Commenced	Jun 11, 2026
Condition of Sample	Contained in four plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Chloride as Cl *	mg/L	0.06	0.2	284	≤600	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4110 B	Bangkok
Combined residual chlorine *	mg/L	-	0.1	<0.10	0.5-1.0	Calculation	Bangkok
Cyanuric acid *	mg/L	2	7	250	30-60	Colorimetric Method	Bangkok
Nitrate as NO3 *	mg/L	0.3	1.0	39.0	≤50	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4110 B	Bangkok
Residual Chlorine *	mg/L	-	0.1	8.0	No Standard	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Cl (G)	Bangkok
Residual Free Chlorine *	mg/L	-	0.1	8.0	0.6-1.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Cl (F)	Bangkok
Total Alkalinity as CaCO3 *	mg/L	-	1	<1	80-100	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2320 B	Bangkok

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่น ๆ ในทำนองเดียวกัน

Sampling By : Chaloamkiat Amornriserem

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Sithichok T.

Sithichok Thongnguen
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER