

ภาคผนวกที่ 2

ผลการติดตามตรวจสอบคุณภาพสิ่งแวดล้อม

ภาคผนวกที่ 2.1

ผลการวิเคราะห์คุณภาพน้ำก่อนเข้าระบบบำบัดน้ำเสีย (Influent)
และน้ำทิ้งหลังผ่านการบำบัดน้ำเสีย (Effluent)



Analysis/Test Report

Private Laboratory Registration ๖-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 10/01/2026

Sampling Method : Grab

Report Date : 16/01/2026

Sampling Date : 09/01/2026

Report No. : WT3860169001

Receive Date : 10/01/2026

Parameter	Unit	Method**	0135/01/26	Standard ***
			Influent	
*pH	-	Electrometric Method	6.9	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	100	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	215	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	615	<1,000
Oil & Grease	mg/L	Partition Gravimetric	11.00	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	3	<1.0
TKN	mg/L	Kjeldahl	51	<35
Sample Condition		Observation	Turbid gray odour sediment	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567

Jirapinya
(Miss.Jirapinya Tara)

Analyst

๖-๒๓๘-๖-๐๐๐๒

16/01/2026



Siripen

(Mrs.Siripen Vitethap)

Laboratory Supervisor

๖-๒๓๘-๖-๐๐๐๑

16/01/2026

Do not copy some scuffing Do not modify this report.



Analysis/Test Report

Private Laboratory Registration ๖-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 10/01/2026

Sampling Method : Grab

Report Date : 16/01/2026

Sampling Date : 09/01/2026

Report No. : WT3860169002

Receive Date : 10/01/2026

Parameter	Unit	Method**	0136/01/26	Standard ***
			Effluent	
*pH	-	Electrometric Method	7.2	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	2	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	<5	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	302	<1,000
Oil & Grease	mg/L	Partition Gravimetric	ND	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	<1.0	<1.0
TKN	mg/L	Kjeldahl	8	<35
Sample Condition		Observation	Light gray	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567

Jirapinya
.....
(Miss.Jirapinya Tara)

Analyst

๖-๒๓๘-๖-๐๐๐๒

16/01/2026



Siripen
.....

(Mrs.Siripen Vitethap)

Laboratory Supervisor

๖-๒๓๘-๖-๐๐๐๑

16/01/2026

Do not copy some scuffing Do not modify this report.



Analysis/Test Report

Private Laboratory Registration ๖-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 12/02/2026

Sampling Method : Grab

Report Date : 19/02/2026

Sampling Date : 11/02/2026

Report No. : WT3860269001

Receive Date : 12/02/2026

Parameter	Unit	Method**	0372/02/26	Standard ***
			Influent	
*pH	-	Electrometric Method	7.2	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	90	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	170	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	479	<1,000
Oil & Grease	mg/L	Partition Gravimetric	8.00	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	2	<1.0
TKN	mg/L	Kjeldahl	49	<35
Sample Condition		Observation	Turbid gray odour sediment	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567

Jirapinya
(Miss.Jirapinya Tara)

Analyst

๖-๒๓๘-๖-๐๐๐๒

19/02/2026



Siripen

(Mrs.Siripen Vitethap)

Laboratory Supervisor

๖-๒๓๘-๖-๐๐๐๑

19/02/2026

Do not copy some scuffing Do not modify this report.



Analysis/Test Report

Private Laboratory Registration ๖-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 12/02/2026

Sampling Method : Grab

Report Date : 19/02/2026

Sampling Date : 11/02/2026

Report No. : WT3860269002

Receive Date : 12/02/2026

Parameter	Unit	Method**	0373/02/26	Standard ***
			Effluent	
*pH	-	Electrometric Method	6.8	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	8	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	7	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	321	<1,000
Oil & Grease	mg/L	Partition Gravimetric	ND	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	<1.0	<1.0
TKN	mg/L	Kjeldahl	13	<35
Sample Condition		Observation	Light gray	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567


(Miss.Jirapinya Tara)

Analyst

๖-๒๓๘-๖-๐๐๐๒

19/02/2026





(Mrs.Siripen Vitethap)

Laboratory Supervisor

๖-๒๓๘-๖-๐๐๐๑

19/02/2026

Do not copy some scuffing Do not modify this report.



Analysis/Test Report

Private Laboratory Registration ๖-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 12/03/2026

Sampling Method : Grab

Report Date : 19/03/2026

Sampling Date : 11/03/2026

Report No. : WT3860369001

Receive Date : 12/03/2026

Parameter	Unit	Method**	0835/03/26	Standard ***
			Influent	
*pH	-	Electrometric Method	7.0	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	85	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	200	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	600	<1,000
Oil & Grease	mg/L	Partition Gravimetric	13.00	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	3	<1.0
TKN	mg/L	Kjeldahl	55	<35
Sample Condition		Observation	Turbid gray odour sediment	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567

Jirapinya
(Miss.Jirapinya Tara)

Analyst

๖-๒๓๘-๖-๐๐๐๒

19/03/2026



Siripen

(Mrs.Siripen Vitethap)

Laboratory Supervisor

๖-๒๓๘-๖-๐๐๐๑

19/03/2026

Do not copy some scuffing Do not modify this report.



Analysis/Test Report

Private Laboratory Registration ๖-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 12/03/2026

Sampling Method : Grab

Report Date : 19/03/2026

Sampling Date : 11/03/2026

Report No. : WT3860369002

Receive Date : 12/03/2026

Parameter	Unit	Method**	0836/03/26	Standard ***
			Effluent	
*pH	-	Electrometric Method	7.2	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	11	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	12	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	371	<1,000
Oil & Grease	mg/L	Partition Gravimetric	ND	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	<1.0	<1.0
TKN	mg/L	Kjeldahl	20	<35
Sample Condition		Observation	Light gray	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567


(Miss.Jirapinya Tara)

Analyst

๖-๒๓๘-๖-๐๐๐๒

19/03/2026





(Mrs.Siripen Vitethap)

Laboratory Supervisor

๖-๒๓๘-๖-๐๐๐๑

19/03/2026

Do not copy some scuffing Do not modify this report.



Analysis/Test Report

Private Laboratory Registration ๖-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 22/04/2026

Sampling Method : Grab

Report Date : 29/04/2026

Sampling Date : 21/04/2026

Report No. : WT3860469001

Receive Date : 22/04/2026

Parameter	Unit	Method**	1149/04/26	Standard ***
			Influent	
*pH	-	Electrometric Method	7.2	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	110	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	253	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	690	<1,000
Oil & Grease	mg/L	Partition Gravimetric	11.00	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	2	<1.0
TKN	mg/L	Kjeldahl	44	<35
Sample Condition		Observation	Turbid gray odour sediment	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567


(Miss.Jirapinya Tara)

Analyst

๖-๒๓๘-๖-๐๐๐๒

29/04/2026





(Mrs.Siripen Vitethap)

Laboratory Supervisor

๖-๒๓๘-๖-๐๐๐๑

29/04/2026

Do not copy some scuffing Do not modify this report.



Analysis/Test Report

Private Laboratory Registration ๖-๒๓๘

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 22/04/2026

Sampling Method : Grab

Report Date : 29/04/2026

Sampling Date : 21/04/2026

Report No. : WT3860469002

Receive Date : 22/04/2026

Parameter	Unit	Method**	1149/04/26	Standard ***
			Effluent	
*pH	-	Electrometric Method	6.9	5.5-9.0
*BOD	mg/L	5-Day BOD Test, Azide Modification	10	<30
*Total Suspended Solids	mg/L	Dried at 103-105 °C	21	<40
*Total Dissolved Solids	mg/L	Dried at 180 °C	400	<1,000
Oil & Grease	mg/L	Partition Gravimetric	ND	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	<1.0	<1.0
TKN	mg/L	Kjeldahl	17	<35
Sample Condition		Observation	Light gray	

Remark :

(1)* Types of pollutants allowed to apply for the registration of private analytical laboratories. Department of Industrial Works

(2)** Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(3)*** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567



(Miss.Jirapinya Tara)

Analyst

๖-๒๓๘-๖-๐๐๐๒

29/04/2026





(Mrs.Siripen Vitethap)

Laboratory Supervisor

๖-๒๓๘-๖-๐๐๐๑

24/04/2026

Do not copy some scuffing Do not modify this report.



Analysis/Test Report

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 13/05/2026

Sampling Method : Grab

Report Date : 20/05/2026

Sampling Date : 13/05/2026

Report No. : WT3860569001

Receive Date : 14/05/2026

Parameter	Unit	Method*	1365/05/26	Standard **
			Influent	
pH	-	Electrometric Method	7.0	5.5-9.0
BOD	mg/L	5-Day BOD Test, Azide Modification	135	<30
Total Suspended Solids	mg/L	Dried at 103-105 °C	235	<40
Total Dissolved Solids	mg/L	Dried at 180 °C	515	<1,000
Oil & Grease	mg/L	Partition Gravimetric	14.00	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	3	<1.0
TKN	mg/L	Kjeldahl	43	<35
Sample Condition		Observation	Turbid gray odour sediment	

Remark :

(1)* Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(2)** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567


(Miss.Jirapinya Tara)

Analyst

20/05/2026





(Mrs.Siripen Vitethap)

Laboratory Supervisor

20/05/2026

Do not copy some scuffing Do not modify this report.



Analysis/Test Report

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 14/05/2026

Sampling Method : Grab

Report Date : 20/05/2026

Sampling Date : 13/05/2026

Report No. : WT3860569002

Receive Date : 14/05/2026

Parameter	Unit	Method*	1366/05/26	Standard **
			Effluent	
pH	-	Electrometric Method	6.7	5.5-9.0
BOD	mg/L	5-Day BOD Test, Azide Modification	8	<30
Total Suspended Solids	mg/L	Dried at 103-105 °C	7	<40
Total Dissolved Solids	mg/L	Dried at 180 °C	400	<1,000
Oil & Grease	mg/L	Partition Gravimetric	ND	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	<1.0	<1.0
TKN	mg/L	Kjeldahl	16	<35
Sample Condition		Observation	Light gray	

Remark :

(1)* Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(2)** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567


(Miss.Jirapinya Tara)

Analyst
20/05/2026





(Mrs.Siripen Vitethap)
Laboratory Supervisor
20/05/2026

Do not copy some scuffing Do not modify this report.



Analysis/Test Report

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 11/06/2026

Sampling Method : Grab

Report Date : 18/06/2026

Sampling Date : 10/06/2026

Report No. : WT3860669001

Receive Date : 11/06/2026

Parameter	Unit	Method*	1657/06/26	Standard **
			Influent	
pH	-	Electrometric Method	6.9	5.5-9.0
BOD	mg/L	5-Day BOD Test, Azide Modification	94	<30
Total Suspended Solids	mg/L	Dried at 103-105 °C	250	<40
Total Dissolved Solids	mg/L	Dried at 180 °C	454	<1,000
Oil & Grease	mg/L	Partition Gravimetric	3.00	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	1	<1.0
TKN	mg/L	Kjeldahl	46	<35
Sample Condition		Observation	Turbid gray odour sediment	

Remark :

(1)* Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(2)** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567


(Miss.Jirapinya Tara)

Analyst

18/06/2026





(Mrs.Siripen Vitethap)

Laboratory Supervisor

18/06/2026

Do not copy some scuffing Do not modify this report.



Analysis/Test Report

Customer Name : OZO Chaweng Samui

Address : 11/34 Moo2,Bophut Koh Samui, Suratthani, 84320

Sample Type : Waste Water

Analytical Date : 11/06/2026

Sampling Method : Grab

Report Date : 18/06/2026

Sampling Date : 10/06/2026

Report No. : WT3860669002

Receive Date : 11/06/2026

Parameter	Unit	Method*	1658/06/26	Standard **
			Effluent	
pH	-	Electrometric Method	6.8	5.5-9.0
BOD	mg/L	5-Day BOD Test, Azide Modification	4	<30
Total Suspended Solids	mg/L	Dried at 103-105 °C	6	<40
Total Dissolved Solids	mg/L	Dried at 180 °C	391	<1,000
Oil & Grease	mg/L	Partition Gravimetric	<5	<20
Settleable Solids	mg/L	Volumetric Method	<0.1	-
Sulfide	mg/L	Iodometric Method	<1.0	<1.0
TKN	mg/L	Kjeldahl	20	<35
Sample Condition		Observation	Light gray	

Remark :

(1)* Method Based on Standard Methods for The examination of Water & Wastewater, APHA,AWWA,WEF 23rd Edition, 2017

(2)** Announcement of the Ministry of Natural Resources and Environment on the determination of standards for controlling waste water discharge from certain types and sizes of buildings Act B.E. 2567


(Miss.Jirapinya Tara)

Analyst

18/06/2026





(Mrs.Siripen Vitethap)

Laboratory Supervisor

18/06/2026

Do not copy some scuffing Do not modify this report.

ภาคผนวกที่ 2.2

ผลการตรวจวิเคราะห์คุณภาพเชื้อลีจิโอเนลลา (*Legionella* spp.)



กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ต้นฉบับ

ศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต
141 หมู่ 4 ตำบลศรีสุนทร อำเภอถลาง จังหวัดภูเก็ต 83110
โทรศัพท์ 076-600119-21 โทรสาร 076-600122
<http://rmsc11-1.dmsc.moph.go.th/>



ISO/IEC 17025

หมายเลขทะเบียน 4022/49

รายงานผลการทดสอบ

เลขที่รายงาน R69032401095

หน้า 1 ของ 1 หน้า

หนังสือส่งที่ -	ผู้ส่งตัวอย่าง บริษัท ดีแอนด์จี คอร์ปอเรชั่น จำกัด
ลงวันที่ 13/03/2569	ที่อยู่ 307/223
วันที่รับตัวอย่าง 13/03/2569	ถนนจรัญสนิทวงศ์ แขวงบางขุนศรี เขตบางกอกน้อย กรุงเทพมหานคร 10700
หมายเลขตัวอย่าง 69033995001	วันที่เก็บตัวอย่าง 11/03/2569
ชนิดตัวอย่าง น้ำ	ปริมาณที่รับ 1 ขวด ขวดละ 1,000 มิลลิลิตร
ชื่อตัวอย่าง Swimming Pool	
ลักษณะตัวอย่าง ของเหลวใส ไม่มีสี มีตะกอนสีน้ำตาล สถานที่เก็บตัวอย่าง: OZO Chaweng Samui	
รายการทดสอบ	ผลการทดสอบ
การตรวจหาเชื้อ <i>Legionella</i> ในตัวอย่างน้ำด้วยเทคนิคการเพาะเชื้อ และนับจำนวน	Not detected
	วิธีทดสอบ Procedure for the Recovery of <i>Legionella</i> from the Environment, CDC, January 2005
หมายเหตุ 1.ห้องปฏิบัติการได้รับการรับรองความสามารถตามมาตรฐาน ISO/IEC 17025	
ผู้ทดสอบ นางสาวอังฉริยา คงยก นางสาวสุกัญญา ชูสงดำ	 (นางอริยะพร กองทัพ) นักวิทยาศาสตร์การแพทย์ชำนาญการพิเศษ ปฏิบัติราชการแทนอธิบดีกรมวิทยาศาสตร์การแพทย์
ผู้ตรวจสอบ นางอริยะพร กองทัพ	
วันที่ทดสอบ 13/03/2569	
วันที่ออกรายงาน 24/03/2569	

รายงานนี้รับรองเฉพาะตัวอย่างที่ได้รับเท่านั้น

ห้ามนำรายงานไปทำสำเนาบางส่วน โดยไม่ได้รับอนุญาตเป็นลายลักษณ์อักษร





กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ต้นฉบับ

ศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต
141 หมู่ 4 ตำบลศรีสุนทร อำเภอถลาง จังหวัดภูเก็ต 83110
โทรศัพท์ 076-600119-21 โทรสาร 076-600122
<http://rmsc11-1.dmsc.moph.go.th/>



ISO/IEC 17025

หมายเลขทะเบียน 4022/49

เลขที่รายงาน R69032401094 รายงานผลการทดสอบ หน้า 1 ของ 1 หน้า

หนังสืออ้างอิงที่ -	ผู้ส่งตัวอย่าง บริษัท ดีแอนด์จี คอร์ปอเรชั่น จำกัด
ลงวันที่ 13/03/2569	ที่อยู่ 307/223
วันที่รับตัวอย่าง 13/03/2569	ถนนจริยสุนิวงศ์
	แขวงบางขุนศรี เขตบางกอกน้อย
	กรุงเทพมหานคร 10700
หมายเลขตัวอย่าง 69033995002	วันที่เก็บตัวอย่าง 11/03/2569
ชนิดตัวอย่าง น้ำ	ปริมาณที่รับ 1 ขวด ขวดละ 1,000 มิลลิลิตร

ชื่อตัวอย่าง Cold water at the wash basin guest room 6120

ลักษณะตัวอย่าง ของเหลวใส ไม่มีสี ไม่มีตะกอน สถานที่เก็บตัวอย่าง: OZO Chaweng Samui

รายการทดสอบ	ผลการทดสอบ	วิธีทดสอบ
การตรวจหาเชื้อ <i>Legionella</i> ในตัวอย่างน้ำด้วยเทคนิคการเพาะเชื้อ และนับจำนวน	Not detected	Procedure for the Recovery of <i>Legionella</i> from the Environment, CDC, January 2005

หมายเหตุ 1.ห้องปฏิบัติการได้รับการรับรองความสามารถตามมาตรฐาน ISO/IEC 17025

ผู้ทดสอบ นางสาวอัจฉริยา คงยก นางสาวสุกัญญา ชูสงดำ	 (นางอิริยะพร กองทัพ) นักวิทยาศาสตร์การแพทย์ชำนาญการพิเศษ ปฏิบัติราชการแทนอธิบดีกรมวิทยาศาสตร์การแพทย์
ผู้ตรวจสอบ นางอิริยะพร กองทัพ	
วันที่ทดสอบ 13/03/2569	
วันที่ออกรายงาน 24/03/2569	

รายงานนี้รับรองเฉพาะตัวอย่างที่ได้รับเท่านั้น
ห้ามนำรายงานไปทำสำเนาบางส่วน โดยไม่ได้รับอนุญาตเป็นลายลักษณ์อักษร





กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ต้นฉบับ

ศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต
141 หมู่ 4 ตำบลศรีสุนทร อำเภอถลาง จังหวัดภูเก็ต 83110
โทรศัพท์ 076-600119-21 โทรสาร 076-600122
<http://rmsc11-1.dmsc.moph.go.th/>



ISO/IEC 17025

หมายเลขทะเบียน 4022/49

เลขที่รายงาน R69032401093 รายงานผลการทดสอบ หน้า 1 ของ 1 หน้า

หนังสืออ้างอิงที่ -	ผู้ส่งตัวอย่าง บริษัท ดีแอนด์จี คอร์ปอเรชั่น จำกัด
ลงวันที่ 13/03/2569	ที่อยู่ 307/223
วันที่รับตัวอย่าง 13/03/2569	ถนนจรัญสนิทวงศ์
	แขวงบางขุนศรี เขตบางกอกน้อย
	กรุงเทพมหานคร 10700

หมายเลขตัวอย่าง 69033995003	วันที่เก็บตัวอย่าง 11/03/2569
-----------------------------	-------------------------------

ชนิดตัวอย่าง น้ำ	ปริมาณที่รับ 1 ขวด ขวดละ 1,000 มิลลิลิตร
------------------	--

ชื่อตัวอย่าง Hot water at the wash basin guest room 6120

ลักษณะตัวอย่าง ของเหลวใส ไม่มีสี ไม่มีตะกอน สถานที่เก็บตัวอย่าง: OZO Chaweng Samui

รายการทดสอบ	ผลการทดสอบ	วิธีทดสอบ
การตรวจหาเชื้อ <i>Legionella</i> ในตัวอย่างน้ำด้วยเทคนิคการเพาะเชื้อ และนับจำนวน	Not detected	Procedure for the Recovery of <i>Legionella</i> from the Environment, CDC, January 2005

หมายเหตุ 1.ห้องปฏิบัติการได้รับการรับรองความสามารถตามมาตรฐาน ISO/IEC 17025

ผู้ทดสอบ นางสาวอัจฉริยา คงยก นางสาวสุกัญญา ชูสงดำ	 (นางอริยะพร กองทัพ) นักวิทยาศาสตร์การแพทย์ชำนาญการพิเศษ ปฏิบัติราชการแทนอธิบดีกรมวิทยาศาสตร์การแพทย์
ผู้ตรวจสอบ นางอริยะพร กองทัพ	
วันที่ทดสอบ 13/03/2569	
วันที่ออกรายงาน 24/03/2569	

รายงานนี้รับรองเฉพาะตัวอย่างที่ได้รับเท่านั้น

ห้ามนำรายงานไปทำสำเนาบางส่วน โดยไม่ได้รับอนุญาตเป็นลายลักษณ์อักษร





กรมวิทยาศาสตร์การแพทย์
Department of Medical Sciences

ต้นฉบับ

ศูนย์วิทยาศาสตร์การแพทย์ที่ 11/1 ภูเก็ต
141 หมู่ 4 ตำบลศรีสุนทร อำเภอถลาง จังหวัดภูเก็ต 83110
โทรศัพท์ 076-600119-21 โทรสาร 076-600122
<http://rmsc11-1.dmsc.moph.go.th/>



ISO/IEC 17025

หมายเลขทะเบียน 4022/49

รายงานผลการทดสอบ

เลขที่รายงาน R69032401092

หน้า 1 ของ 1 หน้า

หนังสืออ้างอิงที่ -	ผู้ส่งตัวอย่าง บริษัท ดีแอนด์จี คอร์ปอเรชั่น จำกัด
ลงวันที่ 13/03/2569	ที่อยู่ 307/223
วันที่รับตัวอย่าง 13/03/2569	ถนนจรัญสนิทวงศ์
	แขวงบางขุนศรี เขตบางกอกน้อย
	กรุงเทพมหานคร 10700

หมายเลขตัวอย่าง 69033995004	วันที่เก็บตัวอย่าง 11/03/2569
ชนิดตัวอย่าง น้ำ	ปริมาณที่รับ 1 ขวด ขวดละ 1,000 มิลลิลิตร

ชื่อตัวอย่าง AC drip tray in the guest room 6120

ลักษณะตัวอย่าง ของเหลวใส ไม่มีสี ไม่มีตะกอน สถานที่เก็บตัวอย่าง: OZO Chaweng Samui

รายการทดสอบ	ผลการทดสอบ	วิธีทดสอบ
การตรวจหาเชื้อ <i>Legionella</i> ในตัวอย่างน้ำด้วยเทคนิคการเพาะเชื้อ และนับจำนวน	Not detected	Procedure for the Recovery of <i>Legionella</i> from the Environment, CDC, January 2005

หมายเหตุ 1.ห้องปฏิบัติการได้รับการรับรองความสามารถตามมาตรฐาน ISO/IEC 17025

ผู้ทดสอบ นางสาวอัจฉริยา คงยก	 (นางอิริยะพร กองทัพ) นักวิทยาศาสตร์การแพทย์ชำนาญการพิเศษ ปฏิบัติราชการแทนอธิบดีกรมวิทยาศาสตร์การแพทย์
นางสาวสุกัญญา ชูสงดำ	
ผู้ตรวจสอบ นางอิริยะพร กองทัพ	
วันที่ทดสอบ 13/03/2569	
วันที่ออกรายงาน 24/03/2569	

รายงานนี้รับรองเฉพาะตัวอย่างที่ได้รับเท่านั้น

ห้ามนำรายงานไปทำสำเนาบางส่วน โดยไม่ได้รับอนุญาตเป็นลายลักษณ์อักษร

