

ภาคผนวก ค

ใบรับรองผลการตรวจวิเคราะห์



Analysis / Test Report

TESTING
No.0009

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

Lot ID: 26185

Date Received : Jan 14, 2026

Date Reported : Jan 21, 2026

Report Number : 3482296-1

P/O :

Project Name :

Project Location :

Page 1 of 1

Sample Number	26185-1
Sampled Date	Jan 12, 2026
Sample Description	Air Quality
Location	บริเวณพื้นที่โครงการ (GPS 47Q 0501745, 2079022)
Date Analysis Commenced	Jan 15, 2026
Condition of Sample	Drawn into one 10-L air sampling bag, one glass filter paper (8x10 inch) placed in plastic bag and one quartz filter paper (8x10 inch) placed in plastic bag
Barometric Pressure	734 mmHg
Atmospheric Temperature	22.5 °C

Analyte	Sampled Date/time	Unit	LOD	LOQ (LOR)	Result	Guideline Limit	Method	Guideline	Testing Location
Air Testing									
Carbon Monoxide *	10:00 AM - 11:00 AM	ppm	-	0.10	0.10	30	U.S. Environmental Protection Agency 40 CFR Part 50, Appendix C	NEB No.10 Bangkok	
Particulate matter as PM 10	12/01/26 - 13/01/26	mg/m3	-	0.005	0.045	0.12	In - house method : STM 04-052 based on U.S. Environmental Protection Agency 40 CFR, method 50, Appendix J, revised as of July 1, 2008 (Include sampling)	NEB No.24 Bangkok	
Total Suspended Particulate	12/01/26 - 13/01/26	mg/m3	-	0.005	0.081	0.33	In - house method : STM 04-051 based on U.S. Environmental Protection Agency 40 CFR, method 50, Appendix B, revised as of July 1, 2008 (Include sampling)	NEB No.24 Bangkok	

Guideline :

NEB No.10 : Notification of the National Environmental Board. No.10, 1995 (B.E.2538)

NEB No.24 : Notification of the National Environmental Board. No.24, 2004 (B.E.2547) dated September 22, 2004

Sampled By : Chaloomkiat Amornriserm

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.

Approved by

Orawan R.

Orawan Rakyong
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :
Project Name :
Project Location :

Sample Number 261099-2
Sampled Date Jan 07, 2026 11:00 AM
Sample Description น้ำเสีย
Location น้ำก่อนเข้าระบบบำบัดน้ำเสีย
Date Analysis Commenced Jan 09, 2026
Condition of Sample Contained in two plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	160	≤30	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	342	≤40	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Sized of Buildings, Type B.

Sampling By : Natthakit Sapankaew

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Sithichok T.

Sithichok Thongnguen
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

21760-21/ EMAIL

S:\Reports\LAIL_GL_rpt (5:35PM)



TESTING

No.0009

Lot ID: 261099

Date Received : Jan 08, 2026

Date Reported : Jan 14, 2026

Report Number : 3482609-1

Page 2 of 4



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :
Project Name :
Project Location :

Sample Number 261099-3
Sampled Date Jan 07, 2026 11:05 AM
Sample Description น้ำเสีย
Location น้ำหลังออกจากระบบบำบัดน้ำเสีย
Date Analysis Commenced Jan 08, 2026
Condition of Sample Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Total Coliform	MPN/100mL	-	-	790.0	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	18.3	≤30	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Oil & Grease	mg/L	-	3	<3	≤20	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Bangkok
pH at 25 degree C		-	-	6.7	5.5-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Settleable Solid *	mL/L/hr	-	0.1	<0.1	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 F	Bangkok
Sulfide *	mg/L	-	0.5	<0.5	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Bangkok
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	404	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	8.2	≤35	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C)	Bangkok

Approved by

Sithichok T.

Sithichok Thongnguen
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

21760-21/ EMAIL

S:\Reports\LAIL_GL_rpt (5:35PM)



TESTING

No.0009

Lot ID: 261099

Date Received : Jan 08, 2026

Date Reported : Jan 14, 2026

Report Number : 3482609-1

Page 3 of 4



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Project Name :

Project Location :

Sample Number	261099-3
Sampled Date	Jan 07, 2026 11:05 AM
Sample Description	น้ำเสีย
Location	น้ำหลังออกจากระบบบำบัดน้ำเสีย
Date Analysis Commenced	Jan 08, 2026
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	13	≤40	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Sized of Buildings, Type B.

Sampling By : Natthakit Sapankaew

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Sithichok T.

Sithichok Thongnguen
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

21760-21/ EMAIL

S:\Reports\AIL_GL\ rpt (5:35PM)



TESTING

No.0009

Lot ID: 261099

Date Received : Jan 08, 2026

Date Reported : Jan 14, 2026

Report Number : 3482609-1

Page 4 of 4



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Project Name :

Project Location :

Sample Number	261100-2
Sampled Date	Feb 03, 2026 11:05 AM
Sample Description	น้ำเสีย
Location	น้ำก่อนเข้าระบบบำบัดน้ำเสีย
Date Analysis Commenced	Feb 05, 2026
Condition of Sample	Contained in two plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	115	≤30	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	66	≤40	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Sized of Buildings, Type B.

Sampling By : Natthakit Sapankaew

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Suwimon C.

Suwimon Chairuangwut
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

21760-21/ EMAIL

S:\Reports\AIL_GL\ rpt (5:13PM)



TESTING

No.0009

Lot ID: 261100

Date Received : Feb 04, 2026

Date Reported : Feb 10, 2026

Report Number : 3505662-1

Page 1 of 1



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :
Project Name :
Project Location :



TESTING
No.0009

Lot ID: 261100

Date Received : Feb 04, 2026
Date Reported : Feb 10, 2026
Report Number : 3505663-1

Page 1 of 2

Sample Number	261100-3
Sampled Date	Feb 03, 2026 11:10 AM
Sample Description	น้ำเสีย
Location	น้ำหลังออกจากระบบบำบัดน้ำเสีย
Date Analysis Commenced	Feb 04, 2026
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Total Coliform	MPN/100mL	-	-	33000.0	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	17.9	≤30	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Oil & Grease	mg/L	-	3	<3	≤20	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Bangkok
pH at 25 degree C		-	-	6.2	5.5-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Settleable Solid *	mL/L/hr	-	0.1	<0.1	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 F	Bangkok
Sulfide *	mg/L	-	0.5	<0.5	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Bangkok
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	512	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	9.1	≤35	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C)	Bangkok

Approved by

Suwannee Chuamkeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

21760-21/ EMAIL

S:\Reports\AIL_GL\ rpt (6:12PM)



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :
Project Name :
Project Location :



TESTING
No.0009

Lot ID: 261100

Date Received : Feb 04, 2026
Date Reported : Feb 10, 2026
Report Number : 3505663-1

Page 2 of 2

Sample Number	261100-3
Sampled Date	Feb 03, 2026 11:10 AM
Sample Description	น้ำเสีย
Location	น้ำหลังออกจากระบบบำบัดน้ำเสีย
Date Analysis Commenced	Feb 04, 2026
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids Dried at 103-105 degree C	mg/L	-	5	15	≤40	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Sized of Buildings, Type B.

Sampling By : Natthakit Sapankaew

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Suwannee Chuamkeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

21760-21/ EMAIL

S:\Reports\AIL_GL\ rpt (6:12PM)



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Project Name :

Project Location :

Sample Number 261101-2
Sampled Date Mar 05, 2026 2:55 PM
Sample Description น้ำเสีย
Location น้ำก่อนเข้าระบบบำบัดน้ำเสีย
Date Analysis Commenced Mar 07, 2026
Condition of Sample Contained in two plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	93.9	≤30	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Total Suspended Solids Dried from 103-105 degree C	mg/L	-	5	48	≤40	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Sized of Buildings, Type B.

Sampling By : Phanudeth Petchaut

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Suwimon C.

Suwimon Chairuangwut
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

21760-21/ EMAIL

S:\Reports\LAIL_GL_rpt (3:48PM)



TESTING

No.0009

Lot ID: 261101

Date Received : Mar 06, 2026

Date Reported : Mar 12, 2026

Report Number : 3526241-1

Page 1 of 1



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Project Name :

Project Location :

Sample Number 261101-3
Sampled Date Mar 05, 2026 3:00 PM
Sample Description น้ำเสีย
Location น้ำหลังออกจากระบบบำบัดน้ำเสีย
Date Analysis Commenced Mar 06, 2026
Condition of Sample Contained in five plastic bottles and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Total Coliform	MPN/100mL	-	-	49000.0	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	19.3	≤30	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Oil & Grease	mg/L	-	3	<3	≤20	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Bangkok
pH at 25 degree C		-	-	7.3	5.5-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Bangkok
Settleable Solid *	mL/L/hr	-	0.1	<0.1	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 F	Bangkok
Sulfide *	mg/L	-	0.5	0.6	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Bangkok
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	376	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	20.5	≤35	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C)	Bangkok

Approved by

Suwanee C.

Suwanee Chuamkeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

21760-21/ EMAIL

S:\Reports\LAIL_GL_rpt (6:11PM)



TESTING

No.0009

Lot ID: 261101

Date Received : Mar 06, 2026

Date Reported : Mar 12, 2026

Report Number : 3526242-1

Page 1 of 2



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Project Name :

Project Location :

Sample Number	261101-3
Sampled Date	Mar 05, 2026 3:00 PM
Sample Description	น้ำเสีย
Location	น้ำหลังออกจากระบบบำบัดน้ำเสีย
Date Analysis Commenced	Mar 06, 2026
Condition of Sample	Contained in five plastic bottles and one amber glass bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids Dried from 103-105 degree C	mg/L	-	5	39	≤40	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Sized of Buildings, Type B.

Sampling By : Phanudeth Petchaut

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Suwannee Chuamkeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

21760-21/ EMAIL

S:\Reports\AIL\GL\ rpt (6:11PM)



TESTING
No.0009

Lot ID: 261101

Date Received : Mar 06, 2026

Date Reported : Mar 12, 2026

Report Number : 3526242-1

Page 2 of 2



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Project Name :

Project Location :

Sample Number	261102-2
Sampled Date	Apr 17, 2026 10:30 AM
Sample Description	น้ำเสีย
Location	น้ำก่อนเข้าระบบบำบัดน้ำเสีย
Date Analysis Commenced	Apr 18, 2026
Condition of Sample	Contained in two plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	40.4	≤30	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Total Suspended Solids Dried from 103-105 degree C	mg/L	-	5	41	≤40	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Sized of Buildings, Type B.

Sampling By : Sitthichok Taseeda

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Siriluk Bunnak
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

21760-21/ EMAIL

S:\Reports\AIL\GL\ rpt (4:45PM)



TESTING
No.0009

Lot ID: 261102

Date Received : Apr 18, 2026

Date Reported : Apr 23, 2026

Report Number : 3555528-1

Page 1 of 1



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :
Project Name :
Project Location :



TESTING
No.0009
Lot ID: 261102
Date Received : Apr 18, 2026
Date Reported : Apr 24, 2026
Report Number : 3555529-1

Page 1 of 2

Sample Number	261102-3
Sampled Date	Apr 17, 2026 10:35 AM
Sample Description	น้ำเสีย
Location	น้ำหลังออกจากระบบบำบัดน้ำเสีย
Date Analysis Commenced	Apr 18, 2026
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Total Coliform	MPN/100mL	-	-	13000.0	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	5.4	≤30	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Oil & Grease	mg/L	-	3	<3	≤20	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Bangkok
pH at 25 degree C		-	-	5.2	5.5-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Settleable Solid *	mL/L/hr	-	0.1	<0.1	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 F	Bangkok
Sulfide *	mg/L	-	0.5	<0.5	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Bangkok
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	444	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	3.6	≤35	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C)	Bangkok

Approved by

Suwannee Chuamkeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

21760-21/ EMAIL

S:\Reports\AIL_GL\ rpt (4:26PM)



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :
Project Name :
Project Location :



TESTING
No.0009
Lot ID: 261102
Date Received : Apr 18, 2026
Date Reported : Apr 24, 2026
Report Number : 3555529-1

Page 2 of 2

Sample Number	261102-3
Sampled Date	Apr 17, 2026 10:35 AM
Sample Description	น้ำเสีย
Location	น้ำหลังออกจากระบบบำบัดน้ำเสีย
Date Analysis Commenced	Apr 18, 2026
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids Dried from 103-105 degree C	mg/L	-	5	10	≤40	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Sized of Buildings, Type B.

Sampling By : Sitthichok Taseeda

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Suwannee Chuamkeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

21760-21/ EMAIL

S:\Reports\AIL_GL\ rpt (4:26PM)



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :
Project Name :
Project Location :

Sample Number 261103-2
Sampled Date May 05, 2026 10:35 AM
Sample Description น้ำเสีย
Location น้ำก่อนเข้าระบบบำบัดน้ำเสีย
Date Analysis Commenced May 07, 2026
Condition of Sample Contained in two plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	57.8	≤30	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Total Suspended Solids Dried from 103-105 degree C	mg/L	-	5	46	≤40	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Sized of Buildings, Type B.

Sampling By : Sitthichok Taseeda

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025



TESTING
No.0009

Lot ID: 261103

Date Received : May 06, 2026
Date Reported : May 12, 2026
Report Number : 3568434-1

Page 1 of 1



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :
Project Name :
Project Location :

Sample Number 261103-3
Sampled Date May 05, 2026 10:38 AM
Sample Description น้ำเสีย
Location น้ำหลังออกจากระบบบำบัดน้ำเสีย
Date Analysis Commenced May 06, 2026
Condition of Sample Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Total Coliform	MPN/100mL	-	-	1100.0	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	4.7	≤30	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Oil & Grease	mg/L	-	3	<3	≤20	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Bangkok
pH at 25 degree C		-	-	4.9	5.5-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Settleable Solid *	mL/L/hr	-	0.1	<0.1	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 F	Bangkok
Sulfide *	mg/L	-	0.5	<0.5	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Bangkok
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	424	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	5.0	≤35	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C)	Bangkok



TESTING
No.0009

Lot ID: 261103

Date Received : May 06, 2026
Date Reported : May 12, 2026
Report Number : 3568435-1

Page 1 of 2

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Suwimon C.

Suwimon Chairuangwut
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

Approved by

Suwannee C.

Suwannee Chuamkeaw
Section Head

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

21760-21/ EMAIL

S:\Reports\LAIL_GL_rpt (4:41PM)

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

21760-21/ EMAIL

S:\Reports\LAIL_GL_rpt (5:50PM)



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :
Project Name :
Project Location :

Sample Number	261103-3
Sampled Date	May 05, 2026 10:38 AM
Sample Description	น้ำเสีย
Location	น้ำหลังออกจากระบบบำบัดน้ำเสีย
Date Analysis Commenced	May 06, 2026
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids Dried from 103-105 degree C	mg/L	-	5	8	≤40	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Sized of Buildings, Type B.

Sampling By : Sithichok Taseeda

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Suwannee Chuamkeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

21760-21/ EMAIL

S:\Reports\AIL_GL_rpt (5:50PM)



TESTING
No.0009

Lot ID: 261103

Date Received : May 06, 2026
Date Reported : May 12, 2026
Report Number : 3568435-1



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :
Project Name :
Project Location :

Sample Number	261104-2
Sampled Date	Jun 02, 2026 2:45 PM
Sample Description	น้ำเสีย
Location	น้ำหลังออกจากระบบบำบัดน้ำเสีย
Date Analysis Commenced	Jun 03, 2026
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Total Coliform	MPN/100mL	-	-	3300.0	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Water Testing							
BOD (5 days at 20 degree C)	mg/L	-	2.0	11.0	≤30	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5210 B, part 4500 - O G	Bangkok
Oil & Grease	mg/L	-	3	<3	≤20	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 5520 B	Bangkok
pH at 25 degree C		-	-	5.2	5.5-9.0	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Settleable Solid *	mL/L/hr	-	0.1	<0.1	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 F	Bangkok
Sulfide *	mg/L	-	0.5	<0.5	≤1	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-S2 (C, F)	Bangkok
Total Dissolved solids Dried at 180 degree C	mg/L	-	5	416	≤1000	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 C	Bangkok
Total Kjeldahl Nitrogen as N *	mg/L	0.15	1.0	5.1	≤35	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-Norg (C)	Bangkok

Approved by

Sithichok Thongnguen
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

21760-21/ EMAIL

S:\Reports\AIL_GL_rpt (2:49PM)



TESTING
No.0009

Lot ID: 261104

Date Received : Jun 03, 2026
Date Reported : Jun 13, 2026
Report Number : 3595365-1



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Project Name :

Project Location :

TESTING

No.0009

Lot ID: 261104

Date Received : Jun 03, 2026

Date Reported : Jun 13, 2026

Report Number : 3595365-1

Page 2 of 2

Sample Number	261104-2
Sampled Date	Jun 02, 2026 2:45 PM
Sample Description	น้ำเสีย
Location	น้ำหลังออกจากชุมชนป่าต๋นน้ำเสีย
Date Analysis Commenced	Jun 03, 2026
Condition of Sample	Contained in one amber glass bottle and five plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Total Suspended Solids Dried from 103-105 degree C	mg/L	-	5	11	≤40	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2540 D	Bangkok

Guideline : Notification of Ministry of Natural Resources and Environment B.E. 2567 on Effluent Control Standard from Types and Sized of Buildings, Type B.

Sampling By : Chaloamkiat Amornsrirern

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Sithichok T.

Sithichok Thongnguen
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

21760-21/ EMAIL

S:\Reports\AIL_GL_rpt (2:49PM)



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Project Name :

Project Location :

Sample Number 261099-1
Sampled Date Jan 07, 2026 10:50 AM
Sample Description สระว่ายน้
Date Analysis Commenced Jan 08, 2026
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	MPN/100mL	-	-	<1.1	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B, E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่น ๆ ในทำนองเดียวกัน

Sampling By : Natthakit Sapankaew

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Sithichok T.

Sithichok Thongnguen
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

21760-21/ EMAIL

S:\Reports\AIL_GL_rpt (5:35PM)



TESTING
No.0009

Lot ID: 261099

Date Received : Jan 08, 2026

Date Reported : Jan 14, 2026

Report Number : 3482609-1

Page 1 of 4



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Project Name :

Project Location :

Sample Number 261100-1
Sampled Date Feb 03, 2026 11:00 AM
Sample Description สระว่ายน้
Date Analysis Commenced Feb 04, 2026
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	MPN/100mL	-	-	<1.1	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่น ๆ ในทำนองเดียวกัน

Sampling By : Natthakit Sapankaew

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Suwannee Chuamkeaw

Suwannee Chuamkeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

21760-21/ EMAIL

S:\Reports\AIL_GL_rpt (6:12PM)



TESTING
No.0009

Lot ID: 261100

Date Received : Feb 04, 2026

Date Reported : Feb 10, 2026

Report Number : 3505661-1

Page 1 of 1



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Project Name :

Project Location :

Sample Number 261101-1
Sampled Date Mar 05, 2026 2:50 PM
Sample Description สระว่ายน้
Date Analysis Commenced Mar 06, 2026
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	MPN/100mL	-	-	<1.1	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ หรือกิจการอื่น ๆ ในทำนองเดียวกัน

Sampling By : Phanudeth Petchaut

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Suwannee Chuamkeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

21760-21/ EMAIL

S:\Reports\AIL_GL\ rpt (6:11PM)



TESTING

No.0009

Lot ID: 261101

Date Received : Mar 06, 2026

Date Reported : Mar 12, 2026

Report Number : 3526240-1

Page 1 of 1



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Project Name :

Project Location :

Sample Number 261102-1
Sampled Date Apr 17, 2026 10:40 AM
Sample Description สระว่ายน้
Date Analysis Commenced Apr 18, 2026
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform *	MPN/100mL	-	-	<1.1	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ หรือกิจการอื่น ๆ ในทำนองเดียวกัน

Sampling By : Sitthichok Taseeda

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Suwannee Chuamkeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

21760-21/ EMAIL

S:\Reports\AIL_GL\ rpt (4:26PM)



TESTING

No.0009

Lot ID: 261102

Date Received : Apr 18, 2026

Date Reported : Apr 24, 2026

Report Number : 3555527-1

Page 1 of 1



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Project Name :

Project Location :

Sample Number 261103-1
Sampled Date May 05, 2026 10:30 AM
Sample Description สระว่ายน้
Date Analysis Commenced May 06, 2026
Condition of Sample Contained in one plastic bottle, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
Fecal Coliform	MPN/100mL	-	-	<1.1	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ หรือกิจการอื่น ๆ ในทำนองเดียวกัน

Sampling By : Sithichok Taseeda

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Suwannee Chuamkeaw
Section Head

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

21760-21/ EMAIL

S:\Reports_LAIL_GL\rpt (5:50PM)



TESTING

No.0009

Lot ID: 261103

Date Received : May 06, 2026

Date Reported : May 12, 2026

Report Number : 3568433-1



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :

Project Name :

Project Location :

Sample Number 261104-3
Sampled Date Jun 02, 2026 2:50 PM
Sample Description สระว่ายน้
Date Analysis Commenced Jun 03, 2026
Condition of Sample Contained in three plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Microbiological Testing							
<i>Escherichia coli</i>	in 100 mL	-	-	Not Detected	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 F	Bangkok
Fecal Coliform	MPN/100mL	-	-	<1.1	Not Detected	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 E	Bangkok
<i>Pseudomonas aeruginosa</i> *	in 100 mL	-	-	Not Detected	Not Detected	In-house method in connection with: - Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9213 E	Bangkok
<i>Staphylococcus aureus</i>	in 100 mL	-	-	Not Detected	Not Detected	In-house method STM No. 01-054 in connection with: - Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9213 B - FDA BAM online, 2016 (Chapter 12)	Bangkok
Total Coliform	MPN/100mL	-	-	<1.1	<10	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 9221 B	Bangkok
Water Testing							
Ammonia Nitrogen *	mg/L	-	0.06	<0.06	≤20	Based on Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500-NH3 (B, F)	Bangkok
Chloride as Cl *	mg/L	0.06	0.2	1873	≤600	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4110 B	Bangkok
Cyanuric acid *	mg/L	2	7	16.0	30-60	Colorimetric Method	Bangkok

Approved by

Sithichok Thongnguen
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197
ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

21760-21/ EMAIL

S:\Reports_LAIL_GL\rpt (2:49PM)



TESTING

No.0009

Lot ID: 261104

Date Received : Jun 03, 2026

Date Reported : Jun 13, 2026

Report Number : 3595366-1



Analysis / Test Report

Client : The Base Height-Chiangmai Juristic Person Condominium
333, Kaew Nawarat Road, Tambon Wat Ket, Amphoe Mueang Chiang Mai, Chiang Mai
Thailand 50000

P/O :
Project Name :
Project Location :

TESTING
No.0009
Lot ID: 261104
Date Received : Jun 03, 2026
Date Reported : Jun 13, 2026
Report Number : 3595366-1

Page 2 of 2

Sample Number	261104-3
Sampled Date	Jun 02, 2026 2:50 PM
Sample Description	สระว่ายน้ำ
Date Analysis Commenced	Jun 03, 2026
Condition of Sample	Contained in three plastic bottles, sample containers comply to pretreatment - preservation standards (APHA, USEPA)

Analyte	Unit	LOD	LOQ (LOR)	Result	Guideline / Specification	Method	Testing Location
Water Testing							
Nitrate as N *	mg/L	0.06	0.2	1.3	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4110 B	Bangkok
pH at 25 degree C *		-	-	5.4	7.2-8.4	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 4500 - H (B)	Bangkok
Total Hardness as CaCO3 *	mg/L	-	1	156	No Standard	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24th ed., 2023, part 2340 C	Bangkok

Guideline : คำแนะนำของคณะกรรมการสาธารณสุข ฉบับที่ 1/2550 เรื่อง การควบคุมการประกอบกิจการสระว่ายน้ำ หรือกิจการอื่น ๆ ในทำนองเดียวกัน

Sampling By : Chaloomkiat Amornriserm

Remark :

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked * is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

Sithichok T.

Sithichok Thongnguen
Scientist (3)

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.

ADDRESS 104 Phatthanakan 40, Phatthanakan Rd., Khwaeng Phatthanakan, Khet Suan Luang, Bangkok 10250 Thailand | PHONE +66 0 2760 3000 | FAX +66 0 2760 3197

ALS LABORATORY GROUP (THAILAND) CO., LTD. An ALS Limited Company

Life Sciences

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

21760-21/ EMAIL

S:\Reports\AIL_GL_rpt (2:49PM)