ภาคผนวก ง

ผลการติดตามตรวจสอบคุณภาพสิ่งแวดล้อม

- คุณภาพน้ำทิ้ง
- คุณภาพน้ำสระว่ายน้ำ ชั้น 1
- คุณภาพน้ำสระว่ายน้ำ ชั้น 21
- คุณภาพน้ำประปา
- คุณภาพถังน้ำใช้



คุณภาพน้ำทิ้ง



TNP ENVIRONMENT CO.,LTD.
เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273
E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่

NSC-TISI-TIS 17025
Testing 1679

ANALYSIS REPORT

Data Provided by Customer			Data Provided by Laboratory		
Customer Name	:	นิติบุคคลอาคารชุด เดอะ ริเวียร่า โมนาโค	Report No.	:	W69038
Project Name	:	โครงการ The Riviera Monaco	Sample No.	:	W69038/1
Address Project	:	เลขที่ 359 หมู่ที่ 1 ตำบลนาจอมเทียน อำเภอสัตหีบ จังหวัดชลบุรี 20250	Sample Type	:	Wastewater
			Sampling Date	:	21 January 2026
Sampling Point	:	น้ำก่อนเข้าระบบบำบัดน้ำเสีย	Sampling Time	:	02.31 p.m.
GPS. Coordinate	:	47 P 706145 E 1422325 N	Received Date	:	22 January 2026
Sampling By	:	TNP ENVIRONMENT CO., LTD.	Analytical Date	:	22 January – 02 February 2026
Sampling Method	:	Grab Sampling	Report Date	:	03 February 2026

Parameter	Unit	Analytical Method [1/]	Result
pH at 24.5 °C	-	Electrometric Method (4500-H^+ B)	7.2
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	195
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	420
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	84.0
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	4.2
Sulfide *	mg/L	Iodometric Method (4500-S^{2-} F)	1.22
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	7.0
Total Kjeldahl Nitrogen *, [3/]	mg/L	APHA:4500-Norg (B) [2/]	89
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	> 160,000
Sample Appearance		Yellow/Turbid/Sediment/Smelly	

Remark

[1/] Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

[2/] Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

[3/] Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

[redacted]

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORTED RESULTS REFERS TO SUBMITTED SAMPLE(S) ONLY

TNP ENVIRONMENT CO.,LTD.
เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273
E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่

NSC-TISI-TIS 17025
Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name	:	นิติบุคคลอาคารชุด เดอะ ริเวียร่า โมนาโค
Project Name	:	โครงการ The Riviera Monaco
Address Project	:	เลขที่ 359 หมู่ที่ 1 ตำบลนาจอมเทียน อำเภอสัตหีบ จังหวัดชลบุรี 20250
Sampling Point	:	น้ำหลังออกจากระบบบำบัดน้ำเสีย
GPS. Coordinate	:	47 P 706166 E 1422335 N
Sampling By	:	TNP ENVIRONMENT CO., LTD.
Sampling Method	:	Grab Sampling

Data Provided by Laboratory

Customer Code	:	W69038
Sample No	:	W69038/2
Sample Type	:	Wastewater
Sampling Date	:	21 January 2026
Sampling Time	:	02.35 p.m.
Received Date	:	22 January 2026
Analytical Date	:	22 January – 02 February 2026
Report Date	:	03 February 2026

Parameter	Unit	Analytical Method [1/]	Result	Standard
pH at 25.4 °C	-	Electrometric Method (4500-H^+ B)	7.6	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	19.2	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	377	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	26.8	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	2.1	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S^{2-} F)	0.61	≤ 1.0
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	< 0.1	-
Total Kjeldahl Nitrogen *, [3/]	mg/L	APHA:4500-Norg (B) [2/]	65	≤ 35
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	> 160,000	-
Sample Appearance		Yellow/Turbid/Little Sediment/Smelly		

Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type B.

Remark
1/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
2/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.
3/ Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.
* This item is out the scope ISO/IEC 17025:2017 Accreditation.



TNP ENVIRONMENT CO.,LTD.
เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273
E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่

NSC-TISI-TIS 17025
Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name	:	นิติบุคคลอาคารชุด เดอะ ริเวียร่า โมนาโค
Project Name	:	โครงการ The Riviera Monaco
Address Project	:	เลขที่ 359 หมู่ที่ 1 ตำบลนาจอมเทียน อำเภอสัตหีบ จังหวัดชลบุรี 20250
Sampling Point	:	น้ำก่อนเข้าระบบบำบัดน้ำเสีย
GPS. Coordinate	:	47 P 706151 E 1422307 N
Sampling By	:	TNP ENVIRONMENT CO., LTD.
Sampling Method	:	Grab Sampling

Data Provided by Laboratory

Report No.	:	W69038
Sample No.	:	W69038/1
Sample Type	:	Wastewater
Sampling Date	:	04 February 2026
Sampling Time	:	11.32 a.m.
Received Date	:	05 February 2026
Analytical Date	:	05 – 24 February 2026
Report Date	:	25 February 2026

Parameter	Unit	Analytical Method [1/]	Result
pH at 25.4 °C	-	Electrometric Method (4500-H^+ B)	7.3
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	72.6
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	412
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	88.2
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	4.4
Sulfide *	mg/L	Iodometric Method (4500-S^{2-} F)	0.90
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	16
Total Kjeldahl Nitrogen *, [3/]	mg/L	APHA:4500-Norg (B) [2/]	120
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	> 160,000
Sample Appearance		Yellow/Turbid/Sediment/Smelly	

Remark

1/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

2/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

3/ Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

[redacted]

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORTED RESULTS REFERS TO SUBMITTED SAMPLE(S) ONLY

TNP ENVIRONMENT CO.,LTD.
เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273
E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่

NSC-TISI-TIS 17025
Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name	:	นิติบุคคลอาคารชุด เดอะ ริเวียร่า โมนาโค
Project Name	:	โครงการ The Riviera Monaco
Address Project	:	เลขที่ 359 หมู่ที่ 1 ตำบลนาจอมเทียน อำเภอสัตหีบ จังหวัดชลบุรี 20250
Sampling Point	:	น้ำหลังออกจากระบบบำบัดน้ำเสีย
GPS. Coordinate	:	47 P 706157 E 1422328 N
Sampling By	:	TNP ENVIRONMENT CO., LTD.
Sampling Method	:	Grab Sampling

Data Provided by Laboratory

Customer Code	:	W69038
Sample No	:	W69038/2
Sample Type	:	Wastewater
Sampling Date	:	04 February 2026
Sampling Time	:	11.38 a.m.
Received Date	:	05 February 2026
Analytical Date	:	05 – 24 February 2026
Report Date	:	25 February 2026

Parameter	Unit	Analytical Method [1/]	Result	Standard
pH at 25.3 °C	-	Electrometric Method (4500-H^+ B)	7.8	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	19.6	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	418	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	21.1	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S^{2-} F)	< 0.60	≤ 1.0
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	< 0.1	-
Total Kjeldahl Nitrogen *, [3/]	mg/L	APHA:4500-Norg (B) [2/]	91	≤ 35
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	> 160,000	-
Sample Appearance		Yellow/Turbid/Little Sediment/Smelly		

Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type B.

Remark
1/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
2/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.
3/ Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.
* This item is out the scope ISO/IEC 17025:2017 Accreditation.

[redacted]

DO NOT COPY PARTIAL
REPORTED RESULTS REFERS TO SUBMITTED SAMPLE(S) ONLY

TNP ENVIRONMENT CO.,LTD.

เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273

E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่

NSC-TISI-TIS 17025

Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name	:	นิติบุคคลอาคารชุด เดอะ ริเวียร่า โมนาโค
Project Name	:	โครงการ The Riviera Monaco
Address Project	:	เลขที่ 359 หมู่ที่ 1 ตำบลนาจอมเทียน อำเภอสัตหีบ จังหวัดชลบุรี 20250
Sampling Point	:	น้ำก่อนเข้าระบบบำบัดน้ำเสีย
GPS. Coordinate	:	47 P 706173 E 1422312 N
Sampling By	:	TNP ENVIRONMENT CO., LTD.
Sampling Method	:	Grab Sampling

Data Provided by Laboratory

Report No.	:	W69038
Sample No.	:	W69038/1
Sample Type	:	Wastewater
Sampling Date	:	04 March 2026
Sampling Time	:	01.45 p.m.
Received Date	:	05 March 2026
Analytical Date	:	05 – 24 March 2026
Report Date	:	25 March 2026

Parameter	Unit	Analytical Method [1/]	Result
pH at 25.0 °C	-	Electrometric Method (4500-H^+ B)	6.7
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	94.7
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	430
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	263
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0
Sulfide *	mg/L	Iodometric Method (4500-S^{2-} F)	6.50
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	70
Total Kjeldahl Nitrogen *, [3/]	mg/L	APHA:4500-Norg (B) [2/]	126
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	> 160,000
Sample Appearance		Yellow/Turbid/Sediment/Smelly	

Remark

1/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

2/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

3/ Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

[redacted]

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORTED RESULTS REFERS TO SUBMITTED SAMPLE(S) ONLY

TNP ENVIRONMENT CO.,LTD.
เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273
E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่

NSC-TISI-TIS 17025
Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name	:	นิติบุคคลอาคารชุด เดอะ ริเวียร่า โมนาโค
Project Name	:	โครงการ The Riviera Monaco
Address Project	:	เลขที่ 359 หมู่ที่ 1 ตำบลนาจอมเทียน อำเภอสัตหีบ จังหวัดชลบุรี 20250
Sampling Point	:	น้ำหลังออกจากระบบบำบัดน้ำเสีย
GPS. Coordinate	:	47 P 706147 E 1422335 N
Sampling By	:	TNP ENVIRONMENT CO., LTD.
Sampling Method	:	Grab Sampling

Data Provided by Laboratory

Customer Code	:	W69038
Sample No	:	W69038/2
Sample Type	:	Wastewater
Sampling Date	:	04 March 2026
Sampling Time	:	01.50 p.m.
Received Date	:	05 March 2026
Analytical Date	:	05 – 24 March 2026
Report Date	:	25 March 2026

Parameter	Unit	Analytical Method [1/]	Result	Standard
pH at 25.1 °C	-	Electrometric Method (4500-H^+ B)	7.6	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	17.3	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	392	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	38.1	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S^{2-} F)	1.12	≤ 1.0
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	0.1	-
Total Kjeldahl Nitrogen *, [3/]	mg/L	APHA:4500-Norg (B) [2/]	68	≤ 35
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	> 160,000	-
Sample Appearance		Yellow/Turbid/Sediment/Smelly		

Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type B.

Remark
1/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
2/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.
3/ Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.
* This item is out the scope ISO/IEC 17025:2017 Accreditation.

[redacted]

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORTED RESULTS REFERS TO SUBMITTED SAMPLE(S) ONLY

TNP ENVIRONMENT CO.,LTD.

เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273

E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่

NSC-TISI-TIS 17025

Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name	:	นิติบุคคลอาคารชุด เดอะ ริเวียร่า โมนาโค
Project Name	:	โครงการ The Riviera Monaco
Address Project	:	เลขที่ 359 หมู่ที่ 1 ตำบลนาจอมเทียน อำเภอสัตหีบ จังหวัดชลบุรี 20250
Sampling Point	:	น้ำก่อนเข้าระบบบำบัดน้ำเสีย
GPS. Coordinate	:	47 P 706145 E 1422321 N
Sampling By	:	TNP ENVIRONMENT CO., LTD.
Sampling Method	:	Grab Sampling

Data Provided by Laboratory

Report No.	:	W69038
Sample No.	:	W69038/1
Sample Type	:	Wastewater
Sampling Date	:	02 April 2026
Sampling Time	:	01.54 p.m.
Received Date	:	03 April 2026
Analytical Date	:	03 - 24 April 2026
Report Date	:	27 April 2026

Parameter	Unit	Analytical Method [1/]	Result
pH at 24.2 °C	-	Electrometric Method (4500-H^+ B)	7.2
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	64.5
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	400
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	133
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0
Sulfide *	mg/L	Iodometric Method (4500-S^{2-} F)	1.91
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	1.0
Total Kjeldahl Nitrogen *, [3/]	mg/L	APHA:4500-Norg (B) [2/]	66
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	> 160,000
Sample Appearance		Brown/Turbid/Sediment/Smelly	

Remark

1/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

2/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

3/ Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

[redacted]

TNP ENVIRONMENT CO.,LTD.

เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273

E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่

NSC-TISI-TIS 17025
Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name	:	นิติบุคคลอาคารชุด เดอะ ริเวียร่า โมนาโค
Project Name	:	โครงการ The Riviera Monaco
Address Project	:	เลขที่ 359 หมู่ที่ 1 ตำบลนาจอมเทียน อำเภอสัตหีบ จังหวัดชลบุรี 20250
Sampling Point	:	น้ำหลังออกจากระบบบำบัดน้ำเสีย
GPS. Coordinate	:	47 P 706152 E 1422332 N
Sampling By	:	TNP ENVIRONMENT CO., LTD.
Sampling Method	:	Grab Sampling

Data Provided by Laboratory

Customer Code	:	W69038
Sample No	:	W69038/2
Sample Type	:	Wastewater
Sampling Date	:	02 April 2026
Sampling Time	:	01.59 p.m.
Received Date	:	03 April 2026
Analytical Date	:	03 - 24 April 2026
Report Date	:	27 April 2026

Parameter	Unit	Analytical Method [1/]	Result	Standard
pH at 24.0 °C	-	Electrometric Method (4500-H^+ B)	7.5	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	15.4	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	402	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	92.1	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S^{2-} F)	0.90	≤ 1.0
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	< 0.1	-
Total Kjeldahl Nitrogen *, [3/]	mg/L	APHA:4500-Norg (B) [2/]	67	≤ 35
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	> 160,000	-
Sample Appearance		Yellow/Turbid/Sediment/Smelly		

Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type B.

Remark
1/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
2/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.
3/ Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.
* This item is out the scope ISO/IEC 17025:2017 Accreditation.

[redacted]

TNP ENVIRONMENT CO.,LTD.
เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273
E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่

NSC-TISI-TIS 17025
Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name	:	นิติบุคคลอาคารชุด เดอะ ริเวียร่า โมนาโค
Project Name	:	โครงการ The Riviera Monaco
Address Project	:	เลขที่ 359 หมู่ที่ 1 ตำบลนาจอมเทียน อำเภอสัตหีบ จังหวัดชลบุรี 20250
Sampling Point	:	น้ำก่อนเข้าระบบบำบัดน้ำเสีย
GPS. Coordinate	:	47 P 706152 E 1422324 N
Sampling By	:	TNP ENVIRONMENT CO., LTD.
Sampling Method	:	Grab Sampling

Data Provided by Laboratory

Report No.	:	W69038
Sample No.	:	W69038/1
Sample Type	:	Wastewater
Sampling Date	:	08 May 2026
Sampling Time	:	09.03 a.m.
Received Date	:	09 May 2026
Analytical Date	:	09 - 21 May 2026
Report Date	:	22 May 2026

Parameter	Unit	Analytical Method [1/]	Result
pH at 24.6 °C	-	Electrometric Method (4500-H^+ B)	7.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	94.6
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	402
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	165
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	2.4
Sulfide *	mg/L	Iodometric Method (4500-S^{2-} F)	4.03
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	3.0
Total Kjeldahl Nitrogen *, [3/]	mg/L	APHA:4500-Norg (B) [2/]	69
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	> 160,000
Sample Appearance		Yellow/Turbid/Sediment/Smelly	


Remark

1/ *Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.*

2/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

3/ Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORTED RESULTS REFERS TO SUBMITTED SAMPLE(S) ONLY

TNP ENVIRONMENT CO.,LTD.
เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273
E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่

NSC-TISI-TIS 17025
Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name	:	นิติบุคคลอาคารชุด เดอะ ริเวียร่า โมนาโค
Project Name	:	โครงการ The Riviera Monaco
Address Project	:	เลขที่ 359 หมู่ที่ 1 ตำบลนาจอมเทียน อำเภอสัตหีบ จังหวัดชลบุรี 20250
Sampling Point	:	น้ำหลังออกจากระบบบำบัดน้ำเสีย
GPS. Coordinate	:	47 P 706143 E 1422336 N
Sampling By	:	TNP ENVIRONMENT CO., LTD.
Sampling Method	:	Grab Sampling


Data Provided by Laboratory

Customer Code	:	W69038
Sample No	:	W69038/2
Sample Type	:	Wastewater
Sampling Date	:	08 May 2026
Sampling Time	:	09.01 a.m.
Received Date	:	09 May 2026
Analytical Date	:	09 - 21 May 2026
Report Date	:	22 May 2026

Parameter	Unit	Analytical Method [1/]	Result	Standard
pH at 24.8 °C	-	Electrometric Method (4500-H^+ B)	7.3	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	12.7	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	394	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	51.0	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	2.2	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S^{2-} F)	1.51	≤ 1.0
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	< 0.1	-
Total Kjeldahl Nitrogen *, [3/]	mg/L	APHA:4500-Norg (B) [2/]	59	≤ 35
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	160,000	-
Sample Appearance		Yellow/Turbid/Sediment/Smelly		

Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type B.

Remark
1/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
2/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.
3/ Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.
* This item is out the scope ISO/IEC 17025:2017 Accreditation.



DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORTED RESULTS REFERS TO SUBMITTED SAMPLE(S) ONLY

TNP ENVIRONMENT CO.,LTD.
เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273
E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่

NSC-TISI-TIS 17025
Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name	:	นิติบุคคลอาคารชุด เดอะ ริเวียร่า โมนาโค
Project Name	:	โครงการ The Riviera Monaco
Address Project	:	เลขที่ 359 หมู่ที่ 1 ตำบลนาจอมเทียน อำเภอสัตหีบ จังหวัดชลบุรี 20250
Sampling Point	:	น้ำก่อนเข้าระบบบำบัดน้ำเสีย
GPS. Coordinate	:	47 P 706152 E 1422320 N
Sampling By	:	TNP ENVIRONMENT CO., LTD.
Sampling Method	:	Grab Sampling

Data Provided by Laboratory

Report No.	:	W69038
Sample No.	:	W69038/1
Sample Type	:	Wastewater
Sampling Date	:	02 June 2026
Sampling Time	:	01.27 p.m.
Received Date	:	04 June 2026
Analytical Date	:	04 – 19 June 2026
Report Date	:	22 June 2026

Parameter	Unit	Analytical Method [1/]	Result
pH at 25.0 °C	-	Electrometric Method (4500-H^+ B)	7.2
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	49.0
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	379
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	53.7
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	4.6
Sulfide *	mg/L	Iodometric Method (4500-S^{2-} F)	1.83
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	0.8
Total Kjeldahl Nitrogen *, [3/]	mg/L	APHA:4500-Norg (B) [2/]	71
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	> 160,000
Sample Appearance		Yellow/Turbid/Sediment/Smelly	

Remark

1/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

2/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

3/ Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

[redacted]

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORTED RESULTS REFERS TO SUBMITTED SAMPLE(S) ONLY

TNP ENVIRONMENT CO.,LTD.
เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273
E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่

NSC-TISI-TIS 17025
Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name	:	นิติบุคคลอาคารชุด เดอะ ริเวียร่า โมนาโค
Project Name	:	โครงการ The Riviera Monaco
Address Project	:	เลขที่ 359 หมู่ที่ 1 ตำบลนาจอมเทียน อำเภอสัตหีบ จังหวัดชลบุรี 20250
Sampling Point	:	น้ำหลังออกจากระบบบำบัดน้ำเสีย
GPS. Coordinate	:	47 P 706167 E 1422329 N
Sampling By	:	TNP ENVIRONMENT CO., LTD.
Sampling Method	:	Grab Sampling

Data Provided by Laboratory

Customer Code	:	W69038
Sample No	:	W69038/2
Sample Type	:	Wastewater
Sampling Date	:	02 June 2026
Sampling Time	:	01.32 p.m.
Received Date	:	04 June 2026
Analytical Date	:	04 – 19 June 2026
Report Date	:	22 June 2026

Parameter	Unit	Analytical Method [1/]	Result	Standard
pH at 24.9 °C	-	Electrometric Method (4500-H^+ B)	7.4	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	8.3	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	381	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	14.2	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S^{2-} F)	< 0.60	≤ 1.0
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	< 0.1	-
Total Kjeldahl Nitrogen *, [3/]	mg/L	APHA:4500-Norg (B) [2/]	41	≤ 35
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	92,000	-
Sample Appearance		Yellow/Clear/Little Sediment/Odorless		

Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type B.

Remark
1/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
2/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.
3/ Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.
* This item is out the scope ISO/IEC 17025:2017 Accreditation.

[redacted]

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORTED RESULTS REFERS TO SUBMITTED SAMPLE(S) ONLY

คุณภาพน้ำสระว่ายน้ำ ชั้น 1



TNP ENVIRONMENT CO.,LTD.

เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273

E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่

NSC-TISI-TIS 17025

Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name	:	นิติบุคคลอาคารชุด เดอะ ริเวียร่า โมนาโค
Project Name	:	โครงการ The Riviera Monaco
Address Project	:	เลขที่ 359 หมู่ที่ 1 ตำบลนาจอมเทียน อำเภอสัตหีบ จังหวัดชลบุรี 20250
Sampling Point	:	สระว่ายน้ำ ชั้นที่ 1 (ส่วนลึก)
GPS. Coordinate	:	47 P 706113 E 1422287 N
Sampling By	:	TNP ENVIRONMENT CO., LTD.
Sampling Method	:	Grab Sampling

Data Provided by Laboratory

Customer Code	:	W69038
Sample No	:	W69038/4
Sample Type	:	Swimming pool Water
Sampling Date	:	21 January 2026
Sampling Time	:	02.27 p.m.
Received Date	:	22 January 2026
Analytical Date	:	22 January – 06 February 2026
Report Date	:	09 February 2026

Parameter	Unit	Analytical Method [1/]	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark [1/] Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

[redacted]

TNP ENVIRONMENT CO.,LTD.

เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273

E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่

NSC-TISI-TIS 17025

Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name	:	นิติบุคคลอาคารชุด เดอะ ริเวียร่า โมนาโค
Project Name	:	โครงการ The Riviera Monaco
Address Project	:	เลขที่ 359 หมู่ที่ 1 ตำบลนาจอมเทียน อำเภอสัตหีบ จังหวัดชลบุรี 20250
Sampling Point	:	สระว่ายน้ำ ชั้นที่ 1 (ส่วนตื้น)
GPS. Coordinate	:	47 P 706101 E 1422308 N
Sampling By	:	TNP ENVIRONMENT CO., LTD.
Sampling Method	:	Grab Sampling

Data Provided by Laboratory

Customer Code	:	W69038
Sample No	:	W69038/5
Sample Type	:	Swimming pool Water
Sampling Date	:	21 January 2026
Sampling Time	:	02.28 p.m.
Received Date	:	22 January 2026
Analytical Date	:	22 January – 06 February 2026
Report Date	:	09 February 2026

Parameter	Unit	Analytical Method [1/]	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark [1/] Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

[redacted]

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORTED RESULTS REFERS TO SUBMITTED SAMPLE(S) ONLY

TNP ENVIRONMENT CO.,LTD.
เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273
E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่

NSC-TISI-TIS 17025
Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name	:	นิติบุคคลอาคารชุด เดอะ ริเวียร่า โมนาโค
Project Name	:	โครงการ The Riviera Monaco
Address Project	:	เลขที่ 359 หมู่ที่ 1 ตำบลนาจอมเทียน อำเภอสัตหีบ จังหวัดชลบุรี 20250
Sampling Point	:	สระว่ายน้ำ ชั้นที่ 1 (ส่วนตื้น)
GPS. Coordinate	:	47 P 706100 E 1422307 N
Sampling By	:	TNP ENVIRONMENT CO., LTD.
Sampling Method	:	Grab Sampling

Data Provided by Laboratory

Customer Code	:	W69038
Sample No	:	W69038/4
Sample Type	:	Swimming pool Water
Sampling Date	:	04 February 2026
Sampling Time	:	11.22 a.m.
Received Date	:	05 February 2026
Analytical Date	:	05 – 24 February 2026
Report Date	:	25 February 2026

Parameter	Unit	Analytical Method 1/	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark 1/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

[redacted]

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORTED RESULTS REFERS TO SUBMITTED SAMPLE(S) ONLY

TNP ENVIRONMENT CO.,LTD.
เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273
E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่

NSC-TISI-TIS 17025
Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name	:	นิติบุคคลอาคารชุด เดอะ ริเวียร่า โมนาโค
Project Name	:	โครงการ The Riviera Monaco
Address Project	:	เลขที่ 359 หมู่ที่ 1 ตำบลนาจอมเทียน อำเภอสัตหีบ จังหวัดชลบุรี 20250
Sampling Point	:	สระว่ายน้ำชั้นที่ 21 (ส่วนลึก)
GPS. Coordinate	:	47 P 706137 E 1422311 N
Sampling By	:	TNP ENVIRONMENT CO., LTD.
Sampling Method	:	Grab Sampling

Data Provided by Laboratory

Customer Code	:	W69038
Sample No	:	W69038/5
Sample Type	:	Swimming pool Water
Sampling Date	:	04 February 2026
Sampling Time	:	11.26 a.m.
Received Date	:	05 February 2026
Analytical Date	:	05 – 24 February 2026
Report Date	:	25 February 2026

Parameter	Unit	Analytical Method [1/]	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Total Coliform Bacteria		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark [1/] Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

[redacted]

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORTED RESULTS REFERS TO SUBMITTED SAMPLE(S) ONLY

TNP ENVIRONMENT CO.,LTD.

เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273

E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่

NSC-TISI-TIS 17025

Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name	:	นิติบุคคลอาคารชุด เดอะ ริเวียร่า โมนาโค
Project Name	:	โครงการ The Riviera Monaco
Address Project	:	เลขที่ 359 หมู่ที่ 1 ตำบลนาจอมเทียน อำเภอสัตหีบ จังหวัดชลบุรี 20250
Sampling Point	:	สระว่ายน้ำ ชั้นที่ 1 (ส่วนลึก)
GPS. Coordinate	:	47 P 706097 E 1422308 N
Sampling By	:	TNP ENVIRONMENT CO., LTD.
Sampling Method	:	Grab Sampling

Data Provided by Laboratory

Customer Code	:	W69038
Sample No	:	W69038/4
Sample Type	:	Swimming pool Water
Sampling Date	:	04 March 2026
Sampling Time	:	02.04 p.m.
Received Date	:	05 March 2026
Analytical Date	:	05 – 24 March 2026
Report Date	:	25 March 2026

Parameter	Unit	Analytical Method [1/]	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark [1/] Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

[redacted]

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORTED RESULTS REFERS TO SUBMITTED SAMPLE(S) ONLY

TNP ENVIRONMENT CO.,LTD.

เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273

E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่

NSC-TISI-TIS 17025

Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name	:	นิติบุคคลอาคารชุด เดอะ ริเวียร่า โมนาโค
Project Name	:	โครงการ The Riviera Monaco
Address Project	:	เลขที่ 359 หมู่ที่ 1 ตำบลนาจอมเทียน อำเภอสัตหีบ จังหวัดชลบุรี 20250
Sampling Point	:	สระว่ายน้ำ ชั้นที่ 1 (ส่วนตื้น)
GPS. Coordinate	:	47 P 706111 E 1422319 N
Sampling By	:	TNP ENVIRONMENT CO., LTD.
Sampling Method	:	Grab Sampling

Data Provided by Laboratory

Customer Code	:	W69038
Sample No	:	W69038/5
Sample Type	:	Swimming pool Water
Sampling Date	:	04 March 2026
Sampling Time	:	02.03 p.m.
Received Date	:	05 March 2026
Analytical Date	:	05 – 24 March 2026
Report Date	:	25 March 2026

Parameter	Unit	Analytical Method 1/	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark 1/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

[redacted]

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORTED RESULTS REFERS TO SUBMITTED SAMPLE(S) ONLY

TNP ENVIRONMENT CO.,LTD.

เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273

E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่

NSC-TISI-TIS 17025

Testing 1679

ANALYSIS REPORT

Data Provided by Customer			Data Provided by Laboratory		
Customer Name	:	นิติบุคคลอาคารชุด เดอะ ริเวียร่า โมนาโค	Customer Code	:	W69038
Project Name	:	โครงการ The Riviera Monaco	Sample No	:	W69038/4
Address Project	:	เลขที่ 359 หมู่ที่ 1 ตำบลนาจอมเทียน อำเภอสัตหีบ จังหวัดชลบุรี 20250	Sample Type	:	Swimming pool Water
			Sampling Date	:	02 April 2026
Sampling Point	:	สระว่ายน้ำ ชั้นที่ 1 (ส่วนลึก)	Sampling Time	:	01.45 p.m.
GPS. Coordinate	:	47 P 706097 E 1422304 N	Received Date	:	03 April 2026
Sampling By	:	TNP ENVIRONMENT CO., LTD.	Analytical Date	:	03 - 20 April 2026
Sampling Method	:	Grab Sampling	Report Date	:	21 April 2026

Parameter	Unit	Analytical Method [1/]	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark [1/] Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

[redacted]

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORTED RESULTS REFERS TO SUBMITTED SAMPLE(S) ONLY

TNP ENVIRONMENT CO.,LTD.

เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273

E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่

NSC-TISI-TIS 17025

Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name	:	นิติบุคคลอาคารชุด เดอะ ริเวียร่า โมนาโค
Project Name	:	โครงการ The Riviera Monaco
Address Project	:	เลขที่ 359 หมู่ที่ 1 ตำบลนาจอมเทียน อำเภอสัตหีบ จังหวัดชลบุรี 20250
Sampling Point	:	สระว่ายน้ำ ชั้นที่ 1 (ส่วนตื้น)
GPS. Coordinate	:	47 P 706103 E 1422306 N
Sampling By	:	TNP ENVIRONMENT CO., LTD.
Sampling Method	:	Grab Sampling

Data Provided by Laboratory

Customer Code	:	W69038
Sample No	:	W69038/5
Sample Type	:	Swimming pool Water
Sampling Date	:	02 April 2026
Sampling Time	:	01.45 p.m.
Received Date	:	03 April 2026
Analytical Date	:	03 - 20 April 2026
Report Date	:	21 April 2026

Parameter	Unit	Analytical Method 1/	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark 1/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

[redacted]

TNP ENVIRONMENT CO.,LTD.
เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273
E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่

NSC-TISI-TIS 17025
Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name	:	นิติบุคคลอาคารชุด เดอะ ริเวียร่า โมนาโค
Project Name	:	โครงการ The Riviera Monaco
Address Project	:	เลขที่ 359 หมู่ที่ 1 ตำบลนาจอมเทียน อำเภอสัตหีบ จังหวัดชลบุรี 20250
Sampling Point	:	สระว่ายน้ำ ชั้นที่ 1 (ส่วนลึก)
GPS. Coordinate	:	47 P 706114 E 1422326N
Sampling By	:	TNP ENVIRONMENT CO., LTD.
Sampling Method	:	Grab Sampling

Data Provided by Laboratory

Customer Code	:	W69038
Sample No	:	W69038/4
Sample Type	:	Swimming pool Water
Sampling Date	:	08 May 2026
Sampling Time	:	09.55 a.m.
Received Date	:	09 May 2026
Analytical Date	:	09 - 21 May 2026
Report Date	:	22 May 2026

Parameter	Unit	Analytical Method 1/	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark 1/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

[redacted]

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORTED RESULTS REFERS TO SUBMITTED SAMPLE(S) ONLY

TNP ENVIRONMENT CO.,LTD.
เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273
E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่

NSC-TISI-TIS 17025
Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name	:	นิติบุคคลอาคารชุด เดอะ ริเวียร่า โมนาโค
Project Name	:	โครงการ The Riviera Monaco
Address Project	:	เลขที่ 359 หมู่ที่ 1 ตำบลนาจอมเทียน อำเภอสัตหีบ จังหวัดชลบุรี 20250
Sampling Point	:	สระว่ายน้ำ ชั้นที่ 1 (ส่วนตื้น)
GPS. Coordinate	:	47 P 706107 E 1422328 N
Sampling By	:	TNP ENVIRONMENT CO., LTD.
Sampling Method	:	Grab Sampling

Data Provided by Laboratory

Customer Code	:	W69038
Sample No	:	W69038/5
Sample Type	:	Swimming pool Water
Sampling Date	:	08 May 2026
Sampling Time	:	09.55 a.m.
Received Date	:	09 May 2026
Analytical Date	:	09 - 21 May 2026
Report Date	:	22 May 2026

Parameter	Unit	Analytical Method [1/]	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark [1/] Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

[redacted]

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORTED RESULTS REFERS TO SUBMITTED SAMPLE(S) ONLY

TNP ENVIRONMENT CO.,LTD.

เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273

E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่

NSC-TISI-TIS 17025

Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name	:	นิติบุคคลอาคารชุด เดอะ ริเวียร่า โมนาโค
Project Name	:	โครงการ The Riviera Monaco
Address Project	:	เลขที่ 359 หมู่ที่ 1 ตำบลนาจอมเทียน อำเภอสัตหีบ จังหวัดชลบุรี 20250
Sampling Point	:	สระว่ายน้ำชั้นที่ 21 (ส่วนตื้น)
GPS. Coordinate	:	47 P 706121 E 1422311 N
Sampling By	:	TNP ENVIRONMENT CO., LTD.
Sampling Method	:	Grab Sampling

Data Provided by Laboratory

Customer Code	:	W69038
Sample No	:	W69038/7
Sample Type	:	Swimming pool Water
Sampling Date	:	04 March 2026
Sampling Time	:	01.59 p.m.
Received Date	:	05 March 2026
Analytical Date	:	05 – 24 March 2026
Report Date	:	25 March 2026

Parameter	Unit	Analytical Method 1/	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark 1/ Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

[redacted]

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL

REPORTED RESULTS REFERS TO SUBMITTED SAMPLE(S) ONLY