

ภาคผนวก ง

ผลการติดตามตรวจสอบคุณภาพสิ่งแวดล้อม



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : บริเวณบ่อกักน้ำก่อนระบายออกจากโครงการ
ลงสู่ท่อระบายน้ำสาธารณะริมถนนรามคำแหง
GPS. Coordinate : 47 P 673323 E 1519935 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69056
Sample No. : W69056/1
Sample Type : Wastewater
Sampling Date : 12 January 2026
Sampling Time : 11.22 a.m.
Received Date : 13 January 2026
Analytical : 13 – 26 January 2026
Report Date : 27 January 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.3 °C	-	Electrometric Method (4500-H ⁺ B)	7.4	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	69.4	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	368	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	14.7	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Total Kjeldahl Nitrogen *, 3/	mg/L	APHA:4500-Norg (B) 2/	76	≤ 35
Sample Appearance		Yellow/Turbid/Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024), Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.





TNP ENVIRONMENT CO.,LTD.

เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273

E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่



NSC-TISI-TIS 17025

Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : ภายในพื้นที่โครงการ
GPS. Coordinate : 47 P 673348 E 1519885 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling


Data Provided by Laboratory

Customer Code : W69056
Sample No : W69056/2
Sample Type : Water Supply
Sampling Date : 12 January 2026
Sampling Time : 11.14 a.m.
Received Date : 13 January 2026
Analytical Date : 13 - 26 January 2026
Report Date : 27 January 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	141	≤ 500
Sample Appearance		Clear/Odorless		

Standard : The Department of Health, Criterias of Supplied Drinkable Water Quality, B.E. 2563

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : สระว่ายน้ำส่วนลึก
GPS. Coordinate : 47 P 673316 E 1519914 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69056
Sample No : W69056/3
Sample Type : Swimming pool Water
Sampling Date : 12 January 2026
Sampling Time : 11.12 a.m.
Received Date : 13 January 2026
Analytical Date : 13 – 26 January 2026
Report Date : 27 January 2026


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : สระว่ายน้ำส่วนต้น
GPS. Coordinate : 47 P 673345 E 1519907 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69056
Sample No : W69056/4
Sample Type : Swimming pool Water
Sampling Date : 12 January 2026
Sampling Time : 11.11 a.m.
Received Date : 13 January 2026
Analytical Date : 13 – 26 January 2026
Report Date : 27 January 2026


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, 2/	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, 2/	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : บริเวณบ่อกักน้ำก่อนระบายออกจากโครงการ
ลงสู่ท่อระบายน้ำสาธารณะริมถนนรามคำแหง
GPS. Coordinate : 47 P 673320 E 1519933 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69056
Sample No. : W69056/1
Sample Type : Wastewater
Sampling Date : 23 February 2026
Sampling Time : 02.40 p.m.
Received Date : 24 February 2026
Analytical : 24 February - 18 March 2026
Report Date : 19 March 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.4 °C	-	Electrometric Method (4500-H ⁺ B)	7.2	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	33.1	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	355	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	14.8	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	62	≤ 35
Sample Appearance		Yellow/Turbid/Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024), Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : ภายในพื้นที่โครงการ
GPS. Coordinate : 47 P 673354 E 1519884 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling


Data Provided by Laboratory

Customer Code : W69056
Sample No : W69056/2
Sample Type : Water Supply
Sampling Date : 23 February 2026
Sampling Time : 02.33 p.m.
Received Date : 24 February 2026
Analytical Date : 24 February - 18 March 2026
Report Date : 19 March 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	133	≤ 500
Sample Appearance		Clear/Odorless		

Standard : The Department of Health, Criterias of Supplied Drinkable Water Quality, B.E. 2563

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
 Project Name : โครงการ อาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
 Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
 เขตสวนหลวง กรุงเทพมหานคร 10250
 Sampling Point : สระว่ายน้ำส่วนลึก
 GPS. Coordinate : 47 P 673355 E 1519905 N
 Sampling By : TNP ENVIRONMENT CO.,LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69056
 Sample No : W69056/3
 Sample Type : Swimming pool Water
 Sampling Date : 23 February 2026
 Sampling Time : 02.31 p.m.
 Received Date : 24 February 2026
 Analytical Date : 24 February - 18 March 2026
 Report Date : 19 March 2026


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, 2/	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, 2/	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.F. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : สระว่ายน้ำส่วนต้น
GPS. Coordinate : 47 P 673351 E 1519894 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69056
Sample No : W69056/4
Sample Type : Swimming pool Water
Sampling Date : 23 February 2026
Sampling Time : 02.32 p.m.
Received Date : 24 February 2026
Analytical Date : 24 February - 18 March 2026
Report Date : 19 March 2026


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : บริเวณบ่อกักน้ำก่อนระบายออกจากโครงการ
ลงสู่ท่อระบายน้ำสาธารณะริมถนนรามคำแหง
GPS. Coordinate : 47 P 673312 E 1519942 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69056
Sample No. : W69056/1
Sample Type : Wastewater
Sampling Date : 12 March 2026
Sampling Time : 01.16 p.m.
Received Date : 13 March 2026
Analytical : 13 - 30 March 2026
Report Date : 31 March 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.8 °C	-	Electrometric Method (4500-H ⁺ B)	7.2	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	33.2	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	357	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	18.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Total Kjeldahl Nitrogen ^{*, 3/}	mg/L	APHA:4500-Norg (B) ^{2/}	28	≤ 35
Sample Appearance		Yellow/Turbid/Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : ภายในพื้นที่โครงการ
GPS. Coordinate : 47 P 673357 E 1519902 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling


Data Provided by Laboratory

Customer Code : W69056
Sample No : W69056/2
Sample Type : Water Supply
Sampling Date : 12 March 2026
Sampling Time : 01.11 p.m.
Received Date : 13 March 2026
Analytical Date : 13 - 30 March 2026
Report Date : 31 March 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	124	≤ 500
Sample Appearance		Clear/Odorless		

Standard : The Department of Health, Criterias of Supplied Drinkable Water Quality, B.E. 2563

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.





TNP ENVIRONMENT CO.,LTD.

เลขที่ 332/173 หมู่ 3 ตำบลบางรักพัฒนา อำเภอบางบัวทอง จังหวัดนนทบุรี 11110 โทรศัพท์: 02-156-8273

E-mail: tnp.envi@gmail.com เลขประจำตัวผู้เสียภาษี 0125560008957 สำนักงานใหญ่



NSC-TISI-TIS 17025

Testing 1679

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : สระว่ายน้ำส่วนลึก
GPS. Coordinate : 47 P 673308 E 1519908 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69056
Sample No : W69056/3
Sample Type : Swimming pool Water
Sampling Date : 12 March 2026
Sampling Time : 01.10 p.m.
Received Date : 13 March 2026
Analytical Date : 13 - 30 March 2026
Report Date : 31 March 2026


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
 Project Name : โครงการ อาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
 Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
 เขตสวนหลวง กรุงเทพมหานคร 10250
 Sampling Point : สระว่ายน้ำส่วนต้น
 GPS. Coordinate : 47 P 673344 E 1519897 N
 Sampling By : TNP ENVIRONMENT CO.,LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69056
 Sample No : W69056/4
 Sample Type : Swimming pool Water
 Sampling Date : 12 March 2026
 Sampling Time : 01.09 p.m.
 Received Date : 13 March 2026
 Analytical Date : 13 - 30 March 2026
 Report Date : 31 March 2026


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : บริเวณบ่อกักน้ำก่อนระบายออกจากโครงการ
ลงสู่ท่อระบายน้ำสาธารณะริมถนนรามคำแหง
GPS. Coordinate : 47 P 673322 E 1519936 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69056
Sample No. : W69056/1
Sample Type : Wastewater
Sampling Date : 28 April 2026
Sampling Time : 02.48 p.m.
Received Date : 29 April 2026
Analytical : 29 April - 07 May 2026
Report Date : 08 May 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.2 °C	-	Electrometric Method (4500-H ⁺ B)	7.4	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	14.6	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	390	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	18.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Total Kjeldahl Nitrogen ^{*, 3/}	mg/L	APHA:4500-Norg (B) ^{2/}	42	≤ 35
Sample Appearance		Yellow/Turbid/Little Sediment/Odorless		

Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024), Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิตยบุคคลอาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : ภายในพื้นที่โครงการ
GPS. Coordinate : 47 P 673366 E 1519885 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling


Data Provided by Laboratory

Customer Code : W69056
Sample No : W69056/2
Sample Type : Water Supply
Sampling Date : 28 April 2026
Sampling Time : 02.56 p.m.
Received Date : 29 April 2026
Analytical Date : 29 April - 07 May 2026
Report Date : 08 May 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	144	≤ 500
Sample Appearance		Clear/Odorless		

Standard : The Department of Health, Criterias of Supplied Drinkable Water Quality, B.E. 2563

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : สระว่ายน้ำส่วนลึก
GPS. Coordinate : 47 P 673305 E 1519925 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69056
Sample No : W69056/3
Sample Type : Swimming pool Water
Sampling Date : 28 April 2026
Sampling Time : 02.55 p.m.
Received Date : 29 April 2026
Analytical Date : 29 April - 07 May 2026
Report Date : 08 May 2026


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พหลม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : สระว่ายน้ำส่วนต้น
GPS. Coordinate : 47 P 673322 E 1519908 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69056
Sample No : W69056/4
Sample Type : Swimming pool Water
Sampling Date : 28 April 2026
Sampling Time : 02.55 p.m.
Received Date : 29 April 2026
Analytical Date : 29 April - 07 May 2026
Report Date : 08 May 2026


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : บริเวณบ่อกักน้ำก่อนระบายออกจากโครงการ
ลงสู่ท่อระบายน้ำสาธารณะริมถนนรามคำแหง
GPS. Coordinate : 47 P 673307 E 1519936 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69056
Sample No. : W69056/1
Sample Type : Wastewater
Sampling Date : 22 May 2026
Sampling Time : 12.19 p.m.
Received Date : 23 May 2026
Analytical : 23 May - 09 June 2026
Report Date : 10 June 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.4 °C	-	Electrometric Method (4500-H ⁺ B)	7.0	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	7.0	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	385	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	17.8	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 2.0	≤ 1.0
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 0.60	≤ 20
Total Kjeldahl Nitrogen *, 3/	mg/L	APHA:4500-Norg (B) ^{2/}	41	≤ 35
Sample Appearance		Yellow/Clear/Little Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : ภายในพื้นที่โครงการ
GPS. Coordinate : 47 P 673301 E 1519900 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling


Data Provided by Laboratory

Customer Code : W69056
Sample No : W69056/2
Sample Type : Water Supply
Sampling Date : 22 May 2026
Sampling Time : 12.26 p.m.
Received Date : 23 May 2026
Analytical Date : 23 May - 09 June 2026
Report Date : 10 June 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	118	≤ 500
Sample Appearance		Clear/Odorless		

Standard : The Department of Health, Criteria of Supplied Drinkable Water Quality, B.E. 2563

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : สระว่ายน้ำส่วนลึก
GPS. Coordinate : 47 P 673321 E 1519908 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69056
Sample No : W69056/3
Sample Type : Swimming pool Water
Sampling Date : 22 May 2026
Sampling Time : 12.25 p.m.
Received Date : 23 May 2026
Analytical Date : 23 May - 09 June 2026
Report Date : 10 June 2026


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo. -313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พลัม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : สระว่ายน้ำส่วนต้น
GPS. Coordinate : 47 P 673312 E 1519906 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69056
Sample No : W69056/4
Sample Type : Swimming pool Water
Sampling Date : 22 May 2026
Sampling Time : 12.24 p.m.
Received Date : 23 May 2026
Analytical Date : 23 May - 09 June 2026
Report Date : 10 June 2026


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo. -313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : บริเวณบ่อกักน้ำก่อนระบายออกจากโครงการ
ลงสู่ท่อระบายน้ำสาธารณะริมถนนรามคำแหง
GPS. Coordinate : 47 P 673339 E 1519940 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69056
Sample No. : W69056/1
Sample Type : Wastewater
Sampling Date : 18 June 2026
Sampling Time : 02.15 p.m.
Received Date : 19 June 2026
Analytical : 19 June - 03 July 2026
Report Date : 06 July 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.5 °C	-	Electrometric Method (4500-H ⁺ B)	6.9	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	14.3	≤ 30
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	380	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	19.9	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	33	≤ 35
Sample Appearance		Yellow/Turbid/Little Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024), Building type A.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APIA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : ภายในพื้นที่โครงการ
GPS. Coordinate : 47 P 673303 E 1519894 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling


Data Provided by Laboratory

Customer Code : W69056
Sample No : W69056/2
Sample Type : Water Supply
Sampling Date : 18 June 2026
Sampling Time : 02.32 p.m.
Received Date : 19 June 2026
Analytical Date : 19 June - 03 July 2026
Report Date : 06 July 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	159	≤ 500
Sample Appearance		Clear/Odorless		

Standard : The Department of Health, Criterias of Supplied Drinkable Water Quality, B.E. 2563

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : สระว่ายน้ำส่วนลึก
GPS. Coordinate : 47 P 673324 E 1519899 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69056
Sample No : W69056/3
Sample Type : Swimming pool Water
Sampling Date : 18 June 2026
Sampling Time : 02.30 p.m.
Received Date : 19 June 2026
Analytical Date : 19 June - 03 July 2026
Report Date : 06 July 2026


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo. -313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Project Name : โครงการ อาคารชุด พหลิม คอนโด รามคำแหง สเตชั่น
Address Project : เลขที่ 1398 ถนนรามคำแหง แขวงสวนหลวง
เขตสวนหลวง กรุงเทพมหานคร 10250
Sampling Point : สระว่ายน้ำส่วนต้น
GPS. Coordinate : 47 P 673328 E 1519894 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69056
Sample No : W69056/4
Sample Type : Swimming pool Water
Sampling Date : 18 June 2026
Sampling Time : 02.29 p.m.
Received Date : 19 June 2026
Analytical Date : 19 June - 03 July 2026
Report Date : 06 July 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, 2/	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, 2/	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo. -313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

