

ภาคผนวก ง

ผลการติดตามตรวจสอบคุณภาพสิ่งแวดล้อม

- ง1 คุณภาพน้ำทิ้ง
- ง2 คุณภาพน้ำระเหยน้ำ



ภาคผนวก ง1

คุณภาพน้ำทิ้ง



ANALYSIS REPORT

Data Provided by Customer


Customer Name : บริษัท แกรนด์ พาราไดส์ พร็อพเพอร์ตี้ จำกัด
Project Name : โครงการ โคลส รัชดา 7 (KLOS RATCHADA 7)
Address Project : ซอยรัชดาภิเษก 7 แยก 1 (ซอยนาทอง 7) แขวงดินแดง
เขตดินแดง กรุงเทพมหานคร 10400
Sampling Point : คุณภาพน้ำทิ้งก่อนการบำบัด
GPS. Coordinate : 47 P 669817 E 1522927 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69015
Sample No : W69015/1
Sample Type : Wastewater
Sampling Date : 14 January 2026
Sampling Time : 11.21 a.m.
Received Date : 15 January 2026
Analytical Date : 15 – 29 January 2026
Report Date : 30 January 2026

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 24.5 °C	-	Electrometric Method (4500-H ⁺ B)	7.2
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	14.8
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	322
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	89.7
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	2.1
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	1.31
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	< 0.1
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	18
Total Phosphate *, ^{3/}	mg/L Phosphate	Digest. & Ascorbic ^{2/}	3.3
Sample Appearance		Yellow/Turbid/Little/Sediment/Smelly	

- Remark**
- ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
 - ^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.
 - ^{3/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.
 - * This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : บริษัท แกรนด์ พาราไดส์ พร็อพเพอร์ตี้ จำกัด
Project Name : โครงการ โคลส รัชดา 7 (KLOS RATCHADA 7)
Address Project : ซอยรัชดาภิเษก 7 แยก 1 (ซอยนาทอง 7) แขวงดินแดง
เขตดินแดง กรุงเทพมหานคร 10400
Sampling Point : คุณภาพน้ำทั้งก่อนระบายออกสู่ภายนอกโครงการ
GPS. Coordinate : 47 P 669850 E 1522912 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69015
Sample No : W69015/2
Sample Type : Wastewater
Sampling Date : 14 January 2026
Sampling Time : 11.16 a.m.
Received Date : 15 January 2026
Analytical Date : 15 – 29 January 2026
Report Date : 30 January 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.6 °C	-	Electrometric Method (4500-H ⁺ B)	6.6	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	15.8	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	392	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	28.8	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	< 0.1	-
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	< 0.28	≤ 35
Total Phosphate *, ^{3/}	mg/L Phosphate	Digest. & Ascorbic ^{2/}	3.6	-
Sample Appearance		Yellow/Clear/Little Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

^{3/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer


Customer Name : บริษัท แกรนด์ พาราไดส์ พร็อพเพอร์ตี้ จำกัด
Project Name : โครงการ โคลส รัชดา 7 (KLOS RATCHADA 7)
Address Project : ซอยรัชดาภิเษก 7 แยก 1 (ซอยนาทอง 7) แขวงดินแดง
เขตดินแดง กรุงเทพมหานคร 10400
Sampling Point : คุณภาพน้ำทิ้งก่อนการบำบัด
GPS. Coordinate : 47 P 669796 E 1522920 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69015
Sample No : W69015/1
Sample Type : Wastewater
Sampling Date : 11 February 2026
Sampling Time : 10.26 a.m.
Received Date : 12 February 2026
Analytical Date : 12 February – 02 March 2026
Report Date : 04 March 2026

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 24.4 °C	-	Electrometric Method (4500-H ⁺ B)	7.2
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	29.7
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	398
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	54.2
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	0.91
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	1.0
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	1.7
Total Phosphate *, ^{3/}	mg/L Phosphate	Digest. & Ascorbic ^{2/}	2.7
Sample Appearance		White/Turbid/Sediment/Smelly	

- Remark**
- ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
- ^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.
- ^{3/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.
- * This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : บริษัท แกรนด์ พาราไดส์ พร็อพเพอร์ตี้ จำกัด
Project Name : โครงการ โคลส รัชดา 7 (KLOS RATCHADA 7)
Address Project : ซอยรัชดาภิเษก 7 แยก 1 (ซอยนาทอง 7) แขวงดินแดง
เขตดินแดง กรุงเทพมหานคร 10400
Sampling Point : คุณภาพน้ำทั้งก่อนระบายออกสู่ภายนอกโครงการ
GPS. Coordinate : 47 P 669835 E 1522916 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69015
Sample No : W69015/2
Sample Type : Wastewater
Sampling Date : 11 February 2026
Sampling Time : 10.34 a.m.
Received Date : 12 February 2026
Analytical Date : 12 February – 02 March 2026
Report Date : 04 March 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.7 °C	-	Electrometric Method (4500-H ⁺ B)	8.8	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	< 5.0	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	273	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	7.2	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	< 0.1	-
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	< 0.28	≤ 35
Total Phosphate *, ^{3/}	mg/L Phosphate	Digest. & Ascorbic ^{2/}	1.2	
Sample Appearance		Yellow/Clear/Little Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024), Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer


Customer Name : บริษัท แกรนด์ พาราไดส์ พร็อพเพอร์ตี้ จำกัด
Project Name : โครงการ โคลส รัชดา 7 (KLOS RATCHADA 7)
Address Project : ซอยรัชดาภิเษก 7 แยก 1 (ซอยนาทอง 7) แขวงดินแดง
เขตดินแดง กรุงเทพมหานคร 10400
Sampling Point : คุณภาพน้ำทิ้งก่อนการบำบัด
GPS. Coordinate : 47 P 669821 E 1522914 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69015
Sample No : W69015/1
Sample Type : Wastewater
Sampling Date : 11 March 2026
Sampling Time : 01.43 p.m.
Received Date : 12 March 2026
Analytical Date : 12 - 27 March 2026
Report Date : 30 March 2026

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 24.4 °C	-	Electrometric Method (4500-H ⁺ B)	7.1
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	35.8
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	296
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	54.2
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	1.70
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	1.0
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	2.8
Total Phosphate *, ^{3/}	mg/L Phosphate	Digest. & Ascorbic ^{2/}	2.0
Sample Appearance		Green/Turbid/Sediment/Smelly	

- Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.
^{3/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.
* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : บริษัท แกรนด์ พาราไดส์ พร็อพเพอร์ตี้ จำกัด
Project Name : โครงการ โคลส รัชดา 7 (KLOS RATCHADA 7)
Address Project : ซอยรัชดาภิเษก 7 แยก 1 (ซอยนาทอง 7) แขวงดินแดง
เขตดินแดง กรุงเทพมหานคร 10400
Sampling Point : คุณภาพน้ำทั้งก่อนระบายออกสู่ภายนอกโครงการ
GPS. Coordinate : 47 P 669834 E 1522898 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69015
Sample No : W69015/2
Sample Type : Wastewater
Sampling Date : 11 March 2026
Sampling Time : 01.48 p.m.
Received Date : 12 March 2026
Analytical Date : 12 - 27 March 2026
Report Date : 30 March 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.3 °C	-	Electrometric Method (4500-H ⁺ B)	7.3	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	< 5.0	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	406	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	8.5	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	< 0.1	-
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	6.4	≤ 35
Total Phosphate *, ^{3/}	mg/L Phosphate	Digest. & Ascorbic ^{2/}	18	
Sample Appearance		Green/Clear/Little Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024), Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer


Customer Name : บริษัท แกรนด์ พาราไดส์ พร็อพเพอร์ตี้ จำกัด
 Project Name : โครงการ โคลส รัชดา 7 (KLOS RATCHADA 7)
 Address Project : ซอยรัชดาภิเษก 7 แยก 1 (ซอยนาทอง 7) แขวงดินแดง
 เขตดินแดง กรุงเทพมหานคร 10400
 Sampling Point : คุณภาพน้ำทิ้งก่อนการบำบัด
 GPS. Coordinate : 47 P 669829 E 1522930 N
 Sampling By : TNP ENVIRONMENT CO., LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69015
 Sample No : W69015/1
 Sample Type : Wastewater
 Sampling Date : 22 April 2026
 Sampling Time : 11.09 a.m.
 Received Date : 23 April 2026
 Analytical Date : 23 April – 07 May 2026
 Report Date : 08 May 2026

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 24.0 °C	-	Electrometric Method (4500-H ⁺ B)	7.1
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	10.2
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	348
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	74.7
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	1.52
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	< 0.1
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	3.4
Total Phosphate *, ^{3/}	mg/L Phosphate	Digest. & Ascorbic ^{2/}	3.0
Sample Appearance		White/Turbid/Little Sediment/Smelly	

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.
^{3/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.
 * This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer


Customer Name : บริษัท แกรนด์ พาราไดส์ พร็อพเพอร์ตี้ จำกัด
Project Name : โครงการ โคส รัชดา 7 (KLOS RATCHADA 7)
Address Project : ซอยรัชดาภิเษก 7 แยก 1 (ซอยนาทอง 7) แขวงดินแดง
เขตดินแดง กรุงเทพมหานคร 10400
Sampling Point : คุณภาพน้ำทิ้งก่อนระบายออกสู่ภายนอกโครงการ
GPS. Coordinate : 47 P 669835 E 1522913 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69015
Sample No : W69015/2
Sample Type : Wastewater
Sampling Date : 22 April 2026
Sampling Time : 11.14 a.m.
Received Date : 23 April 2026
Analytical Date : 23 April – 07 May 2026
Report Date : 08 May 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.2 °C	-	Electrometric Method (4500-H ⁺ B)	6.7	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	7.6	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	400	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	17.8	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	< 0.1	-
Total Kjeldahl Nitrogen ^{*, 3/}	mg/L	APHA:4500-Norg (B) ^{2/}	< 0.28	≤ 35
Total Phosphate ^{*, 3/}	mg/L Phosphate	Digest. & Ascorbic ^{2/}	18	
Sample Appearance		Green/Turbid/Little Sediment/Odorless		

- Remark** ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.
^{3/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.
* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : บริษัท แกรนด์ พาราไดส์ พร็อพเพอร์ตี้ จำกัด
Project Name : โครงการ โคลส รัชดา 7 (KLOS RATCHADA 7)
Address Project : ซอยรัชดาภิเษก 7 แยก 1 (ซอยนาทอง 7) แขวงดินแดง
เขตดินแดง กรุงเทพมหานคร 10400
Sampling Point : คุณภาพน้ำทิ้งก่อนการบำบัด
GPS. Coordinate : 47 P 669803 E 1522926 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69015
Sample No : W69015/1
Sample Type : Wastewater
Sampling Date : 19 May 2026
Sampling Time : 11.50 a.m.
Received Date : 20 May 2026
Analytical Date : 20 May – 01 June 2026
Report Date : 02 June 2026

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 24.9 °C	-	Electrometric Method (4500-H ⁺ B)	6.6
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	86.6
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	385
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	191
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	5.2
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	1.91
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	8.0
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	< 0.28
Total Phosphate *, ^{3/}	mg/L Phosphate	Digest. & Ascorbic ^{2/}	1.2
Sample Appearance		White/Turbid/Sediment/Smelly	

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

* This Item is out the scope ISO/IEC 17025:2017 Accreditation.

ANALYSIS REPORT

Data Provided by Customer

Customer Name : บริษัท แกรนด์ พาราไดส์ พร็อพเพอร์ตี้ จำกัด
Project Name : โครงการ โคลส รัชดา 7 (KLOS RATCHADA 7)
Address Project : ซอยรัชดาภิเษก 7 แยก 1 (ซอยนาทอง 7) แขวงดินแดง
เขตดินแดง กรุงเทพมหานคร 10400
Sampling Point : คุณภาพน้ำทั้งก่อนระบายออกสู่ภายนอกโครงการ
GPS. Coordinate : 47 P 669839 E 1522914 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69015
Sample No : W69015/2
Sample Type : Wastewater
Sampling Date : 19 May 2026
Sampling Time : 11.53 a.m.
Received Date : 20 May 2026
Analytical Date : 20 May – 01 June 2026
Report Date : 02 June 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.4 °C	-	Electrometric Method (4500-H ⁺ B)	6.9	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	< 5.0	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	388	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	< 2.0	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	< 0.1	-
Total Kjeldahl Nitrogen ^{*, 3/}	mg/L	APHA:4500-Norg (B) ^{2/}	5.9	≤ 35
Total Phosphate ^{*, 3/}	mg/L Phosphate	Digest. & Ascorbic ^{2/}	5.1	
Sample Appearance		Yellow/Clear/Little Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024), Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : บริษัท แกรนด์ พาราไดส์ พร็อพเพอร์ตี้ จำกัด
 Project Name : โครงการ โคลส รัชดา 7 (KLOS RATCHADA 7)
 Address Project : ซอยรัชดาภิเษก 7 แยก 1 (ซอยนาทอง 7) แขวงดินแดง
 เขตดินแดง กรุงเทพมหานคร 10400
 Sampling Point : คุณภาพน้ำทั้งก่อนการบำบัด
 GPS. Coordinate : 47 P 669814 E 1522919 N
 Sampling By : TNP ENVIRONMENT CO., LTD.
 Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69015
 Sample No : W69015/1
 Sample Type : Wastewater
 Sampling Date : 23 June 2026
 Sampling Time : 03.29 p.m.
 Received Date : 24 June 2026
 Analytical Date : 24 June – 08 July 2026
 Report Date : 09 July 2026


Parameter	Unit	Analytical Method ^{1/}	Result
pH at 24.7 °C	-	Electrometric Method (4500-H ⁺ B)	6.7
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	92.2
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	335
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	144
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	2.3
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	2.34
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	1.0
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	4.2
Total Phosphate *, ^{3/}	mg/L Phosphate	Digest. & Ascorbic ^{2/}	2.0
Sample Appearance		Yellow/Turbid/Sediment/Smelly	

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : บริษัท แกรนด์ พาราไดส์ พร็อพเพอร์ตี้ จำกัด
Project Name : โครงการ โคลส รัชดา 7 (KLOS RATCHADA 7)
Address Project : ซอยรัชดาภิเษก 7 แยก 1 (ซอยนาทอง 7) แขวงดินแดง
เขตดินแดง กรุงเทพมหานคร 10400
Sampling Point : คุณภาพน้ำทั้งก่อนระบายออกสู่ภายนอกโครงการ
GPS. Coordinate : 47 P 669825 E 1522913 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69015
Sample No : W69015/2
Sample Type : Wastewater
Sampling Date : 23 June 2026
Sampling Time : 03.37 p.m.
Received Date : 24 June 2026
Analytical Date : 24 June – 08 July 2026
Report Date : 09 July 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.5 °C	-	Electrometric Method (4500-H ⁺ B)	6.5	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	10.2	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	357	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	28.4	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Settleable Solids *	mL/L	Imhoff Cone (2540 F)	< 0.1	-
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	< 0.28	≤ 35
Total Phosphate *, ^{3/}	mg/L Phosphate	Digest. & Ascorbic ^{2/}	5.5	
Sample Appearance		Yellow/Clear/Little Sediment/Smelly		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024), Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co.,Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ภาคผนวก ง2
คุณภาพน้ำสระว่ายน้ำ



ANALYSIS REPORT

Data Provided by Customer

Customer Name : บริษัท แกรนด์ พาราไดส์ พร็อพเพอร์ตี้ จำกัด
Project Name : โครงการ โคลส รัชดา 7 (KLOS RATCHADA 7)
Address Project : ซอยรัชดาภิเษก 7 แยก 1 (ซอยนาทอง 7) แขวงดินแดง
 เขตดินแดง กรุงเทพมหานคร 10400
Sampling Point : สระว่ายน้ำ ส่วนต้น
GPS. Coordinate : 47 P 669827 E 1522926 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W69015
Sample No : W69015/3
Sample Type : Swimming pool Water
Sampling Date : 14 January 2026
Sampling Time : 11.13 a.m.
Received Date : 15 January 2026
Analytical Date : 15 – 29 January 2026
Report Date : 30 January 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : บริษัท แกรนด์ พาราไดส์ พร็อพเพอร์ตี้ จำกัด
Project Name : โครงการ โคลส รัชดา 7 (KLOS RATCHADA 7)
Address Project : ซอยรัชดาภิเษก 7 แยก 1 (ซอยนาทอง 7) แขวงดินแดง
 เขตดินแดง กรุงเทพมหานคร 10400
Sampling Point : สระว่ายน้ำ ส่วนลึก
GPS. Coordinate : 47 P 669870 E 1522930 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W69015
Sample No : W69015/4
Sample Type : Swimming pool Water
Sampling Date : 14 January 2026
Sampling Time : 11.12 a.m.
Received Date : 15 January 2026
Analytical Date : 15 – 29 January 2026
Report Date : 30 January 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : บริษัท แกรนด์ พาราไดส์ พร็อพเพอร์ตี้ จำกัด
Project Name : โครงการ โคลส รัชดา 7 (KLOS RATCHADA 7)
Address Project : ซอยรัชดาภิเษก 7 แยก 1 (ซอยนาทอง 7) แขวงดินแดง
เขตดินแดง กรุงเทพมหานคร 10400
Sampling Point : สระว่ายน้ำ ส่วนต้น
GPS. Coordinate : 47 P 669828 E 1522924 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W69015
Sample No : W69015/3
Sample Type : Swimming pool Water
Sampling Date : 11 February 2026
Sampling Time : 10.40 a.m.
Received Date : 12 February 2026
Analytical Date : 12 February – 02 March 2026
Report Date : 04 March 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : บริษัท แกรนด์ พาราไดส์ พร็อพเพอร์ตี้ จำกัด
Project Name : โครงการ โคลส รัชดา 7 (KLOS RATCHADA 7)
Address Project : ซอยรัชดาภิเษก 7 แยก 1 (ซอยนาทอง 7) แขวงดินแดง
 เขตดินแดง กรุงเทพมหานคร 10400
Sampling Point : สระว่ายน้ำ ส่วนลึก
GPS. Coordinate : 47 P 669823 E 1522923 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W69015
Sample No : W69015/4
Sample Type : Swimming pool Water
Sampling Date : 11 February 2026
Sampling Time : 10.42 a.m.
Received Date : 12 February 2026
Analytical Date : 12 February – 02 March 2026
Report Date : 04 March 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : บริษัท แกรนด์ พาราไดส์ รีสอร์ทเพอร์ดี จำกัด
Project Name : โครงการ โคลส รัชดา 7 (KLOS RATCHADA 7)
Address Project : ซอยรัชดาภิเษก 7 แยก 1 (ซอยนาทอง 7) แขวงดินแดง
เขตดินแดง กรุงเทพมหานคร 10400
Sampling Point : สระว่ายน้ำ ส่วนต้น
GPS. Coordinate : 47 P 669826 E 1522925 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W69015
Sample No : W69015/3
Sample Type : Swimming pool Water
Sampling Date : 22 April 2026
Sampling Time : 11.00 a.m.
Received Date : 23 April 2026
Analytical Date : 23 April – 05 May 2026
Report Date : 06 May 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : บริษัท แกรนด์ พาราไดส์ รีสอร์ทแอนด์ รีสอร์ท จำกัด
Project Name : โครงการ โคลส รัชดา 7 (KLOS RATCHADA 7)
Address Project : ซอยรัชดาภิเษก 7 แยก 1 (ซอยนาทอง 7) แขวงดินแดง
เขตดินแดง กรุงเทพมหานคร 10400
Sampling Point : สระว่ายน้ำ ส่วนเล็ก
GPS. Coordinate : 47 P 669813 E 1522909 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W69015
Sample No : W69015/4
Sample Type : Swimming pool Water
Sampling Date : 22 April 2026
Sampling Time : 11.00 a.m.
Received Date : 23 April 2026
Analytical Date : 23 April – 05 May 2026
Report Date : 06 May 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : บริษัท แกรนด์ พาราไดส์ พร็อพเพอร์ตี้ จำกัด
Project Name : โครงการ โคลส รัชดา 7 (KLOS RATCHADA 7)
Address Project : ซอยรัชดาภิเษก 7 แยก 1 (ซอยนาทอง 7) แขวงดินแดง
 เขตดินแดง กรุงเทพมหานคร 10400
Sampling Point : สระว่ายน้ำ ส่วนต้น
GPS. Coordinate : 47 P 669826 E 1522925 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69015
Sample No : W69015/3
Sample Type : Swimming pool Water
Sampling Date : 19 May 2026
Sampling Time : 11.44 a.m.
Received Date : 20 May 2026
Analytical Date : 20 May – 01 June 2026
Report Date : 02 June 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{3/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{3/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Calcium Hardness *	mg/L as CaCO ₃	EDTA Titration Method (3500-Ca B)	117	250-600
Alkalinity *	mg/L as CaCO ₃	Titration Method (2320 B)	74.9	80-100
Chloride *	mg/L	Argentometric Method (4500-Cl ⁻ B)	> 1,000	≤ 600
Combine Chlorine *	mg/L	Amperometric Titration Method (4500-Cl D)	< 0.5	0.5-1.0
N-Ammonia*, ^{4/}	mg/L	APHA:4500-NH ₃ (C) ^{2/}	< 0.14	≤ 20
Nitrate*, ^{4/}	mg/L	APHA:4500-NO ₃ (D) ^{2/}	4.7	≤ 50
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.


Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

^{4/} Analyzed by Environment & Laboratory Co.,Ltd. registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : บริษัท แกรนด์ พาราไดส์ พร็อพเพอร์ตี้ จำกัด
Project Name : โครงการ โคลส รัชดา 7 (KLOS RATCHADA 7)
Address Project : ซอยรัชดาภิเษก 7 แยก 1 (ซอยนาทอง 7) แขวงดินแดง
เขตดินแดง กรุงเทพมหานคร 10400
Sampling Point : สระว่ายน้ำ ส่วนเล็ก
GPS. Coordinate : 47 P 669826 E 1522919 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69015
Sample No : W69015/4
Sample Type : Swimming pool Water
Sampling Date : 19 May 2026
Sampling Time : 11.46 a.m.
Received Date : 20 May 2026
Analytical Date : 20 May – 01 June 2026
Report Date : 02 June 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{3/}	/100 mL	Standard Methods for the Examination of Water and Wastewater. APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{3/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Calcium Hardness *	mg/L as CaCO ₃	EDTA Titration Method (3500-Ca B)	120	250-600
Alkalinity *	mg/L as CaCO ₃	Titration Method (2320 B)	77.4	80-100
Chloride *	mg/L	Argentometric Method (4500-Cl ⁻ B)	> 1,000	≤ 600
Combine Chlorine *	mg/L	Amperometric Titration Method (4500-Cl D)	< 0.5	0.5-1.0
N-Ammonia*, ^{4/}	mg/L	APHA:4500-NH ₃ (C) ^{2/}	< 0.14	≤ 20
Nitrate*, ^{4/}	mg/L	APHA:4500-NO ₃ (D) ^{2/}	4.6	≤ 50
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.


Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Bureau Veritas AQ Lab (Thailand) Limited registration number Wo.-313.

^{4/} Analyzed by Environment & Laboratory Co.,Ltd. registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : บริษัท แกรนด์ พาราไดส์ พร็อพเพอร์ตี้ จำกัด
Project Name : โครงการ โคลส รัชดา 7 (KLOS RATCHADA 7)
Address Project : ซอยรัชดาภิเษก 7 แยก 1 (ซอยนาทอง 7) แขวงดินแดง
 เขตดินแดง กรุงเทพมหานคร 10400
Sampling Point : สระว่ายน้ำ ส่วนต้น
GPS. Coordinate : 47 P 669825 E 1522926 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory


Customer Code : W69015
Sample No : W69015/3
Sample Type : Swimming pool Water
Sampling Date : 23 June 2026
Sampling Time : 03.21 p.m.
Received Date : 24 June 2026
Analytical Date : 24 June – 08 July 2026
Report Date : 09 July 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : บริษัท แกรนด์ พาราไดส์ พร็อพเพอร์ตี้ จำกัด
Project Name : โครงการ โคลส รัชดา 7 (KLOS RATCHADA 7)
Address Project : ซอยรัชดาภิเษก 7 แยก 1 (ซอยนาทอง 7) แขวงดินแดง
เขตดินแดง กรุงเทพมหานคร 10400
Sampling Point : สระว่ายน้ำ ส่วนเล็ก
GPS. Coordinate : 47 P 669796 E 1522897 N
Sampling By : TNP ENVIRONMENT CO., LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69015
Sample No : W69015/4
Sample Type : Swimming pool Water
Sampling Date : 23 June 2026
Sampling Time : 03.19 p.m.
Received Date : 24 June 2026
Analytical Date : 24 June – 08 July 2026
Report Date : 09 July 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
Fecal Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 E)	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

