

ภาคผนวกที่ 1

สำเนาหนังสือเห็นชอบในรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม
โครงการโรงแรมเลอ เมอริเดียน เชียงราย รีสอร์ท

ภาคผนวกที่ 2

ใบอนุญาตประกอบธุรกิจโรงแรม



ทะเบียนเลขที่..... ๒๖๑
ใบอนุญาตเลขที่..... ๒๑/๒๕๖๒

กระทรวงมหาดไทย

ใบอนุญาตประกอบธุรกิจโรงแรม

ใบอนุญาตฉบับนี้ให้ไว้เพื่อแสดงว่า บริษัท เดอะ เรนทรี โฮเทล จำกัด
โดย [REDACTED]
ได้รับอนุญาตให้ประกอบธุรกิจโรงแรมตามมาตรา ๑๕ แห่งพระราชบัญญัติ
โรงแรม พ.ศ. ๒๕๔๗ โดยใช้ชื่อภาษาไทยว่า เลอเมอริเดียนเชียงราย รีสอร์ท
ชื่อภาษาต่างประเทศ (ถ้ามี) LE MERIDIEN CHIANGRAI RESORT
โรงแรมประเภท..... ๓ จำนวนห้องพัก..... ๑๕๙ ห้อง
สถานที่ตั้ง เลขที่ ๒๒๑/๒ หมู่ที่ ๒๐ ตำบลรอบเวียง
อำเภอเมืองเชียงราย จังหวัดเชียงราย
ตั้งแต่วันที่ ๙ เดือน ตุลาคม พ.ศ. ๒๕๖๑ ถึง วันที่ ๘ เดือน ตุลาคม พ.ศ. ๒๕๖๖

ออกให้ ณ วันที่ ๓๑ เดือน มีนาคม พ.ศ. ๒๕๖๒



ต่ออายุใบอนุญาต

ทะเบียนเลขที่ 0575545000726



แบบ พค. 0401

กรมพัฒนาธุรกิจการค้า
ใบสำคัญแสดงการจดทะเบียนห้างหุ้นส่วนบริษัท

ใบสำคัญนี้ออกให้เพื่อแสดงว่า

บริษัท เรนทรี โฮเทล จำกัด

ได้จดทะเบียนเป็นนิติบุคคลตามประมวลกฎหมายแพ่งและพาณิชย์

ณ สำนักงานทะเบียนหุ้นส่วนบริษัทกรุงเทพมหานคร

เมื่อวันที่ 28 พฤศจิกายน พ.ศ. 2545

ออกให้ ณ วันที่ 22 เมษายน พ.ศ. 2565

หมายเหตุ บริษัทนี้เดิมชื่อบริษัท ริเวอร์ไซด์ รีสอร์ท แอนด์ สปา จำกัด ต่อมาได้จดทะเบียนเปลี่ยนชื่อเป็น บริษัท เดอะเรนทรี โฮเทล จำกัด เมื่อวันที่ 18 พฤศจิกายน 2546 และครั้งสุดท้ายได้จดทะเบียนเปลี่ยนชื่อเป็น บริษัท เรนทรี โฮเทล จำกัด เมื่อวันที่ 22 เมษายน 2565

ภาคผนวกที่ 3

สำเนาเอกสารการเปลี่ยนชื่อโครงการ



ที่ ทส ๑๐๑๐.๕/ ๖ ๖ ๒

สำนักงานนโยบายและแผน
ทรัพยากรธรรมชาติและสิ่งแวดล้อม
๖๐/๑ ซอยพิบูลวัฒนา ๗ ถนนพระรามที่ ๖
แขวงพญาไท เขตพญาไท กรุงเทพฯ
๑๐๔๐๐

๑๖ มกราคม ๒๕๖๒

เรื่อง ขอลเปลี่ยนแปลงชื่อโครงการจาก โรงแรมเรนทรี เชียงราย เป็น โรงแรม เลอ เมอริเดียน เชียงราย รีสอร์ท

เรียน กรรมการผู้จัดการบริษัท เดอะ เรนทรี โฮเทล จำกัด

อ้างถึง ๑. หนังสือสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม ที่ ทส ๑๐๐๙.๕/๑๓๔๙๔
ลงวันที่ ๒๘ ธันวาคม ๒๕๕๕

๒. หนังสือบริษัท เดอะ เรนทรี โฮเทล จำกัด ที่ ๕/๒๕๖๑ ลงวันที่ ๒๕ ธันวาคม ๒๕๖๑

ตามหนังสือที่อ้างถึง ๑ สำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม ได้แจ้งมติ
คณะกรรมการผู้ชำนาญการพิจารณารายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อมด้านอาคาร การจัดสรรที่ดิน และ
บริการชุมชน ในการประชุมครั้งที่ ๘๙/๒๕๕๕ เมื่อวันที่ ๑๓ ธันวาคม ๒๕๕๕ มีมติให้ความเห็นชอบการเปลี่ยนแปลง
จุดรวมพลจากเดิมบริเวณสวนริมแม่น้ำกก และบริเวณสวนใกล้ลากูน เป็นบริเวณลานจอดรถด้านทิศตะวันตกใกล้
ทางเข้า-ออกของโครงการ และรับทราบการเปลี่ยนชื่อโครงการจาก “โครงการ โรงแรมเรนทรี เชียงราย” เป็น
“โครงการ โรงแรมเลอ เมอริเดียน เชียงราย รีสอร์ท” ทั้งนี้โครงการจะต้องปฏิบัติตามมาตรการป้องกันและแก้ไข
ผลกระทบสิ่งแวดล้อมและมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อมที่เสนอไว้ในรายงานการวิเคราะห์
ผลกระทบสิ่งแวดล้อมโครงการ โรงแรมเรนทรี เชียงราย ของบริษัท เดอะเรนทรี โฮเทล จำกัด อย่างเคร่งครัด และ
ตามหนังสือที่อ้างถึง ๒ บริษัท เดอะ เรนทรี โฮเทล จำกัด สำนักงานตั้งอยู่ที่หมู่ที่ ๒๐ บ้านแควหวาย ตำบลรอบเวียง
อำเภอเมือง จังหวัดเชียงราย ได้จัดทำรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อมในนามโรงแรมเรนทรี เชียงราย
ตั้งอยู่ที่หมู่ที่ ๒๐ บ้านแควหวาย ตำบลรอบเวียง อำเภอเมือง จังหวัดเชียงราย และได้รับความเห็นชอบรายงานฯ
ดังกล่าว บริษัทฯ แจ้งขอเปลี่ยนแปลงชื่อโครงการ จาก “โรงแรมเรนทรี เชียงราย” เป็น “โรงแรม เลอ เมอริเดียน
เชียงราย รีสอร์ท” โดยจะยึดถือและปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการ
ติดตามตรวจสอบผลกระทบสิ่งแวดล้อมตามที่เคยได้รับความเห็นชอบในรายงานฯ อย่างเคร่งครัด นั้น

สำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม ขอเรียนว่า เนื่องจากสำนักงาน
นโยบายฯ ได้แจ้งมติคณะกรรมการผู้ชำนาญการพิจารณารายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อมด้านอาคาร การ
จัดสรรที่ดิน และบริการชุมชน ในการประชุมครั้งที่ ๘๙/๒๕๕๕ เมื่อวันที่ ๑๓ ธันวาคม ๒๕๕๕ ให้ความเห็นชอบการ
เปลี่ยนแปลงจุดรวมพล และรับทราบการเปลี่ยนชื่อโครงการ ไปแล้ว จึงไม่ต้องดำเนินการในเรื่องดังกล่าวอีกครั้ง

จึงเรียนมาเพื่อโปรดทราบ

ขอแสดงความนับถือ

กองวิเคราะห์ผลกระทบสิ่งแวดล้อม
โทรศัพท์ ๐ ๒๒๖๕ ๖๕๐๐
โทรสาร ๐ ๒๒๖๕ ๖๖๑๖

6 พฤษภาคม 2565

เรื่อง แจ้งเปลี่ยนชื่อบริษัท เดอะเรนทรี โฮเทล จำกัด สาขา 000002
เรียน กรรมการบริษัทฯ ฝ่ายบัญชีและการเงิน และฝ่ายที่เกี่ยวข้อง

เนื่องด้วยบริษัท เดอะเรนทรี โฮเทล จำกัด ได้ทำการเปลี่ยนชื่อบริษัทใหม่ โดยมีรายละเอียดดังนี้
ชื่อบริษัทใหม่

บริษัท เรนทรี โฮเทล จำกัด
221/2 หมู่ 20 ต.รอบเวียง อ.เมือง จ.เชียงราย 57000
เลขประจำตัวผู้เสียภาษี: 0575545000726 สาขา 000002

Le MERIDIEN

โดยการเปลี่ยนชื่อใหม่จะมีผลบังคับตั้งแต่วันที่ 6 พฤษภาคม 2565 เป็นต้นไป

จึงเรียนมาเพื่อทราบ และโปรดดำเนินการเปลี่ยนแปลงชื่อของบริษัทฯ ในหน่วยงานของท่าน

ขอแสดงความนับถือ



LE MERIDIEN
CHIANG RAI RESORT

221/2 Moo 20, Kwaewai Road
Tambon Robwieng, Amphur Muang
Chiang Rai 57000
Thailand

N 19° 52' E 99° 50'
DESTINATION UNLOCKED

ที่ ชร. 002072



สำนักงานทะเบียนหุ้นส่วนบริษัทจังหวัดเชียงราย

กรมพัฒนาธุรกิจการค้า กระทรวงพาณิชย์

หนังสือรับรอง

ขอรับรองว่าบริษัทนี้ ได้จดทะเบียนเป็นนิติบุคคล ตามประมวลกฎหมายแพ่งและพาณิชย์

เมื่อวันที่ 28 พฤศจิกายน 2545 ทะเบียนนิติบุคคลเลขที่ 0575545000726

ปรากฏข้อความในรายการตามเอกสารทะเบียนนิติบุคคล ณ วันออกหนังสือนี้ ดังนี้

1. ชื่อบริษัท บริษัท เรนทรี โฮเทล จำกัด
2. กรรมการของบริษัท [REDACTED] ตามรายชื่อดังต่อไปนี้



3. จำนวนหรือชื่อกรรมการซึ่งลงชื่อผูกพันบริษัทได้คือ [REDACTED] คนใดคนหนึ่ง
ลงลายมือชื่อและประทับตราสำคัญของบริษัท

2. [REDACTED] ลงลายมือชื่อและประทับตราสำคัญของ
บริษัท ยกเว้น ธุรกรรมอันเกี่ยวกับการขายอสังหาริมทรัพย์ ที่ดิน อาคาร ให้กรรมการสองในสามคนลงลายมือชื่อและประทับตรา
สำคัญของบริษัท/

4.ทุนจดทะเบียน [REDACTED]

5. สำนักงานใหญ่ ตั้งอยู่เลขที่ 221/3 หมู่ที่ 20 ตำบลรอบเวียง อำเภอเมืองเชียงราย จังหวัดเชียงราย/

สำนักงานสาขา ตั้งอยู่ (1) เลขที่ 221/2 หมู่ที่ 20 ตำบลรอบเวียง อำเภอเมืองเชียงราย จังหวัดเชียงราย/

6. วัตถุประสงค์ของบริษัทมี 23 ข้อ ดังปรากฏในสำเนาเอกสารแนบท้ายหนังสือรับรองนี้ จำนวน 2 แผ่น โดยมีลายมือชื่อ
นายทะเบียนซึ่งรับรองเอกสารเป็นสำคัญ

ออกให้ ณ วันที่ 22 เดือน เมษายน พ.ศ. 2565



คำเตือน : ผู้ใช้ควรตรวจสอบข้อควรทราบท้ายหนังสือรับรองฉบับนี้ทุกครั้ง



กรมพัฒนาธุรกิจการค้า กระทรวงพาณิชย์
Department of Business Development
Ministry of Commerce

ก้าวสู่อนาคต
สู่ยุคดิจิทัล

Leading Business
Towards Digital
Transformation





ที่ ชร. 002072

สำนักงานทะเบียนหุ้นส่วนบริษัทจังหวัดเชียงราย

กรมพัฒนาธุรกิจการค้า กระทรวงพาณิชย์

หนังสือรับรอง

ข้อควรทราบ ประกอบหนังสือรับรอง ฉบับที่ ชร. 002072

1. บริษัทนี้เดิมชื่อบริษัท ริเวอร์ไซด์ รีสอร์ท แอนด์ สปา เชียงราย จำกัด ต่อมาได้จดทะเบียนเปลี่ยนชื่อเป็น บริษัท เดอะเรนทรี โฮเทล จำกัด เมื่อวันที่ 18 พฤศจิกายน 2546 และครั้งสุดท้ายได้จดทะเบียนเปลี่ยนชื่อเป็น บริษัท เรนทรี โฮเทล จำกัด เมื่อวันที่ 22 เมษายน 2565
2. นิติบุคคลนี้ได้ส่งงบการเงินปี 2563
3. หนังสือรับรองเฉพาะข้อความที่ห้าง/บริษัทได้นำมาจดทะเบียนไว้เพื่อผลทางกฎหมายเท่านั้น ข้อเท็จจริงเป็นสิ่งที่ควรหาไว้พิจารณาฐานะ
4. นายทะเบียนอาจเพิกถอนการจดทะเบียน ถ้าปรากฏว่าข้อความอันเป็นสาระสำคัญที่จดทะเบียนไม่ถูกต้อง หรือเป็นเท็จ



กรมพัฒนาธุรกิจการค้า กระทรวงพาณิชย์
Department of Business Development
Ministry of Commerce

ก้าวสู่อนาคต
สู่ยุคดิจิทัล

Leading Business
Towards Digital
Transformation



วัตถุประสงค์ของ ห้างหุ้นส่วน/บริษัท นี้ มี.....23.....ข้อ ดังนี้

(13) ประกอบธุรกิจรับบริการรับส่งสัมภาระขึ้น-ลงรถรับ-ส่งผู้โดยสาร และบริการนำสัมภาระขึ้น-ลงรถรับ-ส่งผู้โดยสาร
รับบริการนำสัมภาระขึ้น-ลงรถรับ-ส่งผู้โดยสาร ซึ่งเดินทางเข้ามาในประเทศไทย หรือเดินทางออกไปต่างประเทศตามกฎหมายว่าด้วยคนเข้าเมือง
กฎหมายว่าด้วยภาษีอากร และกฎหมายอื่น

(14) ประกอบธุรกิจบริการรับเป็นที่พักและให้คำแนะนำปัญหาเกี่ยวกับด้านบริหารงานพาณิชยกรรม อุตสาหกรรม
รวมทั้งปัญหาการผลิตรายการและจัดจำหน่าย

(15) ประกอบธุรกิจบริการรับเป็นผู้จัดการและดูแลผลประโยชน์ เก็บผลประโยชน์และจัดการทรัพย์สินให้แก่บุคคลอื่น

(16) ประกอบกิจการโรงพยาบาลเอกชน สถานพยาบาล รับรักษาคอนไจและผู้ป่วยเจ็บ รับทำการฝึกสอน และ
อบรมทางด้านวิชาการ เกี่ยวกับการแพทย์ การอนามัย

(17) ประกอบกิจการจัดสร้างและจัดจำหน่ายภาพยนตร์ โรงภาพยนตร์ และโรงมหรสพอื่น สถานพักผ่อนอากาศ
สนามกีฬา สระว่ายน้ำ โบว์ลิ่ง

(18) ประกอบกิจการให้บริการซ่อมแซม บำรุงรักษา ตรวจสอบ อัคคีภัย พ่นน้ำยากันสนิมสำหรับยานพาหนะทุกประเภท
รวมทั้งบริการติดตั้ง ตรวจสอบ และแก้ไขอุปกรณ์ ป้องกันวินาศภัยทุกประเภท

(19) ประกอบกิจการ ซักรีดเสื้อผ้า ตัดผม แต่งผม เสริมสวย

(20) ประกอบกิจการรับจ้างถ่ายรูป ส้าง อัค ขยายรูป รวมทั้งเอกสาร

(21) ประกอบกิจการสถานบริการอาบอบนวด

(22) ประกอบกิจการประมูลเพื่อรับจ้างทำของ ตามวัตถุประสงค์ทั้งหมด ให้แก่บุคคล คณะบุคคล นิติบุคคล ส่วนราชการ
และองค์การของรัฐ

(23) ประกอบกิจการให้เช่าที่พักสำหรับพักผ่อน และให้บริการสถานที่ออกกำลังกาย และศูนย์บำรุงรักษาความงาม
และสุขภาพ ครบวงจร รวมทั้งให้บริการจำหน่ายอาหารและเครื่องดื่ม





แบบ บอจ. 4

สำนักงาน



รายการจดทะเบียนแก้ไขเพิ่มเติม และ/หรือ มติพิเศษ

(นางทิพาภรณ์ ขยศิริกุล ชื่นมณี)

บริษัท เดอะเรนทรี โฮเทล นายทะเบียน จำกัด

ทะเบียนเลขที่ 0575545000726 สำนักงานทะเบียนหุ้นส่วนบริษัท จังหวัดเชียงราย

ข้อความซึ่งได้แก้ไขเพิ่มเติมรายการในทะเบียนแล้ว รวม.....3.....รายการ เป็นดังนี้

1. ให้แก้ไขเพิ่มเติมหนังสือบริคณห์สนธิ ข้อ 1 เป็นดังนี้

ข้อ 1. ชื่อบริษัท "บริษัท เรนทรี โฮเทล จำกัด"

เขียนเป็นภาษาอังกฤษ ดังนี้ " RAINTREE HOTEL CO.,LTD."

2. ให้แก้ไขเพิ่มเติมจำนวนกรรมการเป็นดังนี้
กรรมการออกจากตำแหน่ง จำนวน 1 คน คือ



3. ให้แก้ไขเพิ่มเติม ตราของบริษัทเป็นดังนี้

ข้อ 10. ตราของบริษัทมีดังที่ประทับไว้



บริษัท เรนทรี โฮเทล จำกัด
RAINTREE HOTEL CO., LTD.





สถานะถูกต้อง



หนังสือบริคณห์สนธิ

ของ

บริษัท เดอะเรนทรี โฮเทล จำกัด

(ฉบับแก้ไขเพิ่มเติม)

โดยมติพิเศษของที่ประชุม วิทยาลัยผู้ถือหุ้น ครั้งที่ 5/2565 เมื่อวันที่ 22 เมษายน 2565
ให้แก้ไขเพิ่มเติมหนังสือบริคณห์สนธิของบริษัท ชื่อ 1 เป็นดังนี้

ข้อ 1. ชื่อบริษัท "บริษัท เรนทรี โฮเทล จำกัด"

เขียนเป็นภาษาอังกฤษ ดังนี้ "RAINTREE HOTEL CO.,LTD."

ขอรับรองว่าเป็นข้อความถูกต้องตรงกับมติที่ประชุมดังกล่าวข้างต้น



570026504220005



ภาคผนวกที่ 4

ใบรายงานผลการวิเคราะห์จากห้องปฏิบัติการ


ANALYSIS REPORT

Customer Name : Raintree Hotel Co., Ltd.
Address : 221/2 Moo 20, Kwaewai Road, Rop Wiang, Mueang Chiang Rai, Chiang Rai 57000
Project Name : โครงการโรงแรม เลอ เมอริเดียน เชียงราย รีสอร์ท
Sampling Source : Wastewater Sampling
Sampling Point : น้ำทิ้งที่ปล่อยน้ำก่อนเข้าระบบบำบัด (Influent)
GPS. Coordinate : -
Sampling Date : January 6, 2026
Sampling Time : 10:00
Sampling Method : Grab
Sampling By : Customer
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Pink, Sediment, Odorless

Quotation No. : MR2025-02558
Analysis No. : 2026-AA023-001
Received Date : January 7, 2026
Analytical Date : January 7-14, 2026
Report No. : 2026-RAAA451
Report Date : January 14, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	10
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	205
Total Suspended Solids	mg/L	Dried at 103-105°C	53
Total Dissolved Solids	mg/L	Dried at 180°C	489
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.5
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	21
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	27
Settleable Solids	mL/L	Volumetric	2.0

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.



(Ms. Yuwadee Na Ranong)
Laboratory Reviewer




(Mr. Virat Hemvannanukul)
Laboratory Supervisor

ANALYSIS REPORT


Customer Name : Raintree Hotel Co., Ltd.
Address : 221/2 Moo 20, Kwaewai Road, Rop Wiang, Mueang Chiang Rai, Chiang Rai 57000
Project Name : โครงการโรงแรม เลอ เมอริเดียน เชียงราย รีสอร์ท
Sampling Source : Wastewater Sampling
Sampling Point : น้ำทิ้งที่ผ่านการบำบัดแล้ว (Effluent)
GPS. Coordinate : -
Sampling Date : January 6, 2026
Sampling Time : 10:00
Sampling Method : Grab
Sampling By : Customer
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-02558
Analysis No. : 2026-AA023-002
Received Date : January 7, 2026
Analytical Date : January 7-14, 2026
Report No. : 2026-RAAA452
Report Date : January 14, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	8.0	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	<2.0	30
Total Suspended Solids	mg/L	Dried at 103-105°C	9.6	40
Total Dissolved Solids	mg/L	Dried at 180°C	148	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	1.2	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	1.4	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Residual Chlorine	mg/L	Iodometric	0.4	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.



(Ms. Yuwadee Na Ranong)

Laboratory Reviewer




(Mr. Virat Hemvannanukul)

Laboratory Supervisor


ANALYSIS REPORT

Customer Name : Raintree Hotel Co., Ltd.
Address : 221/2 Moo 20, Kwaewai Road, Rop Wiang, Mueang Chiang Rai, Chiang Rai 57000
Project Name : โครงการโรงแรม เลอ เมอริเดียน เชียงราย รีสอร์ท
Sampling Source : Wastewater Sampling
Sampling Point : น้ำทิ้งที่ปล่อยน้ำก่อนเข้าระบบบำบัด (Influent)
GPS. Coordinate : -
Sampling Date : February 6, 2026
Sampling Time : 10:00
Sampling Method : Grab
Sampling By : Customer
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-02558
Analysis No. : 2026-AA510-001
Received Date : February 9, 2026
Analytical Date : February 9-18, 2026
Report No. : 2026-RAAC674
Report Date : February 18, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	8.6
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	54
Total Suspended Solids	mg/L	Dried at 103-105°C	73
Total Dissolved Solids	mg/L	Dried at 180°C	347
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	36
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	26
Settleable Solids	mL/L	Volumetric	1.5

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.



(Ms. Yuwadee Na Ranong)
Laboratory Reviewer




(Mr. Virat Hemvannanukul)
Laboratory Supervisor

ANALYSIS REPORT


Customer Name : Raintree Hotel Co., Ltd.
Address : 221/2 Moo 20, Kwaewai Road, Rop Wiang, Mueang Chiang Rai, Chiang Rai 57000
Project Name : โครงการโรงแรม เลอ เมอริเดียน เชียงราย รีสอร์ท
Sampling Source : Wastewater Sampling
Sampling Point : น้ำทิ้งที่ผ่านการบำบัดแล้ว (Effluent)
GPS. Coordinate : -
Sampling Date : February 6, 2026
Sampling Time : 10:00
Sampling Method : Grab
Sampling By : Customer
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, Sediment, Odorless

Quotation No. : MR2025-02558
Analysis No. : 2026-AA510-002
Received Date : February 9, 2026
Analytical Date : February 9-18, 2026
Report No. : 2026-RAAC675
Report Date : February 18, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	7.0	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	2.4	30
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0	40
Total Dissolved Solids	mg/L	Dried at 180°C	171	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	1.4	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Residual Chlorine	mg/L	Iodometric	0.9	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.



(Ms. Yuwadee Na Ranong)
Laboratory Reviewer




(Mr. Virat Hemvannanukul)
Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Raintree Hotel Co., Ltd.
Address : 221/2 Moo 20, Kwaewai Road, Rop Wiang, Mueang Chiang Rai, Chiang Rai 57000
Project Name : โครงการโรงแรม เลอ เมอริเดียน เชียงราย รีสอร์ท
Sampling Source : Wastewater Sampling
Sampling Point : น้ำทิ้งที่ปล่อยน้ำก่อนเข้าระบบบำบัด (Influent)
GPS. Coordinate : -
Sampling Date : March 7, 2026
Sampling Time : 10:00
Sampling Method : Grab
Sampling By : Customer
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-02558
Analysis No. : 2026-AA959-001
Received Date : March 9, 2026
Analytical Date : March 9-17, 2026
Report No. : 2026-RAAE839
Report Date : March 18, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	8.2
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	71
Total Suspended Solids	mg/L	Dried at 103-105°C	34
Total Dissolved Solids	mg/L	Dried at 180°C	958
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.8
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	45
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	5.0
Settleable Solids	mL/L	Volumetric	1.4

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.



(Ms. Yuwadee Na Ranong)
Laboratory Reviewer




(Mr. Virat Hemvannanukul)
Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Raintree Hotel Co., Ltd.
Address : 221/2 Moo 20, Kwaewai Road, Rop Wiang, Mueang Chiang Rai, Chiang Rai 57000
Project Name : โครงการโรงแรม เลอ เมอริเดียน เชียงราย รีสอร์ท
Sampling Source : Wastewater Sampling
Sampling Point : น้ำทิ้งที่ผ่านการบำบัดแล้ว (Effluent)
GPS. Coordinate : -
Sampling Date : March 7, 2026
Sampling Time : 10:00
Sampling Method : Grab
Sampling By : Customer
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odorless

Quotation No. : MR2025-02558
Analysis No. : 2026-AA959-002
Received Date : March 9, 2026
Analytical Date : March 9-17, 2026
Report No. : 2026-RAAE840
Report Date : March 18, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	8.2	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	<2.0	30
Total Suspended Solids	mg/L	Dried at 103-105°C	5.6	40
Total Dissolved Solids	mg/L	Dried at 180°C	189	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	2.6	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	1.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Residual Chlorine	mg/L	Iodometric	0.4	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.


 (Ms. Yuwadee Na Ranong)
 Laboratory Reviewer


 (Mr. Virat Hemvannanukul)
 Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Raintree Hotel Co., Ltd.
Address : 221/2 Moo 20, Kwaewai Road, Rop Wiang, Mueang Chiang Rai, Chiang Rai 57000
Project Name : โครงการโรงแรม เลอ เมอริเดียน เชียงราย รีสอร์ท
Sampling Source : Wastewater Sampling
Sampling Point : น้ำทิ้งที่ปล่อยน้ำก่อนเข้าระบบบำบัด (Influent)
GPS. Coordinate : -
Sampling Date : April 17, 2026
Sampling Time : 10:30
Sampling Method : Grab
Sampling By : Customer
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-02558
Analysis No. : 2026-AB772-001
Received Date : April 20, 2026
Analytical Date : April 20-30, 2026
Report No. : 2026-RAAI785
Report Date : April 30, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	7.2
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	77
Total Suspended Solids	mg/L	Dried at 103-105°C	53
Total Dissolved Solids	mg/L	Dried at 180°C	206
Sulfide	mg/L	ZnS Precipitation, Iodometric	1.7
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	41
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	12
Settleable Solids	mL/L	Volumetric	0.1

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.



(Ms. Yuwadee Na Ranong)
Laboratory Reviewer




(Mr. Virat Hemvannanukul)
Laboratory Supervisor

ANALYSIS REPORT


Customer Name : Raintree Hotel Co., Ltd.
Address : 221/2 Moo 20, Kwaewai Road, Rop Wiang, Mueang Chiang Rai, Chiang Rai 57000
Project Name : โครงการโรงแรม เลอ เมอริเดียน เชียงราย รีสอร์ท
Sampling Source : Wastewater Sampling
Sampling Point : น้ำทิ้งที่ผ่านการบำบัดแล้ว (Effluent)
GPS. Coordinate : -
Sampling Date : April 17, 2026
Sampling Time : 10:30
Sampling Method : Grab
Sampling By : Customer
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, No Sediment, Odorless

Quotation No. : MR2025-02558
Analysis No. : 2026-AB772-002
Received Date : April 20, 2026
Analytical Date : April 20-30, 2026
Report No. : 2026-RAAI786
Report Date : April 30, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	6.6	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	15	30
Total Suspended Solids	mg/L	Dried at 103-105°C	34	40
Total Dissolved Solids	mg/L	Dried at 180°C	172	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.9	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	9.7	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	4.2	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Residual Chlorine	mg/L	Iodometric	<0.3	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.



(Ms. Yuwadee Na Ranong)
Laboratory Reviewer




(Mr. Virat Hemvannanukul)
Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Raintree Hotel Co., Ltd.
Address : 221/2 Moo 20, Kwaewai Road, Rop Wiang, Mueang Chiang Rai, Chiang Rai 57000
Project Name : โครงการโรงแรม เลอ เมอริเดียน เชียงราย รีสอร์ท
Sampling Source : Wastewater Sampling
Sampling Point : น้ำทิ้งที่ปล่อยก่อนเข้าระบบบำบัด (Influent)
GPS. Coordinate : -
Sampling Date : May 8, 2026
Sampling Time : 10:00
Sampling Method : Grab
Sampling By : Customer
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-02558
Analysis No. : 2026-AC274-001
Received Date : May 9, 2026
Analytical Date : May 9-18, 2026
Report No. : 2026-RAAL057
Report Date : May 19, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	7.5
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	68
Total Suspended Solids	mg/L	Dried at 103-105°C	40
Total Dissolved Solids	mg/L	Dried at 180°C	553
Sulfide	mg/L	ZnS Precipitation, Iodometric	1.4
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	38
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	12
Settleable Solids	mL/L	Volumetric	1.0

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.



(Ms. Yuwadee Na Ranong)
Laboratory Reviewer




(Mr. Virat Hemvannanukul)
Laboratory Supervisor

ANALYSIS REPORT


Customer Name : Raintree Hotel Co., Ltd.
Address : 221/2 Moo 20, Kwaewai Road, Rop Wiang, Mueang Chiang Rai, Chiang Rai 57000
Project Name : โครงการโรงแรม เลอ เมอริเดียน เชียงราย รีสอร์ท
Sampling Source : Wastewater Sampling
Sampling Point : น้ำทิ้งที่ผ่านการบำบัดแล้ว (Effluent)
GPS. Coordinate : -
Sampling Date : May 8, 2026
Sampling Time : 10:00
Sampling Method : Grab
Sampling By : Customer
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, No Sediment, Odor

Quotation No. : MR2025-02558
Analysis No. : 2026-AC274-002
Received Date : May 9, 2026
Analytical Date : May 9-18, 2026
Report No. : 2026-RAAL058
Report Date : May 19, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	7.5	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	13	30
Total Suspended Solids	mg/L	Dried at 103-105°C	5.4	40
Total Dissolved Solids	mg/L	Dried at 180°C	138	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.6	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	2.9	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Residual Chlorine	mg/L	Iodometric	3.1	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.



(Ms. Yuwadee Na Ranong)
Laboratory Reviewer




(Mr. Virat Hemvannanukul)
Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Raintree Hotel Co., Ltd.
Address : 221/2 Moo 20, Kwaewai Road, Rop Wiang, Mueang Chiang Rai, Chiang Rai 57000
Project Name : โครงการโรงแรม เลอ เมอริเดียน เชียงราย รีสอร์ท
Sampling Source : Wastewater Sampling
Sampling Point : น้ำทิ้งที่ปล่อยน้ำก่อนเข้าระบบบำบัด (Influent)
GPS. Coordinate : -
Sampling Date : June 4, 2026
Sampling Time : 10:30
Sampling Method : Grab
Sampling By : Customer
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-02558
Analysis No. : 2026-AC979-001
Received Date : June 6, 2026
Analytical Date : June 6-15, 2026
Report No. : 2026-RAA0018
Report Date : June 16, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	7.2
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	118
Total Suspended Solids	mg/L	Dried at 103-105°C	101
Total Dissolved Solids	mg/L	Dried at 180°C	388
Sulfide	mg/L	ZnS Precipitation, Iodometric	1.5
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	26
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	13
Settleable Solids	mL/L	Volumetric	1.0

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.



(Ms. Yuwadee Na Ranong)
Laboratory Reviewer




(Mr. Virat Hemvannanukul)
Laboratory Supervisor

ANALYSIS REPORT


Customer Name : Raintree Hotel Co., Ltd.
Address : 221/2 Moo 20, Kwaewai Road, Rop Wiang, Mueang Chiang Rai, Chiang Rai 57000
Project Name : โครงการโรงแรม เลอ เมอริเดียน เชียงราย รีสอร์ท
Sampling Source : Wastewater Sampling
Sampling Point : น้ำทิ้งที่ผ่านการบำบัดแล้ว (Effluent)
GPS. Coordinate : -
Sampling Date : June 4, 2026
Sampling Time : 10:40
Sampling Method : Grab
Sampling By : Customer
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odorless

Quotation No. : MR2025-02558
Analysis No. : 2026-AC979-002
Received Date : June 6, 2026
Analytical Date : June 6-15, 2026
Report No. : 2026-RAA0074
Report Date : June 16, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	7.5	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	3.4	30
Total Suspended Solids	mg/L	Dried at 103-105°C	6.9	40
Total Dissolved Solids	mg/L	Dried at 180°C	304	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.6	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	1.0	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	0.3	-
Residual Chlorine	mg/L	Iodometric	<0.3	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.



(Ms. Yuwadee Na Ranong)
Laboratory Reviewer




(Mr. Virat Hemvannanukul)
Laboratory Supervisor

ภาคผนวกที่ 5

สำเนาเอกสารขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

๐๓ กรกฎาคม ๒๕๖๗

เรื่อง ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๔ เมษายน ๒๕๖๗

- สิ่งที่ส่งมาด้วย ๑. รายชื่อผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๑ แผ่น
๒. รายชื่อเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒ แผ่น
๓. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑๔ แผ่น

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด ขอต่ออายุหนังสือ
รับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖
ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง เขตหลักสี่ กรุงเทพมหานคร ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด
ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

- ก. ผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒๐ ราย ตามสิ่งที่ส่งมาด้วย ๑
ข. เจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน ๖๑ ราย ตามสิ่งที่ส่งมาด้วย ๒
ค. ขอบข่ายชนิดสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน อากาศเสีย
สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว และดิน ตามสิ่งที่ส่งมาด้วย ๓

หนังสือฉบับนี้จะหมดอายุในวันที่ ๑๘ พฤษภาคม ๒๕๗๑ หากประสงค์จะต่ออายุหนังสือรับขึ้น
ทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอต่อกรมโรงงานอุตสาหกรรม
ภายใน ๖๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายพรยศ กลั่นกรอง)

รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



“อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว”



เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

เลขทะเบียน ว-๐๙๙

ที่ อก ๐๓๑๐(๑)/ ๖๔๗ ๖

ลงวันที่ ๐๓ กรกฎาคม ๒๕๖๗

ก. ผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒๐ ราย

- | | |
|---------------------------------|----------------------------|
| ๑) นางสาวสุดารัตน์ เขจรรักษ์ | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๑ |
| ๒) นางสาวพิชดา เขียววรภัย | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๒ |
| ๓) นางสาววลิตา โพธิ์เจริญ | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๓ |
| ๔) ว่าที่ร้อยตรีวันชนะ สีหามาตร | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๔ |
| ๕) นางสาวรัชนีวรรณ ภูประเสริฐ | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๕ |
| ๖) นางสาวปณิชา พรหมชัย | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๖ |
| ๗) นางณัฐรดา เลี้ยงรักษา | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๗ |
| ๘) นายมงคล บุรภักดิ์ | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๘ |
| ๙) นางสาวธนิดา บุญรุ่งเรือง | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๙ |
| ๑๐) นางสาวรมิตา แต่งไทย | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๐ |
| ๑๑) นางสาวไรวินทร์ โพธิ์สิทธิ์ | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๑ |
| ๑๒) นางสาวณัฐนิชา เสริมมิตวงศ์ | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๒ |
| ๑๓) นายนพสิทธิ์ ทวีพรประดิษฐ์ | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๓ |
| ๑๔) นางสาวธิดารัตน์ ปุ๊กคะ | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๔ |
| ๑๕) นายอภิชาติ พูลพล | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๕ |
| ๑๖) นายนันทน์ ศิริชาติ | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๖ |
| ๑๗) นายสุทธิชาญ สังข์ทอง | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๗ |
| ๑๘) นางสาวยุวดี ณ ระนอง | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๘ |
| ๑๙) นางสาวสุภาวรรณ สุวรรณภา | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๙ |
| ๒๐) นางสาวนภาพรสิริ หมั่นวงษ์ | ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๒๐ |

วิภา

เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

เลขทะเบียน ว-๐๙๙

ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖

ลงวันที่ ๐๓ กรกฎาคม ๒๕๖๗

ข. เจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๖๑ ราย

๑) นางสาวณัฐธิดา ขาวสุทธิ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๒
๒) นางสาวสุธิดา ทองประภา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๕
๓) นายจิรยุทธ์ สามารถ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๗
๔) นายอัษฎา ไชยวงศ์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๘
๕) นางสาวณัฐริสา บุญหนัก	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๙
๖) นายนฤตม์ โชติกาญจน์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๒
๗) นางสาวพรทิพย์ อัมภรัตน์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๓
๘) นายอัศววัฒน์ คชบก	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๕
๙) นางสาวธัญพิชชา สุตเขียน	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๖
๑๐) นางสาวพาขวัญ นนพละ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๗
๑๑) นางสาววิมลรัตน์ แปรทอง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๘
๑๒) นางสาวจรรยาดี ขำแบ่ง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๙
๑๓) นางสาวธารารภรณ์ สมัยใหม่	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๐
๑๔) นางสาวรัตนชนก ชนะคำ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๑
๑๕) นางสาวกมลทิพย์ พุ่มตาก้อง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๒
๑๖) นางสาวสุพัตตรา ผาสุขพัคตร์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๓
๑๗) นางสาวฉัตรยาลักษณ์ บรรดิษฐ์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๔
๑๘) นางสาวอาภัสรา หล้าสูงเนิน	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๕
๑๙) นางสาวพิมพ์ิศา ทับพันธ์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๖
๒๐) นางสาวอัจฉรี แก้วเพชรวงศ์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๗
๒๑) นางสาวชลธิชา กันยานุช	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๘
๒๒) นางสาวพิชามณูช ยังฝ่อง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๙
๒๓) นางสาวณิชารีย์ ปริญาณวัตร	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๐
๒๔) นายวัชรพล บุตรดีขัน	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๑
๒๕) นางสาวณัฐติมา ปัดชา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๒
๒๖) นายวัชรพงษ์ พูลเขตกิจ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๓
๒๗) นายศิวักร วงสุตาล	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๔
๒๘) นางสาววิภา จาระณะ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๕
๒๙) นางสาวธัญญาภรณ์ คณะศรี	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๖
๓๐) นางสาวพัชรพร อนุสร	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๗
๓๑) นายธนากร อริยพงษ์โสภณ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๘
๓๒) นางสาวบุษกร สมรักษ์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๙
๓๓) นางสาววิลาวณีย์ แก้วยม	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๐
๓๔) นางสาวธัญญาลักษณ์ แสงโยธา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๑
๓๕) นายสุชาพงศ์ รุ่งเรือง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๒

วิภา

๓๖) นายสิทธิพร...

- ๓๖) นายสิทธิพร วงษ์คำ
- ๓๗) นางเตชินี สืบเสระ
- ๓๘) นางสาวธัญพร คนแรง
- ๓๙) นายภาณุพล โพธิ์แดง
- ๔๐) นายวัชรกร กองแสง
- ๔๑) นางสาวสุธาทิพย์ อิ่มน้อย
- ๔๒) นางสาวชมพูนุท กสิชีวิน
- ๔๓) นางสาวรวีวรรณ สุขารมย์
- ๔๔) นางสาวกัญญาลักษณ์ กระทาง
- ๔๕) นางสาวปิยธิดา ประแดงโค
- ๔๖) นางสาวปวีตรา นาเหล็ก
- ๔๗) นางสาวทักษพร ไกรสิงห์
- ๔๘) นางสาวเบญจวรรณ คำหงษา
- ๔๙) นางสาวพัชชา แก้วย้อย
- ๕๐) นางสาวณัฐชา สัมฤทธิ์ดี
- ๕๑) นายรอมซี กาเต๊ะ
- ๕๒) นางสาวอังคณา อุ่นตา
- ๕๓) นายสุริยะ ชูทอง
- ๕๔) นายฉันทวิชญ์ เหลวกุล
- ๕๕) นายศิวาวุธ ธรรมนิทา
- ๕๖) นายอนุวัฒน์ เรืองอ่อน
- ๕๗) นายฉัตรชัย โยวะผุย
- ๕๘) นายกลยุทธ อินทร์คำ
- ๕๙) นางสาวนันทชา เนื่อนวล
- ๖๐) นางสาวจิตตวรรณ ลิ้มสมบูรณ์
- ๖๑) ว่าที่ร้อยตรีณัฐพล สุทธิมล

- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๓
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๔
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๕
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๖
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๗
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๘
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๙
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๐
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๑
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๒
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๓
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๔
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๕
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๖
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๗
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๘
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๙
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๐
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๑
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๒
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๓
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๔
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๕
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๖
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๗
- ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๘

วิมล

เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอ็นไวรอนเม้นท์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

เลขทะเบียน ว-๐๙๙

ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖

ลงวันที่ ๐๓ กรกฎาคม ๒๕๖๗

ขอขยายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑๙๓ รายการ

น้ำ/น้ำเสีย จำนวน 27 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4]
2	Barium	2) Digestion, Inductively Coupled Plasma Method ^[4]
3	Biochemical Oxygen Demand	Digestion, Inductively Coupled Plasma Method ^[4]
4	Cadmium	1) 5-Day BOD Test, Azide Modification Method ^[4]
5	Chemical Oxygen Demand	2) 5-Day BOD Test, Membrane Electrode Method ^[4]
6	Chromium	Digestion, Inductively Coupled Plasma Method ^[4]
7	Color	Closed Reflux, Titrimetric Method ^[4]
8	Copper	Digestion, Inductively Coupled Plasma Method ^[4]
9	Cyanide	ADMI Weighted-Ordinate Spectrophotometric Method ^[4]
10	Formaldehyde	Digestion, Inductively Coupled Plasma Method ^[4]
11	Free Chlorine	Distillation, Colorimetric Method ^[3]
12	Hexavalent Chromium	1) Iodometric Method ^[4]
13	Lead	2) DPD Colorimetric Method ^[4]
14	Manganese	Colorimetric Method ^[4]
15	Mercury	1) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4]
16	Nickel	2) Digestion, Inductively Coupled Plasma Method ^[4]
17	Oil & Grease	Digestion, Inductively Coupled Plasma Method ^[4]
18	pH	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[4]
19	Phenols	Digestion, Inductively Coupled Plasma Method ^[4]
20	Selenium	Liquid-Liquid, Partition-Gravimetric Method ^[4]
		Electrometric Method ^[4]
		Distillation, Direct Photometric Method ^[4]
		1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4]
		2) Digestion, Inductively Coupled Plasma Method ^[4]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
21	Sulfide	Iodometric Method ^[4]
22	Temperature	Laboratory and Field Methods ^[4]
23	Total Dissolved Solids	Dried at 180 °C ^[4]
24	Total Kjeldahl Nitrogen	1) Macro-Kjeldahl Method ^[4] 2) Semi-Micro-Kjeldahl Method ^[4]
25	Total Suspended Solids	Dried from 103 to 105 °C ^[4]
26	Trivalent Chromium	Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ^[4]
27	Zinc	Digestion, Inductively Coupled Plasma Method ^[4]

น้ำใต้ดิน จำนวน 61 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acetone	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
2	Antimony	Digestion, Inductively Coupled Plasma Method ^[4]
3	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
4	Barium	Digestion, Inductively Coupled Plasma Method ^[4]
5	Benzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
6	Beryllium	Digestion, Inductively Coupled Plasma Method ^[4]
7	Bromodichloromethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
8	Bromoform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
9	Cadmium	Digestion, Inductively Coupled Plasma Method ^[4]
10	Carbon disulfide	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
11	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
12	Chlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
13	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
14	Chloroform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
15	Chromium	Digestion, Inductively Coupled Plasma Method ^[4]
16	Chromium (III)	Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ^[4]
17	Chromium (VI)	Colorimetric Method ^[4]
18	Cyanide	Distillation, Colorimetric Method ^[4]
19	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
20	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
21	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
22	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
23	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
24	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
25	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
26	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
27	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
28	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
29	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
30	Ethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]

30/1

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
31	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
32	Lead	1) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
33	Manganese	Digestion, Inductively Coupled Plasma Method ^[4]
34	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[4]
35	Methyl bromide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
36	Methylene chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
37	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
38	Naphthalene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
39	Nickel	Digestion, Inductively Coupled Plasma Method ^[4]
40	pH	Electrometric Method ^[4]
41	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
42	Silver	Digestion, Inductively Coupled Plasma Method ^[4]
43	Styrene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
44	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
45	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
46	Toluene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
47	TPH (C ₅ -C ₈)	Purge and Trap, Gas Chromatographic Method ^[11,19]
48	TPH (C _{>8} -C ₁₆)	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[9,19]

3mm

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
49	TPH (C ₁₆ -C ₃₅)	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[9,19]
50	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
51	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
52	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
53	Trichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
54	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
55	Vanadium	Digestion, Inductively Coupled Plasma Method ^[4]
56	Vinyl chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
57	m-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
59	o-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
59	p-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
60	Xylene (Total)	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
61	Zinc	Digestion, Inductively Coupled Plasma Method ^[4]

อากาศเสีย (ปล่อยระบาย) จำนวน 26 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
2	Arsenic	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]

3mg

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
3	Beryllium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
4	Cadmium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
5	Carbon Monoxide	Instrumental Analyzer Method ^[5]
6	Chlorine	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
7	Chromium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
8	Cobalt	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
9	Copper	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
10	Dioxins/Furans	Isokinetic Sampling ^[5]
11	Hydrogen Chloride	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
12	Hydrogen Fluoride	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
13	Hydrogen Sulfide	Absorption Sampling, Iodometric Method ^[5]
14	Lead	1) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5] 2) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5]
15	Manganese	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
16	Mercury	Isokinetic Sampling, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[5]
17	Nickel	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
18	Opacity	Ringelmann's Method ^[2]
19	Oxides of Nitrogen	1) Absorption Sampling, Alkaline Permanganate/Colorimetric Method ^[5] 2) Instrumental Analyzer Method ^[5]
20	Selenium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]

31/10/2564

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
21	Sulfur Dioxide	1) Isokinetic Sampling, Barium-Thorin Titrimetric Method ^[5] 2) Absorption Sampling, Barium-Thorin Titrimetric Method ^[5] 3) Instrumental Analyzer Method ^[5]
22	Sulfuric Acid	Isokinetic Sampling, Barium-Thorin Titrimetric Method ^[5]
23	Tin	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
24	Total Suspended Particulate	Isokinetic Sampling, Gravimetric Method ^[5]
25	Vanadium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
26	Xylene	Adsorption Sampling, Gas Chromatographic Method ^[5]

สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน 20 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
2	Arsenic	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[1,6,14] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,14] 4) Digestion, Inductively Coupled Plasma Method ^[7,13]
3	Barium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
4	Beryllium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
5	Cadmium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
6	Chromium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]
7	Chromium (III)	2) Digestion, Inductively Coupled Plasma Method ^[7,13] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method; Waste Extraction, Colorimetric Method; Calculation ^[1,6,13,15]
8	Chromium (VI)	2) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation ^[7,8,13,15] 1) Waste Extraction, Colorimetric Method ^[1,15]
9	Cobalt	2) Alkaline Digestion, Colorimetric Method ^[8,15] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]
10	Copper	2) Digestion, Inductively Coupled Plasma Method ^[7,13] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]
11	Lead	2) Digestion, Inductively Coupled Plasma Method ^[7,13] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]
12	Mercury	2) Digestion, Inductively Coupled Plasma Method ^[7,13] 1) Waste Extraction, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[1,6,16]
13	Molybdenum	2) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[17] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]
14	Nickel	2) Digestion, Inductively Coupled Plasma Method ^[7,13] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]
15	pH	2) Digestion, Inductively Coupled Plasma Method ^[7,13] Electrometric Method ^[21,22]
16	Selenium	1) Waste Extraction, Digestion, Hydride Generation/ Atomic Absorption Spectrometric Method ^[1,6,18] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]

พิมพ์

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
17	Silver	3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,18] 4) Digestion, Inductively Coupled Plasma Method ^[7,13] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
18	Thallium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
19	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
20	Zinc	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]

ดิน จำนวน 59 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acetone	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
2	Antimony	Digestion, Inductively Coupled Plasma Method ^[7,13]
3	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
4	Barium	Digestion, Inductively Coupled Plasma Method ^[7,13]
5	Benzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
6	Beryllium	Digestion, Inductively Coupled Plasma Method ^[7,13]
7	Bromodichloromethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
8	Bromoform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
9	Cadmium	Digestion, Inductively Coupled Plasma Method ^[7,13]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
10	Carbon disulfide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
11	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
12	Chlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
13	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
14	Chloroform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
15	Chromium	Digestion, Inductively Coupled Plasma Method ^[7,13]
16	Chromium (III)	Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation ^[7,8,13,15]
17	Chromium (VI)	Alkaline Digestion, Colorimetric Method ^[8,15]
18	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
19	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
20	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
21	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
22	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
23	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
24	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
25	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
26	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
27	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
28	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
29	Ethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
30	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
31	Lead	Digestion, Inductively Coupled Plasma Method ^[7,13]
32	Manganese	Digestion, Inductively Coupled Plasma Method ^[7,13]
33	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[17]
34	Methyl bromide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
35	Methylene chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
36	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
37	Naphthalene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
38	Nickel	Digestion, Inductively Coupled Plasma Method ^[7,13]
39	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,18] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
40	Silver	Digestion, Inductively Coupled Plasma Method ^[7,13]
41	Styrene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
42	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
43	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
44	Toluene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
45	TPH (C ₅ -C ₈)	Purge and Trap, Gas Chromatographic Method ^[12,19]
46	TPH (C _{>8} -C ₁₆)	Ultrasonic Extraction, Gas Chromatographic Method ^[10,19]

อินท

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
47	TPH (C _{>16} -C ₃₅)	Ultrasonic Extraction, Gas Chromatographic Method ^[10,19]
48	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
49	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
50	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
51	Trichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
52	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
53	Vanadium	Digestion, Inductively Coupled Plasma Method ^[7,13]
54	Vinyl chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
55	m-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
56	o-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
57	p-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
58	Xylene (Total)	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
59	Zinc	Digestion, Inductively Coupled Plasma Method ^[7,13]

เอกสารอ้างอิง

- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2566. เรื่อง การจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว. ราชกิจจานุเบกษา. 31 พฤษภาคม 2566. เล่มที่ 140 ตอนพิเศษ 126 ง.
- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณเขม่าควันที่เจือปนในอากาศที่ระบายออกจากปล่องของหม้อน้ำโรงสีข้าวที่ใช้กลบเป็นเชื้อเพลิง. ราชกิจจานุเบกษา. 4 ธันวาคม 2549. เล่มที่ 123 ตอนพิเศษ 125ง.
- สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย. คู่มือวิเคราะห์น้ำเสีย. พิมพ์ครั้งที่ 4. กรุงเทพฯ: เรือนแก้วการพิมพ์, 2547.
- APHA, AWWA, WEF. Standard Methods for the Examination of Water and Wastewater. 24th ed. Washington, DC: APHA, 2023.

5. United States Environmental Protection Agency. **Standards of Performance for New Stationary Sources**. 40 CFR 60. Appendix A, 2023.
6. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods**. SW-846, 1997.
7. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Acid Digestion of Sludges and Sediments and Soils**. SW-846 Method 3050B, 1996.
8. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Alkaline Digestion for Hexavalent Chromium**. SW-846 Method 3060A, 1996.
9. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Separatory Funnel Liquid-Liquid Extraction**. SW-846 Method 3510C, 1996.
10. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Ultrasonic Extraction**. SW-846 Method 3550C, 2007.
11. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Purge-and-Trap for Aqueous Samples**. SW-846 Method 5030C, 2003.
12. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Closed-System Purge-and-Trap and Extraction for Volatile Organics in Soil and Waste Samples**. SW-846 Method 5035A, 2002.
13. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Inductively Coupled Plasma - Atomic Emission Spectrometry**. SW-846 Method 6010D, 2018.
14. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Antimony and Arsenic (Atomic Absorption, Borohydride Reduction)**. SW-846 Method 7062, 1994.
15. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Chromium, Hexavalent (Colorimetric)**. SW-846 Method 7196A, 1992.
16. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Mercury in Liquid Waste (Manual Cold-Vapor Technique)**. SW-846 Method 7470A, 1994.
17. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique)**. SW-846 Method 7471B, 2007.
18. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Selenium (Atomic Absorption, Borohydride Reduction)**. SW-846 Method 7742, 1994. *Sample*

19. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Nonhalogenated Organics Using GC/FID. SW-846 Method 8015D**, 2003.

20. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/ Chemical Methods. **Volatile Organic Compounds by Gas Chromatography/ Mass Spectrometry (GC/MS). SW-846 Method 8260C**, 1996.

21. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **pH Electrometric Measurement. SW-846 Method 9040C**, 2004.

22. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Soil and Waste pH. SW-846 Method 9045D**, 2004.

3mg/l

ที่ อก ๐๓๑๐(๑)/ ๑๑๕๒๓



กรมโรงงานอุตสาหกรรม

ถนนพระรามที่ ๖ แขวงทุ่งพญาไท

เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

๒๑ พฤศจิกายน ๒๕๖๗

เรื่อง เปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๓ กันยายน ๒๕๖๗

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด จำนวน ๒ แผ่น

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด ห้องปฏิบัติการวิเคราะห์
เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง
เขตหลักสี่ กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์ ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๒ ราย

๑) นางสาวกมลทิพย์ พุ่มตาก้อง

ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๒

๒) นายศิวารุธ ธรรมนิทา

ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๒

๒. ให้เพิ่มขอบข่ายชนิดสารมลพิษที่วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน และดิน ตามสิ่งที่ส่งมาด้วย

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

ในวันที่ ๑๘ พฤษภาคม ๒๕๗๑

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายธีรศักดิ์ อิศรางกูร ณ อยุธยา)

รองอธิบดี ปฏิบัติราชการแทน

อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

บริษัท เอ็นไวรอนเม้นท์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

เลขทะเบียน ว-๐๙๙

ที่ อก ๐๓๑๐(๑)/ ๑๑ ๕๒ ๓

ลงวันที่ ๒๑ พฤศจิกายน ๒๕๖๗

ขอข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๔๗ รายการ

น้ำ/น้ำเสีย จำนวน 19 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
2	α -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
3	β -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
4	δ -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
5	γ -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
6	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
7	o,p'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
8	4,4'-DDD	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
9	4,4'-DDE	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
10	4,4'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
11	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
12	Endosulfan I	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
13	Endosulfan II	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
14	Endosulfan sulfate	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
15	Endrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
16	Endrin aldehyde	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
17	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
18	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
19	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]

น้ำใต้ดิน จำนวน 14 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
2	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
3	DDD	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
4	DDE	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
5	DDT	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
6	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]

7 Endosulfan...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
7	Endosulfan	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
8	Endrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
9	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
10	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
11	α -HCH	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
12	β -HCH	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
13	γ -HCH	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
14	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]

ดิน จำนวน 14 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
2	Chlordane	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
3	DDD	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
4	DDE	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
5	DDT	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
6	Dieldrin	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
7	Endosulfan	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
8	Endrin	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
9	Heptachlor	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
10	Heptachlor epoxide	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
11	α -HCH	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
12	β -HCH	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
13	γ -HCH	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
14	Methoxychlor	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]

เอกสารอ้างอิง

1. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater.** 24th ed. Washington, DC: APHA, 2023.
2. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Ultrasonic Extraction. SW-846 Method 3550C,** 2007.
3. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Organochlorine Pesticides by Gas Chromatography. SW-846 Method 8081B,** 2007.

ที่ อก ๐๓๑๐(๑)/ ๑๖๐๘



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๘ กุมภาพันธ์ ๒๕๖๘

เรื่อง เปลี่ยนแปลงสารมลพิษที่วิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๗ มกราคม ๒๕๖๘

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือเปลี่ยนแปลงสารมลพิษที่วิเคราะห์

บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด จำนวน ๑ แผ่น

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด ห้องปฏิบัติการวิเคราะห์
เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง
เขตหลักสี่ กรุงเทพมหานคร ขอเปลี่ยนแปลงสารมลพิษที่วิเคราะห์ ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด
เพิ่มขอบข่ายชนิดสารมลพิษที่วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน อากาศเสีย และดิน ตามสิ่งที่ส่งมาด้วย

อนึ่ง หนังสือฉบับนี้จะสิ้นอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
ในวันที่ ๑๘ พฤษภาคม ๒๕๗๑

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

รังสรรค์

(นายธีรทัศน์ อิศรางกูร ณ อยุธยา)

รองอธิบดี ปฏิบัติราชการแทน

อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



เอกสารแนบท้ายหนังสือเปลี่ยนแปลงสารมลพิษที่วิเคราะห์

บริษัท เอ็นไวรอนเม้นท์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

เลขทะเบียน ว-๐๙๙

ที่ อก ๐๓๑๐(๑)/ ๑๖๐๘

ลงวันที่ ๒๘ กุมภาพันธ์ ๒๕๖๘

ขอข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๔ รายการ

น้ำ/น้ำเสีย จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Toxaphene	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]

น้ำใต้ดิน จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Toxaphene	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]

อากาศเสีย (ปล่องระบาย) จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Cresol	Adsorption Sampling, Gas Chromatographic Method ^[2]

ดิน จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Toxaphene	Ultrasonic Extraction, Gas Chromatographic Method ^[3,4]

เอกสารอ้างอิง

1. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater.** 24th ed. Washington, DC: APHA, 2017.
2. United States Environmental Protection Agency. **Standards of Performance for New Stationary Sources.** 40 CFR 60. Appendix A, 2023.
3. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Ultrasonic Extraction. SW-846 Method 3550C,** 2007.
4. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organochlorine Pesticides by Gas Chromatography. SW-846 Method 8081B,** 2007.

ที่ อก ๐๓๑๐(๑)/ ๕๗ ๖ ๓



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๐๘ กรกฎาคม ๒๕๖๘

เรื่อง ยกเลิกบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๑ กรกฎาคม ๒๕๖๘

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน
เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง
เขตหลักสี่ กรุงเทพมหานคร ขอยกเลิกบุคลากร ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้ยกเลิกเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน
จำนวน ๑๐ ราย ได้แก่

๑) นางสาวสุพัตรา ผาสุขพัทตร์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๓
๒) นางสาวฉัตรยาลักษณ์ บรรดิษฐ์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๔
๓) นางสาวณัฐติมา ปัดชา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๒
๔) นายวัชรพงษ์ พูลเขตกิจ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๓
๕) นางสาววิภา จาระณะ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๕
๖) นางสาวธัญญาภรณ์ คณะศรี	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๖
๗) นางสาวบุษกร สมรักษ์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๙
๘) นางสาววิลาวัลย์ แก้วยม	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๐
๙) นางสาวธัญญาลักษณ์ แสงโยธา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๑
๑๐) นางสาวชมพูนุท กสิชีวิน	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๙

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายประสม ดำรงพงษ์)

ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน
ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



ภาคผนวกที่ 6

เอกสารสอบเทียบเครื่องมือตรวจวัด

Calibration Report


Customer Name : Raintree Hotel Co., Ltd.
Address : 221/2 Moo 20, Kwaewai Road., Robwieng, Muang Chiang Rai, Chiang Rai 57000
Project Name : โครงการโรงแรม เลอ เมอริเดียน เชียงราย รีสอร์ท
Sampling Date : มกราคม – มิถุนายน 2569

Water

Item	Equipment	Manufacturer	Model	Serial Number	Calibration Date
1	pH Meter	Eutech	pHTestr 30	3011826	July 30, 2025
2	Incubator	Accuplus	SMART i250	2059-0218-0002	October 3, 2025
3	DO Meter	YSI	5000-115	17H104220	September 26, 2025
4	Electronic Balance	Mettler Toledo	MS204S/01	B334691537	January 26, 2026
5	Hot Air Oven	Binder	FED 115 E2	11-22823	January 26, 2026
6	Hot Air Oven	Memmert	UF 110	B414.0652	January 6, 2026
7	KjelDigester Standard	Buchi	K-449	1000299283	June 6, 2026
8	Electronic Balance	Mettler Toledo	MS204TS/00	B547728937	January 26, 2026



(Ms. Napajirut Muenwong)
Environmental Scientist




(Ms. Panicha Promchai)
Laboratory Supervisor