

ภาคผนวกที่ 3

ใบรับรองการก่อสร้างอาคาร ดัดแปลงอาคาร หรือเคลื่อนย้ายอาคาร (แบบ อ.6)



คำเตือน

ที่จัดส่งรายงานผลการตรวจสอบใหญ่ของอาคาร ตามกฎกระทรวงฯ
ว่าด้วยหลักเกณฑ์การตรวจสอบอาคาร พ.ศ. ๒๕๔๘ ภายใน ๓๐ วัน
ก่อนใบรับรองการก่อสร้างอาคารจะมีระยะเวลาครบ ๑ ปี

ใบรับรองการก่อสร้างอาคาร ดัดแปลงอาคาร หรือเคลื่อนย้ายอาคาร

เลขที่ ๘๕ / ๒๕๖๐

บริษัท โอเอสสภา จำกัด โดย นายธนา ไชยประสิทธิ์ และ นายประธาน ไชยประสิทธิ์
ใบรับรองฉบับนี้แสดงว่า.....เจ้าของอาคาร/ผู้ครอบครองอาคาร

อยู่บ้านเลขที่ ๓๔๘ ตรอก/ซอย.....ถนน รามคำแหง หมู่ที่.....

ตำบล แขวง หัวหมาก อำเภอ/เขต บางกะปิ จังหวัด กรุงเทพมหานคร

ได้ทำการ.....ดัดแปลง.....อาคาร เป็นไปโดยถูกต้องตามที่ได้รับอนุญาตในใบอนุญาต

เลขที่ ๑๑๑ / ๒๕๕๘ ลงวันที่ ๔ เดือน พฤศจิกายน พ.ศ. ๒๕๕๘

ซึ่งอาคารดังกล่าวเป็นอาคารประเภทควบคุมการใช้ เจ้าพนักงานท้องถิ่นจึงออกใบรับรองให้ดังต่อไปนี้

ข้อ ๑ เป็นอาคาร ชั้นใต้ดิน ๑ ชั้น (อาคาร A)

(๑) ชนิด.....จำนวน.....หลัง เพื่อใช้เป็น อาคารสำนักงาน

โดยมีที่จอดรถ ที่กับลอร์ด และทางเข้าออกของรถ จำนวน.....คัน

(๒) ชนิด.....จำนวน.....หลัง เพื่อใช้เป็น.....

โดยมีที่จอดรถ ที่กับลอร์ด และทางเข้าออกของรถ จำนวน.....คัน

(๓) ชนิด.....จำนวน.....หลัง เพื่อใช้เป็น.....

โดยมีที่จอดรถ ที่กับลอร์ด และทางเข้าออกของรถ จำนวน.....คัน

ที่บ้านเลขที่.....ตรอก/ซอย.....ถนน รามคำแหง

หมู่ที่.....ตำบล/แขวง หัวหมาก อำเภอ/เขต บางกะปิ จังหวัด กรุงเทพมหานคร

โดย บริษัท โอเอสสภา จำกัด เป็นเจ้าของอาคาร และ บริษัท โอเอสสภา จำกัด

เป็นผู้ครอบครองอาคาร อยู่ในที่ดิน โฉนดที่ดิน ๑๕๖๗ ๑๑๘๐๒๖ ๑๑๘๐๒๗ ๑๑๘๐๒๘ ๑๑๘๐๒๙ ๑๑๘๐๓๐ ๑๑๘๐๓๑ ๑๑๘๐๓๒ ๑๑๘๐๓๓ ๑๑๘๐๓๔ ๑๑๘๐๓๕ ๑๑๘๐๓๖ ๑๑๘๐๓๗ ๓๕๒๘๒

เป็นที่ดินของ บริษัท โอเอสสภา จำกัด นายเพชร โอสสถานเคราะห์ นายรัตน์ โอสสถานเคราะห์

ค่าธรรมเนียมใบรับรองการดัดแปลงอาคาร ฉบับละ ๑๐.๐๐ บาท

ข้อ ๒ ผู้ได้รับใบรับรองต้องปฏิบัติตามเงื่อนไข ดังต่อไปนี้

(๑) ผู้ได้รับใบรับรองต้องปฏิบัติตามหลักเกณฑ์ วิธีการ และเงื่อนไขตามที่กำหนดในกฎกระทรวง

และหรือข้อบัญญัติท้องถิ่น ซึ่งออกตามความในมาตรา ๘ (๑) มาตรา ๙ หรือมาตรา ๑๐ แห่งพระราชบัญญัติ

ควบคุมอาคาร พ.ศ. ๒๕๖๒ แก้ไขเพิ่มเติมตามพระราชบัญญัติควบคุมอาคาร (ฉบับที่ ๒) พ.ศ. ๒๕๖๕ และ(ฉบับที่ ๓) พ.ศ. ๒๕๖๓

(๒) ต้องปฏิบัติตามรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อมฯ ตามหนังสือสำนักงานนโยบายและแผน

ทรัพยากรธรรมชาติและสิ่งแวดล้อม ที่ ทส ๑๐๐๙.๕/๑๐๕๒๕ ลงวันที่ ๔ กันยายน ๒๕๕๖ และ ที่ ทส ๑๐๐๙.๕/๑๐๕๒ ลงวันที่ ๘

สิงหาคม ๒๕๕๙ และเงื่อนไขจากสำนักการจราจรและขนส่ง ตามหนังสือ ที่ กท ๑๖๐๓/๓๒๖ ลงวันที่ ๙ พฤษภาคม ๒๕๕๖

รายละเอียดตามแนบท้ายใบรับรองฉบับนี้

คำเตือน

๑. ห้ามเจ้าของหรือผู้ครอบครองอาคารใช้หรือยินยอมให้บุคคลใดใช้อาคารเพื่อกิจการอื่น นอกจากที่ระบุไว้ในใบรับรองฉบับนี้

๒. ห้ามเจ้าของหรือผู้ครอบครองอาคาร เปลี่ยนการใช้อาคารบางประเภท ควบคุมการใช้สำหรับ
กิจการหนึ่งไปใช้เป็นอาคารประเภทควบคุมการใช้สำหรับอีกกิจการหนึ่ง วันแต่จะได้รับอนุญาตจากเจ้าพนักงาน
ท้องถิ่น

๓. ห้ามเจ้าของหรือผู้ครอบครองอาคารที่ต้องมีพื้นที่หรือสิ่งก่อสร้างขึ้นเพื่อใช้เป็นที่พักจอดรถ และทางเข้าออกของรถตามที่กำหนดไว้ในกฎกระทรวง ดัดแปลง หรือใช้ที่จอดรถ ที่ลัดบด และทางเข้าออกของรถนั้นเพื่อการอื่นไม่ว่าทั้งหมดหรือบางส่วน เว้นแต่จะได้รับใบอนุญาตจากเจ้าพนักงานท้องถิ่น

๔. ผู้ได้รับใบรับรองต้องแสดงใบรับรองฉบับนี้ไว้ในที่เปิดเผยและเห็นได้ง่าย ณ อาคารนั้น

เงื่อนไขท้ายใบรับรองการดัดแปลงอาคาร เลขที่...../..... ๒๕๖๐

ราย บริษัท โอสดสภา จำกัด

ผู้ได้รับใบรับรองต้องปฏิบัติตามเงื่อนไขของสำนักการจราจรและขนส่ง ที่ กท ๑๖๐๓/๗๒๖ ลงวันที่ ๙ พฤษภาคม ๒๕๕๖ คือ

๑. บริษัทฯ แจ้งให้พิจารณาผลกระทบการจราจรจากการเปิดทางเข้า-ออกรถยนต์ โดยพิจารณาจากกายภาพ ให้บริษัทฯ ใช้ทางเข้า-ออกเดิมที่ถนนรามคำแหง จำนวน ๒ ช่องทาง กว้างช่องละ ๔.๕๐ เมตร ศูนย์กลางทางเข้า-ออกห่างจากแนวเขตที่ดินด้านทิศตะวันตกระยะ ๓๗.๐๐ เมตร และให้ปิดทางเข้า-ออก ที่ไม่พิจารณาปรับเป็นทางเดินเท้าตามสภาพข้างเคียง โดยให้บริษัทฯ ออกค่าใช้จ่ายในการดำเนินการทั้งหมด รายละเอียดตามแบบผัง สวจ. ๕๖-๒-๖๑

๒. พิจารณาจากปริมาณจราจรในโครงข่ายถนนโดยรอบพื้นที่โครงการฯ แล้วเห็นว่า เพื่อไม่ให้ส่งผลกระทบต่อสภาพการจราจรภายนอกโครงการฯ จากเดิม อันเนื่องมาจากการมีโครงการฯ เกิดขึ้น จึงให้บริษัทฯ ดำเนินการตามมาตรการ ดังนี้

๒.๑ บริษัทฯ ต้องจัดทำเครื่องหมายจราจรบนพื้นทางภายในโครงการฯ เพื่อให้เกิดความสะดวกและไม่ให้เกิดผลกระทบจราจรนอกโครงการ

๒.๒ บริษัทฯ ต้องกำหนดมาตรการให้เฉพาะรถที่อาศัยในโครงการฯ สามารถเข้า-ออกได้สะดวก โดยไม่ต้องมีการแลกบัตรเข้า-ออก เช่น มีการติดสติ๊กเกอร์ เป็นต้น และหากบริษัทฯ มีการติดตั้งจุดรับแลกบัตรเข้า-ออกภายในโครงการฯ สำหรับบุคคลภายนอก ต้องติดตั้งห่างจากทางเข้า-ออกรถยนต์เป็นระยะไม่น้อยกว่า ๓๐.๐๐ เมตร ทั้งนี้ต้องจัดตำแหน่งที่จอดรถยนต์ให้อยู่เลยจุดรับแลกบัตรเข้า-ออกไปแล้ว เพื่อไม่ให้เกิดแถวคอยออกด้านนอกโครงการ

๒.๓ บริษัทฯ ต้องจัดให้มีที่จอดรถสำหรับรถรับจ้างสาธารณะเข้ามารับ-ส่งไม่น้อยกว่า ๕ คัน ภายในบริเวณพื้นที่โครงการฯ เพื่อให้สอดคล้องกับการจัดจำนวนที่จอดรถยนต์ของโครงการฯ โดยบริษัทฯ ต้องติดตั้งสัญญาณไฟพร้อมป้ายสำหรับเรียกรถรับจ้างสาธารณะให้เข้ามาในพื้นที่โครงการฯ ด้วย

๒.๔ บริษัทฯ ต้องจัดเจ้าหน้าที่คอยควบคุมและอำนวยความสะดวกบริเวณทางเข้า-ออกรถยนต์เพื่อป้องกันไม่ให้เกิดการจราจรติดขัดโดยเฉพาะในเวลาเร่งด่วน

๒.๕ บริษัทฯ ต้องบริหารจัดการจราจรภายในให้สะดวกไม่ให้เกิดผลกระทบการจราจรภายในและต่อถนนโดยรอบโครงการฯ หากตำแหน่งทางเข้า-ออกรถยนต์ของโครงการฯ ทำให้เกิดผลกระทบต่อการจราจร สำนักการจราจรและขนส่งสามารถให้บริษัทฯ ปรับปรุงแก้ไขหรือให้บริษัทฯ ดำเนินการติดตั้งอุปกรณ์ด้านการจราจรต่างๆ ในถนนหน้าโครงการฯ ได้ตลอดเวลา โดยค่าใช้จ่ายในการดำเนินการทั้งสิ้นเป็นของ บริษัทฯ

๓. ให้บริษัทฯ ทำการยื่นขออนุญาตตามกฎหมายอื่นที่เกี่ยวข้องต่อไป และหากการยื่นขออนุญาตตามกฎหมายอื่น มีผลให้เกิดการเปลี่ยนแปลงระบบการจราจรหรือผังบริเวณที่สำนักการจราจรและขนส่งได้พิจารณาไว้ บริษัทฯ จะต้องแจ้งให้สำนักการจราจรและขนส่งพิจารณาใหม่



คำเตือน

ให้จัดส่งรายงานผลการตรวจสอบใหญ่ของอาคาร ตามกฎกระทรวง
ว่าด้วยหลักเกณฑ์การตรวจสอบอาคาร พ.ศ. 2548 ภายใน 30 วัน
ก่อนใบรับรองการก่อสร้างอาคารจะมีระยะเวลาครบ 1 ปี

ใบรับรองการก่อสร้างอาคาร ตัดแปลงอาคาร หรือเคลื่อนย้ายอาคาร

เลขที่ ๓๓ / ๒๕๖๐

บริษัท โอเอสสภา จำกัด โดย นายธนา ไชยประสิทธิ์ และ นายจักรินทร์ โอสสุณเฑาะฐ
ใบรับรองฉบับนี้แสดงว่า เจ้าของอาคาร/ผู้ครอบครองอาคาร

อยู่บ้านเลขที่ ๓๔๘ ตรอก/ซอย - ถนน รามคำแหง หมู่ที่ -

ตำบล/แขวง หัวหมาก อำเภอ/เขต บางกะปิ จังหวัด กรุงเทพมหานคร

ได้ทำการ ตัดแปลง อาคาร เป็นไปโดยถูกต้องตามที่ได้รับอนุญาตในใบอนุญาต/
เลขที่ ๑๑๑ / ๒๕๕๘ ลงวันที่ ๔ เดือน พฤศจิกายน พ.ศ. ๒๕๕๘

ซึ่งอาคารดังกล่าวเป็นอาคารประเภทควบคุมการใช้ เจ้าพนักงานท้องถิ่นจึงออกใบรับรองให้ดังต่อไปนี้

ข้อ ๑ เป็นอาคาร

(๑) ชนิด ตึก ๙ ชั้น (อาคาร B) จำนวน ๑ หลัง เพื่อใช้เป็น อาคารสำนักงาน-จอดรถยนต์

โดยมีที่จอดรถ ที่กัลด และทางเข้าออกของรถ จำนวน ๒๙๕ คัน

(๒) ชนิด - จำนวน - เพื่อใช้เป็น -

โดยมีที่จอดรถ ที่กัลด และทางเข้าออกของรถ จำนวน - คัน

(๓) ชนิด - จำนวน - เพื่อใช้เป็น -

โดยมีที่จอดรถ ที่กัลด และทางเข้าออกของรถ จำนวน - คัน

ที่บ้านเลขที่ - ตรอก/ซอย - ถนน รามคำแหง

หมู่ที่ - ตำบล/แขวง หัวหมาก อำเภอ/เขต บางกะปิ จังหวัด กรุงเทพมหานคร

โดย บริษัท โอเอสสภา จำกัด เป็นเจ้าของอาคาร และ บริษัท โอเอสสภา จำกัด

เป็นผู้ครอบครองอาคาร อยู่ในที่ดิน โฉนดที่ดิน เลขที่ น.ส.๓/๓ เลขที่ น.ส.๓/๔ เลขที่ ๑๙๖๗ ๑๑๘๐๒๖ ๑๑๘๐๒๗
๑๑๘๐๒๘ ๑๑๘๐๒๙ ๑๑๘๐๓๐ ๑๑๘๐๓๑ ๑๑๘๐๓๒ ๑๑๘๐๓๓ ๑๑๘๐๓๔ ๑๑๘๐๓๕ ๑๑๘๐๓๖ ๑๑๘๐๓๗ ๓๔๒๘๒

เป็นที่ดินของ บริษัท โอเอสสภา จำกัด นายเพชร โอสสุณเฑาะฐ นายรัตน์ โอสสุณเฑาะฐ

ค่าธรรมเนียมใบรับรองการตัดแปลงอาคาร ฉบับละ ๑๐.๐๐ บาท

ข้อ ๒ ผู้ได้รับใบรับรองต้องปฏิบัติตามเงื่อนไข ดังต่อไปนี้

(๑) ผู้ได้รับใบรับรองต้องปฏิบัติตามหลักเกณฑ์ วิธีการ และเงื่อนไขตามที่กำหนดในกฎกระทรวง

และหรือข้อบัญญัติท้องถิ่น ซึ่งออกตามความในมาตรา ๘ (๑๑) มาตรา ๙ หรือมาตรา ๑๐ แห่งพระราชบัญญัติ

ควบคุมอาคาร พ.ศ. ๒๕๒๒ แก้ไขเพิ่มเติมตามพระราชบัญญัติควบคุมอาคาร (ฉบับที่ ๒) พ.ศ. ๒๕๓๕ และ(ฉบับที่ ๓) พ.ศ. ๒๕๔๓

(๒) ต้องปฏิบัติตามรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อมฯ ตามหนังสือสำนักงานนโยบายและแผน
ทรัพยากรธรรมชาติและสิ่งแวดล้อม ที่ ทส ๑๐๐๙.๕/๑๐๕๒๕ ลงวันที่ ๔ กันยายน ๒๕๕๖ และ ที่ ทส ๑๐๐๙.๕/๙๐๙๒ ลงวันที่ ๘

สิงหาคม ๒๕๕๙ และเงื่อนไขจากสำนักงานการจราจรและขนส่ง ตามหนังสือ ที่ กท ๑๖๐๓/๗๒๖ ลงวันที่ ๙ พฤษภาคม ๒๕๕๖
รายละเอียดตามแนบท้ายใบรับรองฉบับนี้



มอ.จ.มค.

คำเตือน

กระทรวงมหาดไทย กระทรวงมหาดไทย กระทรวงมหาดไทย

นค 08 มี.ค. 81 88 .ค.พ. 88 ห้ามเจ้าของหรือผู้ครอบครองอาคารใช้หรือยินยอมให้บุคคลใดใช้อาคารเพื่อกิจการอื่น นอกจาก
ที่ระบุไว้ในใบรับรองฉบับนี้

๒. ห้ามเจ้าของหรือผู้ครอบครองอาคาร เปลี่ยนการใช้อาคารบางประเภท ควบคุมการใช้สำหรับ
กิจการหนึ่งไปใช้เป็นอาคารประเภทควบคุมการใช้สำหรับอีกกิจการหนึ่ง เว้นแต่จะได้รับอนุญาตจากเจ้าพนักงาน
ท้องถิ่น

๓. ห้ามเจ้าของหรือผู้ครอบครองอาคารที่ต้องมีพื้นที่หรือสิ่งก่อสร้างขึ้นเพื่อใช้เป็นที่จอดรถ ที่กับลวด
และทางเข้าออกของรถตามที่กำหนดไว้ในกฎกระทรวง ดัดแปลง หรือใช้ที่จอดรถ ที่กับลวด และทางเข้าออกของ
รถนั้นเพื่อการอื่นไม่ว่าทั้งหมดหรือบางส่วน เว้นแต่จะได้รับใบอนุญาตจากเจ้าพนักงานท้องถิ่น

๔. ผู้ได้รับใบรับรองต้องแสดงใบรับรองฉบับนี้ไว้ในที่เปิดเผยและเห็นได้ง่าย ณ อาคารนั้น



(ลงนามและประทับตรา)
กรมการปกครอง
กรมการปกครอง
กรมการปกครอง

เงื่อนไขท้ายใบรับรองการดัดแปลงอาคาร เลขที่..... ๒๕๖๐

ราย บริษัท โอสสสกา จำกัด

ผู้ได้รับใบรับรองต้องปฏิบัติตามเงื่อนไขของสำนักการจราจรและขนส่ง ที่ กท ๑๖๐๓/๗๒๖ ลงวันที่ ๙ พฤษภาคม ๒๕๕๖ คือ

๑. บริษัทฯ แจ้งให้พิจารณาผลกระทบการจราจรจากการเปิดทางเข้า-ออกรถยนต์ โดยพิจารณาจากกายภาพ ให้บริษัทฯ ใช้ทางเข้า-ออกเดิมที่ถนนรามคำแหง จำนวน ๒ ช่องทาง กว้างช่องละ ๔.๕๐ เมตร ศูนย์กลางทางเข้า-ออกห่างจากแนวเขตที่ดินด้านทิศตะวันตกระยะ ๓๗.๐๐ เมตร และให้ปิดทางเข้า-ออก ที่ไม่พิจารณาปรับเป็นทางเดินเท้าตามสภาพข้างเคียง โดยให้บริษัทฯ ออกค่าใช้จ่ายในการดำเนินการทั้งหมด รายละเอียดตามแบบผัง สวจ. ๕๖-๒-๖๑

๒. พิจารณาจากปริมาณจราจรในโครงข่ายถนนโดยรอบพื้นที่โครงการฯ แล้วเห็นว่า เพื่อไม่ให้เกิดผลกระทบต่อสภาพการจราจรภายนอกโครงการฯ จากเดิม อันเนื่องมาจากการมีโครงการฯ เกิดขึ้นจึงให้บริษัทฯ ดำเนินการตามมาตรการ ดังนี้

๒.๑ บริษัทฯ ต้องจัดทำเครื่องหมายจราจรบนพื้นทางภายในโครงการ เพื่อให้เกิดความสะดวกและไม่ให้เกิดผลกระทบจราจรนอกโครงการ

๒.๒ บริษัทฯ ต้องกำหนดมาตรการให้เฉพาะรถที่อาศัยในโครงการฯ สามารถเข้า-ออกได้สะดวก โดยไม่ต้องมีการแลกบัตรเข้า-ออก เช่น มีการติดสติ๊กเกอร์ เป็นต้น และหากบริษัทฯ มีการติดตั้งจุดรับแลกบัตรเข้า-ออกภายในโครงการฯ สำหรับบุคคลภายนอก ต้องติดตั้งห่างจากทางเข้า-ออกรถยนต์เป็นระยะไม่น้อยกว่า ๓๐.๐๐ เมตร ทั้งนี้ต้องจัดตำแหน่งที่จอดรถยนต์ให้อยู่เลยจุดรับแลกบัตรเข้า-ออกไปแล้ว เพื่อไม่ให้เกิดแถวคอยออกด้านนอกโครงการ

๒.๓ บริษัทฯ ต้องจัดให้มีที่จอดรถสำหรับรถรับจ้างสาธารณะเข้ามารับ-ส่งไม่น้อยกว่า ๕ คัน ภายในบริเวณพื้นที่โครงการฯ เพื่อให้สอดคล้องกับการจัดจำนวนที่จอดรถยนต์ของโครงการฯ โดยบริษัทฯ ต้องติดตั้งสัญญาณไฟพร้อมป้ายสำหรับเรียกรถรับจ้างสาธารณะให้เข้ามาในพื้นที่โครงการฯ ด้วย

๒.๔ บริษัทฯ ต้องจัดเจ้าหน้าที่คอยควบคุมและอำนวยความสะดวกบริเวณทางเข้า-ออกรถยนต์เพื่อป้องกันไม่ให้เกิดการจราจรติดขัดโดยเฉพาะในเวลาเร่งด่วน

๒.๕ บริษัทฯ ต้องบริหารจัดการจราจรภายในให้สะดวกไม่ให้เกิดผลกระทบการจราจรภายในและต่อถนนโดยรอบโครงการฯ หากตำแหน่งทางเข้า-ออกรถยนต์ของโครงการฯ ทำให้เกิดผลกระทบต่อการจราจร สำนักการจราจรและขนส่งสามารถให้บริษัทฯ ปรับปรุงแก้ไขหรือให้บริษัทฯ ดำเนินการติดตั้งอุปกรณ์ด้านการจราจรต่างๆ ในถนนหน้าโครงการฯ ได้ตลอดเวลา โดยค่าใช้จ่ายในการดำเนินการทั้งสิ้นเป็นของบริษัทฯ

๓. ให้บริษัทฯ ทำการยื่นขออนุญาตตามกฎหมายอื่นที่เกี่ยวข้องต่อไป และหากการยื่นขออนุญาตตามกฎหมายอื่น มีผลให้เกิดการเปลี่ยนแปลงระบบการจราจรหรือผังบริเวณที่สำนักการจราจรและขนส่งได้พิจารณาไว้ บริษัทฯ จะต้องแจ้งให้สำนักการจราจรและขนส่งพิจารณาใหม่

ภาคผนวกที่ 4

ใบรายงานผลวิเคราะห์จากห้องปฏิบัติการ

ANALYSIS REPORT

Customer Name : Osotspa PCL.
Address : 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240
Project Name : โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าระบบบำบัดน้ำเสียประจำอาคารสำนักงาน
GPS. Coordinate : UTM (WGS84) 47P 0676281 E, 1521871 N
Sampling Date : January 15, 2026
Sampling Time : 09:23
Sampling Method : Grab
Sampling By : Mr.Assada Chaiyawong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2025-02540
Analysis No. : 2026-AA141-001
Received Date : January 16, 2026
Analytical Date : January 16-21, 2026
Report No. : 2026-RAAB202
Report Date : January 23, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	7.7
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	3.3
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0
Total Dissolved Solids	mg/L	Dried at 180°C	189
Sulfide	mg/L	ZnS Precipitation, Iodometric	1.1
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	7.5
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	2.2
Settleable Solids	mL/L	Volumetric	<0.1
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	>1,600,000
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	>1,600,000

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

ANALYSIS REPORT

Customer Name : Osotspa PCL.
Address : 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240
Project Name : โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ
Sampling Source : Wastewater Sampling
Sampling Point : หลังผ่านการบำบัดน้ำเสียประจำอาคารสำนักงาน
GPS. Coordinate : UTM (WGS84) 47P 0676258 E, 1521870 N
Sampling Date : January 15, 2026
Sampling Time : 09:18
Sampling Method : Grab
Sampling By : Mr.Assada Chaiyawong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, No Sediment, Odor

Quotation No. : MR2025-02540
Analysis No. : 2026-AA141-002
Received Date : January 16, 2026
Analytical Date : January 16-21, 2026
Report No. : 2026-RAAB203
Report Date : January 23, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	8.0	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	<2.0	20
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0	30
Total Dissolved Solids	mg/L	Dried at 180°C	205	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.6	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	2.5	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	1.2	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	92,000	-
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	35,000	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

ANALYSIS REPORT

Customer Name : Osotspa PCL.
Address : 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240
Project Name : โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าระบบบำบัดน้ำเสียประจำอาคารที่จอดรถพร้อมสำนักงาน
GPS. Coordinate : UTM (WGS84) 47P 0676301 E, 1521698 N
Sampling Date : January 15, 2026
Sampling Time : 09:33
Sampling Method : Grab
Sampling By : Mr.Assada Chaiyawong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2025-02540
Analysis No. : 2026-AA141-003
Received Date : January 16, 2026
Analytical Date : January 16-21, 2026
Report No. : 2026-RAAB204
Report Date : January 23, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	7.7
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	7.8
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0
Total Dissolved Solids	mg/L	Dried at 180°C	291
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.9
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	13
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	3.2
Settleable Solids	mL/L	Volumetric	<0.1
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	350,000
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	240,000

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

ANALYSIS REPORT

Customer Name : Osotspa PCL.
Address : 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240
Project Name : โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ
Sampling Source : Wastewater Sampling
Sampling Point : หลังผ่านการบำบัดน้ำเสียประจำอาคารที่จอดรถพร้อมสำนักงาน
GPS. Coordinate : UTM (WGS84) 47P 0676289 E, 1521692 N
Sampling Date : January 15, 2026
Sampling Time : 09:38
Sampling Method : Grab
Sampling By : Mr.Assada Chaiyawong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2025-02540
Analysis No. : 2026-AA141-004
Received Date : January 16, 2026
Analytical Date : January 16-21, 2026
Report No. : 2026-RAAB205
Report Date : January 23, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	7.4	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	<2.0	20
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0	30
Total Dissolved Solids	mg/L	Dried at 180°C	237	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.5	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	3.8	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	92,000	-
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	35,000	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

ANALYSIS REPORT

Customer Name : Osotspa PCL.
Address : 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240
Project Name : โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าระบบบำบัดน้ำเสียประจำอาคารสำนักงาน
GPS. Coordinate : UTM (WGS84) 47P 0676281 E, 1521871 N
Sampling Date : February 18, 2026
Sampling Time : 09:35
Sampling Method : Grab
Sampling By : Mr.Kunakorn Ratanawongsa
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2025-02540
Analysis No. : 2026-AA690-001
Received Date : February 19, 2026
Analytical Date : February 19-26, 2026
Report No. : 2026-RAAD587
Report Date : February 27, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	7.4
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	18
Total Suspended Solids	mg/L	Dried at 103-105°C	14
Total Dissolved Solids	mg/L	Dried at 180°C	261
Sulfide	mg/L	ZnS Precipitation, Iodometric	2.1
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	37
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	1.6
Settleable Solids	mL/L	Volumetric	<0.1
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	350,000
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	240,000

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

ANALYSIS REPORT

Customer Name : Osotspa PCL.
Address : 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240
Project Name : โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ
Sampling Source : Wastewater Sampling
Sampling Point : หลังผ่านการบำบัดน้ำเสียประจำอาคารสำนักงาน
GPS. Coordinate : UTM (WGS84) 47P 0676258 E, 1521870 N
Sampling Date : February 18, 2026
Sampling Time : 09:26
Sampling Method : Grab
Sampling By : Mr.Kunakorn Ratanawongsa
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, No Sediment, Odor

Quotation No. : MR2025-02540
Analysis No. : 2026-AA690-002
Received Date : February 19, 2026
Analytical Date : February 19-26, 2026
Report No. : 2026-RAAD588
Report Date : February 27, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	7.7	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	<2.0	20
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0	30
Total Dissolved Solids	mg/L	Dried at 180°C	268	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	<1.0	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	4,900	-
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	1,300	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

ANALYSIS REPORT

Customer Name	: Osotspa PCL.	Quotation No.	: MR2025-02540
Address	: 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240	Analysis No.	: 2026-AA690-003
Project Name	: โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ	Received Date	: February 19, 2026
Sampling Source	: Wastewater Sampling	Analytical Date	: February 19-26, 2026
Sampling Point	: ก่อนเข้าระบบบำบัดน้ำเสียประจำอาคารที่จอดรถพร้อมสำนักงาน	Report No.	: 2026-RAAD589
GPS. Coordinate	: UTM (WGS84) 47P 0676301 E, 1521698 N	Report Date	: February 27, 2026
Sampling Date	: February 18, 2026		
Sampling Time	: 09:54		
Sampling Method	: Grab		
Sampling By	: Mr.Kunakorn Ratanawongsa		
Analyzed By	: Environment Research & Technology Co., Ltd.		
Physical Properties	: Turbid, Light Yellow, No Sediment, Odor		

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	7.6
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	18
Total Suspended Solids	mg/L	Dried at 103-105°C	9.3
Total Dissolved Solids	mg/L	Dried at 180°C	331
Sulfide	mg/L	ZnS Precipitation, Iodometric	4.4
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	37
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0
Settleable Solids	mL/L	Volumetric	<0.1
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	13,000
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	1,100

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

ANALYSIS REPORT

Customer Name : Osotspa PCL.
Address : 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240
Project Name : โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ
Sampling Source : Wastewater Sampling
Sampling Point : หลังผ่านการบำบัดน้ำเสียประจำอาคารที่จอดรถพร้อมสำนักงาน
GPS. Coordinate : UTM (WGS84) 47P 0676289 E, 1521692 N
Sampling Date : February 18, 2026
Sampling Time : 09:46
Sampling Method : Grab
Sampling By : Mr.Kunakorn Ratanawongsa
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, No Sediment, Odor

Quotation No. : MR2025-02540
Analysis No. : 2026-AA690-004
Received Date : February 19, 2026
Analytical Date : February 19-26, 2026
Report No. : 2026-RAAD590
Report Date : February 27, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	7.1	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	2.7	20
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0	30
Total Dissolved Solids	mg/L	Dried at 180°C	186	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.6	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	3.4	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	7,900	-
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	780	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

ANALYSIS REPORT

Customer Name : Osotspa PCL.
Address : 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240
Project Name : โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าระบบบำบัดน้ำเสียประจำอาคารสำนักงาน
GPS. Coordinate : UTM (WGS84) 47P 0676281 E, 1521871 N
Sampling Date : March 18, 2026
Sampling Time : 09:42
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2025-02540
Analysis No. : 2026-AB142-001
Received Date : March 19, 2026
Analytical Date : March 19-27, 2026
Report No. : 2026-RAAF758
Report Date : March 30, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	7.4
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	16
Total Suspended Solids	mg/L	Dried at 103-105°C	10
Total Dissolved Solids	mg/L	Dried at 180°C	249
Sulfide	mg/L	ZnS Precipitation, Iodometric	2.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	32
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0
Settleable Solids	mL/L	Volumetric	<0.1
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	920,000
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	350,000

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

ANALYSIS REPORT

Customer Name : Osotspa PCL.
Address : 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240
Project Name : โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ
Sampling Source : Wastewater Sampling
Sampling Point : หลังผ่านการบำบัดน้ำเสียประจำอาคารสำนักงาน
GPS. Coordinate : UTM (WGS84) 47P 0676258 E, 1521870 N
Sampling Date : March 18, 2026
Sampling Time : 09:48
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2025-02540
Analysis No. : 2026-AB142-002
Received Date : March 19, 2026
Analytical Date : March 19-27, 2026
Report No. : 2026-RAAF759
Report Date : March 30, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	7.2	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	7.8	20
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0	30
Total Dissolved Solids	mg/L	Dried at 180°C	253	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.5	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	3.6	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	330	-
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	130	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

ANALYSIS REPORT

Customer Name : Osotspa PCL.
Address : 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240
Project Name : โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าระบบบำบัดน้ำเสียประจำอาคารที่จอดรถพร้อมสำนักงาน
GPS. Coordinate : UTM (WGS84) 47P 0676301 E, 1521698 N
Sampling Date : March 18, 2026
Sampling Time : 10:01
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-02540
Analysis No. : 2026-AB142-003
Received Date : March 19, 2026
Analytical Date : March 19-27, 2026
Report No. : 2026-RAAF760
Report Date : March 30, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	7.2
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	113
Total Suspended Solids	mg/L	Dried at 103-105°C	18
Total Dissolved Solids	mg/L	Dried at 180°C	287
Sulfide	mg/L	ZnS Precipitation, Iodometric	6.3
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	31
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0
Settleable Solids	mL/L	Volumetric	<0.1
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	3,300
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	780

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

ANALYSIS REPORT

Customer Name : Osotspa PCL.
Address : 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240
Project Name : โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ
Sampling Source : Wastewater Sampling
Sampling Point : หลังผ่านการบำบัดน้ำเสียประจำอาคารที่จอดรถพร้อมสำนักงาน
GPS. Coordinate : UTM (WGS84) 47P 0676289 E, 1521692 N
Sampling Date : March 18, 2026
Sampling Time : 10:10
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2025-02540
Analysis No. : 2026-AB142-004
Received Date : March 19, 2026
Analytical Date : March 19-27, 2026
Report No. : 2026-RAAF885
Report Date : March 30, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	7.2	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	2.3	20
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0	30
Total Dissolved Solids	mg/L	Dried at 180°C	186	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.5	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	8.5	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	35,000	-
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	13,000	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

ANALYSIS REPORT

Customer Name : Osotspa PCL.
Address : 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240
Project Name : โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้ระบบบำบัดน้ำเสียประจำอาคารสำนักงาน
GPS. Coordinate : UTM (WGS84) 47P 0676281 E, 1521871 N
Sampling Date : April 23, 2026
Sampling Time : 09:32
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-02540
Analysis No. : 2026-AB885-001
Received Date : April 24, 2026
Analytical Date : April 24-May 4, 2026
Report No. : 2026-RAAJ571
Report Date : May 13, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	7.1
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	14
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0
Total Dissolved Solids	mg/L	Dried at 180°C	253
Sulfide	mg/L	ZnS Precipitation, Iodometric	2.1
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	34
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	2.6
Settleable Solids	mL/L	Volumetric	0.1
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	230
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	78

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

ANALYSIS REPORT

Customer Name : Osotspa PCL.
Address : 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240
Project Name : โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ
Sampling Source : Wastewater Sampling
Sampling Point : หลังฝนการบำบัดน้ำเสียประจำอาคารสำนักงาน
GPS. Coordinate : UTM (WGS84) 47P 0676258 E, 1521870 N
Sampling Date : April 23, 2026
Sampling Time : 09:25
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2025-02540
Analysis No. : 2026-AB885-002
Received Date : April 24, 2026
Analytical Date : April 24-May 4, 2026
Report No. : 2026-RAAJ572
Report Date : May 13, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	7.2	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	6.2	20
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0	30
Total Dissolved Solids	mg/L	Dried at 180°C	243	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	7.9	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	35,000	-
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	7,900	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

ANALYSIS REPORT

Customer Name : Osotspa PCL.
Address : 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240
Project Name : โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าระบบบำบัดน้ำเสียประจำอาคารที่จอดรถพร้อมสำนักงาน
GPS. Coordinate : UTM (WGS84) 47P 0676301 E, 1521698 N
Sampling Date : April 23, 2026
Sampling Time : 09:43
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-02540
Analysis No. : 2026-AB885-003
Received Date : April 24, 2026
Analytical Date : April 24-May 4, 2026
Report No. : 2026-RAAJ573
Report Date : May 13, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	7.4
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	30
Total Suspended Solids	mg/L	Dried at 103-105°C	9.1
Total Dissolved Solids	mg/L	Dried at 180°C	308
Sulfide	mg/L	ZnS Precipitation, Iodometric	5.6
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	40
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	4.2
Settleable Solids	mL/L	Volumetric	<0.1
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	17,000
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	7,900

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

ANALYSIS REPORT

Customer Name : Osotspa PCL.
Address : 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240
Project Name : โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ
Sampling Source : Wastewater Sampling
Sampling Point : หลังผ่านการบำบัดน้ำเสียประจำอาคารที่จอดรถพร้อมสำนักงาน
GPS. Coordinate : UTM (WGS84) 47P 0676289 E, 1521692 N
Sampling Date : April 23, 2026
Sampling Time : 09:50
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-02540
Analysis No. : 2026-AB885-004
Received Date : April 24, 2026
Analytical Date : April 24-May 12, 2026
Report No. : 2026-RAAJ574
Report Date : May 13, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	7.0	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	19	20
Total Suspended Solids	mg/L	Dried at 103-105°C	12	30
Total Dissolved Solids	mg/L	Dried at 180°C	353	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	30	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	>1,600,000	-
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	>1,600,000	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

ANALYSIS REPORT

Customer Name	: Osotspa PCL.	Quotation No.	: MR2025-02540
Address	: 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240	Analysis No.	: 2026-AC407-001
Project Name	: โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ	Received Date	: May 14, 2026
Sampling Source	: Wastewater Sampling	Analytical Date	: May 14-21, 2026
Sampling Point	: ก่อนเข้าระบบบำบัดน้ำเสียประจำอาคารสำนักงาน	Report No.	: 2026-RAAL371
GPS. Coordinate	: UTM (WGS84) 47P 0676281 E, 1521871 N	Report Date	: May 21, 2026
Sampling Date	: May 13, 2026		
Sampling Time	: 11:03		
Sampling Method	: Grab		
Sampling By	: Mr.Chanthawit Leawkool		
Analyzed By	: Environment Research & Technology Co., Ltd.		
Physical Properties	: Clear, Light Yellow, Sediment, Odor		

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	6.3
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	21
Total Suspended Solids	mg/L	Dried at 103-105°C	14
Total Dissolved Solids	mg/L	Dried at 180°C	213
Sulfide	mg/L	ZnS Precipitation, Iodometric	5.7
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	40
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0
Settleable Solids	mL/L	Volumetric	0.1
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	>1,600,000
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	>1,600,000

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

ANALYSIS REPORT

Customer Name : Osotspa PCL.
Address : 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240
Project Name : โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ
Sampling Source : Wastewater Sampling
Sampling Point : หลังผ่านการบำบัดน้ำเสียประจำอาคารสำนักงาน
GPS. Coordinate : UTM (WGS84) 47P 0676258 E, 1521870 N
Sampling Date : May 13, 2026
Sampling Time : 11:10
Sampling Method : Grab
Sampling By : Mr.Chanthawit Leawkool
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2025-02540
Analysis No. : 2026-AC407-002
Received Date : May 14, 2026
Analytical Date : May 14-21, 2026
Report No. : 2026-RAAL373
Report Date : May 21, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	6.5	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	<2.0	20
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0	30
Total Dissolved Solids	mg/L	Dried at 180°C	282	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.6	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	<1.0	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	2,400	-
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	490	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

ANALYSIS REPORT

Customer Name : Osotspa PCL.
Address : 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240
Project Name : โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าระบบบำบัดน้ำเสียประจำอาคารที่จอดรถพร้อมสำนักงาน
GPS. Coordinate : UTM (WGS84) 47P 0676301 E, 1521698 N
Sampling Date : May 13, 2026
Sampling Time : 11:24
Sampling Method : Grab
Sampling By : Mr.Chanthawit Leawkool
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-02540
Analysis No. : 2026-AC407-003
Received Date : May 14, 2026
Analytical Date : May 14-21, 2026
Report No. : 2026-RAAL374
Report Date : May 21, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	6.5
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	55
Total Suspended Solids	mg/L	Dried at 103-105°C	20
Total Dissolved Solids	mg/L	Dried at 180°C	294
Sulfide	mg/L	ZnS Precipitation, Iodometric	7.2
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	36
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0
Settleable Solids	mL/L	Volumetric	<0.1
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	46,000
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	33,000

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

ANALYSIS REPORT

Customer Name : Osotspa PCL.
Address : 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240
Project Name : โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ
Sampling Source : Wastewater Sampling
Sampling Point : หลังผ่านการบำบัดน้ำเสียประจำอาคารที่จอดรถพร้อมสำนักงาน
GPS. Coordinate : UTM (WGS84) 47P 0676289 E, 1521692 N
Sampling Date : May 13, 2026
Sampling Time : 11:32
Sampling Method : Grab
Sampling By : Mr.Chanthawit Leawkool
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2025-02540
Analysis No. : 2026-AC407-004
Received Date : May 14, 2026
Analytical Date : May 14-21, 2026
Report No. : 2026-RAAL375
Report Date : May 21, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	6.4	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	<2.0	20
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0	30
Total Dissolved Solids	mg/L	Dried at 180°C	185	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.5	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	5.0	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	24,000	-
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	13,000	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

ANALYSIS REPORT

Customer Name : Osotspa PCL.
Address : 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240
Project Name : โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าระบบบำบัดน้ำเสียประจำอาคารสำนักงาน
GPS. Coordinate : UTM (WGS84) 47P 0676281 E, 1521871 N
Sampling Date : June 17, 2026
Sampling Time : 09:44
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2025-02540
Analysis No. : 2026-AD319-001
Received Date : June 18, 2026
Analytical Date : June 18-24, 2026
Report No. : 2026-RAAP343
Report Date : June 24, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	7.5
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	15
Total Suspended Solids	mg/L	Dried at 103-105°C	7.0
Total Dissolved Solids	mg/L	Dried at 180°C	234
Sulfide	mg/L	ZnS Precipitation, Iodometric	2.7
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	31
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0
Settleable Solids	mL/L	Volumetric	<0.1
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	>1,600,000
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	>1,600,000

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

ANALYSIS REPORT

Customer Name : Osotspa PCL.
Address : 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240
Project Name : โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ
Sampling Source : Wastewater Sampling
Sampling Point : หลังผ่านการบำบัดน้ำเสียประจำอาคารสำนักงาน
GPS. Coordinate : UTM (WGS84) 47P 0676258 E, 1521870 N
Sampling Date : June 17, 2026
Sampling Time : 09:51
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, No Sediment, Odor

Quotation No. : MR2025-02540
Analysis No. : 2026-AD319-002
Received Date : June 18, 2026
Analytical Date : June 18-24, 2026
Report No. : 2026-RAAP344
Report Date : June 24, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	7.8	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	<2.0	20
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0	30
Total Dissolved Solids	mg/L	Dried at 180°C	327	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.7	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	<1.0	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	700	-
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	330	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

ANALYSIS REPORT

Customer Name : Osotspa PCL.
Address : 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240
Project Name : โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ
Sampling Source : Wastewater Sampling
Sampling Point : ก่อนเข้าระบบบำบัดน้ำเสียประจำอาคารที่จอดรถพร้อมสำนักงาน
GPS. Coordinate : UTM (WGS84) 47P 0676301 E, 1521698 N
Sampling Date : June 17, 2026
Sampling Time : 10:03
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-02540
Analysis No. : 2026-AD319-003
Received Date : June 18, 2026
Analytical Date : June 18-24, 2026
Report No. : 2026-RAAP345
Report Date : June 24, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	7.8
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	22
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0
Total Dissolved Solids	mg/L	Dried at 180°C	328
Sulfide	mg/L	ZnS Precipitation, Iodometric	5.7
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	44
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0
Settleable Solids	mL/L	Volumetric	<0.1
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	22,000
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	13,000

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

ANALYSIS REPORT

Customer Name : Osotspa PCL.
Address : 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240
Project Name : โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ
Sampling Source : Wastewater Sampling
Sampling Point : หลังผ่านการบำบัดน้ำเสียประจำอาคารที่จอดรถพร้อมสำนักงาน
GPS. Coordinate : UTM (WGS84) 47P 0676289 E, 1521692 N
Sampling Date : June 17, 2026
Sampling Time : 10:10
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, No Sediment, Odor

Quotation No. : MR2025-02540
Analysis No. : 2026-AD319-004
Received Date : June 18, 2026
Analytical Date : June 18-24, 2026
Report No. : 2026-RAAP346
Report Date : June 24, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	7.6	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	<2.0	20
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0	30
Total Dissolved Solids	mg/L	Dried at 180°C	197	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.8	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	3.8	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	5,400	-
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	2,400	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type A.

ภาคผนวกที่ 5

สำเนาเอกสารขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

๐๓ กรกฎาคม ๒๕๖๗

เรื่อง ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๔ เมษายน ๒๕๖๗

- สิ่งที่ส่งมาด้วย ๑. รายชื่อผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๑ แผ่น
๒. รายชื่อเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒ แผ่น
๓. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑๔ แผ่น

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด ขอต่ออายุหนังสือ
รับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖
ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง เขตหลักสี่ กรุงเทพมหานคร ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด
ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

- ก. ผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒๐ ราย ตามสิ่งที่ส่งมาด้วย ๑
ข. เจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน ๖๑ ราย ตามสิ่งที่ส่งมาด้วย ๒
ค. ขอบข่ายชนิดสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน อากาศเสีย
สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว และดิน ตามสิ่งที่ส่งมาด้วย ๓

หนังสือฉบับนี้จะหมดอายุในวันที่ ๑๘ พฤษภาคม ๒๕๗๑ หากประสงค์จะต่ออายุหนังสือรับขึ้น
ทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอต่อกรมโรงงานอุตสาหกรรม
ภายใน ๖๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๔๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



“อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว”



เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

เลขทะเบียน ว-๐๙๙

ที่ อก ๐๓๑๐(๑)/ ๖๔๗ ๖

ลงวันที่ ๐๓ กรกฎาคม ๒๕๖๗

ก. ผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒๐ ราย



เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกซน


บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

เลขทะเบียน ว-๐๙๙

ที่ อก ๐๓๑๐(๑)/ ๖๔๗ ๖

ลงวันที่ ๐๓ กรกฎาคม ๒๕๖๗

ข. เจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกซน จำนวน ๖๑ ราย



เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอ็นไวรอนเม้นท์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

เลขทะเบียน ว-๐๙๙

ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖

ลงวันที่ ๐๓ กรกฎาคม ๒๕๖๗

ขอขยายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑๙๓ รายการ

น้ำ/น้ำเสีย จำนวน 27 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4]
2	Barium	2) Digestion, Inductively Coupled Plasma Method ^[4]
3	Biochemical Oxygen Demand	Digestion, Inductively Coupled Plasma Method ^[4]
4	Cadmium	1) 5-Day BOD Test, Azide Modification Method ^[4]
5	Chemical Oxygen Demand	2) 5-Day BOD Test, Membrane Electrode Method ^[4]
6	Chromium	Digestion, Inductively Coupled Plasma Method ^[4]
7	Color	Closed Reflux, Titrimetric Method ^[4]
8	Copper	Digestion, Inductively Coupled Plasma Method ^[4]
9	Cyanide	ADMI Weighted-Ordinate Spectrophotometric Method ^[4]
10	Formaldehyde	Digestion, Inductively Coupled Plasma Method ^[4]
11	Free Chlorine	Distillation, Colorimetric Method ^[3]
12	Hexavalent Chromium	1) Iodometric Method ^[4]
13	Lead	2) DPD Colorimetric Method ^[4]
14	Manganese	Colorimetric Method ^[4]
15	Mercury	1) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4]
16	Nickel	2) Digestion, Inductively Coupled Plasma Method ^[4]
17	Oil & Grease	Digestion, Inductively Coupled Plasma Method ^[4]
18	pH	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[4]
19	Phenols	Digestion, Inductively Coupled Plasma Method ^[4]
20	Selenium	Liquid-Liquid, Partition-Gravimetric Method ^[4]
		Electrometric Method ^[4]
		Distillation, Direct Photometric Method ^[4]
		1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4]
		2) Digestion, Inductively Coupled Plasma Method ^[4]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
21	Sulfide	Iodometric Method ^[4]
22	Temperature	Laboratory and Field Methods ^[4]
23	Total Dissolved Solids	Dried at 180 °C ^[4]
24	Total Kjeldahl Nitrogen	1) Macro-Kjeldahl Method ^[4] 2) Semi-Micro-Kjeldahl Method ^[4]
25	Total Suspended Solids	Dried from 103 to 105 °C ^[4]
26	Trivalent Chromium	Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ^[4]
27	Zinc	Digestion, Inductively Coupled Plasma Method ^[4]

น้ำใต้ดิน จำนวน 61 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acetone	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
2	Antimony	Digestion, Inductively Coupled Plasma Method ^[4]
3	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
4	Barium	Digestion, Inductively Coupled Plasma Method ^[4]
5	Benzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
6	Beryllium	Digestion, Inductively Coupled Plasma Method ^[4]
7	Bromodichloromethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
8	Bromoform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
9	Cadmium	Digestion, Inductively Coupled Plasma Method ^[4]
10	Carbon disulfide	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
11	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
12	Chlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
13	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
14	Chloroform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
15	Chromium	Digestion, Inductively Coupled Plasma Method ^[4]
16	Chromium (III)	Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ^[4]
17	Chromium (VI)	Colorimetric Method ^[4]
18	Cyanide	Distillation, Colorimetric Method ^[4]
19	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
20	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
21	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
22	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
23	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
24	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
25	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
26	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
27	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
28	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
29	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
30	Ethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]

30/1

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
31	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
32	Lead	1) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
33	Manganese	Digestion, Inductively Coupled Plasma Method ^[4]
34	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[4]
35	Methyl bromide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
36	Methylene chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
37	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
38	Naphthalene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
39	Nickel	Digestion, Inductively Coupled Plasma Method ^[4]
40	pH	Electrometric Method ^[4]
41	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
42	Silver	Digestion, Inductively Coupled Plasma Method ^[4]
43	Styrene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
44	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
45	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
46	Toluene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
47	TPH (C ₅ -C ₈)	Purge and Trap, Gas Chromatographic Method ^[11,19]
48	TPH (C _{>8} -C ₁₆)	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[9,19]

3mm

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
49	TPH (C ₁₆ -C ₃₅)	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[9,19]
50	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
51	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
52	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
53	Trichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
54	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
55	Vanadium	Digestion, Inductively Coupled Plasma Method ^[4]
56	Vinyl chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
57	m-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
59	o-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
59	p-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
60	Xylene (Total)	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
61	Zinc	Digestion, Inductively Coupled Plasma Method ^[4]

อากาศเสีย (ปล่อยระบาย) จำนวน 26 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
2	Arsenic	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]

3mg

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
3	Beryllium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
4	Cadmium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
5	Carbon Monoxide	Instrumental Analyzer Method ^[5]
6	Chlorine	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
7	Chromium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
8	Cobalt	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
9	Copper	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
10	Dioxins/Furans	Isokinetic Sampling ^[5]
11	Hydrogen Chloride	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
12	Hydrogen Fluoride	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
13	Hydrogen Sulfide	Absorption Sampling, Iodometric Method ^[5]
14	Lead	1) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5] 2) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5]
15	Manganese	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
16	Mercury	Isokinetic Sampling, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[5]
17	Nickel	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
18	Opacity	Ringelmann's Method ^[2]
19	Oxides of Nitrogen	1) Absorption Sampling, Alkaline Permanganate/Colorimetric Method ^[5] 2) Instrumental Analyzer Method ^[5]
20	Selenium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]

31/10/2564

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
21	Sulfur Dioxide	1) Isokinetic Sampling, Barium-Thorin Titrimetric Method ^[5] 2) Absorption Sampling, Barium-Thorin Titrimetric Method ^[5] 3) Instrumental Analyzer Method ^[5]
22	Sulfuric Acid	Isokinetic Sampling, Barium-Thorin Titrimetric Method ^[5]
23	Tin	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
24	Total Suspended Particulate	Isokinetic Sampling, Gravimetric Method ^[5]
25	Vanadium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
26	Xylene	Adsorption Sampling, Gas Chromatographic Method ^[5]

สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน 20 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
2	Arsenic	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[1,6,14] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,14] 4) Digestion, Inductively Coupled Plasma Method ^[7,13]
3	Barium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
4	Beryllium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
5	Cadmium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
6	Chromium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]
7	Chromium (III)	2) Digestion, Inductively Coupled Plasma Method ^[7,13] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method; Waste Extraction, Colorimetric Method; Calculation ^[1,6,13,15]
8	Chromium (VI)	2) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation ^[7,8,13,15] 1) Waste Extraction, Colorimetric Method ^[1,15]
9	Cobalt	2) Alkaline Digestion, Colorimetric Method ^[8,15] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]
10	Copper	2) Digestion, Inductively Coupled Plasma Method ^[7,13] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]
11	Lead	2) Digestion, Inductively Coupled Plasma Method ^[7,13] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]
12	Mercury	2) Digestion, Inductively Coupled Plasma Method ^[7,13] 1) Waste Extraction, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[1,6,16]
13	Molybdenum	2) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[17] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]
14	Nickel	2) Digestion, Inductively Coupled Plasma Method ^[7,13] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]
15	pH	2) Digestion, Inductively Coupled Plasma Method ^[7,13] Electrometric Method ^[21,22]
16	Selenium	1) Waste Extraction, Digestion, Hydride Generation/ Atomic Absorption Spectrometric Method ^[1,6,18] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]



ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
17	Silver	3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,18] 4) Digestion, Inductively Coupled Plasma Method ^[7,13] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
18	Thallium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
19	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
20	Zinc	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]

ดิน จำนวน 59 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acetone	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
2	Antimony	Digestion, Inductively Coupled Plasma Method ^[7,13]
3	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
4	Barium	Digestion, Inductively Coupled Plasma Method ^[7,13]
5	Benzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
6	Beryllium	Digestion, Inductively Coupled Plasma Method ^[7,13]
7	Bromodichloromethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
8	Bromoform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
9	Cadmium	Digestion, Inductively Coupled Plasma Method ^[7,13]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
10	Carbon disulfide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
11	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
12	Chlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
13	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
14	Chloroform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
15	Chromium	Digestion, Inductively Coupled Plasma Method ^[7,13]
16	Chromium (III)	Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation ^[7,8,13,15]
17	Chromium (VI)	Alkaline Digestion, Colorimetric Method ^[8,15]
18	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
19	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
20	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
21	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
22	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
23	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
24	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
25	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
26	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
27	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
28	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
29	Ethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
30	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
31	Lead	Digestion, Inductively Coupled Plasma Method ^[7,13]
32	Manganese	Digestion, Inductively Coupled Plasma Method ^[7,13]
33	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[17]
34	Methyl bromide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
35	Methylene chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
36	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
37	Naphthalene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
38	Nickel	Digestion, Inductively Coupled Plasma Method ^[7,13]
39	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,18] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
40	Silver	Digestion, Inductively Coupled Plasma Method ^[7,13]
41	Styrene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
42	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
43	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
44	Toluene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
45	TPH (C ₅ -C ₈)	Purge and Trap, Gas Chromatographic Method ^[12,19]
46	TPH (C ₈ -C ₁₆)	Ultrasonic Extraction, Gas Chromatographic Method ^[10,19]

อินท

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
47	TPH (C _{>16} -C ₃₅)	Ultrasonic Extraction, Gas Chromatographic Method ^[10,19]
48	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
49	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
50	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
51	Trichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
52	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
53	Vanadium	Digestion, Inductively Coupled Plasma Method ^[7,13]
54	Vinyl chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
55	m-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
56	o-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
57	p-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
58	Xylene (Total)	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
59	Zinc	Digestion, Inductively Coupled Plasma Method ^[7,13]

เอกสารอ้างอิง

- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2566. เรื่อง การจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว. ราชกิจจานุเบกษา. 31 พฤษภาคม 2566. เล่มที่ 140 ตอนพิเศษ 126 ง.
- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณเขม่าควันที่เจือปนในอากาศที่ระบายออกจากปล่องของหม้อน้ำโรงสีข้าวที่ใช้กลบเป็นเชื้อเพลิง. ราชกิจจานุเบกษา. 4 ธันวาคม 2549. เล่มที่ 123 ตอนพิเศษ 125ง.
- สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย. คู่มือวิเคราะห์น้ำเสีย. พิมพ์ครั้งที่ 4. กรุงเทพฯ: เรือนแก้วการพิมพ์, 2547.
- APHA, AWWA, WEF. Standard Methods for the Examination of Water and Wastewater. 24th ed. Washington, DC: APHA, 2023.

5. United States Environmental Protection Agency. **Standards of Performance for New Stationary Sources**. 40 CFR 60. Appendix A, 2023.
6. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods**. SW-846, 1997.
7. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Acid Digestion of Sludges and Sediments and Soils**. SW-846 Method 3050B, 1996.
8. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Alkaline Digestion for Hexavalent Chromium**. SW-846 Method 3060A, 1996.
9. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Separatory Funnel Liquid-Liquid Extraction**. SW-846 Method 3510C, 1996.
10. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Ultrasonic Extraction**. SW-846 Method 3550C, 2007.
11. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Purge-and-Trap for Aqueous Samples**. SW-846 Method 5030C, 2003.
12. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Closed-System Purge-and-Trap and Extraction for Volatile Organics in Soil and Waste Samples**. SW-846 Method 5035A, 2002.
13. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Inductively Coupled Plasma - Atomic Emission Spectrometry**. SW-846 Method 6010D, 2018.
14. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Antimony and Arsenic (Atomic Absorption, Borohydride Reduction)**. SW-846 Method 7062, 1994.
15. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Chromium, Hexavalent (Colorimetric)**. SW-846 Method 7196A, 1992.
16. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Mercury in Liquid Waste (Manual Cold-Vapor Technique)**. SW-846 Method 7470A, 1994.
17. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique)**. SW-846 Method 7471B, 2007.
18. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Selenium (Atomic Absorption, Borohydride Reduction)**. SW-846 Method 7742, 1994. *Sample*

19. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Nonhalogenated Organics Using GC/FID. SW-846 Method 8015D**, 2003.

20. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/ Chemical Methods. **Volatile Organic Compounds by Gas Chromatography/ Mass Spectrometry (GC/MS). SW-846 Method 8260C**, 1996.

21. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **pH Electrometric Measurement. SW-846 Method 9040C**, 2004.

22. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Soil and Waste pH. SW-846 Method 9045D**, 2004.

3mg/l

ที่ อก ๐๓๑๐(๑)/ ๑๑๕๒๓



กรมโรงงานอุตสาหกรรม

ถนนพระรามที่ ๖ แขวงทุ่งพญาไท

เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

๒๑ พฤศจิกายน ๒๕๖๓

เรื่อง เปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๓ กันยายน ๒๕๖๓

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด จำนวน ๒ แผ่น

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด ห้องปฏิบัติการวิเคราะห์
เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง
เขตหลักสี่ กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์ ต่อกรมโรงงานอุตสาหกรรม นั้น

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุระบบขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
ในวันที่ ๑๘ พฤษภาคม ๒๕๖๓

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

บริษัท เอ็นไวรอนเม้นท์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

เลขทะเบียน ว-๐๙๙

ที่ ออก ๐๓๑๐(๑)/ ๑๑ ๕๒ ๓

ลงวันที่ ๒๑ พฤศจิกายน ๒๕๖๗

ขอข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๔๗ รายการ

น้ำ/น้ำเสีย จำนวน 19 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
2	α -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
3	β -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
4	δ -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
5	γ -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
6	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
7	o,p'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
8	4,4'-DDD	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
9	4,4'-DDE	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
10	4,4'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
11	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
12	Endosulfan I	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
13	Endosulfan II	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
14	Endosulfan sulfate	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
15	Endrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
16	Endrin aldehyde	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
17	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
18	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
19	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]

น้ำใต้ดิน จำนวน 14 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
2	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
3	DDD	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
4	DDE	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
5	DDT	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
6	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]

7 Endosulfan...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
7	Endosulfan	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
8	Endrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
9	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
10	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
11	α -HCH	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
12	β -HCH	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
13	γ -HCH	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
14	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]

ดิน จำนวน 14 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
2	Chlordane	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
3	DDD	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
4	DDE	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
5	DDT	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
6	Dieldrin	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
7	Endosulfan	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
8	Endrin	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
9	Heptachlor	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
10	Heptachlor epoxide	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
11	α -HCH	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
12	β -HCH	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
13	γ -HCH	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
14	Methoxychlor	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]

เอกสารอ้างอิง

1. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater.** 24th ed. Washington, DC: APHA, 2023.
2. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Ultrasonic Extraction. SW-846 Method 3550C,** 2007.
3. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Organochlorine Pesticides by Gas Chromatography. SW-846 Method 8081B,** 2007.

ที่ อก ๐๓๑๐(๑)/ ๑๖๐๘



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

๒๘ กุมภาพันธ์ ๒๕๖๘

เรื่อง เปลี่ยนแปลงสารมลพิษที่วิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๗ มกราคม ๒๕๖๘

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือเปลี่ยนแปลงสารมลพิษที่วิเคราะห์

บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด จำนวน ๑ แผ่น

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด ห้องปฏิบัติการวิเคราะห์
เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง
เขตหลักสี่ กรุงเทพมหานคร ขอเปลี่ยนแปลงสารมลพิษที่วิเคราะห์ ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด
เพิ่มขอบข่ายชนิดสารมลพิษที่วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน อากาศเสีย และดิน ตามสิ่งที่ส่งมาด้วย

อนึ่ง หนังสือฉบับนี้จะสิ้นอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
ในวันที่ ๑๘ พฤษภาคม ๒๕๗๑

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



เอกสารแนบท้ายหนังสือเปลี่ยนแปลงสารมลพิษที่วิเคราะห์

บริษัท เอ็นไวรอนเม้นท์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

เลขทะเบียน ว-๐๙๙

ที่ อก ๐๓๑๐(๑)/ ๑๖๐๘

ลงวันที่ ๒๘ กุมภาพันธ์ ๒๕๖๘

ขอข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๔ รายการ

น้ำ/น้ำเสีย จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Toxaphene	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]

น้ำใต้ดิน จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Toxaphene	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]

อากาศเสีย (ปล่องระบาย) จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Cresol	Adsorption Sampling, Gas Chromatographic Method ^[2]

ดิน จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Toxaphene	Ultrasonic Extraction, Gas Chromatographic Method ^[3,4]

เอกสารอ้างอิง

1. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater.** 24th ed. Washington, DC: APHA, 2017.
2. United States Environmental Protection Agency. **Standards of Performance for New Stationary Sources.** 40 CFR 60. Appendix A, 2023.
3. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Ultrasonic Extraction. SW-846 Method 3550C,** 2007.
4. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organochlorine Pesticides by Gas Chromatography. SW-846 Method 8081B,** 2007.

ที่ อก ๐๓๑๐(๑)/ ๕๗ ๖ ๓



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๐๘ กรกฎาคม ๒๕๖๘

เรื่อง ยกเลิกบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๑ กรกฎาคม ๒๕๖๘

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน
เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง
เขตหลักสี่ กรุงเทพมหานคร ขอยกเลิกบุคลากร ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้ยกเลิกเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



ภาคผนวกที่ 6

เอกสารสอบเทียบเครื่องมือตรวจวัด

Calibration Report

Customer Name : Osotspa PLC.
Address : 348 Ramkhamhaeng Road, Hua Mak, Bang Kapi, Bangkok 10240
Project Name : โครงการก่อสร้างอาคารสำนักงาน และอาคารที่จอดรถ
Sampling Date : มกราคม – มิถุนายน 2569

Water

Item	Equipment	Manufacturer	Model	Serial Number	Calibration Date
1	pH Meter	Eutech	pHTestr 30	2561366	January 8, 2026
2	Incubator	Accuplus	SMART i250	2059-0218-0002	October 3, 2025
3	DO Meter	YSI	5000-115	17H104220	September 26, 2025
4	Electronic Balance	Mettler Toledo	MS204S/01	B334691537	January 26, 2026
5	Hot Air Oven	Binder	FED 115 E2	11-22823	January 6, 2026
6	Hot Air Oven	Memmert	UF 110	B414.0652	January 6, 2026
7	Electronic Balance	Mettler Toledo	MS204TS/00	B547728937	January 26, 2026
8	Incubator	Memmert	IF 160	D522.0070	January 7, 2026
9	Incubator	Ehret	BK 4106	22162	January 6, 2026