

ภาคผนวกที่ 3

เอกสารเปลี่ยนชื่อโครงการ

เลขที่ : MTC/HO-002/2561

บริษัท เมืองไทย แคปปิตอล จำกัด(มหาชน)
เลขที่ 32/1 ถนนจรัญสนิทวงศ์ แขวงบางอ้อ
เขตบางพลัด กรุงเทพมหานคร 10700

16 สิงหาคม 2561

เรื่อง แจ้งเปลี่ยนชื่อโครงการและชื่อบริษัทเจ้าของโครงการ โครงการอาคารสำนักงานใหญ่เมืองไทยลิสซิ่ง

เรียน เลขาธิการสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม

อ้างถึง 1. หนังสือบริษัท เมืองไทยลิสซิ่ง จำกัด (มหาชน) ลงวันที่ 17 มกราคม 2561

2. หนังสือแจ้งผลการพิจารณารายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม ที่ ทส 1009.5/8096

ลงวันที่ 26 มิถุนายน 2561

สิ่งที่ส่งมาด้วย สำเนาหนังสือรับรองบริษัท ที่ปรากฏการเปลี่ยนชื่อบริษัท เป็น บริษัท เมืองไทย แคปปิตอล จำกัด (มหาชน) จำนวน 1 ชุด

ตามที่ บริษัท เมืองไทย ลิสซิ่ง จำกัด (มหาชน) ได้ยื่นรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม โครงการอาคารสำนักงานใหญ่เมืองไทยลิสซิ่ง ตั้งอยู่ที่ ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร และโครงการได้ผ่านความเห็นชอบจากคณะกรรมการผู้ชำนาญการพิจารณารายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม ตามหนังสือสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม ที่ ทส 1009.5/8096 ลงวันที่ 26 มิถุนายน 2560 ตามอ้างถึง 1 และ 2. แล้วนั้น

ขณะนี้ บริษัท เมืองไทยลิสซิ่ง จำกัด (มหาชน) ได้ทำการเปลี่ยนชื่อเป็นบริษัท เมืองไทยแคปปิตอล จำกัด (มหาชน) แล้ว ดังนั้น บริษัทฯ จึงขอแจ้งเปลี่ยนชื่อโครงการและชื่อบริษัท ดังนี้

เดิม โครงการอาคารสำนักงานใหญ่เมืองไทยลิสซิ่ง บริษัท เมืองไทยลิสซิ่ง จำกัด (มหาชน)

ขอเปลี่ยนเป็น โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล บริษัท เมืองไทยแคปปิตอล จำกัด (มหาชน)

โดยในการขอเปลี่ยนแปลงนี้ ยังคงเป็นผู้ประกอบการรายเดิม ตามที่ได้มีการจดทะเบียนหนังสือรับรองบริษัท กับกรมพัฒนาธุรกิจการค้า กระทรวงพาณิชย์ ตามเอกสารสิ่งที่ส่งมาด้วย ทั้งนี้ ในการขอเปลี่ยนชื่อโครงการและชื่อบริษัทฯ ดังกล่าวนี้อย่างคงมีรายละเอียดโครงการ แบบแปลนต่าง ๆ เหมือนเดิม รวมถึงเงื่อนไขการดำเนินการตามมาตรการป้องกันและลดผลกระทบสิ่งแวดล้อมของโครงการ บริษัทฯ ยังคงปฏิบัติตามเหมือนเดิมไม่มีการเปลี่ยนแปลง

จึงเรียนมาเพื่อโปรดทราบ จักขอบพระคุณยิ่ง

ขอแสดงความนับถือ



กรรมการผู้มีอำนาจ




หมายเหตุ หากต้องการข้อมูลเพิ่มเติมกรุณาติดต่อกลับ คุณ..... โทร

เลขที่ : MTC/HO-003/2561

บริษัท เมืองไทย แคปปิตอล จำกัด(มหาชน)
เลขที่ 32/1 ถนนจรัญสนิทวงศ์ แขวงบางอ้อ
เขตบางพลัด กรุงเทพมหานคร 10700

16 สิงหาคม 2561



เรื่อง แจ้งเปลี่ยนชื่อโครงการและชื่อบริษัทเจ้าของโครงการ โครงการอาคารสำนักงานใหญ่เมืองไทยลิสซิ่ง

เรียน ผู้อำนวยการกองจัดการคุณภาพอากาศและเสียง

- อ้างถึง 1. หนังสือบริษัท เมืองไทยลิสซิ่ง จำกัด (มหาชน) ลงวันที่ 17 มกราคม 2561
2. หนังสือบริษัท เมืองไทยลิสซิ่ง จำกัด (มหาชน) ลงวันที่ 15 พฤษภาคม 2561
3. หนังสือบริษัท เมืองไทยลิสซิ่ง จำกัด (มหาชน) ลงวันที่ 11 มิถุนายน 2561
4. หนังสือแจ้งผลการพิจารณารายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม ที่ ทส 1009.5/8096
ลงวันที่ 26 มิถุนายน 2561

สิ่งที่ส่งมาด้วย สำเนาหนังสือรับรองบริษัท ที่ปรากฏการเปลี่ยนชื่อบริษัท เป็น บริษัท เมืองไทย แคปปิตอล จำกัด (มหาชน) จำนวน 1 ชุด

ตามที่ บริษัท เมืองไทย ลิสซิ่ง จำกัด (มหาชน) ได้ยื่นรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม โครงการอาคารสำนักงานใหญ่เมืองไทยลิสซิ่ง ตั้งอยู่ที่ ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร และโครงการได้ผ่านความเห็นชอบจากคณะกรรมการผู้ชำนาญการพิจารณารายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม ตามหนังสือสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม ที่ ทส 1009.5/8096 ลงวันที่ 26 มิถุนายน 2560 ตามอ้างถึง 1. - 4. แล้วนั้น

ขณะนี้ บริษัท เมืองไทยลิสซิ่ง จำกัด (มหาชน) ได้ทำการเปลี่ยนชื่อเป็นบริษัท เมืองไทยแคปปิตอล จำกัด (มหาชน) แล้ว ดังนั้น บริษัทฯ จึงขอแจ้งเปลี่ยนชื่อโครงการและชื่อบริษัท ดังนี้

เดิม โครงการอาคารสำนักงานใหญ่เมืองไทยลิสซิ่ง บริษัท เมืองไทยลิสซิ่ง จำกัด (มหาชน)

ขอเปลี่ยนเป็น โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล บริษัท เมืองไทยแคปปิตอล จำกัด (มหาชน)

โดยในการขอเปลี่ยนแปลงนี้ ยังคงเป็นผู้ประกอบการรายเดิม ตามที่ได้มีการจดทะเบียนหนังสือรับรองบริษัท กับกรมพัฒนาธุรกิจการค้า กระทรวงพาณิชย์ ตามเอกสารสิ่งที่ส่งมาด้วย ทั้งนี้ ในการขอเปลี่ยนชื่อโครงการและชื่อบริษัทฯ ดังกล่าวนี้ ยังคงมีรายละเอียดโครงการ แบบแปลนต่าง ๆ เหมือนเดิม รวมถึงเงื่อนไขการดำเนินการตามมาตรการป้องกันและลดผลกระทบสิ่งแวดล้อมของโครงการ บริษัทฯ ยังคงปฏิบัติตามเหมือนเดิมไม่มีการเปลี่ยนแปลง

จึงเรียนมาเพื่อโปรดทราบ จักขอบพระคุณยิ่ง

ขอแสดงความนับถือ



กรรมการผู้มีอำนาจ



ได้รับเรื่องแล้ว



๒๐/๘/๖๑

ภาคผนวกที่ 4

ใบรายงานผลการวิเคราะห์จากห้องปฏิบัติการ

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนรัชฎาสินีทองศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : ปลั๊กแยกภาคตะกอน 1
GPS. Coordinate : UTM (WGS84) 47P 0662580 E, 1525038 N
Sampling Date : January 30, 2026
Sampling Time : 14:53
Sampling Method : Grab
Sampling By : Mr.Assada Chaiyawong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2026-00193
Analysis No. : 2026-AA376-001
Received Date : January 31, 2026
Analytical Date : January 31-February 6, 2026
Report No. : 2026-RAAC328
Report Date : February 10, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	6.7
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	21
Total Suspended Solids	mg/L	Dried at 103-105°C	24
Total Dissolved Solids	mg/L	Dried at 180°C	253
Sulfide	mg/L	ZnS Precipitation, Iodometric	8.8
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	7.1
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	4.4
Settleable Solids	mL/L	Volumetric	0.5

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

Laboratory Reviewer

Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : แปลกภาคตะกอน 1
GPS. Coordinate : UTM (WGS84) 47P 0662581 E, 1525032 N
Sampling Date : February 27, 2026
Sampling Time : 14:40
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2026-00358
Analysis No. : 2026-AA820-001
Received Date : February 27, 2026
Analytical Date : February 27-March 6, 2026
Report No. : 2026-RAAE021
Report Date : March 10, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	6.7
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	41
Total Suspended Solids	mg/L	Dried at 103-105°C	34
Total Dissolved Solids	mg/L	Dried at 180°C	210
Sulfide	mg/L	ZnS Precipitation, Iodometric	2.5
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	4.3
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	10
Settleable Solids	mL/L	Volumetric	0.5

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

Laboratory Reviewer

Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : ปอแยกภาคตะกอน 1
GPS. Coordinate : -
Sampling Date : March 17, 2026
Sampling Time : 14:49
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2026-00358
Analysis No. : 2026-AB128-005
Received Date : March 18, 2026
Analytical Date : March 18-25, 2026
Report No. : 2026-RAAF749
Report Date : March 27, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	6.4
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	30
Total Suspended Solids	mg/L	Dried at 103-105°C	19
Total Dissolved Solids	mg/L	Dried at 180°C	183
Sulfide	mg/L	ZnS Precipitation, Iodometric	3.5
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	6.2
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0
Settleable Solids	mL/L	Volumetric	<0.1

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.



Laboratory Reviewer

Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : ปลั๊กแยกภาคตะกอน 1
GPS. Coordinate : UTM (WGS84) 47P 0662581 E, 1525037 N
Sampling Date : April 28, 2026
Sampling Time : 14:41
Sampling Method : Grab
Sampling By : Mr.Apichat Pulphon
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2026-00358
Analysis No. : 2026-AC015-001
Received Date : April 29, 2026
Analytical Date : April 29-May 8, 2026
Report No. : 2026-RAAK148
Report Date : May 9, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	6.2
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	36
Total Suspended Solids	mg/L	Dried at 103-105°C	8.4
Total Dissolved Solids	mg/L	Dried at 180°C	205
Sulfide	mg/L	ZnS Precipitation, Iodometric	2.6
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	6.9
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	5.0
Settleable Solids	mL/L	Volumetric	<0.1

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.


 Laboratory Reviewer


 Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : ปลาน้ำจืดคลอง 1
GPS. Coordinate : UTM (WGS84) 47P 0662581 E, 1525037 N
Sampling Date : May 26, 2026
Sampling Time : 13:41
Sampling Method : Grab
Sampling By : Mr.Teeramate Suksri
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, No Sediment, Odor

Quotation No. : MR2026-00358
Analysis No. : 2026-AC739-001
Received Date : May 27, 2026
Analytical Date : May 27-June 6, 2026
Report No. : 2026-RAAN052
Report Date : June 8, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	6.8
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	33
Total Suspended Solids	mg/L	Dried at 103-105°C	6.9
Total Dissolved Solids	mg/L	Dried at 180°C	183
Sulfide	mg/L	ZnS Precipitation, Iodometric	3.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	6.8
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0
Settleable Solids	mL/L	Volumetric	<0.1

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

Laboratory Reviewer

Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนรัชสมัยวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : ปลั๊กกักตะกอน 1
GPS. Coordinate : UTM (WGS84) 47P 0662581 E, 1525037 N
Sampling Date : June 16, 2026
Sampling Time : 13:32
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2026-00358
Analysis No. : 2026-AD293-005
Received Date : June 17, 2026
Analytical Date : June 17-23, 2026
Report No. : 2026-RAAP316
Report Date : June 24, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result
pH	-	Electrometric	6.9
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	16
Total Suspended Solids	mg/L	Dried at 103-105°C	7.6
Total Dissolved Solids	mg/L	Dried at 180°C	198
Sulfide	mg/L	ZnS Precipitation, Iodometric	2.7
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	6.1
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0
Settleable Solids	mL/L	Volumetric	<0.1

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

Laboratory Reviewer

Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : ฝายพักน้ำใส
GPS. Coordinate : UTM (WGS84) 47P 0662564 E, 1525058 N
Sampling Date : January 30, 2026
Sampling Time : 15:04
Sampling Method : Grab
Sampling By : Mr.Assada Chaiyawong
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2026-00193
Analysis No. : 2026-AA376-002
Received Date : January 31, 2026
Analytical Date : January 31-February 6, 2026
Report No. : 2026-RAAC329
Report Date : February 10, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	6.7	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	29	30
Total Suspended Solids	mg/L	Dried at 103-105°C	11	40
Total Dissolved Solids	mg/L	Dried at 180°C	418	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.6	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	7.5	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	0.1	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.

Laboratory Reviewer

Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนรัชฎาสินีวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : ปลั๊กน้ำใส
GPS. Coordinate : UTM (WGS84) 47P 0662574 E, 1525042 N
Sampling Date : February 27, 2026
Sampling Time : 14:46
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2026-00358
Analysis No. : 2026-AA820-002
Received Date : February 27, 2026
Analytical Date : February 27-March 6, 2026
Report No. : 2026-RAAE022
Report Date : March 10, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	6.0	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	36	30
Total Suspended Solids	mg/L	Dried at 103-105°C	6.8	40
Total Dissolved Solids	mg/L	Dried at 180°C	481	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	12	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	0.1	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.

Laboratory Reviewer

Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนรัชสมัยวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : ปอพักน้ำใส
GPS. Coordinate : -
Sampling Date : March 17, 2026
Sampling Time : 14:58
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, No Sediment, Odor

Quotation No. : MR2026-00358
Analysis No. : 2026-AB128-006
Received Date : March 18, 2026
Analytical Date : March 18-26, 2026
Report No. : 2026-RAAF750
Report Date : March 27, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	6.6	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	13	30
Total Suspended Solids	mg/L	Dried at 103-105°C	6.9	40
Total Dissolved Solids	mg/L	Dried at 180°C	427	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	10	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.

Laboratory Reviewer

Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : ปอพักน้ำใส
GPS. Coordinate : UTM (WGS84) 47P 0662574 E, 1525042 N
Sampling Date : April 28, 2026
Sampling Time : 14:47
Sampling Method : Grab
Sampling By : Mr.Apichat Pulphon
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2026-00358
Analysis No. : 2026-AC015-002
Received Date : April 29, 2026
Analytical Date : April 29-May 8, 2026
Report No. : 2026-RAAK149
Report Date : May 9, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	6.0	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	2.4	30
Total Suspended Solids	mg/L	Dried at 103-105°C	15	40
Total Dissolved Solids	mg/L	Dried at 180°C	425	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.5	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	26	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	1.2	20
Settleable Solids	mL/L	Volumetric	0.1	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.

Laboratory Reviewer

Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนรัชฎ์สันติวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : ปลั๊กน้ำใส
GPS. Coordinate : UTM (WGS84) 47P 0662574 E, 1525042 N
Sampling Date : May 26, 2026
Sampling Time : 13:32
Sampling Method : Grab
Sampling By : Mr.Teeramate Suksri
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, No Sediment, Odor

Quotation No. : MR2026-00358
Analysis No. : 2026-AC739-002
Received Date : May 27, 2026
Analytical Date : May 27-June 6, 2026
Report No. : 2026-RAAN053
Report Date : June 8, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	7.8	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	20	30
Total Suspended Solids	mg/L	Dried at 103-105°C	18	40
Total Dissolved Solids	mg/L	Dried at 180°C	322	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	3.5	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	77	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	1.3	20
Settleable Solids	mL/L	Volumetric	<0.1	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.

Laboratory Reviewer

Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Wastewater Sampling
Sampling Point : บ่อพักน้ำใส
GPS. Coordinate : UTM (WGS84) 47P 0662574 E, 1525042 N
Sampling Date : June 16, 2026
Sampling Time : 13:44
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2026-00358
Analysis No. : 2026-AD293-006
Received Date : June 17, 2026
Analytical Date : June 17-23, 2026
Report No. : 2026-RAAP317
Report Date : June 24, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
pH	-	Electrometric	7.4	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	72	30
Total Suspended Solids	mg/L	Dried at 103-105°C	18	40
Total Dissolved Solids	mg/L	Dried at 180°C	394	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	27	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	0.1	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.

Laboratory Reviewer

Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Drinking Water Sampling
Sampling Point : ถังเก็บน้ำชั้นใต้ดิน จุดที่ 1
GPS. Coordinate : -
Sampling Date : March 17, 2026
Sampling Time : 15:19
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2026-00358
Analysis No. : 2026-AB128-001
Received Date : March 18, 2026
Analytical Date : March 18-25, 2026
Report No. : 2026-RAAF745
Report Date : March 27, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
Color	Pt-Co	Visible Absorption Spectrophotometry	<5.0	15
Odor	-	Sensory Test	Odorless	None
Turbidity	Silica Scale Unit	Nephelometric	0.0832	4
<i>Escherichia Coli</i>	MPN/100 mL	Most Probable Number	Not Detected	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Public Health No. 462, B.E. 2568 (2025), issued under the Food Act B.E. 2522 (1979), published in the Royal Government Gazette, Vol. 142, Special Part 386D, dated December 11, B.E. 2568 (2025).

Laboratory Reviewer

Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Drinking Water Sampling
Sampling Point : ถังเก็บน้ำชั้นใต้ดิน จุดที่ 2
GPS. Coordinate : -
Sampling Date : March 17, 2026
Sampling Time : 15:13
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2026-00358
Analysis No. : 2026-AB128-002
Received Date : March 18, 2026
Analytical Date : March 18-25, 2026
Report No. : 2026-RAAF746
Report Date : March 27, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
Color	Pt-Co	Visible Absorption Spectrophotometry	<5.0	15
Odor	-	Sensory Test	Odorless	None
Turbidity	Silica Scale Unit	Nephelometric	0.1105	4
<i>Escherichia Coli</i>	MPN/100 mL	Most Probable Number	Not Detected	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Public Health No. 462, B.E. 2568 (2025), issued under the Food Act B.E. 2522 (1979), published in the Royal Government Gazette, Vol. 142, Special Part 386D, dated December 11, B.E. 2568 (2025).



Laboratory Reviewer

Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Drinking Water Sampling
Sampling Point : ถังเก็บน้ำชั้นดาดฟ้า จุดที่ 1
GPS. Coordinate : -
Sampling Date : March 17, 2026
Sampling Time : 15:25
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2026-00358
Analysis No. : 2026-AB128-003
Received Date : March 18, 2026
Analytical Date : March 18-25, 2026
Report No. : 2026-RAAF747
Report Date : March 27, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
Color	Pt-Co	Visible Absorption Spectrophotometry	<5.0	15
Odor	-	Sensory Test	Odorless	None
Turbidity	Silica Scale Unit	Nephelometric	0.0962	4
<i>Escherichia Coli</i>	MPN/100 mL	Most Probable Number	Not Detected	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Public Health No. 462, B.E. 2568 (2025), issued under the Food Act B.E. 2522 (1979), published in the Royal Government Gazette, Vol. 142, Special Part 386D, dated December 11, B.E. 2568 (2025).

Laboratory Reviewer

Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนรัชฎาสินีทองศ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Drinking Water Sampling
Sampling Point : สังกะสีน้ำขึ้นตลาดฟ้า จุดที่ 2
GPS. Coordinate : -
Sampling Date : March 17, 2026
Sampling Time : 15:28
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2026-00358
Analysis No. : 2026-AB128-004
Received Date : March 18, 2026
Analytical Date : March 18-25, 2026
Report No. : 2026-RAAF748
Report Date : March 27, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
Color	Pt-Co	Visible Absorption Spectrophotometry	<5.0	15
Odor	-	Sensory Test	Odorless	None
Turbidity	Silica Scale Unit	Nephelometric	0.0975	4
<i>Escherichia Coli</i>	MPN/100 mL	Most Probable Number	Not Detected	-

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Public Health No. 462, B.E. 2568 (2025), issued under the Food Act B.E. 2522 (1979), published in the Royal Government Gazette, Vol. 142, Special Part 386D, dated December 11, B.E. 2568 (2025).

Laboratory Reviewer

Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Drinking Water Sampling
Sampling Point : สังก่อนน้ำขึ้นใต้ดิน จุดที่ 1
GPS. Coordinate : -
Sampling Date : June 16, 2026
Sampling Time : 13:57
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2026-00358
Analysis No. : 2026-AD293-001
Received Date : June 17, 2026
Analytical Date : June 17-22, 2026
Report No. : 2026-RAAP312
Report Date : June 24, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
Color	Pt-Co	Visible Absorption Spectrophotometry	<5.0	15
Odor	-	Sensory Test	Odorless	None
Turbidity	Silica Scale Unit	Nephelometric	0.1248	4
<i>Escherichia Coli</i>	MPN/100 mL	Most Probable Number	<1.1	<1.1

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Public Health No. 462, B.E. 2568 (2025), issued under the Food Act B.E. 2522 (1979), published in the Royal Government Gazette, Vol. 142, Special Part 386D, dated December 11, B.E. 2568 (2025).

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Drinking Water Sampling
Sampling Point : ถังเก็บน้ำชั้นใต้ดิน จุดที่ 2
GPS. Coordinate : -
Sampling Date : June 16, 2026
Sampling Time : 14:02
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2026-00358
Analysis No. : 2026-AD293-002
Received Date : June 17, 2026
Analytical Date : June 17-22, 2026
Report No. : 2026-RAAP313
Report Date : June 24, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
Color	Pt-Co	Visible Absorption Spectrophotometry	<5.0	15
Odor	-	Sensory Test	Odorless	None
Turbidity	Silica Scale Unit	Nephelometric	0.1170	4
<i>Escherichia Coli</i>	MPN/100 mL	Most Probable Number	<1.1	<1.1

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Public Health No. 462, B.E. 2568 (2025), issued under the Food Act B.E. 2522 (1979), published in the Royal Government Gazette, Vol. 142, Special Part 386D, dated December 11, B.E. 2568 (2025).

Laboratory Reviewer

Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Drinking Water Sampling
Sampling Point : ถังเก็บน้ำชั้นดาดฟ้า จุดที่ 1
GPS. Coordinate : -
Sampling Date : June 16, 2026
Sampling Time : 14:12
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2026-00358
Analysis No. : 2026-AD293-003
Received Date : June 17, 2026
Analytical Date : June 17-22, 2026
Report No. : 2026-RAAP314
Report Date : June 24, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
Color	Pt-Co	Visible Absorption Spectrophotometry	<5.0	15
Odor	-	Sensory Test	Odorless	None
Turbidity	Silica Scale Unit	Nephelometric	0.0962	4
<i>Escherichia Coli</i>	MPN/100 mL	Most Probable Number	<1.1	<1.1

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Public Health No. 462, B.E. 2568 (2025), issued under the Food Act B.E. 2522 (1979), published in the Royal Government Gazette, Vol. 142, Special Part 386D, dated December 11, B.E. 2568 (2025).

Laboratory Reviewer

ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Laboratory Supervisor

ANALYSIS REPORT

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนจรัญสนิทวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Source : Drinking Water Sampling
Sampling Point : ถังเก็บน้ำชั้นดาดฟ้า จุดที่ 2
GPS. Coordinate : -
Sampling Date : June 16, 2026
Sampling Time : 14:10
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2026-00358
Analysis No. : 2026-AD293-004
Received Date : June 17, 2026
Analytical Date : June 17-22, 2026
Report No. : 2026-RAAP315
Report Date : June 24, 2026

Parameter	Unit	Method of Analysis ^{1'}	Result	Standard ^{2'}
Color	Pt-Co	Visible Absorption Spectrophotometry	<5.0	15
Odor	-	Sensory Test	Odorless	None
Turbidity	Silica Scale Unit	Nephelometric	0.0923	4
<i>Escherichia Coli</i>	MPN/100 mL	Most Probable Number	<1.1	<1.1

Remark : ^{1'} Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

^{2'} Notification of the Ministry of Public Health No. 462, B.E. 2568 (2025), issued under the Food Act B.E. 2522 (1979), published in the Royal Government Gazette, Vol. 142, Special Part 386D, dated December 11, B.E. 2568 (2025).



Laboratory Reviewer

Laboratory Supervisor

ภาคผนวกที่ 5

สำเนาเอกสารขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี

ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

๐๓ กรกฎาคม ๒๕๖๗

เรื่อง ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๔ เมษายน ๒๕๖๗

- สิ่งที่ส่งมาด้วย ๑. รายชื่อผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๑ แผ่น
๒. รายชื่อเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒ แผ่น
๓. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑๔ แผ่น

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด ขอต่ออายุหนังสือ
รับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖
ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง เขตหลักสี่ กรุงเทพมหานคร ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด
ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

- ก. ผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒๐ ราย ตามสิ่งที่ส่งมาด้วย ๑
ข. เจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน ๖๑ ราย ตามสิ่งที่ส่งมาด้วย ๒
ค. ขอบข่ายชนิดสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน อากาศเสีย
สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว และดิน ตามสิ่งที่ส่งมาด้วย ๓

หนังสือฉบับนี้จะหมดอายุในวันที่ ๑๘ พฤษภาคม ๒๕๗๑ หากประสงค์จะต่ออายุหนังสือรับขึ้น
ทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอต่อกรมโรงงานอุตสาหกรรม
ภายใน ๖๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ



รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



“อุตสาหกรรมก้าวไกล ประเทศไทยก้าวหน้า ร่วมกันพัฒนา อุตสาหกรรมสีเขียว”



เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน


บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

เลขทะเบียน ว-๐๙๙

ที่ อก ๐๓๑๐(๑)/ ๖๔๗ ๖

ลงวันที่ ๐๓ กรกฎาคม ๒๕๖๗

ก. ผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒๐ ราย



วิภา

เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด เลขทะเบียน ว-๐๙๙
ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖ ลงวันที่ ๐๓ กรกฎาคม ๒๕๖๗
ข. เจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๖๑ ราย



วิมล

เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอ็นไวรอนเม้นท์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

เลขทะเบียน ว-๐๙๙

ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖

ลงวันที่ ๐๓ กรกฎาคม ๒๕๖๗

ขอขยายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑๙๓ รายการ

น้ำ/น้ำเสีย จำนวน 27 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4]
2	Barium	2) Digestion, Inductively Coupled Plasma Method ^[4]
3	Biochemical Oxygen Demand	Digestion, Inductively Coupled Plasma Method ^[4]
4	Cadmium	1) 5-Day BOD Test, Azide Modification Method ^[4]
5	Chemical Oxygen Demand	2) 5-Day BOD Test, Membrane Electrode Method ^[4]
6	Chromium	Digestion, Inductively Coupled Plasma Method ^[4]
7	Color	Closed Reflux, Titrimetric Method ^[4]
8	Copper	Digestion, Inductively Coupled Plasma Method ^[4]
9	Cyanide	ADMI Weighted-Ordinate Spectrophotometric Method ^[4]
10	Formaldehyde	Digestion, Inductively Coupled Plasma Method ^[4]
11	Free Chlorine	Distillation, Colorimetric Method ^[3]
12	Hexavalent Chromium	1) Iodometric Method ^[4]
13	Lead	2) DPD Colorimetric Method ^[4]
14	Manganese	Colorimetric Method ^[4]
15	Mercury	1) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4]
16	Nickel	2) Digestion, Inductively Coupled Plasma Method ^[4]
17	Oil & Grease	Digestion, Inductively Coupled Plasma Method ^[4]
18	pH	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[4]
19	Phenols	Digestion, Inductively Coupled Plasma Method ^[4]
20	Selenium	Liquid-Liquid, Partition-Gravimetric Method ^[4]
		Electrometric Method ^[4]
		Distillation, Direct Photometric Method ^[4]
		1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4]
		2) Digestion, Inductively Coupled Plasma Method ^[4]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
21	Sulfide	Iodometric Method ^[4]
22	Temperature	Laboratory and Field Methods ^[4]
23	Total Dissolved Solids	Dried at 180 °C ^[4]
24	Total Kjeldahl Nitrogen	1) Macro-Kjeldahl Method ^[4] 2) Semi-Micro-Kjeldahl Method ^[4]
25	Total Suspended Solids	Dried from 103 to 105 °C ^[4]
26	Trivalent Chromium	Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ^[4]
27	Zinc	Digestion, Inductively Coupled Plasma Method ^[4]

น้ำใต้ดิน จำนวน 61 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acetone	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
2	Antimony	Digestion, Inductively Coupled Plasma Method ^[4]
3	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
4	Barium	Digestion, Inductively Coupled Plasma Method ^[4]
5	Benzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
6	Beryllium	Digestion, Inductively Coupled Plasma Method ^[4]
7	Bromodichloromethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
8	Bromoform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
9	Cadmium	Digestion, Inductively Coupled Plasma Method ^[4]
10	Carbon disulfide	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method ^[4]
11	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
12	Chlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
13	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
14	Chloroform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
15	Chromium	Digestion, Inductively Coupled Plasma Method ^[4]
16	Chromium (III)	Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation ^[4]
17	Chromium (VI)	Colorimetric Method ^[4]
18	Cyanide	Distillation, Colorimetric Method ^[4]
19	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
20	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
21	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
22	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
23	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
24	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
25	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
26	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
27	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
28	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
29	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
30	Ethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]

30/1

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
31	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
32	Lead	1) Digestion, Electrothermal Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
33	Manganese	Digestion, Inductively Coupled Plasma Method ^[4]
34	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[4]
35	Methyl bromide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
36	Methylene chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
37	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
38	Naphthalene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
39	Nickel	Digestion, Inductively Coupled Plasma Method ^[4]
40	pH	Electrometric Method ^[4]
41	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[4] 2) Digestion, Inductively Coupled Plasma Method ^[4]
42	Silver	Digestion, Inductively Coupled Plasma Method ^[4]
43	Styrene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
44	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
45	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
46	Toluene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[4]
47	TPH (C ₅ -C ₈)	Purge and Trap, Gas Chromatographic Method ^[11,19]
48	TPH (C _{>8} -C ₁₆)	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[9,19]

3mm

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
49	TPH (C ₁₆ -C ₃₅)	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method ^[9,19]
50	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
51	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
52	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
53	Trichloroethylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
54	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
55	Vanadium	Digestion, Inductively Coupled Plasma Method ^[4]
56	Vinyl chloride	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
57	m-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
59	o-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
59	p-Xylene	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
60	Xylene (Total)	Purge and Trap, Gas Chromatographic/Mass Spectrometric Method ^[4]
61	Zinc	Digestion, Inductively Coupled Plasma Method ^[4]

อากาศเสีย (ปล่อยระบาย) จำนวน 26 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
2	Arsenic	1) Isokinetic Sampling, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]

3mg

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
3	Beryllium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
4	Cadmium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
5	Carbon Monoxide	Instrumental Analyzer Method ^[5]
6	Chlorine	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
7	Chromium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
8	Cobalt	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
9	Copper	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
10	Dioxins/Furans	Isokinetic Sampling ^[5]
11	Hydrogen Chloride	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
12	Hydrogen Fluoride	1) Absorption Sampling, Ion Chromatographic Method ^[5] 2) Isokinetic Sampling, Ion Chromatographic Method ^[5]
13	Hydrogen Sulfide	Absorption Sampling, Iodometric Method ^[5]
14	Lead	1) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5] 2) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method ^[5]
15	Manganese	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
16	Mercury	Isokinetic Sampling, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[5]
17	Nickel	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
18	Opacity	Ringelmann's Method ^[2]
19	Oxides of Nitrogen	1) Absorption Sampling, Alkaline Permanganate/Colorimetric Method ^[5] 2) Instrumental Analyzer Method ^[5]
20	Selenium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]

31/10/2564

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
21	Sulfur Dioxide	1) Isokinetic Sampling, Barium-Thorin Titrimetric Method ^[5] 2) Absorption Sampling, Barium-Thorin Titrimetric Method ^[5] 3) Instrumental Analyzer Method ^[5]
22	Sulfuric Acid	Isokinetic Sampling, Barium-Thorin Titrimetric Method ^[5]
23	Tin	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
24	Total Suspended Particulate	Isokinetic Sampling, Gravimetric Method ^[5]
25	Vanadium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method ^[5]
26	Xylene	Adsorption Sampling, Gas Chromatographic Method ^[5]

สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน 20 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
2	Arsenic	1) Waste Extraction, Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[1,6,14] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,14] 4) Digestion, Inductively Coupled Plasma Method ^[7,13]
3	Barium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
4	Beryllium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
5	Cadmium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
6	Chromium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]
7	Chromium (III)	2) Digestion, Inductively Coupled Plasma Method ^[7,13] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method; Waste Extraction, Colorimetric Method; Calculation ^[1,6,13,15]
8	Chromium (VI)	2) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation ^[7,8,13,15] 1) Waste Extraction, Colorimetric Method ^[1,15]
9	Cobalt	2) Alkaline Digestion, Colorimetric Method ^[8,15] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]
10	Copper	2) Digestion, Inductively Coupled Plasma Method ^[7,13] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]
11	Lead	2) Digestion, Inductively Coupled Plasma Method ^[7,13] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]
12	Mercury	2) Digestion, Inductively Coupled Plasma Method ^[7,13] 1) Waste Extraction, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[1,6,16]
13	Molybdenum	2) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[17] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]
14	Nickel	2) Digestion, Inductively Coupled Plasma Method ^[7,13] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]
15	pH	2) Digestion, Inductively Coupled Plasma Method ^[7,13] Electrometric Method ^[21,22]
16	Selenium	1) Waste Extraction, Digestion, Hydride Generation/ Atomic Absorption Spectrometric Method ^[1,6,18] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13]



ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
17	Silver	3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,18] 4) Digestion, Inductively Coupled Plasma Method ^[7,13] 1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
18	Thallium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
19	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
20	Zinc	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method ^[1,6,13] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]

ดิน จำนวน 59 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acetone	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
2	Antimony	Digestion, Inductively Coupled Plasma Method ^[7,13]
3	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,14] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
4	Barium	Digestion, Inductively Coupled Plasma Method ^[7,13]
5	Benzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
6	Beryllium	Digestion, Inductively Coupled Plasma Method ^[7,13]
7	Bromodichloromethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
8	Bromoform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
9	Cadmium	Digestion, Inductively Coupled Plasma Method ^[7,13]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
10	Carbon disulfide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
11	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
12	Chlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
13	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
14	Chloroform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
15	Chromium	Digestion, Inductively Coupled Plasma Method ^[7,13]
16	Chromium (III)	Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation ^[7,8,13,15]
17	Chromium (VI)	Alkaline Digestion, Colorimetric Method ^[8,15]
18	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
19	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
20	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
21	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
22	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
23	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
24	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
25	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
26	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
27	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
28	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
29	Ethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
30	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
31	Lead	Digestion, Inductively Coupled Plasma Method ^[7,13]
32	Manganese	Digestion, Inductively Coupled Plasma Method ^[7,13]
33	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method ^[17]
34	Methyl bromide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
35	Methylene chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
36	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
37	Naphthalene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
38	Nickel	Digestion, Inductively Coupled Plasma Method ^[7,13]
39	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method ^[7,18] 2) Digestion, Inductively Coupled Plasma Method ^[7,13]
40	Silver	Digestion, Inductively Coupled Plasma Method ^[7,13]
41	Styrene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
42	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
43	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
44	Toluene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
45	TPH (C ₅ -C ₈)	Purge and Trap, Gas Chromatographic Method ^[12,19]
46	TPH (C ₈ -C ₁₆)	Ultrasonic Extraction, Gas Chromatographic Method ^[10,19]

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
47	TPH (C _{>16} -C ₃₅)	Ultrasonic Extraction, Gas Chromatographic Method ^[10,19]
48	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
49	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
50	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
51	Trichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
52	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
53	Vanadium	Digestion, Inductively Coupled Plasma Method ^[7,13]
54	Vinyl chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
55	m-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
56	o-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
57	p-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
58	Xylene (Total)	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method ^[12,20]
59	Zinc	Digestion, Inductively Coupled Plasma Method ^[7,13]

เอกสารอ้างอิง

- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2566. เรื่อง การจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว. ราชกิจจานุเบกษา. 31 พฤษภาคม 2566. เล่มที่ 140 ตอนพิเศษ 126 ง.
- กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณเขม่าควันที่เจือปนในอากาศที่ระบายออกจากปล่องของหม้อน้ำโรงสีข้าวที่ใช้กลบเป็นเชื้อเพลิง. ราชกิจจานุเบกษา. 4 ธันวาคม 2549. เล่มที่ 123 ตอนพิเศษ 125ง.
- สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย. คู่มือวิเคราะห์น้ำเสีย. พิมพ์ครั้งที่ 4. กรุงเทพฯ: เรือนแก้วการพิมพ์, 2547.
- APHA, AWWA, WEF. Standard Methods for the Examination of Water and Wastewater. 24th ed. Washington, DC: APHA, 2023.

5. United States Environmental Protection Agency. **Standards of Performance for New Stationary Sources**. 40 CFR 60. Appendix A, 2023.
6. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. SW-846**, 1997.
7. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Acid Digestion of Sludges and Sediments and Soils. SW-846 Method 3050B**, 1996.
8. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Alkaline Digestion for Hexavalent Chromium. SW-846 Method 3060A**, 1996.
9. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Separatory Funnel Liquid-Liquid Extraction. SW-846 Method 3510C**, 1996.
10. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Ultrasonic Extraction. SW-846 Method 3550C**, 2007.
11. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Purge-and-Trap for Aqueous Samples. SW-846 Method 5030C**, 2003.
12. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Closed-System Purge-and-Trap and Extraction for Volatile Organics in Soil and Waste Samples. SW-846 Method 5035A**, 2002.
13. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Inductively Coupled Plasma - Atomic Emission Spectrometry. SW-846 Method 6010D**, 2018.
14. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Antimony and Arsenic (Atomic Absorption, Borohydride Reduction). SW-846 Method 7062**, 1994.
15. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Chromium, Hexavalent (Colorimetric). SW-846 Method 7196A**, 1992.
16. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Mercury in Liquid Waste (Manual Cold-Vapor Technique). SW-846 Method 7470A**, 1994.
17. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique). SW-846 Method 7471B**, 2007.
18. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Selenium (Atomic Absorption, Borohydride Reduction). SW-846 Method 7742**, 1994. *Sample*

19. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Nonhalogenated Organics Using GC/FID. SW-846 Method 8015D**, 2003.

20. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/ Chemical Methods. **Volatile Organic Compounds by Gas Chromatography/ Mass Spectrometry (GC/MS). SW-846 Method 8260C**, 1996.

21. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **pH Electrometric Measurement. SW-846 Method 9040C**, 2004.

22. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Soil and Waste pH. SW-846 Method 9045D**, 2004.

3mg/l

ที่ อก ๐๓๑๐(๑)/ ๑๑๕๒ ๓



กรมโรงงานอุตสาหกรรม

ถนนพระรามที่ ๖ แขวงทุ่งพญาไท

เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

๒๑ พฤศจิกายน ๒๕๖๗

เรื่อง เปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๓ กันยายน ๒๕๖๗

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด จำนวน ๒ แผ่น

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด ห้องปฏิบัติการวิเคราะห์
เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง
เขตหลักสี่ กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์ ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้ยกเลิกจำนวนห้องปฏิบัติการวิเคราะห์ จำนวน ๒ ราย

๒. ให้เพิ่มขอบข่ายชนิดสารมลพิษที่วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน และดิน ตามสิ่งที่ส่งมาด้วย

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
ในวันที่ ๑๘ พฤษภาคม ๒๕๗๑

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

รองอธิบดี ปฏิบัติราชการแทน

อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

บริษัท เอ็นไวรอนเม้นท์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

เลขทะเบียน ว-๐๙๙

ที่ ออก ๐๓๑๐(๑)/ ๑๑ ๕๒ ๓

ลงวันที่ ๒๑ พฤศจิกายน ๒๕๖๗

ขอข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๔๗ รายการ

น้ำ/น้ำเสีย จำนวน 19 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
2	α -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
3	β -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
4	δ -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
5	γ -BHC	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
6	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
7	o,p'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
8	4,4'-DDD	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
9	4,4'-DDE	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
10	4,4'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
11	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
12	Endosulfan I	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
13	Endosulfan II	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
14	Endosulfan sulfate	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
15	Endrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
16	Endrin aldehyde	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
17	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
18	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
19	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]

น้ำใต้ดิน จำนวน 14 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
2	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
3	DDD	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
4	DDE	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
5	DDT	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
6	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]

7 Endosulfan...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
7	Endosulfan	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
8	Endrin	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
9	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
10	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
11	α -HCH	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
12	β -HCH	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
13	γ -HCH	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]
14	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]

ดิน จำนวน 14 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
2	Chlordane	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
3	DDD	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
4	DDE	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
5	DDT	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
6	Dieldrin	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
7	Endosulfan	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
8	Endrin	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
9	Heptachlor	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
10	Heptachlor epoxide	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
11	α -HCH	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
12	β -HCH	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
13	γ -HCH	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]
14	Methoxychlor	Ultrasonic Extraction, Gas Chromatographic Method ^[2,3]

เอกสารอ้างอิง

1. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater.** 24th ed. Washington, DC: APHA, 2023.
2. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Ultrasonic Extraction. SW-846 Method 3550C,** 2007.
3. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. Organochlorine Pesticides by Gas Chromatography. SW-846 Method 8081B,** 2007.

ที่ อก ๐๓๑๐(๑)/ ๑๖๐๘



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

๒๘ กุมภาพันธ์ ๒๕๖๘

เรื่อง เปลี่ยนแปลงสารมลพิษที่วิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๒๗ มกราคม ๒๕๖๘

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือเปลี่ยนแปลงสารมลพิษที่วิเคราะห์

บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด จำนวน ๑ แผ่น

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด ห้องปฏิบัติการวิเคราะห์
เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง
เขตหลักสี่ กรุงเทพมหานคร ขอเปลี่ยนแปลงสารมลพิษที่วิเคราะห์ ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด
เพิ่มขอบข่ายชนิดสารมลพิษที่วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน อากาศเสีย และดิน ตามสิ่งที่ส่งมาด้วย

อนึ่ง หนังสือฉบับนี้จะสิ้นอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
ในวันที่ ๑๘ พฤษภาคม ๒๕๗๑

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



เอกสารแนบท้ายหนังสือเปลี่ยนแปลงสารมลพิษที่วิเคราะห์

บริษัท เอ็นไวรอนเม้นท์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

เลขทะเบียน ว-๐๙๙

ที่ อก ๐๓๑๐(๑)/ ๑๖๐๘

ลงวันที่ ๒๘ กุมภาพันธ์ ๒๕๖๘

ขอข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๔ รายการ

น้ำ/น้ำเสีย จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Toxaphene	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]

น้ำใต้ดิน จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Toxaphene	Liquid-Liquid Extraction, Gas Chromatographic Method ^[1]

อากาศเสีย (ปล่องระบาย) จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Cresol	Adsorption Sampling, Gas Chromatographic Method ^[2]

ดิน จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Toxaphene	Ultrasonic Extraction, Gas Chromatographic Method ^[3,4]

เอกสารอ้างอิง

1. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater.** 24th ed. Washington, DC: APHA, 2017.
2. United States Environmental Protection Agency. **Standards of Performance for New Stationary Sources.** 40 CFR 60. Appendix A, 2023.
3. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Ultrasonic Extraction. SW-846 Method 3550C,** 2007.
4. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organochlorine Pesticides by Gas Chromatography. SW-846 Method 8081B,** 2007.

ที่ อก ๐๓๑๐(๑)/ ๕๗ ๖ ๓



กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๕๐๐

๐๘ กรกฎาคม ๒๕๖๘

เรื่อง ยกเลิกบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน
ลงวันที่ ๑ กรกฎาคม ๒๕๖๘

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนต์ รีเสิร์ช แอนด์ เทคโนโลยี จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน
เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง
เขตหลักสี่ กรุงเทพมหานคร ขอยกเลิกบุคลากร ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้ยกเลิกเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน
จำนวน ๑๐ ราย ได้แก่



จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ



ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน
ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน

กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ

โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕

โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙

ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th



ภาคผนวกที่ 6

เอกสารสอบเทียบเครื่องมือตรวจวัด

Calibration Report

Customer Name : Muang Thai Capital PCL.
Address : 332/1 Charan-sanitwong Road, Bang Phlat, Bang Phlat, Bangkok 10700
Project Name : โครงการอาคารสำนักงานใหญ่เมืองไทยแคปปิตอล
Project Location : ถนนเจริญสีหวงศ์ แขวงบางพลัด เขตบางพลัด กรุงเทพมหานคร
Sampling Date : มกราคม - มิถุนายน 2569

Water

Item	Equipment	Manufacturer	Model	Serial Number	Calibration Date
1	pH Meter	Eutech	pHTestr 30	2561366	January 8, 2026
2	Incubator	Accuplus	SMART i250	2059-0218-0002	October 3, 2025
3	DO Meter	YSI	5000-115	17H104220	September 26, 2025
4	Electronic Balance	Mettler Toledo	MS204S/01	B334691537	January 26, 2026
5	Hot Air Oven	Binder	FED 115 E2	11-22823	January 6, 2026
6	Hot Air Oven	Memmert	UF 110	B414.0652	January 6, 2026
7	Electronic Balance	Mettler Toledo	MS204TS/00	B547728937	January 26, 2026
8	UV-VIS Spectrophotometer	PerkinElmer	Lambda 365+	365PK 22072603	January 6, 2026
9	Incubator	Memmert	IF 160	D522.0070	January 7, 2026



Environmental Scientist

Laboratory Supervisor

