ภาคผนวกที่ 1

สำเนาหนังสือเห็นชอบในรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม
โครงการ URBAN ATTITUDE BEARING 14 (ระยะดำเนินการ)

ภาคผนวกที่ 2

ใบอนุญาตของโครงการ

35-30-01



พระราชบัญญัติควบคุมอาคาร ... ฉบับเพิ่มเติมโดย
พระราชบัญญัติควบคุมอาคาร (ฉบับที่ 2) พ.ศ. แบบ ฉ.10 ทวิ (3)
... อนุญาตตามพระราชบัญญัตินี้ มีหน้าที่ต้องขออนุญาต
... อาคารนั้น ตามกฎหมายอื่นในส่วนที่เกี่ยวข้อง รวมทั้งต้อง

การต่ออายุใบอนุญาต

การต่ออายุใบอนุญาตครั้งที่.....	การต่ออายุใบอนุญาตครั้งที่.....	การต่ออายุใบอนุญาตครั้งที่.....
ให้ต่ออายุใบอนุญาตฉบับนี้จนถึง	ให้ต่ออายุใบอนุญาตฉบับนี้จนถึง	ให้ต่ออายุใบอนุญาตฉบับนี้จนถึง
วันที่.....เดือน.....พ.ศ.....	วันที่.....เดือน.....พ.ศ.....	วันที่.....เดือน.....พ.ศ.....
โดยมีเงื่อนไข.....	โดยมีเงื่อนไข.....	โดยมีเงื่อนไข.....
.....	.....	.....
(ลายมือชื่อ).....	(ลายมือชื่อ).....	(ลายมือชื่อ).....
ตำแหน่ง.....	ตำแหน่ง.....	ตำแหน่ง.....
เจ้าพนักงานท้องถิ่นผู้อนุญาต	เจ้าพนักงานท้องถิ่นผู้อนุญาต	เจ้าพนักงานท้องถิ่นผู้อนุญาต

ค่าธรรมเนียม

1. ค่าธรรมเนียมการตรวจแบบคิดเป็นเงินทั้งสิ้น 30,882.00 เมตร
2. ค่าใบอนุญาตก่อสร้างอาคารคิดเป็นเงินทั้งสิ้น 20.00 บาท

คำเตือน

๑. ถ้าผู้ได้รับใบอนุญาตจะบอกเลิกตัวผู้ควบคุมงานที่ระบุชื่อไว้ในใบอนุญาต หรือผู้ควบคุมงานจะบอกเลิกการเป็นผู้ควบคุมงาน ให้มีหนังสือแจ้งให้เจ้าพนักงานท้องถิ่นทราบ ทั้งนี้ ไม่เป็นการกระทบถึงสิทธิและหน้าที่ทางแพ่งระหว่างผู้ได้รับใบอนุญาตกับผู้ควบคุมงานนั้น ในการบอกเลิกตัวผู้ควบคุมงานนี้ผู้ได้รับใบอนุญาตต้องระงับการดำเนินการตามที่ได้รับอนุญาตไว้ก่อนจนกว่าจะมีผู้ควบคุมงานคนใหม่ และมีหนังสือแจ้งพร้อมกับส่งมอบหนังสือแสดงความยินยอมของผู้ควบคุมงานคนใหม่ให้แก่เจ้าพนักงานท้องถิ่นแล้ว

๒. ผู้ได้รับใบอนุญาต ที่ต้องจัดให้มีพื้นที่หรือสิ่งที่สร้างขึ้นเพื่อใช้เป็นที่จอดรถ ที่กลับรถ และทางเข้าออกของรถตามที่กำหนดไว้ในใบอนุญาตฉบับนี้ ต้องแสดงที่จอดรถ ที่กลับรถ และทางเข้าออกของรถไว้ให้ปรากฏตามแผนผังบริเวณที่รับใบอนุญาต การดัดแปลงหรือใช้ที่จอดรถ ที่กลับรถ และทางเข้าออกของรถเพื่อการอื่นนั้นต้องได้รับใบอนุญาตจากเจ้าพนักงานท้องถิ่น


๓. ผู้ได้รับใบอนุญาตก่อสร้าง ดัดแปลง หรือเคลื่อนย้ายอาคารประเภทควบคุมการใช้ เมื่อได้ทำการตามที่ได้รับใบอนุญาตเสร็จแล้ว ต้องได้รับใบรับรองจากเจ้าพนักงานท้องถิ่นตามมาตรา ๓๒ ก่อนจึงจะใช้อาคารนั้นได้

๔. ใบอนุญาตฉบับนี้ ให้ใช้ได้ตามระยะเวลาที่กำหนดในใบอนุญาต ถ้าประสงค์จะขอต่ออายุใบอนุญาตจะต้องยื่นคำขอก่อนใบอนุญาตสิ้นอายุ

๖



ใบรับรองการก่อสร้างอาคาร ดัดแปลงอาคาร หรือเคลื่อนย้ายอาคาร .



อ.ช. ๑๐

คู่ฉบับ



หนังสือสำคัญการจดทะเบียนอาคารชุด

[redacted]

รายการจดทะเบียนนิติบุคคลอาคารชุด

ทะเบียนเลขที่	ชื่อนิติบุคคลอาคารชุด	ที่ตั้งสำนักงาน	ชื่อ ที่อยู่ของผู้จัดก
๑/๒๕๖๑	เอทธิดา แบริ่ง คอนโดมิเนียม	๕๔๙ หมู่ที่ ๙ ตำบลลำโรงหน้อ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ	บริษัท เอ็นทรัส พ จำกัด โดยนาย ชา ๓๐๕๑๓ หมู่ที่ ๑๐ หนองปรือ อำเภอ จังหวัดชลบุรี

[redacted]

[redacted]

รายเหตุ : วัตถุประสงค์นิติบุคคลอาคารชุดเป็นไปตามมาตรา ๓๓ แห่งพระราชบัญญัติอาคารชุด พ.ศ. ๒๕๒๒ ซึ่งบัญญัติว่า เพื่อจัดการและดูแลรักษาทรัพย์ส่วนกล
ะให้มีอำนาจกระทำการใด ๆ เพื่อประโยชน์ตามวัตถุประสงค์ดังกล่าว ทั้งนี้ตามมติของเจ้าของร่วมภายใต้บังคับแห่งพระราชบัญญัตินี้



อ.ช.๑๓

แบบพิมพ์หมายเลข 7050

นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
549 ซอยแบริ่ง 14 ตำบลสำโรงเหนือ อำเภอเมือง
จังหวัดสมุทรปราการ โทรศัพท์ 099-3266886

ที่ PEM-ATT-011/2565-AP

26 ธันวาคม 2565

เรื่อง แจ้งเปลี่ยนแปลงเจ้าของโครงการ URBAN ATTITUDE BEARING 14

เรียน นายกเทศบาลตำบลสำโรงเหนือ

อ้างถึง หนังสือสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม ที่ ทส 1009.5/2685 ลงวันที่ 7 มีนาคม 2559

สิ่งที่ส่งมาด้วย 1. หนังสือสำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม ที่ ทส 1009.5/2685 ลงวันที่ 7 มีนาคม 2559

เนื่องด้วย บริษัท เออเบิ้ล พร็อพเพอร์ตี้ จำกัด ได้จัดทำรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อม โครงการ URBAN ATTITUDE BEARING 14 ตั้งอยู่เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270 มีพื้นที่ 0-3-59.7 ไร่ เป็นโครงการประเภทอาคารอยู่อาศัยรวม (อาคารชุด) ประกอบด้วย อาคารอยู่อาศัยรวม (อาคารชุด) ขนาดความสูง 8 ชั้น และชั้นใต้ดิน 1 ชั้น จำนวน 1 อาคาร จำนวนห้องชุดพักอาศัย 137 ห้อง เสนอให้สำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม (สผ.) พิจารณาจนได้รับความเห็นชอบแล้ว

ทั้งนี้ บริษัท เออเบิ้ล พร็อพเพอร์ตี้ จำกัดมีความประสงค์ขอเปลี่ยนแปลงเจ้าของโครงการ จาก “บริษัท เออเบิ้ล พร็อพเพอร์ตี้ จำกัด” เป็น “นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม” โดยบริษัทฯ ขอแจ้งให้ทราบว่าการเปลี่ยนแปลงดังกล่าวไม่ได้กระทบต่อสาระสำคัญในรายงานการวิเคราะห์ผลกระทบสิ่งแวดล้อมที่ได้รับความเห็นชอบแล้วแต่อย่างใด และทางโครงการยึดถือและปฏิบัติตามมาตรการป้องกันและแก้ไขผลกระทบสิ่งแวดล้อม และมาตรการติดตามตรวจสอบผลกระทบสิ่งแวดล้อมตามที่เคยได้รับความเห็นชอบในรายงานฯ อย่างเคร่งครัด

จึงเรียนมาเพื่อโปรดพิจารณา

ขอแสดงความนับถือ

[redacted]

ภาคผนวกที่ 3

ใบรายงานผลการวิเคราะห์จากห้องปฏิบัติการ

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Wastewater Sampling
Sampling Point : น้ำเสียก่อนการบำบัด
GPS. Coordinate : -
Sampling Date : January 23, 2026
Sampling Time : 13:19
Sampling Method : Grab
Sampling By : Mr.Nitad Sirichad
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01973
Analysis No. : 2026-AA278-001
Received Date : January 23, 2026
Analytical Date : January 23-February 2, 2026
Report No. : 2026-RAAB861
Report Date : February 4, 2026

Parameter	Unit	Method of Analysis[1]	Result
pH	-	Electrometric	7.2
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	75
Total Suspended Solids	mg/L	Dried at 103-105°C	28
Total Dissolved Solids	mg/L	Dried at 180°C	512
Sulfide	mg/L	ZnS Precipitation, Iodometric	12
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	86
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	3.9
Settleable Solids	mL/L	Volumetric	0.1
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	>1,600,000

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Wastewater Sampling
Sampling Point : น้ำเสียก่อนการบำบัด
GPS. Coordinate : -
Sampling Date : February 16, 2026
Sampling Time : 13:46
Sampling Method : Grab
Sampling By : Mr.Chanthawit Leawkool
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Gray, Sediment, Odor

Quotation No. : MR2025-01973
Analysis No. : 2026-AA652-001
Received Date : February 17, 2026
Analytical Date : February 17-24, 2026
Report No. : 2026-RAAD435
Report Date : February 26, 2026

Parameter	Unit	Method of Analysis[1]	Result
pH	-	Electrometric	6.8
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	66
Total Suspended Solids	mg/L	Dried at 103-105°C	35
Total Dissolved Solids	mg/L	Dried at 180°C	332
Sulfide	mg/L	ZnS Precipitation, Iodometric	8.7
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	80
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	8.3
Settleable Solids	mL/L	Volumetric	0.3
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	>1,600,000

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Wastewater Sampling
Sampling Point : น้ำเสียก่อนการบำบัด
GPS. Coordinate : -
Sampling Date : March 16, 2026
Sampling Time : 11:36
Sampling Method : Grab
Sampling By : Mr.Natthapon Suttimon
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01973
Analysis No. : 2026-AB112-001
Received Date : March 17, 2026
Analytical Date : March 17-25, 2026
Report No. : 2026-RAAF610
Report Date : March 26, 2026

Parameter	Unit	Method of Analysis[1]	Result
pH	-	Electrometric	7.2
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	95
Total Suspended Solids	mg/L	Dried at 103-105°C	32
Total Dissolved Solids	mg/L	Dried at 180°C	333
Sulfide	mg/L	ZnS Precipitation, Iodometric	11
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	92
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	5.7
Settleable Solids	mL/L	Volumetric	0.1
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	1,600,000

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO. LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Wastewater Sampling
Sampling Point : น้ำเสียก่อนการบำบัด
GPS. Coordinate : -
Sampling Date : April 28, 2026
Sampling Time : 14:21
Sampling Method : Grab
Sampling By : Mr.Wanchana Seehamart
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01973
Analysis No. : 2026-AC012-001
Received Date : April 29, 2026
Analytical Date : April 29-May 8, 2026
Report No. : 2026-RAAK143
Report Date : May 9, 2026

Parameter	Unit	Method of Analysis[1']	Result
pH	-	Electrometric	7.3
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	69
Total Suspended Solids	mg/L	Dried at 103-105°C	23
Total Dissolved Solids	mg/L	Dried at 180°C	404
Sulfide	mg/L	ZnS Precipitation, Iodometric	9.8
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	91
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	8.3
Settleable Solids	mL/L	Volumetric	<0.1
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	>1,600,000

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Wastewater Sampling
Sampling Point : น้ำเสียก่อนการบำบัด
GPS. Coordinate : -
Sampling Date : May 28, 2026
Sampling Time : 13:27
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01973
Analysis No. : 2026-AC828-001
Received Date : May 29, 2026
Analytical Date : May 29-June 10, 2026
Report No. : 2026-RAAN222
Report Date : June 10, 2026

Parameter	Unit	Method of Analysis[1']	Result
pH	-	Electrometric	7.2
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	220
Total Suspended Solids	mg/L	Dried at 103-105°C	20
Total Dissolved Solids	mg/L	Dried at 180°C	1,132
Sulfide	mg/L	ZnS Precipitation, Iodometric	11
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	87
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	3.6
Settleable Solids	mL/L	Volumetric	0.1
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	>1,600,000

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Wastewater Sampling
Sampling Point : น้ำเสียก่อนการบำบัด
GPS. Coordinate : -
Sampling Date : June 17, 2026
Sampling Time : 13:31
Sampling Method : Grab
Sampling By : Mr.Romsea Kateh
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01973
Analysis No. : 2026-AD324-001
Received Date : June 18, 2026
Analytical Date : June 18-25, 2026
Report No. : 2026-RAAP389
Report Date : June 26, 2026

Parameter	Unit	Method of Analysis[1']	Result
pH	-	Electrometric	6.6
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	65
Total Suspended Solids	mg/L	Dried at 103-105°C	22
Total Dissolved Solids	mg/L	Dried at 180°C	460
Sulfide	mg/L	ZnS Precipitation, Iodometric	13
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	80
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	2.0
Settleable Solids	mL/L	Volumetric	0.1
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	>1,600,000

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Wastewater Sampling
Sampling Point : น้ำทิ้งหลังการบำบัด
GPS. Coordinate : -
Sampling Date : January 23, 2026
Sampling Time : 13:13
Sampling Method : Grab
Sampling By : Mr.Nitad Sirichad
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01973
Analysis No. : 2026-AA278-002
Received Date : January 23, 2026
Analytical Date : January 23-February 2, 2026
Report No. : 2026-RAAB862
Report Date : February 4, 2026

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
pH	-	Electrometric	7.2	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	92	30
Total Suspended Solids	mg/L	Dried at 103-105°C	37	40
Total Dissolved Solids	mg/L	Dried at 180°C	439	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	11	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	85	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	3.8	20
Settleable Solids	mL/L	Volumetric	0.1	-
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	>1,600,000	-

Remark : 1' Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
2' Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Wastewater Sampling
Sampling Point : น้ำทิ้งหลังการบำบัด
GPS. Coordinate : -
Sampling Date : February 16, 2026
Sampling Time : 13:36
Sampling Method : Grab
Sampling By : Mr.Chanthawit Leawkool
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01973
Analysis No. : 2026-AA652-002
Received Date : February 17, 2026
Analytical Date : February 17-24, 2026
Report No. : 2026-RAAD436
Report Date : February 26, 2026

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
pH	-	Electrometric	6.8	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	77	30
Total Suspended Solids	mg/L	Dried at 103-105°C	34	40
Total Dissolved Solids	mg/L	Dried at 180°C	357	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	4.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	83	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	4.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	920,000	-

Remark : 1' Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
2' Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Wastewater Sampling
Sampling Point : น้ำทิ้งหลังการบำบัด
GPS. Coordinate : -
Sampling Date : March 16, 2026
Sampling Time : 11:28
Sampling Method : Grab
Sampling By : Mr.Natthapon Suttimon
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01973
Analysis No. : 2026-AB112-002
Received Date : March 17, 2026
Analytical Date : March 17-25, 2026
Report No. : 2026-RAAF611
Report Date : March 26, 2026

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]
pH	-	Electrometric	7.2	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	73	30
Total Suspended Solids	mg/L	Dried at 103-105°C	33	40
Total Dissolved Solids	mg/L	Dried at 180°C	368	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	12	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	86	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	2.8	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	920,000	-

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Wastewater Sampling
Sampling Point : น้ำทิ้งหลังการบำบัด
GPS. Coordinate : -
Sampling Date : April 28, 2026
Sampling Time : 14:11
Sampling Method : Grab
Sampling By : Mr.Wanchana Seehamart
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01973
Analysis No. : 2026-AC012-002
Received Date : April 29, 2026
Analytical Date : April 29-May 13, 2026
Report No. : 2026-RAAK144
Report Date : May 9, 2026

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
pH	-	Electrometric	7.3	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	57	30
Total Suspended Solids	mg/L	Dried at 103-105°C	26	40
Total Dissolved Solids	mg/L	Dried at 180°C	409	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	12	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	93	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	2.2	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	>1,600,000	-

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2'] Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Wastewater Sampling
Sampling Point : น้ำทิ้งหลังการบำบัด
GPS. Coordinate : -
Sampling Date : May 28, 2026
Sampling Time : 13:21
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01973
Analysis No. : 2026-AC828-002
Received Date : May 29, 2026
Analytical Date : May 29-June 10, 2026
Report No. : 2026-RAAN223
Report Date : June 10, 2026

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
pH	-	Electrometric	7.2	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	32	30
Total Suspended Solids	mg/L	Dried at 103-105°C	24	40
Total Dissolved Solids	mg/L	Dried at 180°C	814	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	13	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	90	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	0.3	-
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	>1,600,000	-

Remark : 1' Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
2' Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Wastewater Sampling
Sampling Point : น้ำทิ้งหลังการบำบัด
GPS. Coordinate : -
Sampling Date : June 17, 2026
Sampling Time : 13:25
Sampling Method : Grab
Sampling By : Mr.Romsea Kateh
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Turbid, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01973
Analysis No. : 2026-AD324-002
Received Date : June 18, 2026
Analytical Date : June 18-25, 2026
Report No. : 2026-RAAP390
Report Date : June 26, 2026

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
pH	-	Electrometric	6.6	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	88	30
Total Suspended Solids	mg/L	Dried at 103-105°C	22	40
Total Dissolved Solids	mg/L	Dried at 180°C	432	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	14	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	80	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	1.8	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	>1,600,000	-

Remark : 1' Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
2' Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Wastewater Sampling
Sampling Point : บ่อดรวจวัดคุณภาพน้ำ
GPS. Coordinate : -
Sampling Date : January 23, 2026
Sampling Time : 13:05
Sampling Method : Grab
Sampling By : Mr.Nitad Sirichad
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, No Sediment, Odorless

Quotation No. : MR2025-01973
Analysis No. : 2026-AA278-003
Received Date : January 23, 2026
Analytical Date : January 23-February 2, 2026
Report No. : 2026-RAAB863
Report Date : February 4, 2026

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]
pH	-	Electrometric	7.8	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	4.3	30
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0	40
Total Dissolved Solids	mg/L	Dried at 180°C	204	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.7	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	10	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	160,000	-

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO.,LTD

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Wastewater Sampling
Sampling Point : **บ่อตรวจวัดคุณภาพน้ำ**
GPS. Coordinate : -
Sampling Date : February 16, 2026
Sampling Time : 13:23
Sampling Method : Grab
Sampling By : Mr.Chanthawit Leawkool
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01973
Analysis No. : 2026-AA652-003
Received Date : February 17, 2026
Analytical Date : February 17-24, 2026
Report No. : 2026-RAAD484
Report Date : February 26, 2026

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]
pH	-	Electrometric	6.9	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	7.3	30
Total Suspended Solids	mg/L	Dried at 103-105°C	6.2	40
Total Dissolved Solids	mg/L	Dried at 180°C	184	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	16	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	1.2	20
Settleable Solids	mL/L	Volumetric	0.1	-
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	240,000	-

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., Ltd.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Wastewater Sampling
Sampling Point : **บ่อตรวจวัดคุณภาพน้ำ**
GPS. Coordinate : -
Sampling Date : March 16, 2026
Sampling Time : 11:19
Sampling Method : Grab
Sampling By : Mr.Natthapon Suttimon
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01973
Analysis No. : 2026-AB112-003
Received Date : March 17, 2026
Analytical Date : March 17-25, 2026
Report No. : 2026-RAAF612
Report Date : March 26, 2026

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
pH	-	Electrometric	7.6	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	5.4	30
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0	40
Total Dissolved Solids	mg/L	Dried at 180°C	164	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	9.3	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	240,000	-

Remark : 1' Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
2' Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Wastewater Sampling
Sampling Point : บ่อตรวจวัดคุณภาพน้ำ
GPS. Coordinate : -
Sampling Date : April 28, 2026
Sampling Time : 14:04
Sampling Method : Grab
Sampling By : Mr.Wanchana Seehamart
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, Sediment, Odor

Quotation No. : MR2025-01973
Analysis No. : 2026-AC012-003
Received Date : April 29, 2026
Analytical Date : April 29-May 8, 2026
Report No. : 2026-RAAK145
Report Date : May 9, 2026

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
pH	-	Electrometric	7.9	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	3.0	30
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0	40
Total Dissolved Solids	mg/L	Dried at 180°C	186	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	<0.4	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	9.6	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	92,000	-

Remark : 1' Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
2' Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981


ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Wastewater Sampling
Sampling Point : **บ่อตรวจวัดคุณภาพน้ำ**
GPS. Coordinate : -
Sampling Date : May 28, 2026
Sampling Time : 13:15
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odor

Quotation No. : MR2025-01973
Analysis No. : 2026-AC828-003
Received Date : May 29, 2026
Analytical Date : May 29-June 10, 2026
Report No. : 2026-RAAN224
Report Date : June 10, 2026

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]
pH	-	Electrometric	7.4	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	5.3	30
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0	40
Total Dissolved Solids	mg/L	Dried at 180°C	276	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.6	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	8.9	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	>1,600,000	-

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.






(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Wastewater Sampling
Sampling Point : บ่อตรวจวัดคุณภาพน้ำ
GPS. Coordinate : -
Sampling Date : June 17, 2026
Sampling Time : 13:39
Sampling Method : Grab
Sampling By : Mr.Romsea Kateh
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Light Yellow, Sediment, Odor

Quotation No. : MR2025-01973
Analysis No. : 2026-AD324-003
Received Date : June 18, 2026
Analytical Date : June 18-25, 2026
Report No. : 2026-RAAP391
Report Date : June 26, 2026

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
pH	-	Electrometric	6.9	5.5-9.0
Biochemical Oxygen Demand	mg/L	5-Day BOD Test, Membrane Electrode	5.7	30
Total Suspended Solids	mg/L	Dried at 103-105°C	<5.0	40
Total Dissolved Solids	mg/L	Dried at 180°C	229	1,000
Sulfide	mg/L	ZnS Precipitation, Iodometric	0.7	1.0
Total Kjeldahl Nitrogen	mg/L	Macro-Kjeldahl, Titrimetric	14	35
Fat Oil and Grease	mg/L	Liquid-Liquid Partition, Gravimetric	<1.0	20
Settleable Solids	mL/L	Volumetric	<0.1	-
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	1,600,000	-

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2'] Notification of the Ministry of Natural Resources and Environment B.E.2567 (2024), published in the Royal Government Gazette No.141 Special Part 233D dated August 27, B.E.2567 (2024), Maximum permitted value for building Type B.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Pool Water Sampling
Sampling Point : **สระว่ายน้ำบริเวณสวนลึก**
GPS. Coordinate : UTM (WGS84) 47P 0673821 E, 1510130 N
Sampling Date : January 23, 2026
Sampling Time : 13:38
Sampling Method : Grab
Sampling By : Mr.Nitad Sirichad
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01973
Analysis No. : 2026-AA278-004
Received Date : January 23, 2026
Analytical Date : January 23-26, 2026
Report No. : 2026-RAAB864
Report Date : February 4, 2026

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	10
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	None

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2'] Recommendation of the Public Health Committee No. 1/2007 on the Control of Swimming Pool Operations. or other Businesses In the Same Way.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Pool Water Sampling
Sampling Point : สระว่ายน้ำบริเวณสวนดื้น
GPS. Coordinate : UTM (WGS84) 47P 0673818 E, 1510128 N
Sampling Date : January 23, 2026
Sampling Time : 13:37
Sampling Method : Grab
Sampling By : Mr.Nitad Sirichad
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01973
Analysis No. : 2026-AA278-005
Received Date : January 23, 2026
Analytical Date : January 23-26, 2026
Report No. : 2026-RAAB865
Report Date : February 4, 2026

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	10
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	None

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Recommendation of the Public Health Committee No. 1/2007 on the Control of Swimming Pool Operations. or other Businesses In the Same Way.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Pool Water Sampling
Sampling Point : **สระว่ายน้ำบริเวณส่วนลึก**
GPS. Coordinate : UTM (WGS84) 47P 0673817 E, 1510133 N
Sampling Date : February 16, 2026
Sampling Time : 13:59
Sampling Method : Grab
Sampling By : Mr.Chanthawit Leawkool
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01973
Analysis No. : 2026-AA652-004
Received Date : February 17, 2026
Analytical Date : February 17-19, 2026
Report No. : 2026-RAAD486
Report Date : February 26, 2026

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	10
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	None

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2'] Recommendation of the Public Health Committee No. 1/2007 on the Control of Swimming Pool Operations. or other Businesses In the Same Way.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Pool Water Sampling
Sampling Point : **สระว่ายน้ำบริเวณสวนดื่น**
GPS. Coordinate : UTM (WGS84) 47P 0673819 E, 1510127 N
Sampling Date : February 16, 2026
Sampling Time : 13:57
Sampling Method : Grab
Sampling By : Mr.Chanthawit Leawkool
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01973
Analysis No. : 2026-AA652-005
Received Date : February 17, 2026
Analytical Date : February 17-19, 2026
Report No. : 2026-RAAD487
Report Date : February 26, 2026

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	10
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	None

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2'] Recommendation of the Public Health Committee No. 1/2007 on the Control of Swimming Pool Operations. or other Businesses In the Same Way.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Pool Water Sampling
Sampling Point : **สระว่ายน้ำบริเวณสวนลึก**
GPS. Coordinate : UTM (WGS84) 47P 0673821 E, 1510130 N
Sampling Date : March 16, 2026
Sampling Time : 11:50
Sampling Method : Grab
Sampling By : Mr.Natthapon Suttimon
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01973
Analysis No. : 2026-AB112-004
Received Date : March 17, 2026
Analytical Date : March 17-19, 2026
Report No. : 2026-RAAF613
Report Date : March 26, 2026

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	10
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	None

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2'] Recommendation of the Public Health Committee No. 1/2007 on the Control of Swimming Pool Operations. or other Businesses In the Same Way.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981


ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Pool Water Sampling
Sampling Point : สระว่ายน้ำบริเวณสวนดื้น
GPS. Coordinate : UTM (WGS84) 47P 0673818 E, 1510128 N
Sampling Date : March 16, 2026
Sampling Time : 11:49
Sampling Method : Grab
Sampling By : Mr.Natthapon Suttimon
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01973
Analysis No. : 2026-AB112-005
Received Date : March 17, 2026
Analytical Date : March 17-19, 2026
Report No. : 2026-RAAF614
Report Date : March 26, 2026

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	10
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	None

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2'] Recommendation of the Public Health Committee No. 1/2007 on the Control of Swimming Pool Operations. or other Businesses In the Same Way.






(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Pool Water Sampling
Sampling Point : สระว่ายน้ำบริเวณส่วนลึก
GPS. Coordinate : UTM (WGS84) 47P 0673821 E, 1510130 N
Sampling Date : April 28, 2026
Sampling Time : 14:31
Sampling Method : Grab
Sampling By : Mr.Wanchana Seehamart
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01973
Analysis No. : 2026-AC012-004
Received Date : April 29, 2026
Analytical Date : April 29-May 4, 2026
Report No. : 2026-RAAK146
Report Date : May 9, 2026

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	10
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	None

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Recommendation of the Public Health Committee No. 1/2007 on the Control of Swimming Pool Operations. or other Businesses In the Same Way.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Pool Water Sampling
Sampling Point : **สระว่ายน้ำบริเวณสวนดื้น**
GPS. Coordinate : UTM (WGS84) 47P 0673818 E, 1510128 N
Sampling Date : April 28, 2026
Sampling Time : 14:32
Sampling Method : Grab
Sampling By : Mr.Wanchana Seehamart
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01973
Analysis No. : 2026-AC012-005
Received Date : April 29, 2026
Analytical Date : April 29-May 4, 2026
Report No. : 2026-RAAK147
Report Date : May 9, 2026

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	10
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	None

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Recommendation of the Public Health Committee No. 1/2007 on the Control of Swimming Pool Operations. or other Businesses In the Same Way.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO.,LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Pool Water Sampling
Sampling Point : **สระว่ายน้ำบริเวณส่วนลึก**
GPS. Coordinate : UTM (WGS84) 47P 0673821 E, 1510130 N
Sampling Date : May 28, 2026
Sampling Time : 13:37
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01973
Analysis No. : 2026-AC828-004
Received Date : May 29, 2026
Analytical Date : May 29-June 4, 2026
Report No. : 2026-RAAN225
Report Date : June 10, 2026

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	10
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	None

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2'] Recommendation of the Public Health Committee No. 1/2007 on the Control of Swimming Pool Operations. or other Businesses In the Same Way.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Pool Water Sampling
Sampling Point : **สระว่ายน้ำบริเวณสวนดื้น**
GPS. Coordinate : UTM (WGS84) 47P 0673818 E, 1510128 N
Sampling Date : May 28, 2026
Sampling Time : 13:36
Sampling Method : Grab
Sampling By : Mr.Suchapong Rungrueang
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01973
Analysis No. : 2026-AC828-005
Received Date : May 29, 2026
Analytical Date : May 29-June 4, 2026
Report No. : 2026-RAAN226
Report Date : June 10, 2026

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	10
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	None

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Recommendation of the Public Health Committee No. 1/2007 on the Control of Swimming Pool Operations. or other Businesses In the Same Way.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Pool Water Sampling
Sampling Point : **สระว่ายน้ำบริเวณสวนลึก**
GPS. Coordinate : UTM (WGS84) 47P 0673821 E, 1510130 N
Sampling Date : June 17, 2026
Sampling Time : 13:18
Sampling Method : Grab
Sampling By : Mr.Romsea Kateh
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01973
Analysis No. : 2026-AD324-004
Received Date : June 18, 2026
Analytical Date : June 18-22, 2026
Report No. : 2026-RAAP392
Report Date : June 26, 2026

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	10
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	None

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2'] Recommendation of the Public Health Committee No. 1/2007 on the Control of Swimming Pool Operations. or other Businesses In the Same Way.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH&TECHNOLOGY CO. LTD.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Pool Water Sampling
Sampling Point : **สระว่ายน้ำบริเวณสวนดื้น**
GPS. Coordinate : UTM (WGS84) 47P 0673818 E, 1510128 N
Sampling Date : June 17, 2026
Sampling Time : 13:17
Sampling Method : Grab
Sampling By : Mr.Romsea Kateh
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01973
Analysis No. : 2026-AD324-005
Received Date : June 18, 2026
Analytical Date : June 18-22, 2026
Report No. : 2026-RAAP393
Report Date : June 26, 2026

Parameter	Unit	Method of Analysis[1']	Result	Standard[2']
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	10
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	None

Remark : [1'] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2'] Recommendation of the Public Health Committee No. 1/2007 on the Control of Swimming Pool Operations. or other Businesses In the Same Way.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO.,Ltd.

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Pool Water Sampling
Sampling Point : สระว่ายน้ำบริเวณส่วนลึก
GPS. Coordinate : UTM (WGS84) 47P 0673821 E, 1510130 N
Sampling Date : October 27, 2025
Sampling Time : 14:55
Sampling Method : Grab
Sampling By : Mr.Apichat Pulphon
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01973
Analysis No. : 2025-AF703-004
Received Date : October 28, 2025
Analytical Date : October 28-November 10, 2025
Report No. : 2025-RAAZ985
Report Date : November 13, 2025

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]
Combined Chlorine	ppm	Iodometric, DPD Colorimetric	1.4	0.5-1.0
Alkalinity	ppm	Titration	44	80-100
Calcium Hardness	ppm	Titration	101	250-600
Cyanuric Acid	ppm	Turbidimetric	14	30-60
Chloride	ppm	Mercuric Nitrate	3,127	600
Ammonia	ppm	Distillation, Titrimetric	<0.4	20
Nitrate	ppm	Brucine	10	50
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	10
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	None
Escherichia Coli	MPN/100 mL	Most Probable Number	Not Detected	None
Staphylococcus aureus[3]	/100 mL	Membrane Filter Technique	Not Detected	None
Pseudomonas aeruginosa[3]	/100 mL	Membrane Filter Technique	Not Detected	None

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Recommendation of the Public Health Committee No. 1/2007 on the Control of Swimming Pool Operations. or other Businesses In the Same Way.
[3] Analyzed by Subcontractor Laboratory.



(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

ANALYSIS REPORT

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ 10270
Project Name : โครงการ URBAN ATTITUDE BEARING 14
Sampling Source : Pool Water Sampling
Sampling Point : สระว่ายน้ำบริเวณส่วนลึก
GPS. Coordinate : UTM (WGS84) 47P 0673818 E, 1510128 N
Sampling Date : October 27, 2025
Sampling Time : 14:45
Sampling Method : Grab
Sampling By : Mr.Apichat Pulphon
Analyzed By : Environment Research & Technology Co., Ltd.
Physical Properties : Clear, Colorless, No Sediment, Odorless

Quotation No. : MR2025-01973
Analysis No. : 2025-AF703-005
Received Date : October 28, 2025
Analytical Date : October 28-November 10, 2025
Report No. : 2025-RAAZ986
Report Date : November 13, 2025

Parameter	Unit	Method of Analysis[1]	Result	Standard[2]
Combined Chlorine	ppm	Iodometric, DPD Colorimetric	2.0	0.5-1.0
Alkalinity	ppm	Titration	45	80-100
Calcium Hardness	ppm	Titration	97	250-600
Cyanuric Acid	ppm	Turbidimetric	11	30-60
Chloride	ppm	Mercuric Nitrate	3,106	600
Ammonia	ppm	Distillation, Titrimetric	<0.4	20
Nitrate	ppm	Brucine	12	50
Total Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	10
Fecal Coliform Bacteria	MPN/100 mL	Most Probable Number	<1.8	None
Escherichia Coli	MPN/100 mL	Most Probable Number	Not Detected	None
Staphylococcus aureus[3]	/100 mL	Membrane Filter Technique	Not Detected	None
Pseudomonas aeruginosa[3]	/100 mL	Membrane Filter Technique	Not Detected	None

Remark : [1] Standard Method for Examination of Water and Wastewater, 24th Edition, 2023.
[2] Recommendation of the Public Health Committee No. 1/2007 on the Control of Swimming Pool Operations. or other Businesses In the Same Way.
[3] Analyzed by Subcontractor Laboratory.

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

(Ms.Yuwadee Na Ranong)
Laboratory Reviewer

(Mr.Virat Hemvannanukul)
Laboratory Supervisor

DO NOT COPY PARTIAL OF THIS ANALYSIS REPORT WITHOUT OFFICIAL APPROVAL
REPORT ANALYSIS REFERS TO SUBMITTED SAMPLE (S) ONLY

ภาคผนวกที่ 4

สำเนาเอกสารขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด



ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๐๓ กรกฎาคม ๒๕๖๗

เรื่อง ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๒๔ เมษายน ๒๕๖๗

สิ่งที่ส่งมาด้วย ๑. รายชื่อผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๑ แผ่น
๒. รายชื่อเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒ แผ่น
๓. ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑๔ แผ่น

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด ขอต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง เขตหลักสี่ กรุงเทพมหานคร ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด ต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน โดยมีองค์ประกอบดังนี้

ก. ผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒๐ ราย ตามสิ่งที่ส่งมาด้วย ๑
ข. เจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน ๖๑ ราย ตามสิ่งที่ส่งมาด้วย ๒
ค. ขอบข่ายชนิดสารมลพิษที่ได้รับขึ้นทะเบียนให้วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน อากาศเสีย สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว และดิน ตามสิ่งที่ส่งมาด้วย ๓

หนังสือฉบับนี้จะหมดอายุในวันที่ ๑๘ พฤษภาคม ๒๕๗๑ หากประสงค์จะต่ออายุหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ให้ยื่นคำขอต่ออายุพร้อมเอกสารประกอบคำขอต่อกรมโรงงานอุตสาหกรรม ภายใน ๖๐ วัน ก่อนวันสิ้นอายุของหนังสือรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายพรยศ กลั่นกรอง)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน

บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด เลขทะเบียน ว-๐๙๙

ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖ ลงวันที่ ๐๓ กรกฎาคม ๒๕๖๗

ก. ผู้ควบคุมห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๒๐ ราย

๑) นางสาวสุดารัตน์ เขจรรักษ์	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๑
๒) นางสาวพิชาดา เขียวนรภัย	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๒
๓) นางสาววลิตา โพธิ์เจริญ	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๓
๔) ว่าที่ร้อยตรีวันชนะ สีหามาตร	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๔
๕) นางสาวรัชนีวรรณ ภูประเสริฐ	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๕
๖) นางสาวปณิชา พรมชัย	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๖
๗) นางณัฐรดา เลี้ยงรักษา	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๗
๘) นายมงคล บูรภักดิ์	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๘
๙) นางสาวธนิดา บุญรุ่งเรือง	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๐๙
๑๐) นางสาวรมิตา แตงไทย	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๐
๑๑) นางสาวไรวินทร์ โพธิ์สิทธิ์	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๑
๑๒) นางสาวณัฐณิชา เสริมมติวงศ์	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๒
๑๓) นายนพสิทธิ์ ทวีพรประดิษฐ์	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๓
๑๔) นางสาวธิดารัตน์ ปุกคะ	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๔
๑๕) นายอภิชาติ พูลพล	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๕
๑๖) นายนิทัศน์ ศิริชาติ	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๖
๑๗) นายสุทธิชาญ สังข์ทอง	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๗
๑๘) นางสาวยุวดี ณ ระนอง	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๘
๑๙) นางสาวสุภาวรรณ สุวรรณภา	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๑๙
๒๐) นางสาวนภาจรัส หมื่นวงษ์	ทะเบียนเลขที่ ว-๐๙๙-ค-๐๐๒๐

เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด เลขทะเบียน ว-๐๙๙
ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖ ลงวันที่ ๐๓ กรกฎาคม ๒๕๖๗

ข. เจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๖๑ ราย

๑) นางสาวณัฏฐณิชา ขาวสุทธิ์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๒
๒) นางสาวสุธิดา ทองประภา ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๕
๓) นายจิรยุทธ์ สามารถ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๗
๔) นายอัษฎา ไชยวงค์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๘
๕) นางสาวณัฐริสา บุญหนัก ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๐๙
๖) นายนฤดม โชติกาญจน์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๒
๗) นางสาวพรทิพย์ อัมภรัตน์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๓
๘) นายอัครวัฒน์ คชบก ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๕
๙) นางสาวธัญพิชชา สุดเขียน ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๖
๑๐) นางสาวพาขวัญ นนพละ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๗
๑๑) นางสาววิมลรัตน์ แปรงทอง ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๘
๑๒) นางสาวจรรยาวดี ขำแป้ง ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๑๙
๑๓) นางสาวธาราภรณ์ สมัยใหม่ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๐
๑๔) นางสาวรัตน์ชนก ชนะค้า ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๑
๑๕) นางสาวกมลทิพย์ พุ่มตาก้อง ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๒
๑๖) นางสาวสุพัดตรา ผาสุขพักตร์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๓
๑๗) นางสาวฉัตรยาลักษณ์ บรรดิษฐ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๔
๑๘) นางสาวอาภัสรา หล่าสูงเนิน ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๕
๑๙) นางสาวพิมพิศา ทับพันธ์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๖
๒๐) นางสาวอัจฉรี แก้วเพ็ชรวงค์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๗
๒๑) นางสาวชลธิชา กันยานุช ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๘
๒๒) นางสาวพิชามญชุ์ ยังผ่อง ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๙
๒๓) นางสาวณิชารีย์ ปริญญานุวัตร ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๐
๒๔) นายวัชรพล บุตรดีขันธ์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๑
๒๕) นางสาวณัฐติมา ปัดชา ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๒
๒๖) นายวัชรพงษ์ พูลเขตกิจ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๓
๒๗) นายศิวกร วงสุตาล ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๔
๒๘) นางสาวรวิภา จาระณะ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๕
๒๙) นางสาวธัญญาภรณ์ คณะศรี ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๖
๓๐) นางสาวพัชรพร อนุสร ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๗
๓๑) นายธนากร อริยพงษ์โสภณ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๘
๓๒) นางสาวบุษกร สมรักษ์ ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๙
๓๓) นางสาววิลาวัณย์ แก้วยม ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๐
๓๔) นางสาวธัญญาลักษณ์ แสงโยธา ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๑
๓๕) นายสุชาพงศ์ รุ่งเรือง ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๒

๓๖) นายสิทธิพร...

๓๖) นายสิทธิพร วงษ์คำ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๓
๓๗) นางเตชินี สืบเสระ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๔
๓๘) นางสาวธนัชพร คนแรง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๕
๓๙) นายภาณุพล โพธิ์แดง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๖
๔๐) นายวัชรางกูร กองแสง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๗
๔๑) นางสาวสุธาทิพย์ อิ่มน้อย	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๘
๔๒) นางสาวชมพูนุท กสิชีวิน	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๙
๔๓) นางสาวรวีวรรณ สุขารมย์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๐
๔๔) นางสาวกัญญาลักษณ์ กระทาง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๑
๔๕) นางสาวปิยธิดา ประแดงโค	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๒
๔๖) นางสาวปวิตรา นาเหล็ก	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๓
๔๗) นางสาวทักษพร ไกรสิงห์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๔
๔๘) นางสาวเบญจวรรณ คำหงษา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๕
๔๙) นางสาวพัชชา แก้วย้อย	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๖
๕๐) นางสาวณัฐชา สัมฤทธิ์ดี	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๗
๕๑) นายรอมซี กาเต๊ะ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๘
๕๒) นางสาวอังคนา อุ่นตา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๕๙
๕๓) นายสุริยะ ชูทอง	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๐
๕๔) นายฉันทวิชญ์ เหลวกูล	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๑
๕๕) นายศิวาวุธ ธรรมนิทา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๒
๕๖) นายอนุวัฒน์ เรืองอ่อน	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๓
๕๗) นายฉัตรชัย โยวะผุย	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๔
๕๘) นายกลยุทธ์ อินทร์คำ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๕
๕๙) นางสาวนันทชา เนื้อนวล	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๖
๖๐) นางสาวจิตตวรรณ ลิ้มสมบูรณ์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๗
๖๑) ว่าที่ร้อยตรีนัฐพล สุทธิมล	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๘

เอกสารแนบท้ายหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน
บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด เลขทะเบียน ว-๐๙๙
ที่ อก ๐๓๑๐(๑)/ ๖๔๗๖ ลงวันที่ ๐๓ กรกฎาคม ๒๕๖๗

ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๑๙๓ รายการ

น้ำ/น้ำเสีย จำนวน 27 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
2	Barium	Digestion, Inductively Coupled Plasma Method[4]
3	Biochemical Oxygen Demand	1) 5-Day BOD Test, Azide Modification Method[4] 2) 5-Day BOD Test, Membrane Electrode Method[4]
4	Cadmium	Digestion, Inductively Coupled Plasma Method[4]
5	Chemical Oxygen Demand	Closed Reflux, Titrimetric Method[4]
6	Chromium	Digestion, Inductively Coupled Plasma Method[4]
7	Color	ADMI Weighted-Ordinate Spectrophotometric Method[4]
8	Copper	Digestion, Inductively Coupled Plasma Method[4]
9	Cyanide	Distillation, Colorimetric Method[4]
10	Formaldehyde	Distillation, Colorimetric Method[3]
11	Free Chlorine	1) Iodometric Method[4] 2) DPD Colorimetric Method[4]
12	Hexavalent Chromium	Colorimetric Method[4]
13	Lead	1) Digestion, Electrothermal Atomic Absorption Spectrometric Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
14	Manganese	Digestion, Inductively Coupled Plasma Method[4]
15	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[4]
16	Nickel	Digestion, Inductively Coupled Plasma Method[4]
17	Oil & Grease	Liquid-Liquid, Partition-Gravimetric Method[4]
18	pH	Electrometric Method[4]
19	Phenols	Distillation, Direct Photometric Method[4]
20	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]

21 Sulfide...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
21	Sulfide	Iodometric Method[4]
22	Temperature	Laboratory and Field Methods[4]
23	Total Dissolved Solids	Dried at 180 °C[4]
24	Total Kjeldahl Nitrogen	1) Macro-Kjeldahl Method[4] 2) Semi-Micro-Kjeldahl Method[4]
25	Total Suspended Solids	Dried from 103 to 105 °C[4]
26	Trivalent Chromium	Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation[4]
27	Zinc	Digestion, Inductively Coupled Plasma Method[4]

น้ำใต้ดิน จำนวน 61 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acetone	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
2	Antimony	Digestion, Inductively Coupled Plasma Method[4]
3	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
4	Barium	Digestion, Inductively Coupled Plasma Method[4]
5	Benzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
6	Beryllium	Digestion, Inductively Coupled Plasma Method[4]
7	Bromodichloromethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
8	Bromoform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
9	Cadmium	Digestion, Inductively Coupled Plasma Method[4]
10	Carbon disulfide	Purge and Trap Gas Chromatographic/ Mass Spectrometric Method[4]
11	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
12	Chlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]

13 Chlorodibromomethane...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
13	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
14	Chloroform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
15	Chromium	Digestion, Inductively Coupled Plasma Method[4]
16	Chromium (III)	Digestion, Inductively Coupled Plasma Method; Colorimetric Method; Calculation[4]
17	Chromium (VI)	Colorimetric Method[4]
18	Cyanide	Distillation, Colorimetric Method[4]
19	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
20	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
21	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
22	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
23	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
24	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
25	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
26	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
27	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
28	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
29	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
30	Ethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]

31 Hexachloro-1,3-butadiene...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
31	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
32	Lead	1) Digestion, Electrothermal Atomic Absorption Spectrometric Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
33	Manganese	Digestion, Inductively Coupled Plasma Method[4]
34	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[4]
35	Methyl bromide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
36	Methylene chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
37	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
38	Naphthalene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
39	Nickel	Digestion, Inductively Coupled Plasma Method[4]
40	pH	Electrometric Method[4]
41	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[4] 2) Digestion, Inductively Coupled Plasma Method[4]
42	Silver	Digestion, Inductively Coupled Plasma Method[4]
43	Styrene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
44	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
45	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
46	Toluene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
47	TPH (C_5-C_8)	Purge and Trap, Gas Chromatographic Method[11,19]
48	TPH ($C_{>8}$-C_{16})	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[9,19]

49 TPH ($C_{>16}$-C_{35})...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
49	TPH ($C_{>16}$-C_{35})	Separatory Funnel Liquid-Liquid Extraction, Gas Chromatographic Method[9,19]
50	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
51	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
52	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
53	Trichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
54	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
55	Vanadium	Digestion, Inductively Coupled Plasma Method[4]
56	Vinyl chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
57	m-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
59	o-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
59	p-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
60	Xylene (Total)	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[4]
61	Zinc	Digestion, Inductively Coupled Plasma Method[4]

<u>อากาศเสีย (ปล่องระบาย) จำนวน 26 รายการ</u>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
2	Arsenic	1) Isokinetic Sampling, Digestion, Hydride Generation/ Atomic Absorption Spectrometric Method[5] 2) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]

3 Beryllium...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
3	Beryllium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
4	Cadmium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
5	Carbon Monoxide	Instrumental Analyzer Method[5]
6	Chlorine	1) Absorption Sampling, Ion Chromatographic Method[5] 2) Isokinetic Sampling, Ion Chromatographic Method[5]
7	Chromium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
8	Cobalt	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
9	Copper	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
10	Dioxins/Furans	Isokinetic Sampling[5]
11	Hydrogen Chloride	1) Absorption Sampling, Ion Chromatographic Method[5] 2) Isokinetic Sampling, Ion Chromatographic Method[5]
12	Hydrogen Fluoride	1) Absorption Sampling, Ion Chromatographic Method[5] 2) Isokinetic Sampling, Ion Chromatographic Method[5]
13	Hydrogen Sulfide	Absorption Sampling, Iodometric Method[5]
14	Lead	1) Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5] 2) Isokinetic Sampling, Digestion, Direct Air-Acetylene Flame Method[5]
15	Manganese	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
16	Mercury	Isokinetic Sampling, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[5]
17	Nickel	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
18	Opacity	Ringelmann's Method[2]
19	Oxides of Nitrogen	1) Absorption Sampling, Alkaline Permanganate/ Colorimetric Method[5] 2) Instrumental Analyzer Method[5]
20	Selenium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]

21 Sulfur Dioxide...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
21	Sulfur Dioxide	1) Isokinetic Sampling, Barium-Thorin Titrimetric Method[5] 2) Absorption Sampling, Barium-Thorin Titrimetric Method[5] 3) Instrumental Analyzer Method[5]
22	Sulfuric Acid	Isokinetic Sampling, Barium-Thorin Titrimetric Method[5]
23	Tin	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
24	Total Suspended Particulate	Isokinetic Sampling, Gravimetric Method[5]
25	Vanadium	Isokinetic Sampling, Digestion, Inductively Coupled Plasma Method[5]
26	Xylene	Adsorption Sampling, Gas Chromatographic Method[5]

<u>สิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว จำนวน 20 รายการ</u>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Antimony	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
2	Arsenic	1) Waste Extraction, Digestion, Hydride Generation/ Atomic Absorption Spectrometric Method[1,6,14] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[7,14] 4) Digestion, Inductively Coupled Plasma Method[7,13]
3	Barium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
4	Beryllium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
5	Cadmium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]

6 Chromium...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
6	Chromium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
7	Chromium (III)	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method; Waste Extraction, Colorimetric Method; Calculation[1,6,13,15] 2) Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation[7,8,13,15]
8	Chromium (VI)	1) Waste Extraction, Colorimetric Method[1,15] 2) Alkaline Digestion, Colorimetric Method[8,15]
9	Cobalt	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
10	Copper	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
11	Lead	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
12	Mercury	1) Waste Extraction, Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[1,6,16] 2) Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[17]
13	Molybdenum	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
14	Nickel	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13] 2) Digestion, Inductively Coupled Plasma Method[7,13]
15	pH	Electrometric Method[21,22]
16	Selenium	1) Waste Extraction, Digestion, Hydride Generation/ Atomic Absorption Spectrometric Method[1,6,18] 2) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13]

3) Digestion...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
		3) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[7,18]
		4) Digestion, Inductively Coupled Plasma Method[7,13]
17	Silver	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13]
		2) Digestion, Inductively Coupled Plasma Method[7,13]
18	Thallium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13]
		2) Digestion, Inductively Coupled Plasma Method[7,13]
19	Vanadium	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13]
		2) Digestion, Inductively Coupled Plasma Method[7,13]
20	Zinc	1) Waste Extraction, Digestion, Inductively Coupled Plasma Method[1,6,13]
		2) Digestion, Inductively Coupled Plasma Method[7,13]

<u>ดิน จำนวน 59 รายการ</u>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Acetone	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
2	Antimony	Digestion, Inductively Coupled Plasma Method[7,13]
3	Arsenic	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[7,14]
		2) Digestion, Inductively Coupled Plasma Method[7,13]
4	Barium	Digestion, Inductively Coupled Plasma Method[7,13]
5	Benzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
6	Beryllium	Digestion, Inductively Coupled Plasma Method[7,13]
7	Bromodichloromethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
8	Bromoform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
9	Cadmium	Digestion, Inductively Coupled Plasma Method[7,13]

10 Carbon disulfide...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
10	Carbon disulfide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
11	Carbon tetrachloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
12	Chlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
13	Chlorodibromomethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
14	Chloroform	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
15	Chromium	Digestion, Inductively Coupled Plasma Method[7,13]
16	Chromium (III)	Digestion, Inductively Coupled Plasma Method; Alkaline Digestion, Colorimetric Method; Calculation [7,8,13,15]
17	Chromium (VI)	Alkaline Digestion, Colorimetric Method[8,15]
18	1,2-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
19	1,3-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
20	1,4-Dichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
21	1,1-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
22	1,2-Dichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
23	1,1-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
24	cis-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
25	trans-1,2-Dichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
26	1,2-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
27	1,3-Dichloropropane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]

1,3-Dichloropropene...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
28	1,3-Dichloropropene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
29	Ethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
30	Hexachloro-1,3-butadiene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
31	Lead	Digestion, Inductively Coupled Plasma Method[7,13]
32	Manganese	Digestion, Inductively Coupled Plasma Method[7,13]
33	Mercury	Digestion, Cold-Vapor Atomic Absorption Spectrometric Method[17]
34	Methyl bromide	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
35	Methylene chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
36	Methyl tert-butyl ether	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
37	Naphthalene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
38	Nickel	Digestion, Inductively Coupled Plasma Method[7,13]
39	Selenium	1) Digestion, Hydride Generation/Atomic Absorption Spectrometric Method[7,18] 2) Digestion, Inductively Coupled Plasma Method[7,13]
40	Silver	Digestion, Inductively Coupled Plasma Method[7,13]
41	Styrene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
42	1,1,2,2-Tetrachloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
43	Tetrachloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
44	Toluene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
45	TPH (C_5-C_8)	Purge and Trap, Gas Chromatographic Method[12,19]
46	TPH ($C_{>8}$-C_{16})	Ultrasonic Extraction, Gas Chromatographic Method[10,19]

47 TPH ($C_{>16}$-C_{35})...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
47	TPH ($C_{>16}$-C_{35})	Ultrasonic Extraction, Gas Chromatographic Method[10,19]
48	1,2,4-Trichlorobenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
49	1,1,1-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
50	1,1,2-Trichloroethane	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
51	Trichloroethylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
52	1,3,5-Trimethylbenzene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
53	Vanadium	Digestion, Inductively Coupled Plasma Method[7,13]
54	Vinyl chloride	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
55	m-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
56	o-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
57	p-Xylene	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
58	Xylene (Total)	Purge and Trap, Gas Chromatographic/ Mass Spectrometric Method[12,20]
59	Zinc	Digestion, Inductively Coupled Plasma Method[7,13]

เอกสารอ้างอิง

1. กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2566. เรื่อง การจัดการสิ่งปฏิกูลหรือวัสดุที่ไม่ใช้แล้ว. **ราชกิจจานุเบกษา.** 31 พฤษภาคม 2566. เล่มที่ 140 ตอนพิเศษ 126 ง.

2. กระทรวงอุตสาหกรรม. ประกาศกระทรวงอุตสาหกรรม, พ.ศ. 2549. เรื่อง กำหนดค่าปริมาณเขม่าควันที่เจือปนในอากาศที่ระบายออกจากปล่องของหม้อน้ำโรงสีข้าวที่ใช้แกลบเป็นเชื้อเพลิง. **ราชกิจจานุเบกษา.** 4 ธันวาคม 2549. เล่มที่ 123 ตอนพิเศษ 125ง.

3. สมาคมวิศวกรรมสิ่งแวดล้อมแห่งประเทศไทย. **คู่มือวิเคราะห์น้ำเสีย.** พิมพ์ครั้งที่ 4. กรุงเทพฯ: เรือนแก้วการพิมพ์, 2547.

4. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater.** 24th ed. Washington, DC: APHA, 2023.

5. United States...

5. United States Environmental Protection Agency. **Standards of Performance for New Stationary Sources.** 40 CFR 60. Appendix A, 2023.

6. United States Environmental Protection Agency. **Test Methods for Evaluation Solid Waste Physical/Chemical Methods. SW-846,** 1997.

7. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Acid Digestion of Sludges and Sediments and Soils. SW-846 Method 3050B,** 1996.

8. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Alkaline Digestion for Hexavalent Chromium. SW-846 Method 3060A,** 1996.

9. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Separatory Funnel Liquid-Liquid Extraction. SW-846 Method 3510C,** 1996.

10. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Ultrasonic Extraction. SW-846 Method 3550C,** 2007.

11. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/ Chemical Methods. **Purge-and-Trap for Aqueous Samples. SW-846 Method 5030C,** 2003.

12. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Closed-System Purge-and-Trap and Extraction for Volatile Organics in Soil and Waste Samples. SW-846 Method 5035A,** 2002.

13. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Inductively Coupled Plasma - Atomic Emission Spectrometry. SW-846 Method 6010D,** 2018.

14. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Antimony and Arsenic (Atomic Absorption, Borohydride Reduction). SW-846 Method 7062,** 1994.

15. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Chromium, Hexavalent (Colorimetric). SW-846 Method 7196A,** 1992.

16. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/ Chemical Methods. **Mercury in Liquid Waste (Manual Cold-Vapor Technique). SW-846 Method 7470A,** 1994.

17. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/ Chemical Methods. **Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique). SW-846 Method 7471B,** 2007.

18. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/ Chemical Methods. **Selenium (Atomic Absorption, Borohydride Reduction). SW-846 Method 7742,** 1994.

19. United States

19. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Nonhalogenated Organics Using GC/FID. SW-846 Method 8015D,** 2003.

20. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/ Chemical Methods. **Volatile Organic Compounds by Gas Chromatography/ Mass Spectrometry (GC/MS). SW-846 Method 8260C,** 1996.

21. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **pH Electrometric Measurement. SW-846 Method 9040C,** 2004.

22. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Soil and Waste pH. SW-846 Method 9045D,** 2004.



ที่ อก ๐๓๑๐(๑)/ ๑๑๕๒๓

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๑ พฤศจิกายน ๒๕๖๗

เรื่อง เปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๒๓ กันยายน ๒๕๖๗

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์ บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด จำนวน ๒ แผ่น

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง เขตหลักสี่ กรุงเทพมหานคร ขอเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์ ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว มีความเห็นดังนี้

๑. ให้ยกเลิกเจ้าหน้าที่ประจำห้องปฏิบัติการวิเคราะห์ จำนวน ๒ ราย

๑) นางสาวกมลทิพย์ พุ่มตาก้อง ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๒

๒) นายศิวาวุธ ธรรมนิทา ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๖๒

๒. ให้เพิ่มขอบข่ายชนิดสารมลพิษที่วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน และดิน ตามสิ่งที่ส่งมาด้วย

อนึ่ง หนังสือฉบับนี้จะหมดอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ในวันที่ ๑๘ พฤษภาคม ๒๕๗๑

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายธีรทัศน์ อิศรางกูร ณ อยุธยา)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

เอกสารแนบท้ายหนังสือเปลี่ยนแปลงบุคลากรและสารมลพิษที่วิเคราะห์
บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด เลขทะเบียน ว-๐๙๙
ที่ อก ๐๓๑๐(๑)/ ๑๑๕๒๓ ลงวันที่ ๒๑ พฤศจิกายน ๒๕๖๗

ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๔๗ รายการ

น้ำ/น้ำเสีย จำนวน 19 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
2	α-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
3	β-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
4	δ-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
5	γ-BHC	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
6	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
7	o,p'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
8	4,4'-DDD	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
9	4,4'-DDE	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
10	4,4'-DDT	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
11	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
12	Endosulfan I	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
13	Endosulfan II	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
14	Endosulfan sulfate	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
15	Endrin	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
16	Endrin aldehyde	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
17	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
18	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
19	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method[1]

น้ำใต้ดิน จำนวน 14 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
2	Chlordane	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
3	DDD	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
4	DDE	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
5	DDT	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
6	Dieldrin	Liquid-Liquid Extraction, Gas Chromatographic Method[1]

คุณ

7 Endosulfan...

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
7	Endosulfan	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
8	Endrin	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
9	Heptachlor	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
10	Heptachlor epoxide	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
11	α-HCH	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
12	β-HCH	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
13	γ-HCH	Liquid-Liquid Extraction, Gas Chromatographic Method[1]
14	Methoxychlor	Liquid-Liquid Extraction, Gas Chromatographic Method[1]

<u>ดิน จำนวน 14 รายการ</u>

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Aldrin	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
2	Chlordane	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
3	DDD	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
4	DDE	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
5	DDT	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
6	Dieldrin	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
7	Endosulfan	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
8	Endrin	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
9	Heptachlor	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
10	Heptachlor epoxide	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
11	α-HCH	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
12	β-HCH	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
13	γ-HCH	Ultrasonic Extraction, Gas Chromatographic Method[2,3]
14	Methoxychlor	Ultrasonic Extraction, Gas Chromatographic Method[2,3]

<u>เอกสารอ้างอิง</u>

1. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater.** 24th ed. Washington, DC: APHA, 2023.

2. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Ultrasonic Extraction. SW-846 Method 3550C**, 2007.

3. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organochlorine Pesticides by Gas Chromatography. SW-846 Method 8081B,** 2007.

ที่ อก ๐๓๑๐(๑)/ ๑๖๐๘

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๒๘ กุมภาพันธ์ ๒๕๖๘

เรื่อง เปลี่ยนแปลงสารมลพิษที่วิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๒๗ มกราคม ๒๕๖๘

สิ่งที่ส่งมาด้วย เอกสารแนบท้ายหนังสือเปลี่ยนแปลงสารมลพิษที่วิเคราะห์ บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด จำนวน ๑ แผ่น

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง เขตหลักสี่ กรุงเทพมหานคร ขอเปลี่ยนแปลงสารมลพิษที่วิเคราะห์ ต่อกรมโรงงานอุตสาหกรรม นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด เพิ่มขอบข่ายชนิดสารมลพิษที่วิเคราะห์ในน้ำ/น้ำเสีย น้ำใต้ดิน อากาศเสีย และดิน ตามสิ่งที่ส่งมาด้วย

อนึ่ง หนังสือฉบับนี้จะสิ้นอายุพร้อมหนังสือต่ออายุรับขึ้นทะเบียนห้องปฏิบัติการวิเคราะห์เอกชน ในวันที่ ๑๘ พฤษภาคม ๒๕๗๑

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายธีรทัศน์ อิศรางกูร ณ อยุธยา)
รองอธิบดี ปฏิบัติราชการแทน
อธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

เอกสารแนบท้ายหนังสือเปลี่ยนแปลงสารมลพิษที่วิเคราะห์
บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด เลขทะเบียน ว-๐๙๙
ที่ อก ๐๓๑๐(๑)/ ๑๖๐๘ ลงวันที่ ๒๘ กุมภาพันธ์ ๒๕๖๘

ขอบข่ายสารมลพิษที่ได้รับขึ้นทะเบียนจากกรมโรงงานอุตสาหกรรม จำนวน ๔ รายการ

น้ำ/น้ำเสีย จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Toxaphene	Liquid-Liquid Extraction, Gas Chromatographic Method[1]

น้ำใต้ดิน จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Toxaphene	Liquid-Liquid Extraction, Gas Chromatographic Method[1]

อากาศเสีย (ปล่องระบาย) จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Cresol	Adsorption Sampling, Gas Chromatographic Method[2]

ดิน จำนวน 1 รายการ

ลำดับที่	สารมลพิษ	วิธีวิเคราะห์
1	Toxaphene	Ultrasonic Extraction, Gas Chromatographic Method[3,4]

เอกสารอ้างอิง

1. APHA, AWWA, WEF. **Standard Methods for the Examination of Water and Wastewater.** 24th ed. Washington, DC: APHA, 2017.

2. United States Environmental Protection Agency. **Standards of Performance for New Stationary Sources.** 40 CFR 60. Appendix A, 2023.

3. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Ultrasonic Extraction. SW-846 Method 3550C**, 2007.

4. United States Environmental Protection Agency. Test Methods for Evaluation Solid Waste Physical/Chemical Methods. **Organochlorine Pesticides by Gas Chromatography. SW-846 Method 8081B,** 2007.

ที่ อก ๐๓๑๐(๑)/ ๕๗๖๓

กรมโรงงานอุตสาหกรรม
ถนนพระรามที่ ๖ แขวงทุ่งพญาไท
เขตราชเทวี กรุงเทพฯ ๑๐๔๐๐

๐๘ กรกฎาคม ๒๕๖๘

เรื่อง ยกเลิกบุคลากรของห้องปฏิบัติการวิเคราะห์

เรียน กรรมการผู้จัดการ บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด

อ้างถึง คำขอขึ้นทะเบียน/ต่ออายุ/เปลี่ยนแปลงบุคลากร และชนิดสารมลพิษของห้องปฏิบัติการวิเคราะห์เอกชน ลงวันที่ ๑ กรกฎาคม ๒๕๖๘

ตามคำขอที่อ้างถึง บริษัท เอ็นไวรอนเมนท์ รีเสริช แอนด์ เทคโนโลยี จำกัด ห้องปฏิบัติการวิเคราะห์เอกชน เลขทะเบียน ว-๐๙๙ สถานที่ตั้งเลขที่ ๒๕/๑๑๔ หมู่ที่ ๖ ซอยชินเขต ๑ ถนนงามวงศ์วาน แขวงทุ่งสองห้อง เขตหลักสี่ กรุงเทพมหานคร ขอยกเลิกบุคลากร ความละเอียดแจ้งแล้ว นั้น

กรมโรงงานอุตสาหกรรมพิจารณาแล้ว ให้ยกเลิกเจ้าหน้าที่ห้องปฏิบัติการวิเคราะห์เอกชน จำนวน ๑๐ ราย ได้แก่

๑) นางสาวสุพัดตรา ผาสุขพักตร์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๓
๒) นางสาวฉัตรยาลักษณ์ บรรดิษฐ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๒๔
๓) นางสาวณัฐติมา ปัดชา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๒
๔) นายวัชรพงษ์ พูลเขตกิจ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๓
๕) นางสาวรวิภา จาระณะ	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๕
๖) นางสาวธัญญาภรณ์ คณะศรี	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๖
๗) นางสาวบุษกร สมรักษ์	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๓๙
๘) นางสาววิลาวัณย์ แก้วยม	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๐
๙) นางสาวธัญญาลักษณ์ แสงโยธา	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๑
๑๐) นางสาวชมพูนุท กสิชีวิน	ทะเบียนเลขที่ ว-๐๙๙-จ-๐๐๔๙

จึงเรียนมาเพื่อทราบ

ขอแสดงความนับถือ

(นายประสม ดำรงพงษ์)
ผู้อำนวยการกองวิจัยและเตือนภัยมลพิษโรงงาน
ปฏิบัติราชการแทนอธิบดีกรมโรงงานอุตสาหกรรม

กองวิจัยและเตือนภัยมลพิษโรงงาน
กลุ่มมาตรฐานวิธีการวิเคราะห์ทดสอบมลพิษและทะเบียนห้องปฏิบัติการ
โทร. ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๐๓-๕
โทรสาร ๐ ๒๔๓๐ ๖๓๑๒ ต่อ ๒๑๙๙
ไปรษณีย์อิเล็กทรอนิกส์ saraban@diw.mail.go.th

ภาคผนวกที่ 5

เอกสารสอบเทียบเครื่องมือตรวจวัด

envi research
ENVIRONMENT RESEARCH & TECHNOLOGY CO., LTD.

Environment Research & Technology Company Limited
25/114 Mu 6 Soi Chinnakhet 1, Ngam Wong Wan Road,
Thung Song Hong, Lak Si, Bangkok 10210
Tel 0-2954-7745-6 Fax 0-2954-7747
E-mail : envi@enviresearch.co.th
www.enviresearch.co.th
Head Office/Tax ID 0105 542 064 981

Calibration Report

Customer Name : นิติบุคคลอาคารชุด แอททิจูด แบริ่ง คอนโดมิเนียม
Address : เลขที่ 549 ถนนซอยแบริ่ง 14 หมู่ที่ 9 ตำบลสำโรงเหนือ อำเภอเมืองสมุทรปราการ จังหวัดสมุทรปราการ
Project Name : โครงการ URBAN ATTITUDE BEARING 14 (ระยะดำเนินการ)
Sampling Date : มกราคม – มิถุนายน 2569

Water

Item	Equipment	Manufacturer	Model	Serial Number	Calibration Date
1	pH Meter	Eutech	pHTestr 30	2561366	January 8, 2026
2	DO Meter	YSI	5000-115	17H104220	September 26, 2025
3	Incubator	Accuplus	SMART i250	2059-0218-0002	October 3, 2025
4	Electronic Balance	Mettler Toledo	MS204S/01	B334691537	January 26, 2026
5	Hot Air Oven	Binder	FED 115 E2	11-22823	January 6, 2026
6	Hot Air Oven	Memmert	UF 110	B414.0652	January 6, 2026
7	KjelDigester Standard	Buchi	K-449	1000299283	June 6, 2025
8	Electronic Balance	Mettler Toledo	MS204TS/00	B547728937	January 26, 2026
9	Incubator	Ehret	BK 4106	22162	January 6, 2026
10	Incubator	Memmert	IF 160	D522.0070	January 7, 2026

(Ms.Napajarut Muenwong)
Environmental Scientist

(Ms.Panicha Promchai)
Laboratory Supervisor