

Report for Sample Analysis Of

Ideo Blucove Sukhumvit Condominium

Juristic Person

(January 2026, 11/12)



Ecotech Water Co., Ltd.

20 Soi Kheharomklao 74 Yaek 6, Ratphatthana, Saphansung, Bangkok 10240;

Tel: (66)2-108 6468-9; Fax: (66)2-061 2809

www.ecotechthailand.com

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

ANALYSIS REPORT

REPORT No. : JEX-Ww-26-J0032 SAMPLE No. : Ww-26-J0057
CUSTOMER NAME : Ideo Blucove Sukhumvit Condominium Juristic Person QUOTATION No. : QL/24/0638/NF/Pw
ADDRESS : 2952 Sukhumvit Road, Bangna, Bangna, Bangkok 10260
CONTACT DETAILS : คุณสุพจน์ วัจสดี TEL : 099 223 3022, 02 173 5902
e-mail : Supot.theworks@ananda.co.th
SAMPLING SOURCE : Ideo Blucove Sukhumvit Condominium Juristic Person SAMPLING DATE : January 10, 2026
SAMPLE TYPE : Waste Water SAMPLING TIME : 11.42 Hour
SAMPLE NAME : บ่อเกรอะ RECEIVED DATE : January 12, 2026
SAMPLING METHOD : Sampling by customer ANALYTICAL DATE : January 12 - 20, 2026
SAMPLING BY : Sampling by customer REPORT DATE : January 21, 2026

PARAMETERS	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD
			บ่อเกรอะ	
BOD *	mg/l	5-Day BOD Test, Azide Modification Method : Part 4500-O (C), 5210 (B)	300.0	-
Grease and Oil *	mg/l	Liquid-Liquid, Partial-Gravimetric Method : Part 5520 (B).	21.6	-
pH *	-	Electrometric Method : Part 4500-H ⁺ (B).	7.0 (25°C)	-
Total Suspended Solids *	mg/l	Total Suspended Solids Dried at 103-105°C : Part 2540 (C).	5,214	-
Settleable Solids *	mg/l	Imhoff cone	250.0	-
Sulfide *	mg/l	Iodometric Method : Part 4500-S ²⁻ (F).	2.80	-
TKN*	mg/l	Semi-Micro Kjeldahl Method : Part 4500-N _{org} (C)	329	-
Total Dissolved Solids *	mg/l	Total Dissolved Solids Dried at 180°C : Part 2540 (D).	444	-
Total Coliform Bacteria* ^A	MPN/100ml	Multiple Tube Fermentation Technique	>160,000	-
SAMPLE CONDITION		Sample Color / Turbid : Brown / Turbid Sediment : Brown		

Method Reference : Based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th ed. Washington, 2023

Regulatory Standard : Notification of the Ministry of Natural Resources and Environment, Subject: Establish control standards Drainage of wastewater from certain types and buildings of certain sizes, dated June 28, 2024, announced in the Government Gazette, Volume 141, Chapter 233 D, dated 27 August 2024.

Definition : * Indicates parameters not covered by the scope of accreditation under ISO/IEC 17025.

^A : This test report was issued by MNAQ LAB (THAILAND) CO., LTD, เลขทะเบียน 1018/46

Remarks : Values shown in bold-italic indicate results outside the applicable regulatory standard.

: Regulatory Standard and Results shown in bold-italic are reported for information only and are not covered by the scope of accreditation under ISO/IEC 17025.

Reviewed by:

(Ms. Chiraporn Ritthem)

ว-295-จ-0008

Approved by:

(Dr. Angsana Romsaiyud)

ว-295-ค-0002

ห้ามนำรายงานนี้ไปประกาศโฆษณาหรืออ้างอิงก่อนได้รับอนุญาต หากมีการพูด ลบ ชิด รำ แก้ไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายใบรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานผลฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

Quality Systems
Certified**ISO 9001**
Quality
Management**ISO 14001**
Environmental
Management**GHP**
Good Hygiene
Practices**NSF**
Certificate**HALAL**
Certificate

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

ANALYSIS REPORT

REPORT No. : JEX-Ww-26-J0032 SAMPLE No. : Ww-26-J0058
CUSTOMER NAME : Ideo Blucove Sukhumvit Condominium Juristic Person QUOTATION No. : QL/24/0638/NF/Pw
ADDRESS : 2952 Sukhumvit Road, Bangna, Bangna, Bangkok 10260
CONTACT DETAILS : คุณสุพจน์ วังสตั้ง TEL : 099 223 3022, 02 173 5902
e-mail : Supot.theworks@ananda.co.th
SAMPLING SOURCE : Ideo Blucove Sukhumvit Condominium Juristic Person SAMPLING DATE : January 10, 2026
SAMPLE TYPE : Waste Water SAMPLING TIME : 11.42 Hour
SAMPLE NAME : บ่อน้ำบาดาลที่ 2 RECEIVED DATE : January 12, 2026
SAMPLING METHOD : Sampling by customer ANALYTICAL DATE : January 12 - 20, 2026
SAMPLING BY : Sampling by customer REPORT DATE : January 21, 2026

PARAMETERS	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD
			บ่อน้ำบาดาลที่ 2	
BOD *	mg/l	5-Day BOD Test, Azide Modification Method : Part 4500-O (C), 5210 (B)	6.7	≤30
Grease and Oil *	mg/l	Liquid-Liquid, Partial-Gravimetric Method : Part 5520 (B).	5.6	≤ 20
pH *	-	Electrometric Method : Part 4500-H ⁺ (B).	7.5 (25°C)	5.5-9.0
Total Suspended Solids *	mg/l	Total Suspended Solids Dried at 103-105°C : Part 2540 (C).	6.8	≤40
Settleable Solids *	mg/l	Imhoff cone	<0.1	-
Sulfide *	mg/l	Iodometric Method : Part 4500-S ²⁻ (F).	<LOQ (1.0)	≤1.0
TKN*	mg/l	Semi-Micro Kjeldahl Method : Part 4500-N _{org} (C)	5.6	≤35
Total Dissolved Solids *	mg/l	Total Dissolved Solids Dried at 180°C : Part 2540 (D).	210	≤1,000
Total Coliform Bacteria* ^A	MPN/100ml	Multiple Tube Fermentation Technique	24,000	-
SAMPLE CONDITION				
			Sample Color / Turbid : Yellow / Clear	
			Sediment : A Bit	

Method Reference : Based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th ed. Washington, 2023

Regulatory Standard : Notification of the Ministry of Natural Resources and Environment, Subject: Establish control standards Drainage of wastewater from certain types and buildings of certain sizes, dated June 28, 2024, announced in the Government Gazette, Volume 141, Chapter 233 D, dated 27 August 2024.

Definition : * Indicates parameters not covered by the scope of accreditation under ISO/IEC 17025.

* This test report was issued by MNAQ LAB (THAILAND) CO., LTD, เลขทะเบียน 1018/46

Remarks : Values shown in bold-italic indicate results outside the applicable regulatory standard.

: Regulatory Standard and Results shown in bold-italic are reported for information only and are not covered by the scope of accreditation under ISO/IEC 17025.

Reviewed by:

(Ms. Chiraporn Ritthem)

ว-295-จ-0008

Approved by:

(Dr. Angsana Romsaiyud)

ว-295-ค-0002

ห้ามนำรายงานนี้ไปประกาศโฆษณาหรืออ้างอิงก่อนได้รับอนุญาต หากมีการชุด ลบ ชัด ชำ แก้ว เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายในรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานผลฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

Quality Systems
CertifiedISO 9001
Quality
ManagementISO 14001
Environmental
ManagementGHP
Good Hygiene
PracticesNSF
CertificateHALAL
Certificate

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

ANALYSIS REPORT

REPORT No. : JEX-Ww-26-J0032 SAMPLE No. : Ww-26-J0059
CUSTOMER NAME : Ideo Blucove Sukhumvit Condominium Juristic Person QUOTATION No. : QL/24/0638/NF/Pw
ADDRESS : 2952 Sukhumvit Road, Bangna, Bangna, Bangkok 10260
CONTACT DETAILS : คุณสุพจน์ วังสดี TEL : 099 223 3022, 02 173 5902
e-mail : Supot.theworks@ananda.co.th
SAMPLING SOURCE : Ideo Blucove Sukhumvit Condominium Juristic Person SAMPLING DATE : January 10, 2026
SAMPLE TYPE : Waste Water SAMPLING TIME : 11.42 Hour
SAMPLE NAME : บ่อน้ำบาดาลที่ 3 RECEIVED DATE : January 12, 2026
SAMPLING METHOD : Sampling by customer ANALYTICAL DATE : January 12 - 20, 2026
SAMPLING BY : Sampling by customer REPORT DATE : January 21, 2026

PARAMETERS	UNIT	METHOD OF ANALYSIS	RESULT	REGULATORY STANDARD
			บ่อน้ำบาดาลที่ 3	
BOD *	mg/l	5-Day BOD Test, Azide Modification Method : Part 4500-O (C), 5210 (B)	7.5	≤30
Grease and Oil *	mg/l	Liquid-Liquid, Partial-Gravimetric Method : Part 5520 (B).	<LOQ (5.0)	≤ 20
pH *	-	Electrometric Method : Part 4500-H ⁺ (B).	7.9 (25°C)	5.5-9.0
Total Suspended Solids *	mg/l	Total Suspended Solids Dried at 103-105°C : Part 2540 (C).	<LOQ (2.5)	≤40
Settleable Solids *	mg/l	Imhoff cone	<0.1	-
Sulfide *	mg/l	Iodometric Method : Part 4500-S ²⁻ (F).	<LOQ (1.0)	≤1.0
TKN*	mg/l	Semi-Micro Kjeldahl Method : Part 4500-N _{org} (C)	<LOQ (4.0)	≤35
Total Dissolved Solids *	mg/l	Total Dissolved Solids Dried at 180°C : Part 2540 (D).	190	≤1,000
Total Coliform Bacteria* ^A	MPN/100ml	Multiple Tube Fermentation Technique	<1.8	-
SAMPLE CONDITION				
			Sample Color / Turbid :	Colorless / Clear
			Sediment :	A Bit

Method Reference : Based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th ed. Washington, 2023

Regulatory Standard : Notification of the Ministry of Natural Resources and Environment, Subject: Establish control standards Drainage of wastewater from certain types and buildings of certain sizes, dated June 28, 2024, announced in the Government Gazette, Volume 141, Chapter 233 D, dated 27 August 2024.

Definition : * Indicates parameters not covered by the scope of accreditation under ISO/IEC 17025.

^A : This test report was issued by MNAQ LAB (THAILAND) CO., LTD, เลขทะเบียน 1018/46

Remarks : Values shown in bold-italic indicate results outside the applicable regulatory standard.

: Regulatory Standard and Results shown in bold-italic are reported for information only and are not covered by the scope of accreditation under ISO/IEC 17025.

Reviewed by:

(Ms. Chiraporn Ritthem)

ว-295-จ-0008

Approved by:

(Dr. Angsana Romsaiyud)

ว-295-ค-0002

ห้ามนำรายงานนี้ไปประกาศโฆษณาหรืออ้างอิงก่อนได้รับอนุญาต หากมีการรู้ด ลบ ซัด แก้ไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายใบรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานผลฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

Quality Systems
CertifiedISO 9001
Quality
ManagementISO 14001
Environmental
ManagementGHP
Good Hygiene
PracticesNSF
CertificateHALAL
Certificate

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

ANALYSIS REPORTFigure of sample

1. Sample No. Ww-26-J0057 / บ่อเกรอะ



2. Sample No. Ww-26-J0058 / บ่อน้ำบาดาลที่ 2



Reviewed by:


(Ms. Chiraporn Ritthem)
ว-295-จ-0008

Approved by:


(Dr. Angsana Romsaiyud)
ว-295-ค-0002

ห้ามนำรายงานนี้ไปประกาศโฆษณาหรืออ้างก่อนได้รับอนุญาต หากมีการชุด ลบ ชัด ผ่า แก้ไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายใบรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานผลฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

**Quality Systems
Certified****ISO 9001**
Quality
Management**ISO 14001**
Environmental
Management**GHP**
Good Hygiene
Practices**NSF**
Certificate**HALAL**
Certificate

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

ANALYSIS REPORTFigure of sample

3. Sample No. Ww-26-J0059 / บ่อน้ำบาดาลที่ 3



Reviewed by:

(Ms. Chiraporn Ritthem)

ว-295-จ-0008

Approved by:

(Dr. Angsara Romsaiyud)

ว-295-ค-0002

ห้ามนำรายงานนี้ไปประกาศโฆษณาหรืออ้างก่อนได้รับอนุญาต หากมีการพูด ลบ ขีดฆ่า แก้ไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายในรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานผลฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

Quality Systems
Certified**ISO 9001**
Quality
Management**ISO 14001**
Environmental
Management**GHP**
Good Hygiene
Practices**NSF**
Certificate**HALAL**
Certificate

Report for Sample Analysis Of

Ideo Blucove Sukhumvit Condominium

Juristic Person

(February 2026, 12/12)



Ecotech Water Co., Ltd.

20 Soi Kheharomklao 74 Yaek 6, Ratphatthana, Saphansung, Bangkok 10240;

Tel: (66)2-108 6468-9; Fax: (66)2-061 2809

www.ecotechthailand.com

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

รหัสเอกสาร : LAB-F-7.8-01

Page 1 of 5

ANALYSIS REPORT

REPORT No. : JEX-Ww-26-J0213 SAMPLE No. : Ww-26-J0517
CUSTOMER NAME : Ideo Blucove Sukhumvit Condominium Juristic Person QUOTATION No. : QL/24/0638/NF/Pw
ADDRESS : 2952 Sukhumvit Road, Bangna, Bangna, Bangkok 10260
CONTACT DETAILS : คุณสุพจน์ วัจนตั้ง TEL : 099 223 3022, 02 173 5902
e-mail : Supot.theworks@ananda.co.th
SAMPLING SOURCE : Ideo Blucove Sukhumvit Condominium Juristic Person SAMPLING DATE : February 7, 2026
SAMPLE TYPE : Waste Water SAMPLING TIME : 14.00 Hour
SAMPLE NAME : ป่อเกราะ RECEIVED DATE : February 9, 2026
SAMPLING METHOD : Sampling by customer ANALYTICAL DATE : February 9 - 20, 2026
SAMPLING BY : Sampling by customer REPORT DATE : February 20, 2026

PARAMETERS	UNIT	METHOD OF ANALYSIS	RESULT	Regulatory Standard
			ป่อเกราะ	
BOD *	mg/l	5-Day BOD Test, Azide Modification Method : Part 4500-O (C), 5210 (B)	280	-
Grease and Oil *	mg/l	Liquid-Liquid, Partial-Gravimetric Method : Part 5520 (B).	6.0	-
pH *	-	Electrometric Method : Part 4500-H ⁺ (B).	7.7 (25°C)	-
Total Suspended Solids *	mg/l	Total Suspended Solids Dried at 103-105°C : Part 2540 (C).	11.8	-
Settleable Solids *	mg/l	Imhoff cone	<0.1	-
Sulfide *	mg/l	Iodometric Method : Part 4500-S ²⁻ (F).	2.7	-
TKN ^B	mg/l	Semi-Micro Kjeldahl Method : Part 4500-N _{org} (C)	51.52	-
Total Dissolved Solids *	mg/l	Total Dissolved Solids Dried at 180°C : Part 2540 (D).	256	-
Total Coliform Bacteria ^{*A}	MPN/100ml	Multiple Tube Fermentation Technique	1,300	-
SAMPLE CONDITION				
			Sample Color / Turbid : Yellow / Cloudy	
			Sediment : Brown	

Method Reference : Based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th ed, Washington, 2023

Regulatory Standard : Notification of the Ministry of Natural Resources and Environment, Subject: Establish control standards Drainage of wastewater from certain types and buildings of certain sizes, dated June 28, 2024, announced in the Government Gazette, Volume 141, Chapter 233 D, dated 27 August 2024.

Definition : * Indicates parameters not covered by the scope of accreditation under ISO/IEC 17025.

A : Issued by: MNAQ LAB (THAILAND) CO., LTD, เลขทะเบียน 1018/46

B : This test report was issued by บริษัท ท็อปส์-แลบ คอนซิลแตนท์ จำกัด, เลขทะเบียน ว-326

Remarks : Values shown in bold-italic indicate results outside the applicable regulatory standard.

: Regulatory Standard and Results shown in bold-italic are reported for information only and are not covered by the scope of accreditation under ISO/IEC 17025.

Reviewed by:

(Ms. Chiraporn Ritthem)

ว-295-จ-0008

Approved by:

(Dr. Angsana Romsaiyud)

ว-295-ค-0002

ห้ามนำรายงานนี้ไปประกาศโฆษณาหรืออ้างถึงก่อนได้รับอนุญาต หากมีการพูด ลบ ชิด ฆ่า แก้ไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายใบรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

Quality Systems
CertifiedISO 9001
Quality
ManagementISO 14001
Environmental
ManagementGHP
Good Hygiene
PracticesNSF
CertificateHALAL
Certificate

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

รหัสเอกสาร : LAB-F-7.8-01

Page 2 of 5

ANALYSIS REPORT

REPORT No. : JEX-Ww-26-J0213 SAMPLE No. : Ww-26-J0518
CUSTOMER NAME : Ideo Blucove Sukhumvit Condominium Juristic Person QUOTATION No. : QL/24/0638/NF/Pw
ADDRESS : 2952 Sukhumvit Road, Bangna, Bangna, Bangkok 10260
CONTACT DETAILS : คุณสุพจน์ วังสตัด TEL : 099 223 3022, 02 173 5902
e-mail : Supot.theworks@ananda.co.th
SAMPLING SOURCE : Ideo Blucove Sukhumvit Condominium Juristic Person SAMPLING DATE : February 7, 2026
SAMPLE TYPE : Waste Water SAMPLING TIME : 14.00 Hour
SAMPLE NAME : บ่อน้ำบาดาลชุดที่ 2 RECEIVED DATE : February 9, 2026
SAMPLING METHOD : Sampling by customer ANALYTICAL DATE : February 9 - 20, 2026
SAMPLING BY : Sampling by customer REPORT DATE : February 20, 2026

PARAMETERS	UNIT	METHOD OF ANALYSIS	RESULT	Regulatory Standard
			บ่อน้ำบาดาลชุดที่ 2	
BOD *	mg/l	5-Day BOD Test, Azide Modification Method : Part 4500-O (C), 5210 (B)	2.0	≤30
Grease and Oil *	mg/l	Liquid-Liquid, Partial-Gravimetric Method : Part 5520 (B).	<LO (5.0)	≤20
pH *	-	Electrometric Method : Part 4500-H ⁺ (B).	7.7 (25°C)	5.5-9.0
Total Suspended Solids *	mg/l	Total Suspended Solids Dried at 103-105°C : Part 2540 (C).	16.1	≤40
Settleable Solids *	mg/l	Imhoff cone	<0.1	-
Sulfide *	mg/l	Iodometric Method : Part 4500-S ²⁻ (F).	<LOQ (1.0)	≤1.0
TKN ^B	mg/l	Semi-Micro Kjeldahl Method : Part 4500-N _{org} (C)	15.96	≤35
Total Dissolved Solids *	mg/l	Total Dissolved Solids Dried at 180°C : Part 2540 (D).	138	≤1,000
Total Coliform Bacteria* ^A	MPN/100ml	Multiple Tube Fermentation Technique	<1.8	-
SAMPLE CONDITION			Sample Color / Turbid : Yellow / Clear	
			Sediment : A Bit	

Method Reference : Based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th ed. Washington, 2023

Regulatory Standard : Notification of the Ministry of Natural Resources and Environment, Subject: Establish control standards Drainage of wastewater from certain types and buildings of certain sizes, dated June 28, 2024, announced in the Government Gazette, Volume 141, Chapter 233 D, dated 27 August 2024.

Definition : * : Indicates parameters not covered by the scope of accreditation under ISO/IEC 17025.

^A : Issued by: MNAQ LAB (THAILAND) CO., LTD, เลขทะเบียน 1018/46

^B : This test report was issued by บริษัท ทีเอส-แลบ คอนซัลแตนท์ จำกัด, เลขทะเบียน ว-326

Remarks : Values shown in bold-italic indicate results outside the applicable regulatory standard.
: Regulatory Standard and Results shown in bold-italic are reported for information only and are not covered by the scope of accreditation under ISO/IEC 17025.

Reviewed by:

(Ms. Chiraporn Ritthem)

ว-295-จ-0008

Approved by:

(Dr. Angsana Romsaiyud)

ว-295-ค-0002

ห้มนำรายงานนี้ไปประกาศโฆษณาหรืออ้างถึงก่อนได้รับอนุญาต หากมีการชุด ลบ ซีด ผ่า แก้ว เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายใบรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานผลฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

Quality Systems
Certified

ISO 9001
Quality
Management

ISO 14001
Environmental
Management

GHP
Good Hygiene
Practices

NSF
Certificate

HALAL
Certificate

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

รหัสเอกสาร : LAB-F-7.8-01

Page 3 of 5

ANALYSIS REPORT

REPORT No. : JEX-Ww-26-J0213 SAMPLE No. : Ww-26-J0519
CUSTOMER NAME : Ideo Blucove Sukhumvit Condominium Juristic Person QUOTATION No. : QL/24/0638/NF/Pw
ADDRESS : 2952 Sukhumvit Road, Bangna, Bangna, Bangkok 10260
CONTACT DETAILS : คุณสุพจน์ วังสตั้ง TEL : 099 223 3022, 02 173 5902
e-mail : Supot.theworks@ananda.co.th
SAMPLING SOURCE : Ideo Blucove Sukhumvit Condominium Juristic Person SAMPLING DATE : February 7, 2026
SAMPLE TYPE : Waste Water SAMPLING TIME : 14.00 Hour
SAMPLE NAME : บ่อน้ำบำบัดชุดที่ 3 RECEIVED DATE : February 9, 2026
SAMPLING METHOD : Sampling by customer ANALYTICAL DATE : February 9 - 20, 2026
SAMPLING BY : Sampling by customer REPORT DATE : February 20, 2026

PARAMETERS	UNIT	METHOD OF ANALYSIS	RESULT	Regulatory Standard
			บ่อน้ำบำบัดชุดที่ 3	
BOD *	mg/l	5-Day BOD Test, Azide Modification Method : Part 4500-O (C), 5210 (B)	9.4	≤30
Grease and Oil *	mg/l	Liquid-Liquid, Partial-Gravimetric Method : Part 5520 (B).	<LOQ (5.0)	≤ 20
pH *	-	Electrometric Method : Part 4500-H ⁺ (B).	7.2 (25°C)	5.5-9.0
Total Suspended Solids *	mg/l	Total Suspended Solids Dried at 103-105°C : Part 2540 (C).	4.7	≤40
Settleable Solids *	mg/l	Imhoff cone	<0.1	-
Sulfide *	mg/l	Iodometric Method : Part 4500-S ²⁻ (F).	<LOQ (1.0)	≤1.0
TKN ^B	mg/l	Semi-Micro Kjeldahl Method : Part 4500-N _{org} (C)	12.88	≤35
Total Dissolved Solids *	mg/l	Total Dissolved Solids Dried at 180°C : Part 2540 (D).	184	≤1,000
Total Coliform Bacteria ^{*A}	MPN/100ml	Multiple Tube Fermentation Technique	>160,000	-
SAMPLE CONDITION			Sample Color / Turbid : Yellow / Clear Sediment : A Bit	

Method Reference : Based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th ed, Washington, 2023

Regulatory Standard : Notification of the Ministry of Natural Resources and Environment, Subject: Establish control standards Drainage of wastewater from certain types and buildings of certain sizes, dated June 20, 2024, announced in the Government Gazette, Volume 141, Chapter 233 D, dated 27 August 2024.

Definition : * : Indicates parameters not covered by the scope of accreditation under ISO/IEC 17025.

A : Issued by: MNAQ LAB (THAILAND) CO., LTD, เลขทะเบียน 1018/46

B : This test report was issued by บริษัท ทีเอส-แลบ คอนซัลแตนท์ จำกัด, เลขทะเบียน ว-326

Remarks : Values shown in bold-italic indicate results outside the applicable regulatory standard
: Regulatory Standard and Results shown in bold-italic are reported for information only and are not covered by the scope of accreditation under ISO/IEC 17025.

Reviewed by:

(Ms. Chiraporn Ritthem)

ว-295-จ-0008

Approved by:

(Dr. Angsana Romsaiyud)

ว-295-ค-0002

ห้ามนำรายงานนี้ไปประกาศโฆษณาหรืออ้างถึงก่อนได้รับอนุญาต หากมีการชุด ลบ ซีด แก้ไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายใบรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานผลฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

Quality Systems
Certified

ISO 9001
Quality
Management

ISO 14001
Environmental
Management

GHP
Good Hygiene
Practices

NSF
Certificate

HALAL
Certificate

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

ANALYSIS REPORT



2. Sample No. Ww-26-J0518 / บ่อบำบัดจุดที่ 2



Reviewed by:

(Ms. Chiraporn Ritthem)
ว-295-จ-0008

Approved by:

(Dr. Angsana Romsaiyud)
ว-295-ค-0002

ห้ามนำรายงานนี้ไปประกาศโฆษณาหรืออ้างอิงก่อนได้รับอนุญาต หากมีการพูด ลบ ชิด ผ่า แก้ไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายใบรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานผลฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

ANALYSIS REPORT

Figure of sample

3. Sample No. Ww-26-J0519 / บ่อบำบัดชุดที่ 3



Reviewed by:

(Ms. Chiraporn Ritthem)
๓-๒๙๕-๓-๐๐๐๘

Approved by:

(Dr. Angsana Romsaiyud)
๖-๒๙๕-๓-๐๐๐๒

ห้ามนำรายงานนี้ไปประกาศโฆษณาหรืออ้างอิงก่อนได้รับอนุญาต หากมีการพูด ลบ ชิด ใส่ แก้ไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายไปรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานผลฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

Report for Sample Analysis Of

Ideo Blucove Sukhumvit Condominium

Juristic Person

(March 2026, 1/12)



Ecotech Water Co., Ltd.

20 Soi Kheharomklao 74 Yaek 6, Ratphatthana, Saphansung, Bangkok 10240;

Tel: (66)2-108 6468-9; Fax: (66)2-061 2809

www.ecotechthailand.com

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

ANALYSIS REPORT

REPORT No. : JEX-Ww-26-J0365 SAMPLE No. : Ww-26-J0851
CUSTOMER NAME : Ideo Blucove Sukhumvit Condominium Juristic Person QUOTATION No. : QL/25/0713/NF/Pw
ADDRESS : 2952 Sukhumvit Road, Bangna, Bangna, Bangkok 10260
CONTACT DETAILS : คุณสุพจน์ วังสดี TEL : 099 223 3022, 02 173 5902
e-mail : Supot.theworks@ananda.co.th
SAMPLING SOURCE : Ideo Blucove Sukhumvit Condominium Juristic Person SAMPLING DATE : March 7, 2026
SAMPLE TYPE : Waste Water SAMPLING TIME : 13.10 Hour
SAMPLE NAME : บ่อเกรอะ RECEIVED DATE : March 9, 2026
SAMPLING METHOD : Sampling by customer ANALYTICAL DATE : March 9 - 19, 2026
SAMPLING BY : Sampling by customer REPORT DATE : March 19, 2026

PARAMETERS	UNIT	METHOD OF ANALYSIS	RESULT	Regulatory Standard
			บ่อเกรอะ	
BOD *	mg/l	5-Day BOD Test, Azide Modification Method : Part 4500-O (C), 5210 (B)	131	-
Grease and Oil *	mg/l	Liquid-Liquid, Partial-Gravimetric Method : Part 5520 (B),	6.0	-
pH *	-	Electrometric Method : Part 4500-H ⁺ (B).	7.3 (25°C)	-
Total Suspended Solids *	mg/l	Total Suspended Solids Dried at 103-105°C : Part 2540 (C).	64.9	-
Settleable Solids *	mg/l	Imhoff cone	0.1	-
Sulfide *	mg/l	Iodometric Method : Part 4500-S ²⁻ (F).	1.6	-
TKN *	mg/l	Semi-Micro Kjeldahl Method : Part 4500-N _{org} (C)	71.7	-
Total Dissolved Solids *	mg/l	Total Dissolved Solids Dried at 180°C : Part 2540 (D).	280	-
Total Coliform Bacteria* ^A	MPN/100ml	Multiple Tube Fermentation Technique	>160,000	-
SAMPLE CONDITION			Sample Color / Turbid : Yellow / Turbid	
			Sediment : Brown	

Method Reference : Based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th ed. Washington, 2023
Regulatory Standard : Notification of the Ministry of Natural Resources and Environment, Subject: Establish control standards Drainage of wastewater from certain types and buildings of certain sizes, dated June 28, 2024, announced in the Government Gazette, Volume 141, Chapter 233 D, dated 27 August 2024.
Definition :
* Indicates parameters not covered by the scope of accreditation under ISO/IEC 17025.
A : Issued by: MNAQ LAB (THAILAND) CO., LTD, เลขทะเบียน 1018/46
Remarks :
* Values shown in bold-italic indicate results outside the applicable regulatory standard.
* Regulatory Standard and Results shown in bold-italic are reported for information only and are not covered by the scope of accreditation under ISO/IEC 17025.

Reviewed by:

(Ms. Chiraporn Ritthem)
ว-295-จ-0008

Approved by:

(Dr. Angsana Romsaiyud)
ว-295-จ-0002

ให้นำรายงานนี้ไปประกาศโฆษณาหรืออ้างถึงก่อนได้รับอนุญาต หากมีการชุด ลบ ชิด หม่า แก้วไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายไปรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

Quality Systems
Certified

ISO 9001
Quality
Management

ISO 14001
Environmental
Management

GHP
Good Hygiene
Practices

NSF
Certificate

HALAL
Certificate

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

ANALYSIS REPORT

REPORT No. : JEX-Ww-26-J0365 SAMPLE No. : Ww-26-J0852
CUSTOMER NAME : Ideo Blucove Sukhumvit Condominium Juristic Person QUOTATION No. : QL/25/0713/NF/Pw
ADDRESS : 2952 Sukhumvit Road, Bangna, Bangna, Bangkok 10260
CONTACT DETAILS : คุณสุพจน์ ริงสดึง TEL : 099 223 3022, 02 173 5902
e-mail : Supot.theworks@ananda.co.th
SAMPLING SOURCE : Ideo Blucove Sukhumvit Condominium Juristic Person SAMPLING DATE : March 7, 2026
SAMPLE TYPE : Waste Water SAMPLING TIME : 13.10 Hour
SAMPLE NAME : บ่อน้ำบาดาลชุดที่ 2 RECEIVED DATE : March 9, 2026
SAMPLING METHOD : Sampling by customer ANALYTICAL DATE : March 9 - 19, 2026
SAMPLING BY : Sampling by customer REPORT DATE : March 19, 2026

PARAMETERS	UNIT	METHOD OF ANALYSIS	RESULT	Regulatory Standard
			บ่อน้ำบาดาลชุดที่ 2	
BOD *	mg/l	5-Day BOD Test, Azide Modification Method : Part 4500-O (C), 5210 (B)	9.1	≤30
Grease and Oil *	mg/l	Liquid-Liquid, Partial-Gravimetric Method : Part 5520 (B).	<LO (5.0)	≤20
pH *	-	Electrometric Method : Part 4500-H ⁺ (B).	7.2 (25°C)	5.5-9.0
Total Suspended Solids *	mg/l	Total Suspended Solids Dried at 103-105°C : Part 2540 (C).	19.0	≤40
Settleable Solids *	mg/l	Imhoff cone	<0.1	-
Sulfide *	mg/l	Iodometric Method : Part 4500-S ²⁻ (F).	<LOQ (1.0)	≤1.0
TKN *	mg/l	Semi-Micro Kjeldahl Method : Part 4500-N _{org} (C)	30.8	≤35
Total Dissolved Solids *	mg/l	Total Dissolved Solids Dried at 180°C : Part 2540 (D).	184	≤1,000
Total Coliform Bacteria* ^A	MPN/100ml	Multiple Tube Fermentation Technique	160,000	-
SAMPLE CONDITION		Sample Color / Turbid : Yellow / Clear Sediment : Brown		

Method Reference : Based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th ed. Washington, 2023

Regulatory Standard : Notification of the Ministry of Natural Resources and Environment, Subject: Establish control standards Drainage of wastewater from certain types and buildings of certain sizes, dated June 28, 2024, announced in the Government Gazette, Volume 141, Chapter 233 D, dated 27 August 2024.

Definition : * Indicates parameters not covered by the scope of accreditation under ISO/IEC 17025.

* Issued by: MNAQ LAB (THAILAND) CO., LTD, เลขทะเบียน 1018/46

Remarks : Values shown in bold-italic indicate results outside the applicable regulatory standard.

: Regulatory Standard and Results shown in bold-italic are reported for information only and are not covered by the scope of accreditation under ISO/IEC 17025.

Reviewed by:

(Ms. Chiraporn Ritthem)

ว-295-จ-0008

Approved by:

(Dr. Angsana Romsaiyud)

ว-295-ค-0002

ห้ามนำรายงานนี้ไปประกาศโฆษณาหรืออ้างอิงก่อนได้รับอนุญาต หากมีการชุด ลบ ชิด หม่า แก้ไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายในรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

Quality Systems
Certified

ISO 9001
Quality
Management

ISO 14001
Environmental
Management

GHP
Good Hygiene
Practices

NSF
Certificate

HALAL
Certificate

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

ANALYSIS REPORT

REPORT No. : JEX-Ww-26-J0365 SAMPLE No. : Ww-26-J0853
CUSTOMER NAME : Ideo Blucove Sukhumvit Condominium Juristic Person QUOTATION No. : QL/25/0713/NF/Pw
ADDRESS : 2952 Sukhumvit Road, Bangna, Bangna, Bangkok 10260
CONTACT DETAILS : คุณสุพจน์ ริงส์ตั้ง TEL : 099 223 3022, 02 173 5902
e-mail : Supot.theworks@ananda.co.th
SAMPLING SOURCE : Ideo Blucove Sukhumvit Condominium Juristic Person SAMPLING DATE : March 7, 2026
SAMPLE TYPE : Waste Water SAMPLING TIME : 13.10 Hour
SAMPLE NAME : บ่อน้ำบาดาลที่ 3 RECEIVED DATE : March 9, 2026
SAMPLING METHOD : Sampling by customer ANALYTICAL DATE : March 9 - 19, 2026
SAMPLING BY : Sampling by customer REPORT DATE : March 19, 2026

PARAMETERS	UNIT	METHOD OF ANALYSIS	RESULT	Regulatory Standard
			บ่อน้ำบาดาลที่ 3	
BOD *	mg/l	5-Day BOD Test, Azide Modification Method : Part 4500-O (C), 5210 (B)	6.1	≤30
Grease and Oil *	mg/l	Liquid-Liquid, Partial-Gravimetric Method : Part 5520 (B).	<LOQ (5.0)	≤ 20
pH *	-	Electrometric Method : Part 4500-H ⁺ (B).	7.3 (25°C)	5.5-9.0
Total Suspended Solids *	mg/l	Total Suspended Solids Dried at 103-105°C : Part 2540 (C).	4.6	≤40
Settleable Solids *	mg/l	Imhoff cone	<0.1	-
Sulfide *	mg/l	Iodometric Method : Part 4500-S ²⁻ (F).	NOT DETECTED	≤1.0
TKN *	mg/l	Semi-Micro Kjeldahl Method : Part 4500-N _{org} (C)	9.2	≤35
Total Dissolved Solids *	mg/l	Total Dissolved Solids Dried at 180°C : Part 2540 (D).	146	≤1,000
Total Coliform Bacteria ^A	MPN/100ml	Multiple Tube Fermentation Technique	2,400	-
SAMPLE CONDITION				
			Sample Color / Turbid : Yellow / Clear	
			Sediment : A Bit	

Method Reference : Based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th ed. Washington, 2023

Regulatory Standard : Notification of the Ministry of Natural Resources and Environment, Subject: Establish control standards Drainage of wastewater from certain types and buildings of certain sizes, dated June 28, 2024, announced in the Government Gazette, Volume 141, Chapter 233 D, dated 27 August 2024.

Definition : * Indicates parameters not covered by the scope of accreditation under ISO/IEC 17025.

^A : Issued by: MNAQ LAB (THAILAND) CO., LTD, เลขทะเบียน 1018/46

Remarks : Values shown in bold-italic indicate results outside the applicable regulatory standard.

: Regulatory Standard and Results shown in bold-italic are reported for information only and are not covered by the scope of accreditation under ISO/IEC 17025.

Reviewed by:

(Ms. Chiraporn Ritthem)

ว-295-จ-0008

Approved by:

(Dr. Angsana Romsaiyud)

ว-295-ค-0002

ห้ำนนำรายนงานนี้ไปประกาศโฆษณาหรืออ้างอิงก่อนได้รับอนุญาต หากมีการชุด ลบ ชิด ฆ่า แก้ไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายไปรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานผลฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

Quality Systems
Certified

ISO 9001
Quality
Management

ISO 14001
Environmental
Management

GHP
Good Hygiene
Practices

NSF
Certificate

HALAL
Certificate

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

ANALYSIS REPORTFigure of sample

1. Sample No. Ww-26-J0851 / บ่อเกรอะ



2. Sample No. Ww-26-J0852 / บ่อบำบัดชุดที่ 2



Reviewed by:

(Ms. Chiraporn Ritthem)
ว-295-จ-0008

Approved by:

(Dr. Angsana Romsaiyud)
ว-295-ค-0002

ห้ามนำรายงานนี้ไปประกาศโฆษณาหรืออ้างถึงก่อนได้รับอนุญาต หากมีการหลุด ลบ ชิด รำ แก้ไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายในรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานผลฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

ANALYSIS REPORTFigure of sample

3. Sample No. Ww-26-J0853 / บ่อน้ำบาดาลชุดที่ 3



Reviewed by:

Chiraporn
(Ms. Chiraporn Ritthem)
ว-295-จ-0008

Approved by:

Angana
(Dr. Angsana Romsaiyud)
ว-295-ค-0002

ห้ามนำรายงานนี้ไปประกาศโฆษณาหรืออ้างอิงก่อนได้รับอนุญาต หากมีการชุด ลบ ชีต สว่า แก้วไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายใบรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานผลฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

Quality Systems
Certified**ISO 9001**
Quality
Management**ISO 14001**
Environmental
Management**GHP**
Good Hygiene
Practices**NSF**
Certificate**HALAL**
Certificate

Report for Sample Analysis Of

Ideo Blucove Sukhumvit Condominium

Juristic Person

(April 2026, 2/12)



Ecotech Water Co., Ltd.

20 Soi Kheharomklao 74 Yaek 6, Ratphatthana, Saphansung, Bangkok 10240;

Tel: (66)2-108 6468-9; Fax: (66)2-061 2809

www.ecotechthailand.com

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ๖-295

ANALYSIS REPORT

REPORT No. : JEX-Ww-26-J0518 SAMPLE No. : Ww-26-J1206
CUSTOMER NAME : Ideo Blucove Sukhumvit Condominium Juristic Person QUOTATION No. : QL/25/0713/NF/Pw
ADDRESS : 2952 Sukhumvit Road, Bangna, Bangna, Bangkok 10260
CONTACT DETAILS : คุณสุพจน์ วังสงค์ TEL : 099 223 3022, 02 173 5902
e-mail : Supot.theworks@ananda.co.th
SAMPLING SOURCE : Ideo Blucove Sukhumvit Condominium Juristic Person SAMPLING DATE : April 4, 2026
SAMPLE TYPE : Waste Water SAMPLING TIME : 13.30 Hour
SAMPLE NAME : บ่อเกรอะ RECEIVED DATE : April 7, 2026
SAMPLING METHOD : Sampling by customer ANALYTICAL DATE : April 7 - 28, 2026
SAMPLING BY : Sampling by customer REPORT DATE : April 28, 2026

PARAMETERS	UNIT	METHOD OF ANALYSIS	RESULT	Regulatory Standard
			บ่อเกรอะ	
BOD *	mg/l	5-Day BOD Test, Azide Modification Method : Part 4500-O (C), 5210 (B)	76.0	-
Grease and Oil *	mg/l	Liquid-Liquid, Partial-Gravimetric Method : Part 5520 (B).	<LOQ (5.0)	-
pH *	-	Electrometric Method : Part 4500-H ⁺ (B).	7.2 (25°C)	-
Total Suspended Solids *	mg/l	Total Suspended Solids Dried at 103-105°C : Part 2540 (C).	27.2	-
Settleable Solids *	mg/l	Imhoff cone	0.1	-
Sulfide *	mg/l	Iodometric Method : Part 4500-S ²⁻ (F).	1.8	-
TKN *	mg/l	Semi-Micro Kjeldahl Method : Part 4500-N _{org} (C)	73.4	-
Total Dissolved Solids *	mg/l	Total Dissolved Solids Dried at 180°C : Part 2540 (D).	0250	-
Total Coliform Bacteria ^A	MPN/100ml	Multiple Tube Fermentation Technique	>160,000	-
SAMPLE CONDITION				
			Sample Color / Turbid : Yellow / Turbid	
			Sediment : Brown	

Method Reference : Based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th ed. Washington, 2023

Regulatory Standard : Notification of the Ministry of Natural Resources and Environment, Subject: Establish control standards Drainage of wastewater from certain types and buildings of certain sizes, dated June 28, 2024, announced in the Government Gazette, Volume 141, Chapter 233 D, dated 27 August 2024.

Definition : * Indicates parameters not covered by the scope of accreditation under ISO/IEC 17025.

Remarks : Issued by: บริษัท ยูนิटेค แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด, เลขทะเบียน ๖-145

Values shown in bold-italic indicate results outside the applicable regulatory standard.

Regulatory Standard and Results shown in bold-italic are reported for information only and are not covered by the scope of accreditation under ISO/IEC 17025.

Reviewed by:

(Ms. Chiraporn Ritthem)

๖-295-๖-0008

Approved by:

(Dr. Angsana Romsaiyud)

๖-295-ค-0002

ห้ามนำรายงานนี้ไปประกาศโฆษณาหรืออ้างถึงก่อนได้รับอนุญาต หากมีการพูด ลบ ชิด ข่า แกไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายไปรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานผลฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

Quality Systems
Certified

ISO 9001
Quality
Management

ISO 14001
Environmental
Management

GHP
Good Hygiene
Practices

NSF
Certificate

HALAL
Certificate

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ๖-295

ANALYSIS REPORT

REPORT No.	: JEX-Ww-26-J0518	SAMPLE No.	: Ww-26-J1207
CUSTOMER NAME	: Ideo Blucove Sukhumvit Condominium Juristic Person	QUOTATION No.	: QL/25/0713/NF/Pw
ADDRESS	: 2952 Sukhumvit Road, Bangna, Bangna, Bangkok 10260		
CONTACT DETAILS	: คุณสุพจน์ วังสดี	TEL	: 099 223 3022, 02 173 5902
	e-mail : Supot.theworks@ananda.co.th		
SAMPLING SOURCE	: Ideo Blucove Sukhumvit Condominium Juristic Person	SAMPLING DATE	: April 4, 2026
SAMPLE TYPE	: Waste Water	SAMPLING TIME	: 13.30 Hour
SAMPLE NAME	: บ่อน้ำบำบัดชุดที่ 2	RECEIVED DATE	: April 7, 2026
SAMPLING METHOD	: Sampling by customer	ANALYTICAL DATE	: April 7 - 28, 2026
SAMPLING BY	: Sampling by customer	REPORT DATE	: April 28, 2026

PARAMETERS	UNIT	METHOD OF ANALYSIS	RESULT	Regulatory Standard
			บ่อน้ำบำบัดชุดที่ 2	
BOD *	mg/l	5-Day BOD Test, Azide Modification Method : Part 4500-O (C), 5210 (B)	9.0	≤30
Grease and Oil *	mg/l	Liquid-Liquid, Partial-Gravimetric Method : Part 5520 (B).	<LOQ (5.0)	≤ 20
pH *	-	Electrometric Method : Part 4500-H ⁺ (B).	7.5 (25°C)	5.5-9.0
Total Suspended Solids *	mg/l	Total Suspended Solids Dried at 103-105°C : Part 2540 (C).	3.4	≤40
Settleable Solids *	mg/l	Imhoff cone	<0.1	-
Sulfide *	mg/l	Iodometric Method : Part 4500-S ²⁻ (F).	<LOQ (1.0)	≤1.0
TKN [†]	mg/l	Semi-Micro Kjeldahl Method : Part 4500-N _{org} (C)	9.5	≤35
Total Dissolved Solids *	mg/l	Total Dissolved Solids Dried at 180°C : Part 2540 (D).	138	≤1,000
Total Coliform Bacteria ^A	MPN/100ml	Multiple Tube Fermentation Technique	54,000	-
SAMPLE CONDITION Sample Color / Turbid : Yellow / Clear Sediment : A Bit				

Method Reference : Based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th ed. Washington, 2023

Regulatory Standard : Notification of the Ministry of Natural Resources and Environment, Subject: Establish control standards Drainage of wastewater from certain types and buildings of certain sizes, dated June 28, 2024, announced in the Government Gazette, Volume 141, Chapter 233 D, dated 27 August 2024.

Definition :
 * : Indicates parameters not covered by the scope of accreditation under ISO/IEC 17025.
 A : Issued by: บริษัท ยูโนเค็ด แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด, เลขทะเบียน ๖-145

Remarks :
 : Values shown in bold-italic indicate results outside the applicable regulatory standard.
 : Regulatory Standard and Results shown in bold-italic are reported for information only and are not covered by the scope of accreditation under ISO/IEC 17025.

Reviewed by:

(Ms. Chiraporn Ritthem)
๖-295-๖-0008

Approved by:

(Dr. Angsana Romsaiyud)
๖-295-๓-0002

ให้นำรายงานนี้ไปประกาศโฆษณาหรืออ้างอิงก่อนได้รับอนุญาต หากมีการชุด ลบ ชัด ฆ่า แก้ไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายในรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

Quality Systems
Certified

ISO 9001
Quality
Management

ISO 14001
Environmental
Management

GHP
Good Hygiene
Practices

NSF
Certificate

HALAL
Certificate

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

ANALYSIS REPORT

REPORT No.	: JEX-Ww-26-J0518	SAMPLE No.	: Ww-26-J1208
CUSTOMER NAME	: Ideo Blucove Sukhumvit Condominium Juristic Person	QUOTATION No.	: QL/25/0713/NF/Pw
ADDRESS	: 2952 Sukhumvit Road, Bangna, Bangna, Bangkok 10260		
CONTACT DETAILS	: คุณสุพจน์ วังสตัน	TEL	: 099 223 3022, 02 173 5902
	e-mail : Supot.theworks@ananda.co.th		
SAMPLING SOURCE	: Ideo Blucove Sukhumvit Condominium Juristic Person	SAMPLING DATE	: April 4, 2026
SAMPLE TYPE	: Waste Water	SAMPLING TIME	: 13.30 Hour
SAMPLE NAME	: บ่อน้ำบาดาลที่ 3	RECEIVED DATE	: April 7, 2026
SAMPLING METHOD	: Sampling by customer	ANALYTICAL DATE	: April 7 - 28, 2026
SAMPLING BY	: Sampling by customer	REPORT DATE	: April 28, 2026

PARAMETERS	UNIT	METHOD OF ANALYSIS	RESULT	Regulatory Standard
			บ่อน้ำบาดาลที่ 3	
BOD *	mg/l	5-Day BOD Test, Azide Modification Method : Part 4500-O (C), 5210 (B)	8.8	≤30
Grease and Oil *	mg/l	Liquid-Liquid, Partial-Gravimetric Method : Part 5520 (B).	<LOQ (5.0)	≤20
pH *	-	Electrometric Method : Part 4500-H* (B).	7.5 (25°C)	5.5-9.0
Total Suspended Solids *	mg/l	Total Suspended Solids Dried at 103-105°C : Part 2540 (C).	6.0	≤40
Settleable Solids *	mg/l	Imhoff cone	<0.1	-
Sulfide *	mg/l	Iodometric Method : Part 4500-S ²⁻ (F).	<LOQ (1.0)	≤1.0
TKN*	mg/l	Semi-Micro Kjeldahl Method : Part 4500-N _{org} (C)	10.6	≤35
Total Dissolved Solids *	mg/l	Total Dissolved Solids Dried at 180°C : Part 2540 (D).	152	≤1,000
Total Coliform Bacteria ^Δ	MPN/100ml	Multiple Tube Fermentation Technique	<1.8	-
SAMPLE CONDITION Sample Color / Turbid : Yellow / Clear Sediment : A Bit				

Method Reference : Based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th ed. Washington, 2023

Regulatory Standard : Notification of the Ministry of Natural Resources and Environment, Subject: Establish control standards Drainage of wastewater from certain types and buildings of certain sizes, dated June 28, 2024, announced in the Government Gazette, Volume 141, Chapter 233 D, dated 2/ August 2024.

Definition : * Indicates parameters not covered by the scope of accreditation under ISO/IEC 17025.

Δ Issued by: บริษัท ยูนิเทค แอนนาลิสต์ แอนด์ เอ็นจิเนียริง คอนซัลแตนท์ จำกัด, เลขทะเบียน ว-145

Remarks : Values shown in bold-italic indicate results outside the applicable regulatory standard.

: Regulatory Standard and Results shown in bold-italic are reported for information only and are not covered by the scope of accreditation under ISO/IEC 17025.

Reviewed by:

(Ms. Chiraporn Ritthem)

ว-295-จ-0008

Approved by:

(Dr. Angsana Romsaiyud)

ว-295-ค-0002

ห้ามนำรายงานนี้ไปประกาศโฆษณาหรืออ้างถึงก่อนได้รับอนุญาต หากมีการพูด ลบ ชิด ฆ่า แก้ไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายไปรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

Quality Systems
Certified

ISO 9001
Quality
Management

ISO 14001
Environmental
Management

GHP
Good Hygiene
Practices

NSF
Certificate

HALAL
Certificate

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

ANALYSIS REPORTFigure of sample

1. Sample No. Ww-26-J1206 / ป่อเกรอะ



2. Sample No. Ww-26-J1207 / บ่อบำบัดชุดที่ 2



Reviewed by:

(Ms. Chiraporn Ritthem)
ว-295-จ-0008

Approved by:

(Dr. Angsana Romsaiyud)
ว-295-ค-0002

ห้มนำรายงานนี้ไปประกาศโฆษณาหรืออ้างถึงก่อนได้รับอนุญาต หากมีการพูด ลบ ชิด ผ่า แก้ไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายใบรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานผลฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

Quality Systems
CertifiedISO 9001
Quality
ManagementISO 14001
Environmental
ManagementGHP
Good Hygiene
PracticesNSF
CertificateHALAL
Certificate

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

ANALYSIS REPORTFigure of sample


3. Sample No. Ww-26-J1208 / ป้อนำบัดชุดที่ 3



Reviewed by:


(Ms. Chiraporn Ritthem)
ว-295-จ-0008

Approved by:


(Dr. Angsana Romsaiyud)
ว-295-ค-0002

ห้ามนำรายงานนี้ไปประกาศโฆษณาหรืออ้างก่อนได้รับอนุญาต หากมีการชุด ลบ ซีด ผ่า แก้ว เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายใบรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

Quality Systems
Certified**ISO 9001**
Quality
Management**ISO 14001**
Environmental
Management**GHP**
Good Hygiene
Practices**NSF**
Certificate**HALAL**
Certificate

Report for Sample Analysis Of

Ideo Blucove Sukhumvit Condominium

Juristic Person

(May 2026, 3/12)



Ecotech Water Co., Ltd.

20 Soi Kheharomklao 74 Yaek 6, Ratphatthana, Saphansung, Bangkok 10240;

Tel: (66)2-108 6468-9; Fax: (66)2-061 2809

www.ecotechthailand.com

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

ANALYSIS REPORT

REPORT No. : JEX-Ww-26-J0633 SAMPLE No. : Ww-26-J1445
CUSTOMER NAME : Ideo Blucove Sukhumvit Condominium Juristic Person QUOTATION No. : QL/25/0713/NF/Pw
ADDRESS : 2952 Sukhumvit Road, Bangna, Bangna, Bangkok 10260
CONTACT DETAILS : คุณสุพจน์ วัจดัง TEL : 099 223 3022, 02 173 5902
e-mail : Supot.theworks@ananda.co.th
SAMPLING SOURCE : Ideo Blucove Sukhumvit Condominium Juristic Person SAMPLING DATE : May 2, 2026
SAMPLE TYPE : Waste Water SAMPLING TIME : 13.00 Hour
SAMPLE NAME : บ่อเกรอะ RECEIVED DATE : May 5, 2026
SAMPLING METHOD : Sampling by customer ANALYTICAL DATE : May 5 - 15, 2026
SAMPLING BY : Sampling by customer REPORT DATE : May 18, 2026

PARAMETERS	UNIT	METHOD OF ANALYSIS	RESULT	Regulatory Standard
			บ่อเกรอะ	
BOD *	mg/l	5-Day BOD Test, Azide Modification Method : Part 4500-O (C), 5210 (B)	62.0	-
Grease and Oil *	mg/l	Liquid-Liquid, Partial-Gravimetric Method : Part 5520 (B).	<LOQ (5.0)	-
pH *	-	Electrometric Method : Part 4500-H* (B).	7.6 (25°C)	-
Total Suspended Solids *	mg/l	Total Suspended Solids Dried at 103-105°C : Part 2540 (C).	29.7	-
Settleable Solids *	mg/l	Imhoff cone	<0.1	-
Sulfide *	mg/l	Iodometric Method : Part 4500-S ²⁻ (F).	0.1	-
TKN	mg/l	Semi-Micro Kjeldahl Method : Part 4500-N _{org} (C)	68.9	-
Total Dissolved Solids *	mg/l	Total Dissolved Solids Dried at 180°C : Part 2540 (D).	238	-
Total Coliform Bacteria*, ^Δ	MPN/100ml	Multiple Tube Fermentation Technique	17,000	-
SAMPLE CONDITION				
			Sample Color / Turbid : Yellow / Cloudy	
			Sediment : Brown	

Method Reference : Based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th ed. Washington, 2023

Regulatory Standard : Notification of the Ministry of Natural Resources and Environment, Subject: Establish control standards Drainage of wastewater from certain types and buildings of certain sizes, dated June 28, 2024, announced in the Government Gazette, Volume 141, Chapter 233 D, dated 27 August 2024.

Definition : * Indicates parameters not covered by the scope of accreditation under ISO/IEC 17025.

^Δ : This test report was issued by MNAQ LAB (THAILAND) CO., LTD, เลขทะเบียน 1018/46

Remarks : Values shown in bold-italic indicate results outside the applicable regulatory standard.

: Regulatory Standard and Results shown in bold-italic are reported for information only and are not covered by the scope of accreditation under ISO/IEC 17025.

Reviewed by:

(Ms. Chiraporn Ritthem)

ว-295-จ-0008

Approved by:

(Dr. Angsana Romsaiyud)

ว-295-ค-0002

ห้ามนำรายงานนี้ไปประกาศโฆษณาหรืออ้างถึงก่อนได้รับอนุญาต หากมีการหลุด ลบ ชิด รำ แก้ไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายใบรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานผลการบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

ANALYSIS REPORT

REPORT No. : JEX-Ww-26-J0633 SAMPLE No. : Ww-26-J1446
CUSTOMER NAME : Ideo Blucove Sukhumvit Condominium Juristic Person QUOTATION No. : QL/25/0713/NF/Pw
ADDRESS : 2952 Sukhumvit Road, Bangna, Bangna, Bangkok 10260
CONTACT DETAILS : คุณสุพจน์ วังสดัง TEL : 099 223 3022, 02 173 5902
e-mail : Supot.theworks@ananda.co.th
SAMPLING SOURCE : Ideo Blucove Sukhumvit Condominium Juristic Person SAMPLING DATE : May 2, 2026
SAMPLE TYPE : Waste Water SAMPLING TIME : 13.00 Hour
SAMPLE NAME : บ่อน้ำบาดาลที่ 2 RECEIVED DATE : May 5, 2026
SAMPLING METHOD : Sampling by customer ANALYTICAL DATE : May 5 - 15, 2026
SAMPLING BY : Sampling by customer REPORT DATE : May 18, 2026

PARAMETERS	UNIT	METHOD OF ANALYSIS	RESULT	Regulatory Standard
			บ่อน้ำบาดาลที่ 2	
BOD *	mg/l	5-Day BOD Test, Azide Modification Method : Part 4500-O (C), 5210 (B)	5.1	≤30
Grease and Oil *	mg/l	Liquid-Liquid, Partial-Gravimetric Method : Part 5520 (B).	<LOQ (5.0)	≤20
pH *	-	Electrometric Method : Part 4500-H ⁺ (B).	7.7 (25°C)	5.5-9.0
Total Suspended Solids *	mg/l	Total Suspended Solids Dried at 103-105°C : Part 2540 (C).	6.9	≤40
Settleable Solids *	mg/l	Imhoff cone	<0.1	-
Sulfide *	mg/l	Iodometric Method : Part 4500-S ²⁻ (F).	<LOQ (1.0)	≤1.0
TKN [*]	mg/l	Semi-Micro Kjeldahl Method : Part 4500-N _{org} (C)	19.0	≤35
Total Dissolved Solids *	mg/l	Total Dissolved Solids Dried at 180°C : Part 2540 (D).	186	≤1,000
Total Coliform Bacteria ^{*, A}	MPN/100ml	Multiple Tube Fermentation Technique	<1.8	-
SAMPLE CONDITION		Sample Color / Turbid : Yellow / Clear Sediment : Brown		

Method Reference : Based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th ed. Washington, 2023

Regulatory Standard : Notification of the Ministry of Natural Resources and Environment, Subject: Establish control standards Drainage of wastewater from certain types and buildings of certain sizes, dated June 28, 2024, announced in the Government Gazette, Volume 141, Chapter 233 D, dated 27 August 2024.

Definition : * Indicates parameters not covered by the scope of accreditation under ISO/IEC 17025.

* This test report was issued by MNAQ LAB (THAILAND) CO., LTD, เลขทะเบียน 1018/46

Remarks : Values shown in bold-italic indicate results outside the applicable regulatory standard.

: Regulatory Standard and Results shown in bold-italic are reported for information only and are not covered by the scope of accreditation under ISO/IEC 17025.

Reviewed by:

(Ms. Chiraporn Ritthem)

ว-295-จ-0008

Approved by:

(Dr. Angsana Romsaiyud)

ว-295-ค-0002

ห้ามนำรายงานนี้ไปประกาศโฆษณาหรืออ้างก่อนได้รับอนุญาต หากมีการชุด ลบ ซีด รำ แก้ไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายใบรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

Quality Systems
Certified

ISO 9001
Quality
Management

ISO 14001
Environmental
Management

GHP
Good Hygiene
Practices

NSF
Certificate

HALAL
Certificate

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

ANALYSIS REPORT

REPORT No. : JEX-Ww-26-J0633 SAMPLE No. : Ww-26-J1447
CUSTOMER NAME : Ideo Blucove Sukhumvit Condominium Juristic Person QUOTATION No. : QL/25/0713/NF/Pw
ADDRESS : 2952 Sukhumvit Road, Bangna, Bangna, Bangkok 10260
CONTACT DETAILS : คุณสุพจน์ วัจดัง TEL : 099 223 3022, 02 173 5902
e-mail : Supot.theworks@ananda.co.th
SAMPLING SOURCE : Ideo Blucove Sukhumvit Condominium Juristic Person SAMPLING DATE : May 2, 2026
SAMPLE TYPE : Waste Water SAMPLING TIME : 13.00 Hour
SAMPLE NAME : บ่อน้ำบำบัดที่ 3 RECEIVED DATE : May 5, 2026
SAMPLING METHOD : Sampling by customer ANALYTICAL DATE : May 5 - 15, 2026
SAMPLING BY : Sampling by customer REPORT DATE : May 18, 2026

PARAMETERS	UNIT	METHOD OF ANALYSIS	RESULT	Regulatory Standard
			บ่อน้ำบำบัดที่ 3	
BOD *	mg/l	5-Day BOD Test, Azide Modification Method : Part 4500-O (C), 5210 (B)	7.3	≤30
Grease and Oil *	mg/l	Liquid-Liquid, Partial-Gravimetric Method : Part 5520 (B).	<LOQ (5.0)	≤20
pH *	-	Electrometric Method : Part 4500-H* (B).	8.0 (25°C)	5.5-9.0
Total Suspended Solids *	mg/l	Total Suspended Solids Dried at 103-105°C : Part 2540 (C).	9.7	≤40
Settleable Solids *	mg/l	Imhoff cone	<0.1	-
Sulfide *	mg/l	Iodometric Method : Part 4500-S ²⁻ (F).	<LOQ (1.0)	≤1.0
TKN*	mg/l	Semi-Micro Kjeldahl Method : Part 4500-N _{org} (C)	7.0	≤35
Total Dissolved Solids *	mg/l	Total Dissolved Solids Dried at 180°C : Part 2540 (D).	178	≤1,000
Total Coliform Bacteria*, ^A	MPN/100ml	Multiple Tube Fermentation Technique	7,000	-
SAMPLE CONDITION				
			Sample Color / Turbid : Yellow / Clear	
			Sediment : Brown	

Method Reference : Based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th ed. Washington, 2023

Regulatory Standard : Notification of the Ministry of Natural Resources and Environment, Subject: Establish control standards Drainage of wastewater from certain types and buildings of certain sizes, dated June 28, 2024, announced in the Government Gazette, Volume 141, Chapter 233 D, dated 27 August 2024.

Definition * : Indicates parameters not covered by the scope of accreditation under ISO/IEC 17025.

^A : This test report was issued by MNAQ LAB (THAILAND) CO., LTD, เลขทะเบียน 1018/46

Remarks : Values shown in bold-italic indicate results outside the applicable regulatory standard.

: Regulatory Standard and Results shown in bold-italic are reported for information only and are not covered by the scope of accreditation under ISO/IEC 17025.

Reviewed by:

(Ms. Chiraporn Ritthem)

ว-295-จ-0008

Approved by:

(Dr. Angsana Romsaiyud)

ว-295-ค-0002

ห้ามนำรายงานนี้ไปประกาศโฆษณาหรืออ้างก่อนได้รับอนุญาต หากมีการพูด ลบ ชิด มา แก้ไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายไปรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานผลฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

ANALYSIS REPORTFigure of sample

1. Sample No. Ww-26-J1445 / บ่อเกรอะ



2. Sample No. Ww-26-J1446 / บ่อบำบัดชุดที่ 2



Reviewed by:

(Ms. Chiraporn Ritthem)
ว-295-จ-0008

Approved by:

(Dr. Angsana Romsaiyud)
ว-295-ค-0002

ห้ามนำรายงานนี้ไปประกาศโฆษณาหรืออ้างถึงก่อนได้รับอนุญาต หากมีการชุด ลบ ชิด สว่า แก้วไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายในรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานผลฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

ANALYSIS REPORTFigure of sample

3. Sample No. Ww-26-J1447 / ป้อนำบัดชุดที่ 3



Reviewed by:


(Ms. Chiraporn Ritthem)
ว-295-จ-0008

Approved by:


(Dr. Angsana Romsaiyud)
ว-295-ค-0002

ห้ามนำรายงานนี้ไปประกาศโฆษณาหรืออ้างถึงก่อนได้รับอนุญาต หากมีการพูด ลบ ชิด รว่ แก้ไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายใบรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานผลฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

Quality Systems
Certified**ISO 9001**
Quality
Management**ISO 14001**
Environmental
Management**GHP**
Good Hygiene
Practices**NSF**
Certificate**HALAL**
Certificate

Report for Sample Analysis Of

Ideo Blucove Sukhumvit Condominium

Juristic Person

(June 2026, 4/12)



Ecotech Water Co., Ltd.

20 Soi Kheharomklao 74 Yaek 6, Ratphatthana, Saphansung, Bangkok 10240;

Tel: (66)2-108 6468-9; Fax: (66)2-061 2809

www.ecotechthailand.com

ECOTECH WATER CO.,LTD

20 Soi Kheharomklao 74 yaek 6, Ratphatthana,
Saphansung, Bangkok 10240 Tax ID : 0105545032087
Tel : 02-108-6468-9 www.ecotechthailand.com
Email : ecotech@ecotechthailand.com



ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

Page 1 of 5

ANALYSIS REPORT

REPORT No. : JEX-Ww-26-J0835 SAMPLE No. : Ww-26-J1903
CUSTOMER NAME : Ideo Blucove Sukhumvit Condominium Juristic Person QUOTATION No. : QL/25/0713/NF/Pw
ADDRESS : 2952 Sukhumvit Road, Bangna, Bangna, Bangkok 10260
CONTACT DETAILS : คุณสุพจน์ วิสสัง TEL : 099 223 3022, 02 173 5902
e-mail : Supot.theworks@ananda.co.th
SAMPLING SOURCE : Ideo Blucove Sukhumvit Condominium Juristic Person SAMPLING DATE : June 6, 2026
SAMPLE TYPE : Waste Water SAMPLING TIME : 13.00 Hour
SAMPLE NAME : บ่อเกรอะ RECEIVED DATE : June 8, 2026
SAMPLING METHOD : Sampling by customer ANALYTICAL DATE : June 8 - 17, 2026
SAMPLING BY : Sampling by customer REPORT DATE : June 17, 2026

PARAMETERS	UNIT	METHOD OF ANALYSIS	RESULT	Regulatory Standard
			บ่อเกรอะ	
BOD *	mg/l	5-Day BOD Test, Azide Modification Method : Part 4500-O (C), 5210 (B)	370	-
Grease and Oil *	mg/l	Liquid-Liquid, Partial-Gravimetric Method : Part 5520 (B).	<LOQ (5.0)	-
pH *	-	Electrometric Method : Part 4500-H ⁺ (B).	7.2 (25°C)	-
Total Suspended Solids *	mg/l	Total Suspended Solids Dried at 103-105°C : Part 2540 (C).	258	-
Settleable Solids *	mg/l	Imhoff cone	<0.1	-
Sulfide *	mg/l	Iodometric Method : Part 4500-S ²⁻ (F).	5.1	-
TKN	mg/l	Semi-Micro Kjeldahl Method : Part 4500-N _{org} (C)	73.1	-
Total Dissolved Solids *	mg/l	Total Dissolved Solids Dried at 180°C : Part 2540 (D).	286	-
Total Coliform Bacteria*, ^A	MPN/100ml	Multiple Tube Fermentation Technique	>160,000	-

SAMPLE CONDITION

Sample Color / Turbid : Yellow / Turbid

Sediment : Brown

Method Reference : Based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th ed. Washington, 2023

Regulatory Standard : Notification of the Ministry of Natural Resources and Environment, Subject: Establish control standards Drainage of wastewater from certain types and buildings of certain sizes, dated June 28, 2024, announced in the Government Gazette, Volume 141, Chapter 233 D, dated 27 August 2024.

Definition * : Indicates parameters not covered by the scope of accreditation under ISO/IEC 17025.

^A : This test report was issued by MNAQ LAB (THAILAND) CO., LTD, เลขทะเบียน 1018/46

Remarks

- Values shown in bold-italic indicate results outside the applicable regulatory standard.
- Regulatory Standard and Results shown in bold-italic are reported for information only and are not covered by the scope of accreditation under ISO/IEC 17025.

Reviewed by:

(Ms. Chiraporn Ritthem)
ว-295-จ-0008

Approved by:

(Dr. Angsana Romsaiyud)
ว-295-ค-0002

ห้ามนำรายงานนี้ไปประกาศโฆษณาหรืออ้างก่อนได้รับอนุญาต หากมีการพูด ลบ ขีดฆ่า แก้ไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายใบรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานผลฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

Quality Systems
Certified

ISO 9001
Quality
Management

ISO 14001
Environmental
Management

GHP
Good Hygiene
Practices

NSF
Certificate

HALAL
Certificate

ECOTECH WATER CO.,LTD

20 Soi Kheharomklao 74 yaek 6, Ratphatthana,
Saphansung, Bangkok 10240 Tax ID : 0105545032087
Tel : 02-108-6468-9 www.ecotechthailand.com
Email : ecotech@ecotechthailand.com



ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ๖-295

Page 2 of 5

ANALYSIS REPORT

REPORT No. : JEX-Ww-26-J0835 SAMPLE No. : Ww-26-J1904
CUSTOMER NAME : Ideo Blucove Sukhumvit Condominium Juristic Person QUOTATION No. : QL/25/0713/NF/Pw
ADDRESS : 2952 Sukhumvit Road, Bangna, Bangna, Bangkok 10260
CONTACT DETAILS : คุณสุพจน์ วังสตั้ง TEL : 099 223 3022, 02 173 5902
e-mail : Supot.theworks@ananda.co.th
SAMPLING SOURCE : Ideo Blucove Sukhumvit Condominium Juristic Person SAMPLING DATE : June 6, 2026
SAMPLE TYPE : Waste Water SAMPLING TIME : 13.00 Hour
SAMPLE NAME : บ่อน้ำบำบัดที่ 2 RECEIVED DATE : June 8, 2026
SAMPLING METHOD : Sampling by customer ANALYTICAL DATE : June 8 - 17, 2026
SAMPLING BY : Sampling by customer REPORT DATE : June 17, 2026

PARAMETERS	UNIT	METHOD OF ANALYSIS	RESULT	Regulatory Standard
			บ่อน้ำบำบัดที่ 2	
BOD *	mg/l	5-Day BOD Test, Azide Modification Method : Part 4500-O (C), 5210 (B)	10.0	≤30
Grease and Oil *	mg/l	Liquid-Liquid, Partial-Gravimetric Method : Part 5520 (B).	<LOQ (5.0)	≤ 20
pH *	-	Electrometric Method : Part 4500-H ⁺ (B).	7.4 (25°C)	5.5-9.0
Total Suspended Solids *	mg/l	Total Suspended Solids Dried at 103-105°C : Part 2540 (C).	21.3	≤40
Settleable Solids *	mg/l	Imhoff cone	<0.1	-
Sulfide *	mg/l	Iodometric Method : Part 4500-S ²⁻ (F).	NOT DETECTED	≤1.0
TKN [†]	mg/l	Semi-Micro Kjeldahl Method : Part 4500-N _{org} (C)	34.2	≤35
Total Dissolved Solids *	mg/l	Total Dissolved Solids Dried at 180°C : Part 2540 (D).	298	≤1,000
Total Coliform Bacteria*, ^Δ	MPN/100ml	Multiple Tube Fermentation Technique	24,000	-

SAMPLE CONDITION

Sample Color / Turbid : Yellow / Cloudy

Sediment : Brown

Method Reference : Based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th ed. Washington, 2023

Regulatory Standard : Notification of the Ministry of Natural Resources and Environment, Subject: Establish control standards Drainage of wastewater from certain types and buildings of certain sizes, dated June 28, 2024, announced in the Government Gazette, Volume 141, Chapter 233 D, dated 27 August 2024.

Definition * : Indicates parameters not covered by the scope of accreditation under ISO/IEC 17025.

^Δ : This test report was issued by MNAQ LAB (THAILAND) CO., LTD, เลขทะเบียน 1018/46

Remarks : Values shown in bold-italic indicate results outside the applicable regulatory standard.

: Regulatory Standard and Results shown in bold-italic are reported for information only and are not covered by the scope of accreditation under ISO/IEC 17025.

Reviewed by:

(Ms. Chiraporn Ritthem)

๖-295-๖-0008

Approved by:

(Dr. Angsana Romsaiyud)

๖-295-๓-0002

ห้ามนำรายงานนี้ไปประกาศโฆษณาหรืออ้างถึงก่อนได้รับอนุญาต หากมีการชุด สบ ซีด มา แก๊ซ เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายใบรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานผลฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

Quality Systems
Certified

ISO 9001
Quality
Management

ISO 14001
Environmental
Management

GHP
Good Hygiene
Practices

NSF
Certificate

HALAL
Certificate

ECOTECH WATER CO.,LTD

20 Soi Kheharomklao 74 yaek 6, Ratphatthana,
Saphansung, Bangkok 10240 Tax ID : 0105545032087
Tel : 02-108-6468-9 www.ecotechthailand.com
Email : ecotech@ecotechthailand.com



รหัสเอกสาร : LAB-F-7.8-01

ห้องปฏิบัติการวิเคราะห์ : ทะเบียนเลขที่ ว-295

Page 3 of 5

ANALYSIS REPORT

REPORT No. : JEX-Ww-26-J0835 SAMPLE No. : Ww-26-J1905
CUSTOMER NAME : Ideo Blucove Sukhumvit Condominium Juristic Person QUOTATION No. : QL/25/0713/NF/Pw
ADDRESS : 2952 Sukhumvit Road, Bangna, Bangna, Bangkok 10260
CONTACT DETAILS : คุณสุพจน์ วงศ์ตั้ง TEL : 099 223 3022, 02 173 5902
e-mail : Supot.theworks@ananda.co.th
SAMPLING SOURCE : Ideo Blucove Sukhumvit Condominium Juristic Person SAMPLING DATE : June 6, 2026
SAMPLE TYPE : Waste Water SAMPLING TIME : 13.00 Hour
SAMPLE NAME : บ่อน้ำบำบัดชุดที่ 3 RECEIVED DATE : June 8, 2026
SAMPLING METHOD : Sampling by customer ANALYTICAL DATE : June 8 - 17, 2026
SAMPLING BY : Sampling by customer REPORT DATE : June 17, 2026

PARAMETERS	UNIT	METHOD OF ANALYSIS	RESULT	Regulatory Standard
			บ่อน้ำบำบัดชุดที่ 3	
BOD *	mg/l	5-Day BOD Test, Azide Modification Method : Part 4500-O (C), 5210 (B)	8.7	≤30
Grease and Oil *	mg/l	Liquid-Liquid, Partial-Gravimetric Method : Part 5520 (B).	<LOQ (5.0)	≤20
pH *	-	Electrometric Method : Part 4500-H ⁺ (B).	7.8 (25°C)	5.5-9.0
Total Suspended Solids *	mg/l	Total Suspended Solids Dried at 103-105°C : Part 2540 (C).	22.7	≤40
Settleable Solids *	mg/l	Imhoff cone	<0.1	-
Sulfide *	mg/l	Iodometric Method : Part 4500-S ²⁻ (F).	<LOQ (1.0)	≤1.0
TKN ¹	mg/l	Semi-Micro Kjeldahl Method : Part 4500-N _{org} (C)	12.3	≤35
Total Dissolved Solids *	mg/l	Total Dissolved Solids Dried at 180°C : Part 2540 (D).	180	≤1,000
Total Coliform Bacteria*, ^A	MPN/100ml	Multiple Tube Fermentation Technique	4,900	-
SAMPLE CONDITION				
			Sample Color / Turbid : Yellow / Clear	
			Sediment : Brown	

Method Reference : Based on Standard Methods for the Examination of Water and Wastewater, APHA, AWWA, WEF, 24th ed. Washington, 2023

Regulatory Standard : Notification of the Ministry of Natural Resources and Environment, Subject: Establish control standards Drainage of wastewater from certain types and buildings of certain sizes, dated June 28, 2024, announced in the Government Gazette, Volume 141, Chapter 233 D, dated 27 August 2024.

Definition : * Indicates parameters not covered by the scope of accreditation under ISO/IEC 17025.

^A : This test report was issued by MNAQ LAB (THAILAND) CO., LTD, เลขทะเบียน 1018/46

Remarks : Values shown in bold-italic indicate results outside the applicable regulatory standard.

: Regulatory Standard and Results shown in bold-italic are reported for information only and are not covered by the scope of accreditation under ISO/IEC 17025.

Reviewed by:

(Ms. Chiraporn Ritthem)
ว-295-จ-0008

Approved by:

(Dr. Angsana Romsaiyud)
ว-295-ค-0002

ห้ามนำรายงานนี้ไปประกาศโฆษณาหรืออ้างอิงก่อนได้รับอนุญาต หากมีการชุด ลบ ซีด ผ่า แก้ไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายในรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานผลฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

Quality Systems
Certified

ISO 9001
Quality
Management

ISO 14001
Environmental
Management

GHP
Good Hygiene
Practices

NSF
Certificate

HALAL
Certificate

ANALYSIS REPORT

Figure of sample

1. Sample No. Ww-26-J1903 / บ่อเกรอะ



2. Sample No. Ww-26-J1904 / บ่อน้ำบาดาลที่ 2



Reviewed by:

(Ms. Chiraporn Ritthem)
ว-295-จ-0008

Approved by:

(Dr. Angsana Romsaiyud)
ว-295-ค-0002

ห้ามนำรายงานนี้ไปประกาศโฆษณาหรืออ้างก่อนได้รับอนุญาต หากมีการพูด ลบ ขีดฆ่า แก้ไข เปลี่ยนแปลงตัวเลข หรือข้อความใดๆ จะถือว่ารายงานฉบับนี้ไม่สมบูรณ์ และห้ามคัดถ่ายในรายงานการตรวจ วัด วิเคราะห์แต่เพียงบางส่วน โดยไม่ได้รับอนุญาตจากห้องปฏิบัติการเป็นลายลักษณ์อักษร รายงานฉบับนี้จะรับรองเฉพาะตัวอย่างที่ได้รับการตรวจวิเคราะห์เท่านั้น

Quality Systems
Certified

ISO 9001
Quality
Management

ISO 14001
Environmental
Management

GHP
Good Hygiene
Practices

NSF
Certificate

HALAL
Certificate