

ภาคผนวก ง

ผลการติดตามตรวจสอบคุณภาพสิ่งแวดล้อม



คุณภาพน้ำทิ้งของโครงการ



ANALYSIS REPORT

Data Provided by Customer


Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
 เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดรวบรวมน้ำเสียเข้าระบบบำบัดน้ำเสีย อาคาร 1
GPS. Coordinate : 47 P 668639 E 1529623 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/1
Sample Type : Wastewater
Sampling Date : 29 January 2026
Sampling Time : 02.06 p.m.
Received Date : 30 January 2026
Analytical Date : 30 January – 19 February 2026
Report Date : 20 February 2026

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 24.2 °C	-	Electrometric Method (4500-H ⁺ B)	7.1
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	30.3
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	280
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	118
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	1.32
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	23
Sample Appearance		Yellow/Turbid/Sediment/Smelly	

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.
^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.
 * This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
 เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดรวบรวมน้ำเสียเข้าระบบบำบัดน้ำเสีย อาคาร 2
GPS. Coordinate : 47 P 668678 E 1529615 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/2
Sample Type : Wastewater
Sampling Date : 29 January 2026
Sampling Time : 02.17 p.m.
Received Date : 30 January 2026
Analytical Date : 30 January – 19 February 2026
Report Date : 20 February 2026

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 24.3 °C	-	Electrometric Method (4500-H ⁺ B)	7.5
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	37.7
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	376
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	119
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	2.7
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	1.27
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	67
Sample Appearance		Yellow/Turbid/Sediment/Smelly	

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.
^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.
 * This item is out the scope ISO/IEC 17025:2017 Accreditation.

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
 เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดระบายน้ำออกจากระบบบำบัดน้ำเสีย อาคาร 1
GPS. Coordinate : 47 P 668661 E 1529611 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/3
Sample Type : Wastewater
Sampling Date : 29 January 2026
Sampling Time : 02.10 p.m.
Received Date : 30 January 2026
Analytical Date : 30 January – 19 February 2026
Report Date : 20 February 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.7 °C	-	Electrometric Method (4500-H ⁺ B)	6.8	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	34.2	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	477	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	22.1	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Total Kjeldahl Nitrogen *, 3/	mg/L	APHA:4500-Norg (B) 2/	14	≤ 35
Sample Appearance		Yellow/Turbid/Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
 เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดตรวจวัดคุณภาพน้ำทั้งก่อนระบายออกจากโครงการ
GPS. Coordinate : 47 P 668662 E 1529609 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/5
Sample Type : Wastewater
Sampling Date : 29 January 2026
Sampling Time : 02.14 p.m.
Received Date : 30 January 2026
Analytical Date : 30 January – 19 February 2026
Report Date : 20 February 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.6 °C	-	Electrometric Method (4500-H ⁺ B)	5.7	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	29.1	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	492	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	19.6	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Total Kjeldahl Nitrogen *. ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	6.2	≤ 35
Sample Appearance		Yellow/Turbid/Sediment/Odorless		

Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

ANALYSIS REPORT

Data Provided by Customer


Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดรวบรวมน้ำเสียเข้าระบบบำบัดน้ำเสีย อาคาร 1
GPS. Coordinate : 47 P 668636 E 1529637 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/1
Sample Type : Wastewater
Sampling Date : 11 February 2026
Sampling Time : 03.52 p.m.
Received Date : 12 February 2026
Analytical Date : 12 February – 02 March 2026
Report Date : 04 March 2026

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 24.2 °C	-	Electrometric Method (4500-H ⁺ B)	7.3
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	524
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	368
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	156
Oil and Grease *	mg/L	(4500-O C, 5210 B)	3.5
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	1.89
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	98
Sample Appearance		Gr/Turbid/Sediment/Smelly	

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.
^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.
* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดรวบรวมน้ำเสียเข้าระบบบำบัดน้ำเสีย อาคาร 2
GPS. Coordinate : 47 P 668698 E 1529619 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/2
Sample Type : Wastewater
Sampling Date : 11 February 2026
Sampling Time : 04.11 p.m.
Received Date : 12 February 2026
Analytical Date : 12 February – 02 March 2026
Report Date : 04 March 2026

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 24.2 °C	-	Electrometric Method (4500-H ⁺ B)	7.5
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	56.1
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	390
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	130
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	3.2
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	1.21
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	98
Sample Appearance		Yellow/Turbid/Sediment/Smelly	

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.
^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.
* This item is out the scope ISO/IEC 17025:2017 Accreditation.

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดระบายน้ำออกจากระบบบำบัดน้ำเสีย อาคาร 1
GPS. Coordinate : 47 P 668658 E 1529605 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/3
Sample Type : Wastewater
Sampling Date : 11 February 2026
Sampling Time : 03.49 p.m.
Received Date : 12 February 2026
Analytical Date : 12 February – 02 March 2026
Report Date : 04 March 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.1 °C	-	Electrometric Method (4500-H ⁺ B)	7.0	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	38.4	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	394	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	29.3	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	9.0	≤ 35
Sample Appearance		Yellow/Turbid/Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024), Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
 เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดระบายน้ำออกจากกระบบบำบัดน้ำเสีย อาคาร 2
GPS. Coordinate : 47 P 668699 E 1529607 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/4
Sample Type : Wastewater
Sampling Date : 11 February 2026
Sampling Time : 04.05 p.m.
Received Date : 12 February 2026
Analytical Date : 12 February – 02 March 2026
Report Date : 04 March 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.7 °C	-	Electrometric Method (4500-H ⁺ B)	5.7	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	35.2	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	383	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	28.0	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	6.7	≤ 35
Sample Appearance		Yellow/Turbid/Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
 เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดตรวจวัดคุณภาพน้ำทั้งก่อนระบายออกจากโครงการ
GPS. Coordinate : 47 P 668664 E 1529607 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/5
Sample Type : Wastewater
Sampling Date : 11 February 2026
Sampling Time : 04.00 p.m.
Received Date : 12 February 2026
Analytical Date : 12 February – 02 March 2026
Report Date : 04 March 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.5 °C	-	Electrometric Method (4500-H ⁺ B)	7.3	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	30.0	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	340	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	15.6	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	5.6	≤ 35
Sample Appearance		Yellow/Turbid/Little Sediment/Odorless		

Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดรวบรวมน้ำเสียเข้าระบบบำบัดน้ำเสีย อาคาร 1
GPS. Coordinate : 47 P 668642 E 1529626 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/1
Sample Type : Wastewater
Sampling Date : 11 March 2026
Sampling Time : 02.28 p.m.
Received Date : 12 March 2026
Analytical Date : 12 – 30 March 2026
Report Date : 31 March 2026

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 24.7 °C	-	Electrometric Method (4500-H ⁺ B)	6.9
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	290
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	355
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	199
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	2.3
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	4.80
Total Kjeldahl Nitrogen ^{*, 3/}	mg/L	APHA:4500-Norg (B) ^{2/}	33
Sample Appearance		Grey/Turbid/Sediment/Smelly	

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

ANALYSIS REPORT

Data Provided by Customer


Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดรวบรวมน้ำเสียเข้าระบบบำบัดน้ำเสีย อาคาร 2
GPS. Coordinate : 47 P 668666 E 1529610 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/2
Sample Type : Wastewater
Sampling Date : 11 March 2026
Sampling Time : 02.40 p.m.
Received Date : 12 March 2026
Analytical Date : 12 – 30 March 2026
Report Date : 31 March 2026

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 24.4 °C	-	Electrometric Method (4500-H ⁺ B)	7.4
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	160
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	372
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	187
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	2.0
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	2.60
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	72
Sample Appearance		Yellow/Turbid/Sediment/Smelly	

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.
^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.
* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
 เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดระบายน้ำออกจากระบบบำบัดน้ำเสีย อาคาร 1
GPS. Coordinate : 47 P 668661 E 1529613 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/3
Sample Type : Wastewater
Sampling Date : 11 March 2026
Sampling Time : 02.31 p.m.
Received Date : 12 March 2026
Analytical Date : 12 – 30 March 2026
Report Date : 31 March 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.6 °C	-	Electrometric Method (4500-H ⁺ B)	6.7	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	23.4	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	415	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	17.1	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Total Kjeldahl Nitrogen ^{*, 3/}	mg/L	APHA:4500-Norg (B) ^{2/}	2.8	≤ 35
Sample Appearance		Yellow/Turbid/Little Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024), Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
 เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดระบายน้ำออกจากระบบบำบัดน้ำเสีย อาคาร 2
GPS. Coordinate : 47 P 668670 E 1529615 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/4
Sample Type : Wastewater
Sampling Date : 11 March 2026
Sampling Time : 02.46 p.m.
Received Date : 12 March 2026
Analytical Date : 12 – 30 March 2026
Report Date : 31 March 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 25.4 °C	-	Electrometric Method (4500-H ⁺ B)	5.7	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	33.3	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	435	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	29.8	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	< 0.28	≤ 35
Sample Appearance		Yellow/Turbid/Sediment/Odorless		

Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024), Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
 เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดตรวจวัดคุณภาพน้ำทั้งก่อนระบายออกจากโครงการ
GPS. Coordinate : 47 P 668666 E 1529604 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/5
Sample Type : Wastewater
Sampling Date : 11 March 2026
Sampling Time : 02.50 p.m.
Received Date : 12 March 2026
Analytical Date : 12 – 30 March 2026
Report Date : 31 March 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 25.2 °C	-	Electrometric Method (4500-H ⁺ B)	6.9	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	29.7	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	445	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	23.2	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	3.9	≤ 35
Sample Appearance		Yellow/Turbid/Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
 เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดรวบรวมน้ำเสียเข้าระบบบำบัดน้ำเสีย อาคาร 1
GPS. Coordinate : 47 P 668612 E 1529605 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/1
Sample Type : Wastewater
Sampling Date : 22 April 2026
Sampling Time : 01.59 p.m.
Received Date : 23 April 2026
Analytical Date : 23 April – 07 May 2026
Report Date : 08 May 2026


Parameter	Unit	Analytical Method ^{1/}	Result
pH at 24.6 °C	-	Electrometric Method (4500-H ⁺ B)	7.3
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	306
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	390
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	188
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	6.4
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	2.70
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	64
Sample Appearance		Black/Turbid/Sediment/Smelly	

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer


Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
 เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดรวบรวมน้ำเสียเข้าระบบบำบัดน้ำเสีย อาคาร 2
GPS. Coordinate : 47 P 668690 E 1529613 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/2
Sample Type : Wastewater
Sampling Date : 22 April 2026
Sampling Time : 02.15 p.m.
Received Date : 23 April 2026
Analytical Date : 23 April – 07 May 2026
Report Date : 08 May 2026

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 24.5 °C	-	Electrometric Method (4500-H ⁺ B)	7.3
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	70.9
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	400
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	150
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	4.3
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	2.43
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	78
Sample Appearance		Yellow/Turbid/Sediment/Smelly	

- Remark**
- ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
 - ^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.
 - ^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.
 - * This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
 เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดระบายน้ำออกจากกระบบบำบัดน้ำเสีย อาคาร 2
GPS. Coordinate : 47 P 668689 E 1529619 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling


Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/4
Sample Type : Wastewater
Sampling Date : 22 April 2026
Sampling Time : 02.12 p.m.
Received Date : 23 April 2026
Analytical Date : 23 April – 07 May 2026
Report Date : 08 May 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 25.2 °C	-	Electrometric Method (4500-H ⁺ B)	5.8	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	17.8	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	408	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	21.5	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Total Kjeldahl Nitrogen ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	< 0.28	≤ 35
Sample Appearance		Yellow/Turbid/Little Sediment/Odorless		

Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.
^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.
 * This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
 เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดตรวจวัดคุณภาพน้ำทั้งก่อนระบายออกจากโครงการ
GPS. Coordinate : 47 P 668671 E 1529614 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/5
Sample Type : Wastewater
Sampling Date : 22 April 2026
Sampling Time : 02.08 p.m.
Received Date : 23 April 2026
Analytical Date : 23 April – 07 May 2026
Report Date : 08 May 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 25.2 °C	-	Electrometric Method (4500-H ⁺ B)	5.8	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	23.9	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	404	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	20.6	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	6.2	≤ 35
Sample Appearance		Yellow/Turbid/Little Sediment/Odorless		

Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดรวบรวมน้ำเสียเข้าระบบบำบัดน้ำเสีย อาคาร 1
GPS. Coordinate : 47 P 668643 E 1529623 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/1
Sample Type : Wastewater
Sampling Date : 15 May 2026
Sampling Time : 03.32 p.m.
Received Date : 16 May 2026
Analytical Date : 16 May - 01 June 2026
Report Date : 02 June 2026

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 24.3 °C	-	Electrometric Method (4500-H ⁺ B)	7.1
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	1,122
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	408
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	363
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	19.1
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	5.59
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	87
Sample Appearance		Brown/Turbid/Sediment/Smelly	

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.
^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.
* This item is out the scope ISO/IEC 17025:2017 Accreditation.

ANALYSIS REPORT

Data Provided by Customer


Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดรวบรวมน้ำเสียเข้าระบบบำบัดน้ำเสีย อาคาร 2
GPS. Coordinate : 47 P 668688 E 1529634 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/2
Sample Type : Wastewater
Sampling Date : 15 May 2026
Sampling Time : 03.48 p.m.
Received Date : 16 May 2026
Analytical Date : 16 May - 01 June 2026
Report Date : 02 June 2026

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 24.7 °C	-	Electrometric Method (4500-H ⁺ B)	7.4
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	185
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	398
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	177
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	16.9
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	2.95
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	66
Sample Appearance		Yellow/Turbid/Sediment/Smelly	

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.
^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.
* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดระบายน้ำออกจากระบบบำบัดน้ำเสีย อาคาร 1
GPS. Coordinate : 47 P 668653 E 1529601 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/3
Sample Type : Wastewater
Sampling Date : 15 May 2026
Sampling Time : 03.24 p.m.
Received Date : 16 May 2026
Analytical Date : 16 May - 01 June 2026
Report Date : 02 June 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.6 °C	-	Electrometric Method (4500-H ⁺ B)	6.8	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	15.6	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	392	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	29.6	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	8.4	≤ 35
Sample Appearance		Yellow/Turbid/Little Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024), Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดระบายน้ำออกจากระบบบำบัดน้ำเสีย อาคาร 2
GPS. Coordinate : 47 P 668681 E 1529608 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/4
Sample Type : Wastewater
Sampling Date : 15 May 2026
Sampling Time : 03.44 p.m.
Received Date : 16 May 2026
Analytical Date : 16 May - 01 June 2026
Report Date : 02 June 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.6 °C	-	Electrometric Method (4500-H ⁺ B)	5.7	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	29.3	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	373	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	29.9	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	4.2	≤ 35
Sample Appearance		Yellow/Turbid/Little Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
 เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดตรวจวัดคุณภาพน้ำทั้งก่อนระบายออกจากโครงการ
GPS. Coordinate : 47 P 668654 E 1529607 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/5
Sample Type : Wastewater
Sampling Date : 15 May 2026
Sampling Time : 03.40 p.m.
Received Date : 16 May 2026
Analytical Date : 16 May - 01 June 2026
Report Date : 02 June 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.1 °C	-	Electrometric Method (4500-H ⁺ B)	7.4	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	9.2	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	335	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Azide Modification Method (4500-O C, 5210 B)	< 2.0	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Total Kjeldahl Nitrogen ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	< 0.28	≤ 35
Sample Appearance		Yellow/Clear/Little Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer


Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดรวบรวมน้ำเสียเข้าระบบบำบัดน้ำเสีย อาคาร 1
GPS. Coordinate : 47 P 668633 E 1529627 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/1
Sample Type : Wastewater
Sampling Date : 10 June 2026
Sampling Time : 03.48 p.m.
Received Date : 11 June 2026
Analytical Date : 11 – 25 June 2026
Report Date : 26 June 2026

Parameter	Unit	Analytical Method ^{1/}	Result
pH at 24.5 °C	-	Electrometric Method (4500-H ⁺ B)	7.4
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	21.2
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	394
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	203
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	4.3
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	4.22
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	46
Sample Appearance		Yellow/Turbid/Sediment/Smelly	

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.
^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.
^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.
* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดรวบรวมน้ำเสียเข้าระบบบำบัดน้ำเสีย อาคาร 2
GPS. Coordinate : 47 P 668710 E 1529597 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/2
Sample Type : Wastewater
Sampling Date : 10 June 2026
Sampling Time : 03.55 p.m.
Received Date : 11 June 2026
Analytical Date : 11 – 25 June 2026
Report Date : 26 June 2026


Parameter	Unit	Analytical Method ^{1/}	Result
pH at 25.3 °C	-	Electrometric Method (4500-H ⁺ B)	7.4
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	89.9
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	398
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	161
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	5.8
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	2.41
Total Kjeldahl Nitrogen ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	72
Sample Appearance		Yellow/Turbid/Sediment/Smelly	

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
 เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดระบายน้ำออกจากระบบบำบัดน้ำเสีย อาคาร 1
GPS. Coordinate : 47 P 668665 E 1529586 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/3
Sample Type : Wastewater
Sampling Date : 10 June 2026
Sampling Time : 03.39 p.m.
Received Date : 11 June 2026
Analytical Date : 11 – 25 June 2026
Report Date : 26 June 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.4 °C	-	Electrometric Method (4500-H ⁺ B)	7.0	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	10.2	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	380	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	20.5	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	7.3	≤ 35
Sample Appearance		Yellow/Turbid/Little Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
 เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดระบายน้ำออกจากระบบบำบัดน้ำเสีย อาคาร 2
GPS. Coordinate : 47 P 668691 E 1529631 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/4
Sample Type : Wastewater
Sampling Date : 10 June 2026
Sampling Time : 04.00 p.m.
Received Date : 11 June 2026
Analytical Date : 11 – 25 June 2026
Report Date : 26 June 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 24.4 °C	-	Electrometric Method (4500-H ⁺ B)	5.8	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	29.7	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	396	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	20.8	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Total Kjeldahl Nitrogen *, 3/	mg/L	APHA:4500-Norg (B) ^{2/}	4.5	≤ 35
Sample Appearance		Yellow/Turbid/Little Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024)., Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : จุดตรวจวัดคุณภาพน้ำทั้งก่อนระบายออกจากโครงการ
GPS. Coordinate : 47 P 668666 E 1529613 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Report No. : W69040
Sample No. : W69040/5
Sample Type : Wastewater
Sampling Date : 10 June 2026
Sampling Time : 04.05 p.m.
Received Date : 11 June 2026
Analytical Date : 11 – 25 June 2026
Report Date : 26 June 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
pH at 25.2 °C	-	Electrometric Method (4500-H ⁺ B)	7.4	5.5-9.0
Total Suspended Solids	mg/L	Dried at 103-105 °C (2540 D)	5.3	≤ 40
Total Dissolved Solids	mg/L	Dried at 180 °C (2540 C)	265	≤ 1,000
Biochemical Oxygen Demand *	mg/L	5-Day BOD Test, Membrane Electrode Method (4500-O G, 5210 B)	< 2.0	≤ 30
Oil and Grease *	mg/L	Liquid-Liquid Partition Gravimetric Method (5520 B)	< 2.0	≤ 20
Sulfide *	mg/L	Iodometric Method (4500-S ²⁻ F)	< 0.60	≤ 1.0
Total Kjeldahl Nitrogen *, ^{3/}	mg/L	APHA:4500-Norg (B) ^{2/}	< 0.28	≤ 35
Sample Appearance		Yellow/Clear/Little Sediment/Odorless		


Standard : Notification of the Ministry of Natural Resources and Environment, under Enhancement and Conservation of National Environmental Quality Act, B.E. 2567 (2024), Building type B.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 23rd edition 2017.

^{3/} Analyzed by Environment & Laboratory Co., Ltd. Registration number Wo-029.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



คุณภาพน้ำสระว่ายน้ำของโครงการ



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : สระว่ายน้ำส่วนลึก
GPS. Coordinate : 47 P 668668 E 1529617 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69040
Sample No : W69040/6
Sample Type : Swimming pool Water
Sampling Date : 29 January 2026
Sampling Time : 02.03 p.m.
Received Date : 30 January 2026
Analytical Date : 30 January – 19 February 2026
Report Date : 20 February 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF., 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Company Limited registration number Wo-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
 เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : สระว่ายน้ำส่วนต้น
GPS. Coordinate : 47 P 668660 E 1529633 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69040
Sample No : W69040/7
Sample Type : Swimming pool Water
Sampling Date : 29 January 2026
Sampling Time : 02.02 p.m.
Received Date : 30 January 2026
Analytical Date : 30 January – 19 February 2026
Report Date : 20 February 2026


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Company Limited registration number Wo-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : สระว่ายน้ำส่วนลึก
GPS. Coordinate : 47 P 668658 E 1529639 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69040
Sample No : W69040/6
Sample Type : Swimming pool Water
Sampling Date : 11 February 2026
Sampling Time : 03.45 p.m.
Received Date : 12 February 2026
Analytical Date : 12 February – 02 March 2026
Report Date : 04 March 2026


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF., 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Company Limited registration number Wo-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
 เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : สระว่ายน้ำส่วนเล็ก
GPS. Coordinate : 47 P 668651 E 1529636 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69040
Sample No : W69040/6
Sample Type : Swimming pool Water
Sampling Date : 11 March 2026
Sampling Time : 02.23 p.m.
Received Date : 12 March 2026
Analytical Date : 12 - 30 March 2026
Report Date : 31 March 2026


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF., 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Company Limited registration number Wo-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิตินุศลอคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : สระว่ายน้ำส่วนต้น
GPS. Coordinate : 47 P 668660 E 1529607 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69040
Sample No : W69040/7
Sample Type : Swimming pool Water
Sampling Date : 11 March 2026
Sampling Time : 02.22 p.m.
Received Date : 12 March 2026
Analytical Date : 12 - 30 March 2026
Report Date : 31 March 2026


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Company Limited registration number Wo-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : สระว่ายน้ำส่วนลึก
GPS. Coordinate : 47 P 668650 E 1529637 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69040
Sample No : W69040/6
Sample Type : Swimming pool Water
Sampling Date : 22 April 2026
Sampling Time : 01.56 p.m.
Received Date : 23 April 2026
Analytical Date : 23 April – 05 May 2026
Report Date : 06 May 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Company Limited registration number Wo-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : สระว่ายน้ำส่วนต้น
GPS. Coordinate : 47 P 668665 E 1529607 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69040
Sample No : W69040/7
Sample Type : Swimming pool Water
Sampling Date : 22 April 2026
Sampling Time : 01.55 p.m.
Received Date : 23 April 2026
Analytical Date : 23 April – 05 May 2026
Report Date : 06 May 2026


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Company Limited registration number Wo-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : สระว่ายน้ำส่วนต้น
GPS. Coordinate : 47 P 668661 E 1529642 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69040
Sample No : W69040/7
Sample Type : Swimming pool Water
Sampling Date : 15 May 2026
Sampling Time : 03.20 p.m.
Received Date : 16 May 2026
Analytical Date : 16 May - 01 June 2026
Report Date : 02 June 2026


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Company Limited registration number Wo-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
 เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : สระว่ายน้ำส่วนลึก
GPS. Coordinate : 47 P 668663 E 1529643 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69040
Sample No : W69040/6
Sample Type : Swimming pool Water
Sampling Date : 10 June 2026
Sampling Time : 03.33 p.m.
Received Date : 11 June 2026
Analytical Date : 11 - 25 June 2026
Report Date : 26 June 2026


Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF., 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Company Limited registration number Wo-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.



ANALYSIS REPORT

Data Provided by Customer

Customer Name : นิติบุคคลอาคารชุด บลู พหลโยธิน 35
Project Name : โครงการ BLUE Phahon Yothin 35 (บลู พหลโยธิน 35)
Address Project : เลขที่ 38 ซอยวิภาวดีรังสิต 38 แขวงลาดยาว
เขตจตุจักร กรุงเทพมหานคร 10900
Sampling Point : สระว่ายน้ำส่วนต้น
GPS. Coordinate : 47 P 668663 E 1529619 N
Sampling By : TNP ENVIRONMENT CO.,LTD.
Sampling Method : Grab Sampling

Data Provided by Laboratory

Customer Code : W69040
Sample No : W69040/7
Sample Type : Swimming pool Water
Sampling Date : 10 June 2026
Sampling Time : 03.33 p.m.
Received Date : 11 June 2026
Analytical Date : 11 - 25 June 2026
Report Date : 26 June 2026

Parameter	Unit	Analytical Method ^{1/}	Result	Standard
Total Coliform Bacteria *	MPN/100 mL	Multiple-Tube Fermentation Technique (9221 B)	< 1.8	< 10
<i>Escherichia coli</i> *	/100 mL	Multiple-Tube Fermentation Technique (9221 F)	Not Detected	Not Detected
<i>Staphylococcus aureus</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 B	Not Detected	Not Detected
<i>Pseudomonas aeruginosa</i> *, ^{2/}	/100 mL	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 24 th Edition, 2023, Part 9213 E	Not Detected	Not Detected
Sample Appearance		Clear/Odorless		

Standard : Public Health Commission Recommendation (No. 1) B.E. 2550 (2007), on the control of the operation swimming pools or other.

Remark ^{1/} Standard Methods for the Examination of Water and Wastewater., APHA, AWWA, WEF, 24th edition 2023.

^{2/} Analyzed by Bureau Veritas AQ Lab (Thailand) Company Limited registration number Wo-313.

* This item is out the scope ISO/IEC 17025:2017 Accreditation.

